

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 -510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

094574

describing the

GEOLOGY, GEOCHEMISTRY AND PROSPECTING

at the

MIKE LAKE PROPERTY

located at

Latitude 64°18'N and Longitude 137°54'W
NTS 116A/04 and 116A/05

in

Dawson Mining District
West-central Yukon Territory

prepared by


Archer, Cathro & Associates (1981) Limited

for

DYNAMITE RESOURCES LTD.

by

W. A. Wengzynowski, P.Eng.
January 2005



This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
revenue on work in the amount
of \$ 109,525.

M. Bob

for Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

Costs associated with this report have been
approved in the amount of \$ 109,525
for assessment credit under Certificate of
work for 200 5369 569

[Signature]
Mining Recorder
Dawson City Mining District

TABLE OF CONTENTS

	<u>PAGE</u>
SUMMARY	1
INTRODUCTION	3
PROPERTY DESCRIPTION AND LOCATION	3
ACCESS, INFRASTRUCTURE, LOCAL RESOURCES, PHYSIOGRAPHY AND CLIMATE	3
PROPERTY HISTORY AND PREVIOUS WORK	4
2004 EXPLORATION	5
GEOLOGICAL SETTING	5
Regional Geology	5
Property Geology	6
Structure	8
Contact Metamorphism and Alteration	8
DEPOSIT TYPES	8
MINERALIZATION, GEOCHEMICAL ANOMALIES AND GEOPHYSICAL RESULTS	10
DIAMOND DRILLING	18
SAMPLING METHOD AND APPROACH	18
SAMPLE PREPARATION, ANALYSES AND SECURITY	20
DATA VERIFICATION	21
INTERPRETATION AND CONCLUSIONS	22
RECOMMENDATIONS	22
SELECTED REFERENCES	23

APPENDICES

- I STATEMENT OF QUALIFICATIONS *A Statement of Costs.*
- II CLAIM TENURE INFORMATION
- III CERTIFICATES OF ANALYSIS
- IV ROCK SAMPLE DESCRIPTIONS

FIGURES

<u>Number</u>		<u>Following Page</u>
1.	Location	3
2.	Claim Location	3
3.	Tintina Gold Belt	5
4.	Regional Geology	6
5.	Property Geology	6
6.	Tombstone Gold Intrusion-Related Model	8
7.	Gold Geochemistry	10
8.	Copper Geochemistry	10
9.	Magnetics	10
10.	Resistivity	10
11.	Exploration Targets	10
12.	2004 Sample Locations	in pocket

SUMMARY

Dynamite Resources Ltd acquired the Mike property through an option agreement from Mena Resources Inc., which was signed in June 2004. Under terms of the agreement, Dynamite can earn a 100% interest subject to net smelter return (NSR) royalties that apply to different parts of the property. Most of the northern third of the property is subject to a 2% NSR royalty payable to Barrick Gold Inc. on all mineral production. The remainder of the property is subject to a 2½% NSR royalty, which is payable to Mena. There are no buyout provisions on the NSR royalty owned by Barrick but 1½% of Mena's 2½% NSR royalty can be purchased at any time by Dynamite for \$1,000,000, leaving a 1% NSR royalty payable on gold and silver only.

The Mike Lake property consists of 258 claims covering about 5000 hectares. The claims are located in an area of rugged topography about 80 km east-northeast of Dawson City. Road access from the Yukon highway system exists to the former Brewery Creek Mine, 25 km southwest of the property. Present access is by helicopter from Dawson City with a flight time of approximately 40 minutes.

The Mike Lake property lies within the Tintina Gold Belt, a gold rich mineral district that extends across central Alaska and Yukon. Local geology consists of Proterozoic to Lower Paleozoic medium to coarse grained clastic sedimentary rocks, shale, siltstone and limestone that are intruded by three mid-Cretaceous Tombstone Plutonic Suite syenite stocks with numerous associated plugs, dykes and sills. The intrusive bodies were emplaced at a relatively shallow depth along a regional northeast trend that may have been controlled by extensional faulting.


Despite its favourable geological setting, the Mike Lake property has received no advanced exploration. The most significant work was done by Placer Dome Exploration Limited in the early 1990s and Homestake Canada Inc. in the late 1990s. Their exploration included reconnaissance soil geochemistry, prospecting, geological mapping, geophysical surveys and a few hand trenches. Although these programs identified many gold ± copper showings, extensive soil geochemical anomalies and well defined geophysical targets, no follow up diamond drilling was performed. The only drilling to date on the property comprised three shallow holes beneath a gold bearing vein in the 1970s. In July, August and September, 2004 Archer Cathro & Associates (1981) Limited carried out grid-and contour-controlled soil sampling, geological mapping and prospecting on Dynamite's behalf across northern and central parts of the property. This program was designed to better define the geochemical anomalies in preparation for future drilling.

Four styles of copper-gold and gold mineralization have been recognized on the Mike Lake property: intrusion-hosted porphyry style mineralization; mineralized skarns in carbonate rich units; siliceous replacement deposits in porous calcareous clastic sedimentary rocks; and, structurally controlled quartz-carbonate alteration or vein zones. Although exploration is at a relatively early stage, it is apparent that the Mike Lake property hosts at least five bulk tonnage copper-gold exploration targets. There are also several promising, higher grade gold prospects and a number of partially delineated soil geochemical anomalies elsewhere on the property.

In 1998 Homestake prepared a report summarizing its 1997 and 1998 exploration as well as earlier work by other parties on the Mike Lake property. That report recommended an aggressive exploration program but it was never implemented. Future work should test exploration targets recommended by Homestake or identified by Dynamite in 2004. The proposed program should primarily focus on nine main areas of interest, all of which require diamond drilling. The drill program should be done in conjunction with detailed geophysical surveys to define specific targets where appropriate, and additional geochemical and geological work in areas of secondary interest that have not yet been adequately explored.

Respectfully submitted,

Archer, Cathro & Associates (1981) Limited



W.A. Wengzynowski, P.Eng.
By his Attorney-in-Fact
Joan Mariacher

INTRODUCTION

Archer, Cathro & Associates (1981) Limited was retained by Dynamite Resources Ltd. to carry out exploration work on the Mike Lake property in west-central Yukon during July, August and September 2004, to compile all available geological exploration data, and to propose an appropriate program for additional exploration. The author directly supervised and personally participated in the 2004 exploration program and his Statement of Qualification appears in Appendix I.

PROPERTY DESCRIPTION AND LOCATION

The Mike Lake property consists of 258 contiguous, unsurveyed mineral claims. They are located in west-central Yukon Territory, approximately 80 km east-northeast of Dawson City (Figure 1). The property is roughly centred at latitude 64°18'N and longitude 137°54'W on NTS 116A/04 and 116A/05. The claims were staked under the Yukon Quartz Mining Act and are registered in the Dawson Mining District in the name of Archer, Cathro which holds them in trust for Dynamite. Claim tenure information is summarized in Appendix II while Figure 2 shows the location of individual claims.


The Mike Lake property is subject to the terms of an option agreement with Mena Resources Inc. Under terms of the agreement, Dynamite can earn a 100% interest subject to net smelter return (NSR) royalties that apply to different parts of the property. Most of the northern third of the property is subject to a 2% NSR royalty payable to Barrick Gold Inc. on all mineral production. The remainder is subject to a 2½% NSR royalty, which is payable to Mena. There is no provision to buy out any part of Barrick's NSR royalty but 1½% of Mena's 2½% NSR royalty can be purchased at any time by Dynamite for \$1,000,000, leaving a 1% NSR royalty payable on gold and silver production only.

Exploration work on the Mike Lake property is currently being conducted under Class III Permit LQ00131, which is valid until August 15, 2009.

ACCESS, INFRASTRUCTURE, LOCAL RESOURCES, PHYSIOGRAPHY AND CLIMATE

The Mike Lake property lies approximately 80 km east-northeast of Dawson City. Road access from the Yukon Highway system exists to the former Brewery Creek Mine, 25 km southwest of the property. Driving time from Dawson City to the mine site is approximately 50 minutes. From there, potential road routes lead directly to the Mike Lake property up broad creek valleys. Present access is by helicopter from Dawson City with a flight time of approximately 40 minutes. Dawson City has an airport and is accessible from Whitehorse, the territorial capital, by 560 km of chip sealed all weather highway.

Dawson City has a year round population of about 2000. It is the local supply and services centre for the Klondike Goldfields, a major placer gold camp, as well as for the recently closed Brewery Creek open pit gold mining and heap leach operation. A number of residents in the area have surface mining skills and heavy equipment is readily available. A power line connects the



DYNAMITE RESOURCES LTD.

Figure 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LOCATION

MIKE LAKE PROPERTY

Drawn By: RCC

Project: Mike Lake

File: F_1-Location.dwg

Date: December 2004

358000 mE

7134000 mN



JAVA

JAMIE

JAMIE

LORRIE

LORRIE


JAMIE

DYNAMITE RESOURCES LTD.

FIGURE 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**CLAIM LOCATION
MIKE LAKE PROPERTY**



UTM ZONE 8, NAD27

DRAWN BY: MRD

PROJECT: MIKE LAKE

FILE: ...2004/MIKE LAKE/F_2-CLAIMS.DWG

DATE: DECEMBER 2004

Dawson City area with an under-utilized hydroelectric facility located near Mayo. The power line parallels the Klondike Highway, passing within 40 km of the property.

The Mike Lake property lies within the O'Brien Range of the Ogilvie Mountains. It covers the headwaters of a number of drainages including Fish Creek, Aussie Creek, East O'Brien Creek and Brewery Creek. Topography is typical of glaciated alpine terrain, exhibiting precipitous north facing slopes with large talus aprons, sharp peaks and ridges, and steep soil and felsenmeer covered south facing slopes. Elevations range from 1070 m along valley floors to over 2000 m on mountain peaks. Permafrost is probably well developed and extensive.

There is no commercial timber on the property and vegetation is limited to buckbrush and scattered black spruce on valley floors, giving way to grass and lichen at higher elevations. The lower parts of the property are normally explorable from late May until early October although underground exploration could proceed year round. Higher elevations on the claim block are typically snow free from late June to early September. The climate is typical of northern continental regions with long, cold winters and relatively temperate summers. Average temperatures in January are about -20°C and in July about 10°C. The annual frost free period at the Brewery Creek Mine site averages 111 days. Average annual precipitation at Brewery Creek is 325 mm, mostly occurring as rain in the summer months (Diment and Simpson, 2003). Although summers are temperate, arctic cold fronts often move across the area and snowfall can occur in any month at higher elevations. Sunlight ranges from about 20 hours per day in late June to approximately 4 hours per day in late December.

PROPERTY HISTORY AND PREVIOUS WORK

The following exploration history of the Mike Lake property is largely compiled from Yukon Geological Survey Minfile database (Deklerk, 2003) with additions from summary reports prepared by Oliver (1997), Bordin, et al., (1998) and Smith (2004).

The Mike Lake property covers four separate historical exploration targets within the northeast, north-central, south-central and southern parts of the current claim holdings. Conwest Exploration Company Ltd. staked the southern part of the area in 1966 and carried out mapping and sampling the following year. The earliest surface work in the north-central and south-central parts of the area was prospecting by Hart River Mines Ltd. in 1969, which followed up with geochemical sampling, EM surveys and hand trenching in 1970 and 1971. This area was restaked in 1972 by Belmoral Mines Ltd. and explored with geological mapping, geochemical sampling and hand trenching in 1972 and 1973 (Philp and Needoba, 1973 and Toohey, 1974). The north-central part of the current claim block was partially restaked in 1975 by Canalta Resources Ltd., which carried out geological mapping, hand trenching and 188.9 m of diamond drilling in three shallow holes on a gold bearing quartz-sulphide vein. The south and south-central parts were restaked in 1974 by the Aussie Syndicate (Silver Standard Mines Ltd. and Asarco Inc.), which carried out geological mapping and geochemical sampling in 1974 and 1975. The south part of the current property was again restaked in 1980 by Anaconda Canada Exploration Ltd. and explored with detailed mapping and sampling in 1981. The north-central area was restaked in 1981 by S. Young who performed minor surface work before the claims were eventually sold to Gallagher Explorations Ltd. (Gallagher). In 1985 Gallagher conducted

geological and geochemical surveys on the ground containing the vein target drilled earlier by Canalta. The southern and central areas were restaked as part of the current Lorrie and Jamie claims between 1987 and 1990 by Walhalla Explorations Ltd., a private company that performed minor surface work in 1988 and 1989 before selling the property to Tombstone Explorations Co. Ltd. which later became Mena Resources Inc. Tombstone carried out prospecting, geological mapping, soil geochemical sampling and additional claim staking in 1990 (Doherty, 1990). Placer Dome optioned Tombstone's claims in 1991 and conducted a program of geological mapping and soil geochemistry before relinquishing its option at the end of the year when its Yukon office closed. In 1997 Homestake staked the current Java claims to the northeast of the Lorrie and Jamie claims and explored them with geochemical sampling, mapping and hand trenching. In 1998 the Lorrie and Jamie claims were explored under option from Tombstone by Homestake which carried out prospecting, mapping, hand trenching and ground geophysical surveys. An airborne geophysical survey was flown over the combined Tombstone – Homestake landholdings at the end of the 1998 field season. Homestake geologists compiled all previous data and proposed an aggressive program of diamond drilling for the following year. However, the entire property was returned to Tombstone in July 1999 after Homestake was taken over by Barrick.

2004 EXPLORATION

The 2004 exploration program conducted by Dynamite was carried out in July, August and September. It comprised extensive grid-and contour-controlled soil geochemical sampling to better define anomalous results from historical reconnaissance geochemical sampling, coupled with preliminary prospecting and geological mapping of selected targets. Most of the prospecting was carried out before 2004 geochemical results were received. Approximately 2050 grid and contour soil samples were collected in the central and northern parts of the property.

The author supervised the entire program and participated in the prospecting and geological mapping. He was on site between July 7 and July 15 and again from August 29 to September 6 when heavy snowfall terminated the program.

GEOLOGICAL SETTING

Regional Geology

The Mike Lake region lies in the Tintina Gold Belt (Figure 3), which includes a broad range of gold deposits types related to Middle and Late Cretaceous granitic intrusions, including auriferous veins, stockworks, replacements, skarns and polymetallic lodes. The gold deposits and associated plutons collectively define a 45 million year period of arc magmatism that migrated northeasterly, for a 1000 km long distance, across the Cretaceous continental margin of North America (Goldfarb, et al., 2000). The most northeasterly, and youngest Cretaceous magmatism is termed the Tombstone Plutonic Suite. This belt is about 800 km in length but it averages only 50 km in width. It extends from western Northwest Territories across central Yukon to the Dawson City area where it is offset to the Fairbanks District of Alaska by about

DYNAMITE RESOURCES LTD.

FIGURE 3


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**TINTINA GOLD BELT
MIKE LAKE PROPERTY**

FILE: ..\204MIKELAKEF_3-TGB.odr

DATE: DECEMBER 2004

Tombstone Plutonic Suite
Tintina Gold Belt



400 km of post-intrusion displacement along the Tintina Fault (Gabielse, 1985 and Lang et al., 2000).

The Tombstone Plutonic Suite consists of more than 100 separate intrusive centres, which are mostly granodiorite and quartz monzonite in composition, but also include syenite and granite.

Individual intrusions can be homogeneous or zoned, and range in morphology from complexes of plugs, dykes and sills to small batholiths. Tombstone Plutonic Suite intrusions are typically surrounded by contact metamorphic aureoles up to several kilometres in width. In areas where multiple intrusions are present, the aureoles may coalesce to form a larger zone that encloses all the intrusions in a district (Lang, et al., 2000).





The Mike Lake property lies along the southwest margin of Selwyn Basin, a region of deep-water offshore sedimentation that persisted from late Precambrian to Middle Devonian time. Sedimentary rocks in the area were displaced northward along several large scale thrust faults prior to intrusion of the mid-Cretaceous Tombstone Plutonic Suite (Tempelman-Kluit, 1970). The Tintina Fault juxtaposes Selwyn Basin stratigraphy on the northeast with the pericratonic rocks assigned to the Yukon-Tanana Terrane to the southwest.



Regional geology in the immediate vicinity of the Mike Lake property is summarized from Bordin, et al. (1998). The Late Proterozoic to Lower Cambrian Hyland Group forms the oldest stratigraphic sequence in the Mike Lake area (Figure 4). It consists of a thick package of maroon and green shale, calcareous sandstone, grit and quartz pebble conglomerate. This is overlain by Paleozoic calcareous and non-calcareous clastic sedimentary rocks of the Rabbitkettle Formation, the Road River Group and the Earn Group. A northwesterly trending belt of Mississippian Keno Hill Quartzite and Jurassic schist is exposed in the basal plate of the Robert Service Thrust, about 30 km northeast of the property. Numerous granitic to syenitic stocks, plugs, dykes and sills of the 92 Ma Tombstone Plutonic Suite intrude the sedimentary package (Green, 1972). They are typically rimmed by a contact metamorphic aureole up to several kilometres in diameter. Biotite hornfels is the most common alteration within the aureoles but skarn is locally abundant. Hornfels is characteristically pyrrhotite rich and generally displays a strong positive magnetic signature. This coupled with the low magnetic susceptibility of the granitic rocks, often results in distinctive, donut shaped magnetic anomalies around Tombstone Plutonic Suite intrusions.







Property Geology

The Property Geology section as well as following sections on Structure, and Contact Metamorphism and Alteration are summarized from Bordin, et al (1998) or are based upon the author's observations unless otherwise noted.

The Mike Lake property straddles the transition zone between Late Proterozoic to Lower Cambrian Hyland Group and the Cambrian to Ordovician Rabbitkettle Formation (Figure 5). The northern part of the property is underlain by quartzite and siltstone of the Yusezyu Formation and thick shale intervals of the Narchilla Formation, both part of the Hyland Group. The light grey to orange weathering quartzite is fine to medium grained and thin to medium

-  Selwyn Basin
-  Coastal and Insular Belts
-  Intermontane Belt
-  Yukon-Tanana Terrane and Slide Mountain Terrane
-  Ancestral North America including Cassiar Terrane and Mackenzie Platform




-  Quaternary overburden
-  Cretaceous granitic and syenitic plutons
-  Paleozoic - Mesozoic clastic metasedimentary and mafic igneous rocks
-  Paleozoic sedimentary rocks
-  Late Proterozoic to Lower Cambrian metasedimentary and metavolcanic rocks
-  Yukon-Tanana Terrane

DYNAMITE RESOURCES LTD.

FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**REGIONAL GEOLOGY
MIKE LAKE PROPERTY**



bedded. The siltstone and associated argillite range from light grey to dark brown weathering. They are generally thinly bedded and relatively recessive. Occasional rusty weathering gritty quartzite and quartz pebble conglomerate beds with a calcareous matrix are also present within the Yusezyu Formation. The Narchilla Formation rocks are a largely monotonous sequence of green and maroon coloured shale that mostly outcrop north of the property boundary.

The Late Cambrian to Middle Ordovician Rabbitkettle Formation outcrops in the south half of the Mike Lake property. It is composed of calcareous phyllite with siltstone, oolitic limestone and argillite beds as well as rare conglomerate/breccia beds. The phyllite typically displays well developed cleavage subparallel to compositional layering. The contact between Hyland Group and Rabbitkettle Formation rocks has been observed in only one location, where it appears to be transitional (Oliver, 1997).

Gabbroic sill-like intrusions, believed to be Triassic in age, outcrop extensively in the southwest corner of the property.

Three, 1 to 2 km diameter Tombstone Plutonic Suite syenite stocks and numerous associated plugs, dykes and sills have intruded the sedimentary sequence along a 14 km long northeasterly trend. The Anvil Lake Intrusion at the north end of the property is about 1.4 km² in size. The Mike Lake Intrusion in the central part of the property consists of a roughly circular 4 km² stock with a number of west trending apophyses. The Lorrie Lake Intrusion in the southern part of the property is relatively poorly defined and a number of irregular plugs and dykes have been outlined by initial mapping over a 6 km² area.

The stocks and plugs are medium to coarse grained, equigranular to strongly porphyritic syenite with potash feldspar phenocrysts ranging up to 5 cm in length. The syenite has a composition of about 55% subhedral orthoclase, 25% mafic minerals (biotite, hornblende, clinopyroxene and opaques), 15% plagioclase and 5% quartz. The dykes and sills are fine to medium grained and range in widths from 0.5 to 10 m. They are interpreted as late stage, quartz- and volatile-rich variants of the stocks, which were emplaced along zones of structural weakness, including faults and sedimentary bedding planes (Keyser and Laudon, 1990). The tabular intrusions predominately trend northeast-southwest and east-west. Lamprophyre dykes up to 5 m thick outcrop in the northeast corner of the property.

Fluid inclusion studies confirm that the Mike Lake syenites are highly metalliferous (Cu, Pb, Zn) relative to other intrusions of the Tombstone Plutonic Suite (J. K. Mortensen pers. com. – cited in Bordin, et al., 1998) and that they were emplaced at a relatively shallow depth (Lang, et al., 2000). Aeromagnetic data and petrologic studies further suggest that the exposed intrusions represent the barely unroofed upper part of a much larger pluton that lies at a relatively shallow depth beneath the property. Additional evidence for a large buried pluton is the extensive rusty weathering hornfels alteration developed in sedimentary rocks within and adjacent to the property. Hart, et al. (2000) noted that the orientation of the various stocks, dykes and sills at Mike Lake are considered to mark a significant zone of extension that focussed magmas and mineralizing fluids. The presence of lamprophyre dykes is further evidence of an extensional setting.

Structure

Bedding in the layered sedimentary rocks strikes fairly uniformly at about 100 to 130° across the property with dips typically ranging between 30 to 60° south. This pattern is locally modified by upright to overturned, south verging isoclinal folding as a result of northwest directed thrust faults. South verging folds and thrust faults are important localizers for gold mineralization at the nearby Brewery Creek Mine (Diment and Simpson, 2003). Jointing, faulting and fracturing have a general orientation of 035 to 055° at the Mike Lake property and appear to have controlled the emplacement of some syenite dykes. Brittle and ductile deformation of the sedimentary rocks is common near the intrusive contacts, either as a result of differential competency or as an artifact of the igneous emplacement.

Contact Metamorphism and Alteration

Hornfels alteration is widespread in the Mike Lake area and is a result of thermal alteration during the emplacement of the syenite bodies. Argillaceous rocks within the thermal aureole display pervasive biotite development with disseminated pyrrhotite/pyrite, creating the extensive rusty alteration halos that characterize the area.

Contact metasomatic alteration where syenites have intruded calcareous Rabbitkettle Formation sedimentary rocks has produced widespread skarns. They are characterized by a fine grained assemblage of quartz, diopside, calcite, actinolite, tremolite-wollastonite and garnet with zones of coarse actinolite, tremolite, garnet and axinite. Metasomatic alteration weakens rapidly away from the igneous contacts, with the coarse calc-silicate alteration grading into a fine grained, siliceous, potassic, pinkish to pale green rock, and finally into unaltered lithologies.


The syenites themselves are relatively fresh with minor phyllic alteration present along fractures and joints flanked by propylitically altered selvages.

DEPOSIT TYPES

A simplified model has been prepared by Hart, et al. (2000) and Hart and Burke (2002) to illustrate the great variety of gold bearing mineral deposits that are associated with Tombstone Plutonic Suite intrusions and this is illustrated in Figure 6. The locations of mineral occurrences referred to in the following paragraphs are shown on Figure 3. Mineralization in the Tombstone Suite Model occurs as:

1. *intrusion-hosted* deposits;
2. in *proximal* settings adjacent to the intrusions and within the contact aureole;
3. in *distal* settings away from the plutons and their thermal aureoles; and,
4. in *discrete quartz-sulphide veins* within all settings.

Intrusion-hosted mineralization predominantly consists of arrays of sheeted, low sulphide, quartz+carbonate veins or disseminations of gold and accompanying sulphide minerals within weakly altered zones within the intrusions. The veins may be pegmatitic in part and they are generally concentrated in the roof or margin zones of the pluton. The best example of intrusion-



★ Gold mineralization

DYNAMITE RESOURCES LTD.

FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**TOMBSTONE GOLD
INTRUSION-RELATED MODEL**
MIKE LAKE PROPERTY

hosted sheeted vein mineralization is the Fort Knox Mine in the Fairbanks District of Alaska. Production from 1996 through 2002 was 91,200 kg of gold from 90.4 million tonnes of ore (2.66 million oz of gold from 99.7 million tons of ore). Total proven and probable mineral reserves at the end of 2002 were 90.7 million tonnes grading 0.81 g/t gold (Miller and Wilton, 2003). *This calculation was made in compliance with the terms of NI 43-101.* Noteworthy Yukon examples of the sheeted vein type mineralization are the Clear Creek occurrence and the Eagle Zone of the Dublin Gulch deposit. The latter area contains 55.2 million tonnes of indicated mineral resource at a grade of 0.93 g/t gold and 17.3 million tonnes of inferred mineral resource grading 0.73 g/t gold (Goodwin and Burns, 2004). *This estimate was made in compliance with the terms of NI 43-101.* The best documented Yukon deposits of the disseminated intrusion-hosted type are some of the many zones that comprise the recently decommissioned Brewery Creek Mine, located 25 km southwest of the Mike Lake property. A total of 9.46 million tonnes of ore at an average grade of 1.53 g/t Au were heap leached from 1996 through to 2000 (Diment and Simpson, 2003). The aggregate pre-mining mineral resource was estimated at 40 million tonnes grading 1.4 g/t gold (Hart, et al., 2000). *Note that this data is historical in nature and it was compiled before the implementation of National Instrument 43-101 reporting standards.*

Mineralogy of the sheeted veins is dependent on the depth of emplacement of the host pluton. Fluid inclusion studies of systems that have formed deep in the earth's crust at pressures greater than 1.25 kbar indicate they do not have large lateral extent and are characterized by a bismuth, tungsten±tellurium±molybdenum±arsenic geochemical signature (e.g. Dublin Gulch, Fort Knox). Systems that formed at shallower depths (around 0.5 kbar pressure) such as Brewery Creek and the Mike Lake occurrences are more laterally extensive and they are associated with elevated base metal concentrations, most notably copper, as well as bismuth, arsenic and mercury (Lang et al., 2000).

Proximal mineralization consists of skarns, replacements and disseminations in the thermally metamorphosed and metasomatized aureole. Gold bearing skarns are typically well developed with coarse grained silicate assemblages dominated by pyroxene and garnet, with lesser wollastonite, tremolite, and axinite. Sulphide assemblages are principally pyrrhotite and chalcopyrite, with late pyrite, bismuthinite and gold or argentian gold overprints. The Marn and Horn copper-gold skarns are the best documented examples of proximal skarns. Both are at the contacts of Tombstone Plutonic Suite alkalic plutons located about 45 km northwest of the Mike Lake area. Tungsten dominated skarns are associated with the Dublin Gulch intrusion-hosted gold deposits but do not themselves contain significant amounts of gold. Replacement and disseminated gold mineralization has been reported in reactive sedimentary rocks within the hornfels aureoles of several intrusions but there are few well explored examples. Mineralogy within the hornfels is typified by coarse grained pyrrhotite, arsenopyrite and pyrite as irregular blebs and replacements.

Distal mineralization occurs outside the thermal aureole of the host pluton. Most distal gold occurrences are characterized by a geochemical association with arsenic-antimony-mercury, similar to epithermal or Carlin-type mineralization. Gold mineralization can be controlled by structural features such as thrust faults (e.g. some of the occurrences that comprise the Brewery Creek Mine as well as the True North Mine in the Fairbanks District). Antimony veins and silver-lead veins also occur in distal relationships to Tombstone Plutonic Suite plutons.

Discrete quartz-sulphide veins occur in all settings. Mineralogy is dominated by quartz and a late stage sulphide assemblage containing varying amounts of pyrite, arsenopyrite, stibnite, galena or sphalerite.

Loci of mineral deposition are dictated by many factors, both at local and regional scales. Hart et al. (2000) note that there is a coincidence of mineralized zones with extensional settings, throughout the Tombstone Gold Belt. They particularly note that orientations of high level stocks and dykes at the Mike Lake property probably represent a significant zone of extension that focussed magmas as well as mineralizing fluids.


MINERALIZATION, GEOCHEMICAL ANOMALIES AND GEOPHYSICAL RESULTS

Descriptions of mineralization on the Mike Lake property that appear in following section of this report are based primarily on data generated through episodic exploration that was conducted by a variety of operators between 1966 and 1998. Descriptions of mineralized zones are specifically summarized from Strain (1991), Oliver (1997) and Bordin, et al. (1998) with augmentation from the author's field observations in 2004 where indicated. All assays and analytical data resulting from earlier work are historical in nature. Sampling methodology and analytical techniques are described in later sections. Certificates of Analysis are in Appendix III. Rock samples collected in 2004 and by earlier programs are described in Appendix IV along with assay results for gold, copper and silver.

Exploration of the Mike Lake property is at a very early stage. Nonetheless, this work has outlined nine main areas of interest that are defined by geographic location, host lithology, mineralization type, geochemical signature and/or geophysical response. Very little, if any, physical work (such as detailed prospecting and rock chip sampling, hand or machine trenching, and diamond drilling) has been carried out to refine these exploration targets beyond identification of generalized areas that are priority targets for more advanced work. The nine priority targets (Targets A to I) are shown on thematic plots of gold soil geochemistry (Figure 7), copper soil geochemistry (Figure 8), magnetics (Figure 9) and resistivity (Figure 10). Specific showings referred to in the text are illustrated on Figure 11. Locations for soil and rock samples collected in 2004 are shown on Figure 12.

Gold mineralization on the Mike Lake property falls into four principal categories:

1. pyrrhotite, arsenopyrite and chalcopyrite as disseminations, pods and lenses in **skarns** within the Rabbitkettle Formation (*Target A* includes the *Skarn Ridge Zone* and the *South Rubble Lake Zone*);
2. **intrusion-hosted or porphyry style** disseminations, sheeted veins and veinlets of chalcopyrite, pyrite and/or arsenopyrite within syenite stocks (*Targets B, C, D and H*);
3. disseminated to massive arsenopyrite, pyrrhotite, pyrite and chalcopyrite in **replacement zones** within porous and/or reactive calcareous grit beds of the Hyland Group (*Targets E, F, G and I*);



DYNAMITE RESOURCES LTD.


Figure 7


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GOLD GEOCHEMISTRY

MIKE LAKE PROPERTY

DRAWN BY: MRD	PROJECT: MIKE LAKE
FILE: .../2004/MIKELAKE/F_7-Au.WOR	DATE: NOVEMBER 2004





DYNAMITE RESOURCES LTD.

Figure 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MAGNETICS


MIKE LAKE PROPERTY


DRAWN BY: MRD



PROJECT: MIKE LAKE

FILE: ..\2004\MIKELAKE\F_9-MAG.WOR

DATE: DECEMBER 2004





 Main areas of exploration interest
 Intrusive contact

360000 mE



7130000 mN

DYNAMITE RESOURCES LTD.

Figure 11

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

EXPLORATION TARGETS

MIKE LAKE PROPERTY

DRAWN BY: MRD	PROJECT: MIKE LAKE
FILE: .../2004/MIKELAKE/F11-TARGETS.WOR	DATE: DECEMBER 2004

0 1 2 km

F and I, which include the Java Horizon, Pebble and North Vein Zones and possibly the Fishbowl Cirque Zone and North Mike Lake Geophysical Anomaly); and,

4. disseminated to massive sulphide lenses and veining hosted by **quartz-carbonate altered fault zones** within the Rabbitkettle Formation (**Target G**, which includes the *Birdie Bindie Zone*).

Historical work at the Mike Lake property focussed on a number of discrete targets discovered by prospecting, mostly in sedimentary rocks surrounding the syenite intrusions. However, widely spaced reconnaissance soil geochemical sampling pointed to other areas of copper-gold potential, many of which were located within the intrusions. In order to obtain a better understanding of gold distribution, a comprehensive soil sampling program was performed by Dynamite in 2004 under the author's supervision. Approximately 2050 samples were collected with grid surveys across gentle to moderate terrain and contour controlled lines in steeper areas. Gold and copper results from this sampling and earlier work are compiled on Figures 7 and 8, respectively.

In general, copper soil geochemical values are highest (1000 to 4720 ppm) and best correlate with gold in areas of potential skarn or intrusion-hosted mineralization. Gold values within these targets generally range between 100 and 1000 ppb. Geochemical response is also more uniformly anomalous and more laterally extensive in these areas than at other target types on the property. Areas of potential intrusion-hosted mineralization are less well defined than other targets because they are typically talus or rubble covered with limited soil development or they are difficult to access due to steep terrain.

Areas containing replacement or quartz-carbonate altered zones produce the highest individual gold soil geochemical values (1000 to 41000 ppb) but the distribution of the gold anomalies themselves is erratic, often with uncommonly high values surrounded by only weakly anomalous results. Copper response associated with these zones typically ranges from near background to moderately anomalous values.

Specific areas of exploration interest are described in the following paragraphs.

Target A straddles Skarn Ridge, and is 1500 m long and 600 to 1200 m wide. It includes the *Skarn Ridge* and *South Rubble Lake Zones*. The area of potential mineralization is defined by a very strong copper-gold soil geochemical anomaly that coincides with an area of intensely altered Rabbitkettle Formation argillite, siltstone and oolitic limestone. The pervasive metasomatic alteration has produced a rock predominantly comprised of biotite and calc-silicate hornfels. Diopside and actinolite skarn development appears to be confined to less frequent carbonate bed, and it is best developed where the carbonate protolith is oolitic. Sulphide mineralization is predominately pyrrhotite which ranges from disseminated, through patchy, to nearly massive. Chalcopyrite occurs along fractures and as fine to coarse blebs. Arsenopyrite is mixed with the other sulphide minerals as disseminations, vein and fracture fillings, and patchy irregular replacements. The metasomatic alteration zone lies immediately southwest of the Mike Lake Stock and it is cut by numerous 3 to 8 m wide steeply dipping dykes and subhorizontal sills. The metasomatized sediments dip shallowly to moderately southward so that the Skarn

Ridge Zone on south side of the ridge approximates a dip slope while the steeper north side of the ridge (South Rubble Lake Zone) displays more of the stratigraphic section. Malachite stained skarn is moderately abundant on both sides of the ridge.

A large number of grab samples of Skarn Ridge Zone mineralization were collected by Placer Dome in 1991, Homestake in 1998, and Dynamite in 2004. Based on the rock sample descriptions and the assay data, two main types of mineralization are apparently present.

- Copper-gold skarn mineralization consisting of pyrrhotite-chalcopyrite-arsenopyrite as disseminations and fracture fillings. Copper values generally range from 0.25 to 0.75% with gold values in the trace to 4 g/t range.
- Gold rich mineralization as disseminated to patchy replacement zones of arsenopyrite in skarn. Gold values of talus samples range as high as 387.5 g/t.

Hand trenching by Homestake on the Skarn Ridge Zone exposed fracture filling and disseminated chalcopyrite, pyrrhotite and arsenopyrite in varying proportions within pyroxene-tremolite skarn (Bordin, et al., 1998). Only four of eight hand trenches reached bedrock yielding the following results:

- **Trench 1** - 0.18% copper and 14.51 g/t gold over 6 m within 0.42% copper and 1.51 g/t gold over 61 m (open under thick talus at both ends of the trench);
- **Trench 4** - 0.51% copper and 1.56 g/t gold over 28 m (open under thick talus at both ends of the trench);
- **Trench 6** - 0.08% copper and 1.21 g/t gold over 10.5 m; and
- **Trench 8** - 0.14% copper and 0.10 g/t gold over 8 m (open under thick talus at the south end of the trench).

A cursory inspection of Trench 1 by the author during Dynamite's 2004 program suggests that most of the samples were taken from a single skarn horizon exposed on a dip slope. Consequently, the sampled widths described above probably do not represent actual thickness. Bordin, et al. (1998) note that the mineralized skarn package is at least 10 m thick.

The South Rubble Lake Zone is situated north of Skarn Ridge and west of the Mike Lake Intrusion. A cluster of 2004 soil samples taken over a 500 m length along the south side of Rubble Lake yielded 1800 to 4720 ppm copper and 200 to 1350 ppb gold. This area coincides with a possible extension of the Skarn Ridge Zone but at a deeper stratigraphic level. Specimens collected by Tombstone in 1990, Placer Dome in 1991 and Homestake in 1998 are similar in character to the mineralization at the Skarn Ridge Zone except that sulphide content of the skarn and hornfels is higher and copper grades are much higher, ranging from 0.24% to 6.98% with many samples in the 1 to 2% range. This suggests that rocks underlying the Skarn Ridge Zone, which lies at a higher stratigraphic interval than the South Rubble Lake Zone, may contain increasing copper grade with depth as they approach the unroofed shoulder of the Mike Lake Intrusion.

The Skarn Ridge and South Rubble Lake Zones are characterized by relatively low intensity and low relief magnetic response coupled with low resistivities.

Target B lies within and along the east side of the Mike Lake Intrusion and is characterized by low intensity and low relief magnetic response with relatively high resistivities. Previous explorers paid little attention to the area, even though reconnaissance soil and stream sediment samples produced strongly anomalous values of copper, gold and arsenic. Limited grid soil sampling conducted during the 2004 and previous programs returned very anomalous gold and copper values from valley floors. The steep sided ridge that bisects the area could not be thoroughly sampled.

Belmoral explored the *GH Vein* located on a ridge in the central part of Target B in 1973. It collected a 30 cm channel sample (centred on a 10 cm wide quartz vein) which assayed 10.60 g/t gold and 0.01% copper. Tombstone later collected eight sulphide rich specimens of hornfelsed clastic sedimentary rocks elsewhere on the ridge which returned 0.40 to 1.35% copper. Gold values are generally much lower than the Skarn Ridge area, only ranging as high as 443 ppb in a sample that contained 24.0% arsenic. The area where Tombstone's specimens were collected is mapped as part of the Mike Lake Intrusion and the reported hornfels zones are probably screens or roof pendants.

Preliminary prospecting of soil geochemical anomalies at the north end of Target B in the *Mike Lake Cirque Zone* by the author in 2004 confirmed that porphyry style mineralization is present in a rock glacier. Residual chalcopyrite is found along rusty weathering fractures and as disseminations in oxide rimmed pits within adjacent weakly chlorite-altered hornblende-biotite syenite. Fracture density appears to range from one per metre to tens per metre. A large composite sample comprising of chips from a number of mineralized talus specimens within a 150 m diameter area returned 0.38% copper and 3.67 g/t gold. This discovery requires rigorous follow up as a porphyry style copper-gold exploration target.

In a nearby area, numerous syenite talus blocks are cut by sheeted quartz veins and veinlets containing 1 to 10% coarse arsenopyrite blebs. A composite chip sample of this type of mineralization collected by the author in 2004 yielded 61 ppm copper with 3.92 g/t gold while a composite chip sample of 5 to 15 cm wide arsenopyrite-chalcopyrite-quartz vein material in syenite talus blocks assayed 4.82% copper and 6.00 g/t gold. This type of mineralization is probably more analogous to the intrusion-hosted sheeted vein deposits at the Dublin Gulch Deposit and the Fort Knox Mine.

The Mike Lake Cirque Zone lies northwest of the *Spartan Vein* (also known as the South Vein) that was explored in the 1970s by hand trenching and three short diamond drill holes. These are the only holes ever drilled on what is now the Mike Lake property. The east-west striking, near vertical vein system is exposed in syenite intermittently for a 200 m length. It consists predominantly of quartz-arsenopyrite veining that pinches and swells within a recessive lineament. Trenching in 1975 exposed well mineralized material grading up to 43.7 g/t gold over a width of 91 cm and 52.7 g/t gold across 38 cm. Two of the three drill holes intersected significant mineralization: DDH 1 returned 4.34 g/t gold across 140 cm at about 30 m from

surface, and DDH 3 returned 24.51 g/t gold over 128 cm at about 40 m from surface (Holcapek, 1975 and Taylor, 1982). A chip sample collected in 2004 from an old hand trench yielded 16.85 g/t gold across 30 cm while a collection of arsenopyrite bearing quartz vein breccia specimens from another old trench returned 50.10 g/t gold. The Spartan Vein area contains mineralization of the intrusion-hosted, sheeted vein type but very little exploration has been done to evaluate the full potential for this deposit style.

No prospecting was carried out to evaluate *Target C* and most of the area of interest has not been geochemically sampled. The area is underlain by the west side of the Mike Lake Intrusion. It is characterized by variable strength magnetic and resistivity response. A small area of coincident high magnetic and high resistivity lies near the west-central part of the target area. Potential for intrusion-hosted gold and copper-gold mineralization was first documented by Philp (1973). He noted widespread disseminated chalcopyrite within the syenite surrounding recessive weathering swarms of narrow, east-west trending quartz-arsenopyrite-chalcopyrite veins (*Philp Showing*). Although rugged topography prevented a rigorous evaluation of the economic potential, hand trenching was carried out in a few areas. In one trench, a chip sample was taken across a 137 cm interval containing 10 cm and 7.6 cm wide quartz-arsenopyrite-chalcopyrite veins with disseminated chalcopyrite and arsenopyrite in narrow selvages in the syenite wall rock. The sample assayed 0.40% copper and 4.80 g/t gold. A grab sample from a quartz-arsenopyrite vein exposed elsewhere in the trench assayed 37.70 g/t gold.

The *RL Showing* lies along the southwest side of the Mike Lake Intrusion in the southern part of *Target C*. Grab samples of syenite hosted arsenopyrite and chalcopyrite rich quartz veins taken in 1990 and 1998 assayed up to 4.98% copper and 16.13 g/t gold. The density of mineralized quartz veining was not described and no wallrock samples were collected.

Target D is another porphyry style copper-gold target, in this case centred on the Anvil Lake Intrusion. This target has a relatively featureless low magnetic and high resistivity signature. Work by Dynamite in 2004 at the *Smith Showing* partially delineated moderate to strong, approximately coincident copper and gold soil geochemical anomalies and identified widespread fracture filling and disseminated chalcopyrite, arsenopyrite and pyrrhotite mineralization within the syenite stock. Prospecting and sampling by the author along a ridge crest in 2004 returned 0.13% copper and 0.24 g/t gold across 6 m from syenite with hairline limonitic fractures. A grab sample collected from a narrow arsenopyrite- and chalcopyrite-bearing quartz vein returned 0.75% copper, 0.21 g/t gold, 27.8 g/t silver and 0.86% tungsten.

Target E is approximately 4 km long and about 750 m wide. It encompasses the *Java Horizon* and the *Pebble Zone* gold showings at the east end and the *Fishbowl Cirque* showings at the west end, as well as a number of prominent gold soil geochemical anomalies.

The Java Horizon has been traced by prospecting for a 1.5 km distance. It consists of numerous replacement zones containing disseminated to patchy arsenopyrite with accessory galena, chalcopyrite and pyrite. The mineralization is developed in a 3 to 10 m thick limestone conglomerate/grit unit within the Hyland Group. The grit's matrix and non-quartz clasts are in places replaced by felted masses of fine grained retrograde skarn minerals that are overprinted by late-stage replacements of coarse grained arsenopyrite, bismuthinite and native gold (Hart, et al.,

2000). Select mineralized specimens reportedly assayed up to 14.8 g/t gold while seven trenches that partially tested the zone along a 100 m strike length returned favourable results, including 10.46 g/t gold over 150 cm and 3.09 g/t gold over 150 cm. Gold values appear to be strongly dependent on arsenopyrite content based on results from numerous samples collected in 1990, 1991 and 1998. Very little historical work has been carried out to properly define the Java Horizon and the showing was not inspected by the author in 2004.

The Pebble Zone is parallel to the Java Horizon, lying about 500 m to the south. Detailed mapping by Homestake in 1998 suggests that a south dipping unit is mineralized updip of its intersection with a north dipping syenite dyke. Mineralization is similar to the Java Horizon. Values up to 12.20 g/t gold over 250 cm were obtained from hand trenches across the showing while grab samples of arsenopyrite rich mineralization assayed up to 76.10 g/t gold. Copper values are generally low. The Pebble Zone was not visited by the author in 2004.

The Java Horizon and Pebble Zone lie within a 500 to 700 m wide, 3 km long band of highly anomalous gold soil geochemical results obtained from 2004 and earlier sampling programs (Figure 7). This anomalous band approximately parallels bedding and it is especially impressive

given that much of the area has relatively low relief and is covered by thick glacial deposits. The Fishbowl Cirque area at the west end of Target E produced the most anomalous results including values up to 1074 ppb gold. There, geology consists of interbedded calc-silicate and argillite hornfels cut by syenite dykes. Specimens of relatively sulphide rich (pyrrhotite, pyrite and arsenopyrite) argillite and quartzite contained up to 2.81 g/t gold while a grab sample of syenite with quartz-arsenopyrite vein stockwork assayed 1.63 g/t gold. Copper values were low in all samples.

At the east end of Target E, contour soil samples along the southwestern headwall of a cirque returned anomalous gold and copper. Follow up prospecting discovered the *Nit Float Zone* consisting of boulders of "mineralized breccia" that are reportedly abundant, with several containing greater than 1 g/t gold (Oliver, 1997).

Geophysical response in Target E is variable. The west half, which crosses a broad valley bottom, exhibits relatively low resistivity that may reflect conductive glacial overburden. A low intensity magnetic anomaly in the east-central part of the target approximately coincides with gold soil geochemical anomalies that lie along strike of the Java Horizon and the Pebble Zone.

Target F contains the *North Vein* plus numerous sporadic but very high gold soil geochemical values. The North Vein is a 2 to 5 m thick zone of silicified and metasomatized grit or limestone that contains replacement style arsenopyrite, pyrrhotite, pyrite and minor magnetite. The zone has been poorly exposed by hand trenching for a 150 m strike length. It occurs within Hyland Group strata that have been intruded by multiple syenite dykes. The protolith and style of mineralization in the North Vein are similar to those at the Java Horizon and the Pebble Zone, suggesting that mineralization is likely strata controlled rather than structurally controlled. Grab samples of deeply weathered material assayed up to 66.90 g/t gold while a chip sample of weathered gossanous material assayed 1.85 g/t gold across 4.6 m. A 2004 composite grab sample of all material in an old trench assayed 1.27 g/t gold and 788 ppm copper across 8 m. A

second composite grab sample across a 10 m wide rusty bench near the old hand trenches returned 5.76 g/t gold and 661 ppm copper.

The North Vein area responded well to close spaced grid soil geochemical sampling carried out in 2004 by Dynamite. One linear array of anomalously high gold values (up to 41000 ppb) was obtained along the surface trace of the east-northeast striking North Vein. This anomaly intersects a second trend of strongly anomalous gold values (up to 9090 ppb) that has an apparent northerly strike. The source of the second anomalous trend has not been identified.

Potential of the North Vein area is largely untested because most of it is covered by talus. However, Taylor (1982) notes that the mineralization appears to strengthen to the west into an overburden covered valley bottom. His observation is supported by gold soil geochemical data combined with results of a 1998 MaxMin geophysical survey (Power, 1998), which indicate a 1 km strike extension.

Target G is defined by strongly anomalous gold values that mark the surface trace of the *Birdie Bindie Zone*. The mineralization consists of quartz-sulphide lenses and surrounding quartz-carbonate alteration developed in two or more parallel, east-west trending shear zones that cut hornfelsed calcareous sedimentary rocks belonging to the Rabbitkettle Formation. The shear structures are up to 14 m wide and are intermittently exposed through thick talus over an approximate strike length of 1 km. The area has received only cursory prospecting by previous operators and the author did not visit this part of the property in 2004. Specimens of quartz-sulphide mineralization generally returned less than 1 g/t gold but some arsenic rich specimens produced values exceeding 6 g/t gold. Soil samples taken along strike of the zone returned very anomalous gold values from an area that has apparently never been prospected. Geophysical response is muted.

Target H lies directly south of Target G and is distinguished from it by the presence of strongly anomalous copper soil geochemical values. Although little exploration has been done here, intrusive rocks are mapped in the area and it is marked by a magnetic low similar to the magnetic signature associated with intrusion-hosted Targets B, C and D. A select sample from a 0.25 m wide shear zone collected by Placer Dome in 1991 returned >6.00 g/t gold with unreported copper and silver values. This sample site is shown on Figure 11 as the *4160 Showing*.

Target I lies toward the north end of the Mike Lake property where a discrete magnetic high and resistivity low coincides with a cluster of strong airborne EM anomalies. This area was rated as the highest priority for follow up by Homestake's geophysical consultant (Bordin, et al., 1998). Gold and copper geochemical response is low but this might be expected since the area is mantled with deep talus and glacial till. The geophysical anomalies lie along strike from Target F, which contains the North Vein showing.

In addition to the nine main areas of interest, several other secondary mineral occurrences are present on the property. Most of the occurrences were prospecting discoveries and none has been systematically soil sampled.

The *B Showing* is an horizon or pod of massive pyrrhotite-pyrite-galena-jamesonite-chalcopryrite in argillite which was discovered by Placer Dome geologists in 1990. An 80 cm chip sample across the zone assayed 0.80% copper and 153.0 g/t silver with only 45 ppb gold.

The *Bev Showing* consists of disseminated to massive pyrrhotite-arsenopyrite-chalcopryrite-pyrite mineralization within biotite hornfels altered Rabbitkettle Formation argillite adjacent to a syenite dyke. Chip samples taken in 1991 contained 0.93 g/t gold with 358 ppm copper over 2 m and 5.31 g/t gold with 0.31% copper over 60 cm. Select samples of float returned values up to 14.78 g/t gold and 0.35% copper. Reconnaissance soil samples were taken in 2004 along the base of the ridge, downslope of the showings. Gold results suggest that the area of potential gold mineralization may be restricted although copper anomalies cover a much larger area.

The *Homestake Showing* consists of skarn float with semi massive arsenopyrite-pyrite-pyrrhotite-chalcopryrite, a grab sample of which returned 50 ppb gold and 2.94% copper.

The *Lorrie Lake Cirque* occurrence is a single weakly mineralized outcrop and a boulder of vein float containing massive pyrite, pyrrhotite, arsenopyrite, chalcopryrite, jamesonite and sphalerite. A 1 m chip sample across the outcrop assayed 65 ppb gold, 52.0 ppm silver and 1135 ppm copper. No assays were reported from the boulder.

The *Phone Zone* consists of massive sulphide mineralization in Rabbitkettle Formation cherty argillite and calc-silicate hornfels, located high on a ridge overlooking a valley to the west. Select samples of the mineralization assayed up to 160.0 g/t silver and 0.22% copper. Gold values are low with a maximum of only 117 ppb. A small but prominent, coincident magnetic high and resistivity low lies just east of the showing on the east side of the ridge.

The *PX Showing* is an area of pyroxene-garnet skarn with blebs and veins of arsenopyrite, chalcopryrite and pyrite. A grab sample from a bedrock exposure assayed 1.56% copper, 220 ppb gold and 35.0 ppm silver. Very little work has been done to evaluate this area, which lies immediately south of the Mike Lake Intrusion in a geological setting similar to the Skarn Ridge Zone.

The *Ridge Showing* is an occurrence of disseminated pyrite and arsenopyrite in Rabbitkettle Formation argillite that is intruded by a syenite dyke. A grab sample of mineralized talus collected by Tombstone in 1990 assayed 2.33 g/t gold, 0.10% copper and 0.9 g/t silver. This area has not been explored since.

The *RP Showing* is an area of massive pyrrhotite float with lesser pyrite, chalcopryrite and galena, which was discovered and sampled in 1990 by Tombstone. Gold and copper assays are generally low (peaking at 1.99 g/t and 0.25%, respectively) but two of four samples returned greater than 100 g/t silver. A grab sample of a nearby arsenopyrite vein collected by Homestake in 1998 assayed 1.21 g/t gold with low copper and silver.

The *SE Zone* consists of a single grab sample of bedded pyrite with quartz-pyrrhotite veinlets in siliceous argillite collected by Placer Dome geologists in 1991. A gold value of 4.14 g/t was obtained while copper and silver values were not reported. Contour soil samples taken in the

area by Placer Dome produced relatively widespread gold anomalies but no follow up work has been carried out.

DIAMOND DRILLING

Three short diamond drill holes funded by Canalta in 1975 tested the Spartan Vein (Holcapek, 1975). Locations of the drill holes cannot be established precisely from the historical reports but the general area is shown on Figure 11. Hole DDH 1 was drilled toward 025° at -70° to a total depth of 73.1 m. Hole DDH 2 was drilled toward 046° at -65° to a total depth of 57.0 m. Hole DDH 3 was drilled toward 032° at -60° to a total depth of 58.8 m. All three holes intersected the target vein zone although hole DDH 2 did not recover significant mineralization. Results of the drilling are described in Mineralization under Target B.

SAMPLING METHOD AND APPROACH

This report summarizes sampling carried out on the Mike Lake property by a number of operators between 1967 and 2004. Historical work programs are documented in assessment reports. Most historical soil and rock results are from samples collected by geologists and geological technicians employed by Tombstone in 1990, Placer Dome in 1991 and Homestake in 1998 (see Table I). Dynamite carried out an extensive soil sampling program in 2004 to follow up earlier results and evaluate several unsampled areas of the property.

Table I: Summary of geochemical sampling, Mike Lake property.

Operator	Year	Soil Samples	Silt Samples	Rock Samples
Tombstone Explorations Co. Ltd.	1990	8	129	200
Placer Dome Exploration Ltd.	1991	782		186
Homestake Canada Inc.	1998	1030		386
Dynamite Resources Ltd.	2004	2041		60
Total		3861	129	832

1990 Sampling Program

The 1990 sampling program was conducted by Aurum Geological Consultants Inc. on behalf of Tombstone as part of a reconnaissance scale evaluation of the Mike Lake property (Keyser and Laudon, 1990).

Stream sediment samples were collected from most drainages on the property as well as from the immediately surrounding area. The overall sample density was 1.9 samples/km². Only eight soil samples were collected to evaluate areas of gossanous soil. Rock samples were collected from outcropped float where mineralization, alteration or gossanous material was observed. Most of the rock sampling was of float found in scree and talus slopes, presumably derived from bedrock sources upslope. Sample procedures for the silt, soil and rock samples were not described. Method of locating the samples sites was also not described but it is presumed that visual reference to 1:50,000 scale topographic maps was the primary technique.

1991 Sampling Program

The 1991 sampling program by Placer Dome was primarily carried out to follow up the 1990 silt sampling results (Strain, 1991). Most of the soil samples were of a reconnaissance nature and were taken at approximately 50 m intervals on traverses at specific elevations along hillsides. Samples were collected with either a mattock or small shovel, placed into standard kraft paper bags, and labeled with company sample tag numbers that were written on the outside of the bag and on Tyvek tags, which mark the sample site. The sample traverses were controlled by reference to topographic maps, altimeter and hip-chain measuring devices.

1998 Sampling Program

Homestake collected 1030 soil samples in 1998 with sample locations determined using a hand held GPS unit (Bordin, et al., 1998). Sampling methods for the 1998 exploration were not described.

2004 Sampling Program

Archer Cathro on behalf of Dynamite carried out a major soil sampling program over previously unsampled areas of the northern two-thirds of the property that, on the basis of a pre-field examination of historical data, were felt to be prospective for bulk tonnage gold and copper-gold mineralization. Grid soil sampling was the primary tool with individual grids oriented to accommodate local terrain. Sample spacing on the grids was at 50 m intervals along lines spaced 100 m apart. Contour sampling was utilized to evaluate steep slopes and it was done at approximately 50 m intervals. Grid and contour soil samples were located by means of compass and hip-chain surveys with frequent checks using handheld GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected by mattock and placed into individually pre-numbered kraft paper bags.

Most of the soil samples in the various programs were collected from slopes ranging from 10° to 40°. They are basically of two types: poorly developed B or C Horizon soils in grassy valley bottoms and areas of low relief that are mantled by glacial till; and, C Horizon talus fines from steeper slopes with no soil development or vegetation cover. Soil type was not differentiated or recorded for any of the surveys.

Two types of rock samples have been collected on the Mike Lake property, both historically and by Archer Cathro in 2004. Specimens of limonite- or sulphide-bearing float were collected wherever they were encountered during the course of geological reconnaissance work. Bedrock exposures of mineralized areas, whether exposed naturally or in old hand trenches, were sampled by taking relatively continuous chip samples. It is the author's opinion, based on 20 years of exploration experience in Yukon, that Tombstone, Placer Dome, Homestake and the other Mike Lake property operators carried out rock sampling programs using procedures similar or equivalent in effect to those for the 2004 program. However, there is typically no documentation of sampling procedures in the relevant assessment reports.

Grab samples of mineralized float and outcrop were reportedly collected as an integral part of all exploration programs on the property. Grab samples are not always representative of the average grade of a mineral occurrence but they serve to establish the presence of mineralization with grades of economic interest. The significance of chip sampling results must be assessed in light of the material collected. For instance, it is relatively easy to obtain a continuous sample of even size across a zone of highly broken fault gouge but this is more difficult to do across a massive bedrock exposure. While every effort is made to ensure that samples are representative, it is possible that narrow, more resistant intervals within a broader interval of fault gouge or highly fractured rock may be under-represented in the sample. It is likewise possible that unintended bias can be introduced by varying individual sample chip size. True widths of mineralized intervals cannot be estimated accurately if the bedrock exposure is too restricted to permit a reliable measurement of orientation and/or relevant structures.

SAMPLE PREPARATION, ANALYSES AND SECURITY

1990 Sampling Program

The analytical work for the 1990 exploration program was performed at Northern Analytical Laboratories Ltd. in Whitehorse and Bondar-Clegg & Company Ltd. in North Vancouver. Soil and stream sediment samples were sieved to -80 mesh. Gold analyses were by fire assay techniques using a one assay-ton sample and an Atomic Absorption (AA) finish. Total silver, copper, lead, zinc, arsenic and antimony were determined using an aqua regia digestion and an AA finish. Samples exceeding upper geochemical limits for gold were fire assayed. Selected samples were also analyzed for nickel, cobalt and tungsten. There was no discussion of sample security.

1991 Sampling Program

The 1991 soil samples were first sent to Northern Analytical Laboratories Ltd. where they were prepared and analyzed for gold. The size fraction, method of analysis and digestion was not specified. Once the preliminary analysis was completed, the sample pulps were forwarded to the Placer Dome research centre, where they were analyzed by the Inductively Coupled Plasma (ICP) technique for a multi-element suite after aqua regia digestion. Analytical methods for rock samples were not specified and there was no discussion of sample security.

1998 Sampling Program

All the 1998 samples were submitted to IPL Laboratories in Vancouver for sample preparation and analysis. Soil samples were dried and sieved to -80 mesh. Rock samples were crushed to -10 mesh, split into a 250 gram subsample and pulverized to 90% passing -150 mesh. A 30 gram portion of the rock or soil sample was then analyzed for gold using the standard Fire Assay methods with an AA finish. Assays over 1000 ppb (1 g/t) were re-tested by Fire Assay with a gravimetric finish. A 30 element ICP analysis was also completed for every sample. The method of sample digestion was not specified and there was no discussion of sample security.

2004 Sampling Program

After collection, samples were transported to Whitehorse by truck under escort by Archer Cathro personnel. They were then shipped to the ALS Chemex laboratory in North Vancouver, by Greyhound Courier Express. No part of the sample collection or preparation was conducted by an employee, officer, director or associate of Dynamite. Dynamite CFO, Douglas Eaton, transported some of the soil samples from the property to Whitehorse.

Analytical procedures are summarized below as reported by ALS Chemex. At the laboratory, the rock samples were weighed, dried and crushed to 70% minus 2 mm, before a 250 g split was taken and pulverized to better than 85% minus 75 microns. A 30 g split of the pulverized fraction of each sample was then analyzed for gold using fire assay with an AA finish. Another smaller split was dissolved in aqua regia and analyzed for 34 elements using ICP techniques. A separate 50 g split was taken for all samples that exceeded 10 ppm Au on the first analysis and a fire assay procedure with a gravimetric determination was carried out. Soil samples were dried and sieved to -100 microns (-80 mesh) before undergoing similar analytical procedures to the rock samples. ALS Chemex operates according to the guidelines set out in ISO/IEC Guide 25 "General requirements for the competence of calibration and testing laboratories" and the company is certified to ISO 9002 by KPMG in Canada and other countries.

DATA VERIFICATION

The bulk of the historical exploration data presented in this report was collected by exploration staff of a well recognized and highly regarded exploration consultant (Aurum Geological Consultants Inc.) and major mining companies (Placer Dome and Homestake) and the results are recorded in reports submitted for assessment credit.

Sample and geological data resulting from the 2004 exploration program were summarized from observations taken by the author or by experienced personnel under the author's supervision and direction. The author has relied on his own field notes to verify the reliability of the sample data. In examining and verifying the 2004 sample data summarized in this report, the author performed the following tasks:

- original analytical certificates were obtained from ALS Chemex;
- chip sample results were compiled from original field notes and analytical certificates; and,
- the range of reported results and the distribution of these results were checked against the field description of material sampled.

The verification measures undertaken in connection with this assignment are intended to assess whether inadvertent errors may have occurred through sampling, sample handling and analytical procedures. No check analyses were performed because of the preliminary nature of the exploration program.

INTERPRETATION AND CONCLUSIONS

Despite its relatively long exploration history, the Mike Lake property has received only minor physical work to delineate the numerous prospecting discoveries of gold and copper-gold mineralization. Exploration has occurred sporadically since the 1960s. It was often carried out under difficult conditions, requiring long, steep climbs to access work sites across the large and very rugged property. Trenching was all by hand, and largely completed without the aid of explosives. Generally speaking, the various prospecting targets have received only cursory follow up because of coarse unstable talus, permafrost and steep terrain. Although these programs identified many showings, extensive soil geochemical anomalies and well defined geophysical targets, most were not followed up by diamond drilling. The only drilling to date on the property comprised three shallow holes beneath a gold bearing vein in 1975.

Exploration in 2004 by Dynamite consisted of systematic grid and contour controlled soil geochemical sampling with prospecting in selected areas within the central and northern parts of the property where a pre-field compilation of historical data identified a number of bulk tonnage gold and copper-gold prospects.

Four styles of copper-gold and gold mineralization have been recognized on the Mike Lake property: intrusion-hosted porphyry style mineralization; mineralized skarns in carbonate rich units; siliceous replacement deposits in porous calcareous clastic sedimentary rocks; and structurally controlled quartz-carbonate alteration or vein zones. The majority of the showings and main soil geochemical and geophysical anomalies are clustered in nine main target areas.

RECOMMENDATIONS

The Mike Lake property hosts five drill ready bulk tonnage copper-gold exploration targets, each of which could contain a multimillion ounce deposit. There are also several promising, higher grade gold prospects and a number of partially delineated soil geochemical anomalies elsewhere on the 258 claims.

Homestake's last report recommended an aggressive program at the Mike Lake property, but this recommendation was never implemented. That historical work combined with Dynamite's very positive 2004 results have identified nine main target areas that require aggressive diamond drilling as the next phase of assessment. The drill program should begin in June 2005 and be done in conjunction with target specific geophysical surveys and additional geochemical and geological exploration of secondary areas of interest that have not yet been fully defined.

REFERENCES

- Bordin, D., Papageorge, M., and Kuran, D.L.
1998 1998 geological, geochemical, and geophysical program on the Mike Lake Property; private report for Homestake Canada Inc.
- Deklerk, R. (compiler)
2003 Yukon MINFILE 2003, Indian and Northern Affairs Canada, Yukon Region: CD-ROM
- Diment, R. M. and Simpson, R. G.
2003 Brewery Creek Gold Project, Yukon Territory, Canada: private report for Viceroy Resources Corporation.
- Doherty, R.A.
1990 Assessment Report (#092817) on the Lorrie/Mike Lake Property. Report for Walhalla Explorations Ltd.
- Gabrielse, H.
1985 Major dextral transcurrent displacements along the Northern Rocky Mountain Trench and related lineaments in north-central British Columbia, Geological Survey of America Bulletin, v. 96, p. 1-14.
- Goldfarb, R., Hart, C., Miller, M., Miller, L., Farmer, C. L., and Groves, D.
2000 The Tintina Gold Belt – a global perspective; *in* The Tintina Gold Belt: Concepts, Exploration, and Discoveries; Special Volume 2, British Columbia and Yukon Chamber of Mines, Cordilleran Roundup, January 2000.
- Goodwin, R. and Burns, N.
2004 Technical Report for the Eagle Zone of the Dublin Gulch Project, Yukon Territory; prepared for StrataGold Corporation by Snowden Mining Industry Consultants.
- Green, L. H.
1972 Geology of the Nash Creek, Larsen Creek and Dawson map areas, Yukon Territory, Geological Survey of Canada, Memoir 364.
- Hart, C. J. R., Baker, T. and Burke, M.
2000 New exploration concepts for country-rock-hosted, intrusion-related gold systems: Tintina Gold Belt in Yukon; *in* The Tintina Gold Belt: Concepts, Exploration, and Discoveries; Special Volume 2, British Columbia and Yukon Chamber of Mines, Cordilleran Roundup, January 2000.
- Hart, C.J.R. and Burke, M.
2002 The Tombstone Gold Belt: An emerging gold camp; poster display, Yukon Geology Program.

- Holcapek, F.
1975 Report on the Mike Lake Property. Report for Canalta Resources Ltd.,
Assessment Report 090124.
- Keyser, H.J. and Laudon, J.L.
1990 Report on the 1990 geological and geochemical exploration work on the Lorrie
property, private report for Tombstone Explorations Co. Ltd., Yukon Assessment
Report 092912
- Lang, J. R., Baker, T., Hart, C. J. R., and Mortensen, J. K.
2000 An exploration model for intrusion-related gold systems; Society of Economic
Geologists Newsletter; No. 40, January 2000.
- Miller, V. J. and Wilton, D. T.
2003 Technical report on the Fort Knox and True North Deposits, Fairbanks North Star
Borough, Alaska, USA: private report for Fairbanks Gold Mining, Incorporated.
- Oliver, D. H.
1997 Summary report on the Lorrie property; private report for Tombstone
Explorations Co. Ltd.
- Philp, R.H.D.
1973 Geological report on the AS and GH mineral claims near Mike Lake, Dawson
Mining District, Yukon Territory; private report for Belmoral Mines Ltd.;
Assessment Report 06904.
- Philp, R.H.D. and Needoba, J.
1973 Assessment Report (#060904) on the Mike Lake Property. Report for Belmoral
Mines Ltd.
- Power, M.
1998 Field report – Java/Skarn properties – Max Min surveys, private report for
Homestake Canada Ltd.
- Smith, G. F.
2004 Summary report on the Mike Lake Project; private report for Mena Resources Inc.
- Strain, D.M.
1991 Geological and geochemical report on the Lorrie property; private report for
Placer Dome Exploration Limited.
- Taylor, D. P.
1982 Report on the geology of the Aine claims, located at Mike Lake, Dawson Mining
Division, Yukon Territory; private report for S. Young. Yukon Assessment
Report 091446.

Tempelman-Kluit, D. J.

1970 The stratigraphy and structure of the "Keno Hill" quartzite in the Tombstone River - Upper Klondike River map area, Yukon Territory; Geological Survey of Canada, Bulletin 180, 102 p.

Toohey, H.J.,

1974 Assessment Report (#061494) on the Mike Lake Property. Report for Belmoral Mines Ltd.

APPENDIX I
STATEMENT OF QUALIFICATIONS

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8


Telephone: 604-688-2568

Fax: 604-688-2578

AFFIDAVIT


I, Joan Mariacher, of Vancouver, B.C. make oath and say:

That to the best of my knowledge the attached Statement of
Expenditures for exploration work on the Java 1-48 and 57-69
mineral claims on Claim Sheet 116A/5 is accurate.



Joan Mariacher

Sworn before me at Vancouver, B.C.

this 9th day of September, 2004



Notary Public, Yukon Territory




Statement of Expenditures
Java 1-48 and 57-69 Mineral Claims
September 4, 2004

Labour

D. Eaton – geologist – August 28 to September 4 – 7 hours at \$60/hr	\$ 449.40
B. Wengzynowski – geologist – August 28 to September 4 – 64 hours at \$60/hr	4,108.80
S. Eaton – field assistant – August 5 to 10 – 6 days at \$272/day	1,746.24
D. Gregory – field assistant – August 28 to September 4 – 8 days at \$256/day	2,191.36
K. Braund – field assistant – August 5 to 10 – 6 days at \$224/day	1,438.08
B. Duncan – field assistant – August 5 to 10 – 6 days at \$224/day	1,438.08
J. Manley – field assistant – August 5 to 10 – 6 days at \$224/day	1,438.08
J. Mariacher – August 28 to September 4 – 7 3/4 hours at \$58/hr	480.97
	<u>13,291.01</u>

Expenses

Field room and board – 47 mandays at \$125/day	6,286.25
Fireweed Helicopters – 8.2 hours Bell 206 at \$950/hr plus fuel	9,025.14
	<u>15,311.39</u>
	<u>\$28,602.40</u>






FLIGHT TICKET / INVOICE


WHITEHORSE DAWSON CITY
 867-668-5888 ☎ 867-993-5700
 fax: 867-668-7875 fax: 867-993-6839
 Box 26, Whitehorse, Yukon Y1A 5X9

No 2663

GST # 128659828

CHARTERER ARCHER CATHRO		PILOT G. Richardson		DATE Aug 10/04	
		SIGNATURE <i>[Signature]</i>		AIRCRAFT CESSNA	
		CHEQUE	CASH	CHARGE	
TELEPHONE		POSTAL CODE		PURCHASE ORDER NO.	
CUSTOMER FUEL		FLIGHT ITINERARY		PASS	TIME
136 LIT FROM LOLF CR.		FLY TO ANTIM #2 CAMP - RETURN -			
LIT FROM		TO MIKE LK #3 CAMP			0.7
FIREWEED FUEL					
307.5 LIT FROM MAYO @ \$1.15		DEMOB MIKE LK #3 CAMP			2.8
LIT FROM @ \$					
LIT FROM @ \$		RETURN TO BASE			0.4
OTHER CHARGES	DESCRIPTION	AMOUNT			
PILOT EXPENSES	DESCRIPTION	AMOUNT	RATE PER HOUR WET/GRY	TOTAL	
			950.00	3.9	
	PASSENGERS (names)	FLIGHT	GST	\$	
		3705.00	257.75	3964.75	
		FUEL	GST	\$	
		353.97	24.78	378.75	
		OTHER	GST	\$	
		TOTAL		\$	
		4058.97		4347.10	
AUTHORIZED BY (print)					
SIGNATURE X <i>[Signature]</i> MIKE LAKE					






FLIGHT TICKET / INVOICE

WHITEHORSE DAWSON CITY
867-668-5888 867-993-5700 No 2669
 fax: 867-668-7875 fax: 867-993-6839
 Box 26, Whitehorse, Yukon Y1A 5X9 GST # 128659828

CHARTERER ARCHER CATURO		PILOT GREG RICHARDSON		DATE Aug 27/04	
		SIGNATURE <i>[Signature]</i>		AIRCRAFT EC-120	
		CHEQUE	CASH	CHARGE	
TELEPHONE		POSTAL CODE		PURCHASE ORDER NO.	
CUSTOMER FUEL		FLIGHT ITINERARY		PASS	TIME
95 LIT FROM ^{WOLF CR} ARCHER CATURO		DRILL CREW CHANGE @ ANTIMONY		Ant	1:2
LIT FROM		w/SLING OUT WIRE & SWAMP IN DRILL ROOM			
FIREWEED FUEL 349.6 LIT FROM RAWSON @ \$1.10		MOVE 3 MAX w/ 3 LOADS TO MINE US		ML	1:0
LIT FROM @ \$					
LIT FROM @ \$		DRILL CREW MOVE @ ANTIMONY		Ant	0:9
OTHER CHARGES		DESCRIPTION		AMOUNT	
		286.90			
12 Volt Amp 3 @ 2.99		8.97		Antimony - 2206.90	
FROM HOME HARDWARE				Privil Rate - 1891.63	
PILOT EXPENSES		DESCRIPTION		AMOUNT	
		RATE PER HOUR WET/DRY		950.00	
		PASSENGERS (names)		TOTAL	
		FLIGHT		3705.00	
		FUEL		384.56	
		OTHER		8.97	
AUTHORIZED BY (print)		TOTAL		4098.53	
SIGNATURE X		GST		259.35	
		GST		26.92	
		GST		0.63	
		TOTAL		286.90	
				\$ 3964.35	
				\$ 411.48	
				\$ 9.60	
				\$ 4385.43	



FLIGHT TICKET / INVOICE

WHITEHORSE DAWSON CITY
 867-668-5888 867-993-5700 No 2877
 fax: 867-668-7875 fax: 867-993-6819
 Box 26, Whitehorse, Yukon Y1A 5K9 GST # 128659828

CHARTERER ARCHER CATHRO		PILOT K. C. KILLICK		DATE SEP 3 2003	
		SIGNATURE <i>[Signature]</i>		FARE 200	
		CHEQUE	CASH	CHANGE	
TELEPHONE	POSTAL CODE	PURCHASE ORDER NO.		BASE Dawson	
CUSTOMER FUEL		FLIGHT ITINERARY		PASS	TIME
46.2 LIT FROM Dawson City		ROUTE FIRE CR CAMP, 5.5 MI. W. OF JANA		MC	2:50
LIT FROM		SAMPLES, 1.5 MI. W. 1 MI. N. CAMP			
FIREWEED FUEL					
7.6 LIT FROM Dawson City		MILL CREEK, 5 MI. W. OF ANT		ANT	3:17
LIT FROM		NO. 113, SAMPLES TO 1.5 MI. W. 1.5 MI. N.			
LIT FROM					
OTHER CHARGES	DESCRIPTION	AMOUNT			
	Miller Lake	2658.00			
PILOT EXPENSES	DESCRIPTION	AMOUNT	RATE PER HOUR WET/DRY	TOTAL	
			PASSENGERS (netwz)	6.12	
			FLIGHT	5890.00	GST 417.30
			FUEL	270.00	GST 18.94
			OTHER	270.60	GST
			TOTAL	6160.60	431.24
AUTHORIZED BY (print)			3 6302.30		
SIGNATURE X			1 289.54		
			3 6591.84		

09/06/2004 16:17 FROM FIREWEED HELICOPTERS LTD 18676674622 P.01

02 ARCHER CATHRO ARCHER CATHRO 08:14 FAX 867 667 4622 09/07/04

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578


AFFIDAVIT


I, Joan Mariacher, of Vancouver, B.C. make oath and say:

That to the best of my knowledge the attached Statement of Expenditures for exploration work on the Lorrie 1, 5, 9-16, 35-41, 52-56, 80-81, 101-124 and Jamie 5-10, 27-36, 69-81, 126, 128, 130, 132, 152-157 mineral claims on Claim Sheets 116/4 & 5 is accurate.


Joan Mariacher

Sworn before me at Vancouver, B.C.
this 13th day of December, 2004


Notary Public, Yukon Territory



Statement of Expenditures
Lorrie 1, 5, 9-16, 35-41, 52-56, 80-81, 101-124 and
Jamie 5-10, 27-36, 69-81, 126, 128, 130, 132, 152-157 Mineral Claims
December 13, 2004

Labour

A. Archer – geologist – 6 hours July to September at \$60/hr	\$ 385.20
R. Carne – geologist – 76 hours May to September at \$60/hr	4,879.20
D. Eaton – geologist – 105 hours June to September at \$60/hr	6,741.00
B. Wengzynowski – geologist – 137 1/2 hours June to September at \$60/hr	8,827.50
M. Dumala – geologist – 3 1/8 days June to July at \$368/day	1,230.50
P. Sack – field assistant – 3 days May to June at \$320/day	1,027.20
S. Eaton – field assistant – 26 1/4 days June to July at \$256/day	7,190.40
5 days August at \$272/day	1,455.20
H. Smith – field assistant – 20 days July to September at \$272/day	5,820.80
D. Gregory – field assistant – 2 days September at \$256/day	547.84
K. Braund – field assistant – 30 1/2 days July to September at \$224/day	7,310.24
B. Duncan – field assistant – 9 1/2 days July to September at \$224/day	2,276.96
J. Manley – field assistant – 10 days July to September at \$224/day	2,396.80
J. Mariacher – 79 hours July to September at \$58/hr	4,902.74
L. Corbett – 83 3/4 hours July to September at \$40/hr	<u>3,584.50</u>
	58,576.08

Expenses

Field room and board – 144 1/8 mandays at \$125/day	19,276.72
Fireweed Helicopters – 12.1 hours Bell 206 at \$950/hr plus fuel	16,332.65
ALS Chemex	41,501.67
Truck fuel	1,171.70
Freight	<u>1,300.10</u>
	79,582.84
	<u>\$138,158.92</u>



INVOICE

INVOICE #1306

TO: Archer Cathro & Associates
1016 - 510 West Hastings Street
Vancouver, BC V6B 1L8

Attention: Accounts Payable

DATE OF INVOICE: July 14, 2004

RE: Helicopter Charter

DATE: July 07, 2004 Ticket #2779 HOURS: 2.7

TOTAL HOURS: 2.7

444.62

FEES: \$5,265.00

FUEL: \$1,086.75

1/1 Duke Lake - 3528.25

*1/1 Contaminant - 2823.
679637*

SUBTOTAL: \$6,351.75

GST #128659828 @ 7%: \$ 444.62

BALANCE DUE: \$6,796.37

PAYMENT DUE UPON RECEIPT

3775.76

THANK YOU.

Terms: 2% interest per month will be charged after 30 days of invoice date.

Confidential Contract

WHITEHORSE DAWSON CITY
867-668-5888 ☎ **867-993-5700**
fax: 867-668-7875 fax: 867-993-6839
Box 26, Whitehorse, Yukon Y1A 5X9



FLIGHT TICKET / INVOICE

WHITEHORSE DAWSON CITY
 867-668-5888 & 867-993-5700
 fax: 867-668-7875 fax: 867-993-6839
 Box 26, Whitehorse, Yukon Y1A 5X9

No 2659
 GST # 128659828

CHARTERER ARCHER CATURO		PILOT GREG RIVARD		DATE July 15/09	
TELEPHONE		SIGNATURE <i>[Signature]</i>		AIRCRAFT CE644	
POSTAL CODE		CHEQUE	CASH	CHARGE	TYPE BELL 206
PURCHASE ORDER NO.		BASE Whitehorse		PASS	
CUSTOMER FUEL		FLIGHT ITINERARY		TIME	
LIT FROM		FOOD TO MIKE UK, 1 PAX OUT,		2:15	
LIT FROM		STAKES TO MIKE UK, MOVE CAMP			
LIT FROM		ANTIMONY XI			
FIREWEED FUEL					
285 LIT FROM AWM:~ @ \$ 1.10					
LIT FROM @ \$					
LIT FROM @ \$					
OTHER CHARGES		DESCRIPTION		AMOUNT	
PILOT EXPENSES		DESCRIPTION		AMOUNT	
		RATE PER HOUR WET 950.00		TOTAL 2:15	
		PASSENGERS (names)		FLIGHT 2375.00	
				GST 166.25	
				FUEL 313.50	
				GST 21.95	
				OTHER	
				GST	
		TOTAL 2688.50		GST 188.20	
				TOTAL \$ 2876.70	
AUTHORIZED BY (print)					
SIGNATURE X		<i>[Signature]</i>			



FLIGHT TICKET / INVOICE

WHITEHORSE DAWSON CITY
 867-668-5888 867-993-5700
 fax: 867-668-7875 fax: 867-993-6839
 Box 26, Whitehorse, Yukon Y1A 5X9

No 2700
 GST # 128659828

CHARTERER Archer Cathro		PILOT K. Scholz		DATE July 17, 19/04	
		SIGNATURE <i>K. Scholz</i>		AIRCRAFT FWH	
		CHEQUE	CASH	TYPE 206 III	
TELEPHONE	POSTAL CODE	PURCHASE ORDER NO.		BASE Dawson	
CUSTOMER FUEL		FLIGHT ITINERARY		PASS	TIME
		July 17/04			
LIT FROM Dawson		- Antimony P/U1 - Dawson		1	9
LIT FROM Dawson		- Antimony D/O1, P/U1 - Mike L.		1	
		P/U1 - Dawson		2	12
FIREWEED FUEL 239.4					
LIT FROM Dawson @ \$263.34					
LIT FROM @ \$					
LIT FROM @ \$		1.6 hour - 1720.64			
		.5 mile - 537.70			
OTHER CHARGES	DESCRIPTION	AMOUNT			
PILOT EXPENSES	DESCRIPTION	AMOUNT	RATE PER HOUR WET/DRY	TOTAL	
			950.00	2.1	
	PASSENGERS (names)		FLIGHT 1995.00	GST 139.65	\$ 2134.65
			FUEL 263.34	GST 18.43	\$ 281.77
			OTHER	GST	\$
			TOTAL 2258.34	158.08	\$ 2416.42
AUTHORIZED BY (print)					
SIGNATURE X <i>[Signature]</i>					

575.34



FLIGHT TICKET / INVOICE

WHITEHORSE DAWSON CITY
867-668-5888 ☎ **867-993-5700** No 2474
 fax: 867-668-7875 fax: 867-993-6839
 Box 26, Whitehorse, Yukon Y1A 5X9 GST # 128659828

CHARTERER ARCHIE CATHCORN		PILOT G. Richardson		DATE July 26, 10th	
		SIGNATURE		AIRCRAFT EC 120	
		CHEQUE	CASH	CHARGE	
TELEPHONE		POSTAL CODE		PURCHASE ORDER NO.	
CUSTOMER FUEL		FLIGHT ITINERARY		PASS	TIME
100 LIT FROM VS&F CR.		MOVE A.V. ARMY CAMP + FOOD TO			2 1
LIT FROM		MIKE CR + CREW DEPART OFF!			
FIREWEED FUEL					
139.9 LIT FROM DAWSON @ \$ 1.10		(1.1 for Army 1.0 for Mike CR)			
LIT FROM @ \$		1172.37			
LIT FROM @ \$		1073.07			
OTHER CHARGES		DESCRIPTION	AMOUNT		
PILOT EXPENSES		DESCRIPTION	AMOUNT	RATE PER HOUR WET/DRY	TOTAL
				9.50	
		PASSENGERS (names)	FLIGHT	GST	
			1995.00	139.65	\$ 2134.65
			FUEL	GST	
			153.39	10.73	\$ 164.07
			OTHER	GST	
			TOTAL	150.78	\$ 2298.72
AUTHORIZED BY (print)					
SIGNATURE X [Signature]					

ARMY 1.5
MIKE L 0.6

1094.63



FLIGHT TICKET / INVOICE

WHITEHORSE DAWSON CITY
867-668-5888 **867-993-5700** No 2702
 fax: 867-668-7875 fax: 867-993-6839
 Box 26, Whitehorse, Yukon Y1A 5X9 GST # 128659828

CHARTERER Archer Cathro + Ass.		PILOT K. Scholz		DATE July 30/04	
		SIGNATURE <i>K. Scholz</i>		AIRCRAFT FFWH	
		CHEQUE	CASH	TYPE 206III	
TELEPHONE	POSTAL CODE	PURCHASE ORDER NO.		BASE YDA	
CUSTOMER FUEL		FLIGHT ITINERARY		PASS	TIME
LIT FROM		Dawson - Mike L, Move camp Mike L			
LIT FROM		local return Dawson		4	2:0
FIREWEED FUEL					
228 LIT FROM Dawson @ \$1.10					
LIT FROM @ \$					
LIT FROM @ \$					
OTHER CHARGES	DESCRIPTION	AMOUNT			
PILOT EXPENSES	DESCRIPTION	AMOUNT	RATE PER HOUR WET/DRY	TOTAL	
			950.00		2:0
	PASSENGERS (names)				
	FLIGHT	1900.00		GST 133.00	\$ 2033.00
	FUEL	250.80		GST 17.56	\$ 268.36
	OTHER			GST	\$
	TOTAL	2150.80		150.56	\$ 2301.36
AUTHORIZED BY (print)					
SIGNATURE X		MIKE LANE			



FLIGHT TICKET / INVOICE

WHITEHORSE DAWSON CITY
867-668-5888 ☎ **867-993-5700**

fax: 867-668-7875 fax: 867-993-6839

Box 26, Whitehorse, Yukon Y1A 5X9

No 2704

GST # 128659828

CHARTERER Archer Cathro		PILOT K. Scholz		DATE Aug 2/04		
		SIGNATURE <i>K. Scholz</i>		AIRCRAFT FWH		
		CHEQUE	CASH	CHARGE		
TELEPHONE		POSTAL CODE		PURCHASE ORDER NO.		
				BASE Dawson		
CUSTOMER FUEL		FLIGHT ITINERARY			PASS	TIME
LIT FROM		Dawson - Mike L. Camp D/O Grocery				
LIT FROM		return Dawson				8
FIREWEED FUEL						
91.2 LIT FROM Dawson @ \$1.10						
LIT FROM @ \$						
LIT FROM @ \$						
OTHER CHARGES		DESCRIPTION	AMOUNT			
PILOT EXPENSES		DESCRIPTION	AMOUNT	RATE PER HOUR WET/DRY	TOTAL	
				950.00		8
		PASSENGERS (names)	FLIGHT	GST		
			760.00	53.20	\$ 813.20	
			FUEL 100.32	GST 7.02	\$ 107.34	
			OTHER	GST	\$	
AUTHORIZED BY (print)			TOTAL 860.32	60.22	\$ 920.54	
SIGNATURE X		MIKE LAKE				



FLIGHT TICKET / INVOICE

WHITEHORSE DAWSON CITY
 867-668-5888 @ 867-993-5700
 fax: 867-668-7875 fax: 867-993-6839
 Box 26, Whitehorse, Yukon Y1A 5X9

No 2707

GST # 128659828

CHARTERER Archer Cathro		PILOT K. Scholz		DATE Aug 5/04	
		SIGNATURE <i>Kal Scholz</i>		AIRCRAFT FW4	
		CHEQUE	CASH	CHARGE	
TELEPHONE		POSTAL CODE		PURCHASE ORDER NO.	
				BASE YDA	
CUSTOMER FUEL		FLIGHT ITINERARY		PASS	TIME
LIT FROM		Dawson - Mike L. local, move		4	
LIT FROM		camp 4 miles north - Dawson		4	2:0
FIREWEED FUEL 728 LIT FROM Dawson @ \$ 1.10					
LIT FROM @ \$					
LIT FROM @ \$					
OTHER CHARGES	DESCRIPTION	AMOUNT			
PILOT EXPENSES	DESCRIPTION	AMOUNT	RATE PER HOUR WET/DRY	TOTAL	
			950.00		2:0
	PASSENGERS (names)		FLIGHT	GST	\$
			1900.00	133.00	2033.00
			FUEL	GST	\$
			250.80	17.56	268.36
			OTHER	GST	\$
			TOTAL	150.56	2301.36
AUTHORIZED BY (print)					
SIGNATURE X		MIKE LAKE			



FLIGHT TICKET / INVOICE

WHITEHORSE DAWSON CITY
867-668-5888 **867-993-5700**
 fax: 867-668-7875 fax: 867-993-6839
 Box 26, Whitehorse, Yukon Y1A 5X9

No 2881

GST # 128659828

CHARTERER ARCHER (ATHRO)		PILOT GREG RICHARDSON		DATE SEPT 6, 2011	
		SIGNATURE <i>[Signature]</i>		AIRCRAFT EC-135	
		CHEQUE	CASH	CHARGE	
TELEPHONE		POSTAL CODE		PURCHASE ORDER NO.	
CUSTOMER FUEL		FLIGHT ITINERARY		PASS	TIME
43 LIT FROM WOLF CR		DEINOR MIKE CR			2:2
LIT FROM					
FIREWEED FUEL		SLINK OUT 12 BARRELS - ANTIMONY			0:3
242 LIT FROM MINERAL @ \$1.12					
LIT FROM @ \$					
LIT FROM @ \$					
OTHER CHARGES		DESCRIPTION	AMOUNT		
		MINERAL 0.2	2324.26		
		ANT - 0.3	316.94		
			2886.08		
PILOT EXPENSES		DESCRIPTION	AMOUNT	RATE PER HOUR WET	TOTAL
				950.00	2.5
		PASSENGERS (names)	FLIGHT	GST	\$
			2375.00	166.25	2541.25
			FUEL	GST	\$
			266.20	18.63	284.83
			OTHER	GST	\$
			TOTAL	184.83	2826.08
AUTHORIZED BY (print)		SIGNATURE X			

2886.96



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8



INVOICE NUMBER 1126121

BILLING INFORMATION	
Certificate:	VA04055564
Account:	DYNAMI
Date :	30-AUG-2004
Project:	Mike Lake
P.O. No.:	
Quote:	
Terms:	Due on Receipt C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
165	PREP-41	Dry, Sieve (180 um) Soil	0.94	155.10
50.68	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	66.39
165	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	1,671.45
165	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	805.20
165	GEO-AR01	Aqua regia digestion	1.88	310.20

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

SUBTOTAL (CAD) \$ 3,008.34
 GST R100938885 \$ 210.58
TOTAL PAYABLE (CAD) \$ 3,218.92

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1126120

BILLING INFORMATION

Certificate: **VA04055563**
 Account: **DYNAMI**
 Date : **2-SEP-2004**
 Project: **Mike Lake** ✓
 P.O. No.:
 Quote:
 Terms: **Due on Receipt** C1

Comments:

ANALYSED FOR			UNIT	
QUANTITY	CODE	DESCRIPTION	PRICE	TOTAL
1	BAT-01	Administration Fee	22.50	22.50
185	PREP-41	Dry, Sieve (180 um) Soil	0.94	173.90
53.80	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	70.48
184	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	1,863.92
185	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	902.80
185	GEO-AR01	Aqua regia digestion	1.88	347.80

SUBTOTAL (CAD) \$ 3,381.40

GST R100938885 \$ 236.70

TOTAL PAYABLE (CAD) \$ 3,618.10

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Please Remit Payments To :

ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

INVOICE NUMBER 1125198

BILLING INFORMATION

Certificate: **VA04054414**
 Account: **DYNAMI**
 Date : **25-AUG-2004**
 Project: **Mike Lake**
 P.O. No.:
 Quote:
 Terms: **Due on Receipt** **C1**
 Comments:

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
169	PREP-41	Dry, Sieve (180 um) Soil	0.94	158.86
52.44	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	68.70
169	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	1,711.97
169	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	824.72
169	GEO-AR01	Aqua regia digestion	1.88	317.72

SUBTOTAL (CAD) \$ 3,081.97

GST R100938885 \$ 215.74

TOTAL PAYABLE (CAD) \$ 3,297.71

To: DYNAMITE
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1125191

BILLING INFORMATION	
Certificate:	VA04054413
Account:	DYNAMI
Date :	27-AUG-2004
Project:	Mike Lake
P.O. No.:	
Quote:	
Terms:	Due on Receipt C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
211	PREP-41	Dry, Sieve (180 um) Soil	0.94	198.34
72.06	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	94.40
211	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	2,137.43
211	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	1,029.68
211	GEO-AR01	Aqua regia digestion	1.88	396.68

SUBTOTAL (CAD) \$ 3,856.53

GST R100938885 \$ 269.96

TOTAL PAYABLE (CAD) \$ 4,126.49

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8



INVOICE NUMBER 1125194

BILLING INFORMATION

Certificate: **VA04054412**
Account: **DYNAMI**
Date : **24-AUG-2004**
Project: **Mike Lake**
P.O. No.:
Quote:
Terms: **Due on Receipt**

C1

Comments:

ANALYSED FOR

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	TOTAL
1	BAT-01	Administration Fee	22.50	22.50
223	PREP-41	Dry, Sieve (180 um) Soil	0.94	209.62
68.28	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	89.45
223	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	2,258.99
223	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	1,088.24
223	GEO-AR01	Aqua regia digestion	1.88	419.24

SUBTOTAL (CAD) \$ 4,088.04

GST R100938885 \$ 286.16

TOTAL PAYABLE (CAD) \$ 4,374.20

To: **DYNAMITE**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Please Remit Payments To :

ALS Chemex

212 Brooksbank Avenue
North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1121197

BILLING INFORMATION

Certificate: **VA04050219**
 Account: **DYNAMI**
 Date : **18-AUG-2004**
 Project: **Mike Lake**
 P.O. No.:
 Quote:
 Terms: **Due on Receipt** C1
 Comments:

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
1	BAT-01	Administration Fee	22.50	22.50
207	PREP-41	Dry, Sieve (180 um) Soil	0.94	194.58
54.62	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	71.55
206	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	2,086.78
1	Au-AA25	Ore Grade Au 30g FA AA finish	9.38	9.38
207	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	1,010.16
207	GEO-AR01	Aqua regia digestion	1.88	389.16
1	Ag-AA46	Ore grade Ag - aqua regia/AA	2.81	2.81
1	ASY-AR01	Assay Aqua Regia Digestion	3.38	3.38

SUBTOTAL (CAD) \$ 3,790.30

GST R100938885 \$ 265.32

TOTAL PAYABLE (CAD) \$ 4,055.62

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



To: **DYNAMITE**
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8



INVOICE NUMBER 1121200

BILLING INFORMATION	
Certificate:	VA04050217
Account:	DYNAMI
Date :	14-AUG-2004
Project:	Mike Lake ✓
P.O. No.:	
Quote:	
Terms:	Due on Receipt C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
175	PREP-41	Dry, Sieve (180 um) Soil	0.94	164.50
50.84	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	66.60
167	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	1,691.71
175	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	854.00
175	GEO-AR01	Aqua regia digestion	1.88	329.00

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

SUBTOTAL (CAD) \$ 3,105.81
 GST R100938885 \$ 217.41
TOTAL PAYABLE (CAD) \$ 3,323.22

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8



INVOICE NUMBER 1121290

BILLING INFORMATION	
Certificate:	VA04047774
Account:	DYNAMI
Date :	5-AUG-2004
Project:	Mike Lake <i>ML</i>
P.O. No.:	
Quote:	
Terms:	Due on Receipt C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
1	BAT-01	Administration Fee	22.50	22.50
97	PREP-41	Dry, Sieve (180 um) Soil	0.94	91.18
23.62	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	30.94
97	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	982.61
97	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	473.36
97	GEO-AR01	Aqua regia digestion	1.88	182.36

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

SUBTOTAL (CAD) \$ 1,782.95
 GST R100938885 \$ 124.81
TOTAL PAYABLE (CAD) \$ 1,907.76

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8



INVOICE NUMBER 1117573

BILLING INFORMATION	
Certificate:	VA04047773
Account:	DYNAMI
Date :	3-AUG-2004
Project:	Mike Lake <i>↗</i>
P.O. No.:	
Quote:	
Terms:	Due on Receipt C1
Comments:	

ANALYSED FOR			UNIT	
QUANTITY	CODE	DESCRIPTION	PRICE	TOTAL
229	PREP-41	Dry, Sieve (180 um) Soil	0.94	215.26
63.24	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	82.84
229	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	2,319.77
229	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	1,117.52
229	GEO-AR01	Aqua regia digestion	1.88	430.52

SUBTOTAL (CAD) \$ 4,165.91

GST R100938885 \$ 291.61

TOTAL PAYABLE (CAD) \$ 4,457.52

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8



INVOICE NUMBER 1117580

BILLING INFORMATION	
Certificate:	VA04047772
Account:	DYNAMI
Date :	5-AUG-2004
Project:	Mike Lake ↗
P.O. No.:	
Quote:	
Terms:	Due on Receipt C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
239	PREP-41	Dry, Sieve (180 um) Soil	0.94	224.66
67.20	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	88.03
239	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	2,421.07
239	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	1,166.32
239	GEO-AR01	Aqua regia digestion	1.88	449.32

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

SUBTOTAL (CAD) \$ 4,349.40
 GST R100938885 \$ 304.46
TOTAL PAYABLE (CAD) \$ 4,653.86

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1117589

BILLING INFORMATION	
Certificate:	VA04047771
Account:	DYNAMI
Date :	4-AUG-2004
Project:	Mike Lake <input checked="" type="checkbox"/>
P.O. No.:	
Quote:	
Terms:	Due on Receipt C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
41	PREP-41	Dry, Sieve (180 um) Soil	0.94	38.54
8.68	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	11.37
37	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	374.81
41	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	200.08
41	GEO-AR01	Aqua regia digestion	1.88	77.08

SUBTOTAL (CAD) \$ 701.88

GST R100938885 \$ 49.13

TOTAL PAYABLE (CAD) \$ 751.01

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Please Remit Payments To :

ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8



INVOICE NUMBER 1117198

BILLING INFORMATION

Certificate: **VA04047019**
 Account: **DYNAMI**
 Date : **12-AUG-2004**
 Project: **Mike Lake** *M*
 P.O. No.:
 Quote:
 Terms: **Due on Receipt**

C1

Comments:

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
1	BAT-01	Administration Fee	22.50	22.50
39	PREP-31	Crush, Split, Pulverize	4.50	175.50
104.42	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.23	24.02
39	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	395.07
1	Au-AA25	Ore Grade Au 30g FA AA finish	9.38	9.38
2	Au-AA25	Ore Grade Au 30g FA AA finish	9.38	18.76
39	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	190.32
39	GEO-AR01	Aqua regia digestion	1.88	73.32
1	Ag-AA46	Ore grade Ag - aqua regia/AA	2.81	2.81
3	ASY-AR01	Assay Aqua Regia Digestion	3.38	10.14
3	Cu-AA46	Ore grade Cu - aqua regia/AA	2.81	8.43

SUBTOTAL (CAD) \$ 930.25

GST R100938885 \$ 65.12

TOTAL PAYABLE (CAD) \$ 995.37

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Please Remit Payments To :

ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8



INVOICE NUMBER 1133649

BILLING INFORMATION	
Certificate:	VA04062200
Account:	DYNAMI
Date :	23-SEP-2004
Project:	Mike Lake <i>XL</i>
P.O. No.:	
Quote:	
Terms:	Due on Receipt C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
1	BAT-01	Administration Fee	22.50	22.50
17	PREP-31	Crush, Split, Pulverize	4.50	76.50
73.28	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.23	16.85
17	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	172.21
17	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	82.96
17	GEO-AR01	Aqua regia digestion	1.88	31.96

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

SUBTOTAL (CAD)	\$	402.98
GST R100938885	\$	28.21
TOTAL PAYABLE (CAD)	\$	431.19

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8



INVOICE NUMBER 1135342

BILLING INFORMATION	
Certificate:	VA04063086
Account:	DYNAMI
Date :	23-SEP-2004
Project:	Mike Lake ✕
P.O. No.:	
Quote:	
Terms:	Due on Receipt C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
1	BAT-01	Administration Fee	22.50	22.50
1	PREP-31	Crush, Split, Pulverize	4.50	4.50
0.30	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.23	0.07
1	Au-AA23	Au 30g FA-AA finish	9.00	9.00
1	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	4.88
1	GEO-AR01	Aqua regia digestion	1.88	1.88

SUBTOTAL (CAD) \$ 42.83

GST R100938885 \$ 3.00

TOTAL PAYABLE (CAD) \$ 45.83

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1133651

BILLING INFORMATION

Certificate: **VA04061569**
 Account: **DYNAMI**
 Date : **23-SEP-2004**
 Project: **Mike Lake** ✕
 P.O. No.:
 Quote:
 Terms: **Due on Receipt** C1

Comments:

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
110	PREP-41	Dry, Sieve (180 um) Soil	0.94	103.40
40.54	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	53.11
110	Au-ICP21	Au 30g FA ICP-AES Finish	10.13	1,114.30
110	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	536.80
110	GEO-AR01	Aqua regia digestion	1.88	206.80

SUBTOTAL (CAD) \$ 2,014.41

GST R100938885 \$ 141.01

TOTAL PAYABLE (CAD) \$ 2,155.42

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Please Remit Payments To :

ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8



INVOICE NUMBER 1141329

BILLING INFORMATION	
Certificate:	VA04067164
Account:	DYNAMI
Date :	13-OCT-2004
Project:	Mike Lake <i>XL</i>
P.O. No.:	
Quote:	
Terms:	Due on Receipt C1
Comments:	

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
1	BAT-01	Administration Fee	22.50	22.50
3	PREP-31	Crush, Split, Pulverize	4.50	13.50
1.40	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.23	0.32
3	Au-AA23	Au 30g FA-AA finish	9.00	27.00
3	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	14.64
3	GEO-AR01	Aqua regia digestion	1.88	5.64

To: **DYNAMITE**
 ATTN: ACCOUNTS PAYABLE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

.SUBTOTAL (CAD)	\$	83.60
GST R100938885	\$	5.85
TOTAL PAYABLE (CAD)	\$	<u>89.45</u>

Please Remit Payments To :
ALS Chemex
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

In Account With

Project MIKE LAKE PROJECT
Date JUNE 30, 2004

LABOUR

Field	Description	Rate	Total
	R. CARNE - 6 1/4 HR AT 60/HR		3840.00
	D. EATON - 13 HR AT 70/HR		910.00
	B. WENZYNOWSKI - 3 1/2 HR AT 70/HR		245.00
	M. DUMALA - 3/4 DAY AT 368 /DAY		276.00
	G. DOWNS - 1/4 DAY AT 320 /DAY		80.00
	P. SACK - 2 1/2 DAY AT 320 /DAY		800.00
	S. EATON - 1/4 DAY AT 256 /DAY		64.00
	L. GILBRIDE - 1/4 DAY AT 224 /DAY		112.00
	E. NELSON - 1/4 DAY AT 224 /DAY		112.00
Accounting and Expediting	J. Mariacher - 7 hrs at \$58/hr		406.00
	EXHIBITANT L. COLBETT - 8 HR AT 40/HR		320.00
			7165.00

OTHER SERVICES

Room and Board in Whitehorse	8 days at \$90 / day		720.00
Field equipment from AC stock			
Printing	4.75 + 58.00	Photocopies 131 @ .15 = 19.65	82.40
Rentals from AC			
Local Courier	1 @ 14.25 + 1 @ 20.		34.25
			836.65

EXPENSES

Petty Cash			
Telephone	13.35		13.35
YTG - LAND USE			250.00
D. EATON EXPENSES	61.4302 + 100.0404		161.47
MAILBOXES ETL			21.80
L. COLBETT EXPENSES		01	2.80
D. WENG EXPENSES		02	30.13
RIVERDALE SUPER A			238.44
BUILDERS SUPPLY LAND			232.30
FIREWHEEL HELICOPTERS			3528.25
CORPORATE CARRIER - 30.07 + 7.41			37.48
AIR NORTH			26.75
			6548.27

Management 6% on Expenses on Field A/C		392.90	
		0	392.90
		-	14942.82
GST (R100247667) 7% on 14942.82			1046.00
			75988.82

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

In Account With

Project MIKE LAKE PROJECT

Date JULY 31, 2004

LABOUR

Field			
	A. ARCHER - 2 HRS AT 60/HR	12000	
	D. EATON - 55 HRS AT 60/HR	3300.00	
	B. WENBZYNOWSKI - 90 HRS AT 60/HR	5400.00	
	H. SMITH - 14 DAYS AT 272/DAY	3808.00	
	M. DUNNAN - 2 ³ / ₈ DAYS AT 363/DAY	874.00	
	S. EATON - 26 DAYS AT 256/DAY	6656.00	
	K. BRUNO - 26 DAYS AT 224/DAY	5824.00	
	B. DUNNAN - 5 ¹ / ₂ DAYS AT 224/DAY	1232.00	
	J. MAXLEY - 5 DAYS AT 224/DAY	1120.00	

Accounting and Expediting	J. Mariacher - 23 ³ / ₄ hrs at \$58/hr	1377.50	
	EXPEDITING L. CORBETT 34 ¹ / ₂ HRS AT 40/HR	1380.00	31091.50

OTHER SERVICES

Room and Board in Whitehorse	15 ¹ / ₂ days at \$90/day	1395.00	
Field equipment from AC stock	92 MANHOURS AT 50/DAY	4600.00	
Printing	Photocopies 374 @ .15	56.10	
Rentals from AC			
LOOMS COURIER - 2 AT 13.85 EA + 1/2 AT 20 EA		23.85	6074.95

EXPENSES

Petty Cash	3.05 DI	3.05	
Telephone			
	SUNRISE SERVICE - 276.64 + 1202	288.66	
	FIREWEED HELICOPTERS - 3226.20 + 6184.94	9411.14	
	RIVERDALE SUPPLA	881.97	
	MILLS BASICS	8.23	
	CORPORATE COURIER	2.26	
	MAC'S FIREWEED	81.72	
	YUKON HONDA	184.18	
	HOME HARDWARE	25.00	
	OFFICE SUPPLY CENTRE	2.34	
	D. EATON EXPENSES	47.34	
	NORTH 60 PETRO - 235.60 DI + 559.56 62	795.16	11731.05

Management	5% on Expenses on Field A/C	586.55	
		706.21	1292.76

GST (R100247887)	7% on 50190.26		3573.31
			53703.58

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

In Account With

Project MIKE LAKE PROJECT
 Date AUGUST 1-31, 2004

LABOUR

Field	A. ARCHER - 2 Hrs AT 60/Hr	120.00	
	B. CARNE - 1 Hr AT 60/Hr	60.00	
	D. EATON - 29 Hrs AT 60/Hr	1740.00	
	B. WENZELNOWSKI - 34 Hrs AT 60/Hr	2040.00	
	S. EATON - 11 DAYS AT 272/DAY	2992.00	
	H. SMITH - 2 1/2 DAYS AT 272/DAY	680.00	
	- BONUS	400.00	
	D. GREGORY - 4 DAYS AT 256/DAY	1024.00	
	K. BRAND - 10 1/2 DAYS AT 224/DAY + 480 BONUS	2832.00	
	B. OUNLAK - 10 DAYS AT 224/DAY	2240.00	
	L. GILBRIDE - 1 1/2 DAYS AT 224/DAY + 800 BONUS	912.00	
	E. NELSON - 1 1/2 DAYS AT 224/DAY + 800 BONUS	912.00	
	J. MANLEY - 11 DAYS AT 224/DAY	2464.00	
Accounting and Expediting	J. Mariacher - 25 1/2 hrs at \$58/hr	1464.50	
	EXTENDING L. CORBETT 20 Hrs AT 40/Hr	800.00	2068.00

OTHER SERVICES

Room and Board in Whitehorse	9 1/2 days at \$90/day	855.00	
Field equipment from AC stock	51 DAY AT 50/DAY	2550.00	
Printing	Photocopies 629 @.15	94.35	
Rentals from AC			
Loomis Courier	1 @ 14.25 + 1 @ 20	34.25	3534.10

EXPENSES

Petty Cash			
Telephone			
	SID MCKEOWN	25.00	
	BUILDERS SUPPLYLAND	885.48	
	MALPHELON RENTALS - 152.24 + 78.45	230.69	
	SHORRELL DRINK	37.96	
	GREYHOUND COURIER	643.87	
	INTEGRAPHICS	592.15	
	SUNRISE SERVICE - 17.86 + 38.22	56.08	
	B. WENG EXPENSES - 181.23 DV + 57.18 DV	238.41	
	DAWSON CITY GENERAL STORE - 878.01 + 697.67 DV	706.45	
	HOME HARDWARE	25.95	
	MAN'S FIREWEED	4.65	
	BYER'S TRANSPORT	178.99	
	CORPORATE COURIER	9.48	
	FIREWEED HELICOPTER	590.60	
	A ARCHER EXPENSES	3.10	9588.86

Management	5% on Expenses on Field A/C	479.44	
		1403.49	1882.93
			35686.39
GST (R100247667)	7% on 35686.39		2498.05
			38184.44

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

In Account With

Project MIKE LAKE PROJECT
 Date SEPTEMBER 30, 2004

LABOUR

Field	A. ARCHER - 2 HRs AT 60/HR	120.00	
	R. CARKE - 4 HRs AT 60/HR	240.00	
	D. EATON - 15 Hrs AT 60/HR	900.00	
	B. WENBYNOSKI - 74 Hrs AT 60/HR	4440.00	
	H. SMITH - 3 1/2 DAYs AT 272/DAY	951.00	
	D. GREGORY - 4 DAYs AT 256/DAY	1024.00	

Accounting and Expediting	J. Mariacher - 28 1/2 hrs at \$58/hr	1638.50	
	EXPEDITING L. CARBETT - 21 1/4 HRs AT 40/HR	850.00	10676.50

OTHER SERVICES

Room and Board in Whitehorse	6 1/2 days at \$90/day	585.00	
Field equipment from AC stock	15 DAYs AT 50/DAY	750.00	
Printing	Photocopies 36 @ .15	5.40	1340.40
Rentals from AC			

EXPENSES

Petty Cash	11.29 cr + 0.98 cr + 24.50 dr + 23.37 dr	60.14	
Telephone			
	BUILDEN SUPPLYLAND	93.40	
	NORTH 60 PETRO	62 465.00	
	CORPORATE COURIER	75.87	
	GREYHOUND CARRIER	227.47	
	FIREWEEB HELICOPTERS - 2645.60 + 2324.26	4969.86	
	MALPHEGON RENTALS	54.13	
	SURVE SERVICE	128.57	
	OFFICE SUPPLY	22.99	
	GOVT OF YUKON - MAPS	20.00	
	D. EATON EXPENSES - 174.60 dr + 132.42 dr	307.02	
	RIVERDALE SUPPLA	779.29	6672.68

Management	5% on Expenses on Field A/C	333.68	
		312.53	646.21

GST (R100247667)	7% on 19336.79	1353.58	
		20690.37	

STATEMENT OF QUALIFICATIONS

I, William A. Wengzynowski, geological engineer, with business addresses in Vancouver, British Columbia and Whitehorse, Yukon Territory and residential address in Garibaldi Highlands, British Columbia, do hereby certify that:

1. I am President of Archer, Cathro & Associates (1981) Limited.
2. I graduated from the University of British Columbia in 1993 with a B.A.Sc in Geological Engineering, Option 1, mineral and fuel exploration.
3. I registered as a Professional Engineer in the Province of British Columbia on December 12, 1998 (Licence Number 24119).
4. From 1983 to present, I have been actively engaged in mineral exploration in the Yukon Territory, Northwest Territories, northern British Columbia and Mexico.
5. I have personally participated in and supervised the fieldwork reported herein.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



William A. Wengzynowski, P. Eng.
By his Attorney-in-Fact
Joan Mariacher

APPENDIX II
CLAIM TENURE INFORMATION

<u>Claim Name</u>	<u>Grant Number</u>	<u>Mining District</u>	<u>Expiry Date</u> ⁽¹⁾	<u>Registered Owner</u> ⁽²⁾
<u>Walhala Block</u>				
Lorrie 1-4	YB17448-YB17451	Dawson	March 4, 2009	AC 81
5-8	YB17909-YB17912	Dawson	March 4, 2009	AC 81
9-16	YB05584-YB05591	Dawson	March 4, 2009	AC 81
17	YB17913	Dawson	March 4, 2009	AC 81
20-23	YB17916-YB17919	Dawson	March 4, 2009	AC 81
24-56	YB23265-YB23297	Dawson	March 4, 2009	AC 81
80-81	YB23299-YB23300	Dawson	March 4, 2009	AC 81
101-124	YB31145-YB31168	Dawson	March 4, 2009	AC 81
Jamie 1-4	YB17905-YB17908	Dawson	March 4, 2009	AC 81
5-12	YB30680-YB30687	Dawson	March 4, 2009	AC 81
15	YB30690	Dawson	March 4, 2009	AC 81
17	YB30692	Dawson	March 4, 2009	AC 81
19	YB30694	Dawson	March 4, 2009	AC 81
21	YB30696	Dawson	March 4, 2009	AC 81
23	YB30698	Dawson	March 4, 2009	AC 81
25	YB30700	Dawson	March 4, 2009	AC 81
27-44	YB30702-YB30719	Dawson	March 4, 2009	AC 81
51-60	YB30726-YB30735	Dawson	March 4, 2009	AC 81
69-85	YB30744-YB30760	Dawson	March 4, 2009	AC 81
92-95	YB30767-YB30770	Dawson	March 4, 2009	AC 81
97	YB30772	Dawson	March 4, 2009	AC 81
100-133	YB30775-YB30808	Dawson	March 4, 2009	AC 81
152-157	YB30827-YB30832	Dawson	March 4, 2009	AC 81
204-208	YB30879-YB30883	Dawson	March 4, 2009	AC 81
Java 62-69	YC45300-YC45307	Dawson	March 4, 2009	AC 81
70-73	YC34631-YC34634	Dawson	March 4, 2009	AC 81

Homestake Block

Java 1-48	YC04562-YC04609	Dawson	March 4, 2009	AC 81
57-61	YC04610-YC04614	Dawson	March 4, 2009	AC 81

⁽¹⁾ Expiry dates include 2004 work which has been filed for credit but not yet accepted.

⁽²⁾ AC81 is Archer, Cathro & Associates (1981) Limited which holds the claims in trust for Dynamite Resources Ltd..

APPENDIX III
CERTIFICATES OF ANALYSIS



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Finalized

Page: 1

13-OCT-2004

Account: DYNAMI

CERTIFICATE VA04067164

Project: Mike Lake

P.O. No.:

This report is for 3 Rock samples submitted to our lab in Vancouver, BC, Canada on 4-OCT-2004.

The following have access to data associated with this certificate:

VANCOUVER OFFICE
JOAN MARIACHER

AL ARCHER
BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - A
 Total Pages: 2 (A - C)
 Finalized Date: 13-OCT-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04067164

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
M059843	0.40	0.366	0.4	0.96	124	10	<10	<0.5	17	3.50	<0.5	12	29	1005	8.33
M059844	0.34	0.007	1.4	7.87	1845	20	20	<0.5	<2	6.30	0.8	32	28	911	2.18
M059845	0.66	<0.005	1.3	7.43	1025	20	60	<0.5	<2	6.20	0.9	23	15	524	1.21



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 2 - B

Total Pages: 2 (A - C)

Finalized Date: 13-OCT-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04067164

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
M059843		<10	<1	0.04	10	0.08	252	1	0.26	14	720	15	4.36	13	<1	56
M059844		20	1	0.04	<10	0.19	85	4	0.57	109	2110	44	1.23	121	2	437
M059845		20	2	0.09	10	0.23	112	4	0.34	27	1940	56	0.52	16	<1	368



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total Pages: 2 (A - C)
 Finalized Date: 13-OCT-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04067164

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
M059843		0.08	<10	<10	15	<10	27
M059844		0.58	<10	<10	57	<10	127
M059845		0.58	<10	<10	62	<10	116



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 23-SEP-2004
 Account: DYNAMITE

CERTIFICATE VA04063086

Project: Mike Lake

P.O. No.:

This report is for 1 Rock sample submitted to our lab in Vancouver, BC, Canada on 15-SEP-2004.

The following have access to data associated with this certificate:

VANCOUVER OFFICE
 JOAN MARIACHER

AL ARCHER
 BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



D: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - A
 Total Pages: 2 (A - C)
 Finalized Date: 23-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04063086

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
M012742	0.30	0.046	2.7	1.90	>10000	10	10	1.0	26	3.38	0.5	143	62	854	2.34



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 2 - B

Total Pages: 2 (A - C)

Finalized Date: 23-SEP-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04063086

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
M012742		<10	1	0.09	60	0.09	246	8	0.60	83	950	33	0.92	32	1	96



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 2 - C

Total Pages: 2 (A - C)

Finalized Date: 23-SEP-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04063086

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	Tl	U	V	W	Zn
	Units LOR	%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
M012742		0.08	<10	<10	6	<10	93



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

TO: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 23-SEP-2004
 Account: DYNAMITE

CERTIFICATE VA04062200

Project: Mike Lake
 P.O. No.:
 This report is for 17 Rock samples submitted to our lab in Vancouver, BC, Canada on 13-SEP-2004.
 The following have access to data associated with this certificate:

VANCOUVER OFFICE JOAN MARIACHER	AL ARCHER BILL WENGZYNOWSKI	DOUG EATON
------------------------------------	--------------------------------	------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - A
 Total Pages: 2 (A - C)
 Finalized Date: 23-SEP-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04062200

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd WL	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
M011960		1.98	0.013	0.3	1.18	232	<10	100	0.8	<2	0.39	<0.5	8	84	108	2.45
M011961		1.94	0.011	<0.2	1.32	59	<10	180	0.9	<2	0.49	<0.5	9	68	51	2.19
M011962		4.14	0.049	1.1	1.27	186	<10	140	1.0	<2	0.65	<0.5	9	59	417	2.30
M011963		2.60	0.212	27.8	1.24	6100	<10	130	<0.5	61	0.92	1.1	15	64	7480	4.42
M011964		1.40	0.451	2.6	2.84	77	<10	100	1.3	<2	1.18	<0.5	7	85	741	4.08
M011965		2.16	0.085	0.7	1.14	250	<10	160	0.6	2	0.80	<0.5	6	57	313	1.92
M011966		3.68	0.013	0.8	1.36	107	<10	290	0.7	<2	0.57	<0.5	7	56	315	2.36
M011967		4.16	0.330	4.3	1.14	424	<10	100	0.7	13	0.47	<0.5	11	84	1415	2.67
M011968		5.26	0.297	3.3	1.09	2370	<10	110	0.7	20	0.44	<0.5	33	65	1115	2.72
M011969		4.60	0.081	3.7	1.08	467	<10	90	0.7	4	0.45	<0.5	10	71	1415	2.73
M011970		7.08	0.017	0.9	1.04	163	<10	90	0.6	2	0.41	<0.5	7	81	283	2.24
M011971		5.62	0.036	1.3	1.02	107	<10	90	0.6	<2	0.39	<0.5	7	81	468	2.24
M011972		5.74	0.027	1.0	1.05	145	<10	80	0.7	2	0.43	<0.5	8	80	366	2.38
M011973		7.02	0.034	0.7	1.02	114	<10	90	0.6	<2	0.42	<0.5	8	79	274	2.37
M011974		5.36	0.053	1.0	0.89	98	<10	90	0.6	3	0.40	<0.5	5	59	323	1.86
M011975		4.78	0.048	1.1	0.90	98	<10	90	0.8	10	0.38	<0.5	7	87	691	1.92
M011976		5.76	0.065	0.7	0.88	99	<10	110	0.5	3	0.43	<0.5	6	55	229	1.78



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - B
 Total Pages: 2 (A - C)
 Finalized Date: 23-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04062200

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
MO11960		10	<1	0.79	40	0.78	334	1	0.10	10	800	20	0.04	<2	4	52
MO11961		10	1	0.74	40	0.65	337	2	0.08	19	850	27	0.02	<2	2	199
MO11962		10	<1	0.69	40	0.73	321	2	0.08	9	790	20	0.05	3	3	37
MO11963		<10	<1	0.75	40	0.71	279	52	0.08	8	860	23	1.55	22	4	49
MO11964		10	1	0.65	70	0.99	170	1	0.40	6	820	21	0.61	3	7	117
MO11965		<10	1	0.61	50	0.61	221	1	0.08	8	960	14	0.09	<2	2	110
MO11966		10	<1	0.72	40	0.74	296	2	0.08	8	1140	12	0.03	<2	3	73
MO11967		10	<1	0.72	40	0.76	249	3	0.08	10	830	14	0.21	<2	4	46
MO11968		10	<1	0.68	40	0.71	238	1	0.09	9	830	12	0.20	3	4	43
MO11969		10	<1	0.67	40	0.78	254	2	0.07	9	780	13	0.16	2	5	39
MO11970		<10	<1	0.57	40	0.65	247	1	0.10	8	770	11	0.01	2	2	57
MO11971		<10	<1	0.61	40	0.66	266	1	0.09	10	800	13	0.02	2	3	60
MO11972		<10	<1	0.57	40	0.67	280	<1	0.10	9	840	14	0.01	<2	3	52
MO11973		<10	<1	0.61	40	0.67	276	1	0.09	11	880	14	0.02	<2	2	43
MO11974		<10	1	0.55	40	0.52	224	1	0.10	7	780	18	0.02	3	2	40
MO11975		<10	<1	0.54	40	0.53	238	3	0.09	9	730	16	0.02	2	3	39
MO11976		<10	1	0.55	30	0.48	232	1	0.11	6	790	18	0.01	<2	2	43



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 2 - C

Total Pages: 2 (A - C)

Finalized Date: 23-SEP-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04062200

Sample Description	Method Analyte Units LOR	ME-ICP41					
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M011960		0.16	<10	<10	51	<10	43
M011961		0.24	<10	<10	53	<10	59
M011962		0.20	<10	<10	51	<10	56
M011963		0.23	<10	<10	55	8640	142
M011964		0.21	<10	<10	60	20	34
M011965		0.21	<10	<10	46	20	38
M011966		0.23	<10	<10	63	<10	47
M011967		0.19	<10	<10	51	30	59
M011968		0.18	<10	<10	49	40	51
M011969		0.16	<10	10	52	<10	63
M011970		0.16	<10	<10	43	<10	28
M011971		0.16	<10	<10	46	<10	39
M011972		0.16	<10	<10	46	<10	37
M011973		0.17	<10	<10	47	<10	34
M011974		0.17	<10	<10	40	<10	40
M011975		0.17	<10	10	40	<10	54
M011976		0.18	<10	<10	40	<10	44



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 23-SEP-2004
 Account: DYNAMI

CERTIFICATE VA04061569

Project: Mike Lake
 P.O. No.:
 This report is for 110 Soil samples submitted to our lab in Vancouver, BC, Canada on 13-SEP-2004.

The following have access to data associated with this certificate:

VANCOUVER OFFICE
 JOAN MARIACHER

AL ARCHER
 BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - A
 Total Pages: 4 (A - C)
 Finalized Date: 23-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04061569

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg 0.02	ppm 0.001	ppm 0.2	% 0.01	ppm 2	ppm 10	ppm 10	ppm 0.5	ppm 2	% 0.01	ppm 0.5	ppm 1	ppm 1	ppm 1	% 0.01
CC08501		0.16	0.014	0.5	2.43	134	<10	210	1.1	<2	0.45	0.5	16	39	78	3.51
CC08502		0.20	0.007	<0.2	2.05	53	<10	90	0.8	<2	0.14	<0.5	13	30	31	3.03
CC08503		0.26	0.004	0.2	2.27	98	<10	150	1.0	<2	0.20	<0.5	12	39	39	3.40
CC08504		0.18	0.004	<0.2	2.00	42	<10	130	0.8	<2	0.24	<0.5	10	34	29	3.03
CC08505		0.46	0.003	<0.2	2.12	29	<10	100	0.7	<2	0.13	<0.5	10	32	26	3.01
CC08506		0.24	0.005	0.2	2.15	106	<10	120	0.8	<2	0.18	<0.5	11	34	28	3.04
CC08507		0.24	0.008	<0.2	2.15	117	<10	130	1.0	<2	0.21	<0.5	13	35	34	3.25
CC08508		0.20	0.004	<0.2	2.00	24	<10	100	0.6	<2	0.12	<0.5	10	30	22	2.87
CC08509		0.34	0.010	0.2	1.84	116	<10	90	0.8	<2	0.24	<0.5	10	31	29	2.99
CC08510		0.36	0.009	<0.2	1.68	31	<10	140	0.7	<2	0.20	<0.5	11	27	30	2.67
CC08511		0.22	0.011	0.2	2.11	208	<10	140	1.1	2	0.22	<0.5	15	36	44	3.54
CC08512		0.20	0.006	<0.2	1.37	50	<10	50	0.6	<2	0.10	<0.5	5	24	31	3.00
CC08513		0.34	0.022	0.2	1.32	174	<10	140	1.1	<2	0.35	<0.5	11	29	35	2.67
CC08514		0.34	0.011	<0.2	1.76	88	<10	190	1.3	<2	0.39	<0.5	11	36	47	3.12
CC08515		0.28	0.030	0.5	1.90	112	<10	150	1.1	<2	0.36	1.5	12	33	45	3.87
CC08516		0.34	0.034	1.6	2.00	140	<10	150	1.9	<2	0.36	4.2	22	31	80	4.95
CC08517		0.30	0.014	0.7	2.02	178	<10	140	1.5	2	0.32	0.6	25	29	107	4.89
CC08518		0.36	0.024	1.2	2.11	141	<10	160	1.3	3	0.47	1.3	20	28	130	5.23
CC08519		0.26	0.016	0.4	2.95	172	<10	200	1.6	2	0.69	<0.5	14	42	170	3.84
CC08520		0.40	0.017	0.4	1.69	234	<10	140	1.3	2	0.44	<0.5	14	38	162	3.42
CC08521		0.32	0.031	0.6	2.45	243	<10	250	1.9	4	0.53	<0.5	12	32	444	3.08
CC08522		0.26	0.243	6.1	2.36	2290	<10	200	1.8	23	0.87	0.8	33	47	1610	6.86
CC08523		0.22	0.254	2.0	1.97	594	<10	380	1.0	18	0.68	0.5	14	41	596	5.28
CC08524		0.28	0.052	3.3	1.68	393	<10	320	1.1	12	0.68	1.0	11	40	626	7.09
CC08525		0.36	0.102	1.4	2.63	501	<10	120	2.2	11	0.68	0.5	21	36	381	4.35
CC08526		0.44	0.127	1.9	2.56	629	<10	120	3.0	12	0.82	1.3	29	33	227	5.18
CC08527		0.38	0.124	5.0	2.35	1285	<10	180	1.9	26	0.68	1.7	31	30	1060	5.37
CC08528		0.36	0.027	0.9	2.02	501	<10	310	2.5	5	0.52	0.5	21	97	194	5.08
CC08529		0.40	0.102	1.6	2.61	853	<10	120	3.0	14	0.68	1.1	24	36	245	5.06
CC08530		0.40	0.089	1.7	2.83	580	<10	210	3.2	9	1.07	0.5	22	39	383	4.97
CC08531		0.34	0.060	0.6	2.36	415	<10	230	3.4	6	0.82	0.5	20	39	158	4.92
CC08532		0.28	0.029	0.7	2.17	314	<10	230	3.5	2	0.93	0.5	20	39	174	4.75
CC08533		0.36	0.080	0.5	2.02	486	<10	150	4.0	6	0.76	<0.5	22	30	96	4.94
CC08534		0.32	0.037	0.2	1.80	251	<10	70	1.9	2	0.23	0.5	11	34	41	3.85
CC08535		0.40	0.219	1.5	1.56	784	<10	80	2.2	8	0.66	0.6	24	26	261	3.98
CC08536		0.38	0.282	1.6	1.24	842	<10	90	1.6	6	0.55	0.6	22	23	332	3.51
CC08537		0.44	0.636	2.2	1.02	1340	<10	70	1.5	5	1.21	0.6	23	17	392	3.90
CC08538		0.40	0.179	0.6	1.52	999	<10	90	3.0	3	0.76	0.5	24	26	113	4.92
CC08539		0.60	0.308	1.0	1.42	1405	<10	110	2.5	4	0.80	<0.5	27	29	147	4.42
CC08540		0.34	0.129	0.7	1.30	844	10	90	2.7	3	1.00	<0.5	21	27	64	4.02



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - B
 Total Pages: 4 (A - C)
 Finalized Date: 23-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04061569

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC08501		10	<1	0.13	30	0.72	626	2	0.01	33	980	33	0.05	2	4	47
CC08502		10	1	0.07	20	0.51	564	2	<0.01	21	630	16	0.04	2	3	19
CC08503		10	1	0.07	20	0.62	561	5	0.01	29	720	20	0.04	3	3	29
CC08504		10	<1	0.09	20	0.54	517	3	0.01	22	750	19	0.05	<2	3	32
CC08505		10	<1	0.07	20	0.55	451	2	<0.01	23	590	16	0.03	2	3	18
CC08506		10	<1	0.07	20	0.56	405	6	0.01	24	720	20	0.05	<2	3	32
CC08507		10	<1	0.09	30	0.63	587	5	0.01	25	760	31	0.05	2	3	41
CC08508		10	1	0.05	10	0.48	385	3	0.01	20	580	14	0.06	<2	2	17
CC08509		10	1	0.07	20	0.56	408	6	0.01	24	500	19	0.04	2	2	27
CC08510		<10	1	0.08	20	0.53	484	1	0.01	27	550	18	0.02	<2	3	29
CC08511		10	1	0.12	30	0.65	727	5	0.01	26	750	36	0.08	<2	3	54
CC08512		10	1	0.06	10	0.25	336	2	0.01	13	750	33	0.09	2	2	15
CC08513		<10	<1	0.18	40	0.60	443	1	0.01	19	1010	26	0.03	<2	3	45
CC08514		10	1	0.29	50	0.80	525	1	0.01	20	1000	24	0.02	<2	4	104
CC08515		10	1	0.14	30	0.67	756	1	0.01	28	940	124	0.03	4	4	52
CC08516		10	<1	0.19	40	0.60	1475	2	0.01	33	1000	241	0.05	7	6	71
CC08517		10	1	0.15	40	0.59	1325	2	0.01	46	960	70	0.05	8	4	48
CC08518		10	1	0.19	30	0.92	1220	3	0.01	47	1030	78	0.05	10	6	39
CC08519		10	<1	0.31	30	1.22	528	3	0.02	31	1410	29	0.07	6	6	63
CC08520		10	<1	0.26	50	0.85	583	5	0.02	16	1070	32	0.12	<2	4	48
CC08521		10	<1	0.38	60	0.79	365	1	0.02	17	1330	26	0.05	<2	4	124
CC08522		10	1	0.72	70	1.27	617	3	0.02	32	2190	55	0.19	6	10	156
CC08523		10	<1	0.76	80	1.09	360	1	0.02	20	1760	41	0.08	4	7	322
CC08524		10	<1	0.67	60	1.14	438	1	0.01	25	1960	95	0.19	11	9	31
CC08525		10	2	0.38	50	1.03	568	4	0.02	23	1250	66	0.05	4	6	112
CC08526		10	1	0.33	60	1.10	1380	2	0.01	18	1360	132	0.03	11	10	93
CC08527		10	1	0.25	60	1.03	1235	3	0.01	23	1420	156	0.03	13	10	179
CC08528		10	1	0.21	50	0.94	1180	4	0.01	36	1440	47	0.04	9	13	89
CC08529		10	<1	0.30	60	0.99	1030	3	0.01	18	1170	111	0.03	12	9	161
CC08530		10	1	0.29	60	1.06	1320	7	0.01	25	1490	47	0.04	6	11	194
CC08531		10	<1	0.32	70	0.91	1315	5	0.01	22	1710	33	0.03	5	13	148
CC08532		10	1	0.27	70	0.93	975	3	0.01	23	1730	28	0.04	4	14	124
CC08533		10	1	0.23	80	0.76	1270	6	<0.01	18	1470	35	0.01	3	12	114
CC08534		10	1	0.23	40	0.59	461	9	0.01	13	1210	28	0.11	<2	3	23
CC08535		10	<1	0.38	70	0.70	787	8	0.01	15	1150	61	0.03	6	7	159
CC08536		<10	1	0.37	70	0.51	637	3	0.01	14	1050	57	0.02	9	5	122
CC08537		<10	1	0.24	60	0.48	749	6	0.01	14	1190	68	0.06	7	6	180
CC08538		<10	1	0.23	80	0.49	1245	2	<0.01	19	1430	41	0.03	15	11	78
CC08539		10	<1	0.36	70	0.58	844	3	0.01	17	1420	60	0.05	10	9	92
CC08540		<10	<1	0.18	70	0.47	663	3	0.01	16	1150	52	0.07	7	9	83



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - C
 Total Pages: 4 (A - C)
 Finalized Date: 23-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04061569

Sample Description	Method Analyte Units LOR	ME-ICP41					
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC08501		0.11	<10	<10	67	<10	100
CC08502		0.07	<10	<10	53	<10	61
CC08503		0.08	<10	10	63	<10	76
CC08504		0.08	<10	<10	58	<10	66
CC08505		0.09	<10	<10	57	<10	63
CC08506		0.07	<10	20	56	<10	64
CC08507		0.08	<10	30	61	<10	73
CC08508		0.06	<10	<10	52	<10	53
CC08509		0.06	<10	40	52	<10	68
CC08510		0.08	<10	<10	46	<10	75
CC08511		0.09	<10	30	67	<10	85
CC08512		0.06	<10	<10	53	<10	62
CC08513		0.11	<10	20	52	10	67
CC08514		0.15	<10	10	63	<10	73
CC08515		0.09	<10	<10	50	<10	249
CC08516		0.08	<10	<10	50	<10	590
CC08517		0.05	<10	<10	47	<10	134
CC08518		0.08	<10	<10	67	10	194
CC08519		0.16	<10	10	98	<10	80
CC08520		0.14	<10	20	73	<10	68
CC08521		0.14	<10	<10	63	10	65
CC08522		0.17	<10	40	92	<10	112
CC08523		0.23	<10	<10	91	20	58
CC08524		0.19	<10	10	84	<10	107
CC08525		0.10	<10	40	66	10	92
CC08526		0.06	<10	10	60	<10	192
CC08527		0.06	<10	30	56	10	191
CC08528		0.08	<10	<10	73	10	124
CC08529		0.06	<10	30	64	10	163
CC08530		0.09	<10	10	76	<10	116
CC08531		0.09	<10	<10	76	10	100
CC08532		0.08	<10	<10	73	<10	110
CC08533		0.05	<10	<10	61	<10	84
CC08534		0.09	<10	10	68	<10	65
CC08535		0.10	<10	10	48	10	87
CC08536		0.09	<10	<10	41	40	81
CC08537		0.04	<10	<10	29	20	95
CC08538		0.05	<10	10	55	10	84
CC08539		0.09	<10	10	54	10	94
CC08540		0.06	<10	60	55	10	83



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



D: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - A
 Total Pages: 4 (A - C)
 Finalized Date: 23-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04061569

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg 0.02	ppm 0.001	ppm 0.2	% 0.01	ppm 2	ppm 10	ppm 10	ppm 0.5	ppm 2	% 0.01	ppm 0.5	ppm 1	ppm 1	ppm 1	% 0.01
CC08541		0.42	0.031	0.3	2.18	284	<10	130	4.0	<2	0.78	0.5	16	32	136	3.88
CC08542		0.34	0.139	0.7	2.82	403	<10	130	2.7	7	0.95	<0.5	13	27	297	2.69
CC08543		0.40	0.172	0.9	2.53	481	<10	160	2.5	9	1.05	0.5	19	31	294	3.09
CC08544		0.32	0.167	2.2	3.07	1415	<10	280	2.4	10	0.81	0.8	34	49	588	6.28
CC08545		0.46	0.133	0.6	2.12	1055	<10	200	1.4	13	0.38	<0.5	28	33	410	4.17
CC08546		0.32	0.198	1.1	2.69	1025	<10	290	2.3	5	0.37	0.5	29	38	737	5.11
CC08547		0.40	0.856	1.7	2.07	1765	<10	120	1.5	14	0.30	0.5	24	18	1480	2.91
CC08548		0.40	1.590	3.9	1.62	1210	<10	140	1.6	18	0.46	0.9	26	23	1970	3.29
CC08549		0.28	0.894	0.8	1.96	911	<10	200	1.5	16	0.35	0.5	14	31	487	3.78
CC08550		0.42	0.106	1.0	2.08	464	<10	140	3.7	6	0.83	0.7	22	44	302	4.27
CC08551		0.50	0.038	0.3	1.84	365	<10	170	1.4	<2	0.19	0.5	42	46	124	5.05
CC08552		0.48	0.030	0.4	1.79	496	<10	140	1.4	<2	0.16	<0.5	49	38	153	4.85
CC08553		0.36	0.176	0.9	1.81	1320	<10	110	1.4	3	0.15	0.5	44	40	393	5.17
CC08554		0.50	0.078	0.5	2.09	568	<10	130	1.5	3	0.16	<0.5	24	45	225	4.61
CC08555		0.48	0.118	0.6	2.11	846	<10	160	1.5	5	0.28	0.5	20	36	380	3.79
CC08556		0.52	0.084	0.4	2.42	475	<10	220	1.8	3	0.75	<0.5	16	59	164	4.07
CC08557		0.52	0.126	0.4	2.54	849	<10	160	1.9	8	0.47	<0.5	21	40	235	4.44
CC08558		0.46	0.184	0.4	2.27	541	<10	150	1.9	5	0.41	<0.5	17	43	219	4.12
CC08559		0.46	0.084	0.2	2.45	463	<10	160	2.2	3	0.37	<0.5	17	40	134	4.30
CC08560		0.50	0.137	1.3	1.52	553	<10	140	1.8	4	0.48	0.6	16	24	128	4.83
CC08561		0.22	0.180	1.1	1.84	419	<10	150	0.8	<2	0.24	<0.5	11	31	546	3.17
CC08562		0.40	0.156	1.4	1.84	561	<10	150	1.3	<2	0.20	0.5	27	24	551	4.87
CC08563		0.30	0.076	1.4	1.92	301	<10	110	1.1	<2	0.13	<0.5	19	24	230	3.78
CC08564		0.46	0.104	0.9	1.94	362	<10	90	1.2	<2	0.11	0.5	25	25	346	5.04
CC08565		0.62	0.084	0.6	2.02	412	<10	160	1.6	3	0.48	0.5	17	36	186	3.73
CC08566		0.64	0.132	0.6	2.23	419	<10	160	2.0	2	0.55	<0.5	14	39	132	4.33
CC08567		0.44	0.114	0.6	2.06	398	<10	150	1.8	2	0.64	<0.5	13	38	140	4.09
CC08568		0.54	0.494	0.4	1.89	387	<10	190	1.8	3	0.39	<0.5	12	27	152	3.38
CC08569		0.42	0.294	0.8	1.87	924	<10	150	1.5	12	0.40	<0.5	19	35	240	3.83
CC08570		0.44	0.303	0.3	1.80	805	<10	160	1.6	13	0.31	<0.5	12	30	191	3.51
CC08571		0.54	0.071	0.3	1.71	547	<10	110	1.2	7	0.22	<0.5	16	26	130	3.17
CC08572		0.52	0.099	0.7	1.94	1420	<10	150	1.5	15	0.31	<0.5	22	34	242	4.82
CC08573		0.48	0.052	0.2	1.75	778	<10	120	1.1	5	0.21	<0.5	15	31	131	3.89
CC08574		0.54	0.113	0.4	2.08	812	<10	120	1.4	7	0.26	<0.5	18	32	192	3.70
CC08575		0.54	0.339	0.6	1.79	458	<10	120	1.8	4	0.60	0.6	15	32	184	3.42
CC08576		0.38	0.019	0.2	3.82	60	<10	30	5.3	5	1.82	<0.5	13	25	183	2.63
CC08577		0.30	0.093	1.0	2.87	548	<10	280	2.2	7	0.75	<0.5	21	136	427	3.98
CC08578		0.36	0.164	2.5	2.29	887	<10	130	2.3	11	0.67	<0.5	20	29	1000	3.31
CC08579		0.12	0.014	0.4	0.94	33	<10	60	<0.5	2	0.09	<0.5	3	22	54	1.86
CC08580		0.36	0.229	3.5	2.19	1885	<10	190	1.8	24	0.51	<0.5	27	39	1595	4.76



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



D: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - B
 Total Pages: 4 (A - C)
 Finalized Date: 23-SEP-2004
 Account: DYNAMI

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04061569

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC08541		10	<1	0.40	60	0.63	1105	1	0.01	16	1270	36	0.01	2	11	51
CC08542		10	1	0.24	40	0.75	441	1	0.02	14	990	34	0.02	<2	5	180
CC08543		10	1	0.39	50	0.85	444	1	0.01	16	1410	33	0.01	2	6	243
CC08544		10	<1	0.54	70	1.36	962	3	0.02	37	1910	94	0.05	7	11	95
CC08545		10	<1	0.29	40	0.82	526	1	0.01	27	1390	42	0.02	3	4	50
CC08546		10	<1	0.51	40	1.08	614	4	0.01	45	1000	41	0.05	6	10	69
CC08547		10	1	0.11	30	0.48	404	3	<0.01	28	620	35	0.02	2	3	84
CC08548		10	<1	0.24	50	0.56	433	2	0.01	19	1170	48	0.02	6	4	156
CC08549		10	1	0.18	50	0.68	449	4	0.02	22	1040	50	0.06	3	4	108
CC08550		10	1	0.30	70	0.74	1025	1	0.01	19	1540	45	0.01	4	11	71
CC08551		<10	<1	0.28	40	0.61	1545	1	<0.01	50	720	39	0.03	9	5	24
CC08552		10	1	0.25	30	0.85	1215	2	0.01	56	790	32	0.03	5	4	51
CC08553		<10	1	0.17	40	0.55	1080	2	0.01	66	810	49	0.03	6	5	25
CC08554		10	<1	0.15	30	0.60	704	3	0.01	37	1000	35	0.05	3	4	42
CC08555		10	1	0.16	30	0.63	549	2	0.01	37	1090	32	0.04	5	5	60
CC08556		10	<1	0.49	40	1.36	547	1	0.01	23	1570	29	0.01	4	7	85
CC08557		10	1	0.30	50	1.01	649	2	0.01	22	1170	38	0.04	4	5	64
CC08558		10	1	0.43	50	1.06	542	2	0.01	20	1070	26	0.04	2	4	37
CC08559		10	<1	0.32	50	0.97	747	2	0.01	22	1180	40	0.03	3	5	35
CC08560		<10	1	0.14	60	0.51	1635	3	<0.01	19	1090	58	0.01	8	9	52
CC08561		10	1	0.14	30	0.52	262	3	0.01	26	790	28	0.04	5	3	29
CC08562		10	1	0.11	30	0.46	648	5	0.01	51	1050	43	0.09	7	3	39
CC08563		10	<1	0.09	20	0.42	715	2	0.01	39	760	33	0.05	<2	2	16
CC08564		10	<1	0.09	20	0.40	780	2	0.01	48	880	34	0.06	4	2	14
CC08565		10	<1	0.28	40	0.82	631	3	0.01	22	1150	35	0.04	4	5	50
CC08566		10	<1	0.31	60	0.99	717	2	0.01	18	1230	35	0.03	5	7	40
CC08567		10	<1	0.30	50	0.96	593	1	0.01	18	1360	33	0.03	5	6	53
CC08568		10	<1	0.17	50	0.61	668	2	0.01	19	1070	26	0.03	4	5	59
CC08569		10	<1	0.24	40	0.81	514	2	<0.01	20	850	26	0.03	3	4	43
CC08570		10	<1	0.22	40	0.69	392	2	<0.01	17	980	28	0.05	2	2	39
CC08571		10	<1	0.15	30	0.56	422	1	<0.01	20	680	26	0.02	<2	2	29
CC08572		10	1	0.28	40	0.83	583	1	<0.01	21	1400	52	0.02	4	5	36
CC08573		10	<1	0.21	30	0.69	467	1	<0.01	17	910	33	0.03	3	3	22
CC08574		10	<1	0.17	40	0.74	515	1	<0.01	22	910	26	0.03	2	3	24
CC08575		10	1	0.34	60	0.81	554	1	<0.01	14	1500	48	<0.01	4	5	51
CC08576		10	1	0.33	30	0.92	702	<1	0.02	11	970	37	<0.01	2	7	82
CC08577		10	<1	0.40	40	1.63	568	1	0.01	29	1200	51	0.03	2	6	146
CC08578		10	<1	0.19	40	0.71	411	1	0.01	19	1080	38	0.02	5	4	131
CC08579		<10	1	0.06	20	0.15	80	1	<0.01	9	1060	21	0.19	<2	1	13
CC08580		10	<1	0.56	70	1.09	549	3	0.01	19	1450	30	0.02	4	7	132



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 3 - C

Total Pages: 4 (A - C)

Finalized Date: 23-SEP-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04061569

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC08541		0.10	<10	10	58	<10	85
CC08542		0.06	<10	10	45	<10	62
CC08543		0.09	<10	<10	58	<10	61
CC08544		0.15	<10	30	106	<10	130
CC08545		0.10	<10	<10	65	30	83
CC08546		0.16	<10	10	87	<10	94
CC08547		0.04	<10	10	31	<10	68
CC08548		0.09	<10	50	43	<10	96
CC08549		0.12	<10	30	58	<10	85
CC08550		0.07	<10	<10	61	<10	91
CC08551		0.04	<10	<10	32	<10	72
CC08552		0.04	<10	<10	32	10	63
CC08553		0.04	<10	<10	36	30	86
CC08554		0.06	<10	10	51	10	71
CC08555		0.07	<10	10	51	<10	81
CC08556		0.19	<10	10	84	<10	76
CC08557		0.12	<10	20	78	10	78
CC08558		0.16	<10	10	79	10	69
CC08559		0.13	<10	10	74	<10	82
CC08560		0.06	<10	20	48	10	106
CC08561		0.11	<10	20	50	20	83
CC08562		0.05	<10	10	42	40	97
CC08563		0.03	<10	<10	40	10	84
CC08564		0.04	<10	<10	47	50	83
CC08565		0.13	<10	20	65	10	85
CC08566		0.13	<10	10	75	20	85
CC08567		0.12	<10	10	69	10	81
CC08568		0.10	<10	20	52	10	76
CC08569		0.12	<10	10	67	20	72
CC08570		0.08	<10	10	59	20	61
CC08571		0.07	<10	<10	50	30	62
CC08572		0.09	<10	<10	63	10	82
CC08573		0.09	<10	<10	64	10	64
CC08574		0.08	<10	10	59	20	70
CC08575		0.12	<10	10	58	30	170
CC08576		0.02	<10	<10	37	<10	53
CC08577		0.19	<10	10	86	<10	96
CC08578		0.06	<10	20	50	<10	87
CC08579		0.06	<10	<10	37	<10	26
CC08580		0.15	<10	10	74	20	86



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



Co: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04061569

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC08581		0.38	0.023	0.8	1.90	239	<10	110	1.3	3	0.35	<0.5	20	37	339	4.05
CC08582		0.36	0.015	0.3	1.63	184	<10	170	1.3	4	0.39	<0.5	13	29	166	3.53
CC08583		0.36	0.037	0.5	1.92	376	<10	110	1.5	6	0.29	<0.5	14	33	266	3.67
CC08584		0.20	0.033	<0.2	1.84	129	<10	180	2.2	3	0.47	<0.5	13	28	72	2.91
CC08585		0.32	0.015	<0.2	2.20	119	<10	160	1.6	<2	0.51	<0.5	13	28	54	2.84
CC08586		0.28	0.008	<0.2	3.06	49	<10	130	2.7	<2	1.16	<0.5	8	25	67	2.66
CC08587		0.28	0.004	<0.2	2.31	35	<10	230	0.9	<2	0.47	<0.5	11	35	47	2.72
CC08588		0.36	0.012	0.2	1.65	20	<10	220	0.6	<2	0.54	<0.5	14	29	69	2.62
CC08589		0.34	0.008	<0.2	2.25	28	<10	190	0.7	<2	0.50	<0.5	17	28	85	3.12
CC08590		0.34	0.006	<0.2	2.38	88	<10	280	1.3	<2	0.55	<0.5	17	36	95	3.69
CC08591		0.36	0.007	<0.2	2.84	58	<10	170	2.4	<2	0.76	<0.5	9	30	51	2.88
CC08592		0.26	0.013	<0.2	2.57	128	<10	190	2.0	2	0.46	<0.5	14	37	71	3.55
CC08593		0.34	0.010	<0.2	1.54	222	<10	170	1.2	4	0.35	<0.5	10	33	59	3.39
CC08594		0.38	0.016	0.3	1.88	294	<10	150	1.6	3	0.39	<0.5	16	37	134	3.72
CC08595		0.24	0.034	0.4	2.05	500	<10	160	1.9	5	0.45	<0.5	20	41	232	4.46
CC08596		0.50	0.132	0.7	2.08	661	<10	170	1.7	7	0.46	<0.5	19	36	421	4.02
CC08597		0.32	0.118	0.5	0.92	1395	<10	70	0.9	5	0.26	<0.5	20	11	269	3.04
CC08598		0.32	0.165	0.5	1.74	921	<10	170	2.5	4	0.68	<0.5	23	19	185	3.51
CC08599		0.40	0.382	1.0	0.86	2510	<10	60	0.7	9	0.18	<0.5	26	10	381	3.39
CC08600		0.36	0.303	0.5	1.03	1820	<10	70	0.8	12	0.22	<0.5	22	10	297	3.27
CC08601		0.40	0.065	0.8	3.30	1275	<10	50	6.2	7	1.21	<0.5	27	35	697	6.34
CC08602		0.50	0.292	0.6	1.38	982	<10	90	1.4	7	0.37	0.5	15	17	337	2.92
CC08603		0.34	0.321	1.7	1.27	3090	<10	90	0.7	16	0.31	0.8	21	12	423	2.97
CC08604		0.38	0.350	2.1	2.70	665	<10	150	2.8	7	0.91	<0.5	19	29	844	4.00
CC08605		0.34	0.589	2.8	2.41	783	<10	160	2.7	11	0.66	<0.5	21	35	850	4.82
CC08606		0.32	0.164	1.8	2.79	1835	<10	350	1.7	10	0.39	<0.5	42	44	855	6.39
CC08607		0.32	0.506	1.5	2.18	787	<10	160	1.9	8	0.45	<0.5	18	25	975	2.92
CC08608		0.38	1.505	1.6	2.06	861	<10	240	1.8	24	0.39	<0.5	15	51	831	3.65
CC08609		0.36	0.572	1.3	2.47	680	<10	180	2.2	14	0.79	<0.5	18	27	553	3.15
CC08610		0.36	0.134	1.0	1.92	587	<10	180	1.7	11	0.52	<0.5	13	27	406	3.07



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 4 - B
 Total Pages: 4 (A - C)
 Finalized Date: 23-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04061569

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC08581		10	<1	0.28	50	0.80	667	1	0.01	24	1460	32	0.03	<2	4	24
CC08582		10	<1	0.20	40	0.66	613	3	<0.01	22	1400	30	0.02	<2	4	35
CC08583		10	<1	0.24	40	0.70	549	2	0.01	18	1050	34	0.04	2	3	33
CC08584		10	1	0.31	60	0.64	675	1	0.01	16	1380	40	0.06	<2	3	78
CC08585		10	1	0.15	40	0.62	542	2	0.01	19	1110	27	0.04	2	3	44
CC08586		10	<1	0.14	30	0.77	533	5	0.01	10	1180	27	0.04	4	4	102
CC08587		10	1	0.18	10	0.94	373	1	0.01	29	850	15	0.07	2	4	57
CC08588		10	1	0.27	20	0.73	318	1	0.02	41	990	20	0.03	<2	4	39
CC08589		10	<1	0.19	20	0.64	407	2	0.03	47	1170	21	0.06	<2	3	41
CC08590		10	1	0.42	20	0.86	353	3	0.03	43	1550	17	0.15	5	6	73
CC08591		10	<1	0.18	40	0.83	488	1	0.01	13	1090	28	0.02	<2	4	80
CC08592		10	<1	0.19	40	0.78	642	3	0.01	20	1020	32	0.05	<2	3	83
CC08593		10	<1	0.24	40	0.71	421	2	<0.01	16	1160	33	0.04	<2	3	52
CC08594		10	1	0.28	50	0.85	635	2	0.01	19	1280	38	0.03	<2	4	52
CC08595		10	1	0.34	50	0.96	667	2	<0.01	23	1360	66	0.04	2	4	54
CC08596		10	1	0.27	60	0.81	520	2	0.01	20	1380	42	0.04	2	4	95
CC08597		<10	<1	0.09	30	0.24	956	3	<0.01	24	450	62	0.04	13	3	29
CC08598		10	<1	0.17	60	0.50	701	1	<0.01	16	1080	45	0.02	5	7	134
CC08599		<10	<1	0.10	30	0.20	576	8	<0.01	30	350	93	0.07	16	3	28
CC08600		<10	<1	0.11	30	0.24	541	3	<0.01	22	460	40	0.03	13	3	27
CC08601		10	1	0.29	80	0.82	931	<1	<0.01	17	2220	46	<0.01	6	12	40
CC08602		<10	<1	0.14	40	0.41	508	1	<0.01	19	660	57	0.01	7	5	84
CC08603		<10	<1	0.12	20	0.37	463	2	<0.01	27	350	116	0.06	10	3	34
CC08604		10	1	0.28	40	0.91	614	1	0.01	17	1260	38	0.02	6	7	253
CC08605		10	1	0.31	50	0.98	730	2	<0.01	23	1430	42	0.03	7	10	102
CC08606		10	1	0.74	30	1.30	618	5	0.01	61	1430	57	0.06	7	10	79
CC08607		10	1	0.26	40	0.69	459	1	<0.01	19	920	34	0.02	2	4	99
CC08608		10	<1	0.18	40	0.92	401	2	0.01	18	840	36	0.03	4	5	167
CC08609		10	1	0.23	40	0.66	429	2	0.03	21	1080	48	0.04	2	4	170
CC08610		10	<1	0.15	40	0.61	413	1	0.02	18	910	34	0.02	4	4	183



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

o: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 4 - C
 Total Pages: 4 (A - C)
 Finalized Date: 23-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04061569

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC08581		0.13	<10	20	71	<10	81
CC08582		0.10	<10	20	57	<10	100
CC08583		0.10	<10	10	64	<10	76
CC08584		0.10	<10	20	55	<10	79
CC08585		0.08	<10	20	53	<10	70
CC08586		0.03	<10	20	46	<10	57
CC08587		0.17	<10	<10	80	<10	65
CC08588		0.15	<10	<10	60	<10	70
CC08589		0.13	<10	<10	61	<10	89
CC08590		0.16	<10	10	86	<10	79
CC08591		0.07	<10	10	53	<10	64
CC08592		0.11	<10	20	69	<10	80
CC08593		0.12	<10	<10	62	<10	75
CC08594		0.13	<10	20	67	<10	88
CC08595		0.14	<10	20	76	<10	108
CC08596		0.13	<10	20	67	<10	91
CC08597		0.01	<10	<10	16	<10	91
CC08598		0.04	<10	60	39	<10	81
CC08599		0.01	<10	<10	15	<10	98
CC08600		0.01	<10	<10	16	<10	61
CC08601		0.04	<10	<10	61	<10	97
CC08602		0.04	<10	10	30	<10	94
CC08603		0.01	<10	<10	17	<10	96
CC08604		0.06	<10	10	49	<10	78
CC08605		0.08	<10	20	63	<10	93
CC08606		0.21	<10	10	111	<10	122
CC08607		0.09	<10	20	46	<10	82
CC08608		0.11	<10	10	57	<10	80
CC08609		0.08	<10	30	51	<10	91
CC08610		0.08	<10	20	47	<10	76



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

o: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 30-AUG-2004
 Account: DYNAMITE

CERTIFICATE VA04055564

Project: Mike Lake
 P.O. No.:
 This report is for 165 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-AUG-2004.
 The following have access to data associated with this certificate:

VANCOUVER OFFICE JOAN MARIACHER	AL ARCHER BILL WENGZYNOWSKI	DOUG EATON
------------------------------------	--------------------------------	------------

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - A
 Total Pages: 6 (A - C)
 Finalized Date: 30-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01188		0.36	0.039	<0.2	2.00	1040	<10	70	0.6	7	0.10	<0.5	14	27	83	3.46
CC01189		0.42	0.007	0.4	1.88	179	<10	120	1.3	2	0.25	0.5	27	18	99	4.59
CC01190		0.48	0.058	0.2	1.47	924	<10	90	0.6	5	0.19	<0.5	13	25	115	3.24
CC01191		0.28	0.009	0.2	2.27	305	<10	80	0.8	<2	0.13	0.5	14	27	69	3.82
CC01192		0.30	0.082	0.5	1.62	1350	<10	90	1.2	9	0.15	<0.5	24	22	237	4.64
CC01193		0.40	0.381	3.9	1.36	1380	<10	90	1.7	23	0.12	<0.5	42	22	456	8.51
CC01194		0.30	0.046	1.3	1.36	2090	<10	120	1.2	30	0.04	<0.5	5	20	163	9.11
CC01195		0.44	0.039	1.6	1.37	2630	<10	120	1.5	28	0.09	<0.5	13	20	239	9.26
CC01196		0.36	0.180	1.7	2.30	4310	<10	160	4.0	16	0.21	0.6	114	23	789	7.68
CC01252		0.34	0.006	<0.2	1.79	50	<10	80	<0.5	<2	0.10	<0.5	7	26	29	2.75
CC01253		0.32	0.002	0.3	1.92	31	<10	80	0.5	<2	0.12	<0.5	9	37	38	3.55
CC01287		0.30	0.010	0.2	2.08	439	<10	80	0.7	<2	0.10	<0.5	14	31	72	3.43
CC01288		0.44	0.012	0.2	1.98	282	<10	120	1.0	<2	0.14	<0.5	22	32	68	3.88
CC01289		0.44	0.008	<0.2	1.80	130	<10	70	0.8	<2	0.10	<0.5	12	27	44	3.07
CC01290		0.34	0.004	0.4	1.70	58	<10	70	<0.5	<2	0.17	<0.5	10	24	44	2.84
CC01291		0.34	0.005	0.3	1.96	57	<10	70	0.6	<2	0.08	<0.5	11	29	37	3.29
CC01307		0.38	0.033	2.7	0.98	2230	<10	110	0.8	81	0.03	<0.5	9	17	213	9.24
CC01308		0.34	0.029	3.4	1.19	2410	<10	130	0.9	82	0.04	<0.5	9	19	226	9.93
CC01309		0.32	0.010	0.8	1.63	479	<10	90	0.9	10	0.09	<0.5	7	23	144	6.82
CC01310		0.38	0.030	0.9	1.87	1065	<10	120	1.3	16	0.06	<0.5	15	25	219	8.26
CC01311		0.28	0.028	0.9	1.60	761	<10	140	2.9	10	0.07	0.8	82	22	389	6.86
CC01312		0.34	0.098	0.7	1.88	1830	<10	110	1.4	11	0.18	<0.5	22	24	274	5.38
CC01313		0.28	0.042	0.9	2.97	1275	<10	160	1.9	7	0.35	0.6	63	30	376	5.59
CC01314		0.28	0.018	0.9	3.09	686	<10	150	1.8	4	0.30	0.5	37	27	345	6.05
CC01315		0.28	0.005	<0.2	2.06	359	<10	70	0.6	<2	0.10	<0.5	11	28	34	3.08
CC01316		0.26	0.004	<0.2	2.01	198	<10	80	<0.5	<2	0.09	<0.5	9	28	27	2.95
CC01318		0.34	0.008	0.8	2.51	254	<10	140	1.5	3	0.69	2.3	18	21	112	4.13
CC01319		0.30	0.005	<0.2	1.80	183	<10	90	0.5	<2	0.09	<0.5	11	25	62	2.71
CC01433		0.26	0.002	<0.2	1.50	31	<10	70	<0.5	<2	0.10	<0.5	6	24	20	2.42
CC01434		0.26	<0.001	<0.2	1.45	17	<10	70	<0.5	<2	0.08	<0.5	6	24	17	2.49
CC01435		0.22	0.002	0.2	1.68	22	<10	80	0.5	<2	0.07	<0.5	9	27	17	3.00
CC01436		0.26	0.005	<0.2	1.66	13	<10	80	<0.5	<2	0.10	<0.5	8	25	17	2.55
CC01438		0.30	0.012	<0.2	1.76	153	<10	80	0.7	<2	0.09	<0.5	11	26	65	3.43
CC01439		0.42	0.028	0.4	2.29	392	<10	120	1.1	<2	0.04	<0.5	22	36	227	10.10
CC01440		0.38	0.004	<0.2	2.15	70	<10	60	0.5	<2	0.09	<0.5	8	28	62	3.26
CC01441		0.38	0.006	0.2	1.88	136	<10	80	<0.5	<2	0.10	<0.5	11	28	37	3.36
CC01609		0.16	0.010	<0.2	1.40	13	<10	70	<0.5	<2	0.08	<0.5	5	24	15	2.28
CC01610		0.20	0.003	0.3	1.46	32	<10	200	0.9	<2	0.64	<0.5	10	21	39	3.66
CC01618		0.20	0.001	<0.2	1.20	21	<10	60	<0.5	<2	0.06	<0.5	6	23	14	2.64
CC01619		0.24	0.005	<0.2	1.52	21	<10	80	0.5	<2	0.08	<0.5	7	25	17	2.52



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - B
Total Pages: 6 (A - C)
Finalized Date: 30-AUG-2004
Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC01188		10	<1	0.05	10	0.49	497	2	0.01	24	500	48	0.04	3	2	12
CC01189		10	<1	0.07	20	0.49	853	4	0.01	43	820	68	0.03	14	8	80
CC01190		<10	1	0.07	20	0.45	425	1	0.01	30	890	21	0.01	3	4	16
CC01191		10	<1	0.07	20	0.55	411	3	0.01	28	730	19	0.04	2	3	14
CC01192		<10	<1	0.09	30	0.36	776	3	0.01	32	970	37	0.06	8	3	23
CC01193		<10	<1	0.13	40	0.29	1700	2	0.01	29	1160	402	0.10	18	6	23
CC01194		<10	<1	0.18	40	0.26	217	3	0.02	16	1160	96	0.28	20	6	41
CC01195		<10	<1	0.19	40	0.27	432	3	0.02	21	1120	89	0.26	21	6	40
CC01196		<10	<1	0.34	50	0.66	4290	3	0.01	73	810	70	0.03	11	5	81
CC01252		<10	<1	0.04	10	0.46	203	1	0.01	19	600	12	0.02	2	3	10
CC01253		10	1	0.07	10	0.63	301	1	0.01	22	750	12	0.04	3	3	13
CC01287		10	1	0.06	20	0.53	409	1	0.01	29	610	19	0.05	3	3	13
CC01288		10	1	0.09	20	0.60	647	1	0.01	39	890	20	0.02	3	4	15
CC01289		10	<1	0.05	10	0.45	372	1	0.01	31	670	17	0.02	4	3	12
CC01290		<10	<1	0.04	10	0.46	283	1	0.01	25	800	13	0.01	2	3	14
CC01291		10	<1	0.06	10	0.54	391	1	0.01	27	580	17	0.03	3	3	10
CC01307		<10	1	0.15	30	0.21	347	2	0.01	15	1040	232	0.26	17	4	37
CC01308		<10	1	0.18	30	0.24	283	2	0.01	15	1170	277	0.31	20	5	47
CC01309		<10	1	0.12	40	0.39	285	2	0.02	18	1380	73	0.12	11	3	28
CC01310		10	1	0.18	40	0.43	532	3	0.01	24	1420	109	0.14	15	5	37
CC01311		<10	<1	0.18	50	0.32	3930	2	0.01	56	1020	68	0.06	7	5	18
CC01312		<10	1	0.11	40	0.41	734	4	0.01	38	990	57	0.08	6	4	28
CC01313		10	<1	0.20	30	0.86	1985	5	0.02	71	1100	104	0.05	8	6	54
CC01314		10	<1	0.13	20	0.87	1150	20	0.01	58	1210	70	0.10	12	4	71
CC01315		10	<1	0.05	10	0.52	422	2	0.01	21	440	22	0.03	2	2	17
CC01316		10	<1	0.04	10	0.49	302	1	0.01	22	420	14	0.02	2	2	12
CC01318		10	<1	0.06	20	0.44	682	1	0.07	46	1350	74	0.01	5	5	62
CC01319		<10	<1	0.04	10	0.46	360	1	0.01	25	490	17	0.02	3	2	11
CC01433		<10	<1	0.04	10	0.37	192	1	0.01	17	740	10	0.01	2	1	10
CC01434		10	<1	0.04	10	0.35	252	1	<0.01	15	590	8	0.02	<2	1	9
CC01435		10	<1	0.05	10	0.37	640	2	0.01	16	830	10	0.07	2	1	10
CC01436		10	<1	0.04	10	0.39	295	1	0.01	17	570	8	0.02	2	2	11
CC01438		<10	<1	0.05	10	0.44	293	1	0.01	29	570	20	0.04	3	2	13
CC01439		10	<1	0.12	30	0.40	368	2	0.02	47	2220	47	0.23	9	5	36
CC01440		10	<1	0.05	10	0.51	262	1	0.01	23	530	13	0.05	2	2	10
CC01441		10	<1	0.05	10	0.48	374	1	0.01	25	570	22	0.02	3	3	11
CC01609		<10	<1	0.04	10	0.35	205	1	0.01	14	650	9	0.03	<2	1	9
CC01610		<10	<1	0.16	20	0.85	334	3	0.01	25	2110	22	0.11	4	3	47
CC01618		10	<1	0.04	10	0.28	291	1	0.01	14	570	8	0.03	2	1	9
CC01619		10	<1	0.04	10	0.38	418	1	<0.01	17	540	10	0.03	2	1	10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 2 - C

Total Pages: 6 (A - C)

Finalized Date: 30-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01188		0.05	<10	<10	54	<10	79
CC01189		0.01	<10	<10	45	<10	80
CC01190		0.06	<10	<10	43	<10	69
CC01191		0.06	<10	<10	55	<10	83
CC01192		0.04	<10	<10	39	10	79
CC01193		0.03	<10	<10	37	<10	134
CC01194		0.02	<10	<10	32	<10	60
CC01195		0.02	<10	<10	31	10	73
CC01196		0.05	<10	<10	39	40	184
CC01252		0.06	<10	<10	47	<10	54
CC01253		0.08	<10	<10	61	<10	61
CC01287		0.06	<10	<10	52	<10	79
CC01288		0.08	<10	<10	57	<10	85
CC01289		0.06	<10	<10	48	<10	77
CC01290		0.06	<10	<10	44	<10	62
CC01291		0.07	<10	<10	54	<10	73
CC01307		0.02	<10	<10	29	<10	98
CC01308		0.02	<10	<10	31	10	95
CC01309		0.04	<10	<10	37	10	65
CC01310		0.04	<10	<10	41	10	84
CC01311		0.03	<10	<10	34	<10	136
CC01312		0.03	<10	<10	43	10	104
CC01313		0.07	<10	<10	69	10	225
CC01314		0.05	<10	<10	81	<10	175
CC01315		0.06	<10	<10	58	<10	65
CC01316		0.06	<10	<10	54	<10	58
CC01318		0.07	<10	<10	66	<10	329
CC01319		0.05	<10	<10	45	<10	69
CC01433		0.03	<10	<10	42	<10	50
CC01434		0.04	<10	<10	43	<10	47
CC01435		0.05	<10	<10	51	<10	64
CC01436		0.05	<10	<10	45	<10	54
CC01438		0.05	<10	<10	48	<10	68
CC01439		0.05	<10	<10	56	10	81
CC01440		0.06	<10	<10	54	<10	72
CC01441		0.06	<10	<10	53	<10	68
CC01609		0.03	<10	<10	42	<10	48
CC01610		0.02	<10	<10	50	<10	116
CC01618		0.05	<10	<10	48	<10	43
CC01619		0.04	<10	<10	45	<10	53



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



CO: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - A
Total Pages: 6 (A - C)
Finalized Date: 30-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
CC01620		0.26	0.003	<0.2	1.54	20	<10	80	0.5	<2	0.08	<0.5	12	26	18	2.82
CC01621		0.28	<0.001	<0.2	1.69	219	<10	90	0.9	2	0.10	<0.5	20	28	27	3.85
CC01622		0.36	0.002	<0.2	1.49	19	<10	70	0.5	<2	0.09	<0.5	6	23	17	2.40
CC01623		0.40	0.003	<0.2	1.68	13	<10	80	<0.5	<2	0.13	<0.5	6	24	18	2.24
CC01624		0.24	0.001	<0.2	1.98	19	<10	90	0.5	<2	0.09	<0.5	7	29	19	2.79
CC01625		0.26	0.002	<0.2	1.58	17	<10	70	<0.5	<2	0.10	<0.5	6	24	16	2.48
CC01626		0.32	0.004	<0.2	1.59	28	<10	90	0.6	<2	0.20	<0.5	8	27	15	2.79
CC01628		0.18	0.003	0.5	2.35	77	<10	200	1.9	<2	0.47	0.5	12	34	39	3.72
CC01629		0.32	0.002	<0.2	1.76	15	<10	80	<0.5	<2	0.09	<0.5	7	28	15	2.78
CC01630		0.24	0.004	<0.2	1.44	20	<10	70	<0.5	<2	0.06	<0.5	6	24	16	2.88
CC01631		0.30	0.002	<0.2	1.65	16	<10	70	<0.5	<2	0.12	<0.5	7	26	15	2.87
CC01632		0.24	0.005	<0.2	1.52	13	<10	70	<0.5	<2	0.10	<0.5	8	25	14	2.73
CC01633		0.26	0.004	0.2	1.30	14	<10	50	<0.5	<2	0.08	<0.5	4	22	10	2.34
CC01634		0.26	0.005	0.2	1.78	16	<10	70	<0.5	<2	0.12	<0.5	8	26	24	2.71
CC01635		0.20	0.001	<0.2	1.62	18	<10	80	<0.5	<2	0.09	<0.5	6	24	17	2.59
CC01636		0.28	0.006	<0.2	1.62	26	<10	70	<0.5	<2	0.09	<0.5	7	24	20	2.52
CC01637		0.32	0.007	0.2	1.55	310	<10	90	0.9	3	0.14	0.6	19	29	48	3.72
CC01679		0.28	0.001	<0.2	1.60	19	<10	70	<0.5	<2	0.10	<0.5	9	25	19	2.59
CC01680		0.32	0.001	<0.2	1.76	24	<10	80	0.5	<2	0.11	<0.5	9	25	21	2.69
CC01681		0.26	0.004	<0.2	1.62	17	<10	70	<0.5	<2	0.08	<0.5	7	25	18	2.58
CC01682		0.26	0.005	<0.2	2.37	93	<10	90	0.5	2	0.11	<0.5	14	37	36	3.76
CC01683		0.28	0.006	<0.2	1.61	68	<10	80	<0.5	2	0.09	<0.5	10	33	20	4.70
CC01684		0.26	0.003	0.2	1.69	18	<10	80	<0.5	<2	0.12	<0.5	8	25	28	2.53
CC01685		0.28	0.006	<0.2	1.78	22	<10	80	<0.5	<2	0.14	<0.5	9	26	22	2.70
CC01686		0.24	0.004	<0.2	1.66	16	<10	70	<0.5	<2	0.13	<0.5	7	26	21	2.62
CC01687		0.36	0.003	<0.2	1.78	23	<10	80	<0.5	<2	0.11	<0.5	8	28	21	2.81
CC01688		0.28	0.001	<0.2	1.60	20	<10	80	<0.5	<2	0.10	<0.5	7	25	15	2.69
CC01689		0.28	0.002	<0.2	1.68	19	<10	80	<0.5	<2	0.10	<0.5	13	25	16	2.96
CC01690		0.26	0.001	<0.2	1.62	18	<10	80	<0.5	<2	0.11	<0.5	9	26	16	2.80
CC01691		0.32	0.004	<0.2	1.82	10	<10	80	<0.5	<2	0.09	<0.5	8	28	17	2.78
CC01692		0.34	0.006	0.6	1.48	36	<10	230	1.1	<2	0.76	0.5	21	20	74	5.81
CC01693		0.44	0.010	0.7	1.56	63	<10	280	1.3	<2	0.74	0.8	31	21	116	6.70
CC01694		0.24	0.007	0.4	1.39	42	<10	210	1.0	<2	2.20	0.5	17	18	54	4.08
CC01695		0.34	0.005	0.7	0.63	42	<10	230	1.2	<2	3.39	0.6	27	7	69	5.85
CC01696		0.32	0.003	<0.2	1.54	19	<10	110	0.5	<2	0.12	<0.5	9	29	18	3.02
CC01697		0.24	0.003	<0.2	1.60	15	<10	80	<0.5	<2	0.17	<0.5	7	25	22	2.46
CC01698		0.38	0.003	0.2	1.74	26	<10	90	0.6	<2	0.11	<0.5	9	27	22	2.78
CC01699		0.24	0.004	0.2	1.49	33	<10	120	0.7	<2	0.17	<0.5	11	25	26	2.85
CC01700		0.32	0.002	<0.2	1.64	24	<10	90	0.5	<2	0.12	<0.5	7	25	17	2.62
CC01701		0.22	0.002	0.3	2.42	95	<10	130	1.2	6	0.09	0.5	18	36	49	4.40



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

TO: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 3 - B
 Total Pages: 6 (A - C)
 Finalized Date: 30-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC01620		<10	<1	0.05	10	0.38	753	1	0.01	18	670	11	0.05	<2	1	11
CC01621		10	<1	0.07	20	0.34	1285	2	0.01	19	890	42	0.08	<2	1	15
CC01622		<10	<1	0.04	10	0.36	267	1	0.01	17	560	8	0.02	<2	1	11
CC01623		<10	<1	0.04	10	0.42	150	<1	0.01	18	720	11	0.01	<2	2	11
CC01624		10	<1	0.05	10	0.55	250	1	0.01	18	610	14	0.03	2	2	10
CC01625		10	<1	0.04	10	0.38	219	1	0.01	16	570	9	0.02	2	1	10
CC01626		10	<1	0.05	10	0.44	383	2	0.01	21	580	13	0.03	<2	2	15
CC01628		10	<1	0.12	50	0.46	680	2	0.01	71	1250	35	0.06	3	3	36
CC01629		10	<1	0.04	10	0.41	287	1	0.01	17	590	11	0.02	2	2	10
CC01630		10	<1	0.05	20	0.31	248	2	0.01	17	580	15	0.06	3	1	9
CC01631		10	<1	0.04	10	0.40	280	1	0.01	18	580	11	0.03	2	2	11
CC01632		10	<1	0.04	10	0.36	254	1	0.01	17	550	11	0.04	3	1	10
CC01633		10	1	0.04	10	0.27	208	1	0.01	13	380	8	0.05	<2	1	10
CC01634		<10	<1	0.05	10	0.49	284	1	0.01	21	1100	12	0.03	<2	2	12
CC01635		10	1	0.06	10	0.40	264	1	0.01	19	660	11	0.05	<2	1	10
CC01636		<10	<1	0.05	10	0.38	220	1	0.01	18	560	11	0.03	3	2	10
CC01637		10	<1	0.08	20	0.45	684	1	0.01	28	760	36	0.04	3	3	18
CC01679		<10	<1	0.05	10	0.41	491	1	0.01	17	810	11	0.05	3	1	11
CC01680		<10	1	0.04	10	0.43	332	<1	0.01	20	640	10	0.03	<2	2	11
CC01681		10	1	0.04	10	0.37	316	1	0.01	16	580	10	0.04	2	1	10
CC01682		10	1	0.08	10	0.52	720	1	0.01	21	780	30	0.05	2	2	13
CC01683		10	<1	0.07	10	0.38	544	2	0.01	17	600	20	0.05	3	2	12
CC01684		<10	<1	0.04	10	0.41	258	1	0.01	19	710	13	0.03	<2	2	11
CC01685		10	<1	0.05	10	0.44	298	1	0.01	23	780	10	0.03	<2	3	12
CC01686		10	<1	0.05	10	0.44	248	1	0.01	22	720	9	0.03	<2	3	12
CC01687		<10	<1	0.05	10	0.48	309	1	0.01	22	550	14	0.04	<2	2	11
CC01688		10	<1	0.04	10	0.40	273	1	0.01	16	660	11	0.05	<2	1	11
CC01689		<10	<1	0.04	10	0.42	646	1	0.01	21	660	12	0.04	2	2	11
CC01690		10	<1	0.04	10	0.41	318	1	0.01	20	510	16	0.04	<2	1	11
CC01691		10	<1	0.04	10	0.44	279	1	0.01	20	560	13	0.04	3	2	10
CC01692		<10	<1	0.21	30	1.14	828	5	0.02	47	1720	33	0.13	6	7	64
CC01693		<10	<1	0.26	30	1.22	942	6	0.02	64	1640	46	0.17	10	8	71
CC01694		<10	<1	0.20	30	1.34	731	3	0.02	35	1180	37	0.15	13	4	100
CC01695		<10	<1	0.16	20	0.46	742	7	0.02	54	1120	36	0.24	12	7	152
CC01696		10	<1	0.05	10	0.40	668	2	0.01	17	640	12	0.07	2	1	14
CC01697		<10	<1	0.04	10	0.42	251	1	0.01	18	740	7	0.03	3	3	13
CC01698		10	<1	0.05	10	0.44	376	1	0.01	20	610	15	0.02	3	2	12
CC01699		<10	<1	0.07	20	0.45	484	1	0.01	24	870	14	0.02	<2	3	16
CC01700		10	<1	0.05	10	0.42	294	1	0.01	20	620	12	0.03	2	2	12
CC01701		10	1	0.09	20	0.58	559	2	0.01	36	770	47	0.08	9	3	21



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 3 - C

Total Pages: 6 (A - C)

Finalized Date: 30-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC01620		0.04	<10	<10	47	<10	61
CC01621		0.06	<10	<10	52	<10	76
CC01622		0.04	<10	<10	41	<10	51
CC01623		0.05	<10	<10	40	<10	53
CC01624		0.07	<10	<10	61	<10	56
CC01625		0.05	<10	<10	45	<10	49
CC01626		0.04	<10	<10	47	<10	52
CC01628		0.03	<10	<10	45	<10	143
CC01629		0.05	<10	<10	51	<10	54
CC01630		0.04	<10	<10	48	<10	53
CC01631		0.05	<10	<10	49	<10	50
CC01632		0.04	<10	<10	45	<10	47
CC01633		0.05	<10	<10	46	<10	38
CC01634		0.05	<10	<10	46	<10	67
CC01635		0.04	<10	<10	42	<10	61
CC01636		0.04	<10	<10	40	<10	47
CC01637		0.06	<10	<10	45	<10	91
CC01679		0.04	<10	<10	44	<10	65
CC01680		0.05	<10	<10	46	<10	55
CC01681		0.05	<10	<10	46	10	53
CC01682		0.07	<10	<10	59	<10	109
CC01683		0.08	<10	<10	72	<10	71
CC01684		0.05	<10	<10	44	<10	68
CC01685		0.05	<10	<10	44	<10	62
CC01686		0.06	<10	<10	45	<10	54
CC01687		0.06	<10	<10	49	<10	63
CC01688		0.04	<10	<10	48	<10	51
CC01689		0.05	<10	<10	46	<10	69
CC01690		0.05	<10	<10	48	<10	57
CC01691		0.05	<10	<10	50	<10	59
CC01692		0.02	<10	<10	52	<10	146
CC01693		0.02	<10	<10	57	<10	192
CC01694		0.02	<10	<10	48	<10	82
CC01695		<0.01	<10	<10	23	<10	157
CC01696		0.05	<10	<10	51	<10	57
CC01697		0.05	<10	<10	42	<10	55
CC01698		0.05	<10	<10	45	<10	59
CC01699		0.06	<10	<10	44	<10	69
CC01700		0.05	<10	<10	43	<10	58
CC01701		0.05	<10	<10	56	<10	104



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 4 - A
 Total Pages: 6 (A - C)
 Finalized Date: 30-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	0.01	
CC01702		0.34	0.010	0.2	1.62	195	<10	140	0.8	3	0.19	<0.5	14	25	42	3.19
CC01703		0.12	0.005	0.2	1.46	69	<10	70	<0.5	<2	0.08	<0.5	5	23	23	2.67
CC01704		0.38	0.004	<0.2	2.01	60	<10	140	0.7	<2	0.15	<0.5	13	32	26	3.34
CC01705		0.42	0.004	0.3	1.70	160	<10	70	0.5	2	0.09	<0.5	9	26	32	4.05
CC01706		0.28	0.010	0.2	1.56	285	<10	100	0.9	4	0.11	<0.5	16	23	40	3.63
CC01707		0.38	0.024	<0.2	1.86	798	<10	110	1.1	11	0.14	<0.5	19	27	149	5.29
CC01708		0.42	0.018	<0.2	1.60	229	<10	140	1.2	4	0.24	<0.5	22	26	59	3.83
CC01709		0.38	0.007	<0.2	1.42	214	<10	110	1.2	5	0.23	<0.5	20	24	65	3.50
CC01710		0.40	0.023	0.3	2.73	1025	<10	150	4.2	10	0.09	5.5	178	26	587	4.28
CC01711		0.40	0.002	<0.2	2.11	26	<10	110	0.9	<2	0.09	<0.5	13	31	28	3.26
CC01712		0.32	0.011	0.2	1.46	634	<10	100	1.1	3	0.16	<0.5	24	25	73	4.36
CC01713		0.28	0.007	0.2	1.72	245	<10	80	0.8	2	0.10	<0.5	21	31	37	3.74
CC01714		0.32	0.003	<0.2	1.81	39	<10	90	0.5	<2	0.13	<0.5	11	28	25	2.96
CC01715		0.36	0.004	<0.2	1.42	18	<10	50	<0.5	<2	0.07	<0.5	7	24	15	2.69
CC01716		0.34	0.003	<0.2	1.78	19	<10	80	0.5	<2	0.12	<0.5	10	28	25	2.94
CC01717		0.34	0.004	<0.2	1.84	13	<10	80	<0.5	<2	0.11	<0.5	9	29	22	2.87
CC01718		0.38	0.006	<0.2	2.02	18	<10	120	0.7	<2	0.15	<0.5	14	30	32	3.02
CC01719		0.38	0.004	<0.2	2.23	21	<10	100	0.6	<2	0.11	<0.5	10	34	24	3.38
CC01720		0.32	0.004	<0.2	2.44	15	<10	120	0.7	<2	0.16	<0.5	10	33	30	3.19
CC01721		0.36	0.007	<0.2	1.88	19	<10	80	0.6	<2	0.16	<0.5	12	27	32	2.99
CC01722		0.36	0.005	0.2	2.11	19	<10	90	0.5	<2	0.10	<0.5	8	32	25	3.23
CC01723		0.32	0.014	0.4	3.98	40	<10	140	1.9	<2	0.56	0.6	26	50	71	5.64
CC01947		0.22	0.009	0.2	1.44	172	<10	140	1.1	3	0.28	0.5	20	25	56	3.84
CC01948		0.28	0.005	<0.2	1.34	115	<10	70	<0.5	<2	0.20	<0.5	14	20	30	2.31
CC01949		0.30	0.005	<0.2	1.82	78	<10	80	0.6	<2	0.20	<0.5	15	30	50	3.18
CC01950		0.24	0.005	<0.2	1.68	40	<10	70	0.6	<2	0.21	<0.5	14	26	30	2.72
CC01951		0.22	0.004	<0.2	1.62	87	<10	80	0.6	13	0.11	<0.5	17	26	46	3.20
CC01952		0.26	0.005	<0.2	2.29	108	<10	120	1.3	<2	0.45	<0.5	26	21	69	5.32
CC01953		0.36	0.009	0.2	1.96	50	<10	120	1.3	<2	0.46	0.5	21	23	68	4.01
CC01954		0.24	0.009	0.2	3.02	55	10	90	1.6	<2	1.42	0.9	28	24	94	5.84
CC01955		0.22	0.004	0.3	3.03	43	<10	90	1.6	<2	1.40	1.1	28	23	124	5.28
CC01956		0.22	0.006	0.4	2.92	41	<10	90	1.4	<2	1.00	0.5	21	27	57	4.43
CC01957		0.16	0.004	0.3	3.62	58	<10	130	1.8	<2	1.20	0.5	21	40	81	4.71
CC01958		0.26	0.007	0.2	3.79	79	<10	150	1.9	<2	1.87	0.7	28	38	88	6.07
CC01959		0.26	0.008	0.3	4.11	46	<10	180	2.3	<2	0.26	0.6	60	28	185	9.60
CC01960		0.24	0.004	0.3	3.05	44	<10	110	1.6	<2	0.96	<0.5	21	29	72	5.28
CC01961		0.22	0.005	0.4	3.48	38	<10	90	1.8	<2	0.54	0.5	27	25	85	4.67
CC01962		0.22	<0.001	0.2	2.29	79	<10	90	1.8	<2	0.55	<0.5	33	25	55	4.24
CC01963		0.20	0.007	0.4	3.03	59	<10	90	1.6	<2	1.25	0.6	27	23	115	5.47
CC01964		0.20	0.006	<0.2	3.30	94	<10	100	1.7	2	0.53	<0.5	26	20	65	5.26



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - B
 Total Pages: 6 (A - C)
 Finalized Date: 30-AUG-2004
 Account: DYNAMI

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC01702		<10	<1	0.08	20	0.48	541	1	0.01	29	930	19	0.03	4	4	18
CC01703		10	1	0.05	10	0.28	212	2	0.02	17	860	15	0.09	2	1	13
CC01704		10	<1	0.06	10	0.53	475	1	0.01	27	730	18	0.04	3	3	15
CC01705		10	<1	0.07	20	0.36	299	2	0.01	21	700	25	0.05	3	2	18
CC01706		10	<1	0.09	20	0.33	442	1	0.01	28	690	29	0.04	6	2	19
CC01707		10	<1	0.13	30	0.47	585	1	0.01	37	910	36	0.05	6	4	20
CC01708		<10	<1	0.11	30	0.52	597	1	0.01	39	1020	28	0.02	3	5	26
CC01709		<10	<1	0.12	30	0.46	688	1	0.01	37	970	27	0.02	5	4	23
CC01710		<10	1	0.17	40	0.54	>10000	8	<0.01	246	910	48	0.06	7	6	14
CC01711		10	<1	0.06	10	0.47	520	2	<0.01	21	600	15	0.03	<2	2	12
CC01712		<10	<1	0.11	30	0.39	814	1	<0.01	32	890	41	0.02	5	4	21
CC01713		10	<1	0.07	20	0.52	1135	2	0.01	25	590	25	0.05	2	2	14
CC01714		10	<1	0.06	10	0.47	433	1	<0.01	25	810	14	0.03	<2	2	14
CC01715		<10	<1	0.04	10	0.36	279	1	<0.01	16	470	11	0.02	<2	1	8
CC01716		<10	<1	0.05	20	0.48	314	1	<0.01	23	770	12	0.02	2	3	12
CC01717		10	1	0.05	10	0.49	316	1	<0.01	22	720	12	0.03	<2	2	12
CC01718		<10	<1	0.07	20	0.55	424	1	<0.01	29	920	13	0.01	2	5	15
CC01719		10	<1	0.07	10	0.60	414	2	<0.01	25	750	17	0.03	2	3	14
CC01720		10	<1	0.08	10	0.65	295	2	0.01	26	900	15	0.04	<2	3	16
CC01721		<10	<1	0.06	20	0.56	366	1	0.01	29	780	13	0.02	<2	3	14
CC01722		10	<1	0.08	20	0.55	236	2	0.01	20	900	16	0.05	2	2	15
CC01723		10	<1	0.12	20	2.26	895	4	0.04	54	1160	48	0.07	4	7	86
CC01947		<10	<1	0.09	30	0.43	646	2	0.01	36	1040	24	0.04	3	4	38
CC01948		<10	<1	0.05	10	0.36	332	1	0.01	26	740	13	0.01	2	2	20
CC01949		<10	<1	0.08	20	0.54	377	1	0.01	35	810	12	0.02	<2	3	16
CC01950		<10	<1	0.05	10	0.43	312	1	<0.01	28	810	12	0.02	<2	3	18
CC01951		<10	<1	0.06	20	0.44	518	1	<0.01	27	650	21	0.02	4	2	14
CC01952		10	<1	0.11	20	0.51	738	3	0.05	49	1220	50	0.09	7	3	83
CC01953		10	<1	0.09	30	0.51	661	2	0.03	55	1360	54	0.04	3	4	54
CC01954		10	<1	0.17	20	0.80	805	4	0.20	55	1440	93	0.10	8	4	198
CC01955		10	<1	0.09	20	0.77	1365	3	0.13	45	1450	145	0.12	5	3	138
CC01956		10	1	0.08	20	0.87	881	3	0.08	37	1420	65	0.10	3	2	93
CC01957		10	1	0.16	20	1.47	808	3	0.11	44	1270	50	0.09	4	4	112
CC01958		10	1	0.35	20	1.89	1105	3	0.28	58	1280	55	0.07	4	7	309
CC01959		10	1	0.20	20	1.06	862	8	0.01	99	1960	75	0.24	4	4	88
CC01960		10	1	0.14	20	0.89	770	3	0.10	43	1440	73	0.15	6	3	120
CC01961		10	1	0.06	20	0.74	1185	3	0.02	39	1500	124	0.12	5	2	55
CC01962		10	1	0.09	20	0.53	737	3	0.03	58	1180	48	0.09	4	2	53
CC01963		10	<1	0.12	20	0.77	827	4	0.15	52	1460	167	0.12	8	3	162
CC01964		10	1	0.06	20	0.49	917	4	0.02	39	1840	63	0.14	7	2	70



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 4 - C

Total Pages: 6 (A - C)

Finalized Date: 30-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01702		0.06	<10	<10	44	<10	77
CC01703		0.04	<10	<10	48	<10	48
CC01704		0.07	<10	<10	57	<10	76
CC01705		0.06	<10	<10	57	<10	68
CC01706		0.04	<10	<10	41	<10	70
CC01707		0.06	<10	<10	45	10	89
CC01708		0.07	<10	<10	45	<10	85
CC01709		0.06	<10	<10	40	<10	85
CC01710		0.06	10	<10	49	<10	392
CC01711		0.06	<10	<10	58	<10	66
CC01712		0.05	<10	<10	41	<10	91
CC01713		0.06	<10	<10	54	<10	76
CC01714		0.06	<10	<10	51	<10	69
CC01715		0.04	<10	<10	47	<10	50
CC01716		0.06	<10	<10	49	<10	61
CC01717		0.06	<10	<10	51	<10	63
CC01718		0.08	<10	<10	54	<10	75
CC01719		0.08	<10	<10	66	<10	79
CC01720		0.08	<10	<10	70	<10	66
CC01721		0.07	<10	<10	52	<10	69
CC01722		0.06	<10	<10	62	<10	66
CC01723		0.16	<10	<10	149	<10	234
CC01947		0.06	<10	<10	46	<10	78
CC01948		0.05	<10	<10	36	<10	57
CC01949		0.07	<10	<10	49	<10	71
CC01950		0.06	<10	<10	44	<10	68
CC01951		0.05	<10	<10	47	<10	69
CC01952		0.07	<10	<10	47	10	122
CC01953		0.08	<10	<10	49	<10	118
CC01954		0.12	<10	<10	64	<10	268
CC01955		0.08	<10	<10	61	<10	396
CC01956		0.07	<10	<10	69	<10	168
CC01957		0.11	<10	<10	109	<10	182
CC01958		0.16	<10	<10	122	<10	219
CC01959		0.08	<10	<10	93	<10	468
CC01960		0.08	<10	<10	80	<10	164
CC01961		0.07	<10	<10	59	<10	221
CC01962		0.05	<10	<10	48	<10	139
CC01963		0.09	<10	<10	61	<10	307
CC01964		0.04	<10	<10	45	<10	109



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 5 - A
 Total Pages: 6 (A - C)
 Finalized Date: 30-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01965		0.30	0.004	0.2	1.91	275	<10	150	2.2	<2	0.32	0.5	37	20	70	5.96
CC01966		0.18	0.003	<0.2	1.68	105	<10	110	1.5	2	0.11	<0.5	14	24	35	3.81
CC01967		0.30	0.007	0.2	1.14	265	<10	110	1.4	5	0.05	<0.5	23	22	57	5.75
CC01968		0.18	0.003	<0.2	2.16	34	<10	130	0.6	<2	0.13	<0.5	12	33	28	3.34
CC01969		0.28	0.003	0.3	1.33	135	<10	120	1.4	<2	0.06	<0.5	25	21	62	5.38
CC01970		0.24	0.008	<0.2	1.12	311	<10	90	1.2	<2	0.10	<0.5	12	20	61	3.42
CC01971		0.22	0.009	0.3	1.75	282	<10	120	2.1	5	0.11	<0.5	45	27	110	4.83
CC01972		0.24	0.013	<0.2	1.43	111	<10	60	1.1	2	0.09	<0.5	18	24	97	4.58
CC01973		0.28	0.015	<0.2	1.30	163	<10	70	1.0	2	0.09	<0.5	13	25	106	4.93
CC01974		0.22	0.003	<0.2	1.38	107	<10	90	1.1	<2	0.11	<0.5	18	20	71	4.14
CC01975		0.24	0.005	<0.2	1.58	127	<10	90	0.8	3	0.10	<0.5	15	26	24	3.27
CC01976		0.22	0.006	0.4	1.69	376	<10	90	1.4	6	0.08	<0.5	19	24	51	5.08
CC01977		0.36	0.003	<0.2	1.68	186	<10	140	2.4	<2	0.17	<0.5	32	23	59	5.40
CC01978		0.24	0.004	<0.2	2.04	39	<10	80	0.9	<2	0.10	<0.5	12	30	22	3.85
CC01979		0.30	0.002	<0.2	2.13	74	<10	100	1.3	<2	0.16	<0.5	21	29	34	3.41
CC01980		0.20	0.002	<0.2	2.08	47	<10	120	1.5	<2	0.17	<0.5	13	30	36	4.13
CC01981		0.26	0.003	0.3	1.90	65	<10	120	1.8	<2	0.53	<0.5	29	21	61	4.77
CC01982		0.30	0.008	0.7	1.84	1330	<10	130	2.6	24	0.05	<0.5	29	20	210	13.15
CC01983		0.22	0.016	0.8	2.32	1400	<10	110	5.0	46	0.43	1.0	70	21	272	9.53
CC01984		0.32	0.018	0.2	1.56	729	<10	50	1.4	5	0.07	<0.5	14	19	134	9.08
CC01985		0.26	0.048	2.2	1.56	3440	<10	110	2.4	148	0.34	1.0	40	17	400	10.40
CC01986		0.28	0.078	1.4	1.12	3510	<10	90	1.2	19	0.03	<0.5	24	15	240	8.70
CC01987		0.36	0.856	1.0	1.21	3290	<10	120	1.5	10	0.04	<0.5	68	21	407	8.99
CC03029		0.48	0.015	<0.2	2.15	374	<10	100	0.8	<2	0.12	<0.5	8	30	77	4.53
CC03030		0.22	0.012	<0.2	1.99	183	<10	120	0.6	<2	0.08	<0.5	9	30	60	4.44
CC03031		0.60	0.010	<0.2	1.61	133	<10	140	0.9	2	0.12	<0.5	21	25	70	3.42
CC03032		0.40	0.013	0.2	1.80	634	<10	120	0.9	5	0.25	<0.5	13	29	56	3.55
CC03033		0.22	0.063	1.3	2.92	2030	<10	120	4.2	24	0.20	0.6	70	25	848	6.10
CC03034		0.30	0.005	<0.2	1.76	218	<10	70	0.6	3	0.08	<0.5	13	28	51	3.37
CC03035		0.48	0.008	<0.2	1.99	71	<10	80	0.6	<2	0.10	<0.5	11	29	27	3.09
CC03036		0.38	0.009	0.2	1.55	134	<10	70	0.8	2	0.17	<0.5	9	24	38	3.04
CC03037		0.38	0.009	<0.2	1.50	201	<10	70	0.6	<2	0.15	<0.5	7	23	58	2.46
CC03038		0.36	0.004	<0.2	1.80	95	<10	70	0.6	<2	0.07	<0.5	11	25	28	2.72
CC03039		0.38	0.011	0.2	1.99	94	<10	130	0.6	<2	0.15	<0.5	13	30	47	3.26
CC03040		0.40	0.011	<0.2	2.11	191	<10	90	0.6	<2	0.13	<0.5	12	30	47	3.37
CC03041		0.26	0.009	<0.2	2.42	124	<10	100	0.7	<2	0.10	<0.5	9	34	43	3.75
CC03042		0.22	0.024	0.4	2.41	263	<10	90	1.4	<2	0.12	<0.5	17	31	54	4.29
CC03043		0.30	0.114	0.3	1.79	206	<10	120	0.8	<2	0.03	<0.5	17	23	81	5.59
CC03044		0.48	0.034	<0.2	2.10	117	<10	110	0.8	<2	0.05	<0.5	14	28	78	5.10
CC03045		0.40	0.053	0.2	1.80	174	<10	100	0.8	<2	0.05	<0.5	19	26	103	6.04



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

CO: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 5 - B
 Total Pages: 6 (A - C)
 Finalized Date: 30-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC01965		10	<1	0.20	40	0.46	610	3	0.02	65	1080	51	0.15	12	4	118
CC01966		10	<1	0.08	20	0.33	391	2	0.01	28	920	27	0.10	4	1	39
CC01967		<10	<1	0.14	40	0.26	669	2	<0.01	31	1100	35	0.11	5	4	32
CC01968		10	<1	0.06	10	0.57	403	1	0.01	26	660	13	0.04	<2	3	15
CC01969		<10	<1	0.11	40	0.27	580	2	<0.01	34	920	32	0.11	7	3	31
CC01970		<10	<1	0.06	30	0.25	416	2	<0.01	21	670	17	0.08	2	1	24
CC01971		<10	1	0.10	30	0.45	1860	2	0.01	54	950	22	0.06	2	2	20
CC01972		<10	<1	0.06	20	0.35	567	2	<0.01	38	610	18	0.04	2	2	16
CC01973		<10	1	0.06	20	0.34	390	1	<0.01	34	500	20	0.04	2	2	18
CC01974		<10	<1	0.07	20	0.32	352	2	<0.01	42	580	16	0.06	4	2	30
CC01975		10	<1	0.06	20	0.40	845	1	<0.01	23	530	14	0.04	2	2	15
CC01976		<10	<1	0.08	20	0.39	545	2	0.01	32	980	29	0.09	4	2	36
CC01977		<10	<1	0.17	40	0.42	614	3	0.02	57	1070	35	0.14	10	3	94
CC01978		10	<1	0.08	20	0.40	574	2	<0.01	20	730	18	0.04	<2	1	17
CC01979		<10	1	0.07	20	0.58	501	1	0.01	43	770	15	0.04	2	3	20
CC01980		10	<1	0.10	20	0.48	548	4	0.01	24	1280	36	0.10	3	2	27
CC01981		10	<1	0.10	30	0.44	696	3	0.02	64	1300	73	0.11	8	2	58
CC01982		<10	<1	0.30	40	0.39	638	3	0.03	49	1370	59	0.46	37	4	67
CC01983		<10	<1	0.28	40	0.56	2480	2	0.03	113	1090	87	0.17	20	4	108
CC01984		<10	<1	0.11	30	0.41	358	2	0.01	28	840	51	0.14	15	4	41
CC01985		<10	<1	0.14	50	0.39	1720	2	0.02	60	1100	220	0.11	26	4	44
CC01986		<10	<1	0.15	40	0.20	734	4	<0.01	18	970	237	0.14	14	5	26
CC01987		<10	<1	0.14	50	0.28	3230	3	<0.01	35	1280	67	0.13	12	8	21
CC03029		10	<1	0.10	20	0.56	215	3	<0.01	23	920	23	0.02	3	5	20
CC03030		10	<1	0.16	20	0.57	494	4	<0.01	14	1040	24	0.08	4	3	16
CC03031		<10	<1	0.07	20	0.44	292	2	<0.01	29	840	20	0.02	<2	5	16
CC03032		<10	<1	0.06	20	0.53	308	2	<0.01	34	880	26	0.02	3	4	22
CC03033		<10	<1	0.13	60	0.44	2530	5	0.01	75	1120	133	0.12	11	5	33
CC03034		10	<1	0.05	10	0.39	760	1	<0.01	20	530	25	0.04	<2	2	9
CC03035		10	1	0.04	20	0.46	349	1	<0.01	22	520	19	0.02	2	3	11
CC03036		<10	<1	0.05	10	0.43	324	2	<0.01	21	690	27	0.03	<2	2	18
CC03037		<10	<1	0.06	10	0.41	188	2	<0.01	26	580	17	0.03	<2	2	13
CC03038		<10	<1	0.04	10	0.41	425	1	<0.01	21	420	15	0.03	<2	2	9
CC03039		10	<1	0.11	10	0.63	384	1	<0.01	26	780	14	0.02	2	4	15
CC03040		10	1	0.08	10	0.56	382	2	<0.01	26	800	18	0.03	3	3	12
CC03041		10	1	0.12	20	0.69	355	3	<0.01	21	790	18	0.05	<2	3	12
CC03042		10	<1	0.05	20	0.48	777	3	<0.01	41	710	20	0.08	2	2	13
CC03043		<10	<1	0.15	20	0.38	289	3	0.01	38	950	28	0.11	6	4	27
CC03044		10	<1	0.12	20	0.49	382	2	0.01	36	1010	26	0.10	4	2	23
CC03045		<10	<1	0.11	30	0.36	343	2	0.01	42	1100	34	0.09	7	4	24



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 5 - C

Total Pages: 6 (A - C)

Finalized Date: 30-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01965		0.04	<10	<10	39	<10	104
CC01966		0.04	<10	<10	52	<10	67
CC01967		0.03	<10	<10	35	<10	72
CC01968		0.07	<10	<10	62	<10	73
CC01969		0.03	<10	<10	39	<10	72
CC01970		0.04	<10	<10	41	10	48
CC01971		0.05	<10	<10	49	<10	97
CC01972		0.05	<10	<10	47	<10	69
CC01973		0.05	<10	<10	48	<10	86
CC01974		0.04	<10	<10	39	10	60
CC01975		0.06	<10	<10	53	<10	71
CC01976		0.04	<10	<10	41	<10	77
CC01977		0.04	<10	<10	39	<10	83
CC01978		0.06	<10	<10	60	<10	68
CC01979		0.06	<10	<10	49	<10	78
CC01980		0.07	<10	<10	72	<10	68
CC01981		0.05	<10	<10	46	<10	127
CC01982		0.02	<10	<10	28	10	65
CC01983		0.04	<10	<10	30	20	178
CC01984		0.01	<10	<10	26	10	64
CC01985		0.03	<10	<10	31	40	144
CC01986		0.02	<10	<10	25	10	106
CC01987		0.01	<10	<10	37	<10	112
CC03029		0.07	<10	<10	67	<10	71
CC03030		0.09	<10	<10	78	<10	63
CC03031		0.07	<10	<10	48	<10	84
CC03032		0.06	<10	<10	50	<10	99
CC03033		0.03	<10	<10	42	<10	275
CC03034		0.05	<10	<10	55	<10	71
CC03035		0.06	<10	<10	53	<10	66
CC03036		0.06	<10	<10	48	<10	66
CC03037		0.05	<10	<10	38	<10	70
CC03038		0.05	<10	<10	44	<10	63
CC03039		0.08	<10	<10	56	<10	69
CC03040		0.08	<10	<10	64	<10	75
CC03041		0.10	<10	<10	72	<10	72
CC03042		0.05	<10	<10	54	<10	82
CC03043		0.05	<10	<10	44	<10	50
CC03044		0.05	<10	<10	53	<10	68
CC03045		0.05	<10	<10	43	<10	73



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 6 - A
 Total Pages: 6 (A - C)
 Finalized Date: 30-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC03046		0.44	0.029	0.2	1.78	146	<10	110	0.9	<2	0.04	<0.5	18	24	110	6.55
CC03047		0.46	0.013	0.2	2.04	315	<10	130	0.8	<2	0.20	<0.5	16	33	101	3.60
CC03048		0.44	0.016	0.2	1.97	318	<10	170	1.0	<2	0.26	<0.5	20	34	115	3.07
CC03049		0.28	0.008	<0.2	1.46	99	<10	70	<0.5	<2	0.10	<0.5	10	22	41	2.93
CC03050		0.50	0.032	0.2	2.11	181	<10	120	0.8	<2	0.16	<0.5	18	30	106	4.14



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 6 - B
 Total Pages: 6 (A - C)
 Finalized Date: 30-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC03046		<10	<1	0.14	20	0.35	284	3	0.01	43	1150	27	0.11	7	4	24
CC03047		10	<1	0.06	20	0.63	531	3	<0.01	37	790	19	0.03	2	4	25
CC03048		10	<1	0.07	20	0.60	426	2	0.01	40	780	28	0.02	2	4	28
CC03049		<10	<1	0.04	10	0.42	321	1	<0.01	21	770	15	0.02	<2	1	11
CC03050		10	<1	0.09	20	0.66	749	3	<0.01	45	820	36	0.03	5	5	22



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 6 - C
 Total Pages: 6 (A - C)
 Finalized Date: 30-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055564

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC03046		0.04	<10	<10	42	<10	64
CC03047		0.07	<10	<10	54	<10	87
CC03048		0.07	<10	<10	52	<10	113
CC03049		0.04	<10	<10	45	<10	62
CC03050		0.08	<10	<10	61	<10	131



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



TO: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 2-SEP-2004
Account: DYNAMITE

CERTIFICATE VA04055563

Project: Mike Lake

P.O. No.:

This report is for 185 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-AUG-2004.

The following have access to data associated with this certificate:

VANCOUVER OFFICE
JOAN MARIACHER

AL ARCHER
BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - A
 Total Pages: 6 (A - C)
 Finalized Date: 2-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01752		0.22	0.008	0.5	2.05	987	<10	120	1.5	29	0.08	<0.5	14	25	115	9.05
CC01753		0.30	0.003	0.2	1.96	237	<10	110	3.3	5	0.11	<0.5	35	22	122	6.71
CC01754		0.30	0.015	1.5	1.83	861	<10	150	1.6	15	0.25	<0.5	27	29	213	5.00
CC01755		0.22	0.016	1.8	1.16	1315	<10	130	1.4	20	0.12	<0.5	24	23	303	5.50
CC01756		0.28	0.010	1.1	1.55	869	<10	120	1.3	45	0.12	<0.5	23	25	137	4.38
CC01757		0.30	0.003	0.2	1.42	120	<10	90	0.9	6	0.10	<0.5	13	20	53	3.18
CC01758		0.08	0.005	0.5	1.13	57	<10	110	0.8	3	0.20	0.5	13	19	43	2.88
CC01759		0.32	0.007	0.8	1.96	134	<10	110	1.3	6	0.11	<0.5	24	29	54	4.36
CC01760		0.28	0.003	0.5	1.17	51	<10	80	1.1	4	0.19	<0.5	20	21	36	2.91
CC01761		0.12	0.005	<0.2	1.63	26	<10	80	0.6	2	0.12	<0.5	9	26	24	2.85
CC01762		0.26	0.005	0.4	1.66	45	<10	100	1.3	2	0.08	<0.5	17	25	32	3.51
CC01763		0.24	<0.001	<0.2	1.72	45	<10	60	0.8	2	0.08	<0.5	13	25	23	3.79
CC01764		0.24	0.002	<0.2	1.77	24	<10	120	0.9	2	0.09	<0.5	15	28	25	3.26
CC01765		0.22	0.002	<0.2	1.70	18	<10	70	0.7	<2	0.08	<0.5	10	26	22	2.66
CC01766		0.28	0.001	<0.2	1.89	22	<10	80	0.7	<2	0.09	<0.5	9	28	30	2.83
CC01767		0.26	0.001	<0.2	1.83	29	<10	80	0.5	<2	0.08	<0.5	8	27	23	2.71
CC01768		0.20	0.002	<0.2	1.61	20	<10	80	<0.5	<2	0.06	<0.5	7	24	18	2.46
CC01769		0.28	0.004	0.4	1.54	86	<10	80	0.8	3	0.08	<0.5	13	25	42	3.18
CC01770		0.26	0.004	0.2	1.35	142	<10	80	0.7	4	0.07	<0.5	12	20	29	2.98
CC01771		0.24	0.002	0.3	1.92	47	<10	80	0.8	2	0.08	<0.5	9	33	35	2.77
CC01772		0.24	0.001	<0.2	1.65	13	<10	70	0.5	2	0.09	<0.5	9	27	19	2.86
CC01773		0.22	0.002	<0.2	1.84	16	<10	70	<0.5	<2	0.09	<0.5	9	30	20	2.97
CC01774		0.22	0.006	<0.2	1.79	27	<10	80	0.6	<2	0.09	<0.5	10	27	24	2.92
CC01775		0.22	0.001	<0.2	1.95	29	<10	80	0.6	<2	0.08	<0.5	10	29	21	3.05
CC01776		0.30	0.003	<0.2	2.14	26	<10	110	0.6	<2	0.10	<0.5	10	32	24	3.19
CC01777		0.28	0.001	<0.2	1.90	24	<10	90	0.6	2	0.12	<0.5	11	28	26	2.88
CC01778		0.12	0.002	<0.2	1.60	16	<10	70	<0.5	<2	0.08	<0.5	9	25	17	2.77
CC01779		0.26	0.001	<0.2	1.50	10	<10	90	0.5	2	0.06	<0.5	16	23	23	2.95
CC01780		0.24	0.003	0.3	3.42	54	<10	120	1.6	<2	0.76	<0.5	22	39	69	5.33
CC01781		0.22	0.003	0.6	2.29	39	<10	190	1.4	<2	1.06	<0.5	24	30	92	5.66
CC01782		0.20	0.002	0.6	2.47	40	<10	160	1.3	<2	1.49	<0.5	18	31	109	4.72
CC01783		0.26	0.004	0.7	2.17	64	<10	180	1.3	<2	2.01	0.5	31	25	219	6.16
CC01784		0.16	0.004	0.6	1.90	42	<10	310	1.6	2	0.36	0.9	66	23	162	10.80
CC01785		0.28	0.005	0.9	1.85	34	<10	280	1.5	<2	0.49	<0.5	33	22	103	7.25
CC01786		0.22	0.054	0.9	2.53	5000	<10	180	1.6	4	1.31	1.2	86	31	624	6.60
CC01787		0.22	0.008	0.5	2.99	237	<10	120	1.6	2	1.24	<0.5	35	30	308	6.16
CC01788		0.22	0.004	0.4	2.53	102	<10	200	1.6	2	0.95	0.5	34	29	112	6.35
CC01789		0.20	0.005	0.4	2.52	159	<10	190	1.5	<2	1.23	<0.5	26	29	106	5.43
CC01790		0.20	0.002	0.4	3.18	109	<10	140	1.7	2	0.82	<0.5	32	36	102	6.52
CC01791		0.18	0.002	0.4	3.82	40	<10	140	1.6	<2	0.21	<0.5	21	46	58	5.05

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



Client: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total Pages: 6 (A - C)
Finalized Date: 2-SEP-2004
Account: DYNAMITE

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC01752		<10	<1	0.19	40	0.41	276	3	0.03	32	1470	52	0.26	26	4	70
CC01753		<10	<1	0.20	30	0.36	609	2	0.02	76	1150	32	0.25	14	3	67
CC01754		<10	1	0.18	30	0.53	1075	2	0.02	39	1300	47	0.11	14	4	39
CC01755		<10	<1	0.19	40	0.35	944	2	0.01	33	960	44	0.13	22	4	32
CC01756		<10	<1	0.16	30	0.42	788	2	0.01	31	900	59	0.10	23	3	27
CC01757		<10	<1	0.13	20	0.35	449	2	0.01	22	760	39	0.08	15	2	28
CC01758		<10	<1	0.08	30	0.34	458	1	<0.01	28	910	23	0.04	8	3	21
CC01759		10	<1	0.11	30	0.50	973	2	0.01	33	1000	58	0.06	11	3	28
CC01760		<10	<1	0.06	20	0.37	581	1	<0.01	44	830	19	0.01	6	2	17
CC01761		<10	<1	0.05	20	0.39	286	1	<0.01	23	590	16	0.03	2	2	14
CC01762		<10	<1	0.09	20	0.38	654	2	<0.01	25	820	20	0.05	4	1	32
CC01763		<10	<1	0.07	20	0.28	700	1	<0.01	15	1000	17	0.05	4	<1	15
CC01764		10	<1	0.06	20	0.44	602	1	<0.01	22	540	11	0.04	2	2	15
CC01765		<10	<1	0.05	10	0.38	518	2	<0.01	15	810	10	0.04	2	1	11
CC01766		<10	<1	0.05	10	0.46	337	1	<0.01	19	540	13	0.02	2	2	11
CC01767		<10	<1	0.04	10	0.43	317	1	<0.01	19	530	11	0.02	<2	2	10
CC01768		10	<1	0.04	10	0.38	237	2	<0.01	16	600	10	0.03	<2	1	10
CC01769		<10	<1	0.07	20	0.38	445	1	<0.01	27	510	14	0.01	4	2	13
CC01770		<10	1	0.09	20	0.33	370	1	<0.01	22	440	16	0.01	4	2	13
CC01771		<10	<1	0.07	20	0.41	519	1	<0.01	32	570	8	0.02	3	3	14
CC01772		<10	<1	0.05	10	0.40	278	1	<0.01	19	530	13	0.01	<2	2	11
CC01773		10	<1	0.05	10	0.46	331	2	<0.01	20	610	12	0.03	<2	2	12
CC01774		<10	<1	0.06	20	0.45	365	2	<0.01	22	710	13	0.01	2	3	12
CC01775		10	<1	0.06	10	0.47	502	2	<0.01	22	760	12	0.04	2	2	12
CC01776		10	<1	0.06	10	0.56	344	2	<0.01	22	650	18	0.02	2	3	13
CC01777		10	<1	0.06	20	0.52	370	1	<0.01	24	720	18	0.01	<2	3	13
CC01778		<10	<1	0.04	10	0.39	360	1	<0.01	19	590	13	0.03	<2	1	11
CC01779		<10	1	0.08	10	0.41	419	2	<0.01	26	440	11	0.03	3	2	21
CC01780		10	<1	0.16	20	1.67	763	5	0.04	48	1260	43	0.07	7	5	104
CC01781		10	<1	0.22	30	1.64	758	4	0.05	45	1400	50	0.07	7	7	103
CC01782		10	<1	0.22	20	1.69	802	4	0.06	35	1580	44	0.12	8	5	138
CC01783		<10	<1	0.28	30	1.64	909	5	0.07	65	1440	56	0.11	10	6	143
CC01784		<10	1	0.34	40	1.26	1660	10	0.05	113	2390	62	0.59	3	8	254
CC01785		<10	1	0.23	40	1.22	1120	7	0.01	64	1740	41	0.17	3	7	96
CC01786		10	<1	0.25	30	1.74	1155	4	0.08	76	1260	75	0.10	30	6	119
CC01787		10	<1	0.18	20	1.67	910	4	0.07	70	1140	45	0.11	11	5	130
CC01788		10	1	0.33	20	1.75	1145	5	0.08	64	1500	44	0.11	6	6	138
CC01789		10	<1	0.23	20	1.70	790	4	0.08	53	1420	40	0.09	5	6	136
CC01790		10	1	0.17	20	1.90	939	7	0.03	49	1640	56	0.11	7	5	112
CC01791		10	<1	0.09	20	1.76	606	4	<0.01	43	930	39	0.08	3	5	34

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - C
Total Pages: 6 (A - C)
Finalized Date: 2-SEP-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC01752		0.04	<10	<10	37	10	66
CC01753		0.04	<10	<10	32	<10	103
CC01754		0.05	<10	<10	46	10	105
CC01755		0.04	<10	<10	38	20	88
CC01756		0.05	<10	<10	44	<10	78
CC01757		0.04	<10	<10	36	<10	55
CC01758		0.05	<10	<10	37	<10	71
CC01759		0.05	<10	<10	48	<10	97
CC01760		0.05	<10	<10	36	<10	77
CC01761		0.04	<10	<10	46	<10	60
CC01762		0.04	<10	<10	42	<10	69
CC01763		0.03	<10	<10	44	<10	53
CC01764		0.05	<10	<10	51	<10	69
CC01765		0.03	<10	<10	45	<10	58
CC01766		0.05	<10	<10	48	<10	58
CC01767		0.06	<10	<10	48	<10	54
CC01768		0.05	<10	<10	46	<10	45
CC01769		0.05	<10	<10	37	<10	58
CC01770		0.04	<10	<10	31	<10	50
CC01771		0.05	<10	<10	38	<10	80
CC01772		0.05	<10	<10	48	<10	60
CC01773		0.07	<10	<10	55	<10	60
CC01774		0.06	<10	<10	47	<10	61
CC01775		0.05	<10	<10	56	<10	69
CC01776		0.08	<10	<10	60	<10	67
CC01777		0.07	<10	<10	50	<10	67
CC01778		0.05	<10	<10	49	<10	56
CC01779		0.05	<10	<10	39	<10	51
CC01780		0.10	<10	<10	112	<10	207
CC01781		0.07	<10	<10	85	<10	146
CC01782		0.06	<10	<10	82	<10	130
CC01783		0.05	<10	<10	72	<10	259
CC01784		0.02	<10	<10	63	<10	365
CC01785		0.02	<10	<10	63	<10	217
CC01786		0.06	<10	<10	82	<10	309
CC01787		0.08	<10	<10	91	<10	178
CC01788		0.07	<10	<10	83	<10	206
CC01789		0.07	<10	<10	84	<10	144
CC01790		0.07	<10	<10	104	<10	220
CC01791		0.14	<10	<10	127	<10	193

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 3 - A
 Total Pages: 6 (A - C)
 Finalized Date: 2-SEP-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01792		0.20	<0.001	<0.2	1.79	15	<10	80	<0.5	<2	0.08	<0.5	13	26	16	2.85
CC01793		0.20	<0.001	<0.2	1.76	22	<10	60	<0.5	<2	0.07	<0.5	10	27	19	2.97
CC01794		0.24	0.004	<0.2	1.85	16	<10	80	0.6	2	0.12	<0.5	9	27	24	3.01
CC01795		0.32	0.007	<0.2	2.07	20	<10	120	0.6	<2	0.13	<0.5	10	29	27	2.93
CC01796		0.22	0.001	0.2	2.53	22	<10	110	0.9	<2	0.15	<0.5	11	31	36	3.29
CC01797		0.24	0.005	<0.2	1.77	32	<10	90	0.6	2	0.14	<0.5	11	27	27	3.01
CC01798		0.12	0.002	<0.2	1.68	17	<10	80	0.7	2	0.10	<0.5	12	26	20	3.03
CC01799		0.18	<0.001	0.4	1.71	47	<10	70	0.6	2	0.07	<0.5	12	29	24	2.93
CC01800		0.20	0.001	<0.2	1.58	19	<10	60	<0.5	<2	0.07	<0.5	6	25	18	2.64
CC01801		0.26	0.007	<0.2	1.47	340	<10	80	0.7	4	0.12	<0.5	19	20	42	2.99
CC01802		0.18	0.003	0.2	1.90	24	<10	80	0.6	2	0.10	<0.5	9	29	22	2.95
CC01803		0.16	0.002	<0.2	1.91	20	<10	70	<0.5	<2	0.09	<0.5	8	28	21	2.75
CC01804		0.20	0.003	0.4	3.90	53	<10	150	1.9	<2	1.49	0.5	26	43	86	5.84
CC01805		0.20	0.004	0.4	3.16	49	<10	150	1.6	2	1.35	0.5	24	35	84	5.26
CC01806		0.04	0.001	0.6	3.21	51	<10	160	1.7	<2	1.44	0.6	32	41	102	6.10
CC01807		0.24	0.002	0.9	3.12	42	<10	130	1.5	<2	1.56	0.5	22	42	721	4.69
CC01808		0.22	0.003	0.5	3.01	27	<10	160	1.6	<2	1.58	0.7	24	39	78	5.09
CC01809		0.06	0.027	0.6	2.63	63	<10	210	1.9	<2	0.48	0.7	52	28	142	8.86
CC01810		0.28	0.015	1.0	1.93	53	<10	250	1.6	<2	0.35	1.4	44	24	121	8.58
CC01811		0.34	0.004	0.6	1.80	33	<10	250	1.8	<2	0.25	0.6	60	25	118	7.32
CC01812		0.28	0.012	2.1	2.52	986	<10	220	1.7	2	0.53	0.7	47	29	369	8.85
CC01813		0.38	0.008	1.0	3.09	294	<10	250	2.3	2	0.32	1.0	90	34	230	12.25
CC01814		0.32	0.004	0.7	2.47	40	<10	140	1.9	<2	0.90	0.7	23	36	61	5.35
CC01815		0.26	0.003	0.5	3.05	51	<10	180	1.8	<2	1.28	0.6	29	38	89	5.81
CC01816		0.34	0.008	0.7	3.58	110	<10	130	1.2	<2	0.21	<0.5	20	36	189	9.34
CC01817		0.34	0.006	0.6	3.75	83	<10	160	1.9	<2	1.59	0.8	35	43	98	7.10
CC01818		0.28	0.004	0.4	3.71	43	<10	130	1.7	<2	1.40	0.5	24	47	71	5.31
CC01819		0.20	0.003	0.4	4.08	45	<10	120	1.8	<2	1.72	<0.5	21	52	64	4.84
CC01820		0.30	0.003	0.5	3.73	39	<10	120	1.8	<2	0.77	<0.5	25	46	76	5.59
CC01821		0.38	0.009	0.3	2.03	22	<10	120	0.7	<2	0.12	<0.5	12	30	28	3.17
CC01822		0.28	0.002	0.2	1.97	16	<10	80	<0.5	<2	0.11	<0.5	7	35	26	3.27
CC01823		0.36	0.003	0.2	1.55	16	<10	100	0.5	<2	0.16	<0.5	11	26	29	2.66
CC01824		0.32	0.003	<0.2	1.64	19	<10	80	<0.5	<2	0.09	<0.5	9	28	21	2.91
CC01825		0.42	0.008	<0.2	1.64	24	<10	90	<0.5	<2	0.09	<0.5	9	28	17	2.81
CC01826		0.26	0.004	0.2	1.51	14	<10	80	0.5	<2	0.10	<0.5	10	27	20	2.87
CC01827		0.32	0.004	<0.2	1.50	30	<10	100	0.5	<2	0.15	<0.5	12	26	26	2.78
CC01828		0.26	0.003	<0.2	1.64	39	<10	80	0.5	<2	0.10	<0.5	9	25	25	2.79
CC01829		0.34	0.003	0.2	2.10	148	<10	90	0.7	<2	0.10	<0.5	10	34	31	3.45
CC01830		0.44	0.017	0.4	1.14	634	<10	130	0.8	5	0.21	0.5	20	27	63	3.69
CC01831		0.36	0.006	<0.2	1.93	49	<10	90	1.1	<2	0.16	<0.5	14	29	40	3.39

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 3 - B
 Total Pages: 6 (A - C)
 Finalized Date: 2-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC01792		<10	<1	0.04	10	0.46	439	1	<0.01	23	500	13	0.01	3	2	11
CC01793		10	1	0.05	10	0.44	390	2	<0.01	19	480	11	0.03	3	2	11
CC01794		10	<1	0.06	10	0.51	254	2	<0.01	22	720	14	0.03	2	2	17
CC01795		<10	1	0.06	20	0.57	364	1	<0.01	25	810	12	0.01	<2	4	14
CC01796		10	<1	0.08	20	0.72	427	2	<0.01	28	750	15	0.04	2	3	18
CC01797		<10	<1	0.06	20	0.49	376	2	<0.01	24	990	11	0.02	<2	2	15
CC01798		<10	<1	0.06	20	0.44	403	1	<0.01	25	630	12	0.01	<2	2	13
CC01799		10	1	0.06	10	0.36	1440	1	<0.01	21	1000	9	0.06	2	1	12
CC01800		10	1	0.04	10	0.39	249	1	<0.01	16	540	10	0.03	<2	1	11
CC01801		<10	<1	0.09	20	0.38	494	1	<0.01	25	680	23	0.01	4	2	22
CC01802		<10	<1	0.05	10	0.43	375	1	<0.01	22	670	17	0.02	2	2	13
CC01803		10	<1	0.05	10	0.43	306	1	<0.01	17	530	12	0.02	2	2	11
CC01804		10	1	0.37	20	2.23	865	5	0.16	55	1300	48	0.08	9	7	260
CC01805		10	1	0.32	20	1.88	729	4	0.10	50	1380	44	0.10	6	6	236
CC01806		10	1	0.34	20	2.17	933	4	0.11	64	1450	54	0.10	6	7	202
CC01807		10	1	0.32	10	2.03	908	3	0.12	48	1120	54	0.09	8	5	152
CC01808		10	2	0.39	10	2.29	816	3	0.14	62	1120	46	0.06	<2	6	166
CC01809		10	<1	0.27	20	1.28	1470	8	0.04	88	1840	65	0.24	6	6	103
CC01810		<10	1	0.24	30	1.21	2030	6	0.02	79	1810	51	0.16	5	9	79
CC01811		<10	<1	0.19	30	0.77	2850	4	0.02	55	1790	61	0.15	2	7	68
CC01812		10	<1	0.39	40	1.84	2790	4	0.02	52	1570	178	0.09	8	11	68
CC01813		10	1	0.46	20	1.39	1945	9	0.05	129	1920	98	0.33	13	9	178
CC01814		10	<1	0.33	20	2.06	697	7	0.06	51	960	58	0.05	9	7	92
CC01815		10	1	0.40	20	2.12	782	5	0.09	62	1280	46	0.08	6	7	260
CC01816		10	1	0.32	10	1.08	668	5	0.02	35	1800	140	0.33	5	6	119
CC01817		10	1	0.46	20	2.20	982	5	0.20	73	1360	48	0.14	4	7	284
CC01818		10	1	0.32	20	2.30	966	4	0.19	50	1260	39	0.08	6	7	213
CC01819		10	<1	0.24	20	2.31	687	3	0.23	47	1190	46	0.07	6	7	214
CC01820		10	2	0.11	20	2.08	802	5	0.05	54	1240	50	0.10	6	5	82
CC01821		10	<1	0.06	20	0.61	338	2	0.01	28	610	19	0.04	<2	3	13
CC01822		10	<1	0.05	10	0.57	192	2	0.01	21	710	14	0.05	<2	1	11
CC01823		<10	1	0.05	10	0.46	352	1	0.01	22	900	11	0.03	<2	3	13
CC01824		10	1	0.05	10	0.45	302	1	0.01	22	600	12	0.04	2	2	11
CC01825		10	1	0.04	10	0.45	290	1	0.01	21	540	11	0.03	<2	2	10
CC01826		<10	<1	0.04	20	0.43	389	1	0.01	23	640	12	0.03	2	3	10
CC01827		<10	1	0.05	20	0.45	478	1	0.01	24	680	11	0.02	2	3	13
CC01828		<10	1	0.05	10	0.45	289	1	0.01	22	600	12	0.04	2	2	12
CC01829		10	1	0.07	20	0.57	369	2	0.01	25	660	19	0.07	2	2	13
CC01830		<10	1	0.08	20	0.40	595	1	0.01	26	960	57	0.03	7	4	21
CC01831		10	<1	0.06	20	0.46	602	1	0.01	26	960	17	0.04	2	2	15

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - C
 Total Pages: 6 (A - C)
 Finalized Date: 2-SEP-2004
 Account: DYNAMITE

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC01792		0.05	<10	<10	48	<10	70
CC01793		0.06	<10	<10	55	<10	58
CC01794		0.06	<10	<10	56	<10	57
CC01795		0.08	<10	<10	54	<10	75
CC01796		0.09	<10	<10	67	<10	75
CC01797		0.06	<10	<10	50	<10	67
CC01798		0.06	<10	<10	45	<10	65
CC01799		0.04	<10	<10	47	<10	65
CC01800		0.05	<10	<10	46	<10	48
CC01801		0.04	<10	<10	31	<10	58
CC01802		0.05	<10	<10	48	<10	67
CC01803		0.06	<10	<10	49	<10	55
CC01804		0.14	<10	<10	126	<10	223
CC01805		0.10	<10	<10	102	<10	237
CC01806		0.13	10	<10	124	<10	305
CC01807		0.11	<10	<10	124	<10	156
CC01808		0.13	<10	<10	126	<10	207
CC01809		0.06	<10	<10	82	<10	266
CC01810		0.03	10	<10	70	<10	233
CC01811		0.03	<10	<10	51	<10	140
CC01812		0.06	<10	<10	71	<10	192
CC01813		0.08	10	<10	86	<10	291
CC01814		0.10	<10	<10	128	<10	202
CC01815		0.11	10	<10	113	<10	220
CC01816		0.10	<10	<10	87	<10	158
CC01817		0.17	<10	<10	138	<10	284
CC01818		0.15	<10	<10	134	<10	206
CC01819		0.17	<10	<10	152	<10	186
CC01820		0.12	<10	<10	141	<10	250
CC01821		0.08	<10	<10	61	<10	71
CC01822		0.05	<10	<10	67	<10	59
CC01823		0.06	<10	<10	47	<10	67
CC01824		0.06	<10	<10	50	<10	62
CC01825		0.06	<10	<10	51	<10	58
CC01826		0.06	<10	<10	47	<10	65
CC01827		0.07	<10	<10	48	<10	61
CC01828		0.06	<10	<10	44	<10	56
CC01829		0.06	<10	<10	58	<10	74
CC01830		0.06	<10	<10	43	<10	87
CC01831		0.06	<10	<10	51	<10	71

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 4 - A
 Total Pages: 6 (A - C)
 Finalized Date: 2-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01832		0.36	0.011	0.2	2.22	81	<10	100	1.1	<2	0.14	<0.5	19	33	41	3.73
CC01833		0.42	0.009	0.5	2.56	854	<10	120	1.2	18	0.14	<0.5	20	46	67	4.77
CC01834		0.28	0.005	<0.2	2.30	172	<10	100	1.4	2	0.13	<0.5	17	32	43	3.53
CC01835		0.28	0.015	0.4	1.62	206	<10	110	1.2	2	0.25	<0.5	19	28	56	3.51
CC01836		0.32	0.011	0.3	1.99	231	<10	100	1.0	3	0.11	<0.5	18	30	51	4.22
CC01837		0.38	0.022	0.3	2.49	98	<10	150	1.5	2	0.18	<0.5	35	39	80	4.42
CC01838		0.40	0.016	0.4	2.50	104	<10	140	1.5	<2	0.20	<0.5	42	36	114	5.42
CC01839		0.50	0.020	0.4	2.38	185	<10	150	1.5	2	0.19	<0.5	33	35	103	5.84
CC01840		0.38	0.009	0.5	2.00	75	<10	130	1.0	<2	0.17	<0.5	22	32	58	4.38
CC01841		0.30	0.014	0.2	1.73	194	<10	170	1.3	4	0.18	0.5	20	33	63	4.63
CC01842		0.40	0.012	<0.2	1.43	190	<10	160	1.4	4	0.18	0.8	19	27	67	4.74
CC01843		0.28	0.007	0.2	1.39	188	<10	140	1.4	5	0.18	0.5	17	26	67	4.85
CC01844		0.38	0.015	3.3	1.31	474	<10	160	1.6	7	0.11	0.7	38	29	284	5.78
CC01845		0.34	0.005	0.2	1.91	42	<10	170	8.3	<2	0.36	1.0	72	28	79	4.39
CC01846		0.46	0.009	0.7	1.20	2580	<10	170	1.0	23	0.01	0.5	5	19	128	11.85
CC01847		0.38	0.003	0.3	1.68	144	<10	130	2.0	3	0.13	<0.5	29	28	73	5.68
CC01848		0.32	0.002	0.6	1.77	991	<10	180	2.2	10	0.13	0.5	30	28	117	5.20
CC01849		0.32	0.011	0.8	1.44	527	<10	130	1.3	32	0.13	<0.5	27	26	138	4.60
CC01850		0.30	0.011	1.2	1.68	481	<10	100	1.2	41	0.09	<0.5	15	24	96	4.36
CC01851		0.48	0.002	0.3	1.16	52	<10	140	1.1	6	0.26	0.6	25	21	81	4.55
CC01852		0.42	0.009	0.9	1.11	260	<10	100	1.5	10	0.12	1.6	28	21	79	6.15
CC01853		0.32	0.002	0.2	1.38	27	<10	120	2.7	3	0.12	<0.5	54	26	73	4.90
CC01854		0.32	0.005	0.9	1.30	26	<10	100	1.3	4	0.10	<0.5	17	23	30	3.57
CC01855		0.26	0.003	0.3	1.88	44	<10	80	0.8	3	0.08	<0.5	16	32	28	4.40
CC01856		0.16	0.005	<0.2	1.15	20	<10	60	0.6	<2	0.09	<0.5	10	23	23	3.04
CC01857		0.38	0.004	<0.2	1.75	14	<10	80	0.7	2	0.10	<0.5	12	29	22	3.31
CC01858		0.34	0.001	<0.2	1.78	23	<10	90	0.8	<2	0.13	<0.5	16	30	32	3.28
CC01859		0.24	0.003	<0.2	1.94	21	<10	80	1.0	<2	0.07	<0.5	12	28	30	3.50
CC01860		0.18	0.001	<0.2	1.80	19	<10	90	0.6	<2	0.08	<0.5	9	26	20	2.84
CC01861		0.48	0.099	1.3	1.94	1690	<10	120	1.4	10	0.24	<0.5	13	23	415	5.67
CC01862		0.44	0.055	0.7	1.50	1775	<10	120	1.1	8	0.22	<0.5	19	18	335	4.45
CC01863		0.44	0.023	0.5	2.26	563	<10	160	1.2	3	0.30	<0.5	23	31	168	4.24
CC01864		0.36	0.037	0.2	1.29	286	<10	80	0.6	<2	0.09	<0.5	18	21	82	3.76
CC01865		0.40	0.014	0.4	1.72	421	<10	110	1.1	2	0.05	<0.5	20	35	148	6.26
CC01866		0.24	0.025	<0.2	1.60	380	<10	90	0.9	2	0.07	<0.5	29	27	100	3.84
CC01867		0.34	0.020	<0.2	1.16	434	<10	70	0.8	2	0.08	<0.5	15	19	97	3.26
CC01868		0.30	0.060	0.3	0.85	694	<10	60	0.6	2	0.06	<0.5	18	14	104	2.57
CC01869		0.28	0.033	0.3	1.06	552	<10	60	0.6	<2	0.08	<0.5	12	18	109	3.53
CC01870		0.20	0.023	0.5	2.59	532	<10	180	1.4	3	0.51	<0.5	23	33	192	5.60
CC01871		0.48	0.130	1.1	1.01	2090	<10	70	1.1	10	0.13	<0.5	19	12	398	4.57

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 4 - B
Total Pages: 6 (A - C)
Finalized Date: 2-SEP-2004
Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC01832		10	<1	0.08	20	0.52	872	2	0.01	31	1120	27	0.04	2	3	19
CC01833		10	1	0.15	20	0.67	684	2	0.01	31	1440	24	0.09	5	3	23
CC01834		10	<1	0.07	20	0.44	610	1	0.01	32	1060	24	0.07	3	2	18
CC01835		<10	1	0.08	20	0.47	528	2	0.01	37	1110	20	0.04	3	3	25
CC01836		10	1	0.08	20	0.45	630	2	0.01	36	880	27	0.06	8	3	24
CC01837		10	1	0.12	20	0.64	983	2	0.02	48	1400	35	0.08	6	4	43
CC01838		10	1	0.14	20	0.67	1680	3	0.02	51	2020	37	0.08	6	5	35
CC01839		10	1	0.15	20	0.63	1425	3	0.02	46	1720	33	0.06	7	5	38
CC01840		10	<1	0.11	30	0.57	1000	2	0.02	37	1280	37	0.05	5	4	34
CC01841		<10	1	0.10	30	0.51	833	2	0.01	38	1020	32	0.05	6	4	32
CC01842		<10	<1	0.10	30	0.42	745	2	0.01	35	970	32	0.05	6	4	34
CC01843		<10	1	0.09	30	0.40	649	2	0.01	35	950	28	0.06	8	4	33
CC01844		<10	1	0.19	40	0.39	2300	2	0.02	41	1210	43	0.09	19	6	29
CC01845		10	1	0.13	30	0.45	1650	2	0.02	72	1480	36	0.08	3	3	37
CC01846		<10	<1	0.35	40	0.25	162	4	0.03	17	1450	45	0.35	38	4	56
CC01847		<10	<1	0.14	30	0.41	604	3	0.03	49	1130	21	0.20	7	2	68
CC01848		10	<1	0.18	20	0.40	914	1	0.01	31	1090	33	0.11	8	2	22
CC01849		<10	<1	0.17	30	0.43	884	2	0.01	33	990	55	0.10	22	3	26
CC01850		10	<1	0.15	20	0.42	585	2	0.01	25	1060	90	0.12	43	2	24
CC01851		<10	<1	0.14	40	0.28	820	2	0.01	34	1920	27	0.11	13	4	38
CC01852		<10	<1	0.10	50	0.29	1290	2	0.01	51	940	158	0.05	30	5	28
CC01853		<10	<1	0.10	30	0.42	800	1	0.01	68	1060	40	0.05	9	4	62
CC01854		<10	1	0.09	30	0.37	781	1	0.01	32	670	56	0.05	12	1	17
CC01855		10	1	0.08	20	0.38	903	2	0.01	22	1250	23	0.07	4	1	17
CC01856		<10	<1	0.05	20	0.27	666	1	0.01	18	830	14	0.05	<2	1	12
CC01857		10	1	0.05	20	0.43	536	1	0.01	20	770	13	0.04	<2	2	12
CC01858		10	1	0.06	20	0.45	655	1	0.01	23	850	20	0.03	3	2	14
CC01859		10	1	0.06	10	0.35	616	1	0.01	17	770	17	0.07	<2	1	13
CC01860		10	1	0.05	10	0.40	347	1	0.01	21	570	16	0.05	3	2	11
CC01861		10	1	0.14	40	0.48	248	3	0.01	31	1020	64	0.04	11	6	42
CC01862		<10	<1	0.17	30	0.42	318	5	0.01	33	740	56	0.08	10	4	43
CC01863		10	1	0.16	20	0.66	218	4	0.02	56	1180	37	0.07	3	5	39
CC01864		<10	<1	0.08	20	0.34	398	2	0.01	32	720	21	0.07	4	2	13
CC01865		10	<1	0.16	30	0.47	439	2	0.01	44	900	45	0.08	5	5	13
CC01866		10	<1	0.09	20	0.44	680	2	0.01	52	480	23	0.04	5	3	18
CC01867		<10	1	0.07	20	0.30	350	1	0.01	38	450	25	0.04	4	2	15
CC01868		<10	<1	0.05	20	0.18	566	1	0.01	20	760	34	0.04	4	1	8
CC01869		<10	<1	0.07	20	0.25	251	2	0.01	34	950	27	0.05	4	2	10
CC01870		10	1	0.27	20	0.85	328	5	0.02	63	1300	37	0.08	5	6	58
CC01871		<10	1	0.10	30	0.22	434	3	0.01	20	600	47	0.11	12	4	30

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



TO: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 4 - C
 Total Pages: 6 (A - C)
 Finalized Date: 2-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC01832		0.08	<10	<10	59	<10	99
CC01833		0.08	<10	<10	67	<10	92
CC01834		0.06	<10	<10	49	<10	84
CC01835		0.08	<10	<10	51	<10	82
CC01836		0.07	<10	<10	53	<10	96
CC01837		0.09	<10	<10	62	<10	120
CC01838		0.08	<10	<10	59	<10	152
CC01839		0.10	<10	<10	64	<10	144
CC01840		0.09	<10	<10	58	<10	116
CC01841		0.08	<10	<10	55	<10	102
CC01842		0.07	<10	<10	49	<10	96
CC01843		0.07	<10	<10	48	<10	94
CC01844		0.05	<10	<10	45	<10	111
CC01845		0.05	<10	<10	45	10	226
CC01846		0.02	10	<10	23	10	30
CC01847		0.05	<10	<10	44	10	86
CC01848		0.04	<10	<10	46	170	80
CC01849		0.06	10	<10	47	<10	81
CC01850		0.05	<10	<10	45	<10	61
CC01851		0.04	<10	<10	34	<10	66
CC01852		0.03	<10	<10	37	<10	246
CC01853		0.06	<10	<10	40	<10	130
CC01854		0.04	<10	<10	39	<10	86
CC01855		0.06	<10	<10	61	<10	80
CC01856		0.03	<10	<10	46	<10	54
CC01857		0.05	<10	<10	54	<10	76
CC01858		0.06	<10	<10	55	<10	85
CC01859		0.05	<10	<10	57	<10	62
CC01860		0.05	<10	<10	47	<10	65
CC01861		0.04	<10	<10	41	<10	90
CC01862		0.03	<10	<10	33	<10	81
CC01863		0.08	10	<10	61	<10	117
CC01864		0.04	<10	<10	36	<10	64
CC01865		0.05	<10	<10	48	<10	82
CC01866		0.04	<10	<10	42	10	70
CC01867		0.02	<10	<10	29	20	55
CC01868		0.01	<10	<10	25	20	48
CC01869		0.02	<10	<10	30	10	52
CC01870		0.11	<10	<10	75	<10	126
CC01871		0.01	<10	<10	23	10	52

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 5 - A
 Total Pages: 6 (A - C)
 Finalized Date: 2-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA0405563

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01872		0.42	0.007	1.3	0.87	1790	<10	180	0.9	10	0.04	<0.5	16	21	242	7.01
CC01873		0.40	0.004	0.3	1.34	122	<10	100	1.0	2	0.08	<0.5	23	26	51	4.91
CC01874		0.06	0.001	0.2	0.89	25	<10	70	<0.5	<2	0.08	<0.5	4	17	19	2.14
CC01875		0.40	0.018	0.6	1.38	80	<10	140	1.4	2	0.13	0.5	19	26	53	4.51
CC01876		0.36	0.020	0.6	1.58	486	<10	110	1.9	16	0.11	<0.5	22	29	81	6.83
CC01877		0.56	0.011	1.4	1.58	2080	<10	130	1.9	13	0.11	0.6	48	29	86	6.25
CC01878		0.30	0.008	<0.2	1.34	37	<10	90	1.2	<2	0.15	<0.5	18	25	39	3.40
CC01879		0.18	0.003	0.2	1.42	36	<10	80	0.8	<2	0.08	<0.5	10	26	24	3.53
CC01880		0.30	0.011	0.3	1.63	63	<10	80	0.7	2	0.10	<0.5	13	29	29	3.73
CC01881		0.10	0.004	0.2	1.91	36	<10	80	0.7	2	0.09	<0.5	11	29	30	3.45
CC01882		0.22	<0.001	<0.2	1.89	34	<10	80	0.7	<2	0.09	<0.5	10	29	25	3.56
CC01883		0.16	0.002	<0.2	2.10	29	<10	100	0.6	<2	0.11	<0.5	12	31	29	3.43
CC01884		0.22	0.014	0.2	1.91	39	<10	90	0.9	<2	0.14	<0.5	16	32	48	3.64
CC01885		0.40	0.017	0.2	1.59	25	<10	90	1.5	<2	0.13	<0.5	12	25	50	2.90
CC01886		0.40	0.008	<0.2	1.84	19	<10	120	1.2	<2	0.13	<0.5	15	27	36	3.12
CC01887		0.46	0.002	<0.2	1.77	30	<10	100	1.0	<2	0.15	<0.5	13	31	33	3.48
CC01888		0.28	0.001	<0.2	2.06	34	<10	110	1.6	<2	0.11	<0.5	24	27	45	3.46
CC01889		0.32	0.018	<0.2	1.60	24	<10	80	1.0	<2	0.11	<0.5	20	30	34	4.02
CC01890		0.48	0.002	0.3	1.61	41	<10	90	1.3	<2	0.13	<0.5	29	30	51	4.68
CC01891		0.20	0.006	<0.2	1.55	23	<10	90	0.7	<2	0.21	<0.5	13	26	34	3.40
CC01892		0.20	0.007	0.2	1.19	23	<10	90	0.7	6	0.09	<0.5	8	22	23	3.24
CC01893		0.36	0.013	1.7	0.88	415	<10	80	1.4	11	0.08	3.5	30	19	92	6.94
CC01894		0.30	0.005	0.2	1.28	21	<10	90	0.5	<2	0.11	<0.5	10	23	20	2.96
CC01895		0.32	0.004	0.5	2.17	55	<10	210	2.4	<2	0.18	<0.5	37	30	69	4.80
CC01896		0.20	0.002	0.3	2.12	172	<10	120	1.0	2	0.11	<0.5	20	33	52	3.57
CC01897		0.40	0.005	<0.2	2.06	102	<10	140	0.7	<2	0.20	<0.5	12	28	28	3.24
CC01898		0.26	0.001	<0.2	1.85	18	<10	80	<0.5	<2	0.10	<0.5	8	35	19	3.82
CC01899		0.26	0.001	0.2	1.81	22	<10	90	0.5	<2	0.09	<0.5	9	29	23	2.92
CC01900		0.18	0.001	<0.2	1.90	20	<10	80	<0.5	<2	0.10	<0.5	9	30	23	2.99
CC01901		0.22	<0.001	<0.2	2.18	21	<10	80	0.5	<2	0.09	<0.5	10	30	25	3.35
CC01902		0.36	0.003	0.4	2.92	44	<10	90	1.5	<2	0.58	0.6	24	24	90	5.01
CC01903		0.30	0.005	0.4	3.15	65	<10	130	1.6	<2	0.88	0.7	23	32	81	6.01
CC01904		0.14	<0.001	0.5	3.43	24	<10	130	1.5	<2	1.87	<0.5	22	40	75	4.44
CC01905		0.20	0.005	0.4	4.02	49	<10	170	1.6	<2	1.56	0.5	23	40	81	5.79
CC01906		0.22	0.008	0.4	3.06	50	<10	100	1.5	<2	0.78	<0.5	22	27	61	4.68
CC01907		0.20	0.004	0.5	2.92	54	<10	100	1.5	<2	1.02	0.6	23	27	83	4.75
CC01908		0.36	0.006	0.4	2.07	262	<10	160	2.2	<2	0.34	<0.5	35	22	76	6.20
CC01909		0.38	0.005	0.3	1.77	64	<10	100	0.6	<2	0.09	<0.5	12	30	80	3.45
CC01910		0.50	0.006	0.2	1.99	33	<10	100	0.5	<2	0.20	<0.5	11	33	41	3.25
CC01911		0.30	0.002	<0.2	2.13	19	<10	100	<0.5	<2	0.14	<0.5	10	34	20	3.36

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

TO: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
 Total Pages: 6 (A - C)
 Finalized Date: 2-SEP-2004
 Account: DYNAMITE

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC01872		<10	1	0.30	60	0.20	373	2	0.01	22	1280	33	0.43	18	4	41
CC01873		<10	<1	0.10	40	0.34	644	2	0.01	29	1080	53	0.11	12	4	30
CC01874		<10	1	0.05	10	0.18	144	1	0.01	12	1090	14	0.11	<2	1	19
CC01875		<10	<1	0.15	30	0.39	401	2	0.02	33	830	26	0.13	9	4	52
CC01876		<10	<1	0.17	40	0.41	464	3	0.03	36	1520	83	0.20	23	4	94
CC01877		<10	<1	0.18	40	0.46	1700	2	0.01	46	1550	95	0.08	27	4	33
CC01878		<10	<1	0.08	20	0.41	448	1	0.01	31	810	18	0.03	4	2	33
CC01879		10	1	0.07	20	0.34	402	1	0.01	19	960	16	0.08	3	1	18
CC01880		10	<1	0.08	20	0.46	542	1	0.01	22	930	15	0.04	3	3	20
CC01881		10	1	0.06	10	0.46	489	2	0.01	22	770	19	0.06	<2	2	15
CC01882		10	1	0.06	10	0.40	525	1	0.01	21	720	16	0.06	<2	1	14
CC01883		10	1	0.06	10	0.51	519	2	0.01	22	920	17	0.05	<2	2	15
CC01884		10	1	0.07	20	0.51	736	2	0.01	27	1100	18	0.04	3	2	16
CC01885		<10	1	0.05	20	0.44	372	1	0.01	25	670	22	0.03	2	2	15
CC01886		<10	<1	0.06	20	0.54	554	1	0.01	24	760	16	0.04	<2	3	15
CC01887		10	<1	0.10	20	0.56	597	2	0.01	28	1060	19	0.04	<2	2	15
CC01888		<10	<1	0.07	20	0.51	706	2	0.01	34	630	24	0.04	5	2	25
CC01889		10	<1	0.07	20	0.45	711	1	0.01	25	1040	18	0.04	3	2	20
CC01890		10	1	0.12	30	0.54	905	2	0.01	43	1080	21	0.05	8	4	24
CC01891		<10	<1	0.06	20	0.41	638	2	0.01	30	1170	22	0.05	3	2	16
CC01892		<10	1	0.07	20	0.28	360	1	0.01	22	810	19	0.07	6	1	13
CC01893		<10	<1	0.09	60	0.23	1695	2	0.01	56	920	324	0.05	49	5	20
CC01894		<10	<1	0.04	20	0.33	567	1	0.01	22	630	35	0.03	8	2	20
CC01895		10	1	0.30	50	0.62	895	2	0.02	55	1560	41	0.17	23	4	68
CC01896		10	<1	0.07	20	0.54	492	2	0.01	35	760	20	0.06	2	3	21
CC01897		10	1	0.07	20	0.51	418	2	0.01	24	810	17	0.03	<2	3	41
CC01898		10	2	0.05	10	0.47	300	2	0.01	18	540	16	0.04	<2	2	12
CC01899		10	<1	0.05	20	0.42	263	2	0.01	20	620	17	0.04	<2	2	12
CC01900		10	1	0.05	10	0.50	289	1	0.01	21	690	11	0.04	<2	2	12
CC01901		10	1	0.05	10	0.46	368	2	0.01	21	650	13	0.04	3	1	12
CC01902		10	1	0.09	20	0.73	1060	3	0.06	45	1420	133	0.09	5	3	67
CC01903		10	1	0.17	20	1.28	904	5	0.11	46	1300	104	0.11	6	5	172
CC01904		10	1	0.15	20	1.80	771	4	0.16	40	1640	32	0.13	2	5	171
CC01905		10	<1	0.41	20	1.85	990	3	0.23	45	1380	69	0.10	6	5	227
CC01906		10	1	0.07	20	0.88	1050	3	0.06	39	1440	73	0.13	6	2	78
CC01907		10	<1	0.08	20	0.78	1035	3	0.05	41	1540	111	0.13	4	2	70
CC01908		10	<1	0.20	40	0.48	633	3	0.03	65	1160	53	0.16	14	4	143
CC01909		10	<1	0.06	10	0.46	415	2	0.01	25	640	39	0.06	4	2	15
CC01910		10	1	0.06	20	0.57	312	2	0.01	28	890	14	0.03	2	3	18
CC01911		10	<1	0.05	10	0.55	407	2	0.01	20	650	15	0.04	<2	2	12

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

o: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 5 - C
 Total Pages: 6 (A - C)
 Finalized Date: 2-SEP-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
CC01872		0.03	10	<10	27	<10	50
CC01873		0.04	<10	<10	47	<10	95
CC01874		0.03	<10	<10	41	<10	40
CC01875		0.07	<10	<10	43	<10	60
CC01876		0.05	<10	<10	43	<10	99
CC01877		0.04	<10	<10	45	<10	130
CC01878		0.05	<10	<10	44	<10	72
CC01879		0.04	<10	<10	50	<10	62
CC01880		0.07	<10	<10	55	<10	81
CC01881		0.06	<10	<10	56	<10	75
CC01882		0.06	<10	<10	58	<10	69
CC01883		0.06	<10	<10	60	<10	74
CC01884		0.07	<10	<10	59	<10	86
CC01885		0.06	<10	<10	43	<10	70
CC01886		0.06	<10	<10	48	<10	73
CC01887		0.07	<10	<10	57	<10	82
CC01888		0.06	<10	<10	44	<10	68
CC01889		0.06	<10	<10	53	<10	83
CC01890		0.06	<10	<10	47	<10	93
CC01891		0.04	<10	<10	49	<10	66
CC01892		0.03	<10	<10	44	<10	51
CC01893		0.02	<10	<10	31	<10	424
CC01894		0.05	<10	<10	49	<10	73
CC01895		0.06	<10	<10	49	<10	102
CC01896		0.06	<10	<10	54	<10	77
CC01897		0.07	<10	<10	54	<10	65
CC01898		0.07	<10	<10	76	<10	62
CC01899		0.05	<10	<10	55	<10	60
CC01900		0.06	<10	<10	55	<10	67
CC01901		0.05	<10	<10	62	<10	65
CC01902		0.08	<10	<10	61	<10	271
CC01903		0.12	<10	<10	90	<10	278
CC01904		0.12	<10	<10	138	<10	170
CC01905		0.21	<10	<10	116	<10	226
CC01906		0.07	<10	<10	70	<10	170
CC01907		0.07	<10	<10	62	<10	246
CC01908		0.04	<10	<10	42	<10	114
CC01909		0.06	<10	<10	56	<10	123
CC01910		0.08	<10	<10	60	<10	70
CC01911		0.07	<10	<10	66	<10	77

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



Client: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 6 - A
Total Pages: 6 (A - C)
Finalized Date: 2-SEP-2004
Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01912		0.38	0.003	<0.2	1.94	82	<10	100	0.8	<2	0.15	<0.5	17	27	44	3.14
CC01913		0.20	0.020	<0.2	1.64	84	<10	90	0.7	4	0.10	<0.5	11	27	41	3.26
CC01914		0.34	0.006	0.4	1.91	49	<10	90	0.9	5	0.12	<0.5	15	29	44	3.48
CC01915		0.32	0.021	0.3	2.55	288	<10	140	1.3	4	0.20	0.6	29	39	96	5.87
CC01916		0.50	0.015	0.2	1.77	107	<10	100	1.0	5	0.13	0.7	14	28	55	4.26
CC01917		0.36	0.013	0.2	1.92	60	<10	120	1.1	5	0.13	0.7	21	30	59	4.20
CC01918		0.22	0.017	0.2	1.55	42	<10	100	1.7	<2	0.11	<0.5	26	27	152	4.09
CC01919		0.28	0.007	0.3	1.65	154	<10	80	1.2	3	0.18	0.7	19	28	84	4.45
CC01920		0.26	0.042	0.5	2.30	871	<10	300	1.3	3	0.44	<0.5	29	35	284	6.31
CC01921		0.26	0.015	0.2	2.70	384	<10	100	1.1	7	0.28	0.7	16	29	122	5.35
CC01922		0.38	0.014	0.3	3.00	429	<10	270	0.9	<2	0.28	<0.5	16	37	190	7.29
CC01923		0.30	0.126	0.7	1.76	235	<10	60	0.7	2	0.06	<0.5	9	21	174	4.88
CC01924		0.36	0.006	<0.2	2.15	182	<10	100	0.7	<2	0.14	<0.5	10	31	40	3.29
CC01925		0.26	0.035	0.5	3.22	1655	<10	170	2.3	8	0.18	0.7	140	33	441	6.13
CC01926		0.36	0.002	<0.2	2.49	53	<10	100	0.5	<2	0.15	<0.5	11	35	34	3.36
CC01927		0.34	NSS	0.5	2.26	1905	<10	120	1.7	10	0.19	<0.5	17	26	281	5.99
CC01928		0.36	0.081	1.6	2.57	2640	<10	180	1.9	24	0.16	<0.5	60	31	476	8.80
CC01929		0.38	0.046	1.7	1.86	1635	<10	130	1.6	27	0.39	0.7	18	30	279	5.42
CC01930		0.36	0.007	0.3	2.07	102	<10	80	0.6	<2	0.12	<0.5	12	30	33	3.33
CC01931		0.34	0.002	0.5	2.11	108	<10	100	0.6	13	0.11	0.5	16	30	35	3.32
CC01932		0.28	0.049	0.6	2.33	3780	<10	100	0.5	13	0.15	<0.5	16	38	49	4.49
CC01933		0.38	0.059	0.7	2.37	1415	<10	110	2.0	7	0.14	<0.5	27	22	262	9.38
CC01934		0.38	0.006	0.3	2.35	207	<10	90	0.7	3	0.10	<0.5	10	32	40	3.93
CC01935		0.28	0.004	0.2	1.98	51	<10	70	0.5	<2	0.08	<0.5	10	28	30	3.09
CC01936		0.28	0.001	0.2	2.10	50	<10	80	<0.5	<2	0.09	<0.5	10	29	28	3.37

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total Pages: 6 (A - C)
Finalized Date: 2-SEP-2004
Account: DYNAMITE

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC01912		10	<1	0.06	10	0.50	513	1	0.01	32	740	15	0.03	3	3	20
CC01913		10	1	0.07	10	0.42	403	2	0.01	23	860	16	0.07	2	1	15
CC01914		10	<1	0.07	20	0.52	573	1	0.01	29	810	17	0.03	3	3	14
CC01915		10	<1	0.18	30	0.64	1025	2	0.02	42	1740	34	0.07	7	6	43
CC01916		<10	<1	0.08	30	0.49	568	1	0.01	32	900	31	0.04	6	4	23
CC01917		10	<1	0.10	20	0.54	1330	1	0.01	38	910	25	0.03	3	5	17
CC01918		<10	<1	0.10	20	0.51	1280	1	0.01	37	670	13	0.02	3	2	14
CC01919		<10	<1	0.12	20	0.47	588	2	0.01	36	930	18	0.05	4	2	19
CC01920		10	<1	0.51	30	1.04	887	4	0.01	51	1630	25	0.07	11	9	60
CC01921		10	<1	0.05	20	0.65	495	3	0.01	43	1100	50	0.09	6	3	42
CC01922		10	1	0.46	20	1.06	334	7	0.02	41	1500	20	0.16	2	6	77
CC01923		<10	<1	0.10	20	0.35	223	3	0.01	43	780	23	0.09	4	3	13
CC01924		10	1	0.05	10	0.51	438	1	0.01	27	590	16	0.04	3	2	15
CC01925		10	1	0.14	40	0.77	3760	8	0.01	72	1160	97	0.12	9	4	36
CC01926		10	<1	0.05	10	0.58	297	2	0.01	24	750	22	0.03	3	3	16
CC01927		10	<1	0.10	30	0.51	438	4	0.01	37	960	72	0.10	10	4	31
CC01928		10	<1	0.27	40	0.60	1745	8	0.01	44	1370	103	0.15	13	7	62
CC01929		<10	1	0.15	40	0.58	525	2	0.02	47	1160	143	0.01	14	7	48
CC01930		10	<1	0.05	10	0.51	407	1	0.01	25	730	24	0.02	3	3	13
CC01931		10	<1	0.05	10	0.48	700	1	0.01	25	700	26	0.03	3	2	17
CC01932		10	<1	0.13	10	0.60	472	2	0.01	24	1050	34	0.06	5	3	14
CC01933		10	<1	0.22	30	0.53	856	2	0.01	38	1130	75	0.10	15	4	97
CC01934		10	1	0.06	20	0.59	324	1	0.01	23	530	28	0.04	2	4	12
CC01935		10	1	0.05	10	0.48	316	1	0.01	25	590	18	0.04	<2	2	10
CC01936		10	1	0.04	10	0.47	397	2	0.01	25	640	17	0.03	<2	2	11

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 6 - C
Total Pages: 6 (A - C)
Finalized Date: 2-SEP-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04055563

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01912		0.07	<10	<10	48	<10	80
CC01913		0.05	<10	<10	49	<10	68
CC01914		0.06	<10	<10	52	<10	80
CC01915		0.09	<10	<10	61	<10	118
CC01916		0.07	<10	<10	49	<10	99
CC01917		0.08	<10	<10	55	<10	111
CC01918		0.06	<10	<10	51	10	71
CC01919		0.05	<10	<10	50	<10	72
CC01920		0.10	<10	<10	80	<10	69
CC01921		0.06	<10	<10	62	<10	138
CC01922		0.17	<10	<10	98	<10	72
CC01923		0.03	<10	<10	46	<10	61
CC01924		0.06	<10	<10	55	<10	97
CC01925		0.05	<10	<10	68	<10	180
CC01926		0.07	<10	<10	62	<10	70
CC01927		0.03	<10	<10	49	<10	103
CC01928		0.05	<10	<10	52	10	111
CC01929		0.06	<10	<10	47	<10	219
CC01930		0.06	<10	<10	55	<10	73
CC01931		0.05	<10	<10	56	<10	97
CC01932		0.06	<10	<10	66	<10	81
CC01933		0.04	<10	<10	30	10	99
CC01934		0.09	<10	<10	64	<10	76
CC01935		0.05	<10	<10	51	<10	71
CC01936		0.05	<10	<10	58	<10	73

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Finalized

Date: 25-AUG-2004

Account: DYNAMITE

Page: 1

CERTIFICATE VA04054414

Project: Mike Lake

P.O. No.:

This report is for 169 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-AUG-2004.

The following have access to data associated with this certificate:

VANCOUVER OFFICE
JOAN MARIACHER

AL ARCHER
BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - A
Total Pages: 6 (A - C)
Finalized Date: 25-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	1	1	1	1	0.01
CC01501		0.28	0.043	1.4	1.56	5770	30	90	0.6	130	1.24	0.8	16	14	1040	3.66
CC01502		0.28	0.372	6.5	0.79	>10000	50	50	<0.5	1310	1.75	0.9	176	13	1590	11.00
CC01503		0.34	0.016	2.0	1.94	>10000	20	140	0.6	160	0.85	1.1	11	13	1445	6.80
CC01504		0.22	0.019	0.8	2.09	2690	10	130	0.8	55	0.53	<0.5	13	20	660	3.44
CC01505		0.30	0.142	6.9	1.14	5640	10	130	1.0	66	0.99	1.6	21	23	495	5.52
CC01506		0.24	0.009	0.2	1.37	761	<10	130	<0.5	6	0.22	<0.5	11	37	159	2.61
CC01507		0.22	0.026	<0.2	1.68	1455	<10	100	0.9	50	0.19	<0.5	15	31	65	3.25
CC01508		0.30	0.037	0.7	1.28	1860	<10	140	1.5	40	0.48	1.7	14	20	81	2.66
CC01509		0.26	0.045	0.2	2.28	646	<10	160	0.9	21	0.59	0.5	14	28	187	2.87
CC01510		0.16	0.104	0.7	2.42	2730	10	180	1.4	53	0.93	0.6	21	27	488	3.74
CC01511		0.26	0.079	0.5	1.64	1965	<10	150	0.9	36	0.86	0.5	14	19	295	2.85
CC01512		0.24	0.017	0.2	2.17	720	<10	120	0.6	8	0.14	<0.5	12	33	60	3.29
CC01513		0.24	0.169	0.4	1.95	2520	<10	150	1.4	28	0.27	<0.5	10	27	950	3.58
CC01514		0.24	0.063	0.6	2.12	2890	<10	150	1.7	32	0.18	<0.5	15	28	412	3.71
CC01515		0.44	0.023	0.2	1.50	1565	<10	140	0.7	11	0.33	<0.5	15	26	158	2.67
CC01516		0.24	0.045	0.2	2.12	1540	<10	110	0.8	9	0.29	<0.5	12	26	148	2.58
CC01517		0.24	0.085	1.0	1.90	3620	10	150	1.3	46	0.95	0.8	19	26	528	3.76
CC01518		0.30	0.058	0.7	2.54	3650	10	100	1.0	32	0.99	<0.5	30	33	291	5.20
CC01519		0.34	0.144	0.8	2.40	2560	<10	120	1.3	42	0.57	0.9	18	26	212	4.30
CC01520		0.16	0.075	1.4	2.57	3090	<10	160	1.8	29	0.64	0.8	29	23	367	7.89
CC01521		0.16	<0.001	0.5	1.54	177	<10	80	0.6	3	0.36	<0.5	7	20	93	2.74
CC01522		0.24	0.034	0.4	1.90	1475	<10	110	0.7	27	0.14	<0.5	9	29	196	3.66
CC01523		0.32	0.060	0.4	1.90	2220	<10	140	1.1	31	0.44	<0.5	10	25	424	2.38
CC01524		0.26	0.030	0.2	1.82	2120	<10	140	0.7	20	0.30	<0.5	17	31	342	3.43
CC01525		0.34	0.042	0.4	1.66	3460	<10	140	0.8	29	0.29	<0.5	18	27	537	3.22
CC01526		0.32	0.009	0.2	1.94	1730	<10	110	0.6	22	0.51	<0.5	14	26	225	2.83
CC01527		0.30	0.011	0.4	1.60	2750	10	100	0.6	71	1.00	0.6	16	21	370	3.16
CC01528		0.28	0.017	0.4	1.84	2960	10	100	0.7	76	0.62	0.6	19	24	470	3.48
CC01529		0.30	0.014	0.3	1.69	2050	10	170	0.6	7	1.02	<0.5	31	26	198	3.44
CC01530		0.30	0.007	<0.2	1.53	395	<10	140	0.5	5	0.69	<0.5	13	27	70	2.46
CC01531		0.38	0.019	0.4	1.54	625	10	110	0.5	15	0.82	<0.5	12	20	284	2.35
CC01532		0.40	0.016	0.2	2.63	177	<10	110	0.7	5	0.67	1.3	18	19	80	2.25
CC01533		0.26	0.007	<0.2	2.02	160	<10	140	0.6	2	0.19	<0.5	15	29	58	3.88
CC01534		0.38	0.005	<0.2	2.37	170	<10	90	0.8	7	0.45	<0.5	9	19	58	2.48
CC01535		0.36	0.005	0.2	2.17	450	<10	150	0.6	4	0.33	<0.5	11	29	90	2.75
CC01536		0.18	0.017	0.3	1.70	1655	10	130	0.6	25	0.82	<0.5	18	24	310	3.02
CC01537		0.34	0.004	<0.2	1.98	150	<10	70	0.5	3	0.13	<0.5	10	26	38	2.39
CC01538		0.40	0.036	0.4	2.00	3160	<10	150	0.8	27	0.41	<0.5	16	31	483	3.44
CC01539		0.32	0.054	0.4	1.90	1460	<10	110	1.0	28	0.26	<0.5	8	26	362	2.61
CC01540		0.20	0.046	0.5	2.12	2380	<10	130	1.2	27	0.18	<0.5	12	29	326	3.48



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - B
 Total Pages: 6 (A - C)
 Finalized Date: 25-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC01501		<10	<1	0.04	30	0.20	649	<1	0.07	24	1060	89	0.04	15	2	79
CC01502		<10	<1	0.02	10	0.15	624	<1	0.02	120	520	156	0.07	53	2	94
CC01503		<10	<1	0.03	20	0.19	554	<1	0.03	25	1210	68	0.05	22	2	47
CC01504		10	<1	0.04	20	0.32	688	1	0.01	26	1260	70	0.08	10	2	38
CC01505		<10	<1	0.09	30	0.16	6060	1	0.03	42	2020	878	0.09	74	7	71
CC01506		10	<1	0.19	10	0.59	379	1	0.02	19	720	18	0.06	<2	3	47
CC01507		10	<1	0.10	30	0.51	457	3	0.01	24	810	34	0.06	<2	2	35
CC01508		<10	<1	0.14	40	0.41	726	1	0.02	18	1100	101	0.02	19	3	172
CC01509		10	<1	0.08	20	0.58	638	1	0.04	26	890	30	0.08	4	3	55
CC01510		10	<1	0.10	30	0.52	798	2	0.05	37	1420	56	0.08	4	4	107
CC01511		<10	<1	0.09	30	0.35	583	1	0.04	25	1080	38	0.05	5	3	98
CC01512		10	<1	0.04	10	0.48	354	1	<0.01	28	370	22	0.04	<2	3	16
CC01513		10	<1	0.07	30	0.48	306	2	0.01	29	1100	62	0.06	5	3	65
CC01514		10	1	0.07	40	0.51	519	3	0.01	25	830	44	0.07	4	3	43
CC01515		<10	<1	0.07	20	0.44	515	1	0.01	23	840	22	0.02	<2	4	34
CC01516		10	<1	0.09	20	0.50	434	<1	0.01	27	810	27	0.03	4	3	25
CC01517		10	<1	0.14	30	0.56	835	1	0.03	35	1200	84	0.06	10	4	78
CC01518		10	<1	0.06	20	0.69	1035	3	0.02	53	1760	73	0.18	12	3	43
CC01519		10	<1	0.08	20	0.49	740	3	0.02	58	1540	89	0.15	13	2	49
CC01520		10	<1	0.12	20	0.42	751	14	0.05	71	2920	236	0.37	32	2	83
CC01521		10	<1	0.06	10	0.28	361	4	0.02	16	1420	45	0.16	4	1	29
CC01522		10	<1	0.07	10	0.43	271	2	0.01	21	840	43	0.09	<2	2	28
CC01523		10	<1	0.08	30	0.50	205	2	0.02	26	1020	37	0.10	3	3	55
CC01524		10	<1	0.10	20	0.57	440	1	0.01	34	1060	27	0.06	3	4	27
CC01525		<10	<1	0.10	20	0.50	435	1	0.01	37	900	29	0.06	4	3	33
CC01526		10	<1	0.07	10	0.46	546	1	0.03	30	990	29	0.10	4	2	30
CC01527		10	<1	0.04	20	0.37	791	<1	0.06	24	970	63	0.09	9	2	48
CC01528		10	<1	0.05	20	0.42	782	<1	0.05	30	990	65	0.10	9	2	41
CC01529		<10	<1	0.20	20	0.58	417	1	0.08	56	960	26	0.12	5	3	68
CC01530		10	<1	0.13	10	0.54	359	<1	0.06	22	850	20	0.13	2	3	51
CC01531		<10	<1	0.06	20	0.34	574	<1	0.06	28	830	38	0.07	6	2	53
CC01532		10	<1	0.06	20	0.34	969	<1	0.06	38	1340	32	0.09	<2	2	61
CC01533		10	<1	0.09	10	0.50	543	2	0.02	26	830	20	0.16	<2	3	30
CC01534		10	<1	0.05	20	0.23	941	1	0.03	13	1320	22	0.13	<2	1	35
CC01535		10	<1	0.06	10	0.58	444	1	0.02	25	710	19	0.05	<2	3	26
CC01536		<10	<1	0.08	20	0.55	668	<1	0.04	34	1000	35	0.06	5	3	43
CC01537		10	<1	0.05	10	0.42	228	1	0.01	20	420	15	0.03	<2	3	12
CC01538		10	<1	0.13	20	0.64	500	1	0.01	36	950	31	0.05	5	4	35
CC01539		10	<1	0.08	30	0.48	165	2	0.01	22	860	39	0.07	3	3	38
CC01540		10	1	0.08	30	0.51	462	2	0.01	24	840	38	0.09	3	2	33



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 2 - C

Total Pages: 6 (A - C)

Finalized Date: 25-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01501		0.03	<10	<10	20	<10	112
CC01502		0.01	<10	<10	13	<10	174
CC01503		0.02	<10	<10	21	10	108
CC01504		0.03	<10	<10	35	<10	102
CC01505		0.01	<10	<10	39	<10	766
CC01506		0.15	<10	<10	62	<10	50
CC01507		0.08	<10	10	61	<10	86
CC01508		0.07	<10	20	39	<10	459
CC01509		0.10	<10	<10	58	<10	86
CC01510		0.07	<10	10	49	<10	130
CC01511		0.06	<10	10	36	<10	84
CC01512		0.06	<10	<10	63	<10	95
CC01513		0.06	<10	20	52	<10	82
CC01514		0.06	<10	20	51	<10	86
CC01515		0.07	<10	20	43	<10	74
CC01516		0.08	<10	<10	46	<10	79
CC01517		0.08	<10	20	47	<10	149
CC01518		0.06	<10	<10	64	<10	190
CC01519		0.04	<10	<10	50	<10	190
CC01520		0.03	<10	10	62	<10	277
CC01521		0.04	<10	<10	52	<10	66
CC01522		0.06	<10	<10	58	<10	85
CC01523		0.07	<10	10	44	<10	86
CC01524		0.09	<10	<10	62	<10	89
CC01525		0.08	<10	<10	52	<10	76
CC01526		0.07	<10	<10	47	<10	112
CC01527		0.06	<10	<10	37	<10	134
CC01528		0.07	<10	<10	41	<10	148
CC01529		0.12	<10	<10	52	<10	129
CC01530		0.11	<10	<10	53	<10	82
CC01531		0.05	<10	<10	34	<10	118
CC01532		0.06	<10	<10	32	<10	551
CC01533		0.13	<10	<10	72	<10	109
CC01534		0.05	<10	<10	42	<10	72
CC01535		0.10	<10	<10	57	<10	81
CC01536		0.08	<10	<10	46	<10	122
CC01537		0.09	<10	<10	58	<10	37
CC01538		0.09	<10	<10	57	<10	87
CC01539		0.06	<10	10	46	<10	81
CC01540		0.06	<10	10	52	<10	85



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - A
 Total Pages: 6 (A - C)
 Finalized Date: 25-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01541		0.22	0.056	1.3	2.13	2370	10	110	1.3	35	0.99	1.3	31	24	464	5.21
CC01543		0.30	0.023	0.2	1.24	1050	<10	70	0.6	10	0.18	<0.5	12	19	79	2.04
CC01544		0.26	0.031	0.2	1.26	542	<10	70	0.6	4	0.10	<0.5	7	19	48	2.13
CC01545		0.32	0.207	0.8	1.24	1635	<10	130	0.9	24	0.36	0.5	16	20	479	2.70
CC01546		0.26	0.019	<0.2	1.32	661	<10	60	0.5	5	0.14	<0.5	9	20	132	2.32
CC01547		0.28	0.091	0.7	1.18	3390	<10	100	0.7	31	0.25	0.5	14	20	405	2.78
CC01548		0.40	0.029	<0.2	1.07	891	<10	60	<0.5	6	0.21	<0.5	9	21	106	2.37
CC01549		0.26	0.006	<0.2	1.14	210	<10	50	<0.5	<2	0.08	<0.5	6	20	21	2.48
CC01550		0.42	0.120	0.5	1.68	3100	<10	110	1.0	33	0.18	<0.5	12	25	471	3.22
CC01551		0.20	0.319	0.6	1.48	2950	<10	100	0.8	40	0.24	<0.5	8	23	594	3.09
CC01552		0.16	0.027	0.6	1.21	723	<10	170	0.7	20	0.31	<0.5	13	21	212	2.39
CC01553		0.28	0.015	0.5	2.61	678	<10	130	1.1	31	0.10	<0.5	17	30	148	3.09
CC01554		0.34	0.615	2.5	2.36	3860	<10	200	0.6	118	0.67	0.5	35	18	1840	5.05
CC01555		0.20	0.416	2.4	1.72	4230	<10	130	0.6	148	0.88	0.5	27	15	1950	5.53
CC01556		0.24	0.026	1.0	1.98	1250	<10	110	1.0	32	0.44	<0.5	18	23	781	4.18
CC01557		0.32	0.054	1.6	1.87	2130	10	110	1.1	33	0.51	0.5	26	25	1685	5.52
CC01558		0.30	0.024	0.9	1.73	2830	<10	110	1.2	23	0.35	<0.5	50	27	995	7.46
CC01559		0.30	0.034	0.5	2.36	1765	<10	220	1.3	24	0.52	<0.5	35	29	467	5.39
CC01560		0.24	0.008	0.2	1.97	199	<10	150	0.9	7	0.24	<0.5	14	30	81	3.60
CC01570		0.46	0.469	1.6	1.56	2260	20	40	0.8	30	0.38	<0.5	31	17	1190	10.80
CC01571		0.36	0.019	0.9	1.26	722	100	40	0.6	6	0.67	1.2	35	12	652	8.76
CC01572		0.18	2.24	0.3	2.48	1160	10	130	0.8	97	0.34	0.5	17	19	176	4.19
CC01573		0.32	0.360	0.6	2.35	1970	10	170	0.8	100	0.39	<0.5	24	24	365	4.95
CC01574		0.42	0.194	0.2	2.36	1240	<10	170	0.8	59	0.27	<0.5	18	29	292	4.27
CC01575		0.42	0.033	0.4	2.44	965	<10	140	1.1	13	0.45	0.8	21	24	169	4.29
CC01576		0.28	0.133	0.3	2.51	2000	<10	240	1.2	29	0.35	<0.5	42	36	243	4.37
CC01577		0.30	0.006	0.2	2.87	264	10	210	1.5	<2	1.18	<0.5	17	49	140	6.27
CC01578		0.34	0.008	0.4	2.96	383	20	130	2.3	2	1.85	0.5	15	39	350	6.04
CC01579		0.40	0.114	0.4	2.33	1810	10	80	0.7	245	0.36	0.5	38	18	355	5.86
CC01580		0.48	0.559	1.0	2.77	1750	10	60	0.8	217	0.54	<0.5	35	14	474	8.10
CC01581		0.40	0.093	0.3	2.46	4260	10	240	1.3	32	0.76	0.5	33	23	217	5.94
CC01582		0.34	0.036	0.3	2.01	387	10	160	0.7	5	0.28	<0.5	19	25	259	11.35
CC01583		0.30	0.025	0.4	1.61	377	<10	40	0.5	3	0.14	0.5	6	22	373	16.6
CC01584		0.34	0.004	0.2	3.18	89	<10	110	1.0	2	1.24	0.6	15	30	52	2.63
CC01585		0.26	0.018	0.4	2.35	234	10	100	1.0	<2	1.84	0.8	24	21	104	3.43
CC01586		0.24	0.004	<0.2	2.45	56	<10	90	0.8	<2	1.27	0.8	17	21	70	2.51
CC01587		0.26	0.073	0.3	2.92	1065	10	200	1.5	22	0.32	0.5	39	28	234	6.15
CC01588		0.22	0.097	0.3	2.61	1565	10	180	1.1	40	0.61	<0.5	27	24	347	6.53
CC01589		0.26	0.055	0.3	2.28	1540	10	160	0.8	26	0.39	0.6	21	21	182	4.22
CC01590		0.26	0.113	0.3	2.78	1295	20	160	0.8	37	1.02	0.6	24	21	196	4.75



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - B
 Total Pages: 6 (A - C)
 Finalized Date: 25-AUG-2004
 Account: DYNAMITE

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC01541		10	<1	0.10	30	0.52	731	5	0.05	84	1920	186	0.20	18	3	78
CC01543		<10	<1	0.09	20	0.32	260	1	0.01	15	750	21	0.05	<2	2	18
CC01544		<10	<1	0.05	10	0.29	224	1	<0.01	13	550	18	0.04	<2	1	13
CC01545		<10	<1	0.10	30	0.41	299	2	0.01	23	1060	54	0.06	4	3	37
CC01546		<10	<1	0.04	10	0.33	228	<1	<0.01	21	640	15	0.05	3	2	14
CC01547		<10	<1	0.06	20	0.37	407	1	<0.01	23	860	36	0.03	4	3	33
CC01548		<10	<1	0.04	20	0.33	246	1	<0.01	21	750	16	0.03	<2	2	20
CC01549		10	<1	0.03	10	0.22	222	1	<0.01	12	440	17	0.06	<2	1	9
CC01550		<10	<1	0.10	30	0.45	359	1	0.01	22	770	48	0.04	3	3	32
CC01551		<10	<1	0.08	30	0.41	214	3	0.01	20	990	54	0.06	4	2	33
CC01552		<10	<1	0.11	10	0.25	635	2	0.02	20	1790	15	0.29	6	<1	44
CC01553		10	<1	0.14	10	0.44	490	2	0.02	41	1770	16	0.22	4	1	34
CC01554		10	<1	0.11	20	0.73	462	1	0.05	62	1410	44	0.15	11	2	44
CC01555		<10	<1	0.06	30	0.35	531	1	0.04	51	1320	63	0.13	18	2	41
CC01556		10	<1	0.07	10	0.48	397	1	0.02	56	890	59	0.09	12	2	59
CC01557		10	<1	0.07	20	0.48	534	2	0.03	91	1160	66	0.08	19	3	42
CC01558		<10	<1	0.14	10	0.50	545	3	0.02	92	1200	32	0.14	18	3	63
CC01559		10	<1	0.16	20	0.65	699	2	0.02	65	1260	41	0.13	11	4	122
CC01560		10	<1	0.11	10	0.52	853	1	0.02	27	1060	73	0.14	4	2	58
CC01570		<10	<1	0.05	60	0.31	951	3	0.03	52	1450	65	0.16	40	3	60
CC01571		<10	<1	0.03	50	0.17	909	<1	0.05	97	1240	128	0.10	57	1	50
CC01572		10	<1	0.03	20	0.25	947	<1	0.03	30	1380	39	0.11	16	2	25
CC01573		10	<1	0.05	20	0.39	886	<1	0.03	38	1400	44	0.13	14	2	26
CC01574		10	<1	0.04	20	0.45	706	<1	0.02	30	1340	27	0.12	6	2	21
CC01575		10	<1	0.07	10	0.42	633	2	0.04	43	1440	38	0.20	7	2	76
CC01576		10	<1	0.10	10	0.59	739	1	0.04	50	1360	31	0.17	7	2	59
CC01577		10	<1	0.09	20	0.52	1780	1	0.05	49	1110	23	0.09	18	8	110
CC01578		10	1	0.07	20	0.64	2310	1	0.15	37	1240	25	0.03	20	7	163
CC01579		10	1	0.04	20	0.26	951	1	0.02	47	1360	51	0.08	30	2	27
CC01580		10	1	0.10	50	0.27	517	2	0.03	71	2290	99	0.16	46	2	38
CC01581		10	1	0.15	20	0.50	615	2	0.04	54	1250	36	0.07	14	3	265
CC01582		10	2	0.19	20	0.50	419	15	0.03	51	1920	29	0.26	9	4	49
CC01583		<10	3	0.05	10	0.20	151	8	0.01	13	2540	47	0.49	8	4	22
CC01584		10	<1	0.08	20	0.76	581	1	0.08	38	1320	41	0.13	7	2	67
CC01585		10	<1	0.11	20	0.52	759	3	0.10	53	1580	66	0.14	16	2	105
CC01586		10	2	0.06	20	0.46	574	1	0.04	40	1330	57	0.12	9	2	68
CC01587		10	<1	0.12	40	0.55	891	3	0.04	76	1740	37	0.24	13	4	72
CC01588		10	2	0.06	30	0.54	1330	1	0.02	59	1540	49	0.13	16	3	72
CC01589		10	2	0.04	20	0.38	1075	1	0.02	41	1170	44	0.09	18	2	41
CC01590		10	<1	0.06	30	0.38	1755	<1	0.03	38	1710	46	0.08	19	3	116



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



TO: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - C
 Total Pages: 6 (A - C)
 Finalized Date: 25-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01541		0.05	<10	10	53	10	289
CC01543		0.06	<10	<10	37	10	46
CC01544		0.05	<10	<10	40	<10	43
CC01545		0.06	<10	30	38	10	106
CC01546		0.05	<10	<10	39	<10	59
CC01547		0.04	<10	10	38	50	77
CC01548		0.05	<10	<10	43	10	59
CC01549		0.06	<10	<10	53	<10	45
CC01550		0.06	<10	10	46	10	79
CC01551		0.06	<10	30	42	10	69
CC01552		0.03	<10	<10	52	10	60
CC01553		0.04	<10	<10	60	10	80
CC01554		0.09	<10	<10	58	90	140
CC01555		0.04	<10	<10	32	170	116
CC01556		0.06	<10	<10	53	<10	123
CC01557		0.06	<10	<10	52	20	124
CC01558		0.08	<10	<10	51	10	82
CC01559		0.08	<10	<10	62	<10	74
CC01560		0.08	<10	<10	68	<10	74
CC01570		0.04	<10	<10	29	<10	75
CC01571		0.04	<10	<10	18	<10	194
CC01572		0.04	<10	<10	34	<10	94
CC01573		0.05	<10	<10	45	<10	99
CC01574		0.05	<10	<10	51	<10	94
CC01575		0.04	<10	<10	50	<10	178
CC01576		0.09	<10	<10	69	<10	112
CC01577		0.06	<10	<10	76	<10	96
CC01578		0.03	10	<10	53	<10	140
CC01579		0.04	<10	<10	35	10	128
CC01580		0.04	<10	<10	29	10	89
CC01581		0.06	<10	<10	48	<10	118
CC01582		0.09	<10	<10	66	<10	94
CC01583		0.09	10	<10	68	<10	37
CC01584		0.06	<10	<10	49	<10	100
CC01585		0.05	<10	<10	45	<10	104
CC01586		0.04	<10	<10	35	<10	106
CC01587		0.07	<10	<10	60	<10	114
CC01588		0.05	10	<10	45	<10	139
CC01589		0.04	<10	<10	38	<10	117
CC01590		0.03	<10	<10	32	10	128



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



Co: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 4 - A
Total Pages: 6 (A - C)
Finalized Date: 25-AUG-2004
Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01591		0.30	0.090	0.5	2.17	1255	30	130	0.8	26	0.78	0.8	28	20	447	6.28
CC01592		0.30	0.018	0.8	2.43	936	30	210	0.9	6	0.57	0.7	30	17	853	7.84
CC01593		0.28	0.006	0.7	4.48	1080	10	310	1.4	<2	0.67	<0.5	50	37	1130	8.44
CC01594		0.30	0.009	0.6	2.59	1210	10	200	1.3	2	1.20	0.7	51	26	463	7.17
CC01595		0.18	0.009	<0.2	3.20	431	10	220	1.2	<2	0.48	<0.5	15	36	111	5.10
CC01596		0.28	0.036	1.6	1.65	1410	<10	170	0.7	49	0.28	<0.5	12	15	386	13.80
CC01597		0.28	0.016	0.3	2.82	1310	20	220	1.2	23	0.42	0.7	33	25	335	7.44
CC01598		0.26	0.027	0.5	4.37	441	<10	350	1.9	<2	0.26	<0.5	37	27	176	12.70
CC01599		0.30	0.035	0.4	2.29	1040	20	160	0.9	14	0.91	0.6	22	20	295	4.70
CC01600		0.30	0.025	0.4	2.16	821	30	160	0.9	18	1.06	0.7	13	17	260	3.25
CC01601		0.26	0.018	0.5	2.19	820	30	160	1.0	17	1.07	0.7	13	17	269	3.28
CC01602		0.30	0.032	0.6	2.55	1440	30	150	1.2	25	1.06	0.8	17	20	316	4.05
CC01603		0.26	0.008	0.3	2.43	386	10	210	1.1	3	0.57	<0.5	17	34	101	4.87
CC01604		0.30	0.022	0.2	1.66	600	10	210	0.7	9	0.61	0.6	21	25	152	4.32
CC01605		0.26	0.100	0.3	2.69	1470	10	130	0.7	74	0.61	1.0	19	22	419	2.80
CC01611		0.26	0.049	0.7	2.09	1125	10	90	0.9	31	0.51	0.6	28	21	545	5.20
CC01612		0.26	0.007	0.2	1.68	418	<10	110	0.6	<2	0.14	<0.5	10	31	61	3.54
CC01613		0.50	0.089	6.0	2.59	1985	10	80	0.8	11	0.48	0.7	20	19	2800	5.52
CC01614		0.48	0.097	2.3	1.59	3240	20	70	0.9	40	0.46	1.0	31	17	1415	7.25
CC01615		0.30	0.072	1.0	2.55	1235	10	200	1.5	62	0.68	0.7	24	26	930	5.58
CC01616		0.48	0.095	1.2	2.43	771	10	150	1.6	47	0.46	0.9	37	23	954	5.75
CC01617		0.36	0.019	0.6	3.61	698	10	310	2.8	<2	0.34	0.7	76	28	483	8.90
CC01638		0.30	0.002	<0.2	4.94	21	<10	160	1.5	<2	4.74	<0.5	11	48	34	2.90
CC01639		0.50	0.002	0.3	4.59	30	<10	150	1.4	<2	8.54	<0.5	12	38	202	2.84
CC01640		0.26	<0.001	0.2	4.53	21	10	160	1.4	<2	2.84	<0.5	10	46	44	2.84
CC01641		0.22	0.002	<0.2	3.62	34	<10	130	1.1	<2	1.84	<0.5	13	46	28	3.46
CC01642		0.24	0.008	<0.2	4.77	35	<10	220	1.7	<2	2.32	0.7	12	51	46	2.96
CC01643		0.44	0.010	0.8	2.63	26	<10	210	1.3	<2	1.06	0.5	11	34	103	3.62
CC01644		0.48	0.003	0.3	2.92	66	<10	180	1.1	<2	1.23	<0.5	10	31	67	2.77
CC01645		0.24	<0.001	<0.2	4.10	46	10	160	1.3	5	2.06	<0.5	14	49	80	3.42
CC01646		0.14	<0.001	<0.2	3.47	32	10	160	1.1	<2	2.69	<0.5	11	37	25	2.67
CC01647		0.36	0.001	0.4	4.59	78	<10	150	1.5	<2	2.13	<0.5	16	49	58	3.57
CC01648		0.30	0.002	0.4	3.65	198	<10	130	1.3	3	1.73	<0.5	15	42	118	3.41
CC01649		0.34	0.004	0.3	3.16	64	<10	130	1.4	<2	0.45	<0.5	17	37	109	3.47
CC01650		0.36	0.006	0.4	3.69	580	<10	140	1.6	7	1.25	<0.5	23	43	320	4.13
CC01651		0.66	0.174	0.9	2.87	3080	<10	190	0.9	7	0.16	<0.5	14	26	433	12.15
CC01652		0.24	0.254	1.5	2.40	2810	50	80	0.9	52	0.90	<0.5	37	25	1135	11.10
CC01653		0.28	0.030	0.6	2.47	1110	<10	180	1.2	24	0.15	<0.5	19	34	283	3.47
CC01654		0.28	2.25	8.0	1.46	5670	<10	180	0.6	298	0.56	1.5	58	14	4250	6.97
CC01655		0.28	0.788	2.6	1.63	2670	<10	170	0.6	134	0.35	0.9	27	20	1865	4.77



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



TO: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 4 - B
 Total Pages: 6 (A - C)
 Finalized Date: 25-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC01591	10	<1	0.05	30	0.29	949	1	0.04	56	1240	57	0.07	24	3	61	
CC01592	10	3	0.13	20	0.45	1010	2	0.06	66	1100	57	0.14	30	3	72	
CC01593	10	1	0.31	20	1.22	1040	3	0.05	85	1490	51	0.20	30	10	108	
CC01594	10	2	0.21	20	0.72	1745	1	0.07	58	1240	51	0.15	30	6	90	
CC01595	10	3	0.17	20	0.89	785	1	0.03	36	1060	27	0.13	14	4	47	
CC01596	10	<1	0.14	10	0.24	474	5	0.08	18	1980	43	0.53	18	3	59	
CC01597	10	2	0.10	20	0.40	946	4	0.07	55	1950	32	0.28	16	4	65	
CC01598	10	1	0.29	30	0.53	753	13	0.16	54	4400	34	1.04	12	5	185	
CC01599	10	1	0.10	20	0.42	1110	1	0.07	35	1240	40	0.07	20	3	83	
CC01600	10	1	0.05	20	0.28	1115	<1	0.08	24	1030	33	0.03	14	3	102	
CC01601	10	1	0.05	20	0.29	1120	<1	0.08	23	1030	32	0.03	13	3	104	
CC01602	10	1	0.04	20	0.32	1500	<1	0.07	26	1080	45	0.04	18	3	107	
CC01603	10	2	0.06	20	0.74	973	1	0.02	39	1060	17	0.06	10	4	75	
CC01604	<10	1	0.13	20	0.51	638	1	0.04	41	1170	24	0.09	10	4	67	
CC01605	10	3	0.05	20	0.36	852	1	0.03	35	1480	51	0.10	10	2	44	
CC01611	<10	3	0.04	30	0.29	1065	1	0.03	51	1240	74	0.10	24	2	67	
CC01612	10	<1	0.11	10	0.63	294	1	0.01	24	630	12	0.07	8	2	13	
CC01613	10	2	0.07	20	0.35	597	2	0.05	55	1530	97	0.10	33	2	47	
CC01614	<10	<1	0.05	30	0.27	585	1	0.05	65	1090	132	0.07	46	3	42	
CC01615	10	2	0.09	30	0.47	749	3	0.05	48	1410	39	0.21	15	3	95	
CC01616	<10	1	0.10	30	0.33	680	4	0.05	66	1650	53	0.24	16	3	67	
CC01617	10	2	0.20	30	0.40	770	12	0.12	87	3050	50	0.63	14	4	186	
CC01638	10	<1	0.45	20	1.40	602	<1	0.43	26	1240	10	0.05	4	6	309	
CC01639	10	1	0.37	10	1.30	763	<1	0.38	29	1070	16	0.07	8	5	357	
CC01640	10	2	0.29	10	1.48	689	<1	0.38	25	670	8	0.08	6	5	243	
CC01641	10	2	0.30	10	1.55	431	1	0.29	30	460	8	0.08	4	5	178	
CC01642	10	<1	0.36	10	1.66	523	2	0.37	27	890	6	0.12	4	4	300	
CC01643	10	1	0.32	20	0.98	356	6	0.10	42	1590	13	0.33	7	4	154	
CC01644	10	<1	0.30	20	0.85	346	2	0.18	31	1030	12	0.10	4	4	158	
CC01645	10	2	0.20	10	1.50	618	<1	0.22	26	980	11	0.13	6	5	172	
CC01646	10	1	0.24	10	1.03	649	1	0.17	21	870	10	0.13	8	3	134	
CC01647	10	2	0.26	20	1.74	714	<1	0.27	35	870	14	0.10	4	6	222	
CC01648	10	1	0.17	10	1.44	599	1	0.19	35	1080	11	0.15	4	4	169	
CC01649	10	2	0.10	20	0.98	542	2	0.04	38	1080	14	0.14	8	3	67	
CC01650	10	2	0.21	20	1.44	1020	3	0.13	67	1490	11	0.23	8	5	176	
CC01651	10	1	0.40	20	0.67	312	7	0.07	26	2410	60	0.66	21	5	52	
CC01652	10	2	0.06	100	0.52	1855	2	0.04	123	2070	62	0.12	44	6	100	
CC01653	10	1	0.20	20	0.53	454	4	0.03	47	1600	12	0.22	8	2	47	
CC01654	<10	1	0.15	30	0.43	480	1	0.06	86	1700	45	0.21	25	2	52	
CC01655	10	1	0.08	20	0.47	338	2	0.03	56	1170	24	0.15	15	2	41	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC01591		0.04	<10	<10	36	10	134
CC01592		0.06	<10	<10	48	<10	140
CC01593		0.14	10	<10	146	<10	131
CC01594		0.09	10	<10	86	<10	95
CC01595		0.13	<10	<10	96	<10	70
CC01596		0.10	10	<10	41	10	68
CC01597		0.09	10	<10	57	<10	162
CC01598		0.11	<10	<10	82	<10	213
CC01599		0.06	<10	<10	41	<10	107
CC01600		0.04	<10	<10	29	<10	110
CC01601		0.04	<10	<10	29	<10	112
CC01602		0.03	<10	<10	30	<10	132
CC01603		0.08	<10	<10	74	<10	106
CC01604		0.09	<10	<10	55	<10	94
CC01605		0.04	<10	<10	37	<10	149
CC01611		0.04	<10	<10	36	<10	118
CC01612		0.10	<10	<10	69	<10	49
CC01613		0.05	<10	<10	43	10	115
CC01614		0.05	<10	<10	33	<10	165
CC01615		0.05	<10	<10	49	10	106
CC01616		0.06	<10	<10	51	<10	121
CC01617		0.06	<10	<10	72	<10	108
CC01638		0.16	<10	<10	51	<10	62
CC01639		0.13	<10	<10	42	<10	68
CC01640		0.13	<10	<10	59	<10	52
CC01641		0.14	<10	<10	79	<10	64
CC01642		0.12	<10	<10	72	<10	73
CC01643		0.08	<10	<10	70	<10	128
CC01644		0.09	<10	<10	48	20	71
CC01645		0.12	<10	<10	60	<10	62
CC01646		0.09	<10	<10	44	<10	68
CC01647		0.13	<10	<10	62	<10	91
CC01648		0.10	<10	<10	64	<10	114
CC01649		0.08	<10	<10	58	<10	96
CC01650		0.10	<10	<10	64	30	150
CC01651		0.10	10	<10	67	<10	65
CC01652		0.06	<10	<10	36	<10	98
CC01653		0.06	<10	<10	74	10	98
CC01654		0.08	<10	<10	48	160	172
CC01655		0.06	10	<10	55	70	100



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 5 - A
 Total Pages: 6 (A - C)
 Finalized Date: 25-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01656		0.30	0.684	7.9	1.53	9220	<10	190	0.9	372	0.82	1.9	56	15	3550	5.25
CC01657		0.28	0.262	4.3	1.26	2510	<10	110	0.6	144	0.75	1.0	23	14	2620	5.12
CC01658		0.30	1.140	7.1	1.50	4200	10	120	0.7	381	0.87	1.8	38	13	3670	4.74
CC01659		0.30	1.295	4.7	1.69	3820	<10	140	0.7	349	0.64	1.4	34	17	3100	4.68
CC01660		0.26	0.220	2.7	1.17	1930	40	120	0.6	95	0.89	0.8	16	15	1845	5.36
CC01661		0.26	0.066	1.2	2.28	1060	<10	160	1.1	14	0.49	0.7	26	27	1175	5.01
CC01662		0.30	0.058	0.4	2.32	1530	<10	170	1.7	16	0.40	0.5	36	31	574	6.73
CC01663		0.24	0.032	1.5	1.87	2860	10	160	1.5	5	0.24	0.7	49	27	1035	11.85
CC01664		0.26	0.065	1.1	2.09	1525	<10	130	1.8	34	0.36	<0.5	33	24	795	8.04
CC01665		0.20	0.008	<0.2	3.42	69	<10	540	1.0	<2	1.28	0.9	31	11	90	3.27
CC01666		0.28	0.014	1.0	1.87	270	<10	230	0.7	<2	0.45	<0.5	24	19	155	3.61
CC01667		0.18	0.005	0.4	2.53	187	10	120	0.8	4	2.25	0.7	20	17	134	2.34
CC01668		0.20	0.021	0.2	2.07	132	10	120	0.7	3	1.87	0.7	14	17	84	2.06
CC01669		0.26	0.048	0.4	2.01	273	10	140	0.7	6	1.78	0.8	14	21	135	2.57
CC01670		0.32	0.009	0.5	2.95	1365	<10	220	1.9	42	0.23	<0.5	23	41	174	5.70
CC01671		0.38	0.023	0.6	2.40	804	<10	200	1.7	15	0.48	0.5	21	34	453	5.64
CC01673		0.14	0.008	0.2	3.97	26	<10	140	1.3	<2	2.80	<0.5	13	43	33	2.86
CC01674		0.24	0.008	0.5	2.38	536	<10	270	0.9	13	0.86	<0.5	45	31	315	5.56
CC01675		0.14	0.010	0.4	3.55	238	<10	250	1.1	6	0.42	<0.5	38	37	163	5.14
CC01676		0.20	<0.001	<0.2	2.49	196	<10	230	1.1	4	0.47	0.5	23	37	112	4.00
CC01677		0.46	0.102	0.5	1.83	232	610	100	0.9	6	1.28	0.9	32	18	199	4.28
CC01678		0.26	0.007	<0.2	2.23	88	<10	90	0.7	<2	0.13	<0.5	12	29	60	3.84
CC01724		0.44	0.008	0.4	2.34	483	10	110	0.9	<2	0.61	0.5	16	24	82	2.85
CC01725		0.44	0.003	<0.2	2.34	58	<10	100	0.8	<2	0.28	<0.5	11	25	50	2.56
CC01726		0.40	0.001	0.2	2.53	332	<10	110	0.8	<2	0.44	<0.5	13	32	62	2.96
CC01727		0.36	0.002	<0.2	2.22	46	<10	90	0.6	<2	0.13	<0.5	8	25	25	2.51
CC01728		0.30	0.005	0.3	3.56	73	<10	260	1.2	<2	0.33	<0.5	13	36	56	3.17
CC01729		0.42	0.005	0.2	4.05	160	<10	230	1.3	<2	0.29	<0.5	14	39	83	3.51
CC01730		0.48	0.011	0.5	3.73	277	10	300	1.3	4	0.91	1.8	27	31	169	3.75
CC01731		0.34	0.003	0.5	3.36	76	<10	130	1.0	<2	0.21	<0.5	13	36	50	3.23
CC01732		0.34	0.001	0.3	2.98	77	<10	160	0.9	<2	0.27	<0.5	10	32	51	2.85
CC01733		0.58	0.001	0.2	3.05	23	<10	140	1.0	<2	0.91	<0.5	12	31	33	2.74
CC01734		0.44	0.023	0.4	2.90	711	<10	150	1.0	10	0.38	0.5	59	26	231	5.54
CC01735		0.38	0.006	0.3	1.31	15	<10	130	<0.5	<2	0.49	0.6	14	19	49	2.55
CC01736		0.42	0.008	0.3	2.95	55	10	210	1.2	2	0.64	0.5	21	50	78	4.59
CC01737		0.56	0.006	0.3	3.30	41	10	210	1.2	<2	1.34	<0.5	15	40	64	3.75
CC01738		0.38	0.006	0.5	3.85	79	10	200	1.3	<2	1.88	<0.5	16	46	66	3.99
CC01739		0.44	0.006	0.2	3.68	41	10	190	1.3	<2	1.52	<0.5	13	47	57	3.83
CC01740		0.38	0.006	0.4	3.30	28	10	230	1.2	<2	1.30	<0.5	19	54	69	4.48
CC01741		0.36	0.003	<0.2	3.20	25	<10	140	0.9	<2	0.74	<0.5	11	37	30	3.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 5 - B
Total Pages: 6 (A - C)
Finalized Date: 25-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC01656	<10	1	0.10	40	0.37	459	1	0.04	64	1610	56	0.11	24	2	51	
CC01657	<10	<1	0.06	50	0.25	618	1	0.03	55	1810	42	0.09	18	2	38	
CC01658	<10	<1	0.08	30	0.30	470	1	0.05	56	1450	57	0.09	23	2	48	
CC01659	<10	<1	0.08	30	0.38	405	1	0.04	56	1330	46	0.09	19	2	44	
CC01660	<10	2	0.06	50	0.26	697	1	0.04	41	1640	38	0.10	17	2	38	
CC01661	10	1	0.11	20	0.54	729	1	0.03	55	1380	36	0.07	16	4	76	
CC01662	10	1	0.14	20	0.70	990	3	0.03	59	1420	31	0.10	14	5	108	
CC01663	10	<1	0.23	30	0.44	717	5	0.07	41	1850	121	0.44	23	5	70	
CC01664	10	1	0.20	20	0.57	507	4	0.03	76	1080	56	0.14	26	4	53	
CC01665	10	1	0.16	30	0.85	638	<1	0.10	29	1440	37	0.13	9	2	82	
CC01666	10	<1	0.08	20	0.57	389	1	0.03	29	890	29	0.09	9	2	29	
CC01667	10	<1	0.05	30	0.37	876	1	0.14	50	1640	61	0.14	7	2	109	
CC01668	10	<1	0.06	20	0.33	494	1	0.14	41	1220	34	0.09	5	2	114	
CC01669	10	1	0.09	20	0.43	575	1	0.08	45	1030	38	0.13	6	2	76	
CC01670	10	<1	0.51	20	0.71	602	14	0.11	44	2770	30	0.72	19	4	173	
CC01671	10	2	0.51	20	0.67	438	11	0.11	55	3160	21	0.61	14	5	166	
CC01673	10	<1	0.17	20	1.16	413	<1	0.29	27	660	14	0.10	4	5	198	
CC01674	10	1	0.23	20	0.81	552	1	0.07	59	1780	34	0.28	13	3	74	
CC01675	10	2	0.22	20	0.97	1035	2	0.04	46	1210	30	0.10	8	5	36	
CC01676	10	1	0.15	10	0.74	744	1	0.02	32	1050	28	0.13	6	3	43	
CC01677	10	2	0.07	20	0.37	687	2	0.05	64	1040	36	0.07	11	3	56	
CC01678	10	<1	0.06	10	0.40	355	2	0.01	27	470	15	0.03	3	3	15	
CC01724	10	1	0.07	20	0.48	657	1	0.03	43	990	60	0.04	10	3	36	
CC01725	<10	2	0.08	10	0.45	399	1	0.02	32	1090	18	0.06	7	2	25	
CC01726	10	1	0.06	20	0.70	502	1	0.01	33	780	21	0.06	5	2	22	
CC01727	10	<1	0.05	10	0.37	336	1	0.01	20	810	12	0.05	3	1	13	
CC01728	10	3	0.20	20	1.00	545	<1	0.03	36	930	25	0.03	5	5	33	
CC01729	10	1	0.16	20	0.93	412	1	0.02	39	1080	31	0.06	8	4	32	
CC01730	10	2	0.22	30	0.81	714	1	0.08	53	1180	142	0.01	9	5	89	
CC01731	10	<1	0.09	20	0.74	474	1	0.01	30	740	20	0.04	7	3	22	
CC01732	10	<1	0.09	10	0.72	321	1	0.01	32	850	20	0.04	5	3	22	
CC01733	10	<1	0.15	20	0.83	555	<1	0.10	35	850	28	0.01	5	4	75	
CC01734	10	2	0.10	20	0.49	519	2	0.04	68	1000	61	0.11	12	4	44	
CC01735	<10	1	0.06	10	0.46	473	1	0.04	44	880	36	<0.01	4	3	45	
CC01736	10	<1	0.22	30	1.60	742	3	0.06	55	1420	37	0.07	11	6	69	
CC01737	10	1	0.40	20	1.62	621	2	0.16	35	1360	26	0.07	5	5	122	
CC01738	10	1	0.41	20	1.84	584	1	0.20	39	1310	28	0.07	6	6	140	
CC01739	10	3	0.44	20	1.79	477	2	0.20	35	1320	29	0.06	5	6	128	
CC01740	10	2	0.49	20	1.88	814	2	0.15	48	1400	35	0.07	8	7	116	
CC01741	10	2	0.13	20	0.90	514	1	0.09	28	970	21	0.03	5	3	71	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 5 - C
 Total Pages: 6 (A - C)
 Finalized Date: 25-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01656		0.05	<10	<10	36	210	171
CC01657		0.05	<10	<10	31	110	135
CC01658		0.04	<10	<10	32	120	223
CC01659		0.05	<10	<10	40	160	169
CC01660		0.04	<10	<10	31	80	98
CC01661		0.07	<10	<10	58	10	102
CC01662		0.08	10	<10	70	20	81
CC01663		0.11	10	<10	67	20	81
CC01664		0.09	<10	<10	55	40	72
CC01665		0.22	<10	<10	76	<10	74
CC01666		0.10	<10	<10	54	10	61
CC01667		0.05	<10	<10	26	<10	98
CC01668		0.05	<10	<10	28	<10	78
CC01669		0.05	<10	<10	37	<10	72
CC01670		0.08	<10	<10	110	10	76
CC01671		0.08	<10	<10	87	30	100
CC01673		0.13	<10	<10	48	<10	62
CC01674		0.12	<10	<10	78	10	66
CC01675		0.21	<10	<10	97	<10	79
CC01676		0.14	<10	<10	72	10	60
CC01677		0.06	<10	<10	36	10	77
CC01678		0.09	<10	<10	65	<10	58
CC01724		0.04	<10	<10	45	10	88
CC01725		0.06	<10	<10	49	<10	69
CC01726		0.06	<10	<10	57	<10	81
CC01727		0.05	<10	<10	48	<10	55
CC01728		0.11	<10	<10	57	<10	80
CC01729		0.10	<10	<10	65	<10	86
CC01730		0.13	<10	<10	56	<10	218
CC01731		0.10	<10	<10	63	<10	70
CC01732		0.08	<10	<10	53	<10	72
CC01733		0.09	<10	<10	50	<10	72
CC01734		0.09	<10	<10	54	<10	89
CC01735		0.06	<10	<10	34	<10	114
CC01736		0.08	<10	<10	73	<10	136
CC01737		0.09	<10	<10	62	<10	102
CC01738		0.11	10	<10	72	<10	113
CC01739		0.11	<10	<10	73	<10	106
CC01740		0.11	<10	<10	80	<10	140
CC01741		0.09	<10	<10	55	<10	75



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 6 - A
 Total Pages: 6 (A - C)
 Finalized Date: 25-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01742		0.38	0.002	<0.2	3.86	14	<10	190	1.2	<2	1.20	<0.5	12	42	27	3.03
CC01743		0.24	0.001	<0.2	4.48	17	<10	180	1.4	<2	1.24	<0.5	12	49	22	3.09
CC01744		0.34	0.004	<0.2	3.96	15	<10	200	1.2	<2	1.76	<0.5	14	44	37	3.31
CC01745		0.30	0.007	<0.2	3.32	18	<10	160	1.0	<2	0.26	<0.5	10	40	26	2.96
CC01746		0.24	0.003	<0.2	2.05	45	<10	100	0.5	<2	0.22	<0.5	10	27	31	2.60
CC01747		0.26	0.001	0.2	2.78	48	<10	130	1.0	<2	0.18	<0.5	16	31	33	3.16
CC01748		0.32	0.221	1.2	1.94	1340	20	90	0.8	58	1.11	1.6	32	26	382	5.11
CC01749		0.40	0.043	0.5	2.26	1625	10	210	1.1	26	0.53	0.6	13	31	347	3.47
CC01750		0.54	0.078	0.4	1.68	2260	<10	230	1.0	16	0.32	0.6	17	25	202	2.82



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 6 - B
 Total Pages: 6 (A - C)
 Finalized Date: 25-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC01742		10	2	0.33	20	1.36	533	<1	0.19	30	940	24	0.02	3	5	129
CC01743		10	4	0.37	20	1.62	519	<1	0.19	33	1150	17	0.04	6	6	108
CC01744		10	3	0.32	20	1.36	719	<1	0.21	34	1130	17	0.02	2	6	161
CC01745		10	<1	0.14	20	1.03	420	<1	0.02	31	880	14	0.02	2	4	24
CC01746		10	<1	0.05	10	0.58	217	1	0.01	24	820	12	0.03	3	2	16
CC01747		10	1	0.07	10	0.57	2010	2	0.01	26	1030	17	0.05	6	2	15
CC01748		<10	<1	0.08	20	0.58	869	2	0.04	53	1470	202	0.05	28	5	53
CC01749		10	2	0.17	30	0.64	594	1	0.03	29	1060	40	0.01	6	5	47
CC01750		<10	2	0.12	40	0.46	597	1	0.01	29	1300	26	0.01	4	4	44



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04054414

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC01742		0.13	<10	<10	63	<10	89
CC01743		0.15	<10	<10	71	<10	67
CC01744		0.14	<10	<10	57	<10	83
CC01745		0.11	<10	<10	59	<10	73
CC01746		0.06	<10	<10	47	<10	65
CC01747		0.06	<10	<10	52	<10	65
CC01748		0.07	<10	<10	43	<10	326
CC01749		0.11	<10	10	54	<10	112
CC01750		0.09	<10	20	49	10	78



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 27-AUG-2004
 Account: DYNAMITE

CERTIFICATE VA04054413

Project: Mike Lake
 P.O. No.:
 This report is for 211 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-AUG-2004.
 The following have access to data associated with this certificate:

VANCOUVER OFFICE JOAN MARIACHER	AL ARCHER BILL WENGZYNOWSKI	DOUG EATON
------------------------------------	--------------------------------	------------

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - A
 Total Pages: 7 (A - C)
 Finalized Date: 27-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01256		0.28	0.097	0.6	1.80	1345	<10	150	1.4	16	0.46	0.7	27	25	348	3.37
CC01257		0.32	0.545	9.2	2.00	>10000	40	100	1.6	293	0.84	2.2	76	15	4040	9.36
CC01258		0.36	1.315	10.2	1.80	>10000	20	70	1.5	470	0.63	1.7	85	15	4660	10.00
CC01259		0.32	1.110	11.1	1.84	>10000	20	70	1.5	484	0.62	1.2	82	13	4720	10.15
CC01260		0.30	0.243	4.4	2.16	9940	20	60	1.7	272	0.44	1.2	59	18	1895	11.50
CC01261		0.34	0.311	3.9	2.47	>10000	10	70	2.3	253	0.51	0.8	68	20	2060	10.70
CC01262		0.18	0.001	0.6	2.08	1265	<10	140	1.2	16	0.32	0.6	15	28	329	3.63
CC01263		0.24	0.039	0.3	1.88	1205	<10	120	1.2	14	0.25	0.5	16	21	290	2.36
CC01264		0.34	0.017	0.2	1.54	767	<10	150	0.8	7	0.35	0.6	17	27	149	3.12
CC01265		0.28	0.010	0.2	2.07	74	<10	80	0.8	2	0.09	<0.5	7	26	29	3.03
CC01266		0.28	0.008	<0.2	1.84	250	<10	110	0.8	2	0.13	<0.5	11	25	51	2.96
CC01267		0.26	0.017	0.2	2.04	97	<10	130	1.3	2	0.13	<0.5	12	29	77	3.92
CC01268		0.30	0.005	<0.2	1.72	31	<10	160	2.1	2	0.14	0.5	17	29	32	3.24
CC01269		0.28	0.048	<0.2	1.62	32	<10	80	0.9	2	0.09	0.6	8	26	23	3.25
CC01270		0.32	0.011	0.3	1.82	45	<10	140	1.2	<2	0.21	0.6	12	27	48	3.35
CC01271		0.34	0.011	<0.2	1.88	30	<10	100	1.1	<2	0.10	0.5	10	29	31	3.45
CC01272		0.24	0.011	<0.2	2.20	39	<10	170	2.1	2	0.12	0.5	19	34	47	3.72
CC01273		0.40	0.026	0.2	2.07	36	<10	220	1.5	2	0.21	<0.5	18	31	65	3.74
CC01274		0.48	0.002	0.3	2.12	40	<10	150	1.8	<2	0.11	0.5	18	30	53	3.89
CC01275		0.42	0.010	0.9	2.80	54	<10	180	1.5	3	0.32	<0.5	11	34	122	6.47
CC01276		0.42	0.018	1.0	2.65	58	<10	200	2.1	3	0.24	0.5	19	35	137	7.56
CC01277		0.42	0.009	0.2	2.41	57	<10	210	1.6	2	0.19	0.8	27	32	130	5.29
CC01278		0.34	0.005	<0.2	2.33	46	<10	140	1.3	<2	0.25	0.6	20	32	65	4.32
CC01279		0.36	0.012	0.3	2.89	37	<10	130	1.3	2	0.24	0.5	16	21	52	4.11
CC01280		0.56	0.032	0.4	2.17	71	<10	160	1.4	3	0.19	0.6	16	33	60	3.60
CC01281		0.34	0.002	0.3	2.65	48	<10	100	1.1	<2	0.08	<0.5	10	36	27	3.68
CC01282		0.32	0.004	0.2	2.28	158	<10	140	1.1	3	0.12	0.5	11	27	79	3.96
CC01283		0.52	0.023	0.5	2.35	814	<10	170	1.6	7	0.18	0.8	19	27	190	5.59
CC01284		0.50	0.035	0.5	2.52	1475	<10	190	1.8	10	0.24	0.7	29	27	283	4.52
CC01285		0.48	0.054	0.4	1.90	1310	<10	130	1.0	17	0.21	0.5	15	23	259	2.98
CC01286		0.42	0.001	0.2	2.08	1010	<10	130	1.5	11	0.12	<0.5	17	20	220	3.01
CC01292		0.32	0.002	<0.2	4.81	19	<10	170	1.3	2	2.13	0.5	15	49	47	3.21
CC01293		0.34	0.024	<0.2	5.03	11	<10	140	1.6	<2	2.03	<0.5	10	51	21	2.58
CC01294		0.30	0.007	<0.2	4.55	31	<10	160	1.5	2	2.33	<0.5	13	46	37	2.68
CC01295		0.38	0.002	<0.2	4.85	25	10	220	1.5	<2	3.68	<0.5	16	48	48	3.28
CC01296		0.32	0.082	<0.2	4.22	21	10	180	1.4	2	2.67	<0.5	13	44	45	2.87
CC01297		0.28	0.041	0.2	3.90	21	10	180	1.3	2	1.92	<0.5	15	42	46	2.80
CC01298		0.30	0.015	0.3	2.62	253	10	130	1.0	15	1.10	0.7	35	33	176	4.43
CC01299		0.32	0.012	0.3	2.85	144	<10	140	1.1	6	0.32	0.6	29	43	224	4.57
CC01300		0.40	0.004	0.5	3.30	210	<10	300	1.1	7	0.44	0.6	39	46	512	5.21



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - B
 Total Pages: 7 (A - C)
 Finalized Date: 27-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	
CC01256		10	1	0.17	40	0.50	333	3	0.02	40	1370	26	0.08	5	4	52
CC01257		<10	<1	0.17	30	0.46	551	5	0.08	96	1320	80	0.24	56	4	142
CC01258		10	1	0.15	20	0.43	544	3	0.07	88	1180	79	0.16	57	5	122
CC01259		<10	<1	0.14	30	0.42	532	4	0.07	89	1200	80	0.17	56	4	114
CC01260		10	1	0.15	20	0.56	582	5	0.05	64	1390	54	0.21	55	4	107
CC01261		10	<1	0.14	30	0.66	656	5	0.05	84	1520	68	0.11	50	5	131
CC01262		10	1	0.18	30	0.57	298	4	0.03	34	1580	26	0.09	4	4	46
CC01263		10	<1	0.11	30	0.37	517	2	0.02	21	1100	30	0.08	3	2	36
CC01264		<10	<1	0.11	30	0.46	492	2	0.01	33	1290	16	0.02	2	4	36
CC01265		10	<1	0.06	10	0.29	260	1	0.01	19	520	12	0.04	4	2	13
CC01266		10	<1	0.07	20	0.36	369	2	0.01	27	780	13	0.04	3	2	18
CC01267		10	<1	0.12	20	0.46	354	3	0.01	36	1100	14	0.07	4	3	32
CC01268		10	<1	0.08	20	0.46	709	1	0.01	29	700	12	0.03	3	2	16
CC01269		<10	<1	0.06	20	0.32	301	2	<0.01	24	540	11	0.03	2	2	12
CC01270		<10	1	0.11	20	0.43	426	2	<0.01	33	1050	10	0.03	3	3	22
CC01271		10	1	0.08	20	0.42	386	2	<0.01	29	560	13	0.03	3	2	13
CC01272		<10	<1	0.10	20	0.50	808	2	<0.01	35	820	15	0.04	2	3	15
CC01273		10	1	0.11	20	0.44	681	2	<0.01	38	1070	21	0.02	3	4	22
CC01274		<10	<1	0.10	20	0.48	658	3	<0.01	39	800	19	0.04	2	2	20
CC01275		10	<1	0.36	20	0.67	301	11	0.09	36	2370	47	0.53	4	4	219
CC01276		10	<1	0.38	30	0.73	630	17	0.07	44	3520	55	0.61	6	4	178
CC01277		10	<1	0.19	20	0.69	758	6	0.02	58	1720	26	0.22	8	4	108
CC01278		10	1	0.08	20	0.47	857	4	0.01	45	1280	26	0.06	8	3	43
CC01279		10	<1	0.07	10	0.35	541	3	0.02	31	1420	25	0.15	3	2	65
CC01280		10	<1	0.15	20	0.56	653	2	0.01	36	1070	16	0.03	3	4	30
CC01281		10	<1	0.13	20	0.49	418	2	<0.01	24	580	14	0.03	2	3	14
CC01282		10	2	0.08	20	0.47	375	5	0.02	29	1140	15	0.09	3	2	29
CC01283		<10	<1	0.16	20	0.49	602	7	0.03	43	1880	25	0.15	5	4	53
CC01284		10	<1	0.19	30	0.51	742	5	0.02	57	1640	28	0.07	3	4	52
CC01285		10	<1	0.12	30	0.39	438	2	0.01	27	1170	27	0.04	4	2	41
CC01286		10	1	0.09	30	0.34	464	3	0.01	27	1210	22	0.10	4	1	27
CC01292		10	2	0.33	10	1.94	673	1	0.36	40	910	8	0.07	<2	6	260
CC01293		10	1	0.22	10	1.52	456	1	0.34	21	840	8	0.08	<2	5	243
CC01294		10	<1	0.29	20	1.28	541	1	0.35	30	870	13	0.08	<2	5	217
CC01295		10	1	0.62	20	1.46	596	1	0.39	35	900	16	0.07	<2	6	250
CC01296		10	<1	0.28	20	1.18	536	1	0.31	30	790	16	0.12	3	5	188
CC01297		10	<1	0.30	20	1.08	654	1	0.24	33	1020	17	0.11	3	4	142
CC01298		10	1	0.15	20	0.75	509	1	0.15	66	690	33	0.08	7	4	99
CC01299		10	1	0.11	20	1.04	757	2	0.04	58	1120	32	0.10	6	4	33
CC01300		10	<1	0.55	20	1.46	773	2	0.06	52	1960	26	0.33	4	8	69



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 2 - C

Total Pages: 7 (A - C)

Finalized Date: 27-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC01256		0.08	<10	10	49	20	82
CC01257		0.05	<10	10	39	50	194
CC01258		0.04	<10	<10	37	150	168
CC01259		0.04	<10	<10	33	140	173
CC01260		0.05	<10	<10	44	90	98
CC01261		0.05	<10	<10	46	70	122
CC01262		0.08	<10	10	56	10	82
CC01263		0.07	<10	<10	42	30	50
CC01264		0.09	<10	<10	57	10	80
CC01265		0.07	<10	<10	62	<10	49
CC01266		0.07	<10	<10	54	<10	53
CC01267		0.08	<10	<10	58	<10	71
CC01268		0.07	<10	<10	55	<10	68
CC01269		0.07	<10	<10	55	<10	53
CC01270		0.09	<10	<10	55	<10	75
CC01271		0.07	<10	<10	58	<10	65
CC01272		0.08	<10	<10	62	<10	82
CC01273		0.11	<10	<10	65	<10	93
CC01274		0.07	<10	<10	60	<10	89
CC01275		0.09	<10	<10	79	<10	109
CC01276		0.08	<10	10	98	<10	162
CC01277		0.07	<10	<10	90	<10	133
CC01278		0.05	<10	<10	72	<10	138
CC01279		0.06	<10	<10	46	<10	82
CC01280		0.09	<10	<10	58	<10	80
CC01281		0.11	<10	<10	69	<10	68
CC01282		0.05	<10	<10	55	<10	69
CC01283		0.06	<10	10	59	10	93
CC01284		0.08	<10	10	56	20	92
CC01285		0.06	<10	<10	46	30	62
CC01286		0.04	<10	<10	40	40	54
CC01292		0.14	<10	<10	64	<10	110
CC01293		0.13	<10	<10	52	<10	60
CC01294		0.13	<10	<10	50	<10	74
CC01295		0.17	<10	<10	52	<10	80
CC01296		0.14	<10	<10	47	<10	64
CC01297		0.13	<10	<10	47	<10	71
CC01298		0.11	<10	<10	50	10	72
CC01299		0.14	<10	<10	72	<10	76
CC01300		0.22	<10	<10	120	20	87



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - A
Total Pages: 7 (A - C)
Finalized Date: 27-AUG-2004
Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg 0.02	Au ppm 0.001	Ag ppm 0.2	Al % 0.01	As ppm 2	B ppm 10	Ba ppm 10	Be ppm 0.5	Bi ppm 2	Ca % 0.01	Cd ppm 0.5	Co ppm 1	Cr ppm 1	Cu ppm 1	Fe % 0.01
CC01301		0.38	0.030	0.8	3.46	196	<10	210	1.2	5	1.22	0.6	32	38	409	4.73
CC01302		0.38	8.05	2.7	2.00	2550	<10	100	1.5	248	0.47	0.7	32	36	1620	6.81
CC01303		0.44	0.495	2.2	1.55	3110	<10	100	1.2	84	0.48	0.9	32	19	1420	9.52
CC01304		0.26	0.085	4.0	2.56	3590	<10	230	1.1	124	0.61	1.1	48	15	2650	5.40
CC01305		0.26	0.032	0.9	2.64	656	<10	240	1.0	17	0.47	0.9	30	20	595	4.10
CC01306		0.20	0.021	0.4	1.60	264	<10	250	0.5	3	0.82	0.5	18	19	241	3.59
CC01320		0.28	0.089	0.4	1.88	1810	<10	160	1.6	26	0.40	0.5	13	24	544	3.00
CC01321		0.28	0.111	0.7	1.69	1520	<10	150	1.7	24	0.59	0.6	20	22	494	3.01
CC01322		0.28	0.141	3.6	2.07	3010	<10	100	2.8	53	0.82	1.1	30	19	1610	3.44
CC01323		0.28	0.032	0.5	2.26	1070	<10	170	1.9	22	0.60	0.5	13	25	333	3.03
CC01324		0.20	0.022	0.4	1.80	1255	<10	130	1.1	21	0.25	0.6	10	24	483	2.64
CC01325		0.22	0.114	1.4	2.49	3080	<10	230	1.3	51	0.36	<0.5	10	39	1740	4.40
CC01326		0.20	0.029	0.5	2.27	1810	<10	320	1.2	80	0.28	<0.5	19	61	737	4.46
CC01327		0.26	0.019	2.5	1.54	2320	<10	100	0.9	29	0.30	<0.5	19	32	829	4.77
CC01328		0.24	0.061	1.0	1.33	3850	<10	170	0.7	64	0.33	0.6	16	25	620	3.20
CC01329		0.24	0.088	2.9	1.12	8840	<10	150	1.3	52	0.35	0.7	39	19	1580	4.54
CC01330		0.22	0.026	0.4	1.76	2020	<10	120	0.7	54	0.21	<0.5	7	24	429	3.05
CC01331		0.26	0.067	0.8	1.36	4360	<10	160	1.2	46	0.25	0.9	24	21	326	3.54
CC01332		0.30	0.025	0.3	2.27	703	<10	100	2.6	12	0.99	0.6	13	18	271	2.30
CC01333		0.28	0.050	0.2	1.86	797	<10	160	2.0	12	0.30	0.5	12	23	259	3.16
CC01334		0.34	0.176	0.8	1.55	1445	<10	170	1.3	39	0.46	0.6	11	20	680	2.66
CC01335		0.38	0.588	1.2	1.49	5780	<10	160	1.4	84	0.34	0.7	17	21	710	3.89
CC01336		0.36	0.246	0.8	1.40	3740	<10	150	1.3	54	0.25	0.7	13	18	514	2.77
CC01337		0.40	0.022	0.3	1.88	444	<10	170	0.8	16	0.40	0.6	11	27	213	2.64
CC01338		0.52	0.030	0.3	1.94	929	<10	170	1.0	14	0.37	<0.5	8	26	192	2.62
CC01339		0.38	0.050	0.3	2.07	1535	<10	160	1.1	22	0.25	<0.5	12	27	212	3.13
CC01340		0.40	0.035	0.2	1.73	595	<10	140	0.7	11	0.47	0.5	9	24	150	2.34
CC01341		0.24	0.051	0.4	2.04	3070	<10	140	1.4	30	0.18	<0.5	11	26	358	3.66
CC01342		0.24	0.058	0.3	2.06	2800	<10	280	1.2	24	0.30	<0.5	20	32	355	4.06
CC01343		0.26	0.044	0.3	1.34	1155	<10	100	0.7	7	0.23	<0.5	11	21	238	2.55
CC01344		0.28	0.067	0.3	1.07	1270	<10	120	0.6	10	0.31	0.5	11	19	412	2.42
CC01345		0.28	0.002	0.3	2.66	33	<10	230	0.6	<2	1.10	<0.5	20	50	57	4.55
CC01346		0.32	0.005	0.2	2.84	35	<10	230	0.8	<2	0.71	<0.5	25	35	86	4.80
CC01347		0.28	0.006	0.2	3.51	24	<10	240	1.1	2	1.22	<0.5	15	54	39	3.93
CC01348		0.24	<0.001	<0.2	3.81	19	<10	160	1.3	<2	1.40	<0.5	12	45	42	3.37
CC01349		0.42	0.001	<0.2	3.94	5	<10	210	1.3	<2	1.68	<0.5	11	46	31	3.24
CC01350		0.28	0.008	<0.2	3.59	16	<10	170	1.1	2	5.02	<0.5	9	40	18	2.54
CC01351		0.40	1.550	0.3	2.62	950	10	170	2.7	15	1.20	<0.5	7	21	162	6.54
CC01352		0.44	0.160	1.3	1.58	4550	10	130	0.6	90	0.80	1.1	15	16	543	4.08
CC01353		0.30	0.006	0.3	1.96	1200	<10	110	0.6	55	0.37	0.5	9	18	317	2.92



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - B
 Total Pages: 7 (A - C)
 Finalized Date: 27-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC01301		10	1	0.36	20	1.04	741	2	0.19	61	1550	26	0.21	5	6	130
CC01302		<10	1	0.07	30	0.54	682	3	0.03	85	1360	53	0.06	25	5	55
CC01303		<10	1	0.07	50	0.35	1500	3	0.03	53	1260	43	0.07	17	5	47
CC01304		10	1	0.12	20	0.50	574	3	0.07	49	2160	63	0.10	23	3	56
CC01305		10	1	0.12	30	0.64	675	2	0.04	60	1530	52	0.06	7	3	42
CC01306		10	<1	0.12	20	0.57	327	1	0.07	34	1440	26	0.03	7	3	59
CC01320		10	<1	0.08	40	0.51	401	2	0.01	21	890	29	0.01	6	3	84
CC01321		<10	<1	0.12	50	0.48	554	2	0.02	22	1160	34	<0.01	8	4	176
CC01322		10	<1	0.09	50	0.64	469	1	0.01	18	1190	59	0.01	12	5	170
CC01323		10	<1	0.08	50	0.56	445	2	0.02	24	1120	55	0.02	15	4	400
CC01324		<10	<1	0.11	50	0.41	396	3	0.01	20	1480	39	0.06	4	2	65
CC01325		10	<1	0.36	20	1.04	256	3	0.02	32	1230	24	0.07	7	7	60
CC01326		10	<1	0.56	20	1.25	314	2	0.01	50	860	80	0.07	7	8	33
CC01327		<10	1	0.23	30	0.56	674	6	0.01	16	1800	116	0.07	50	8	24
CC01328		<10	1	0.13	40	0.48	351	2	0.01	25	1280	23	0.02	8	4	35
CC01329		<10	<1	0.11	50	0.44	447	2	0.01	25	1140	65	0.01	28	5	53
CC01330		10	1	0.09	30	0.48	225	3	0.01	17	790	34	0.07	5	1	103
CC01331		<10	1	0.07	50	0.41	547	1	<0.01	26	1060	59	0.01	15	4	40
CC01332		10	<1	0.17	50	0.63	455	1	0.02	13	1040	41	<0.01	8	4	200
CC01333		10	<1	0.12	50	0.51	483	2	0.01	19	1080	38	0.03	4	3	120
CC01334		<10	<1	0.13	40	0.40	341	2	0.01	18	1120	77	0.01	9	3	134
CC01335		<10	1	0.10	40	0.48	430	4	0.01	20	1040	73	0.04	14	3	67
CC01336		<10	<1	0.13	40	0.39	422	2	0.01	15	930	52	0.04	10	2	80
CC01337		10	<1	0.13	20	0.56	439	1	0.01	24	980	29	0.02	3	4	35
CC01338		10	1	0.14	30	0.49	314	1	0.01	22	820	23	<0.01	4	4	30
CC01339		10	1	0.11	30	0.52	452	1	<0.01	24	760	34	0.01	4	4	28
CC01340		<10	<1	0.07	20	0.47	356	1	0.02	24	1020	23	<0.01	3	4	48
CC01341		10	1	0.08	50	0.51	415	4	<0.01	22	900	39	0.04	3	3	49
CC01342		10	<1	0.29	50	0.73	591	5	0.03	32	1180	30	0.10	6	6	56
CC01343		<10	<1	0.07	20	0.41	384	1	<0.01	22	900	24	0.01	2	3	36
CC01344		<10	<1	0.07	30	0.39	369	1	<0.01	24	1030	17	<0.01	2	3	38
CC01345		10	<1	0.23	10	1.48	1280	1	0.03	39	710	14	0.06	4	5	51
CC01346		10	1	0.36	20	1.49	944	2	0.04	50	900	23	0.06	7	6	133
CC01347		10	<1	0.21	10	1.53	688	2	0.16	37	870	10	0.06	4	6	113
CC01348		10	<1	0.26	20	1.58	538	2	0.12	28	980	14	0.07	2	6	104
CC01349		10	1	0.35	20	1.56	397	1	0.18	25	950	14	0.04	<2	6	148
CC01350		10	1	0.33	20	1.40	421	1	0.19	19	750	9	0.06	<2	5	198
CC01351		10	1	0.05	30	0.40	1265	2	0.03	19	710	39	0.03	31	7	189
CC01352		<10	<1	0.04	30	0.26	860	1	0.02	38	1260	78	0.02	28	2	74
CC01353		10	1	0.04	10	0.33	785	1	0.02	17	1050	43	0.06	9	1	31



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 3 - C
 Total Pages: 7 (A - C)
 Finalized Date: 27-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
CC01301		0.14	<10	<10	65	20	86
CC01302		0.07	<10	<10	58	70	100
CC01303		0.04	<10	<10	42	50	116
CC01304		0.08	<10	<10	52	120	109
CC01305		0.11	<10	<10	56	20	99
CC01306		0.12	<10	<10	53	10	68
CC01320		0.05	<10	30	46	20	69
CC01321		0.06	<10	50	44	70	69
CC01322		0.03	<10	60	41	20	87
CC01323		0.04	<10	20	48	10	71
CC01324		0.07	<10	20	44	160	58
CC01325		0.23	<10	10	104	30	66
CC01326		0.32	<10	<10	114	10	104
CC01327		0.10	<10	<10	94	<10	39
CC01328		0.08	<10	40	49	350	69
CC01329		0.05	<10	40	37	200	64
CC01330		0.06	<10	10	45	40	54
CC01331		0.05	<10	40	40	90	75
CC01332		0.04	<10	20	36	10	61
CC01333		0.06	<10	10	47	30	66
CC01334		0.06	<10	50	38	40	70
CC01335		0.05	<10	80	40	250	83
CC01336		0.06	<10	40	33	150	65
CC01337		0.10	<10	10	46	<10	87
CC01338		0.10	<10	<10	44	10	72
CC01339		0.09	<10	<10	49	<10	78
CC01340		0.08	<10	<10	40	<10	72
CC01341		0.06	<10	20	49	<10	69
CC01342		0.16	<10	10	71	<10	72
CC01343		0.06	<10	10	42	<10	70
CC01344		0.06	<10	10	39	10	72
CC01345		0.12	<10	<10	89	<10	50
CC01346		0.12	<10	<10	83	<10	69
CC01347		0.14	<10	<10	90	<10	77
CC01348		0.12	<10	<10	66	<10	87
CC01349		0.13	<10	<10	55	<10	93
CC01350		0.10	<10	<10	43	<10	52
CC01351		0.02	<10	<10	42	<10	132
CC01352		0.03	<10	<10	27	40	128
CC01353		0.04	<10	<10	33	20	95



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 4 - A
 Total Pages: 7 (A - C)
 Finalized Date: 27-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054413

Method Analyte Units LOR	WEI-21 Recvd WL kg	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01354	0.42	0.017	3.9	2.18	7380	20	100	0.8	71	0.65	1.4	13	21	3040	5.14
CC01355	0.42	0.012	1.8	1.31	>10000	40	90	0.8	209	0.85	1.3	12	10	1465	5.36
CC01356	0.40	0.042	0.9	1.64	5320	30	90	0.7	154	1.13	1.0	19	12	743	3.35
CC01357	0.38	0.015	0.6	1.54	684	10	100	0.7	60	1.19	1.4	9	14	125	1.92
CC01358	0.40	0.031	0.3	2.81	229	<10	250	0.9	2	0.19	<0.5	31	30	254	7.70
CC01359	0.38	0.011	0.3	2.13	123	<10	130	0.6	4	0.56	0.9	59	15	283	6.49
CC01360	0.30	0.016	0.2	2.37	341	<10	130	0.8	7	0.53	1.2	19	30	93	3.19
CC01361	0.44	0.027	1.1	1.58	745	20	110	0.6	40	1.02	1.5	15	16	851	2.34
CC01362	0.32	0.012	0.3	2.66	444	10	120	2.0	6	1.20	0.8	10	26	138	4.87
CC01363	0.48	0.007	0.3	1.72	870	40	140	0.7	24	0.54	0.9	14	13	81	1.88
CC01364	0.34	0.025	0.3	1.76	943	10	100	0.6	9	0.61	0.6	10	16	150	2.51
CC01365	0.46	0.134	0.3	1.65	1145	20	160	1.6	31	1.04	0.7	14	19	92	4.73
CC01366	0.38	0.023	0.6	1.98	2340	10	120	2.9	65	1.28	0.7	23	22	132	7.00
CC01367	0.36	0.017	0.7	2.05	720	10	140	1.0	28	0.64	0.7	16	19	130	2.97
CC01368	0.44	0.015	0.3	1.63	799	10	140	0.7	21	0.64	0.7	12	16	136	2.87
CC01369	0.34	0.025	<0.2	1.71	261	<10	100	0.6	4	0.09	<0.5	10	23	60	2.47
CC01370	0.32	0.082	0.2	2.02	1255	<10	70	0.8	12	0.08	<0.5	9	23	138	2.84
CC01371	0.24	0.086	0.2	1.88	908	<10	70	0.7	10	0.07	0.5	9	23	102	2.60
CC01372	0.34	0.156	0.3	1.17	876	<10	90	0.5	12	0.30	0.5	15	21	226	2.39
CC01373	0.32	0.181	0.3	1.52	1410	<10	90	0.6	17	0.18	<0.5	6	18	371	2.19
CC01374	0.38	0.681	1.9	1.02	7050	<10	120	0.8	63	0.23	0.8	23	16	1070	2.95
CC01375	0.40	0.736	1.8	1.16	4840	<10	150	1.3	63	0.42	1.1	26	18	1295	4.35
CC01376	0.44	0.166	0.3	1.84	1400	<10	230	1.6	25	0.47	0.6	14	21	406	2.38
CC01377	0.36	0.272	0.4	3.16	1115	<10	80	5.4	41	1.14	0.6	19	33	905	3.62
CC01378	0.32	0.184	1.0	2.23	3080	<10	200	2.5	68	0.59	0.6	15	22	1360	3.44
CC01379	0.36	0.248	1.0	1.34	4100	<10	130	1.3	70	0.26	1.0	22	20	857	3.84
CC01380	0.34	0.108	0.2	1.42	2250	<10	120	0.7	37	0.25	0.6	9	20	484	2.61
CC01381	0.42	0.082	0.4	1.54	1755	<10	120	0.9	19	0.27	0.6	15	24	234	3.18
CC01382	0.32	0.021	<0.2	1.44	529	<10	60	0.6	4	0.09	<0.5	10	20	38	2.17
CC01383	0.32	0.210	0.3	2.07	1680	<10	120	0.9	18	0.15	<0.5	13	27	263	3.24
CC01384	0.34	0.110	<0.2	1.31	990	<10	80	<0.5	11	0.12	<0.5	12	19	80	2.23
CC01385	0.26	0.004	0.2	1.66	106	<10	60	<0.5	2	0.07	<0.5	8	24	28	2.73
CC01386	0.40	0.054	6.3	0.53	4910	<10	60	1.1	15	0.54	12.9	13	7	326	6.28
CC01387	0.48	0.038	0.4	2.42	1290	<10	130	2.4	23	0.81	0.7	11	23	398	2.78
CC01388	0.36	0.028	0.4	1.19	1785	<10	100	0.7	12	0.36	<0.5	9	21	320	2.44
CC01389	0.34	0.035	2.1	1.68	9900	<10	180	1.0	33	0.25	0.6	25	30	868	5.30
CC01390	0.42	0.041	1.5	2.67	8240	120	180	0.8	156	2.04	0.7	16	21	480	3.89
CC01391	0.48	0.018	0.6	3.22	3100	110	180	1.0	42	2.39	0.6	15	21	268	2.69
CC01392	0.38	0.018	0.6	1.87	2100	<10	170	1.1	10	0.36	<0.5	18	29	432	3.67
CC01393	0.44	0.048	3.1	1.84	7160	<10	130	1.0	49	0.33	<0.5	18	32	1280	4.70



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 4 - B
Total Pages: 7 (A - C)
Finalized Date: 27-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC01354	<10	<1	0.04	20	0.28	1025	1	0.03	20	710	55	0.03	24	4	80	
CC01355	<10	<1	0.03	30	0.18	596	1	0.05	24	960	130	0.04	21	2	46	
CC01356	<10	<1	0.04	30	0.18	832	1	0.08	22	1160	83	0.03	17	2	83	
CC01357	<10	1	0.05	30	0.20	1295	<1	0.08	17	1220	159	0.06	8	2	64	
CC01358	10	1	0.41	20	0.68	582	6	0.07	41	2630	28	0.54	8	7	75	
CC01359	<10	1	0.14	20	0.32	1170	3	0.07	62	1830	32	0.11	5	3	42	
CC01360	10	1	0.06	20	0.56	830	1	0.04	33	1160	49	0.09	3	3	34	
CC01361	<10	<1	0.05	30	0.27	1165	1	0.07	21	1120	56	0.08	9	2	54	
CC01362	10	1	0.03	20	0.89	2740	1	0.05	22	1000	44	0.04	20	5	162	
CC01363	<10	<1	0.04	20	0.21	964	1	0.05	19	1020	59	0.05	11	1	51	
CC01364	<10	<1	0.04	20	0.26	894	1	0.02	23	1060	52	0.09	10	1	30	
CC01365	<10	1	0.04	30	0.25	2250	1	0.06	24	1080	41	0.04	12	4	132	
CC01366	10	1	0.04	30	0.37	3830	1	0.04	35	1140	49	0.02	15	6	162	
CC01367	<10	1	0.05	30	0.33	1055	2	0.05	33	1760	100	0.09	6	2	53	
CC01368	<10	<1	0.07	30	0.30	977	1	0.09	22	1240	42	0.04	10	2	86	
CC01369	<10	<1	0.04	10	0.41	424	1	<0.01	22	460	17	0.03	<2	2	16	
CC01370	<10	<1	0.05	10	0.36	390	1	<0.01	21	780	27	0.06	2	2	11	
CC01371	10	1	0.05	10	0.34	366	2	<0.01	18	860	20	0.08	<2	1	10	
CC01372	<10	<1	0.08	20	0.41	407	2	0.01	24	1020	18	0.02	3	3	23	
CC01373	<10	<1	0.08	20	0.31	218	2	0.01	15	870	23	0.06	3	1	31	
CC01374	<10	<1	0.19	50	0.32	558	1	0.01	15	1020	40	0.12	7	3	39	
CC01375	<10	<1	0.11	50	0.31	906	3	0.01	22	1420	78	0.03	14	6	104	
CC01376	<10	1	0.16	40	0.42	468	1	0.02	20	1110	27	0.03	2	3	114	
CC01377	10	1	0.15	50	0.54	935	1	0.05	20	1250	59	0.02	8	9	241	
CC01378	10	<1	0.21	50	0.51	645	2	0.01	14	1240	39	0.04	10	6	248	
CC01379	<10	<1	0.07	40	0.38	499	2	0.01	22	930	57	0.05	7	5	61	
CC01380	<10	<1	0.07	20	0.37	249	1	0.01	20	1010	35	0.04	3	3	43	
CC01381	<10	<1	0.07	30	0.50	496	1	0.01	29	1050	33	0.02	3	4	31	
CC01382	<10	<1	0.04	20	0.36	306	1	<0.01	22	370	20	0.02	<2	2	11	
CC01383	10	1	0.06	20	0.48	357	3	0.01	25	720	29	0.05	3	3	18	
CC01384	<10	<1	0.04	10	0.39	380	1	<0.01	23	370	13	0.02	3	2	13	
CC01385	10	<1	0.04	10	0.32	404	3	<0.01	16	700	18	0.06	<2	1	12	
CC01386	<10	<1	0.09	30	0.08	570	4	<0.01	15	1020	4970	0.08	34	7	40	
CC01387	10	1	0.13	40	0.60	531	1	0.02	19	1190	64	0.03	6	5	156	
CC01388	<10	<1	0.07	20	0.43	403	1	0.01	21	1070	18	0.02	7	4	34	
CC01389	<10	1	0.26	30	0.54	989	4	0.02	32	1400	84	0.16	55	9	39	
CC01390	10	<1	0.19	20	0.59	864	1	0.11	41	1270	79	0.08	27	4	156	
CC01391	10	<1	0.29	30	0.62	832	1	0.15	33	1340	37	0.06	10	4	186	
CC01392	10	<1	0.17	30	0.60	755	2	0.02	30	1040	37	0.08	15	6	41	
CC01393	10	1	0.23	30	0.63	501	4	0.02	30	1580	73	0.14	46	7	37	



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 4 - C
 Total Pages: 7 (A - C)
 Finalized Date: 27-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01354		0.03	<10	<10	30	10	134
CC01355		0.02	<10	<10	16	10	106
CC01356		0.02	<10	<10	18	<10	106
CC01357		0.03	<10	<10	20	<10	166
CC01358		0.16	<10	<10	77	<10	83
CC01359		0.08	<10	<10	34	<10	152
CC01360		0.08	<10	<10	48	<10	626
CC01361		0.03	<10	<10	26	<10	232
CC01362		0.02	<10	<10	38	<10	215
CC01363		0.03	<10	<10	22	10	110
CC01364		0.03	<10	<10	30	<10	110
CC01365		0.02	<10	<10	34	<10	109
CC01366		0.02	<10	<10	32	<10	168
CC01367		0.05	<10	<10	39	<10	118
CC01368		0.05	<10	<10	33	<10	97
CC01369		0.05	<10	<10	43	<10	79
CC01370		0.05	<10	<10	40	10	69
CC01371		0.05	<10	<10	42	10	63
CC01372		0.07	<10	<10	40	10	67
CC01373		0.06	<10	10	35	10	49
CC01374		0.08	<10	30	31	<10	59
CC01375		0.04	<10	40	35	20	95
CC01376		0.09	<10	10	40	30	61
CC01377		0.05	<10	50	59	10	84
CC01378		0.07	<10	20	44	40	67
CC01379		0.04	<10	40	40	70	84
CC01380		0.05	<10	10	38	80	69
CC01381		0.07	<10	10	46	20	82
CC01382		0.05	<10	<10	34	<10	62
CC01383		0.06	<10	20	51	<10	77
CC01384		0.05	<10	<10	33	30	60
CC01385		0.05	<10	<10	49	<10	59
CC01386		<0.01	<10	10	15	<10	4110
CC01387		0.05	<10	20	40	10	143
CC01388		0.06	<10	40	41	10	57
CC01389		0.09	<10	<10	70	10	62
CC01390		0.11	<10	<10	37	<10	84
CC01391		0.12	<10	<10	37	<10	65
CC01392		0.12	<10	10	64	10	75
CC01393		0.11	<10	10	79	10	56



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01394		0.42	0.034	0.5	2.00	2800	<10	120	1.0	27	0.25	<0.5	10	28	258	3.48
CC01395		0.40	0.028	0.3	2.02	481	<10	130	1.9	7	0.79	<0.5	12	18	184	2.35
CC01396		0.24	0.004	<0.2	3.81	14	<10	210	1.3	2	0.62	<0.5	13	57	22	3.89
CC01397		0.20	0.003	0.2	3.11	48	<10	160	1.6	2	0.89	<0.5	13	42	42	3.52
CC01398		0.28	<0.001	0.2	3.92	23	<10	180	1.2	3	1.76	<0.5	13	45	38	3.25
CC01399		0.24	0.001	<0.2	3.91	17	<10	300	1.1	2	1.29	<0.5	13	42	31	3.48
CC01400		0.24	0.012	<0.2	3.28	12	<10	280	1.0	3	0.82	<0.5	12	42	21	3.27
CC01401		0.22	0.001	<0.2	4.43	5	<10	180	1.2	<2	5.32	<0.5	12	45	25	3.22
CC01402		0.22	<0.001	<0.2	4.58	<2	<10	110	1.2	2	11.00	<0.5	8	38	20	2.49
CC01403		0.16	0.005	0.2	3.61	5	<10	160	1.2	<2	2.64	<0.5	9	41	14	2.66
CC01404		0.40	0.018	0.2	1.71	1015	<10	120	0.5	7	0.30	<0.5	8	24	126	2.53
CC01405		0.32	0.006	<0.2	1.88	137	<10	100	0.5	2	0.21	<0.5	9	21	36	2.40
CC01406		0.30	0.015	0.3	2.97	1080	10	220	1.0	15	0.55	<0.5	18	32	235	4.36
CC01407		0.36	0.017	0.2	2.58	1005	10	190	0.9	14	0.41	<0.5	15	27	239	4.27
CC01408		0.40	0.010	0.2	1.63	589	<10	220	0.6	7	0.44	0.5	13	23	148	3.73
CC01409		0.18	0.009	0.3	2.54	612	10	150	0.9	9	0.45	<0.5	12	25	136	3.70
CC01410		0.36	0.006	<0.2	2.43	533	<10	140	0.7	6	0.20	<0.5	11	27	78	3.30
CC01411		0.28	0.005	<0.2	2.40	287	<10	160	0.8	8	0.18	<0.5	15	30	82	3.84
CC01412		0.36	0.008	<0.2	3.04	92	<10	180	1.1	3	0.16	<0.5	11	34	51	3.79
CC01413		0.24	0.012	0.3	3.63	292	<10	240	1.5	7	0.42	0.8	24	32	130	4.42
CC01414		0.28	0.007	0.3	2.76	326	<10	180	0.9	4	0.15	<0.5	11	31	62	4.64
CC01415		0.28	0.033	0.3	1.79	411	<10	200	0.7	7	0.47	0.8	18	27	141	4.44
CC01416		0.24	0.009	0.3	2.81	102	<10	160	0.9	4	0.14	<0.5	9	32	52	3.59
CC01417		0.50	0.018	0.3	2.26	843	20	200	0.9	16	0.87	0.9	18	21	237	4.37
CC01418		0.24	0.010	0.3	1.86	491	10	160	0.8	10	0.72	0.7	13	19	150	3.28
CC01419		0.26	0.016	0.2	2.30	880	10	150	0.8	13	0.30	<0.5	11	27	128	4.47
CC01420		0.26	0.008	<0.2	2.00	366	<10	100	0.6	10	0.18	<0.5	10	25	66	2.73
CC01421		0.26	0.009	<0.2	2.26	324	<10	90	0.7	8	0.20	<0.5	8	25	99	2.64
CC01422		0.30	0.021	0.4	2.33	2240	<10	170	0.9	27	0.76	<0.5	17	31	345	3.62
CC01423		0.20	0.004	<0.2	1.73	226	<10	70	0.5	3	0.17	<0.5	8	29	31	2.91
CC01424		0.24	0.034	0.3	1.96	2590	<10	150	0.8	28	0.27	<0.5	12	28	304	3.27
CC01428		0.40	0.052	1.1	1.70	6360	10	130	0.8	66	0.74	1.1	42	17	853	7.58
CC01429		0.40	0.010	0.4	3.38	989	10	100	0.8	17	0.73	0.9	19	17	210	2.88
CC01430		0.32	0.038	0.9	1.82	2190	200	100	0.8	29	0.59	0.6	21	16	551	5.04
CC01443		0.22	0.021	4.0	2.38	1210	10	140	1.6	13	1.16	8.2	28	27	408	6.50
CC01444		0.12	0.010	2.6	2.33	561	<10	140	1.5	5	1.03	4.0	23	28	204	6.16
CC01445		0.48	0.018	5.0	1.92	1555	10	170	1.5	8	0.98	23.2	36	25	450	8.03
CC01446		0.62	0.158	9.5	1.89	2620	60	40	0.8	142	1.71	3.5	23	9	3600	6.10
CC01447		0.32	0.022	6.4	1.97	1550	<10	120	1.4	10	1.40	9.4	25	25	366	6.25
CC01448		0.34	0.016	0.2	1.76	1060	<10	150	0.6	3	0.36	<0.5	18	24	98	2.97



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 5 - B
 Total Pages: 7 (A - C)
 Finalized Date: 27-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC01394		10	<1	0.09	30	0.58	375	4	0.01	23	1020	46	0.07	7	3	84
CC01395		10	<1	0.13	50	0.60	445	<1	0.03	14	1090	45	0.02	7	4	123
CC01396		10	1	0.23	10	1.38	622	<1	0.08	30	820	14	0.07	<2	6	52
CC01397		10	<1	0.21	20	1.08	669	<1	0.07	32	1130	25	0.08	11	5	95
CC01398		10	2	0.20	20	1.56	491	<1	0.28	29	850	14	0.08	3	6	179
CC01399		10	2	0.43	20	1.47	684	<1	0.15	29	1000	16	0.05	2	7	169
CC01400		10	2	0.38	20	1.14	512	<1	0.08	27	460	8	0.04	2	6	84
CC01401		10	<1	0.45	10	1.66	597	<1	0.29	26	880	11	0.07	3	6	236
CC01402		10	<1	0.35	10	1.50	412	<1	0.38	20	1110	9	0.05	<2	5	413
CC01403		10	1	0.31	20	1.30	576	<1	0.25	22	900	12	0.09	2	4	144
CC01404		<10	1	0.06	20	0.46	276	1	0.02	25	820	14	0.03	5	3	20
CC01405		10	<1	0.04	10	0.37	474	<1	0.02	20	690	25	0.06	2	1	16
CC01406		10	1	0.07	20	0.70	828	1	0.04	42	1400	29	0.13	8	3	42
CC01407		10	<1	0.05	20	0.58	467	1	0.04	37	1300	32	0.09	6	4	38
CC01408		<10	<1	0.10	20	0.46	495	2	0.04	33	1180	18	0.07	7	3	43
CC01409		10	<1	0.06	10	0.53	416	1	0.04	31	1110	28	0.10	8	3	36
CC01410		10	1	0.05	10	0.46	412	1	0.02	25	810	23	0.08	2	2	20
CC01411		10	<1	0.06	10	0.56	422	3	0.03	34	970	20	0.10	3	2	26
CC01412		10	1	0.13	20	0.63	412	2	0.03	25	890	8	0.10	<2	4	26
CC01413		10	<1	0.16	10	0.81	777	2	0.04	40	1680	19	0.21	5	4	57
CC01414		10	<1	0.17	10	0.63	358	2	0.04	27	1110	14	0.20	6	4	38
CC01415		<10	<1	0.08	20	0.38	726	1	0.07	40	1350	23	0.13	10	3	49
CC01416		10	<1	0.13	10	0.61	389	1	0.03	23	1020	10	0.13	3	4	23
CC01417		10	1	0.13	20	0.52	890	1	0.09	33	1320	29	0.12	10	3	74
CC01418		10	1	0.06	20	0.36	877	1	0.07	22	1300	23	0.13	8	2	53
CC01419		10	<1	0.05	20	0.46	463	2	0.03	31	1050	30	0.10	8	2	30
CC01420		10	<1	0.05	10	0.42	264	<1	0.02	26	480	17	0.04	2	3	15
CC01421		10	1	0.05	10	0.34	309	1	0.03	17	650	23	0.05	3	2	18
CC01422		10	<1	0.08	20	0.68	617	1	0.04	37	1010	35	0.10	7	4	37
CC01423		10	<1	0.05	10	0.44	291	1	0.02	18	630	19	0.06	5	2	13
CC01424		10	<1	0.06	20	0.56	511	1	0.03	28	800	31	0.08	4	3	28
CC01428		<10	1	0.05	20	0.25	1265	<1	0.08	26	920	83	0.08	43	3	63
CC01429		10	1	0.05	10	0.24	979	<1	0.06	29	1160	64	0.10	15	2	49
CC01430		<10	1	0.03	10	0.29	1525	<1	0.03	22	680	53	0.07	16	3	51
CC01443		10	2	0.10	30	0.51	1190	5	0.07	70	2140	1345	0.24	25	5	90
CC01444		10	1	0.11	20	0.60	910	6	0.07	63	1310	899	0.23	22	3	84
CC01445		10	2	0.20	30	0.40	2470	9	0.08	87	2300	1570	0.33	30	5	106
CC01446		10	<1	0.07	30	0.22	922	1	0.11	60	1300	308	0.15	37	2	88
CC01447		10	<1	0.09	40	0.40	1530	6	0.04	54	2130	1925	0.20	33	5	74
CC01448		10	<1	0.06	20	0.53	505	1	0.01	34	780	42	0.06	5	2	31



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 5 - C

Total Pages: 7 (A - C)

Finalized Date: 27-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01394		0.06	<10	40	50	10	79
CC01395		0.05	<10	10	36	10	58
CC01396		0.15	<10	<10	83	<10	64
CC01397		0.08	<10	<10	58	<10	64
CC01398		0.13	<10	<10	60	<10	83
CC01399		0.13	<10	<10	55	<10	88
CC01400		0.11	<10	<10	58	<10	72
CC01401		0.13	<10	<10	51	<10	62
CC01402		0.12	<10	<10	43	<10	46
CC01403		0.12	<10	<10	50	<10	68
CC01404		0.06	<10	<10	43	<10	67
CC01405		0.05	<10	<10	40	<10	52
CC01406		0.08	<10	<10	64	<10	111
CC01407		0.07	<10	<10	53	<10	96
CC01408		0.08	<10	<10	52	<10	76
CC01409		0.07	<10	<10	51	<10	99
CC01410		0.07	<10	<10	56	<10	66
CC01411		0.07	<10	<10	67	<10	75
CC01412		0.15	<10	<10	86	<10	69
CC01413		0.11	<10	<10	71	<10	143
CC01414		0.12	<10	<10	78	<10	76
CC01415		0.07	<10	<10	58	<10	112
CC01416		0.13	<10	<10	84	<10	74
CC01417		0.07	<10	<10	45	<10	87
CC01418		0.05	<10	<10	40	<10	70
CC01419		0.06	<10	<10	59	<10	80
CC01420		0.09	<10	<10	53	<10	44
CC01421		0.09	<10	<10	55	<10	47
CC01422		0.09	<10	<10	56	<10	114
CC01423		0.11	<10	<10	70	<10	53
CC01424		0.07	<10	10	50	<10	79
CC01428		0.03	<10	<10	30	20	122
CC01429		0.03	<10	<10	26	<10	174
CC01430		0.01	<10	<10	24	<10	92
CC01443		0.02	<10	<10	63	<10	1200
CC01444		0.03	<10	<10	73	<10	779
CC01445		0.02	<10	<10	63	<10	1880
CC01446		0.02	<10	<10	15	110	345
CC01447		0.01	<10	<10	56	<10	1290
CC01448		0.06	<10	<10	49	10	70



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 6 - A
 Total Pages: 7 (A - C)
 Finalized Date: 27-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01449		0.40	0.030	<0.2	1.82	1100	<10	100	0.6	20	0.46	<0.5	24	24	123	2.89
CC01450		0.18	0.003	<0.2	2.37	182	<10	100	0.9	2	0.44	0.5	21	24	92	3.11
CC01451		0.46	0.012	0.3	2.48	104	10	90	0.9	2	0.82	0.8	29	16	109	3.84
CC01452		0.42	0.007	0.5	2.86	111	<10	90	1.0	<2	0.54	1.0	32	20	74	3.73
CC01453		0.58	0.004	<0.2	1.72	187	10	70	0.6	<2	1.06	0.5	13	13	46	1.94
CC01454		0.50	0.011	0.3	1.72	130	10	90	0.7	<2	1.16	0.9	15	18	115	2.55
CC01455		0.40	0.004	<0.2	1.94	43	10	60	0.7	<2	1.48	0.5	16	14	60	2.14
CC01456		0.34	0.008	0.8	2.37	804	<10	110	0.8	5	0.50	1.0	12	27	105	3.26
CC01457		0.38	0.002	<0.2	2.35	180	<10	100	0.6	<2	0.18	<0.5	9	25	24	2.79
CC01458		0.54	0.006	<0.2	2.05	247	<10	110	0.6	2	0.24	<0.5	10	24	50	2.63
CC01459		0.42	0.019	0.2	2.87	1310	10	180	1.0	13	0.44	<0.5	19	32	246	4.48
CC01460		0.26	0.017	<0.2	2.15	836	<10	130	0.7	6	0.33	<0.5	13	28	143	3.34
CC01461		0.26	0.011	<0.2	2.25	678	<10	160	0.7	5	0.22	<0.5	12	27	118	3.22
CC01462		0.38	0.014	<0.2	1.81	540	<10	160	0.6	5	0.40	<0.5	17	23	120	2.78
CC01463		0.26	0.009	<0.2	2.90	499	<10	120	1.0	3	0.28	<0.5	12	30	91	3.62
CC01464		0.44	0.008	<0.2	2.39	185	<10	170	0.7	<2	0.31	<0.5	9	28	74	3.40
CC01465		0.28	0.003	<0.2	2.28	203	<10	120	0.6	<2	0.16	<0.5	9	30	43	3.14
CC01466		0.40	0.004	<0.2	2.79	169	<10	160	0.9	<2	0.18	<0.5	9	33	42	3.27
CC01467		0.28	0.052	<0.2	2.29	380	10	230	0.8	29	0.44	<0.5	16	29	149	5.02
CC01468		0.58	0.017	<0.2	3.28	997	<10	170	1.5	36	0.32	<0.5	20	33	146	4.64
CC01469		0.12	<0.001	0.2	3.30	465	<10	160	1.6	20	0.25	<0.5	12	36	119	4.22
CC01470		0.64	0.009	0.3	2.09	2240	<10	80	2.8	16	1.30	<0.5	13	16	324	2.73
CC01471		0.54	0.020	0.3	1.54	1800	<10	120	0.9	16	0.39	<0.5	11	23	188	2.69
CC01472		0.58	0.092	3.5	1.18	8710	<10	180	0.9	114	0.70	1.2	18	22	239	3.85
CC01473		0.32	0.045	0.4	2.25	3890	<10	130	1.5	52	0.25	<0.5	15	30	444	4.29
CC01474		0.42	0.043	<0.2	1.41	1820	<10	120	1.1	19	0.22	<0.5	10	20	226	2.32
CC01475		0.72	0.208	1.8	2.16	5820	20	140	1.1	75	0.97	2.0	24	22	377	5.24
CC01476		0.40	0.036	<0.2	1.44	1660	<10	90	1.0	11	0.14	<0.5	10	22	142	2.59
CC01477		0.56	0.054	0.3	1.50	2010	<10	100	1.1	15	0.24	<0.5	15	22	175	2.45
CC01478		0.38	0.026	0.2	1.92	1010	<10	150	0.8	12	0.30	<0.5	12	23	150	2.56
CC01479		0.48	0.005	<0.2	2.92	349	<10	140	0.8	7	0.20	<0.5	10	27	72	2.79
CC01480		0.40	0.082	0.3	2.27	3510	<10	140	1.4	46	0.47	<0.5	8	22	510	3.49
CC01481		0.30	0.072	0.9	1.67	6090	<10	130	1.4	46	0.26	<0.5	14	24	479	4.00
CC01482		0.50	0.052	0.6	1.54	4680	<10	140	2.3	40	0.30	<0.5	15	22	623	4.38
CC01483		0.56	0.001	0.2	1.34	867	<10	20	0.6	16	0.27	<0.5	6	20	730	11.65
CC01484		0.44	0.039	0.2	1.46	1445	<10	180	0.8	9	0.28	<0.5	13	23	106	2.46
CC01485		0.56	0.034	0.2	1.12	1185	<10	170	0.6	6	0.30	<0.5	12	20	81	2.11
CC01486		0.22	0.061	1.4	2.73	3310	<10	170	2.2	29	0.58	1.8	35	20	416	8.82
CC01487		0.22	0.005	0.3	1.80	208	<10	100	0.5	<2	0.14	<0.5	14	25	45	2.90
CC01488		0.22	0.008	<0.2	1.47	852	<10	100	0.5	9	0.19	<0.5	7	25	57	2.33



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - B
 Total Pages: 7 (A - C)
 Finalized Date: 27-AUG-2004
 Account: DYNAMITE

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC01449		10	<1	0.05	20	0.43	388	1	0.01	36	820	30	0.03	4	2	25
CC01450		10	<1	0.05	20	0.46	513	1	0.01	47	1070	38	0.07	5	2	32
CC01451		10	<1	0.08	20	0.32	541	1	0.05	66	1500	76	0.07	11	2	49
CC01452		10	<1	0.05	20	0.41	796	1	0.02	63	1610	112	0.10	6	1	37
CC01453		<10	<1	0.04	20	0.26	489	1	0.06	36	790	39	0.06	7	1	58
CC01454		10	<1	0.06	20	0.36	391	1	0.05	45	950	80	0.04	8	2	61
CC01455		10	<1	0.05	20	0.31	437	1	0.09	42	990	36	0.08	9	1	69
CC01456		10	<1	0.07	10	0.50	569	1	0.02	27	920	332	0.07	6	2	28
CC01457		10	<1	0.04	10	0.35	531	1	<0.01	18	760	21	0.04	<2	1	16
CC01458		10	<1	0.05	10	0.39	412	1	<0.01	24	530	18	0.02	<2	2	17
CC01459		10	<1	0.06	20	0.69	726	2	0.02	40	1280	33	0.08	7	4	35
CC01460		10	<1	0.07	20	0.50	518	1	0.01	27	800	31	0.03	3	3	24
CC01461		10	<1	0.06	20	0.53	404	2	0.01	30	910	21	0.04	4	3	23
CC01462		<10	<1	0.08	20	0.46	882	2	0.02	48	1020	18	0.03	2	3	31
CC01463		10	<1	0.08	20	0.50	348	3	0.01	26	1480	22	0.06	2	4	25
CC01464		10	<1	0.10	20	0.53	316	2	0.02	28	1800	13	0.09	3	3	31
CC01465		10	<1	0.08	10	0.51	298	2	0.01	20	610	16	0.02	<2	3	17
CC01466		10	<1	0.07	20	0.53	428	1	0.01	24	510	14	0.02	<2	4	19
CC01467		10	<1	0.17	20	0.60	624	2	0.04	42	1360	22	0.12	9	4	52
CC01468		10	<1	0.12	20	0.63	496	3	0.03	31	1460	20	0.16	6	3	40
CC01469		10	<1	0.08	10	0.57	513	3	0.03	23	1600	20	0.19	5	2	39
CC01470		<10	<1	0.05	70	0.32	405	1	<0.01	11	1320	35	<0.01	8	5	198
CC01471		<10	<1	0.06	20	0.42	459	1	<0.01	23	950	74	<0.01	4	3	47
CC01472		<10	<1	0.09	30	0.43	756	<1	0.01	28	1170	308	<0.01	17	4	56
CC01473		10	<1	0.05	20	0.57	523	1	<0.01	29	920	88	0.03	11	4	31
CC01474		<10	<1	0.11	30	0.36	303	1	<0.01	15	760	35	<0.01	2	2	28
CC01475		10	<1	0.06	30	0.43	1520	1	0.05	40	1350	258	0.05	24	4	65
CC01476		10	<1	0.12	30	0.39	369	1	0.01	14	440	34	0.01	2	2	16
CC01477		<10	<1	0.19	40	0.43	413	1	0.01	17	830	40	<0.01	3	3	22
CC01478		10	<1	0.07	30	0.45	471	<1	0.01	23	890	27	0.01	<2	3	27
CC01479		10	<1	0.05	10	0.46	492	1	0.01	32	630	29	0.03	<2	3	17
CC01480		10	<1	0.08	40	0.39	417	2	0.02	19	1190	65	0.06	5	3	71
CC01481		<10	<1	0.09	50	0.52	419	3	<0.01	25	940	51	0.01	5	4	47
CC01482		10	<1	0.13	80	0.53	529	3	<0.01	22	1100	45	0.02	7	5	57
CC01483		10	<1	0.24	60	0.91	306	1	<0.01	12	1340	39	0.91	13	9	9
CC01484		<10	<1	0.09	30	0.42	459	1	0.01	23	1050	18	0.02	2	3	27
CC01485		<10	<1	0.09	30	0.36	423	1	<0.01	21	1120	16	<0.01	<2	3	26
CC01486		10	<1	0.18	20	0.39	848	15	0.06	89	3150	217	0.37	37	2	85
CC01487		<10	<1	0.05	10	0.49	461	1	<0.01	26	510	15	0.03	<2	3	14
CC01488		10	<1	0.12	10	0.45	276	1	0.01	17	630	15	0.03	<2	3	20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 6 - C

Total Pages: 7 (A - C)

Finalized Date: 27-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01449		0.06	<10	<10	47	<10	63
CC01450		0.05	<10	<10	45	<10	109
CC01451		0.04	<10	<10	34	10	111
CC01452		0.04	<10	<10	36	<10	146
CC01453		0.03	<10	<10	23	<10	66
CC01454		0.04	<10	<10	35	<10	122
CC01455		0.03	<10	<10	24	<10	66
CC01456		0.07	<10	<10	57	<10	238
CC01457		0.05	<10	<10	48	<10	67
CC01458		0.07	<10	<10	48	<10	52
CC01459		0.07	<10	<10	61	<10	106
CC01460		0.08	<10	<10	58	<10	74
CC01461		0.07	<10	<10	53	<10	77
CC01462		0.07	<10	<10	44	<10	84
CC01463		0.10	<10	<10	61	<10	63
CC01464		0.09	<10	<10	60	<10	66
CC01465		0.11	<10	<10	68	<10	53
CC01466		0.11	<10	<10	69	<10	53
CC01467		0.11	<10	<10	69	<10	93
CC01468		0.10	<10	<10	80	<10	62
CC01469		0.09	<10	<10	88	<10	55
CC01470		<0.01	<10	10	31	<10	45
CC01471		0.06	<10	10	41	<10	109
CC01472		0.06	<10	10	42	<10	232
CC01473		0.05	<10	20	55	<10	106
CC01474		0.09	<10	10	38	10	62
CC01475		0.03	<10	<10	34	<10	313
CC01476		0.11	<10	10	43	10	53
CC01477		0.11	<10	<10	41	<10	61
CC01478		0.07	<10	<10	40	<10	69
CC01479		0.08	<10	<10	44	<10	65
CC01480		0.05	<10	20	44	<10	77
CC01481		0.06	<10	20	47	10	81
CC01482		0.06	<10	20	47	10	74
CC01483		0.07	<10	10	67	<10	28
CC01484		0.08	<10	10	45	10	66
CC01485		0.08	<10	10	41	20	59
CC01486		0.04	<10	10	58	<10	326
CC01487		0.06	<10	<10	48	<10	64
CC01488		0.12	<10	<10	56	<10	43



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



Co: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 7 - A
 Total Pages: 7 (A - C)
 Finalized Date: 27-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054413

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01489	0.26	0.051	0.3	2.19	2810	<10	150	1.5	30	0.20	<0.5	13	30	390	3.63
CC01490	0.22	0.014	<0.2	1.97	1095	<10	70	0.8	7	0.11	<0.5	6	21	68	2.48
CC01491	0.20	0.072	0.3	2.22	2800	<10	170	1.1	48	0.45	<0.5	19	28	437	3.61
CC01492	0.22	0.027	<0.2	2.20	1215	<10	160	0.8	16	0.20	<0.5	16	33	112	3.49
CC01493	0.18	0.024	0.4	2.84	4500	<10	250	1.3	44	0.26	0.9	25	49	364	5.50
CC01494	0.24	0.028	0.6	2.04	6760	<10	280	1.0	60	0.55	<0.5	26	42	612	5.14
CC01495	0.22	0.019	<0.2	1.98	4360	<10	280	0.9	39	0.35	<0.5	35	40	488	4.84
CC01496	0.22	0.014	0.2	1.75	6370	<10	260	0.8	31	0.43	0.5	44	32	556	5.40
CC01497	0.22	0.012	<0.2	1.98	3330	<10	170	0.6	26	0.33	<0.5	31	32	255	3.93
CC01498	0.26	0.010	0.4	1.72	2650	10	110	0.6	69	1.33	1.0	18	22	204	3.00
CC01499	0.20	0.015	0.4	1.66	703	20	90	0.8	48	1.70	1.2	9	13	234	1.84



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

TO: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 7 - B
 Total Pages: 7 (A - C)
 Finalized Date: 27-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC01489		10	<1	0.10	30	0.52	558	2	<0.01	27	820	47	0.06	5	3	35
CC01490		10	<1	0.04	10	0.29	294	1	<0.01	17	610	20	0.02	<2	2	12
CC01491		10	<1	0.07	30	0.55	678	1	0.02	35	910	51	0.05	6	4	65
CC01492		10	<1	0.05	20	0.60	461	1	<0.01	32	600	30	0.02	<2	4	23
CC01493		10	<1	0.30	20	0.92	699	2	0.02	50	1080	77	0.12	9	7	37
CC01494		10	<1	0.44	30	0.95	617	1	0.04	58	1220	56	0.07	13	7	65
CC01495		10	<1	0.42	20	0.93	639	1	0.03	57	960	40	0.10	8	7	74
CC01496		10	<1	0.35	20	0.70	537	2	0.03	73	1160	35	0.10	9	5	76
CC01497		10	<1	0.16	20	0.68	519	1	0.03	54	810	33	0.10	5	4	39
CC01498		10	<1	0.04	30	0.37	956	<1	0.07	32	1140	59	0.09	8	2	63
CC01499		<10	<1	0.04	40	0.18	1535	<1	0.09	16	1400	61	0.08	13	2	60



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 7 - C
 Total Pages: 7 (A - C)
 Finalized Date: 27-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054413

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC01489		0.08	<10	20	52	<10	96
CC01490		0.05	<10	<10	41	<10	62
CC01491		0.08	<10	10	50	<10	107
CC01492		0.07	<10	<10	59	<10	82
CC01493		0.23	<10	<10	106	<10	153
CC01494		0.21	<10	<10	84	<10	107
CC01495		0.22	<10	<10	88	<10	86
CC01496		0.17	<10	<10	73	<10	101
CC01497		0.15	<10	<10	64	<10	93
CC01498		0.06	<10	<10	35	<10	210
CC01499		0.03	<10	<10	18	<10	154



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 24-AUG-2004
Account: DYNAMITE

CERTIFICATE VA04054412

Project: Mike Lake
P.O. No.:
This report is for 223 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-AUG-2004.
The following have access to data associated with this certificate:

VANCOUVER OFFICE JOAN MARIACHER	AL ARCHER BILL WENGZYNOWSKI	DOUG EATON
------------------------------------	--------------------------------	------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

o: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - A
 Total Pages: 7 (A - C)
 Finalized Date: 24-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Recvd Wt. kg 0.02	Au ppm 0.001	Ag ppm 0.2	Al % 0.01	As ppm 2	B ppm 10	Ba ppm 10	Be ppm 0.5	Bi ppm 2	Ca % 0.01	Cd ppm 0.5	Co ppm 1	Cr ppm 1	Cu ppm 1	Fe % 0.01
CC01018		0.32	0.040	0.2	1.71	1135	<10	160	0.9	13	0.72	0.5	33	27	239	3.50
CC01019		0.46	0.010	<0.2	5.37	108	<10	260	1.7	<2	2.69	<0.5	24	55	72	4.75
CC01020		0.56	0.004	<0.2	2.24	85	<10	150	1.1	<2	5.16	<0.5	29	35	65	4.64
CC01021		0.26	0.003	<0.2	2.92	111	<10	120	1.2	<2	1.42	<0.5	26	48	69	4.97
CC01022		0.54	0.003	<0.2	2.30	114	<10	130	1.1	<2	1.00	<0.5	25	38	67	4.68
CC01023		0.40	0.010	<0.2	2.05	206	<10	120	0.7	2	0.16	<0.5	14	28	88	2.95
CC01024		0.26	0.051	0.2	1.84	1635	<10	180	0.9	17	0.70	0.6	24	29	340	4.12
CC01025		0.26	0.046	<0.2	2.07	2740	<10	220	0.9	12	0.64	<0.5	22	31	271	5.49
CC01026		0.26	0.040	0.3	1.51	3050	<10	190	0.8	35	0.62	<0.5	25	29	267	3.74
CC01027		0.24	0.029	<0.2	2.07	1405	<10	200	1.1	7	0.54	0.6	23	35	362	5.78
CC01028		0.26	0.038	<0.2	1.80	1905	<10	200	0.8	12	0.42	<0.5	21	30	323	3.69
CC01029		0.32	0.010	<0.2	2.56	301	<10	120	0.8	2	0.15	<0.5	15	29	78	3.90
CC01030		0.26	0.004	<0.2	2.71	172	<10	120	0.8	<2	0.13	<0.5	10	31	75	3.44
CC01031		0.28	0.002	<0.2	1.89	59	<10	70	0.5	<2	0.08	<0.5	8	24	24	2.92
CC01032		0.26	0.021	<0.2	2.40	1075	<10	120	0.9	7	0.20	<0.5	13	32	200	3.60
CC01033		0.26	0.005	<0.2	2.26	788	<10	120	0.7	4	0.14	<0.5	20	31	103	2.99
CC01034		0.28	0.037	<0.2	1.98	870	<10	80	0.9	6	0.10	<0.5	7	23	97	2.62
CC01035		0.24	0.021	<0.2	1.30	1925	<10	100	0.7	13	0.29	<0.5	16	20	80	2.57
CC01036		0.26	0.025	0.2	1.60	1825	<10	110	0.7	16	0.14	<0.5	9	21	94	2.63
CC01037		0.26	0.038	<0.2	1.41	1400	<10	90	0.6	12	0.20	<0.5	15	22	94	2.51
CC01038		0.24	0.010	<0.2	2.27	661	<10	120	1.3	4	0.59	0.5	19	28	138	3.10
CC01039		0.34	0.029	<0.2	1.84	281	<10	100	0.6	5	0.15	<0.5	12	24	210	2.28
CC01040		0.20	0.004	0.2	1.94	222	<10	80	<0.5	<2	0.09	<0.5	7	26	31	2.81
CC01041		0.30	0.017	0.2	1.98	311	<10	180	0.9	3	0.32	<0.5	14	29	174	3.05
CC01042		0.26	0.004	0.4	2.36	52	<10	190	0.9	<2	0.98	0.6	12	26	51	2.75
CC01043		0.22	0.007	0.4	2.43	50	<10	190	0.8	<2	1.05	0.6	11	27	44	2.60
CC01044		0.36	0.004	0.2	1.86	44	<10	160	0.6	<2	0.66	<0.5	10	24	32	2.37
CC01045		0.30	0.005	0.2	1.82	67	<10	170	0.6	<2	0.59	0.5	10	24	49	2.49
CC01046		0.34	0.002	0.4	2.10	50	<10	130	0.7	<2	0.46	<0.5	12	22	32	2.38
CC01047		0.26	0.002	0.3	2.35	34	<10	140	0.8	<2	0.89	0.9	17	22	42	2.39
CC01048		0.28	0.003	<0.2	2.66	33	<10	130	0.8	<2	0.49	<0.5	10	28	17	2.66
CC01049		0.38	0.012	0.4	3.44	24	<10	320	1.2	<2	1.29	<0.5	15	41	39	3.54
CC01050		0.30	0.003	0.2	3.51	33	<10	210	1.2	<2	1.42	<0.5	11	42	25	2.94
CC01051		0.22	0.003	<0.2	3.14	19	<10	220	1.1	<2	1.35	<0.5	10	39	22	2.79
CC01052		0.32	0.003	0.2	3.07	29	<10	270	1.2	<2	1.40	<0.5	11	36	34	3.06
CC01053		0.36	0.045	0.2	2.17	79	<10	150	0.8	2	1.03	1.0	15	25	46	2.52
CC01054		0.34	0.010	0.4	2.40	158	10	150	0.9	3	1.10	0.9	14	24	51	2.48
CC01055		0.28	0.007	0.2	2.59	114	<10	180	0.9	<2	1.01	0.7	14	26	46	2.59
CC01056		0.30	0.004	0.2	2.55	56	<10	200	0.9	<2	0.89	0.6	11	28	37	2.46
CC01057		0.28	0.002	0.2	2.15	44	<10	150	0.7	<2	0.70	<0.5	12	26	29	2.45



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - B
 Total Pages: 7 (A - C)
 Finalized Date: 24-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC01018	<10	<1	0.21	20	0.67	528	1	0.05	45	1120	21	0.02	3	5	70	
CC01019	20	<1	0.58	20	2.23	1330	<1	0.33	38	1300	21	0.05	<2	9	354	
CC01020	10	<1	0.32	30	0.95	1400	1	0.03	47	1270	22	0.08	6	8	178	
CC01021	10	<1	0.22	30	1.36	1030	<1	0.04	43	1320	31	0.05	6	10	97	
CC01022	10	<1	0.24	30	0.89	950	1	0.04	40	1330	31	0.05	8	10	89	
CC01023	10	<1	0.05	10	0.51	389	1	<0.01	26	580	10	0.02	<2	3	16	
CC01024	10	<1	0.27	20	0.76	596	2	0.04	42	1240	25	0.03	6	6	68	
CC01025	10	<1	0.36	20	0.75	516	5	0.05	39	1300	24	0.12	2	6	102	
CC01026	<10	<1	0.29	30	0.69	527	3	0.02	37	1160	36	0.02	4	5	72	
CC01027	10	<1	0.38	20	0.86	748	5	0.02	40	1460	21	0.07	<2	7	80	
CC01028	<10	<1	0.20	20	0.65	464	3	0.01	37	1180	19	0.03	<2	5	37	
CC01029	10	<1	0.15	10	0.52	552	2	<0.01	28	870	18	0.04	<2	4	15	
CC01030	10	<1	0.14	10	0.60	381	2	<0.01	18	870	12	0.05	<2	4	14	
CC01031	10	<1	0.04	10	0.30	221	2	<0.01	17	290	10	0.01	<2	3	10	
CC01032	10	<1	0.13	20	0.61	368	3	<0.01	31	960	20	0.04	<2	4	21	
CC01033	10	<1	0.14	10	0.64	665	3	<0.01	22	850	19	0.04	<2	4	16	
CC01034	10	<1	0.04	20	0.26	190	2	<0.01	15	490	19	0.02	<2	2	14	
CC01035	<10	<1	0.05	20	0.36	320	1	0.01	24	860	22	0.02	2	3	25	
CC01036	10	1	0.05	20	0.27	231	1	0.01	13	580	24	0.03	2	2	22	
CC01037	<10	<1	0.05	20	0.41	337	1	0.01	24	640	16	0.02	2	3	18	
CC01038	10	1	0.06	20	0.54	800	1	0.02	35	750	21	0.07	2	3	38	
CC01039	<10	1	0.05	10	0.42	311	2	0.01	26	460	15	0.02	2	3	15	
CC01040	10	<1	0.04	10	0.39	247	2	0.01	18	410	10	0.03	<2	2	12	
CC01041	10	<1	0.10	20	0.58	490	2	0.02	35	860	16	0.04	3	4	31	
CC01042	10	<1	0.13	20	0.64	394	1	0.09	31	940	33	0.04	3	4	90	
CC01043	10	<1	0.11	20	0.63	402	1	0.09	30	870	35	0.04	3	4	79	
CC01044	10	1	0.08	10	0.50	416	1	0.05	25	720	19	0.03	2	3	50	
CC01045	<10	<1	0.06	20	0.46	359	1	0.04	28	970	34	0.02	2	4	47	
CC01046	10	1	0.05	20	0.41	429	<1	0.03	29	800	30	0.03	3	3	35	
CC01047	<10	1	0.04	20	0.39	526	<1	0.04	36	760	42	0.08	2	3	42	
CC01048	10	<1	0.05	10	0.52	380	1	0.02	22	630	20	0.04	2	3	31	
CC01049	10	1	0.45	20	1.44	552	<1	0.13	28	1050	24	0.03	<2	6	160	
CC01050	10	1	0.23	20	1.29	469	<1	0.16	25	880	22	0.05	2	5	128	
CC01051	10	1	0.12	20	1.22	456	<1	0.08	22	960	12	0.09	2	4	114	
CC01052	10	1	0.24	20	1.24	483	<1	0.09	26	1040	21	0.06	<2	5	184	
CC01053	10	1	0.13	20	0.61	485	1	0.10	32	890	34	0.03	4	4	88	
CC01054	10	1	0.09	20	0.56	529	1	0.08	32	900	39	0.04	2	4	83	
CC01055	10	1	0.12	20	0.60	522	1	0.09	31	970	42	0.04	3	4	87	
CC01056	10	<1	0.09	20	0.63	457	1	0.05	25	1030	29	0.08	2	3	61	
CC01057	10	1	0.07	10	0.55	466	<1	0.02	27	860	20	0.05	<2	3	34	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - C
 Total Pages: 7 (A - C)
 Finalized Date: 24-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01018		0.09	<10	<10	50	10	92
CC01019		0.18	<10	<10	76	<10	95
CC01020		0.07	<10	<10	57	<10	97
CC01021		0.09	<10	<10	71	<10	106
CC01022		0.07	<10	<10	60	<10	100
CC01023		0.07	<10	<10	54	<10	62
CC01024		0.11	<10	<10	60	10	103
CC01025		0.13	<10	10	70	10	90
CC01026		0.11	<10	10	59	10	102
CC01027		0.14	<10	<10	77	10	118
CC01028		0.10	<10	10	61	10	95
CC01029		0.10	<10	<10	57	<10	71
CC01030		0.10	<10	<10	65	<10	59
CC01031		0.07	<10	<10	56	<10	40
CC01032		0.10	<10	<10	65	<10	89
CC01033		0.10	<10	<10	65	<10	72
CC01034		0.06	<10	<10	61	<10	38
CC01035		0.05	<10	<10	39	10	73
CC01036		0.06	<10	<10	43	10	39
CC01037		0.06	<10	<10	40	10	54
CC01038		0.06	<10	<10	52	<10	99
CC01039		0.07	<10	<10	41	10	50
CC01040		0.06	<10	<10	52	<10	56
CC01041		0.08	<10	<10	56	<10	113
CC01042		0.08	<10	<10	45	<10	131
CC01043		0.08	<10	<10	44	<10	122
CC01044		0.07	<10	<10	43	<10	87
CC01045		0.07	<10	<10	43	<10	130
CC01046		0.06	<10	<10	40	<10	108
CC01047		0.05	<10	<10	34	<10	116
CC01048		0.07	<10	<10	50	<10	72
CC01049		0.13	<10	<10	68	<10	120
CC01050		0.12	<10	<10	54	<10	102
CC01051		0.10	<10	<10	49	<10	85
CC01052		0.09	<10	<10	45	<10	125
CC01053		0.09	<10	<10	43	<10	299
CC01054		0.07	<10	<10	40	<10	200
CC01055		0.08	<10	<10	45	<10	182
CC01056		0.07	<10	<10	45	<10	132
CC01057		0.06	<10	<10	44	<10	91



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



TO: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - A
Total Pages: 7 (A - C)
Finalized Date: 24-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01058		0.28	0.005	<0.2	2.50	88	<10	190	0.8	<2	0.65	<0.5	11	29	33	2.64
CC01059		0.34	0.009	<0.2	2.42	403	<10	120	0.9	2	0.14	<0.5	11	30	66	3.19
CC01060		0.28	0.028	<0.2	1.36	1180	<10	120	0.5	9	0.28	<0.5	14	22	167	2.52
CC01061		0.34	0.026	0.3	2.00	2610	<10	140	1.5	14	0.22	<0.5	19	23	253	2.87
CC01062		0.26	0.006	0.2	2.16	294	<10	90	0.6	3	0.11	<0.5	9	30	63	3.22
CC01063		0.22	0.087	0.2	1.94	3310	<10	100	0.7	58	0.18	<0.5	12	24	225	2.99
CC01064		0.36	0.034	0.2	1.63	1925	<10	160	0.8	15	0.31	<0.5	16	25	363	2.97
CC01065		0.24	0.009	<0.2	2.06	1255	<10	120	0.7	5	0.18	<0.5	13	26	129	3.04
CC01066		0.32	0.014	0.2	2.31	1170	<10	120	0.8	5	0.16	<0.5	12	30	255	3.22
CC01067		0.30	0.037	<0.2	2.68	343	<10	110	0.9	5	0.10	<0.5	10	30	115	3.89
CC01068		0.24	0.009	<0.2	2.60	378	<10	90	1.4	4	0.11	<0.5	17	27	104	4.10
CC01069		0.28	0.006	0.2	2.40	172	<10	90	1.0	2	0.09	<0.5	14	26	53	3.27
CC01070		0.36	0.032	0.2	1.82	544	<10	150	0.8	10	0.21	<0.5	17	25	194	3.02
CC01071		0.24	0.003	0.4	3.22	56	<10	250	1.8	<2	0.11	<0.5	19	38	49	5.21
CC01072		0.28	0.008	0.3	2.82	713	<10	150	1.2	7	1.16	<0.5	25	36	132	5.34
CC01073		0.24	0.008	0.5	3.48	83	<10	140	1.4	2	1.70	<0.5	37	47	151	6.98
CC01074		0.46	0.008	0.5	2.58	63	<10	130	1.3	2	2.86	<0.5	38	32	169	6.89
CC01075		0.40	0.012	0.5	2.65	64	<10	130	1.3	4	2.32	<0.5	37	32	169	6.59
CC01076		0.38	0.014	0.4	2.65	74	<10	120	1.6	4	1.22	<0.5	53	33	150	7.78
CC01077		0.28	0.014	1.7	2.10	83	<10	200	1.4	<2	0.89	1.4	10	26	280	9.46
CC01078		0.28	0.057	0.4	1.78	939	<10	110	1.0	6	0.18	<0.5	12	20	266	2.95
CC01079		0.54	0.067	0.3	1.42	916	<10	140	0.7	11	0.31	<0.5	14	21	266	2.45
CC01080		0.56	0.625	8.5	1.84	>10000	10	60	2.1	99	0.75	0.9	63	14	3960	9.26
CC01081		0.42	0.030	0.2	2.02	1320	<10	150	1.1	15	0.20	<0.5	20	23	458	3.47
CC01082		0.38	0.253	1.2	2.29	1915	<10	160	1.5	6	0.21	<0.5	49	26	1005	4.83
CC01083		0.46	0.049	0.7	2.64	1935	<10	150	2.0	<2	0.21	<0.5	21	26	649	7.13
CC01084		0.46	0.106	0.4	1.87	1620	<10	130	2.0	2	0.27	0.5	45	26	548	4.43
CC01085		0.58	0.037	0.4	2.59	306	<10	230	1.5	<2	0.19	<0.5	28	28	276	7.86
CC01086		0.32	0.012	0.2	2.04	71	<10	80	0.9	2	0.07	<0.5	6	29	48	3.33
CC01087		0.38	0.026	0.2	1.92	267	<10	160	1.4	<2	0.17	0.7	24	27	166	5.73
CC01088		0.32	0.003	<0.2	1.54	116	<10	130	0.9	<2	3.65	<0.5	34	26	56	4.68
CC01089		0.32	0.008	0.3	2.85	571	<10	230	1.6	3	1.60	<0.5	41	41	166	6.86
CC01090		0.32	0.009	0.3	2.90	599	<10	230	1.6	2	1.93	<0.5	40	39	172	7.25
CC01091		0.32	0.009	0.3	2.96	487	<10	230	1.6	2	1.52	<0.5	39	41	156	6.96
CC01092		0.28	0.009	0.3	3.54	525	10	230	1.4	4	2.74	0.5	31	36	200	5.62
CC01093		0.22	0.008	<0.2	2.08	110	<10	100	0.6	2	0.11	<0.5	9	28	46	3.14
CC01094		0.28	0.021	0.4	2.45	574	<10	160	0.9	6	0.23	<0.5	18	30	234	4.19
CC01095		0.26	0.017	<0.2	1.82	521	<10	170	0.9	4	0.21	<0.5	21	24	205	3.68
CC01096		0.26	0.017	0.2	2.20	669	<10	160	0.9	4	0.19	<0.5	18	28	165	3.83
CC01097		0.24	0.012	<0.2	2.60	597	<10	180	0.9	4	0.15	<0.5	15	31	123	3.79



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 3 - B
 Total Pages: 7 (A - C)
 Finalized Date: 24-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC01058		10	1	0.07	10	0.62	527	1	0.02	26	840	21	0.05	2	3	39
CC01059		10	<1	0.06	20	0.40	512	2	0.01	21	730	21	0.04	2	3	17
CC01060		<10	<1	0.07	20	0.42	357	1	0.01	23	940	18	0.02	3	3	24
CC01061		<10	1	0.09	40	0.39	674	2	0.01	23	1170	33	0.06	2	3	24
CC01062		10	<1	0.05	10	0.45	295	2	0.01	21	550	16	0.04	<2	2	16
CC01063		10	1	0.06	20	0.37	170	4	0.01	20	860	25	0.06	2	2	20
CC01064		<10	<1	0.12	30	0.57	385	1	0.02	29	1000	21	0.02	3	5	28
CC01065		10	<1	0.08	10	0.54	308	2	0.01	25	700	15	0.02	2	4	18
CC01066		10	<1	0.08	20	0.59	347	2	0.01	27	730	16	0.05	3	4	17
CC01067		10	1	0.11	10	0.47	243	2	0.01	26	490	20	0.03	2	4	15
CC01068		10	<1	0.07	10	0.40	350	2	0.01	35	630	21	0.04	3	3	17
CC01069		<10	1	0.06	10	0.36	392	1	0.01	28	430	17	0.03	2	3	12
CC01070		<10	<1	0.08	20	0.51	437	1	0.01	31	690	14	0.02	2	4	21
CC01071		10	1	0.27	20	0.79	376	1	0.01	40	580	16	0.04	3	5	28
CC01072		10	<1	0.10	20	1.25	604	2	0.09	41	1170	29	0.07	9	7	146
CC01073		10	<1	0.25	30	2.26	1290	1	0.07	59	1220	55	0.07	12	9	114
CC01074		10	<1	0.45	30	1.32	1190	3	0.07	60	1400	53	0.16	24	7	196
CC01075		10	<1	0.45	30	1.36	1135	2	0.08	59	1360	54	0.12	22	7	193
CC01076		10	<1	0.42	40	1.36	1325	3	0.05	75	1680	37	0.17	31	8	156
CC01077		10	1	0.33	20	0.74	444	28	0.25	19	3850	80	1.14	9	3	427
CC01078		<10	<1	0.10	20	0.32	216	5	0.03	27	1420	17	0.11	4	2	33
CC01079		<10	1	0.15	30	0.40	350	2	0.02	20	1100	22	0.03	3	3	37
CC01080		<10	<1	0.13	30	0.57	631	5	0.06	70	1220	89	0.20	53	5	204
CC01081		10	1	0.12	20	0.41	352	5	0.02	37	1000	33	0.06	5	3	32
CC01082		10	1	0.13	50	0.48	522	6	0.03	45	1540	45	0.11	6	3	39
CC01083		10	1	0.14	30	0.44	362	14	0.06	58	2620	26	0.31	6	4	71
CC01084		<10	<1	0.12	40	0.46	606	4	0.02	83	1240	27	0.08	6	4	55
CC01085		10	1	0.28	20	0.58	493	5	0.04	55	2690	40	0.28	6	5	119
CC01086		10	1	0.09	10	0.27	319	4	0.02	17	1100	10	0.10	3	<1	17
CC01087		10	<1	0.14	20	0.43	571	9	0.03	48	2020	20	0.18	4	4	57
CC01088		10	<1	0.21	30	0.57	1775	1	0.03	54	1240	20	0.13	10	8	132
CC01089		10	2	0.40	40	1.16	1445	2	0.06	64	1420	56	0.21	31	10	199
CC01090		10	<1	0.40	40	1.14	1460	2	0.06	65	1430	53	0.19	29	10	215
CC01091		10	1	0.39	40	1.19	1450	1	0.06	64	1440	47	0.18	28	11	188
CC01092		10	<1	0.53	20	1.36	708	2	0.22	58	1270	31	0.08	12	7	328
CC01093		10	<1	0.04	10	0.43	300	1	0.01	20	460	17	0.04	2	2	14
CC01094		10	<1	0.15	20	0.70	552	3	0.02	34	1150	18	0.05	2	5	27
CC01095		<10	1	0.16	20	0.58	447	2	0.01	39	770	15	0.03	3	4	29
CC01096		10	<1	0.17	20	0.59	414	3	0.01	28	820	19	0.04	3	4	30
CC01097		10	1	0.16	20	0.68	414	2	0.01	28	760	16	0.05	3	4	22



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 3 - C

Total Pages: 7 (A - C)

Finalized Date: 24-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC01058		0.07	<10	<10	51	<10	85
CC01059		0.08	<10	<10	63	<10	77
CC01060		0.06	<10	<10	42	10	68
CC01061		0.05	<10	<10	41	10	68
CC01062		0.07	<10	<10	61	<10	66
CC01063		0.05	<10	10	46	40	47
CC01064		0.09	<10	10	52	10	70
CC01065		0.08	<10	<10	53	<10	54
CC01066		0.08	<10	<10	58	<10	66
CC01067		0.13	<10	<10	71	<10	87
CC01068		0.08	<10	<10	62	<10	52
CC01069		0.07	<10	<10	53	10	48
CC01070		0.06	<10	<10	46	<10	70
CC01071		0.10	<10	<10	49	<10	93
CC01072		0.08	<10	<10	57	<10	98
CC01073		0.11	<10	<10	93	<10	118
CC01074		0.08	<10	<10	67	<10	96
CC01075		0.09	<10	<10	66	10	94
CC01076		0.08	<10	<10	77	<10	71
CC01077		0.04	<10	10	66	<10	154
CC01078		0.05	<10	<10	39	40	42
CC01079		0.08	<10	<10	43	50	58
CC01080		0.03	<10	<10	38	10	124
CC01081		0.06	<10	<10	47	60	72
CC01082		0.05	<10	<10	53	110	91
CC01083		0.04	<10	10	58	20	63
CC01084		0.04	<10	<10	51	20	85
CC01085		0.06	<10	<10	53	<10	100
CC01086		0.03	<10	<10	68	<10	47
CC01087		0.06	<10	<10	57	<10	91
CC01088		0.04	<10	<10	42	<10	112
CC01089		0.07	<10	<10	80	<10	90
CC01090		0.06	<10	<10	77	<10	88
CC01091		0.07	<10	<10	80	<10	88
CC01092		0.12	<10	<10	60	<10	105
CC01093		0.06	<10	<10	58	<10	68
CC01094		0.09	<10	<10	61	<10	84
CC01095		0.08	<10	<10	51	<10	83
CC01096		0.09	<10	<10	62	<10	85
CC01097		0.11	<10	<10	69	<10	69



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 4 - A
Total Pages: 7 (A - C)
Finalized Date: 24-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg 0.02	ppm 0.001	ppm 0.2	% 0.01	ppm 2	ppm 10	ppm 10	ppm 0.5	ppm 2	% 0.01	ppm 0.5	ppm 1	ppm 1	ppm 1	% 0.01
CC01098		0.22	0.004	<0.2	2.02	259	<10	100	0.6	<2	0.10	<0.5	6	29	49	3.28
CC01099		0.24	0.014	0.2	2.24	1170	<10	150	0.7	8	0.14	<0.5	8	30	128	3.21
CC01100		0.22	0.019	0.2	2.52	1395	<10	90	0.9	14	0.16	<0.5	11	29	163	3.22
CC01101		0.26	0.017	0.2	1.95	2230	<10	120	0.6	11	0.15	<0.5	15	25	349	2.97
CC01102		0.28	0.072	<0.2	1.73	3070	<10	120	0.8	30	0.20	0.6	16	21	176	2.87
CC01103		0.22	0.003	<0.2	1.84	167	<10	120	0.5	<2	0.10	<0.5	11	25	53	2.77
CC01104		0.28	0.005	<0.2	2.28	203	<10	80	0.6	2	0.09	<0.5	8	28	61	3.43
CC01105		0.18	0.001	0.2	1.86	47	<10	100	0.6	<2	0.09	<0.5	9	28	43	3.33
CC01106		0.26	0.002	0.2	2.79	41	<10	200	1.2	<2	0.29	<0.5	19	38	63	3.19
CC01107		0.22	0.003	<0.2	2.40	28	<10	140	0.9	<2	0.15	<0.5	16	33	61	3.19
CC01108		0.24	0.002	0.4	2.69	133	<10	150	1.2	<2	0.83	0.7	18	30	75	3.48
CC01109		0.22	0.008	0.2	2.20	52	<10	190	0.8	<2	0.98	0.8	14	27	46	2.79
CC01110		0.24	0.006	0.4	2.45	63	<10	220	0.8	<2	0.85	0.6	12	31	47	2.96
CC01111		0.34	0.008	<0.2	1.92	39	<10	200	0.6	<2	0.60	<0.5	10	27	33	2.61
CC01112		0.26	0.007	0.2	1.82	73	<10	190	0.6	<2	0.61	0.6	11	28	42	3.04
CC01113		0.28	0.003	0.2	1.93	54	<10	180	0.6	<2	0.46	<0.5	10	26	36	2.50
CC01114		0.26	0.001	<0.2	2.34	46	<10	180	0.8	<2	0.68	0.5	12	29	29	2.54
CC01115		0.26	0.002	0.2	3.20	38	<10	210	1.1	<2	1.60	0.6	12	38	29	2.87
CC01116		0.26	0.001	0.2	2.44	22	<10	190	0.9	<2	0.35	<0.5	11	29	42	2.98
CC01117		0.24	0.005	0.6	0.99	17	<10	250	<0.5	<2	0.10	<0.5	7	16	44	2.92
CC01118		0.24	0.011	<0.2	1.70	64	<10	110	0.7	<2	0.21	<0.5	10	31	39	3.40
CC01119		0.24	0.004	<0.2	3.67	18	<10	150	1.2	<2	4.60	<0.5	17	45	61	3.93
CC01120		0.28	0.006	0.3	3.64	31	<10	110	1.4	<2	1.14	1.1	33	36	102	6.55
CC01121		0.24	0.043	0.2	1.70	2160	<10	180	0.8	22	0.37	0.5	20	27	243	3.09
CC01122		0.28	0.012	0.4	3.60	518	10	220	1.6	5	2.16	0.5	38	36	222	5.89
CC01123		0.30	0.026	0.5	3.07	640	<10	180	1.8	7	1.29	0.8	44	33	254	6.69
CC01124		0.38	0.033	0.5	3.07	730	<10	190	1.8	16	1.48	<0.5	36	34	277	6.04
CC01125		0.28	0.019	0.7	2.05	1490	<10	110	1.5	31	0.74	0.7	65	23	524	9.47
CC01126		0.30	0.023	0.7	2.42	1195	10	110	1.3	27	1.04	0.6	44	27	419	6.81
CC01127		0.24	0.007	<0.2	2.33	357	<10	80	0.7	<2	0.10	<0.5	12	30	59	4.22
CC01128		0.18	0.006	0.2	1.95	182	<10	90	0.5	<2	0.09	<0.5	9	29	49	3.31
CC01129		0.20	0.004	0.3	2.54	236	<10	80	0.8	<2	0.09	<0.5	14	30	90	3.86
CC01130		0.20	0.006	0.3	2.54	385	<10	130	0.8	2	0.12	<0.5	16	32	98	4.07
CC01131		0.32	0.008	0.2	1.97	381	<10	150	0.8	<2	0.29	<0.5	19	29	140	3.27
CC01132		0.22	0.024	<0.2	2.53	775	<10	280	0.9	5	0.23	<0.5	18	39	180	3.89
CC01133		0.20	0.022	<0.2	2.26	928	<10	110	0.7	8	0.15	<0.5	9	30	134	3.08
CC01134		0.20	0.022	0.2	1.96	1100	<10	100	0.7	11	0.14	<0.5	13	26	144	2.84
CC01135		0.22	0.020	0.2	1.23	1425	<10	100	0.5	12	0.25	<0.5	13	20	184	2.29
CC01136		0.20	0.006	<0.2	2.19	362	<10	110	0.7	<2	0.11	<0.5	10	31	57	3.16
CC01137		0.24	0.037	0.3	1.65	783	<10	100	0.8	9	0.12	<0.5	8	24	79	2.77



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 4 - B
 Total Pages: 7 (A - C)
 Finalized Date: 24-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC01098		10	1	0.10	10	0.53	215	2	0.01	16	500	14	0.04	<2	4	14
CC01099		10	1	0.13	10	0.63	188	2	0.01	18	780	16	0.06	<2	3	22
CC01100		<10	<1	0.06	20	0.41	315	2	0.01	21	720	25	0.03	2	4	19
CC01101		<10	1	0.05	10	0.43	296	1	0.01	22	610	19	0.03	2	3	20
CC01102		<10	<1	0.09	30	0.35	426	2	0.01	18	900	34	0.05	4	3	34
CC01103		<10	1	0.04	10	0.42	399	1	0.01	21	430	13	0.03	2	3	12
CC01104		<10	<1	0.04	10	0.35	323	2	0.01	17	430	20	0.03	<2	3	13
CC01105		10	<1	0.05	10	0.47	347	2	0.01	22	630	11	0.04	<2	2	16
CC01106		10	<1	0.14	10	0.86	582	1	0.02	53	800	10	0.03	<2	5	35
CC01107		10	<1	0.08	10	0.60	478	3	<0.01	43	830	12	0.07	<2	3	22
CC01108		10	1	0.10	20	0.65	537	2	0.06	47	1300	35	0.09	2	3	79
CC01109		10	1	0.11	20	0.58	480	2	0.06	35	950	30	0.03	4	4	71
CC01110		10	2	0.10	20	0.65	451	1	0.04	34	780	30	0.04	2	4	56
CC01111		10	1	0.06	20	0.47	370	1	0.01	27	840	18	0.03	2	4	34
CC01112		10	1	0.06	20	0.47	404	1	0.02	28	960	27	0.02	2	4	36
CC01113		10	<1	0.05	20	0.46	548	1	0.01	29	780	18	0.03	3	4	33
CC01114		10	<1	0.10	20	0.61	380	1	0.05	29	880	25	0.03	<2	4	60
CC01115		10	1	0.23	20	1.00	513	1	0.21	32	990	20	0.04	2	5	184
CC01116		10	<1	0.11	10	0.53	442	1	0.01	26	1150	20	0.07	<2	3	52
CC01117		<10	<1	0.23	50	0.25	201	2	0.01	14	470	39	0.35	2	2	35
CC01118		10	<1	0.10	20	0.53	292	2	<0.01	28	740	14	0.06	3	3	52
CC01119		10	<1	0.21	10	2.17	764	2	0.21	44	1120	18	0.06	<2	6	293
CC01120		10	2	0.23	10	1.65	957	5	0.16	81	1280	31	0.15	2	6	170
CC01121		<10	<1	0.10	30	0.55	457	2	0.01	32	1000	26	0.02	5	4	33
CC01122		10	1	0.51	20	1.26	756	1	0.17	71	1290	38	0.08	11	6	334
CC01123		10	1	0.34	30	1.02	736	2	0.12	78	1180	48	0.07	14	5	199
CC01124		10	<1	0.33	30	1.01	710	2	0.13	67	1320	41	0.08	13	5	201
CC01125		<10	<1	0.22	30	0.59	591	1	0.05	99	970	47	0.08	31	4	160
CC01126		10	<1	0.25	30	0.78	647	2	0.10	71	1100	46	0.06	18	4	171
CC01127		10	<1	0.08	10	0.36	411	3	<0.01	20	610	14	0.05	2	3	14
CC01128		10	<1	0.07	10	0.43	471	3	<0.01	15	670	10	0.06	<2	2	13
CC01129		10	<1	0.06	10	0.42	309	3	<0.01	27	520	17	0.05	3	3	12
CC01130		10	<1	0.14	10	0.61	315	3	<0.01	35	710	16	0.08	3	4	18
CC01131		10	<1	0.17	20	0.61	455	2	0.01	35	900	13	0.02	<2	4	24
CC01132		10	<1	0.33	20	0.86	385	3	0.01	30	840	16	0.07	3	7	31
CC01133		10	1	0.07	20	0.50	236	2	0.01	24	610	19	0.05	2	3	21
CC01134		<10	1	0.06	20	0.44	319	1	<0.01	25	540	22	0.04	2	3	20
CC01135		<10	<1	0.06	20	0.38	288	1	<0.01	24	850	18	0.02	<2	3	25
CC01136		10	<1	0.05	20	0.46	321	2	<0.01	22	430	16	0.04	<2	3	15
CC01137		10	<1	0.04	20	0.28	253	2	<0.01	16	520	24	0.05	<2	1	21



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 4 - C
 Total Pages: 7 (A - C)
 Finalized Date: 24-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01098		0.12	<10	<10	76	<10	58
CC01099		0.12	<10	<10	70	10	45
CC01100		0.08	<10	<10	56	10	47
CC01101		0.06	<10	<10	48	<10	49
CC01102		0.06	<10	<10	44	60	55
CC01103		0.05	<10	<10	46	<10	53
CC01104		0.07	<10	<10	55	<10	68
CC01105		0.05	<10	<10	51	<10	65
CC01106		0.12	<10	<10	62	<10	144
CC01107		0.07	<10	<10	60	<10	112
CC01108		0.07	<10	<10	56	<10	146
CC01109		0.08	<10	<10	48	<10	127
CC01110		0.08	<10	<10	52	<10	129
CC01111		0.06	<10	<10	45	<10	100
CC01112		0.07	<10	<10	48	<10	112
CC01113		0.06	<10	<10	43	<10	100
CC01114		0.08	<10	<10	45	<10	116
CC01115		0.12	<10	<10	51	<10	98
CC01116		0.07	<10	<10	66	<10	65
CC01117		0.03	<10	<10	28	<10	39
CC01118		0.08	<10	<10	53	<10	69
CC01119		0.14	<10	<10	121	<10	130
CC01120		0.14	<10	<10	135	<10	311
CC01121		0.08	<10	10	51	10	86
CC01122		0.12	<10	<10	61	<10	120
CC01123		0.10	<10	<10	54	20	141
CC01124		0.10	<10	<10	55	10	114
CC01125		0.07	<10	<10	41	30	73
CC01126		0.09	<10	<10	43	10	87
CC01127		0.09	<10	<10	73	<10	72
CC01128		0.09	<10	<10	69	<10	57
CC01129		0.12	<10	<10	76	<10	55
CC01130		0.11	<10	<10	68	<10	56
CC01131		0.10	<10	<10	56	<10	76
CC01132		0.23	<10	<10	96	<10	73
CC01133		0.08	<10	<10	60	10	65
CC01134		0.07	<10	<10	50	10	69
CC01135		0.06	<10	<10	37	10	56
CC01136		0.07	<10	<10	62	<10	73
CC01137		0.06	<10	<10	52	10	55



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 5 - A
Total Pages: 7 (A - C)
Finalized Date: 24-AUG-2004
Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01138		0.24	0.015	<0.2	1.23	866	<10	90	0.7	6	0.25	0.5	10	21	95	2.54
CC01139		0.20	0.003	<0.2	2.16	32	<10	110	0.9	<2	0.14	0.5	22	30	31	3.48
CC01140		0.18	0.003	0.2	2.63	65	<10	180	2.0	<2	0.12	0.6	23	35	76	4.92
CC01141		0.20	0.005	<0.2	2.00	26	<10	100	0.5	<2	0.09	<0.5	9	29	22	3.11
CC01142		0.24	0.005	<0.2	2.91	66	<10	240	1.8	<2	0.20	0.7	29	39	90	4.48
CC01143		0.24	0.004	<0.2	2.35	22	<10	150	0.8	<2	0.19	<0.5	16	33	38	3.33
CC01144		0.32	0.005	0.3	2.16	38	<10	190	0.8	<2	0.89	0.5	11	30	43	2.95
CC01145		0.20	0.003	0.2	2.48	65	<10	210	0.8	<2	0.41	0.6	12	30	42	2.98
CC01146		0.24	0.004	<0.2	2.47	29	<10	160	0.8	<2	0.45	<0.5	10	27	27	2.50
CC01147		0.28	0.006	0.5	2.07	42	<10	170	0.7	<2	0.55	0.5	10	27	41	2.64
CC01148		0.20	0.005	<0.2	2.09	50	<10	140	0.7	<2	0.50	<0.5	10	25	28	2.49
CC01149		0.18	0.001	0.3	2.18	25	<10	210	0.7	<2	0.31	<0.5	10	29	30	2.72
CC01150		0.20	0.003	<0.2	2.34	29	<10	120	0.8	<2	0.32	0.6	10	23	20	2.41
CC01151		0.22	0.004	0.5	2.13	21	<10	170	0.9	<2	0.72	0.6	13	33	59	3.37
CC01152		0.26	0.003	0.5	2.37	17	<10	190	0.9	<2	0.96	0.7	13	34	50	2.97
CC01153		0.24	0.003	0.3	4.40	17	<10	150	1.4	<2	1.98	<0.5	16	59	62	4.11
CC01154		0.22	0.002	<0.2	4.35	26	<10	120	1.8	<2	2.06	<0.5	17	52	62	4.32
CC01155		0.18	0.004	0.3	4.20	26	<10	160	1.5	<2	1.20	<0.5	21	56	64	4.50
CC01156		0.32	0.006	<0.2	4.40	21	<10	200	1.3	<2	2.82	<0.5	12	47	47	3.22
CC01157		0.10	0.001	0.4	3.77	16	<10	170	1.2	<2	2.94	<0.5	12	42	44	2.77
CC01158		0.22	0.004	<0.2	1.57	21	<10	90	<0.5	<2	0.15	<0.5	6	24	15	2.63
CC01159		0.28	0.004	<0.2	2.50	38	<10	140	0.7	<2	0.28	<0.5	8	23	18	2.62
CC01160		0.30	0.008	<0.2	2.06	45	<10	130	0.6	<2	0.25	<0.5	10	25	30	2.55
CC01161		0.26	0.003	<0.2	2.29	89	<10	180	0.7	<2	0.37	<0.5	15	32	50	3.49
CC01162		0.30	0.003	<0.2	2.78	39	<10	200	1.1	<2	0.49	0.5	14	31	47	3.08
CC01163		0.30	0.007	0.3	2.15	31	<10	160	0.9	<2	0.38	<0.5	15	30	56	3.88
CC01164		0.34	0.021	<0.2	1.87	24	<10	170	0.8	<2	0.37	0.7	12	28	58	3.82
CC01165		0.44	0.036	0.3	2.26	154	<10	210	1.1	<2	0.35	0.6	17	35	99	4.47
CC01166		0.30	0.005	0.3	2.40	33	<10	180	1.3	<2	0.28	0.7	17	34	81	4.05
CC01167		0.48	0.082	0.5	2.25	38	<10	180	1.5	<2	0.23	0.7	18	30	87	3.69
CC01168		0.44	0.015	0.8	3.18	126	<10	210	2.3	<2	0.23	<0.5	33	36	159	6.09
CC01169		0.28	0.009	0.3	2.31	120	<10	180	2.0	2	0.13	0.7	18	29	93	4.15
CC01170		0.40	0.011	0.3	2.56	101	<10	180	2.6	<2	0.26	<0.5	36	33	122	5.02
CC01171		0.36	0.006	0.4	2.32	101	<10	140	2.0	2	0.22	<0.5	25	31	130	5.73
CC01172		0.36	0.010	<0.2	1.90	88	<10	120	1.1	<2	0.10	<0.5	14	29	45	3.33
CC01173		0.34	0.010	0.3	1.66	104	<10	160	2.3	<2	0.22	<0.5	16	25	70	3.56
CC01174		0.26	0.009	0.2	2.18	79	<10	150	1.6	<2	0.12	<0.5	14	32	54	3.59
CC01175		0.26	0.025	0.2	1.74	338	<10	90	0.8	4	0.10	<0.5	10	26	63	3.22
CC01176		0.28	0.002	<0.2	2.33	132	<10	130	1.4	<2	0.09	<0.5	17	35	61	4.24
CC01177		0.36	0.040	<0.2	1.68	1700	<10	100	0.7	18	0.16	<0.5	12	21	106	2.48



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 5 - B
 Total Pages: 7 (A - C)
 Finalized Date: 24-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC01138		<10	1	0.05	20	0.31	320	1	<0.01	23	1000	20	0.03	2	21	
CC01139		<10	1	0.06	10	0.38	685	2	<0.01	31	580	11	0.04	<2	23	
CC01140		10	<1	0.12	20	0.54	634	3	0.01	40	1240	29	0.12	3	42	
CC01141		10	<1	0.05	10	0.40	338	2	<0.01	19	450	12	0.04	<2	15	
CC01142		10	1	0.16	20	0.67	992	3	0.01	45	1330	26	0.09	4	49	
CC01143		10	<1	0.11	20	0.60	582	2	<0.01	30	990	13	0.06	<2	27	
CC01144		10	<1	0.16	20	0.68	457	2	0.08	33	1130	18	0.04	3	84	
CC01145		10	<1	0.08	20	0.61	451	1	0.01	37	790	20	0.04	<2	31	
CC01146		10	<1	0.08	20	0.53	432	1	0.02	25	870	19	0.05	4	35	
CC01147		10	<1	0.08	20	0.53	330	1	0.02	29	930	19	0.03	2	45	
CC01148		10	<1	0.05	10	0.49	485	1	0.01	26	1040	21	0.08	<2	28	
CC01149		10	<1	0.08	20	0.57	467	2	<0.01	26	1060	22	0.08	3	35	
CC01150		10	<1	0.05	20	0.37	404	1	0.01	27	840	24	0.06	2	27	
CC01151		10	1	0.16	20	0.89	409	4	0.05	33	1260	25	0.15	2	108	
CC01152		10	<1	0.18	10	0.92	389	3	0.05	34	1260	20	0.13	<2	97	
CC01153		10	<1	0.23	10	2.78	787	3	0.24	41	1150	18	0.07	3	246	
CC01154		10	<1	0.33	10	2.49	525	4	0.30	44	1130	20	0.05	<2	292	
CC01155		10	2	0.24	10	2.27	614	4	0.20	46	1090	17	0.15	<2	210	
CC01156		10	1	0.47	20	2.16	491	1	0.32	33	1160	10	0.07	2	275	
CC01157		10	1	0.29	20	1.73	443	1	0.26	29	1010	10	0.12	<2	211	
CC01158		10	<1	0.04	10	0.25	260	2	<0.01	14	550	17	0.04	<2	15	
CC01159		10	<1	0.04	10	0.36	439	<1	0.01	23	840	27	0.07	<2	23	
CC01160		10	<1	0.04	10	0.43	403	1	<0.01	26	820	17	0.05	<2	19	
CC01161		10	<1	0.06	10	0.63	453	1	0.01	41	760	26	0.03	3	27	
CC01162		10	1	0.08	20	0.64	579	1	0.01	36	1220	29	0.09	<2	37	
CC01163		10	<1	0.09	20	0.62	587	2	0.01	37	1120	28	0.08	3	44	
CC01164		10	<1	0.15	20	0.57	376	2	0.02	34	1270	17	0.10	<2	50	
CC01165		10	<1	0.18	20	0.72	604	3	0.02	49	1710	33	0.16	3	62	
CC01166		10	<1	0.14	20	0.72	559	4	0.02	43	1320	28	0.15	<2	66	
CC01167		10	<1	0.21	20	0.62	453	8	0.02	38	1540	30	0.20	3	105	
CC01168		10	<1	0.35	30	0.65	870	12	0.03	62	2360	49	0.33	8	132	
CC01169		10	<1	0.13	20	0.43	510	4	0.01	46	1030	37	0.10	6	43	
CC01170		10	<1	0.30	20	0.56	861	8	0.02	53	1830	47	0.23	5	124	
CC01171		10	<1	0.18	20	0.55	612	8	0.04	47	2080	44	0.15	<2	168	
CC01172		10	<1	0.07	20	0.41	586	1	0.01	28	750	17	0.01	<2	14	
CC01173		<10	<1	0.09	20	0.41	553	2	0.01	32	1080	17	0.01	3	28	
CC01174		10	<1	0.08	20	0.54	444	2	0.01	32	900	16	0.03	<2	21	
CC01175		10	<1	0.06	10	0.34	302	3	0.01	22	540	23	0.01	<2	14	
CC01176		10	<1	0.09	20	0.57	538	4	0.01	32	950	22	0.08	2	30	
CC01177		10	<1	0.09	20	0.29	323	1	0.01	14	730	24	<0.01	<2	28	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



Client: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 5 - C
Total Pages: 7 (A - C)
Finalized Date: 24-AUG-2004
Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC01138		0.05	<10	<10	43	10	56
CC01139		0.07	<10	<10	53	<10	59
CC01140		0.07	<10	<10	68	<10	100
CC01141		0.07	<10	<10	61	<10	65
CC01142		0.09	<10	<10	76	<10	119
CC01143		0.08	<10	<10	63	<10	92
CC01144		0.10	<10	<10	57	<10	97
CC01145		0.08	<10	<10	51	<10	122
CC01146		0.07	<10	<10	45	<10	106
CC01147		0.07	<10	<10	46	<10	126
CC01148		0.05	<10	<10	44	<10	97
CC01149		0.05	<10	<10	51	<10	86
CC01150		0.05	<10	<10	43	<10	106
CC01151		0.08	<10	<10	62	<10	114
CC01152		0.08	<10	<10	67	<10	110
CC01153		0.17	<10	<10	161	<10	135
CC01154		0.18	<10	<10	156	<10	144
CC01155		0.15	<10	<10	154	<10	138
CC01156		0.13	<10	<10	69	<10	57
CC01157		0.11	<10	<10	66	<10	52
CC01158		0.07	<10	<10	72	<10	54
CC01159		0.05	<10	<10	45	<10	102
CC01160		0.05	<10	<10	45	<10	90
CC01161		0.06	<10	<10	58	<10	130
CC01162		0.07	<10	<10	60	<10	102
CC01163		0.07	<10	<10	64	<10	97
CC01164		0.09	<10	<10	66	<10	84
CC01165		0.09	<10	<10	82	<10	154
CC01166		0.08	<10	<10	75	<10	131
CC01167		0.08	<10	<10	72	<10	110
CC01168		0.08	<10	<10	89	<10	162
CC01169		0.08	<10	<10	66	<10	99
CC01170		0.08	<10	<10	69	<10	136
CC01171		0.06	<10	<10	64	<10	86
CC01172		0.07	<10	<10	57	<10	72
CC01173		0.07	<10	<10	56	<10	76
CC01174		0.06	<10	<10	61	<10	77
CC01175		0.07	<10	<10	61	<10	66
CC01176		0.06	<10	<10	69	<10	69
CC01177		0.07	<10	<10	48	20	39



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

D: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 6 - A
 Total Pages: 7 (A - C)
 Finalized Date: 24-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01178		0.26	0.005	0.3	1.74	246	<10	90	0.6	<2	0.10	<0.5	10	25	85	3.09
CC01179		0.24	0.016	0.2	2.00	751	<10	110	0.8	6	0.12	<0.5	14	30	130	3.52
CC01180		0.38	0.033	0.3	1.98	1580	<10	170	1.2	14	0.28	<0.5	16	32	299	3.50
CC01181		0.34	0.026	<0.2	2.21	1355	<10	160	1.0	11	0.18	<0.5	16	32	227	3.90
CC01182		0.38	0.034	0.4	2.59	1880	<10	180	1.4	16	0.21	<0.5	20	39	330	4.35
CC01183		0.34	0.150	5.3	2.37	5400	40	110	1.3	174	1.48	0.8	45	22	2480	7.03
CC01184		0.34	0.031	0.5	2.20	847	<10	110	1.3	2	0.15	<0.5	25	32	215	4.88
CC01185		0.36	0.048	0.3	1.95	1300	<10	100	1.1	13	0.12	<0.5	15	29	168	3.97
CC01186		0.48	0.061	0.7	2.51	1625	<10	170	2.8	6	0.25	0.5	55	31	414	5.39
CC01187		0.44	1.045	1.1	2.15	3520	<10	190	2.8	27	0.21	<0.5	71	26	662	5.59
CC01197		0.54	0.125	6.0	2.41	6250	40	100	1.5	192	1.52	1.0	46	22	2950	7.55
CC01198		0.16	0.007	<0.2	1.56	105	<10	50	<0.5	2	0.07	<0.5	5	22	33	2.75
CC01199		0.30	0.006	0.2	2.15	311	<10	70	0.8	2	0.09	<0.5	13	25	90	3.08
CC01200		0.28	0.011	<0.2	2.37	980	<10	80	0.8	2	0.08	<0.5	14	28	186	3.53
CC01201		0.22	0.014	<0.2	1.10	752	<10	80	<0.5	3	0.27	<0.5	10	19	156	2.24
CC01202		0.32	0.030	0.3	2.80	2580	<10	240	1.0	13	0.21	<0.5	20	32	309	4.36
CC01203		0.26	0.026	0.3	1.41	1645	<10	100	0.6	17	0.25	<0.5	15	22	254	2.50
CC01204		0.26	0.054	<0.2	1.18	1720	<10	90	0.5	14	0.18	<0.5	14	19	162	2.27
CC01205		0.30	0.011	0.2	1.58	490	<10	80	0.6	5	0.10	<0.5	10	25	51	2.71
CC01206		0.32	0.009	0.3	2.47	173	<10	100	1.3	2	0.09	<0.5	12	31	44	3.32
CC01207		0.32	0.015	<0.2	1.78	82	<10	90	2.0	<2	0.16	<0.5	27	28	98	3.42
CC01208		0.32	0.010	0.5	2.56	109	<10	170	3.1	2	0.20	<0.5	31	32	132	4.91
CC01209		0.34	0.010	0.2	1.66	27	<10	130	1.4	<2	0.23	0.5	24	28	78	3.99
CC01210		0.40	0.006	0.2	2.06	48	<10	180	1.1	<2	0.17	<0.5	16	32	87	4.02
CC01211		0.38	0.009	0.3	2.37	57	<10	170	1.1	<2	0.20	0.7	17	33	84	4.02
CC01212		0.34	0.003	<0.2	1.59	26	<10	150	0.8	<2	0.27	0.5	13	27	60	3.29
CC01213		0.32	0.006	<0.2	1.89	23	<10	160	0.9	<2	0.30	0.5	14	30	59	3.44
CC01214		0.36	0.007	<0.2	1.86	49	<10	170	0.8	<2	0.29	<0.5	14	31	61	3.52
CC01215		0.30	0.003	<0.2	2.08	40	<10	130	0.6	<2	0.16	<0.5	9	31	25	3.16
CC01216		0.28	0.002	<0.2	1.95	30	<10	130	0.6	<2	0.36	<0.5	8	25	21	2.47
CC01217		0.22	0.002	<0.2	1.82	26	<10	110	0.5	<2	0.24	<0.5	6	25	20	2.62
CC01218		0.22	0.002	<0.2	1.96	32	<10	100	0.6	<2	0.45	<0.5	7	24	22	2.45
CC01219		0.26	0.012	0.2	2.14	55	<10	120	0.7	<2	0.62	0.5	11	28	38	2.73
CC01220		0.26	0.002	0.2	3.19	18	<10	160	1.1	<2	0.84	<0.5	12	42	41	3.22
CC01221		0.24	0.002	0.2	3.50	19	<10	140	1.2	<2	1.26	<0.5	14	46	50	3.70
CC01222		0.28	0.002	0.5	3.78	32	<10	120	1.5	<2	1.09	<0.5	17	44	63	4.64
CC01223		0.28	0.002	0.3	3.84	32	<10	80	1.8	<2	2.10	0.5	18	47	61	4.32
CC01226		0.32	0.007	0.3	2.15	448	<10	130	0.8	3	0.15	<0.5	6	29	51	4.08
CC01227		0.58	0.037	0.4	2.36	2280	<10	180	1.3	18	0.33	0.7	34	31	507	4.99
CC01228		0.62	0.211	1.3	2.23	3400	20	60	2.6	44	0.90	0.6	54	22	557	7.27



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 6 - B
Total Pages: 7 (A - C)
Finalized Date: 24-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC01178		<10	<1	0.04	10	0.38	322	2	0.01	24	420	15	0.02	<2	2	17
CC01179		10	<1	0.06	20	0.49	302	3	0.01	29	640	21	0.03	<2	2	22
CC01180		10	<1	0.10	30	0.57	228	3	0.01	34	1340	35	0.02	2	4	36
CC01181		10	<1	0.08	20	0.50	337	3	0.01	32	790	30	0.02	<2	3	28
CC01182		10	<1	0.11	30	0.63	519	4	0.02	36	1320	38	0.06	2	3	36
CC01183		10	<1	0.21	20	0.72	634	2	0.11	66	1300	65	0.10	41	4	231
CC01184		10	<1	0.16	20	0.49	634	4	0.02	47	1480	21	0.09	2	3	31
CC01185		10	<1	0.10	20	0.42	362	2	0.01	34	900	26	0.04	2	2	20
CC01186		10	<1	0.22	30	0.57	1300	3	0.02	68	1850	36	0.08	5	4	44
CC01187		10	<1	0.18	40	0.49	1220	5	0.02	61	1370	63	0.07	8	3	70
CC01197		10	<1	0.23	20	0.76	702	2	0.10	72	1320	83	0.13	59	4	237
CC01198		10	<1	0.03	10	0.22	164	2	0.01	12	320	12	<0.01	<2	2	10
CC01199		10	<1	0.05	10	0.38	247	1	0.01	27	390	16	<0.01	<2	3	12
CC01200		10	<1	0.08	10	0.49	260	1	0.01	34	490	18	0.02	<2	3	14
CC01201		<10	<1	0.06	10	0.36	227	1	0.01	27	910	10	<0.01	2	2	23
CC01202		10	<1	0.34	20	0.76	266	3	0.02	41	970	27	0.04	2	5	42
CC01203		<10	<1	0.08	20	0.46	297	1	0.01	25	730	36	<0.01	<2	3	33
CC01204		<10	<1	0.04	10	0.38	339	<1	0.01	26	490	18	<0.01	<2	3	18
CC01205		<10	<1	0.04	10	0.35	238	2	0.01	22	320	19	<0.01	<2	2	12
CC01206		10	<1	0.08	10	0.38	771	1	0.01	22	1020	17	0.04	<2	1	13
CC01207		<10	<1	0.10	20	0.47	454	1	0.01	39	1040	27	0.02	<2	2	73
CC01208		10	<1	0.18	20	0.55	649	7	0.02	62	1590	43	0.14	4	3	109
CC01209		<10	<1	0.17	20	0.46	459	3	0.02	48	1220	22	0.12	<2	3	72
CC01210		10	<1	0.13	20	0.56	489	3	0.02	37	1210	21	0.07	<2	4	52
CC01211		10	<1	0.13	20	0.66	488	5	0.02	48	1390	25	0.09	3	3	65
CC01212		<10	<1	0.11	20	0.49	382	4	0.02	31	1100	21	0.05	2	3	65
CC01213		<10	<1	0.14	20	0.61	424	4	0.02	33	1190	19	0.08	2	4	66
CC01214		10	<1	0.09	20	0.59	475	2	0.02	35	1200	21	0.04	2	4	38
CC01215		10	<1	0.05	10	0.47	332	1	0.01	23	760	16	0.03	<2	2	20
CC01216		10	2	0.06	10	0.47	406	1	0.01	20	810	18	0.05	<2	2	24
CC01217		10	2	0.05	10	0.40	304	1	<0.01	18	820	15	0.05	4	1	19
CC01218		10	1	0.04	10	0.48	245	1	0.01	21	920	16	0.05	2	2	30
CC01219		10	1	0.08	20	0.78	450	1	0.04	30	1050	27	0.05	3	3	57
CC01220		10	2	0.10	10	1.63	492	2	0.07	30	1020	18	0.09	<2	4	95
CC01221		10	1	0.19	10	2.04	655	2	0.16	36	1020	20	0.09	2	6	186
CC01222		10	3	0.26	10	1.96	440	5	0.11	52	1210	19	0.17	4	6	205
CC01223		10	2	0.37	10	2.13	494	6	0.32	52	1240	29	0.06	5	7	303
CC01226		10	2	0.12	20	0.55	252	3	0.01	18	540	31	0.06	3	4	19
CC01227		10	2	0.22	40	0.71	866	3	0.01	61	1640	46	0.05	5	6	45
CC01228		10	2	0.12	60	0.55	612	5	0.03	77	1110	61	0.07	28	5	219



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



Co: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 6 - C

Total Pages: 7 (A - C)

Finalized Date: 24-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01178		0.06	<10	<10	51	30	50
CC01179		0.06	<10	<10	59	<10	70
CC01180		0.08	<10	10	60	10	81
CC01181		0.07	<10	<10	64	10	64
CC01182		0.07	<10	10	68	10	79
CC01183		0.06	<10	<10	37	110	115
CC01184		0.06	<10	<10	64	40	84
CC01185		0.05	<10	<10	59	10	67
CC01186		0.06	<10	<10	59	40	103
CC01187		0.05	<10	10	52	140	86
CC01197		0.06	<10	<10	40	200	124
CC01198		0.07	<10	<10	65	<10	33
CC01199		0.08	<10	<10	57	<10	48
CC01200		0.09	<10	<10	60	<10	51
CC01201		0.05	<10	<10	37	10	52
CC01202		0.14	<10	<10	75	10	53
CC01203		0.07	<10	<10	43	20	52
CC01204		0.04	<10	<10	35	<10	56
CC01205		0.06	<10	<10	51	<10	50
CC01206		0.06	<10	<10	65	<10	82
CC01207		0.06	<10	<10	52	<10	89
CC01208		0.06	<10	<10	71	<10	124
CC01209		0.07	<10	<10	59	<10	104
CC01210		0.08	<10	<10	65	<10	96
CC01211		0.07	<10	<10	79	<10	117
CC01212		0.07	<10	<10	63	<10	100
CC01213		0.07	<10	<10	68	<10	100
CC01214		0.07	<10	<10	64	<10	108
CC01215		0.05	<10	<10	66	<10	65
CC01216		0.06	<10	<10	48	<10	82
CC01217		0.05	<10	<10	48	<10	69
CC01218		0.05	<10	<10	46	<10	67
CC01219		0.08	<10	<10	62	<10	106
CC01220		0.12	<10	<10	107	<10	72
CC01221		0.16	<10	<10	124	<10	101
CC01222		0.19	<10	<10	151	<10	158
CC01223		0.22	<10	<10	183	<10	196
CC01226		0.14	<10	<10	83	10	78
CC01227		0.10	<10	10	65	10	152
CC01228		0.01	<10	<10	44	20	78



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 7 - A

Total Pages: 7 (A - C)

Finalized Date: 24-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC01229		0.42	0.032	0.2	2.14	2630	<10	130	1.2	40	0.14	<0.5	16	27	132	3.63
CC01230		0.20	0.006	0.2	1.73	679	<10	70	<0.5	2	0.10	<0.5	7	27	48	3.32
CC01231		0.42	0.033	0.2	1.89	1710	<10	110	0.8	21	0.20	<0.5	16	26	204	2.97
CC01232		0.34	0.007	<0.2	2.31	134	<10	180	1.5	<2	0.15	<0.5	19	30	85	4.53
CC01233		0.12	0.004	<0.2	1.88	86	<10	80	0.9	<2	0.07	0.5	10	25	31	3.80
CC01234		0.30	0.002	0.2	1.83	48	<10	90	1.0	<2	0.08	<0.5	9	26	34	3.48
CC01235		0.24	0.006	<0.2	1.81	30	<10	100	1.4	<2	0.09	<0.5	10	28	30	3.19
CC01236		0.40	0.004	<0.2	2.59	36	<10	130	1.8	<2	0.09	<0.5	13	32	28	3.57
CC01237		0.42	0.044	<0.2	1.45	44	<10	90	0.8	<2	0.08	<0.5	6	22	24	3.07
CC01238		0.56	0.016	0.2	2.12	156	<10	200	2.1	5	0.24	0.8	20	27	118	4.41
CC01239		0.38	0.013	0.6	2.00	45	<10	140	1.3	<2	0.12	<0.5	7	29	83	5.39
CC01240		0.48	0.007	0.6	2.75	120	<10	170	1.6	3	0.23	<0.5	22	34	127	5.09
CC01241		0.62	0.013	0.8	2.58	42	<10	170	1.5	2	0.18	<0.5	12	34	100	5.35
CC01242		0.46	0.009	0.6	2.34	39	<10	190	1.2	<2	0.19	<0.5	12	34	87	4.78
CC01243		0.48	0.024	0.3	2.08	72	<10	160	1.5	<2	0.26	0.6	19	29	94	4.74
CC01244		0.38	0.003	<0.2	2.29	27	<10	120	0.8	2	0.14	<0.5	9	32	35	3.36
CC01245		0.28	0.007	0.5	2.55	40	<10	140	1.1	<2	0.66	0.6	18	30	71	4.07
CC01246		0.40	0.011	0.4	2.36	45	<10	190	1.0	<2	0.54	0.5	15	31	61	4.13
CC01247		0.36	0.003	0.4	2.47	43	<10	170	1.0	<2	0.34	<0.5	15	33	50	3.48
CC01248		0.40	0.002	<0.2	2.50	22	<10	130	0.8	<2	0.20	<0.5	12	25	27	2.81
CC01249		0.36	0.012	0.6	2.72	399	<10	120	1.6	7	0.67	1.3	32	27	148	4.59
CC01250		0.24	0.032	0.4	2.53	476	10	120	0.9	3	1.46	1.8	24	22	79	2.84
CC01251		0.48	0.015	<0.2	2.22	83	<10	90	0.7	<2	1.27	0.6	17	15	48	2.43



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

PROJECT: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 7 - B
 Total Pages: 7 (A - C)
 Finalized Date: 24-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC01229		10	2	0.08	20	0.48	398	1	<0.01	21	820	45	0.07	5	2	34
CC01230		10	1	0.04	10	0.34	288	2	<0.01	16	510	25	0.06	2	2	15
CC01231		<10	1	0.04	20	0.44	365	1	<0.01	25	870	33	0.03	3	3	22
CC01232		10	1	0.10	20	0.54	454	4	0.01	41	1280	24	0.11	6	3	40
CC01233		10	2	0.07	10	0.22	1285	1	<0.01	14	1380	17	0.12	2	<1	12
CC01234		10	1	0.07	20	0.33	343	1	<0.01	24	570	21	0.05	2	2	12
CC01235		<10	1	0.06	20	0.37	341	2	<0.01	24	480	15	0.04	3	2	12
CC01236		10	2	0.12	20	0.44	724	1	<0.01	31	950	16	0.07	<2	2	11
CC01237		10	1	0.08	20	0.22	314	2	<0.01	17	430	16	0.04	<2	1	12
CC01238		10	2	0.14	30	0.46	678	3	<0.01	52	1170	36	0.06	7	5	49
CC01239		10	2	0.22	20	0.49	198	14	0.03	29	1820	27	0.36	6	1	103
CC01240		10	2	0.22	20	0.62	689	6	0.03	57	2160	44	0.23	4	3	85
CC01241		10	2	0.30	20	0.72	312	14	0.04	31	2370	41	0.40	6	2	181
CC01242		10	2	0.24	20	0.69	504	10	0.04	35	2200	32	0.34	5	3	82
CC01243		10	1	0.16	20	0.56	700	5	0.01	47	1600	38	0.13	7	4	67
CC01244		10	1	0.07	10	0.52	458	3	<0.01	23	940	17	0.09	2	1	23
CC01245		10	3	0.09	20	0.81	667	1	0.03	43	1160	46	0.07	2	3	61
CC01246		10	2	0.11	20	0.76	602	1	0.02	39	1060	33	0.07	2	4	68
CC01247		10	2	0.07	20	0.69	567	1	0.01	35	1140	30	0.06	<2	3	37
CC01248		10	1	0.05	10	0.41	367	1	<0.01	30	760	30	0.06	4	2	21
CC01249		10	1	0.07	20	0.55	893	2	0.03	76	1480	90	0.08	12	4	72
CC01250		10	2	0.06	30	0.46	1065	<1	0.05	49	1990	84	0.16	4	2	70
CC01251		10	2	0.05	20	0.32	544	<1	0.09	43	1420	43	0.10	3	1	93



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 7 - C
 Total Pages: 7 (A - C)
 Finalized Date: 24-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04054412

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC01229		0.08	<10	<10	62	<10	69
CC01230		0.06	<10	<10	63	<10	61
CC01231		0.06	<10	<10	50	20	64
CC01232		0.07	<10	<10	64	<10	70
CC01233		0.03	<10	<10	54	<10	56
CC01234		0.08	<10	<10	59	<10	58
CC01235		0.07	<10	<10	58	<10	62
CC01236		0.07	<10	<10	50	<10	118
CC01237		0.09	<10	<10	72	<10	42
CC01238		0.10	<10	<10	65	<10	111
CC01239		0.05	<10	<10	83	<10	94
CC01240		0.08	<10	<10	83	<10	152
CC01241		0.06	<10	<10	90	<10	92
CC01242		0.07	<10	<10	83	<10	108
CC01243		0.06	<10	<10	76	<10	160
CC01244		0.06	<10	<10	79	<10	61
CC01245		0.08	<10	<10	66	<10	146
CC01246		0.09	<10	<10	70	<10	112
CC01247		0.07	<10	<10	66	<10	94
CC01248		0.06	<10	<10	47	<10	89
CC01249		0.06	<10	<10	54	<10	283
CC01250		0.04	<10	<10	37	<10	292
CC01251		0.05	<10	<10	24	<10	97



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

TO: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 18-AUG-2004
 Account: DYNAMITE

CERTIFICATE VA04050219

Project: Mike Lake
 P.O. No.:
 This report is for 207 Soil samples submitted to our lab in Vancouver, BC, Canada on 3-AUG-2004.
 The following have access to data associated with this certificate:

VANCOUVER OFFICE JOAN MARIACHER	AL ARCHER BILL WENGZYNOWSKI	DOUG EATON
------------------------------------	--------------------------------	------------

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41	Screen to -180um and save both
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Ag-AA46	Ore grade Ag - aqua regia/AA	AAS
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total Pages: 7 (A - C)
Finalized Date: 18-AUG-2004
Account: DYNAMITE

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	Au-AA25	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.001	0.01	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
CC00582		0.22	0.152		1.2	2.93	1910	10	140	1.5	34	1.54	3.0	32	30	116
CC00583		0.18	0.130		0.8	3.03	1825	<10	170	1.6	30	0.67	1.1	26	31	128
CC00584		0.28	0.223		2.2	3.08	1380	<10	160	1.2	38	0.38	<0.5	33	26	199
CC00585		0.28	0.077		0.6	2.17	412	10	130	1.2	15	1.36	2.6	34	22	93
CC00586		0.30	0.100		0.5	2.19	425	10	170	1.3	13	1.16	2.1	34	25	99
CC00587		0.26	0.025		0.3	2.34	181	10	130	1.2	5	1.17	2.0	25	23	74
CC00588		0.30	0.006		0.4	1.89	34	<10	190	0.9	2	0.79	0.6	12	28	48
CC00589		0.22	0.005		0.2	2.46	36	10	200	1.3	2	1.26	0.5	21	27	96
CC00590		0.26	0.005		<0.2	2.21	24	<10	170	0.7	<2	0.27	<0.5	11	31	31
CC00591		0.32	0.006		<0.2	2.05	26	<10	220	0.8	2	0.51	0.5	12	28	52
CC00592		0.30	0.008		<0.2	3.06	45	10	140	1.2	<2	1.84	<0.5	16	36	50
CC00593		0.26	0.008		0.4	2.75	34	<10	170	1.0	<2	1.37	0.5	13	32	34
CC00635		0.34	0.222		0.7	2.45	2010	30	90	1.4	26	2.55	3.1	26	20	126
CC00636		0.42	0.999		1.5	2.26	>10000	30	60	1.1	184	2.20	3.6	48	14	99
CC00637		0.36	0.123		1.2	2.16	2140	20	70	1.3	33	3.14	8.3	31	18	156
CC00638		0.38	0.080		0.8	2.47	1020	80	80	1.1	44	2.62	2.7	31	18	132
CC00639		0.36	0.254		1.8	2.01	949	30	90	1.3	24	2.01	3.1	26	19	114
CC00640		0.32	0.012		0.7	1.97	190	80	60	1.0	6	3.21	3.8	14	10	38
CC00641		0.24	0.015		0.3	1.94	88	30	70	0.9	3	2.02	4.4	35	14	138
CC00642		0.34	0.005		0.2	2.50	41	10	220	1.3	2	1.35	0.6	17	28	84
CC00643		0.38	0.007		0.6	1.94	135	<10	210	0.8	7	0.82	0.8	14	28	49
CC00644		0.28	0.004		<0.2	1.94	31	<10	150	0.8	<2	1.76	0.9	14	28	36
CC00645		0.28	0.006		0.3	2.97	31	<10	130	1.3	<2	1.89	<0.5	12	34	44
CC00646		0.26	0.018		0.5	2.62	192	<10	210	2.1	<2	0.55	1.4	26	31	70
CC00647		0.32	0.005		<0.2	2.48	190	<10	160	2.6	<2	0.37	<0.5	20	38	53
CC00648		0.16	0.004		<0.2	2.36	69	<10	130	0.6	<2	0.13	<0.5	11	34	29
CC00649		0.20	0.009		<0.2	2.16	51	<10	100	0.6	<2	0.11	<0.5	8	32	34
CC00650		0.18	0.005		<0.2	1.62	100	<10	70	0.5	2	0.08	<0.5	7	25	33
CC00651		0.28	0.034		<0.2	1.68	158	<10	80	1.8	<2	0.12	<0.5	22	24	58
CC00652		0.18	0.013		<0.2	1.88	108	<10	90	2.3	<2	0.14	<0.5	27	25	55
CC00653		0.26	0.066		<0.2	1.49	132	<10	100	1.4	2	0.19	<0.5	16	24	84
CC00654		0.28	0.611		20.8	0.28	>10000	<10	120	<0.5	443	0.02	<0.5	<1	3	592
CC00655		0.32	0.103		9.6	0.31	7990	<10	30	<0.5	138	0.01	<0.5	1	4	400
CC00656		0.22	0.017		0.3	2.22	160	<10	100	0.5	5	0.14	<0.5	10	35	41
CC00657		0.28	0.093		0.7	1.71	730	<10	180	1.7	12	0.27	<0.5	41	23	346
CC00658		0.28	0.110		0.6	2.12	853	<10	110	0.9	24	0.10	<0.5	18	31	222
CC00659		0.26	0.623		2.4	1.66	1805	<10	120	0.8	58	0.19	<0.5	13	24	1355
CC00660		0.30	0.285		7.8	0.44	7470	<10	70	<0.5	174	0.03	<0.5	<1	7	730
CC00661		0.30	0.018		0.3	1.77	237	<10	100	2.0	3	0.17	<0.5	34	24	120
CC00662		0.28	0.006		0.2	2.05	142	<10	90	2.0	3	0.11	<0.5	21	28	76

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - B
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
CC00582		5.47	10	<1	0.12	20	0.85	1215	2	0.08	49	1380	186	0.10	5	5
CC00583		5.81	10	1	0.07	30	0.83	730	2	0.03	48	1440	166	0.09	7	5
CC00584		9.53	10	1	0.15	20	0.62	1235	5	0.04	53	1880	126	0.21	5	6
CC00585		4.38	10	<1	0.07	30	0.49	1745	1	0.09	56	1500	115	0.07	4	4
CC00586		4.78	10	1	0.12	40	0.67	1435	1	0.08	62	1510	94	0.06	5	5
CC00587		3.62	10	1	0.09	30	0.53	1540	2	0.09	42	1700	104	0.08	4	4
CC00588		3.43	10	1	0.11	20	0.68	455	1	0.05	30	1110	46	0.08	2	4
CC00589		4.64	10	1	0.26	30	0.78	448	4	0.10	41	1980	63	0.24	4	4
CC00590		3.06	10	1	0.06	10	0.58	441	1	0.02	28	780	20	0.05	<2	3
CC00591		3.08	10	1	0.10	20	0.62	476	1	0.03	34	1120	30	0.04	<2	5
CC00592		3.17	10	1	0.10	20	1.07	440	<1	0.17	33	1350	38	0.08	3	4
CC00593		2.86	10	1	0.10	20	0.80	467	<1	0.12	31	1160	30	0.07	<2	3
CC00635		4.49	10	<1	0.16	20	0.75	1025	1	0.10	42	1200	140	0.21	12	4
CC00636		4.72	10	1	0.11	20	0.40	635	1	0.13	54	1140	129	0.14	11	2
CC00637		4.57	10	<1	0.10	20	0.50	1270	1	0.10	53	1350	156	0.16	13	4
CC00638		4.80	10	1	0.15	20	0.62	1045	1	0.10	52	1150	107	0.15	6	4
CC00639		4.41	10	1	0.09	30	0.44	1350	1	0.08	36	1290	187	0.06	6	5
CC00640		1.35	<10	1	0.07	20	0.21	1520	<1	0.11	27	1430	170	0.07	5	1
CC00641		3.47	10	<1	0.08	20	0.33	799	1	0.14	64	1490	101	0.11	6	2
CC00642		4.33	10	1	0.27	30	0.80	387	4	0.09	38	1860	57	0.23	2	4
CC00643		3.75	10	<1	0.13	20	0.63	492	2	0.05	37	1170	51	0.11	3	4
CC00644		2.72	10	1	0.08	20	0.65	445	1	0.08	30	860	47	0.08	2	3
CC00645		2.70	10	1	0.09	20	1.00	407	<1	0.15	31	1050	32	0.09	5	3
CC00646		4.79	10	<1	0.13	20	0.81	411	2	0.03	83	1240	35	0.12	7	4
CC00647		4.82	10	1	0.10	30	0.59	662	1	<0.01	41	970	39	0.06	5	5
CC00648		3.23	10	<1	0.05	10	0.54	468	1	<0.01	23	660	13	0.07	2	3
CC00649		3.26	10	1	0.05	10	0.46	343	2	<0.01	20	510	12	0.06	2	2
CC00650		3.17	10	1	0.04	10	0.30	247	1	<0.01	17	660	14	0.06	2	1
CC00651		3.91	<10	<1	0.06	20	0.39	510	1	<0.01	36	600	21	0.08	4	2
CC00652		3.67	<10	1	0.06	20	0.42	622	1	<0.01	46	710	21	0.09	3	2
CC00653		3.81	<10	1	0.07	20	0.41	356	1	<0.01	40	1000	19	0.07	4	2
CC00654		39.4	<10	1	0.52	<10	0.05	84	1	0.02	7	770	53	2.27	42	1
CC00655		26.3	<10	<1	0.13	10	0.02	254	<1	0.01	6	980	100	0.52	14	1
CC00656		3.76	10	1	0.06	10	0.54	333	2	<0.01	23	720	17	0.05	3	2
CC00657		3.83	10	<1	0.09	40	0.45	1035	2	<0.01	31	1120	30	0.04	4	5
CC00658		4.76	10	1	0.09	20	0.43	791	1	<0.01	25	840	15	0.07	5	2
CC00659		5.78	10	<1	0.16	20	0.46	409	1	<0.01	28	860	14	0.07	7	3
CC00660		33.3	10	1	0.36	<10	0.09	145	<1	0.01	5	800	28	1.06	21	2
CC00661		5.32	<10	1	0.11	20	0.39	600	1	<0.01	58	1160	27	0.10	5	3
CC00662		4.22	10	1	0.07	20	0.46	435	1	<0.01	43	620	25	0.07	4	2

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - C
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46
		Sr ppm 1	Tl % 0.01	Tl ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Ag ppm 1
CC00582		116	0.07	<10	<10	67	<10	674	
CC00583		85	0.06	<10	<10	61	<10	619	
CC00584		57	0.09	<10	<10	76	<10	238	
CC00585		112	0.08	<10	<10	44	<10	447	
CC00586		101	0.09	<10	<10	55	<10	436	
CC00587		107	0.07	<10	<10	45	<10	368	
CC00588		75	0.08	<10	<10	64	<10	113	
CC00589		193	0.09	<10	<10	70	<10	126	
CC00590		28	0.07	<10	<10	59	<10	88	
CC00591		61	0.10	<10	<10	55	<10	112	
CC00592		167	0.09	<10	<10	49	<10	104	
CC00593		115	0.09	<10	<10	50	<10	100	
CC00635		196	0.05	<10	<10	37	<10	450	
CC00636		146	0.04	<10	<10	28	<10	413	
CC00637		143	0.04	<10	<10	30	<10	1460	
CC00638		197	0.08	<10	<10	42	<10	433	
CC00639		145	0.06	<10	<10	35	<10	501	
CC00640		147	0.06	<10	<10	14	<10	544	
CC00641		132	0.07	<10	<10	25	<10	698	
CC00642		190	0.08	<10	<10	70	<10	103	
CC00643		82	0.08	<10	<10	62	<10	170	
CC00644		71	0.08	<10	<10	49	<10	172	
CC00645		142	0.09	<10	<10	47	<10	88	
CC00646		79	0.09	<10	<10	63	<10	304	
CC00647		65	0.06	<10	<10	67	<10	134	
CC00648		13	0.07	<10	<10	65	<10	73	
CC00649		12	0.07	<10	<10	67	<10	62	
CC00650		11	0.05	<10	<10	58	<10	47	
CC00651		19	0.06	<10	<10	48	<10	69	
CC00652		23	0.06	<10	<10	46	<10	84	
CC00653		24	0.06	<10	<10	46	<10	74	
CC00654		12	0.05	<10	<10	16	30	26	
CC00655		20	0.03	<10	<10	9	<10	54	
CC00656		15	0.08	<10	<10	74	<10	76	
CC00657		29	0.07	<10	<10	48	10	73	
CC00658		14	0.07	<10	<10	60	20	78	
CC00659		17	0.06	<10	<10	41	130	61	
CC00660		12	0.06	<10	<10	20	30	26	
CC00661		31	0.06	<10	<10	44	<10	84	
CC00662		22	0.06	<10	<10	52	<10	77	

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - A
Total Pages: 7 (A - C)
Finalized Date: 18-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	Au-AA25	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.001	0.01	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
CC00663		0.24	0.017		0.2	2.09	208	<10	100	2.0	4	0.16	<0.5	32	26	89
CC00664		0.18	0.009		<0.2	2.22	32	<10	90	0.7	<2	0.10	<0.5	11	27	20
CC00665		0.22	0.040		<0.2	1.40	149	<10	60	0.6	19	0.08	<0.5	9	23	42
CC00666		0.22	0.063		<0.2	1.38	218	<10	100	0.5	5	0.15	<0.5	14	23	85
CC00667		0.18	0.011		<0.2	1.86	78	<10	110	0.6	<2	0.14	<0.5	12	28	33
CC00668		0.18	0.012		<0.2	1.96	118	<10	80	0.5	2	0.09	<0.5	8	30	34
CC00669		0.22	0.012		<0.2	1.60	155	<10	70	0.5	<2	0.07	<0.5	7	25	63
CC00670		0.20	0.008		<0.2	1.86	170	<10	100	0.7	2	0.07	<0.5	14	23	91
CC00671		0.16	0.003		<0.2	1.84	22	<10	80	<0.5	<2	0.10	<0.5	9	28	20
CC00672		0.22	0.112		<0.2	1.38	351	<10	80	0.6	12	0.10	<0.5	10	24	68
CC00673		0.18	0.009		0.3	1.76	80	<10	100	0.5	2	0.12	<0.5	12	27	33
CC00674		0.20	0.008		<0.2	1.78	202	<10	90	<0.5	<2	0.13	<0.5	10	29	29
CC00675		0.16	0.008		0.2	2.92	38	<10	240	1.1	6	0.91	1.8	6	15	16
CC00676		0.16	0.022		0.4	2.20	993	<10	150	2.1	9	0.17	<0.5	32	42	229
CC00677		0.14	0.011		0.2	1.92	519	<10	130	1.2	3	0.22	<0.5	18	33	91
CC00678		0.18	0.002		<0.2	1.99	27	<10	90	0.5	<2	0.15	<0.5	9	26	21
CC00679		0.18	0.096		0.3	1.81	428	<10	80	0.6	11	0.08	<0.5	8	26	40
CC00680		0.16	0.055		<0.2	1.44	180	<10	70	0.5	3	0.09	<0.5	9	24	47
CC00681		0.16	0.014		<0.2	1.76	102	<10	90	0.6	<2	0.09	<0.5	12	26	44
CC00682		0.16	0.004		<0.2	1.63	32	<10	70	<0.5	<2	0.08	<0.5	7	24	19
CC00683		0.12	0.006		<0.2	1.92	26	<10	70	<0.5	<2	0.10	<0.5	8	33	20
CC00684		0.16	0.021		0.4	1.96	327	<10	150	1.1	5	0.12	<0.5	16	31	169
CC00685		0.14	0.004		<0.2	1.66	42	<10	70	<0.5	<2	0.09	<0.5	7	30	19
CC00686		0.16	0.013		0.2	1.72	89	<10	70	0.7	2	0.06	<0.5	8	23	35
CC00687		0.16	0.005		0.2	1.72	124	<10	80	0.5	<2	0.10	<0.5	12	28	44
CC00688		0.18	0.007		<0.2	1.71	51	<10	80	<0.5	<2	0.10	<0.5	9	28	25
CC00689		0.14	0.008		<0.2	1.96	402	<10	100	1.0	2	0.19	<0.5	14	31	63
CC00690		0.16	0.005		<0.2	1.48	50	<10	60	<0.5	<2	0.09	<0.5	6	24	22
CC00691		0.18	0.006		0.2	1.78	82	<10	90	0.6	<2	0.11	<0.5	9	29	32
CC00692		0.16	0.035		<0.2	1.69	182	<10	80	0.6	6	0.09	<0.5	7	26	51
CC00693		0.14	0.002		<0.2	1.71	34	<10	80	<0.5	<2	0.09	<0.5	8	31	24
CC00694		0.18	0.009		<0.2	2.33	170	<10	140	0.8	3	0.13	<0.5	19	35	76
CC00695		0.20	0.041		0.3	1.80	288	<10	80	0.6	8	0.15	<0.5	11	28	259
CC00696		0.14	0.025		0.4	1.86	337	<10	160	1.3	6	0.15	<0.5	14	29	146
CC00697		0.18	0.037		1.0	2.20	338	<10	100	1.1	7	0.13	<0.5	9	32	454
CC00698		0.12	0.032		<0.2	1.98	236	<10	70	<0.5	12	0.13	<0.5	7	31	92
CC00699		0.16	0.005		<0.2	2.01	85	<10	100	0.6	<2	0.12	<0.5	11	32	48
CC00700		0.18	0.010		<0.2	1.79	169	<10	70	0.8	3	0.07	<0.5	8	25	93
CC00701		0.14	0.007		<0.2	1.82	79	<10	90	0.8	<2	0.10	<0.5	12	29	30
CC00702		0.18	0.005		<0.2	1.86	86	<10	90	1.7	2	0.13	<0.5	16	27	56

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - B
Total Pages: 7 (A - C)
Finalized Date: 18-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe % 0.01	Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1
CC00663		4.15	<10	1	0.08	20	0.37	707	1	<0.01	46	1100	22	0.10	5	1
CC00664		3.02	<10	1	0.05	10	0.44	364	1	<0.01	26	400	13	0.03	2	3
CC00665		3.86	10	<1	0.04	10	0.31	325	1	<0.01	18	350	15	0.04	2	2
CC00666		2.88	<10	<1	0.05	20	0.42	431	1	<0.01	34	470	10	0.03	2	2
CC00667		2.96	10	1	0.05	10	0.51	483	1	<0.01	29	570	12	0.03	2	2
CC00668		3.63	10	1	0.05	10	0.40	305	1	<0.01	19	490	15	0.04	3	2
CC00669		3.68	10	<1	0.05	10	0.30	243	2	<0.01	19	560	19	0.04	4	2
CC00670		3.44	<10	1	0.05	10	0.32	343	1	<0.01	30	420	24	0.03	4	2
CC00671		2.96	10	<1	0.04	10	0.42	369	1	<0.01	20	540	11	0.04	<2	2
CC00672		3.26	<10	<1	0.05	10	0.37	366	1	<0.01	21	440	13	0.03	4	2
CC00673		3.01	<10	<1	0.05	10	0.47	473	1	<0.01	25	480	14	0.03	3	2
CC00674		3.12	10	1	0.05	10	0.48	349	1	<0.01	24	480	11	0.03	3	2
CC00675		2.64	<10	1	0.03	20	0.18	6670	<1	0.02	20	1420	59	0.10	4	2
CC00676		4.85	10	<1	0.13	30	0.62	949	2	<0.01	45	1000	48	0.10	5	4
CC00677		3.79	10	<1	0.07	20	0.54	769	2	<0.01	30	730	25	0.08	3	3
CC00678		3.34	10	<1	0.04	10	0.29	858	2	<0.01	18	610	39	0.05	2	2
CC00679		3.44	10	<1	0.05	10	0.34	325	1	<0.01	20	400	15	0.03	3	2
CC00680		3.25	10	<1	0.04	10	0.34	285	1	<0.01	21	460	12	0.03	2	2
CC00681		2.94	<10	<1	0.04	10	0.42	419	1	<0.01	22	410	12	0.02	2	2
CC00682		2.91	10	<1	0.04	10	0.33	254	1	<0.01	18	370	11	0.02	<2	2
CC00683		4.02	10	<1	0.06	10	0.44	453	2	<0.01	17	470	15	0.03	3	2
CC00684		3.97	10	1	0.08	30	0.50	339	2	<0.01	30	810	24	0.06	3	3
CC00685		4.28	10	1	0.05	10	0.35	360	2	<0.01	17	430	17	0.03	2	2
CC00686		3.20	10	1	0.04	10	0.17	315	1	<0.01	16	570	13	0.04	3	1
CC00687		3.65	10	1	0.05	10	0.40	513	1	<0.01	21	540	16	0.02	2	2
CC00688		3.04	10	<1	0.04	10	0.46	465	1	<0.01	21	480	11	0.03	3	2
CC00689		3.61	10	1	0.06	20	0.52	369	2	<0.01	28	680	21	0.07	4	2
CC00690		2.62	<10	<1	0.04	10	0.37	331	1	<0.01	15	510	11	0.03	2	2
CC00691		3.05	10	<1	0.05	20	0.48	361	1	<0.01	23	520	11	0.04	3	2
CC00692		3.23	10	<1	0.04	10	0.29	209	1	<0.01	21	670	14	0.05	3	1
CC00693		4.19	10	<1	0.06	10	0.30	529	2	<0.01	18	530	19	0.04	3	2
CC00694		3.71	10	1	0.08	20	0.60	597	1	<0.01	37	630	16	0.03	2	3
CC00695		3.34	10	1	0.07	20	0.50	340	1	<0.01	26	770	16	0.03	3	2
CC00696		3.96	<10	1	0.08	30	0.46	326	2	<0.01	33	970	27	0.08	5	3
CC00697		3.71	10	<1	0.07	20	0.55	233	2	<0.01	30	640	17	0.03	3	3
CC00698		3.29	10	1	0.06	10	0.53	180	2	0.01	20	780	14	0.06	2	2
CC00699		3.33	10	<1	0.06	10	0.53	392	1	<0.01	24	610	12	0.04	2	2
CC00700		4.03	10	<1	0.05	20	0.32	286	1	<0.01	20	440	18	0.03	3	2
CC00701		3.15	10	<1	0.05	10	0.45	394	1	<0.01	23	580	12	0.04	3	2
CC00702		3.59	10	<1	0.06	20	0.46	340	1	<0.01	38	620	18	0.06	3	2

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 3 - C
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46
		Sr	TI	TI	U	V	W	Zn	Ag
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 1
CC00663		25	0.05	<10	<10	48	<10	84	
CC00664		11	0.06	<10	<10	48	<10	83	
CC00665		10	0.06	<10	<10	50	<10	59	
CC00666		16	0.06	<10	<10	41	<10	58	
CC00667		14	0.06	<10	<10	50	<10	62	
CC00668		13	0.07	<10	<10	64	<10	52	
CC00669		12	0.07	<10	<10	62	<10	55	
CC00670		12	0.06	<10	<10	42	<10	72	
CC00671		11	0.05	<10	<10	52	<10	52	
CC00672		12	0.05	<10	<10	39	10	50	
CC00673		13	0.06	<10	<10	50	<10	60	
CC00674		14	0.07	<10	<10	58	<10	63	
CC00675		68	0.03	<10	<10	22	<10	137	
CC00676		31	0.06	<10	<10	53	<10	95	
CC00677		25	0.06	<10	<10	50	<10	75	
CC00678		14	0.07	<10	<10	57	<10	104	
CC00679		10	0.06	<10	<10	58	<10	70	
CC00680		10	0.06	<10	<10	54	<10	49	
CC00681		11	0.05	<10	<10	47	<10	58	
CC00682		10	0.06	<10	<10	54	<10	46	
CC00683		12	0.10	<10	<10	82	<10	67	
CC00684		20	0.05	<10	<10	54	<10	61	
CC00685		11	0.11	<10	<10	91	<10	55	
CC00686		9	0.05	<10	<10	58	<10	42	
CC00687		11	0.06	<10	<10	54	<10	65	
CC00688		12	0.06	<10	<10	56	<10	62	
CC00689		20	0.06	<10	<10	51	<10	71	
CC00690		11	0.06	<10	<10	50	<10	46	
CC00691		13	0.06	<10	<10	52	<10	59	
CC00692		13	0.06	<10	<10	57	<10	51	
CC00693		10	0.09	<10	<10	81	<10	55	
CC00694		15	0.07	<10	<10	63	<10	87	
CC00695		16	0.06	<10	<10	54	<10	60	
CC00696		23	0.05	<10	<10	50	<10	63	
CC00697		14	0.06	<10	<10	53	<10	62	
CC00698		15	0.06	<10	<10	59	<10	52	
CC00699		14	0.07	<10	<10	61	<10	70	
CC00700		10	0.06	<10	<10	51	<10	55	
CC00701		13	0.06	<10	<10	55	<10	62	
CC00702		21	0.06	<10	<10	50	<10	65	

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

BY: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 4 - A
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	Au-AA25	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.001	0.01	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
CC00703		0.14	0.053		<0.2	2.00	142	<10	90	1.0	<2	0.21	<0.5	18	31	36
CC00704		0.20	0.005		0.2	2.02	255	<10	90	1.0	2	0.18	<0.5	13	29	50
CC00705		0.18	0.007		0.2	1.80	71	<10	80	1.4	<2	0.12	<0.5	17	29	39
CC00706		0.22	0.006		<0.2	1.94	76	<10	100	1.5	<2	0.12	<0.5	20	29	50
CC00707		0.18	0.007		0.2	1.94	71	<10	120	1.3	<2	0.12	<0.5	22	31	56
CC00793		0.20	0.003		0.2	1.86	33	<10	130	0.7	<2	0.86	<0.5	12	25	40
CC00794		0.24	0.007		0.2	2.55	42	<10	170	1.1	<2	1.05	0.8	17	30	54
CC00844		0.36	0.114		0.2	2.12	1770	<10	210	1.4	3	0.25	0.6	27	34	171
CC00845		0.26	0.076		0.3	2.36	267	20	130	1.0	11	1.85	1.3	14	24	62
CC00846		0.26	0.031		0.3	2.53	110	10	150	1.0	2	1.52	0.7	14	29	52
CC00847		0.24	0.012		0.3	2.38	108	<10	150	1.0	2	1.08	0.8	15	30	57
CC00848		0.22	0.007		<0.2	2.77	19	<10	170	1.0	<2	0.82	<0.5	11	30	29
CC00849		0.18	0.001		0.2	4.21	36	<10	170	1.6	<2	2.66	<0.5	14	53	36
CC00900		0.34	0.017		<0.2	1.74	84	<10	90	1.3	<2	0.18	<0.5	19	29	83
CC00901		0.28	0.002		<0.2	1.58	84	<10	100	1.9	<2	0.15	<0.5	21	26	89
CC00902		0.22	1.715		0.8	1.58	493	<10	90	0.7	33	0.09	<0.5	13	24	91
CC00903		0.30	0.430		3.7	0.59	>10000	<10	90	<0.5	104	0.08	<0.5	6	17	340
CC00904		0.26	1.035		4.2	1.46	2340	<10	110	0.6	62	0.13	<0.5	13	24	185
CC00905		0.24	0.016		0.3	1.94	154	<10	140	1.1	3	0.13	<0.5	16	32	82
CC00906		0.26	0.009		<0.2	1.72	67	<10	90	0.6	<2	0.10	<0.5	11	28	33
CC00907		0.28	0.037		0.3	1.80	99	<10	90	0.6	2	0.10	<0.5	11	31	71
CC00908		0.30	>10.0	41.0	>100	0.84	>10000	<10	280	0.9	1150	0.12	0.7	10	17	1510
CC00909		0.26	0.247		0.6	1.87	184	<10	100	1.8	5	0.15	<0.5	19	25	124
CC00910		0.28	0.002		0.2	1.84	116	<10	110	3.2	2	0.14	<0.5	35	24	155
CC00911		0.34	0.013		<0.2	1.42	66	<10	90	1.7	<2	0.11	<0.5	17	25	77
CC00912		0.32	0.003		0.2	1.46	74	<10	80	1.3	<2	0.10	<0.5	15	25	66
CC00913		0.34	0.001		0.8	1.46	438	<10	140	1.6	16	0.11	<0.5	33	24	138
CC00914		0.26	0.005		0.2	1.70	114	<10	80	0.5	8	0.09	<0.5	10	29	70
CC00915		0.30	0.006		<0.2	1.56	68	<10	100	1.7	<2	0.11	<0.5	19	25	68
CC00916		0.28	0.004		<0.2	1.70	72	<10	90	1.6	<2	0.13	<0.5	14	28	77
CC00917		0.22	0.003		0.2	1.68	96	<10	100	2.7	<2	0.11	<0.5	30	24	159
CC00918		0.24	0.005		0.4	1.28	233	<10	140	1.6	<2	0.09	<0.5	23	25	107
CC00919		0.28	0.015		0.6	1.37	451	<10	120	1.5	12	0.10	<0.5	30	22	129
CC00920		0.20	0.123		0.4	1.28	476	<10	130	1.6	13	0.09	<0.5	27	21	124
CC00921		0.34	0.035		0.4	1.24	442	<10	130	1.5	18	0.09	<0.5	26	21	124
CC00922		0.28	0.014		<0.2	1.36	182	<10	140	1.8	<2	0.11	<0.5	23	25	105
CC00923		0.34	0.006		<0.2	1.56	116	<10	100	2.0	<2	0.11	<0.5	18	25	125
CC00924		0.24	0.115		<0.2	1.51	75	<10	90	1.7	<2	0.10	<0.5	17	25	79
CC00925		0.20	3.38		0.4	2.19	94	<10	120	2.5	2	0.18	<0.5	33	27	126
CC00926		0.30	0.010		0.2	1.72	95	<10	130	2.2	2	0.17	<0.5	32	25	107

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 4 - B
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050219

Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
Sample Description	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
CC00703	3.44	10	1	0.06	20	0.52	764	2	<0.01	32	580	15	0.06	4	2
CC00704	3.45	10	<1	0.06	20	0.52	338	2	0.01	37	690	18	0.08	4	2
CC00705	3.27	<10	<1	0.06	20	0.47	432	1	<0.01	32	520	16	0.05	3	2
CC00706	3.50	10	<1	0.06	20	0.49	438	1	<0.01	38	610	17	0.04	3	3
CC00707	3.37	<10	<1	0.06	20	0.53	444	1	<0.01	36	690	14	0.03	4	3
CC00793	2.63	10	<1	0.07	20	0.58	417	1	0.04	31	1000	29	0.06	3	3
CC00794	3.13	10	1	0.15	20	0.71	528	1	0.08	37	1310	41	0.06	3	4
CC00844	9.88	10	1	0.24	20	0.54	393	7	0.03	58	3790	34	0.36	8	4
CC00845	3.05	10	<1	0.15	20	0.61	676	<1	0.13	29	1170	59	0.02	5	4
CC00846	2.96	10	1	0.16	20	0.75	509	1	0.16	32	1160	41	0.02	6	4
CC00847	3.24	10	1	0.13	20	0.74	545	1	0.09	37	1230	42	0.04	3	4
CC00848	2.56	10	1	0.09	20	0.73	417	<1	0.08	28	970	24	0.04	5	3
CC00849	3.03	10	1	0.22	20	1.62	500	<1	0.34	32	1080	31	0.07	3	5
CC00900	4.55	<10	<1	0.08	20	0.42	535	1	<0.01	45	1220	19	0.06	4	2
CC00901	4.47	<10	<1	0.07	20	0.40	447	1	<0.01	49	980	17	0.07	4	3
CC00902	3.62	<10	<1	0.05	20	0.38	370	1	<0.01	27	440	16	0.04	5	2
CC00903	12.20	<10	<1	0.09	10	0.20	210	1	<0.01	13	910	22	0.39	14	2
CC00904	4.66	<10	<1	0.08	20	0.40	449	1	<0.01	25	790	21	0.09	7	2
CC00905	4.25	10	1	0.10	30	0.49	433	2	<0.01	34	1060	28	0.08	6	3
CC00906	3.12	<10	<1	0.06	10	0.42	343	1	<0.01	24	500	12	0.03	2	2
CC00907	3.40	10	<1	0.07	20	0.40	489	1	<0.01	26	900	16	0.06	4	2
CC00908	15.7	<10	1	0.16	30	0.17	260	1	<0.01	15	780	71	0.36	39	5
CC00909	5.45	10	<1	0.10	20	0.43	415	2	0.01	48	1380	32	0.10	5	2
CC00910	5.36	<10	<1	0.09	20	0.38	548	2	0.01	70	1100	28	0.12	5	3
CC00911	4.75	<10	<1	0.08	20	0.34	318	1	<0.01	42	970	17	0.08	6	2
CC00912	4.70	<10	<1	0.08	20	0.35	354	1	<0.01	35	1000	17	0.07	5	2
CC00913	5.38	<10	<1	0.13	40	0.32	786	2	<0.01	42	1090	51	0.10	8	4
CC00914	3.60	10	<1	0.06	20	0.39	390	1	<0.01	26	600	14	0.04	3	2
CC00915	4.76	<10	1	0.08	20	0.36	443	1	<0.01	39	970	17	0.08	5	2
CC00916	4.65	<10	<1	0.09	20	0.42	312	2	<0.01	39	1120	18	0.09	5	2
CC00917	5.36	<10	1	0.08	20	0.38	433	1	<0.01	65	880	26	0.11	6	3
CC00918	5.27	<10	1	0.09	40	0.22	480	3	<0.01	37	1400	34	0.12	14	5
CC00919	5.34	<10	<1	0.13	40	0.31	742	1	<0.01	40	1110	48	0.10	8	4
CC00920	5.60	<10	<1	0.14	40	0.26	703	1	<0.01	39	1040	36	0.10	8	4
CC00921	5.55	<10	<1	0.13	40	0.27	645	2	<0.01	40	1020	40	0.11	8	4
CC00922	5.56	<10	1	0.10	40	0.28	492	2	<0.01	39	1290	27	0.11	10	5
CC00923	5.28	<10	1	0.10	30	0.33	365	1	<0.01	44	1000	18	0.11	7	3
CC00924	5.15	<10	<1	0.08	30	0.35	366	2	<0.01	39	1050	19	0.09	6	2
CC00925	5.14	<10	<1	0.10	20	0.44	735	2	0.01	54	1500	30	0.12	5	3
CC00926	5.08	<10	<1	0.10	30	0.39	627	2	0.01	51	1400	26	0.11	7	4

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 4 - C
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46
		Sr	Tl	Tl	U	V	W	Zn	Ag
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 1
CC00703		19	0.07	<10	<10	54	<10	77	
CC00704		25	0.06	<10	<10	51	<10	71	
CC00705		16	0.06	<10	<10	52	<10	66	
CC00706		19	0.07	<10	<10	53	<10	68	
CC00707		18	0.07	<10	<10	54	<10	70	
CC00793		59	0.07	<10	<10	47	<10	106	
CC00794		90	0.11	<10	<10	59	<10	161	
CC00844		101	0.07	<10	<10	69	<10	87	
CC00845		132	0.12	<10	<10	41	<10	233	
CC00846		146	0.12	<10	<10	48	<10	160	
CC00847		93	0.10	<10	<10	55	<10	167	
CC00848		98	0.10	<10	<10	46	<10	85	
CC00849		269	0.15	<10	<10	58	<10	94	
CC00900		28	0.07	<10	<10	54	<10	80	
CC00901		22	0.06	<10	<10	48	<10	82	
CC00902		14	0.05	<10	<10	47	30	71	
CC00903		8	0.06	<10	<10	35	40	37	
CC00904		17	0.05	<10	<10	44	70	66	
CC00905		25	0.06	<10	<10	57	<10	71	
CC00906		12	0.06	<10	<10	51	<10	64	
CC00907		14	0.06	<10	<10	54	<10	78	
CC00908		36	0.06	<10	<10	29	20	135	120
CC00909		34	0.06	<10	<10	46	<10	95	
CC00910		35	0.05	<10	<10	42	<10	91	
CC00911		24	0.06	<10	<10	46	<10	68	
CC00912		23	0.06	<10	<10	48	<10	68	
CC00913		28	0.05	<10	<10	41	10	83	
CC00914		13	0.07	<10	<10	60	<10	69	
CC00915		25	0.06	<10	<10	47	<10	67	
CC00916		26	0.06	<10	<10	49	<10	69	
CC00917		32	0.06	<10	<10	45	<10	88	
CC00918		37	0.04	<10	<10	46	<10	62	
CC00919		26	0.05	<10	<10	40	10	80	
CC00920		26	0.04	<10	<10	37	<10	76	
CC00921		27	0.04	<10	<10	38	10	76	
CC00922		34	0.05	<10	<10	47	<10	68	
CC00923		31	0.06	<10	<10	46	<10	64	
CC00924		28	0.06	<10	<10	48	<10	67	
CC00925		35	0.06	<10	<10	47	<10	87	
CC00926		40	0.06	<10	<10	44	<10	76	

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 5 - A
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	Au-AA25	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.001	0.01	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
CC00927		0.32	0.032		<0.2	1.50	91	<10	90	1.8	<2	0.08	<0.5	16	24	88
CC00928		0.32	0.002		<0.2	1.41	110	<10	100	2.0	<2	0.08	<0.5	18	24	102
CC00929		0.30	0.009		<0.2	1.49	241	<10	120	1.6	<2	0.09	<0.5	20	25	114
CC00930		0.28	0.459		0.3	1.26	238	<10	120	1.5	<2	0.10	<0.5	25	26	103
CC00931		0.22	0.040		0.5	1.22	382	<10	120	1.4	15	0.11	<0.5	27	22	115
CC00932		0.30	0.068		0.3	1.07	248	<10	140	1.3	9	0.13	<0.5	24	23	108
CC00935		0.22	6.99		<0.2	2.43	29	<10	140	0.7	<2	0.36	0.6	11	31	23
CC00936		0.20	0.005		<0.2	2.31	27	<10	120	0.9	<2	0.51	<0.5	10	25	19
CC00937		0.28	0.040		<0.2	3.58	33	<10	140	1.3	<2	0.51	0.6	13	35	29
CC00938		0.28	0.014		0.2	2.31	61	<10	140	0.9	<2	0.50	0.7	13	26	35
CC00939		0.18	0.081		<0.2	2.06	77	10	110	1.0	4	1.80	3.1	18	19	33
CC00940		0.30	NSS		0.4	2.75	452	<10	140	1.2	9	0.87	1.1	18	27	63
CC00941		0.36	0.007		<0.2	2.25	28	<10	170	0.8	<2	0.41	<0.5	12	27	32
CC00942		0.24	0.032		0.3	2.10	30	<10	150	0.8	<2	1.01	0.8	14	27	43
CC00943		0.38	0.031		1.0	2.46	2190	<10	290	1.2	18	0.91	<0.5	23	40	501
CC00944		0.38	0.038		1.1	2.59	2730	<10	290	1.5	25	0.93	0.8	31	39	594
CC00945		0.36	0.034		0.9	2.47	2220	<10	280	1.3	28	0.86	0.5	26	40	496
CC00946		0.34	0.034		1.2	2.37	2290	<10	280	1.2	19	0.83	0.7	25	40	560
CC00947		0.36	0.056		1.4	1.68	3010	<10	160	1.1	38	0.54	1.1	18	34	593
CC00948		0.34	0.301		7.6	1.50	8730	<10	160	1.7	100	0.61	1.9	20	22	2400
CC00949		0.36	0.353		7.5	1.45	9170	<10	160	1.6	107	0.63	1.6	21	21	2330
CC00950		0.34	0.382		5.3	1.73	7780	<10	200	1.3	111	0.65	1.4	21	29	1975
CC00951		0.42	0.320		5.7	1.66	7010	<10	190	1.4	100	0.67	1.6	25	27	1850
CC00952		0.32	0.270		4.8	1.62	5440	<10	190	1.4	81	0.58	1.4	22	29	1710
CC00953		0.24	0.018		0.5	2.45	132	<10	150	0.8	3	0.33	1.0	15	26	89
CC00954		0.34	0.584		3.9	1.59	7710	<10	80	0.9	96	0.58	1.0	18	21	2460
CC00955		0.32	0.397		2.8	1.60	>10000	<10	70	1.0	240	0.79	1.6	32	15	1605
CC00956		0.34	0.286		2.1	1.92	6380	<10	50	1.0	233	0.98	1.7	35	11	1305
CC00957		0.36	0.032		1.0	2.37	5850	<10	100	1.9	15	0.52	0.7	55	22	551
CC00958		0.38	0.026		0.7	2.39	5710	<10	100	1.8	15	0.55	0.8	53	22	562
CC00959		0.34	0.024		1.0	2.43	5200	<10	100	1.8	12	0.56	0.6	53	23	529
CC00960		0.28	0.017		0.5	2.88	3200	<10	150	2.2	12	0.40	0.6	51	28	366
CC00961		0.24	0.007		0.3	2.46	603	<10	130	1.1	2	0.15	<0.5	17	33	89
CC00962		0.22	0.011		<0.2	2.24	447	<10	100	0.7	4	0.18	<0.5	10	28	118
CC00963		0.24	0.008		<0.2	2.18	287	<10	150	0.7	4	0.14	<0.5	11	28	78
CC00964		0.20	0.004		<0.2	2.37	42	<10	100	0.6	<2	0.11	<0.5	11	33	25
CC00965		0.22	0.006		<0.2	2.87	255	<10	190	1.2	2	0.40	<0.5	16	38	87
CC00966		0.34	0.010		0.2	2.73	533	<10	270	1.4	6	0.46	0.5	26	36	178
CC00967		0.26	0.010		<0.2	2.54	331	<10	160	1.5	2	0.27	0.5	21	30	132
CC00968		0.24	0.006		0.3	3.28	124	<10	150	1.5	3	0.20	0.6	18	31	88

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 5 - B
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
CC00927		5.66	<10	1	0.07	30	0.31	347	1	<0.01	40	910	23	0.09	7	2
CC00928		5.63	<10	<1	0.08	30	0.29	349	1	<0.01	40	960	23	0.09	7	2
CC00929		6.10	<10	<1	0.10	30	0.28	368	2	<0.01	40	1300	28	0.11	9	4
CC00930		5.06	<10	1	0.10	40	0.24	490	2	<0.01	36	1360	31	0.12	12	5
CC00931		5.15	<10	<1	0.12	40	0.28	651	1	<0.01	37	1070	49	0.10	8	4
CC00932		4.74	<10	<1	0.11	30	0.27	556	1	<0.01	39	950	32	0.10	7	4
CC00935		3.00	10	<1	0.06	10	0.51	616	1	0.01	23	750	24	0.04	3	3
CC00936		2.87	10	1	0.06	10	0.34	595	1	0.02	17	1020	24	0.08	2	2
CC00937		3.21	10	1	0.09	20	0.72	408	1	0.03	34	1030	28	0.07	4	4
CC00938		2.98	10	1	0.07	20	0.51	586	1	0.03	33	850	43	0.06	3	3
CC00939		2.48	10	<1	0.05	20	0.31	1140	1	0.05	20	1620	61	0.16	3	2
CC00940		3.72	10	<1	0.13	20	0.66	840	1	0.05	36	1160	74	0.15	6	4
CC00941		2.82	10	<1	0.08	20	0.57	417	<1	0.02	29	860	23	0.14	<2	4
CC00942		2.86	10	<1	0.13	20	0.67	442	1	0.09	35	1200	37	0.13	<2	4
CC00943		4.58	10	<1	0.71	30	1.27	569	3	0.03	42	1790	48	0.13	14	8
CC00944		5.02	10	<1	0.68	30	1.26	678	4	0.03	53	1640	55	0.13	13	9
CC00945		4.71	10	<1	0.70	30	1.27	565	2	0.02	47	1690	53	0.11	10	9
CC00946		4.51	10	<1	0.73	30	1.24	600	2	0.02	40	1460	58	0.11	14	8
CC00947		3.59	10	<1	0.60	50	0.89	545	2	0.02	21	1100	98	0.06	12	6
CC00948		4.78	<10	<1	0.33	50	0.64	782	10	0.01	13	1360	297	0.09	47	6
CC00949		4.59	<10	1	0.33	50	0.64	707	8	0.01	11	1360	249	0.08	48	6
CC00950		4.40	10	<1	0.47	40	0.88	660	5	0.01	21	1220	159	0.07	44	7
CC00951		4.42	10	<1	0.41	40	0.80	667	7	0.01	16	1270	190	0.08	38	7
CC00952		4.09	10	<1	0.43	40	0.83	650	6	0.01	20	1160	165	0.08	34	7
CC00953		3.04	10	<1	0.06	20	0.46	459	1	0.02	30	840	122	0.09	3	3
CC00954		4.39	10	<1	0.20	40	0.46	271	6	0.04	25	1330	71	0.14	8	3
CC00955		5.04	<10	1	0.15	30	0.34	430	11	0.07	29	1170	114	0.15	14	2
CC00956		3.41	10	1	0.05	20	0.24	891	2	0.08	34	1180	125	0.12	11	1
CC00957		7.35	10	<1	0.23	30	0.63	560	8	0.02	103	940	45	0.11	6	4
CC00958		7.06	10	<1	0.24	30	0.63	535	8	0.02	97	910	39	0.10	7	4
CC00959		6.92	10	<1	0.25	30	0.65	551	8	0.03	99	990	41	0.23	10	4
CC00960		6.64	10	<1	0.24	30	0.78	790	5	0.02	95	1180	49	0.08	9	5
CC00961		4.36	10	<1	0.13	20	0.57	620	4	0.01	31	1500	20	0.10	4	3
CC00962		3.25	10	<1	0.06	10	0.49	295	2	0.02	26	810	19	0.07	2	2
CC00963		2.83	10	<1	0.04	10	0.50	418	1	0.01	26	460	8	0.05	<2	3
CC00964		3.51	10	<1	0.05	10	0.45	566	2	<0.01	18	640	15	0.06	<2	2
CC00965		4.13	10	<1	0.17	20	0.80	462	3	0.02	37	970	15	0.08	<2	5
CC00966		5.40	10	1	0.13	30	0.72	813	3	0.02	55	1320	29	0.05	5	8
CC00967		4.49	10	<1	0.09	20	0.60	719	2	0.01	45	1270	22	0.06	4	5
CC00968		3.56	10	<1	0.10	20	0.45	981	2	0.01	30	1520	19	0.10	2	3

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 5 - C
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46
		Sr ppm 1	Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Ag ppm 1
CC00927		29	0.05	<10	<10	47	<10	64	
CC00928		29	0.05	<10	<10	46	<10	64	
CC00929		32	0.05	<10	<10	46	<10	69	
CC00930		36	0.04	<10	<10	48	<10	66	
CC00931		27	0.05	<10	<10	41	10	75	
CC00932		29	0.05	<10	<10	44	10	68	
CC00935		27	0.08	<10	<10	64	<10	120	
CC00936		43	0.09	<10	<10	59	<10	78	
CC00937		45	0.11	<10	<10	72	<10	73	
CC00938		47	0.08	<10	<10	51	<10	194	
CC00939		63	0.04	<10	<10	41	<10	490	
CC00940		71	0.09	<10	<10	52	<10	255	
CC00941		35	0.08	<10	<10	52	<10	97	
CC00942		95	0.09	<10	<10	50	<10	127	
CC00943		140	0.19	<10	<10	91	20	91	
CC00944		178	0.16	<10	<10	92	20	104	
CC00945		135	0.19	<10	<10	91	10	89	
CC00946		140	0.19	<10	<10	89	10	97	
CC00947		112	0.19	<10	10	63	20	118	
CC00948		180	0.08	<10	20	44	80	154	
CC00949		170	0.08	<10	20	44	130	148	
CC00950		124	0.13	<10	10	57	170	126	
CC00951		131	0.11	<10	20	52	150	140	
CC00952		116	0.12	<10	10	55	130	122	
CC00953		32	0.08	<10	<10	50	<10	190	
CC00954		73	0.06	<10	10	44	60	74	
CC00955		111	0.04	<10	10	29	170	100	
CC00956		99	0.02	<10	10	20	130	174	
CC00957		192	0.02	<10	<10	52	20	108	
CC00958		188	0.02	<10	<10	53	20	102	
CC00959		186	0.02	<10	<10	55	20	106	
CC00960		152	0.05	<10	<10	59	<10	99	
CC00961		30	0.09	<10	<10	77	<10	79	
CC00962		26	0.07	<10	<10	58	<10	67	
CC00963		19	0.06	<10	<10	52	10	77	
CC00964		13	0.08	<10	<10	75	<10	77	
CC00965		43	0.11	<10	<10	79	<10	72	
CC00966		60	0.10	<10	<10	77	<10	114	
CC00967		38	0.08	<10	<10	65	<10	92	
CC00968		28	0.07	<10	<10	56	<10	80	

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 6 - A
Total Pages: 7 (A - C)
Finalized Date: 18-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	Au-AA25	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm
		0.02	0.001	0.01	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
CC00969		0.22	0.009		0.2	3.02	230	<10	130	1.4	3	0.19	<0.5	13	37	66
CC00970		0.30	0.009		0.4	2.63	1810	<10	170	2.4	2	0.24	0.5	42	29	318
CC00971		0.30	0.017		0.4	2.53	1580	<10	170	2.2	<2	0.23	0.6	39	30	298
CC00972		0.30	0.011		0.4	2.46	1595	<10	180	1.7	3	0.25	<0.5	33	29	287
CC00973		0.24	0.011		0.4	2.59	3160	<10	170	2.1	7	0.28	0.6	47	26	280
CC00974		0.26	0.010		<0.2	2.43	1755	<10	180	1.4	13	0.42	0.5	24	25	132
CC00976		0.20	0.010		0.2	2.79	35	<10	210	1.0	<2	0.17	<0.5	12	37	58
CC00977		0.22	0.011		<0.2	2.76	70	<10	160	1.1	<2	0.21	<0.5	13	30	78
CC00978		0.30	0.013		1.3	2.33	265	20	110	1.1	11	1.34	2.0	21	18	120
CC00979		0.20	0.005		0.3	2.60	79	<10	170	1.1	3	0.38	0.6	15	31	70
CC00980		0.28	0.025		0.4	1.74	85	<10	150	0.8	9	0.56	1.1	18	22	154
CC00981		0.28	0.031		0.3	2.16	177	<10	150	0.7	25	0.86	0.6	12	18	129
CC00982		0.24	0.027		<0.2	2.82	466	<10	140	1.1	15	0.37	<0.5	12	24	43
CC00983		0.32	0.021		0.8	3.40	157	<10	70	1.1	27	1.08	0.8	9	16	59
CC00984		0.28	0.009		0.9	2.25	72	<10	210	1.3	2	0.95	1.6	14	24	92
CC00985		0.28	0.005		<0.2	2.57	49	<10	180	0.8	<2	0.56	0.8	12	24	36
CC00986		0.20	0.014		0.4	1.98	176	<10	190	1.2	<2	0.53	1.0	21	23	125
CC00988		0.30	0.011		0.4	1.99	120	<10	120	0.5	<2	0.13	<0.5	3	32	274
CC00989		0.30	0.006		0.3	3.19	40	<10	230	0.9	<2	0.21	<0.5	15	44	166
CC00990		0.24	0.003		<0.2	2.30	54	<10	140	0.6	<2	0.13	<0.5	12	34	28
CC00991		0.20	0.004		<0.2	2.31	55	<10	170	0.7	2	0.21	<0.5	13	33	40
CC00992		0.28	0.005		<0.2	2.26	76	<10	140	0.9	2	0.16	0.5	9	29	48
CC00993		0.24	0.003		<0.2	2.16	56	<10	110	0.7	<2	0.13	<0.5	9	31	39
CC00994		0.28	0.008		<0.2	2.25	181	<10	140	1.4	6	0.17	<0.5	14	28	101
CC00995		0.28	0.010		<0.2	2.12	241	<10	130	1.4	5	0.15	<0.5	13	27	134
CC00996		0.34	0.004		<0.2	2.64	63	<10	140	1.0	<2	0.17	0.5	17	29	70
CC00997		0.32	0.012		<0.2	2.38	92	<10	140	0.8	<2	0.25	<0.5	19	29	128
CC00998		0.28	0.011		<0.2	2.44	164	<10	200	1.1	<2	0.34	0.5	25	29	227
CC00999		0.34	0.012		0.3	2.36	172	<10	160	1.5	2	0.52	1.1	24	30	193
CC01000		0.34	0.013		0.5	2.64	408	<10	180	2.8	4	0.29	0.5	48	30	267
CC01001		0.44	0.014		0.2	3.52	267	<10	230	1.4	<2	0.27	<0.5	28	33	140
CC01002		0.36	0.006		0.4	2.51	356	<10	130	2.4	2	0.24	<0.5	26	28	102
CC01003		0.32	0.006		0.2	3.26	170	<10	160	1.7	<2	0.20	<0.5	12	38	86
CC01004		0.32	0.012		<0.2	3.13	39	<10	220	1.0	<2	0.35	<0.5	13	32	45
CC01005		0.34	0.034		<0.2	2.90	158	<10	170	1.0	19	0.71	0.7	13	21	71
CC01006		0.28	0.021		0.2	2.68	162	<10	140	0.9	9	0.43	0.5	11	22	49
CC01007		0.26	0.005		0.2	2.69	50	<10	170	0.8	3	0.26	<0.5	12	32	41
CC01008		0.30	0.007		0.8	2.11	122	<10	170	0.9	2	0.70	1.3	20	28	130
CC01009		0.32	0.016		0.4	2.55	116	<10	160	0.7	<2	0.29	<0.5	14	33	235
CC01010		0.34	0.013		0.4	2.53	134	<10	130	0.7	<2	0.38	<0.5	28	26	225

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 6 - B
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
CC00969		4.13	10	<1	0.12	20	0.53	554	3	0.01	24	1260	16	0.10	2	3
CC00970		8.34	10	<1	0.18	30	0.59	706	12	0.03	96	2070	32	0.21	12	4
CC00971		7.80	10	<1	0.18	30	0.61	718	11	0.02	98	1920	31	0.19	13	4
CC00972		7.24	10	<1	0.20	20	0.63	604	8	0.02	73	1560	34	0.17	12	4
CC00973		7.19	10	<1	0.26	20	0.69	587	5	0.01	82	920	36	0.08	10	4
CC00974		3.78	10	<1	0.07	20	0.50	757	2	0.02	35	950	53	0.05	5	3
CC00976		4.21	10	<1	0.19	10	0.87	344	3	0.02	30	940	10	0.11	3	5
CC00977		4.45	10	<1	0.07	10	0.47	406	1	0.01	37	820	14	0.08	4	3
CC00978		3.65	10	<1	0.07	20	0.51	1195	1	0.08	38	1230	146	0.06	7	3
CC00979		3.37	10	<1	0.07	10	0.56	753	1	0.02	31	1120	39	0.10	<2	2
CC00980		3.78	<10	<1	0.05	20	0.40	739	1	0.04	46	630	62	0.03	4	4
CC00981		2.82	10	<1	0.05	20	0.28	573	1	0.07	30	1080	28	0.04	3	3
CC00982		2.90	10	<1	0.05	10	0.38	664	<1	0.01	27	1130	45	0.09	<2	1
CC00983		2.78	10	<1	0.05	20	0.33	812	1	0.04	26	1590	77	0.09	5	1
CC00984		3.13	10	<1	0.05	20	0.55	997	<1	0.04	40	1070	314	0.05	3	3
CC00985		2.57	10	<1	0.04	20	0.41	738	1	0.03	35	700	38	0.05	3	3
CC00986		3.97	10	<1	0.05	20	0.41	606	2	0.03	56	1260	66	0.07	7	3
CC00988		11.05	10	<1	0.18	10	0.65	170	13	0.01	13	2600	31	0.30	3	3
CC00989		6.56	10	<1	0.46	10	1.36	445	5	0.02	39	1520	18	0.13	5	7
CC00990		3.34	10	<1	0.08	10	0.65	529	2	0.01	21	490	8	0.04	<2	3
CC00991		3.31	10	<1	0.05	10	0.56	450	1	0.01	31	620	27	0.05	4	3
CC00992		3.36	10	<1	0.06	10	0.45	351	2	0.01	25	690	12	0.06	4	2
CC00993		3.46	10	<1	0.06	10	0.44	356	2	0.01	22	790	11	0.06	4	2
CC00994		4.80	10	<1	0.09	20	0.45	446	4	0.02	41	1360	18	0.11	7	2
CC00995		5.92	10	<1	0.07	20	0.40	390	5	0.01	41	1050	24	0.11	8	1
CC00996		3.89	10	<1	0.07	10	0.46	569	1	0.01	36	1080	26	0.06	4	3
CC00997		4.84	10	<1	0.08	20	0.45	557	3	0.02	39	1460	37	0.09	4	3
CC00998		6.10	10	1	0.10	20	0.50	609	3	0.02	53	1700	40	0.12	6	4
CC00999		4.71	10	<1	0.09	20	0.92	1505	1	0.02	40	1060	116	0.06	5	5
CC01000		8.88	10	<1	0.19	30	0.70	1495	13	0.05	93	2970	44	0.30	17	6
CC01001		7.93	10	<1	0.28	20	0.79	812	7	0.06	48	2480	30	0.35	8	6
CC01002		4.68	10	<1	0.17	40	0.56	1120	4	0.02	28	2300	48	0.16	7	3
CC01003		4.46	10	<1	0.25	20	0.84	482	4	0.02	29	1720	30	0.15	6	3
CC01004		3.06	10	<1	0.06	20	0.54	765	1	0.02	31	1060	22	0.05	3	3
CC01005		2.54	10	<1	0.07	20	0.36	1285	1	0.07	28	1440	34	0.06	2	3
CC01006		2.56	10	<1	0.05	20	0.33	878	<1	0.03	26	1200	28	0.08	3	2
CC01007		3.20	10	<1	0.05	10	0.48	655	1	0.01	25	840	20	0.07	3	2
CC01008		4.14	10	<1	0.10	20	0.64	827	1	0.04	51	1080	106	0.04	4	5
CC01009		8.15	10	<1	0.21	20	0.75	368	6	0.01	45	1460	35	0.20	8	6
CC01010		7.51	10	1	0.06	10	0.76	876	2	0.02	50	1480	46	0.19	7	6

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 6 - C
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46
		Sr	Tl	Tl	U	V	W	Zn	Ag
		ppm 1	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 1
CC00969		22	0.11	<10	<10	94	<10	69	
CC00970		99	0.05	<10	<10	67	<10	132	
CC00971		92	0.06	<10	<10	68	<10	126	
CC00972		114	0.06	<10	<10	65	10	106	
CC00973		150	0.04	<10	<10	50	<10	81	
CC00974		163	0.05	<10	<10	48	10	110	
CC00976		40	0.16	<10	<10	91	10	60	
CC00977		35	0.10	<10	<10	61	<10	74	
CC00978		112	0.04	<10	<10	32	<10	240	
CC00979		42	0.07	<10	<10	61	<10	112	
CC00980		51	0.06	<10	<10	39	<10	174	
CC00981		72	0.05	<10	<10	31	<10	91	
CC00982		28	0.03	<10	<10	40	<10	116	
CC00983		50	0.02	<10	<10	24	<10	102	
CC00984		90	0.03	<10	<10	42	<10	362	
CC00985		45	0.05	10	<10	44	<10	126	
CC00986		88	0.05	<10	<10	52	10	133	
CC00988		43	0.06	<10	<10	98	<10	43	
CC00989		47	0.22	<10	<10	104	<10	90	
CC00990		17	0.11	<10	<10	75	<10	67	
CC00991		21	0.06	<10	<10	61	<10	100	
CC00992		25	0.06	<10	<10	66	<10	62	
CC00993		19	0.06	<10	<10	69	<10	64	
CC00994		35	0.05	<10	<10	65	<10	84	
CC00995		41	0.04	<10	<10	70	10	90	
CC00996		24	0.07	<10	<10	57	<10	96	
CC00997		38	0.09	<10	<10	65	<10	100	
CC00998		70	0.09	<10	<10	63	10	99	
CC00999		108	0.06	<10	<10	61	<10	174	
CC01000		83	0.06	<10	<10	86	<10	117	
CC01001		96	0.15	<10	<10	90	10	103	
CC01002		54	0.05	<10	<10	71	<10	67	
CC01003		51	0.09	<10	<10	93	10	61	
CC01004		35	0.07	<10	<10	59	<10	108	
CC01005		50	0.05	<10	<10	34	<10	98	
CC01006		34	0.04	<10	<10	37	<10	90	
CC01007		22	0.05	<10	<10	59	<10	97	
CC01008		67	0.09	<10	<10	57	<10	198	
CC01009		67	0.12	<10	<10	94	<10	75	
CC01010		50	0.08	<10	<10	54	<10	74	

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 7 - A
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMIT

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	Au-AA25 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.001	0.01	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
CC01011		0.32	0.022		0.3	1.93	164	<10	150	1.0	3	0.31	0.9	32	24	188
CC01012		0.44	0.031		2.3	2.34	264	10	130	1.1	19	1.02	1.8	30	24	152
CC01013		0.42	0.041		0.2	1.60	57	<10	110	0.5	4	0.81	0.9	12	14	59
CC01014		0.36	0.156		1.0	2.82	623	30	80	0.8	81	1.95	0.8	18	13	188
CC01015		0.42	0.032		0.8	3.51	111	10	50	1.0	31	2.13	0.8	10	11	148
CC01016		0.42	0.044		1.6	2.89	299	<10	40	0.9	46	2.04	1.1	10	11	84
CC01017		0.38	0.014		<0.2	2.11	54	<10	130	0.9	2	0.85	1.2	24	18	94

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 7 - B
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMI

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
CC01011		5.80	10	<1	0.06	10	0.43	1375	2	0.02	50	1040	61	0.08	8	3
CC01012		4.42	10	<1	0.09	20	0.69	1545	1	0.08	49	1170	207	0.04	12	4
CC01013		2.43	<10	<1	0.05	20	0.25	716	1	0.04	29	880	63	0.02	5	2
CC01014		3.41	10	1	0.09	20	0.27	573	1	0.08	36	1200	56	0.05	3	2
CC01015		3.16	10	1	0.12	20	0.27	1075	<1	0.06	27	1620	98	0.04	<2	2
CC01016		2.80	10	1	0.09	20	0.28	685	1	0.07	29	1400	164	0.02	5	2
CC01017		4.22	10	1	0.08	10	0.40	733	2	0.05	60	1320	75	0.05	11	2

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 7 - C
 Total Pages: 7 (A - C)
 Finalized Date: 18-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050219

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46
		Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Ag ppm
		1	0.01	10	10	1	10	2	1
CC01011		46	0.05	<10	<10	54	<10	142	
CC01012		110	0.06	<10	<10	47	<10	275	
CC01013		42	0.04	<10	<10	28	<10	166	
CC01014		94	0.03	<10	<10	19	<10	110	
CC01015		71	0.03	<10	<10	15	<10	108	
CC01016		78	0.02	<10	<10	16	<10	140	
CC01017		110	0.05	<10	<10	42	<10	214	

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



**DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 14-AUG-2004
Account: DYNAMITE

CERTIFICATE VA04050217

Project: Mike Lake
P.O. No.:
This report is for 175 Soil samples submitted to our lab in Vancouver, BC, Canada on 3-AUG-2004.
The following have access to data associated with this certificate:

VANCOUVER OFFICE JOAN MARIACHER	AL ARCHER BILL WENGZYNOWSKI	DOUG EATON
------------------------------------	--------------------------------	------------

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41	Screen to -180um and save both
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - A
Total Pages: 6 (A - C)
Finalized Date: 14-AUG-2004
Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg 0.02	ppm 0.001	ppm 0.2	% 0.01	ppm 2	ppm 10	ppm 10	ppm 0.5	ppm 2	% 0.01	ppm 0.5	ppm 1	ppm 1	ppm 1	% 0.01
CC00708		0.28	0.005	0.2	3.02	110	<10	170	1.7	<2	0.31	<0.5	29	29	80	5.52
CC00709		0.36	0.004	<0.2	3.03	77	<10	120	1.4	<2	1.07	0.5	24	26	79	5.46
CC00710		0.28	0.005	0.2	1.93	153	<10	140	1.5	<2	0.16	<0.5	22	26	53	4.43
CC00711		0.28	NSS	<0.2	1.54	228	<10	120	2.0	4	0.18	<0.5	28	22	62	5.61
CC00712		0.32	NSS	0.3	0.98	133	<10	80	1.3	5	0.10	<0.5	24	18	47	4.53
CC00713		0.30	NSS	0.3	1.18	93	<10	100	1.5	2	0.13	<0.5	27	22	55	4.91
CC00714		0.30	0.014	0.2	1.47	293	<10	130	1.8	3	0.16	<0.5	31	23	157	4.56
CC00715		0.34	0.022	<0.2	1.51	219	<10	120	1.7	<2	0.08	<0.5	22	25	124	6.38
CC00716		0.36	0.015	0.2	1.70	99	<10	120	2.1	<2	0.16	<0.5	31	24	106	5.21
CC00717		0.42	0.017	0.2	1.77	319	<10	110	1.5	3	0.14	<0.5	35	25	154	5.55
CC00718		0.42	0.022	0.2	1.81	823	<10	90	1.7	6	0.12	<0.5	22	25	200	6.34
CC00719		0.34	9.09	1.7	1.95	5540	<10	160	1.8	375	0.70	<0.5	239	26	206	5.53
CC00720		0.28	0.016	0.3	1.79	2210	<10	140	2.5	2	0.11	<0.5	78	25	436	5.57
CC00721		0.36	0.048	0.7	1.41	1185	<10	200	1.3	12	0.03	<0.5	13	22	179	8.70
CC00722		0.38	0.054	<0.2	1.98	224	<10	120	1.5	<2	0.16	<0.5	22	36	108	4.12
CC00723		0.38	0.035	<0.2	1.74	1640	<10	220	1.8	47	0.16	<0.5	34	56	177	7.10
CC00724		0.22	0.032	0.2	2.09	703	<10	120	1.5	<2	0.13	<0.5	29	48	100	4.62
CC00725		0.32	0.047	0.3	2.08	1765	<10	170	1.7	40	0.11	<0.5	26	45	269	7.79
CC00726		0.30	0.130	0.7	1.87	2220	<10	90	1.3	15	0.18	<0.5	20	21	280	6.73
CC00727		0.22	0.024	0.2	1.89	663	<10	100	0.5	2	0.15	<0.5	14	29	65	3.40
CC00728		0.24	0.030	0.2	2.14	376	<10	90	0.5	2	0.10	<0.5	11	32	42	3.55
CC00729		0.36	0.186	0.8	1.95	5100	<10	170	1.4	33	0.25	<0.5	28	29	445	5.15
CC00730		0.42	0.292	1.5	1.48	9460	<10	160	1.2	79	0.30	<0.5	32	23	728	8.29
CC00731		0.38	0.279	2.0	1.47	8560	<10	160	1.3	65	0.33	<0.5	35	31	715	8.56
CC00732		0.40	0.055	0.5	1.36	1100	<10	130	0.6	6	0.04	<0.5	6	19	156	3.39
CC00733		0.28	0.054	0.5	1.80	504	<10	110	0.7	5	0.24	<0.5	9	25	183	3.16
CC00734		0.26	0.029	<0.2	1.42	570	<10	90	0.6	3	0.09	<0.5	11	23	98	3.02
CC00735		0.30	0.052	0.2	1.25	858	<10	100	0.6	4	0.14	<0.5	14	21	110	2.75
CC00736		0.32	0.070	0.4	1.62	1235	<10	120	0.8	6	0.20	<0.5	13	26	232	3.39
CC00737		0.32	0.136	0.3	1.99	2680	<10	200	1.6	17	0.17	<0.5	31	29	381	4.87
CC00738		0.30	0.174	0.7	2.17	3130	<10	200	1.5	26	0.26	<0.5	29	33	426	5.45
CC00739		0.30	0.080	<0.2	2.26	1030	<10	140	1.1	7	0.16	<0.5	23	33	178	3.90
CC00740		0.40	0.009	<0.2	1.90	374	<10	120	1.3	3	0.15	<0.5	25	39	80	3.80
CC00741		0.30	0.012	<0.2	1.78	324	<10	130	1.0	2	0.18	<0.5	19	33	94	3.36
CC00742		0.32	0.021	0.4	2.20	723	<10	180	1.4	8	0.17	<0.5	29	34	192	4.55
CC00743		0.32	0.012	<0.2	1.89	363	<10	120	1.3	4	0.25	<0.5	30	24	128	4.10
CC00744		0.38	0.034	0.3	1.82	1030	<10	110	1.9	7	0.18	<0.5	32	22	203	5.87
CC00745		0.34	0.029	<0.2	1.82	507	<10	100	1.7	4	0.19	<0.5	30	22	136	7.38
CC00746		0.24	NSS	0.2	1.82	379	<10	100	1.9	11	0.19	<0.5	37	21	166	6.38
CC00747		0.38	0.031	0.2	1.72	72	<10	100	1.5	2	0.21	<0.5	22	25	97	4.77

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - B
Total # Pages: 6 (A - C)
Finalized Date: 14-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC00708		10	<1	0.14	20	0.65	763	6	0.01	55	1580	41	0.09	5	4	83
CC00709		10	<1	0.19	20	0.82	606	4	0.14	51	1380	40	0.09	8	3	192
CC00710		10	1	0.12	20	0.47	678	2	<0.01	44	1040	29	0.07	5	3	50
CC00711		<10	<1	0.12	30	0.38	719	3	<0.01	54	1130	37	0.08	9	4	68
CC00712		<10	<1	0.08	30	0.25	751	1	<0.01	34	950	20	0.04	5	3	26
CC00713		<10	<1	0.09	30	0.32	739	1	<0.01	44	1000	23	0.04	6	3	32
CC00714		<10	1	0.11	20	0.39	636	1	<0.01	44	930	17	0.05	5	4	27
CC00715		<10	<1	0.10	30	0.27	402	2	<0.01	37	1370	28	0.14	11	4	38
CC00716		<10	1	0.11	30	0.36	588	1	0.01	53	1420	24	0.11	6	4	41
CC00717		<10	<1	0.13	20	0.36	614	2	<0.01	55	1250	30	0.11	6	4	41
CC00718		<10	1	0.09	30	0.35	413	2	0.01	51	1180	25	0.14	6	3	40
CC00719		<10	<1	0.05	70	0.39	1275	1	0.02	232	980	75	0.06	17	9	59
CC00720		<10	<1	0.11	30	0.46	1730	2	<0.01	51	1000	35	0.07	6	3	28
CC00721		<10	<1	0.23	60	0.20	294	3	0.02	23	1650	99	0.41	16	6	51
CC00722		10	1	0.11	20	0.59	1465	1	<0.01	32	800	32	0.03	3	3	18
CC00723		<10	1	0.30	40	0.69	996	3	<0.01	40	1390	26	0.12	11	7	47
CC00724		10	1	0.12	20	0.67	820	1	<0.01	45	1030	20	0.05	4	2	26
CC00725		10	<1	0.19	40	0.63	896	2	<0.01	41	1280	37	0.15	11	5	38
CC00726		<10	1	0.09	20	0.41	482	2	0.01	39	1100	39	0.08	10	3	38
CC00727		10	<1	0.08	20	0.50	600	2	<0.01	27	990	15	0.04	3	2	18
CC00728		10	1	0.07	10	0.46	496	1	<0.01	23	780	16	0.04	2	2	13
CC00729		<10	1	0.14	30	0.54	619	2	0.01	42	1120	37	0.06	7	4	45
CC00730		<10	<1	0.16	30	0.37	1110	3	0.01	34	920	39	0.09	16	4	40
CC00731		<10	<1	0.21	30	0.40	1185	3	0.01	40	890	34	0.12	17	6	44
CC00732		<10	<1	0.12	30	0.21	228	1	<0.01	12	590	26	0.17	9	3	21
CC00733		<10	1	0.11	20	0.51	199	2	0.02	29	1180	22	0.08	2	4	46
CC00734		<10	<1	0.06	20	0.37	379	1	<0.01	22	430	14	0.02	2	2	14
CC00735		<10	<1	0.06	20	0.36	423	1	<0.01	27	580	17	0.02	2	2	15
CC00736		<10	<1	0.10	20	0.46	309	1	<0.01	30	920	28	0.05	4	4	26
CC00737		10	1	0.11	30	0.42	798	2	<0.01	37	790	48	0.09	7	4	31
CC00738		10	<1	0.18	40	0.52	930	2	0.01	40	1240	55	0.10	8	5	41
CC00739		10	1	0.08	20	0.58	540	1	<0.01	38	830	25	0.04	5	4	20
CC00740		<10	1	0.15	20	0.64	906	1	<0.01	32	880	17	0.02	3	3	20
CC00741		<10	1	0.10	20	0.55	727	1	<0.01	32	890	15	0.02	3	3	19
CC00742		10	1	0.12	30	0.63	748	1	<0.01	45	860	50	0.07	4	5	27
CC00743		10	1	0.09	20	0.48	1475	2	0.02	38	970	31	0.03	3	3	50
CC00744		10	1	0.10	20	0.41	783	2	0.01	56	830	31	0.04	6	3	54
CC00745		10	<1	0.11	20	0.41	677	2	0.02	55	1200	25	0.10	6	3	59
CC00746		10	<1	0.12	20	0.34	752	2	0.01	60	950	27	0.08	6	3	50
CC00747		<10	1	0.09	20	0.42	564	2	0.01	45	1340	20	0.06	3	3	29

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - C
 Total Pages: 6 (A - C)
 Finalized Date: 14-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC00708		0.08	<10	<10	63	<10	168
CC00709		0.13	<10	<10	69	<10	126
CC00710		0.06	<10	<10	49	<10	88
CC00711		0.04	<10	<10	39	<10	89
CC00712		0.04	<10	<10	33	<10	75
CC00713		0.05	<10	<10	41	<10	84
CC00714		0.05	<10	<10	41	10	88
CC00715		0.05	<10	<10	44	<10	65
CC00716		0.05	<10	<10	43	<10	76
CC00717		0.06	<10	<10	44	<10	82
CC00718		0.05	<10	<10	46	60	66
CC00719		0.01	<10	<10	34	<10	48
CC00720		0.04	<10	<10	45	<10	99
CC00721		0.03	<10	<10	35	<10	52
CC00722		0.07	<10	<10	54	<10	117
CC00723		0.07	<10	<10	53	10	69
CC00724		0.07	<10	<10	54	<10	84
CC00725		0.06	<10	<10	57	10	85
CC00726		0.05	<10	<10	39	20	76
CC00727		0.06	<10	<10	55	<10	76
CC00728		0.06	<10	<10	61	<10	84
CC00729		0.05	<10	<10	45	10	86
CC00730		0.03	<10	<10	32	20	87
CC00731		0.02	<10	<10	31	10	78
CC00732		0.02	<10	<10	33	<10	32
CC00733		0.05	<10	<10	44	<10	55
CC00734		0.04	<10	<10	44	<10	59
CC00735		0.04	<10	<10	38	<10	60
CC00736		0.04	<10	<10	42	<10	67
CC00737		0.02	<10	<10	41	<10	73
CC00738		0.04	<10	<10	47	<10	102
CC00739		0.05	<10	<10	52	<10	81
CC00740		0.08	<10	<10	50	<10	76
CC00741		0.07	<10	<10	51	<10	70
CC00742		0.06	<10	<10	54	<10	91
CC00743		0.06	<10	<10	43	<10	97
CC00744		0.05	<10	<10	39	<10	99
CC00745		0.06	<10	<10	42	10	88
CC00746		0.06	<10	<10	37	<10	82
CC00747		0.07	<10	<10	47	<10	82

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 3 - A
 Total Pages: 6 (A - C)
 Finalized Date: 14-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg 0.02	Au ppm 0.001	Ag ppm 0.2	Al % 0.01	As ppm 2	B ppm 10	Ba ppm 10	Be ppm 0.5	Bi ppm 2	Ca % 0.01	Cd ppm 0.5	Co ppm 1	Cr ppm 1	Cu ppm 1	Fe % 0.01
CC00748		0.26	0.026	<0.2	1.90	66	<10	100	0.6	2	0.13	<0.5	11	28	89	3.00
CC00749		0.30	0.893	4.9	1.55	2260	<10	120	0.6	60	0.15	<0.5	15	23	182	4.43
CC00750		0.20	0.001	0.2	1.22	199	<10	100	1.4	5	0.16	<0.5	27	21	95	4.32
CC00751		0.38	2.18	16.4	0.97	>10000	<10	270	1.6	687	0.05	0.9	22	11	542	7.36
CC00752		0.28	NSS	0.7	1.36	760	<10	80	1.1	14	0.11	<0.5	17	18	295	5.03
CC00753		0.26	0.007	0.3	3.00	106	<10	150	1.5	2	0.75	0.7	31	27	113	5.50
CC00754		0.22	0.058	0.5	2.20	463	<10	110	1.0	12	0.15	<0.5	13	32	188	3.95
CC00755		0.34	0.105	<0.2	1.67	688	<10	90	0.9	15	0.10	<0.5	22	22	126	4.39
CC00756		0.30	0.121	0.2	2.01	953	<10	90	1.2	11	0.18	<0.5	18	28	102	3.57
CC00757		0.30	0.023	0.2	1.97	621	<10	110	1.1	5	0.17	<0.5	18	33	124	3.75
CC00758		0.24	0.002	0.3	2.12	67	<10	90	0.7	<2	0.13	<0.5	12	35	28	3.42
CC00759		0.28	0.009	0.2	2.08	631	<10	120	1.0	<2	0.11	<0.5	34	32	106	4.53
CC00760		0.22	0.012	0.2	1.96	115	<10	90	0.5	<2	0.10	<0.5	10	31	31	3.33
CC00761		0.22	0.081	0.5	1.78	178	<10	90	0.6	2	0.09	<0.5	10	26	36	3.08
CC00762		0.24	0.008	<0.2	1.10	342	<10	60	<0.5	3	0.07	<0.5	6	19	26	2.52
CC00763		0.26	0.054	<0.2	1.47	669	<10	100	0.8	2	0.20	<0.5	16	26	136	2.84
CC00764		0.30	0.104	0.2	1.64	1475	<10	120	1.1	<2	0.22	<0.5	21	29	232	3.15
CC00765		0.24	0.146	0.3	1.61	1235	<10	100	1.2	2	0.24	<0.5	29	23	192	2.75
CC00766		0.26	0.038	0.3	0.72	1270	<10	40	1.0	<2	0.81	<0.5	16	2	90	1.70
CC00767		0.24	0.493	0.2	1.74	677	<10	120	1.4	2	0.17	<0.5	34	29	181	3.36
CC00768		0.28	0.089	0.2	3.74	1030	<10	560	1.7	5	0.51	<0.5	36	34	224	4.22
CC00769		0.24	0.084	0.3	1.54	566	<10	150	0.6	<2	0.16	<0.5	12	22	201	3.18
CC00770		0.22	0.040	<0.2	1.19	232	<10	80	<0.5	<2	0.13	<0.5	13	20	128	2.58
CC00771		0.26	0.255	0.9	1.55	5180	<10	120	3.2	15	0.62	<0.5	33	83	512	7.78
CC00772		0.30	0.313	0.4	3.79	2340	<10	1310	1.8	14	0.77	<0.5	68	233	385	6.75
CC00773		0.30	0.213	0.2	1.20	1030	<10	120	0.7	4	0.22	<0.5	16	24	150	2.76
CC00774		0.30	0.087	0.2	1.78	787	<10	100	1.0	2	0.09	<0.5	22	29	110	3.53
CC00775		0.22	0.020	0.4	1.46	542	<10	150	0.7	<2	0.32	<0.5	15	43	70	2.69
CC00776		0.28	0.046	<0.2	1.35	710	<10	120	0.6	2	0.27	<0.5	13	28	102	2.80
CC00777		0.24	0.040	<0.2	1.47	335	<10	70	<0.5	2	0.11	<0.5	10	24	36	2.70
CC00778		0.22	NSS	<0.2	1.70	669	<10	110	0.9	3	0.14	<0.5	17	28	92	3.45
CC00779		0.24	0.010	0.2	1.96	287	<10	130	0.8	<2	0.14	<0.5	19	32	66	3.18
CC00780		0.28	0.012	<0.2	1.48	201	<10	90	0.7	2	0.12	<0.5	14	26	69	2.98
CC00781		0.24	0.013	<0.2	1.26	1180	<10	120	0.8	13	0.11	<0.5	25	22	202	3.98
CC00782		0.22	NSS	0.3	1.85	446	<10	90	0.8	3	0.19	<0.5	15	28	52	3.46
CC00783		0.28	0.005	0.2	1.81	150	<10	80	0.5	<2	0.12	<0.5	11	29	30	3.01
CC00784		0.36	0.005	<0.2	1.69	130	<10	110	0.7	<2	0.21	<0.5	18	27	34	3.46
CC00785		0.24	0.009	<0.2	1.77	84	<10	80	1.3	<2	0.12	<0.5	18	26	42	3.34
CC00786		0.24	0.052	0.7	1.43	501	<10	90	0.6	16	0.21	<0.5	12	22	566	9.31
CC00787		0.20	0.009	0.2	2.01	70	<10	90	<0.5	<2	0.11	<0.5	9	31	29	3.30

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - B
 Total Pages: 6 (A - C)
 Finalized Date: 14-AUG-2004
 Account: DYNAMI

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC00748		10	<1	0.05	10	0.49	363	1	<0.01	25	470	12	0.01	<2	2	13
CC00749		10	1	0.08	20	0.41	500	1	<0.01	23	830	20	0.06	7	3	17
CC00750		<10	1	0.09	30	0.32	704	1	<0.01	36	970	27	0.04	4	3	29
CC00751		<10	1	0.09	80	0.11	462	3	<0.01	23	500	62	0.05	47	6	44
CC00752		<10	1	0.09	30	0.31	415	3	<0.01	33	980	33	0.04	6	3	21
CC00753		10	<1	0.16	20	0.75	685	3	0.05	59	1540	54	0.10	6	4	121
CC00754		10	<1	0.08	20	0.57	328	2	0.01	30	1000	20	0.04	<2	3	19
CC00755		<10	<1	0.06	20	0.37	509	1	<0.01	31	510	23	0.01	3	2	13
CC00756		10	1	0.06	20	0.52	511	1	0.01	33	790	16	0.03	<2	3	20
CC00757		10	<1	0.09	20	0.56	633	2	<0.01	38	810	25	0.02	2	4	21
CC00758		10	<1	0.05	10	0.51	447	1	<0.01	24	640	13	0.02	<2	2	13
CC00759		10	<1	0.09	30	0.52	2090	2	<0.01	35	1030	25	0.02	2	4	17
CC00760		10	<1	0.05	10	0.42	387	2	<0.01	19	570	13	0.02	<2	1	11
CC00761		10	1	0.04	10	0.36	347	2	<0.01	18	390	16	0.01	<2	2	10
CC00762		10	<1	0.04	10	0.23	289	1	<0.01	13	340	13	0.01	<2	1	8
CC00763		<10	<1	0.08	20	0.44	527	1	<0.01	25	760	11	<0.01	<2	3	19
CC00764		<10	<1	0.08	20	0.51	785	1	<0.01	36	790	11	<0.01	<2	3	18
CC00765		<10	<1	0.09	30	0.47	500	1	<0.01	31	900	13	<0.01	<2	3	21
CC00766		<10	1	0.04	70	0.14	275	1	<0.01	8	2350	9	<0.01	2	7	53
CC00767		10	1	0.09	20	0.41	1380	2	<0.01	40	940	41	0.02	2	3	17
CC00768		10	<1	0.78	40	1.46	732	1	<0.01	34	960	20	<0.01	2	7	60
CC00769		<10	<1	0.06	20	0.34	390	1	<0.01	28	810	11	<0.01	<2	4	16
CC00770		<10	<1	0.05	20	0.37	274	1	<0.01	27	360	11	<0.01	<2	2	15
CC00771		10	<1	0.07	40	0.35	762	1	0.01	44	1700	26	<0.01	7	27	48
CC00772		10	1	1.48	30	3.84	1050	1	0.02	172	1960	14	<0.01	7	9	72
CC00773		<10	<1	0.06	20	0.37	418	1	<0.01	29	750	16	<0.01	2	3	16
CC00774		10	<1	0.09	20	0.37	1045	1	<0.01	27	800	18	0.03	2	2	11
CC00775		<10	<1	0.09	20	0.65	402	1	<0.01	28	930	7	<0.01	<2	3	24
CC00776		<10	<1	0.07	20	0.46	424	1	<0.01	25	930	12	<0.01	2	4	21
CC00777		<10	<1	0.04	10	0.37	331	1	<0.01	21	410	12	0.01	<2	2	10
CC00778		10	<1	0.09	20	0.40	848	2	<0.01	25	730	19	0.02	2	2	16
CC00779		10	<1	0.07	20	0.53	532	1	<0.01	30	530	15	0.03	<2	3	15
CC00780		<10	<1	0.07	20	0.43	490	1	<0.01	24	610	14	0.03	<2	2	12
CC00781		<10	<1	0.06	20	0.33	568	1	<0.01	34	580	14	0.04	3	2	22
CC00782		10	<1	0.06	20	0.50	473	1	<0.01	25	610	16	0.06	2	2	20
CC00783		10	<1	0.05	10	0.51	394	2	<0.01	24	530	13	0.04	<2	2	13
CC00784		<10	<1	0.05	20	0.48	352	2	<0.01	32	650	13	0.03	2	3	21
CC00785		10	<1	0.05	20	0.44	425	1	<0.01	32	510	19	0.07	2	2	16
CC00786		10	1	0.04	10	0.37	679	1	<0.01	25	660	19	0.06	9	3	13
CC00787		10	<1	0.05	10	0.43	311	2	<0.01	19	460	12	0.02	<2	2	11

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 3 - C
 Total Pages: 6 (A - C)
 Finalized Date: 14-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
CC00748		0.06	<10	<10	51	<10	67
CC00749		0.05	<10	<10	41	70	64
CC00750		0.05	<10	<10	36	<10	73
CC00751		0.02	<10	<10	19	60	72
CC00752		0.05	<10	<10	37	<10	79
CC00753		0.10	<10	<10	63	<10	152
CC00754		0.07	<10	<10	53	<10	72
CC00755		0.05	<10	<10	35	10	64
CC00756		0.06	<10	<10	48	<10	79
CC00757		0.07	<10	<10	48	<10	81
CC00758		0.07	<10	<10	57	<10	79
CC00759		0.07	<10	<10	58	<10	95
CC00760		0.06	<10	<10	62	<10	58
CC00761		0.06	<10	<10	54	<10	56
CC00762		0.05	<10	<10	47	<10	41
CC00763		0.06	<10	<10	43	<10	51
CC00764		0.06	<10	<10	48	<10	60
CC00765		0.04	<10	<10	40	<10	52
CC00766		<0.01	<10	<10	16	<10	16
CC00767		0.04	<10	<10	49	40	78
CC00768		0.16	10	<10	61	<10	47
CC00769		0.07	<10	<10	44	<10	58
CC00770		0.06	<10	<10	38	<10	49
CC00771		0.01	<10	<10	106	<10	78
CC00772		0.30	10	<10	120	<10	68
CC00773		0.05	<10	<10	42	<10	54
CC00774		0.04	<10	<10	53	<10	67
CC00775		0.09	<10	<10	48	<10	55
CC00776		0.07	<10	<10	48	<10	58
CC00777		0.06	<10	<10	45	<10	52
CC00778		0.05	<10	<10	48	<10	60
CC00779		0.06	<10	<10	52	<10	64
CC00780		0.06	<10	<10	44	<10	59
CC00781		0.04	<10	<10	33	<10	59
CC00782		0.06	<10	<10	48	<10	65
CC00783		0.06	<10	<10	51	<10	74
CC00784		0.06	<10	<10	47	<10	78
CC00785		0.06	<10	<10	48	<10	63
CC00786		0.05	<10	<10	39	<10	58
CC00787		0.07	<10	<10	64	<10	55

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total Pages: 6 (A - C)
Finalized Date: 14-AUG-2004
Account: DYNAMI

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	
CC00788		0.28	0.008	0.4	1.07	181	<10	80	0.9	4	0.11	<0.5	16	21	44	4.05	
CC00789		0.28	0.035	0.2	1.93	323	<10	130	1.1	15	0.14	<0.5	22	26	97	4.21	
CC00790		0.26	0.005	<0.2	2.73	142	<10	120	1.0	3	0.12	<0.5	15	28	55	4.06	
CC00791		0.30	0.016	0.4	2.07	305	<10	120	0.9	5	0.17	<0.5	19	29	144	4.88	
CC00792		0.28	0.013	1.0	3.12	160	<10	200	1.7	4	0.29	<0.5	25	27	248	13.90	
CC00795		0.30	0.011	0.8	3.59	290	<10	160	3.1	5	0.48	0.8	53	22	313	15.5	
CC00796		0.28	0.010	1.0	2.84	247	<10	130	2.5	4	0.95	2.3	63	18	261	11.70	
CC00797		0.38	0.011	1.0	2.75	228	<10	130	2.4	4	0.85	2.7	62	18	259	11.65	
CC00798		0.32	0.002	0.4	2.37	83	<10	100	0.7	<2	0.13	<0.5	14	31	63	3.40	
CC00799		0.30	0.011	0.3	2.21	245	<10	160	1.3	8	0.12	<0.5	15	32	146	4.38	
CC00803		0.30	0.013	1.5	3.94	271	<10	190	3.5	7	0.69	3.4	88	23	365	13.25	
CC00804		0.24	0.005	0.2	1.35	355	<10	60	<0.5	<2	0.11	<0.5	7	21	40	2.72	
CC00805		0.28	0.033	0.2	1.91	700	<10	100	0.9	4	0.15	<0.5	18	29	108	3.75	
CC00806		0.26	0.012	<0.2	1.24	268	<10	100	0.6	3	0.16	<0.5	17	17	103	2.70	
CC00807		0.28	0.019	0.2	1.82	307	<10	110	0.8	4	0.13	<0.5	12	25	57	3.19	
CC00808		0.24	0.162	0.3	1.71	854	<10	90	0.6	17	0.09	<0.5	12	22	132	3.72	
CC00809		0.26	0.023	<0.2	1.46	212	<10	80	<0.5	3	0.13	<0.5	9	20	61	2.37	
CC00810		0.32	0.012	<0.2	1.50	140	<10	90	0.5	<2	0.12	<0.5	11	21	43	2.53	
CC00811		0.34	0.008	<0.2	1.41	146	<10	110	0.6	<2	0.12	<0.5	13	21	43	2.51	
CC00812		0.28	0.004	0.4	2.12	306	<10	80	0.8	<2	0.09	<0.5	15	28	39	3.10	
CC00813		0.28	0.008	0.3	2.07	300	<10	130	0.9	2	0.12	<0.5	17	33	59	3.26	
CC00814		0.26	0.010	0.3	1.73	345	<10	90	0.5	<2	0.11	<0.5	15	29	38	3.15	
CC00815		0.28	0.027	0.3	1.62	293	<10	90	0.5	2	0.10	<0.5	12	27	51	3.28	
CC00816		0.24	0.023	<0.2	1.84	861	<10	110	0.7	2	0.20	<0.5	18	31	116	3.14	
CC00817		0.28	NSS	<0.2	1.39	633	<10	100	0.7	2	0.09	<0.5	15	27	76	2.76	
CC00818		0.26	0.260	0.6	1.66	819	<10	150	1.1	3	0.25	<0.5	22	26	180	3.05	
CC00819		0.28	0.055	0.2	2.08	663	<10	130	1.0	4	0.18	<0.5	24	37	142	3.45	
CC00820		0.28	0.055	0.3	1.47	645	<10	110	1.0	2	0.15	<0.5	27	24	174	3.48	
CC00821		0.34	0.101	0.3	1.91	377	<10	110	1.2	<2	0.07	<0.5	23	25	104	5.23	
CC00822		0.28	0.065	0.3	2.10	551	<10	190	0.9	3	0.23	0.6	23	30	120	3.49	
CC00823		0.28	0.144	0.2	1.77	1090	<10	190	1.2	2	0.18	<0.5	26	29	192	3.29	
CC00824		0.32	0.051	0.4	2.08	793	<10	160	2.0	<2	0.12	<0.5	44	30	164	3.75	
CC00825		0.36	0.104	0.4	1.86	908	<10	140	1.4	2	0.21	<0.5	34	42	194	3.59	
CC00826		0.36	0.088	0.2	1.32	892	<10	170	1.0	2	0.40	<0.5	18	30	170	3.04	
CC00827		0.32	0.056	0.2	1.62	548	<10	100	0.7	<2	0.18	<0.5	16	32	102	3.09	
CC00828		0.30	0.066	<0.2	1.19	361	<10	140	0.6	<2	0.28	<0.5	14	29	72	2.75	
CC00829		0.22	0.010	0.2	1.90	321	<10	80	0.5	3	0.09	<0.5	12	27	70	2.98	
CC00830		0.26	0.025	0.2	1.39	458	<10	90	0.6	3	0.12	<0.5	11	23	60	2.76	
CC00831		0.32	0.056	0.3	1.25	1365	<10	100	0.7	3	0.14	<0.5	22	23	121	3.13	
CC00832		0.26	0.044	<0.2	1.58	1080	<10	150	0.7	2	0.22	<0.5	17	28	102	2.97	

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 4 - B
 Total Pages: 6 (A - C)
 Finalized Date: 14-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC00788		<10	1	0.07	30	0.24	525	1	<0.01	28	870	22	0.05	3	2	19
CC00789		10	<1	0.09	20	0.43	629	2	<0.01	34	880	33	0.03	4	3	20
CC00790		10	1	0.09	20	0.46	392	2	<0.01	31	940	27	0.06	3	2	20
CC00791		10	1	0.11	20	0.55	521	2	0.01	36	1000	27	0.04	3	4	26
CC00792		10	1	0.24	20	0.67	674	20	0.05	53	2850	152	0.53	13	4	122
CC00795		10	1	0.25	20	0.64	936	14	0.07	102	2390	160	0.45	13	4	198
CC00796		10	<1	0.21	20	0.61	1380	7	0.09	132	1760	151	0.16	11	5	204
CC00797		10	<1	0.21	20	0.61	1370	7	0.08	127	1720	152	0.15	13	5	188
CC00798		10	<1	0.07	10	0.48	532	2	<0.01	20	750	21	0.05	2	2	14
CC00799		10	1	0.08	30	0.51	341	2	<0.01	33	900	31	0.05	2	3	20
CC00803		10	2	0.26	20	0.76	1655	10	0.05	156	2050	343	0.25	12	6	237
CC00804		10	<1	0.05	10	0.33	223	1	<0.01	16	440	14	0.03	<2	2	12
CC00805		10	<1	0.09	20	0.47	592	2	0.01	29	890	26	0.05	<2	2	16
CC00806		<10	<1	0.06	20	0.33	390	1	<0.01	25	560	23	0.01	<2	2	15
CC00807		10	<1	0.07	20	0.45	372	1	<0.01	24	700	18	0.02	<2	3	13
CC00808		10	<1	0.06	20	0.35	391	1	<0.01	21	590	21	0.03	<2	1	12
CC00809		<10	<1	0.05	10	0.38	270	1	<0.01	21	510	11	0.01	<2	2	13
CC00810		<10	<1	0.05	10	0.42	385	1	<0.01	23	540	11	0.01	2	2	12
CC00811		<10	<1	0.05	10	0.39	437	1	0.01	24	500	12	0.02	<2	2	12
CC00812		<10	<1	0.05	10	0.36	604	1	0.01	19	800	17	0.05	<2	2	10
CC00813		10	<1	0.08	20	0.56	688	1	0.01	31	430	17	0.03	2	3	16
CC00814		10	<1	0.09	20	0.44	843	1	0.01	22	840	29	0.06	5	2	19
CC00815		10	<1	0.07	10	0.39	539	1	0.01	23	780	18	0.07	2	2	14
CC00816		10	<1	0.08	20	0.50	764	1	0.01	30	840	14	0.05	<2	3	16
CC00817		<10	<1	0.06	20	0.36	520	1	0.01	22	430	13	0.05	2	2	10
CC00818		10	<1	0.17	30	0.52	752	1	0.01	27	890	20	0.05	4	4	31
CC00819		10	1	0.11	20	0.62	1040	1	0.02	33	1180	23	0.08	<2	3	20
CC00820		<10	<1	0.13	20	0.34	1100	1	0.02	28	910	15	0.05	3	3	16
CC00821		10	<1	0.15	20	0.34	524	2	0.02	49	950	56	0.12	12	4	32
CC00822		10	1	0.11	20	0.50	1325	1	0.03	36	1320	21	0.05	<2	4	33
CC00823		10	<1	0.11	30	0.50	944	1	0.02	40	870	17	0.03	<2	4	15
CC00824		10	1	0.16	30	0.37	1925	1	0.02	37	1220	19	0.06	<2	3	16
CC00825		10	1	0.17	30	0.64	1345	1	0.03	35	1060	22	0.03	<2	5	21
CC00826		<10	<1	0.11	30	0.47	661	1	0.02	28	1060	13	0.01	<2	4	33
CC00827		<10	<1	0.08	20	0.50	697	1	0.02	26	880	13	0.03	<2	3	18
CC00828		<10	<1	0.07	20	0.44	443	1	0.02	26	900	16	0.01	2	4	19
CC00829		10	1	0.06	20	0.41	471	1	0.02	25	620	14	0.04	<2	2	10
CC00830		<10	1	0.05	20	0.32	424	1	0.02	22	510	15	0.03	2	2	12
CC00831		<10	1	0.10	20	0.35	885	1	0.02	28	860	52	0.06	6	3	24
CC00832		<10	<1	0.07	20	0.51	546	1	0.02	28	860	17	0.02	<2	4	24

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 4 - C
 Total Pages: 6 (A - C)
 Finalized Date: 14-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
CC00788		0.04	<10	<10	36	<10	65
CC00789		0.07	<10	<10	51	<10	90
CC00790		0.09	<10	<10	60	<10	74
CC00791		0.09	<10	<10	55	10	89
CC00792		0.09	10	<10	85	<10	283
CC00795		0.08	<10	<10	59	<10	340
CC00796		0.07	<10	<10	57	<10	399
CC00797		0.07	<10	<10	56	<10	394
CC00798		0.07	<10	<10	60	<10	78
CC00799		0.06	<10	<10	54	<10	70
CC00803		0.06	<10	<10	78	<10	823
CC00804		0.05	<10	<10	44	<10	48
CC00805		0.06	<10	<10	48	<10	74
CC00806		0.05	<10	<10	30	<10	55
CC00807		0.06	<10	<10	45	<10	68
CC00808		0.04	<10	<10	40	10	55
CC00809		0.05	<10	<10	33	<10	57
CC00810		0.05	<10	<10	37	<10	55
CC00811		0.04	<10	<10	36	<10	51
CC00812		0.05	<10	<10	45	<10	51
CC00813		0.06	<10	<10	53	<10	64
CC00814		0.06	<10	<10	53	<10	71
CC00815		0.05	<10	<10	52	<10	64
CC00816		0.06	<10	<10	52	<10	66
CC00817		0.04	<10	<10	41	<10	48
CC00818		0.04	<10	<10	41	<10	55
CC00819		0.07	<10	<10	52	<10	76
CC00820		0.04	<10	<10	43	<10	60
CC00821		0.03	<10	<10	32	<10	84
CC00822		0.08	<10	<10	54	<10	85
CC00823		0.06	<10	<10	46	<10	67
CC00824		0.04	<10	<10	46	<10	74
CC00825		0.06	<10	<10	46	<10	62
CC00826		0.06	<10	<10	46	<10	57
CC00827		0.07	<10	<10	50	<10	58
CC00828		0.07	<10	<10	46	<10	61
CC00829		0.05	<10	<10	49	<10	75
CC00830		0.05	<10	<10	44	<10	50
CC00831		0.04	<10	<10	37	<10	61
CC00832		0.06	<10	<10	44	<10	67

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 5 - A
Total Pages: 6 (A - C)
Finalized Date: 14-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC00833		0.32	0.007	0.2	1.70	184	<10	90	0.5	<2	0.13	<0.5	18	27	38	2.98
CC00834		0.34	0.018	<0.2	1.90	146	<10	140	0.9	<2	0.15	<0.5	15	25	59	2.96
CC00835		0.24	0.004	<0.2	2.33	102	<10	110	0.8	2	0.13	<0.5	13	24	31	2.98
CC00836		0.32	0.041	0.3	1.13	652	<10	80	0.8	7	0.13	<0.5	16	16	42	3.07
CC00837		0.34	0.015	<0.2	1.75	144	<10	90	0.8	3	0.11	<0.5	18	25	31	2.68
CC00838		0.50	0.017	<0.2	1.84	280	<10	90	0.6	4	0.14	<0.5	12	28	57	3.22
CC00839		0.32	0.024	0.3	2.45	558	<10	150	1.1	3	0.13	<0.5	21	31	229	3.86
CC00840		0.28	0.034	0.2	1.95	490	<10	120	0.8	2	0.14	<0.5	13	26	153	3.47
CC00841		0.36	0.009	0.5	2.43	199	<10	140	2.5	4	0.24	<0.5	36	18	233	12.50
CC00842		0.32	0.010	0.8	2.95	244	<10	170	3.0	7	0.28	<0.5	45	22	289	15.3
CC00843		0.44	0.010	0.8	2.64	320	<10	150	2.6	8	0.24	<0.5	38	21	331	14.5
CC00850		0.22	0.013	0.2	1.81	325	<10	90	0.6	2	0.10	<0.5	9	25	43	3.01
CC00851		0.18	0.029	<0.2	1.79	1040	<10	120	0.8	6	0.13	<0.5	15	29	114	3.70
CC00852		0.26	0.018	<0.2	1.48	401	<10	100	0.6	<2	0.16	<0.5	14	23	58	2.64
CC00853		0.20	0.003	<0.2	1.73	112	<10	80	0.5	<2	0.10	<0.5	12	22	26	2.43
CC00854		0.22	0.002	<0.2	1.82	75	<10	100	0.5	<2	0.09	<0.5	12	25	20	2.82
CC00855		0.22	0.023	<0.2	1.60	182	<10	80	<0.5	<2	0.09	<0.5	11	24	28	2.79
CC00856		0.22	0.041	<0.2	1.96	882	<10	110	0.7	<2	0.11	<0.5	12	32	89	3.46
CC00857		0.26	0.025	<0.2	1.58	251	<10	110	1.0	2	0.14	<0.5	19	36	110	3.34
CC00858		0.26	0.022	<0.2	1.33	256	<10	90	0.7	<2	0.18	<0.5	11	31	103	2.77
CC00859		0.26	0.013	0.2	1.48	211	<10	130	1.1	<2	0.12	<0.5	16	36	91	3.55
CC00860		0.28	0.055	0.2	1.75	504	<10	170	1.3	5	0.26	<0.5	19	48	135	3.91
CC00861		0.34	0.086	<0.2	2.42	846	<10	160	1.9	17	0.22	<0.5	28	65	185	4.76
CC00862		0.30	0.013	0.3	1.90	423	<10	260	1.4	<2	0.38	<0.5	22	118	223	4.53
CC00863		0.32	0.044	0.4	1.40	500	<10	120	1.3	<2	0.17	<0.5	26	26	273	3.91
CC00864		0.28	0.052	0.6	1.52	622	<10	140	1.4	2	0.14	<0.5	26	26	323	4.73
CC00865		0.24	0.014	0.3	1.64	48	<10	150	1.9	<2	0.12	<0.5	38	29	146	4.73
CC00866		0.26	0.059	0.2	1.64	765	<10	200	1.6	5	0.22	<0.5	33	35	131	4.09
CC00867		0.28	0.019	<0.2	0.48	142	<10	140	1.2	<2	0.19	0.7	20	10	26	3.58
CC00868		0.22	0.015	0.2	1.31	808	<10	160	1.8	<2	0.28	<0.5	12	25	36	5.57
CC00869		0.26	0.022	0.3	1.39	273	<10	60	0.9	<2	0.08	<0.5	14	25	47	3.87
CC00870		0.24	0.041	0.2	1.76	154	<10	80	0.5	<2	0.09	<0.5	11	26	40	2.94
CC00871		0.22	0.053	0.2	1.60	530	<10	100	0.8	<2	0.10	<0.5	11	26	64	3.29
CC00872		0.30	0.041	0.2	2.11	406	<10	100	1.1	2	0.12	<0.5	18	26	57	3.01
CC00873		0.22	0.011	<0.2	1.58	200	<10	80	0.5	<2	0.08	<0.5	12	22	27	2.65
CC00874		0.28	0.018	<0.2	1.66	304	<10	80	0.5	<2	0.08	<0.5	9	29	51	3.68
CC00875		0.24	0.014	<0.2	1.98	785	<10	110	0.9	2	0.12	<0.5	17	29	103	3.46
CC00876		0.32	0.024	<0.2	2.09	354	<10	110	0.7	3	0.12	<0.5	10	26	51	3.05
CC00877		0.30	0.063	<0.2	1.44	521	<10	80	0.5	3	0.14	<0.5	7	20	61	2.64
CC00878		0.28	0.026	0.4	1.83	434	<10	100	0.6	5	0.14	<0.5	9	23	68	3.28

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 5 - B
Total Pages: 6 (A - C)
Finalized Date: 14-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC00833		<10	<1	0.07	10	0.51	598	1	0.02	28	670	13	0.03	<2	3	12
CC00834		10	1	0.08	20	0.53	472	1	0.02	32	550	20	0.02	2	3	18
CC00835		10	1	0.06	10	0.46	411	2	0.02	24	800	19	0.04	2	2	16
CC00836		<10	<1	0.04	20	0.26	483	1	0.01	27	560	19	0.01	<2	2	11
CC00837		<10	<1	0.05	10	0.44	432	<1	0.02	29	400	27	0.01	<2	3	12
CC00838		10	1	0.06	20	0.47	369	1	0.02	24	710	17	0.04	<2	2	14
CC00839		10	1	0.10	20	0.59	673	2	0.02	35	1000	38	0.05	2	3	18
CC00840		10	1	0.07	20	0.49	304	2	0.02	28	720	28	0.03	2	2	18
CC00841		10	1	0.20	20	0.55	592	11	0.05	77	2310	65	0.44	10	4	119
CC00842		10	<1	0.24	20	0.65	731	13	0.06	91	2850	83	0.47	11	5	145
CC00843		10	<1	0.21	20	0.61	681	11	0.05	87	2440	70	0.40	10	4	112
CC00850		10	<1	0.05	10	0.42	291	1	0.02	22	590	14	0.03	<2	2	11
CC00851		10	<1	0.07	20	0.44	631	2	0.02	25	750	25	0.07	2	2	17
CC00852		<10	1	0.08	10	0.41	462	1	0.02	29	640	17	0.02	2	2	16
CC00853		<10	<1	0.04	10	0.36	323	1	0.01	21	360	11	0.02	<2	3	9
CC00854		10	<1	0.04	10	0.39	501	1	0.01	17	450	11	0.03	<2	2	9
CC00855		<10	<1	0.04	10	0.34	403	1	0.01	17	450	13	0.03	<2	2	10
CC00856		10	<1	0.06	20	0.50	372	1	0.02	26	540	20	0.04	2	2	14
CC00857		10	<1	0.11	20	0.47	642	1	0.01	33	580	18	0.03	3	3	14
CC00858		<10	<1	0.06	20	0.42	330	1	0.01	24	650	11	0.03	<2	2	13
CC00859		<10	<1	0.12	30	0.42	690	1	0.01	28	480	17	0.03	<2	4	14
CC00860		10	<1	0.16	30	0.67	861	1	0.01	29	810	24	0.02	2	5	25
CC00861		10	<1	0.24	30	0.87	853	1	0.02	37	800	24	0.05	<2	6	32
CC00862		10	1	0.21	30	1.06	686	1	<0.01	31	1360	19	0.03	6	7	30
CC00863		<10	<1	0.15	20	0.34	853	1	<0.01	30	580	19	0.05	2	5	25
CC00864		<10	1	0.18	30	0.34	1005	2	0.01	21	920	24	0.17	6	5	43
CC00865		<10	<1	0.12	30	0.40	2700	2	<0.01	42	690	42	0.05	5	5	21
CC00866		<10	<1	0.12	30	0.56	1890	1	<0.01	39	740	32	0.03	3	5	39
CC00867		<10	<1	0.06	50	0.10	3210	1	<0.01	41	480	77	0.01	9	5	23
CC00868		<10	<1	0.09	30	0.26	1370	1	<0.01	29	800	29	0.04	7	4	33
CC00869		<10	<1	0.08	20	0.24	1015	1	<0.01	22	870	18	0.05	2	2	10
CC00870		<10	<1	0.04	10	0.40	315	1	<0.01	27	470	14	0.02	<2	2	11
CC00871		10	1	0.05	20	0.35	354	1	<0.01	23	570	18	0.03	4	2	15
CC00872		<10	<1	0.06	20	0.40	606	1	<0.01	28	670	15	0.02	<2	3	13
CC00873		<10	<1	0.04	10	0.34	450	1	<0.01	18	610	13	0.03	2	2	10
CC00874		10	<1	0.06	10	0.32	406	2	<0.01	17	620	21	0.05	2	1	13
CC00875		10	<1	0.06	20	0.45	666	1	<0.01	28	680	22	0.04	<2	2	16
CC00876		10	<1	0.07	10	0.47	348	1	<0.01	21	710	15	0.03	2	2	13
CC00877		<10	<1	0.05	10	0.36	249	1	<0.01	18	660	15	0.02	<2	2	13
CC00878		10	1	0.08	10	0.45	314	2	<0.01	21	1000	18	0.04	2	1	18

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 5 - C
 Total Pages: 6 (A - C)
 Finalized Date: 14-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC00833		0.06	<10	<10	47	<10	77
CC00834		0.07	<10	<10	45	<10	75
CC00835		0.06	<10	<10	43	<10	64
CC00836		0.03	<10	<10	28	<10	56
CC00837		0.06	<10	<10	38	<10	77
CC00838		0.06	<10	<10	51	<10	67
CC00839		0.07	<10	<10	59	<10	98
CC00840		0.06	<10	<10	51	<10	78
CC00841		0.05	<10	<10	50	10	217
CC00842		0.07	10	<10	59	10	266
CC00843		0.06	<10	<10	56	20	242
CC00850		0.05	<10	<10	46	<10	55
CC00851		0.04	<10	<10	47	<10	60
CC00852		0.05	<10	<10	40	<10	57
CC00853		0.04	<10	<10	36	<10	40
CC00854		0.05	<10	<10	47	<10	56
CC00855		0.05	<10	<10	44	<10	45
CC00856		0.05	<10	<10	51	<10	62
CC00857		0.06	<10	<10	45	<10	58
CC00858		0.06	<10	<10	45	<10	54
CC00859		0.06	<10	<10	48	<10	58
CC00860		0.06	<10	<10	50	<10	66
CC00861		0.07	<10	<10	56	<10	65
CC00862		0.12	<10	<10	77	<10	54
CC00863		0.05	<10	<10	46	<10	61
CC00864		0.03	<10	<10	42	<10	58
CC00865		0.04	<10	<10	52	<10	82
CC00866		0.05	<10	<10	46	<10	62
CC00867		0.01	<10	<10	19	<10	151
CC00868		0.01	<10	<10	35	<10	58
CC00869		0.04	<10	<10	45	<10	57
CC00870		0.05	<10	<10	48	<10	67
CC00871		0.05	<10	<10	50	<10	55
CC00872		0.05	<10	<10	43	<10	54
CC00873		0.04	<10	<10	41	<10	44
CC00874		0.06	<10	<10	70	<10	61
CC00875		0.04	<10	<10	50	<10	64
CC00876		0.05	<10	<10	48	<10	63
CC00877		0.04	<10	<10	39	<10	51
CC00878		0.04	<10	<10	48	<10	64

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 6 - A
 Total Pages: 6 (A - C)
 Finalized Date: 14-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC00879		0.32	0.013	0.2	1.87	247	<10	120	0.7	4	0.13	<0.5	8	22	63	2.95
CC00880		0.28	0.017	0.2	1.73	292	<10	100	0.7	3	0.13	<0.5	9	21	95	3.20
CC00881		0.26	0.017	<0.2	1.84	1110	<10	140	0.8	3	0.13	<0.5	10	23	188	3.21
CC00882		0.36	0.021	0.3	1.69	596	<10	130	1.0	2	0.27	0.5	22	26	229	4.28
CC00883		0.26	0.013	0.5	1.78	276	<10	80	1.0	2	0.13	<0.5	9	22	152	7.53
CC00884		0.42	0.076	0.2	1.87	872	<10	90	0.7	8	0.14	<0.5	9	24	100	3.19
CC00885		0.34	0.039	0.2	1.42	359	<10	90	0.7	5	0.12	<0.5	6	17	71	2.36
CC00886		0.24	0.005	<0.2	1.94	102	<10	90	0.6	<2	0.11	<0.5	9	26	43	3.01
CC00887		0.30	0.060	0.3	1.66	1020	<10	110	0.7	5	0.14	<0.5	10	23	198	3.03
CC00888		0.28	0.017	<0.2	1.12	510	<10	90	<0.5	<2	0.21	<0.5	13	18	76	2.31
CC00889		0.24	0.018	0.6	2.77	512	<10	120	1.9	4	0.30	<0.5	17	26	235	5.80
CC00890		0.28	0.017	1.1	2.82	874	<10	120	1.8	13	0.55	0.6	36	23	219	7.27
CC00891		0.26	0.015	0.9	2.67	1010	<10	140	2.2	15	0.69	1.8	55	18	260	8.88
CC00892		0.34	0.011	1.2	3.08	1050	<10	150	2.3	17	0.69	1.5	58	21	284	9.46
CC00893		0.32	0.038	0.6	1.91	695	<10	90	1.1	10	0.15	<0.5	17	21	205	8.25

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 6 - B
 Total Pages: 6 (A - C)
 Finalized Date: 14-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method Analyte Units LOR	ME-ICP41														
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC00879		<10	1	0.07	20	0.42	264	1	<0.01	23	670	19	0.02	3	3	13
CC00880		<10	<1	0.09	20	0.42	203	2	<0.01	22	680	25	0.02	5	3	14
CC00881		<10	<1	0.07	20	0.46	335	1	<0.01	30	620	21	0.02	3	4	15
CC00882		<10	1	0.07	20	0.51	580	2	<0.01	45	1040	54	0.02	5	4	36
CC00883		10	1	0.13	20	0.47	271	3	<0.01	30	1270	35	0.14	3	2	43
CC00884		<10	<1	0.07	20	0.42	287	1	<0.01	23	800	18	0.03	3	3	14
CC00885		<10	1	0.06	20	0.32	172	1	<0.01	18	470	15	0.01	2	2	11
CC00886		10	<1	0.05	10	0.43	287	1	<0.01	20	670	24	0.03	2	2	12
CC00887		<10	<1	0.08	20	0.40	295	1	<0.01	25	670	24	0.02	3	3	16
CC00888		<10	<1	0.05	10	0.36	362	1	<0.01	27	690	12	0.01	<2	2	17
CC00889		10	<1	0.08	30	0.60	362	4	0.01	54	1340	77	0.14	6	3	53
CC00890		10	1	0.12	20	0.56	659	4	0.02	83	1300	152	0.13	10	4	88
CC00891		10	<1	0.20	20	0.52	1075	5	0.04	120	1440	158	0.11	13	4	139
CC00892		10	<1	0.19	30	0.61	1145	5	0.03	117	1620	188	0.13	13	5	143
CC00893		10	1	0.10	20	0.43	854	3	<0.01	49	1190	59	0.13	5	3	62

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 6 - C
Total Pages: 6 (A - C)
Finalized Date: 14-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04050217

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC00879		0.05	<10	<10	42	<10	63
CC00880		0.06	<10	<10	43	<10	60
CC00881		0.05	<10	<10	43	<10	76
CC00882		0.07	<10	<10	51	<10	170
CC00883		0.05	<10	<10	42	<10	91
CC00884		0.05	<10	<10	42	<10	60
CC00885		0.04	<10	<10	31	<10	45
CC00886		0.05	<10	<10	52	<10	53
CC00887		0.05	<10	<10	41	<10	69
CC00888		0.04	<10	<10	34	<10	56
CC00889		0.06	<10	<10	56	<10	169
CC00890		0.06	<10	<10	57	<10	324
CC00891		0.06	<10	<10	49	<10	385
CC00892		0.07	<10	<10	57	<10	419
CC00893		0.04	<10	<10	40	<10	146

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE VA04047774

Project: Mike Lake
P.O. No.:
This report is for 98 Soil samples submitted to our lab in Vancouver, BC, Canada on 23-JUL-2004.
The following have access to data associated with this certificate:
VANCOUVER OFFICE AL ARCHER DOUG EATON
JOAN MARIACHER BILL WENGZYNOWSKI

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41	Screen to -180um and save both
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



D: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - A
Total Pages: 4 (A - C)
Finalized Date: 4-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047774

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	
CC00522		0.24	0.312	<0.2	2.15	559	<10	190	1.3	23	0.35	<0.5	20	29	114	4.67	
CC00523		0.28	0.095	<0.2	1.90	502	<10	160	1.2	18	0.25	<0.5	18	28	114	4.62	
CC00524		0.30	0.103	<0.2	1.88	682	<10	170	1.2	23	0.32	<0.5	22	30	144	4.82	
CC00525		0.28	0.059	<0.2	1.84	544	<10	170	1.3	14	0.28	<0.5	20	28	120	4.49	
CC00526		0.32	0.307	0.2	1.96	749	<10	160	1.4	25	0.33	0.5	23	31	179	5.26	
CC00527		0.26	0.114	<0.2	2.03	873	<10	140	1.4	38	0.25	<0.5	21	35	178	5.43	
CC00528		0.24	0.084	0.3	2.59	499	<10	130	1.8	4	0.12	<0.5	21	30	162	4.26	
CC00529		0.24	0.109	<0.2	2.25	689	<10	160	1.9	7	0.17	<0.5	30	33	254	4.61	
CC00530		0.22	0.198	0.3	2.21	600	<10	120	1.5	5	0.12	<0.5	17	30	164	4.47	
CC00531		0.24	0.050	<0.2	1.64	123	<10	130	0.7	<2	0.14	<0.5	12	26	59	2.92	
CC00532		0.22	0.188	0.2	1.97	121	<10	110	0.8	<2	0.10	<0.5	10	29	53	3.30	
CC00533		0.22	0.028	<0.2	1.80	99	<10	90	0.7	<2	0.09	<0.5	8	28	44	3.18	
CC00534		0.26	0.131	<0.2	1.44	617	<10	220	1.1	<2	0.15	<0.5	23	24	149	4.09	
CC00535		0.32	0.030	<0.2	1.62	82	<10	200	1.0	<2	0.18	0.5	15	31	66	3.56	
CC00536		0.26	0.015	<0.2	1.76	31	<10	160	1.0	<2	0.15	<0.5	11	31	40	3.31	
CC00537		0.32	0.007	<0.2	1.82	105	<10	140	1.5	2	0.08	<0.5	22	28	91	4.83	
CC00538		0.36	0.007	<0.2	2.57	127	<10	170	1.8	2	0.07	<0.5	25	34	57	4.38	
CC00539		0.32	0.009	<0.2	1.94	356	<10	180	1.8	2	0.14	<0.5	31	33	99	4.63	
CC00540		0.20	0.062	0.3	1.32	604	<10	230	1.4	<2	0.26	0.5	30	31	326	3.77	
CC00541		0.18	0.013	0.4	2.56	372	<10	500	2.6	<2	0.57	<0.5	26	133	367	5.28	
CC00542		0.24	0.011	<0.2	1.68	130	<10	200	1.2	<2	0.15	<0.5	18	44	98	3.85	
CC00543		0.16	0.235	0.2	1.60	319	<10	160	1.2	<2	0.21	<0.5	21	31	156	4.20	
CC00544		0.22	0.116	<0.2	1.67	278	<10	150	1.0	3	0.18	<0.5	21	32	150	4.33	
CC00545		0.24	0.307	<0.2	2.59	613	<10	140	1.9	11	0.32	<0.5	30	32	104	5.89	
CC00546		0.18	0.188	<0.2	3.81	393	<10	240	2.2	12	0.36	<0.5	31	51	126	5.36	
CC00547		0.20	0.188	<0.2	2.27	666	<10	180	2.1	9	0.12	<0.5	26	31	150	5.44	
CC00548		0.22	0.030	<0.2	2.10	409	<10	170	1.5	11	0.36	<0.5	29	33	95	4.53	
CC00549		0.20	0.073	<0.2	2.17	82	<10	170	1.1	<2	0.17	<0.5	17	34	79	3.63	
CC00550		0.18	0.010	<0.2	2.58	91	<10	140	1.3	<2	0.16	<0.5	13	34	52	3.73	
CC00551		0.16	0.460	<0.2	2.20	45	<10	120	0.8	<2	0.08	<0.5	11	28	26	3.43	
CC00552		0.16	0.091	<0.2	1.30	125	<10	100	0.5	3	0.14	<0.5	9	27	42	3.34	
CC00553		0.10	0.011	<0.2	0.55	40	<10	40	<0.5	<2	0.04	<0.5	2	12	10	1.06	
CC00554		0.14	0.005	<0.2	2.04	201	<10	120	0.7	<2	0.10	<0.5	12	28	54	3.15	
CC00555		0.14	0.007	<0.2	1.60	204	<10	100	<0.5	<2	0.10	<0.5	6	26	40	2.80	
CC00556		0.16	<0.001	<0.2	1.52	266	<10	90	0.5	<2	0.14	<0.5	7	21	52	2.47	
CC00558		0.18	0.006	0.2	1.83	215	<10	100	0.6	2	0.08	<0.5	12	27	38	3.48	
CC00559		0.12	0.002	<0.2	1.74	85	<10	80	<0.5	<2	0.06	<0.5	7	24	21	2.96	
CC00560		0.16	0.008	<0.2	1.42	56	<10	80	<0.5	<2	0.07	<0.5	6	24	22	3.02	
CC00561		0.20	0.013	<0.2	2.35	137	<10	180	1.0	2	0.18	<0.5	16	31	56	3.57	
CC00562		0.20	0.032	0.2	1.78	59	<10	150	0.8	<2	0.19	<0.5	13	28	46	3.15	



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total Pages: 4 (A - C)
 Finalized Date: 4-AUG-2004
 Account: DYNAMI

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04047774

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC00522		10	1	0.13	30	0.47	911	1	0.02	32	750	33	0.06	4	4	40
CC00523		10	1	0.11	30	0.40	827	1	0.01	32	650	33	0.06	6	4	35
CC00524		10	<1	0.15	30	0.45	900	1	0.02	34	800	31	0.05	2	4	40
CC00525		10	<1	0.12	30	0.42	811	1	0.01	29	710	30	0.05	5	4	37
CC00526		10	<1	0.15	30	0.49	1155	2	0.02	36	850	32	0.07	5	5	45
CC00527		10	<1	0.13	30	0.47	853	1	0.02	31	700	27	0.08	6	4	38
CC00528		10	<1	0.11	20	0.42	1265	1	0.01	27	920	42	0.09	4	3	30
CC00529		10	<1	0.11	30	0.53	1150	1	0.01	51	920	44	0.06	3	4	33
CC00530		10	1	0.10	20	0.43	750	1	0.01	34	750	34	0.08	3	3	29
CC00531		<10	<1	0.06	20	0.44	495	1	0.01	26	570	15	0.02	<2	3	15
CC00532		10	<1	0.06	20	0.37	405	<1	0.01	24	590	17	0.03	<2	2	13
CC00533		10	<1	0.05	20	0.30	324	2	0.01	20	500	14	0.02	4	2	12
CC00534		<10	<1	0.08	30	0.35	842	1	0.01	49	650	30	0.02	5	4	21
CC00535		10	<1	0.08	30	0.43	930	2	0.01	30	740	28	0.03	3	3	20
CC00536		<10	<1	0.07	20	0.44	636	1	0.01	27	530	21	0.02	<2	3	16
CC00537		10	2	0.14	30	0.38	2110	1	0.01	33	1150	38	0.08	5	3	18
CC00538		10	<1	0.22	30	0.53	1800	2	0.01	28	930	35	0.10	3	5	29
CC00539		10	<1	0.18	30	0.46	2270	2	0.02	34	1100	35	0.12	5	6	38
CC00540		<10	<1	0.17	30	0.46	1970	1	0.01	37	910	27	0.01	5	4	28
CC00541		10	<1	0.37	30	1.26	1845	1	0.01	41	1560	45	0.02	4	10	48
CC00542		10	<1	0.10	20	0.57	1760	1	0.01	32	740	28	0.04	2	3	17
CC00543		<10	<1	0.09	30	0.46	962	1	0.01	42	1160	34	0.02	3	4	25
CC00544		10	<1	0.09	30	0.47	839	1	0.01	38	1030	29	0.03	4	4	23
CC00545		10	2	0.09	30	0.50	622	2	0.02	41	1370	28	0.13	3	5	97
CC00546		10	<1	0.20	30	0.86	405	1	0.03	66	850	20	0.12	7	6	147
CC00547		10	<1	0.12	30	0.46	770	2	<0.01	42	670	36	0.03	8	5	34
CC00548		10	<1	0.12	30	0.50	914	1	0.01	41	810	25	0.03	5	5	101
CC00549		10	1	0.11	20	0.47	742	1	<0.01	36	800	24	0.02	2	4	17
CC00550		10	<1	0.09	20	0.44	550	1	<0.01	33	970	23	0.04	2	3	14
CC00551		10	<1	0.07	20	0.32	381	1	<0.01	23	530	18	0.03	<2	3	11
CC00552		10	<1	0.07	20	0.38	274	1	<0.01	26	520	18	0.02	3	3	15
CC00553		10	<1	0.03	10	0.04	53	1	<0.01	7	360	12	0.01	3	1	8
CC00554		10	<1	0.05	10	0.41	445	1	<0.01	23	620	19	0.03	<2	2	13
CC00555		10	<1	0.05	10	0.30	192	1	<0.01	16	940	26	0.06	2	1	14
CC00556		10	<1	0.05	10	0.29	176	1	<0.01	20	760	23	0.04	<2	1	14
CC00558		10	2	0.07	10	0.35	575	1	<0.01	19	860	19	0.06	3	1	19
CC00559		10	1	0.04	10	0.25	288	1	<0.01	17	560	14	0.03	3	2	9
CC00560		10	<1	0.05	10	0.26	182	1	<0.01	15	540	12	0.03	2	2	10
CC00561		<10	<1	0.07	20	0.42	419	1	<0.01	37	630	23	0.02	4	3	23
CC00562		<10	<1	0.08	20	0.43	740	1	<0.01	31	830	15	0.02	3	3	17



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



0: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - C
 Total Pages: 4 (A - C)
 Finalized Date: 4-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047774

Sample Description	Method Analyte Units LOR	ME-ICP41					
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC00522		0.05	<10	<10	41	<10	77
CC00523		0.04	<10	<10	37	<10	65
CC00524		0.05	<10	<10	38	<10	70
CC00525		0.05	<10	<10	38	<10	70
CC00526		0.05	<10	<10	40	<10	82
CC00527		0.04	<10	<10	38	<10	76
CC00528		0.06	<10	<10	48	<10	68
CC00529		0.06	<10	<10	48	<10	84
CC00530		0.06	<10	<10	50	<10	65
CC00531		0.06	<10	<10	47	<10	58
CC00532		0.06	<10	<10	52	<10	51
CC00533		0.06	<10	<10	57	<10	44
CC00534		0.06	<10	<10	42	<10	68
CC00535		0.06	<10	<10	57	<10	66
CC00536		0.07	<10	<10	56	<10	59
CC00537		0.03	<10	<10	50	<10	88
CC00538		0.06	<10	<10	55	<10	81
CC00539		0.06	<10	<10	51	<10	83
CC00540		0.06	<10	<10	45	10	69
CC00541		0.15	<10	<10	86	<10	84
CC00542		0.07	<10	<10	61	<10	69
CC00543		0.08	<10	<10	54	<10	84
CC00544		0.08	<10	<10	52	<10	82
CC00545		0.08	<10	<10	56	<10	85
CC00546		0.17	<10	<10	71	<10	69
CC00547		0.07	<10	<10	48	<10	78
CC00548		0.05	<10	<10	48	<10	80
CC00549		0.07	<10	<10	51	<10	66
CC00550		0.06	<10	<10	50	<10	60
CC00551		0.07	<10	<10	61	<10	61
CC00552		0.07	<10	<10	54	<10	56
CC00553		0.07	<10	<10	57	<10	15
CC00554		0.05	<10	<10	53	<10	65
CC00555		0.04	<10	<10	54	<10	44
CC00556		0.04	<10	<10	41	<10	44
CC00558		0.05	<10	<10	55	<10	56
CC00559		0.05	<10	<10	52	<10	41
CC00560		0.06	<10	<10	57	<10	37
CC00561		0.07	<10	<10	48	<10	59
CC00562		0.06	<10	<10	50	<10	75



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - A
 Total Pages: 4 (A - C)
 Finalized Date: 4-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047774

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL kg 0.02	Au ppm 0.001	Ag ppm 0.2	Al % 0.01	As ppm 2	B ppm 10	Ba ppm 10	Be ppm 0.5	Bi ppm 2	Ca % 0.01	Cd ppm 0.5	Co ppm 1	Cr ppm 1	Cu ppm 1	Fe % 0.01
CC00563		0.18	0.036	<0.2	1.90	283	<10	140	0.7	2	0.16	<0.5	13	30	49	3.85
CC00564		0.22	0.010	<0.2	2.07	41	<10	150	0.9	<2	0.11	<0.5	13	31	29	3.10
CC00565		0.22	0.011	0.2	1.89	115	<10	150	1.2	3	0.13	<0.5	19	28	41	3.28
CC00566		0.20	0.011	<0.2	1.98	287	<10	170	1.5	15	0.39	<0.5	24	47	66	4.34
CC00567		0.18	0.074	<0.2	2.29	3180	<10	160	1.5	63	0.17	<0.5	30	35	121	6.24
CC00568		0.18	0.067	0.2	1.94	200	<10	130	1.4	3	0.25	<0.5	29	34	75	4.03
CC00569		0.18	0.038	<0.2	2.31	339	<10	120	2.2	3	0.09	<0.5	21	35	69	4.73
CC00570		0.16	0.011	0.7	1.99	89	<10	110	1.3	2	0.09	<0.5	37	31	136	4.66
CC00571		0.20	0.099	<0.2	1.70	542	<10	170	1.6	3	0.20	<0.5	28	30	517	4.29
CC00572		0.22	0.026	0.5	1.71	449	<10	170	1.5	2	0.20	<0.5	23	30	475	3.94
CC00573		0.18	0.038	3.0	1.66	319	<10	140	1.7	<2	0.22	0.5	28	30	1500	5.11
CC00574		0.18	0.024	<0.2	2.09	71	<10	110	0.9	<2	0.16	<0.5	19	34	168	4.21
CC00576		0.24	0.004	<0.2	1.73	36	<10	100	0.5	<2	0.08	<0.5	6	26	18	3.16
CC00577		0.26	0.010	<0.2	2.68	69	<10	100	1.3	<2	0.10	<0.5	13	31	43	3.65
CC00578		0.26	0.008	<0.2	1.90	40	<10	90	0.6	<2	0.09	<0.5	10	31	22	3.26
CC00579		0.32	0.009	<0.2	1.87	48	<10	110	0.8	<2	0.12	<0.5	14	29	36	3.28
CC00580		0.32	0.005	<0.2	2.11	86	<10	110	0.7	<2	0.12	<0.5	13	31	34	3.36
CC00581		0.22	0.004	<0.2	2.20	50	<10	130	0.7	<2	0.11	<0.5	11	33	39	3.45
CC00594		0.44	0.012	0.2	2.66	81	<10	140	1.1	<2	0.67	1.3	19	25	56	3.40
CC00595		0.32	0.051	<0.2	2.92	126	<10	240	1.2	<2	0.23	<0.5	22	38	72	4.24
CC00596		0.42	0.029	<0.2	2.80	124	<10	180	1.0	3	0.26	<0.5	15	38	83	4.71
CC00597		0.36	0.066	<0.2	3.01	163	<10	210	1.1	2	0.18	<0.5	21	37	87	5.57
CC00598		0.40	0.024	<0.2	4.47	184	10	410	1.4	2	0.32	<0.5	22	44	238	8.46
CC00599		0.40	0.122	<0.2	1.31	445	<10	120	0.7	7	0.30	<0.5	19	19	164	4.24
CC00600		0.40	0.088	0.2	1.92	222	<10	140	1.0	7	0.21	<0.5	26	27	136	4.08
CC00601		0.42	0.002	<0.2	2.49	98	<10	140	2.0	2	0.80	0.6	10	35	22	2.88
CC00602		0.48	0.015	0.3	1.86	1390	<10	130	1.1	5	0.21	<0.5	20	20	194	9.04
CC00603		Not Recvd														
CC00604		0.38	0.118	0.2	1.48	264	<10	120	1.1	4	0.19	0.7	15	23	114	3.29
CC00605		0.38	0.021	<0.2	2.58	111	<10	140	1.3	<2	0.13	<0.5	24	44	128	6.11
CC00606		0.34	0.032	<0.2	2.73	275	<10	170	2.1	<2	0.19	<0.5	42	31	140	5.51
CC00607		0.38	0.032	<0.2	1.80	160	<10	160	1.0	<2	0.22	0.6	26	27	148	4.52
CC00608		0.34	0.110	0.3	2.13	947	<10	180	1.3	7	0.38	<0.5	27	21	257	6.33
CC00609		0.28	0.531	<0.2	2.14	396	<10	210	1.2	62	0.32	<0.5	21	28	94	4.18
CC00610		0.30	0.017	<0.2	2.83	467	<10	350	2.1	7	0.44	<0.5	29	103	65	5.25
CC00611		0.26	0.035	<0.2	1.74	167	<10	200	1.0	2	0.26	<0.5	18	55	65	3.89
CC00613		0.16	0.016	<0.2	2.51	28	<10	160	0.9	<2	0.30	<0.5	24	26	78	3.71
CC00614		0.20	0.006	0.6	2.23	26	10	130	0.9	<2	2.17	2.3	26	21	81	4.29
CC00615		0.20	0.005	0.2	3.73	17	10	220	1.4	<2	1.08	1.3	19	25	47	2.88
CC00616		0.20	0.004	<0.2	3.56	41	10	180	1.3	<2	1.04	2.2	17	26	48	3.58



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



o: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total Pages: 4 (A - C)
Finalized Date: 4-AUG-2004
Account: DYNAMI

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04047774

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC00563		10	<1	0.09	20	0.42	303	1	<0.01	30	620	16	0.02	4	3	18
CC00564		<10	<1	0.07	20	0.42	430	<1	<0.01	30	420	19	<0.01	<2	3	12
CC00565		<10	<1	0.11	20	0.39	651	1	<0.01	33	580	21	0.03	3	2	16
CC00566		10	<1	0.09	20	0.50	853	1	<0.01	36	880	40	0.05	4	3	56
CC00567		10	<1	0.17	20	0.57	628	1	0.03	49	1060	24	0.19	3	5	40
CC00568		10	1	0.12	20	0.55	626	2	0.01	41	1090	19	0.05	4	4	35
CC00569		10	2	0.11	30	0.42	554	2	<0.01	29	850	30	0.12	5	4	36
CC00570		10	2	0.11	20	0.36	2640	2	<0.01	29	1130	174	0.06	4	2	14
CC00571		10	<1	0.09	20	0.52	1565	1	0.01	44	760	52	0.03	6	4	28
CC00572		10	1	0.10	30	0.54	1885	2	<0.01	41	1130	53	0.03	6	4	28
CC00573		<10	<1	0.13	40	0.49	1715	2	0.02	49	1350	87	0.04	4	5	32
CC00574		10	<1	0.12	20	0.52	825	2	0.01	40	1510	59	0.06	2	3	18
CC00576		10	<1	0.05	10	0.27	242	2	0.01	17	310	13	0.04	2	3	11
CC00577		10	<1	0.09	20	0.37	308	2	0.01	32	680	18	0.07	2	3	14
CC00578		10	<1	0.05	10	0.37	285	1	<0.01	22	360	11	0.05	4	3	11
CC00579		10	1	0.07	20	0.46	369	2	0.01	33	500	16	0.07	3	3	16
CC00580		10	<1	0.08	10	0.50	441	2	0.01	29	690	17	0.08	2	3	17
CC00581		10	<1	0.07	10	0.57	438	1	0.01	26	530	14	0.08	3	3	18
CC00594		10	1	0.09	20	0.53	845	2	0.06	43	1220	77	0.08	6	3	63
CC00595		10	<1	0.26	20	0.91	513	2	0.02	38	1350	16	0.12	6	5	55
CC00596		10	<1	0.29	20	0.84	490	4	0.03	33	1930	20	0.20	7	5	65
CC00597		10	<1	0.29	20	0.78	562	3	0.03	44	1430	23	0.21	2	6	77
CC00598		10	<1	0.64	20	1.20	694	13	0.05	54	2800	25	0.47	11	9	200
CC00599		<10	<1	0.05	30	0.31	779	1	0.01	34	850	28	0.05	5	3	28
CC00600		<10	1	0.09	30	0.41	1340	1	0.01	44	1200	34	0.08	4	4	22
CC00601		10	1	0.06	30	0.34	1385	1	0.01	21	1870	80	0.04	4	8	55
CC00602		10	1	0.09	30	0.30	1330	1	0.01	35	950	47	0.11	9	4	49
CC00603																
CC00604		<10	<1	0.07	30	0.36	637	1	0.01	36	780	31	0.05	7	4	24
CC00605		10	<1	0.19	20	0.59	820	2	0.02	44	1280	64	0.12	6	4	40
CC00606		10	<1	0.19	30	0.54	1345	3	0.02	54	1370	36	0.09	6	5	57
CC00607		10	<1	0.12	20	0.48	1010	2	0.01	42	890	38	0.07	2	5	31
CC00608		10	<1	0.16	40	0.41	1180	1	0.02	28	610	32	0.21	8	6	62
CC00609		10	1	0.10	30	0.51	1340	1	0.01	36	580	33	0.06	3	5	40
CC00610		10	1	0.19	30	1.02	1335	1	0.01	42	1010	41	0.05	3	8	32
CC00611		10	<1	0.12	20	0.65	867	1	0.01	32	840	20	0.03	3	4	29
CC00613		10	1	0.08	20	0.48	490	1	0.02	49	710	42	0.09	5	4	30
CC00614		10	<1	0.08	20	0.49	866	1	0.09	64	870	160	0.14	6	3	87
CC00615		10	1	0.07	20	0.77	1225	1	0.05	31	1590	91	0.18	6	2	75
CC00616		10	<1	0.09	20	0.53	1410	1	0.06	37	1610	57	0.14	<2	3	130



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



TO: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - C
Total Pages: 4 (A - C)
Finalized Date: 4-AUG-2004
Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04047774

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC00563		0.07	<10	<10	50	<10	49
CC00564		0.07	<10	<10	48	<10	53
CC00565		0.04	<10	<10	43	<10	52
CC00566		0.05	<10	<10	52	<10	86
CC00567		0.07	<10	<10	50	<10	76
CC00568		0.08	<10	<10	55	<10	74
CC00569		0.04	<10	<10	62	<10	58
CC00570		0.06	<10	<10	59	<10	120
CC00571		0.06	<10	<10	56	<10	107
CC00572		0.07	<10	<10	55	<10	108
CC00573		0.06	<10	<10	57	<10	156
CC00574		0.07	<10	<10	59	<10	103
CC00576		0.09	<10	<10	63	<10	48
CC00577		0.07	<10	<10	54	<10	50
CC00578		0.08	<10	<10	57	<10	42
CC00579		0.08	<10	<10	49	<10	54
CC00580		0.08	<10	<10	60	<10	68
CC00581		0.09	<10	<10	69	<10	56
CC00594		0.07	<10	<10	47	<10	194
CC00595		0.12	<10	<10	83	<10	62
CC00596		0.14	<10	<10	97	<10	63
CC00597		0.14	<10	<10	89	<10	75
CC00598		0.22	<10	<10	138	<10	88
CC00599		0.04	<10	<10	34	<10	60
CC00600		0.07	<10	<10	52	10	81
CC00601		0.01	<10	<10	57	<10	100
CC00602		0.04	<10	<10	31	<10	90
CC00603							
CC00604		0.04	<10	<10	42	<10	65
CC00605		0.10	<10	<10	63	<10	131
CC00606		0.09	<10	<10	55	<10	115
CC00607		0.08	<10	<10	55	<10	89
CC00608		0.04	<10	<10	30	<10	59
CC00609		0.05	<10	<10	42	<10	71
CC00610		0.10	<10	<10	70	<10	69
CC00611		0.09	<10	<10	59	<10	58
CC00613		0.10	<10	<10	50	<10	102
CC00614		0.09	<10	<10	44	<10	436
CC00615		0.09	<10	<10	48	<10	246
CC00616		0.08	<10	<10	52	<10	227



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 4 - A

Total Pages: 4 (A - C)

Finalized Date: 4-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047774

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC00617		0.20	0.004	<0.2	2.33	33	10	150	0.8	2	0.75	0.9	14	23	32	3.01
CC00618		0.16	0.002	0.2	4.32	45	<10	180	1.6	<2	0.25	2.0	28	30	48	4.31
CC00619		0.22	0.098	<0.2	3.50	85	<10	410	1.1	3	0.39	<0.5	17	47	106	6.19
CC00620		0.24	0.007	<0.2	2.10	116	<10	110	1.0	2	0.14	<0.5	17	29	60	4.04
CC00621		0.16	0.039	<0.2	2.01	230	<10	90	1.0	2	0.16	<0.5	19	29	60	4.00
CC00622		0.22	0.029	<0.2	1.95	273	<10	110	1.2	<2	0.27	<0.5	19	21	85	5.33
CC00623		0.26	0.014	0.2	1.84	390	<10	120	1.0	2	0.18	<0.5	16	22	71	5.59
CC00624		0.26	0.017	0.3	2.65	3780	<10	180	1.3	4	0.10	<0.5	31	30	245	12.00
CC00625		0.22	0.005	0.3	2.12	87	<10	160	1.5	2	0.38	<0.5	20	26	53	4.56
CC00626		0.18	0.016	0.5	1.75	107	<10	120	1.0	3	0.40	0.9	22	22	65	4.42
CC00627		0.34	0.010	0.2	1.57	204	<10	110	1.2	2	0.23	0.6	21	23	67	4.78
CC00628		0.16	0.026	0.3	2.24	164	<10	140	1.1	6	0.32	0.6	23	24	71	4.49
CC00629		0.24	0.006	0.4	2.29	198	<10	140	1.4	3	0.44	0.5	26	23	72	4.49
CC00630		0.18	0.005	0.4	2.70	86	10	130	0.9	<2	1.92	2.0	18	19	45	2.63
CC00631		0.18	0.003	0.2	3.01	18	<10	110	1.1	<2	1.85	1.5	13	34	37	2.49
CC00632		0.22	0.009	0.4	2.36	14	20	100	0.8	<2	1.80	2.7	16	16	39	2.10
CC00633		0.20	0.007	1.6	3.01	20	20	150	1.1	<2	1.19	7.5	24	21	51	2.85
CC00634		0.16	0.003	0.3	2.79	20	<10	140	0.9	2	1.81	2.6	15	29	48	2.76



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 4 - B
 Total Pages: 4 (A - C)
 Finalized Date: 4-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047774

Sample Description	Method Analyte Units LOR	ME-ICP41														
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC00617		10	<1	0.06	20	0.44	769	1	0.04	35	950	46	0.08	4	3	67
CC00618		10	<1	0.06	20	0.55	731	2	0.02	71	1070	32	0.12	5	4	29
CC00619		10	<1	0.41	20	1.02	511	7	0.06	37	2090	27	0.34	6	8	116
CC00620		10	<1	0.10	20	0.46	812	2	0.01	34	1080	36	0.05	3	2	24
CC00621		10	<1	0.07	20	0.49	624	1	0.01	37	710	34	0.05	2	2	31
CC00622		10	<1	0.09	20	0.39	411	2	0.02	44	960	37	0.08	6	3	81
CC00623		10	<1	0.09	20	0.33	387	1	0.02	33	900	35	0.10	7	2	36
CC00624		10	1	0.35	30	0.39	455	3	0.08	37	950	73	0.78	12	6	88
CC00625		10	1	0.10	30	0.52	591	2	0.03	41	900	32	0.05	7	3	85
CC00626		<10	<1	0.07	20	0.45	989	2	0.03	42	840	79	0.04	9	3	47
CC00627		<10	1	0.08	30	0.47	1075	2	0.02	39	800	66	0.03	5	3	26
CC00628		10	1	0.09	20	0.49	848	1	0.03	40	1070	60	0.05	4	3	43
CC00629		10	1	0.07	20	0.47	736	2	0.03	46	1050	56	0.07	6	2	50
CC00630		10	<1	0.14	20	0.59	490	<1	0.16	41	1050	98	0.04	5	2	176
CC00631		10	3	0.08	20	0.93	397	1	0.07	31	1060	76	0.12	2	2	82
CC00632		10	<1	0.08	20	0.41	453	<1	0.09	37	1080	152	0.09	3	2	102
CC00633		10	<1	0.07	20	0.50	901	<1	0.06	46	1050	339	0.11	6	2	69
CC00634		10	1	0.08	20	0.85	417	<1	0.10	38	940	106	0.10	3	3	77



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 4 - C

Total Pages: 4 (A - C)

Finalized Date: 4-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047774

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC00617		0.07	<10	<10	46	<10	213
CC00618		0.08	<10	<10	58	<10	319
CC00619		0.19	<10	<10	170	<10	184
CC00620		0.06	<10	<10	54	<10	85
CC00621		0.06	<10	<10	50	10	79
CC00622		0.04	<10	<10	40	10	75
CC00623		0.04	<10	<10	44	<10	64
CC00624		0.08	<10	<10	46	<10	66
CC00625		0.05	<10	<10	51	<10	76
CC00626		0.05	<10	<10	42	<10	183
CC00627		0.03	<10	<10	43	<10	126
CC00628		0.05	<10	<10	44	<10	125
CC00629		0.04	<10	<10	42	<10	110
CC00630		0.06	<10	<10	34	<10	278
CC00631		0.07	<10	<10	55	<10	160
CC00632		0.04	<10	<10	28	<10	378
CC00633		0.05	<10	<10	37	<10	903
CC00634		0.08	<10	<10	59	<10	327



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized: 3-AUG-2004
This copy reported on 4-AUG-2004
Account: DYNAMI

CERTIFICATE VA04047773

Project: Mike Lake
P.O. No.:
This report is for 230 Soil samples submitted to our lab in Vancouver, BC, Canada on 23-JUL-2004.
The following have access to data associated with this certificate:

VANCOUVER OFFICE JOAN MARIACHER	AL ARCHER BILL WENGZYNOWSKI	DOUG EATON
------------------------------------	--------------------------------	------------

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41	Screen to -180um and save both
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - A
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC00286		0.28	0.029	0.2	2.75	514	<10	290	1.0	9	0.31	<0.5	17	35	287	3.27
CC00287		0.32	0.104	0.8	2.30	904	<10	370	1.0	11	0.40	<0.5	26	36	700	3.36
CC00288		0.40	0.039	0.2	2.14	1125	<10	170	<0.5	<2	0.32	<0.5	21	29	301	8.01
CC00289		0.34	0.011	<0.2	2.06	79	<10	130	0.6	<2	0.18	<0.5	14	37	56	3.17
CC00290		0.32	0.031	0.6	3.06	558	<10	150	1.2	5	0.43	<0.5	22	30	366	6.39
CC00291		0.40	0.016	<0.2	3.29	262	<10	340	0.7	<2	0.23	<0.5	6	43	106	10.40
CC00292		0.36	0.037	0.2	2.88	701	<10	190	1.3	9	0.52	<0.5	34	23	241	8.75
CC00293		0.40	0.039	0.3	2.73	1700	<10	200	1.1	16	0.25	<0.5	22	29	301	7.83
CC00294		0.34	0.019	0.2	2.45	816	<10	120	1.7	3	0.12	<0.5	28	28	173	6.94
CC00295		0.32	0.021	0.2	2.42	917	<10	140	2.1	2	0.17	<0.5	42	27	192	7.22
CC00296		0.44	0.010	<0.2	2.90	439	<10	110	1.1	3	0.13	<0.5	21	29	84	4.05
CC00297		0.32	0.007	<0.2	1.71	672	<10	110	1.2	2	0.11	<0.5	25	19	251	5.35
CC00298		0.38	0.018	0.4	1.98	407	<10	150	1.0	<2	0.15	0.5	18	24	213	3.73
CC00299		0.28	0.016	<0.2	2.71	57	<10	140	0.8	<2	0.24	0.5	21	27	48	3.44
CC00300		0.30	0.008	<0.2	3.43	48	<10	140	1.0	<2	0.15	<0.5	20	33	49	3.59
CC00301		0.32	0.016	0.3	1.00	491	<10	50	<0.5	<2	0.10	<0.5	24	10	168	4.85
CC00302		0.38	0.027	0.2	3.35	163	<10	280	1.2	2	0.36	0.5	23	30	111	4.76
CC00303		0.30	0.016	<0.2	3.72	151	<10	300	1.3	<2	0.29	0.5	27	32	108	5.03
CC00304		0.36	0.020	0.6	3.05	736	<10	140	1.6	8	0.75	0.7	55	26	330	5.97
CC00305		0.22	0.021	0.5	3.33	787	<10	160	1.5	8	0.58	<0.5	59	30	317	6.18
CC00306		0.30	0.039	0.2	1.60	840	<10	100	0.6	2	0.16	0.5	20	20	399	3.80
CC00307		0.42	0.007	<0.2	2.04	103	<10	170	0.6	<2	0.18	<0.5	10	27	71	2.65
CC00308		0.42	0.007	<0.2	2.04	128	<10	100	0.5	<2	0.12	<0.5	8	26	47	2.72
CC00309		0.32	0.005	<0.2	2.51	157	<10	120	0.8	<2	0.10	<0.5	11	31	87	3.20
CC00310		0.30	0.004	<0.2	2.48	200	<10	120	0.9	<2	0.10	<0.5	15	29	84	3.23
CC00311		0.28	0.004	<0.2	2.15	127	<10	120	0.8	<2	0.18	<0.5	12	26	71	2.83
CC00312		0.48	0.028	0.3	2.15	636	<10	130	1.8	5	0.32	1.0	45	26	237	4.59
CC00313		0.32	0.021	0.2	2.29	534	<10	100	1.4	4	0.17	<0.5	28	27	212	4.13
CC00314		0.28	0.042	0.6	3.20	616	<10	160	2.4	8	0.30	<0.5	28	29	347	4.47
CC00315		0.30	0.012	0.2	2.45	643	<10	170	1.8	3	0.22	<0.5	43	27	175	4.72
CC00316		0.36	0.006	<0.2	2.29	566	<10	120	1.0	<2	0.25	<0.5	22	27	110	3.62
CC00317		0.30	<0.001	<0.2	2.23	898	<10	100	0.9	<2	0.33	<0.5	11	31	84	3.21
CC00318		0.48	0.026	0.5	1.64	1040	<10	100	0.6	2	0.15	<0.5	11	22	282	2.93
CC00319		0.26	0.009	<0.2	2.12	289	<10	140	0.7	3	0.42	<0.5	13	29	78	3.08
CC00320		0.20	0.050	0.2	2.11	380	<10	140	0.9	3	0.82	0.6	27	25	139	4.10
CC00321		0.20	<0.001	0.3	2.33	66	<10	130	0.6	<2	0.15	<0.5	9	30	30	3.26
CC00322		0.22	0.004	<0.2	2.59	120	<10	140	0.8	<2	0.24	<0.5	13	30	46	3.52
CC00323		0.22	0.006	<0.2	2.07	162	<10	120	0.6	<2	0.20	<0.5	12	29	51	3.34
CC00324		0.18	0.005	<0.2	2.47	247	<10	160	0.9	<2	0.49	<0.5	18	28	75	3.26
CC00325		0.16	0.003	<0.2	1.44	31	<10	120	<0.5	<2	0.64	<0.5	7	18	19	1.95



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - B
Total Pages: 7 (A - C)
Finalized Date: 3-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC00286		10	<1	0.28	20	0.89	380	2	0.02	31	1130	34	0.04	3	5	27
CC00287		10	1	0.39	30	0.99	447	1	0.02	37	1260	29	0.03	<2	7	47
CC00288		10	<1	0.19	10	0.53	200	3	0.01	58	1190	30	0.18	8	4	58
CC00289		10	<1	0.15	10	0.66	301	1	<0.01	31	770	16	0.05	2	3	17
CC00290		10	<1	0.21	20	0.73	198	6	0.02	61	1480	71	0.13	7	7	74
CC00291		10	<1	0.89	10	1.48	256	7	0.02	13	1540	13	0.22	<2	11	124
CC00292		10	1	0.22	20	0.60	676	6	0.03	65	1960	51	0.16	7	4	83
CC00293		10	<1	0.22	20	0.70	422	7	0.01	60	1550	35	0.18	7	4	53
CC00294		10	<1	0.13	30	0.53	569	7	0.01	65	1580	36	0.13	4	3	49
CC00295		10	<1	0.13	30	0.58	710	7	0.01	86	1480	37	0.12	3	4	49
CC00296		10	<1	0.10	20	0.48	655	3	<0.01	38	1130	30	0.07	4	2	16
CC00297		<10	<1	0.10	20	0.32	620	4	<0.01	42	1160	35	0.06	3	3	18
CC00298		10	<1	0.08	20	0.50	521	2	<0.01	45	900	55	0.04	3	4	17
CC00299		10	<1	0.09	10	0.57	642	1	0.01	42	860	28	0.04	<2	4	22
CC00300		10	1	0.10	10	0.70	532	2	<0.01	37	770	29	0.06	<2	4	16
CC00301		<10	<1	0.07	20	0.21	464	14	<0.01	60	640	66	0.04	5	2	10
CC00302		10	<1	0.21	20	0.79	500	2	0.02	56	1000	51	0.05	5	5	49
CC00303		10	<1	0.28	20	0.86	555	2	0.01	55	1090	41	0.05	3	5	41
CC00304		10	1	0.12	20	0.66	694	4	0.05	109	1320	95	0.08	8	4	78
CC00305		10	<1	0.08	20	0.76	894	5	0.03	121	1240	95	0.09	10	5	61
CC00306		10	<1	0.10	20	0.48	325	3	<0.01	49	850	26	0.03	3	3	18
CC00307		10	1	0.07	20	0.54	304	1	<0.01	26	710	17	0.02	<2	4	15
CC00308		10	<1	0.05	10	0.45	225	2	<0.01	25	580	16	0.03	<2	3	11
CC00309		10	<1	0.09	20	0.58	333	1	<0.01	29	630	34	0.04	<2	3	14
CC00310		10	<1	0.10	10	0.52	438	2	<0.01	31	570	51	0.04	4	3	13
CC00311		10	<1	0.10	10	0.47	359	1	<0.01	27	870	25	0.05	<2	3	18
CC00312		<10	1	0.09	20	0.50	1135	3	<0.01	91	1080	51	0.06	2	4	40
CC00313		10	<1	0.06	20	0.52	314	4	<0.01	47	950	46	0.07	2	4	29
CC00314		10	<1	0.09	30	0.68	178	5	0.01	74	1380	94	0.14	4	4	63
CC00315		10	1	0.06	20	0.54	867	4	<0.01	51	970	54	0.08	3	3	36
CC00316		10	<1	0.07	20	0.53	408	3	<0.01	44	950	34	0.10	2	3	29
CC00317		10	1	0.07	20	0.51	225	3	<0.01	29	1280	24	0.13	2	1	26
CC00318		<10	1	0.06	20	0.39	342	1	<0.01	27	720	15	0.03	<2	3	14
CC00319		10	1	0.07	10	0.64	384	2	0.01	25	870	24	0.08	3	2	30
CC00320		10	<1	0.09	10	0.65	590	3	0.04	57	930	56	0.07	5	3	62
CC00321		10	<1	0.05	10	0.52	286	2	<0.01	22	660	18	0.05	<2	2	15
CC00322		10	<1	0.07	10	0.56	492	2	<0.01	28	750	21	0.06	2	2	19
CC00323		10	<1	0.06	10	0.45	791	3	<0.01	22	810	26	0.08	<2	2	18
CC00324		10	1	0.07	20	0.56	852	2	0.01	36	1060	34	0.08	<2	3	33
CC00325		10	<1	0.04	10	0.34	387	1	0.02	16	1140	16	0.09	<2	1	25



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - C
Total Pages: 7 (A - C)
Finalized Date: 3-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC00286		0.17	<10	<10	80	10	76
CC00287		0.21	<10	<10	86	40	85
CC00288		0.13	<10	<10	63	10	59
CC00289		0.13	<10	<10	67	<10	64
CC00290		0.11	<10	<10	75	<10	134
CC00291		0.27	<10	<10	126	<10	49
CC00292		0.09	<10	<10	63	<10	237
CC00293		0.09	<10	<10	76	40	116
CC00294		0.05	<10	10	57	<10	116
CC00295		0.04	<10	10	53	<10	132
CC00296		0.05	<10	<10	53	<10	82
CC00297		0.04	<10	<10	39	<10	104
CC00298		0.06	<10	<10	51	<10	126
CC00299		0.09	<10	<10	55	<10	155
CC00300		0.11	<10	<10	73	<10	112
CC00301		0.02	<10	<10	21	<10	119
CC00302		0.13	<10	<10	71	<10	192
CC00303		0.14	<10	<10	71	<10	169
CC00304		0.10	<10	10	59	<10	362
CC00305		0.10	<10	<10	64	<10	316
CC00306		0.05	<10	<10	41	<10	73
CC00307		0.08	<10	<10	49	<10	76
CC00308		0.06	<10	<10	48	<10	78
CC00309		0.07	<10	<10	55	<10	102
CC00310		0.06	<10	<10	51	<10	108
CC00311		0.07	<10	<10	52	<10	80
CC00312		0.06	<10	<10	52	<10	219
CC00313		0.06	<10	<10	51	<10	126
CC00314		0.07	<10	<10	60	<10	223
CC00315		0.06	<10	<10	54	<10	150
CC00316		0.06	<10	<10	50	<10	124
CC00317		0.04	<10	<10	50	<10	67
CC00318		0.05	<10	<10	42	<10	56
CC00319		0.09	<10	<10	63	<10	87
CC00320		0.08	<10	<10	54	<10	178
CC00321		0.06	<10	<10	63	<10	67
CC00322		0.08	<10	<10	67	<10	92
CC00323		0.06	<10	<10	65	<10	87
CC00324		0.06	<10	<10	56	<10	106
CC00325		0.04	<10	<10	36	<10	56



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - A
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC00326		0.20	0.003	<0.2	2.10	89	<10	90	0.7	<2	0.13	<0.5	10	27	38	2.96
CC00327		0.18	0.008	0.3	2.42	50	<10	90	0.7	<2	0.11	<0.5	12	29	30	3.16
CC00328		0.28	0.009	<0.2	2.41	214	<10	150	1.4	<2	0.24	<0.5	33	30	100	3.99
CC00329		0.22	0.005	<0.2	2.18	109	<10	130	0.8	<2	0.14	<0.5	13	32	40	3.34
CC00330		0.22	0.002	0.2	1.88	39	<10	110	0.7	<2	0.11	<0.5	12	29	29	3.13
CC00331		0.14	0.002	0.2	1.45	36	<10	70	0.5	2	0.24	<0.5	6	17	23	2.78
CC00332		0.22	0.005	<0.2	2.77	66	<10	100	0.8	<2	0.14	<0.5	15	32	99	4.54
CC00333		0.22	0.018	0.3	2.83	242	<10	50	0.7	2	0.11	<0.5	8	31	176	7.05
CC00334		0.26	0.023	<0.2	2.21	1740	<10	110	1.4	2	0.16	<0.5	32	28	189	8.30
CC00335		0.20	0.020	1.4	1.46	396	<10	100	2.4	7	0.36	6.0	21	18	258	7.24
CC00336		0.18	0.035	0.3	2.51	711	<10	210	2.0	3	0.12	<0.5	13	29	350	12.60
CC00337		0.24	0.074	0.8	1.19	1275	<10	180	1.8	2	0.40	1.1	41	19	144	7.53
CC00338		0.16	0.015	0.2	2.20	468	<10	180	2.0	2	0.21	<0.5	19	25	62	4.09
CC00339		0.22	0.019	<0.2	3.31	475	<10	130	1.4	14	0.24	<0.5	25	35	162	4.75
CC00340		0.20	0.002	<0.2	1.92	59	<10	110	0.6	<2	0.11	<0.5	12	30	25	3.03
CC00341		0.18	0.004	0.3	1.46	138	<10	50	0.5	<2	0.08	<0.5	8	22	44	3.08
CC00342		0.22	0.008	<0.2	1.91	136	<10	110	0.8	<2	0.13	<0.5	12	28	42	3.11
CC00343		0.18	0.015	<0.2	2.26	635	<10	120	1.1	<2	0.22	<0.5	20	28	85	3.86
CC00344		0.20	0.003	<0.2	2.13	249	<10	120	0.7	<2	0.14	<0.5	12	31	45	3.40
CC00345		0.20	0.002	<0.2	2.02	57	<10	130	0.7	<2	0.26	<0.5	12	24	62	2.79
CC00346		0.18	0.014	<0.2	2.60	702	<10	120	0.9	6	0.33	<0.5	23	27	132	3.89
CC00347		0.14	0.011	<0.2	1.90	137	<10	100	0.6	<2	0.14	<0.5	8	26	41	3.21
CC00348		0.24	0.021	0.3	2.36	216	<10	200	0.9	3	0.60	1.0	27	25	152	4.45
CC00349		0.18	0.010	0.3	2.25	323	<10	160	0.9	4	0.52	0.9	30	25	132	4.40
CC00350		0.14	0.003	<0.2	2.09	50	<10	120	0.6	<2	0.14	<0.5	7	35	57	3.45
CC00351		0.26	0.020	<0.2	2.53	564	<10	140	1.0	5	0.37	<0.5	12	41	230	3.16
CC00352		0.26	0.011	<0.2	2.67	320	<10	180	0.8	4	0.31	<0.5	13	32	110	3.06
CC00353		0.22	0.019	<0.2	2.34	326	<10	160	0.7	6	0.27	<0.5	12	30	150	2.82
CC00355		0.54	0.035	0.2	2.26	516	<10	230	0.8	4	0.52	<0.5	10	34	209	2.76
CC00356		0.24	0.013	<0.2	2.22	439	<10	150	0.7	4	0.24	<0.5	12	34	132	3.03
CC00357		0.22	0.010	<0.2	3.11	745	<10	150	1.1	<2	0.36	<0.5	20	59	150	3.69
CC00358		0.28	0.007	0.2	2.57	525	<10	140	1.0	2	0.53	<0.5	15	32	114	3.55
CC00359		0.30	0.010	<0.2	2.13	226	<10	150	0.7	2	0.26	<0.5	12	30	79	3.11
CC00360		0.28	0.005	<0.2	2.17	194	<10	110	0.8	<2	0.14	<0.5	13	29	53	3.29
CC00361		0.32	0.007	0.3	2.24	145	<10	120	0.7	<2	0.16	<0.5	10	28	42	3.08
CC00362		0.28	0.005	<0.2	2.25	192	<10	120	0.8	<2	0.12	<0.5	14	32	57	3.72
CC00363		0.40	0.017	0.2	2.18	238	<10	130	0.8	<2	0.18	<0.5	21	26	108	3.32
CC00364		0.20	0.009	<0.2	2.40	252	<10	120	0.9	4	0.18	<0.5	20	32	112	3.63
CC00365		0.42	0.010	<0.2	1.60	107	<10	160	0.7	2	0.36	<0.5	17	25	81	3.08
CC00366		0.30	<0.001	0.2	1.65	22	<10	100	0.5	<2	0.10	<0.5	12	25	22	2.62



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - B
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMI

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
CC00326		10	<1	0.06	10	0.54	299	1	<0.01	24	600	16	0.06	<2	2	14
CC00327		10	1	0.07	10	0.44	548	1	<0.01	22	870	19	0.08	<2	2	12
CC00328		10	<1	0.27	20	0.68	942	1	<0.01	45	1000	28	0.03	<2	6	32
CC00329		10	1	0.07	20	0.58	373	1	<0.01	27	660	19	0.04	2	4	16
CC00330		10	1	0.07	10	0.50	395	1	<0.01	24	470	11	0.04	<2	2	15
CC00331		10	1	0.03	10	0.14	316	2	0.01	15	870	18	0.08	2	1	30
CC00332		10	1	0.10	20	0.57	283	2	<0.01	38	1090	22	0.10	2	3	33
CC00333		10	<1	0.07	10	0.44	190	1	<0.01	22	1260	25	0.16	2	3	18
CC00334		10	1	0.15	20	0.56	385	3	<0.01	71	1240	39	0.17	6	4	118
CC00335		<10	1	0.06	40	0.22	1760	2	<0.01	20	1310	318	0.07	2	9	58
CC00336		10	<1	0.23	30	0.48	242	15	0.06	40	3890	38	0.63	3	5	102
CC00337		<10	1	0.13	40	0.29	3530	2	<0.01	61	1270	115	0.14	12	9	91
CC00338		10	<1	0.07	30	0.55	889	2	<0.01	22	1220	57	0.09	3	2	114
CC00339		10	1	0.09	20	0.61	844	2	0.01	42	1220	33	0.10	2	3	29
CC00340		10	1	0.06	10	0.45	464	2	<0.01	21	630	16	0.04	2	2	12
CC00341		10	<1	0.05	10	0.26	278	2	<0.01	18	600	16	0.06	<2	2	9
CC00342		10	<1	0.06	20	0.45	418	2	<0.01	27	740	16	0.05	2	2	17
CC00343		10	<1	0.09	20	0.50	442	2	<0.01	41	800	32	0.06	<2	3	24
CC00344		10	1	0.07	20	0.57	437	2	0.01	25	570	23	0.03	<2	3	16
CC00345		10	1	0.06	20	0.47	350	1	0.01	29	760	23	0.02	<2	3	20
CC00346		10	1	0.08	20	0.53	519	3	0.02	48	1350	34	0.04	3	3	32
CC00347		10	1	0.06	10	0.41	245	3	0.01	20	870	29	0.05	2	2	14
CC00348		10	1	0.17	20	0.62	618	1	0.06	60	1220	56	0.02	5	4	58
CC00349		10	1	0.13	10	0.61	612	2	0.04	59	1200	64	0.05	5	3	48
CC00350		10	1	0.11	10	0.42	160	2	0.01	14	950	13	0.07	<2	3	13
CC00351		10	1	0.08	10	0.92	359	1	0.02	23	570	22	0.05	3	5	26
CC00352		10	1	0.09	10	0.70	394	1	0.02	23	780	25	0.03	3	4	24
CC00353		10	<1	0.07	10	0.62	364	2	0.01	24	710	32	0.03	2	3	22
CC00355		10	1	0.19	20	0.79	254	2	0.02	24	1100	18	0.03	3	5	37
CC00356		10	1	0.08	10	0.70	478	2	0.01	27	750	18	0.05	3	3	20
CC00357		10	<1	0.11	20	1.02	363	2	0.02	51	680	18	0.05	4	6	28
CC00358		10	1	0.08	20	0.67	472	5	0.02	39	1160	42	0.11	3	2	34
CC00359		10	1	0.06	10	0.61	301	2	0.01	27	810	19	0.04	3	3	21
CC00360		10	<1	0.06	20	0.57	408	2	0.01	30	650	20	0.04	2	3	16
CC00361		10	1	0.06	20	0.55	260	2	0.01	27	670	19	0.04	3	2	15
CC00362		10	1	0.10	10	0.56	460	2	0.01	28	580	21	0.03	<2	3	14
CC00363		10	<1	0.13	20	0.57	474	2	0.01	39	810	26	0.02	2	3	18
CC00364		10	1	0.08	20	0.60	654	2	0.01	40	980	30	0.04	<2	3	20
CC00365		10	<1	0.09	20	0.48	592	1	0.01	32	960	31	0.01	<2	4	38
CC00366		<10	1	0.04	10	0.45	447	1	<0.01	23	410	10	0.02	<2	2	11



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - C
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC00326		0.07	<10	<10	58	<10	64
CC00327		0.07	<10	<10	57	<10	62
CC00328		0.08	<10	<10	47	<10	106
CC00329		0.07	<10	<10	59	<10	79
CC00330		0.06	<10	<10	52	<10	70
CC00331		0.04	<10	<10	49	<10	79
CC00332		0.07	<10	<10	53	<10	89
CC00333		0.06	<10	<10	52	<10	49
CC00334		0.03	<10	<10	47	10	75
CC00335		<0.01	<10	<10	60	<10	965
CC00336		0.06	<10	10	69	20	102
CC00337		0.01	<10	<10	41	<10	166
CC00338		0.03	<10	<10	55	<10	110
CC00339		0.07	<10	<10	61	<10	99
CC00340		0.05	<10	<10	59	<10	71
CC00341		0.07	<10	<10	58	<10	51
CC00342		0.05	<10	<10	55	<10	72
CC00343		0.06	<10	<10	57	<10	81
CC00344		0.08	<10	<10	67	<10	71
CC00345		0.07	<10	<10	50	<10	76
CC00346		0.08	<10	<10	55	<10	105
CC00347		0.07	<10	<10	63	<10	73
CC00348		0.10	<10	<10	55	<10	193
CC00349		0.09	<10	<10	52	<10	222
CC00350		0.12	<10	<10	80	<10	43
CC00351		0.20	<10	<10	83	30	51
CC00352		0.13	<10	<10	67	<10	65
CC00353		0.10	<10	<10	58	<10	89
CC00355		0.15	<10	<10	68	<10	73
CC00356		0.10	<10	<10	67	<10	69
CC00357		0.21	<10	10	88	<10	67
CC00358		0.06	<10	<10	60	<10	122
CC00359		0.09	<10	<10	59	<10	70
CC00360		0.06	<10	<10	55	<10	94
CC00361		0.06	<10	<10	52	<10	85
CC00362		0.08	<10	<10	67	<10	96
CC00363		0.07	<10	<10	52	<10	102
CC00364		0.07	<10	<10	57	<10	138
CC00365		0.07	<10	<10	48	<10	107
CC00366		0.05	<10	<10	48	<10	63



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

ALS DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 4 - A
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd WL kg 0.02	Au ppm 0.001	Ag ppm 0.2	Al % 0.01	As ppm 2	B ppm 10	Ba ppm 10	Be ppm 0.5	Bi ppm 2	Ca % 0.01	Cd ppm 0.5	Co ppm 1	Cr ppm 1	Cu ppm 1	Fe % 0.01
CC00367		0.22	0.008	<0.2	2.85	153	<10	160	1.1	2	0.23	<0.5	19	21	81	3.15
CC00368		0.34	0.017	<0.2	1.82	308	<10	120	0.8	<2	0.17	<0.5	19	23	77	2.77
CC00369		0.36	0.019	<0.2	2.23	491	<10	130	1.6	2	0.31	<0.5	28	32	206	3.82
CC00370		0.38	0.108	0.4	2.76	835	<10	150	1.2	6	0.44	<0.5	15	29	209	5.89
CC00371		0.30	0.767	1.0	1.95	2760	<10	90	0.8	63	0.25	<0.5	16	25	463	14.05
CC00372		0.24	0.144	0.9	2.58	1585	<10	140	1.3	20	0.20	<0.5	33	26	370	12.50
CC00373		0.26	0.830	0.5	2.40	1220	<10	200	1.1	38	0.29	<0.5	16	26	317	17.0
CC00374		0.30	0.026	0.2	2.57	454	<10	150	0.9	4	0.24	<0.5	16	31	146	7.12
CC00375		0.34	0.037	0.2	2.01	892	<10	120	1.2	6	0.20	0.5	30	30	194	4.68
CC00376		0.34	0.037	0.3	2.28	946	<10	120	1.2	7	0.20	<0.5	20	31	225	4.92
CC00377		0.38	0.021	<0.2	1.80	439	<10	130	0.8	33	0.29	<0.5	20	26	112	3.77
CC00378		0.38	0.025	0.2	2.34	953	<10	110	1.1	4	0.23	<0.5	24	32	383	4.17
CC00379		0.48	0.055	<0.2	2.03	501	<10	140	1.1	5	0.27	0.7	23	26	129	3.89
CC00380		0.32	0.024	<0.2	1.78	225	<10	100	1.1	<2	0.17	<0.5	17	20	57	2.69
CC00381		0.22	0.034	0.3	2.09	186	<10	90	0.6	4	0.22	<0.5	20	19	73	3.17
CC00382		0.32	0.005	<0.2	1.81	90	<10	100	0.5	<2	0.20	<0.5	12	25	35	3.05
CC00383		0.36	0.012	0.3	1.90	87	<10	120	0.6	<2	0.21	<0.5	14	27	56	3.09
CC00384		0.20	0.010	0.4	2.54	268	<10	130	1.0	2	0.17	<0.5	23	34	96	3.88
CC00385		0.38	0.007	<0.2	2.56	197	<10	140	0.9	3	0.16	<0.5	15	33	78	3.70
CC00386		0.26	0.012	0.4	2.21	178	<10	140	0.8	<2	0.22	<0.5	16	26	84	3.27
CC00387		0.48	0.014	0.2	2.18	176	<10	140	0.7	2	0.19	<0.5	12	28	64	3.28
CC00388		0.26	0.005	0.2	2.04	158	<10	120	0.6	2	0.15	<0.5	10	28	46	3.12
CC00389		0.30	0.005	0.2	2.09	178	<10	140	0.6	3	0.23	<0.5	10	29	47	2.91
CC00390		0.34	0.026	0.3	2.51	401	<10	150	0.9	6	0.32	<0.5	10	33	165	2.81
CC00391		0.32	0.034	0.4	2.20	364	<10	320	0.8	12	0.43	<0.5	16	29	330	2.84
CC00394		0.32	0.016	0.2	2.36	292	<10	140	1.1	3	0.25	<0.5	16	26	125	3.32
CC00395		0.28	0.014	0.2	2.14	253	<10	130	0.9	3	0.23	<0.5	15	25	104	3.21
CC00396		0.44	0.024	0.4	2.41	532	<10	140	1.6	6	0.42	<0.5	32	26	198	4.48
CC00397		0.34	0.032	0.3	2.89	597	<10	360	1.2	7	0.41	<0.5	27	34	273	3.99
CC00398		0.30	0.013	0.4	2.16	671	<10	140	1.0	5	0.16	<0.5	13	26	86	3.62
CC00399		0.34	0.054	0.3	2.42	698	<10	150	1.3	5	0.17	<0.5	21	26	101	3.79
CC00400		0.28	0.008	0.2	2.20	497	<10	110	0.7	3	0.10	<0.5	10	29	64	3.36
CC00401		0.32	0.008	0.3	2.34	444	<10	90	0.6	2	0.09	<0.5	9	27	41	3.13
CC00402		0.34	0.012	0.2	1.68	366	<10	100	0.6	4	0.19	<0.5	17	20	45	2.75
CC00403		0.30	0.016	<0.2	2.90	911	<10	200	1.3	5	0.14	<0.5	17	36	169	4.51
CC00404		0.36	0.036	0.3	1.25	621	<10	70	0.6	<2	0.14	<0.5	11	14	142	2.33
CC00405		0.42	0.010	<0.2	1.65	146	<10	110	0.5	<2	0.14	<0.5	8	22	55	2.52
CC00406		0.38	0.019	0.2	2.73	539	<10	140	1.1	4	0.13	<0.5	14	30	119	4.37
CC00407		0.38	0.068	0.2	2.47	269	<10	150	1.0	3	0.20	<0.5	16	27	132	3.69
CC00408		0.36	0.008	<0.2	2.48	197	<10	150	0.8	3	0.15	<0.5	11	29	85	3.54



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 4 - B
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC00367		10	1	0.05	20	0.45	710	2	0.02	37	810	61	0.04	<2	4	30
CC00368		<10	<1	0.18	20	0.47	359	1	0.01	32	690	34	0.01	<2	3	25
CC00369		10	1	0.09	20	0.59	628	2	0.01	41	960	81	0.02	2	4	52
CC00370		10	<1	0.24	30	0.58	272	3	0.03	25	1120	76	0.03	10	6	156
CC00371		10	1	0.20	10	0.50	577	5	0.02	27	1680	102	0.34	7	7	80
CC00372		10	<1	0.22	20	0.62	821	7	0.01	60	1560	212	0.25	5	7	138
CC00373		10	1	0.34	10	0.69	371	9	0.02	34	2210	62	0.37	5	5	121
CC00374		10	1	0.15	20	0.53	436	5	0.02	38	1600	43	0.14	4	4	48
CC00375		10	1	0.09	20	0.60	906	3	0.01	72	1000	54	0.03	4	5	28
CC00376		10	<1	0.09	30	0.61	386	4	0.01	54	1000	52	0.06	3	5	31
CC00377		10	<1	0.11	20	0.52	511	2	0.01	52	980	27	<0.01	3	5	29
CC00378		10	<1	0.10	20	0.61	617	2	0.01	47	930	81	0.04	2	4	31
CC00379		10	1	0.13	20	0.49	444	1	0.01	37	1070	41	0.02	3	4	46
CC00380		10	1	0.05	10	0.36	357	1	0.01	30	740	22	0.02	<2	2	21
CC00381		10	1	0.04	10	0.33	403	2	0.02	37	580	23	0.05	2	2	23
CC00382		<10	<1	0.07	10	0.43	382	1	0.02	29	680	23	0.04	2	3	18
CC00383		10	<1	0.09	20	0.56	405	1	0.02	31	850	54	0.04	<2	4	19
CC00384		10	1	0.09	20	0.68	892	2	0.03	32	890	124	0.07	3	3	23
CC00385		10	2	0.12	20	0.65	446	2	0.02	31	710	29	0.05	<2	4	16
CC00386		10	<1	0.11	20	0.54	460	2	0.02	37	940	22	0.04	4	4	18
CC00387		10	1	0.07	20	0.56	436	2	0.02	32	730	17	0.05	<2	3	18
CC00388		10	1	0.05	10	0.54	436	2	0.02	26	620	17	0.07	<2	2	15
CC00389		10	<1	0.05	20	0.60	503	1	0.02	21	620	15	0.07	3	3	16
CC00390		10	1	0.11	20	0.76	237	1	0.03	23	830	20	0.05	4	4	22
CC00391		10	<1	0.26	20	0.72	403	1	0.04	34	1180	35	0.04	4	5	32
CC00394		10	2	0.15	20	0.54	413	1	0.03	30	960	31	0.09	5	2	26
CC00395		10	1	0.10	20	0.53	353	1	0.03	29	770	23	0.07	4	3	23
CC00396		10	<1	0.15	20	0.58	671	3	0.04	63	950	48	0.09	4	4	51
CC00397		10	1	0.27	20	0.73	539	1	0.04	48	1030	38	0.04	3	6	50
CC00398		10	2	0.09	20	0.49	361	2	0.02	32	740	22	0.06	5	3	21
CC00399		10	<1	0.10	20	0.47	627	2	0.02	35	1060	28	0.08	2	3	22
CC00400		10	<1	0.10	20	0.54	288	2	0.02	30	700	16	0.07	<2	2	13
CC00401		10	1	0.09	20	0.41	231	2	0.02	19	590	17	0.06	2	2	12
CC00402		<10	<1	0.07	10	0.36	478	1	0.02	33	790	17	0.04	3	3	20
CC00403		10	<1	0.14	20	0.69	503	2	0.02	46	770	34	0.05	<2	5	18
CC00404		<10	<1	0.08	20	0.29	297	1	0.02	21	660	15	0.04	3	2	11
CC00405		<10	<1	0.06	10	0.43	202	2	0.02	18	580	15	0.04	2	2	12
CC00406		10	<1	0.15	20	0.55	377	3	0.02	23	1080	29	0.07	5	3	14
CC00407		10	2	0.13	20	0.55	305	1	0.02	28	930	28	0.05	4	4	22
CC00408		10	1	0.11	20	0.57	348	2	0.02	25	810	21	0.06	<2	4	15



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

0: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - C
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC00367		0.05	<10	<10	40	<10	96
CC00368		0.05	<10	<10	37	<10	92
CC00369		0.06	<10	<10	52	<10	172
CC00370		0.07	<10	<10	48	<10	326
CC00371		0.05	<10	<10	54	30	150
CC00372		0.05	<10	<10	59	10	189
CC00373		0.08	<10	<10	72	10	118
CC00374		0.08	<10	<10	65	<10	120
CC00375		0.07	<10	<10	54	<10	192
CC00376		0.07	<10	<10	56	<10	157
CC00377		0.06	<10	<10	48	<10	105
CC00378		0.07	<10	<10	53	<10	224
CC00379		0.06	<10	<10	45	<10	107
CC00380		0.05	<10	<10	37	<10	55
CC00381		0.05	<10	<10	37	<10	84
CC00382		0.07	<10	<10	46	<10	77
CC00383		0.08	<10	<10	52	<10	108
CC00384		0.08	<10	<10	61	<10	231
CC00385		0.09	<10	<10	63	10	119
CC00386		0.07	<10	<10	50	<10	106
CC00387		0.06	<10	<10	50	<10	101
CC00388		0.06	<10	<10	48	<10	94
CC00389		0.06	<10	<10	50	<10	82
CC00390		0.16	<10	<10	65	20	52
CC00391		0.15	<10	<10	60	10	88
CC00394		0.07	<10	<10	49	<10	79
CC00395		0.08	<10	<10	49	10	79
CC00396		0.07	<10	<10	48	<10	188
CC00397		0.13	<10	<10	59	10	124
CC00398		0.05	<10	<10	44	<10	83
CC00399		0.05	<10	<10	43	<10	105
CC00400		0.05	<10	<10	48	<10	85
CC00401		0.06	<10	<10	49	<10	48
CC00402		0.05	<10	<10	33	<10	85
CC00403		0.07	<10	<10	61	<10	126
CC00404		0.03	<10	<10	25	10	56
CC00405		0.05	<10	<10	41	<10	59
CC00406		0.09	<10	<10	56	<10	78
CC00407		0.08	<10	<10	53	<10	91
CC00408		0.08	<10	<10	56	<10	75



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 5 - A
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg 0.02	ppm 0.001	ppm 0.2	% 0.01	ppm 2	ppm 10	ppm 10	ppm 0.5	ppm 2	% 0.01	ppm 0.5	ppm 1	ppm 1	ppm 1	% 0.01
CC00409		0.30	0.009	0.3	1.66	145	<10	100	0.5	3	0.14	<0.5	8	24	46	2.85
CC00410		0.34	0.009	0.2	2.20	222	<10	120	0.7	2	0.14	<0.5	13	31	63	3.51
CC00411		0.32	0.012	0.2	1.58	223	<10	100	0.6	<2	0.17	<0.5	17	21	56	2.82
CC00412		0.28	0.009	<0.2	3.55	299	<10	110	1.1	3	0.17	<0.5	15	33	70	3.43
CC00413		0.28	0.007	0.3	2.33	102	<10	110	0.6	<2	0.13	<0.5	9	29	44	3.00
CC00414		0.34	0.006	<0.2	2.43	150	<10	110	0.8	3	0.16	<0.5	9	27	75	3.19
CC00415		0.36	0.005	0.2	2.39	160	<10	120	0.8	2	0.13	<0.5	15	28	72	3.52
CC00416		0.36	0.015	0.4	2.04	373	<10	150	1.2	2	0.29	0.6	25	26	153	3.64
CC00417		0.34	0.026	0.2	1.79	192	<10	170	0.8	2	0.23	<0.5	17	24	71	2.93
CC00418		0.38	0.003	0.2	2.34	229	<10	120	0.9	2	0.14	<0.5	15	33	68	3.63
CC00419		0.34	0.003	<0.2	1.26	211	<10	110	1.1	<2	0.20	<0.5	14	19	96	2.53
CC00420		0.36	0.001	<0.2	1.74	220	<10	120	0.6	2	0.15	<0.5	10	22	63	2.60
CC00421		0.32	0.011	<0.2	2.07	262	<10	150	0.9	2	0.16	<0.5	13	24	80	2.87
CC00422		0.28	0.008	<0.2	2.44	565	<10	140	0.8	3	0.10	<0.5	11	26	93	3.49
CC00423		0.26	<0.001	<0.2	2.28	278	<10	110	0.7	2	0.12	<0.5	14	29	53	3.29
CC00424		0.30	0.006	<0.2	1.46	278	<10	80	0.5	2	0.12	<0.5	8	19	50	2.39
CC00425		0.40	0.012	<0.2	1.69	813	<10	90	0.6	3	0.16	<0.5	9	24	102	2.69
CC00426		0.30	0.005	0.2	1.64	657	<10	90	0.5	2	0.14	<0.5	6	22	112	2.56
CC00427		0.28	0.003	0.2	1.75	843	<10	110	0.7	3	0.14	<0.5	9	24	128	2.88
CC00428		0.34	0.013	0.2	1.68	685	<10	100	0.7	3	0.14	<0.5	7	23	138	2.52
CC00429		0.48	0.018	<0.2	2.19	776	<10	130	0.6	3	0.15	<0.5	7	28	86	3.16
CC00430		0.32	0.016	<0.2	1.67	132	<10	110	0.6	3	0.18	<0.5	9	21	82	2.38
CC00431		0.30	0.001	<0.2	1.66	138	<10	110	<0.5	<2	0.10	<0.5	11	24	31	2.31
CC00432		0.26	0.003	<0.2	1.63	94	<10	110	<0.5	<2	0.16	<0.5	7	24	41	2.55
CC00433		0.34	0.010	<0.2	2.19	188	<10	120	0.7	3	0.11	<0.5	11	28	63	3.05
CC00434		0.36	0.015	0.2	2.09	345	<10	200	1.0	3	0.19	<0.5	12	22	124	3.00
CC00435		0.28	0.040	<0.2	1.81	481	<10	160	1.2	4	0.24	<0.5	11	20	203	3.17
CC00436		0.28	0.021	0.3	1.79	691	<10	140	1.1	4	0.32	<0.5	17	19	264	3.80
CC00437		0.26	0.015	0.2	1.69	216	<10	140	0.6	2	0.21	<0.5	14	22	55	2.76
CC00438		0.36	0.052	<0.2	1.69	169	<10	90	0.5	3	0.13	<0.5	6	21	44	2.33
CC00439		0.34	0.023	<0.2	1.77	194	<10	100	0.6	3	0.12	<0.5	8	22	41	2.45
CC00440		0.48	0.006	0.2	1.92	140	<10	100	0.6	2	0.11	<0.5	7	24	42	2.60
CC00441		0.36	0.004	0.2	1.85	79	<10	80	0.5	<2	0.11	<0.5	8	25	36	2.73
CC00442		0.22	0.011	<0.2	1.61	122	<10	110	0.7	2	0.11	<0.5	13	22	42	2.49
CC00443		0.18	0.006	<0.2	1.44	70	<10	70	<0.5	<2	0.09	<0.5	7	19	19	2.47
CC00444		0.12	0.002	<0.2	1.94	106	<10	90	0.5	2	0.10	<0.5	10	25	23	2.76
CC00445		0.40	0.018	<0.2	1.96	484	<10	100	0.6	<2	0.11	<0.5	9	28	58	3.00
CC00446		0.10	0.012	0.3	1.81	529	<10	80	0.7	2	0.11	<0.5	8	26	61	3.47
CC00447		0.20	0.018	0.2	1.83	467	<10	110	0.7	2	0.15	<0.5	11	26	86	3.02
CC00448		0.18	0.004	0.2	2.41	498	<10	130	0.8	<2	0.13	<0.5	9	31	68	3.27



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 5 - B
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC00409		<10	1	0.06	20	0.46	237	1	0.02	20	650	14	0.06	<2	2	13
CC00410		10	<1	0.09	20	0.59	392	2	0.02	24	670	16	0.05	<2	3	15
CC00411		<10	1	0.07	20	0.42	408	1	0.02	25	810	14	0.05	3	2	16
CC00412		10	<1	0.07	20	0.51	624	1	0.02	22	1010	25	0.09	2	2	15
CC00413		10	1	0.07	10	0.53	326	1	0.02	23	800	16	0.07	<2	2	13
CC00414		10	<1	0.07	10	0.48	254	1	0.02	26	710	14	0.06	2	3	14
CC00415		10	<1	0.10	20	0.56	408	1	0.02	31	630	25	0.05	<2	4	15
CC00416		10	<1	0.27	30	0.55	591	1	0.03	37	840	57	0.04	2	5	39
CC00417		<10	1	0.12	20	0.49	499	1	0.02	28	770	22	0.03	4	4	24
CC00418		10	1	0.08	20	0.62	405	2	0.02	30	790	20	0.05	2	4	17
CC00419		<10	<1	0.06	20	0.39	450	<1	0.02	23	720	23	<0.01	3	4	34
CC00420		<10	<1	0.08	20	0.44	282	<1	0.02	25	640	14	0.01	3	3	16
CC00421		10	<1	0.10	20	0.49	380	<1	0.02	28	600	17	<0.01	3	4	19
CC00422		10	<1	0.11	20	0.48	300	1	0.02	28	650	23	0.02	5	3	14
CC00423		10	<1	0.07	10	0.48	500	<1	0.02	24	650	16	0.02	3	2	15
CC00424		<10	<1	0.05	10	0.35	233	<1	0.01	20	400	11	0.01	3	2	12
CC00425		<10	<1	0.06	20	0.43	398	<1	0.02	21	660	14	0.02	3	2	16
CC00426		<10	<1	0.06	20	0.40	224	1	0.01	19	710	14	0.05	4	2	15
CC00427		<10	<1	0.07	20	0.42	342	1	0.01	23	650	16	0.04	3	2	16
CC00428		<10	<1	0.06	20	0.41	215	<1	0.01	22	660	13	0.01	3	3	15
CC00429		10	<1	0.10	20	0.54	263	1	0.01	20	760	19	0.02	3	2	15
CC00430		<10	<1	0.08	10	0.44	242	<1	0.02	22	570	14	<0.01	3	3	16
CC00431		<10	<1	0.04	10	0.41	728	1	0.01	16	600	10	0.03	3	1	12
CC00432		<10	<1	0.05	10	0.46	195	<1	0.02	21	650	10	0.01	2	3	15
CC00433		10	<1	0.08	20	0.52	329	<1	0.02	26	590	15	0.01	3	3	14
CC00434		10	1	0.14	20	0.46	299	<1	0.02	28	690	25	<0.01	5	4	18
CC00435		<10	<1	0.21	30	0.47	234	<1	0.02	21	720	27	<0.01	5	4	33
CC00436		<10	<1	0.17	30	0.48	387	1	0.03	29	870	43	<0.01	5	4	45
CC00437		<10	<1	0.08	20	0.45	457	<1	0.02	24	820	16	0.01	3	3	20
CC00438		<10	<1	0.07	20	0.38	169	<1	0.01	16	610	11	0.01	3	2	12
CC00439		<10	<1	0.07	20	0.40	219	<1	0.01	18	600	12	0.01	3	2	12
CC00440		10	<1	0.08	20	0.43	217	<1	0.02	19	570	11	0.01	4	3	12
CC00441		10	<1	0.06	20	0.47	257	<1	0.01	19	560	11	0.01	4	3	12
CC00442		<10	<1	0.06	20	0.42	418	<1	0.01	25	490	13	0.01	3	3	13
CC00443		<10	<1	0.04	10	0.27	202	<1	0.01	15	350	11	0.01	3	2	10
CC00444		10	<1	0.05	10	0.43	358	<1	0.02	20	560	11	0.02	2	2	12
CC00445		10	<1	0.06	20	0.46	252	<1	0.01	22	590	17	0.02	3	3	13
CC00446		10	<1	0.07	20	0.36	284	<1	0.02	19	520	20	0.03	3	3	15
CC00447		<10	<1	0.07	20	0.50	331	1	0.02	27	710	17	0.03	4	3	19
CC00448		10	<1	0.08	20	0.57	482	3	0.02	22	1240	17	0.08	3	2	17



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

o: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 5 - C
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC00409		0.06	<10	<10	46	<10	57
CC00410		0.07	<10	<10	58	<10	72
CC00411		0.05	<10	<10	38	<10	62
CC00412		0.08	<10	<10	57	<10	87
CC00413		0.07	<10	<10	53	<10	82
CC00414		0.08	<10	<10	52	<10	70
CC00415		0.08	<10	<10	53	<10	91
CC00416		0.08	<10	<10	43	<10	131
CC00417		0.07	<10	<10	42	<10	91
CC00418		0.07	<10	<10	57	<10	113
CC00419		0.06	<10	<10	39	<10	77
CC00420		0.06	<10	<10	41	<10	67
CC00421		0.07	<10	<10	44	<10	75
CC00422		0.06	<10	<10	47	<10	72
CC00423		0.06	<10	<10	56	<10	75
CC00424		0.04	<10	<10	34	<10	48
CC00425		0.05	<10	<10	41	<10	67
CC00426		0.04	<10	<10	39	<10	55
CC00427		0.04	<10	<10	39	<10	64
CC00428		0.05	<10	<10	38	<10	58
CC00429		0.07	<10	<10	57	<10	67
CC00430		0.07	<10	<10	40	<10	59
CC00431		0.05	<10	<10	42	<10	52
CC00432		0.06	<10	<10	44	<10	63
CC00433		0.07	<10	<10	54	<10	74
CC00434		0.08	<10	<10	45	<10	78
CC00435		0.08	<10	<10	44	<10	74
CC00436		0.07	<10	<10	42	<10	106
CC00437		0.06	<10	<10	42	<10	78
CC00438		0.05	<10	<10	37	<10	48
CC00439		0.06	<10	<10	40	<10	52
CC00440		0.06	<10	<10	45	<10	51
CC00441		0.06	<10	<10	50	<10	54
CC00442		0.05	<10	<10	39	<10	54
CC00443		0.05	<10	<10	45	<10	36
CC00444		0.05	<10	<10	49	<10	55
CC00445		0.04	<10	<10	48	<10	57
CC00446		0.05	<10	<10	49	<10	46
CC00447		0.05	<10	<10	48	<10	60
CC00448		0.06	<10	<10	57	<10	87



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

ALS DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 6 - A
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd WL. kg 0.02	Au ppm 0.001	Ag ppm 0.2	Al % 0.01	As ppm 2	B ppm 10	Ba ppm 10	Be ppm 0.5	Bi ppm 2	Ca % 0.01	Cd ppm 0.5	Co ppm 1	Cr ppm 1	Cu ppm 1	Fe % 0.01
CC00449		0.28	0.005	0.2	1.91	380	<10	100	0.5	2	0.10	<0.5	7	25	44	2.72
CC00450		0.32	0.005	0.2	2.05	439	<10	130	0.6	2	0.12	<0.5	7	25	67	2.70
CC00451		0.28	0.006	<0.2	2.05	277	<10	120	0.5	2	0.12	<0.5	8	25	46	2.79
CC00452		0.26	0.001	0.2	1.91	218	<10	100	0.5	2	0.10	<0.5	8	25	48	2.57
CC00453		0.38	0.004	<0.2	2.42	578	<10	130	0.8	3	0.11	<0.5	10	29	75	3.47
CC00454		0.28	0.009	0.2	2.56	386	<10	120	1.0	3	0.12	<0.5	13	24	78	3.20
CC00455		0.20	0.022	0.3	1.56	404	<10	150	0.8	3	0.20	0.7	18	25	84	3.20
CC00456		0.22	0.060	<0.2	1.62	264	<10	100	0.5	3	0.11	<0.5	9	25	63	2.94
CC00457		0.28	0.024	<0.2	1.42	350	<10	130	0.6	4	0.26	<0.5	14	22	158	2.65
CC00458		0.24	0.015	<0.2	2.13	317	<10	130	0.7	4	0.26	<0.5	17	25	106	3.00
CC00459		0.22	0.020	0.2	1.56	401	<10	120	0.6	3	0.20	<0.5	13	21	115	2.85
CC00460		0.20	0.005	<0.2	1.79	213	<10	120	0.5	<2	0.15	<0.5	9	25	58	2.68
CC00461		0.28	0.014	<0.2	2.04	675	<10	150	1.0	<2	0.14	<0.5	11	31	83	3.60
CC00462		0.18	0.001	<0.2	1.26	104	<10	100	<0.5	<2	0.07	<0.5	5	23	22	2.16
CC00463		0.20	0.004	0.4	1.54	130	<10	90	<0.5	<2	0.12	<0.5	8	24	40	2.46
CC00464		0.20	0.006	<0.2	1.62	122	<10	90	<0.5	<2	0.10	<0.5	8	26	38	2.69
CC00465		0.20	0.016	0.2	2.07	600	<10	130	0.9	<2	0.09	<0.5	11	31	77	3.27
CC00466		0.20	0.006	0.2	1.48	232	<10	70	0.5	<2	0.07	<0.5	8	24	30	2.91
CC00467		0.22	0.003	<0.2	2.10	81	<10	110	0.5	<2	0.10	<0.5	12	30	27	3.07
CC00468		0.18	0.007	<0.2	1.80	185	<10	80	<0.5	<2	0.09	<0.5	8	27	35	2.97
CC00469		0.22	0.008	<0.2	1.92	150	<10	80	0.5	<2	0.09	<0.5	9	28	32	3.15
CC00470		0.22	0.004	<0.2	2.03	183	<10	110	<0.5	<2	0.09	<0.5	9	30	22	3.09
CC00471		0.22	0.005	<0.2	2.14	202	<10	70	0.7	<2	0.07	<0.5	8	35	26	3.79
CC00472		0.14	0.011	<0.2	1.67	162	<10	90	<0.5	<2	0.09	<0.5	7	26	51	2.77
CC00473		0.20	0.024	<0.2	1.54	211	<10	110	0.6	<2	0.16	<0.5	13	24	56	2.55
CC00474		0.22	0.004	<0.2	1.80	108	<10	110	0.5	<2	0.08	<0.5	10	26	29	2.84
CC00475		0.22	0.015	<0.2	1.26	451	<10	90	0.9	2	0.12	<0.5	22	20	91	2.77
CC00476		0.16	0.005	<0.2	1.56	86	<10	80	<0.5	<2	0.08	<0.5	6	23	29	2.26
CC00477		0.14	0.003	<0.2	1.80	98	<10	100	0.6	<2	0.08	<0.5	9	27	29	3.12
CC00478		0.20	0.001	<0.2	2.10	55	<10	80	0.5	<2	0.08	<0.5	10	25	21	2.69
CC00479		0.18	0.003	0.3	1.37	112	<10	80	<0.5	<2	0.08	<0.5	6	22	26	2.30
CC00480		0.18	0.003	0.2	1.98	89	<10	80	0.5	<2	0.07	<0.5	12	29	36	3.37
CC00481		0.18	0.002	<0.2	1.88	52	<10	90	<0.5	<2	0.09	<0.5	7	29	22	2.89
CC00482		0.20	0.012	<0.2	1.55	241	<10	120	0.7	<2	0.07	<0.5	14	30	78	3.72
CC00483		0.18	0.007	0.2	1.66	249	<10	210	1.0	<2	0.22	<0.5	16	32	105	3.51
CC00484		0.14	0.007	<0.2	1.88	202	<10	140	0.8	<2	0.09	<0.5	11	32	86	3.23
CC00485		0.16	0.007	0.2	1.90	191	<10	140	0.6	<2	0.09	<0.5	10	32	72	3.18
CC00486		0.16	0.007	<0.2	1.64	220	<10	130	0.5	<2	0.11	<0.5	7	24	34	2.56
CC00487		0.18	0.028	<0.2	2.29	237	<10	180	0.8	3	0.33	<0.5	10	28	124	2.86
CC00488		0.22	0.016	0.2	2.16	268	<10	140	0.7	2	0.16	<0.5	9	28	73	2.95



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED

1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 6 - B
Total Pages: 7 (A - C)
Finalized Date: 3-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC00449		10	<1	0.07	10	0.45	268	<1	0.02	18	630	13	0.04	3	2	14
CC00450		10	<1	0.06	10	0.45	281	1	0.02	20	710	14	0.03	3	2	14
CC00451		10	<1	0.08	10	0.47	356	1	0.02	21	610	14	0.02	3	2	14
CC00452		10	1	0.06	10	0.48	261	1	0.02	22	550	14	0.02	3	2	13
CC00453		10	<1	0.09	20	0.59	335	1	0.02	28	620	18	0.02	3	3	14
CC00454		10	<1	0.09	20	0.49	477	1	0.02	25	680	29	0.03	4	3	14
CC00455		10	<1	0.08	20	0.42	726	1	<0.01	25	760	25	0.02	4	2	25
CC00456		10	<1	0.07	10	0.42	257	1	<0.01	19	610	15	0.02	3	1	15
CC00457		<10	1	0.07	20	0.41	340	<1	<0.01	30	840	19	<0.01	4	3	21
CC00458		10	<1	0.10	20	0.44	520	1	<0.01	28	780	30	<0.01	5	3	22
CC00459		10	<1	0.09	20	0.36	387	1	<0.01	25	750	24	<0.01	4	2	19
CC00460		10	1	0.06	10	0.42	267	1	<0.01	20	590	15	<0.01	3	2	15
CC00461		10	<1	0.08	20	0.46	314	2	<0.01	32	770	23	0.03	4	3	18
CC00462		10	<1	0.04	10	0.33	150	1	<0.01	15	400	11	<0.01	3	1	10
CC00463		<10	<1	0.06	10	0.41	220	1	<0.01	22	550	12	<0.01	3	2	11
CC00464		10	<1	0.06	10	0.41	244	1	<0.01	20	600	14	0.01	3	2	12
CC00465		10	<1	0.07	20	0.45	320	1	<0.01	26	700	21	0.02	5	2	15
CC00466		10	<1	0.05	10	0.28	298	1	<0.01	19	400	12	<0.01	2	1	10
CC00467		10	<1	0.05	10	0.44	354	1	<0.01	22	540	14	<0.01	2	2	12
CC00468		10	<1	0.05	10	0.40	235	1	<0.01	19	590	15	0.01	3	1	13
CC00469		10	<1	0.04	10	0.37	329	1	<0.01	18	670	17	0.01	2	2	11
CC00470		10	1	0.04	10	0.40	308	1	<0.01	19	560	16	<0.01	3	2	11
CC00471		10	<1	0.04	10	0.29	252	1	<0.01	17	470	15	<0.01	2	3	9
CC00472		10	<1	0.06	10	0.36	203	2	<0.01	18	850	19	0.03	4	1	14
CC00473		<10	1	0.06	20	0.41	337	1	<0.01	30	550	12	<0.01	3	2	17
CC00474		10	<1	0.04	10	0.37	314	1	<0.01	20	340	13	<0.01	4	2	11
CC00475		<10	<1	0.06	30	0.31	448	1	<0.01	43	600	22	<0.01	4	3	15
CC00476		10	<1	0.04	10	0.29	151	1	<0.01	16	430	11	0.02	3	1	12
CC00477		10	<1	0.05	10	0.29	250	1	<0.01	18	330	15	<0.01	3	3	10
CC00478		<10	<1	0.04	10	0.33	282	1	<0.01	20	370	12	<0.01	2	3	10
CC00479		10	<1	0.05	10	0.27	176	1	<0.01	14	650	14	0.03	2	1	12
CC00480		10	<1	0.05	10	0.38	349	1	<0.01	21	460	22	<0.01	4	3	10
CC00481		10	<1	0.04	10	0.45	251	1	<0.01	18	640	17	0.01	2	2	11
CC00482		10	<1	0.09	20	0.33	825	1	<0.01	23	610	18	0.02	4	1	13
CC00483		10	<1	0.09	20	0.48	756	1	<0.01	29	840	24	0.01	3	3	23
CC00484		10	<1	0.07	20	0.45	428	1	<0.01	23	690	18	<0.01	4	2	13
CC00485		10	<1	0.07	20	0.44	485	1	<0.01	21	720	16	0.02	2	2	12
CC00486		10	<1	0.04	10	0.36	344	1	<0.01	17	490	12	<0.01	4	2	12
CC00487		10	<1	0.17	20	0.60	279	1	0.01	23	1060	25	<0.01	3	4	25
CC00488		10	<1	0.08	20	0.50	375	1	<0.01	23	800	19	0.03	4	2	17



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 6 - C
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC00449		0.05	<10	<10	44	<10	67
CC00450		0.05	<10	<10	43	<10	64
CC00451		0.06	<10	<10	45	<10	65
CC00452		0.06	<10	<10	44	<10	69
CC00453		0.06	<10	<10	54	<10	89
CC00454		0.07	<10	<10	49	<10	79
CC00455		0.04	<10	<10	44	<10	87
CC00456		0.05	<10	<10	46	10	58
CC00457		0.06	<10	<10	39	<10	71
CC00458		0.08	<10	<10	47	<10	84
CC00459		0.05	<10	<10	41	<10	74
CC00460		0.05	<10	<10	45	<10	61
CC00461		0.03	<10	<10	48	<10	74
CC00462		0.04	<10	<10	42	<10	52
CC00463		0.05	<10	<10	39	<10	97
CC00464		0.05	<10	<10	43	<10	68
CC00465		0.03	<10	<10	47	<10	63
CC00466		0.04	<10	<10	47	<10	45
CC00467		0.05	<10	<10	54	<10	63
CC00468		0.05	<10	<10	54	<10	54
CC00469		0.05	<10	<10	51	<10	50
CC00470		0.05	<10	<10	60	<10	54
CC00471		0.07	<10	<10	56	<10	37
CC00472		0.04	<10	<10	50	<10	47
CC00473		0.05	<10	<10	41	<10	53
CC00474		0.06	<10	<10	54	<10	55
CC00475		0.03	<10	<10	34	<10	55
CC00476		0.04	<10	<10	45	<10	38
CC00477		0.05	<10	<10	53	<10	41
CC00478		0.05	<10	<10	41	<10	41
CC00479		0.04	<10	<10	46	<10	42
CC00480		0.06	<10	<10	55	<10	63
CC00481		0.05	<10	<10	55	<10	56
CC00482		0.03	<10	<10	48	<10	57
CC00483		0.05	<10	<10	48	<10	62
CC00484		0.04	<10	<10	51	<10	54
CC00485		0.04	<10	<10	50	<10	56
CC00486		0.04	<10	<10	44	<10	48
CC00487		0.15	<10	<10	61	10	59
CC00488		0.07	<10	<10	50	<10	83



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 7 - A
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC00489		0.28	0.014	<0.2	1.89	275	<10	130	0.6	<2	0.12	<0.5	11	29	51	2.94
CC00490		0.22	0.007	<0.2	1.98	194	<10	120	0.6	<2	0.16	<0.5	7	25	60	2.71
CC00491		0.24	0.008	<0.2	1.96	252	<10	120	0.6	<2	0.11	<0.5	7	28	49	2.86
CC00492		0.26	0.021	0.2	1.80	166	<10	110	0.5	<2	0.17	<0.5	8	26	57	2.55
CC00493		0.18	0.028	<0.2	1.92	221	<10	100	0.6	3	0.08	<0.5	6	29	62	3.56
CC00494		0.14	0.018	<0.2	2.99	607	<10	290	1.4	3	0.15	<0.5	16	39	122	4.41
CC00495		0.16	0.017	<0.2	1.79	203	<10	110	0.6	<2	0.12	<0.5	7	28	49	2.78
CC00496		0.18	0.006	<0.2	1.90	192	<10	100	0.6	2	0.09	<0.5	8	28	34	3.22
CC00497		0.18	0.006	<0.2	1.62	111	<10	80	0.5	<2	0.09	<0.5	8	24	22	2.83
CC00498		0.16	0.004	<0.2	1.97	112	<10	110	0.7	<2	0.10	<0.5	18	33	38	4.20
CC00499		0.18	0.013	<0.2	1.85	134	<10	110	1.3	<2	0.10	<0.5	17	33	89	4.11
CC00500		0.24	0.012	<0.2	1.32	124	<10	110	1.1	2	0.15	<0.5	17	29	67	4.29
CC00501		Not Recvd														
CC00502		0.14	0.014	0.3	1.40	2350	<10	170	1.0	3	0.33	0.5	17	24	38	5.77
CC00503		0.18	0.027	0.7	0.99	1650	<10	80	0.6	3	0.07	<0.5	9	17	69	3.67
CC00504		0.30	0.007	0.3	0.79	61	<10	70	0.8	2	0.09	<0.5	20	20	108	5.62
CC00505		0.30	0.004	0.2	0.94	71	<10	110	1.2	2	0.06	0.5	25	15	60	6.41
CC00506		0.28	0.004	<0.2	1.64	71	<10	110	0.8	<2	0.08	0.5	13	28	36	3.54
CC00507		0.28	0.009	0.2	1.43	102	<10	100	0.7	2	0.11	0.5	14	26	34	3.41
CC00508		0.30	0.018	<0.2	1.38	50	<10	80	0.5	<2	0.11	<0.5	11	29	32	3.21
CC00509		0.24	0.011	0.2	2.08	221	<10	210	1.3	<2	0.24	<0.5	22	36	151	3.91
CC00510		0.26	0.008	<0.2	1.59	66	<10	80	0.6	<2	0.07	<0.5	7	23	33	3.03
CC00511		0.24	0.010	<0.2	1.81	172	<10	100	0.7	<2	0.09	<0.5	9	25	46	3.27
CC00512		0.30	0.017	0.2	1.89	162	<10	160	0.8	<2	0.10	<0.5	13	26	55	3.19
CC00513		0.26	0.045	0.2	2.05	330	<10	70	0.7	5	0.05	<0.5	9	27	76	4.82
CC00514		0.32	0.169	0.3	2.05	712	<10	150	1.6	10	0.18	0.5	34	30	246	5.28
CC00515		0.24	0.172	0.4	2.09	752	<10	150	1.5	10	0.18	0.5	37	30	258	4.96
CC00516		0.28	0.048	<0.2	2.15	589	<10	160	1.2	21	0.21	<0.5	21	28	122	4.81
CC00517		0.24	0.015	<0.2	1.71	479	<10	120	0.8	14	0.11	<0.5	8	23	64	4.37
CC00518		0.28	0.028	0.2	2.07	217	<10	120	0.7	4	0.10	<0.5	8	25	62	2.90



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 7 - B
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	ME-ICP41															
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1	
CC00489	10	<1	0.06	10	0.47	397	1	<0.01	20	570	14	<0.01	3	2	13		
CC00490	10	<1	0.06	10	0.46	224	1	<0.01	22	610	15	<0.01	3	2	15		
CC00491	10	1	0.06	20	0.47	261	1	0.01	21	550	13	0.05	<2	2	14		
CC00492	<10	<1	0.06	20	0.45	210	1	0.01	22	710	15	0.02	<2	3	15		
CC00493	10	<1	0.06	20	0.28	228	2	0.01	17	800	22	0.05	5	1	14		
CC00494	10	<1	0.14	30	0.60	510	2	0.01	39	990	27	0.04	3	4	21		
CC00495	10	<1	0.06	20	0.41	249	1	0.01	22	700	15	0.04	2	2	14		
CC00496	10	1	0.06	20	0.37	352	1	0.01	21	520	15	0.03	2	2	12		
CC00497	10	<1	0.04	10	0.30	247	1	<0.01	18	370	14	0.02	2	2	11		
CC00498	10	<1	0.09	20	0.43	1335	1	0.01	23	900	24	0.04	2	2	12		
CC00499	<10	<1	0.10	30	0.41	1225	1	0.01	40	930	21	0.07	2	2	15		
CC00500	<10	<1	0.09	30	0.30	928	1	0.01	36	780	21	0.02	4	4	16		
CC00501																	
CC00502	<10	<1	0.07	30	0.30	513	2	<0.01	22	900	47	0.03	8	4	29		
CC00503	<10	<1	0.06	20	0.16	327	1	<0.01	20	590	39	0.03	2	2	10		
CC00504	<10	<1	0.11	30	0.19	1050	1	<0.01	32	950	29	0.08	6	5	22		
CC00505	<10	<1	0.10	30	0.15	4520	1	<0.01	64	640	18	0.01	2	5	14		
CC00506	10	<1	0.07	20	0.33	665	1	<0.01	20	390	13	0.01	<2	3	11		
CC00507	<10	<1	0.07	20	0.36	871	1	<0.01	23	520	13	0.01	2	3	13		
CC00508	<10	<1	0.06	20	0.32	645	1	<0.01	21	550	13	0.02	<2	2	12		
CC00509	10	<1	0.10	20	0.56	1440	2	<0.01	32	1060	29	0.03	2	4	26		
CC00510	10	<1	0.05	20	0.26	288	1	<0.01	15	390	11	0.01	2	2	10		
CC00511	10	<1	0.05	20	0.27	391	2	<0.01	23	540	13	0.01	<2	2	12		
CC00512	10	<1	0.06	20	0.41	507	1	<0.01	25	610	14	0.01	<2	3	13		
CC00513	10	<1	0.08	20	0.28	390	2	<0.01	16	500	22	0.03	<2	3	14		
CC00514	10	<1	0.15	30	0.53	1160	2	0.01	44	1020	40	0.08	4	4	43		
CC00515	10	<1	0.14	30	0.54	1120	2	0.01	43	930	39	0.07	3	4	42		
CC00516	10	<1	0.08	30	0.45	775	1	<0.01	30	710	29	0.04	4	4	32		
CC00517	10	<1	0.06	20	0.35	343	2	<0.01	20	610	25	0.05	5	2	23		
CC00518	10	<1	0.07	20	0.38	204	1	<0.01	18	520	15	<0.01	2	2	12		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 7 - C
 Total Pages: 7 (A - C)
 Finalized Date: 3-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047773

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC00489		0.05	<10	<10	49	<10	62
CC00490		0.07	<10	<10	47	<10	53
CC00491		0.05	<10	<10	46	<10	60
CC00492		0.05	<10	<10	41	<10	52
CC00493		0.04	<10	<10	59	<10	47
CC00494		0.07	10	<10	84	<10	87
CC00495		0.05	<10	<10	49	<10	55
CC00496		0.05	<10	<10	56	<10	53
CC00497		0.05	<10	<10	53	<10	43
CC00498		0.05	<10	<10	60	<10	60
CC00499		0.04	<10	<10	52	<10	89
CC00500		0.04	<10	<10	47	<10	61
CC00501							
CC00502		0.01	<10	<10	37	<10	71
CC00503		0.01	<10	<10	35	<10	60
CC00504		0.02	<10	<10	32	<10	68
CC00505		0.01	<10	<10	28	<10	73
CC00506		0.05	<10	<10	55	<10	52
CC00507		0.06	<10	<10	52	<10	59
CC00508		0.06	<10	<10	55	<10	60
CC00509		0.06	<10	<10	56	<10	93
CC00510		0.05	<10	<10	53	<10	44
CC00511		0.05	<10	<10	54	<10	51
CC00512		0.06	<10	<10	52	<10	59
CC00513		0.07	<10	<10	70	<10	43
CC00514		0.06	<10	<10	48	<10	94
CC00515		0.06	<10	<10	47	<10	90
CC00516		0.04	<10	<10	42	<10	69
CC00517		0.03	<10	<10	38	<10	45
CC00518		0.05	<10	<10	46	<10	43



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5-AUG-2004

Account: DYNAMI

CERTIFICATE VA04047772

Project: Mike Lake

P.O. No.:

This report is for 239 Soil samples submitted to our lab in Vancouver, BC, Canada on 23-JUL-2004.

The following have access to data associated with this certificate:

VANCOUVER OFFICE
JOAN MARIACHER

AL ARCHER
BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41	Screen to -180um and save both
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

0: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - A
Total Pages: 7 (A - C)
Finalized Date: 5-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC00045		0.30	0.008	0.5	2.24	65	20	120	0.9	<2	1.63	4.0	23	17	58	3.51
CC00046		0.24	0.008	<0.2	2.27	79	<10	180	0.7	<2	0.69	<0.5	15	28	25	3.00
CC00047		0.26	0.006	0.3	1.56	65	<10	160	0.5	<2	0.93	<0.5	9	22	28	2.31
CC00048		0.22	0.008	0.2	1.91	70	<10	190	0.6	<2	1.13	0.7	12	24	40	2.71
CC00049		0.22	0.004	0.2	1.82	131	<10	180	0.6	<2	0.68	<0.5	13	30	39	3.19
CC00050		0.20	0.005	0.3	2.16	124	<10	190	0.7	<2	0.58	<0.5	13	29	45	3.03
CC00051		0.24	0.026	0.2	1.52	359	<10	120	0.6	2	0.12	<0.5	5	17	87	2.14
CC00052		0.20	0.014	<0.2	3.17	579	<10	180	0.9	2	0.11	<0.5	10	34	122	4.16
CC00053		0.20	0.015	0.2	2.34	282	<10	120	0.5	<2	0.10	<0.5	8	36	49	3.84
CC00054		0.46	0.063	<0.2	2.06	199	<10	140	0.8	<2	0.33	<0.5	13	25	57	2.68
CC00055		0.28	0.024	0.2	2.47	203	<10	150	0.8	<2	0.25	<0.5	9	26	48	2.46
CC00056		0.22	0.016	0.3	1.89	182	<10	100	0.6	<2	0.18	<0.5	8	21	57	2.14
CC00057		0.26	0.017	0.3	1.66	253	<10	110	0.5	<2	0.20	<0.5	9	22	52	2.13
CC00058		0.26	0.008	<0.2	1.51	91	<10	80	<0.5	<2	0.21	<0.5	6	22	31	2.24
CC00059		0.34	0.142	0.3	1.46	704	<10	120	0.8	3	0.39	<0.5	16	20	128	2.44
CC00060		0.24	0.095	1.2	2.44	1210	<10	160	1.1	9	0.59	<0.5	21	33	66	4.37
CC00061		0.20	0.020	<0.2	1.88	209	<10	130	0.7	2	0.47	<0.5	9	26	30	2.90
CC00062		0.28	0.028	0.2	1.87	711	<10	140	0.8	2	0.85	<0.5	13	30	42	3.15
CC00063		0.22	0.029	<0.2	2.25	382	<10	140	0.9	<2	1.23	<0.5	14	31	34	2.87
CC00064		0.14	0.010	0.3	3.01	213	<10	150	1.2	<2	1.80	<0.5	14	41	38	3.02
CC00065		0.22	0.005	<0.2	2.42	65	<10	160	0.8	<2	0.18	<0.5	14	31	33	3.40
CC00066		0.24	0.005	0.4	2.70	59	<10	150	1.0	<2	0.19	<0.5	18	33	46	3.65
CC00067		0.16	0.007	0.4	2.66	116	<10	170	1.1	<2	0.43	0.9	18	30	53	3.62
CC00068		0.22	0.006	1.3	2.27	101	<10	60	0.7	<2	0.27	0.6	6	21	52	5.70
CC00069		0.20	0.003	<0.2	1.72	31	<10	70	<0.5	<2	0.15	<0.5	6	20	23	2.69
CC00070		0.20	0.003	0.3	1.96	70	<10	140	0.7	<2	0.67	<0.5	11	24	34	2.78
CC00071		0.24	0.025	0.5	2.49	243	<10	200	1.1	3	0.51	0.5	17	29	81	3.63
CC00072		0.20	0.012	0.4	2.30	346	<10	180	1.1	3	0.36	<0.5	16	33	81	3.34
CC00073		0.28	0.011	<0.2	1.76	106	<10	90	<0.5	<2	0.16	<0.5	7	26	35	2.53
CC00074		0.28	0.053	<0.2	1.12	306	<10	70	<0.5	<2	0.20	<0.5	6	22	52	2.08
CC00075		0.28	0.106	<0.2	1.53	247	<10	70	0.6	2	0.14	<0.5	10	24	46	2.50
CC00076		0.30	0.032	<0.2	1.92	325	<10	90	0.6	<2	0.16	<0.5	8	26	60	2.55
CC00077		0.30	0.079	<0.2	1.26	201	<10	100	0.5	<2	0.23	<0.5	12	18	67	1.68
CC00078		0.22	0.037	0.2	2.01	150	<10	90	0.5	<2	0.12	<0.5	9	31	36	2.86
CC00079		0.28	0.068	0.2	1.78	254	<10	140	0.8	3	0.21	<0.5	15	30	66	3.26
CC00080		0.24	0.012	0.2	2.11	174	<10	100	0.6	4	0.18	<0.5	7	28	29	3.10
CC00081		0.20	0.173	1.0	2.49	1900	10	140	1.3	25	1.22	1.6	29	30	109	5.01
CC00082		0.28	0.061	0.5	2.44	763	10	180	1.0	4	0.99	1.0	19	34	58	3.87
CC00083		0.26	0.021	0.4	2.47	531	<10	190	0.9	4	0.82	<0.5	14	33	45	3.77
CC00084		0.32	0.028	<0.2	2.68	884	<10	210	1.0	6	0.70	<0.5	18	36	61	4.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total Pages: 7 (A - C)
Finalized Date: 5-AUG-2004
Account: DYNAMI

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC00045		<10	<1	0.06	10	0.33	777	1	0.01	50	950	109	0.04	4	3	45
CC00046		10	<1	0.06	10	0.51	929	1	0.01	26	840	39	0.03	2	2	37
CC00047		<10	<1	0.05	20	0.40	451	<1	0.02	21	800	45	0.01	<2	3	49
CC00048		<10	<1	0.06	20	0.47	583	1	0.04	27	960	54	0.02	<2	3	61
CC00049		10	<1	0.07	20	0.56	521	1	<0.01	28	940	40	0.02	2	3	27
CC00050		10	<1	0.06	10	0.59	488	1	<0.01	28	990	50	0.04	<2	3	27
CC00051		<10	<1	0.12	20	0.29	108	1	<0.01	13	460	16	<0.01	2	2	12
CC00052		10	1	0.20	20	0.53	293	2	<0.01	26	650	28	0.01	<2	4	12
CC00053		10	1	0.14	10	0.50	291	3	<0.01	18	520	21	<0.01	<2	3	10
CC00054		10	<1	0.09	20	0.48	446	1	<0.01	29	810	23	<0.01	<2	3	24
CC00055		10	<1	0.15	20	0.40	172	1	0.01	18	670	19	<0.01	<2	3	16
CC00056		<10	<1	0.08	10	0.37	168	1	<0.01	17	650	14	<0.01	<2	2	13
CC00057		<10	<1	0.08	20	0.40	285	1	<0.01	20	750	12	<0.01	<2	2	15
CC00058		<10	<1	0.05	10	0.37	167	1	<0.01	16	610	11	0.01	<2	2	14
CC00059		<10	<1	0.12	30	0.40	475	2	0.01	29	820	31	0.01	3	2	37
CC00060		10	<1	0.09	20	0.72	729	2	0.01	38	900	66	0.03	3	4	40
CC00061		10	<1	0.08	10	0.54	299	1	<0.01	19	700	23	0.02	<2	2	20
CC00062		10	<1	0.09	20	0.60	550	1	0.02	26	970	34	0.03	<2	3	43
CC00063		10	<1	0.12	20	0.76	492	1	0.05	27	1060	27	0.05	2	3	73
CC00064		10	<1	0.10	20	1.14	525	1	0.11	30	1080	32	0.08	<2	3	118
CC00065		10	<1	0.12	10	0.57	547	1	<0.01	25	730	15	0.02	2	4	21
CC00066		10	<1	0.08	20	0.62	379	2	<0.01	36	480	27	0.01	<2	5	21
CC00067		10	<1	0.06	20	0.61	572	1	0.01	39	1060	72	0.07	2	2	42
CC00068		10	<1	0.05	10	0.35	180	5	<0.01	14	1040	40	0.08	8	2	38
CC00069		10	1	0.04	10	0.30	178	1	<0.01	15	600	28	0.02	<2	1	13
CC00070		<10	<1	0.05	10	0.44	582	1	<0.01	27	910	35	0.04	2	2	36
CC00071		10	1	0.08	20	0.58	680	1	0.02	37	960	54	0.07	3	3	46
CC00072		10	1	0.08	20	0.55	364	1	0.01	34	850	31	0.08	3	3	29
CC00073		10	1	0.05	10	0.43	174	1	<0.01	21	700	14	0.02	<2	2	13
CC00074		10	1	0.08	20	0.34	170	1	<0.01	15	670	24	0.02	<2	2	13
CC00075		10	1	0.06	20	0.34	338	1	<0.01	17	590	24	0.02	<2	2	13
CC00076		10	<1	0.06	20	0.43	258	1	<0.01	20	720	19	0.02	<2	3	14
CC00077		<10	<1	0.10	30	0.36	273	1	<0.01	22	800	23	0.01	2	2	16
CC00078		10	<1	0.05	10	0.47	250	1	<0.01	22	610	14	0.03	2	2	13
CC00079		10	1	0.14	20	0.54	536	3	0.01	24	850	30	0.05	2	3	18
CC00080		10	1	0.08	10	0.52	211	2	<0.01	21	640	28	0.03	3	3	13
CC00081		10	1	0.10	30	0.79	968	2	0.05	51	1330	117	0.08	4	5	93
CC00082		10	<1	0.11	20	0.78	651	2	0.04	34	1090	55	0.07	6	5	52
CC00083		10	1	0.11	20	0.72	567	1	0.02	30	890	40	0.06	<2	4	35
CC00084		10	1	0.14	20	0.81	585	1	0.03	37	870	45	0.03	3	5	38



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 2 - C

Total Pages: 7 (A - C)

Finalized Date: 5-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC00045		0.07	<10	<10	31	<10	478
CC00046		0.07	<10	<10	49	<10	159
CC00047		0.05	<10	<10	38	<10	76
CC00048		0.06	<10	<10	42	<10	121
CC00049		0.06	<10	<10	55	<10	105
CC00050		0.05	<10	<10	54	<10	122
CC00051		0.06	<10	<10	35	<10	37
CC00052		0.08	<10	<10	65	<10	76
CC00053		0.09	<10	<10	74	<10	61
CC00054		0.07	<10	<10	47	<10	83
CC00055		0.14	<10	<10	57	<10	38
CC00056		0.08	<10	<10	39	<10	42
CC00057		0.07	<10	<10	39	<10	61
CC00058		0.05	<10	<10	40	<10	48
CC00059		0.07	<10	<10	37	10	99
CC00060		0.08	<10	<10	65	<10	239
CC00061		0.07	<10	<10	54	<10	93
CC00062		0.07	<10	10	51	<10	143
CC00063		0.08	<10	<10	46	<10	106
CC00064		0.09	<10	<10	54	<10	107
CC00065		0.11	<10	<10	65	<10	64
CC00066		0.10	<10	<10	64	<10	74
CC00067		0.06	<10	<10	57	<10	191
CC00068		0.09	<10	<10	61	<10	47
CC00069		0.05	<10	<10	43	<10	43
CC00070		0.04	<10	<10	42	<10	101
CC00071		0.06	<10	<10	52	<10	130
CC00072		0.06	<10	<10	54	<10	91
CC00073		0.06	<10	<10	47	<10	53
CC00074		0.09	<10	<10	46	<10	41
CC00075		0.08	<10	<10	50	10	52
CC00076		0.07	<10	<10	48	<10	57
CC00077		0.07	<10	<10	33	10	44
CC00078		0.06	<10	<10	55	<10	61
CC00079		0.11	<10	<10	68	<10	89
CC00080		0.09	<10	<10	58	<10	90
CC00081		0.08	<10	<10	60	<10	399
CC00082		0.10	<10	<10	66	10	231
CC00083		0.09	<10	<10	66	<10	165
CC00084		0.12	<10	<10	70	<10	166



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - A
Total Pages: 7 (A - C)
Finalized Date: 5-AUG-2004
Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC00085		0.14	0.013	0.2	3.55	213	<10	160	1.4	<2	1.76	0.5	17	47	50	3.47
CC00086		0.26	0.085	0.6	2.62	624	<10	180	1.1	5	0.94	0.9	18	33	60	3.91
CC00087		0.22	0.181	0.8	2.36	1475	<10	140	1.2	11	1.16	1.3	26	32	83	4.42
CC00088		0.20	0.246	1.1	2.36	2570	10	110	1.3	31	1.62	2.4	32	28	119	5.15
CC00089		0.24	0.338	1.3	2.55	3080	<10	130	1.5	44	1.42	2.4	42	30	129	5.99
CC00090		0.28	0.019	0.2	2.50	259	<10	140	0.9	3	0.32	<0.5	10	31	45	3.56
CC00091		0.22	0.034	0.2	2.81	502	<10	90	0.8	5	0.17	<0.5	10	31	108	4.33
CC00092		0.22	0.014	0.2	2.79	713	<10	150	1.1	2	0.29	<0.5	18	42	55	4.00
CC00093		0.22	0.015	0.5	1.61	178	<10	80	0.5	2	0.15	<0.5	8	24	45	2.51
CC00094		0.22	0.057	0.4	2.53	724	<10	130	1.3	8	0.48	1.5	30	30	99	4.51
CC00095		0.28	0.064	0.3	1.35	524	<10	110	0.8	2	0.36	<0.5	15	21	124	2.38
CC00096		0.26	0.037	0.3	1.76	452	<10	100	0.7	2	0.29	<0.5	12	15	95	1.74
CC00097		0.34	0.045	0.2	2.01	176	<10	90	0.7	<2	0.14	<0.5	6	24	61	2.13
CC00098		0.32	0.039	0.3	1.78	176	<10	80	0.6	2	0.22	<0.5	10	21	46	1.92
CC00099		0.28	0.020	0.4	2.11	282	<10	120	0.6	2	0.27	<0.5	10	25	67	2.50
CC00100		0.24	0.014	0.3	2.34	299	<10	180	0.9	4	0.32	<0.5	14	30	72	3.26
CC00101		0.34	0.012	0.3	2.12	236	<10	140	0.7	2	0.25	<0.5	13	27	70	2.79
CC00102		0.34	0.016	<0.2	1.82	252	<10	130	0.7	<2	0.22	<0.5	11	25	94	2.54
CC00103		0.38	0.028	0.3	1.88	474	<10	200	0.9	5	0.35	<0.5	20	25	119	3.13
CC00104		0.26	0.004	0.3	2.70	98	<10	120	1.0	<2	0.15	<0.5	24	32	54	3.90
CC00105		0.30	0.009	<0.2	1.89	202	<10	220	1.1	2	0.30	<0.5	17	28	83	4.96
CC00106		0.28	0.016	<0.2	2.17	249	<10	110	0.8	<2	0.12	<0.5	15	28	53	3.79
CC00107		0.26	0.010	0.3	2.18	216	<10	190	0.9	<2	0.21	<0.5	16	30	70	3.32
CC00108		0.38	0.022	0.3	1.92	243	<10	100	0.8	3	0.16	<0.5	11	22	64	2.55
CC00109		0.34	0.021	0.2	2.07	408	<10	160	0.9	3	0.20	<0.5	15	21	104	2.63
CC00110		0.42	0.008	0.3	2.06	162	<10	110	0.6	2	0.16	<0.5	11	26	74	2.77
CC00111		0.42	0.008	0.2	1.70	97	<10	110	<0.5	<2	0.16	<0.5	9	26	40	2.58
CC00112		0.32	0.016	0.2	2.75	207	<10	150	0.9	<2	0.19	<0.5	14	27	82	2.62
CC00113		0.38	<0.009	0.4	1.84	130	<10	120	0.5	<2	0.20	<0.5	11	26	59	2.53
CC00114		0.30	0.026	0.4	1.83	265	<10	150	0.7	<2	0.22	<0.5	10	23	76	2.39
CC00115		0.30	0.047	0.3	1.86	308	<10	120	0.8	<2	0.19	<0.5	9	22	99	2.31
CC00116		0.32	0.045	<0.2	1.98	284	<10	110	0.7	2	0.20	<0.5	9	25	89	2.30
CC00117		0.28	0.029	0.2	1.90	344	<10	120	0.6	<2	0.20	<0.5	12	27	82	2.50
CC00118		0.32	0.042	0.3	1.29	106	<10	190	0.7	<2	0.34	<0.5	9	19	68	1.62
CC00119		0.26	0.022	0.5	2.76	880	<10	120	1.5	10	0.51	1.1	34	31	127	4.99
CC00120		0.34	0.025	0.2	2.19	140	<10	110	0.7	<2	0.20	<0.5	8	29	35	2.85
CC00121		0.38	0.018	0.3	1.80	174	<10	190	0.8	2	0.38	<0.5	12	30	66	3.39
CC00122		0.24	0.008	0.2	2.58	153	<10	120	0.9	<2	0.14	<0.5	12	35	55	4.03
CC00123		0.34	0.009	0.4	2.61	172	<10	110	0.9	<2	0.12	<0.5	19	36	56	3.96
CC00124		0.36	0.065	0.6	2.62	1100	<10	140	1.3	7	0.31	0.5	34	28	150	5.50



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - B
Total Pages: 7 (A - C)
Finalized Date: 5-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC00085		10	<1	0.11	20	1.36	567	1	0.12	38	1120	44	0.11	3	4	128
CC00086		10	<1	0.09	20	0.68	878	1	0.04	42	1130	74	0.06	4	5	62
CC00087		10	<1	0.08	30	0.74	938	1	0.04	45	1290	89	0.09	7	4	75
CC00088		10	<1	0.09	30	0.77	1025	2	0.07	54	1390	142	0.10	8	4	124
CC00089		10	<1	0.08	30	0.83	1275	2	0.08	61	1310	182	0.06	9	5	118
CC00090		10	1	0.12	20	0.65	342	3	0.01	27	810	38	0.04	3	4	18
CC00091		10	1	0.10	20	0.60	242	3	<0.01	36	940	42	0.06	<2	4	16
CC00092		10	<1	0.10	20	0.69	984	5	0.01	37	890	32	0.07	5	3	25
CC00093		10	<1	0.06	10	0.40	246	2	<0.01	20	690	21	0.03	2	2	14
CC00094		10	<1	0.08	20	0.66	943	2	0.01	64	990	68	0.05	7	4	38
CC00095		<10	<1	0.13	30	0.38	435	1	0.01	26	840	29	0.02	2	2	30
CC00096		<10	<1	0.14	30	0.28	384	1	0.02	17	1020	28	0.04	<2	2	23
CC00097		10	<1	0.07	20	0.36	156	1	<0.01	14	600	21	0.02	2	2	12
CC00098		10	<1	0.08	20	0.30	261	1	0.01	12	830	17	0.03	2	2	15
CC00099		10	<1	0.07	20	0.51	220	2	0.01	24	740	17	0.03	3	3	19
CC00100		10	<1	0.08	20	0.47	406	1	0.01	29	760	27	0.06	2	3	26
CC00101		10	<1	0.08	10	0.53	331	2	0.01	28	810	18	0.02	2	3	19
CC00102		10	1	0.10	20	0.52	319	1	0.01	25	720	17	0.01	<2	4	17
CC00103		10	2	0.14	20	0.47	613	1	0.01	29	800	25	0.04	2	3	30
CC00104		10	1	0.13	20	0.60	792	3	<0.01	29	870	22	0.06	<2	3	17
CC00105		10	1	0.17	20	0.53	484	3	0.01	38	1390	20	0.13	5	4	60
CC00106		10	2	0.07	20	0.44	522	2	<0.01	33	740	32	0.04	2	3	19
CC00107		10	<1	0.07	20	0.49	597	2	<0.01	33	880	24	0.04	3	3	21
CC00108		10	<1	0.10	20	0.32	364	1	<0.01	19	790	21	0.02	3	2	14
CC00109		10	1	0.16	20	0.40	313	1	<0.01	23	740	22	0.01	4	3	17
CC00110		10	<1	0.08	20	0.50	325	1	<0.01	28	730	18	0.01	2	3	15
CC00111		10	<1	0.06	20	0.46	247	1	<0.01	21	700	11	0.01	4	3	14
CC00112		10	1	0.11	20	0.51	332	1	<0.01	29	770	21	0.02	3	3	16
CC00113		<10	<1	0.08	20	0.48	308	1	<0.01	23	950	15	0.01	2	3	16
CC00114		10	2	0.08	20	0.46	205	1	<0.01	22	630	19	0.01	3	3	19
CC00115		10	1	0.08	20	0.43	239	1	<0.01	22	540	15	0.01	3	3	17
CC00116		10	<1	0.07	20	0.46	237	1	<0.01	19	640	17	0.01	2	3	16
CC00117		10	<1	0.12	20	0.44	392	1	<0.01	22	770	23	0.01	3	3	19
CC00118		<10	<1	0.17	40	0.37	265	<1	0.01	15	870	21	<0.01	2	3	20
CC00119		10	<1	0.07	20	0.71	999	3	<0.01	77	960	80	0.06	10	4	44
CC00120		10	<1	0.07	10	0.55	235	2	<0.01	21	620	22	0.02	2	3	16
CC00121		10	1	0.14	20	0.58	456	1	<0.01	30	890	26	<0.01	4	6	36
CC00122		10	1	0.09	20	0.65	403	3	<0.01	33	700	38	0.04	4	4	16
CC00123		10	<1	0.09	20	0.64	481	2	<0.01	35	790	36	0.04	4	4	14
CC00124		10	<1	0.24	20	0.63	775	4	0.01	74	1200	69	0.06	5	5	37



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - C
 Total Pages: 7 (A - C)
 Finalized Date: 5-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		TI	TI	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC00085		0.11	<10	<10	59	<10	142
CC00086		0.09	<10	<10	59	<10	296
CC00087		0.07	<10	<10	60	<10	327
CC00088		0.06	<10	10	54	<10	515
CC00089		0.07	<10	<10	58	<10	629
CC00090		0.11	<10	<10	66	<10	136
CC00091		0.09	<10	<10	65	<10	122
CC00092		0.09	<10	<10	71	<10	162
CC00093		0.06	<10	<10	49	<10	57
CC00094		0.08	<10	<10	58	<10	351
CC00095		0.07	<10	<10	37	10	75
CC00096		0.07	<10	<10	28	10	53
CC00097		0.07	<10	<10	42	<10	38
CC00098		0.08	<10	<10	36	<10	32
CC00099		0.09	<10	<10	48	<10	52
CC00100		0.07	<10	<10	55	<10	64
CC00101		0.08	<10	<10	51	<10	62
CC00102		0.09	<10	<10	43	<10	58
CC00103		0.07	<10	<10	44	<10	64
CC00104		0.08	<10	<10	64	<10	59
CC00105		0.06	<10	<10	57	<10	64
CC00106		0.07	<10	<10	58	<10	67
CC00107		0.06	<10	<10	53	<10	75
CC00108		0.08	<10	<10	47	10	49
CC00109		0.08	<10	<10	41	10	53
CC00110		0.07	<10	<10	48	<10	75
CC00111		0.07	<10	<10	47	<10	61
CC00112		0.10	<10	<10	49	10	65
CC00113		0.08	<10	<10	47	<10	66
CC00114		0.08	<10	<10	40	<10	52
CC00115		0.08	<10	<10	39	<10	49
CC00116		0.09	<10	<10	45	<10	50
CC00117		0.09	<10	<10	50	10	70
CC00118		0.11	<10	<10	35	<10	41
CC00119		0.07	<10	<10	59	<10	394
CC00120		0.09	<10	<10	55	<10	68
CC00121		0.11	<10	<10	59	<10	107
CC00122		0.10	<10	<10	69	<10	118
CC00123		0.09	<10	<10	68	<10	115
CC00124		0.10	<10	<10	59	10	225



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



D: DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 4 - A

Total Pages: 7 (A - C)

Finalized Date: 5-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	WEI-21	AU-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC00125		0.18	0.063	0.8	2.55	1565	<10	110	0.8	19	0.35	<0.5	11	31	199	8.23
CC00126		0.28	0.033	0.4	2.94	400	<10	160	1.4	5	0.26	0.5	25	44	97	5.01
CC00127		0.38	0.018	<0.2	2.77	283	<10	210	1.1	4	0.30	0.7	18	33	78	4.01
CC00128		0.26	0.035	0.2	3.22	443	<10	180	1.4	6	0.30	<0.5	22	46	87	4.90
CC00129		0.30	0.010	0.4	2.79	231	<10	150	1.0	<2	0.25	<0.5	13	32	59	3.68
CC00130		0.24	0.019	0.3	2.76	790	<10	150	1.1	9	0.35	0.6	21	37	72	4.90
CC00131		0.40	0.067	0.2	1.56	227	<10	110	0.7	<2	0.27	0.5	13	22	93	2.14
CC00132		0.34	0.026	0.3	1.68	134	<10	100	0.6	<2	0.23	<0.5	7	24	76	2.27
CC00133		0.22	0.042	0.2	1.62	152	<10	100	0.7	<2	0.26	<0.5	8	22	84	2.21
CC00134		0.24	0.023	0.2	1.94	254	<10	110	0.5	2	0.16	<0.5	7	28	55	2.63
CC00135		0.22	0.012	0.4	1.82	192	<10	110	0.5	2	0.14	<0.5	7	25	43	2.55
CC00136		0.36	0.023	0.3	2.20	343	<10	150	0.8	5	0.15	<0.5	12	31	80	3.31
CC00137		0.32	0.014	0.2	2.33	178	<10	130	0.7	<2	0.16	<0.5	12	31	70	2.84
CC00138		0.34	0.008	<0.2	1.98	119	<10	100	0.5	<2	0.15	<0.5	8	29	35	2.73
CC00139		0.32	0.016	<0.2	2.13	218	<10	130	0.7	<2	0.23	<0.5	14	26	70	2.80
CC00140		0.34	0.032	0.2	2.46	188	<10	120	0.8	<2	0.17	<0.5	9	30	83	2.86
CC00141		0.30	0.022	0.2	2.61	426	<10	170	1.0	4	0.18	<0.5	14	27	102	3.29
CC00142		0.44	0.026	<0.2	2.40	483	<10	210	1.0	4	0.29	<0.5	14	29	120	3.49
CC00143		0.50	0.846	0.2	2.19	301	<10	110	0.6	2	0.19	<0.5	9	29	86	3.17
CC00144		0.26	0.007	<0.2	1.87	362	<10	100	0.5	2	0.12	<0.5	8	30	32	3.06
CC00145		0.28	0.013	0.2	2.64	365	<10	170	0.9	3	0.19	<0.5	8	33	103	3.14
CC00146		0.28	0.005	0.3	1.94	271	<10	130	<0.5	<2	0.11	<0.5	8	26	42	2.65
CC00147		0.24	0.005	<0.2	2.00	174	<10	110	0.6	<2	0.16	<0.5	11	28	56	2.80
CC00148		0.26	0.011	0.2	2.49	198	<10	130	0.6	4	0.18	0.5	17	28	61	3.37
CC00149		0.26	0.005	<0.2	1.70	94	<10	90	<0.5	<2	0.14	<0.5	8	23	49	2.55
CC00150		0.24	0.008	<0.2	1.33	60	<10	200	<0.5	<2	0.18	<0.5	10	23	46	2.51
CC00151		0.24	0.010	<0.2	2.02	172	<10	90	0.7	<2	0.11	<0.5	9	24	57	2.96
CC00152		0.26	0.007	<0.2	1.66	490	<10	110	0.5	2	0.10	<0.5	12	26	54	3.20
CC00153		0.24	0.016	<0.2	1.65	192	<10	80	<0.5	<2	0.09	<0.5	7	25	30	2.63
CC00154		0.22	0.013	0.2	1.54	175	<10	80	<0.5	<2	0.12	<0.5	7	24	32	2.45
CC00155		0.24	0.009	<0.2	2.02	210	<10	130	0.6	2	0.10	<0.5	10	29	40	3.04
CC00156		0.24	0.080	0.5	1.87	250	<10	100	0.6	2	0.10	<0.5	9	25	46	2.87
CC00157		0.18	0.015	0.2	1.92	442	<10	120	0.7	<2	0.15	<0.5	11	29	56	3.34
CC00158		0.22	0.014	0.2	1.81	264	<10	110	0.6	2	0.12	<0.5	9	27	57	3.07
CC00159		0.24	0.015	0.3	1.72	366	<10	90	0.6	<2	0.10	<0.5	10	25	63	2.76
CC00160		0.16	0.014	0.3	1.98	870	<10	110	0.8	2	0.10	<0.5	11	29	94	3.57
CC00161		0.24	0.032	0.3	1.97	752	<10	120	0.8	2	0.10	<0.5	11	32	109	3.64
CC00162		0.20	0.008	<0.2	1.90	256	<10	60	0.5	<2	0.06	<0.5	8	31	28	4.24
CC00163		0.46	0.025	0.3	2.45	372	<10	200	1.2	4	0.15	<0.5	12	30	111	3.48
CC00164		0.36	0.015	<0.2	2.09	228	<10	150	0.7	4	0.14	<0.5	9	26	74	3.04



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 4 - B
Total Pages: 7 (A - C)
Finalized Date: 5-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC00125		10	1	0.16	20	0.62	240	7	0.02	35	1530	81	0.21	11	5	62
CC00126		10	1	0.19	20	0.78	609	3	<0.01	60	1040	68	0.04	5	5	33
CC00127		10	1	0.20	20	0.69	533	2	0.01	39	1010	40	0.02	4	5	28
CC00128		10	<1	0.15	20	0.87	573	3	<0.01	48	990	53	0.04	7	6	29
CC00129		10	<1	0.13	20	0.70	367	2	<0.01	32	750	37	0.03	5	4	20
CC00130		10	1	0.07	20	0.75	899	3	<0.01	39	880	62	0.06	7	4	30
CC00131		<10	<1	0.11	30	0.42	317	1	<0.01	23	840	28	0.02	2	3	25
CC00132		10	<1	0.09	20	0.42	217	1	<0.01	19	730	19	0.02	<2	3	17
CC00133		10	<1	0.10	20	0.42	243	1	<0.01	21	750	19	0.02	<2	3	20
CC00134		10	<1	0.07	10	0.44	251	1	<0.01	17	600	19	0.03	3	2	14
CC00135		10	<1	0.06	10	0.41	209	1	<0.01	19	550	12	0.03	2	2	14
CC00136		10	<1	0.08	20	0.49	311	1	<0.01	27	600	19	0.03	4	3	18
CC00137		10	<1	0.09	20	0.55	286	<1	<0.01	26	740	17	0.03	3	3	15
CC00138		10	<1	0.06	10	0.48	252	1	<0.01	19	590	16	0.01	<2	2	13
CC00139		10	<1	0.10	10	0.49	409	1	<0.01	25	910	18	0.02	<2	3	18
CC00140		10	1	0.08	20	0.51	227	1	<0.01	20	600	19	0.02	<2	3	16
CC00141		10	<1	0.13	20	0.51	358	1	<0.01	26	650	23	0.02	3	4	17
CC00142		10	1	0.16	30	0.55	313	1	<0.01	35	800	20	0.01	3	4	23
CC00143		10	1	0.12	10	0.56	261	2	0.01	26	910	21	0.04	<2	2	16
CC00144		10	<1	0.06	10	0.51	533	2	<0.01	15	720	15	0.05	<2	1	13
CC00145		10	1	0.10	20	0.68	382	2	0.01	21	790	18	0.04	<2	4	17
CC00146		10	1	0.05	10	0.46	322	2	<0.01	16	670	14	0.05	<2	1	13
CC00147		10	<1	0.06	10	0.48	406	3	0.01	23	650	14	0.05	<2	2	18
CC00148		10	1	0.09	10	0.56	637	1	0.01	29	1050	29	0.03	<2	3	18
CC00149		<10	<1	0.05	10	0.41	201	1	<0.01	18	690	16	0.01	<2	2	13
CC00150		<10	<1	0.05	10	0.43	408	1	<0.01	26	720	10	<0.01	<2	4	16
CC00151		10	1	0.06	10	0.38	281	2	<0.01	21	700	18	0.02	<2	2	12
CC00152		10	1	0.07	10	0.43	691	2	<0.01	20	580	18	0.03	<2	2	14
CC00153		<10	1	0.05	10	0.41	219	1	<0.01	16	550	12	0.02	<2	1	11
CC00154		<10	<1	0.04	10	0.37	212	1	<0.01	15	630	10	0.02	<2	1	12
CC00155		10	<1	0.06	10	0.49	286	1	<0.01	22	570	11	0.01	<2	2	11
CC00156		10	<1	0.08	10	0.45	362	1	<0.01	21	610	14	0.02	<2	2	12
CC00157		10	1	0.08	10	0.47	423	2	<0.01	22	680	17	0.04	3	2	16
CC00158		<10	<1	0.07	10	0.48	287	1	<0.01	23	660	19	0.02	<2	3	14
CC00159		10	<1	0.06	10	0.44	342	1	<0.01	24	600	13	0.03	<2	2	12
CC00160		10	<1	0.07	20	0.37	704	3	<0.01	22	920	21	0.10	<2	1	16
CC00161		10	1	0.07	20	0.45	470	2	<0.01	26	720	24	0.07	2	2	18
CC00162		10	<1	0.06	10	0.33	378	2	<0.01	16	420	19	0.02	<2	3	9
CC00163		10	1	0.11	20	0.52	385	2	<0.01	29	660	23	0.02	<2	3	17
CC00164		10	<1	0.08	20	0.46	215	1	<0.01	19	670	16	0.01	<2	3	14



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



Client: DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 4 - C
 Total Pages: 7 (A - C)
 Finalized Date: 5-AUG-2004
 Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC00125		0.09	<10	10	67	10	120
CC00126		0.11	<10	<10	74	<10	158
CC00127		0.13	<10	<10	67	10	150
CC00128		0.13	<10	<10	81	<10	173
CC00129		0.12	<10	<10	67	10	95
CC00130		0.08	<10	<10	71	<10	257
CC00131		0.09	<10	<10	41	10	58
CC00132		0.09	<10	<10	44	<10	52
CC00133		0.10	<10	<10	43	<10	54
CC00134		0.08	<10	<10	53	<10	47
CC00135		0.05	<10	<10	44	<10	47
CC00136		0.06	<10	<10	49	<10	61
CC00137		0.10	<10	<10	57	<10	69
CC00138		0.07	<10	<10	52	<10	55
CC00139		0.08	<10	<10	46	<10	67
CC00140		0.09	<10	<10	56	<10	52
CC00141		0.08	<10	<10	49	<10	58
CC00142		0.09	<10	<10	50	10	65
CC00143		0.08	<10	<10	56	<10	85
CC00144		0.07	<10	<10	57	<10	59
CC00145		0.11	<10	<10	61	<10	66
CC00146		0.05	<10	<10	44	<10	59
CC00147		0.05	<10	<10	46	<10	80
CC00148		0.07	<10	<10	53	<10	99
CC00149		0.05	<10	<10	43	<10	58
CC00150		0.06	<10	<10	41	<10	69
CC00151		0.06	<10	<10	46	<10	56
CC00152		0.06	<10	<10	51	<10	55
CC00153		0.05	<10	<10	44	<10	53
CC00154		0.04	<10	<10	42	<10	48
CC00155		0.05	<10	<10	50	<10	66
CC00156		0.06	<10	<10	48	<10	58
CC00157		0.05	<10	<10	51	<10	62
CC00158		0.06	<10	<10	46	<10	64
CC00159		0.05	<10	<10	43	<10	57
CC00160		0.03	<10	<10	47	<10	63
CC00161		0.04	<10	<10	50	<10	60
CC00162		0.08	<10	<10	69	<10	53
CC00163		0.07	<10	<10	54	<10	60
CC00164		0.07	<10	<10	46	<10	52



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 5 - A
Total Pages: 7 (A - C)
Finalized Date: 5-AUG-2004
Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC00165		0.30	0.011	<0.2	1.98	150	<10	130	0.6	2	0.16	<0.5	11	23	74	2.59
CC00166		0.32	0.016	<0.2	2.27	384	<10	160	0.9	5	0.20	<0.5	15	27	69	3.27
CC00167		0.58	0.027	0.2	2.11	599	<10	150	1.0	7	0.23	<0.5	14	29	94	3.52
CC00168		0.34	0.016	0.2	2.27	278	<10	160	0.8	2	0.30	<0.5	11	25	95	2.81
CC00169		0.30	0.019	0.2	1.95	309	<10	150	0.6	<2	0.24	<0.5	10	25	78	2.71
CC00170		0.40	0.070	0.2	1.43	525	<10	150	0.7	5	0.43	0.5	12	15	126	1.65
CC00171		0.40	0.089	0.2	0.86	175	<10	100	0.6	2	0.40	0.6	10	15	124	1.36
CC00172		0.32	0.012	0.3	1.52	72	<10	110	0.5	<2	0.22	<0.5	8	22	45	2.29
CC00173		0.46	0.005	0.3	1.85	52	<10	100	0.5	<2	0.16	<0.5	7	24	34	2.55
CC00174		0.26	0.017	0.3	2.89	642	<10	130	1.7	8	0.38	1.3	48	30	142	5.00
CC00175		0.24	0.055	1.8	3.30	1650	<10	150	1.6	31	1.46	3.2	33	34	188	6.67
CC00176		0.30	0.040	0.9	3.05	1365	<10	150	1.4	24	0.84	1.0	25	36	123	6.43
CC00177		0.26	0.024	0.7	3.06	871	<10	200	1.4	14	0.81	1.5	26	37	110	5.97
CC00178		0.20	0.026	0.8	3.68	997	<10	200	2.0	16	0.60	0.8	48	38	182	6.59
CC00179		0.30	0.021	0.4	3.45	340	<10	240	1.4	5	0.26	0.6	25	35	159	5.51
CC00180		0.28	0.119	0.6	2.97	839	<10	240	2.0	14	1.10	1.4	45	80	167	5.56
CC00181		0.18	0.033	1.3	2.78	1180	10	110	1.4	23	2.25	2.8	26	26	134	5.64
CC00182		0.16	0.110	0.8	3.52	1125	<10	240	2.1	20	0.59	1.0	48	63	279	6.90
CC00183		0.26	0.037	1.8	3.12	1455	10	120	1.5	30	1.68	4.0	32	30	206	7.42
CC00184		0.28	0.041	1.1	3.37	1470	<10	160	1.8	25	0.95	3.9	43	29	220	7.35
CC00185		0.30	0.018	0.5	2.68	627	<10	170	1.0	9	0.72	1.4	22	32	102	4.79
CC00186		0.24	0.020	0.6	2.83	1230	<10	140	1.2	12	0.57	0.9	26	34	125	5.18
CC00187		0.50	0.013	0.4	2.50	261	<10	160	1.1	2	0.24	0.5	20	35	108	3.88
CC00188		0.42	0.027	<0.2	2.03	125	<10	150	0.6	2	0.19	<0.5	10	28	66	2.59
CC00189		0.48	0.067	0.2	0.87	108	<10	90	0.5	3	0.55	<0.5	12	15	88	1.36
CC00190		0.28	0.026	0.3	2.10	502	<10	170	0.9	3	0.18	0.5	15	29	90	3.29
CC00191		0.28	0.022	<0.2	2.11	357	<10	130	0.6	2	0.16	<0.5	9	27	77	2.67
CC00192		0.36	0.077	0.2	2.83	302	<10	180	0.9	2	0.25	<0.5	11	29	85	2.81
CC00193		0.28	0.028	0.2	2.11	418	<10	170	0.9	4	0.19	<0.5	13	30	106	3.49
CC00194		0.24	0.028	0.3	2.15	419	<10	160	1.1	6	0.14	<0.5	16	31	122	3.68
CC00195		0.28	0.028	0.3	2.27	419	<10	180	1.0	5	0.14	<0.5	15	32	120	3.73
CC00196		0.22	0.010	<0.2	1.68	193	<10	110	<0.5	2	0.11	<0.5	7	25	40	2.59
CC00197		0.30	0.012	0.2	1.92	346	<10	140	0.7	2	0.19	<0.5	11	28	65	2.81
CC00198		0.36	0.011	0.2	1.66	497	<10	110	0.5	<2	0.14	<0.5	8	24	122	2.68
CC00199		0.28	0.008	0.2	2.12	352	<10	110	0.6	2	0.10	<0.5	11	28	75	3.80
CC00200		0.32	0.014	0.2	2.18	457	<10	130	0.6	3	0.11	<0.5	6	28	73	3.30
CC00201		0.32	0.009	<0.2	2.35	657	<10	150	0.7	3	0.13	<0.5	10	31	75	3.69
CC00202		0.28	0.006	<0.2	1.72	513	<10	140	0.7	<2	0.16	<0.5	10	28	45	3.36
CC00203		0.34	0.010	<0.2	1.97	457	<10	100	0.5	2	0.14	<0.5	9	27	57	2.92
CC00204		0.34	0.010	0.3	1.91	646	<10	120	0.7	3	0.14	<0.5	9	31	50	3.20



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 5 - B
 Total Pages: 7 (A - C)
 Finalized Date: 5-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
CC00165		<10	<1	0.07	10	0.42	325	1	<0.01	24	750	13	0.01	<2	3	14
CC00166		10	<1	0.10	20	0.49	515	2	<0.01	27	860	22	0.03	<2	2	19
CC00167		10	<1	0.08	30	0.50	465	3	0.01	26	690	22	0.03	3	3	26
CC00168		10	<1	0.08	20	0.50	325	2	0.01	25	910	13	0.02	<2	3	24
CC00169		<10	1	0.08	10	0.47	272	1	0.01	27	780	10	0.01	<2	3	19
CC00170		<10	<1	0.19	30	0.34	394	<1	0.04	16	1040	25	0.01	<2	2	33
CC00171		<10	<1	0.17	40	0.31	228	1	0.03	11	910	29	<0.01	2	2	37
CC00172		<10	1	0.07	20	0.41	202	1	<0.01	20	780	13	<0.01	<2	3	16
CC00173		<10	<1	0.04	20	0.42	198	1	<0.01	18	650	10	0.01	<2	3	13
CC00174		10	1	0.06	20	0.66	1180	3	0.01	83	1060	81	0.07	3	4	40
CC00175		10	<1	0.08	20	0.99	1540	2	0.05	55	1360	142	0.08	7	6	89
CC00176		10	<1	0.05	20	0.84	1320	2	0.02	46	1140	129	0.06	10	5	61
CC00177		10	1	0.13	20	0.86	1280	2	0.04	50	1260	100	0.06	5	5	69
CC00178		10	2	0.10	20	0.94	1755	4	0.02	92	1300	123	0.10	9	5	76
CC00179		10	<1	0.31	20	0.85	699	4	0.02	66	1380	70	0.04	6	6	36
CC00180		10	1	0.46	20	1.38	931	1	0.03	91	1680	61	0.03	7	7	162
CC00181		10	<1	0.11	20	0.78	1355	1	0.05	42	1280	111	0.10	11	4	106
CC00182		10	<1	0.36	30	1.14	504	3	0.03	111	1550	68	0.08	8	7	120
CC00183		10	<1	0.16	20	0.91	1715	1	0.06	52	1140	148	0.08	13	5	130
CC00184		10	<1	0.14	20	0.81	1335	2	0.06	92	1220	120	0.08	8	5	129
CC00185		10	1	0.14	20	0.83	610	2	0.03	39	1000	57	0.04	3	5	54
CC00186		10	<1	0.07	20	0.82	719	2	0.02	50	1080	81	0.07	7	4	43
CC00187		10	<1	0.07	30	0.68	474	3	0.01	53	1100	35	0.04	3	5	23
CC00188		10	<1	0.06	20	0.45	220	1	<0.01	23	770	13	0.01	<2	4	15
CC00189		<10	<1	0.18	40	0.32	250	<1	0.04	11	990	20	<0.01	<2	2	43
CC00190		10	<1	0.08	20	0.49	696	2	<0.01	28	850	23	0.03	2	2	21
CC00191		10	<1	0.06	20	0.46	193	1	<0.01	20	710	16	0.02	<2	2	15
CC00192		10	<1	0.09	20	0.51	278	1	0.01	25	880	21	0.02	<2	3	21
CC00193		10	1	0.08	20	0.52	385	2	0.01	27	780	23	0.03	<2	3	21
CC00194		10	1	0.09	20	0.50	562	2	0.01	27	790	23	0.05	2	3	21
CC00195		10	<1	0.09	20	0.52	534	2	<0.01	28	750	23	0.04	2	3	21
CC00196		10	<1	0.08	10	0.38	197	1	<0.01	16	620	15	0.02	<2	1	12
CC00197		10	1	0.08	20	0.45	369	3	<0.01	23	650	19	0.03	<2	2	19
CC00198		<10	<1	0.06	20	0.41	190	2	<0.01	23	640	16	<0.01	2	3	12
CC00199		10	<1	0.09	20	0.43	248	2	<0.01	27	730	21	0.02	<2	2	12
CC00200		10	<1	0.08	20	0.48	289	2	<0.01	19	670	18	0.03	<2	2	13
CC00201		10	<1	0.07	20	0.50	452	2	<0.01	27	760	22	0.03	<2	2	16
CC00202		10	1	0.08	20	0.53	411	2	<0.01	22	510	21	0.02	2	2	17
CC00203		<10	<1	0.06	10	0.52	288	1	<0.01	23	500	11	0.02	<2	2	14
CC00204		10	<1	0.07	20	0.51	530	2	<0.01	20	670	15	0.04	2	2	17



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 5 - C
Total Pages: 7 (A - C)
Finalized Date: 5-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC00165		0.06	<10	<10	40	<10	69
CC00166		0.06	<10	<10	46	<10	73
CC00167		0.05	<10	<10	48	<10	62
CC00168		0.08	<10	<10	44	<10	55
CC00169		0.08	<10	<10	44	<10	61
CC00170		0.10	<10	<10	29	10	68
CC00171		0.10	<10	<10	27	<10	61
CC00172		0.07	<10	<10	40	<10	57
CC00173		0.06	<10	<10	42	<10	51
CC00174		0.07	<10	<10	58	<10	379
CC00175		0.06	<10	<10	59	<10	563
CC00176		0.06	<10	<10	65	<10	380
CC00177		0.09	<10	<10	70	<10	311
CC00178		0.08	<10	<10	69	<10	404
CC00179		0.13	<10	<10	72	<10	189
CC00180		0.17	<10	<10	81	<10	187
CC00181		0.04	<10	<10	44	<10	433
CC00182		0.15	<10	<10	82	<10	338
CC00183		0.05	<10	<10	47	<10	524
CC00184		0.07	<10	<10	54	<10	569
CC00185		0.11	<10	<10	66	<10	292
CC00186		0.08	<10	<10	66	<10	452
CC00187		0.10	<10	<10	61	<10	180
CC00188		0.08	<10	10	48	<10	57
CC00189		0.11	<10	<10	29	10	37
CC00190		0.06	<10	<10	49	<10	85
CC00191		0.07	<10	<10	46	<10	58
CC00192		0.10	<10	<10	55	<10	54
CC00193		0.06	<10	<10	51	<10	73
CC00194		0.06	<10	<10	49	<10	66
CC00195		0.06	<10	<10	52	<10	70
CC00196		0.06	<10	<10	45	<10	45
CC00197		0.06	<10	<10	46	<10	63
CC00198		0.06	<10	<10	40	<10	72
CC00199		0.05	<10	<10	53	<10	73
CC00200		0.06	<10	<10	54	<10	62
CC00201		0.05	<10	<10	57	<10	76
CC00202		0.08	<10	<10	59	<10	61
CC00203		0.06	<10	<10	48	<10	67
CC00204		0.05	<10	<10	51	<10	61



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 6 - A
 Total Pages: 7 (A - C)
 Finalized Date: 5-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	
CC00205		0.30	0.025	0.3	2.12	535	<10	180	1.0	2	0.22	<0.5	15	32	89	3.42
CC00206		0.34	0.017	0.2	1.98	529	<10	200	0.9	3	0.32	<0.5	15	30	96	3.25
CC00207		0.26	0.085	0.2	2.12	443	<10	150	0.9	4	0.22	<0.5	18	28	104	3.85
CC00208		0.26	0.018	0.3	2.08	367	<10	140	1.1	3	0.22	0.8	19	26	112	3.59
CC00209		0.30	0.023	0.2	2.52	425	<10	170	1.2	3	0.20	<0.5	20	28	137	3.60
CC00210		0.28	0.019	<0.2	2.96	842	<10	170	1.6	6	0.21	0.6	12	39	106	3.89
CC00211		0.26	0.008	0.5	1.82	526	<10	140	0.9	3	0.46	<0.5	11	46	68	3.04
CC00212		0.28	0.025	0.3	2.09	609	<10	180	0.9	3	0.26	0.5	12	31	79	3.14
CC00213		0.34	0.009	<0.2	1.76	97	<10	80	0.5	<2	0.18	<0.5	7	24	60	2.49
CC00214		0.20	0.029	0.6	3.49	336	<10	100	1.6	4	0.26	0.5	19	28	270	4.57
CC00215		0.34	0.033	0.3	1.68	425	<10	180	0.8	4	0.40	1.0	18	27	154	3.76
CC00216		0.22	0.019	0.3	3.42	715	<10	150	1.7	12	0.33	0.8	39	29	126	5.66
CC00217		0.24	0.021	0.8	3.33	1300	<10	120	1.5	17	1.01	3.6	46	28	121	6.13
CC00218		0.36	0.023	0.9	2.74	1160	20	100	1.2	16	1.38	4.7	39	19	212	7.46
CC00219		0.32	0.055	1.6	3.14	955	10	110	1.3	31	1.10	2.9	30	28	225	7.78
CC00220		0.32	0.025	0.6	2.56	335	<10	110	0.7	11	0.20	<0.5	15	30	211	10.30
CC00221		0.20	0.018	1.0	2.87	454	<10	130	1.2	7	0.45	0.5	17	25	254	8.69
CC00222		0.26	0.016	0.3	2.12	296	<10	130	0.9	4	0.35	0.7	18	24	94	4.30
CC00223		0.30	0.004	0.2	3.29	175	<10	140	1.4	3	0.22	0.7	20	35	98	5.36
CC00224		0.24	0.016	0.2	2.19	254	<10	160	0.9	3	0.24	0.7	17	31	91	4.41
CC00225		0.30	0.031	<0.2	1.84	186	<10	100	0.7	2	0.20	<0.5	8	25	51	2.47
CC00226		0.28	0.020	0.2	1.92	495	<10	150	0.9	3	0.31	<0.5	15	29	112	3.61
CC00227		0.28	0.030	0.2	1.78	525	<10	180	0.9	3	0.26	0.7	19	27	118	3.69
CC00228		0.26	0.027	<0.2	1.88	600	<10	190	1.0	4	0.30	0.5	21	28	133	3.91
CC00229		0.32	0.024	0.2	2.01	512	<10	170	1.1	4	0.26	0.5	21	27	134	3.81
CC00230		0.36	0.120	0.5	2.01	549	<10	160	1.0	4	0.30	0.5	21	27	140	3.87
CC00231		0.34	0.040	0.2	1.80	420	<10	160	0.7	3	0.30	<0.5	16	23	160	2.55
CC00232		0.34	0.027	0.2	2.18	313	<10	190	0.8	3	0.36	<0.5	19	25	139	3.13
CC00233		0.34	0.012	<0.2	1.75	602	<10	120	0.8	<2	0.11	0.5	15	22	130	3.35
CC00234		0.40	0.012	0.2	2.08	479	<10	140	1.3	4	0.39	0.7	24	29	122	4.72
CC00235		0.34	0.017	0.2	1.52	636	<10	120	0.9	2	0.14	0.7	21	21	120	3.73
CC00236		0.26	0.015	0.5	2.82	475	<10	160	2.0	3	0.38	0.9	32	30	224	5.87
CC00237		0.32	0.021	0.2	1.80	508	<10	150	0.7	5	0.12	<0.5	9	29	55	3.10
CC00238		0.32	0.032	<0.2	1.82	597	<10	110	0.5	6	0.09	<0.5	9	26	58	3.11
CC00239		0.24	0.020	<0.2	1.86	792	<10	100	0.5	7	0.09	<0.5	10	28	62	3.42
CC00240		0.32	0.029	<0.2	1.70	714	<10	100	0.6	8	0.10	<0.5	8	23	86	3.08
CC00241		0.22	0.016	0.2	1.99	259	<10	110	0.6	2	0.12	<0.5	9	27	83	2.76
CC00242		0.24	0.010	<0.2	2.18	263	<10	90	0.5	<2	0.10	<0.5	10	31	64	3.01
CC00243		0.24	0.037	0.7	1.86	553	<10	180	1.0	4	0.31	0.5	18	27	128	3.75
CC00244		0.24	0.026	0.2	1.76	489	<10	170	0.9	4	0.30	<0.5	18	27	120	3.71



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 6 - B
 Total Pages: 7 (A - C)
 Finalized Date: 5-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
CC00205		10	<1	0.09	20	0.52	557	2	<0.01	26	780	21	0.04	<2	3	23
CC00206		10	1	0.10	20	0.51	618	2	<0.01	29	880	19	0.04	3	3	28
CC00207		10	<1	0.12	20	0.52	569	2	0.01	29	960	31	0.06	4	2	24
CC00208		10	<1	0.11	20	0.47	649	2	0.01	28	950	32	0.07	<2	2	24
CC00209		10	<1	0.10	20	0.53	690	2	0.01	29	870	29	0.06	2	2	23
CC00210		10	1	0.12	50	0.49	453	2	<0.01	21	1120	25	0.07	<2	2	22
CC00211		10	<1	0.09	20	0.50	335	4	0.01	25	1180	22	0.07	<2	2	36
CC00212		10	1	0.08	20	0.47	503	3	0.01	26	1080	20	0.07	<2	2	25
CC00213		10	1	0.05	20	0.40	194	1	<0.01	21	690	15	0.02	<2	2	15
CC00214		10	1	0.09	40	0.53	435	5	0.01	51	1500	122	0.12	2	3	31
CC00215		10	<1	0.15	30	0.58	645	3	0.01	35	1090	57	0.02	2	4	49
CC00216		10	1	0.05	20	0.60	711	2	0.01	84	1100	91	0.08	4	3	42
CC00217		10	<1	0.08	20	0.76	1040	2	0.03	68	1320	115	0.12	8	3	70
CC00218		10	<1	0.19	20	0.75	926	2	0.10	72	1220	130	0.07	14	4	191
CC00219		10	1	0.20	20	0.86	895	2	0.07	68	1480	138	0.12	7	5	103
CC00220		10	<1	0.15	10	0.68	360	5	0.01	34	1720	64	0.24	6	4	53
CC00221		10	<1	0.17	20	0.64	505	7	0.02	53	1610	236	0.18	12	5	90
CC00222		10	1	0.12	20	0.49	467	3	0.01	40	1180	87	0.04	6	3	37
CC00223		10	1	0.10	10	0.62	589	4	0.01	47	990	63	0.05	<2	4	24
CC00224		10	<1	0.06	20	0.59	574	3	<0.01	40	840	80	0.03	3	4	27
CC00225		10	<1	0.09	20	0.43	252	1	<0.01	18	690	23	0.02	2	2	17
CC00226		10	<1	0.09	20	0.54	416	4	0.01	28	940	25	0.03	2	3	29
CC00227		10	<1	0.09	20	0.49	580	2	0.01	32	830	25	0.02	3	3	27
CC00228		10	<1	0.10	20	0.52	620	1	0.01	36	860	29	0.03	3	4	33
CC00229		<10	1	0.12	20	0.51	659	2	0.01	34	900	30	0.04	3	3	29
CC00230		10	1	0.13	20	0.53	650	2	0.01	39	910	32	0.04	4	3	31
CC00231		10	<1	0.18	20	0.50	324	1	0.02	27	970	22	0.02	3	3	26
CC00232		10	<1	0.19	20	0.57	436	2	0.02	40	1120	25	0.02	<2	3	31
CC00233		<10	<1	0.07	20	0.34	410	2	<0.01	29	610	21	0.02	2	2	14
CC00234		10	<1	0.13	20	0.48	725	2	0.01	51	1040	30	0.02	<2	5	68
CC00235		<10	<1	0.08	20	0.33	477	2	<0.01	38	710	28	0.02	2	3	17
CC00236		10	<1	0.11	20	0.63	694	4	0.02	71	1310	63	0.12	3	3	65
CC00237		10	1	0.06	20	0.41	268	2	<0.01	21	830	14	0.04	<2	1	15
CC00238		10	<1	0.06	10	0.41	292	1	<0.01	20	550	12	0.02	2	2	11
CC00239		10	<1	0.06	10	0.43	399	2	<0.01	22	560	17	0.03	2	1	11
CC00240		<10	<1	0.06	10	0.39	282	1	<0.01	21	520	14	0.02	<2	2	11
CC00241		10	<1	0.08	10	0.45	281	2	<0.01	21	660	17	0.03	<2	2	13
CC00242		10	<1	0.06	10	0.52	367	2	<0.01	21	660	14	0.04	<2	2	11
CC00243		10	<1	0.10	20	0.50	510	2	0.01	33	930	26	0.03	4	3	32
CC00244		<10	<1	0.10	20	0.50	575	2	0.01	33	870	27	0.03	<2	3	30



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 6 - C
 Total Pages: 7 (A - C)
 Finalized Date: 5-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
CC00205		0.05	<10	<10	54	<10	78
CC00206		0.06	<10	<10	51	<10	80
CC00207		0.06	<10	<10	53	<10	108
CC00208		0.06	<10	<10	48	<10	105
CC00209		0.06	<10	<10	53	10	81
CC00210		0.09	<10	<10	66	<10	65
CC00211		0.06	<10	10	49	<10	77
CC00212		0.06	<10	<10	50	<10	85
CC00213		0.06	<10	<10	45	<10	68
CC00214		0.07	<10	10	57	<10	206
CC00215		0.11	<10	<10	56	<10	134
CC00216		0.06	<10	<10	56	<10	385
CC00217		0.08	<10	<10	62	<10	716
CC00218		0.07	<10	<10	46	<10	643
CC00219		0.10	<10	<10	58	<10	565
CC00220		0.06	<10	<10	66	<10	71
CC00221		0.08	<10	<10	65	<10	258
CC00222		0.08	<10	<10	51	<10	168
CC00223		0.10	<10	<10	70	<10	124
CC00224		0.08	<10	<10	63	<10	165
CC00225		0.09	<10	<10	46	<10	76
CC00226		0.07	<10	<10	51	<10	82
CC00227		0.07	<10	<10	48	<10	85
CC00228		0.06	<10	<10	49	<10	93
CC00229		0.06	<10	<10	47	<10	94
CC00230		0.06	<10	<10	47	10	110
CC00231		0.10	<10	<10	45	<10	65
CC00232		0.10	<10	<10	49	<10	84
CC00233		0.05	<10	<10	43	<10	68
CC00234		0.11	<10	<10	65	<10	148
CC00235		0.06	<10	<10	43	<10	101
CC00236		0.07	<10	<10	59	<10	212
CC00237		0.04	<10	<10	46	<10	58
CC00238		0.05	<10	<10	46	<10	58
CC00239		0.05	<10	<10	50	<10	59
CC00240		0.05	<10	<10	41	<10	62
CC00241		0.08	<10	<10	53	<10	56
CC00242		0.08	<10	<10	57	<10	64
CC00243		0.06	<10	<10	47	<10	84
CC00244		0.06	<10	<10	47	<10	90



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 7 - A
 Total Pages: 7 (A - C)
 Finalized Date: 5-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC00245		0.28	0.019	0.4	1.70	540	<10	150	0.9	5	0.39	<0.5	15	26	98	3.42
CC00246		0.28	0.076	0.2	1.76	554	<10	160	1.0	4	0.33	0.6	18	25	108	3.50
CC00247		0.30	0.020	0.2	1.76	110	<10	90	0.5	<2	0.14	<0.5	7	24	37	2.32
CC00248		0.22	0.008	<0.2	2.05	111	<10	90	0.5	<2	0.15	<0.5	6	25	37	2.44
CC00249		0.26	0.007	<0.2	1.72	71	<10	80	<0.5	<2	0.15	<0.5	6	24	35	2.67
CC00250		0.44	0.016	0.5	1.96	151	<10	160	0.8	2	0.27	0.6	17	29	114	3.91
CC00251		0.18	0.026	1.5	3.28	747	<10	120	1.3	12	0.80	<0.5	14	25	291	8.60
CC00252		0.26	0.018	1.6	2.65	361	<10	100	1.7	6	0.32	2.9	48	26	232	9.71
CC00253		0.24	0.010	3.2	2.60	242	<10	100	1.0	8	0.21	0.5	21	30	220	9.63
CC00254		0.22	0.006	0.7	2.54	108	<10	80	0.8	2	0.18	<0.5	11	31	125	5.15
CC00255		0.26	0.010	0.9	2.60	196	<10	90	0.8	3	0.18	<0.5	12	33	149	5.26
CC00256		0.32	0.007	0.5	2.12	94	<10	90	0.5	<2	0.16	<0.5	8	31	55	3.43
CC00257		0.26	0.010	0.2	1.86	60	<10	90	<0.5	<2	0.11	<0.5	5	26	28	2.66
CC00258		0.24	0.011	<0.2	1.68	120	<10	80	0.5	<2	0.14	<0.5	8	24	57	2.38
CC00259		0.24	0.029	0.2	1.59	207	<10	70	0.6	3	0.17	<0.5	8	19	56	1.84
CC00260		0.40	0.216	0.2	1.76	183	<10	180	0.5	<2	0.26	<0.5	9	27	98	2.65
CC00261		0.30	0.011	<0.2	1.87	147	<10	110	<0.5	<2	0.31	<0.5	6	23	70	2.22
CC00262		0.18	0.022	0.2	2.19	447	<10	190	1.0	4	0.48	<0.5	22	30	106	3.82
CC00263		0.30	0.004	0.3	2.38	716	<10	150	0.8	2	0.30	<0.5	10	32	60	2.69
CC00264		0.24	0.002	0.2	2.17	588	<10	110	0.7	2	0.22	<0.5	6	33	71	2.79
CC00265		0.24	0.021	0.2	2.00	497	<10	150	0.9	3	0.29	<0.5	19	25	123	3.32
CC00266		0.18	0.008	0.3	1.84	396	<10	120	0.8	2	0.21	0.5	16	22	90	2.93
CC00267		0.28	0.021	<0.2	2.24	216	<10	100	0.6	3	0.20	<0.5	7	26	74	2.34
CC00268		0.26	0.018	<0.2	2.04	423	<10	100	0.5	2	0.19	<0.5	8	27	92	2.64
CC00269		0.24	0.031	0.2	1.53	103	<10	70	<0.5	2	0.13	<0.5	4	24	53	1.80
CC00270		0.36	0.052	0.2	1.64	198	<10	150	0.7	2	0.28	<0.5	12	24	94	2.01
CC00271		0.26	0.016	<0.2	1.71	185	<10	90	0.5	2	0.15	<0.5	7	23	65	2.35
CC00272		0.30	0.015	<0.2	2.15	213	<10	110	0.7	3	0.20	<0.5	10	28	82	2.84
CC00273		0.18	0.013	<0.2	2.48	405	<10	140	1.5	3	0.25	<0.5	26	29	141	3.75
CC00274		0.24	0.018	0.2	2.73	595	<10	150	1.9	5	0.25	<0.5	38	28	215	4.72
CC00275		0.18	0.022	0.5	3.08	619	<10	170	2.3	7	0.39	0.7	50	30	279	5.51
CC00276		0.28	0.009	0.2	3.27	292	<10	120	1.1	4	0.21	<0.5	15	31	106	3.18
CC00277		0.22	0.009	<0.2	3.43	228	<10	120	1.2	3	0.19	<0.5	11	32	76	3.21
CC00278		0.18	0.017	0.2	2.70	479	<10	120	1.7	5	0.19	<0.5	29	31	205	4.32
CC00279		0.24	0.019	0.3	2.67	530	<10	160	1.4	4	0.25	<0.5	27	30	169	4.18
CC00280		0.26	0.017	0.2	3.01	356	<10	130	1.3	3	0.20	<0.5	15	30	118	3.44
CC00281		0.24	0.015	0.4	2.62	936	<10	160	1.0	3	0.40	<0.5	14	34	124	3.31
CC00282		0.26	0.022	0.3	2.51	504	<10	140	1.5	5	0.22	<0.5	24	27	197	4.18
CC00283		0.24	0.033	0.4	2.73	647	<10	160	1.9	6	0.27	0.5	42	29	245	4.98



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 7 - B

Total Pages: 7 (A - C)

Finalized Date: 5-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC00245		10	1	0.11	20	0.50	471	3	0.02	25	930	24	0.08	<2	2	35
CC00246		<10	<1	0.11	20	0.47	503	2	0.01	30	870	25	0.04	2	3	31
CC00247		10	<1	0.05	20	0.39	233	1	<0.01	15	680	13	0.02	<2	2	12
CC00248		10	1	0.05	10	0.37	166	2	<0.01	17	730	20	0.03	<2	2	14
CC00249		10	<1	0.03	10	0.36	144	1	<0.01	16	660	13	0.02	<2	2	13
CC00250		<10	1	0.06	20	0.57	346	2	0.01	40	900	68	0.01	<2	5	25
CC00251		10	<1	0.20	20	0.71	525	6	0.03	56	1600	361	0.21	18	5	109
CC00252		10	<1	0.19	30	0.64	1460	6	<0.01	89	1620	386	0.17	19	9	75
CC00253		10	<1	0.24	20	0.72	814	8	<0.01	48	1440	592	0.23	10	5	30
CC00254		10	<1	0.11	20	0.54	397	5	<0.01	36	1150	181	0.13	4	3	20
CC00255		10	1	0.12	20	0.73	337	4	<0.01	44	1000	247	0.11	5	5	24
CC00256		10	<1	0.05	20	0.55	212	2	<0.01	26	760	93	0.06	4	3	16
CC00257		10	<1	0.04	10	0.39	130	1	<0.01	16	730	26	0.06	2	1	12
CC00258		<10	1	0.05	20	0.41	250	1	<0.01	19	650	14	0.03	3	2	14
CC00259		10	<1	0.07	20	0.24	236	1	<0.01	11	1040	25	0.07	2	1	15
CC00260		<10	<1	0.07	20	0.49	299	1	<0.01	23	760	14	0.02	2	4	20
CC00261		10	1	0.06	10	0.45	138	1	<0.01	19	830	14	0.04	<2	3	21
CC00262		10	1	0.12	20	0.66	880	2	0.01	33	650	33	0.07	5	4	43
CC00263		10	1	0.06	20	0.55	447	6	<0.01	24	1160	21	0.11	3	1	22
CC00264		10	<1	0.08	10	0.55	188	4	<0.01	22	870	18	0.09	<2	2	18
CC00265		10	1	0.16	20	0.50	568	2	0.01	34	930	27	0.05	4	3	29
CC00266		10	<1	0.11	20	0.40	570	1	<0.01	24	970	26	0.09	3	1	22
CC00267		10	1	0.06	20	0.41	164	1	<0.01	16	800	21	0.05	<2	2	16
CC00268		10	<1	0.06	20	0.50	215	2	<0.01	21	750	16	0.04	3	3	15
CC00269		10	<1	0.05	20	0.39	120	1	<0.01	13	550	14	0.05	2	1	15
CC00270		<10	<1	0.15	30	0.43	333	1	<0.01	18	870	24	0.03	<2	2	20
CC00271		<10	<1	0.05	20	0.38	206	1	<0.01	16	610	16	0.03	<2	2	15
CC00272		10	<1	0.07	20	0.50	318	1	<0.01	23	720	18	0.04	3	3	18
CC00273		10	<1	0.09	30	0.52	891	3	<0.01	36	1040	41	0.11	3	2	29
CC00274		10	1	0.12	30	0.58	760	3	0.01	63	1000	59	0.08	4	3	39
CC00275		10	<1	0.12	30	0.67	1055	4	0.01	83	1200	70	0.11	6	4	57
CC00276		10	<1	0.15	20	0.52	371	2	<0.01	28	1000	31	0.08	4	3	23
CC00277		10	1	0.12	20	0.45	302	1	<0.01	18	970	25	0.08	2	3	17
CC00278		10	<1	0.11	30	0.58	922	3	<0.01	44	950	44	0.12	3	3	29
CC00279		10	<1	0.13	20	0.62	743	2	0.01	42	1000	45	0.08	3	3	34
CC00280		10	1	0.15	20	0.56	439	2	<0.01	30	940	32	0.10	3	3	23
CC00281		10	<1	0.10	20	0.64	194	4	0.01	31	880	32	0.10	4	4	38
CC00282		10	<1	0.09	30	0.56	367	2	<0.01	49	910	51	0.10	5	3	33
CC00283		10	<1	0.10	30	0.60	904	3	0.01	66	1020	61	0.10	5	4	45



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 7 - C
 Total Pages: 7 (A - C)
 Finalized Date: 5-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047772

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	Tl	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC00245		0.05	<10	<10	46	<10	79
CC00246		0.06	<10	<10	45	<10	79
CC00247		0.06	<10	<10	41	<10	47
CC00248		0.06	<10	<10	46	<10	51
CC00249		0.05	<10	<10	42	<10	44
CC00250		0.08	<10	<10	54	<10	147
CC00251		0.10	<10	<10	65	<10	291
CC00252		0.05	<10	<10	74	<10	453
CC00253		0.07	<10	<10	81	<10	395
CC00254		0.08	<10	<10	67	<10	168
CC00255		0.10	<10	<10	70	<10	238
CC00256		0.06	<10	<10	56	<10	127
CC00257		0.05	<10	<10	47	<10	67
CC00258		0.06	<10	<10	43	<10	54
CC00259		0.06	<10	<10	40	<10	44
CC00260		0.09	<10	<10	48	<10	62
CC00261		0.08	<10	<10	42	<10	47
CC00262		0.09	<10	<10	57	<10	101
CC00263		0.04	<10	<10	49	<10	90
CC00264		0.07	<10	<10	54	<10	79
CC00265		0.07	<10	<10	46	<10	98
CC00266		0.05	<10	<10	42	10	85
CC00267		0.10	<10	<10	52	<10	38
CC00268		0.08	<10	<10	51	<10	59
CC00269		0.05	<10	<10	41	<10	43
CC00270		0.10	<10	<10	42	<10	52
CC00271		0.05	<10	<10	43	10	48
CC00272		0.07	<10	<10	51	<10	69
CC00273		0.06	<10	<10	55	<10	94
CC00274		0.07	<10	<10	54	<10	207
CC00275		0.07	<10	<10	60	<10	238
CC00276		0.08	<10	<10	55	<10	81
CC00277		0.10	<10	<10	50	10	59
CC00278		0.07	<10	<10	60	<10	124
CC00279		0.08	<10	<10	58	<10	135
CC00280		0.09	<10	<10	57	<10	90
CC00281		0.09	<10	<10	58	<10	98
CC00282		0.07	<10	<10	51	<10	139
CC00283		0.07	<10	<10	56	<10	191



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Finalized



Page: 1

Date: 4-AUG-2004

Account: DYNAMI

CERTIFICATE VA04047771

Project: Mike Lake

P.O. No.:

This report is for 42 Soil samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2004.

The following have access to data associated with this certificate:

VANCOUVER OFFICE
JOAN MARIACHER

AL ARCHER
BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41	Screen to -180um and save both
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **DYNAMITE**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - A
 Total Pages: 3 (A - C)
 Finalized Date: 4-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047771

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd WL kg 0.02	Au ppm 0.001	Ag ppm 0.2	Al % 0.01	As ppm 2	S ppm 10	Ba ppm 10	Be ppm 0.5	Bi ppm 2	Ca % 0.01	Cd ppm 0.5	Co ppm 1	Cr ppm 1	Cu ppm 1	Fe % 0.01
CC00001		0.10	<0.001	<0.2	0.85	7	10	40	<0.5	<2	4.84	0.8	7	6	26	0.73
CC00002		0.14	0.011	0.2	1.44	17	10	60	<0.5	<2	3.32	0.6	10	8	27	1.12
CC00003		0.10	NSS	<0.2	1.51	19	<10	80	<0.5	<2	2.51	1.4	11	13	39	1.52
CC00004		0.20	NSS	<0.2	2.28	156	<10	120	0.8	2	0.79	0.5	14	25	39	2.85
CC00005		0.18	0.004	<0.2	2.08	25	<10	120	0.6	<2	1.08	0.8	10	23	18	2.80
CC00006		0.26	0.007	<0.2	2.98	100	<10	190	0.9	2	0.96	0.6	16	34	44	3.26
CC00007		0.26	0.007	0.4	2.80	124	<10	210	0.9	<2	0.66	1.0	16	30	46	3.10
CC00008		0.20	0.011	<0.2	2.67	140	<10	130	0.9	<2	0.58	0.8	12	24	30	2.79
CC00009		0.20	0.002	0.3	2.73	222	<10	140	0.9	3	0.90	0.7	17	23	48	3.37
CC00010		0.22	NSS	0.3	2.06	163	10	120	0.7	2	1.32	1.8	16	18	53	2.86
CC00011		0.26	NSS	0.2	1.69	194	<10	100	0.5	2	0.40	1.0	14	20	32	2.75
CC00012		0.14	0.016	0.2	2.18	238	<10	150	0.6	<2	0.61	0.9	14	30	35	3.63
CC00013		0.18	0.009	0.2	1.98	146	<10	80	0.5	2	0.12	<0.5	6	23	30	2.41
CC00014		0.22	0.006	0.2	1.97	284	<10	140	0.6	2	0.64	<0.5	12	27	45	2.88
CC00015		0.28	0.021	<0.2	2.01	172	<10	100	0.5	2	0.18	<0.5	11	25	62	2.45
CC00016		0.24	0.023	<0.2	1.74	120	<10	70	0.6	<2	0.14	<0.5	8	20	36	1.82
CC00017		0.16	0.016	<0.2	1.44	146	<10	70	<0.5	<2	0.10	<0.5	6	23	27	2.15
CC00018		0.18	0.031	0.2	1.62	367	<10	110	0.6	3	0.22	<0.5	10	24	70	2.56
CC00019		0.22	0.018	<0.2	1.92	404	<10	120	0.6	2	0.23	<0.5	13	28	37	3.03
CC00020		0.14	0.055	<0.2	2.31	979	<10	120	0.8	5	0.18	<0.5	19	31	58	3.85
CC00021		0.22	0.075	0.2	2.46	1190	<10	140	1.1	7	0.30	<0.5	37	30	74	4.11
CC00022		0.28	0.058	0.2	3.28	825	<10	90	1.3	4	0.20	<0.5	19	27	34	3.72
CC00023		0.18	0.026	<0.2	2.99	491	<10	190	1.1	4	0.56	<0.5	21	38	49	3.74
CC00024		0.20	0.013	<0.2	2.55	555	<10	130	0.9	2	1.08	<0.5	14	35	41	3.03
CC00025		0.24	0.022	0.3	2.51	742	10	100	1.0	<2	1.47	0.6	13	36	56	2.97
CC00026		0.28	0.061	0.2	2.23	1125	<10	130	0.9	8	0.73	0.5	16	29	40	3.80
CC00027		0.28	0.024	0.3	1.71	241	<10	100	0.5	2	0.18	<0.5	10	20	53	2.28
CC00028		0.40	0.036	<0.2	1.34	194	<10	120	0.6	2	0.30	<0.5	9	16	130	1.53
CC00029		0.28	0.018	0.2	2.37	235	<10	180	1.0	<2	0.35	<0.5	12	33	61	3.21
CC00030		0.32	0.026	<0.2	2.25	350	<10	130	0.8	2	0.23	<0.5	13	20	94	2.18
CC00031		0.28	0.011	<0.2	2.40	248	<10	110	0.8	<2	0.14	<0.5	10	24	56	2.54
CC00032		0.14	0.010	0.2	1.92	202	<10	150	0.6	<2	0.81	0.5	9	27	48	2.73
CC00033		0.20	0.007	0.2	2.09	197	<10	140	0.6	<2	0.58	<0.5	12	27	43	3.01
CC00034		0.20	0.014	<0.2	2.82	261	<10	130	1.0	2	0.56	<0.5	10	24	55	2.57
CC00035		0.28	0.008	<0.2	2.07	192	<10	130	0.7	2	0.18	<0.5	12	24	51	2.84
CC00036		0.20	0.005	0.2	1.80	190	<10	170	0.5	<2	0.37	<0.5	11	26	42	2.81
CC00037		0.16	0.007	0.5	2.49	180	<10	210	0.8	<2	0.99	<0.5	15	35	69	3.19
CC00038		0.16	0.001	0.3	2.57	63	<10	150	0.8	<2	1.44	0.9	12	27	50	2.62
CC00039		0.16	0.002	0.4	2.99	33	<10	150	0.9	<2	1.94	2.2	16	27	61	2.66
CC00040		0.22	0.008	0.2	1.93	23	<10	130	0.6	<2	1.23	1.6	11	22	31	2.30

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total Pages: 3 (A - C)
 Finalized Date: 4-AUG-2004
 Account: DYNAMI

Project: Mike Lake

CERTIFICATE OF ANALYSIS VA04047771

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC00001		<10	1	0.04	10	0.11	352	<1	0.04	15	1320	25	0.19	<2	<1	104
CC00002		<10	<1	0.03	20	0.15	470	<1	0.05	23	1500	35	0.16	<2	<1	90
CC00003		<10	<1	0.04	20	0.22	446	<1	0.04	27	1420	38	0.16	<2	1	78
CC00004		10	1	0.06	10	0.42	409	1	0.02	23	1190	34	0.07	<2	2	39
CC00005		10	<1	0.04	10	0.24	956	1	0.02	17	840	35	0.06	<2	2	43
CC00006		10	1	0.08	20	0.61	683	1	0.04	31	1030	43	0.06	<2	3	48
CC00007		10	<1	0.08	20	0.58	579	<1	0.06	37	1200	95	0.04	2	4	66
CC00008		10	1	0.06	10	0.39	438	1	0.03	22	1340	75	0.06	<2	2	51
CC00009		10	<1	0.07	20	0.53	646	1	0.07	35	1230	124	0.07	4	3	80
CC00010		<10	<1	0.10	20	0.41	495	<1	0.08	33	1300	91	0.10	<2	2	96
CC00011		10	<1	0.08	10	0.32	577	1	0.03	18	1420	49	0.11	<2	2	43
CC00012		10	1	0.07	10	0.52	509	1	0.02	25	1020	83	0.05	2	3	49
CC00013		10	<1	0.06	10	0.29	190	1	0.01	12	660	16	0.03	<2	2	11
CC00014		10	1	0.06	10	0.53	511	1	0.02	26	910	36	0.04	<2	2	34
CC00015		10	<1	0.10	20	0.44	299	1	0.01	21	790	18	0.01	<2	2	15
CC00016		<10	<1	0.07	20	0.30	222	<1	0.01	15	700	16	0.01	<2	2	12
CC00017		<10	<1	0.04	10	0.31	179	1	<0.01	13	580	11	0.01	<2	1	10
CC00018		<10	<1	0.07	20	0.43	323	2	0.01	20	770	31	0.03	<2	2	23
CC00019		10	<1	0.07	20	0.52	394	1	0.01	28	930	22	0.02	<2	2	23
CC00020		10	<1	0.08	20	0.53	464	3	0.01	26	1000	36	0.05	<2	2	27
CC00021		10	<1	0.10	30	0.58	865	3	0.01	42	1210	41	0.06	<2	3	38
CC00022		10	1	0.10	20	0.36	586	1	0.01	27	1350	42	0.05	<2	3	19
CC00023		10	<1	0.08	30	0.88	580	1	0.03	36	1140	37	0.06	<2	3	56
CC00024		10	1	0.07	20	0.84	538	1	0.04	28	1180	33	0.09	2	2	67
CC00025		10	1	0.10	20	0.79	570	2	0.05	27	1400	32	0.12	2	3	83
CC00026		10	<1	0.07	20	0.66	709	2	<0.01	32	970	46	0.06	3	3	33
CC00027		<10	1	0.07	20	0.37	336	1	<0.01	21	640	17	0.01	3	2	15
CC00028		<10	1	0.15	30	0.30	216	1	<0.01	14	880	22	0.01	<2	2	22
CC00029		10	1	0.08	20	0.63	563	2	<0.01	31	860	30	0.04	2	3	26
CC00030		10	<1	0.12	20	0.39	380	1	<0.01	25	900	20	0.02	3	3	16
CC00031		10	<1	0.09	10	0.41	273	1	<0.01	23	620	20	0.03	<2	3	11
CC00032		10	1	0.06	20	0.51	357	2	<0.01	24	950	24	0.08	2	3	29
CC00033		10	2	0.06	20	0.55	473	1	<0.01	29	840	36	0.05	2	3	28
CC00034		10	1	0.09	20	0.41	397	1	0.01	25	890	28	0.05	<2	2	32
CC00035		10	1	0.08	20	0.44	397	1	<0.01	27	770	27	0.02	<2	3	16
CC00036		10	1	0.05	10	0.50	400	1	<0.01	25	950	23	0.03	<2	3	22
CC00037		10	1	0.08	20	0.65	579	1	0.02	35	1380	58	0.08	2	3	48
CC00038		10	2	0.06	20	0.53	584	1	0.04	30	1300	57	0.11	3	2	65
CC00039		10	2	0.07	20	0.61	623	<1	0.07	37	1420	92	0.12	2	2	83
CC00040		10	1	0.05	20	0.47	513	1	0.04	27	1020	126	0.07	<2	2	59

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - C
Total Pages: 3 (A - C)
Finalized Date: 4-AUG-2004
Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047771

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl % 0.01	Tl ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
CC00001		0.02	<10	<10	7	<10	72
CC00002		0.01	<10	<10	12	<10	63
CC00003		0.02	<10	<10	19	<10	140
CC00004		0.06	<10	<10	47	<10	98
CC00005		0.07	<10	<10	57	<10	92
CC00006		0.08	<10	<10	59	<10	114
CC00007		0.08	<10	<10	54	<10	185
CC00008		0.07	<10	<10	46	<10	160
CC00009		0.07	<10	<10	45	<10	223
CC00010		0.06	<10	<10	35	<10	198
CC00011		0.06	<10	<10	43	<10	122
CC00012		0.10	<10	<10	70	<10	158
CC00013		0.06	<10	<10	46	<10	36
CC00014		0.05	<10	<10	49	<10	125
CC00015		0.08	<10	<10	47	<10	57
CC00016		0.07	<10	<10	32	<10	34
CC00017		0.05	<10	<10	42	<10	39
CC00018		0.06	<10	<10	42	<10	91
CC00019		0.06	<10	<10	48	<10	97
CC00020		0.07	<10	10	55	<10	89
CC00021		0.07	<10	10	55	<10	125
CC00022		0.07	<10	<10	42	<10	119
CC00023		0.08	<10	<10	57	<10	114
CC00024		0.07	<10	10	49	<10	118
CC00025		0.07	<10	20	51	<10	130
CC00026		0.06	<10	<10	56	<10	195
CC00027		0.07	<10	<10	39	<10	59
CC00028		0.09	<10	<10	30	<10	34
CC00029		0.07	<10	<10	55	<10	88
CC00030		0.08	<10	<10	39	<10	58
CC00031		0.07	<10	<10	40	<10	49
CC00032		0.05	10	<10	49	<10	98
CC00033		0.06	<10	<10	53	<10	106
CC00034		0.06	<10	<10	44	<10	96
CC00035		0.06	<10	<10	45	<10	102
CC00036		0.05	<10	<10	48	<10	72
CC00037		0.07	<10	<10	58	<10	128
CC00038		0.06	<10	<10	48	<10	136
CC00039		0.06	<10	<10	50	<10	226
CC00040		0.06	10	<10	44	<10	231

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 3 - A
 Total Pages: 3 (A - C)
 Finalized Date: 4-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047771

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
CC00041 CC00042	Not Recvd	0.12	0.010	0.8	3.47	36	10	190	1.0	<2	1.92	1.5	18	31	84	3.12

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - B
 Total Pages: 3 (A - C)
 Finalized Date: 4-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047771

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC00041 CC00042		10	2	0.10	20	1.10	651	2	0.07	45	1430	112	0.12	4	4	93

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 3 - C
Total Pages: 3 (A - C)
Finalized Date: 4-AUG-2004
Account: DYNAMITE

CERTIFICATE OF ANALYSIS VA04047771

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
CC00041 CC00042		0.01	10	10	1	10	2
		0.11	<10	<10	67	<10	253

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8



Page: 1

Finalized Date: 12-AUG-2004

Account: DYNAMITE

CERTIFICATE VA04047019

Project: Mike Lake

P.O. No.:

This report is for 39 Rock samples submitted to our lab in Vancouver, BC, Canada on 21-JUL-2004.

The following have access to data associated with this certificate:

VANCOUVER OFFICE
JOAN MARIACHER

AL ARCHER
BILL WENGZYNOWSKI

DOUG EATON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Ag-AA46	Ore grade Ag - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Mike Lake

Page: 2 - A
 Total Pages: 2 (A - C)
 Finalized Date: 12-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047019

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	Au-AA25	Au-AA25	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Au ppm	Au Check ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm
		0.02	0.001	0.01	0.01	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
M011701		1.12	<0.001			<0.2	1.74	3	30	260	0.6	<2	1.56	<0.5	9	50
M011702		3.18	0.010			4.9	1.42	1050	10	20	1.4	2	1.88	0.5	8	31
M011703		3.96	0.077			2.6	1.54	5110	<10	20	1.4	13	1.86	<0.5	25	28
M011704		4.24	0.030			6.7	1.27	8390	<10	20	1.6	7	1.20	0.6	44	37
M011705		3.08	0.041			5.3	1.25	863	<10	20	1.5	5	1.34	<0.5	6	25
M011706		2.36	0.150			6.6	1.16	8540	<10	20	1.6	22	1.00	<0.5	18	25
M011707		2.00	0.014			0.3	1.46	41	20	130	<0.5	<2	2.60	<0.5	10	104
M011708		1.44	0.010			0.5	8.07	47	10	20	<0.5	2	6.21	<0.5	30	19
M011709		2.16	0.025			0.3	5.81	795	10	100	0.7	3	4.24	<0.5	76	11
M011710		2.62	0.014			0.3	2.82	29	<10	50	<0.5	<2	1.78	<0.5	33	44
M011711		3.58	0.190			4.5	0.53	>10000	<10	30	<0.5	46	0.39	<0.5	6	27
M011712		2.84	0.433			2.1	0.41	>10000	<10	30	<0.5	1015	0.06	<0.5	38	46
M011713		2.86	1.270			5.2	0.21	>10000	<10	50	<0.5	1830	0.09	<0.5	9	36
M011714		3.70	5.76			6.0	0.41	>10000	<10	30	<0.5	622	0.46	<0.5	23	55
M011715		1.14	1.040			2.7	0.12	>10000	<10	30	<0.5	405	<0.01	<0.5	<1	6
M011716		2.38	0.033			3.0	0.21	795	<10	10	<0.5	16	0.06	<0.5	<1	57
M011717		2.66	0.039			16.3	0.11	3890	<10	30	<0.5	41	<0.01	<0.5	<1	1
M011718		4.24	0.088			6.5	0.03	2440	<10	<10	<0.5	134	0.02	<0.5	18	6
M011719		3.18	0.108			0.7	0.31	3810	<10	10	<0.5	57	0.76	<0.5	5	11
M011720		3.36	0.825			1.0	0.21	>10000	<10	20	<0.5	164	0.19	<0.5	24	85
M011721		3.40	3.67			8.6	0.45	666	<10	30	<0.5	156	0.28	0.7	14	34
M011722		0.76	0.380			>100	0.24	>10000	<10	30	<0.5	222	0.04	1.4	26	11
M011723		3.06	>10.0	50.1		17.0	0.35	>10000	<10	20	<0.5	2430	0.10	1.5	2260	60
M011724		3.28	>10.0	16.85		2.6	0.27	>10000	<10	10	<0.5	946	0.07	<0.5	742	92
M011725		2.78	0.244			47.6	1.55	>10000	<10	30	0.6	23	0.42	1.6	42	61
M011726		2.10	3.92			0.9	0.11	>10000	<10	20	<0.5	244	0.15	<0.5	110	83
M011727		2.36	6.00			51.9	0.04	>10000	<10	10	<0.5	1325	0.13	6.3	154	49
M011728		1.96	>10.0	6.23	6.20	0.9	0.05	>10000	90	<10	<0.5	462	1.42	<0.5	231	59
M011729		2.30	0.024			0.2	0.66	445	<10	50	<0.5	3	0.32	<0.5	2	64
M011730		2.72	0.046			0.4	1.20	550	<10	70	0.8	3	1.12	<0.5	9	43
M011731		2.70	0.039			8.1	0.23	372	<10	110	0.8	24	20.0	8.0	6	7
M011732		2.32	0.005			0.3	0.86	230	10	80	<0.5	6	1.08	<0.5	13	47
M011733		2.50	0.080			0.3	1.76	174	10	60	1.1	2	1.32	<0.5	15	88
M011734		2.62	1.630			0.2	3.03	>10000	<10	100	1.7	20	1.76	<0.5	46	106
M011735		3.44	0.686			0.8	1.64	5830	<10	50	0.7	12	3.82	<0.5	21	41
M011736		2.66	0.023			0.2	0.10	137	<10	30	<0.5	<2	0.05	<0.5	3	126
M011737		2.10	0.022			0.4	0.28	866	<10	40	<0.5	83	0.03	<0.5	12	41
M011738		2.92	0.060			0.7	0.20	3520	<10	10	<0.5	10	0.10	<0.5	2	90
M011739		2.34	0.005			<0.2	0.33	35	<10	<10	<0.5	3	0.01	<0.5	2	132

Comments: sample M011728 shows erratic Au



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

DYNAMITE
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8
 Project: Mike Lake

Page: 2 - B
 Total Pages: 2 (A - C)
 Finalized Date: 12-AUG-2004
 Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047019

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
		ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
M011701		21	2.80	10	<1	0.58	20	1.00	516	2	0.09	9	1080	30	0.16	<2
M011702		3910	7.58	<10	<1	0.07	10	0.16	262	4	0.34	12	2090	16	5.07	4
M011703		2240	7.33	<10	<1	0.07	10	0.19	307	9	0.34	22	2250	13	3.39	12
M011704		4830	7.33	<10	<1	0.05	10	0.10	208	10	0.29	33	1120	7	4.19	15
M011705		3770	7.49	<10	<1	0.06	<10	0.10	213	1	0.27	12	1110	11	4.22	5
M011706		1280	5.96	<10	1	0.06	10	0.06	118	21	0.24	15	1210	12	0.61	17
M011707		114	2.46	10	<1	0.22	30	1.46	368	1	0.03	20	2040	13	0.14	5
M011708		351	5.06	20	1	0.02	10	0.13	59	1	0.46	32	2380	18	3.19	3
M011709		186	4.90	10	<1	0.04	10	0.15	50	2	0.75	66	2380	18	3.23	3
M011710		114	5.95	10	<1	1.07	10	1.52	320	2	0.25	41	2620	7	2.51	<2
M011711		3620	24.0	<10	<1	0.10	40	0.10	157	<1	0.01	3	540	10	8.85	10
M011712		300	10.70	<10	<1	0.20	30	0.13	60	2	0.01	4	260	11	2.46	90
M011713		788	18.8	<10	<1	0.08	10	0.03	38	2	0.01	4	430	19	1.58	120
M011714		661	12.75	<10	<1	0.11	20	0.08	204	1	0.03	4	370	11	0.55	23
M011715		874	22.7	<10	1	0.10	<10	0.01	25	2	0.01	1	390	17	0.69	168
M011716		474	18.2	<10	1	0.12	<10	0.05	88	1	<0.01	2	260	6	0.47	2
M011717		915	>50	<10	<1	0.11	<10	0.01	76	1	0.01	<1	70	34	1.27	7
M011718		6320	43.0	<10	<1	0.01	<10	<0.01	<5	1	<0.01	5	100	15	>10.0	<2
M011719		394	8.98	<10	<1	0.07	<10	0.04	496	<1	0.03	2	590	8	0.21	3
M011720		300	9.89	<10	<1	0.07	<10	0.04	111	2	0.01	8	710	15	2.00	67
M011721		3750	1.80	<10	<1	0.12	30	0.19	126	59	0.04	3	650	63	0.34	5
M011722		>10000	46.7	<10	<1	0.05	<10	0.03	303	31	<0.01	11	140	5270	2.65	49
M011723		492	10.10	<10	<1	0.08	<10	0.05	84	54	0.01	208	240	753	3.41	188
M011724		1030	18.4	<10	1	0.19	<10	0.22	5	247	0.01	78	310	8	7.10	216
M011725		>10000	6.74	10	<1	0.11	10	0.87	354	55	0.01	7	660	44	1.22	21
M011726		61	2.44	<10	<1	0.04	<10	0.03	61	13	0.02	27	80	44	0.76	29
M011727		>10000	22.1	<10	<1	0.03	<10	0.01	<5	30	0.01	19	220	186	9.17	534
M011728		114	10.50	<10	<1	0.01	<10	0.02	138	29	0.01	60	1070	29	5.00	182
M011729		19	0.88	<10	<1	0.13	10	0.16	144	1	0.05	7	80	42	0.08	2
M011730		48	1.29	<10	<1	0.14	20	0.08	91	3	0.20	12	1080	42	0.61	5
M011731		90	7.22	<10	<1	0.08	10	5.98	3310	1	0.02	9	100	452	4.3	44
M011732		27	1.38	<10	<1	0.17	30	0.16	103	2	0.12	15	1180	46	0.57	2
M011733		51	2.48	10	<1	0.54	30	0.87	213	2	0.16	27	1380	23	0.46	<2
M011734		38	3.82	10	<1	1.18	30	1.80	216	1	0.28	31	1070	27	0.71	4
M011735		196	6.36	10	<1	0.26	30	1.68	384	1	0.01	27	980	29	2.34	6
M011736		46	0.36	<10	<1	0.05	10	0.01	31	2	<0.01	8	80	6	<0.01	<2
M011737		83	11.45	<10	<1	0.04	10	0.01	736	<1	<0.01	9	680	61	0.07	7
M011738		65	5.32	<10	<1	0.03	<10	0.06	32	<1	<0.01	2	980	23	0.09	14
M011739		14	0.78	<10	<1	<0.01	10	<0.01	34	1	<0.01	8	160	28	0.01	2

Comments: sample M011728 shows erratic Au



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



DYNAMITE

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: Mike Lake



Page: 2 - C

Total Pages: 2 (A - C)

Finalized Date: 12-AUG-2004

Account: DYNAMI

CERTIFICATE OF ANALYSIS VA04047019

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Ag-AA46	Cu-AA46
		Sc	Sr	Tl	Tl	U	V	W	Zn	Ag	Cu
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		1	1	0.01	10	10	1	10	2	1	0.01
M011701		4	78	0.22	<10	<10	58	<10	74		
M011702		3	59	0.24	<10	<10	27	<10	86		
M011703		4	57	0.33	<10	<10	44	130	56		
M011704		1	46	0.10	<10	<10	16	10	82		
M011705		2	45	0.28	<10	<10	26	20	64		
M011706		2	46	0.12	<10	<10	16	<10	27		
M011707		6	53	0.22	<10	<10	85	<10	49		
M011708		2	572	0.53	<10	<10	47	<10	24		
M011709		1	637	0.39	<10	<10	30	<10	21		
M011710		5	122	0.72	<10	<10	195	<10	49		
M011711		2	4	0.04	<10	<10	12	10	41		
M011712		1	5	0.02	<10	<10	7	230	10		
M011713		1	4	0.03	<10	<10	10	60	13		
M011714		1	4	0.03	<10	<10	10	40	20		
M011715		1	3	0.02	<10	<10	4	70	7		
M011716		<1	1	0.02	<10	<10	7	<10	11		
M011717		1	5	<0.01	<10	<10	8	10	69		
M011718		<1	<1	<0.01	<10	<10	4	10	31		
M011719		<1	4	0.02	<10	<10	3	<10	25		
M011720		1	3	0.01	<10	<10	5	10	13		
M011721		1	22	0.06	<10	10	16	<10	61		
M011722		1	4	0.01	<10	<10	17	<10	1735	182	1.51
M011723		2	6	<0.01	<10	10	8	90	179		
M011724		1	2	0.01	<10	10	19	170	16		
M011725		4	5	<0.01	<10	10	52	<10	212		7.07
M011726		1	5	<0.01	<10	<10	4	<10	12		
M011727		1	18	<0.01	<10	10	4	4200	697		4.82
M011728		1	24	<0.01	<10	<10	4	10	28		
M011729		1	36	0.01	<10	<10	5	<10	39		
M011730		1	139	0.14	<10	<10	11	<10	40		
M011731		3	1755	<0.01	<10	<10	12	<10	1295		
M011732		1	110	0.12	<10	<10	18	<10	48		
M011733		4	79	0.21	<10	<10	60	<10	52		
M011734		12	104	0.18	<10	<10	94	<10	59		
M011735		7	80	0.01	<10	<10	31	<10	35		
M011736		<1	5	<0.01	<10	<10	2	<10	8		
M011737		2	28	<0.01	<10	<10	12	<10	79		
M011738		1	3	0.01	<10	<10	5	<10	6		
M011739		1	5	<0.01	<10	<10	3	<10	8		

Comments: sample M011728 shows erratic Au

APPENDIX IV
ROCK SAMPLE DESCRIPTIONS

Auger Sample Descriptions

Project: MIKE LAKE Property: Prophet '02

Page 1 of

Sample Number: M011701 Grid North: 7129183 N Grid East: 357414 E Sample ~~Depth~~ cm ~ 5m wide.
 Elevation: m
 Comments: BIOTITE Hornblende feldspar sill emanating from SYENITE BODY AT HEAD OF RUBBLE LAKE CIRQUE. MINOR TO TRACE ~~px~~ blebs present.

Sph gal bit bar pyr
 Zn % pb % cu % ge %t

Sample Number: M011702 Grid North: 7128179 N Grid East: 357690. E Sample ~~Depth~~ cm
 Elevation: m
 Comments: RANDOM PIECES OF HIGHLY OXIDIZED (SURFACE) diopside-actinolite - TREMOLITE SKARN. MODERATELY MINERALIZED WITH 5-15% px and 5-10% cpy.

Sph gal bit bar pyr
 Zn % pb % cu % ge %t

Sample Number: M011703 Grid North: " N Grid East: " E Sample Depth cm
 Elevation: m
 Comments: Pseudo chip sample across intermittent outcrops exposed in the TRENCH → SAME MATERIAL AS M011702.

Sph gal bit bar pyr
 Zn % pb % cu % ge %t

Sample Number: M011704 Grid North: " N Grid East: " E Sample Depth cm
 Elevation: m
 Comments: Pseudo chip across outcrop exposed in TRENCH Same material as M011702.

Sph gal bit bar pyr
 Zn % pb % cu % ge %t

Sample Number: M011705 Grid North: " N Grid East: " E Sample Depth cm
 Elevation: m
 Comments: Pseudo chip across outcrop exposed in TRENCH Diopside actinolite skarn with moderate boxwork and leaching along fractures.

Sph gal bit bar pyr
 Zn % pb % cu % ge %t

Sample Number: M011706 Grid North: " N Grid East: " E Sample Depth cm
 Elevation: m
 Comments: Random Pieces of highly oxidized diopside actinolite skarn mineralized with 5-8% px and 2-5% cpy.

Sph gal bit bar pyr
 Zn % pb % cu % ge %t

Auger Sample Descriptions

Project: MIKE LAKE Property: Prophet '02

Page of

Sample Number:	Grid North:	N	Grid East:	E	Sph	gal	bit	bar	pyr											
M011707	UTM: 7128284	N	UTM: 357727	E	Zn	%	Pb	%	Cu	%	ge	%								
Comments:	TOP TRENCH - DYKE - grey syenite WITH ABUNDANT BROTTIE BODIES (to 2mm) TRACE BLEBS Py 1.5m WIDE.																			
M011708	UTM: 7129480	N	UTM: 360456	E	30 x 30 x 30	Sph	gal	bit	bar	pyr	Zn	%	Pb	%	Cu	%	ge	%		
Comments:	Homogenous purple grey hornfelsed sediment - highly silicified Abundant fine disseminated py (5-10%) and 1-3% disseminated cpy.																			
M011709	UTM: 7130000	N	UTM: 360192	E	20 x 20 x 20	Sph	gal	bit	bar	pyr	Zn	%	Pb	%	Cu	%	ge	%		
Comments:	GREY silicified hornfels sediments mineralized with 5-8% fine py AND TRACE TO 1% cpy. NOT NEARBY cpy ALSO OBSERVED IN FRACTURES x-cutting hornfels SILTSTONE.																			
M011710	UTM: 7130146	N	UTM: 360147	E	Sample Depth	cm	Sph	gal	bit	bar	pyr	Zn	%	Pb	%	Cu	%	ge	%	
Comments:	RANDOM SELECTION of strongly oxidized hornfels SEDS mineralized with abundant py and 1-5% cpy. Abundant yellow sulphate on fractures. Mineralized section is roughly 5 to 8m wide.																			
M011711	UTM: 7131350	N	UTM: 361312	E	OLD TRENCH (1)	Sample Depth	cm	Sph	gal	bit	bar	pyr	Zn	%	Pb	%	Cu	%	ge	%
Comments:	DARK GREEN ACTINOLITE SLAW Boulders WITH 30% blabby to massive ASPY AND 10-15% cpy disseminated AND BLEBBY. BLOCKS ARE roughly 40x40x30cm AND LIMONITE IS ABUNDANT.																			
M011712	UTM: "	N	UTM: "	E	OLD TRENCH (01)	Sample Depth	cm	Sph	gal	bit	bar	pyr	Zn	%	Pb	%	Cu	%	ge	%
Comments:	QUARTZ ARSENOPYRITE VN with abundant fracturing AND scoradite alteration. ORIENTED 100/46S. A mix of disarticulated quartz to MASSIVE ASPY and minor py chip across 0.40m																			

Auger Sample Descriptions

Project: MIKELK. Property: Pangloss '02

Page of

Sample Number: M011713 Grid North: " N Grid East: " E UTM: " N UTM: " E Sample Depth: cm Elevation: m

Sph gal bit bar pyr
Zn % pb % cu % ge %

Comments: RANDOM SELECTION OF Limonite, Ferrite and scorodite altered VN breccia from NORTH end of trench to the start of sample M011712

Sample Number: M011714 Grid North: 7131344 N Grid East: 361306 E UTM: 7131344 N UTM: 361306 E Sample Depth: cm Elevation: m

Sph gal bit bar pyr
Zn % pb % cu % ge %

Comments: A RANDOM SELECTION of red/brown limonite, limonitic actinolite skewer and quartz-asp-~~scorodite~~ fragment across a ~10m portion of the rusty band.

Sample Number: M011715 Grid North: " N Grid East: " E UTM: " N UTM: " E Sample Depth: cm Elevation: m

Sph gal bit bar pyr
Zn % pb % cu % ge %

Comments: GREEN-WHITE SCORODITE GOUGE FROM BLAST PIT. OCCURS IN POCKETS

Sample Number: M011716 Grid North: " N Grid East: " E UTM: " N UTM: " E Sample Depth: cm Elevation: m

Sph gal bit bar pyr
Zn % pb % cu % ge %

Comments: TAN-BROWN Limonitic quartz vein material with minor arsenopyrite. Good quartz crystal growth in cavities.

Sample Number: M011717 Grid North: " N Grid East: " E UTM: " N UTM: " E Sample Depth: cm Elevation: m

Sph gal bit bar pyr
Zn % pb % cu % ge %

Comments: DEEP Purple Ferrite blocks to 40cm.

Sample Number: M011718 Grid North: " N Grid East: " E UTM: " N UTM: " E Sample Depth: cm Elevation: m

Sph gal bit bar pyr
Zn % pb % cu % ge %

Comments: MASSIVE Pd with minor accessory actinolite in groundmass. Very weakly to Non magnetic and 1-3% bluish fine cpy. EDGE OF 30x30x30cm boulder has brown massive quartz VN.

Auger Sample Descriptions

Project: MIKE LK Property: ~~R. West 102~~

Page of

Sample Number: MO11719 Grid North: N Grid East: E sph gal bit bar pyr
 UTM: N UTM: E Sample Depth cm
 Elevation: m zn % pb % cu % ge %
 Comments: Mini TRENCH EXPOSING rusty weathering actinolite skarn subcrop
with abundant limonite and trace cpy.
Chip ACROSS 100° TREND for 1.2m.

Sample Number: MO11720 Grid North: N Grid East: E sph gal bit bar pyr
 UTM: N UTM: E Sample Depth cm
 Elevation: m zn % pb % cu % ge %
 Comments: 1.2m chip sample across quartz resorbed pyrite vein (10-25% aspy)
containing abundant secondary alteration (0.4m) and siliceous actinolite
skarn with large coarse blebby aspy to 10% plus abundant yellow-green pitting.
1 boulder of massive green-black siliceous actinolite with 40% clots aspy plus 1-5% cpy - NOT sampled.

Sample Number: MO11721 Grid North: 0 Grid East: E sph gal bit bar pyr
 UTM: 7129800 N UTM: 359856 E Sample Depth cm
 Elevation: m zn % pb % cu % ge %
 Comments: COMPOSITE SAMPLE OF cpy bearing mass along 1 to 2mm fractures in
SYENITE ON THE ROCK GLACIER. WHERE TWO fractures are within 3cm of each other cpy blebs
are observed throughout (up to 10%). Located many occurrences in Rock glacier
NONE OF THIS MATERIAL FOUND IN PLACE.

Sample Number: MO11722 Grid North: N Grid East: E TRENCH #1. sph gal bit bar pyr
 UTM: 7129696 N UTM: 359979 E Sample Depth cm
 Elevation: m zn % pb % cu % ge %
 Comments: SPARTAN VEIN - MIKE LK. CIRQUE.
ORANGE-BLACK LIMONITE cobbles from 1cm to 6cm diameter ON SIDES
of TRENCH #1 - canopy all sloughed in.

Sample Number: MO11723 Grid North: N Grid East: E TRENCH #1. sph gal bit bar pyr
 UTM: " N UTM: " E Sample Depth cm
 Elevation: m zn % pb % cu % ge %
 Comments: Collection of quartz vein material from SIDES OF TRENCH.
VEIN MATERIAL IS MODERATELY FRACTURED to weakly brecciated and contains
between 2 mm to 20% blebby to massive stringer aspy.

Sample Number: MO11724 Grid North: N Grid East: E sph gal bit bar pyr
 UTM: 7129654 N UTM: 360240 E Sample Depth cm
 Elevation: m zn % pb % cu % ge %
 Comments: 30cm chip sample across semi-massive aspy vein float along
SPARTAN VEIN TREND. Moderate amounts of white quartz are intermixed with
the sulphide and in places cpy blebs comprise up to 10% of the sample.
Vein orientation 10m west on syenite rock face is 096°/66S

Auger Sample Descriptions

Project: Mike LK. Property: Prophet '02

Page of

Sample Number: M011725 Grid North: _____ N Grid East: _____ E
 UTM: 7129654 N UTM: 360240 E Sample Depth _____ cm TRENCH 5
 Elevation: _____ m

Sph _____ gal _____ bit _____ bar _____ pyr _____
 Zn _____ % Pb _____ % Cu _____ % Ge _____ %

Comments: Float along TRENCH side walls is highly oxidized limonitic quartz vein cracks/breccia with remnant cpy and malachite plus trace amounts visible aspy. Quartz vein with aspy stringers also present.

Sample Number: M011726 Grid North: _____ N Grid East: _____ E
 UTM: 7129724 N UTM: 359950 E Sample Depth _____ cm
 Elevation: _____ m

Sph _____ gal _____ bit _____ bar _____ pyr _____
 Zn _____ % Pb _____ % Cu _____ % Ge _____ %

Comments: Composite sample of white quartz vein material cutting syenite blocks in the rock glacier. Most material contains 1-5% blebby aspy.

Sample Number: M011727 Grid North: _____ N Grid East: _____ E
 UTM: 7129401 N UTM: 359958 E Sample Depth _____ cm
 Elevation: _____ m

Sph _____ gal _____ bit _____ bar _____ pyr _____
 Zn _____ % Pb _____ % Cu _____ % Ge _____ %

Comments: Massive and semi-massive aspy/qtz vein material in talus fan. cpy ranges from 5-85%
 VN float ranges in size from 5-15cm wide.

Sample Number: M011728 Grid North: _____ N Grid East: _____ E
 UTM: 7129401 N UTM: 359958 E Sample Depth _____ cm
 Elevation: _____ m

Sph _____ gal _____ bit _____ bar _____ pyr _____
 Zn _____ % Pb _____ % Cu _____ % Ge _____ %

Comments: Massive tourmaline/actinolite vein float up to 20cm wide containing clots and coarse blebs of aspy.

Sample Number: M011729 Grid North: _____ N Grid East: _____ E
 UTM: 7131159 N UTM: 358984 E Sample Depth _____ cm 20x15x15
 Elevation: _____ m

Sph _____ gal _____ bit _____ bar _____ pyr _____
 Zn _____ % Pb _____ % Cu _____ % Ge _____ %

Comments: Quartz vein stockwork in white > green > grey calcisilicate trace aspy, cpy & ppy
 This material is not abundant on the slope.

Sample Number: M011730 Grid North: _____ N Grid East: _____ E
 UTM: 7131173 N UTM: 358920 E Sample Depth _____ cm up to 70x20x20
 Elevation: _____ m

Sph _____ gal _____ bit _____ bar _____ pyr _____
 Zn _____ % Pb _____ % Cu _____ % Ge _____ %

Comments: White felsic dyke with minor tan/rust oxidation rim/rind
 No biotite as most dykes here do. Well mixed with up to 10%
 py disseminations, trace aspy + cpy. Minor post dyke fractures with mx ppy + 20% cpy

Auger Sample Descriptions

Project: _____ Property: Prophet '02

Page of _____

Sample Number:	Grid North:	N	Grid East:	E	Sph	gal	bit	bar	pyr			
MO11731	UTM: 7131220.	N	UTM: 358321	E	Sample Depth cm 25x25x35.							
	Elevation:	m			Zn	%	Pb	%	Cu	%	Ge	%
Comments:	<p>QUARTZ CARBONATE BRECCIA VEIN FLOAT IN A SEA OF CALCILICATE AND QUARTZ PITTED SYENITE TALUS. CREAM COLOR WITH 1-3% dark fragments and 1-2% secondary CALCITE veining. MIN in VERY irregular PATCHY SULPHIDE: PY-PP-CPY-(Aspy?) ~ 5%.</p>											
MO11732	UTM: 7131220	N	UTM: 358321	E	Sample Depth cm up to 25x25x25							
	Elevation:	m			Zn	%	Pb	%	Cu	%	Ge	%
Comments:	<p>RANDOM SELECTION OF OXIDE PITTED SY FLOAT ALL Mineralized WITH 1-3% DISSEMINATED PP + TR BLEBS CPY OFTEN at PP grain boundaries. SOME FRACTURES ARE present where PP is concentrated. Feldspars in SY are moderately alligned. > 100 μ across OF THIS MATERIAL.</p>											
MO11733	UTM: 7131598.	N	UTM: 358569	E	Sample Depth cm > 1m x 1m x 1m.							
	Elevation:	m			Zn	%	Pb	%	Cu	%	Ge	%
Comments:	<p>BLOCKS OF SY TALUS @ BASE OF SLOPE (ROCK GLACIER) BETWEEN 11+800 & 11+700 N. Abundant Quartz veins (1mm-2cm) and fracturing mineralized with PP > CPY. Sample taken to establish grade of fracture MIN. Sample taken had ~ SY: MIN ratio of 20:1. * A GRANITOID SY NEARBY HAS 15 PP/CPY / 1-3mm fractures in 70cm. all parallel. *</p>											
MO11734	UTM: "	N	UTM: "	E	Sample Depth cm 70x70x50.							
	Elevation:	m			Zn	%	Pb	%	Cu	%	Ge	%
Comments:	<p>Quartz arsenopyrite stockwork vein in syenite talus blocks. veins weakly mineralized by 2-3% blebby ASPY. Groundness is grey fresh sy with large feld xls and 1-2% PP > CPY + fractures containing MIN PP w/ accessory CPY. vein to wall rock ratio in sample is ~ 1:10.</p>											
MO11735	UTM: "	N	UTM: "	E	Sample Depth cm 50x70x80.							
	Elevation:	m			Zn	%	Pb	%	Cu	%	Ge	%
Comments:	<p>ORANGE BUFF WEATHERING GREY SILICIFIED Hornfels WITH Abundant X-crystalline Quartz carbonate veins + fracturing as stockwork. SX is present in BOTH. but is mostly associated with the stockwork as fine PY > PP > ASPY > CPY 50cm chip across main fracture head.</p>											
MO11736	UTM:	N	UTM:	E	Sample Depth cm.							
	Elevation:	m			Zn	%	Pb	%	Cu	%	Ge	%
Comments:	<p></p>											

Auger Sample Descriptions

Project: MIKE LK. Property: ~~P~~ 2

Page of

Sample Number:	Grid North:	N	Grid East:	E	Sph	gal	bit	bar	pyr			
MO11736	UTM: 7131360	N	UTM: 360475	E								
	Elevation:	m			Zn	%	Pb	%	Cu	%	ge	%
Comments:	<p>pseudo chip sample across parallel qtz veined zone cutting across tan/white feldspathic Sids. Most units are white sacrosic with no oxide pits or sx but some do have bleby ASPY. VNLT TRENDS 062°/80 SE. Density ~ 10%.</p>											
MO11737	UTM: 7131720	N	UTM: 361290	E								
	Elevation:	m			Zn	%	Pb	%	Cu	%	ge	%
Comments:	<p>orange-tan debris from ~ 30m wide contains sporadic/minor pieces of quartz vein material with rusty-yellow coatings, quartz-limonite breccia and pure lm. The latter 2 types were sampled as one sample.</p>											
MO11738	UTM: 7131890	N	UTM: 361230	E								
	Elevation:	m			Zn	%	Pb	%	Cu	%	ge	%
Comments:	<p>orange-rusty weathering strongly limonitic quartz ± carbonate. calcite breccia talus 50x30x30cm - TRACE ASPY in semi-fresh sacrosic portion of UN.</p>											
MO11739	UTM: 7131965	N	UTM: 361280	E								
	Elevation:	m			Zn	%	Pb	%	Cu	%	ge	%
Comments:	<p>strongly silicified oolitic limestone or? pebble conglomerate with weathered calcite/calcareous chert later filled with orange-brown limonite. Abundant in flow train across 20m.</p>											
Sample Number:	Grid North:	N	Grid East:	E	Sph	gal	bit	bar	pyr			
	UTM:	N	UTM:	E								
	Elevation:	m			Zn	%	Pb	%	Cu	%	ge	%
Comments:												
Sample Number:	Grid North:	N	Grid East:	E	Sph	gal	bit	bar	pyr			
	UTM:	N	UTM:	E								
	Elevation:	m			Zn	%	Pb	%	Cu	%	ge	%
Comments:												

