

HP PageWide Managed Color MFP P77960dn

Desktop, Full-color copier, MF Inkjet, stationary printhead

Manufacturing Status: Current Y3Z63A Part Number

Speed Segment:

NA

SRP/Street Price: None/Contact Dealer

Domestic Intro Date:

April 2018

OEM:

HP (Netherlands)

Also Sold As: None

Predecessor Model: Replacement Model: Replacement Date:

Distribution: Dealers, distributors and resellers

Max Monthly Duty Cycle: 250,000 impressions Recommended Monthly

2,500 to 50,000 impressions

Opt

Opt

Opt

Std

MULTIFUNCTION MODES

Copier: Fax: Internet Fax: Opt Network Fax: Network Printer: Std PC Fax: Printer: Std Scanner:

GENERAL SPECS/PAPER HANDLING

First Copy Time:

Multicopy (Ltr/Lgl/Ldgr): 60 cpm color/60 cpm black

Warm-up Time: Info not avail Std Paper Source(s): Single drawer Std Paper Capacity: 550 sheets Paper Weights: 16 to 58 lbs

Bypass/Paper Weights: 100-sheet/16 to 58 lbs

Max Paper Sources/Cap: 5/4,650 sheets Max Original Size: 11.7 x 17 Min/Max Output Size: 4 x 6/12 x 18 Copy Resolution: 600 x 600 dpi

Std/Max System Memory: 2.75-GB RAM/3.5-GB RAM

Duplex: Auto (1:2,2:2,2:1)

Capacity/Paper Sizes: Unlimited/4 x 6 to 11.7 x 17

Std DSPF Document Feeder: Capacity 100 orig Paper Weights: 16 to 32 lbs Finisher: None

Tray/Stapling/Pos(s): Not applicable

Paper feed options include: 550-sheet tray, 550-sheet tray with stand, 3 x 550-sheet trays with stand and 2 x 2,000-sheet high-capacity feeder

(letter/A4 only)

Connectivity Specs

Operating System Support:

Win XP, Server 2003, Vista, Server 2008,

7, Server 2012, 8, 8.1, 10, Server 2016, Mac OS X 10.10, 10.11, 10.12, Linux,

Novell NetWare, UNIX

Parallel Interface: Serial Interface None

USB Interface: Std 2.0, std 2.0 (host) x 2 Network Interface: Std Ethernet, opt wireless

Interface Type: 10/100/1000BaseTX, 802.11a/b/g/n

Yes (Apple AirPrint, Google Cloud Print,

Mobile Print Support: HP ePrint, Mopria Print Service, Wi-Fi

Direct)

Near Field Communication: Opt

Embedded Software Platform or Not applicable

Extensible Solutions Interface:

Printer Specs

Engine Mfr/Model: Info not avail/Info not avail

Compatibility: PC, Mac

60 ppm color/60 ppm black Speed: First-Page-Out Time: 6.9 sec color/6.7 sec black

Max Print Area: Info not avail

Print from USB: Yes (DOC, JPEG, PDF, PPT)

2400 x 1200 dpi color/1200 x 1200 dpi **Enhanced Resolution:** black

Unenhanced Resolution: 600 x 600 dpi

Std/Max Printer Memory: Shared

Controller Mfr/Model: HP/Info not avail

Info not avail/Info not avail/1.2 GHz Processor/Bits/MHz:

PDI /PCI · PCL 5/6, PostScript 3, PCLM

Controller Mfr/Model: Not applicable Processor/Bits/MHz Not applicable PDI /PCI · Not applicable Controller Mfr/Model: Not applicable Processor/Bits/MHz: Not applicable PDL/PCL: Not applicable

Other:

Scanner and Image Management Specs

Technology/Scan Speed: CIS/50 ipm color, 50 ipm black

Max Resolution: 600 x 600 dpi

TWAIN Compatible: Yes

Scan Destinations:

SECURITY SPECS

Network User Yes

Authentication:

IP Address Filtering: Info not avail MAC Address Filtering: Info not avail HDD Overwrite: Not applicable Max Overwrites: Not applicable HDD Encryption: Not applicable

Secure Print: **Encrypted Secure Print:** Yes Encrypted PDF Mode Std

(Encrypted Scanning):

IPsec Yes Secure Sockets Layer (SSL): Yes SNMPv3: Transport Layer Security:

Other:

IPv6; 802.1x authentication; encrypted PDF; USB port disablement; security lock slot; standard HP Trusted Platform module; opt card reader

COPIER FEATURES

Automatic Features: ATS

Book Copy: Yes Job Programs: Yes Job Time: INA Booklet Mode: Std Color: Std Language: Std Copy Control: INA Margin Shift: Yes Covers: INA Neg/Pos: INA Editina INA OHP Interleaving: INA Photo Mode: Energy-Save: Yes Yes Std Poster Mode: INA Erase: Image Insert: INA Preset R/E: INA Image Overlay: INA Program Ahead: Std Image Repeat: INA Sheet Insertion: INA Image Rotate: INA Stamping: INA Interrupt: Timer: Yes Yes 2-in-1: Std Job Build: Yes XY Zoom: INA

Zoom Range: 25 to 400 (% not avail)

OTHER FEATURES

ID card copy; image adjustments

ADDITIONAL INFORMATION

Control Panel: 8" color touchscreen

Quantity Selector: 1 to 9,999 (0 to 9 touch keys)

Message Display: Yes Help Key: Yes

Dimensions (HxWxD): 26" x 23.8" x 25.7"

Weight (Base Unit): 146.8 lbs

Power Requirements: 100-240 V, Amps not avail

Energy Used While Power 0.2W Off:

Energy Used in Power 1 4W

Save Mode

32W

Energy Used in Ready

Info not avail

Energy Used While Copying

475W **Energy Used While**

Printing:

Info not avail

Energy Used While Scanning:

Max Power Consumption: Info not avail TEC Value: 1.689KWh **Dedicated Outlet:** Recommended Energy Star Compliant: Info not avail Operating Noise Level: Info not avail

COMMENTS

HP Auto-on/Auto-off technology

Cloud: Yes E-mail: Yes I-fax: Yes FTP. Yes SMB: Yes HDD: NA URI · USB: Yes Yes

ΙΠΔΡ Yes Support:

JPEG, PDF, PDF/A, compact PDF, File Formats Supported:

encrypted PDF, searchable PDF, searchable PDF/A, PNG, TIFF, XPS

Scan/Image Software: Std HP Scan OCR Software: Info not avail File Mamt Software: Info not avail

Other: Advanced imaging features include auto-blank page removal, auto-color detection, edge erase, auto crop to content

Facsimile Specs

MH/MR/MMR/JBIG Compression Method:

Modem Speed: 33.6 Kbps Max TX Resolution: 204 x 196 dpi Std/Max Fax Memory: Shared Confid TX/RX: No/No **Dual Lines:** No

> Auto fax reduction; auto-redialing; twosided faxing; fax forwarding; junk fax

barrier; PC interface; holiday fax

schedule

Supplies/Maintenance

Black ink starter cartridge Cyan ink starter cartridge Magenta ink starter cartridge Yellow ink starter cartridge

HP 990XC Black ink cartridge (M0K28XC): Priced by dealer; Yield: 22,000 HP 990XC Cyan ink cartridge (M0K05XC): Priced by dealer; Yield: 16,000 HP 990XC Magenta ink cartridge (M0K09XC): Priced by dealer; Yield:

HP 990XC Yellow ink cartridge (M0K24XC): Priced by dealer; Yield:

16.000

Other:

PM Schedule: Info not avail

Options

HCF 2 x 2,000 sheets with stand (P1V19A): Priced by dealer Paper drawer 550 sheets (P1V16A): Priced by dealer Paper drawer 550 sheets with stand (P1V17A): Priced by dealer Paper-feed unit 3 x 550 sheets with stand (P1V18A): Priced by dealer 500 Fax option analog (CC487A): Priced by dealer Print server NFC/wireless direct Jetdirect 3000w (J8030A): Priced by

Print server wireless USB Jetdirect 2900nw (J8031A): Priced by dealer

USB ports two internal (B5L28A): Priced by dealer

1-GB memory (E5K48A): Priced by dealer Foreign device interface (B5L31A): Priced by dealer INA: Information was not available from manufacturer. NA: Not applicable.

Specs were obtained from manufacturer/distributor and not confirmed by BLI testing.

Buyers Laboratory, 80 Little Falls Road, Fairfield, NJ 07004; 973-797-2100

Reproduction illegal without written consent from Buyers Lab. [18088/United States]

Last Updated: 04/06/2020

© 2020 Buyers Laboratory LLC