

HP ScanJet Pro 3000 s3 Sheet-feed Scanner



Put paper stacks to work for your office – from paper to digital with ease

Manage projects and workflows quickly and confidently. Easily handle mixed media, and get one-pass duplex scanning with speeds up to 35 ppm/70 ipm.¹ Scan to mobile devices for on-the-go control.² Recommended for 3,500 pages per day.



Fast scanning. Superb results. Every page.

- Produce scans at up to 35 ppm/70 ipm¹ with two-sided scanning that captures both sides at once.
- Capture every page easily – even stacks of mixed media – with HP EveryPage and an ultrasonic sensor.³
- Free up space for work. This HP ScanJet Pro is small and slim – a modern design perfect for the desktop.
- Handle paper from 40 gsm (11 lb.) to 413 gsm (110 lb.) weight and up to 21.6 x 309.9 cm (8.5 x 122 inches).

Optimise workflows with one-touch scanning

- Streamline routine work with one-touch scanning – create one-button, custom settings for recurring scan jobs.
- Scan images directly into applications with included and full-featured TWAIN and ISIS®.
- Easily transfer scans into editable text, secure PDF files, and more file types, using built-in OCR.
- Quickly share or archive scans directly to popular cloud destinations with HP Scan software.

Capture business documents like a pro

- Define scan profiles for common document types, and scan to multiple destinations with HP Scan software.
- Scan directly to mobile devices with the HP JetAdvantage Capture App, using the optional wireless accessory, and then edit and save files.²
- Capture and organise documents, business cards, and other file types with feature-rich software.

Accessories and services

| | |
|----------------------------|---|
| Accessories | L2754A HP ScanJet Pro 3000 s3 Roller Replacement Kit |
| | L2761A HP ScanJet Wireless Adapter 100 Accessory |
| Service and support | U9JQ3E HP 3 years Next business day Exchange ScanJet Pro 3xxx Service U9JR5PE HP 1 year Post Warranty Next business day Exchange ScanJet Pro 3xxx Service U9JR2E HP 3 years Next business day Onsite Exchange ScanJet Pro 3xxx Service U9JR6PE HP 1 year Post Warranty Next business day Onsite Exchange ScanJet Pro 3xxx Service U9JR0E HP 3 years Standard Exchange ScanJet Pro 3xxx Service U9JR4PE HP 1 year Post Warranty Standard Exchange ScanJet Pro 3xxx Service U9JR3E HP 3 years Return ScanJet Pro 3xxx Service U9JR7PE HP 1 year Post Warranty Return ScanJet Pro 3xxx Service (U9JR1E, U9JR5PE: all except Baltics, RSA, Turkey. U9JR2E, U9JR6PE: France, Spain, Portugal, Austria, Switzerland, Finland, Norway, Sweden, Belgium, Netherlands, Poland, Russia, Greece. U9JR0E, U9JR4PE: Baltics, RSA. U9JR3E, U9JR7PE: Turkey) |

Technical specifications

| | |
|--------------------------------------|---|
| Control Panel | Scan button, Cancel button, Power button with a LED and a LED for Error indication |
| Scanner specifications | Scanner type: Sheetfed; Scan technology: CMOS CIS; Scan input modes: One default scan mode on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA; Twain version: TWAIN version 2.1; Colour scanning: Yes; Output resolution dpi settings: 75, 150, 200, 240, 300, 400, 500, 600 ppi; Image scaling or enlargement range: Will not perform any arbitrary scaling |
| Scan speed³ | Up to 35 ppm/70 ipm |
| Scan resolution | Optical: Up to 600 dpi (colour and monochrome, sheet-feed); Hardware: Up to 600 dpi (colour and monochrome, sheet-feed) |
| Scan file format | For text and images: PDF, JPEG, PNG, BMP, TIFF, TXT (Text), RTF (Rich Text) and searchable PDF |
| Scanner advanced features | Auto colour detect; Auto crop; Auto exposure; Auto orientation; OCR; Edge removal; Background cleanup; Remove hole; Colour drop out; Straighten the page; Scan to cloud; Scan to email; PDF security; Misfeed detection advance setting |
| Grayscale Levels/Bit Depth | 256/24-bits external/48-bits internal |
| Duty cycle | Recommended for 3,500 pages per day |
| Auto document feeder capacity | 50 sheets |
| Connectivity | Standard: Hi-Speed USB 2.0 and USB 3.0; Optional: USB 2.0 port for Wi-Fi accessory |
| External I/O Ports | 1 x USB 3.0 and 1 x USB 2.0 port |
| Media Handling | |
| Media types | Cut sheet paper, printed paper (laser and ink), pre-punched paper, bank checks, business cards, freight bills, carbonless forms, previously stapled media with staple removed |
| Media size (ADF) | ISO A4: 210 x 297 mm; ISO A5: 148 x 210 mm; ISO A6: 105 x 148 mm; ISO A7: 74 x 104 mm; ISO A8: 52 x 74 mm; ISO B5: 176 x 250 mm; JIS B5: 182 x 257 mm |
| Media weight (ADF) | 40 to 413 g/m ² |
| Compatible operating systems | OS X El Capitan 10.11; Microsoft® Windows® 10, 8.1, 8, 7: 32-bit/64-bit |
| Minimum system requirements | PC: Microsoft® Windows® 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer; Windows Vista®: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8 |
| Software Included | HP WIA Scan Driver, HP TWAIN Scan Driver, HP Scan, HP Scanner Tools Utility, Nuance PaperPort (Win only), I.R.I.S. Readiris OCR, I.R.I.S. Cardiris (Win only), EMC ISIS (Win only) |
| Dimensions and weight | |
| Product dimensions (W x D x H) | Minimum¹: 310 x 198 x 190 mm; Maximum: 342 x 310 x 319 mm |
| Package dimensions (W x D x H) | 397 x 248 x 303 mm |
| Product weight | 3.4 kg |
| Package weight | 5.0 kg |
| Operating environment | Temperature: 10 to 35°C; Humidity: 15 to 80% RH (non-condensing) |
| Storage | Temperature: -40 to 60°C |
| Power | Requirements: Input Voltage: 90 to 264 VAC, 50/60 Hz; Consumption²: 4.2 watts (ready), 0.7 watts (sleep), 0.1 watts (off), 0.1 watts (auto-off); Energy star: Yes |
| Certifications | IEC 60950-1:2005 +A1 +A11 +A12 and all applicable amendments; CSA/UL 60950-1, 2nd edition (2007); EN 60950-1:2006 +A11 +A1 +A12 +A2; EAC safety; European Union CE; Kenya PVOC; Kuwait TER; Nigeria SON; Saudi Arabia SASO; South Africa NRCS; Ukraine safety approval; Electromagnetic compatibility: Class B Emissions; CISPR 22:2008 (International); European Union EMC Directive 2004/108/EC, EN 55022:2010 (CE mark); EAC EMC Certificate; Ukraine EMC approval; EN 61000-3-2:2014 (harmonics); EN 61000-3-3:2013 (flicker); Immunity CISPR 24:2010, EN 50024:2010 |
| What's in the box | L2753A HP ScanJet Pro 3000 s3 sheet-feed scanner engine; Installation guide; Support flyer; Warranty guide; 2 CDs; Power cord; USB cable; Power adapter |
| Warranty | One-year bench commercial warranty whole unit replacement, phone and Web support included. Warranty may vary by country as required by law. Go to http://www.hp.com/support to learn about HP service and support options in your region. |

Footnotes

¹ Scan speed measured at 300 dpi (black-and-white, greyscale, and colour). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

² Scanning from a mobile device requires the HP ScanJet Wireless Adaptor 100 (L2761A), which must be purchased separately, and the HP JetAdvantage Capture App. Download the app at hp.com/go/documentmanagement. Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections. Wi-Fi Direct® scanning requires the mobile device to be connected directly to the Wi-Fi® network of the scanner. Wi-Fi and Wi-Fi Direct are registered trademarks of Wi-Fi Alliance®.

³ HP EveryPage is referred to as HP Precision Feed on HP ScanJet devices introduced prior to May 2013.

Technical specifications disclaimers

¹ With input and output trays folded and covers closed.

² Power requirements are based on the country/region where the scanner is sold. Do not convert operating voltages. This will damage the scanner and void the product warranty.

³ Actual speeds may vary depending on scan resolution, connectivity type, computer performance and application software.



The product could differ from the images shown. © Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

