Data sheet

HP LaserJet Managed MFP E62565 series



This HP LaserJet MFP with JetIntelligence combines performance, energy efficiency, and security.

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.



HP LaserJet Managed Flow MFP E62565h



HP LaserJet Managed Flow MFP E62565z



HP LaserJet Managed MFP E62565hs

The world's most secure printing1

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as 7 seconds.4
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.5
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

More. Pages, Performance, and Protection.6

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.6
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.

Give workgroups the speed they need


- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, wish http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersThatProtect. For more information is available for download at no additional charge at http://www.hp.com/go/PrintersThatProtect. For more information; Isouries of the start of

HP LaserJet Managed Flow MFP E62565z

Product walkaround

- 1. Hardware Integration Pocket¹
- 2. Easy-access USB port²
- 3. 1,000-sheet 3-bin stapler/stacker with job offset
- 4. HP High-Performance Secure Hard Disk
- 5. Left door access to toner cartridges
- 6. Automatic two-sided printing
- 7. 550-sheet input tray 2
- 8. 150-sheet ADF with single-pass, two-sided scanning and HP EveryPage⁵
- 9. 8.0-inch (20.3 cm) intuitive icon-based color touchscreen
- 10. Pull-out keyboard⁵
- 11. Right door (access to print path)
- 12. 100-sheet multipurpose tray 1
- 13. Host USB port
- 14. Hi-speed USB 2.0 printing port
- 15. Slot for cable-type security lock
- 16. Gigabit Ethernet port



Series at a glance







| Model | HP LaserJet Managed Flow MFP | HP LaserJet Managed Flow MFP | HP LaserJet Managed MFP | |
|--|------------------------------|------------------------------|-------------------------|--|
| | E62565h | E62565z | E62565hs | |
| Part number | J8J74A | J8J79A | J8J73A | |
| Print speeds (letter/A4), in pages per minute (ppm) ³ | Up to 65/61 ppm | Up to 65/61 ppm | Up to 65/61 ppm | |
| Fax capabilities | Optional | Optional | Optional | |
| HP High Performance Secure Hard Disk | $\sqrt{}$ | $\sqrt{}$ | $\sqrt{}$ | |
| 100-sheet multipurpose tray 1, 550-sheet tray 2 | √ | \checkmark | √ | |
| 550-sheet paper feeder | Optional (up to four) | Optional (up to four) | Optional (up to four) | |
| 1x550-sheet paper feeder with stand and cabinet | Optional | Optional | Optional | |
| 3x550-sheet paper feeder and stand⁴ | Optional | Optional | Optional | |
| 1x550 and 2,000-sheet HCl feeder and stand | Optional | Optional | Optional | |
| Envelope feeder | Optional (up to two) | Optional (up to two) | Optional (up to two) | |
| 3-bin stapler/stacker with job offset | Not available | $\sqrt{}$ | $\sqrt{}$ | |
| Advanced workflow features, including pull-out keyboards | √ | √ | Not available | |
| Wireless direct, 6NFC touch-to-print7 | Optional | Optional | Optional | |
| Wireless networking® | Optional | Optional | Optional | |

¹Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ The HP Laser Jet Managed MFP E62565 series comes standard with the 100-sheet multipurpose tray 1 and 550-sheet tray 2. All models can add up to four additional optional 550 sheet paper feeders, or add one of the other optional accessories (1x550-sheet paper feeder with stand and cabinet, 3x550-sheet paper feeder and stand, or 1x550 and 2,000-sheet HCI feeder and stand) and up to a eadditional optional 550-sheet paper feeder. All optional accessories support media up to letter size (a.). ³ The pull-out keyboard and HP EveryPage are only available on the HP Laser Jet Managed Flow Mere SexSess and Flow MFP E62565 and Flow MFP E

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Same Day Onsite – 4 hour 9x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Next Business Day Exchange:

Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.

For carepack availability visit: hp.com/go/cpc













Top features

Only HP Enterprise MFPs repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds of up to 65 pages per minute,³ fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.⁶

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm®—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories

J8J89A- HP LaserJet 550-sheet paper feeder

J8J91A - HP LaserJet 1x550-sheet paper feeder with stand and cabinet J8J92A - HP LaserJet 1x550-sheet and 2,000-sheet HCl feeder and stand

J8J93A - HP LaserJet 3x550-sheet paper feeder with stand

J8J90A - HP LaserJet Envelope Feeder

B5L28A - HP Internal USB Ports

B5L31A - HP Foreign Interface Harness (FIH)

CC487A - HP LaserJet MFP Analog Fax Accessory 500

J8031A - HP Jetdirect 2900nw Print Server

J8030A - HP Jetdirect 3000w NFC/Wireless Accessory

F5S62A - HP Trusted Platform Module Accessory

A7W12A - HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese

A7W14A - HP LaserJet Keyboard Overlay Kit Sweden E5K48A - HP 1GB DDR3 x32 144-Pin 800MHz SODIMM

Supplies

J8J96A - HP Staple Cartridge Refill

J8J87A - HP LaserJet 110v Maintenance Kit J8J88A - HP LaserJet 220v Maintenance Kit

J8J95A - HP 300 ADF Roller Replacement Kit

W9004MC- HP Black Managed LaserJet Toner (50,000 yield)

Services

U9NN0E - HP 5 year NBD Hardware Support w/Defective Media Retention

U9NN3E - HP 5 year 4 hour 9x5 HW Support w/Defective Media Retention

U9NN6E - HP 5 year NBD Parts Exchange Service

U9NN8PE -HP 2 year Post Wty NBD HW Support w/Defective Media Retention

U9NP0PE -HP 2 year Post Warranty 4 hour 9x5 Hardware Support w/DMR

U9NP2PE -HP 2 year Post Wty NBD Parts Exchange Service

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go//PrintersThatProtect. For more information. http://www.hp.com/go//printersdeviryclaims. ² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/printerdaims. Exact speed varies depending on the system configuration, software application, exhiver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/lciaims ⁶ More pages versus predecessor cartridges daim based on page-yield comparison of HP 37X High Yield Black Original Laser/let Toner Cartridges. For more information, see thtp://www.hp.com/go/genaraboustupplication software.

Black Original Laser/let Toner Cartridges. For more information, see thtp://www.hp.com/go/genaraboustupplication software.

Page 14 Page 24 Page 24

HP LaserJet Managed MFP E62565 series

| Technical Specifications | HP LaserJet Managed Flow MFP E62565h (J8J74A) | HP LaserJet Managed Flow MFP E62565z (J8J79A) | HP LaserJet Managed MFP E62565hs (J8J73A) | | |
|--------------------------------------|--|--|---|--|--|
| AIO functions | | Print, Copy, Scan; AIO multitasking supported: Yes | | | |
| Print speed | A4: Up to 61 ppm; Letter: Up to 65 ppm black; 5: First Page Out Black: As fast as 5.4 sec; 7 | | | | |
| Print resolution | Black Operation 1200 at 1200 a | | | | |
| Print Technology | Laser; Print Resolution Technologies: FastRes1200; 1200 x 1200 dpi | | | | |
| Print Cartridges Number | 1 (black) | | | | |
| Standard Print Languages | HP PCL 6, HP PCL 5 (HP PCL 5 d | river available from the Web only), HP postscript level 3 emulation, native PDF | printing (v 1.7), Apple AirPrint™ | | |
| Printer Smart Software Features | Print preview, duplex printi | ing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store | print jobs, easy-access USB | | |
| Printer Management | HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver | | | | |
| Scan Type / Technology | Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD) | | | | |
| Scan Resolution | Hardware: 600 x 600 dpi; Optical: up to 600 dpi | | | | |
| Scan File Format | Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDFJA, TEXT (OCR), Junicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Searchable PDF, ACR), FTM (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDFJA, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF, ACR), CSV (OCR); Print from easy access USB: PDF, Pp. Print Ready files (prr., pd., c.th) | | Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prnpclcht) | | |
| Scan Input Modes | Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (0XP) applications; HP Scan or user application via TWAIN | | | | |
| Scan Size | ADF: 215.9 x 863.6 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 216 x 356 mm; Up to 83 ppm/167 ipm (b8w), up to 83 ppm/167 ipm (color) | | ADF: 215.9 x 863.6 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 in Minimum; Flatbed : 216 x 356 mm; Up to 69 ppm/111 ipm (b&w), up to 69 ppm/111 ipm (color) | | |
| Scan Speed | Up to 83 ppm/167 ipm (b&w), up to 83 ppm/167 ipm (color) ¹⁰ ; Duplex: Up to 167 ipm (b&w), up to 167 ipm (color) | | Up to 69 ppm/111 ipm (b&w), up to 69 ppm/111 ipm (color) ¹⁰ ; Duplex: Up t 111 ipm (b&w), up to 111 ipm (color) | | |
| Scanner Advanced Features | Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone PDF, JPG, TIF, MTIFScan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support | | Optimize text/picture; Image adjustments; Job build; Output quality setting Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Jot notification; Blank page suppression; HP Quick Sets PDF, JPG, TIF, MTIFScan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support | | |
| Bit depth / Grayscale levels | Internal: 30 bit; External: 24 bit/ 256 | | | | |
| Digital Sending Standard Features | Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Colo | | | | |
| Copy Speed | Black (A4): Up to 61 cpm | | | | |
| Copy Resolution | Black (text and Graphics); Up to 600 x 600 dpi (flatbed); Up to 600 x 450 dpi (ADF) | | | | |
| Maximum Number of Copies | Up to 9999 copies | | | | |
| Copier Settings | Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up., Nor Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Co (different media sizes) | | | | |
| Fax Features | Fax Phone TAM Interface Supported: No; Fax Telephone Mode Supported: No | | | | |
| Standard Connectivity | 1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket | | | | |
| Network Capabilities | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; (Psec (standard); 802.11a/b/g/n wireless networking (optional). | | | | |
| Network Ready | Standard (built-in Gigabit Ethernet) | | | | |
| Wireless Capability | Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A | | | | |
| Mobile Printing Capability | HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0 | | | | |
| Memory | Standard: 1.5 GB (printer); 1 GB (| | Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2 GB Total | | |
| Processor Speed | 1.2GHz / Hard disk: Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware | | vare encryption or greater) | | |
| Duty Cycle | Monthly, A4: Up to 450,000 pagesRecommended Monthly Page Volume: 5000 to 40,000 pages | | | | |
| Paper Handling | Media Types Supported: Paper (plain, light, bond, recycled, heavy, extra he Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2 | Duplex Options: Automatic (standard); Auto Document Feeder Capacity: Stand. eavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono | ard, 150 sheets; Ervelope Feeder: Yes, 75 (optional); Standard Paper Trays: 2; o transparency, labels, letterhead, envelope, heavy envelope; Media Weight ement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(7 3/4) | | |

HP LaserJet Managed MFP E62565 series

| Technical Specifications | HP LaserJet Managed Flow MFP E62565h (J8J74A) | HP LaserJet Managed Flow MFP E62565z (J8J79A) | HP LaserJet Managed MFP E62565hs (J8J73A) | | |
|---|--|---|--|--|--|
| Product Dimensions | WxDxH: 27.56 x 25.16 x 30.91 in; 700 x 639 x 785 mmMax/mum: 40.5 x 31.7 x 34.1 in (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open); 1030 x 808 x 865 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open) | W x D x H: 33.70 x 29.92 x 40.35 in; 856 x 760 x 1025 mm Maximum: 40.5 x 31.7 x 42 in (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open); 1030 x 808 x 1067 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open) | | | |
| Product Weight | 73.2 lb33.2 kg | 87.7 lb39.8 kg | | | |
| What's in the box | HP LaserJet Multifunction Printer; HP Black Original Las | serJet Toner Cartridge (~11K yield); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord | | | |
| Warranty Features | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. | | | | |
| Energy Efficiency Compliance | ENERGY STAR® qualified; CECP; EPEAT® Silver | | | | |
| Control Panel | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Extended Keyboard | | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu) | | |
| Display Description | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu) | | | | |
| Software Included | HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals | | | | |
| Fonts and Typefaces | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts | | | | |
| Compatible Operating Systems | Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) | | | | |
| Compatible Network Operating Systems | Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2008/2008 R2 SP1, Citrix Nember 3.0, Citrix Presentation Service 4.0/4.5, Citrix KenApp 5.0 (Plus Feature Pack 2.8.3) for Windows Server 2008 Freminal Services 3.2 - and 64-bit, Citrix XenApp 6.0/6.5/7.5 (firo Windows Server 2008 R2 SP1 Terminal Services, 3.2 - and 64-bit, Citrix XenApp 5.0 (S.6).7.5 (Firo Windows Server 2008 R2 SP1 Terminal Services, 3.2 - and 64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 3.2 - and 64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 3.2 - and 64-bit), Novell Cients www.novell.com/print, Novell Derint Appliance v1.0, Novell Open Enterprise Server 17/591, Novell Open Enterprise Server 2.0 (Server 2.0 (Serv | | | | |
| Minimum System Requirements | PC: 2GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info | | | | |
| Power | Power Supply Type: Built in 115 V or 220 V Power Supply: Power Requirements: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+, 3Hz), 6 A; Power Consumption: 740 watts (printing/copying), 29.0 watts (ready), 3.3 watts (sleep), <0.1 watts (Auto Off/Manual On), <0.1 watts (Manual Off) ² | | | | |
| Acoustics | Acoustic Power Emissions: 7.0 B(A): Acoustic Pressure Emissions: 56 dB(A) | | | | |
| Operating Environment | Operating Temperature Range: 15 to 32.5°C; Recommended Operating Temperature: 15 to 27°C; Storage Temperature Range: -20 to 40°C; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH | | | | |
| Security Management | Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802. 1X authentication (EAP-PEAP; EAP-TLS); SNMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 14 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with F Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability, Whitelisting - loads only known good code (DLLs, EXEs,); Security management Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs | | | | |

Learn more at hp.com

ale

¹ Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies ² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on measurement of 115 V device. ³ Average color composite (C/M/V) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies ⁹ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, see with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information see http://www.hp.com/go/learnaboutsupplies ⁵ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁶ Measured using ISO/IEC 19752. Actual processor is seen to the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device. ⁹ Based on the BATEC method with the following possible exceptions: I minute or less sleep delay setting, Wi-Fi disabled. ¹⁹ Scan speeds measured from DF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. ¹¹ Scan software not included in box. HP Scan and TWAIN driver available for download at http://pc.com/support ¹² Original HP Laser let "A" and "X" toner cartridges are also compatible with this