

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, & 30				1. REQUISITION NUMBER 6200008719	PAGE 1 OF 119	
2. CONTRACT NO.	3. AWARD/EFFECTIVE DATE	4. ORDER NUMBER	5. SOLICITATION NUMBER MT1441-18	6. SOLICITATION ISSUE DATE 01/5/2018		
7. FOR SOLICITATION INFORMATION CALL:	a. NAME TIFFANI BALESTRINI, CONTRACT SPECIALIST		b. TELEPHONE NUMBER (No collect calls) 570-547-1990 X4669		8. OFFER DUE DATE/ LOCAL TIME 01/31/2018 2:00 PM EST	
	9. ISSUED BY UNICOR 400 FIRST STREET WASHINGTON DC, 20534	CODE	10. THIS ACQUISITION IS <input type="checkbox"/> UNRESTRICTED OR <input type="checkbox"/> SET ASIDE: _____ % FOR: <input type="checkbox"/> SMALL BUSINESS <input type="checkbox"/> WOMEN-OWNED SMALL BUSINESS <input type="checkbox"/> HUBZONE SMALL BUSINESS <input type="checkbox"/> (WOSB) ELIGIBLE UNDER THE WOMEN-OWNED SMALL BUSINESS PROGRAM NAICS: <input type="checkbox"/> SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS <input type="checkbox"/> EDWOSB <input type="checkbox"/> 8 (A) SIZE STANDARD:			
11. DELIVERY FOR FOB DESTINATION UNLESS BLOCK IS MARKED <input type="checkbox"/> SEE SCHEDULE	12. DISCOUNT TERMS		13a. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700) <input type="checkbox"/>		13b. RATING	
15. DELIVER TO VARIOUS LOCATIONS SEE SOLICITATION FOR SPECIFIC DELIVERY LOCATIONS		CODE	16. ADMINISTERED BY UNICOR FEDERAL PRISON INDUSTRIES 2 MILES NORTH OF ALLENWOOD ALLENWOOD, PA 17810			
17a. CONTRACTOR/OFFEROR	CODE	FACILITY CODE	18a. PAYMENT WILL BE MADE BY UNICOR PO BOX 4000 LEXINGTON KY 27509-4000 1-800-827-3168			
TELEPHONE NO.			18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED <input type="checkbox"/> SEE ADDENDUM			
<input type="checkbox"/> 17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER						
19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES		21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	SEE SECTION B					
<i>(Use Reverse and/or Attach Additional Sheets as Necessary)</i>						
25. ACCOUNTING AND APPROPRIATION DATA				26. TOTAL AWARD AMOUNT (For Govt. Use Only)		
<input checked="" type="checkbox"/> 27a. SOLICITATION INCORPORATES BY REFERENCE FAR 52.212-1, 52.212-4. FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA			<input checked="" type="checkbox"/> ARE <input type="checkbox"/> ARE NOT ATTACHED			
<input type="checkbox"/> 27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52.212-4. FAR 52.212-5 IS ATTACHED. ADDENDA			<input type="checkbox"/> ARE <input type="checkbox"/> ARE NOT ATTACHED			
<input checked="" type="checkbox"/> 28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED			29. AWARD OF CONTRACT: REF. _____ OFFER DATED _____. YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS:			
30a. SIGNATURE OF OFFEROR/CONTRACTOR			31a. UNITED STATES OF AMERICA (SIGNATURE OF CONTRACTING OFFICER)			
30b. NAME AND TITLE OF SIGNER (Type or print)	30c. DATE SIGNED	31b. NAME OF CONTRACTING OFFICER (Type or print)	31c. DATE SIGNED			

Request For Quote

Terms of delivery: DST

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00001	AHW6582	75	EA			5000041375	
ALUM-DIAM-PLT, GRADE-3003, H22, 4X8X1/8" T							

SPECIFICATIONS:

THIS IS ALUMINUM DIAMOND PLATE SHEET METAL

MATERIAL:

Aluminum Alloy

Must Meet ASTM-H22 Standards

Grade 3003

WIDTH: 4 Feet

LENGTH: 8 Feet

THICKNESS: .125 Inches

GAUGE: 11

LAST BSBM DATA TEXT REVISION 7-20-12

00002	ANS0013	1,750	EA			5000041375	
1"X1"X3/16"TX18'L, BFSF, ASTM-A36							

STRUCTURAL-ANGLE-STEEL, SPEC.NO.

ASTM-A-36.HOT-ROLLED, blasted finish to sspc-7 to sspc-5 surface finish.

Coated with geo-guard 4021.

.LENGTH-TOLERANCE:1/16".

FREE-FROM-RUST, SCALE, BURRS-AND-SHARP

EDGES.BANDED-IN-LIFTS-NOT-TO-EXCEED

5000-LBS.WITH-4'X4'

LENGTHWISE-HARDWOOD-SKIDS-FOR

FORKLIFT-UNLOADING-FROM-SIDE-OF-TRUCK

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del. Date</u>
00003	ANS0016	3,000	EA			5000041375	

1"X1"X1/8"TX18'L,BFSF*

REINFORCEMENT,HEAVY,ANGLE BAR (STRUCTURAL).

DIMENSION: 1in.WIDTH X 1in.HEIGHT X 1/8in. THICKNESS X 18ft.LENGTH.

UNICOR PART NO: ANS0016

UNICOR DRAWING NO: ANS0016

MATERIAL:ASTM:A 36/A 36M-08,A6/A 6M-08.(L) SHAPE (EQUAL LEGS),HRPO,STEEL.

FINISH: blasted finish to sspc-7 to sspc-5 surface finish. Coated with geo-guard 4021.

FREE FROM RUST,SCALE,BURRS AND SHARP EDGES.

TOLERANCES: THICKNESS+.010in.,ALL OTHER DIMS+1/32in.

UNLESS OTHERWISE SPECIFIED.

SHIPMENT:SECURED LIFTS, STACK PILED (NOT TO EXCEED 5000 LB), PACKAGED ON CROSSWISE SKIDS, AND ACCESSIBLE FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.

00004	ANS0017	50,000	EA			5000041375	
-------	---------	--------	----	--	--	------------	--

1"X1"X1/8"TX35-7/32"L,HR

FINISH: BLASTED FINISH TO

SSPC-7 TO SSPC-5 SURFACE FINISH.

COATED WITH GEO-GUARD 4021

00005	ANS0045	2,000	EA			5000041375	
-------	---------	-------	----	--	--	------------	--

2-1/2X2-1/2,3/16"TX144"L,BFSF,ASTM-A36

OVERALL LENGTH TOLERANCE: +1/2", -0"

SPECIFICATIONS: Steel angle,

Hot-formed, mild steel, low carbon, in

accordance with ASTM A36, blasted finish to sspc-7 to sspc-5 surface finish.,coated with geo-gaurd 4021. free from burrs and sharp edges.

PACKAGING AND MARKING: Angle to be banded

securely into bundles of equal quantity.

Maximum bundle weight to be 2,000 lbs.

Each bundle to be tagged as to material

size, weight, UNICOR purchase order

number, stock number (ANS0045), and

date Angle must be shipped in a manner

allowing for easy unloading at

destination by forklift.

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00006	ANS0047	30	EA			5000041375	
	STANDARD,C-CHANNEL,10GA,2"X1"X240"L						

FINISH: BLASTED FINISH TO
SSPC-7 TO SSPC-5 SURFACE FINISH.
COATED WITH GEO-GUARD 4021

00007	ANS0049	1,500	EA			5000041375	
	2"X1-1/2"X3/16"TX10'L,A36-7						

FINISH: BLASTED FINISH TO
SSPC-7 TO SSPC-5 SURFACE FINISH.
COATED WITH GEO-GUARD 4021

00008	ANS0079	35	EA			5000041375	
	1"X1"X1/8"TX10'L,BFSF						

ANGLE, STEEL, PER ASTM A36
SIZE: 1" x 1" x 1/8" x 10' LENGTH,
+1"/-0"

SPECIFICATIONS: Steel angle,
hot-formed, mild steel, low carbon, in
accordance with ASTM A36, blasted finish to sspc-7 to sspc-5 surface
finish.Coated with geo-guard 4021, free from burrs and sharp edges.
U/O LOCKEERS.

PACKAGING AND MARKING: Angle to be banded
securely into bundles of equal quantity.
Maximum bundle weight to be 2,000 lbs.
Each bundle to be tagged as to material
size, weight, UNICOR purchase order
number, stock number (ANS0079), and
date. Weight of angle is .80 lbs. per
ft. Angle must be shipped in a manner
allowing for easy unloading at
destination by forklift.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00009	ANS0080	14,000.000	FT			5000041375	
	2"X2"X3/16"TX10'L,BFSF						

ANGLE, STEEL, ASTM A36, H.R.P.O.

SIZE: 2" x 2" x 3/16" x 10' LENGTH

OVERALL LENGTH TOLERANCE: +1/2", -0"

SPECIFICATIONS: Angle to be in

accordance with ASTM A36. Angle, Steel,
Carbon, Structural, Grade A. Angle must

be straight and free of rust and scale

and without physical damage as it is

used in the production of metal

fabricated parts which are to be painted

and any surface defects will be cause

for rejection. Therefore, the angle

MUST BE blasted finish to sspc-7 to sspc-5 surface finish.

Coated with geo-guard 4021

. Angle must

also be cut square.

PACKAGING AND MARKING: Angle to be

securely banded into bundles of exactly

120 pieces each. Each bundle weight

will be 2,928 lbs. (Based on weight of

2.44 lbs. per ft.) Each bundle to be

tagged as to material dimensions, net

weight, UNICOR purchase order number,

date and stock number (ANS0080). Angle

must be shipped in a manner allowing for

easy unloading by forklift at

destination. Any deviations from these

requirements will be cause for rejection

of entire load without unloading.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00010	ANS0087	450,000	EA			5000041375	

1"X1"X1/8"X41-3/32"L,BFSF

REINFORCEMENT,HEAVY,ANGLE BAR (STRUCTURAL).

DIMENSION: 1"WIDTH X 1"HEIGHT X 1/8" THICKNESS X
41-3/32"LENGTH.

UNICOR PART NO: ANS0087

UNICOR DRAWING NO: ANS0087

MATERIAL:ASTM:A 36/A 36M-08,A6/A 6M-08."L" SHAPE (EQUAL
LEGS),HRPO,STEEL.

FINISH: , blasted finish to sspc-7 to sspc-5 surface finish. Coated with
geo-guard 4021.

FREE FROM RUST,SCALE,BURRS AND
SHARP EDGES.

TOLERANCES: THICKNESS+.010",ALL OTHER DIMS+1/32"
UNLESS OTHERWISE SPECIFIED.

SHIPMENT:SECURED LIFTS, STACK PILED (NOT TO EXCEED
5000 LB), PACKAGED ON CROSSWISE SKIDS, AND ACCESSIBLE
FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK

00011	ANS0088	27,500	EA			5000041375	
-------	---------	--------	----	--	--	------------	--

1"X1"X1/8"X47-7/32"L,BFSF*

REINFORCEMENT,HEAVY,ANGLE BAR (STRUCTURAL).

DIMENSION: 1"WIDTH X 1"HEIGHT X 1/8" THICKNESS X
47-7/32"LENGTH.

UNICOR PART NO: ANS0088

UNICOR DRAWING NO: ANS0088

MATERIAL:ASTM:A 36/A 36M-08,A6/A 6M-08."L" SHAPE (EQUAL
LEGS),HRPO,STEEL.

FINISH: , blasted finish to sspc-7 to sspc-5 surface finish. Coated with
geo-guard 4021.

FREE FROM RUST,SCALE,BURRS AND
SHARP EDGES.

TOLERANCES: THICKNESS+.010",ALL OTHER DIMS+1/32"
UNLESS OTHERWISE SPECIFIED.

SHIPMENT:SECURED LIFTS, STACK PILED (NOT TO EXCEED
5000 LB), PACKAGED ON CROSSWISE SKIDS, AND ACCESSIBLE
FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del. Date</u>
00012	ANS0106 3"X2"X1/4"TX25-15/16"L,ASTM,A-36 ASTM A36, COMMERCIAL QUALITY, LENGTH TOLERANCE +/-1/16". HRCQ U/O VEHICLE RACK PACKAGING AND MARKING: ANGLE TO BE SECURELY BANDED INTO BUNDLES OF EQUAL QUANTITY NOT TO EXCEED A MAXIMUM WEIGHT OF 4000 LBS. EACH BUNDLE MUST BE TAGGED WITH THE QUANTITY, WEIGHT, MATERIAL EACH DIMENSIONS, UNICOR PURCHASE ORDER NUMBER, DATE OF PACK AND STOCK NUMBER ANS-0106. ANGLE MUST BE SHIPPED IN A MANNER ALLOWING FOR EASY UNLOADING BY FORKLIFT AT DESTINATION. ANY DEVIATIONS FROM THESE REQUIREMENTS WILL BE CAUSE FOR REJECTION OF ENTIRE LOAD WITHOUT UNLOADING.	35	EA			5000041375	
00013	ANS0113 3"X5"X3/8"TX120"L,ASTM-A36 FINISH: BLASTED FINISH TO SSPC-7 TO SSPC-5 SURFACE FINISH. COATED WITH GEO-GUARD 4021	15,000	EA			5000041375	
00014	ANS0118 1.50X1.50X.188X20'L,STRUCTURAL-ANGLE FINISH: BLASTED FINISH TO SSPC-7 TO SSPC-5 SURFACE FINISH. COATED WITH GEO-GUARD 4021	225	EA			5000041375	
00015	ANS0156 ANGLE,1-3/4"X1-3/4"X1/8"T-20'L-A36 FINISH: BLASTED FINISH TO SSPC-7 TO SSPC-5 SURFACE FINISH. COATED WITH GEO-GUARD 4021	400	EA			5000041375	
00016	ANS0172 C-CHANNEL,3/16"T,3"LEGS"X10"WIDEX144"L	100	EA			5000041375	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00017	ANS0318 3"X2"X3/8"TX120"L,ASTM-A36	5,000	EA			5000041375	
	FINISH: BLASTED FINISH TO SSPC-7 TO SSPC-5 SURFACE FINISH. COATED WITH GEO-GUARD 4021						
00018	ANS1137 STEEL-ASTM-A36-C-CHANNEL,C3X5#X20'	60,000.000	FT			5000041375	
	FINISH: BLASTED FINISH TO SSPC-7 TO SSPC-5 SURFACE FINISH. COATED WITH GEO-GUARD 4021						
00019	ANS1146 ANGLE,1.5"X1.5"X.125"X20FT,ASTM-A36* HOT ROLLED CARBON STEEL ANGLE IN ACCORDANCE WITH ASTM-A36	50	EA			5000041375	
00020	BAS0019 1/8"TX1"WX18'L,HRCQ,ASTM-A1011	500	EA			5000041375	
	FINISH: BLASTED FINISH TO SSPC-7 TO SSPC-5 SURFACE FINISH. COATED WITH GEO-GUARD 4021						
00021	BAS0087 2"X3/8X10',STRAP,ASTM#836,HOT,ROLL,STEEL	500.000	FT			5000041375	
	FINISH: BLASTED FINISH TO SSPC-7 TO SSPC-5 SURFACE FINISH. COATED WITH GEO-GUARD 4021						

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00022	BAS0125 1/4"TX1"WX12'L,HRPO,ASTM-A108,HOT- ROLLED, PICKLED AND OILED FLATS IN ACCORD WITH ASTM A-575(LATEST REV) GRADE M1008 OR M1010 OR AS ALTERNATE COLD FINISHED IN ACCORD WITH ASTM A-108 (LATEST REV) GRADE 1008 OR 1010 TO BE PACKAGED AND MARKED IAW ASTM A-700 (LATEST REV), SECTION 6, FIG.#2. MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED UNICOR ITEM NUMBER: BAS0125	125	EA			5000041375	
00023	BAS0188 3/16"TX2"WX20'L,BFSF,ASTM-A36 blasted finish to sspc-7 to sspc-5 surface finish. Coated with geo-guard 4021.	2,000	EA			5000041375	
00024	BAS0200 1/4"X5"-STRIP-10'BAR-STOCK FINISH: BLASTED FINISH TO SSPC-7 TO SSPC-5 SURFACE FINISH. COATED WITH GEO-GUARD 4021	25	EA			5000041375	
00025	BAS1157 1/8"TX3/4"X207"LHRCO,ASTM-A36 FINISH: BLASTED FINISH TO SSPC-7 TO SSPC-5 SURFACE FINISH. COATED WITH GEO-GUARD 4021	3,500	EA			5000041375	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del. Date</u>
00026	BAS1173 ST,FL-STCK,HOT-ROLL,A36,2"X3GA,20'L	1,750.000	FT			5000041375	

UNICOR PART NO: BAS1173
 DESCRIPTION: ST,FL-STCK,HOT-ROLL,A36,2"X1/4"T,20'L*
 SIZE: 2.00"W X 0.25"T X 20'L
 MATERIAL: FLAT STOCK STEEL; ASTM-A36
 DRAWING NO: UNICOR Production Print Number:
 U/M: EA.
 SPECIFICATIONS: LENGTH TOLERANCE: +1/4", CUT EDGE.
 PACKAGING AND MARKING: Bundles not to exceed 3,000 pounds. Each bundle must be tagged as to material dimensions, weight, number of pieces, UNICOR stock number (BAS1173), purchase order number, and date. Material must be shipped in a manner allowing for easy side unloading at destination by forklift.
 INSPECTION AND ACCEPTANCE: Pieces must be free of surface defects. Pieces must arrive dry and corrosion free, having been protected from the elements en-route to be acceptable.
 U/O:BOX*BIOHZDSP

00027	BKT5368 BRACKET,CANT-ARM,.50"TX11.00"LX5.00"W	1,750	EA			5000041375	
-------	--	-------	----	--	--	------------	--

FINISH: BLASTED FINISH TO
 SSPC-7 TO SSPC-5 SURFACE FINISH.
 COATED WITH GEO-GUARD 4021

00028	COS0002 13GAX6-1/2"W",CRCQ,ASTM-A-366	82,500.000	LB			5000041375	
-------	--	------------	----	--	--	------------	--

DESCRIPTION: COIL STEEL
 IN ACCORDANCE WITH ASTM-A-366
 COMMERCIAL QUALITY COLD ROLLED STEEL
 CERTIFICATE OF CONFORMANCE REQUIRED W/EACH DELIVERY
 OILED IN LIFTS NOT TO EXCEED 5000 LBS. WITH 4"X4" HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.
 TRMT SPECS:
 COIL WEIGHT: MIN.=STD/MAX-5000LBS
 COIL ID:16"-20"/COIL OD:45"
 WIDTH TOLERANCE:+0/-1/64"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00029	COS0010	30,000.000	LB			5000041375	
	14GA,4.0"W,(+0/- .02)CRCQ,ASTM-A1008*						

"14GA,4.0"W,(+0/- .02)CRCQ,ASTM-A1008
COIL STEEL, C.R.C.Q., 14GA, ASTM A1008
UNICOR PART NO: COS1236
SIZE: 14 GA X 4.0" W (+0/- .02)"U/O: 1X1X4 STEEL
BRACKET (BRB0440).
SPECIFICATIONS: STEEL TO BE COLD ROLLED COMMERCIAL
QUALITY, CONFORMING TO ASTM A1008.
PACKAGING AND MARKING: COILS MUST NOT EXCEED 5000 LBS.
(EA.). MATERIAL MUST BE SHIPPED IN A MANNER ALLOWING
FOR EASY UNLOADING AT DESTINATION BY FORKLIFT.
MATERIAL MUST BE PROTECTED FROM ELEMENTS IN ROUTE AND
ARRIVE FREE OF RUST AND CORROSION. ALL COILS TO BE
BANDED AND SECURED TO SKIDS INDEPENDENT OF EACH OTHER
REGARDLESS OF WEIGHT. FLATBED, SIDE UNLOADING
PREFERRED. ALL COILS TO BE BANDED AND SECURED TO SKIDS
INDEPENDENT OF EACH OTHER REGARDLESS OF WEIGHT. EACH
SKID SHALL BE TAGGED WITH: MATERIAL DIMENSIONS,
NET WEIGHT, UNICOR STOCK NUMBER (COS1236), PURCHASE
ORDER NUMBER AND DATE.

"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00030	COS0011	35,000.000	LB			5000041375	
	.054"T(+.006,-0)X3"W,CRCQ,ASTM-A1						

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00031	COS0105 14GAX4-1/2"W,CRCQ,ASTM-A1008	650,000.000	LB			5000041375	

"COIL STEEL, C.R.C.Q., 14GA, ASTM A1008
SIZE: 14 GA X 4.500" (+/- .008")
U/O CHANNEL BRACING AND P.S.L. ECCENTRIC
PLATE
SPECIFICATIONS: STEEL TO BE COLD-ROLLED
COMMERCIAL QUALITY, CONFORMING TO ASTM
A1008. OUTSIDE DIAMETER 60" MAXIMUM;
INSIDE DIAMETER 15-1/2"- 21-1/2".
COIL WEIGHT 3,000 LBS. MINIMUM - 5000
LBS MAXIMUM.
YIELD 25 TO 35 KSI
TENSILE 40 TO 50 KSI
PACKAGING / HANDLING: MATERIAL MUST BE
SHIPPED IN A MANNER ALLOWING FOR EASY
UNLOADING AT DESTINATION BY FORKLIFT.
FLATBED, SIDE UNLOADING PREFERRED.
EACH SKID SHALL BE TAGGED WITH MATERIAL
DEMENSIONS, NET WEIGHT, UNICOR STOCK
NUMBER (COS0105),PURCHASE ORDER NUMBER
AND DATE.
"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00032	COS0106	125,000.000	LB			5000041375	

"COIL STEEL, C.R.C.Q., 14GA, ASTM A1008
SIZE: 14GA X 7.630" (+/- .010")
U/O 3.5" STEP BEAM AND 5.5" BEAM COVER.
SPECIFICATIONS: STEEL TO BE COLD-ROLLED,
COMMERCIAL QUALITY, CONFORMING TO ASTM
A1008. OD 60" MAX; ID 15-1/2" - 21-1/2".
COIL WEIGHT 3,00 LBS. (MIN)- 5,000 LBS
MAXIMUM.
YIELD 25 TO 35 KSI.
TENSILE 40 TO 50 KSI.
PACKAGING / MARKING : MATERIAL MUST BE
SHIPPED IN A MANNER ALLOWING FOR EASY
UNLOADING AT DESTINATION BY FORKLIFT.
FLATBED, SIDE UNLOADING PREFERRED. ALL
COILS TO BE BANDED AND SECURED TO SKIDS
INDEPENDENT OF EACH OTHER REGARDLESS OF
WEIGHT. EACH SKID SHALL BE TAGGED WITH
MATERIAL DIMENSIONS, NET WEIGHT, UNICOR
STOCK NUMBER (COS0106), PURCHASE ORDER
NUMBER AND DATE.

"

"COIL STEEL, C.R.C.Q., 14GA, ASTM A1008
SIZE: 14GA X 7.630" (+/- .010")
U/O 3.5" STEP BEAM AND 5.5" BEAM COVER.
SPECIFICATIONS: STEEL TO BE COLD-ROLLED,
COMMERCIAL QUALITY, CONFORMING TO ASTM
A1008. OD 60" MAX; ID 15-1/2" - 21-1/2".
COIL WEIGHT 3,00 LBS. (MIN)- 5,000 LBS
MAXIMUM.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
-----------------	-----------------------------	-----------------	------------	-------------------	-----------------------	------------------	-----------------

YIELD 25 TO 35 KSI.

TENSILE 40 TO 50 KSI.

PACKAGING / MARKING : MATERIAL MUST BE SHIPPED IN A MANNER ALLOWING FOR EASY UNLOADING AT DESTINATION BY FORKLIFT. FLATBED, SIDE UNLOADING PREFERRED. ALL COILS TO BE BANDED AND SECURED TO SKIDS INDEPENDENT OF EACH OTHER REGARDLESS OF WEIGHT. EACH SKID SHALL BE TAGGED WITH MATERIAL DIMENSIONS, NET WEIGHT, UNICOR STOCK NUMBER (COS0106), PURCHASE ORDER NUMBER AND DATE.

"

14GAX7.630"W,CRCQ,ASTM-A1008

"COIL STEEL, C.R.C.Q., 14GA, ASTM A1008
SIZE: 14GA X 7.630" (+/- .010")
U/O 3.5" STEP BEAM AND 5.5" BEAM COVER.
SPECIFICATIONS: STEEL TO BE COLD-ROLLED, COMMERCIAL QUALITY, CONFORMING TO ASTM A1008. OD 60" MAX; ID 15-1/2" - 21-1/2".
COIL WEIGHT 3,00 LBS. (MIN)- 5,000 LBS MAXIMUM.

YIELD 25 TO 35 KSI.

TENSILE 40 TO 50 KSI.

PACKAGING / MARKING : MATERIAL MUST BE SHIPPED IN A MANNER ALLOWING FOR EASY UNLOADING AT DESTINATION BY FORKLIFT. FLATBED, SIDE UNLOADING PREFERRED. ALL COILS TO BE BANDED AND SECURED TO SKIDS INDEPENDENT OF EACH OTHER REGARDLESS OF WEIGHT. EACH SKID SHALL BE TAGGED WITH MATERIAL DIMENSIONS, NET WEIGHT, UNICOR STOCK NUMBER (COS0106), PURCHASE ORDER NUMBER AND DATE.

"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
-----------------	-----------------------------	-----------------	------------	-------------------	-----------------------	------------------	-----------------

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00033	COS0108	89,000.000	LB			5000041375	
	14GAX5.630"W,CRCQ,ASTM-A1008						

"COIL STEEL, C.R.C.Q.,14GA,ASTM A1008
SIZE: 14 GA X 5.630" (+/- .008")
U/O 3.5" COVER FOR BEAMS.
SPECIFICATIONS: STEEL TO BE COLD-ROLLED,
COMMERCIAL QUALITY,CONFORMING TO ASTM
A1008. ID 60" MAX; ID 15-1/2"-21-1/2".
COIL WEIGHT 3,00 LBS (MIN) -5,000 LBS
MAXIMUM.
YIELD 25 TO 35 KSI.
TENSILE 40 TO 50 KSI.
NOTE: MATERIAL SHALL BE ROLLED ONTO THE
TAKE-UP REEL SO THAT THE SLIT EDGE IS TO
THE INSIDE OF THE COIL (BURR SIDE DOWN)
PACKAGING / MARKING: Material must be
shipped in a manner allowing for easy
unloading at destinatin by forklift.
Flatbed, side unloading preferred.
Each skid shall be tagged with material
dimensions, net weight, UNICOR stock
number (COS0108), purchase order number
and date.
"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00034	COS0109 12GAX10.51"W,CRCQ,ASTM-A1008	1,210,000.000	LB			5000041375	

"COIL STEEL, C.R.C.Q., 12GA, ASTM A1008
SIZE: 12 GA X 10.510" (+/- .016"A)
U/O POST/UPRIGHT / POST,FRAME,CANTILEVER
SPECIFICATIONS: STEEL TO BE COLD-ROLLED,
COMMERCIAL QUALITY, CONFORMING TO ASTM
A1008. OD 60" MAX; ID 15-1/2" - 21-1/2".
COIL WEIGHT 3,000 LBS MAXIMUM.
YIELD 25 TO 35 KSI.
TENSILE 40 TO 50 KSI.
PACKAGING/ MARKING: MATERIAL MUST BE
SHIPPED IN A MANNER ALLOWING FOR EASY
UNLOADING AT DESTINATION BY FORKLIFT.
FLATBED, SIDE UNLOADING PREFERRED.
EACH SKID SHALL BE TAGGED WITH MATERIAL
DIMENSIONS, NET WEIGHT, UNICOR STOCK
NUMBER (COS0109), PURCHASE ORDER NUMBER
AND DATE.
"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00035	COS0110	1,480,000.000	LB			5000041375	

12GAX9.640"W,CRCQ,ASTM-A1008

"12GAX9.640"W,CRCQ,ASTM-A1008

COIL STEEL, C.R.C.Q.,12GA, ASTM A1008

SIZE: 12 GA X 9.640" (+/- .016")

U/O 5.5" STEP BEAM

SPECIFICATIONS: STEEL TO BE COLD-ROLLED,
COMMERCIAL QUALITY, CONFORMING TO ASTM
A1008. OD 60" MAX; ID 15-1/2" - 21-1/2.
COIL WEIGHT 3,000 LBS (MIN) - 5,000 LBS
MAXIMUM.

YIELD 25 TO 35 KSI.

TENSILE 40 TO 50 KSI.

PACKAGING / MARKING: Material must be
shipped in a manner allowing for easy
unloading at destinatin by forklift.
Flatbed, side unloading preferred. All
coils to be banded and secured to skids
independent of each other regardless of
weight. Each skid shall be tagged with
material dimensions, net weight, UNICOR
stock number (COS0110), purchase order
number and date.

"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00036	COS0111 12GAX8.640"W,CRCQ,ASTM-A1008	675,000.000	LB			5000041375	

"COIL STEEL, C.R.C.Q., 12GA, ASTM A1008
SIZE: 12 GA X 8.640" (+/- .016")
U/O 4.5" STEP BEAM, 3-1/2" RIGID CASTER
FRAME / 3-1/2" AND 4" SWIVEL CASTER
FORK.

SPECIFICATIONS: STEEL TO BE
COLD-ROLLED, COMMERCIAL QUALITY,
CONFORMING TO ASTM A1008. OD 60" MAX;
ID 15-1/2" - 21-1/2". COIL WEIGHT
3,000 LBS (MIN) - 5,000 LBS MAXIMUM.
YIELD 25 TO 35 KSI.
TENSILE 40 TO 50 KSI.

PACKING / MARKING: Material must be
shipped in a manner allowing for easy
unloading at destinatin by forklift.
Flatbed, side unloading preferred.
All coils to be banded and secured
to skids independent of each other
regardless of weight. Each skid shall
be tagged with MATERIAL DIMENSIONS, NET
WEIGHT, UNICOR STOCK NUMBER (COS0111),
PURCHASE ORDER NUMBER and DATE.

"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00037	COS0112 12GAX7.640"W,CRCQ,ASTM-A1008	2,910,000.000	LB			5000041375	

"COIL STEEL, C.R.C.Q., 12GA, ASTM A1008
SIZE: 12 GA X 7.640" (+/- .016")
U/O CROSSBAR-HEAVY DUTY, 3.5" STEP BEAM,
5.5" COVER BEAM, ROW SPACER, AND WALL
MOUNT BRACKET.

SPECIFICATIONS: STEEL TO BE
COLD-ROLLED, COMMERCIAL QUALITY,
CONFORMING TO ASTM A1008. OD 60" MAX;
ID 15-1/2" - 21-1/2". COIL WEIGHT
3,000 LBS (MIN) - 5,000 LBS MAXIMUM.
YIELD 25 TO 35 KSI.
TENSILE 40 TO 50 KSI.

PACKING / MARKING: Material must be
shipped in a manner allowing for easy
unloading at destinatin by forklift.
Flatbed, side unloading preferred.
All coils to be banded and secured
to skids independent of each other
regardless of weight. Each skid shall
be tagged with MATERIAL DIMENSIONS, NET
WEIGHT, UNICOR STOCK NUMBER (COS0112),
PURCHASE ORDER NUMBER and DATE.

"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00038	COS0113 12GAX6.630"W,CRCQ,ASTM-A1008	1,120,000.000	LB			5000041375	

"COIL STEEL, C.R.C.Q., 12GA, ASTM A1008
SIZE: 12 GA X 6.630" (+/- .016")
U/O 4.5" COVER FOR BEAMS, AND 4" RIGID.
CASTER FRAME.

SPECIFICATIONS: STEEL TO BE
COLD-ROLLED, COMMERCIAL QUALITY,
CONFORMING TO ASTM A1008. OD 60" MAX;
ID 15-1/2" - 21-1/2". COIL WEIGHT
3,000 LBS (MIN) - 5,000 LBS MAXIMUM.
YIELD 25 TO 35 KSI.

TENSILE 40 TO 50 KSI.

PACKAGING / MARKING: Material must be
shipped in a manner allowing for easy
unloading at destination by forklift.
Flatbed, side unloading preferred.
All COILS to be banded and secured
to skids independent of each other
regardless of weight. Each skid shall
be tagged with MATERIAL DIMENSIONS, NET
WEIGHT. UNICOR STOCK NUMBER (COS0113),
purchase order number and date.

"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00039	COS0114 12GAX5.530"W,CRCQ,ASTM-A1008	425,000.000	LB			5000041375	

"COIL STEEL, C.R.C.Q.,12GA, ASTM A1008
SIZE: 12GA X 5.530" (+/- .10")
U/O 3.5" COVER FOR BEAMS.
SPECIFICATIONS: STEEL TO BE COLD-ROLLED,
COMMERCIAL QUALITY, CONFORMING TO ASTM
A1008. ID 60" MAX; ID 15-1/2" - 21-1/2".
COIL WEIGHT 3,000 LBS (MIN) - 5,000 LBS
MAXIMUM.
YIELD 25 TO 35 KSI.
TENSILE 40 TO 50 KSI.
PACKAGING / MARKING: Material must be
shipped in a manner allowing for easy
unloading at destinatin by forklift.
Flatbed, side unloading preferred.
All coils to be banded and secured to
skids independent of each other
regardless of weight. Each skid shall
be tagged with material dimensions, net
weight, UNICOR stock number (COS0114),
purchase order number and date.
"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00040	COS0115	305,000.000	LB			5000041375	
	"10GAX5-15/16"W,CRCQ,ASTM-A1008						

10GAX5-15/16"W,CRCQ,ASTM-A1008

COIL STEEL, CR

SIZED: 10 GA X 5-15/16" (+/- .010")

U/O CANTILEVER END BRACKET,MALE BED

LOCK, AND BEAM END BRACKET.

SPECIFICATIONS: STEEL TO COLD-ROLLED,

COMMERCIAL QUALITY, MATTE FINISH,

CONFORMING TO ASTM A1008. COIL SHALL

HAVE 60" OD (MAX) AND 20" ID (MAX).

COIL WEIGHT SHALL NOT EXCEED 5,000 LBS.

MINIMUM WEIGHT IF 3,000 LBS. MATERIAL

MUST BE FREE IF SURFACE DEFECTS WHICH

WOULD AFFECT APPEARANCE. END PRODUCT IS

A PAINTED METAL FURNITURE COMPONENT.

PACKAGING / MARKING: Each skid shall be

tagged with UNICOR STOCK NUMBER

(COS0115), PURCHASE ORDER

NUMBER, MATERIAL DIMENSIONS, NET WEIGHT

and DATE. maximum skid weight 10,000

lbs. steel must be shipped in a manner

to allow for easy unloading at

destination by forklift. flatbed, side

unloading preferred.

"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00041	COS0124	7,500.000	LB			5000041375	
	14GAX10.51"W,CRCQ,ASTM-A1008						

"COIL STEEL, C.R.C.Q.,14GA,ASTM A1008
SIZE: 174GA X 10.510" (+/- .010")
U/O UPRIGHT POST.
SPECIFICATIONS: STEEL TO BE COLD-ROLLED,
COMMERCIAL QUALITY, CONFORMING TO ASTM
A1008 ID 60" MAX; ID 15-1/2". COIL
WEIGHT 3,000 LBS (MIN) - 5,000 LBS MAX.
YIELD 25 TO 35 KSI.
TENSILE 40 TO 50 KSI.
PACKAGING / MARKING: Material must be
shipped in a manner allowing for easy
unloading at destinatin by forklift.
Flatbed, side unloading preferred.
All coils to be banded and secured
to skids independent of each other
regardless of weight. Each skid shall
be tagged with material dimensions, net
weight, UNICOR stock number (COS0124),
purchase order number and date.
"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00042	COS0125	60,000.000	LB			5000041375	

.098"TX4.570"W,HR,GALV,ASTM-A653,OILED

".098"TX4.570"W,HR,GALV,ASTM-A653,OILED

COIL STEEL ,COLD ROLLED,GALVINIZED,PER
ASTM A653.

SIZE: .098Z" X 4.570Z" W (+/- .016")

U/O 1-1/2" X 12GA. SLOTTED ANGLE

CERTIFICATE OF CONFORMANCE WITH TEST
RESULTS REQUIRED.

SPECIFICATION: COIL STEEL TO BE COLL-
ROLLED COIL, HALF HARD NO. 2 TEMPER
CONFORMING TO ASTM A653, STRUCTURAL
(PHYSICAL) QUANTITY, MIDIFIED TO 60,000
LBS MINIMIUM YIELD, GRADE D, COATING
DESIGNATIO G90, MINIMIZED SPANGLE,
CHEMINICALLY TREATED.

COIL SIZE SHALL BE 50" TO 60" ID X 16"
TO 20" ID.

PACKAGING / MARKING: Material must be
shipped in a manner allowing for easy
unloading at destinatin by forklift.
Flatbed, side unloading preferred.

All coils to be banded and secured
to skids independent of each other
regardless of weight. Maximum skid
weight shall be no more than 5,000 lbs.
Each skid shall be tagged with material
dimensions, net weight, UNICOR stock
number (COS0125), purchase order number
and date.

"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
-----------------	-----------------------------	-----------------	------------	-------------------	-----------------------	------------------	-----------------

00043	COS0130 14GAX3.31"W,CRCQ,ASTM-A1008	550,000.000	LB			5000041375	
-------	--	-------------	----	--	--	------------	--

"

UNICOR PART NO: COS0130
DESCRIPTION: 14GAX3.31"W,CRCQ,ASTM-A1008
SIZE: 3.31"WX14GA.
TOLERANCE: +0.00-0.06
SPECIFICATIONS: COLD ROLLED COMMERCIAL QUALITY. MUST CONFORM TO ASTM A1008. MILL CERTIFICATION REQUIRED.
PACKAGING AND MARKING: COILS MUST NOT EXCEED 5000 LBS.(EA)
MATERIAL MUST BE SHIPPED IN A MANNER ALLOWING FOR EASY UNLOADING AT DESTINATION BY FORKLIFT. MATERIAL MUST BE PROTECTED FROM ELEMENTS IN ROUTE AND ARRIVE FREE OF RUST AND CORROSION. ALL COILS TO BE BANDED AND SECURED TO SKIDS INDEPENDENT OF EACH OTHER REGARDLESS OF WEIGHT. FLATBED, SIDE UNLOADING PREFERRED. EACH SKID SHALL BE TAGGED WITH: MATERIAL DIMENSIONS, NET WEIGHT, UNICOR STOCK NUMBER(COS0130), PURCHASE ORDER NUMBER AND DATE.
U/M: LBS.
P/N:
U/O: CPCV1432, CPCV1462

"

Request For Quote

SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00044	COS0131 14GAX4.82"W,CRCQ,ASTM-A1008	660,000.000	LB			5000041375	

"14GAX4.82"W,CRCQ,ASTM-A1008

UNICOR PART NO: COS0131

DESCRIPTION: 14GAX4.82"W,CRCQ,ASTM-A1008

SIZE: 4.82"WX14GA.

TOLERANCE: +0.00-0.06

SPECIFICATIONS: COLD ROLLED COMMERCIAL QUALITY. MUST CONFORM TO ASTM A1008. MILL CERTIFICATION REQUIRED. PACKAGING AND MARKING: COILS MUST NOT EXCEED 5000 LBS. (EA) MATERIAL MUST BE SHIPPED IN A MANNER ALLOWING FOR EASY UNLOADING AT DESTINATION BY FORKLIFT. MATERIAL MUST BE PROTECTED FROM ELEMENTS IN ROUTE AND ARRIVE FREE OF RUST AND CORROSION. ALL COILS TO BE BANDED AND SECURED TO SKIDS INDEPENDENT OF EACH OTHER REGARDLESS OF WEIGHT. FLATBED, SIDE UNLOADING PREFERRED. EACH SKID SHALL BE TAGGED WITH: MATERIAL DIMENSIONS, NET WEIGHT, UNICOR STOCK NUMBER (COS0131), PURCHASE ORDER NUMBER AND DATE.

U/M: LBS.

P/N:

U/O: CPBM1432, CPBM1462

"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00045	COS0237	30,000.000	LB			5000041375	

.054"T(+.006,-0)X3.5"W,CRCQ,ASTM-A1008

".054""T(+.006,-0)X3.5""W,CRCQ,ASTM-A1008

17GAUGE C.R.C.Q. COIL STEEL.

UNICOR PART NO: COS0237

SIZE: 0.054""T(+0.006,-0)X 3.5""W

U/O:

SPECIFICATIONS: COLD ROLLED COMMERCIAL QUALITY.

MUST CONFORM TO ASTM A1008. MILL CERTIFICATION

REQUIRED. Q.C. INSPECTION REQUIRED.

PACKAGING AND MARKING: COILS MUST NOT EXCEED 5000 LBS.(EA.)

MATERIAL MUST BE SHIPPED IN A MANNER ALLOWING FOR EASY

UNLOADING AT DESTINATION BY FORKLIFT.

MATERIAL MUST BE PROTECTED FROM ELEMENTS IN ROUTE AND

ARRIVE FREE OF RUST AND CORROSION. ALL COILS TO BE BANDED

AND SECURED TO SKIDS INDEPENDENT OF EACH OTHER REGARDLESS

OF WEIGHT. FLATBED,SIDE UNLOADING PREFERRED. EACH SKID

SHALL BE TAGGED WITH: MATERIAL DIMENSIONS, NET WEIGHT,

UNICOR STOCK NUMBER (COS0237),

PURCHASE ORDER NUMBER AND DATE."

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00046	COS1234	325,000.000	LB			5000041375	
	.125"TX1.76"W,HRPO,ASTM-A1011,GRADE33,*						

COIL STEEL, H.R.P.O., .125" T, ASTM A1011

UNICOR PART NO: COS1234

SIZE: 0.125" T X 1.76" W (+- .014")

SPECIFICATIONS: STEEL TO BE HOT ROLLED PICKLED AND

OILED, CONFORMING TO ASTM A1011. OD 60" MAX;

ID 15-1/2" - 21-1/2".

COIL WEIGHT 3,000 LBS (MIN) - 5,000 LBS MAXIMUM.

YIELD 25 TO 35 KSI.

TENSILE 40 TO 50 KSI.

PACKAGING AND MARKING: COILS MUST NOT EXCEED 5000 LBS,

(EA.). MATERIAL MUST BE SHIPPED IN A MANNER ALLOWING

FOR EASY UNLOADING AT DESTINATION BY FORKLIFT.

MATERIAL MUST BE PROTECTED FROM ELEMENTS INROUTE AND

ARRIVE FREE OF RUST AND CORROSION. FLATBED, SIDE

UNLOADING PREFERRED. ALL COILS TO BE BANDED AND

SECURED TO SKIDS INDEPENDENT OF EACH OTHER REGARDLESS

OF WEIGHT. EACH SKID SHALL BE TAGGED WITH: MATERIAL

DIMENSIONS, NET WEIGHT, UNICOR STOCK NUMBER (COS1234),

PURCHASE ORDER NUMBER AND DATE.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del. Date</u>
00047	COS1236 .125"TX2.51"W,HRPO,ASTM-A1011,GRADE33*	1,415,000.000	LB			5000041375	
	<p>".125"TX2.51"W,HRPO,ASTM-A1011,GRADE33 MAXIMUM-YIELD-50KSI. COIL STEEL, H.R.P.O., .125"T, ASTM A1011 UNICOR PART NO: COS1236 SIZE: 0.125"T X 2.51" W (+- .014") U/O: ASRS*, SHV4* SPECIFICATIONS: STEEL TO BE HOT ROLLED PICKLED AND OILED, CONFORMING TO ASTM A1011. OD 60" MAX; ID 15-1/2" - 21-1/2". COIL WEIGHT 3,000 LBS (MIN) - 5,000 LBS MAXIMUM. YIELD 25 TO 35 KSI. TENSILE 40 TO 50 KSI. PACKAGING AND MARKING: COILS MUST NOT EXCEED 5000 LBS, (EA.). MATERIAL MUST BE SHIPPED IN A MANNER ALLOWING FOR EASY UNLOADING AT DESTINATION BY FORKLIFT. MATERIAL MUST BE PROTECTED FROM ELEMENTS INROUTE AND ARRIVE FREE OF RUST AND CORROSION. FLATBED, SIDE UNLOADING PREFERRED. ALL COILS TO BE BANDED AND SECURED TO SKIDS INDEPENDENT OF EACH OTHER REGARDLESS OF WEIGHT. EACH SKID SHALL BE TAGGED WITH: MATERIAL DIMENSIONS, NET WEIGHT, UNICOR STOCK NUMBER (COS1236), PURCHASE ORDER NUMBER AND DATE.</p>						
00048	CPARMS648 ARM,CANT,S-6-BEAM,48"L FINISH: BLASTED FINISH TO SSPC-7 TO SSPC-5 SURFACE FINISH. COATED WITH GEO-GUARD 4021	4,500	EA			5000041375	
00049	CYL RACK BASERING CYLINDER, RACK, BASE-RING	1,750	EA			5000041375	
00050	CYL RCK GUIDERING CYLINDER, RACK, GUIDE-RING	1,750	EA			5000041375	
00051	FMP0219 BAR-GRATE, 35-13/16"X3'6"SPAN	6,000	EA			5000041375	
00052	FMP0220 BAR-GRATE, 35-13/16"X4'3"SPAN	50	EA			5000041375	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00053	FMP0221	1,000	EA			5000041375	
	BAR-GRATE, 35-13/16" X 5' SPAN						

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00054	FMP0233	1,700	EA			5000041375	
	BAR-GRATE, 46.50"WX48"S, W19-2, 1"X3/16"BAR						

GRATING, BAR, STEEL, TYPE W-19-2.
 GRATING, STEEL MANUFACTURED IN
 ACCORDANCE WITH ANSI/NAAMM MBG 531-93
 DATED FEBRUARY 14, 1994.
 BAR GRATING IS TO BE UNPAINTED, PICKLED
 AND OILED TO ENSURE MATERIAL IS FREE OF
 RUST AND SCALE. THE RUST PREVENTATIVE
 MUST BE COMPATIBLE WITH AND REMOVABLE
 BY THE THREE STAGE PHOSPHATE WASH SYSTEM
 USED BY FEDERAL PRISON INDUSTRIES.
 CROSS BARS MUST BE FLUSH TO SLIGHTLY
 RECESSED BELOW BEARING BARS AT ALL
 CONTACT POINTS AND SHALL BE SPACED 2"
 CENTER TO CENTER. BEARING BARS 1"X3/16"
 THICK, SPACED 1-3/16" CENTER TO CENTER,
 PLAIN SMOOTH SURFACE. EACH SECTION
 SHALL BE BANDED ON BOTH ENDS WITH OVAL
 SHAPED SLOTS (3/4" X 13/32") LOCATED
 5-1/2" FROM EACH END OF THE BAND TO THE
 CENTER OF THE SLOT. A TOTAL OF TWO (2)
 SLOTS WILL BE INCLUDED IN EACH BAND BAR.
 GRATING SECTIONS MUST BE CAPABLE OF
 BEING ATTACHED END TO END WITH A 5/16"
 DIAMETER BOLT. THE BAND BAR MUST BE
 WELDED TO THE INSIDE TO PREVENT WELD
 BUILD-UP ON THE OUTSIDE OF THE BAND
 BARS. THE CROSS BARS MUST BE TRIMMED AS
 CLOSE AS POSSIBLE.
 SECTION TOLERANCES:
 WIDTH: +/- 1/4"
 LENGTH (SPAN): +0" / -1/8"
 THE DIAGONAL CORNERS OF EACH SECTION SHOULD
 MEASURE WITHIN 1/4"
 THE SECTION SHOULD BE MADE OF ONE PIECE
 MARKING AND PACKAGING:
 MATERIAL IS TO BE SECURED IN BUNDLES
 NOT TO EXCEED 5000 POUNDS. EACH BUNDLE
 MUST BE MARKED WITH UNICOR STOCK NUMBER
 (FMP0233), PURCHASE ORDER NUMBER, DATE,
 NUMBER OF PIECES, AND MATERIAL SIZE.
 MATERIAL IS TO BE SHIPPED IN A MANNER
 THAT ALLOWS FOR EASY UNLOADING BY
 FORKLIFT AT DESTINATION.
 INSPECTION AND ACCEPTANCE:

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
	MATERIAL MUST BE PROTECTED FROM THE ELEMENTS ENROUTE AND ARRIVE FREE OF CORROSION AND MOISTURE TO BE ACCEPTABLE. A CERTIFICATE OF CONFORMANCE SIGNED BY AN AUTHORIZED OFFICIAL MUST ACCOMPANY EACH SHIPMENT. REPLACEMENT OF REJECTED MATERIAL WILL BE THE RESPONSIBILITY OF THE VENDOR AT NO COST TO THE GOVERNMENT.						

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
-----------------	-----------------------------	-----------------	------------	-------------------	-----------------------	------------------	-----------------

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00055	FMP0306	72,500.000	FT2			5000041375	
	BAR-GRATE,47.69"DX48"W,W19-2,1"X3/16"BAR						

GRATING, BAR, STEEL, TYPE W-19-2.
GRATING, STEEL MANUFACTURED IN
ACCORDANCE WITH ANSI/NAAMM MBG 531-93
DATED FEBRUARY 14, 1994.
BAR GRATING IS TO BE UNPAINTED, PICKLED
AND OILED TO ENSURE MATERIAL IS FREE OF
RUST AND SCALE. THE RUST PREVENTATIVE
MUST BE COMPATIBLE WITH AND REMOVABLE
BY THE THREE STAGE PHOSPHATE WASH SYSTEM
USED BY FEDERAL PRISON INDUSTRIES.
CROSS BARS MUST BE FLUSH TO SLIGHTLY
RECESSED BELOW BEARING BARS AT ALL
CONTACT POINTS AND SHALL BE SPACED 2"
CENTER TO CENTER. BEARING BARS 1"X3/16"
THICK, SPACED 1-3/16" CENTER TO CENTER,
PLAIN SMOOTH SURFACE. EACH SECTION
SHALL BE BANDED ON BOTH ENDS WITH OVAL
SHAPED SLOTS (3/4" X 13/32") LOCATED
5-1/2" FROM EACH END OF THE BAND TO THE
CENTER OF THE SLOT. A TOTAL OF TWO (2)
SLOTS WILL BE INCLUDED IN EACH BAND BAR.
GRATING SECTIONS MUST BE CAPABLE OF
BEING ATTACHED END TO END WITH A 5/16"
DIAMETER BOLT. THE BAND BAR MUST BE
WELDED TO THE INSIDE TO PREVENT WELD
BUILD-UP ON THE OUTSIDE OF THE BAND
BARS. THE CROSS BARS MUST BE TRIMMED AS
CLOSE AS POSSIBLE.
SECTION TOLERANCES:
WIDTH: +0" / -1/4"
LENGTH (SPAN): +0" / -1/8"
THE DIAGONAL CORNERS OF EACH SECTION SHOULD
MEASURE WITHIN 1/4"
THE SECTION SHOULD BE MADE OF ONE PIECE
MARKING AND PACKAGING:
MATERIAL IS TO BE SECURED IN BUNDLES
NOT TO EXCEED 5000 POUNDS. EACH BUNDLE
MUST BE MARKED WITH UNICOR STOCK NUMBER
(FMP0306), PURCHASE ORDER NUMBER, DATE,
NUMBER OF PIECES, AND MATERIAL SIZE.
MATERIAL IS TO BE SHIPPED IN A MANNER
THAT ALLOWS FOR EASY UNLOADING BY
FORKLIFT AT DESTINATION.
INSPECTION AND ACCEPTANCE:

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
	MATERIAL MUST BE PROTECTED FROM THE ELEMENTS ENROUTE AND ARRIVE FREE OF CORROSION AND MOISTURE TO BE ACCEPTABLE. A CERTIFICATE OF CONFORMANCE SIGNED BY AN AUTHORIZED OFFICIAL MUST ACCOMPANY EACH SHIPMENT. REPLACEMENT OF REJECTED MATERIAL WILL BE THE RESPONSIBILITY OF THE VENDOR AT NO COST TO THE GOVERNMENT.						

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00056	FMP6541	4,500	EA			5000041375	

BAR-GRATE,59.56"DX48"W,W19-2,1"X3/16"BAR

GRATING, BAR, STEEL, TYPE W-19-2.

GRATING, STEEL MANUFACTURED IN

ACCORDANCE WITH ANSI/NAAMM MBG 531-93

DATED FEBRUARY 14, 1994.

BAR GRATING IS TO BE UNPAINTED, PICKLED AND OILED TO ENSURE MATERIAL IS FREE OF RUST AND SCALE. THE RUST PREVENTATIVE MUST BE COMPATIBLE WITH AND REMOVABLE BY THE THREE STAGE PHOSPHATE WASH SYSTEM USED BY FEDERAL PRISON INDUSTRIES.

CROSS BARS MUST BE FLUSH TO SLIGHTLY RECESSED BELOW BEARING BARS AT ALL CONTACT POINTS AND SHALL BE SPACED 2" CENTER TO CENTER. BEARING BARS 1"X3/16" THICK, SPACED 1-3/16" CENTER TO CENTER, PLAIN SMOOTH SURFACE. EACH SECTION SHALL BE BANDED ON BOTH ENDS WITH OVAL SHAPED SLOTS (3/4" X 13/32") LOCATED 5-1/2" FROM EACH END OF THE BAND TO THE CENTER OF THE SLOT. A TOTAL OF TWO (2) SLOTS WILL BE INCLUDED IN EACH BAND BAR. GRATING SECTIONS MUST BE CAPABLE OF BEING ATTACHED END TO END WITH A 5/16" DIAMETER BOLT. THE BAND BAR MUST BE WELDED TO THE INSIDE TO PREVENT WELD BUILD-UP ON THE OUTSIDE OF THE BAND BARS. THE CROSS BARS MUST BE TRIMMED AS CLOSE AS POSSIBLE.

SECTION TOLERANCES:

WIDTH: +0 / -1/4"

LENGTH (SPAN): +0 / -1/8"

THE DIAGONAL CORNERS OF EACH SECTION SHOULD MEASURE WITHIN 1/4"

THE SECTION SHOULD BE MADE OF ONE PIECE

MARKING AND PACKAGING:

MATERIAL IS TO BE SECURED IN BUNDLES NOT TO EXCEED 5000 POUNDS. EACH BUNDLE MUST BE MARKED WITH UNICOR STOCK NUMBER (FMP6541), PURCHASE ORDER NUMBER, DATE, NUMBER OF PIECES, AND MATERIAL SIZE.

MATERIAL IS TO BE SHIPPED IN A MANNER THAT ALLOWS FOR EASY UNLOADING BY FORKLIFT AT DESTINATION.

INSPECTION AND ACCEPTANCE:

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
-----------------	-----------------------------	-----------------	------------	-------------------	-----------------------	------------------	-----------------

MATERIAL MUST BE PROTECTED FROM THE ELEMENTS ENROUTE AND ARRIVE FREE OF CORROSION AND MOISTURE TO BE ACCEPTABLE. A CERTIFICATE OF CONFORMANCE SIGNED BY AN AUTHORIZED OFFICIAL MUST ACCOMPANY EACH SHIPMENT. REPLACEMENT OF REJECTED MATERIAL WILL BE THE RESPONSIBILITY OF THE VENDOR AT NO COST TO THE GOVERNMENT.

00057	LKRMLEXPJET8X4 MLK-EXPD-METAL, 4' X8' X3/4", 9GA-FLAT	500	EA			5000041375	
-------	--	-----	----	--	--	------------	--

00058	PLT0069 PRK, END-RADIUS-17X21, BOTTOM-PLATE, LT/RT	850	EA			5000041375	
-------	---	-----	----	--	--	------------	--

FINISH: BLASTED FINISH TO
SSPC-7 TO SSPC-5 SURFACE FINISH.
COATED WITH GEO-GUARD 4021

00059	PLT0169 PRK, END, RADIUS, BOTTOM, PLATE, LEFT/RIGHT	1,750	EA			5000041375	
-------	--	-------	----	--	--	------------	--

FINISH: BLASTED FINISH TO
SSPC-7 TO SSPC-5 SURFACE FINISH.
COATED WITH GEO-GUARD 4021

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00060	RDA0001 ROD,ALUMINUM,1/2"DIA.X12'L PER FS-QQ-A200,6061-T-651 MATERIAL TYPE:ROH LOW-LEVEL CODE:003 U/M EA	100	EA			5000041375	
00061	RDS0001 ROUND,5/16"DIAX20',CARBON-STEEL FINISH: BLASTED FINISH TO SSPC-7 TO SSPC-5 SURFACE FINISH. COATED WITH GEO-GUARD 4021	75	EA			5000041375	
00062	RDS0011 5/16"DIA-X-12'L(144"),CR.LOW-CARBON ROD,STEEL,ROUND PER ASTM-A108-81,GRADE 1018 U/M:EA	1,250	EA			5000041375	
00063	RDS0086 1/4"DIAX144"L,CR,LOW-CARBON* BAR, STEEL, ROUND, COLD ROLLED, LOW-CARBON. SIZE: 1/4" DIA X 144"L IN ACCORDANCE WITH ASTM-A108 GRADE: 1018 SURFACE MUST BE SMOOTH AND FREE OF RUST OR SCALE. MUST BE BUNDLED TO UNLOAD BY OVERHEARD CRANE. EACH BUNDLE MUST BE SECURED WITH 6 STEEL STRAPS. MILL CERTIFICATION REQUIRED. Q.C. INSPECTION REQUIRED. USED FOR UP-AND-DOWN BOLT (A14-7062)	125	EA			5000041375	
00064	SHA0139 ALUM,.050"TX48"W144"L,T6061,OOA-250/11	20	EA			5000041375	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00065	SHS0006	150	EA			5000041375	
	16GAX36-5/8"WX73-1/2"L,CR,ASTM-A366						
	UNICOR PART NUMBER SHS0006						
	IN ACCORD WITH ASTM A366, COLD ROLLED						
	COMMERCIAL QUALITY OILED (WATER SOLUBLE)						
	AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED						
	MILL CERTIFICATION REQUIRED Q.C.						
	INSPECTION REQUIRED						
	THICKNESS: MIN=.055" / MAX=.065"						
	PER SHEET WT: 47#LBS.						
	WIDTH TOLERANCE: -0+1/16"						
	AISI NO 1008-1010 #1 MATTE FINISH						
	INSPECTION AND ACCEPTANCE: Sheets must be						
	free of surface defects. Sheet steel						
	must arrive dry and corrosion free,						
	having been protected from the elements						
	SPECIAL INSTRUCTIONS BANDED IN LIFTS						
	NOT TO EXCEED 5,000 LBS WITH 4"X4"						
	LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT						
	UNLOADING FROM SIDE OF TRUCK.						

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00066	SHS0020 10GAX36"WX96"L,HRPO,ASTM-A-1011*	125	EA			5000041375	

UNICOR PART NUMBER: SHS0020

DESCRIPTION: SHEET STEEL IN ACCORDANCE WITH
ASTM-A1011. HOT ROLLED,PICKLED AND OILED.
OILED (WATER SOLUBLE) AND PAPER WRAPPED.
MSDS FOR OIL IS REQUIRED. MILL CERTIFICATION
REQUIRED. QUALITY CONTROL INSPECTION REQUIRED.

THICKNESS: MIN=.126" /MAX=.142"
PER SHEET WT: 134-3/4#LBS.
AISI NO.1008-1010, #1 MATTE FINISH

WIDTH TOLERANCE: -0+5mm, CUT EDGE
4,000 pounds.

PACKAGING: EACH BUNDLE MUST BE
TAGGED TO PROVIDE THE MATERIAL DIMENSIONS,
WEIGHT,NUMBER OF SHEETS, UNICOR STOCK
NUMBER (SHS-0020),PURCHASE ORDER
NUMBER,AND DATE. MATERIAL MUST BE
SHIPPED IN A MANNER ALLOWING FOR EASY
UNLOADING AT DESTINATION BY FORKLIFT.

INSPECTION AND ACCEPTANCE: SHEET STEEL MUST
ARRIVE DRY AND CORROSION FREE. SHEET STEEL MUST BE PROTECTED FROM THE
ELEMENTS DURING TRANSIT.

00067	SHS0027 22GAX48"WX120"L,CRCQ,ASTM-A366 UNICOR PART NUMBER SHS0027 IN ACCORD WITH ASTM-A366 COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED TRMT SPECS: THICKNESS: MIN=.027" MAX=.033" PER SHEET WT: 50#LBS. AISI NO.1008-1010, #1 MATTE FINISH WIDTH TOLERANCE: -0/+1/4"	150	EA			5000041375	
-------	--	-----	----	--	--	------------	--

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00068	SHS0031 22GAX36"WX120"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0031 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.027"/MAX=.033" PER SHEET WT: 37-1/2#LBS. WIDTH TKOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: SHEETS MUST BE FREE OF SURFACE DEFECTS. SHEET STEEL MUST ARRIVE DRY AND CORROSION FREE, HAVING BEEN PROTECTED FROM THE ELEMENTS SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	200	EA			5000041375	
00069	SHS0032 22GAX47-1/2"WX87-1/2"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0032 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.027" / MAX=.033" PER SHEET WT: 36#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	1,500	EA			5000041375	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00070	SHS0036 20GAX42"WX88-1/2"L,CRCQ,ASTM-A366	200	EA			5000041375	

UNICOR PART NUMBER: SHS0036
 IN ACCORD WITH ASTM A366, COLD ROLLED
 COMMERCIAL QUALITY OILED (WATER SOLUBLE)
 AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED
 MILL CERTIFICATION REQUIRED Q.C.
 INSPECTION REQUIRED
 THICKNESS: MIN=.033" / MAX=.039"
 PER SHEET WT: 38-1/2LBS.
 WIDTH TOLERANCE: -0+1/16"
 AISI NO 1008-1010 #1 MATTE FINISH
 INSPECTION AND ACCEPTANCE: Sheets must be
 free of surface defects. Sheet steel
 must arrive dry and corrosion free,
 having been protected from the elements
 SPECIAL INSTRUCTIONS BANDED IN LIFTS
 NOT TO EXCEED 5,000 LBS WITH 4"X4"
 LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT
 UNLOADING FROM SIDE OF TRUCK.

00071	SHS0038 20GAX42"WX76"L,CRCQ,ASTM-A366	200	EA			5000041375	
-------	--	-----	----	--	--	------------	--

UNICOR PART NUMBER: SHS0038
 IN ACCORD WITH ASTM A366, COLD ROLLED
 COMMERCIAL QUALITY OILED (WATER SOLUBLE)
 AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED
 MILL CERTIFICATION REQUIRED Q.C.
 INSPECTION REQUIRED
 THICKNESS: MIN=.033" / MAX=.039"
 PER SHEET WT: 33-1/4LBS.
 WIDTH TOLERANCE: -0+1/16"
 AISI NO 1008-1010 #1 MATTE FINISH
 INSPECTION AND ACCEPTANCE: Sheets must be
 free of surface defects. Sheet steel
 must arrive dry and corrosion free,
 having been protected from the elements
 SPECIAL INSTRUCTIONS BANDED IN LIFTS
 NOT TO EXCEED 5,000 LBS WITH 4"X4"
 LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT
 UNLOADING FROM SIDE OF TRUCK.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00072	SHS0039	300	EA			5000041375	
	18GAX48"WX110"L,CRCQ,ASTM-A366						
	UNICOR PART NUMBER: SHS0039						
	IN ACCORD WITH ASTM A366, COLD ROLLED						
	COMMERCIAL QUALITY OILED (WATER SOLUBLE)						
	AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED						
	MILL CERTIFICATION REQUIRED Q.C.						
	INSPECTION REQUIRED						
	THICKNESS: MIN=.044" / MAX=.052"						
	PER SHEET WT: 73#LBS.						
	WIDTH TOLERANCE: -0+1/16"						
	AISI NO 1008-1010 #1 MATTE FINISH						
	INSPECTION AND ACCEPTANCE: Sheets must be						
	free of surface defects. Sheet steel						
	must arrive dry and corrosion free,						
	having been protected from the elements						
	SPECIAL INSTRUCTIONS BANDED IN LIFTS						
	NOT TO EXCEED 5,000 LBS WITH 4"X4"						
	LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT						
	UNLOADING FROM SIDE OF TRUCK.						

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00073	SHS0040	500	EA			5000041375	
	3/8"TX6"WX10'L,BFSF,ASTM,A-36						

UNICOR PART #SHS0040 IN ACCORD
WITH ASTM A1011HOT ROLLED MUST BE blasted finish to sspc-7 to sspc-5
surface finish.

Coated with geo-guard 4021 (WATER SOLUBLE) AND PAPER

WRAPPED MSDS FOR OIL IS REQUIRED

MILL CERTIFICATION REQUIRED Q.C.

INSPECTION REQUIRED THICKNESS

MIN 0.374" / MAX0.403" PER SHEET

WT: 153#LBS WIDTH TOLERANCE

+1/8" #1 MATTE (EXPOSED) MAX HARDNESS

ROCKWELL B-60 MATTE FINISH FREE OF

SURFACE DEFECTS AISI NO 36

LENGTH TOLERANCE 1" BUNDLES NOT TO

EXCEED 4,000 LBS EACH BUNDLE

MUST BE TAGGED AS TO MATERIAL

DIMENSIONS WEIGHT NUMBER OF SHEETS

UNICOR PART NUMBER (SHS0040)

PURCHASE ORDER NUMBER AND

DATE MATERIAL MUST BE SHIPPED IN A

MANNER ALLOWING FOR EASY UNLOADING

AT DESTINATION BY FORKLIFT

INSPECTION AND ACCEPTANCE SHEETS

MUST BE FREE OF SURFACE DEFECTS

SHEET STEEL MUST ARRIVE DRY AND

CORROSION FREE HAVING BEEN

PROTECTED FROM THE ELEMENTS

EN-ROUTE TO BE ACCEPTABLE

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00074	SHS0042 18GAX39-1/2"WX110"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0042 IN ACCORD WITH ASTM A366,COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.044"/MAX=.052" PER SHEET WT: 60-1/2#LBS. WIDTH TKOLERANCE: -0+/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: SHEETS MUST BE FREE OF SURFACE DEFECTS. SHEET STEEL MUST ARRIVE DRY AND CORROSION FREE, HAVING BEEN PROTECTED FROM THE ELEMENTS SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	7,000	EA			5000041375	
00075	SHS0043 18GAX45-1/2"WX110"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0043 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.044" / MAX=.052" PER SHEET WT: 69-1/2LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	75	EA			5000041375	

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00076	SHS0043	10	EA			5000041375	

18GAX45-1/2"WX110"L,CRCQ,ASTM-A366
 UNICOR PART NUMBER: SHS0043
 IN ACCORD WITH ASTM A366, COLD ROLLED
 COMMERCIAL QUALITY OILED (WATER SOLUBLE)
 AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED
 MILL CERTIFICATION REQUIRED Q.C.
 INSPECTION REQUIRED
 THICKNESS: MIN=.044" / MAX=.052"
 PER SHEET WT: 69-1/2LBS.
 WIDTH TOLERANCE: -0+1/16"
 AISI NO 1008-1010 #1 MATTE FINISH
 INSPECTION AND ACCEPTANCE: Sheets must be
 free of surface defects. Sheet steel
 must arrive dry and corrosion free,
 having been protected from the elements
 SPECIAL INSTRUCTIONS BANDED IN LIFTS
 NOT TO EXCEED 5,000 LBS WITH 4"X4"
 LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT
 UNLOADING FROM SIDE OF TRUCK.

00077	SHS0045	11,500	EA			5000041375	
-------	---------	--------	----	--	--	------------	--

18GAX48"WX96"L,CRCQ,ASTM-A1008*

UNICOR PART NUMBER: SHS0045

DESCRIPTION: SHEET STEEL
 IN ACCORDANCE WITH ASTM-A1008,COLD ROLLED
 COMMERCIAL QUALITY. OILED (WATER SOLUBLE)
 AND PAPER WRAPPED. MSDS FOR OIL IS
 REQUIRED. MILL CERTIFICATION REQUIRED.
 QUALITY CONTROL INSPECTION REQUIRED.

WIDTH TOLERANCE: -0 +6mm,CARBON STEEL

THICKNESS: MIN=.0449 / MAX=.0508

INSPECTION AND ACCEPTANCE: SHEET STEEL MUST
 ARRIVE DRY AND CORROSION FREE. SHEET STEEL
 MUST BE PROTECTED FROM THE ELEMENTS DURING
 TRANSIT.

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00078	SHS0046	75	EA			5000041375	

16GAX36"WX120"L,CRCQ,ASTM-A366
 UNICOR PART NUMBER: SHS0046
 IN ACCORD WITH ASTM A366, COLD ROLLED
 COMMERCIAL QUALITY OILED (WATER SOLUBLE)
 AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED
 MILL CERTIFICATION REQUIRED Q.C.
 INSPECTION REQUIRED
 THICKNESS: MIN=.055" / MAX=.065"
 PER SHEET WT: 75#LBS.
 WIDTH TOLERANCE: -0+1/16"
 AISI NO 1008-1010 #1 MATTE FINISH
 INSPECTION AND ACCEPTANCE: Sheets must be
 free of surface defects. Sheet steel
 must arrive dry and corrosion free,
 having been protected from the elements
 SPECIAL INSTRUCTIONS BANDED IN LIFTS
 NOT TO EXCEED 5,000 LBS WITH 4"X4"
 LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT
 UNLOADING FROM SIDE OF TRUCK.

00079	SHS0057	750	EA			5000041375	
-------	---------	-----	----	--	--	------------	--

11GAX48"X96"CRCQ
 MATERIAL STEEL,CARBON48"X96",ASTM1011(11GA).1196 THICK
 OR OPTIONAL MATERIAL
 STEEL CARBON,SPEC ASTM A1008/1008M 11GA.(.1196-THICK)
 MATERIAL IS TO ARRIVE ON A FLAT PALLET,BANDED IN A WAY
 TO AVOID DAMAGE TO SHEET

INSPECTION AND ACCEPTANCE: SHEET STEEL MUST
 ARRIVE FREE OF CORROSION , SURFACE RUST, PITTING,
 AND OTHER DEFECTS THAT WILL MAKE THE STEEL UNUSABLE.
 SHEET STEEL MUST BE PROTECTED FROM THE ELEMENTS DURING
 TRANSIT.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00080	SHS0057	175	EA			5000041375	
	11GAX48"X96"CRCQ						

MATERIAL STEEL,CARBON48"X96",ASTM1011(11GA).1196 THICK
OR OPTIONAL MATERIAL

STEEL CARBON,SPEC ASTM A1008/1008M 11GA.(.1196-THICK)
MATERIAL IS TO ARRIVE ON A FLAT PALLET,BANDED IN A WAY
TO AVOID DAMAGE TO SHEET

INSPECTION AND ACCEPTANCE: SHEET STEEL MUST
ARRIVE FREE OF CORROSION , SURFACE RUST, PITTING,
AND OTHER DEFECTS THAT WILL MAKE THE STEEL UNUSABLE.
SHEET STEEL MUST BE PROTECTED FROM THE ELEMENTS DURING
TRANSIT.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00081	SHS0065	125	EA			5000041375	
	20GAX36"WX96"L,CRCQ,ASTM-A1008*						

UNICOR PART NUMBER: SHS0065

DESCRIPTION: SHEET STEEL

IN ACCORD WITH ASTM-A1008 (LATEST REV)

COMMERCIAL QUALITY COLD ROLLED

ASTM-1011 (LATEST REV) HRPO WITH 15% MAX

CARBON IS ACCEPTABLE AS AN ALTERNATE.

MILL CERTIFICATION REQUIRED

Q.C. INSPECTION REQUIRED

LEMT SPECS:

THICKNESS: MIN=.033" / MAX=.039"

PER SHEET WT: 36#LBS.

#1 MATTE, #4 TEMPER

SURFACE TO BE SMOOTH AND FREE OF NICKS,

SCRATCHES OR CARBON FILM.

BUNDLE AND STRAP PER MFG PRACTICE.

ERMT SPECS: THICKNESS: MIN=.033 /

MAX=.039 PER SHEET WT: 36#LBS.

WIDTH TOLERANCE: -0 +5mm,#1 MATTE(EXPOSE

MAX.HARDNESS OF ROCKWELL B-60.

MATTE FINISH FREE OF SURFACE DEFECTS.

must arrive dry and corrosion free,

having been protected from the elements

enroute, to be acceptable.

THICKNESS: .033 MIN/.039 MAX

IN ACCORD WITH ASTM-A1008 (LATEST REV)

COMMERCIAL QUALITY, #1 MATTE, #4 TEMPER

ASTM-1011 (LATEST REV) HRPO WITH 15% MAX

CARBON IS ACCEPTABLE AS AN ALTERNATE.

SURFACE TO BE SMOOTH AND FREE OF NICKS,

SCRATCHES OR CARBON FILM.

BUNDLE AND STRAP PER MFG PRACTICE.

MILL CERTIFICATION REQUIRED.

Q. C. INSPECTION REQUIRED.

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00082	SHS0075 12GAX36"WX96"L,HRPO,LOW-CARBON,SHEARED*	100	EA			5000041375	

ASTM-A1011 UNICOR PART NUMBER:
 SHS0075 DESCRIPTION: SHEET STEEL IN
 ACCORD WITH ASTM-A569, HOT ROLLED
 PICKLED AND OILED (WATER SOLUBLE)
 AND PAPER WRAPPED MSDS FOR OIL IS
 REQUIRED MILL CERTIFICATION REQUIRED
 Q.C. INSPECTION REQUIRED THICKNESS:
 MIN=0.0976" / MAX=0.1116" PER SHEET
 WT: 104.88#LBS. WIDTH TOLERANCE:
 +3/16, LENGTH TOLERANCE: 3/4", CUT
 EDGE. BUNDLES NOT TO EXCEED 4,000
 POUNDS. EACH BUNDLE MUST BE TAGGED
 AS TO MATERIAL DIMENSIONS, WEIGHT,
 NUMBER OF SHEETS. UNICOR STOCK
 NUMBR (SHS0075), PURCHASE ORDER
 NUMBER, AND DATE. MATERIAL MUST BE
 SHIPPED IN A MANNER ALLOWING FOR
 EAST UNLOADING AT DESTINATION BY
 FORKLIFT. INSPECTION AND ACCEPTANCE:
 SHEETS MUST BE FREE OF SURFACE
 DEFECTS. SHEET STEEL MUST ARRIVE
 DRY AND CORROSION FREE, HAVING BEEN
 PROTECTED FROM THE ELEMENTS EN-
 ROUTE TO BE ACCEPTABLE. U/O:
 CHANNELS48, CPBBRETAINER,
 CPBOXBASEPLT, CPBOXLOCKBASE,
 CPINDENDCAP, CPLADRUNANGLE,
 CPPANSEG32, CPPANSEG36,
 CPSPLPLATESTRIP, CPTBLPIEBRKT20,
 PCTBLPIEBRKT36, PRKGRDCRN18*.
 PRKGRDCRN36*, PRKGRDCRN9*,
 PRKGRDCRN95*, SECURITYCART53

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00083	SHS0080 11GAX28"WX72"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0080 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.114" /MAX=.126" PER SHEET WT: 70#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: SHEETS MUST BE FREE OF SURFACE DEFECTS. SHEET STEEL MUST ARRIVE DRY AND CORROSION FREE, HAVING BEEN PROTECTED FROM THE ELEMENTS SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	1,000	EA			5000041375	
00084	SHS0081 18GAX36"WX120"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0081 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.044" / MAX=.052" PER SHEET WT: 60#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	125	EA			5000041375	

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00085	SHS0082 20GAX36"WX120"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0082 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.033" / MAX=.039" PER SHEET WT: 45#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	150	EA			5000041375	
00086	SHS0086 18GA.31"WX119-1/2"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0086 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.044" / MAX=.052" PER SHEET WT: 51-1/2#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	125	EA			5000041375	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00087	SHS0094	2,500	EA			5000041375	
	16GAX48"WX96"L,CRCQ,ASTM-A1008*						

UNICOR PART NUMBER: SHS0094

DESCRIPTION: SHEET STEEL
IN ACCORDANCE WITH ASTM-A1008,COLD ROLLED
COMMERCIAL QUALITY. OILED (WATER SOLUBLE)
AND PAPER WRAPPED. MSDS FOR OIL IS
REQUIRED. MILL CERTIFICATION REQUIRED.
QUALITY CONTROL INSPECTION REQUIRED.

THICKNESS: MIN=.055" /
MAX=.065"

PER SHEET WT: 80#LBS.

WIDTH TOLERANCE: -0 +6mm,CARBON STEEL

THICKNESS: MIN=.055 / MAX=.065

PER SHEET WT: 80#LBS.
#1 MATTE (EXPOSED) FINISH, #4 TEMPER
ASTM-1011 (LATEST REV) HRPO WITH 15% MAX
CARBON IS ACCEPTABLE AS AN ALTERNATE.
PACKED IN BUNDLES OF 50 PCS(MAX).
BUNDLES TO BE BANDED WITH 3/4"WIDE (MIN)
STRAPS(2 LONG AND 2 HORIZ.) AND SECURED TO
WOODEN SKIDS.

INSPECTION AND ACCEPTANCE: SHEET STEEL MUST
ARRIVE DRY AND CORROSION FREE. SHEET STEEL
MUST BE PROTECTED FROM THE ELEMENTS DURING
TRANSIT.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00088	SHS0094	20	EA			5000041375	
	16GAX48"WX96"L,CRCQ,ASTM-A1008*						

UNICOR PART NUMBER: SHS0094

DESCRIPTION: SHEET STEEL
IN ACCORDANCE WITH ASTM-A1008,COLD ROLLED
COMMERCIAL QUALITY. OILED (WATER SOLUBLE)
AND PAPER WRAPPED. MSDS FOR OIL IS
REQUIRED. MILL CERTIFICATION REQUIRED.
QUALITY CONTROL INSPECTION REQUIRED.

THICKNESS: MIN=.055" /
MAX=.065"

PER SHEET WT: 80#LBS.

WIDTH TOLERANCE: -0 +6mm,CARBON STEEL

THICKNESS: MIN=.055 / MAX=.065

PER SHEET WT: 80#LBS.
#1 MATTE (EXPOSED) FINISH, #4 TEMPER
ASTM-1011 (LATEST REV) HRPO WITH 15% MAX
CARBON IS ACCEPTABLE AS AN ALTERNATE.
PACKED IN BUNDLES OF 50 PCS(MAX).
BUNDLES TO BE BANDED WITH 3/4"WIDE (MIN)
STRAPS(2 LONG AND 2 HORIZ.) AND SECURED TO
WOODEN SKIDS.

INSPECTION AND ACCEPTANCE: SHEET STEEL MUST
ARRIVE DRY AND CORROSION FREE. SHEET STEEL
MUST BE PROTECTED FROM THE ELEMENTS DURING
TRANSIT.

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00089	SHS0095 20GAX27"WX60"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0095 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.033" / MAX=.039" PER SHEET WT: 17#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	275	EA			5000041375	
00090	SHS0100 11GAX36"WX96"L,CRCQ,ASTM-A1008* UNICOR PART NUMBER: SHS0100 DESCRIPTION: SHEET STEEL IN ACCORD WITH ASTM-A1008(LATEST REV) COMMERCIAL QUALITY COLD ROLLED SHEET MILL CERTIFICATION REUIRED Q.C. INSPECTION REQUIRED LEMT SPECS: THICKNESS: MIN=.107" / MAX=.117" PER SHEET WT: 120#LBS. #1 MATTE (EXPOSED) FINISH, #4 TEMPER PACKED IN BUNDLES OF 50 PCS(MAX) AND PAPER WRAPPED. BUNDLES TO BE BANDED WITH 3/4" WIDE(MIN) STEEL STRAPPING (2 LONG. AND 2 HORIZ.) AND SECURED TO WOODEN SKIDS.	50	EA			5000041375	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00091	SHS0102 14GAX48"WX96"L,HRPO,ASTM-A1011*	6,000	EA			5000041375	

UNICOR PART NUMBER: SHS0102

DESCRIPTION: SHEET STEEL
IN ACCORDANCE WITH ASTM-A1011,
COMMERCIAL QUALITY, HOT-ROLLED,
PICKLED AND OILED. OILED (WATER SOLUBLE)
AND PAPER WRAPPED.
MSDS FOR OIL IS REQUIRED.
MILL CERTIFICATOIN REQUIRED.
QUALITY CONTROL INSPECTION REQUIRED.

ERMT SPECS: THICKNESS: MIN=.068" /
MAX=.082"

PER SHEET WT: 100#LBS.

WIDTH TOLERANCE: -0 +38mm,LOW CARBON
MILL EDGE.

PACKAGING: BUNDLES MUST BE TAGGED TO
PROVIDE THE MATERIAL DIMENESION, WEIGHT,
NUMBER OF SHEETS,UNICOR STOCK
NUMBER (SHS-0102),PURCHASE ORDER
NUMBER, AND DATE. MATERIAL MUST BE
SHIPPED IN A MANNER ALLOWING FOR EASY
UNLOADING AT DESTINATION BY FORKLIFT.

INSPECTION AND ACCEPTANCE: SHEET STEEL MUST
ARRIVE DRY AND CORROSION FREE. SHEET STEEL
MUST BE PROTECTED FROM THE
ELEMENTS DURING TRANSIT.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00092	SHS0103	2,000	EA			5000041375	
	14GAX36"WX96"L,HRPO-CQ,ASTM-A1011*						

UNICOR PART NUMBER: SHS0103

DESCRIPTION: SHEET STEEL
IN ACCORDANCE WITH ASTM-A1011 HOT-ROLLED
PICKLED AND OILED. COMMERCIAL QUALITY
OILED (WATER SOLUBLE) AND PAPER WRAPPED.
MSDS FOR OIL IS REQUIRED. MILL
CERTIFICATION REQUIRED. QUALITY CONTROL
INSPECTION REQUIRED.

THICKNESS: MIN=.068" / MAX=.082"

PER SHEET WT: 75#LBS
MILL EDGE, LOW CARBON

WIDTH TOLERANCE: -0 +38mm

PACKAGING REQUIREMENTS: EACH BUNDLE MUST BE TAGGED
TO PROVIDE THE WEIGHT, NUMBER OF SHEETS,
UNICOR STOCK NUMBER (SHS-0103), PURCHASE ORDER
NUMBER AND DATE. MATERIAL MUST BE SHIPPED IN A
MANNER ALLOWING FOR EASY UNLOADING AT
DESTINATION BY FORKLIFT.

INSPECTION AND ACCEPTANCE: SHEET STEEL MUST
ARRIVE DRY AND FREE OF CORROSION. SHEET STEEL MUST
BE PROTECTED FROM THE ELEMENTS DURING TRANSIT.

Request For Quote

SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00093	SHS0109	200	EA			5000041375	
	22GAX47"WX76"L,CRCQ,ASTM-A366						
	UNICOR PART NUMBER: SHS0109						
	IN ACCORD WITH ASTM A366, COLD ROLLED						
	COMMERCIAL QUALITY OILED (WATER SOLUBLE)						
	AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED						
	MILL CERTIFICATION REQUIRED Q.C.						
	INSPECTION REQUIRED						
	THICKNESS: MIN=.027" / MAX=.033"						
	PER SHEET WT: 31#LBS.						
	WIDTH TOLERANCE: -0+1/16"						
	AISI NO 1008-1010 #1 MATTE FINISH						
	INSPECTION AND ACCEPTANCE: Sheets must be						
	free of surface defects. Sheet steel						
	must arrive dry and corrosion free,						
	having been protected from the elements						
	SPECIAL INSTRUCTIONS BANDED IN LIFTS						
	NOT TO EXCEED 5,000 LBS WITH 4"X4"						
	LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT						
	UNLOADING FROM SIDE OF TRUCK.						

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00094	SHS0110	3,000	EA			5000041375	
	EXPANDED, 3/4-9X6'X8'L,CQ,C1008-1010						
	UNICOR PART NUMBER: SHS0110						
	DESCRIPTION: SHEET STEEL						
	EXPANDED METAL WILL MEET MILITARY SPECIFICATIONS OF MIL-M-17194C. C1008-1010						
	OILED (WATER SOLUBLE) AND PAPER WRAPPED						
	MSDS FOR OIL IS REQUIRED						
	MILL CERTIFICATION REQUIRED						
	Q.C. INSPECTION REQUIRED						
	ERMT SPECS: THICKNESS: MIN=.141						
	SHEET WT: MIN=2,500# MAX=3,000#BUNDLES.						
	WIDTH TOLERANCE: 6'+1"-0 SHEETS UNDER						
	6' WILL BE REJECTED.						
	LENGTH TOLERANCE: 8'+1"-0"						
	TYPE 1,						
	CLASS 1. COMMERCIAL QUALITY LOW CARBON, ROCKWELL OF B-65 OR LESS.						
	Material to be shipped in a manner allowing for easy unloading at destination by forklift.						
	INSPECTION AND ACCEPTANCE: Material must be protected from the elements enroute and arrive dry and corrosion free to be acceptable. Material tolerance must be held or will be rejected at time of inspection.						

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00095	SHS0123 18GAX28"WX102"L,CRCQ,ASTM-A366 UNICOR PART NUMBER SHS0123 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.044" / MAX=.052" PER SHEET WT: 40#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	7,000	EA			5000041375	
00096	SHS0137 22GAX36"WX75-1/2"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0137 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.027" / MAX=.033" PER SHEET WT: 23-1/2#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	750	EA			5000041375	

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00097	SHS0146 18GAX33"WX100-1/4"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0146 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.044" / MAX=.052" PER SHEET WT: 46#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	150	EA			5000041375	
00098	SHS0151 18GAX39-1/4"WX107-1/2"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0151 IN ACCORD WITH ASTM-A366 COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.044" / MAX=.052" PER SHEET WT: 58-1/2#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: SHEETS MUST BE FREE OF SURFACE DEFECTS. SHEET STEEL MUST ARRIVE DRY AND CORROSION FREE, HAVING BEEN PROTECTED FROM THE ELEMENTS SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	750	EA			5000041375	

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00099	SHS0152	750	EA			5000041375	

18GAX43-1/4"WX106-3/4"L,CRCQ,ASTM-A366
 UNICOR PART NUMBER: SHS0152
 IN ACCORD WITH ASTM A366, COLD ROLLED
 COMMERCIAL QUALITY OILED (WATER SOLUBLE)
 AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED
 MILL CERTIFICATION REQUIRED Q.C.
 INSPECTION REQUIRED
 THICKNESS: MIN=.044" / MAX=.052"
 PER SHEET WT: 64#LBS.
 WIDTH TOLERANCE: -0+1/16"
 AISI NO 1008-1010 #1 MATTE FINISH
 INSPECTION AND ACCEPTANCE: Sheets must be
 free of surface defects. Sheet steel
 must arrive dry and corrosion free,
 having been protected from the elements
 SPECIAL INSTRUCTIONS BANDED IN LIFTS
 NOT TO EXCEED 5,000 LBS WITH 4"X4"
 LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT
 UNLOADING FROM SIDE OF TRUCK.

00100	SHS0174	50	EA			5000041375	
	16GAX36"WX96"L,CRS,PRE-PERFORATED						

Description: 16ga 36" x 96 Perforated Sheet, CRS
 Safe side margins, no end margins.

Pattern: Matching Accurate Perforating NO. RS041 .25" Staggard Hole
 Centers

Material should be free of rust, and lightly oiled for shipping.

INSPECTION AND ACCEPTANCE: PERFORATED SHEET STEEL MUST
 ARRIVE FREE OF CORROSION , SURFACE RUST, PITTING,
 AND OTHER DEFECTS THAT WILL MAKE THE STEEL UNUSABLE.
 SHEET STEEL MUST BE PROTECTED FROM THE ELEMENTS DURING
 TRANSIT.

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00101	SHS0175 22GAX34"WX99-1/4"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0175 IN ACCORD WITH ASTM-A366 COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED TRMT SPECS: THICKNESS: MIN=.027" MAX=.033" PER SHEET WT: 29-1/4#LBS. AISI NO.1008-1010, #1 MATTE FINISH WIDTH TOLERANCE: -0/+1/4"	10	EA			5000041375	

00102	SHS0177 11GAX48"X96"HRPO MATERIAL STEEL,CARBON48"X96",ASTM1011(11GA).1196 THICK OR OPTIONAL MATERIAL STEEL CARBON,SPEC ASTM A1008/1008M 11GA.(.1196-THICK) MATERIAL IS TO ARRIVE ON A FLAT PALLET,BANDED IN A WAY TO AVOID DAMAGE TO SHEET	100	EA			5000041375	
-------	--	-----	----	--	--	------------	--

INSPECTION AND ACCEPTANCE: SHEET STEEL MUST
ARRIVE FREE OF CORROSION , SURFACE RUST, PITTING,
AND OTHER DEFECTS THAT WILL MAKE THE STEEL UNUSABLE.
SHEET STEEL MUST BE PROTECTED FROM THE ELEMENTS DURING
TRANSIT.

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00103	SHS0178 18GAX45-1/2"WX107-3/4"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0178 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.044" / MAX=.052" PER SHEET WT: 68#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	550	EA			5000041375	
00104	SHS0181 10GAX48"WX96"L,CRCQ,ASTM-A1008* UNICOR PART NUMBER: SHS0181 DESCRIPTION: SHEET STEEL IN ACCORD WITH ASTM-A1008(LATEST REV) ASTM-A1011(LATEST REV) HRPO WITH 15% MAX CARBON IS ACCEPTABLE AS AN ALTERNATE. MILL CERTIFICATION REQUIRED, CRCQ. Q.C. INSPECTION REQUIRED LEMT SPECS: THICKNESS: MIN=.127" / MAX=.143" PER SHEET WT: 180#LBS. #1 MATTE (EXPOSED) FINISH, #4 TEMPER SURFACE TO BE SMOOTH AND FREE OF NICKS, SCRATCHES OR CARBON FILM. PACKED IN BUNDLES OF 50 PCS(MAX) AND BUNDLES TO BE BANDED WITH 3/4" WIDE(MIN) STEEL STRAPPING (2 LONG. AND 2 HORIZ.) AND SECURED TO WOODEN SKIDS. TRMT SPECS: THICKNESS: MIN=.127" MAX=.143" PER SHEET WT:180#LBS. AISI NO.1008-1010, #1 MATTE FINISH WIDTH TOLERANCE: -0/+1/4"	275	EA			5000041375	

Request For Quote

SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00105	SHS0183 12GAX48"WX120"L,CRCO,ASTM-A366	10	EA			5000041375	

UNICOR PART NUMBER: SHS0183
 IN ACCORD WITH ASTM A366, COLD ROLLED
 COMMERCIAL QUALITY OILED (WATER SOLUBLE)
 AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED
 MILL CERTIFICATION REQUIRED Q.C.
 INSPECTION REQUIRED
 THICKNESS: MIN=.099" / MAX= .111"
 PER SHEET WT: 92-1/2#LBS.
 WIDTH TOLERANCE: - 0+1/32"
 LENGTH TOLERANCE: -0+11/32"
 AISI NO 1008-1010 #1 MATTE FINISH
 INSPECTION AND ACCEPTANCE: Sheets must be
 free of surface defects. Sheet steel
 must arrive dry and corrosion free,
 having been protected from the elements
 SPECIAL INSTRUCTIONS BANDED IN LIFTS
 NOT TO EXCEED 5,000 LBS WITH 4" X 4"
 LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT
 UNLOADING FROM SIDE OF TRUCK

00106	SHS0188 22GAX48"WX111-1/4"L,CRCQ,ASTM-A366	26,500	EA			5000041375	
-------	---	--------	----	--	--	------------	--

22GAX48"WX111-1/4"L,CRCQ,ASTM-A366
 UNICOR PART NUMBER: SHS0188
 IN ACCORD WITH ASTM A366, COLD ROLLED
 COMMERCIAL QUALITY OILED (WATER SOLUBLE)
 AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED
 MILL CERTIFICATION REQUIRED Q.C.
 INSPECTION REQUIRED
 THICKNESS: MIN=.027" / MAX=.033"
 PER SHEET WT: 46-1/2#LBS.
 WIDTH TOLERANCE: -0+1/16"
 AISI NO 1008-1010 #1 MATTE FINISH
 INSPECTION AND ACCEPTANCE: Sheets must be
 free of surface defects. Sheet steel
 must arrive dry and corrosion free,
 having been protected from the elements
 SPECIAL INSTRUCTIONS BANDED IN LIFTS
 NOT TO EXCEED 5,000 LBS WITH 4"X4"
 LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT
 UNLOADING FROM SIDE OF TRUCK.

Request For Quote

SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00107	SHS0191	3,000	EA			5000041375	
	22GAX30"WX87-1/4"L,CRCQ,ASTM-A366						
	UNICOR PART NUMBER: SHS0191						
	IN ACCORD WITH ASTM A366, COLD ROLLED						
	COMMERCIAL QUALITY OILED (WATER SOLUBLE)						
	AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED						
	MILL CERTIFICATION REQUIRED Q.C.						
	INSPECTION REQUIRED						
	THICKNESS: MIN=.027" / MAX=.033"						
	PER SHEET WT: 22-3/4#LBS.						
	WIDTH TOLERANCE: -0+1/16"						
	AISI NO 1008-1010 #1 MATTE FINISH						
	INSPECTION AND ACCEPTANCE: Sheets must be						
	free of surface defects. Sheet steel						
	must arrive dry and corrosion free,						
	having been protected from the elements						
	SPECIAL INSTRUCTIONS BANDED IN LIFTS						
	NOT TO EXCEED 5,000 LBS WITH 4"X4"						
	LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT						
	UNLOADING FROM SIDE OF TRUCK.						

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00108	SHS0252	3,000	EA			5000041375	

3/8"TX8"WX12'L,BFSF,ASTM,A-1008*

UNICOR PART NUMBER SHS0252

DESCRIPTION: SHEET STEEL IN ACCORDANCE
WITH ASTM A1008, COLD ROLLED,blasted finish to sspc-7 to sspc-5 surface
finish.coated with geo-guard 4021
COMMERCIAL QUALITY LIGHTLY OILED AND
PAPER WRAPPED. MSDS FOR OIL IS
REQUIRED. MILL CERTIFICATION
REQUIRED. QUALITY CONTROL INSPECTION REQUIRED.

THICKNESS: MIN-0.362" / MAX=0.388"

PER SHEET WT: 107.1#LBS. FINISH

WIDTH TOLERANCE: +1/64", LENGTH

TOLERANCE: 1", CUT EDGE, MAXIMUM

HARDNESS OF ROCKWELL: B-60.

PACKAGING: BUNDLES NOT TO EXCEED 4,000 POUNDS.
EACH BUNDLE MUST BE TAGGED TO PROVIDE
THE MATERIAL DIMENSIONS, WEIGHT, NUMBER OF
SHEETS, UNICOR STOCK NUMBER (SHS-
0252), PURCHASE ORDER NUMBER, AND
DATE. MATERIAL MUST BE SHIPPED IN A
MANNER ALLOWING FOR EASY UNLOADING
AT DESTINATION BY FORKLIFT.

INSPECTION AND ACCEPTANCE: SHEET STEEL
MUST BE FREE OF SURFACE DEFECTS.
SHEET STEEL MUST ARRIVE DRY AND
CORROSION FREE. SHEET STEEL MUST BE
PROTECTED FROM THE ELEMENTS DURING TRANSIT.

U/O:

CPCABCSTRPLATE,CPCWKFTPLATE,
CPENDBRACKE6,CPENDRADGUSSET,
CPRADIUSBACK,CPRAILBACKPLT,
CPRAILBOTTOMPLT,TBLSAFETYRAIL20

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00109	SHS0253 22GAX48"WX96"L,CRCQ	12,000	EA			5000041375	

UNICOR PART NUMBER: SHS0253

IN ACCORD WITH ASTM-A1008 COMMERCIAL
QUALITY COLD ROLLED MILL CERTIFICATION
REQUIRED OILED (WATER SOLUBLE) AND PAPER
WRAPPED MSDS FOR OIL IS REQUIRED Q.C.
INSPECTION REQUIRED

ERMT SPECS:

THICKNESS: MIN=.027" / MAX=.033"

PER SHEET WT: 40#LBS.

FREE OF SURFACE DEFECTS

WIDTH TOLERANCE: -0 +6mm

destination by forklift. Each bundle to
be tagged as to net weight, material
dimensions, quantity, UNICOR purchase
order number, date, and stock number
(SHS-0253).

INSPECTION AND ACCEPTANCE: Sheets must be
free of surface defects. Sheet steel
must arrive dry and corrosion free,
having been protected from the elements
enroute, to be acceptable.

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00110	SHS0254 EXPANDED, 3/4-9X4'WX8'L,CQ,C1008-1010 UNICOR PART NUMBER: SHS0254 LOW CARBON COMMERCIAL QUALITY EXPANDED METAL IN ACCORDANCE WITH C1008-1010. ROCKWELL HARDNESS B65 OR LESS. MUST MEET MIL-M-17194C, TYPE 1, CLASS 1 LENGTH TOLERANCE: 8'+1"-0" WITDTH TOLERANCE: 4'+1"-0" PACKAGING AND MARKING: SHEETS TO BE SECURELY BANDED INTO BUNDLES WEIGHING NOT MORE THAN 3,000 LBS. EACH BUNDLE TO BE TAGGED IDENTIFYING NET WEIGHT, NUMBER OF SHEETS, UNICOR PURCHASE ORDER NUMBER, DATE, AND UNICOR STOCK NUMBER (SHS0254). MATERIAL TO BE SHIPPED IN A MANNER ALLOWING FOR EASY UNLOADING BY FORKLIFT: MIN=3,000#-MAX=4,000#BUNDLES. INSPECTION AND ACCEPTANCE: MATERIAL MUST BE PROTECTED FROM THE ELEMENTS EN ROUTE AND ARRIVE DRY AND CORROSION FREE TO BE ACCEPTABLE. MATERIAL TOLERANCE MUST BE HELD OR WILL BE REJECTED AT TIME OF INSPECTION.	1,000	EA			5000041375	
00111	SHS0270 16GAX34"WX71-1/4"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0270 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.055" / MAX=.065" PER SHEET WT: 42#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	250	EA			5000041375	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00112	SHS0273 18GAX48"WX69-3/4"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS0273 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.044" / MAX=.052" PER SHEET WT: 46-1/2#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	20	EA			5000041375	
00113	SHS0274 20GAX41-3/4"WX106-3/4"L,CRCQ.ASTM-A366 UNICOR PART NUMBER: SHS0274 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.033" / MAX=.039" PER SHEET WT: 46-1/4#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	20	EA			5000041375	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00114	SHS0280	75	EA			5000041375	
	12GAX36"WX120"L,CR ASTM-A1011*						

UNICOR PART NUMBER: SHS0280

DESCRIPTION: SHEET STEEL IN ACCORDANCE WITH
ASTM-A1011, HOT ROLLED PICKLED AND OILED
WATER SOLUBLE, PAPER WRAPPED. MSDS FOR
OIL IS REQUIRED. MILL CERTIFICATION REQUIRED.
QUALITY CONTROL INSPECTION REQUIRED.

THICKNESS: MIN=0.966" / MAX=0.1126" PER SHEET

PER SHEET WT: 131.10#LBS.

WIDTH TOLERANCE: 1/8"

LENGTH TOLERANCE: 3/4", CUT EDGE, BUNDLES
NOT TO EXCEED 4,000 POUNDS. EACH BUNDLE MUST
BE TAGGED TO PROVIDE MATERIAL DIMENSIONS,
WEIGHT, NUMBER OF SHEETS, UNICOR STOCK NUMBER
(SHS-0280), PURCHASE ORDER NUMBER, AND DATE.
MATERIAL MUST BE SHIPPED IN A MANNER ALLOWING
FOR EASY UNLOADING AT DESTINATION BY FORKLIFT.

INSPECTION AND ACCEPTANCE: SHEET STEEL MUST
BE FREE OF SURFACE DEFECTS. SHEET STEEL MUST
ARRIVE DRY AND CORROSION FREE. SHEET STEEL
MUST BE PROTECTED FROM THE ELEMENTS DURING
TRANSIT.

U/O: MAP STORAGE SYSTEM

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00115	SHS0299 22GAX35-1/2"WX86-7/8"L,CRCQ,ASTM-A1008*	125	EA			5000041375	

UNICOR PART NUMBER: SHS0299
 IN ACCORD WITH ASTM-A1008 COLD ROLLED
 COMMERCIAL QUALITY OILED (WATER SOLUBLE)
 AND PAPER WRAPPED MSDS FOR IOL IS REQUIRED
 MILL CERTIFICATION REQUIRED Q.C.
 INSPECTION REQUIRED
 THICKNESS: MIN=.027" MAX=.033"
 PER SHEET WT: 27#LBS.
 WIDTH TOLERANCE: -0+1/16"
 AISI NO.1008-1010, #1 MATTE FINISH
 INSPECTION AND ACCEPTANCE: SHEETS MUST BE
 FREE OF SRFACE DEFECTS. SHEET STEEL
 MUST ARRIVE DRY AND CORROSION FREE,
 HAVING BEEN PROTECED FROM THE ELEMENTS
 SPECIAL INSTRUCTIONS BANDED IN LIFTS
 NOT TO EXCEED 5,000 LBS WITH 4"X4"
 LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT
 UNLOADING FROM SIDE OF TRUCK,

00116	SHS0307 22GAX30-9/16"WX80"L,CRCQ,ASTM-A366	75	EA			5000041375	
-------	---	----	----	--	--	------------	--

UNICOR PART NUMBER: SHS0307
 IN ACCORD WITH ASTM A366, COLD ROLLED
 COMMERCIAL QUALITY OILED (WATER SOLUBLE)
 AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED
 MILL CERTIFICATION REQUIRED Q.C.
 INSPECTION REQUIRED
 THICKNESS: MIN=.027" / MAX=.033"
 PER SHEET WT: 21-1/4#LBS.
 WIDTH TOLERANCE: -0+1/16"
 AISI NO 1008-1010 #1 MATTE FINISH
 INSPECTION AND ACCEPTANCE: Sheets must be
 free of surface defects. Sheet steel
 must arrive dry and corrosion free,
 having been protected from the elements
 SPECIAL INSTRUCTIONS BANDED IN LIFTS
 NOT TO EXCEED 5,000 LBS WITH 4"X4"
 LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT
 UNLOADING FROM SIDE OF TRUCK.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00117	SHS0308 16GAX25-11/16"WX120"L,CRCQ,ASTM-A366* UNICOR PART NUMBER: SHS0308 IN ACCORD WITH ASTM A366, COLD ROLLED COMMERCIAL QUALITY OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED THICKNESS: MIN=.055" / MAX=.065" PER SHEET WT: 53-1/2#LBS. WIDTH TOLERANCE: -0+1/16" AISI NO 1008-1010 #1 MATTE FINISH INSPECTION AND ACCEPTANCE: Sheets must be free of surface defects. Sheet steel must arrive dry and corrosion free, having been protected from the elements SPECIAL INSTRUCTIONS BANDED IN LIFTS NOT TO EXCEED 5,000 LBS WITH 4"X4" LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT UNLOADING FROM SIDE OF TRUCK.	125	EA			5000041375	
00118	SHS0316 11GAUGE,STAINLESSSTEEL,TYP304,48"X96"	10	EA			5000041375	
00119	SHS0323 16GAUGE,STAINLESSSTEEL.TYP304,48"X96"	10	EA			5000041375	

Request For Quote

SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00120	SHS0325	10	EA			5000041375	
	12GAX31-11/16"WX96"L,CRCQ,ASTM-A366						
	UNICOR PART NUMBER: SHS0325						
	IN ACCORD WITH ASTM A366, COLD ROLLED						
	COMMERCIAL QUALITY OILED (WATER SOLUBLE)						
	AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED						
	MILL CERTIFICATION REQUIRED Q.C.						
	INSPECTION REQUIRED						
	THICKNESS: MIN=.099" / MAX=.111"						
	PER SHEET WT: 92-1/2#LBS.						
	WIDTH TOLERANCE: -0+1/16"						
	AISI NO 1008-1010 #1 MATTE FINISH						
	INSPECTION AND ACCEPTANCE: Sheets must be						
	free of surface defects. Sheet steel						
	must arrive dry and corrosion free,						
	having been protected from the elements						
	SPECIAL INSTRUCTIONS BANDED IN LIFTS						
	NOT TO EXCEED 5,000 LBS WITH 4"X4"						
	LENGTHWISE HARDWOOD SKIDS FOR FORKLIFT						
	UNLOADING FROM SIDE OF TRUCK.						

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00121	SHS0357	1,500	EA			5000041375	
	3/8"TX7"WX144"L,BFSF,ASTM-A1008*						

UNICOR PART NUMBER: SHS0357 IN ACCORD
WITH ASTM-A1008 COLD ROLLED,blasted finish to sspc-7 to sspc-5 surface
finish.coated with geo-guard 4021

COMMERCIAL QUALITY LIGHTLY OILED AND
PAPER WRAPPED. MSDS FOR OIL IS
REQUIRED. MILL CERTIFICATION REQUIRED.
QUALITY CONTROL INSPECTION REQUIRED.

THICKNESS: MIN=0.362"/MAX=0.388"

PER SHEET WT: 107.1#LBS.FINISH

WIDTH TOLERANCE: +1/64",LENGTH

TOLERANCE: 1",CUT EDGE.MAXIMUM

HARDNESS OF ROCKWELL: B-60.BUNDLES
NOT TO EXCEED 4,000 POUNDS. EACH
BUNDLE MUST BE TAGGED TO PROVIDE
MATERIAL DIMENSIONS,WEIGHT,NUMBER OF
SHEETS,UNICOR STOCK NUMBER (SHS-
0357),PURCHASE ORDER NUMBER,AND
DATE. MATERIAL MUST BE SHIPPED IN A
MANNER ALLOWING FOR EASY UNLOADING
AT DESTINATION BY FORKLIFT.

INSPECTION AND ACCEPTANCE: SHEETS
MUST BE FREE OF SURFACE DEFECTS.
SHEET STEEL MUST ARRIVE DRY AND
CORROSION FREE. SHEET STEEL MUST BE
PROTECTED FROM THE ELEMENTS DURING TRANSIT
TO BE ACCEPTABLE.

U/O: CPFTPLATES4

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00122	SHS0509	400	EA			5000041375	

22GA.X19-13/32"X25-5/8"SHEET
COMMERCIAL QUALITY COLD ROLLED SHEET
IN ACCORD WITH ASTM A1008/A1008M(LATEST REV)

LEMT SPECS:

GUAGE TOLERANCE:MIN=.027"/MAX=.033"

WIDTH TOLERANCE:+/- 1/32"

LENGTH TOLERANCE:+/- 1/32"

APPROX.WEIGHT PER SHEET:4.4 LBS

PAPERWRAPPED,BUNDLED AND SECURED

ON SKIDS

NO MORE THAN 200 PIECES PER SKID

QC INSPECTION REQUIRED UPON DELIVERY

MILL CERTIFICATION REQUIRED WITH EACH SHIPMENT

OILED(WATER SOLUBLE)

00123	SHS0515	125	EA			5000041375	
-------	---------	-----	----	--	--	------------	--

24GA.X17-13/16"X71 7/8"SHEET

SPECIAL INSTRUCTIONS / NOTES:

24GA 17 13/16"W X 71 7/8"L CR, ASTM A1008/1008M

UNICOR PART NUMBER: SHS0515

IN ACCORD WITH ASTM A1008/1008M (LATEST REVISION).

COLD ROLLED COMMERCIAL QUALITY, OILED (WATER SOLUBLE) AND PAPER WRAPPED.

SPECIFICATIONS: THICKNESS: MIN=0.021"/MAX=0.027" PER SHEET WEIGHT: 9.0

LBS. REQUARE TOLERANCE: +/- 1/32" ON WIDTH AND LENGHT 1/2 STANDARD

TOLERANCE ON DIAGONAL. AISI NO. 1008-1010 #1 MATTE FINISH. INSPECTION

AND ACCEPTANCE: SHEETS MUST BE FREE OF SURFACE DEFECTS: SHEET STEEL MUST

ARRIVE DRY AND CORROSION FREE, HAVING BEEN PROTECTED FROM THE ELEMENTS.

SPECIAL INSTRUCTIONS: BANDED IN BUNDLES NOT TO EXCEED 200 PCS. BUNDLES

MUST BE ACCESSABLE FROM SIDE FOR FORKLIFT UNLOADING. CORNERS AND EDGES

OF BUNDLES WILL BE PROTECTED.

00124	SHS2027	200	EA			5000041375	
-------	---------	-----	----	--	--	------------	--

11GAX48"WX120"L,CRCQ,ASTM-A366

UNICOR PART NUMBER: SHS2027

IN ACCORD WITH ASTM-A366, COLD ROLLED

OILED (WATER SOLUBLE) AND PAPER WRAPPED

MILL CERTIFICATION REQUIRED Q.C.

INSPECTION REQUIRED

TRMT SPECS:

THICKNESS: MIN=.114" MAX=.126"

AISI NO.1008-1010, #1 MATTE FINISH WIDTH

TOLERANCE: -0/+1/4"

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00125	SHS2087 20GAX48"WX96"L,CRCQ,ASTM-A366,SHS UNICOR PART NUMBER: SHS2087 20 GAUGE SHEET STEEL, COLD ROLLED COMMERCIAL QUALITY,ASTM-A366 UNIT OF MEASURE: EACH	3,500	EA			5000041375	
00126	SHS2143 24GAX40"WX80"L,CRCQ,ASTM-A366 UNICOR PART NUMBER: SHS2143 UNIT OF MEASURE: EACH IN ACCORD WITH ASTM-A366 COMMERCIAL QUALITY COLD ROLLED OILED (WATER SOLUBLE) and PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED MIMT SPECS: COLD ROLLED, COMMERCIAL QUALITY, MUST MEET TENSION LEVEL STANDARDS ON FLATNESS THIS MATERIAL IS FURNISHED FOR THE SPECIFIC MANUFACTURE OF METAL OFFICE FURNITURE. EXPOSED #1 MATT FINISH, OILED, 1/2 STANDARD ON FLATNESS, RESQUARE TOLERANCE +/- 1/32" ON WIDTH AND LENGTH, 1/2 STANDARD TOLERANCE ON DIAGONAL, STANDARD TOLERANCE ON THICKNESS. PAPER WRAPPED AND SKIDDED. BUNDLES NOT TO EXCEED 5,000 LBS. MARKINGS ON PAPER WRAP WILL INCLUDE : OUR STOCK NUMBER, GAUGE OF MATERIAL, AND BLANK SIZE. THE CERTIFICATE OF COMPLIANCE SHALL BE A CONDITION OF ACCEPTANCE AND IT WILL NOT BE ACCEPTED WITHOUT IT. REFER TO PRINT FOR FURTHER INFORMATION.	20	EA			5000041375	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00127	SHS2303	40,000	EA			5000041375	
	EXPANDED, 3/4", 9GA, 34.750SWDX51.000LWD						
	UNICOR PART#:SHS2303 LOW						
	CARBON COMMERCIAL QUALITY EXPANDED						
	METAL IN ACCORDANCE WITH C1008-1010						
	ROCKWELL HARDNESS B65 OR LESS MUST						
	MEET MIL-M-1794C TYPE 1 CLASS 1						
	PER SHEET WT.22.87#LBS FINISH						
	WIDTH TOLERANCE-1/4"+1/8"LENGTH						
	TOLERANCE +\3/4"SHEET EDGES SHALL						
	NOT DEVIATE FROM PARALLEL BY MORE						
	THAN 3/8"SHEETS SHALL BE FREE FROM						
	WAVES OR BUCKLES THAT ARE IN EXCESS						
	OF 3/4" EACH SHEET SHALL HAVE AT						
	LEAST ONE END WITH CLOSED DIAMOND						
	OPENINGS AND FULL LENGTH BONDS						
	PACKAGING AND MARKING SHEETS TO BE						
	SECURELY BANDED INTO BUNDLES						
	WEIGHING NOT MORE THAN 4,000LBS						
	EACH BUNDLE MUST BE TAGGED AS TO						
	MATERIAL DIMENTIONS NET WEIGHT						
	NUMBER OF SHEETS UNICOR STOCK						
	NUMBER (SHS2303) PURCHASE ORDER						
	NUMBER AND DATE MATERIAL MUST BE						
	SHIPPED IN A MANNER ALLOWING FOR						
	EASY UNLOADING BY FORKLIFT AT						
	DESTINATION INSPECTION AND						
	ACCEPTANCE SHEETS MUST BE FREE OF						
	SURFACE DEFECTS EXPANDED METAL						
	SHEETS MUST ARRIVE DRY AND CORROSION						
	FREE HAVING BEEN PROTECTED FROM THE						
	ELEMENTS EN-ROUTE TO BE ACCEPTABLE						

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00128	SHS2581 12GA,48"WX96"L,HRPO,ASTM-A1011*	125	EA			5000041375	
UNICKOR PART NUMBER: SHS2581 DESCRIPTION: SHEET STEEL IN ACCORD WITH ASTM-A1011, HOT ROLLED PICKLED AND OILED (WATER SOLUBLE) AND PAPER WRAPPED MSDS FOR OIL IS REQUIRED MILL CERTIFICATION REQUIRED Q.C. INSPECTION REQUIRED, THICKNESS: MIN=0.966" / MAX=0.1126" PER SHEET WT: 139.84#LBS. WIDTH TOLERANCE: 3/16" LENGTH TOLERANCE: 3/4", CUT EDGE. BUNDLES NOT TO EXCEED 4,000 POUNDS. EACH BUNDLE MUST BE TAGGED AS TO MATERIAL DIMENSIONS, WEIGHT, NUMBER OF SHEETS, UNICIOR STOCK NUMBER (SHS-2581), PURCHASE ORDER NUMBER, AND DATE. MATERIAL MUST BE SHIPPED IN A MANNER ALLOWING FOR EASY UNLOADING AT DESTINATION BY FORKLIFT. INSPECTION AND ACCEPTANCE: SHEETS MUST BE FREE OF SURFACE DEFECTS. SHEET STEEL MUST ARRIVE DRY AND CORROSION FREE, HAVING BEEN PROTECTED FROM THE ELEMENTS EN-ROUTE, TO BE ACCEPTABLE. U/O: SPECTRAILERMOD, SPECTRAILERMOD2							
00129	STN0044 18GA,48"x120",304,#4,W/PVC,STAINLESS-STL	347.222	EA			5000041375	
00130	STS0010 BMP,RAIL,ENDBRACKET,3"	10,000	EA			5000041375	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00131	STS0024	1,000	EA			5000041375	

3/8"TX1-1/2"WX120"L,BFSF,CQ,STEEL,STRIP

3/8" x 1 1/2" x 120# HOT ROLL FLAT BAR, A36, P&O

BUNDLES NOT TO EXCEED 4,000 POUNDS. EACH BUNDLE MUST BE TAGGED AS TO MATERIAL DIMENSIONS, WEIGHT, NUMBER OF PIECES, UNICOR STOCK NUMBER (STS0024), PURCHASE ORDER NUMBER, AND DATE. MATERIAL MUST BE SHIPPED IN A MANNER ALLOWING FOR EASY UNLOADING AT DESTINATION BY FORKLIFT. INSPECTION AND ACCEPTANCE: MATERIAL MUST BE FREE OF SURFACE DEFECTS. MATERIAL MUST ARRIVE DRY AND CORROSION FREE, HAVING BEEN PROTECTED FROM THE ELEMENTS EN-ROUTE TO BE ACCEPTABLE. blasted finish to sspc-7 to sspc-5 surface finish. Coated with geo-guard 4021

ADD "TOLERANCE .0625"

00132	TUB0174	225	EA			5000041375	
-------	---------	-----	----	--	--	------------	--

1"X1"X.120"T,SQUARE-TUBE,240"L

00133	TUB0175	175	EA			5000041375	
-------	---------	-----	----	--	--	------------	--

2"X.090,SQUARE-TUBE,240"

00134	TUB0183	6,000.000	IN			5000041375	
-------	---------	-----------	----	--	--	------------	--

1"X2-1/2"X.060,RECTANGULAR-TUBE-240"L

FINISH: BLASTED FINISH TO
SSPC-7 TO SSPC-5 SURFACE FINISH.
COATED WITH GEO-GUARD 4021

00135	TUB0198	18.229	EA			5000041375	
-------	---------	--------	----	--	--	------------	--

3/4"SQUARE-STEEL-TUBING,.083"TX96"L

3/4" SQUARE STEEL TELESCOPING TUBING
.083" THICKNESS
96" LENGTH
LIGHTLY OILED

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00136	TUB3327	16.667	EA			5000041375	
	3"X.120,SQUARE-TUBE,240"L						

FINISH: BLASTED FINISH TO
SSPC-7 TO SSPC-5 SURFACE FINISH.
COATED WITH GEO-GUARD 4021

00137	TUB3329	31.250	EA			5000041375	
	1"X3"X.120,RECTANGULAR-TUBE-240"L						

FINISH: BLASTED FINISH TO
SSPC-7 TO SSPC-5 SURFACE FINISH.
COATED WITH GEO-GUARD 4021

00138	TUS0007	12,500.000	FT			5000041375	
	5"IDX.258"TX5.563OD-SCHEDULE-40*						

5"IDX.258"TX5.563OD-SCHEDULE-40,ASTM-A500

The Tubing shall be free of fractures,
cracks,groove rolling or tool markings
Tubing will be exposed in a condition
and must present a smooth appearance

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00139	TUS0021	625	EA			5000041375	
ROUND, 7/8" O.D. x .065" WALL x 34" LENGTH, QQ-T-830A*							

OILED, RESISTANCE-WELDED

OVERALL LENGTH TOLERANCE: +1/2", -0"

TUBING, STEEL, I.A.W. ASTM A513.

SPECIFICATIONS: 7/8" o.d. x .065" wall x 34" length. Flash must be removed from o.d. Cut-off ends must enter 57/64" hole freely. Tubing, steel, in accordance with ASTM A513, electric resistance welded type, type 1, a.w.h.r. steel. The chemical composition shall be MT-1010 in accordance with table 1.

NOTE: The tubing shall be free of dimples, fractures, cracks, grooves, roughness, rust, rolling or tool marks. The tubing will be exposed in a painted condition as furniture components and must present a smooth appearance as paint tends to accentuate any surface defects.

PACKAGING AND MARKING: tubing must be packaged in rectangular bundles secured by not less than 2" x 4" lumber with strapping. Bundles must be of uniform size of 650 pieces per bundle. Each bundle shall be tagged as to UNICOR stock number (TUS-0021), purchase order number, date, number of pieces, and material dimensions.

NOTE: See attached drawing of frame package details. Tubing not packaged accordingly, will be rejected without unloading. Material to be shipped in a manner allowing for easy unloading by forklift at destination.

INSPECTION AND ACCEPTANCE: Tubing must be protected from the elements enroute and arrive dry and corrosion-free to be acceptable. The inspection and test outlined in the specifications for flattening, workmanship, dimensions, and tolerance will be performed at destination and will be part of the basis of acceptance or rejection of the material. Our receiving inspection will be in accordance with MIL-STD-105D. Inspection level II, single sampling plan and A.Q.L. of 2.5 normal inspection. replacement and return of rejected material will be the responsibility of the vendor at no cost to the government.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00140	TUS0022	250	EA			5000041375	
ROUND, 1/2"ODX.065"TX18-1/4"L,QQ-T-830A*							

OILED-RESISTANCE-WELDED, TUBING, STEEL, I.A.W. ASTM A513.

OVERALL LENGTH TOLERANCE: +1/2", -0"

SPECIFICATIONS: 1/2" o.d. x .065" wall x 18 1/4" length. Flash must be removed from o.d. Cut-off ends must freely pass through 33/64" hole. Tubing, steel, in accordance with ASTM A513, electric resistance welded type, type 1, a.w.h.r. steel. The chemical composition shall be MT-1010 in accordance with table 1.

NOTE: The tubing shall be free of dimples, fractures, cracks, grooves, roughness, rust, rolling or tool marks. The tubing will be exposed in a painted condition as furniture components and must present a smooth appearance as paint tends to accentuate any surface defects.

PACKAGING AND MARKING: Tubing must be packaged in rectangular bundles secured by not less than 2" x 4" lumber with strapping. Bundles to be in uniform size of 2,500 pieces per bundle. Each bundle shall be tagged as to UNICOR stock number (TUS-0022), purchase order number, date, number of pieces, and material dimensions.

NOTE: See attached drawing of frame package details. Tubing not packaged accordingly, will be rejected without unloading. Material to be shipped in a manner allowing for easy unloading by forklift at destination.

INSPECTION AND ACCEPTANCE: Tubing must be protected from the elements enroute and arrive dry and corrosion-free to be acceptable. The inspection and test outlined in the specifications for flattening, workmanship, dimensions, and tolerance will be performed at destination and will be part of the basis of acceptance or rejection of the material. Our receiving inspection will be in accordance with MIL-STD-105D. Inspection level II, single sampling plan and A.Q.L. of 2.5 normal inspection. Replacement and return of rejected material will be the responsibility of the successful bidder at no cost to the government.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00141	TUS0023	300	EA			5000041375	

ROUND, 1-1/2" ODX 1.334" IDX 28-1/2" L, OILED, *

RESISTANCE-WELDED, QQ-T-830A TUBING, STEEL, I.A.W. ASTM A513.

SPECIFICATIONS: 1 1/2" o.d. x 1.334"

OVERALL LENGTH TOLERANCE: +1/2", -0" i.d. x 28 1/2" long. Outside diameter will be + or - .005". Inside diameter will be + or - .006". Inside diameter must freely admit a 1.327" plug. Flash to be removed from both i.d. and o.d. The tube ends must be free of burrs. 1/32" max chamfer on i.d. and o.d. each end. Tubing, steel, in accordance with ASTM A513, electric resistance welded type, type 1, a.w.h.r. steel. The chemical composition shall be MT-1010 in accordance with table 1.

NOTE: The tubing shall be free of dimples, fractures, cracks, grooves, roughness, rust, rolling or tool marks. The tubing will be exposed in a painted condition as furniture components and must present a smooth appearance as paint tends to accentuate any surface defects.

PACKAGING AND MARKING: Tubing to be packaged in rectangular bundles of 220 pieces each. Each bundle to be secured by not less than 2" x 4" lumber with strapping. Each bundle to be tagged as to UNICOR stock number (TUS-0023), purchase order number, date, number of pieces and material size.

NOTE: See attached drawing of frame package details. Tubing not packaged accordingly, will be rejected without unloading. Material to be shipped in a manner allowing for easy unloading by forklift at destination.

INSPECTION AND ACCEPTANCE: Tubing must be protected from the elements enroute and arrive dry and corrosion-free to be acceptable. The inspection and test outlined in the specifications for flattening, workmanship, dimensions, and tolerance will be performed at destination and will be part of the basis of acceptance or rejection of the material. Our receiving inspection will be in accordance with MIL-STD-105D. Inspection level II, single sampling plan and A.Q.L. of 2.5 normal inspection. Replacement and return of rejected material will be the responsibility of the successful bidder at no cost to the government.

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del. Date</u>
00142	TUS0026	30	EA			5000041375	

ROUND-OPEN,1.334"ODX16GAX16-1/2"L,CR*

1/4"OPEN-JOINT,DULLFINISH,CR-STRIP#1 TUBING, STEEL OPEN SEAM
 SIZE: .059 16 ga. nominal wall thickness open joint 1/4" (+ or - 1/16")
 x nominal o.d. 1.334" x 16 1/2" (+ 0,- 1/16").
 SPECIFICATIONS: Tubing, steel, open seam, manufactured from cold rolled
 strip, per ASTM A1008, class 1, matte (dull) finish with outside
 surfaces cleaned for furniture finish. To be fabricated into open joint
 tubing having a nominal wall thickness of .059" (16 ga.), open joint of
 1/4" (+ or - 1/16"), nominal o.d. of 1.334" and a length of 16 1/2" (+
 0, - 1/16"). Burrs must be removed at ends, inside and outside as well
 as lengthwise of the tube at open joint. Tubing shall have rust
 preventative (oiled) applied to prevent rusting during shipment and for
 up to six (6) months inside storage.
 PACKAGING AND MARKING: Tubing to be packaged in cartons of 500 pieces
 each, with each carton securely strapped to a
 pallet. Each carton to be tagged as to UNICOR stock number (TUS-0026),
 purchase order number, date, number of pieces and
 material size. Tubing not packaged accordingly will be rejected without
 unloading. Material to be shipped in a manner allowing for easy
 unloading by forklift at destination.
 INSPECTION AND ACCEPTANCE: Tubing to be protected from the elements
 enroute and arrive dry and corrosion free to be acceptable. Replacement
 of rejected material will be the responsibility of the vendor at no cost
 to the government.

00143	TUS0031	4,100.000	FT			5000041375	
-------	---------	-----------	----	--	--	------------	--

SQUARE,1.5"X.083"Tx288"L,ASTM-A513

UNICOR PART NO: TUS0031
 DESCRIPTION: SQUARE,1.5"X.083"Tx288"L,ASTM-A513
 SIZE: 1.50" Square x 0.083"T (14GA) x 288"L
 OVERALL LENGTH TOLERANCE: +1/2", -0"
 SPECIFICATIONS: ASTM A513 ERW carbon mechanical tubing, type 1,
 a.w.h.r.p.o. ("as welded" from hot rolled steel, pickled and oiled), or type 2, a.w.c.r. ("as welded" from cold rolled
 steel). Internal flash not to be removed. Chemical composition shall be MT 1010 in accordance with table 1. The tubing
 shall be free of fractures, cracks, grooves, roughness, rust, rolling or tool marks. The tubing will be exposed in a
 painted condition and must present a smooth appearance.
 PACKAGING AND MARKING: Tubing to be packaged in securely banded bundles of 50 pieces each. Each bundle must be
 tagged as to material dimensions, weight, stock number (TUS0031), UNICOR purchase order number, and date.
 INSPECTION AND ACCEPTANCE: tubing to be protected from the elements enroute and must arrive dry and corrosion free to
 be acceptable. Tubing shall be shipped in a manner allowing for easy unloading at destination by forklift.
 U/M: FT.
 U/O: 3990012276002 (SRK000304), 3990012276003 (SRK000401)

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del. Date</u>
00144	TUS0032	135,000.000	FT			5000041375	
	SQ,2"X24'L,11GA,ASTM-A513/A500						

UNICOR PART NO: TUS0032

DESCRIPTION: SQ,2"X24'L,11GA,ASTM-A513/A500

SIZE: 2.00" SQ X 24'L, 11GA

OVERALL LENGTH TOLERANCE: +1/2", -0"

SPECIFICATIONS: ASTM A513 ERW carbon mechanical tubing, type 1, a.w.h.r.p.o. ("as welded" from hot rolled steel, pickled and oiled), or type 2, a.w.c.r. ("as welded" from cold rolled steel). Internal flash not to be removed.

Chemical composition shall be MT 1010 in accordance with table 1. The tubing shall be free of fractures, cracks, grooves, roughness, rust, rolling or tool marks. The tubing will be exposed in a painted condition and must present a smooth appearance.

PACKAGING AND MARKING: Tubing to be packaged in securely banded bundles of 50 pieces each. Each bundle must be tagged as to material dimensions, weight, stock number (TUS0032), UNICOR purchase order number, and date.

INSPECTION AND ACCEPTANCE: tubing to be protected from the elements enroute and must arrive dry and corrosion free to be acceptable. Tubing shall be shipped in a manner allowing for easy unloading at destination by forklift.

U/M: FT.

U/O: 3990012276002 (SRK000304), 3990012276003 (SRK000401)

00145	TUS0067	12,500.000	FT			5000041375	
	SQUARE,1-1/2"X14GAX12'L,ASTM-A513						

FINISH: BLASTED FINISH TO

SSPC-7 TO SSPC-5 SURFACE FINISH.

COATED WITH GEO-GUARD 4021

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00146	TUS0109	1,200	EA			5000041375	
	ROUND,1-1/4"ODX11GAX21'L,ASTM-A513						

TUBING, STEEL, ROUND, I.A.W. ASTM A513,
1-1/4" O.D. X 11 GA. WALL X 21' LENGTH,
OVERALL LENGTH TOLERANCE: +1/2", -0"
E.R.W. TYPE 1, OILED, NO FINAL THERMAL
TREATMENT, O.D. FLASH REMOVED, CHEMICAL
COMPOSITION MT-1010 I.A.W. TABLE 1, U/O
SEGREGATION DESK.

PACKAGING AND MARKING: STEEL TUBING MUST
BE PACKAGED IN BUNDLES OF EQUAL QUANTITY
BUNDLES MUST BE SECURED BY NOT LESS THAN
2" X 4" LUMBER WITH STRAPPING. BUNDLES
MUST BE TAGGED AS TO UNICOR PURCHASE
ORDER NUMBER, DATE, NUMBER OR PIECES
PER BUNDLE, MATERIAL DIMENSIONS AND
UNICOR STOCK NUMBER (TUS-0109). TUBING
MUST BE SHIPPED IN A MANNER ALLOWING FOR
EASY UNLOADING AT DESTINATION BY
FORKLIFT. TUBING MUST BE PACKAGED AS
INDICATED OR IT WILL BE REJECTED
WITHOUT UNLOADING. REJECTED MATERIAL
WILL BE RETURNED AT NO COST TO THE
GOVERNMENT.

INSPECTION AND ACCEPTANCE: TUBING MUST BE
PROTECTED FROM THE ELEMENTS ENROUTE
AND ARRIVE DRY AND CORROSION FREE TO BE
ACCEPTABLE.

Request For Quote

**SECTION B
SUPPLIES OR SERVICES AND PRICES/COSTS**

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00147	TUS0163	2,500	EA			5000041375	
	<p>SQUARE,1.5"X.083"TX10'L,ASTM-A513</p> <p>ALL TUBING MUST CONFORM TO A.S.T.M. A 513 STANDARDS, CL 1020 OR 1026 STEEL MATERIAL.</p> <p>ELECTRIC RESISTANCE WELDED TUBING TYPE #1, A.W.H.R. UNANNEALED THERMAL CONDITION, FLASH IN, TUBING IN WHICH THE INSIDE DIA. WELD FLASH DOES NOT EXCEED THE WALL THICKNESS OR 3/32" (2.4mm) WHICHEVER IS LESS. GRADE DESIGNATION #1, MT 1010, REPORT OF CHEMICAL ANALYSIS REQUIRED. DIMENSIONS ARE TO BE +0 -1/16" OF THE LENGTH. SQUARE TUBING, THE SURFACE SHALL BE SMOOTH AND FREE OF RUST, PITS FLAKES AND LOOSE SCALE. ALL BURRS MUST BE REMOVED AND THE TUBING MUST BE FREE OF SHARP EDGES. IT CANNOT BE BOWED, WARPED OR TWISTED. THE SURFACE OF THE MATERIAL WILL BE EXPOSED IN A PAINTED CONDITION AND MUST PRESENT A SMOOTH APPEARANCE. THE STEEL MUST BE H.R.P.O C.Q. AND HAVE 45,000 LBS. YIELD AND 58,000 LBS. TENSILE STRENGTH, MIN. +0 -1/16" ON OVERALL LENGTH. TUBING MUST BE STRAIGHT AND SQUARE, SEAM WELDED. A CERTIFICATE OF CONFORMANCE MUST ACCOMPANY EACH SHIPMENT.SHIPMENT WILL BE RETURNED WITHOUT A CERTIFICATE OF CONFORMANCE.</p> <p>REFER TO PRINT FOR FURTHER INFORMATION.</p>						
00148	TUS0191	750	EA			5000041375	
	<p>TUBE-STEEL,1.5X1.5X.125-TX180-L</p> <p>FINISH: BLASTED FINISH TO SSPC-7 TO SSPC-5 SURFACE FINISH. COATED WITH GEO-GUARD 4021</p>						
00149	TUS0192	3,500	EA			5000041375	
	<p>SQUARE-2"X2"X.125"TX180:L</p> <p>FINISH: BLASTED FINISH TO SSPC-7 TO SSPC-5 SURFACE FINISH. COATED WITH GEO-GUARD 4021</p>						

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00150	TUS0193 RECT,1.5"WX0.75"HX14GAX144"L,ASTM-A513*	600	EA			5000041375	
Description: 14ga 1.5"W x .75"H Steel Tubing 144" long ASTM-A513							
Material should be free of rust, and lightly oiled for shipping.							
00151	TUS0229 1"ODX.662"INX.219"TX120"L-DOM,TUBE	20	EA			5000041375	
TOL + .063							
TOL - .063							
00152	TUS0230 2.875"ODX2.5"IDX21'SCHEDULE40,HOT-ROLL*	20	EA			5000041375	
00153	TUS0428 SQUARE TUBING: 3" x 3" x .188"T X 120"L, ASTM-A500 GRADE B	2,000	EA			5000041375	
UNIT OF MEASURE: EACH							
00154	TUS0450 SQUARE,1"X16GA,(.065)X20',CQCS,PER-ASTM* UNICOR PART NO: TUS0450 DESCRIPTION: SQUARE,1"X16GA,(.065)X20',CQCS,PER-ASTM* SIZE: 1.00" X 1.00" X20'L - 16 GA. MATERIAL: COMMERCIAL QUALITY CARBON STEEL ASTM-513 DRAWING NO: UNICOR PRODUCTION PRINT NUMBER: U/M: EA. P/N: U/O: HWS6131 - CAGE,SLIDE-IN,UNIT-VAN	175	EA			5000041375	
00155	314420151232 EXPANDED-METAL,12X32	125	EA			5000041537	
00156	314420151848 EXPANDED-METAL,18X48	125	EA			5000041537	
00157	314420151862 EXPANDED-METAL,18X62	125	EA			5000041537	
00158	314420153629 EXPANDED-METAL,36X29	125	EA			5000041537	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del Date</u>
00159	314420156042 EXPANDED-METAL, 60X42	125	EA			5000041537	
00160	314420156054 EXPANDED-METAL, 60X54	125	EA			5000041537	
00161	314420151280 EXPANDED-METAL, 12X80	250	EA			5000041537	
00162	314420153072 EXPANDED-METAL, 30X72	250	EA			5000041537	
00163	314420153632 EXPANDED-METAL, 36X32	250	EA			5000041537	
00164	314420154272 EXPANDED-METAL, 42X72	250	EA			5000041537	
00165	314420154832 EXPANDED-METAL, 48X32	250	EA			5000041537	
00166	314420154872 EXPANDED-METAL, 48X72	250	EA			5000041537	
00167	314420156032 EXPANDED-METAL, 60X32	250	EA			5000041537	
00168	314420152472 EXPANDED-METAL, 24X72	375	EA			5000041537	
00169	314420154262 EXPANDED-METAL, 42X62	375	EA			5000041537	
00170	314420154862 EXPANDED-METAL, 48X62	375	EA			5000041537	
00171	314420155448 EXPANDED-METAL, 54X48	375	EA			5000041537	
00172	314420155480 EXPANDED-METAL, 54X80	375	EA			5000041537	
00173	314420151880 EXPANDED-METAL, 18X80	500	EA			5000041537	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del.Date</u>
00174	314420152480 EXPANDED-METAL, 24X80	500	EA			5000041537	
00175	314420153662 EXPANDED-METAL, 36X62	500	EA			5000041537	
00176	314420154829 EXPANDED-METAL, 48X29	625	EA			5000041537	
00177	314420152429 EXPANDED-METAL, 24X29	750	EA			5000041537	
00178	314420152462 EXPANDED-METAL, 24X62	750	EA			5000041537	
00179	314420153624 EXPANDED-METAL, 36X24	750	EA			5000041537	
00180	314420156080 EXPANDED-METAL, 60X80	900	EA			5000041537	
00181	314420153062 EXPANDED-METAL, 30X62	125	EA			5000041537	
00182	314420155466 EXPANDED-METAL, 54X66	1,400	EA			5000041537	
00183	314420154280 EXPANDED-METAL, 42X80	1,900	EA			5000041537	
00184	314420153080 EXPANDED-METAL, 30X80	2,000	EA			5000041537	
00185	314420154880 EXPANDED-METAL, 48X80	2,000	EA			5000041537	
00186	314420154848 EXPANDED-METAL, 48X48	2,500	EA			5000041537	
00187	314420154854 EXPANDED-METAL, 48X54	3,000	EA			5000041537	
00188	314420153029 EXPANDED-METAL, 30X29	3,000	EA			5000041537	
00189	314420151266 EXPANDED-METAL, 12X66	3,200	EA			5000041537	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del. Date</u>
00190	314420152432 EXPANDED-METAL, 24X32	3,200	EA			5000041537	
00191	314420151866 EXPANDED-METAL, 18X66	3,700	EA			5000041537	
00192	314420153032 EXPANDED-METAL, 30X32	3,900	EA			5000041537	
00193	314420156066 EXPANDED-METAL, 60X66	4,000	EA			5000041537	
00194	314420154242 EXPANDED-METAL, 42X42	5,500	EA			5000041537	
00195	314420153680 EXPANDED-METAL, 36X80	6,300	EA			5000041537	
00196	314420154842 EXPANDED-METAL, 48X42	6,750	EA			5000041537	
00197	314420153642 EXPANDED-METAL, 36X42	11,000	EA			5000041537	
00198	314420153054 EXPANDED-METAL, 30X54	13,000	EA			5000041537	
00199	314420154866 EXPANDED-METAL, 48X66	13,500	EA			5000041537	
00200	314420152454 EXPANDED-METAL, 24X54	15,000	EA			5000041537	
00201	314420153654 EXPANDED-METAL, 36X54	15,000	EA			5000041537	
00202	314420154254 EXPANDED-METAL, 42X54	15,000	EA			5000041537	
00203	314420154266 EXPANDED-METAL, 42X66	20,000	EA			5000041537	
00204	314420153042 EXPANDED-METAL, 30X42	30,000	EA			5000041537	

Request For Quote

SECTION B SUPPLIES OR SERVICES AND PRICES/COSTS

<u>Item No.</u>	<u>SUPPLIES OR SERVICES</u>	<u>Quantity</u>	<u>U/M</u>	<u>UNIT PRICE</u>	<u>AMOUNT IN US\$</u>	<u>PR Number</u>	<u>Del. Date</u>
00205	314420153066 EXPANDED-METAL, 30X66	30,000	EA			5000041537	
00206	314420152442 EXPANDED-METAL, 24X42	30,000	EA			5000041537	
00207	314420153666 EXPANDED-METAL, 36X66	30,000	EA			5000041537	
00208	314420152466 EXPANDED-METAL, 24X66	35,500	EA			5000041537	

Request For Quote

QUANTITIES LISTED IN THE SOLCITATION ARE ESTIMATES FOR A FIVE YEAR TIME. THE BASE YEAR PLUS 4 OPTION YEARS.

SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS

Solicitation MT1441-18

Federal Prison Industries (FPI), which operates under the trade name UNICOR, is a wholly-owned Government Corporation within the Department of Justice, under the Federal Prison System. The Corporation was created by Congress in 1934, and provides employment, education, and training opportunities to inmates under Federal custody. UNICOR operates approximately 99 factories in over 64 locations. Its production lines are extensive and include over 250 different products and services sold to other Federal Agencies and the Department of Defense.

GENERAL INTENTION: It is the intent of this solicitation to result in a one (1) base year with four (4) one year option years, if exercised, Indefinite Delivery Indefinite Quantity Type Contract for STEEL PRODUCTS be delivered to UNICOR, FCC Coleman FL and FCI El Reno OK

The period of performance will be one (1) base year with four (4) one year option years, if exercised

Guaranteed Minimum is \$ 10,000 over the duration of the contract, inclusive of any exercised option years

Solicitation number is MT1441-18 and this solicitation is issued as a Request For Proposal (RFP).

LINES 1-154 ARE TO BE DELIVERED TO:

UNICOR, FCI El Reno
PO Box 1000 HWY 66 WEST
El Reno, OK 73036

Line 155-208

UNICOR FCC COLEMAN FL
846 NE 54TH TERRACE
COLEMAN FL 33521

THIS REQUIREMENT IS A TOTAL (100%) SMALL BUSINESS SET ASIDE REQUIREMENT. PROPOSALS RECEIVED FROM OTHER THAN SMALL BUSINESSES WILL NOT BE CONSIDERED FOR AWARD. SMALL BUSINESS SIZE FOR NAICS CODE 332322 IS 500 EMPLOYEES.

The following information pertains to the Standard Form 1449 Solicitation:

OMB 1103-0018

The offer acceptance period is 60 calendar days.

Block 25, Funds (15X4500) will be obligated by each delivery order and not by the contract itself.

Block 31b, TIFFANI BALESTIRNI, CONTRACT SPECIALIST

Notes:

Place(s) of Delivery:

UNICOR, FCI El Reno
PO Box 1000 HWY 66 WEST
El Reno, OK 73036

Request For Quote

AND

UNICOR FCC COLEMAN FL
846 NE 54TH TERRACE
COLEMAN FL 33521

Offerors shall submit signed and dated offers to UNICOR, FCC ALLENWOOD, ROUTE 15, 2 MILES N. OF ALLENWOOD, ALLENWOOD PA 17810
IF SUBMITTING VIA FEDEX OR UPS. Offerors may also submit proposals via fax at 352-330-8152 or email to tiffani.balestrini@usdoj.gov Email proposal shall be sent as an Adobe PDF file. The email subject line must state the Solicitation number MT1441-18. For email and fax proposals, an originally signed SF1449 must be received by the contracting officer within 2 days of offer closing date and time. Offerors shall submit TWO (2) copies of the written proposal.

All solicitations (also future procurement) and any other information (amendments, etc) may be obtained through FedBizOps at www.fbo.gov

Questions regarding this requirement shall be addressed in writing to Tiffani Balestrini at tiffani.balestrini@usdoj.gov At no time should offerors contact factory or central office staff with questions regarding this solicitation. All questions MUST be addressed in writing to Tiffani Balestrini at tiffani.balestrini@usdoj.gov NO questions will be answered via telephone. The deadline date for submission of questions is Wednesday January 17, 2018 at 8:00 am EST No questions will be answered after this date.

Before a new quarter (January, April, July, October) UNICOR will provide forecasts of projected requirement for the upcoming quarter. The successful offeror(s) will be required to provide pricing requirements based upon the market movement and the stipulations stated in Section H of this solicitation document. Once pricing has been set for the upcoming quarter, an order will be placed for forecasted material with required delivery dates. Lead time will be no less than the 14 days required by this solicitation document. Throughout the next quarter, there may be instances when orders will occur that were not projected at the beginning of the quarter. These orders will meet the minimum order requirements as set forth in the contract. Pricing agreed upon at the beginning of the quarter will be required to honored for the smaller orders placed throughout the quarter.

All offerors must complete the following information prior to submission of offer to be considered for award, in addition to the requirements of Section L:

1. SAM REGISTRATION WWW.SAM.GOV
2. ACH Form (part of solicitation document. Only need to submit if currently not supplying UNICOR products)
3. Section B-Provide pricing for line items in a particular lot. Break out of lot line items will be detailed later in the solicitation document.
4. Section L - Business Management Questionnaire

All offerors must complete the Business Management questionnaire with three references from the past three (3) years

Request For Quote

that are same or similar in scope to this requirement. This includes size of requirement.

5. DUNS NUMBER _____

6. TIN Number _____

7. ISO Certification or equivalent of your firm's quality procedures

8. Green Requirements- products green qualities (recycled content, CARB Certification, FSC Certification etc)

9. Pricing Spreadsheet

NOTE: UNICOR may add other factories or materials to contract at a later date through a modification to the awarded contract.

NAICS CODE ASSOCIATED WITH THIS SOLICITATION IS 332322

Sheet Metal Work Manufacturing, small business size standard is 500 employees.

All offers must be submitted by offer closing date and time of January 31, 2018 at 2:00 pm EST.

UNICOR is striving to obtain the best pricing available. In moving forward with this effort, we are requesting discounted pricing for volume purchasing. Volume amounts are listed on pricing spreadsheet. If your firm is willing to offer alternate pricing for quantities not listed on the spreadsheet, you may submit the alternate pricing, however, your pricing should be marked as "ALTERNATE PRICING"

SECTION C - DESCRIPTION/STATEMENT OF WORK

This solicitation will result in a multiple award contracts for various type of steel products to include coil, sheet, angle tube and expanded metal. These products will be used to manufacture various type of pallet racking and metal cabinets as well as used in the system furniture production for UNICOR.

UNICOR anticipates that this contract will result in a multiple award. Awards will be based as follow:

Lot 1-Lines 28-47 COIL Steel for El Reno OK-Offers must submit pricing on all Coil Steel items to be considered for award of this lot.

Lot 2 Lines 132-154 TUBE Steel for El Reno OK-Offers must submit pricing on all TUBE Steel items to be considered for award of this lot.

Lot 3 Lines 155- EXPANDED METAL for Coleman Fl-Offers must submit pricing on all EXPANDED Metal items to be considered for award of this lot.

Lot 4- All other items for El Reno OK-Offers may submit a proposal for Lot 4 on only those items they are interested in offering. Offerors need not submit pricing on all items in this lot to be considered for award. It is anticipated that during any awarded contracts for LOT 4 of this solicitation document, the purchase of parts in LOT 4 may change. It is anticipated that UNICOR will convert from buying cut to size steel, to 48"x96" sheets of steel and doing in house cutting for UNICOR's production needs. At such time that UNICOR is ready to make this change, all successful offerors for products in LOT 4, will be given an opportunity to submit pricing on new full sheet requirements. The offers that represent the best value to the Government will receive a contract modification to add the 48"x96" sheet stock to their existing contract.

In an effort to maximize savings and take advantage of volume pricing, UNICOR will be requested scale pricing for

Request For Quote

large volume buys. Scale pricing information will be listed as part of the pricing spreadsheet.

SECTION D - PACKAGING AND MARKING

D.1 FPI 1000D PACKAGING AND MARKING

Supplement: LCL APPR

Preservation, packaging, and marking for all items covered by this contract shall be in accordance with commercial practice and adequate to insure acceptance by common carrier and safe arrival at destination. The contract number should be on or adjacent to the exterior shipping label. Each package received must be marked for type and quantity. A Certificate of Conformance must accompany each shipment. ALL SHIPMENTS RECEIVED WITHOUT A CERTIFICATE OF CONFORMANCE (COC) WILL NOT BE PROCESSED FOR PAYMENT UNTIL A COC IS PROVIDED.

Shipments shall be tarped, and water tight. No wet product will be accepted, and will be removed at successful offerors expense. All products shall be packaged to deliver safely and without damage. Failure to do so will result in returning product at your expense.

All shipments should be labeled as follows:

- a. Vendor name
- b. Purchase Order number and/or Contract number
- c. Item description
- d. Item quantity and weight
- e. Other pertinent information

Due to the volume of trucks that may come through any given UNIOCR warehouse, it is sometimes necessary to make an appointment, therefore warehouse at respective factory should be notified 24 hours prior to delivery to schedule delivery time. Appointments can be scheduled via phone call or fax. Request for appointment shall include point of contact, phone number, fax number and email address.

Delivery hours are as follows:

Delivery hours are Monday through Friday, 7:30 am to 1:30 pm, excluding Federal Holidays.

A CERTIFICATE OF CONFORMANCE MUST ACCOMPANY EACH SHIPMENT OF THIS ITEM OR ITEMS FOR RECEIPT AND PAYMENT.

SECTION E - INSPECTION AND ACCEPTANCE

E.1 52.246-16 Responsibility for Supplies. APR 1984

E.2 52.246-15 Certificate of Conformance

Certificate of Conformance (Apr 1984)

(a) When authorized in writing by the cognizant Contract Administration Office (CAO), the Contractor shall ship with a Certificate of Conformance any supplies for which the contract would otherwise require inspection at source. In no case shall the Governments right to inspect supplies under the inspection provisions of this contract be prejudiced. Shipments of such supplies will not be made under this contract until use of the Certificate of Conformance has been authorized in writing by the CAO, or inspection and acceptance have occurred.

(b) The Contractors signed certificate shall be attached to or included on the top copy of the inspection or receiving report distributed to the payment office or attached to the CAO copy when contract administration is performed by the

Request For Quote

Contracting Officer or his/her designee. In addition, a copy of the signed certificate shall also be attached to or entered on copies of the inspection or receiving report accompanying the shipment.

(c) The Government has the right to reject defective supplies or services within a reasonable time after delivery by written notification to the Contractor. The Contractor shall in such event promptly replace, correct, or repair the rejected supplies or services at the Contractors expense.

(d) The certificate shall read as follows:

I certify that on _____ [insert date], the ____ [insert Contractors name] furnished the supplies or services called for by Contract No. _____ via ____ [Carrier] on _____ [identify the bill of lading or shipping document] in accordance with all applicable requirements. I further certify that the supplies or services are of the quality specified and conform in all respects with the contract requirements, including specifications, drawings, preservation, packaging, packing, marking requirements, and physical item identification (part number), and are in the quantity shown on this or on the attached acceptance document.

Date of Execution: _____

Signature: _____

Title: _____

SECTION F - DELIVERIES OR PERFORMANCE

F.1 FPI 1000F1 DELIVERY ORDER

Supplement: LCL APPR

Delivery Orders can be submitted to offerors via fax or email. UNICOR does not mail delivery orders. Order confirmation shall be signed and dated in blocks 30a, b and c of the delivery order and confirmation must be returned to the contracting officer within 24 hours of order receipt.

Order confirmation containing the following information must be faxed to 570-547-0371 or efax at 352-330-8152 or via email at Tiffani.Balestrini@usdoj.gov

- a. Date of order
- b. Contract number and order number
- c. Item number and description, quantity, and unit price
- d. Delivery or performance date
- e. Place of delivery
- f. Shipping instructions
- g. Accounting data
- h. Any other pertinent information

Delivery lead time on all award lots will be 21days for initial delivery and 14 days for all orders placed thereafter, unless otherwise stated.

****PLEASE NOTE, DELIVERY DAY IS CALENDER DAY****

F.2 FPI 1000F2 TIME OF DELIVERY/DELIVERY SCHEDULE

Supplement: LCL APPR

16.505(a) and the clause located in FAR 52.216-18 entitled "Ordering" and included in Section I, of this contract, any supplies and/or services to be furnished under this contract shall be ordered by issuance of delivery orders by

Request For Quote

individuals listed below:

PRIMARY:

Tiffani Balestrini, Contract Specialist, 570-547-1990 x4669, fax 570-547-0371, efax 352-330-8152, email Tiffani.Balestrini@usdoj.gov

SECONDARY:

Tatea R. Cavanaugh, Sr. Contracting Officer, UNICOR OFG, Central Office, 202-305-7302, fax 202-353-7794, Tatea.cavanaugh@usdoj.gov

F.3 52.211-11 Liquidated Damages - Supplies, Services, or Research and Development. (SEP 2000)

If the Contractor fails to deliver the supplies or perform the services within the time specified in this contract, the Contractor shall, in place of actual damages, pay to the Government liquidated damages not to exceed 5% per calendar week of the total cost of each line item delayed.

UNICOR will issue purchase orders with pricing according to the assigned contract terms. If contractor fails to deliver product in a timely manner, the contracting officer will issue weekly past due reports to contractor with consideration (liquidated damages) amounts. Liquidated damages will begin to accrue at the moment of a delay caused by the offeror. The amounts will be tracked weekly and UNICOR will bill contractor quarterly for all liquidated damages for the previous three months. If the offeror cannot deliver in a timely fashion UNICOR may require consignment of product.

The contractor will issue UNICOR a credit according to the spreadsheet generated by UNICOR Contract Specialist. A copy of the credit shall be submitted to the contract Specialist Tiffani Balestrini at tiffani.balestrini@usdoj.gov

If the credit is not received within 30 days, UNICOR contract specialist will notify accounts payable to deduct the overdue amounts from future vendor invoices.

Liquidated damages start accruing on the first day an order is late until receipt of that item at the UNICOR location. There is no limit to liquidated damages but the government is open to discussions to assist offeror in mitigating damages. It is the offerors responsibility to notify the government of any delays in shipping the product. It is also the offerors responsibility to find alternate methods to make on-time deliveries in the event of an unforeseen delay such as truck strike. Severe weather delays will be handled on a case by case basis.

F.4 52.211-16 Variation in Quantity. (APR 1984)

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

(b) The permissible variation shall be limited to:

0% Under delivery (-)

10% Over Delivery (+)

This increase or decrease shall apply to the total item quantity for each destination.

F.5 52.247-34 F.o.b. Destination (Nov 1991)

SECTION G - CONTRACT ADMINISTRATION DATA

Request For Quote

G.1 JAR 2852.201-70 CONTRACTING OFFICER'S TECHNICAL REPRESENTATIVE (COTR) (JAN 1985)

Supplement: LCL APPR

All COR's are TBD at a later date.

(b) The COR is responsible, as applicable, for: receiving all deliverable's, inspecting and accepting the supplies or services provided hereunder in accordance with the terms and conditions of this contract; providing direction to the contractor which clarifies the contract effort, fills in details or otherwise serves to accomplish the contractual Scope of Work; evaluating performance; and certifying all invoices/vouchers for acceptance of the supplies or services furnished for payments.

(c) The COR does not have the authority to alter the contractor's obligations under the contract, and/or modify any of the expressed terms, conditions, specifications, or cost of the agreement. If as a result of technical discussions, it is desirable to alter/change contractual obligations or the Scope of Work, the Contracting Officer shall issue such changes in writing.

ADMINISTERED BY: This contract will be administered by:

PRIMARY:
UNICOR, Federal Prison Industries
Route 15, 2 Miles N. of Allenwood
Allenwood, PA 17810
Attn: Tiffani Balestrini, Contract Specialist
570-547-1990 x4669

SECONDARY:
UNICOR, Federal Prison Industries,
400 First Street NW
Room 7012
Washington, DC 20534,
Attn: Tee Cavanaugh, Senior Contracting Officer.
202-305-7302

Written communications shall make reference to the contract number and shall be mailed to the address of the primary contracting officer above. In the event Ms. Balestrini is unavailable, please mail correspondence to the secondary contact.

ADDRESS TO WHICH REMITTANCE SHOULD BE MAILED: Offeror shall indicate below the complete mailing address (including the nine digit ZIP code) to which remittance should be mailed if such address is other than that shown in Block 15A, Page 1 (Standard Form 33), they shall enter it below:

(a) Payee Name (Contractor): _____

(b) Check Remittance Address:

Request For Quote

Any questions or problems regarding payment should be directed to the Business Manager at the following locations:

UNICOR FPI, CENTRAL ACCOUNTS PAYABLE, PO BOX 4000, BUTNER, NC, 27509-4000

ALL INVOICES SHALL REFERENCE PURCHASE ORDER NUMBER, NOT THE CONTRACT NUMBER. INVOICES RECEIVED WITHOUT THE PURCHASE ORDER NUMBER WILL BE REJECTED AND RETURNED TO VENDOR.

NOTE TO VENDORS: IN ACCORDANCE WITH THE PROMPT PAYMENT ACT, INVOICES THAT DO NOT AGREE WITH THE PURCHASE ORDER/DELIVERY ORDER AMOUNTS WILL BE RETURNED TO THE VENDOR AT THE ADDRESS LOCATED IN BLOCK 17A OF THE SF1449.

Vendor Payment

Offerors must submit a new ACH form whenever any payment information is changed (i.e. new bank, account, routing). Failure to submit new information will result in delayed or non payment of product/service until information is properly updated. ACH form is included as part of the solicitation package and must be filled out by any party who isn't currently doing business with UNICOR.

SECTION H

SPECIAL CONTRACT REQUIREMENTS

H.1 FPI 1000HI ECONOMIC PRICE ADJUSTMENT Supplement: LCL APPR

Quarterly after contract award date, contract prices for the succeeding Three (3) month period may be adjusted in accordance with the change in the Producer Price Index Decision UNIT PCU332322332322 from the Preceding three (3) months. IT IS THE CONTRACTOR'S RESPONSIBILITY TO REQUEST THIS ADJUSTMENT. If the Offeror feels another index is better suited to track the movement of the commodity pricing, please do so as a question to the contracting officer before the closing date and time of questions being allowed.

If the Government decides to exercise an option year of this contract, at such time evaluation of Producer Price Index will be conducted to determine if a price decrease is called for. At such time new proposed pricing will be supplied with Notice of intent to exercise option letter.

IF PRODUCER PRICE INDEX DOES NOT CALL FOR A CHANGE IN PRICE AT ANY TIME DURING THE AWARDED CONTRACT, THE OFFEROR AGREES TO CONTINUE AT CURRENT PRICING UNTIL THE NEXT TIME AN EPA IS AUTHORIZED (3 Months later).

Adjustments may be requested for a period not to exceed 10 days after the eligible adjustment date. Requests that are made after the 10-day limit may not be honored and the contract pricing will not be adjusted. The contractor shall submit any requests for adjustments in writing to the contracting officer. Requests shall include a copy of the relevant index and must be within the allowed time period for adjustment. Any adjustments authorized as a result of the adjustment request will not be retroactive. The date the completed request is received by the contracting officer will be the effective date of any changes in price.

The contractor also is required to request downward price adjustments. All downward adjustments will be retroactive to the authorized adjustment date as specified in this clause. If downward price adjustments are not requested and this is later revealed through audits or otherwise, the contractor shall reimburse the Government the amount overcharged plus interest. Interest will be computed at the rate set annually by the Secretary of the Treasury for late contract payments. Interest will accrue from the date the adjustment should have been made.

In computing any contract price adjustment, the most recently published index as of the date of award will be compared

Request For Quote

to the most recently published index as of the date of adjustment. An adjustment may or may not be made if the referenced change is less than 2%. Total upward adjustment for the contract period, including any option periods, are (negotiable), based on the original or option period contract price; downward adjustments are not limited. Indices are available from the Bureau of Labor Statistics, 600 E Street N.W., Washington, DC 20212, telephone 202-691-7705.

SECTION I - CONTRACT CLAUSES

I.1 52.212-4 Contract Terms and Conditions-Commercial Items(JAN 2017)

I.2 52.212-5 Contract Terms and Conditions Required to Implement Statues or Executive Orders-Commercial Items (JAN 2017)

(a) The Contractor shall comply with the following Federal Acquisition Regulation (FAR) clauses, which are incorporated in this contract by reference, to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

- (1) 52.203-19, Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements (JAN 2017) (section 743 of Division E, Title VII, of the Consolidated and Further Continuing Appropriations Act, 2015 (Pub. L. 113-235) and its successor provisions in subsequent appropriations acts (and as extended in continuing resolutions)).
- (2) 52.209-10, Prohibition on Contracting with Inverted Domestic Corporations (Nov 2015).
- (3) 52.233-3, Protest After Award (AUG 1996) (31 U.S.C. 3553).
- (4) 52.233-4, Applicable Law for Breach of Contract Claim (OCT 2004)(Public Laws 108-77 and 108-78 (19 U.S.C. 3805 note)).

(b) The Contractor shall comply with the FAR clauses in this paragraph (b) that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

[Contracting Officer check as appropriate.]

- (1) 52.203-6, Restrictions on Subcontractor Sales to the Government (Sept 2006), with Alternate I (Oct 1995) (41 U.S.C. 4704 and 10 U.S.C. 2402).
- (2) 52.203-13, Contractor Code of Business Ethics and Conduct (Oct 2015) (41 U.S.C. 3509)).
- (3) 52.203-15, Whistleblower Protections under the American Recovery and Reinvestment Act of 2009 (June 2010) (Section 1553 of Pub. L. 111-5). (Applies to contracts funded by the American Recovery and Reinvestment Act of 2009.)
- (4) 52.204-10, Reporting Executive Compensation and First-Tier Subcontract Awards (Oct 2016) (Pub. L. 109-282) (31 U.S.C. 6101 note).
- (5) [Reserved].
- (6) 52.204-14, Service Contract Reporting Requirements (Oct 2016) (Pub. L. 111-117, section 743 of Div. C).
- (7) 52.204-15, Service Contract Reporting Requirements for Indefinite-Delivery Contracts (Oct 2016) (Pub. L. 111-117, section 743 of Div. C).
- (8) 52.209-6, Protecting the Government's Interest When Subcontracting with Contractors Debarred, Suspended, or Proposed for Debarment. (Oct 2015) (31 U.S.C. 6101 note).
- (9) 52.209-9, Updates of Publicly Available Information Regarding Responsibility Matters (Jul 2013) (41 U.S.C. 2313).
- (10) [Reserved].
- (11)(i) 52.219-3, Notice of HUBZone Set-Aside or Sole-Source Award (Nov 2011) (15 U.S.C. 657a).
- (ii) Alternate I (Nov 2011) of 52.219-3.
- (12)(i) 52.219-4, Notice of Price Evaluation Preference for HUBZone Small Business Concerns (OCT 2014) (if the offeror elects to waive the preference, it shall so indicate in its offer) (15 U.S.C. 657a).
- (ii) Alternate I (JAN 2011) of 52.219-4.
- (13) [Reserved]
- (14)(i) 52.219-6, Notice of Total Small Business Set-Aside (Nov 2011) (15 U.S.C. 644).
- (ii) Alternate I (Nov 2011).

Request For Quote

- ___ (iii) Alternate II (Nov 2011).
 - ___ (15)(i) 52.219-7, Notice of Partial Small Business Set-Aside (June 2003) (15 U.S.C. 644).
 - ___ (ii) Alternate I (Oct 1995) of 52.219-7.
 - ___ (iii) Alternate II (Mar 2004) of 52.219-7.
 - _X_ (16) 52.219-8, Utilization of Small Business Concerns (Nov 2016) (15 U.S.C. 637(d)(2) and (3)).
 - ___ (17)(i) 52.219-9, Small Business Subcontracting Plan (Jan 2017) (15 U.S.C. 637(d)(4)).
 - ___ (ii) Alternate I (Nov 2016) of 52.219-9.
 - ___ (iii) Alternate II (Nov 2016) of 52.219-9.
 - ___ (iv) Alternate III (Nov 2016) of 52.219-9.
 - ___ (v) Alternate IV (Nov 2016) of 52.219-9.
 - ___ (18) 52.219-13, Notice of Set-Aside of Orders (Nov 2011) (15 U.S.C. 644(r)).
 - _X_ (19) 52.219-14, Limitations on Subcontracting (Jan 2017) (15 U.S.C. 637(a)(14)).
 - ___ (20) 52.219-16, Liquidated Damages-Subcontracting Plan (Jan 1999) (15 U.S.C. 637(d)(4)(F)(i)).
 - ___ (21) 52.219-27, Notice of Service-Disabled Veteran-Owned Small Business Set-Aside (Nov 2011) (15 U.S.C. 657 f).
 - X__ (22) 52.219-28, Post Award Small Business Program Rerepresentation (Jul 2013) (15 U.S.C. 632(a)(2)).
 - ___ (23) 52.219-29, Notice of Set-Aside for, or Sole Source Award to, Economically Disadvantaged Women-Owned Small Business Concerns (Dec 2015) (15 U.S.C. 637(m)).
 - ___ (24) 52.219-30, Notice of Set-Aside for, or Sole Source Award to, Women-Owned Small Business Concerns Eligible Under the Women-Owned Small Business Program (Dec 2015) (15 U.S.C. 637(m)).
 - _X_ (25) 52.222-3, Convict Labor (June 2003) (E.O. 11755).
 - _X_ (26) 52.222-19, Child Labor-Cooperation with Authorities and Remedies (Oct 2016) (E.O. 13126).
 - _X_ (27) 52.222-21, Prohibition of Segregated Facilities (Apr 2015).
 - _X_ (28) 52.222-26, Equal Opportunity (Sept 2016) (E.O. 11246).
 - _X_ (29) 52.222-35, Equal Opportunity for Veterans (Oct 2015)(38 U.S.C. 4212).
 - _X_ (30) 52.222-36, Equal Opportunity for Workers with Disabilities (Jul 2014) (29 U.S.C. 793).
 - _X_ (31) 52.222-37, Employment Reports on Veterans (FEB 2016) (38 U.S.C. 4212).
 - _X_ (32) 52.222-40, Notification of Employee Rights Under the National Labor Relations Act (Dec 2010) (E.O. 13496).
 - _X_ (33)(i) 52.222-50, Combating Trafficking in Persons (Mar 2015) (22 U.S.C. chapter 78 and E.O. 13627).
 - ___ (ii) Alternate I (Mar 2015) of 52.222-50 (22 U.S.C. chapter 78 and E.O. 13627).
 - ___ (34) 52.222-54, Employment Eligibility Verification (OCT 2015). (Executive Order 12989). (Not applicable to the acquisition of commercially available off-the-shelf items or certain other types of commercial items as prescribed in 22.1803.)
 - ___ (35) 52.222-59, Compliance with Labor Laws (Executive Order 13673) (OCT 2016). (Applies at \$50 million for solicitations and resultant contracts issued from October 25, 2016 through April 24, 2017; applies at \$500,000 for solicitations and resultant contracts issued after April 24, 2017).
- Note to paragraph (b)(35): By a court order issued on October 24, 2016, 52.222-59 is enjoined indefinitely as of the date of the order. The enjoined paragraph will become effective immediately if the court terminates the injunction. At that time, GSA, DoD and NASA will publish a document in the Federal Register advising the public of the termination of the injunction.
- ___ (36) 52.222-60, Paycheck Transparency (Executive Order 13673) (OCT 2016).
 - ___ (37)(i) 52.223-9, Estimate of Percentage of Recovered Material Content for EPA-Designated Items (May 2008) (42 U.S.C. 6962(c)(3)(A)(ii)). (Not applicable to the acquisition of commercially available off-the-shelf items.)
 - ___ (ii) Alternate I (May 2008) of 52.223-9 (42 U.S.C. 6962(i)(2)(C)). (Not applicable to the acquisition of commercially available off-the-shelf items.)
 - ___ (38) 52.223-11, Ozone-Depleting Substances and High Global Warming Potential Hydrofluorocarbons (JUN 2016) (E.O. 13693).
 - ___ (39) 52.223-12, Maintenance, Service, Repair, or Disposal of Refrigeration Equipment and Air Conditioners (JUN 2016) (E.O. 13693).
 - ___ (40)(i) 52.223-13, Acquisition of EPEAT®-Registered Imaging Equipment (JUN 2014) (E.O.s 13423 and 13514).
 - ___ (ii) Alternate I (Oct 2015) of 52.223-13.
 - ___ (41)(i) 52.223-14, Acquisition of EPEAT®-Registered Televisions (JUN 2014) (E.O.s 13423 and 13514).

Request For Quote

- __ (ii) Alternate I (Jun 2014) of 52.223-14.
- __ (42) 52.223-15, Energy Efficiency in Energy-Consuming Products (DEC 2007) (42 U.S.C. 8259b).
- __ (43)(i) 52.223-16, Acquisition of EPEAT®-Registered Personal Computer Products (OCT 2015) (E.O.s 13423 and 13514).
- __ (ii) Alternate I (Jun 2014) of 52.223-16.
- _X (44) 52.223-18, Encouraging Contractor Policies to Ban Text Messaging While Driving (AUG 2011) (E.O. 13513).
- __ (45) 52.223-20, Aerosols (JUN 2016) (E.O. 13693).
- __ (46) 52.223-21, Foams (JUN 2016) (E.O. 13693).
- __ (47)(i) 52.224-3, Privacy Training (JAN 2017) (5 U.S.C. 552a).
- __ (ii) Alternate I (JAN 2017) of 52.224-3.
- __ (48) 52.225-1, Buy American-Supplies (May 2014) (41 U.S.C. chapter 83).
- __ (49)(i) 52.225-3, Buy American-Free Trade Agreements-Israeli Trade Act (May 2014) (41 U.S.C. chapter 83, 19 U.S.C. 3301 note, 19 U.S.C. 2112 note, 19 U.S.C. 3805 note, 19 U.S.C. 4001 note, Pub. L. 103-182, 108-77, 108-78, 108-286, 108-302, 109-53, 109-169, 109-283, 110-138, 112-41, 112-42, and 112-43).
- __ (ii) Alternate I (May 2014) of 52.225-3.
- __ (iii) Alternate II (May 2014) of 52.225-3.
- __ (iv) Alternate III (May 2014) of 52.225-3.
- __ (50) 52.225-5, Trade Agreements (OCT 2016) (19 U.S.C. 2501, et seq., 19 U.S.C. 3301 note).
- _X (51) 52.225-13, Restrictions on Certain Foreign Purchases (June 2008) (E.O.'s, proclamations, and statutes administered by the Office of Foreign Assets Control of the Department of the Treasury).
- __ (52) 52.225-26, Contractors Performing Private Security Functions Outside the United States (Oct 2016) (Section 862, as amended, of the National Defense Authorization Act for Fiscal Year 2008; 10 U.S.C. 2302 Note).
- __ (53) 52.226-4, Notice of Disaster or Emergency Area Set-Aside (Nov 2007) (42 U.S.C. 5150).
- __ (54) 52.226-5, Restrictions on Subcontracting Outside Disaster or Emergency Area (Nov 2007) (42 U.S.C. 5150).
- __ (55) 52.232-29, Terms for Financing of Purchases of Commercial Items (Feb 2002) (41 U.S.C. 4505, 10 U.S.C. 2307(f)).
- __ (56) 52.232-30, Installment Payments for Commercial Items (Jan 2017) (41 U.S.C. 4505, 10 U.S.C. 2307(f)).
- _X (57) 52.232-33, Payment by Electronic Funds Transfer-System for Award Management (Jul 2013) (31 U.S.C. 3332).
- __ (58) 52.232-34, Payment by Electronic Funds Transfer-Other than System for Award Management (Jul 2013) (31 U.S.C. 3332).
- X__ (59) 52.232-36, Payment by Third Party (May 2014) (31 U.S.C. 3332).
- __ (60) 52.239-1, Privacy or Security Safeguards (Aug 1996) (5 U.S.C. 552a).
- __ (61) 52.242-5, Payments to Small Business Subcontractors (JAN 2017)(15 U.S.C. 637(d)(12)).
- __ (62)(i) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (Feb 2006) (46 U.S.C. Appx. 1241(b) and 10 U.S.C. 2631).
- __ (ii) Alternate I (Apr 2003) of 52.247-64.
- (c) The Contractor shall comply with the FAR clauses in this paragraph (c), applicable to commercial services, that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items:
[Contracting Officer check as appropriate.]
- __ (1) 52.222-17, Nondisplacement of Qualified Workers (May 2014)(E.O. 13495).
- __ (2) 52.222-41, Service Contract Labor Standards (May 2014) (41 U.S.C. chapter 67).
- __ (3) 52.222-42, Statement of Equivalent Rates for Federal Hires (May 2014) (29 U.S.C. 206 and 41 U.S.C. chapter 67).
- __ (4) 52.222-43, Fair Labor Standards Act and Service Contract Labor Standards-Price Adjustment (Multiple Year and Option Contracts) (May 2014) (29 U.S.C. 206 and 41 U.S.C. chapter 67).
- __ (5) 52.222-44, Fair Labor Standards Act and Service Contract Labor Standards-Price Adjustment (May 2014) (29 U.S.C. 206 and 41 U.S.C. chapter 67).
- __ (6) 52.222-51, Exemption from Application of the Service Contract Labor Standards to Contracts for Maintenance, Calibration, or Repair of Certain Equipment-Requirements (May 2014) (41 U.S.C. chapter 67).
- __ (7) 52.222-53, Exemption from Application of the Service Contract Labor Standards to Contracts for Certain Services-Requirements (May 2014) (41 U.S.C. chapter 67).
- __ (8) 52.222-55, Minimum Wages Under Executive Order 13658 (Dec 2015).

Request For Quote

- ___ (9) 52.222-62, Paid Sick Leave Under Executive Order 13706 (JAN 2017) (E.O. 13706).
- ___ (10) 52.226-6, Promoting Excess Food Donation to Nonprofit Organizations (May 2014) (42 U.S.C. 1792).
- ___ (11) 52.237-11, Accepting and Dispensing of \$1 Coin (Sept 2008) (31 U.S.C. 5112(p)(1)).
- (d) Comptroller General Examination of Record. The Contractor shall comply with the provisions of this paragraph (d) if this contract was awarded using other than sealed bid, is in excess of the simplified acquisition threshold, and does not contain the clause at 52.215-2, Audit and Records-Negotiation.
- (1) The Comptroller General of the United States, or an authorized representative of the Comptroller General, shall have access to and right to examine any of the Contractor's directly pertinent records involving transactions related to this contract.
- (2) The Contractor shall make available at its offices at all reasonable times the records, materials, and other evidence for examination, audit, or reproduction, until 3 years after final payment under this contract or for any shorter period specified in FAR subpart 4.7, Contractor Records Retention, of the other clauses of this contract. If this contract is completely or partially terminated, the records relating to the work terminated shall be made available for 3 years after any resulting final termination settlement. Records relating to appeals under the disputes clause or to litigation or the settlement of claims arising under or relating to this contract shall be made available until such appeals, litigation, or claims are finally resolved.
- (3) As used in this clause, records include books, documents, accounting procedures and practices, and other data, regardless of type and regardless of form. This does not require the Contractor to create or maintain any record that the Contractor does not maintain in the ordinary course of business or pursuant to a provision of law.
- (e)(1) Notwithstanding the requirements of the clauses in paragraphs (a), (b), (c), and (d) of this clause, the Contractor is not required to flow down any FAR clause, other than those in this paragraph (e)(1) in a subcontract for commercial items. Unless otherwise indicated below, the extent of the flow down shall be as required by the clause-
- (i) 52.203-13, Contractor Code of Business Ethics and Conduct (Oct 2015) (41 U.S.C. 3509).
- (ii) 52.203-19, Prohibition on Requiring Certain Internal Confidentiality Agreements or Statements (Jan 2017) (section 743 of Division E, Title VII, of the Consolidated and Further Continuing Appropriations Act, 2015 (Pub. L. 113-235) and its successor provisions in subsequent appropriations acts (and as extended in continuing resolutions)).
- (iii) 52.219-8, Utilization of Small Business Concerns (Nov 2016) (15 U.S.C. 637(d)(2) and (3)), in all subcontracts that offer further subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$700,000 (\$1.5 million for construction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.
- (iv) 52.222-17, Nondisplacement of Qualified Workers (May 2014) (E.O. 13495). Flow down required in accordance with paragraph (1) of FAR clause 52.222-17.
- (v) 52.222-21, Prohibition of Segregated Facilities (Apr 2015)
- (vi) 52.222-26, Equal Opportunity (Sept 2016) (E.O. 11246).
- (vii) 52.222-35, Equal Opportunity for Veterans (Oct 2015) (38 U.S.C. 4212).
- (viii) 52.222-36, Equal Opportunity for Workers with Disabilities (Jul 2014) (29 U.S.C. 793).
- (ix) 52.222-37, Employment Reports on Veterans (Feb 2016) (38 U.S.C. 4212)
- (x) 52.222-40, Notification of Employee Rights Under the National Labor Relations Act (Dec 2010) (E.O. 13496). Flow down required in accordance with paragraph (f) of FAR clause 52.222-40.
- (xi) 52.222-41, Service Contract Labor Standards (May 2014) (41 U.S.C. chapter 67).
- (xii)
- 52.222-50, Combating Trafficking in Persons (Mar 2015) (22 U.S.C. chapter 78 and E.O 13627). Alternate I (Mar 2015) of 52.222-50 (22 U.S.C. chapter 78 and E.O 13627).
- (xiii) 52.222-51, Exemption from Application of the Service Contract Labor Standards to Contracts for Maintenance, Calibration, or Repair of Certain Equipment-Requirements (May 2014) (41 U.S.C. chapter 67).
- (xiv) 52.222-53, Exemption from Application of the Service Contract Labor Standards to Contracts for Certain Services-Requirements (May 2014) (41 U.S.C. chapter 67).
- (xv) 52.222-54, Employment Eligibility Verification (OCT 2015) (E.O. 12989).
- (xvi) 52.222-55, Minimum Wages Under Executive Order 13658 (Dec 2015).
- (xvii) 52.222-59, Compliance with Labor Laws (Executive Order 13673) (OCT 2016) (Applies at \$50 million for solicitations and resultant contracts issued from October 25, 2016 through April 24, 2017; applies at \$500,000 for

Request For Quote

solicitations and resultant contracts issued after April 24, 2017).

Note to paragraph (e)(1)(xvii): By a court order issued on October 24, 2016, 52.222-59 is enjoined indefinitely as of the date of the order. The enjoined paragraph will become effective immediately if the court terminates the injunction. At that time, GSA, DoD and NASA will publish a document in the Federal Register advising the public of the termination of the injunction.

(xviii) 52.222-60, Paycheck Transparency (Executive Order 13673) (OCT 2016)).

(xix) 52.222-62, Paid Sick Leave Under Executive Order 13706 (JAN 2017) (E.O. 13706).

(xx)(A) 52.224-3, Privacy Training (JAN 2017) (5 U.S.C. 552a).

(B) Alternate I (JAN 2017) of 52.224-3.

(xxi) 52.225-26, Contractors Performing Private Security Functions Outside the United States (Oct 2016) (Section 862, as amended, of the National Defense Authorization Act for Fiscal Year 2008; 10 U.S.C. 2302 Note).

(xxii) 52.226-6, Promoting Excess Food Donation to Nonprofit Organizations (May 2014) (42 U.S.C. 1792). Flow down required in accordance with paragraph (e) of FAR clause 52.226-6.

(xxiii) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (Feb 2006) (46 U.S.C. Appx. 1241(b) and 10 U.S.C. 2631). Flow down required in accordance with paragraph (d) of FAR clause 52.247-64.

(2) While not required, the Contractor may include in its subcontracts for commercial items a minimal number of additional clauses necessary to satisfy its contractual obligations.

(End of clause)

I.3 52.216-22 (Oct 1995) - Indefinite Delivery Indefinite Quantity

Indefinite Quantity (Oct 1995)

(a) This is an indefinite-quantity contract for the supplies or services specified, and effective for the period stated, in the Schedule. The quantities of supplies and services specified in the Schedule are estimates only and are not purchased by this contract.

(b) Delivery or performance shall be made only as authorized by orders issued in accordance with the Ordering clause. The Contractor shall furnish to the Government, when and if ordered, the supplies or services specified in the Schedule up to and including the quantity designated in the Schedule as the maximum. The Government shall order at least the quantity of supplies or services designated in the Schedule as the minimum.

(c) Except for any limitations on quantities in the Order Limitations clause or in the Schedule, there is no limit on the number of orders that may be issued. The Government may issue orders requiring delivery to multiple destinations or performance at multiple locations.

(d) Any order issued during the effective period of this contract and not completed within that period shall be completed by the Contractor within the time specified in the order. The contract shall govern the Contractors and Governments rights and obligations with respect to that order to the same extent as if the order were completed during the contracts effective period; provided, that the Contractor shall not be required to make any deliveries under this contract after 14 days beyond contract expiration.

I.4 52.223-11 Ozone-Depleting Substances. (MAR 2001)

(a) Definition. "Ozone-depleting substance," as used in this clause, means any substance the Environmental Protection Agency designates in 40 CFR part 82 as--

(1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or

(2) Class II, including, but not limited to, hydrochlorofluorocarbons.

(b) The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j (b), (c), and (d) and 40 CFR Part 82, Subpart E, as follows:

Request For Quote

Warning

Contains (or manufactured with, if applicable) [[]], a substance(s) which harm(s) public health and environment by destroying ozone in the upper atmosphere.

[] The Contractor shall insert the name of the substance(s).

I.5 52.216-18 Ordering (Oct 1995)

(a) Any supplies and services to be furnished under this contract shall be ordered by issuance of delivery orders or task orders by the individuals or activities designated in the Schedule. Such orders may be issued from date of award through one (1) base year with Four (4) One Year options Years if exercised.

(b) All delivery orders or task orders are subject to the terms and conditions of this contract. In the event of conflict between a delivery order or task order and this contract, the contract shall control.

(c) If mailed, a delivery order or task order is considered issued when the Government deposits the order in the mail. Orders may be issued orally, by facsimile, or by electronic commerce methods only if authorized in the Schedule.

However UNICOR does not mail delivery orders. They are sent to offeror either by fax or email. An order confirmation is the signed copy of the delivery/purchase order.

ALL ORDERS MUST BE CONFIRMED WITHIN 24 HOURS AFTER RECEIPT BY FAXING CONFIRMATION TO TIFFANI BALESTRINI AT 352-330-8152 OR BY EMAIL TO tiffani.balestrini@usdoj.gov

I.6 52.216-19 Order Limitations (Oct 1995)

(a) Minimum order. When the Government requires supplies or services covered by this contract in an amount of less than See Below, the Government is not obligated to purchase, nor is the Contractor obligated to furnish, those supplies or services under the contract.

LOT 1-Lines 28-47 COIL Steel for El Reno OK- 2000 lb per item
total order 2000 lb

Lot 2 Lines 132-154 TUBE Steel for El Reno OK-50 ft or 5 ea per item total order 100 ft or 25 ea

Lot 3 Lines 155-208 XPANDED METAL for Coleman Fl-50 ea per item. Order total 200 ea.

Lot 4- All other items for El Reno OK-Min order of 5 ea per item and total order 25 ea.

(b) Maximum order. The Contractor is not obligated to honor

(1) Any order for a single item in excess of see below

LOT 1-Lines 28-47 COIL Steel for El Reno OK- 200,000 lb per item total order 400,000 lb

Lot 2 Lines 132-154 TUBE Steel for El Reno OK-5000 ft or 25000 ea per item total order 25000 ft or 75000 ea

Lot 3 Lines 155-208 EXPANDED METAL for Coleman Fl-5000 ea per item. Order total 15000 ea.

Lot 4- All other items for El Reno OK-Min order of 1000 ea per item and total order 10000 ea.

(2) Any order for a combination of items in excess of \$15,000.00

(3) A series of orders from the same ordering office within 2 days that together call for quantities exceeding the limitation in paragraph (b)(1) or (2) of this section.

(c) If this is a requirements contract includes the Requirements clause at subsection 52.216-21 of the Federal Acquisition Regulation (FAR)), the Government is not required to order a part of any one requirement from the Contractor if that requirement exceeds the maximum-order limitations in paragraph (b) of this section.

(d) Notwithstanding paragraphs (b) and (c) of this section, the Contractor shall honor any order exceeding the maximum order limitations in paragraph (b), unless that order (or orders) is returned to the ordering office within _2_ days

Request For Quote

after issuance, with written notice stating the Contractor's intent not to ship the item (or items) called for and the reasons. Upon receiving this notice, the Government may acquire the supplies or services from another source.

I.7 52.204-4 Printed or Copied Double-Sided on Recycled Paper.
(MAY 2011)

I.8 52.252-1 Solicitation Provisions Incorporated by Reference. (FEB 1998)

This solicitation incorporates one or more solicitation provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer. Also, the full text of a solicitation provision may be accessed electronically at this/these address(es):
<http://www.arnet.gov/far/loadmainre.html>.

I.9 52.252-2 Clauses Incorporated by Reference (FEB 1998).

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address(es): <http://www.arnet.gov/far/loadmainre.html>.

I.10 2852.233-70 PROTESTS FILED DIRECTLY WITH THE DEPARTMENT OF JUSTICE
(JAN 1998)

(a) The following definitions apply in this provision:

(1) "Agency Protest Official" means the official, other than the contracting officer, designated to review and decide procurement protests filed with a contracting activity of the Department of Justice.

(2) "Deciding Official" means the person chosen by the protestor to decide the agency protest; it may be either the Contracting Officer or the Agency Protest Official.

(3) "Interested Party" means an actual or prospective offeror whose direct economic interest would be affected by the award of a contract or by the failure to award a contract.

(b) A protest filed directly with the Department of Justice must:

(1) Indicate that it is a protest to the agency.

(2) Be filed with the Contracting Officer.

(3) State whether the protestor chooses to have the Contracting Officer or the Agency Protest Official decide the protest. If the protestor is silent on this matter, the Contracting Officer will decide the protest.

(4) Indicate whether the protestor prefers to make an oral or written presentation of arguments in support of the protest to the deciding official.

(5) Include the information required by FAR 33.103(d)(2):

(i) Name, address, facsimile number and telephone number of the protestor.

(ii) Solicitation or contract number.

(iii) Detailed statement of the legal and factual grounds for the protest, to include a description of resulting prejudice to the protestor.

(iv) Copies of relevant documents.

(v) Request for a ruling by the agency.

(vi) Statement as to the form of relief requested.

(vii) All information establishing that the protestor is an interested party for the purpose of filing a protest.

(viii) All information establishing the timeliness of the protest.

(c) An interested party filing a protest with the Department of Justice has the choice of requesting either that the Contracting Officer or the Agency Protest Official decide the protest.

(d) The decision by the Agency Protest Official is an alternative to a decision by the Contracting Officer. The Agency

Request For Quote

Protest Official will not consider appeals from the Contracting Officer's decision on an agency protest.

(e) The deciding official must conduct a scheduling conference with the protestor within five (5) days after the protest is filed. The scheduling conference will establish deadlines for oral or written arguments in support of the agency protest and for agency officials to present information in response to the protest issues. The deciding official may hear oral arguments in support of the agency protest at the same time as the scheduling conference, depending on availability of the necessary parties.

(f) Oral conferences may take place either by telephone or in person. Other parties may attend at the discretion of the deciding official.

(g) The protestor has only one opportunity to support or explain the substance of its protest. Department of Justice procedures do not provide for any discovery. The deciding official may request additional information from either the agency or the protestor. The deciding official will resolve the protest through informal presentations or meetings to the maximum extent practicable.

(h) An interested party may represent itself or be represented by legal counsel. The Department of Justice will not reimburse the protestor for any legal fees related to the agency protest.

(i) The Department of Justice will stay award or suspend contract performance in accordance with FAR 33.103(f). The stay or suspension, unless over-ridden, remains in effect until the protest is decided, dismissed, or withdrawn.

(j) The deciding official will make a best effort to issue a decision on the protest within twenty (20) days after the filing date. The decision may be oral or written.

(k) The Department of Justice may dismiss or stay proceeding on an agency protest if a protest on the same or similar basis is filed with a protest forum outside the Department of Justice.

I. 11 52.215-8 Order of Precedence - Uniform Contract Format (OCT 1997)

I.12 52.217-6 Option for Increased Quantity (AUG 1996)

I.13 52.217-5 EVALUATION OF OPTIONS (JULY 1990)

I.14 52.242-13 Bankruptcy (MAR 1989)

I.15 52.227-3 Patent Indemnity (Apr 1984)

(a) The Contractor shall indemnify the Government and its officers, agents, and employees against liability, including costs, for infringement of any United States patent (except a patent issued upon an application that is now or may hereafter be withheld from issue pursuant to a Secrecy Order under 35 U.S.C. 181) arising out of the manufacture or delivery of supplies, the performance of services, or the construction, alteration, modification, or repair of real property (hereinafter referred to as #construction work#) under this contract, or out of the use or disposal by or for the account of the Government of such supplies or construction work.

(b) This indemnity shall not apply unless the Contractor shall have been informed as soon as practicable by the Government of the suit or action alleging such infringement and shall have been given such opportunity as is afforded by applicable laws,

rules, or regulations to participate in its defense. Further, this indemnity shall not apply to#

(1) An infringement resulting from compliance with specific written instructions of the Contracting Officer directing a change in the supplies to be delivered or in the materials or equipment to be used, or directing a manner of performance of the contract not normally used by the Contractor;

(2) An infringement resulting from addition to or change in supplies or components furnished or construction work performed that was made subsequent to delivery or performance; or

(3) A claimed infringement that is unreasonably settled without the consent of the Contractor, unless required by final decree of a court of competent jurisdiction.

I.16 52.225-25 PROHIBITION ON Contracting with Entities Engaging in Certain Activities or Transactions Relating to

Request For Quote

Iran-Representation and Certification (OCT 2015)

I.17 52.217-9 Option To Extend Term of the Contract

As prescribed in 17.208(g), insert a clause substantially the same as the following:

Option to Extend the Term of the Contract (Mar 2000)

(a) The Government may extend the term of this contract by written notice to the Contractor within ____ [insert the period of time within which the Contracting Officer may exercise the option]; provided that the Government gives the Contractor a preliminary written notice of its intent to extend at least ____ days [60 days unless a different number of days is inserted] before the contract expires. The preliminary notice does not commit the Government to an extension.

(b) If the Government exercises this option, the extended contract shall be considered to include this option clause.

(c) The total duration of this contract, including the exercise of any options under this clause, shall not exceed ____5 years____ (months) (years).

(End of clause)

SECTION J

J.1 Novation Agreements and Name Changes

IT IS THE CONTRACTORS RESPONSIBILITY TO NOTIFY THE CONTRACTING OFFICER IN WRITING OF ANY CHANGES TO THE COMPANIES STATUS, SUCH AS BUT NOT LIMITED TO: NAME CHANGE OR SELL OF ASSETS. THE CONTRACTOR MUST DO SO IN ACCORDANCE WITH FAR 42.1204 APPLICABILITY OF NOVATION AGREEMENTS AND 42.1205 AGREEMENT TO RECOGNIZE CONTRACTOR'S CHANGE OF NAME. THIS MUST BE DONE AS SOON AS THE CONTRACTOR IS AWARE OF ANY CHANGES. FAILURE TO NOTIFY THE CONTRACTING OFFICER OF THESE CHANGES WILL RESULT IN DELAY IN PAYMENT. THE CONTRACTOR IS RESPONSIBLE FOR ALL DELIVERIES UNTIL PAPERWORK HAS BEEN SUBMITTED AND APPROVED BY THE GOVERNMENT.

SECTION K - REPRESENTATIONS, CERTIFICATIONS, AND OTHER STATEMENTS OF OFFERORS OR QUOTERS

52.212-3 Offeror Representations and Certifications - Commercial Items. (JAN 2017)

In accordance with FAR 4.1201(a), prospective contractors shall complete electronic annual representations and certifications at the System for Award Management (SAM) website (www.sam.gov). If an offeror has not completed the annual representations and certifications electronically at the System for Award Management (SAM) website, the offeror shall complete only paragraphs (c) through (p) of this provision. (b) Prospective contractors shall update the representations and certifications submitted to SAM.gov as necessary, but at least annually, to ensure they are kept current, accurate, and complete. The representations and certifications are effective until one year from date of submission or update to SAM.gov. To make a change that affects only one solicitation, contractors are required to complete the appropriate sections of FAR 52.212-3(j) or 52.204-8, whichever is included in the solicitation. (see 4.1102)

52.222-22 Previous Contracts and Compliance Reports.

Request For Quote

As prescribed in 22.810(a)(2), insert the following provision:

Previous Contracts and Compliance Reports (Feb 1999)

The offeror represents that#

It ? has, ? has not participated in a previous contract or subcontract subject to the Equal Opportunity clause of this solicitation;

It ? has, ? has not filed all required compliance reports; and

Representations indicating submission of required compliance reports, signed by proposed subcontractors, will be obtained before subcontract awards.

(End of provision)

52.222-25 Affirmative Action Compliance.

As prescribed in 22.810(d), insert the following provision:

Affirmative Action Compliance (Apr 1984)

The offeror represents that#

(a) It o has developed and has on file, o has not developed and does not have on file, at each establishment, affirmative action programs required by the rules and regulations of the Secretary of Labor (41 CFR 60-1 and 60-2); or

(b) It o has not previously had contracts subject to the written affirmative action programs requirement of the rules and regulations of the Secretary of Labor.

(End of provision)

SECTION L - INSTRUCTIONS, CONDITIONS, AND NOTICES TO OFFERORS OR QUOTERS

L.1 52.212-1 Instructions to Offerors--Commercial Items. (JAN 2017)

L.2 52.215-5 Facsimile Proposals. (OCT 1997)

(a) Definition. "Facsimile proposal," as used in this provision, means a proposal, revision or modification of a proposal, or withdrawal of a proposal that is transmitted to and received by the Government via facsimile machine.

(b) Offerors may submit facsimile proposals as responses to this solicitation. Facsimile proposals are subject to the same rules as paper proposals.

(c) The telephone number for receiving facsimile equipment is: 352-330-8152

(d) If any portion of a facsimile proposal received by the Contracting Officer is unreadable to the degree that

Request For Quote

conformance to the essential requirements of the solicitation cannot be ascertained from the document -

(1) The Contracting Officer immediately shall notify the offeror and permit the offeror to resubmit the proposal;

(2) The method and time for resubmission shall be prescribed by the Contracting Officer after consultation with the offeror; and

(3) The resubmission shall be considered as if it were received at the date and time of the original unreadable submission for the purpose of determining timeliness, provided the offeror complies with the time and format requirements for resubmission prescribed by the Contracting Officer.

(e) The Government reserves the right to make award solely on the facsimile proposal. However, if requested to do so by the Contracting Officer, the apparently successful offeror promptly shall submit the complete original signed proposal.

L.3 FPI 999.999-9 BUSINESS MANAGEMENT QUESTIONNAIRE

Supplement: LCL APPR

INSTRUCTIONS: Offerors will identify previous federal, state, local government and private contracts, which they are currently performing on or have performed on and that are similar in scope to the requirement being evaluated. Offerors shall list three (3) contracts for evaluation. References provided shall be for contracts performed within the past three (3) years, and should be similar in size and scope to items listed on this solicitation.

List one reference per form. (Form may be duplicated)

NOTE: If you performed any similar contracts for UNICOR, list them first.

Reference 1:

Name, Address, Telephone number, email address and point of contact.

Contract Number:

Type of Contract:

Contract Dollar Value:

Description of supply or service provided:

Reference 2:

Name, Address, Telephone number, email address and point of contact.

Contract Number:

Type of Contract:

Contract Dollar Value:

Request For Quote

Description of supply or service provided:

Reference 3:

Name, Address, Telephone number, email address and point of contact.

Contract Number:

Type of Contract:

Contract Dollar Value:

Description of supply or service provided:

L.4 RESPONSIBLE PROSPECTIVE CONTRACTORS

Supplement: LCL APPR

Per FAR subpart 9.1, the following data is required from prospective contractors to determine financial responsibility.

Name of Bank/Financial Institution:

Address:

Telephone Number:

Point of Contact:

L.5 52.204-6 Unique Entity Identifier(OCT 2016).

(a) Definitions. As used in this provision#

#Electronic Funds Transfer (EFT) indicator# means a four-character suffix to the unique entity identifier. The suffix is assigned at the discretion of the commercial, nonprofit, or Government entity to establish additional System for Award Management records for identifying alternative EFT accounts (see subpart 32.11) for the same entity.

#Unique entity identifier# means a number or other identifier used to identify a specific commercial, nonprofit, or Government entity. See www.sam.gov for the designated entity for establishing unique entity identifiers.

(b) The Offeror shall enter, in the block with its name and address on the cover page of its offer, the annotation #Unique Entity Identifier# followed by the unique entity identifier that identifies the Offeror's name and address

Request For Quote

exactly as stated in the offer. The Offeror also shall enter its EFT indicator, if applicable.

(c) If the Offeror does not have a unique entity identifier, it should contact the entity designated at www.sam.gov for establishment of the unique entity identifier directly to obtain one. The Offeror should be prepared to provide the following information:

- (1) Company legal business name.
- (2) Tradestyle, doing business, or other name by which your entity is commonly recognized.
- (3) Company physical street address, city, state and Zip Code.
- (4) Company mailing address, city, state and Zip Code (if separate from physical).
- (5) Company telephone number.
- (6) Date the company was started.
- (7) Number of employees at your location.
- (8) Chief executive officer/key manager.
- (9) Line of business (industry).
- (10) Company headquarters name and address (reporting relationship within your entity).

L.6 INSTRUCTIONS TO OFFERORS/PROPOSAL REQUIREMENTS

Offerors will be evaluated on their proposals, including each of the following parts:

1. Adherence to specification, Quality of samples provided.
2. ISO Certification
3. GREEN QUALITIES
2. Past Performance Information
3. Price;

PART 1 Adherence to Specificaitons:

Samples provided by interested offerors as part of their proposal will be evaluated on the following criteria.

1. Overall quality of samples, to include quality of wood, and species of wood.
2. Sample meeting dimension provided on supplied specifications.

Part 2 ISO CERTIFICATION

Offerors facilities must be ISO 9001 certified and must provide proof of ISO9001 certification by submitting the ISO Certificate as part of your written offer.

In addition, offerors manufacturing facilities including any subcontractors must be ISO 9001 certified at time of submission of offers. All processes involved in the production shall be completely documented by providing the ISO certification with written proposal.

Request For Quote

Part 3: Green Qualities

Environmentally Friendly to the environment and the workplace(i.e Green, LEEDS).

Offerors shall submit documentation/certification for all products being offered and any new product during contract term.

Part 4: PAST PERFORMANCE INFORMATION

Past Performance - Offeror's will be evaluated on their record of relevant, and recent past performance, from the Business Questionnaires submitted, and information received from past contracts and any additional data obtained by the Government, i.e., current contracts. Relevant past performance is defined as having a record of actual performance or accomplishment in the manufacturing of wood edgebanding/edgetape on contracts similar in scope to the requirement being evaluated. Recent past performance information is defined as contracts performed within the last three years.

In evaluating offerors past performance, the Contracting Officer will consider the following: adherence to contract schedules, cooperative behavior and commitment to customer satisfaction, and the timeliness of performance taking into account excusable delays.

Offerors may provide information on problems encountered on the identified contracts and the corrective action taken. The Government shall consider this information, as well as information obtained from any other sources, when evaluating the offerors past performance. Prompt corrective action in isolated instances may not outweigh overall negative trends.

In the case of an offeror without a record of relevant past performance or for whom information on past performance is not available, the offeror may not be evaluated favorably or unfavorably on past performance.

PART 5: PRICE PROPOSAL

All offerors are required to submit a comprehensive list of prices for all Coil, Sheet, Tube steel and Expanded Metal offered in Schedule B. Offerors are to provide this pricing for the base year, and each option year.

L.7 52.222-24 Preaward On-Site Equal Opportunity Compliance Evaluation (1999).

L.8 52.216-27 Single or Multiple Awards (Oct 1995)
UNICOR INTENDS TO MAKE A Multiple AWARD AS A RESULT OF THIS SOLICITATION.

L.9 52.233-2 Service of Protest.

Service of Protest (Sept 2006)

(a) Protests, as defined in section 31.101 of the Federal Acquisition Regulation, that are filed directly with an agency, and copies of any protests that are filed with the Government Accountability Office (GAO), shall be served on the Contracting Officer (addressed as follows) by obtaining written and dated acknowledgment of receipt from Tatea R. Cavanaugh, Contracting Officer, 320 First Street NW, 7th Floor, Washington, DC 20534. [

(b) The copy of any protest shall be received in the office designated above within one day of filing a protest with the GAO.

Request For Quote

SECTION M - EVALUATION FACTORS FOR AWARD

M.1 52.212-2 Evaluation Commercial Items.

Evaluation Commercial Items (OCT 2014)

(a) The Government will award a contract resulting from this solicitation to the responsible offeror whose offer conforming to the solicitation will be most advantageous to the Government, price and other factors considered.

Adjectival ratings shall be used to evaluate offerors proposals. The following evaluation factors will be evaluated utilizing the adjectival ratings listed below: PRODUCT ADHERANCE TO SPECIFICATION AND DRAWINGS (EVALUATED FROM SAMPLES PROVIDED); Past Performance Information; Price.

Poor	Unfavorable
Marginal	More unfavorable than favorable
Good	More favorable than unfavorable
Excellent	Entirely favorable

Offeror's past performance will first be evaluated for relevancy and recentness. Only relevant, recent past performance contracts will then be evaluated for the offerors performance and given an adjectival rating as listed above. The offeror will then be given an overall confidence assessment rating, using the adjectival ratings listed above.

The price proposal will be evaluated through price competition of this acquisition and as compared to the Government Estimate. Price will be evaluated for fairness and reasonableness.

d) Options. The Government will evaluate offerors for award purposes by adding the total price for all options to the total price for the basic requirement. The Government may determine that an offer is unacceptable if the option prices are significantly unbalanced. Evaluation of options shall not obligate the Government to exercise the option(s).

e) A written notice of award or acceptance of an offer mailed or otherwise furnished to the successful offeror within the time for acceptance specified in the offer shall result in a binding contract without further action by either party. Before the offers specified expiration time, the Government may accept an offer (or part of an offer), whether or not there are negotiations after its receipt, unless a written notice of withdrawal is received before award.

M.2 The Contracting Officer will make award to the offeror whose proposal represents the best overall expected value and that is considered most advantageous to its interests based on the criteria specified in this solicitation.

M.3 Offerors are advised that the Government intends to evaluate proposals and award without discussions. Therefore, the initial proposal should contain the offerors best terms from a cost or price and technical standpoint. However, the Government reserves the right to conduct discussions if later determined by the Contracting Officer to be necessary.

M.4 Tradeoff Process: It may be in the governments best interest to consider award to other than the lowest priced offeror or other than the highest technical rated offeror. This process may include tradeoffs among cost/price and non cost factors and allows the Government to accept other than the lowest prices proposal if the perceived benefits of the higher priced proposal are determined to merit the additional cost.

Request For Quote