

# SonicWALL Secure Remote Access Series for the SMB

### SECURE REMOTE ACCESS

#### Easy-to-use, affordable and clientless secure remote access

- Seamless integration behind virtually any firewall
- Clientless connectivity
- NetExtender technology
- Granular policy configuration controls
- Personalized Web portal
- Remote support
- Tokenless two-factor authentication
- Mobile device support
- Application offloading
- Context-sensitive help
- Enhanced layered security in a SonicWALL environment

In recent years, there has been an increased dependence on mobile workers. This has prompted a need for providing secure remote access to network resources as well as remote control PC access. SonicWALL® provides a solution that meets the needs of organizations with demanding remote workforce requirements. SonicWALL Secure Remote Access (SRA) solutions are simple to deploy and even easier to use for a fraction of the price of most other products.

Remote access has never been so simple to use. Mobile employees only require a standard browser to log into a portal which provides access to e-mail, files, Web applications and internal Web sites. For even more powerful capabilities such as secure access to any resource on the corporate network including servers and local applications, the appliances transparently push a downloadable thin client (NetExtender) to the user's desktop or laptop.

Remote support is also easy to implement using SonicWALL Virtual Assist\* It is a clientless tool that enables a technician to assume control of a customer's computer in order to provide assistance. As a result, service can be provided on-demand while keeping costs low.

#### **Features and Benefits**

Seamless integration behind virtually any firewall enables organizations to leverage the existing network infrastructure.

**Clientless connectivity** removes the need for a pre-installed VPN client, thus freeing administrators from a tedious and costly task.

**NetExtender technology** enables network level access to resources, services and applications.

**Granular policy configuration controls** enable network administrators to create policies that "lock down" a user to specific applications/resources and prevent unauthorized access to them.

A **personalized Web portal** displays only those resources that are available to the user based on company policy.

**Remote support** using SonicWALL Virtual Assist\* enables technicians to provide secure on-demand assistance to customers while leveraging the existing infrastructure. **Tokenless two-factor authentication** provides enhanced protection against key loggers by combining a unique onetime password, generated by the SSL VPN appliance and sent to a remote user's mobile device or e-mail address, with the user's network user name and password.

**Mobile device support** to access an entire intranet as well as Web-based applications provides greater flexibility for a remote workforce.

**Application offloading**\*\* enables users to access Web applications securely by leveraging strong authentication and granular access policy features.

**Context-sensitive help** is provided throughout the administrative interface and end-user portal, increasing management flexibility and ease-of-use.

**Enhanced layered security** is enabled when deployed alongside a SonicWALL Network Security Appliance which utilizes powerful deep packet inspection technology to scan traffic for malicious threats such as viruses, worms, Trojans and spyware. The combined solution is known as SonicWALL Clean VPN.


\*Additional license required; only available as a software add-on module for the SSL-VPN 4000 and SRA 4200 \*\*Available only on the SSL-VPN 4000 and SRA 4200



#### SonicWALL Secure Remote Access Series for SMB – Any time, anywhere access to resources

#### **Granular Access to Authorized Users**

The SonicWALL Secure Remote Access (SRA) Series for small- to medium-sized businesses (SMB) extends secure remote access beyond managed employees to unmanaged remote employees, partners, and customers. A customizable portal enables users to access specific resources via a Web browser as defined by a company's IT policy.



## Secure

#### remote access

that's easy to

deploy, use and

# won't break

# your budget







(SSL-VPN 200)

#### Certifications



(SSL-VPN 200/4000)



(SSL-VPN 4000)




#### **Broad Access to Resources**

SonicWALL SRA solutions for SMB can be used to provide users with access to a broad range of resources.

- NetExtender enables native access to corporate network applications such as Microsoft<sup>®</sup> Outlook
- The Virtual Office portal enables Web-based access to intranet (HTTP, HTTPS), file (FTP, CIFS), desktop (Citrix<sup>®</sup>\*, Terminal Server, VNC), and terminal (Telnet, SSH) resources

#### **Simple to Manage**

SonicWALL SSL VPN solutions feature an intuitive Web-based management interface which offers context sensitive help to enhance usability. In addition, multiple products can be centrally managed using the SonicWALL Global Management System (GMS v4.0+). Resource access via the products can be effortlessly monitored using the SonicWALL ViewPoint reporting tool.



Google C+		4	ales Britistel	The Cash a la	Anna P	C Settour	
SC Take to Vitual PAG Vite di	In Fair Index how Addit works In they to balant they to balant In they with sametive don?	Virtual Assist	usial Software Instant Software Software and Software Software and Software Software and Software Instant Proceed Property A	Wait for Tack Initian, please entity ments, these will be dyour technician. hay spistance decinician can con	Provine Assolutions rypur name and click e an established remote		
Posts	d by SociaMALL Copy	right 2008.					

#### **Remote Support**


SonicWALL Virtual Assist\* can be easily configured and licensed via the administrative interface as a cost effective alternative to traditional remote support tools. Browserbased thin clients are pushed to Technicians and Customers in order to establish a session through the cloud via an SSL VPN product.

#### **Enhanced Solution**

SonicWALL Secure Remote Access appliances integrate seamlessly into virtually any network topology and can be easily deployed alongside any third-party firewall. When deployed with a SonicWALL Network Security/Unified Threat Management (UTM) firewall appliance running Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service along with Application Firewall, enhanced security benefits are realized. Moreover, endpoint security can be enforced by deploying NetExtender in conjunction with Enforced Client Anti-Virus and Anti-Spyware on managed PCs. Virtual Assist also benefits from the seamless integration by leveraging the appliance's local and external authentication facilities.

#### **SonicWALL Secure Remote Access Solutions for SMB**

#### **Remote Access Solution**



- A personalized Web portal provides access to only those resources that the user is authorized to view based on company policies.
- Traffic is passed back to the NSA or TZ Series network security appliance where it is fully inspected for viruses, worms, Trojans, spyware and other sophisticated threats by the SonicWALL Unified Threat Management solution.

\*\*Available only on the SRA 4200 and SSL-VPN 4000



#### **Remote Support Solution**


With more employees working remotely and customers dispersed globally, it is becoming increasingly important for organizations to provide remote support for off-site business devices such as laptops or home PCs. Ineffective support using expensive and cumbersome tools can undermine IT service level agreements and inhibit remote worker productivity. Using a SonicWALL Virtual Assist on an SSL-VPN 4000 or SRA 4200 appliance, a Technician can instantly access a remote device over the Web, transfer files, and chat with the end user, enabling rapid diagnosis and problem resolution, without the need for pre-installed "fat" client.


NetExtender Client running SonicWALL Agent

#### **Disaster Recovery Solution**

network.

Disaster recovery can be triggered by a catastrophic event like a hurricane or epidemic, or by something as simple as a regional power outage, severe weather, flu outbreaks, or flooding of an office building because of a burst water pipe. Business disruption can mean lost opportunities, revenues, or reputation. SonicWALL SSL VPN and CDP products with a subscription to SonicWALL CDP Offsite Data Backup Service enable employees that are not able to physically get to the corporate office, access your corporate resources remotely via a secure SSL VPN connection. Corporate resources are always accessible as they are backed up both locally and offsite.





prompted for

authentication

NetExtender client subnet and can now

access internal and external resources

#### **Clean Wireless Solution**

More corporations, universities, hospitals and governmental organizations are implementing wireless networks and using SSL VPN as a secure and centralized access control solution. SonicWALL SSL VPNs integrate seamlessly with SonicWALL wireless access solutions. A SonicWALL SSL VPN deployed alongside a SonicWALL UTM firewall and several SonicPoints ensure that users get access from anywhere on campus and the wireless connections are encrypted via the SSL protocol. As an added bonus, remote workers away from campus can connect into the corporate network via an SSL VPN connection. IT maintains centralized, granular access control over who can access what resources from using a single gateway.



SonicWALL SSL-VPN 200 (US/Canada) 01-SSC-5946

SonicWALL Dynamic Support 8x5 (1-year) 01-SSC-5642

SonicWALL Dynamic Support 8x5 (2-year) 01-SSC-6244

SonicWALL Dynamic Support 8x5 (3-year) 01-SSC-6245

SonicWALL Dynamic Support 24x7 (1-year) 01-SSC-5643 SonicWALL Dynamic Support

24x7 (2-year) 01-SSC-6246 SonicWALL Dynamic Support 24x7 (3-year) 01-SSC-6247



SonicWALL SRA 4200 50 User 01-SSC-5980

SonicWALL Dynamic Support 8x5 Up to 50 users (1-year) 01-SSC-5687

SonicWALL Dynamic Support 8x5 Up to 50 users (2-year) 01-SSC-5988

SonicWALL Dynamic Support 8x5 Up to 50 users (3-year) 01-SSC-5989

SonicWALL Dynamic Support 24x7 Up to 50 users (1-year) 01-SSC-5984

SonicWALL Dynamic Support 24x7 Up to 50 users (2-year) 01-SSC-5985

SonicWALL Dynamic Support 24x7 Up to 50 users (3-year) 01-SSC-5986



SonicWALL SSL-VPN 4000 (US/Canada) 01-SSC-5960

SonicWALL Dynamic Support 8x5 (1-year) 01-SSC-6248

SonicWALL Dynamic Support 8x5 (2-year) 01-SSC-6249

SonicWALL Dynamic Support 8x5 (3-year) 01-SSC-6250

SonicWALL Dynamic Support 24x7 (1-year) 01-SSC-6251

SonicWALL Dynamic Support 24x7 (2-year) 01-SSC-6252

SonicWALL Dynamic Support 24x7 (3-year) 01-SSC-6253

Specifications	

Logging

Single-Arm Mode

IPv6 Support\*

SonicWALL Virtual Assist\*

Application offloading\*

Performance		
SSL-VPN 200	Recommended for organizations with 50 or fewer employees	
Concurrent User License:	Unrestricted	
Recommended Maximum Concurrent Users:	10	
SRA 4200	Recommended for organizations with 500 or fewer employees	
Maximum allowable concurrent Virtual Assist technicians:	5	
Concurrent User License:	Unrestricted	
Recommended Maximum Concurrent Users:	50	
SSL-VPN 4000	Recommended for organizations with 500 or more employees	
Maximum allowable concurrent Virtual Assist technicians: Concurrent User License:	25 Unrestricted	
Recommended Maximum Concurrent Users:	200	
Key Features		
Applications Supported		
Proxy NetExtender	Citrix (ICA),* HTTP, HTTPS, FTP, SSH, Telnet, RDP, VNC, Windows* file sharing (Windows SMB/CIFS) Any TCP/IP based application: ICMP, VoIP, IMAP, POP, SMTP, etc.	
Encryption	DES (128), 3DES (128, 256), AES (128, 192, 256), ARC4 (128), MD5, SHA-1	
Authentication	RSA*, Vasco, One-time Passwords, Internal user database RADIUS, LDAP, Microsoft, Active Directory, Windows NT Domain	
Multiple Domain Support	Yes	
Fine Grain Access control	At the user, user group and network resource leve	
Session Security	Inactivity timeouts prevent unauthorized use of inactive sessions	
Certificates Server Client	Self-signed with editable common name and and imported from third parties Optional client certificates supported*	
Cache Cleaner	Configurable. Upon logout all cached downloads, cookies and URLs downloaded through the SSL tunnel are erased from the remote computer	
Client PC Operating Systems Supported		
Proxy NetExtender	All operating systems Windows 2000, 2003, XP/Vista (32-bit and 64-bit) Win Mobile 5 (Pocket PC), Win Mobile 6 (Classic/Professional), MacOS 10.4+ (PowerPC and Intel), Linux Fedora Core 3+ / Ubuntu 7+ / OpenSUSE	
Web Browsers Supported	Microsoft Internet Explorer, Firefox Mozilla	
Personalized Portal	The remote user sees only those resources that the administrator has granted access to based on company policy	
Management	Web GUI (HTTP, HTTPS), Send syslog and heartbeat messages to GMS (4.0 and higher)	
Usage Monitoring	Graphical monitoring of memory, CPU, users and bandwidth usage*	

Yes

Basic

Yes

Detailed logging in an easy-to-read format.

Connection to remote PC, chat, FTP and diagnostic tools

Syslog supported e-mail alerts

T +1 408.745.9600

F +1 408.745.9300

Hardware Hardened Security Appliance SSL-VPN 200 Yes SRA 4200 Yes SSL-VPN 4000 Yes Cryptographic Hardware Acceleration SSL-VPN 200 Yes SRA 4200 Yes SSL-VPN 4000 Yes Interfaces SSL-VPN 200 (5) 10/100 Ethernet SRA 4200 (4) Gigabit Ethernet, (2) USB, (1) Console SSI-VPN 4000 (6) 10/100 Ethernet, (1) Serial port Processors SSL-VPN 200 SonicWALL security processor, cryptographic accelerator SRA 4200 x86 main processor, cryptographic accelerator SSI-VPN 4000 P4 Celeron main processor, cryptographic accelerator Memory (RAM) 128 MB SSI-VPN 200 SRA 4200 2 GB SSL-VPN 4000 1 GB Flash Memory SSL-VPN 200 16 MB SRA 4200 1 GB 128 MB SSL-VPN 4000 Power Supply SSL-VPN 200 20W, 12VDC, 1.66A SRA 4200 Internal SSL-VPN 4000 Internal Max Power Consumption SSL-VPN 200 10.4 W SRA 4200 75 W SSL-VPN 4000 108 W Total Heat Dissipation 35.6 BTU SSI-VPN 200 SRA 4200 256.0 BTU SSL-VPN 4000 368.3 BTU Dimensions SSL-VPN 200 7.45 x 4.55 x 1.06 in 18.92 x 11.56 x 2.69 cm SRA 4200 17.00 x 10.13 x 1.75 in 43.18 x 25.73 x 4.45 cm SSL-VPN 4000 17.00 x 13.25 x 1.75 in 43 18 x 33 66 x 4 45 cm Weight SSL-VPN 200 3.00 lbs 1.36 kg SRA 4200 15.00 lbs 6.80 kgs SSL-VPN 4000 18 50 lbs 8.39 kg FCC Class A, ICES Class A, CE, C-Tick, VCCI Major Regulatory Compliance Class A, MIC, NOM, UL, cUL, TUV/GS, CB 32-105° F, 0-40° C Humidity 5-95% RH, non-condensing Environment MTBF SSL-VPN 200 9.0 years SRA 4200 8.3 years 9.2 years

\* Available only on the SSL-VPN 4000 and SRA 4200

SSL-VPN 4000

For more information on SonicWALL Secure Remote Access for SMB solutions, visit www.sonicwall.com

#### SonicWALL, Inc.

2001 Logic Drive San Jose, CA 95124

www.sonicwall.com



©2009 SonicWALL and the SonicWALL logo are registered trademark of SonicWALL, Inc. Other product names mentioned herein may be trademarks and/or registered trademarks of their respective companies. Specifications and descriptions subject to change without notice. 10/09 SW 750