. 1 ----. . . ~ S

odel Name: S75Dt-A7330	Part Number: PSI	KNSU-00H00C	U	PC: 022265590867	
Operating System ^{C1 2}	·	Power	I -		
Windows 8) 100-240V/50-60Hz AC	Adaptor	
Processor ³ and Graphics ⁴			is (W x H x D): 5.0" x 2.0	J X 1.2	
Vision Technology from AMD featuring:		-	arting at 0.66 lbs.		
AMD Quad-Core A10-5750M Accelerated P	rocessor with AMD	Battery ¹³			
Radeon [™] HD 8650G Graphics		•	um Ion battery pack		
 2.5GHz (3.5 GHz with AMD Turbo Co 	ore Technology 3.0. 4MB L2			Mark [™] Productivity 2012)	
Cache)	, , , , , , , , , , , , , , , , , , ,		ded 6 cell battery: up to		
- ,					
Memory ⁵		Software ^{C1} ¹⁴			
 Configured with 12GB DDR3 1600MHz (max 		 Toshiba Software 			
 2 main memory slots. Both slots are occupie 	ed	 TOSHIBA 	App Place®		
Storage Drive ⁶			BookPlace™		
• 1TB (5400 RPM) Serial ATA hard disk drive			eco Utility™		
			HDD Protection		
Fixed Optical Disk Drive ⁷			HW Setup Utility		
 DVD SuperMulti drive supporting 11 formats 			Media Player by sMedi		
 Maximum Read speed and compatibil 			Recovery Media Create	Dr	
(24x), CD-RW (16x), DVD-ROM (8x)	, DVD-R (8x), DVD-R DL		Service Station		
(6x), DVD-RW (6x), DVD+R (8x), DV		 TOSHIBA 			
(8x), DVD-RAM (5x)				Windows for Media Player	
Display ⁸		 TOSHIBA 	,		
		 Third-party Softw 			
 17.3" diagonal widescreen TruBrite[®] TFT dis recelution (UD t) 	play at 1600 x 900 hative	 Adobe Re 			
resolution (HD+)		 DTS Studio Sound[™] Internet Explorer[®] 10 WildTangent® Games Console 			
• Touchscreen					
 LED Backlit 					
Nation according to 200m as a tank			 Special Offers and Trial Software 		
 Native support for 720p content 16:0 concert ratio 		 Special Offers and 		16	
 Native support for 720p content 16:9 aspect ratio 		o 1 month tr	ial for new Office 365 c		
		o 1 month tr o Norton™ I	rial for new Office 365 c Internet Security (30-da	y trial subscription)	
 16:9 aspect ratio Sound 		 0 1 month tr 0 Norton™ I 0 Norton™ I 	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial	y trial subscription))	
 16:9 aspect ratio 		 0 1 month tr 0 Norton™ I 0 Norton™ I 	rial for new Office 365 c Internet Security (30-da	y trial subscription))	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] 			rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA	y trial subscription))	
 o 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices 		o 1 month tr Norton™ I Norton™ Norton™ 2 YEAR STANDA Environmenta	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications	y trial subscription))	
 o 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (black) 	k)	o 1 month tr Norton™ I Norton™ VEAR STANDA Environmenta • This product is R	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible	y trial subscription))	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking the second s	k)	o 1 month tr o Norton™ I o Norton™ 2 YEAR STANDA Environmenta • This product is R • ENERGY STAR [®]	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified	y trial subscription))	
 o 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (black) 	k)	o 1 month tr Norton™ I Norton™ VEAR STANDA Environmenta • This product is R	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified	y trial subscription))	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking the second s	k)	o 1 month tr o Norton™ I o Norton™ 2 YEAR STANDA Environmenta • This product is R • ENERGY STAR [®]	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified ated	y trial subscription)) RRANTY ¹⁷	
 o 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking the second second	k)	o 1 month tr o Norton™ I o Norton™ 2 YEAR STANDA Environmenta • This product is R • ENERGY STAR [®]	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified	y trial subscription))	
 o 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking the second se	k)	 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmenta This product is R ENERGY STAR[®] EPEAT[®] Gold Ra 	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating	y trial subscription)) RRANTY¹⁷ Non-operating	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ 	k)	 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmenta This product is R ENERGY STAR[®] EPEAT[®] Gold Ra Temperature ¹⁹	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C	y trial subscription)) RRANTY ¹⁷ Non-operating -20° to 65° C	
 o 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability 	k)	O 1 month tr O Norton™ I Norton™ Participation Participation This product is R ENERGY STAR® EPEAT® Gold Ra Temperature ¹⁹ Thermal Gradient	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating <u>5° to 35° C 15° C per hour (ma</u>	y trial subscription)) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max)	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blac Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader 	k) control - -	O 1 month tr Norton™ I Norton™ Part STANDA Environmenta This product is R ENERGY STAR [®] EPEAT [®] Gold Ra <u>Temperature¹⁹</u> Thermal Gradient Relative Humidity	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C	y trial subscription)) RRANTY ¹⁷ Non-operating -20° to 65° C	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blac Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S 	k) control D, micro SD, Multi Media	O 1 month tr Norton™ I Norton™ Norton™ PYEAR STANDA Environmenta This product is R ENERGY STAR® EPEAT® Gold Ra Temperature ¹⁹ Thermal Gradient Relative Humidity (non-condensing)	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WAI I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating <u>5° to 35° C 15° C per hour (ma</u> 20% to 80%	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90%	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blac Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader 	k) control D, micro SD, Multi Media	O 1 month tr Norton™ I Norton™ I Norton™ 2 YEAR STANDA Environmenta This product is R ENERGY STAR [®] EPEAT [®] Gold Ra Temperature ¹⁹ Thermal Gradient Relative Humidity (non-condensing) Altitude	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating <u>5° to 35° C 15° C per hour (ma</u>	y trial subscription)) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max)	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be readed 	k) control D, micro SD, Multi Media	 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmental This product is R ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁹ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) 	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WAI I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating <u>5° to 35° C 15° C per hour (ma</u> 20% to 80% 0 to 3,000 meters	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters	
 o 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking the second second	k) control D, micro SD, Multi Media	O 1 month tr Norton™ I Norton™ I Norton™ 2 YEAR STANDA Environmenta This product is R ENERGY STAR [®] EPEAT [®] Gold Ra Temperature ¹⁹ Thermal Gradient Relative Humidity (non-condensing) Altitude	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WAI I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating <u>5° to 35° C 15° C per hour (ma</u> 20% to 80%	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90%	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking the second seco	k) control D, micro SD, Multi Media	 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmental This product is R ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁹ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level)	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WAI I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating <u>5° to 35° C 15° C per hour (ma</u> 20% to 80% 0 to 3,000 meters	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be r Ports Video RGB 	k) control D, micro SD, Multi Media	O 1 month tr O Norton™ I O Norton™ O Norton™ PYEAR STANDA Environmenta • This product is R • ENERGY STAR® • EPEAT® Gold Ra Temperature ¹⁹ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be response of the state of the	k) control D, micro SD, Multi Media	O 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmental This product is R ENERGY STAR [®] EPEAT [®] Gold Ra Temperature ¹⁹ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WAI I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be r Ports Video RGB HDMI[®] 	k) control D, micro SD, Multi Media	O 1 month tr O Norton™ I O Norton™ I O Norton™ Z YEAR STANDA Environmenta This product is R ENERGY STAR® EPEAT® Gold Ra Temperature ¹⁹ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Service Upgrades ar	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be r Ports Video RGB HDMI[®] Audio Microphone input port 	k) control D, micro SD, Multi Media	O 1 month tr O Norton™ I O Norton™ O Norton™ PYEAR STANDA Environmenta This product is R ENERGY STAR® EPEAT® Gold Ra Temperature ¹⁹ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Service Upgrades ar Toshiba offers many of	rial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G md Extensions different enhanced serv	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G icces such as SystemGuard [®]	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking the second stress of the second stre	k) control D, micro SD, Multi Media	O 1 month tr O Norton™ I Norton™ Norton™ PYEAR STANDA Environmenta This product is R ENERGY STAR® EPEAT® Gold Ra Temperature ¹⁹ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Service Upgrades ar Toshiba offers many o	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G different enhanced serv ServiceExpress to provid	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G icces such as SystemGuard [®] de additional support to you	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacking the second stress of the second stre	k) control D, micro SD, Multi Media equired	 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmental This product is R ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁹ Thermal Gradient Relative Humidity (non-condensing)	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G md Extensions different enhanced serv ServiceExpress to provid ull description and comp	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G icces such as SystemGuard [®] de additional support to you blete list of programs and	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacker) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be responsed to the state of the sta	k) control D, micro SD, Multi Media equired	 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmental This product is R ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁹ Thermal Gradient Relative Humidity (non-condensing)	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G md Extensions different enhanced serv ServiceExpress to provid ull description and comp	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G icces such as SystemGuard [®] de additional support to you	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacker) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be r Ports Video RGB HDII[®] Audio Microphone input port Headphone output port Data 3 USB ports (2 USB 3.0¹⁰ + 1 USB 2.0 (Charge¹¹) 	k) control D, micro SD, Multi Media equired	 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmental This product is R ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁹ Thermal Gradient Relative Humidity (non-condensing)	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WA I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G md Extensions different enhanced serv ServiceExpress to provid ull description and comp	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G icces such as SystemGuard [®] de additional support to you blete list of programs and	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacker) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be r Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port Bata 3 USB ports (2 USB 3.0¹⁰ + 1 USB 2.0 Charge¹¹) RJ-45 LAN port 	k) control D, micro SD, Multi Media equired	 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmental This product is R ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁹ Thermal Gradient Relative Humidity (non-condensing)	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WAN I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G ind Extensions different enhanced serv ServiceExpress to provid all description and comp onditions, please visit <u>w</u>	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G ices such as SystemGuard [®] de additional support to you lete list of programs and ww.support.toshiba.com.	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacker) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be r Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port Data 3 USB ports (2 USB 3.0¹⁰ + 1 USB 2.0 Charge¹¹) RJ-45 LAN port 	k) control D, micro SD, Multi Media equired	 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmental This product is R ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁹ Thermal Gradient Relative Humidity (non-condensing)	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WAI I Specifications oHS ¹⁸ compatible [®] Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G md Extensions different enhanced serv ServiceExpress to provid ull description and comp onditions, please visit <u>w</u>	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G ices such as SystemGuard [®] de additional support to you lete list of programs and ww.support.toshiba.com.	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacker) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be responsed on the structure of th	k) control D, micro SD, Multi Media equired	 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmental This product is R ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁹ Thermal Gradient Relative Humidity (non-condensing)	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WAI I Specifications oHS ¹⁸ compatible [®] Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G md Extensions different enhanced serv ServiceExpress to provid ull description and comp onditions, please visit <u>w</u>	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G ices such as SystemGuard [®] de additional support to you lete list of programs and ww.support.toshiba.com.	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacker) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be r Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port Data 3 USB ports (2 USB 3.0¹⁰ + 1 USB 2.0 Charge¹¹) RJ-45 LAN port 	k) control D, micro SD, Multi Media equired	 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmental This product is R ENERGY STAR[®] EPEAT[®] Gold Rate Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Service Upgrades ar Toshiba offers many of on-Site Repair, and Sinotebook PC. For a fuprogram terms and comparison of the statement of the s	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WAI I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G Ind Extensions different enhanced serv ServiceExpress to provid ull description and comp onditions, please visit <u>w</u> ost updated accessories <u>hiba.com</u>	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G ices such as SystemGuard [®] de additional support to you lete list of programs and ww.support.toshiba.com.	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacker) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be responsed on the structure of th	k) control D, micro SD, Multi Media equired	 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmental This product is R ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁹ Thermal Gradient Relative Humidity (non-condensing)	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WAI I Specifications oHS ¹⁸ compatible [®] Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G md Extensions different enhanced serv ServiceExpress to provia ull description and comp onditions, please visit <u>w</u> ost updated accessories hiba.com	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G ices such as SystemGuard [®] de additional support to you lete list of programs and ww.support.toshiba.com.	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacker) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be responsed on the structure of th	k) control D, micro SD, Multi Media equired	 1 month tr Norton™ I Norton™ 2 YEAR STANDA Environmental This product is R ENERGY STAR[®] EPEAT[®] Gold Ra Thermal Gradient Relative Humidity	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WAI I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G Ind Extensions different enhanced serv ServiceExpress to providual description and componditions, please visit <u>w</u> ost updated accessories <u>hiba.com</u> e <u>Description</u>	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G ices such as SystemGuard [®] de additional support to you blete list of programs and ww.support.toshiba.com. , please visit	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacker) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be r Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port Bata 3 USB ports (2 USB 3.0¹⁰ + 1 USB 2.0 Charge¹¹) RJ-45 LAN port Security Slot for Security Lock Physical Description Ice Silver in Brushed Aluminum Dimensions (W x D x H Front/H Rear): 16.3ⁿ 	k) control D, micro SD, Multi Media equired D port with USB Sleep and	 1 month tr Norton™ I Norton™ I Norton™ 2 YEAR STANDA Environmental This product is R ENERGY STAR® EPEAT® Gold Ra Thermal Gradient Relative Humidity	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WAI I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G Ind Extensions different enhanced serv ServiceExpress to provia all description and componditions, please visit w obst updated accessories <u>hiba.com</u> e Description oshiba PC3-12800 DDF	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G ices such as SystemGuard [®] de additional support to you blete list of programs and ww.support.toshiba.com. , please visit 3-1600MHz Memory, 2GB	
 16:9 aspect ratio Sound Built-in harmon/kardon[®] speakers speakers DTS Studio Sound[™] Input Devices Premium Backlit Keyboard with 10-key (blacker) Touch pad pointing device with multi-touch of Communications HD webcam and microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, mini S Card [shared slot] –adapter may be responsed on the experiment of the	k) control D, micro SD, Multi Media equired D port with USB Sleep and	○ 1 month tr ○ Norton™ I ○ Norton™ 2 YEAR STANDA Environmental • This product is R • ENERGY STAR® • EPEAT® Gold Ra Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Service Upgrades ar Toshiba offers many con-Site Repair, and S notebook PC. For a fu program terms and co Accessories For additional and mody www.accessories.tost Memory Upgrad Patt Number D PA5104U-1M2G To	ial for new Office 365 c Internet Security (30-da Anti-Theft (30-day Trial ARD LIMITED WAI I Specifications oHS ¹⁸ compatible ⁹ Qualified ated Operating 5° to 35° C 15° C per hour (ma 20% to 80% 0 to 3,000 meters 10G 0.5G Ind Extensions different enhanced serv ServiceExpress to provid II description and comp onditions, please visit <u>w</u> best updated accessories <u>hiba.com</u> e <u>Description</u> oshiba PC3-12800 DDF oshiba PC3-12800 DDF	y trial subscription) RRANTY ¹⁷ Non-operating -20° to 65° C x) 20° C per hour (max) 10% to 90% 0 to 10,000 meters 60G 1.0G ices such as SystemGuard [®] de additional support to you blete list of programs and ww.support.toshiba.com. , please visit	

TOSHIBA

This product specification is variable and subject to change prior to product launch.

Power Part Number	Description	Part Number PA3710U-1BTM	Description Toshiba Bluetooth 2.1EDR USB Nano Adapter
	Description		
PA5034U-1ACA	Toshiba 75W Global AC Adaptor		
PA5110U-1BRS	Toshiba Primary Li ION Battery Pack	Carrying Case	
		Part Number	Description
Expansion		PA1453U-1BG8	Toshiba 18.4" Gaming BackPack (Fits up to 18.4")
Part Number	Description	PA1500U-1BS8	Toshiba 18.4" Extreme Backpack(Fits ups to 18.4")
PA5082U-1PRP	dynadock V3.0 Universal USB Docking Station	PA1521U-1EC7	Toshiba 17" Lightweight Carrying Case (Fits ups to
PA3927U-1PRP	dynadock U3.0 Universal USB Docking Station		17.3")

Bluetooth

Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at http://www.support.toshiba.com

Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS") 9740 Irvine Boulevard Irvine CA 92618

ToshibaDirect website: http://www.toshibadirect.com TAIS website for resellers: http://sell.toshiba.com TAIS Support website: http://support.toshiba.com

Satellite and SystemGuard are registered trademarks of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. All other products and names mentioned are the property of their respective owners.

C1 64-bit computing:

64-bit computing requires that the following hardware and software requirements are met:

- 64-bit Operating System
- 64-bit CPU, Chipset and BIOS (Basic Input/Output System)
- 64-bit Device drivers 64-bit applications

Certain device drivers and/or applications may not be compatible with a 64-bit CPU and therefore may not function properly. See "Detailed Specs" for more information.

¹ Product Series Legal Footnote. The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at pcsupport.toshiba.com.

Product Offering Legal Footnote. Toshiba America Information Systems, Inc. reserves the right to modify or withdraw this offer at anytime without notice

² Operating System.

Also see 64-Bit Computing Legal Footnote, if applicable.

Certain Microsoft[®] software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Offers. Offer terms, duration and product availability all subject to change without notice

³ Processor (Central Processing Unit). Also see 64-Bit Computing Legal Footnote, if applicable.

CPU performance in your computer product may vary from specifications under the following conditions:

- use of certain external peripheral products
- 2. use of battery power instead of AC power
- 3. use of certain multimedia, computer generated graphics or video applications 4.
- use of standard telephone lines or low speed network connections 5.
 - use of complex modeling software, such as high end computer aided design applications

© Copyright 2013 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Satellite S75Dt-A7330 6.

7. 8.

- use of several applications or functionalities simultaneously
 - use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level)
- use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86° F) or >25°C (77°F) at high altitude (all temperature references are
- approximate and may vary depending on the specific computer model please visit the Toshiba website at www.pcsupport.toshiba.com for details).

CPU performance may also vary from specifications due to design configuration.

Under some conditions, your computer product may automatically shut-down. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product "Detailed Specs." Contact Toshiba Technical Service and Support for more information.

⁴ Graphics (Graphics Processing Unit). GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

Total Available Graphics Memory is the total of, as applicable, Dedicated Video Memory, System Video Memory and Shared System Memory. Shared System Memory will vary depending on system memory size and other factors.

⁵ <u>Memory (Main System)</u>. Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. Computers configured with a 32-bit operating system can address up to 3GB of system memory. Only computers configured with a 64-bit operating system can address 4 GB or more of system memory.

⁶ Storage Drive

Computer (Internal) HDD Capacity. One Gigabyte (GB) means 109 = 1,000,000,000 bytes and One Terabyte (TB) means 1012 = 1,000,000,000,000 bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of 1 GB = 230 = 1,073,741,824 bytes and 1TB = 240 = 1,099,511,627,776 bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

⁷ Optical Drive. Due to manufacturing and quality variations in third party optical media (e.g., CD or DVD) or optical media players/recorders, in certain cases, your Toshiba optical drive may not record on certain optical media that bear the applicable logo, or playback optical media recorded by other PCs or optical media recorders. Additionally, certain optical media recorded on your optical drive may not playback or operate properly on other PCs or optical media players. These problems are not due to any defect in your Toshiba PC or optical drive. Please refer to your PC's product specification for listing of specific format compatibilities.

Recording or viewing of certain optical media may be limited or prevented in accordance with applicable copy protection standards.

⁸ Display. Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology. When the computer is operated on battery power, the screen with dim and you may not be able to increase the brightness of the screen while on battery power.

⁹ <u>Wireless</u> May require purchase of additional software, external hardware, or services. Transmission speeds may vary. Certain optional features within the wireless-n specifications (if available on your system) may not be supported.

¹⁰ USB 3.0. 5Gbps is the maximum theoretical interface transfer rate per the specifications of the Universal Serial Bus 3.0. Actual transfer rate will vary depending on your system configuration and other factors.

¹¹ <u>USB Sleep & Charge</u>. The "USB Sleep & Charge function" may not work with certain external devices even if they are compliant with the USB specification. In those cases, turn the power of the computer ON to charge the device.

¹² Weight. Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

¹³ Battery Life Rating.

Measured by MobileMark® 2012 for models preinstalled with Microsoft® Windows 8.

Benchmark rules for Mobile Mark[™] 2012: Wireless connectivity = On, Screen brightness = 150nits, Predefined updated workloads.
Details of MobileMark[®] 2012 testing protocols are available at <u>www.bapco.com</u> MobileMark is a trademark of the Business Applications Performance Corporation.

Rating is for comparison purposes only, and does not indicate the battery life that will be obtained by any individual user. Actual battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. The battery life rating is only achieved on the select models and configurations tested by Toshiba under the specific test settings at the time of publication and is not an estimate of a system's battery life under any conditions other than the specific test settings.

After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries.

¹⁴ Software. Also see 64-Bit Computing Legal Footnote, if applicable.

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Certain Microsoft[®] software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

¹⁵ <u>Upconverter/UpconversionTechnology (Resolution+® Technology)</u>. Viewing enhancements may vary depending upon content quality and display device capability/functionality/settings. Depending on the quality of the content, some video noise may be visible.

¹⁶ <u>Microsoft[®] Officetrial</u> Buy Microsoft[®] Office to use full-featured Office software on this PC.

Microsoft[®] Software (if included in your PC; e.g., Microsoft Home and Student 2010 or 365, Microsoft Office Home and Business 2010 or 365, Microsoft Office Professional 2010 or 365)

The version of Microsoft[®] Office included in this computer is only available in and can only be activated within the region in which you purchased it. Certain Microsoft[®] software products included with this computer may use technological measures for copy protection. In such case, you will not be able to use the Product if you do not activate it with Microsoft. Activation may be completed by Internet or telephone (toll charges may apply). Product Activation procedures and Microsoft's privacy policy will be detailed during initial launch of the Product, or upon certain reinstallations of the software products or reconfiguration of the computer.

¹⁷ Warranty. The terms and conditions of Toshiba's standard limited warranty are available at www.warranty.toshiba.com.

¹⁸ **RoHS.** This notebook is compatible with European Union Directive 2011/65/EU, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE. Toshiba requires its notebook component suppliers to meet RoHS requirements and verifies its suppliers' commitment to meeting RoHS requirements by conducting component sampling inspections during the product design approval process.

¹⁹ <u>Temperature (Environmental) Conditions</u>. All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.