



Environmental Hazards Services, L.L.C.
 7469 Whitepine Rd
 Richmond, VA 23237
 Telephone: 800.347.4010

Lead in Air Analysis Report

Report Number: 17-03-02946

Client: Rodgers & Associates
 9 Yosemite St.
 Kenner, LA 70065

Received Date: 03/22/2017

Analyzed Date: 03/22/2017

Reported Date: 03/22/2017

Project/Test Address: Lafayette Academy Charter School; 2727 S Carrollton Ave; New Orleans, LA 70118; RRP Lead Window Paint Removal Week 2

Collection Date: 03/13/2017, 03/14/2017, 03/15/2017

Client Number:
 19-6377

Fax Number:

Laboratory Results

Lab Sample Number	Client Sample Number	Collection Location	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
17-03-02946-001	8	INSIDE CONTAINMENT	17300	<2.00	<0.12	
17-03-02946-002	9	OUTSIDE CONTAINMENT	11400	<2.00	<0.18	
17-03-02946-003	10	INSIDE CONTAINMENT	6130	<2.00	<0.33	
17-03-02946-004	11	OUTSIDE CONTAINMENT	10100	<2.00	<0.20	
17-03-02946-005	12	CONTAINMENT 1	3960	<2.00	<0.51	
17-03-02946-006	13	CONTAINMENT 2	3910	<2.00	<0.52	
17-03-02946-007	14	OUTSIDE CONTAINMENT	6580	<2.00	<0.31	
17-03-02946-008	15	TRIP BLANK	---	<2.00	---	

ENVIRONMENTAL HAZARDS SERVICES, L.L.C.
 7469 Whitepine Road Richmond, Virginia 23237 Phone (804) 275-4788 Fax (804) 275-4907
CHAIN OF CUSTODY FORM

17-03-02946



Due Date:
 03/22/2017
 (Wednesday)
 AE



Company Name: Rodgers & Associates
Address: 9 Yosemite Street
City, State, Zip: Kenner, LA 70065
EHS Client Account #: 504-329-0428
Phone #: 504-329-0428
Email: ahroddgers@gmail.com
Date: 3/15/2017
Contact Name: A H RODGERS
Address: Lafayette Academy Charter School
 2727 S Carrollton Ave, New Orleans, LA 70118
 RRP Lead Window Paint Removal Week 2

		TAT SAME DAY				LEAD			
Sample Number	Sample Date	Air	Time on	Time off	Time	Flow	Liters	SAMPLE LOCATION	
8	3/13/2017	X	7:00 AM	7:00 AM	1440	12	17,280	Inside Containment	
9	3/13/2017	X	7:01 AM	4:30 PM	569	20	11,380	Outside Containment	
10	3/14/2017	X	8:00 AM	4:31 PM	511	12	6,132	Inside Containment	
11	3/14/2017	X	8:07 AM	4:30 PM	503	20	10,060	Outside Containment	
12	3/15/2017	X	7:00 AM	12:30 PM	330	12	3,960	Containment 1	
13	3/15/2017	X	7:05 AM	12:31 PM	326	12	3,912	Containment 2	
14	3/15/2017	X	7:03 AM	12:32 PM	329	20	6,580	Outside Containment	
15	3/15/2017	X						Trip Blank	

Released by: TSTONE

Received by: JSTONER

A H RODGERS

Date/Time:

3/15/2017

Date/Time:

3/22/17
 11:02 am



Lead in Air Analysis Report

Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Report Number: 17-03-01813

Client: Rodgers & Associates
9 Yosemite St.
Kenner, LA 70065

Received Date: 03/14/2017

Analyzed Date: 03/14/2017

Reported Date: 03/14/2017

Project/Test Address: Lafayette Academy Charter School; 2727 S Carrollton Ave; New Orleans, LA 70118; Lead Window Paint Removal

Collection Date: 03/08/2017, 03/09/2017, 03/10/2017

Client Number:
19-6377

Fax Number:

Laboratory Results

Lab Sample Number	Client Sample Number	Collection Location	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
17-03-01813-001	1	INSIDE CONTAINMENT	5040	<2.00	<0.40	
17-03-01813-002	2	OUTSIDE CONTAINMENT	8400	<2.00	<0.24	
17-03-01813-003	3	INSIDE CONTAINMENT	5350	<2.00	<0.38	
17-03-01813-004	4	OUTSIDE CONTAINMENT	8960	<2.00	<0.23	
17-03-01813-005	5	INSIDE CONTAINMENT	4990	<2.00	<0.41	
17-03-01813-006	6	OUTSIDE CONTAINMENT	8800	<2.00	<0.23	
17-03-01813-007	7	FIELD BLANK	---	<2.00	---	

Environmental Hazards Services, L.L.C

Client Number: 19-6377

Report Number: 17-03-01813

Project/Test Address: Lafayette Academy Charter School; 2727 S
Carrollton Ave; New Orleans, LA 70118; Lead
Window Paint Removal

Lab Sample Number	Client Sample Number	Collection Location	Air Volume (L)	Total Metal (ug)	Concentration (ug/m ³)	Narrative ID
-------------------	----------------------	---------------------	----------------	------------------	------------------------------------	--------------

Method: ASTM E-1979-12/EPA SW846 7000B
Accreditation #: LA 04043

Reviewed By Authorized Signatory: Melissa Kanode

Missy Kanode
QA/QC Clerk

The OSHA Action Level For Lead In Air is 30 ug/m³. The OSHA Permissible Exposure Limit for an 8 Hour Time Weighted Average is 50ug/m³. Sample Results denoted with a "less than" (<) sign contains less than 2.00ug total lead, based on a 10mL volume. All internal quality control requirements associated with this batch were met, unless otherwise noted.

The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Sample location, description, volume, etc., was provided by the client. Results reported above in ug/m³ are calculated based on volume supplied by the client. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. EHS sample results do not reflect blank correction. This report shall not be reproduced except in full, without the written consent of the Environmental Hazards Service, L.L.C. California Certification #2319 NY ELAP #11714.

LEGEND ug = microgram ug/m³ = micrograms per cubic meter
 L = Liters NA=No Air Volume Provided

ENVIRONMENTAL HAZARDS SERVICES, L.L.C.
 7469 Whitepine Road Richmond, Virginia 23237 Phone (804) 275-4788 Fax (804) 275-4907
CHAIN OF CUSTODY FORM

17-03-01813



Due Date:
 03/14/2017
 (Tuesday)
 AE

Company Name: Rodgers & Associates
Address: 9 Yosemite Street
City, State, Zip: Kenner, LA 70065
EHS Client Account #:
Phone #: 504-329-0428

Email: ahroddgers@gmail.com

Date: 3/10/2017
Contact Name: A H RODGERS

Address: Lafayette Academy Charter School
 2727 S Carrollton Ave, New Orleans, LA 70118
 Lead Winflow Paint Removal

Sample Number	Sample Date	Air	TAT SAME DAY			Flow	Liters	SAMPLE LOCATION	Date/Time:
			Time on	Time off	Time				
1	3/8/2017	X	8:45 AM	3:45 PM	420	12	5,040	Inside Containment	
2	3/8/2017	X	8:47 AM	3:47 PM	420	20	8,400	Outside Containment	
3	3/9/2017	X	7:05 AM	2:31 PM	446	12	5,352	Inside Containment	
4	3/9/2017	X	7:07 AM	2:35 PM	448	20	8,960	Outside Containment	
5	3/10/2017	X	8:05 AM	3:01 PM	416	12	4,992	Inside Containment	
6	3/10/2017	X	7:50 AM	3:10 PM	440	20	8,800	Outside Containment	
7	3/10/2017	X	8:05 AM	3:01 PM	416	0	-	Field Blank	

A H RODGERS

Date/Time:

3/14/17

10:50 Date/Time:

3/10/2017

Received by: *Stone*

Stone

Stone

aw

3/14/17



EHS
Laboratories

Environmental Hazards Services, L.L.C.
7469 Whitepine Rd
Richmond, VA 23237
Telephone: 800.347.4010

Fiber Count Analysis Report

Report Number: 17-03-02952

Received Date: 03/22/2017

Analyzed Date: 03/22/2017

Reported Date: 03/22/2017

Client: Rodgers & Associates
9 Yosemite St.
Kenner, LA 70065

Project/Test Address: Lafayette Academy Charter School; 2727 S. Carrollton
Ave.; New Orleans, LA 70118; 3rd Floor Tile Removal by
Keeler

Client Number:
19-6377

Fax Number:

Laboratory Results

Lab Sample Number	Client Sample Number	Volume Liters (L)	Fibers/Fields	Fibers/mm2	Fibers/CC	Narrative ID
17-03-02952-001	1	1800	27.5 / 100	35.0	0.007	
17-03-02952-002	2	1200	8.5 / 100	10.8	<0.005	
17-03-02952-003	3	1440	13.0 / 100	16.6	<0.005	
17-03-02952-004	4	3490	9.5 / 100	12.1	<0.005	
17-03-02952-005	5	4100	Overloaded	--	---	
17-03-02952-006	6	4250	Overloaded	--	---	
17-03-02952-007	7	8160	18.0 / 100	22.9	<0.005	
17-03-02952-008	8	8160	Overloaded	--	---	
17-03-02952-009	9	4800	Overloaded	--	---	
17-03-02952-010	10	3710	No Filter	--	---	
17-03-02952-011	11	2570	22.0 / 100	28.0	<0.005	
17-03-02952-012	12	2520	Overloaded	--	---	
17-03-02952-013	13	0.000	0.0 / 100	<7.6	---	

Environmental Hazards Services, L.L.C

Client Number: 19-6377

Report Number: 17-03-02952

Project/Test Address: Lafayette Academy Charter School; 2727 S.
Carrollton Ave.; New Orleans, LA 70118; 3rd
Floor Tile Removal by Keeler

Lab Sample Number	Client Sample Number	Volume Liters (L)	Fibers/Fields	Fibers/mm2	Fibers/CC	Narrative ID
-------------------	----------------------	-------------------	---------------	------------	-----------	--------------

Method: NIOSH 7400, Issue 2, 08-15-94

Analyst: Kathy Fletcher



Reviewed By Authorized Signatory:

Tasha Eaddy
QA/QC Clerk

Intralaboratory Sr for fiber count ranges 5-20, >20-50, and >50-100 respectively are 0.365, 0.322, 0.253.

Individual Analyst Sr for fiber count ranges 5-20, >20-50, and >50-100 respectively are 0.235, 0.272, 0.284.

NOTE: The condition of the samples analyzed was acceptable upon receipt per laboratory protocol unless otherwise noted on this report. Results represent the analysis of samples submitted by the client. Sample location, description, area, volume, etc., was provided by the client. Results listed above in Fibers/CC are based on air volume supplied by the client. The submission of blank samples is required by sampling methodologies. EHS sample results are blank corrected, per NIOSH 7400, when the client submits blank samples. If the report does not contain the result for a field blank, it is due to the fact that the client did not include a field blank with their samples. This report cannot be used by the client to claim product endorsement by NVLAP or any agency of the U.S. Government. This report shall not be reproduced except in full, without the written consent of the Environmental Hazards Service, L.L.C. California Certification #2319 NY ELAP #11714.

Method Level of Detection: 7.64 fibers/mm2.

LEGEND

L = liters

fibers/cc = fibers per cubic centimeter

fibers/mm² = fibers per square millimeter

ENVIRONMENTAL HAZARDS SERVICES, L.L.C.
 7469 Whitepine Road Richmond, Virginia 23237 Phone (804) 275-4788 Fax (804) 275-4907
CHAIN OF CUSTODY FORM

17-03-02952



Due Date:
 03/22/2017
 (Wednesday)
 AE

13 PCN

Company Name: Rodgers & Associates

Address: 9 Yosemite Street

City, State, Zip: Kenner, LA 70065

EHS Client Account #:

Phone #: 504-329-0428

Email: ahrogers@gmail.com

Date: 3/21/2017

Contact Name: A H RODGERS

Address: Lafayette Academy Charter School

2727 S Carrollton Ave, New Orleans, LA 70118

3rd Floor Tile Removal by Keeler

ASBESTOS

TAT SAME DAY									
Sample Number	Sample Date	PCM	Time on	Time off	Time	Flow	Liters	SAMPLE LOCATION	
1	3/15/2017	X	12:35 PM	2:35 PM	120	15	1,800	Outside Containment	Any outside Containment > 0.01 MUST BE SENT FOR TEM
2	3/15/2017	X	12:30 PM	2:30 PM	120	10	1,200	Containment 1	Background
3	3/15/2017	X	12:40 PM	2:40 PM	120	12	1,440	Containment 2	Background
4	3/16/2017	X	6:10 PM	11:59 PM	349	10	3,490	Outside Containment	Any outside Containment > 0.01 MUST BE SENT FOR TEM
5	3/16/2017	X	6:17 PM	11:59 PM	342	12	4,104	Containment 1	
6	3/16/2017	X	6:05 PM	11:59 PM	354	12	4,248	Containment 2	
7	3/16/2017	X	3:30 PM	11:30 PM	480	17	8,160	Outside Containment	Any outside Containment > 0.01 MUST BE SENT FOR TEM
8	3/16/2017	X	3:25 PM	11:25 PM	480	17	8,160	Containment 1	
9	3/16/2017	X	3:32 PM	11:32 PM	480	10	4,800	Containment 2	
10	3/20/2017	X	5:20 PM	8:58 PM	218	17	3,706	Outside Containment	Any outside Containment > 0.01 MUST BE SENT FOR TEM
11	3/20/2017	X	5:25 PM	8:59 PM	214	12	2,568	Containment 1	
12	3/20/2017	X	5:30 PM	9:00 PM	210	12	2,520	Containment 2	
13	3/20/2017	X						Trip Blank	

Released by: STONE A H RODGERS Date/Time: 3/20/2017

STONE

3/22/17

11:04 AM