Sears does not manufacture any products; they contract other manufacturers to build their Kenmore appliance line. The manufacturer can be determined by the model number prefix (the first 3-4 digits of the model number before a dot or space) listed in the chart below. *(example: 110.20622990 or 110 206229900)*

Model/Prefix	OEM	See Section
Ranges/Hoods		
103	Roper	Whirlpool
119	Frigidaire	Electrolux
233	Broan	Broan
362	GE	GE
364	GE	GE
628	Kelvinator	Electrolux
629	Jenn Air	Whirlpool
664	Whirlpool	Whirlpool
665	Whirlpool	Whirlpool
666	Kitchenaid	Whirlpool
747	Litton	Whirlpool
790	Frigidaire	Electrolux
911	Roper	GE
960	Caloric	Whirlpool
Refrigerators/ Freezers		
106	Whirlpool	Whirlpool
183	Haier	*cannot provide*
253	Gibson	Electrolux
363	GE	GE
596	Amana	Whirlpool
795	LG	*cannot provide*
935	Frigidaire	
940	Frigidaire	
970	Frigidaire	Electrolux
975	Maytag	Whirlpool
980	Frigidaire	
Laundry		
110	Whirlpool	Whirpool
417	Kelvinator	Electrolux
629	Jenn Air	Whirlpool
651	Speen Queen	Whirlpool
925	Maycor	Whirlpool
935	Frigidaire	
940	Frigidaire	
975	Maytag	Whirlpool
Dishwasher		
587	DM	Electrolux
363	GE	
665	Whirlpool	
Microwave		
401	Samsung	
564	Sanyo	
565	Sanyo	
566	Sanyo	
767	LG	

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: www.pdqsupplyinc.com • FB: facebook.com/pdqsupplyinc

WB16K10003
Burner, Double

burner head porting



WB16K10026
Burner, Double

burner head porting



Includes 2 round hex spacers

WB29K17
Burner, Double

burner head porting



74003332
Burner,
Double



burner head porting



slots

W10119798
Burner,
Double



burner head porting



slots

316039002
Burner, Front



burner head porting



CRESCENTS

316039003
Burner, Rear



Used on 30" ranges

5303131080
Burner, Front



burner head porting

CRESCENTS

5303131079
Burner, Rear



5303297990
Burner, Front



burner head porting



SLOTS

5303297991
Burner, Rear



Used on 20" & 24" ranges

MORE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

WB16K10043
Burner, Oven Kit
*Includes igniter **#WB13K21** & air shutter*



WB16K10061
Burner, Oven Kit
*Includes pilot & thermocouple **#WB19K10008***



Used with oven t-stat **#WB20K10013**

WB13K10003
Electrode,
Sealed Burner



WB1K10112
Clip *sold separately*

WB13K10014
Electrode,
Sealed Burner



WB13K18
Electrode,
Sealed Burner



WB1K56
Clip *sold separately*

3185804
Electrode,
Sealed Burner

71002724
Electrode,
Sealed Burner

316055800
Grate
6-1/2" dia.

5303009309
Grate, Cast Iron
7-1/2" dia.

Used with drip pan **#5308011431**

WB32X5110
Grate
6-5/8" diameter

2003X03000 *Economy*
2003X03100 *Heavy*
Grate
8-3/4" x 8-7/8"
1-1/2" height

WB31K10012
Grate
8-1/2" x 8-1/2"
1-1/4" height



8190014
NEW
Grate
8-5/8" x 18" • 1-7/8" height



Kit contains 2 pieces

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

5303211133
Harness, Dual Top Pilot
17" overall length



3202798
Shield, Pilot

5303211191
Cup, Pilot

5303285728
Harness,
Dual Top Pilot
16-1/4" overall length

5303285718
Shield, Top Pilot

98017582 *Front venturi (a)*
98017359 *Rear venturi (b)*
Harness
Tube, Venturi



1/4" tubing w/ a 1/4" cc nut & attached orifice

WB19K5
Harness, Dual Top Pilot
20" overall length
Has 1/4" sleeve

WB2K21
Cup, Pilot

WB1X1155
Bolt, Mounting

316001828
Harness, Wiring w/ Switches



Replaces #**316103601**
Has (1) .250" female terminal, (2) .250" female flag terminals and (1) quick disconnect with female push-in connections, (4) .340" spark switches

8189754
Harness, Wiring
Red & black wire



Used on 20" & 24", 4-burner spark ignition models
Has (2) .250" & (1) .110" female terminal
Has small “D" inserts (.256")

5304401265
Igniter, Oven Glow
8-1/2" lead wires
Round “Carborundum" type

Has stripped wire ends.

5303131300
Igniter,
Oven Glow
Flat type



Includes (2) wire nuts. Has (1) 15-3/4" lead to disconnect block and an additional 12" lead with a .187" female terminal. Has (1) 8" lead with a .250" female terminal.

5303935066
Igniter,
Oven Glow
18-1/4" lead wires
Flat type



Has stripped wire ends and (2) wire nuts.

WB2X9998
Igniter, Oven Glow
(factory i.d. #223C3381G005)
17" lead wires with stripped ends
Flat type



WB13K21
Igniter, Oven Glow
(factory i.d. #223C3381G001)
(factory i.d. #223C3381G003)
7" lead wires
Flat type



Has quick disconnect attached

WB2X9154
Igniter, Oven Glow
(factory i.d. #WB00X6640)
8-1/2" lead wires with stripped ends
Round "Carborundum" type

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

4342528
Igniter, Oven Glow
8-1/2" lead wires
(round "carborundum" type)

Has stripped wire ends

12400035
Kit, Oven Glow Igniter
8" lead wires
(flat type)



Includes: insulation, heat shield, wire nuts & wire extension
Also has quick disconnect attached with (2) female pin connections

74007498
Igniter, Oven Glow
(factory i.d. #223C3381G001)
7" lead wires
(flat type)



Has quick disconnect attached w/
(2) female pin connections

814269
Igniter, Oven Glow
18-1/4" lead wires
(flat type)



Has stripped wire ends
Includes (2) porcelain wire nuts

98005652
Igniter, Oven Glow
10" lead wires
(flat type)

3-1/2" of heavy duty fiberglass insulation



Has quick disconnect attached
with (2) male pin connections.

786324
Igniter, Oven Glow
13" lead wires
replaces #Y0309159

Has stripped wire ends
Includes (2) porcelain wire nuts

5303285781 *38" lead wire*
5308008368 *51" lead wire*
Igniter, Oven Spark



Has a .110" female terminal end

316081701 *.250" female terminal end*
316081705 *.110" female terminal end*
Igniter, Top
Burner Spark
50" lead wire

3016993
Strap, Spark

Spark strap *not* *included*

WB13K10023
Igniter, Top Burner Spark
46" lead wire



Spark strap included

Has a .187" female spade terminal

98014514 *25-3/4" lead wire*
W10209656 *30" lead wire*
W10209657 *20" lead wire*
Igniter,
Top Burner Spark

All have a .110" female terminal end

W10278150
Clip

8053717
Left rear • 24" lead wire
8053718
Left front • 36" lead wire
8053719
Right rear • 39" lead wire
8053720
Right front • 42" lead wire
Igniter, Top
Burner Spark

All have a .110" female terminal end



7432P02960
Igniter, Top
Burner Spark
59" lead wire

Has a .110" female spade terminal

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

316009008
Knob, Burner
5/8" shaft length
115˚ rotation
White line on hub

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .340

316102300
Knob, Thermostat
1/16" shaft length
355˚ rotation
White line on hub

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

Used on electric ignition models

316102304
Knob, Thermostat
1/2" shaft length
405˚ rotation
White line on hub

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .340

Used on electric ignition models

5308013898
Knob, Burner
1/2" extended shaft

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .340

Consider **#5308013889** as a lower cost option

5303131019
Knob, Thermostat
Flush shaft
Pilotless ignition

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

Used with flat type oven glow ignitor

5303131018
Knob, Thermostat
3/8" extended shaft
Standing pilot

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .340

5303323278
Knob, Burner
5/16" extended shaft

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .340

5303285724
Knob, Thermostat
Flush shaft

5303211140
Knob, Thermostat
1/2" shaft length
410˚ at 6:00
Orange line on hub

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .340

Used on standing pilot models

316102303
Knob, Thermostat
Flush shaft
355˚ at 6:00
Gray line on hub

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

Used on electric ignition models
Used with burner knob #**316009036** which is NLA

WB36K10126
Knob, Burner
5/16" extended shaft
140° rotation

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

WB3K10048
Knob, Thermostat
1/2" extended shaft
350˚ at 6:00

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

WB3K10061
Knob, Thermostat
1/2" extended shaft
405˚ at 6:00

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .340

WB3K10035
Knob, Burner
5/16" extended shaft
Plain knob - no graphics

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

WB3K10159
Knob, Thermostat
1/2" extended shaft
Approx. 450˚ at 6:00

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

Used on standing pilot ignition ranges with a thermocouple
Used with oven thermostat #**WB20K10003**

WB3K10037
Knob, Thermostat
1/2" extended shaft
Approx. 340˚ at 6:00

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

Used on electric ignition ranges

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

WB3K10034
Knob, Burner
5/16" extended shaft

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

WB3K10244
Knob, Thermostat
1/2" extended shaft
Approx. 450˚ at 6:00

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

Used on standing pilot ranges

WB3K10036
Knob, Thermostat
1/2" extended shaft
Approx. 450˚ at 6:00

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

Used on electric ignition ranges

WB3K23
Knob, Thermostat
1/2" extended shaft
Approx. 410˚ at 6:00

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .340

WB3K60
Knob, Thermostat
3/8" extended shaft
Approx. 350˚ at 6:00

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

Used on electric ignition ranges

4364479
Knob, Burner
Flush shaft
2" dia.

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

4364477
Knob, Thermostat
Flush shaft
2" dia.

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .340

74002353
Knob, Burner
3/8" extended shaft
(factory i.d. #5732 series)

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

74002352
Knob, Thermostat
Flush shaft
(factory i.d. #5732 series)



Used on electric ignition models

74002497
Knob, Burner
1/2" extended shaft

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

74010132
Knob, Thermostat
7/8" extended shaft

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .340

8273104
Knob, Burner
1/8" extended shaft
1-3/4" dia.

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

74003712
Knob, Switch
Flush shaft
2" dia.

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

74002444
Knob, Thermostat
Flush shaft
2-1/8" dia.

"D" POSITION WHEN KNOB IS VIEWED FROM BACK IN OFF POSITION. .256

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

5303912606
Module, Spark
(factory id #Y54052)
2+0

Has (4) .250" male terminals

5303200332
Module, Spark
(factory i.d. #6513)
(factory i.d. #977)
2+1

Has (6) .250" & (3) .110" male terminals

316135702
Module, Spark
(replacement for factory i.d. #001820200)
(factory i.d. #BK80044-51)
4+0



Has (2) .250" & (4) .110" male terminals
Includes (4) .110" female terminals, (1) screw and mounting bracket.

WB13K10017
Module, Spark
(factory i.d. #223C4319P001)
Snap-in mounting
2+0



Has (2) .250" and
(2) .187" male terminals

WB13K10018
Module, Spark
(factory i.d. #223C4319P002)
4+0

Has (2) .250" and
(4) .187" male terminals

WB20X107
Module, Spark
(factory i.d. #6520G0301, #320990)
2+0



Universal split terminal design suitable for .110", .187" & .250" push on wiring

WB20K5037
Module, Spark
(factory i.d. #223C3200P002)
(factory i.d. #6545)
Snap-in mounting
2+0

Has (2) .250" male terminals
& (2) .187" male terminals

WB13K10028
Module, Spark
(factory i.d. #223C4955P001)
2+0



Has (2) .250" and (2) .187" male terminals

WB13K10029
Module, Spark
(factory i.d. #223C4955P002)
4+0



Has (2) .250" and (4) .187" male terminals

6610341
Module, Spark
(factory i.d. #BF-50044.55)
(factory i.d. #EI-S4)
4+0

Has (2) .250" and (4) .110"
male terminals

WB20X10010
Module, Spark
(factory i.d.#6549)
2+1

Has (6) .250" and (3) .110"
male terminals

12001596
Module, Spark
(factory i.d. #U-67340-92)
(factory i.d. #7431P04460)
(factory i.d. #07740-055)
4 + 0



Includes bracket, screw and (4) .187" female terminals
Module has (2) .250" and (4) .187" male terminals

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

5303131115
Pan, Drip
8-1/4" diameter
Has 3 slots

Used with grate **#316055800**

Y07514500
Pan, Gas Drip
8-1/4" dia.
Has 3 slots

Used with grate
#07540300, & **#0310243**

WB19K10008
Assembly, Pilot & Thermocouple



WB19K10028
Pilot

WB19K10025
Thermocouple

Are also sold separately

WB2X8544
Pilot, Oven
Standing pilot/spark ignition
L.H. mounting



Replaces oven pilot **#WB2X8543**
Used w/ oven spark igniter **#WB21X5351**

316082900
Regulator, Pressure
(factory i.d. #4680G0002)
1/2" NPT inlet x 1/2" NPT outlet
4"/10" convertible
Set at 4" natural gas



Includes shut-off valve

WB19K10055 NEW
Regulator, Pressure
(factory i.d. #222D396G001)
1/2" NPT inlet x 3/8" NPT outlet
4"/10" convertible
Set at 4" natural gas



Has shut-off valve

WB21X5339
Regulator, Pressure
(factory i.d. #110918)
(factory i.d. #4670G0031)
1/2" NPT inlet x 1/2" NPT outlet
5"/10" convertible
Set at 5" natural gas

WB19K28
Regulator, Pressure
(factory i.d. #223C3259G1)
*1/2" NPT inlet x 3/8" **fine thread tubing outlet***
4"/10" convertible



WB19K10001
Regulator, Pressure
(factory i.d. #223C3259G3)
1/2" NPT inlet x 3/8" c.c. tubing outlet
4"/10" convertible



316233902 NEW
Sensor, Oven Probe
Probe: 3-1/4" from tip to bracket
Lead wires: 2-1/2" with quick disconnect



8053344 NEW
Sensor, Oven
Probe: 6" from tip to bracket
Lead wires: 7" with quick disconnect



W10131825 NEW
Sensor, Oven
Probe: 2-7/8" from tip to bracket
Lead wires: 3" with quick disconnect

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

316032001
Switch,
Burner Spark *(top)*
(factory i.d. 25070-14)
108° make

Has standard “D" insert (.340")
Has 4 “cups” on the underside

5303285785
Switch,
Burner Spark *(top)*



Has standard “D" insert (.340")

WB24K16
Switch,
Burner Spark *(top)*
Dark Green insert
Small .256" dia. “D” insert



Used with
burner valve **#WB21K19**

WB24K1 *Light Purple insert*
WB24X412 *Dark Green insert*
WB21X5341 *Light Red insert*
Switch,
Burner Spark *(top)*
Standard .340" dia. “D” insert



WB24K30
Switch,
Burner Spark *(top)*
(factory i.d. #25800-0)
Small .256" dia. “D” insert



Used with burner valve **#WB21K39**

WB24K10002
Switch,
Burner Spark *(top)*
Small .256" dia. “D” insert

Individual switch used with burner
valve: **#WB31K38, #WB21K39,**
#WB21K10009,#WB21K10050

WB24K10002KIT
Assembly, Burner
Spark Switch *(top)*

Has attached plug-in disconnect

4157180
Switch, Top
Burner Spark



Has standard “D" insert (.340")

74007096
Switch, Top
Burner Spark
(factory i.d. #25600-3)
(factory i.d. #7403P39160)
(factory i.d. #25600-5)
(factory i.d. #7403P72260)

Push-in wire connections
Has a small “D" insert (.256")

5303285786
Switch, Oven Spark



Has standard “D" insert (.340")

5308008371
Switch, Oven Spark



Has standard “D" insert (.340")

316032411
Thermostat, Oven
(factory i.d. #275-3100-04)
(factory i.d. #275-3425-00)
(factory i.d. #275-3550-00)
Pilotless ignition
120V • 2 wire

Used with flat type oven glow ignitor

5303285726
Thermostat, Oven
(factory i.d. #5362G0013)
3 outlets • 1-1/4" shaft length
Standard pilot
Bolt thru mount

Bolts go through the manifold pipe and thread directly into thermostat



Bolts - **#601782E01**
Flange Nipple - None

New Style - with full cycling on-off broil

5303935014
Thermostat, Oven
(factory i.d. #5392G0021)
2 outlets • 1-1/4” shaft length
Standard pilot
Bolt thru mount

Bolts go through the manifold pipe and thread directly into thermostat



Bolts - **#601782E01**
Flange Nipple - None

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

WB20K2
Thermostat, Oven
(factory i.d. #205C1279G001)
(factory i.d. #5392G0012)
2 outlets • 13/16" shaft length
Standing pilot
Bolt thru mount

Bolts go thru the manifold pipe and thread directly into thermostat

Bolts - **#318478**
Flange Nipple - None

WB20K8
Thermostat, Oven
(factory i.d. #183D5463P001)
(factory i.d. #6460G0003)
2 terminals
120V, 5 amp, 2-wire

WB20K5
Thermostat, Oven
(factory i.d. #164D2536P001)
(factory i.d. #6440G0008)
2 terminals • 7/8" shaft length
120V, 5 amp, 2-wire

Used with knob **#WB3K19**
Used with oven glow ignitor on gas ranges

WB21X471
Kit, Oven Thermostat
(factory i.d. #5392G3001, 5392G3002, 5392G3004, 5392G3005, 5392G0019)
(factory i.d. #THS09)
2 outlets • 1-15/16" breaak-off shafts
Standing pilot
Bolt thru mount

Bolts go thru the manifold pipe and thread directly into thermostat

Has inverted flare main gas outlet

Bolts - **#318478**
Flange Nipple - None

R0711030
Kit, Oven Thermostat
(factory i.d. #5362G0002)
3 outlets • 15/16" shaft length
Standing pilot
Bolt thru mount

Bolts go thru the manifold pipe and thread directly into thermostat



Top pilot fitting

Bolts - **#4364167**
Flange Nipple - None
Includes top pilot adjustment fitting

98003984
Thermostat, Oven
(factory i.d. #6440G0018)
2 wire, 5 amp, 120VAC
7/8" shaft length

Used on glow ignition models

74009917
Thermostat, Oven
(factory i.d. #MTPP22300)
(factory i.d. #7515P04760)
3 Outlets • 1" shaft length
Millivolt
Standing pilot
Bolt thru mount
Mercury free

Bolts go thru the manifold pipe and thread directly into thermostat



Brass body

Used with thermostat knob #**74010132**
Used with thermocouple/pilot assembly #**74010141**

12400034
Thermostat, Oven
(factory i.d. #275-3106-00)
(factory i.d. #275-3140-05)
120V • 2 wire
7/8" shaft length
9:00 flat on shaft

Bolts - **#4364167**
Flange Nipple - None
Used on glow ignition ranges

4364125
Thermostat, Oven
(factory i.d. #5362G0016)
3 outlets • 1-1/8" shaft length
Standing pilot
Bolt thru mount

Bolts go thru the manifold pipe and thread directly into thermostat

Bolts - **#4364167**
Flange Nipple - None

4364166
Thermostat, Oven
(factory i.d. #5396G0020)
2 outlets • 1" shaft length
Spark ignition
Bolt thru mount

Bolts go through the manifold pipe and thread directly into thermostat

Bolts - **#4364167**
Flange Nipple - None
Used with spark switch **#1197**

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

5303285727
Valve, Burner
90° shaft rotation
Square bolt thru mount



Bolt & gasket **#7685**

5303935128
Valve, Burner (Brass)
115° shaft rotation
Round bolt thru mount
Linear flow type



Used on 30" models only
Bolt & gasket **#316048200**

WB21K4
Valve, Burner
(factory i.d. #205C1901G001)
106° shaft rotation
Square bolt thru mount
1/4" c.c. tubing outlet



WB21K19
Valve, Mini Burner
(factory i.d. #205C2033G010)
106° shaft rotation
Square bolt thru mount
1/4" c.c. tubing outlet



Bolt & gasket - **#WB1K83**
Used with spark switch **#WB24K16**

WB21K20
Valve, Mini Burner
(factory i.d. #223C3369G002)
(factory i.d. #223C3723G002)
270° shaft rotation
Square bolt thru mount
1/4" c.c. tubing outlet



Bolt & gasket **#WB1K83**
Used with spark switch **#WB24K10003**

WB21K38
Valve, Mini Burner
(factory i.d. #223C3301G001)
(factory i.d. #223C3724G001)
140° shaft rotation
Square bolt thru mount
1/4" c.c. tubing outlet



Bolt & gasket - **#WB1K83**
Used with spark switch **#WB24K10002**

WB21K39
Valve, Mini Brass Burner
(factory i.d. #223C3365G001)
140° shaft rotation
Round bolt thru mount
1/4" c.c. tubing outlet



Bolt & gasket - **#WB1K83**
Used with spark switch
#WB24K10002 or **#WB24K30**

WB21K10050
Valve, Mini Brass Burner
(factory i.d. #223C3708G001)
(factory i.d. #4306P001)
140° shaft rotation
Round bolt thru mount
1/4" c.c. tubing outlet



Used with spark switch **#WB24K10017**

WB21X467
Valve, Burner
(factory i.d. #332001)
106° shaft rotation
Square bolt thru mount



Bolt & gasket - **#180022E01**

4364162
Valve, Burner (Mini)
115˚ shaft rotation
Square bolt thru mount



Bolt & gasket **#4364173**
Used with burner knob **#4364129**

98005574
Valve, Mini Burner
270° shaft rotation
Round bolt thru mount



Uses burner knob **#98006104**

Y07596101
Valve, Burner
Stem flat down
90˚ shaft rotation
Square bolt thru mount



Bolt & gasket **#4331097**

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

3203459
Valve, Safety
3.03-3.3 VAC
3.3-3.6 amp



Used with flat glow ignitor **#5303131300**

5308009419
Valve, Safety
3.03-3.3 VAC
3.3-3.6 amp



Compression Nut **#5308007983**
Used with flat glow ignitor **#5303935066**

5303280593
Valve, Safety
(factory i.d. #5817H0090)
3/8" inlet



WB19K12
Valve, Safety
(factory i.d.#164D2575G001)
3/8" inlet



WB19K31
Valve, Safety
(factory i.d.#183D5746G001)
3.03-3.3 VAC
3.3-3.6 amp



Used with oven ignitor **#WB13K21**

WB21X10096
Valve, Safety
3.3 VAC
3.6 amp



WB21X474
Valve, Safety
(factory i.d.#321795)
(factory i.d.#5817H0057)
3/8" inverted flare inlet



4157094
Valve, Safety
(factory i.d. #5817H0003, #74545-00)
3/8" inlet



98014893
Valve, Safety
3.03-3.3 VAC
3.3-3.6 amp



98014016
Valve, Safety
3.03-3.3 VAC
3.3-3.6 amp



All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

5303935058

Block, Terminal "Universal"

6" lead wires



Kit includes: terminal block with heat shrink, wire nuts and 2 styles of top mounting clips.

WB2X8228 Amp Style

Block, Terminal

25" lead wires

1-1/8" wide block

Has (2) .250" crimped female terminal ends

WB17X210 Molex Style

Block, Terminal

67" lead wires

1-1/16" wide block

Has (2) .250" crimped female flag terminal ends

318255002

Element, Bake

2250/3000 Watts

240/208 Volts

.250", (90°) male terminal push-in connection



5303051519

Element, Bake

2400/1800 Watts

240/208 Volts

.250", (90°) male terminal push-in connection



WB44K10019

Element, Bake

2000 watts

240 volts

.250" male terminal push-in connection



WB44K5012

Element, Bake

2850/2130 watts

240/208 volts

.250" male terminal push-in connection



Used on 30" models

WB44T10010

Element, Bake

2585 watts

240 volts

.250" male terminal push-in connection



WB44X5082

Element, Bake

2585/1940 watts

250/208 volts

screw-in connection



WB44X5094

Element, Bake

2000/1500 watts

240/208 volts

.250" male terminal push-in connection



WB44X5099

Element, Bake

2585/1940 watts

250/208 volts

screw-in connection



WB44X10009
Element, Bake
2585/1940 watts
240/208 volts



.250" male terminal push-in connection

WB44X10027
Element, Broil
2300 watts
240 volts

.250" male terminal push-in connection



308180
Element, Bake
2600/1950 Watts
240/208 Volts



.250" male terminal push-in connection

74010750
Element, Bake
2585/1930 Watts
240/208 Volts



.250" male terminal push-in connection

NEW

318178110
Element, Radiant Heating
6-1/2"
1200W, 240V



For glass cooktops and freestanding ranges

NEW

WB30T10047
Element, Radiant Heating
7"
1500W



For glass cooktops and freestanding ranges

NEW

WB30T10132
WB30T10045
Element, Radiant Heating
8-1/2"
2000W, 240V



For glass cooktops and freestanding ranges

NEW

WB30T10044
Element, Radiant Heating
10"
2500W, 240V



For glass cooktops and freestanding ranges

NEW

8273994 *6-1/2", 1200W, 240V*
W10242957 *8-1/2", 2000W, 240V*
8273992 *10", 2500W, 240V*
Element, Radiant Heating



For glass cooktops and freestanding ranges

316439800
6" - 3 Turn
940W@208V • 1250W@240V (shown)

316442300
8" - 4 Turn
1580W@208V • 2100W@240V

Element, Surface

Delta Base

MORE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

316439801
6" - 3 Turn
1125W@208V • 1500W@240V

5301314976
8" - 4 Turn
1580W@208V • 2100W@240V (shown)

Element, Surface

"Y" Base

WB30K10002
Element, Surface
940W@208V • 1250W@240V
6" - 3 turns

Plug in type

WB30K10003
Element, Surface
1580W@208V • 2100W@240V
8" - 4 turns



WB30M1
Element, Surface
1000W@208V • 1325W@240V
6" - 5 turns



Plug in type

WB30M2
Element, Surface
1765W@208V • 2350W@240V
8" - 6 turns



Y04100165 *6" - 4 turn*
1125W@208V • 1500W@240V

Y04100166 *8" - 5 turn*
1580W@208V • 2600W @240V

Element, Surface



Delta base

5303051028
Knob, Infinite
Flush shaft

5303051030
Knob, Thermostat
Flush shaft



5303285939
Knob, Infinite
Flush shaft

5303285940
Knob, Thermostat
Flush shaft



316102307
Knob, Infinite
Flush shaft
White line on hub

5303210272
Knob, Thermostat
Flush shaft
Orange line on hub

316123304
Knob, Infinite
1/2" extended shaft

316123306
Knob, Thermostat
1/2" extended shaft



WB3T10207
Knob, Infinite
2" dia.

WB3K10154
Knob, Thermostat
7 o'clock flat "D" position
Approx. 340˚ at 6 o'clock
2-1/2" dia.

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

WB3K10201
Knob, Infinite
2" dia

WB3K10202
Knob, Thermostat
10 o'clock flat "D" position
Approx. 340˚ at 6 o'clock
2-1/2" dia

WB3T10076
Knob, Infinite
2" dia

WB3X10029
Knob, Thermostat
Approx. 340˚ at 6 o'clock
2-7/8" dia

WB3K10084
Knob, Infinite

WB3K10088
Knob, Thermostat



WB3X10276
Knob, Infinite

WB3X10277
Knob, Thermostat



WB3X10030
Knob, Infinite
2" dia

WB3T10072
Knob, Infinite
2" dia

WB3K10185
Knob, Thermostat
2-7/8" dia

4179304
Knob, Infinite
2-1/4" dia.

4179305
Knob, Thermostat
2-1/4" dia.

WB25T10040
Light, Indicator
1/3 watt • 250V

Has (2) .187" male terminals

WB2X7966
Light, Indicator
Red lens included

Has 12" lead wires with
(2) .250" male - female piggy back terminals

WB2X1608
Light, Indicator

Has 8" lead wires w/ stripped ends

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

5303280336 6" Pan, Drip
5303013588 8" Pan, Drip



316048414 6" Pan, Drip
316048413 8" Pan, Drip



5303935057 6" Pan, Drip
5303935054 8" Pan, Drip



WB32X10012 6"
WB32X10013 8"
Pan, Drip

WB31K5024 6" Pan, Drip
WB31K5025 8" Pan, Drip



Has small holes

WB31T10010 6" Pan, Drip
WB31T10011 8" Pan, Drip



Has small holes

W10196406RW 6"
W10196405RW 8"
Pan, Drip

Has large hole

WB31X5013 6"
WB31X5014 8"
Ring, Trim

WB21X10091
Switch, Infinite
(factory i.d. #50.57079.055)
13 amp, 240V, Push-to-Turn style

Spring clip on shaft

Voltage sensing type
Used on 20"-24" models
Used w/ infinite knob #**WB3K10084**

WB21X5243
Switch, Infinite Kit
(replaces factory i.d. #INF240PX1190)
(factory i.d. #INF240PX1002)
6" or 8", 13 amp, 240V
Push-to-Turn style
New UL double line break specifications



Voltage sensing type
New Invensys/Robertshaw replacement kit for various voltage sensing type infinite switches.

WB23K10002
(factory i.d. #NL811531)
(fact. i.d. #191D3980P001)
Used with 6" elements
5.4-7.0 amp, 240V

WB23K10003
(factory i.d. #NL812657)
(fact. i.d. #191D3980P002)
Used with 8" elements
8.9-11.0 amp, 240V

Switch, Infinite

Current sensing type

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

WB21X5348
(replaces factory i.d. #NL831473)
(factory i.d. #QE214339)
Used with 6" elements
5.2-6.25 amp, 240V
1250-1500W

Switch, Infinite

WB21X5349
(replaces factory i.d. #NL832458)
(factory i.d. #QE214340)
Used with 8" elements
8.8-10.8 amp, 240V
2100-2600W

Current sensing type

74002328
(factory i.d. #KS811436)
5.2-6.6 amps
used with 6" elements

Switch, Infinite

W10179654
(factory i.d. #KS812633)
(factory i.d. #NL812672)
8.9-11.0 amps
used with 8" elements

Current sensing type

316032408

Thermostat, Oven
(factory i.d. #275-3423-00)
125/250V, 26 amp

5 Terminals

316114600

Thermostat, Oven
(factory i.d. #EA5TB-459-18)
277V, 30 amp



5 terminals
Uses thermostat knob **#316102302**

316215900
(factory i.d. #275-3458-00)

316215901
(factory i.d. #275-3450-00)

Thermostat, Oven
125/250V, 25 amp

7 terminals

5303285955

Thermostat, Oven
(factory i.d. #6703G0007)
17 amp bake 15 amp broil
120-240 VAC
variable broil
without preheat



4 Terminals

WB21X10092

Thermostat, Oven
(factory i.d. #55.17062.160)
16 amps, 400 VAC

2 terminals
Used on 20"-24" models
Used with knob #**WB3K10088**

WB20K10004

Thermostat, Oven
(factory i.d. #EA5F-488-28)
(factory i.d. #183D6382P001)
30 amps, 240 VAC

Has (6) .250" male terminals

74005019

Thermostat, Oven
(factory i.d. #ER/27, 275-5014-00)
125/250V, 15 amp



8 terminals

74003267

Thermostat, Oven
(factory i.d. #ER/27, 275-3375-00)
125/250V, 25 amp



5 terminals

74009277

Thermostat, Oven
(factory i.d. #ER/27, 275-3451-00)
125/250V, 25 amp



7 terminals
Uses thermostat knob **#74003280**

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

40A15
Bulb, Appliance
40 Watt, 130 Volt

3934057
Bracket, Anti-Tip

WB2K10254
Kit, Anti-Tip
7-3/8" x 3-3/4"

3801F65651
Bracket, Anti-Tip
5-1/2" x 4-1/4"

NEW
W10312659
Control, Clock

3202801 *Left*
3202802 *Right*
Endcap, Backguard

Left *Right*



11" overall height

5303285854 *Left (shown)*
5303285855 *Right*
Endcap, Backguard
Used on 20" gas models
Black finish

High temperature resistant nylon

3007
Rivet

WB7K380 *Right*
WB7K381 *Left*
Endcap, Backguard
14-1/8" overall height
Black finish

Left *Right*

WB7K11 *Right*
WB7K12 *Left*
Endcap, Backguard
8-7/16" overall height
Black finish

Left *Right*

WB7X10034
Endcap, Door Handle
Black finish

Used with handle **#WB15X10003**

NEW
WB2X8391
8-3/4" x 10-1/2" x 3/32"
WB6X486
9" x 7-3/4" x 3/32"
Filter, Grease

NEW
WB2X10700
Filter, Microwave/Hood
10-1/2" x 8-15/16" x 3/32"

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE
All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.
PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: www.pdqsupplyinc.com • FB: facebook.com/pdqsupplyinc

316239700 *Profile A*

5303202011 *Profile B*

Gasket, Oven Door
"Formed U-Shaped"
51" overall length

Has 12 stationary mounting clips
Used on 30" ranges



5303051069 *A= 14-1/4"*
used on 21" ranges

5308008022 *A= 21-1/4"*
used on 30" ranges

5308013916 *A= 17-1/4"*
used on 24" & 36" ranges

Gasket, Oven Door
"Formed U-Shaped"



All gaskets include 4 factory installed retaining clips

WB2X5103
44-1/2" overall length (A)

WB2X2058
43-1/2" overall length (B)

WB2X1522
64-1/2" overall length (B)

Gasket, Oven Door
Formed U-Shaped



WB4K10019
40" overall length
Used on 20" ranges
Has 10 stationary mounting clips

WB32K3
54" overall length
Used on 30" ranges
Has 16 stationary mounting clips

Gasket, Oven Door
Formed U-Shaped

WB2X10887
Gasket, Oven Door
Formed One Piece
Approx. 18" wide x 14" high

Has (4) fixed clips
located one at each corner

WB2X7891
13-3/8" overall length, door side

WB2X7892
14-5/8" overall length, door top

Gasket, Oven Door
"Stretch Seals"

Used on 20" gas & electric ovens

WB4K1
Gasket, Oven Door
74" overall length

Hollow fiberglass rope gasket
Used on self cleaning ovens

7212P04360
Gasket, Oven Door
"Formed - U-Shaped"
Includes 12 retaining clips
53" overall length





4364084
15-3/4" overall length
Used as top gasket on 20" ranges
Used as side gasket on 30" ranges

4364083
21-3/4" overall length
Used on newer style 30" ranges

7212P01560
13-5/8" overall length
Used as top gasket

Y0056494
15-3/4" overall length
Used as top gasket

Y07623602
21-3/4" overall length
Used as top gasket
on 30" older ranges

Y07623603
13-3/4" overall length
Used as side gasket on
20", 24", 30" & 36" ranges

Gasket, Oven Door "Stretch Seals"

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

316456901
Handle, Oven Door
Metal - white finish
27-1/4" overall length - 26-1/2" on center mounting holes

Uses spacer **#316008401** & screw **#5303280308**

WB15X10003
Handle, Oven Door
21" overall length
Black finish

Uses handle endcap **#WB7X10034**

WB15K1
Handle, Oven/Broiler Door
29" overall length
18" & 22-7/8" on center holes
Chrome finish

98006180 *(black)*
98006181 *(white)*
Handle, Oven Door
28" overall length



98004650
Nut, Push

Push nut required for mounting

316566202 *Right (shown)*
316566203 *Left*
Hinge, Oven Door



Spring included

5303204670 *Right*
5303204672 *Left (shown)*
Hinge, Oven Door

WB10X236
Hinge, Oven Door



Spring included

98006897
Hinge, Oven Door

Interchangeable left or right

4364072
Hinge, Oven Door

Used on 30" ranges with plain door
Used on 24" ranges with window in door

4364472
Hinge, Oven Door

Lift-off style
Used on 24" ranges with plain solid door

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

316081900
Pan, Broiler only
12-3/4" wide x 16-1/2" deep - porcelain

316082000
Grid, Broiler only
12-3/4" wide x 15-1/4" deep - porcelain

Used on 30" self clean models

Pan & grid are sold separately

WB48X10056
Pan & Grid, Combo Broiler
Pan: 12-1/2" W x 17" D
Grid: 12-5/8" W x 15-5/16" D

WB48K10015
Pan, Broiler
8-3/8" W x 13-1/2" D

WB48K10016
Grid, Broiler
8-5/8" W x 12-3/4" D

Pan & grid are sold separately

316067902
Rack, Oven
22-13/16" wide x 16-1/8" deep



Raised humps on each end

5303285927
Rack, Oven
15-3/4" wide x 15-3/4" deep

WB48K5019
WB48T10095 NEW
Rack, Oven
23-3/4" W x 17-1/2" D



Used on 30" ranges

WB48M4
Rack, Oven
22-3/8" W x 16-1/4" D



Used on 30" ranges

WB48X5099
Rack, Oven
22-7/8" W x 16" D



Used on 30" models

W10282492
Rack, Oven
22-7/8" wide x 16-3/8" deep



Used on 30" ranges

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

NOTE ABOUT DOOR BARS

The factory approved replacement part may differ slightly in appearance, length or color to the original. If necessary, cut to the appropriate length using the original part as a pattern and smooth any rough edges.

The endcaps listed in this section reflect some common matches. If you are still uncertain as to which endcap you need, please order by model number to insure that you receive the correct endcap for your application.

215516220
Bar, Door
29" x 2-1/8"



White

215806335
26-1/4" x 1-1/8"
5303285049
26-1/4" x 1-1/8"
5303300237
24" x 1-1/8"
Bar, Door

Fits endcap numbers:
5304402658 (R), 5304402659 (L), 3206165 (R), 3206166 (L), 5317722101 (R), 5317722201 (L)

White

215366002
30-3/4" x 1-11/16"
215366074
26-3/16" x 1-11/16"
218027022
23-13/16" x 1-11/16"
Bar, Door



Fits endcap numbers:
215267701 (R/L), 215473602 (R/L), 3206150 (R), 503324302 (L), 5304402687 (R), 5304402688 (L), 5303206516 (R), 5303206517 (L), 5317689101 (R), 5317689201 (L)

White

5303281481
Bar, Door
24-9/16" x 1-5/8"

Fits endcap numbers:
5303207230 (R), 303207229 (L)

White

240331401
20-1/4" x 1-3/4"
240331404
19-1/8" x 1-3/4"
240331402
18"x 1-3/4"
240331407
9" x 1-3/4"
Bar, Door

Fits endcap numbers:
240311502 (R), 240311501 (L), 240331502 (R), 240331501 (L)

White

240535001
A: 20-7/8" B: 4-1/2"
240535101
A: 23-1/4" B: 4-3/4"
240535201
A: 23-1/4" B: 6"(shown)
Bar, Door

240534701
A: 24-3/4" B: 5-3/4"
240534801
A: 22-5/8" B: 4-3/4"
240534901
A: 24-3/4" B: 4-5/8"
240535301
A: 13-5/8" B: 4-5/8"



WR71X2166
Bar, Door
24" x 1-7/16"

Fits R/L endcap #**WR2X8221**

WR17X3867
Bar, Door
17" x 1-3/8"
PVC plastic

Fits R/L endcap #**WR2X9273**

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

WR17X2296* *22-7/8" x 1-3/8"*
WR17X3942* *20-5/8" x 1-3/8"*
WR17X3692* *20-9/16" x 1-3/8"*
WR17X10667 *20-5/8" x 1-3/8"*
WR17X3881* *20-3/8" x 1-3/8"*
WR17X10685 *20-3/8" x 1-3/8"*

Bar, Door

*Uses R/L endcap **#WR2X9162**

WR71X10281 *21-9/16" x 2-1/4"*
WR71X10282 *9-3/4" x 2-1/4"*

Bar, Door

Fits endcap number:
WR2X10789 (R), **WR2X10790** (L)

WR71X2194 *25-7/8" x 2-1/8"*
WR71X2502 *23" x 2-1/8"*
WR71X10731 *29-1/8" x 2-1/8"*

Bar, Door

Fits R/L endcap **#WR2X7975**

WR17X10846* *21-1/4" x 2"*
WR17X10670 *20-3/4" x 2" Has gray stripe*
WR17X3691 *20-3/4" x 2"*
WR17X3880** *21-1/4" x 2"*
WR17X11774* *21-3/8" x 2"*
WR71X10077** *24-1/2" x 2"*
WR71X10080** *22-5/8" x 2"*
WR71X10081** *21-15/16" x 2"*

Bar, Door

*Uses R/L endcap **#WR2X9144**
Uses R/L endcap **#WR2X9144 & WR2X8345

WR17X11889

Bar, Door



White with blue stripe

WR17X11890

Bar, Door



White with blue stripe

70111108

Bar, Door

26-1/2" x 1-5/8"
White

2266727 *22-1/8" x 1" White*
W10234242 *13-1/4" x 1" White*

Bar, Door

61001962 *20-7/8" x 1-9/16", White*
61001964 *21-5/8" x 1-9/16" White*
61001965 *21" x 1-9/16" White*
61002400 *23-3/8" x 1-9/16" White*

Bar, Door



These bars have 1 of each cutout on each end

61002398 *22-7/16" x 1-9/16" White*
61001963 *20-1/8" x 1-9/16" White*
61002399 *23-7/8" x 1-9/16" White*

Bar, Door

MORE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

1120826 *Chrome*
27-1/2" x 1-3/4" Ends: E,F

2151345 *White*
22-7/16" x 1-3/4" Ends: D

2195943 *White*
12-15/16" x 1-3/4" Ends: D

2195946 *White*
21-5/8" x 1-3/4" Ends: D

2195949 *White*
23-3/16" x 1-3/4", Ends: D

Bar, Door



Fits endcap
#2156006 (R/L)

1104199 *Gold*
25-5/8" x 1", Ends: B,C

2151347 *White*
22-7/16" x 1", Ends: B,C

2163629 *White*
21-13/16" x 1", Ends: A

2180027 *White*
13-1/8" x 1", Ends: A

2201050 *White*
21-5/8" x 1", Ends: A

2201051 *White*
23-3/8" x 1", Ends: A

2201061 *White*
26-1/2" x 1", Ends: A

Bar, Door



240338101
Bar/Bin, Door
White



61005405
Bar/Bin, Door
24-1/4" long x 3-3/4" high
White

240383801
Bar/Bin, Door
White



5308000010
Blade, Evaporator Fan Motor
Clockwise rotation
3-7/8" dia. blade
Red



Used with evaporator motor
#5300158289 & **#241854301**

WR60X114
Blade, Evaporator Fan
Counter clockwise rotation
4-1/2" dia., white



WR60X10204
Blade, Evaporator Fan
Counter clockwise rotation
4-1/2" dia., black

2169142
Blade, Evaporator Fan
4" diameter
CCW rotation



Used with evaporator motor **#W10189703**

WR55X10397
Board, Adaptive Defrost
(factory i.d. #197D1240G005)
4-1/4" x 2-1/2"



218909913
(factory i.d. #NSK87442)
(factory i.d. #NSK89990)
(factory i.d. #SM220150)

5304464438
(factory i.d. #NSK810211)
Capacitor, Run
220 VAC, 15µF

Has (2) .187" male terminals

61005988MA
Control, Adaptive Defrost
(factory i.d. #78245.001)
(factory i.d. #78247.001)

Includes plastic enclosure
for moisture protection

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

5304410440
Control, Cold
(factory i.d. #162205-37)
(factory i.d. #3ART5VG46)
24" capillary

5303305486
(factory i.d. #RC32-1549)
(factory i.d. #162205-21)
12" capillary

5304404319
(factory i.d. #RC32-1573B)
(factory i.d. #197577-35)
24" capillary
Control, Cold

5304404821
Control, Cold
(factory i.d.#162205-33)
(factory i.d. #RC32-1561M)
(factory i.d. #3ART15VG41)
20" capillary

WR9X491
Control, Cold
(factory i.d. #3ART5VC131)
(factory i.d. #3ART5VC163)
19" capillary

WR9X355
Control, Cold
(factory i.d. #3ART5VC96)
18" capillary

WR9X547
(factory i.d. #3ART5VC137)
(factory i.d. #3ART5VC163)
19" capillary

WR9X10027
(factory i.d. #3ART5VC146)
(factory i.d. #3ART5VC171)
15" capillary
Control, Cold

WR9X10011
Control, Cold
(factory i.d. #3ART5VC144)
(factory i.d. #3ART5VC171)
15" capillary

819470
Kit, Cold Control
(factory i.d. #3ART5LP5)
27" capillary



Includes capillary barrier

61005789
Control, Cold
(factory i.d. #3ART5C212)



Includes plastic
capillary barrier

218314101
Crispers
Cover, Crisper
23-7/16" wide x 16-5/8" deep

242120501
Crispers
Cover, Crisper
23-3/4" wide x 18-3/4" deep

Used with
(2) **#240364501** or
(1) **#240397701** crisper pan(s)

WR32X10457
Crispers
Cover, Crisper
24-3/4" W x 18-1/2" D

Used with crisper pan **#WR32X10477**

WR32X10398
Crispers
Cover, Crisper
24-1/2" W x 18-3/4" D

MORE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

9791600
Crispers
Cover, Crisper
23" wide x 19-1/4" deep

Uses:
crisper pan **#2164186**, support **#9791824,** & post **#836410** *(NLA)*

5303207340
Crispers
Cover, Crisper
25-13/16" wide x 19-1/4" deep



5303281398
Insert, Glass Crisper
24-5/8" wide x 12-3/4" deep

Used with (2) crisper pans **#3206438**
and with (2) crisper fronts **#5303304709**

240364713
Crispers
Cover, Crisper
23-3/8" wide x 19" deep



Has humidity control

WR32X10537
Crispers
Cover, Pan
24-3/4" W x 18" D



Used with pan **#WR32X10181**

WR17X11662
Crispers
Cover, Vegetable Pan
24-5/8" W x 18-1/2" D
White

WR32X10340
Crispers
Pan, Vegetable Twin
11-3/8" W x 14-1/2" deep x 6-1/2" H
Clear

These parts are not sold as a set.
please order each part separately.

These parts are not sold as a set
Please order each part separately

218314101
Crispers
Cover, Crisper
23-7/16" wide x 16-5/8" deep

5303285386
Pan, Crisper
22-1/2" wide x 13" deep x
7-3/4" high

2192009
Crispers
Pan, Crisper
22-1/2" wide x
14-1/2" deep x 7-1/2" high

9790377
Crispers
Pan, Crisper
23-1/4" wide x
15-1/8" deep x 7-1/2" high

9791659
Crispers
Cover,
Crisper "Glass"
23-7/8" wide x 16" deep

9791824
Support, Crisper

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

240364501
Crispers

Pan, Crisper

10-5/8" wide x 15" deep x 7" high

Used with crisper cover **#240364706**

240364503
Crispers

Pan, Crisper

11-3/8" wide x 15-1/8" deep x 7-5/8" high
Clear

Used with crisper cover **#240364722**

2164186
Crispers

Pan, Crisper

11" wide x 14-3/4" deep x 7-1/2" high

Uses crisper cover **#9791600**
Uses support **#9791824**
Uses support post **#836410** *(NLA)*

2218123
Crispers

Pan, Crisper

10-7/8" wide x 18-1/2" deep x 8-1/2" high
Clear

Uses cover **#2314548**
Uses glass insert **#2221693**
Uses track **#2163835**

2218141
Crispers

Pan, Crisper

13-1/4" wide x 18-1/2" x deep x 8-1/2" high
Clear

Has humidity control

WR32X1455
Crispers

Pan, Crisper

11-3/8" wide x 14-1/2" deep x 6-1/4" high

Used with crisper cover **#WR32X1094**

240337701
Door/Cover, Dairy

White



240337712
Door/Cover, Dairy

Clear

WR22X487
Door/Cover, Dairy



WR2X8462
Duct, Foam

Styrofoam



Has foil on back side

WR2X10701
Duct, Foam

Styrofoam

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

5304402659
Endcap, Door Bar
Left



5304402658
Endcap, Door Bar
Right



3206166
Endcap, Door Bar
Left



3206165
Endcap, Door Bar
Right

5304402688
Endcap, Door Bar
Left



5304402687
Endcap, Door Bar
Right



5303324302
Endcap, Door Bar
Left



3206150
Endcap, Door Bar
Right

5303207229
Endcap, Door Bar
Left



5303207230
Endcap, Door Bar
Right



CURRENT PRICING CAN BE FOUND ON OUR WEBSITE
All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.
PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: www.pdqsupplyinc.com • FB: facebook.com/pdqsupplyinc

218809701
Endcap,
Door Bar
Left



218809801
Endcap,
Door Bar
Right



215267701
Endcap, Door Bar
Left/Right



215473602
Endcap, Door Bar
Left/Right



WR2X7674
Endcap,
Door Bar
White



WR2X7975
Endcap,
Door Bar
White



WR2X8345
Endcap,
Door Bar
White



WR2X8221
Endcap, Door Bar
White



2156003 *A = 4", B = 1-1/4", C = 1-3/4" (tab = 1-3/4")*
2195915 *A = 5", B = 2", C = 2-3/8" (tab = 1-1/2")*
Endcap, Door Bar



MORE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

2195916K
Endcap, Door Bar



2196100
Endcap, Door Bar



4388286
Endcap, Door Bar



2191880
Endcap, Handle
plastic - black finish

Uses screw **#488920**, shim **#943187**

2191881
Endcap, Handle
plastic - black finish



Uses screw **#488920**, spacer **#943188**

2191883
Endcap, Handle
plastic - chrome finish



Uses screw **#488920**, spacer **#943188**

2183139
Endcap, Handle
plastic- chrome finish

Uses screw **#488729**
Uses screw cover **#1101634**

2183140
Endcap, Handle
plastic- black finish



Uses screw **#488729**
Uses screw cover **#1101634**

2183141
Endcap, Handle
plastic- white finish



Uses screw **#488729**
Uses screw cover **#9791769**

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE
All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.
PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: www.pdqsupplyinc.com • FB: facebook.com/pdqsupplyinc

GASKET, DOOR

The OEM makes frequent gasket substitutions, thus the approved replacement part may be of a different color and at times a slightly different gasket dimension. We try to keep original gaskets available as much as possible. Should you have any concerns regarding your gasket needs,

PLEASE ORDER BY MODEL NUMBER TO INSURE THAT YOU RECEIVE THE CORRECT GASKET.

WHIRLPOOL

GASKET #	COLOR	PROFILE
2159057	White	—
2159327	White	—
2188404A	Beige	O
2188445A	Beige	O
2188446A	Beige	O
2188447A	Beige	O
2188448A	Beige	O
2188456A	Beige	O
2188462A	Beige	O
2319263T	White	Q
2319264T	White	Q
2319265T	White	Q
2319266T	White	Q
2262080	Beige	—
2262081	Beige	—
4343449	White	E
4390727	White	–
61003997	White	–
61003998	White	L
61003999	White	N
61004002	White	L
61004003	White	L
61004007	White	L
61004008	White	L
61005587	White	–
700254	White	M
700481	White	K
700482	White	K

FRIGIDAIRE

GASKET #	COLOR	PROFILE
215608916	White	A
215732415	White	A
218730601	White	A
218730602	Beige	A
218730603	White	A
218730604	Beige	A
218730605	White	A
218730606	Beige	A
218730609	White	A
241872501	White	–
241872502	White	–
241872503	White	–
241872504	White	–
241872513	White	P
5303207345	White	A
5303288238	Beige	A
5303288856	Almond	A
5303297557	Beige	A
5303309874	White	B
5304404036	Almond	A
5308007123	White	A
5308007124	White	A
5318680302	White	A

GENERAL ELECTRIC

GASKET #	COLOR	PROFILE
WR14X10158	White	–
WR14X10162	White	–
WR24X10231	White	J
WR24X10228	White	J
WR24X10229	White	J
WR24X10236	White	J
WR24X286	White	G
WR24X287	Brown	H
WR24X312	White	E
WR24X313	White	H
WR24X318	Brown	H
WR24X319	White	H
WR24X446	White	J
WR24X449	White	J
WR24X450	White	F
WR24X481	Brown	J
WR24X524	White	J
WR24X527	White	G
WR24X528	White	G
WR24X564	White	—
WR24X10136	white	S
WR24X10186	white	R
WR24X10187		R

PROFILE A



PROFILE B



PROFILE C

PROFILE D

PROFILE E



PROFILE F



PROFILE G



PROFILE H



PROFILE I



PROFILE J



PROFILE K



PROFILE L



PROFILE M

PROFILE N



PROFILE O



PROFILE P



PROFILE Q



PROFILE **R**

PROFILE **S**

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

3016493 *White*
5318750101 *Black*
Handle, Door
6-1/4" L x 2-11/16" W
Plastic

61002016 *(A)*
Handle, Door
RH Food Door or LH Freezer Door
White

Closed end

Uses…
screw **#61002031**
anchor **#61002912**
screw cover
#699221 (white models)
#699222 (almond models)

61002017
Handle, Door
LH Food Door or RH Freezer Door
White

Uses…
screw **#61002031**
anchor **#61002912**
screw cover
#699221 (white models)
#699222 (almond models)

Closed end



218428101 *White*
218428119 *Bisque*
Handle, Door
16-3/4" overall length
Plastic

Uses:
screws **#218252201** & **#218251900**
screw cap **#218397000**
mounting block **#218396700**

2-5/16"

218397501
Handle, Door
16" overall length
Plastic-white finish

1-7/8"

Uses:
screws **#218252201** & **#240383406**
screw cap **#218397000**
mounting block **#218396700**

WR12X10058
Handle,
Food Door
21-3/8" overall length

WR12X10107
Handle,
Food Door
20-1/4" overall length

2202807W *20-1/8" overall length*
2221946W *20-1/4" overall length*
Handle, Food Door
Plastic - white finish

Uses screw cover **#2202819W**
Uses screw **#489357** #**8281146**

218779901
Handle, Food Door
15-1/2" overall length
Plastic-white finish

4"

218779809
Handle,
Freezer Door
18-3/4" overall length
Plastic-white finish



7-1/2"

WR12X10966
Handle,
Freezer Door
18-3/4" overall length

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

WR12X10108
Handle,
Freezer Door
18-3/4" overall length

2202806W *22-1/8" overall length*
2202098 *19-7/8" overall length*
Handle, Freezer Door
Plastic - white finish

Uses screw **#489357**

1111547 *19-9/16" long, black vinyl finish*
2162555 *22-7/8" long, white vinyl finish*
2173344 *21-5/8" long, black vinyl finish*
Grip, Handle
Metal

61002915
Harness, Wiring
(factory i.d. #078032.005)
12" lead wires



Has (3) female pin connections,
(2) .250" female terminals and
(1) .187" female flag terminals
Used with evaporator fan motor **#61004888**

61006025
Harness, Freezer Wiring
(factory i.d. #078032.011)
12" overall length



Has female pin connections
Used with evaporator fan motor **#61005935**

WR51X10101
Heater, Defrost Quartz Tube
Double tube heater
Overall length: 9-1/2"
115V • 575W



Includes mounting bracket
This is GE's replacement for the single tube heater #**WR51X10053**

WR51X10053
Heater, Defrost Quartz Tube
Single tube heater
Overall length: 9-1/2"
115V • 575W



Includes mounting bracket
This is the GE's single tube style heater which is NLA from GE. GE subs to the double tube heater #**WR51X10101**

WR51X442
Heater, Defrost Quartz Tube
Overall: 9-1/2"
115V • 600W

2 tubes
Includes: defrost thermostat, wiring assembly & attached brackets

WR51X365
Overall length: 16-1/2"
115V • 300W

WR51X10075
Overall length: 17-1/4"
115V • 360W
Heater, Defrost Quartz Tube

MORE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

WR49X393
Heater, Defrost Calrod
20-3/4" overall length
115V • 425W

Includes: thermal fuse

WR51X464
Heater, Defrost Calrod
20" overall length
115V • 400W

Includes: thermal fuse & mounting bracket

WR51X444
Overall length: 22"
115V • 625W

WR51X10038
Overall length: 21-1/8"
115V • 375W

Heater, Defrost Quartz Tube

2263749
Heater, Defrost (Calrod)
475W @ 120V
A = 21-1/4"
B = 6-1/4"



6010634
Heater, Defrost (Quartz Tube)
410W @ 115V
Overall = 18"

Has (1) 9-1/2" lead wire with a .250" male end

Has (1) 4-3/4" lead wire with a .250" female end

61001846
Heater, Defrost (Quartz Tube)
575W @ 115V
Each tube overall = 9-1/8"



Has (1) .250" female flag terminal end and (1) .187" female terminal end

61001946
Heater, Defrost (Quartz Tube)
375W @ 115V
Overall = 18"

Has 9" lead wires w/ .250" male terminal ends
Uses clip **#61002206**

WR2X9393
Heater, Evaporator Drain Tube



Prevents ice build-up in the drain tube

819043
Heater, Evaporator Drain Tube

Prevents ice build-up in the drain tube

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE
All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.
PHONE: 800-843-0903 • FAX: 800-344-1848 • WEB: www.pdqsupplyinc.com • FB: facebook.com/pdqsupplyinc

61006074 NEW
Knob,
Cold Control
Temp markings: 1-7
3" dia., clear

61006073
Knob,
Cold Control
Temp markings: 1-7
3" dia., clear

WR60X10350 NEW
Motor, Condenser Fan
(Replaces: factory i.d. #UDQR007G8L
(factory i.d. #197D2411P010)
(factory i.d. #197D2411P014)
4.7 watt, 115V
1-3/4" shaft

6" lead wires with quick disconnect with (2) male pin connections
Used with condenser fan blade **#WR60X10206**

WR60X10168
Motor, Condenser Fan
(factory i.d. #23213GEA)
0.193 amp
11 watt, 115V
1-1/4" shaft

10" leads with quick disconnect with (3) male pin connections.

241854301
Motor, Evaporator Fan
(factory i.d. #F6110A-6020)
.1 amp, 120V
1-7/16" shaft



One quick disconnect has (4) male pin connections, the other has (5) female pins
Used with fan blade **#5308000010**

240369701
Motor, Evaporator Fan
(model: #37B2)
.135 amps, 120V
3000 RPM
1-1/2" shaft



Has (2) .250" male terminals &
(1) .187" male terminal
Used with fan blade **#5308000010**

5300158289
Motor, Evaporator Fan
(factory i.d. #X158289)
.28 amps, 120V
3000 RPM
1" shaft



Has quick disconnect attached with (3) male pin connections
Uses fan blade **#218649000**, **#5308000010**

WR60X162
Motor, Evaporator Fan
(factory i.d. #5KSB44QSE176B)
.135 amp
3000 rpm

1-3/8" shaft



Has (3) .250" male terminals

WR60X190
Motor, Evaporator Fan
(factory i.d. #5KSB44QS1380B)
3000 rpm

1-1/8" shaft

Has (2) .250" male terminals and (1) .187" male terminal

WR60X253
Motor, Evaporator Fan
(factory i.d. #5SME44AG1013)
2600 rpm

1-1/16" shaft

.12 amp • 3.4W

WR60X191
Motor, Evaporator Fan
(factory i.d. #5KSB44QSE232B)
3000 rpm

1" shaft

Has (1) .187" male terminal
Lead wires have (2) .250" male terminals

WR60X203
Motor, Evaporator Fan
(factory i.d. #5KSB44QS1431A)
(factory i.d. #5KSB44QSE232B)
(Used with fan blade #WR60X114)
3000 rpm

1-3/16" shaft

Has (2) .250" male terminals and (1) .187" male terminal

MORE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

WR60X10141
Motor, Evaporator Fan
(factory i.d. #197D2038P011)
115V, 3.0 watt

1-3/8" shaft

3-3/4" lead wires w/ quick disconnect that has (2) male pin connections

WR60X10240
Motor, Evaporator Fan
(factory i.d. #197D2038P013)
115V, 3.0 watt

2-3/16" shaft

5" lead wires w/ quick disconnect that has (3) female pin connectors

WR60X10300
(replacement for: factory i.d. #UDQR002C3RL
(factory i.d. #187D1931G002)
1-3/4" shaft
115V • 4.2 watts



WR60X10126
(factory id #UDQR002C3RLS)
1-5/8" shaft
115V • 4.2 watts

Motor, Evaporator Fan

14" lead wires w/ quick disconnect that has (2) female pin connections

WR60X10285
Motor, Evaporator Fan
(factory i.d. #197D3957P012)
.11 amp, 6.7 watts
2650 rpm

1-7/16" shaft

3" leads w/ quick disconnect that has (2) male pin connections

WR60X10257
Motor, Evaporator Fan
(factory i.d. #200D7178P001)
115V, 2.3 watts

2-3/16" shaft

13" lead wires w/ quick disconnect that has (2) male pin connectors

4390451
Motor, Evaporator Fan
(factory i.d. #3-33919-001)
120V, .18 amps, 3000 RPM
1-1/16" shaft

Has (2) .250" male terminals
Shaft is grooved to retain fan blade

61005935
Motor, Evaporator Fan
(factory i.d. #90347.004)
(factory i.d. #UDQR002MGL)
115V
1-1/8" shaft

5" lead wires with quick disconnect that has (2) male pin connections

4389145
Kit, Evaporator Fan Motor
(factory i.d. #29420-44)
115V
3/4" shaft

Has (2) .250" & (1) .187" male terminals

W10189703
Motor, Evaporator Fan
115V
3/4" shaft

Used with fan blade **#2169142**
Has (2) .250" & (1) .187" male terminals

482731
Kit, Evaporator Fan Motor
120V, .26 amps, 3000 RPM
3/4" shaft



61004888KIT
Kit, Evaporator Fan Motor
(factory i.d. #78756-1)
120V, .21 amps, 3000 RPM
15/16" shaft

Low cost replacemnt for #61005339, #61005935

Used with fan blade **#61001935**
Includes 19" quick disconnect wire harness
Motor has (2) .250" & (1) .187" male terminals

CURRENT PRICING CAN BE FOUND ON OUR WEBSITE

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

5303276514
(factory i.d. #414RFBYY-53)
(factory i.d. #412MFBYY)

5303270406
(factory i.d. #427TFBYY-53)
Overload

5303276514
(factory i.d. #414RFBYY-53)
(factory i.d. #412MFBYY)

5303270406
(factory i.d. #427TFBYY-53)
Overload

WR8X167
(factory i.d. #314MFBYY-53)

WR8X122
(factory i.d. #414RFBYY-53)
Overload

Has (1) .250" male terminal

61005518
Overload/Relay
(factory i.d. #4SP1088)
(factory i.d. #4SP14D427NF)

Original 1-piece style

Has (2) .250" and (1) .187" male terminals
Maytag subs to kit #**12002782**

61006022
Overload/Relay
(factory i.d. #013655107)
(factory i.d. #TSD)

Has (1) .250" and (1) .187" male terminals, and has (2) .187" female terminals
Uses harness #**61006023** (not shown)

12002782
Overload/Relay, Replacement Kit,

Used on early model Embraco compressors
Includes: cover, relay, overload, jumper wire assembly and instruction sheet

NEW

WR7X10131
Overload/Relay, Combination
(factory i.d. #197D4848P004)
(factory i.d. #197D8031P001)
(overload factory i.d. #319MFBYY-53)

Has (2) .250" male terminals and (2) .250" female terminals

WR9X10105
(overload i.d. #314LFBYY-53)

WR9X10106
(overload i.d. #283ULBYY-53)

WR9X10107
(overload i.d. #189RHBYY-53)
Overload/Relay, Combination

Has (2) .250" male terminal and (2) .187" female terminals

216594300
Relay, Start

Has (1) .250" male terminal

5303007173
Relay, Start

Has (3) .250" male terminals

WR7X10011
Relay, Start

Has (2) .250" male terminals

297054500
Starter, P.T.C.
(factory i.d. #241667501)

P.T.C. = Positive Temperature Coefficient

5304468030
(factory i.d. # 3ARR51M4F2)

218721103
(factory i.d.#3ARR51B1F1)

218721113
(factory i.d. #3ARR51P1E1)
Starter, P.T.C.

P.T.C. = Positive Temperature Coefficient

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

240360902
Shelf, Wire
23-3/4" wide x 16-1/4" deep



WR71X10378
Shelf, Wire
24-1/2" W x 14-3/8" D



WR71X2451
Shelf, Ice Tray
11-1/2" W x 12-3/8" D



1118894
Switch, Light
5 amp - 125V
2.5 amp - 250V

Has (2) .187" male terminals

297216600
Thermostat, Defrost
L42-17F



Includes (1) male bullet terminal 4" long
and (1) female bullet terminal 5-1/2" long

5303918202
Thermostat, Defrost
(factory i.d. #31322)
L47-22F



Has (1) 4" lead & (1) 6" lead both with stripped ends
Includes heat shrink & crimp connectors

WR50X55
Thermostat, Defrost
L55-25F

Flat sensing head for surface mounts
Has 11" lead wires w/ stripped ends

WR50X112
L72-44F
(1) 11" & (1) 22" lead wires

WR50X122
L60-32F
10" lead wires
Thermostat, Defrost

5/16" tube push-on clip
Both have stripped wire ends

WR50X124
L72-44F
Has 24" lead wires

WR50X134
L63-40F
Has 24" lead wire
Thermostat, Defrost

7/16" tube push-on clip
Both have stripped wire ends

WR50X10025
Thermostat, Defrost
L58-30F

5/16" tube push-on clip
Has stripped lead wires
(1) 4" length, (1) 16" length

WR50X10041
Thermostat, Defrost
FR-5 14/5

5/16" tube
push-on clip
28" lead wires
w/ stripped ends

WR50X10071
Thermostat, Defrost
L64-41F

5/16" tube push-on clip
Has 15" stripped lead wires

WR50X10065
NEW
Thermostat, Defrost
L140-30F

5/16" tube push-on clip
Has 11" stripped lead wires

2321799
Thermostat, Defrost
L7.4-15.2C
9" stripped lead wires

Has 1/4" tube
push-on clip

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.

4387490 *L44-26F*
4387503 *L48-30F*
Thermostat, Defrost
11-1/2" stripped lead wires

61005254
Thermostat, Defrost
L54-15F
3" lead wires

61002992
Thermostat, Defrost
L38-15F
5-1/2" lead wires

Has 5/16" tube push-on clip
Has (1) .250" female terminal
and (1) .187" male terminal

5303917633
6 hr. - 21 min.
5303917634
8 hr. - 21 min.
Timer, Defrost
120V, 9 amp

215846604
(factory i.d. #QK-2001-58)
6 hr. - 21 min.
215846602
(factory i.d. #EG-3001-00)
8 hr. - 30 min.
Timer, Defrost
10 amp



WR9X480
Timer, Defrost
(factory i.d. #TMDJ625RB9)
120V, 10 amp
6 Hr. - 30 min.

WR9X483
(factory i.d. #TMDJX35RB9)
10 Hr. - 30 min.
WR9X502
(factory i.d. #TMDJ830RB9)
8 Hr. - 30 min.
Timer, Defrost
120V, 10 amp



4388931
Timer, Defrost
120V, 60 Hz



Includes (2) screws and a
two sided, 4" long quick disconnect

4390515
Timer, Defrost
(factory i.d. #4-32148-00)
15 amp
10 Hr. • 35 min.



482493
Timer, Defrost
(factory i.d. #M179, 604-73086)
15 amp, 120V
8 Hr. • 21 min.



682333
Timer, Defrost
(factory i.d. #EQ-3001-00)
10 amp, 120V, 1/3 HP
10 hr. • 21 min.

682332
Timer, Defrost
(factory i.d. #DQ-3001-00)
10 amp, 120V
8 hr. • 21 min.

215667501
Tray, Ice Cube
12" x 4-5/8"



Heavy duty polypropylene
construction will not sag when filled

For information on dishwasher/laundry repair parts, please see the first page of this Kenmore section for more details.

All logos, trademarks, part numbers, photos & illustrations are intended solely for identification. Items offered for sale are not represented to be manufactured by the company that built the original equipment.