

Spacesaver Spacesaver

ACTIVESTOR® SPECIFICATIONS



Specification Guide

GENERAL INFORMATION

To meet specific filing requirements, lateral file and storage cabinet units can be created from an unparalleled selection of cabinet sizes and specialized interior options. The section includes shells and corresponding drawers, receding doors, storage cabinets and legal/letter and EDP interiors.

Cabinet shells are available in three widths and 40 standard heights. Shells are notched in 1½" increments to accept a wide variety of interior options. Interior options range from 3", 6", 9" and 10½" drawers through 12", 13½" and 15" drawers and receding doors. Cupboards are also available in numerous heights. Various shelves and computer media storage accessories may be specified behind storage cabinet doors and receding doors.

Height

Lateral files and storage cabinets are available in 40 standard heights. Heights include %" allowance for leveling glides fully recessed.

Depth

All lateral files and storage cabinets are 18" deep.

Width

Lateral files and storage cabinets are available in three standard widths: 30". 36" and 42".

Drawer Dimensions

Refer to the illustrations on page 3 for the range of drawer sizes and the height clearance of each.

How to Build a Model Number

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Shell common to lateral file and storage cabinet units. Uprights punched to accept interior components on 1½" centers. Uprights and top and bottom reinforcements are welded into rigid "boxframe." Constructed of 18- and 20-gauge steel. Seamless back and top with reinforced corners.

Illustrated shell heights include %" for adjustable glide in recessed position.

Doors/Drawers

Drawer fronts, 20-gauge steel with full-width flush inset pull and label holder. Fronts are screwmounted to roll-out shelves to build drawers. Roll-out shelf body, 20-gauge steel slotted on 1½" centers to accept dividers. Leading edge formed to provide handle; center section offset for additional strength. Shelf ends, 18-gauge steel, notched to accept hanging folder bars. Each roll-out shelf equipped with two heavy-duty, three-section, ball-bearing suspensions.

Note: Drawers have been tested to accept loads of 125 lbs. This exceeds ANSI/BIFMA X5.2-1997 standards for lateral files when recommended counterbalance weight is installed.

Hinged door, 20-gauge steel, double-wall construction. Door swing is limited to 110° to prevent contact with adjacent cabinet, European style hinges and full height vertical flush inset pull.

Shelves

Blank shelf, 22-gauge steel, formed 1" thick on front and back edges. End Tab Shelf, 20-gauge steel shelf and back, 20-gauge sides. Shelf offset along width to increase strength. Slotted on 1" increments to accept plate dividers. Lateral files meet or exceed

Lateral files meet or exceed ANSI/BIFMA X5.2-1997 standards.

Receding Door

20-gauge steel with full-width flush inset pull and label holder. Equipped with sound absorber. Doors have guiding mechanism fitted with nylon glides to prevent metal-to-metal contact and ensure effortless operation.

The diagrams on the following page identify various shelf and drawer combinations and related height clearances behind a receding door. The diagrams illustrate typical use. Additional interior options can be installed behind a receding door. Note: Dimensions have been taken from the front raised edge of the roll-out shelf.

Note: Receding doors cannot be installed directly below a drawer.

Accessories

Plate dividers, 18-gauge steel, notched to lock into shelf. Folder bars, 30" & 36" (14-gauge steel); 42" (12-gauge steel), offset to maximize strength.

Suspended binder frames are constructed of 14- to 18-gauge steel. Screw-mounted to cabinet. Can be used behind 13½" and 15" receding doors and hinged storage cabinet doors.

Adjustable Glides

Lateral files and storage cabinets are supplied with four adjustable glides. The glides can be adjusted from inside the cabinet using a ¼" hex socket wrench, or from outside the cabinet using a ¼" wrench. Standard glides provide ¾" adjustment; longer glides are also available. Overall cabinet heights include the glide in its recessed position.

Interlock

All cabinets are equipped with an interlock safety mechanism. This mechanism reduces the possibility of cabinet tipover by permitting only one drawer to be opened at a time. With some unique combinations, an individual drawer may not be controlled by the interlock. In these instances, a caution label will be affixed to the drawer body.

Locks are standard on all units. The lock is a high-security double-bit type. The double-bit lock offers superior security when compared to a single-bit lock. Units are standard with random keys in a range of 200 different numbers. Specific keying combinations are available at no additional charge. This information must be included with the order.

Locks can be master keyed. Master keys are available at \$32 list price.

Additional series locks are available. Please contact Spacesaver. All locks have removable and interchangeable plugs. This feature provides for onsite custom keying. Locks can be supplied with the plugs installed or shipped separately. To install or remove lock plugs, a unique key is required. The lock plug removal key is available at \$30 list price. Contact Spacesaver. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific keynumbered locks.

Example: 30 plugs: 3 keyed alike

10 keyed alike 17 keyed alike

Standard Paint Finishes

All products are chemically etched prior to painting. This process enhances top coat bonding. The top coat is a high solids modified 40 sheen polyester enamel. The enamel is baked on to provide a scratch- and stain-resistant surface.

All inside and outside shell and drawer front surfaces are painted with the same specified paint color.

Interior components and accessories are Dark Tone.
Mechanical components are black chrome-plated.

Powder coated/enamel finish colors shown in Color Selector are standard and are available where specifications call for painted surfaces.

Special Paint Finishes/Colors

All special colors, including other manufacturers' standard enamel finishes, are available subject to the following conditions:

- Two steel color chips (minimum 3"x 5") are required for color matching purposes. Paper samples are acceptable; however, a reasonable tolerance must be allowed when comparing the two variations.
- All nonstandard colors are available at no additional charge, but may be subject to extended lead times. Orders will not be processed until color match is approved. Verbal approval is accepted; however, written confirmation must follow.

Model Numbering System

Each character in the basic model number corresponds to a specific unit feature.

Exar	nple: Ci	ustom E	Built La	teral	Files	Opti	onal Picks
SSL	36	555	BL	СР	Insert drawer options here	CBW50	33412DV

SSL Product name Shell 36 Width 36" wide 555 Interior height (nominal) 55%" high

Custom Built
BL Color code Black
CP Pack Commercial Pack (as opposed to Blanket Wrap)

CBW50 Optional S412DVOptional 12" Front-to-back filing bars

Each internal component has a corresponding character:

D Drawer with side-to-side folder bars

D Drawer with side-to-side folder bars
DA Drawer with FBA folder bars
DE Drawer with FBE folder bars
R Receding door

RS Receding door, roll-out shelf
RSA Receding door, roll-out shelf with FBA folder bars
RSE Receding door, roll-out shelf with FBE folder bars

RED Receding door, end tab shelf with dividers

S Roll-out shelf BS Blank shelf ES End tab shelf SS Slotted shelf CR Coat rod


Models are built from the TOP TO THE BOTTOM.

The 334 model number for accessories indicates the item may be used in all cabinet widths. NOTE: The unit must SPECIFY optional CBW and accessories as INSTALLED or they will be shipped separately.

Dimensions


Inside Drawer and Shelf Dimensions*	30W x 18	D Cabinet	36W x 18D Cabinet	42W x 18D Cabinet
	W D	Н	W D H	W D H
3" Drawer	26%" 1515/	16" 29/16"	32½" 15¹5/₁₀" 25/₁₀"	38%" 1515%" 2%%"
6" Drawer	26¾" 15%	4" 5 ²³ / ₃₂ "	32¾" 15½" 52¾2"	38¾" 15½" 523/32"
9" Drawer	26¾" 15%	825/32"	323/4" 157/8" 825/32"	38¾" 15½" 825⁄32"
10½" Drawer	26¾" 157/	á" 10¼"	32¾" 15½" 10¼"	38¾" 151/16" 101/4"
12" Single Roll-out Shelf	26¾" 157/	á" 10% ₆ "	32¾" 15%" 10%6"	38¾" 151/16" 101/16"
12" Blank Shelf	26¾" 16¾	6" 10%"	32¾" 16¾6" 10%"	38¾" 16¾6" 10½"
12" End Tab Filing Shelf	26¾" 15¾	á" 10½°	32¾" 15¾" 10¾6"	38¾" 15¾" 10¾6"
12" Slotted Shelf	26¾" 15½	ź" 10%"	32¾" 15½" 10%"	38¾" 15½" 10%"
12" Drawer	26¾" 157/	á" 11½"	32¾" 15%" 11½"	38¾" 15%" 11½"
13½" Roll-out Shelf	26¾" 157/	á" 11%"	32¾" 15%" 11%"	38¾" 15½" 11½"
13½" Drawer	26¾" 157/	á" 131⁄ ₃₂ "	32¾" 15½" 13½"	38¾" 15½" 13½2"
15" Single Roll-out Shelf	26¾" 157/	á" 131⁄ ₁₆ "	32¾" 15½" 13½"	38¾" 15½" 13½"
15" Blank Shelf	26¾" 16¾	6" 13"	32¾" 16¾6" 13"	38¾" 16¾6" 13"
15" End Tab Filing Shelf	26¾" 15¾	á" 13¾"	32¾" 15¾" 13¾"	38¾" 15¾" 13¾"
15" Drawer	26¾" 157/	''" 14% ₆ "	32¾" 15%" 14%"	38¾" 15½" 14½"
Cupboard	28½" 17	II .	34½" 17"	40½" 17

^{*} Dimensions have been taken from the front raised edge of roll-out shelf. The inside clear dimension wide approximately 1/2" greater.



Inside Clear Dimensions of Shelf and Drawer Options

IIIJIUC CICU	ii Dilliciisiolis di Sile	ii alia biawei optiolis			
	6" Roll-out Shelf	12" Roll-out Shelf	Blank Shelf	End Tab Shelf	
E	Behind Receding Door	Behind Receding Door	Behind Receding Door	Behind Receding Door	Drawer



Lateral Filing and Storage System Planning Guide

Listed on the following pages is information to assist in matching customer storage requirements with filing and storage system components.

Identify the media type, as illustrated on the left hand side of the page. Match the media type with the method of storage. Often side-to-side (across the width of the cabinet) and front-to-back (from the front of the cabinet to the back) options are available. By reviewing figures in the Lineal Capacity column, greater capacity can be identified.

The minimum required opening or module height for a particular media type is identified in bold print. Often larger modules are available and can be used to build up to specific cabinet heights or provide for future storage needs. The other size options are listed in regular print.

The "Lineal Capacity" column refers to the total number of storage inches available per opening. When the column is titled "Capacity," the figures refer to the actual number of pieces able to store in the opening.

By comparing the customer's overall storage need with the capacity per opening, the required number of drawers can be calculated, then specified, into the appropriate cabinet.

Lateral Filing and Storage System Planning Guide

Company	l	Location ₋	
Floor			
Department _			

MEDIA TYPE		FILING METHOD	REQUIRED OPENING HEIGHT	CABINET WIDTH	LINEAL CAPACITY PER OPENING	REQUIRED CAPACITY	REQUIRED NUMBER OF DRAWERS
LETTER OR LEGAL	LETTER	SIDE-TO-SIDE ON "A" TYPE	10½", 12", 13½"	30"	27"		
SIZE HANGING	SIZE	FOLDER BARS		36"	33"		
FILE FOLDERS				42"	39"		
4	LETTER	FRONT-TO-BACK	10½", 12", 13½"	30"	31"		
	SIZE	ON FBK TYPE FOLDER		36"	31"		
		BARS		42"	46½"		
	LEGAL	SIDE-TO-SIDE ON "A" TYPE	10½", 12", 13½"	30"	27"		
_	SIZE	FOLDER BARS		36"	33"		
				42"	39"		
	LEGAL	FRONT-TO-BACK	10½", 12", 13½"	30"	15½"		
	SIZE	ON FBK TYPE FOLDER		36"	31"		
		BARS		42"	31"		
LETTER OR LEGAL SIZE		SET ON BLANK OR	12", 13½"	30"	10 PER SHELF		
ACCORDIAN FOLDERS*		END TAB SHELF		36"	12 PER SHELF		
				42"	15 PER SHELF		
		SET IN DRAWER	10½" 12" DRAWER	30"	10 PER SHELF		
				36"	12 PER SHELF		
1				42"	15 PER SHELF		
LETTER OR LEGAL	END	SET ON END TAB SHELF	12"	30"	27"		
SIZE FILE FOLDERS	TAB			36"	33"		
				42"	39"		
	TOP	SET IN DRAWER	10½" 12" DRAWER	30"	27"		
	TAB			36"	33"		
				42"	39"		

^{*} VARIOUS WIDTHS AVAILABLE. CAPACITY ASSUMES 21/2" WIDE.

Refer to page 3 for inside drawer dimensions.

Company	Location
Floor	
Department	

MEDIA TYPE		FILING METHOD	REQUIRED OPENING HEIGHT	CABINET WIDTH	LINEAL CAPACITY PER OPENING	REQUIRED CAPACITY	REQUIRED NUMBER OF DRAWERS
LETTER OR LEGAL	LETTER SIZE	SIDE-TO-SIDE ON	10½", 12", 13½"	30"	27"		
SIZE OBLIQUE		OBLIQUE RAIL		36"	33"		
HANGING FILES		ASSEMBLIES		42"	39"		
1	LEGAL	SIDE-TO-SIDE ON	10½", 12", 13½",	30"	27"		
	SIZE	OBLIQUE RAIL	15", 18"	42"	33"		
		ASSEMBLIES		42"	39"		
LETTER OR LEGAL	LETTER	SIDE-TO-SIDE ON	10½", 12", 13½"	30"	27"		
SIZE UNIFILE	SIZE	UNIFILE RAIL		36"	33"		
HANGING FILES		ASSEMBLIES Consult Factory		42"	39"		
77	LEGAL	SIDE-TO-SIDE ON	10½", 12", 13½", 15"	30"	27"		
	SIZE	UNIFILE RAIL		42"	33"		
		ASSEMBLIES Consult Factory		42"	39"		
LETTER OR LEGAL	LETTER	SIDE-TO-SIDE ON	10½"	30"	27"		
SIZE EXECUTIVES	SIZE	"A" TYPE FOLDER		36"	33"		
The same		BARS		42"	39"		
17	LEGAL	FRONT-TO-BACK	10½", 12"	30"	27"		
	SIZE	ON FBK TYPE		42"	33"		
		FOLDER BARS		42"	39"		

Company	Location
Floor	
Department	

MEDIA TYPE	FILING METHOD	REQUIRED OPENING HEIGHT	CABINET WIDTH	LINEAL CAPACITY PER OPENING	REQUIRED CAPACITY	REQUIRED NUMBER OF DRAWERS
PRINT-OUT BINDERS	SIDE-TO-SIDE ON "E" TYPE	13½", 15"	30"	27"		
14" X 11"	FOLDER BARS		36"	33"		
PAPER			42"	39"		
14" X 8½" 14%" x 8½	" SIDE-TO-SIDE ON "A" TYPE	10½", 12", 13½"	30"	27"		
PAPER 9	₹ FOLDER BARS		36"	33"		
1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			42"	39"		
11" X 8½" 11" × 8½	SIDE-TO-SIDE ON "A" TYPE	10½", 12", 13½"	30"	27"		
PAPER 1	FOLDER BARS		36"	33"		
<u> </u>			42"	39"		
11" x 8½	É" FRONT-TO-BACK ON	10½", 12", 13½"	30"	31"		
F	FBK TYPE FOLDER BARS		36"	31"		
<u> </u>			42"	46½"		
8½" X 11" 8½" x 1	" SIDE-TO-SIDE ON "E" TYPE	13½", 15"	30"	27"		
PAPER	FOLDER BARS		36"	33"		
8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			42"	39"		
SUSPENDED PRINT-OUTS	SUSPEND SIDE-TO-SIDE	15"	30"	27"		
14" X 11"	ON "KIF" TYPE FRAME		36"	33"		
PAPER	<u> </u>		42"	39"		
14" X 8½" 14%" × 8½	SUSPEND SIDE-TO-SIDE	12", 13½"	30"	27"		
PAPER ¶	ON "KIF" TYPE FRAME		36"	33"		
<u> </u>			42"	39"		

Company	Location
Floor	
Department	

MEDIA TYPE		FILING METHOD	REQUIRED OPENING HEIGHT	CABINET WIDTH	LINEAL CAPACITY PER OPENING	REQUIRED CAPACITY	REQUIRED NUMBER OF DRAWERS
WRIGHTLINE		SUSPEND SIDE-TO-SIDE	15"	30"	27"		
SUSPENDED PRINT-		ON "WLD" TYPE FRAME		36"	33"		
OUTS 14" X 11" PAPE	ER			42"	39"		
14" X 8½"	14%" x 8½"	SUSPEND SIDE-TO-SIDE	12", 13½"	30"	27"		
PAPER	E P	ON "WLD" TYPE FRAME		36"	33"		
	# # # # # # # # # # # # # # # # # # #			42"	39"		
11" X 8½"	11" x 8½"	SUSPEND SIDE-TO-SIDE	12", 13½"	30"	27"		
PAPER		ON "WLD" TYPE FRAME		36"	33"		
	0 0 0 0 0 0 0 0			42"	39"		
14" X 11"	14%" x 11"	HANG SIDE-TO-SIDE ON		30"	27"		
PAPER		"E" TYPE FOLDER BARS		36"	33"		
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			42"	39"		
14" X 8½"	14%" x 8½"	HANG SIDE-TO-SIDE ON	10½", 12"	30"	27"		
PAPER		"A" TYPE FOLDER BARS	FOLDER BARS	36"	33"		
	F			42"	39"		
11" X 8½"	11" x 8½"	HANG SIDE-TO-SIDE ON	10½", 12"	30"	27"		
PAPER	Fi ii	"A" TYPE FOLDER BARS		36"	33"		
	e 9 e 9			42"	39"		
8½" X 11"		SET ON BLANK OR	13½", 15"	30"	10 PER OPENING		
BINDER		END TAB SHELF OR		36"	12 PER OPENING		
	$\overline{}$	IN DRAWER		42"	15 PER OPENING		

^{*}VARIOUS WIDTHS AVAILABLE CAPACITY ASSUMES 2½" WIDE

Company	Location	
Floor		
Department		

MEDIA TYPE	FILING METHOD	REQUIRED OPENING HEIGHT	CABINET WIDTH	LINEAL CAPACITY PER OPENING	REQUIRED CAPACITY	REQUIRED NUMBER OF DRAWERS
ACCO SUSPENDED	SUSPEND SIDE-TO-SIDE	15"	30"	27"		
PRINT-OUT 14" X 11"	ON "ADF" TYPE FRAME		36"	33"		
PAPER			42"	39"		
14" X 8½" 14%" × 8½"	SUSPEND SIDE-TO-SIDE	12", 13½"	30"	27"		
PAPER	ON "ADF" TYPE FRAME		36"	33"		
128			42"	39"		
14" X 11" 14%" × 11"	HANG SIDE-TO-SIDE ON	15"	30"	27"		
PAPER T	"E" TYPE FOLDER BARS		36"	33"		
			42"	39"		
14" X 8½" 14%" × 8½"	HANG SIDE-TO-SIDE ON	10½", 12"	30"	27"		
PAPER T	"A" TYPE FOLDER BARS		36"	33"		
***			42"	39"		
WILSON JONES	SUSPEND SIDE-TO-SIDE	15"	30"	27"		
SUSPENDED PRINT-OUT	ON "WJB" TYPE FRAME		36"	33"		
14" X 11" PAPER			42"	39"		

Company	Location
Floor	
Department	

MEDIA TYPE	FILING METHOD	REQUIRED OPENING HEIGHT	CABINET WIDTH	CAPACITY PER OPENING	REQUIRED CAPACITY	REQUIRED NUMBER OF DRAWERS
7" AND 8" MAGNETIC	SET ON "RRF" TYPE RACK	10½", 12"	30"	20 PER OPENING		
TAPE REELS (((()))	IN FILE DRAWER		36"	26 PER OPENING		
			42"	31 PER OPENING		
	SET ON "RRC" TYPE RACK	10½", 12"	30"	23 PER OPENING		
	IN STORAGE CABINET		36"	28 PER OPENING		
			42"	33 PER OPENING		
7" AND 8" SUSPENDED	SUSPEND SIDE-TO-SIDE	12"	30"	24" PER OPENING		
TAPE SEALS	ON "WLD" TYPE FRAME		36"	29" PER OPENING		
			42"	34" PER OPENING		
10" MAGNETIC	SET ON "RRF" TYPE RACK	13½",15"	30"	20 PER OPENING		
TAPE REELS (((())))	IN FILE DRAWER		36"	26 PER OPENING		
	IN STORAGE CABINET		42"	31 PER OPENING		
	SET ON "RRC" TYPE RACK	15"	30"	23 PER OPENING		
			36"	28 PER OPENING		
			42"	33 PER OPENING		
10" SUSPENDED	SUSPEND SIDE-TO-SIDE	13½", 15"	30"	24" PER OPENING		
TAPE SEALS ((((((((((((((((((((((((((((((((((((ON "WLD" TYPE FRAME		36"	29" PER OPENING		
			42"	34" PER OPENING		

Company	Location
Floor	
Department	

MEDIA TYPE		FILING METHOD	REQUIRED OPENING HEIGHT	CABINET WIDTH	CAPACITY PER OPENING	REQUIRED CAPACITY	REQUIRED NUMBER OF DRAWERS
HARD DISK	(Park)	SET ON TWO 6" ROLL-OUT	BEHIND 12",	30"	2 PER OPENING		
IBM 2315 OR 5440		SHELVES	13½" RECEDING	36"	4 PER OPENING		
			DOOR	42"	4 PER OPENING		
		SET ON BLANK OR	3", 6" DRAWER	30"	1 PER OPENING		
		END TAB SHELF		36"	2 PER OPENING		
				42"	2 PER OPENING		
4" DISC PACK		SET ON TWO 6" ROLL-OUT	BEHIND 12",	30"	2 PER OPENING		
IBM 1316		SHELVES	15" RECEDING	36"	4 PER OPENING		
			DOOR	42"	4 PER OPENING		
		SET ON BLANK OR	6" DRAWER	30"	1 PER OPENING		
		END TAB SHELF		36"	2 PER OPENING		
				42"	2 PER OPENING		
6" DISK PACK		SET ON TWO 6" ROLL-OUT	BEHIND 15"	30"	2 PER OPENING		
IBM 2316		SHELVES	RECEDING DOOR	36"	4 PER OPENING		
			42"	4 PER OPENING			
		SET ON BLANK OR	9" DRAWER	30"	1 PER OPENING		
		END TAB SHELF		36"	2 PER OPENING		
				42"	2 PER OPENING		

Company	Location
Floor	
Department	

MEDIA TYPE		FILING METHOD	REQUIRED OPENING HEIGHT	CABINET WIDTH	CAPACITY PER OPENING	REQUIRED CAPACITY	REQUIRED NUMBER OF DRAWERS
7" DISK PACK IBM 3336		SET ON SHELF	9" DRAWER	30" 36" 42"	1 PER OPENING 2 PER OPENING 2 PER OPENING		
2½" X 4" VHS CASSETTE €	(STS)	FRONT-TO-BACK WITH DRAWER ORGANIZER OPTION	6" DRAWER	30" 36" 42"	125 PER OPENING 150 PER OPENING 200 PER OPENING		
		FRONT-TO-BACK ON TWO ROLL-OUT SHELVES WITH DRAWER ORGANIZER OPTION	BEHIND 12" RECEDING DOOR	30" 36" 42"	250 PER OPENING 300 PER OPENING 400 PER OPENING		
8" X 4" VHS CASSETTES		FRONT-TO-BACK WITH DRAWER ORGANIZER OPTION	6" DRAWER	30" 36" 42"	45 PER OPENING 60 PER OPENING 60 PER OPENING		
		FRONT-TO-BACK ON TWO ROLL-OUT SHELVES WITH DRAWER ORGANIZER OPTION	BEHIND 12" RECEDING DOOR	30" 36" 42"	90 PER OPENING 120 PER OPENING 120 PER OPENING		
6" X 4" X 6MM TAPE CARTRIDGE		FRONT-TO-BACK WITH DRAWER ORGANIZER OPTION	6" DRAWER	30" 36" 42"	64 PER OPENING 64 PER OPENING 80 PER OPENING		
		FRONT-TO-BACK ON TWO ROLL-OUT SHELVES WITH DRAWER ORGANIZER OPTION	BEHIND 12" RECEDING DOOR	30" 36" 42"	128 PER OPENING 128 PER OPENING 160 PER OPENING		

Company	Location	
Floor		
Department		

MEDIA TYPE	FILING METHOD	REQUIRED OPENING HEIGHT	CABINET WIDTH	CAPACITY PER OPENING	REQUIRED CAPACITY	REQUIRED NUMBER OF DRAWERS
3½" DISKETTES IN	SET IN DRAWER	6" DRAWER	30"	18 PAC		
10 PAC DISC CASE			36"	24 PAC		
<u> </u>			42"	24 PAC		
	SET ON TWO 6" ROLL-OUT	BEHIND 12", 13½"	30"	36 PAC		
	SHELVES	RECEDING DOOR	36"	48 PAC		
			42"	48 PAC		
	SET ON SHELF	6"	30"	35 PAC		
			36"	42 PAC		
			42"	56 PAC		
	SET ON TWO ROLL-OUT	BEHIND 12", 13½"	30"	70 PAC		
	SHELVES	RECEDING DOOR	36"	84 PAC		
			42"	112 PAC		
5¼" DISKETTES IN	SET IN DRAWER	6" DRAWER	30"	40 PAC		
10 PAC DISK CASE			36"	40 PAC		
✓			42"	50 PAC		
	SET ON TWO 6" ROLL-OUT	BEHIND 12", 13½"	30"	80 PAC		
	SHELVES	RECEDING DOOR	36"	80 PAC		
			42"	100 PAC		



Storage Solved®

Website: www.spacesaver.com E-mail: ssc@spacesaver.com

USA

1450 Janesville Avenue Fort Atkinson, Wisconsin 53538-2798 USA Telephone 920/563-6362 Toll Free 800/492-3434 Fax 920/563-2702

Canada

266 King Street East Toronto, Ontario M5A 4L5 Telephone 416/360-1022 Toll Free 800/544-3679 Fax 416/360-7290

United Kingdom

Commonwealth House 148-153 High Holborn London, England WC1V 6PJ Telephone 020/7404-7441 Fax 020/7404-7442