

Hard-to-Find Connectivity and Technology Parts

Product Guide & Catalog



Computer Parts KVM - Server Management A/V - Digital Signage Cables & Accessories Fast, friendly customer service 1-800-265-1844

www.startech.com





Making hard-to-find easy!®

Advantage #1 **Your One Stop Source** for Hard-to-find Parts

With over 2000 products in 43 product lines, you'll save time and money by sourcing all your connectivity and technology parts from one convenient Advantage #2 Free Phone, Email and **Online Chat Support**

Free and fast support from our North American-based team of technology specialists takes the worry out of completing your solutions. Email responses in two hours-quaranteed!

Advantage #3

Informative, User-Friendly **Web Site**

Our award-winning web site offers features, specifications, photos and exclusive tools and resources that make it easy to find and source products quickly.



Excite customers. Succeed. Have fun!

Exceeding your expectations is top priority at StarTech.com. That's why we developed our winning statement: "Excite customers. Succeed. Have fun!" We know we are winning as a business when we are making our winning statement happen.

We firmly believe that going the extra mile to provide you with exceptional service and ensuring we always have the hard-to-find parts you need, translates into success for both you and us.

From our award-winning web site that allows you to easily find and source the products you need to our world class service and support that provides you with free, immediate access to our technology specialists by phone, email or online chat, we're always working to make your job easier.

One of our knowledgeable representatives is looking forward to help you complete your next solution. So give us a call at 1-800-265-1844 or visit us online at www.startech.com today and you'll see how StarTech.com truly makes hard-to-find easy.

Owner & President



Ken Kalopsis Owner & Vice President

We're here to help! Contact the StarTech.com team for immediate answers to your questions.

Three Convenient Support Options



Phone Support

Speak with one of our friendly customer service or technical support representatives. 1-800-265-1844



Email Support

Get an answer from our expert staff within 2 hours, Monday to Friday.

sales@startech.com



Chat Online

Get real-time support from one of our knowledgeable technical or customer support professionals via chat! www.startech.com

Looking for more detailed product information, such as specifications, certifications and photos?

Visit our website for:

- Detailed product information including features, applications, certifications, etc.
- · Technical specifications, such as product dimensions, weights and much more...
- Quality photographs of every product
- Exclusive online tools and downloadable reference material
- Check inventory levels, find distributors and place orders online

All the information you need is available 24/7 at www.startech.com





Distributed by:









Testimonial

 I appreciate you getting back to me so quickly... you guys have the best customer service of anyone I've worked with. Always a pleasure dealing with you!

Eric Schultz OnSite Professional Computer Services

Table of Contents

Computer Parts

Hard-to-find Parts Page 2 **Mobility Products** Page 3 Industrial I/O Cards Page 4-5 Consumer I/O Cards Page 6-7 Fans and Cooling Page 8 **Power Supplies** Page 9 **Drive Enclosures** Page 10-11 **USB Products** Page 12-13 Networking Page 14

Cables & Accessories

Custom Cables Page 15 USB & FireWire Page 16 Patch Cables Page 17 Internal Cables Page 18 Fiber Optic Page 19 DisplayPort / AV Cables Page 20

A/V Solutions

Extenders Page 22 Converters Page 23 Spitters Page 24 Switches Page 25

Server Management

Desktop KVM Switches Page 26 Enterprise KVM Switches Page 27 Server Racks Page 28-29





Many of our products are RoHS compliant See our website or contact us for details



Hard-to-Find Parts Mobility Products

In The News

If you ever need any cable, device, or something you can't find StarTech is your best bet to find it.



DisplayPort to VGA Video Adapter Converter

DP2VGA

Connect a VGA computer monitor to a DisplayPort video card or other DisplayPort source.



CardBus to ExpressCard Adapter

You can use this adapter to connect all of your existing CardBus cards without the hassle or expense of having to replace them.





SATA 15 Pin Power Adapter to LP4 M/F

LP4SATAFM

DVISPL1DD

Compatible with all IDE hard drives and easy to install.

DVI 1 to 2 Splitter Cable

This DVI-D splitter cable makes

instantly connect 2 DVI-D displays

things easy with being able to

to a single digital DVI source.

1-800-265-1844



PCI Express to 2 PCI & 2 PCIe **Expansion Enclosure System**

PEX2PCIE4L

Expands available expansion slots by providing additional external PCI and PCIe slots.



2.5in SATA or USB to Dual Compact Flash SSD Adapter with RAID

Allows the CF hard drive adapter to be connected directly to a Desktop or Notebook PC.



Slimline SATA Cable with Power

SLSATAF20

Allows easy connection of Slimline optical drives to standard SATA motherboards.



8 Port PCI Express Low Profile Serial Adapter Card

PEX8S950LP

Designed to fit in small/micro form factor computer cases, making it the perfect choice when space is at a premium.

Popular Hard-to-Find Parts

i opulai riaru-to-i iliu i arts	
Description	Part Number
Screws for Case Fan Mounting (Pkg. of 50)	FANSCREW
1-1/4" Dia. Self-Adhesive Rubber Feet for PC Cases (4/pkg)	RUBBERFEET
7 Pc. Precision Screwdriver Kit	CTK100P
PCI POST PC System Diagnostics Test Card with 2 x 7 Segment LED	PCIPOST
PCI Express x16 Left Slot Riser Adapter Card for 1U/2U Servers	PEX16RISER
Screws #6-32 x 1/4" long (Pkg. of 50)	SCREW6_32
P.C. Tool Kit	CTK200
ATX Case Front Bezel Wire Kit	BEZELWRKIT
Assortment of screws, nuts and standoffs	PCSCREWKIT
2.54mm Standard Jumper Caps (Pkg. of 100)	JUMPER254

On-the-Go Solutions

StarTech.com offers a broad selection of high quality mob products, making it easy for you to find what you need gu



In The News

StarTech.com's USB to VGA **Docking Station** does exactly what it promises





USB VGA Multi Monitor External Video Adapter

USB2VGAE2

Can be used with up to four additional USB2VGAE2 USB video adapters, creating multiple VGA connections.



2.5" Black eSATA/USB External Hard Drive Enclosure for SATA HDD

SAT2510BU2E

Archive valuable data from notebook and desktop computers, using fast 3Gb/s transfer speed.



CardBus to ExpressCard Laptop Adapter Card – USB Based

Quickly and easily adapts USB based ExpressCard/34 devices to work through your laptop CardBus slot.



DisplayPort to DVI Video **Adapter Converter**

Lets vou connect a DVI-D display to a DisplayPort video source.



USB Powered Laptop Cooler with 2 Built in Fans

NBCOOLERSE

Ultralight size and weight for maximum portability and easy transportation.



USB DVI External Dual or Multi Monitor Video Adapter

USB2DVI

The perfect solution for turning an available USB 2.0 port into a DVI port.



4-in-1 USB VGA Adapter and **Docking Station**

Acts as a USB 2.0 hub allowing you to connect a keyboard, mouse, printer, audio devices, and more.



Professional USB to RS-232 Serial Adapter with COM Port Retention

ICUSB2321X

The fast and easy way to add a reliable RS232 serial port to USB enabled computers.



1 Port eSATA Slim ExpressCard **Drive Controller Card**

ECESATA1

1 Port Slimline eSATA ExpressCard recesses flush into slot for optimal mobility.

Popular Mobility Products

Description	Part Number
USB to PS2 Keyboard and Mouse Adapter	USBPS2PC
USB Stereo Audio Adapter External Sound Card	ICUSBAUDIOB
2 Port ExpressCard 1394a Firewire Card	EC13942
Compact Black USB 2.0 to 10/100 Mbps Ethernet Network Adapter	USB2106S
InfoSafe 2.5in eSATA USB 2.0 External Hard Drive Enclosure	SAT2510U2E
14-in-1 USB 2.0 High Capacity Silver Multi Media Memory Card Reader	FCREADHC
ExpressCard 12-in-1 Multi Media Memory Card Reader/Writer	ECREAD
4 ft Retractable USB 2.0 Cable A to B - M/M	USBRETAB4
2 Port CardBus Laptop USB 2,0 PC Card Adapter	CB2S950

3

1-800-265-1844

Parallel

1 Port PCI Express Dual

Profile Parallel Adapter

Card - SPP/EPP/ECP

2 Port ISA RS232 Serial

Adapter Card with 16550


Speed 16950 Serial

4 Port PCI Express RS232 Serial Adapter Card with Breakout Cable PEX4S552B

2S1P Native PCI Express

Parallel Serial Combo Card with 16550 UART

UART



Serial Cards

# of Ports	Bus /	Chipset	Type	Data Rate	Features	Part Number
1 Port	ISA	16C550	RS-232	460.8 Kbits/sec	-	ISA1S550
1 Port	PCI	16C550	RS-232	921 Kbits/sec	-	PCI1S550
1 Port	PCI	16C550	RS-232	921 Kbits/sec	Low Profile	PCI1S550_LP
1 Port	PCI	16C650	RS-232	921 Kbits/sec	Dual Voltage	PCI1S650PW
2 Port	ISA	16C550	RS-232	460.8 Kbits/sec	-	ISA2S550
2 Port	PCI	16C550	RS-232	921 Kbits/sec	-	PCI2S550
2 Port	PCI	16C550	RS-232	921 Kbits/sec	Low Profile	PCI2S550_LP
2 Port	PCI	16C950	RS-422/485	921 Kbits/sec	-	PCI2S485
2 Port	PCI	16C950	RS-422/485	921 Kbits/sec	Low Profile	PCI2S485LP
2 Port	PCI	16C554	RS-422/485	115.2 Kbits/sec	Optically Isolated	PCI2S422ISO
2 Port	PCI	16C650	RS-232	921 Kbits/sec	Dual Voltage	PCI2S650PW
2 Port	PCI	16C950	RS-232	460.8 Kbits/sec	-	PCI2S950
2 Port	PCI	16C950	RS-232	460.8 Kbits/sec	Dual Voltage	PCI2S950DV
2 Port	PCI Express	16C950	RS-232	460.8 Kbits/sec	-	PEX2S950
4 Port	PCI	16C550	RS-232	921 Kbits/sec	1 slot with breakout cable	PCI4S550
4 Port	PCI	16C550	RS-232	921 Kbits/sec	2 slots	PCI4S550N
4 Port	PCI	16C554	RS-422/485	230.4 Kbits/sec	-	PCI4S422DB9
4 Port	PCI	16C554	RS-422/485	230.4 Kbits/sec	Optically Isolated	PCI4S422ISO
4 Port	PCI	16C650	RS-232	921 Kbits/sec	Dual Voltage	PCI4S650PW
4 Port	PCI	16C950	RS-232	115.2 Kbits/sec	-	PCI4S950
4 Port	PCI	16C950	RS-232	921 Kbits/sec	-	PCI4S9503V
4 Port	PCI Express	16C950	RS-232	115.2 Kbits/sec	-	PEX4S950
8 Port	PCI	16C950	RS-232	921 Kbits/sec	-	PCI8S9503V
8 Port	PCI Express	16C950	RS-232	921 Kbits/sec	Low Profile	PEX8S950LP

Single Chip PCIe Serial Cards - NEW (48% Less load on CPU)


_	-		•		-	
# of Ports	Bus /	Chipset	Туре	Data Rate	Features /	Part Number
1 Port	PCI Express	16C550	RS-232	460.8 Kbits/sec	Dual Profile	PEX1S552
1 Port	PCI Express	16C950	RS-232	460.8 Kbits/sec	Oxford Chip, Dual Profile	PEX1S952
2 Port	PCI Express	16C550	RS-232	460.8 Kbits/sec	Dual Profile	PEX2S552
2 Port	PCI Express	16C950	RS-232	460.8 Kbits/sec	Oxford Chip, Dual Profile	PEX2S952
4 Port	PCI Express	16C550	RS-232	460.8 Kbits/sec	Dual Profile	PEX4S552
4 Port	PCI Express	16C550	RS-232	250 Kbits/sec	Low Profile, Breakout cable	PEX4S552B
1 Port	PCI Express	8161B/88E1111	Multi-Mode	1000 Mbits/sec	Gigabit Fiber SC	PEX1000MMSC
4 Port	PCI Express	16C950	RS-232	460.8 Kbits/sec	Oxford Chip, Dual Profile	PEX4S952
8 Port	PCI Express	16C950	RS-232	460.8 Kbits/sec	Oxford Chip, Dual Profile	PEX8S952

Combo Cards / Multi-Packs

				=			
	# of Ports	Bus /	Chipset	Type	Data Rate	Features	Part Number
	2 Serial, 1 Parallel	PCI	16C550	RS-232 + EPP/ECP	460.8 Kbits/sec & 1.5 Mbits/sec	-	PCI2S1P
	2 Serial, 1 Parallel	PCI Express	16C550	RS-232 + EPP/ECP	460.8 Kbits/sec & 1.5 Mbits/sec	Single Chip, Dual Profile	PEX2S5521P
	2 Serial, 1 Parallel	PCI Express	16C550	RS-232 + EPP/ECP	250 Kbits/sec & 1.5 Mbits/sec	Low Profile, Breakout cable	PEX2S1P552B
	1 Port	PCI	16C550	RS-232	921 Kbits/sec	10 Pack	10PKPCI1S550
ı	2 Port	PCI	16C550	RS-232	921 Kbits/sec	10 Pack	10PKPCI2S550

For more products & detailed information visit www.startech.com/iocards

USB to Serial



RS-232 Serial Adapter

Expresscard/Cardbus to Serial



4 Port Native PCI Express RS232 Serial Adapter Card with 16550 UART PEX4S552

3 Port LP PCI Express 12V PoweredUSB Adapte Card - USB PlusPower

Powered USB/USB PlusPower

	# of Ports	Bus	Port Voltages	Features	Part Number
	3 Port	PCI	3 x 12V	-	PCI312PUSB
	3 Port	PCI	3 x 12V	Low Profile Bracket	PCI312PUSBLP
	3 Port	PCI Express	3 x 12V	-	PEX312PUSB
	3 Port	PCI Express	3 x 12V	Low Profile Bracket	PEX312PUSBLP
	2 Port	Motherboard	1 x 24V, 1 x 12V	Requires No PCI or PCIE Connection from a PC	PUSBADAP
	2 Port	Motherboard	1 x 24V, 1 x 12V	Low Profile Bracket, Requires No PCI or PCIE Connection from a PC	PUSBADAPLP
1	3 Port	PCI	1 x 24V, 2 x 12V	Low Profile, highest total voltage	PCI1224PUSB

For more products & detailed information visit www.startech.com/iocards





StarTech.com's new ConXit Connection Wizard helps you find the right converter, extender, splitter, interface card or cable in two easy steps!

Visit: www.startech.com/conxit











Consumer I/O Cards

Consumer I/O Cards

Added Functionality, Increased Productivity

Wide Selection


Quickly find the right card for any application to optimize system performance.

Functionality

StarTech.com I/O cards can help you add new capabilities to your systems, helping to maximize productivity.




5 Port PCI Express US 2.0 Adapter Card PEX400USB2





2 Port 1b 1a ExpressCard 34mm Laptop 1394 FireWire Adapter Card FC13941A1R





2 Port 1b 1a ExpressCard 34mm Laptop 1394 FireWire Adapter Card PEX1394B3

# of Ports	Bus	Type	Data Rate /	Features	Part Number	
3 Ports	PCI	Combo	115Kbps, 1.5Mbps	2 Serial, 1 ECP/EPP Parallel	PCI2S1P	
3 Ports	ExpressCard	Combo	400Mbps; 480Mbps	Laptops; 2 Firewire; 1 USB	EC1U2F	
5 Ports	PCI	Combo	480Mbps, 400Mbps	3 USB, 2 FireWire	PCI3UV22F	3
3 Ports	PCI Express	Combo	230.4Kbps, 1.5Mbps	2 Serial, 1 Parallel	PEX2S1P	(3)
2 Ports	PCI 3.3/5.0V	Combo	920Kbps, 1.5Mbps	1 Serial, 1 Parallel	PCI2S1PDV	3
3 Ports	PCI 3.3/5.0V	Combo	920Kbps, 1.5Mbps	2 Serial, 1 Parallel	PCI2S1PDVLP	



2 Port ExpressCard 54mm eSATA Controller Adapter Card ECESATA254



4 Port PCI Express x4 SATA II Card PEXSATA24F

eSATA / SAT	ΤΑ					Ready
# of Ports	Bus	Туре	Data Rate	Features	Part Number	
2 Port	CardBus	eSATA	150 Mbps	Laptop; 2 Ext, 32 bit CardBus	CBESAT2	(B)
1 Port	Express Card	eSATA	300 Mbps	Slimline, PM Support, 34 mm	ECESATA1	(B)
1 Port	Express Card	Power eSATA	300 Mbps	1 Ext, 5V Power; PM Support	ECESATUSB1	ß
2 Port	Express Card	eSATA	300 Mbps	2 Ext, Port Multiplier, Single Chip	ECESATA22	ß
2 Port	Express Card	eSATA	300 Mbps	2 Ext, Port Multiplier, Single Chip	ECESATA254	ß
2 Port	PCI	eSATA/SATA	150 Mbps	1 Internal AND 1 External	PCIESATA2I	₽.
4 Port	PCI	SATA	150 Mbps	RAID 0,1; LP Bracket	PCISATA4R1	(B)
2 Port	PCI Express	eSATA/SATA	300 Mbps	1 Int OR 1 Ext, PM, Single Chip; LP Bkt	PEXESATA1	(B)
2 Port	PCI Express	eSATA/SATA	300 Mbps	1 Int AND 1 Ext, PM, Single Chip; LP Bkt	PEXESATA2I	(B)
2 Port	PCI Express	eSATA	300 Mbps	2 Ext, PM, Single Chip; LP Bkt	PEXESATA2	(B)
2 Port	PCI Express	SATA	300 Mbps	2 Port SATA, PM, Single Chip	PEXSATA22I	®
6 Port	PCI Express	SATA/eSATA	300 Mbps	4 Int / 2 Ext, Port Multiplier	PEXSATA24E	(3)

For more products & detailed information visit www.startech.com/iocards

6


Retail-Ready

IDE / SATA

Host to Peripheral

Bridging Adapters / Converters

Host System



Bus/Connector



ExpressCard to CardBus Laptop Adapter PC Card



Dual Profile PCI Express to ExpressCard Adapter PEX2ECDP



Dual Profile PCI Express to ExpressCard Adapter IDE2SAT25



SATA to Compact Flash SSD Adapter SAT2CF



ExpressCard 12-in-1 Multi Media Memory Card ECREAD



4 Channel Low Profile PCI Sound Adapter Card AC97 3D Audio Effects PCISOUND4LP



PCI Express x1 Left SI Riser Adapter Card for Low Profile System PCIF1RIS

1-800-265-1844

EC to PCMCIA/CardBus ExpressCard Laptops; Wireless, Industrial, Legacy CB2EC PCMCIA/CardBus to EC Laptop CardBus Laptops; USB-Based ExpressCard/34 EC2CBU PCI to PCMCIA/CardBus PCI 3.3/5.0 V PCI2PCMCIA1E R Desktop Single Card Port; PCI or PCI-X PCI to PCMCIA/CardBus PCI 3.3/5.0 V Dual Card Ports; PCI or PCI-X; LP Bkt PCI2PCMCIA2 Desktop PCI to Mini PCI Desktop PCI 3.3/5.0 V Mini PCI Wireless; PCI or PCI-X PCI2MPCIB PCI Express PCI Express to ExpressCard Desktop Supports 34 and 54mm EC PEX2EC PCI Express PEX2ECDP PCI Express to ExpressCard Desktop 34 and 54mm; Std & Low Profile Bkt **(3**) PCI Express PEX2EC35 PCI Express to ExpressCard Desktop 34 and 54mm; 3.5" or 5.25" Bay PCI Express to PCI/PCIe Desktop/Laptop PCI Express Expansion box with 2 PCI + PCIe PEX2PCIE4L Desktop/Laptop PCI-Express PEX2PCI4 PCI Express to PCI 4 Slot PCI Expansion Bay ExpressCard to PCI Connect PEX2PCI4 to Laptop EC2PCI ExpressCard SATA2ATA133 SATA to IDE Desktop/Server IDE HD to Adapter; SATA to Mb Connect IDE HD to SATA System **3** PATA2SATA2 IDE to SATA Desktop/Server Keyed IDE Connection to Mb Connect 2 SATA HD to IDE System Connect SATA HD to IDE System IDE to SATA IDF2SAT Desktop/Server Adapter to HD; IDE 40pin Cable from Mb IDE to SATA Desktop/Server Adapter to IDE Mb; SATA to HD Connect 2.5 or 3.5" SATA to IDE IDE2SAT25 **(3**) Compact Flash Adaptors Retail-Ready

Features

	Compact Flash Ad	apters				-Read
	Host to Peripheral	Host System	Connector	Features	Part Number	
	IDE to CF	Desktop	IDE 40 or 44 pin	Fits in 3.5" Bay; CF & Micro-Drive	35BAYCF2IDE	ß
	SATA to CF	Desktop	SATA Data; SP4	Fits in 3.5" Bay; CF & Micro-Drive	35BAYCF2SAT	3
	1.8" IDE to CF	Laptop; iPod	ZIF/LIF 40 pin	Bootable Solid State Drive; CF or M-D	ZIF2CF	3
	1.8" or 2.5" IDE to CF	Laptop	IDE 44 pin	Bootable Solid State Drive; CF or M-D	CF2IDE18	3
	1.8" IDE to CF	Laptop	IDE 50 pin	SSD Enclosure Size, Bootable	IDE502CFE	3
	IDE 2.5" to CF	Laptop/Desktop	IDE 44 pin	Bootable SSD; Dual CF or Micro-Drives	CF2X2IDE25	(3)
	1.8" Micro SATA to CF	Laptop	MicroSATA	SSD Enclosure Size, Bootable	CF2USAT18E	(3)
	SATA to CF	Laptop/Desktop	SATA 22pin (Data/Power)	Bootable Solid State Drive; CF or M-D	SAT2CF	(3)
	IDE to CF	Desktop	IDE 40 or 44 pin	Bootable SSD; CF or M-D; Rear PCI	PLATEIDE2CF	_
	IDE 3.5" to CF	Desktop	IDE 40 pin	Bootable Solid State Drive; CF or M-D	IDE2CFINT	3
	2.5"/3.5" IDE to CF	Laptop/Desktop	IDE 44 or 40 pin	Bootable Solid State Drive; CF or M-D	IDE2CF	3
ı	SATA to Dual CF	Laptop	SATA 22 Pin	RAID 0,1, BIG; Bootable SSP	2CF2SATAR	3

Media Card Rea		etail-Ready			
Туре	Host System	Bus	Features	Part Number	
Single Slot; 12-in-1	Laptop	ExpressCard 34/54	SD/MMC/MS/MS PRO/XD	ECREAD	®
Single Slot	Laptop	ExpressCard 34mm	Compact Flash & Micro-Drives	CF2EC	ß
Video Cards					etail-Ready

video Cards				₩ Reta	all-Ready
# of Ports	Bus	Resolution	Features	Part Number	
Single VGA	PCI	1280 x 1024 (32Bit)	Server, Thin Client, Industrial	PCIVGAV7	ß
Sound Cards				Retail	ail-Ready

Ports /	Bus	Type	Features	Part Number	
Audio Out, Line in, Mic, MIDI	PCI	4 Channel	Legacy Audio SBPro	PCISOUND4CH	
Audio Out, Line in, Mic	PCI Low Profile	4 Channel	AC97 3D Audio, Incl LP Bracket	PCISOUND4LP	(3)
Audio Out, Line in, Mic, MIDI	PCI	5.1 Channel	Legacy Audio SBPro; 3D Audio; Game Port	PCISOUND5CH	ß
Audio Out, Line in, Mic, MIDI	PCI Low Profile	5.1 Channel	Dolby Digital EX; 96 Kbs / 24 bit Audio	PCISOUND5LP	(3)
Audio Out, Line in, Mic, MIDI	PCI	7.1 Channel	Dolby Digital EX; DirectSound™, 2 Audio Inputs	PCISOUND7	ß
				_	_

SCSI Cards					W Retail-Ready
# of Ports	Bus	Туре	Data Rate	Features	Part Number
1 Port	PCI	Ultra Wide 68 pin	40 Mbyte/sec.	Up to 15 Wide SCSI devices supported	PCISCSIUW
046 0					

Other Cards & 10		
Description	Part Number	
PCI Express 1x Riser Card	PCIE1RIS	@
PCI Express 1x to 4x, 8x, 16x Low Profile Adapter	PEX1TO16	(3)
Black 3.5" Drive Bay Mult-Port Panel w/ eSATA	35BAYPANELBK	
	Retail-R	eadv

7

Retail-Ready

Part Number

Cooling Solutions

We provide a reliable foundation for any replacement, upgrade or system build.

Versatile

Our cooling solutions are designed to suit virtually any system configuration.



CPU Coolers

/ Types	Suited For	Fan Type	Material	Part Number	
Socket T/775	Core 2 Duo Quad Processor	95mm/BB	Aluminum	FAN775E	(3)
AMD/Intel/Socket T/ 775	1U Dual Core & High Speed P4	70mm/DBB	Copper	FAN7751U	(3)
AMD/Universal	K8 family, Socket AM2/939/940/754	92mm/BB	Aluminum	FANK8AM2	ß
AMD/Universal	K8 family, Socket AM2/939/940/754 - Athlon, Opteron, Sempron	92mm/BB	Aluminum	FANK8AM21U	ß
Universal Intel P4/AMD	P3 (370), P4 (478) to 3.2 GHz, K7/K8 (A/939/940/754)	70mm/BB	Aluminum	UNIVERSALHSF	3
Universal/Socket AM2	3 HP, P3, P4, Dual Core, (478/775) K7/K8 (754,939,940,AM2)	92mm/BB	Aluminum	FAN939775HP	(3)
Socket 478	P4 up to 2.8 GHz	60mm/BB	Aluminum	FAN478	(3)
Socket 423	P4 up to2GHz	60mm/BB	Aluminum	FANP4	ß
Socket 7/370	K-6 to 500 MHz (socket 7) and P3/Celeron (socket 370)	50mm/BB	Aluminum	FANP1003LD	(3)
Socket 7/370	P3, Celeron up to 1.4GHz, AMD K6	60mm/BB	Aluminum	FAN370PRO	(3)
Socket 7/370	1U Server Design, P3/Celeron & Athlon/Duron to 1GHZ	60mm/BB	Copper	FAN3701U	®
Socket A, Socket 370	Athlon XP	60mm/BB	Aluminum	FANATHLON	(3)
Socket A, Socket 370	Duron, Thunderbird, to 1300 MHz & XP to 2000 MHz	60mm/BB	Aluminum	FANDURONTB	(3)
VGA Card	Chipsets, Video Cards - nVIDIA and ATI	40mm/BB	Copper	FANUNIVGA	B

Retail-Ready

Notebook Cooler




Ball Bearing AMD CPU Cooler Fan with Heatsink

Cooler with 2 Built in Fans

Types	Suited For	Fan Type	Color	Part Number	
Two Fans	Portable, Ergonomic	Plastic	Black	NBCOOLERSE	B
Two 80mm Fans	Ultra light, quiet 19 dBa noise level, up to 15"	Plastic	Black	NBCOOLERLE	B
Four 60mm Fans	Portable, lightweight design variable speed, up to 15"	Plastic	Black	NBCOOLER	(3)
Two 70mm Fans	Combined cooler, plus card reader and USB hub, up to 15"	Aluminum	Silver	NBCOOLERPRO	®
Fan	Air extracting notebook fan with 2 speed control, 180° rotatable	Plastic	Black	NBFAN	(3)
					_

Retail-Ready

Case / CPU / Other Fans



Retail-Ready

Powerful Performance, Lasting Reliability

A broad range of styles and outputs to suit the requirements of most Intel and AMD based systems.

High Quality

The high quality design of our power supplies ensures a dependable and reliable performance, suitable for a wide range of environments.





with PCI Express and SATA



Reliable 400 Watt ATX12V 2.01 Power Supply with 20 and 24-pin Connectors





400 Watt Silent ATX12V 2.01 P4 Power Supply with 12cm Fan ATX2POW400HS



400 Watt Silent ATX12V 2.01 P4 Power Supply with 12cm Fan MICATXPOW255



Case with 450 Watt P4 Power Supply RMC4450

Professional Series

Wattage	MTBF	/ Fan	ATX 12V	Mb Support /	Other	Part Number	
250	100,000	80 mm Dual Ball Bearing	1.3	20 pin	Aux 6 Pin	ATXPOW250PRO	ß
300	100,000	80 mm Dual Ball Bearing	1.3	20 pin	Aux 6 Pin	ATXPOW300PRO	(3)
350	100,000	80 mm Dual Ball Bearing	1.3	20 pin	-	ATXPOW350PRO	(3)
400	100,000	80 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2PW400PRO	(3)
450	100,000	80 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2PW450PRO	(3)
500	100,000	80 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2PW500PRO	(3)
550	100,000	120 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2PW550PRO	ß

Retail-Ready

Reliable Series

	Wattage	MTBF	Fan	ATX 12V	Mb Support /	Other	Part Number	
	250	100,000	80 mm Sleeve Bearing	1.3	20 pin	Aux 6 Pin	ATXPOWER250	®
	300	100,000	80 mm Sleeve Bearing	1.3	20 pin	Aux 6 Pin	ATXPOWER300	(3)
	350	100,000	80 mm Sleeve Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2POWER350	®
	400	100,000	80 mm Sleeve Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2POWER400	ß
	450	100,000	80 mm Sleeve Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2POWER450	(3)

Retail-Ready

Dell Replacements

Wattage	MTBF	Fan	ATX 12V	Mb Support	Other	Part Number	
350	100,000	80 mm Sleeve Bearing	2.01	20/24 pin	For a complete list of	ATXPW350DELL	(3)
400	100,000	80 mm Sleeve Bearing	2.01	20/24 pin	compatible models please	ATXPW400DELL	(3)

Retail-Ready

Silent

	Wattage	MTBF	Fan	ATX 12V	Mb Support	Other	Part Number	
	400	100,000	120 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V/PCI-E/SATA	ATX2POW400HS	•
	450	100,000	120 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2POW450HS	3
ı	500	100,000	120 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2POW500HS	3

Retail-Ready

Specialized

Wattage	MTBF	Fan	ATX 12V	Mb Support	Other	Part Number	
350	100,000	80 mm Ball Bearing	1.3	20 pin	Dual Fans	ATXPOW350DF	3
400	100,000	80 mm Ball Bearing	1.3	20 pin	Dual Fans	ATXPOW400DF	3
145	100,000	80 mm Sleeve Bearing	1.3	20 pin	MicroATX	MICATXPOW145	3
255	100,000	80 mm Sleeve Bearing	1.3	20 pin	MicroATX	MICATXPOW255	(3)
						Retail-Re	ady

PS/2

Wattage	MTBF	Fan	Other	Part Number	
230	40,000	Sleeve Bearing	PS/2 - Style	PS2POWER230	3
				0.5.4.3.5	

Rackmount Cases

Types	Color	Height /	Power Supply	Part Number
Rackmount	Black	4U	450 W	RMC4450
Rackmount	Black	4U	None	RMC4000I

For more products & detailed information visit www.startech.com/powersupply

9

For more products & detailed information visit www.startech.com/fans

Drive Enclosures Drive Enclosures

Versatile Drive Enclosures

Turn hard drives into dynamic storage options while adding innovative capabilities.

Sturdy

Designed and built to last, our external hard drive enclosures are able to withstand virtually any environment.

Dependable

Constructed from high quality materials and designed to offer a durable, secure way to store valuable data



INFO SAFE

Features

One-Button Backup

HDD / CD / DVD

In The News

StarTech.com makes it easy to build custom portable hard drives that are perfect for transporting and safekeeping large files



3

3

3

3

Portable/Laptop



2 5in eSATA USB External Hard Drive Enclosure for SATA HDD

Drive Size Connection Construction Color Features Part Number IDE USB 2.0 Aluminum Silver Low / Zero Insertion Force IDE1810U2Z USB 2.0 IDE 2.5" Aluminum Silver Portability IDE2510U2 Serial ATA 2.5" USB 2.0 Aluminum Silver Portability SAT2510U2 Serial ATA 2.5" USB 2.0 Aluminum Black Portability SAT2510BU2 Serial ATA 2.5" USB 2.0 Aluminum Black Portability; OTB SAT2510BU2B Serial ATA 2.5" eSATA / USB 2.0 Aluminum Silver eSATA 3 Gb/s SAT2510U2E Serial ATA 2.5" eSATA / USB 2.0 eSATA 3 Gb/s SAT2510BU2E Aluminum Serial ATA Dual 2.5" eSATA/USB 2.0 Two 2.5" HD; RAID SAT2520U2ER

Construction Color


Silver

Aluminum

Retail-Ready

Part Number

IDE/ATA



Retail-Ready



External Hard Driv Enclosure for SATA HDD

4 Drive 3 5in Silver eSATA Multi RAID Externa Hard Drive Enclosure

eSATA USB to SATA External HDD Dock for Dual 2.5 or

3.5in Hard Drive

Desktop

Drive Type	Drive Size	Connection	Construction /	Color	Features	Part Number	
Serial ATA	3.5"	USB 2.0	Aluminum	Silver	SATA HD	SAT3510U2V	3
Serial ATA	3.5"	USB 2.0	Aluminum	Black	SATA HD	SAT3510BU2V	(3)
Serial ATA	3.5"	USB 2.0	Aluminum	Silver	SATA HD, Fan, OTB	SAT3510U2B	(3)
Serial ATA	3.5"	eSATA/USB 2.0	Aluminum	Black	SATA, Fan, Removable Trayless HD	SAT3510BU2E	3
Serial ATA / IDE	3.5"	USB 2.0	Aluminum	Black	SATA / IDE HD	UNI3510U2	(3)
Serial ATA/IDE	3.5"	eSATA/ USB 2.0	Aluminum	Silver	Screwless, Fan, OTB	UNI3510U2E	3
Serial ATA / IDE	3.5"	eSATA/USB 2.0	Aluminum	Black	Screwless, Fan, OTB	UNI3510U2EB	(3)
Serial ATA	5.25"	eSATA / USB 2.0	Aluminum	Silver	SATA DVD / CD / HD/ Blu - Ray	SAT5210U2E	3

Multi Drive / RAID

	Drive Type	Drive Size	Connection	Construction /	Color	Features	Part Number	
	Serial ATA	Dual 3.5"	USB 2.0	Aluminum	Silver	JBOD	SAT3520U2	ß
	Serial ATA	Dual 3.5"	USB 2.0	Aluminum	Char / Black	Dual HD / RAID 0/1	SAT3520U2R	(3)
	Serial ATA	Dual 3.5"	eSATA/USB 2.0	Aluminum	Silver	Dual HD / RAID 0/1	SAT3520U2ER	(3)
	Serial ATA	Dual 3.5"	eSATA/USB 2.0	Aluminum	Silver	Removable Trays; RAID 0,1	S352U2RER	(3)
ı	Serial ATA	4 x3.5"	eSATA	Aluminum	Black	4 Drives, RAID, 0,1,1+0	SAT3540ER	®

Retail-Ready

Retail-Ready

Retail-Ready

HD Docking Storage

Drive Type	Drive Size	Connection	Construction	Color	Features	Part Number	
Serial ATA	2.5" / 3.5"	USB 2.0	Aluminum	Black	Easy connect, No enclosure	SATADOCKU2	
Serial ATA	2.5" / 3.5"	eSATA / USB 2.0	Aluminum	Black	Easy connect, No enclosure	SATADOCKU2E	
Serial ATA	Dual 2.5" / 3.5"	eSATA / USB 2.0	Aluminum	Black	Dual Hard Drives 2.5 or 3.5"	SATADOCK22UE	
Serial ATA	Dual 2.5" / 3.5"	USB 2.0	Plastic	Black/Silver	Dual Hard Drive Duplicator	SATDOCK22R	(3)

For more products & detailed information visit www.startech.com/drivedrawers

Removable Storage Solutions

We offer a wide range of removable hard drive enclosures to help you find the perfect fit for your mobile storage solutions.

Convenient

Our removable hard drive enclosures provide the compatibility and ease of use required for easy integration into any solution.



External Hard Drive Enclosure for SATA HDD



External Hard Drive Enclosure for SATA HDD



2.5in eSATA USB External Hard Drive Enclosure for SATA HDD



4 Drive 3 5in Hot Swan Backplane



4 Drive 2.5in Hot Swap SAS SATA Mobile Rack



Internal/External Combo

Drive Type	Style /	Construction	Color	Features	Part Number	
Serial ATA	3.5" & 5.25" Bays	Aluminum	Silver	Internal Removable 2.5"/ External (USB) Storage	SAT2510U2REM	B
Serial ATA	2.5" Enclosure	Aluminum	Silver	Ext. 2.5" USB 2.0 Enclosure for SAT2510U2REM	SAT2510U2S	
Serial ATA	5.25" Bay	Aluminum	Silver	Internal Removable 3.5"/ External (USB) Storage	SAT3510U2REM	3
Travlace					Retail-Re	eady

Trayless Style Construction Color Features Part Number Drive Type Single 5.25" Bay Internal Mount; Fast Swap 3.5" HD; Keylock; LED HSB100SATBK Serial ATA PCI Slot Internal PCI Slot, Single 2.5" Trayless Bay S25SLOTR Aluminum HSB220SAT25B Serial ATA Single 5.25" Bay Internal Mount; Fast Swap Dual 2.5" HD Serial ATA Two 5.25" Bays Aluminum Internal Mount; 3 x 3.5" HD Backplane HSB320SATBK

Internal Mount; 4 x 3.5" HD Backplane

Internal Mount, 1 x each 2.5" x 3.5" or 2" x 2.5" HD SATADOCK525

Single 5.25" Bay SATA Drive Drawer / Mobile Rack

Three 5.25" Bays

Aluminum

/	Drive Type	Style	Construction	Color	Features	Extras Available	Part Number	
	Serial ATA	Value	Plastic	Black	3Gb/s Transfer	Caddy (DRW110CADSBK)	DRW110SATBK	®
	Serial ATA	Rugged	Plastic, Aluminum	Black	Two Fans	Caddy (DRW113CADSBK)	DRW113SATBK	(3)
	Serial ATA	Durable	Aluminum	Black	3Gb/s Transfer	Caddy (150CADSBK)	DRW150SATBK	ß
	Serial ATA	Professional	Aluminum	Black	Shock Absorbers	Caddy (DRW115CADSBK)	DRW115SATBK	3
	0474.0						Retail-F	Ready

SATA Backplanes

Serial ATA

Serial ATA

	Orive Type	Style	Construction	Color	Features	Extras Available	Part Number
S	Serial ATA	2 Bay	Aluminum	Black	3 Hard Drives	Tray (SATATRAYBK)	SATABAY3BK
S	Serial ATA	3 Bay	Aluminum	Black	4 Hard Drives	Tray (SATATRAYBK)	SATABAY4BK
S	Serial ATA	3 Bay	Aluminum	Black	5 Hard Drives	Tray (SATATRAYBK)	SATABAY5BK

IDE Drive Drawer / Mobile Rack

	Drive Type	Style	Construction	Color	Features	Extras Available	Part Number	
	IDE ATA 133	Value	Plastic	Black	3 K Insertion Cycle	Caddy	DRW110ATABK	(3)
	IDE ATA 133	Rugged	Plastic, Aluminum	Black	Hot Swap Software	Caddy	DRW113ATABK	(3)
	IDE ATA 133	Durable	Aluminum	Black	Cableless Connector	-	DRW150ATABK	3
l	IDE ATA 133	Professional	Aluminum	Black	Max. Durability	Bay, Caddy		3
							□ Retail_Re	Dad!

Serial Attached SCSI (SAS)

3.5" Bay to Dual 2.5" SATA HDD Adapter

3.5" Bay to Dual 2.5" IDE HDD Adapte

3.5" IDE to 1.8" ZIF/LIF HDD Adapter

Drive Type	Style	Construction	Color	Features	Extras Available	Part Number	
SAS / SATA	Durable	Aluminum	Black	3 Gb/s Transfer	-	DRW150SASBK	
SAS / SATA	Durable	Aluminum	Black	4 x 2.5" HD	-	SATABAY425BK	

Color

SCSI Drive Type

U320 68 Pin

80 Pin SCA	Durable	Aluminum	Black	2 DBB Fans	-	DRW150SCABK
Drive Mo	unting Brac	kets				Retail-Ready
Drive Type						Part Number
Metal 3.5" to 5	5.25" Drive Adapte	er Bracket				BRACKET
2.5" SATA HD	to 3.5" Drive Bay	Mounting Kit (IDE vers	sion also - BR	ACKET25)		BRACKET25SAT
Bracket for 3.5	5" Floppy with Bez	zel (also Available in Be	eige)			BRACKETFDBK

Features

Extras Available

Caddy (150SCSIBKCAD)

Construction

For more products & detailed information visit www.startech.com/drivedrawers

111



Part Number

SATA35252X

IDE35252X

3

3

Retail-Ready

DRW150SCSIBK

HSB430SATBK

Retail-Ready





USB Connectivity Solutions

Our broad selection of USB and FireWire products allows you to harness the abilities of cutting edge technology, giving you access to more functions and faster data transfers.

Quality

As with any StarTech.com product, we offer only the highest quality of USB device design and construction.

Reliability

StarTech.com USB devices and components are built to provide consistency excellent performance.



USB Devices - Hubs

Ports	Interface	Data Rate	Туре	Color	Desktop/ Laptop	Part Number	
2 Ports	USB 2.0	480 Mbps	Docking Station	Black	Laptop	USB6N1DOCK	®
3 Ports	USB 2.0	480 Mbps	Hub / Card Reader	Black / Silver	Desktop/ Laptop	ST4205READ	ß
4 Ports	USB 2.0	480 Mbps	Hub	Black / Silver	Desktop/ Laptop	ST4205USB	ß
4 Ports	USB 2.0	480 Mbps	Hub	Black	Desktop/ Laptop	ST4202USB	®
4 Ports	USB 2.0	480 Mbps	Hub	Silver	Desktop/ Laptop	ST4200MINI	ß
7 Ports	USB 2.0	480 Mbps	Hub	Black / White	Desktop/ Laptop	ST7200USB	•
7 Ports	USB 2.0	480 Mbps	Hub	Black	Desktop/ Laptop	ST7202USB	3

Retail-Ready

Ports	Interface	Data Rate	Type	Color	Desktop/ Laptop	Part Number	
2 Ports	USB 2.0	480 Mbps	Docking Station	Black	Laptop	USB6N1DOCK	3
3 Ports	USB 2.0	480 Mbps	Hub / Card Reader	Black / Silver	Desktop/ Laptop	ST4205READ	3
4 Ports	USB 2.0	480 Mbps	Hub	Black / Silver	Desktop/ Laptop	ST4205USB	3
4 Ports	USB 2.0	480 Mbps	Hub	Black	Desktop/ Laptop	ST4202USB	3
4 Ports	USB 2.0	480 Mbps	Hub	Silver	Desktop/ Laptop	ST4200MINI	3
7 Ports	USB 2.0	480 Mbps	Hub	Black / White	Desktop/ Laptop	ST7200USB	3
7 Ports	USB 2.0	480 Mbps	Hub	Black	Desktop/ Laptop	ST7202USB	3
7 Ports	USB 2.0	480 Mbps	Hub	Black / White	Desktop/ Laptop	ST7200USB	Ġ

USB Devices - Card Readers

E.u.		n	
	1		

4 Port Compact Black USE

14-in-1 USB 2.0 Hgh Capacity Silver Multi Media Memory Card Reader

	Interface	Data Rate	Bay or Standalone	Color	SDHC Compatible	Desktop/ Laptop	Part Number	
	USB 2.0	480 Mbps	Standalone	Silver	Yes	Desktop / Laptop	FCREADHC	ß
	USB 2.0	480 Mbps	Standalone	Black	Yes	Desktop / Laptop	FCREADMICRO	ß
	USB 2.0	480 Mbps	Standalone	Silver	No	Desktop / Laptop	FCREADMINI	3
	USB 2.0	480 Mbps	Bay	Beige	No	Desktop	35FCREAD	_
	USB 2.0	480 Mbps	Bay	Black	Yes	Desktop	35FCREADBK	_
	USB 2.0	480 Mbps	Standalone or Bay	Beige	No	Desktop	35FCREAD20	(3)
	USB 2.0	480 Mbps	Standalone or Bay	Black	No	Desktop	35FCREAD20BK	(3)
ı	USB 2.0	480 Mbps	Eiectable or Bay	Silver	No	Desktop	35FCREADREM	(3)

Retail-Ready

External 56K USB Modem

- Converts a USB port into an external 56k dialup modem
- Supports data receive rates up to 56Kbps



USB 2.0 to SATA IDE Adapter USB2SATAIDE

- Connect 2.5" or 3.5" SATA/ IDE drives to a USB 2.0 port
- · Quickly transfer files from one drive to another



USB to Stereo Audio Adapter Converter

ICUSBAUDIO and ICUSBAUDIOB

- Add headsets and microphones to your computer without the need to unplug other devices
- · Available in black or white



7.1 Channel USB Audio Adapter **External Sound Card**

- · Analog and digital audio output for seven channels of sound
- · Easy volume control with volume and mute buttons on

USB Graphic Adapters

An easy, simple to use solution for connecting multiple displays through a USB 2.0 port.

Convenient

Plugs into the host computer system or docking bay in a matter of seconds, quickly helping you get the most out of your PC operating environment.



In The News

If it's your desktop that's hampering you, consider expanding your virtual real estate by adding a monitor or two using a USB display adapter from StarTech.com





USB VGA Multi Monitor External Video Adapter

USB2VGAE2

· A compact, lightweight, cost effective, USB to VGA adapter

Max Displays Max Resolution 1680x1050 @ 32 bits



USB VGA External Multi Monitor Video Adapter - High Resolution

USB2VGA2

• Our highest performance, USB to VGA adapter with support for up to 5 displays

Max Displays Max Resolution 1600 x 1200 @ 32 bits



USB DVI VGA External Dual or Multi Monitor Video Adapter

 Acts as an external video card for any USB 2.0 computer

Max Displays Max Resolution 1600 x 1200 @ 32 bits



USB DVI External Multi Monitor Video Adapter

USB2DVI

 Acts as an external video card connected through USB 2.0 with Mac® support

Max Displays Max Resolution 1600 x 1200 @ 32 bits



4-in-1 USB VGA Adapter and **Docking Station**

USBVGADOCK


· Acts as a USB 2.0 hub allowing you to connect a keyboard, mouse, printer, audio devices, and more

Max Displays Max Resolution 1280x1024 @ 32 bits

Connect one or up to five adapters to one PC.

Why are they convenient?

- · Works well with any VGA connected display, and on any PC running Windows 2000, Windows XP, Windows Vista
- Plugs into the host computer system or docking bay in a matter of seconds, quickly helping you get the most out of your PC operating environment
- · Eliminates the hassle of installing a second video card



For more products & detailed information visit www.startech.com/usb

For more products & detailed information visit www.startech.com/usb



Build Rock Solid Networks

Simple Installation

StarTech.com networking products are designed for simple set-up and fast deployment, saving valuable time and expense.

Reliability

Our networking products are designed to withstand challenging environments, while operating at peak performance.









10/100 Mbps USB Print Server



8 Port 10/100 Mbps





1 Port RS-232/422/485 Serial over IP Ethernet



Media Converter Kit ET90110WDM



/	Description	Host System	Part Number	
	1 Port PCI and LP PCI 10/100 Ethernet Card	Desktop	ST100S/ST100SLP	3
	1 Port PCI Express 10/100 Ethernet Card w/ LP Bracket	Desktop	PEX100S	®
	1 Port Dongle-less 10/100 PCMCIA CardBus Ethernet Card	Laptop	UE1205CB	ß
	1 Port USB 2.0 to 10/100 Ethernet Adapter	Desktop / Laptop	USB2106S	®
	1 Port Gigabit ExpressCard (10/100/1000 Mbits/sec.)	Laptop	EC1000BT	®
	1 Port 10/100/1000 Mbps 32 bit PCI Gigabit Card w/LP Bracket	Desktop	ST1000BT32	®
	1 Port PCI Express 10/100/1000 Mbps Gigabit Ethernet Card	Desktop	ST1000SPEX	3
	2 Port PCI Express 10/100/1000 Mbps Gigabit Ethernet Card	Desktop	ST1000SPEXDP	(3)

Retail-Ready

Wireless		Retail-Ready
Description	Host System	Part Number
802.11g Wireless PCI NIC Adapter (Incl LP Bracket)	Desktop	PCI555WG
54 Mbps USB 802.11g Wireless Mini NIC Adapter	Desktop / Laptop	USB555WG
802.11g Wireless Cardbus NIC Adapter	Laptop	CB555WG

Print Servers

Description	Part Number	
1 Port Parallel or 1 Port USB 10/100 Mbps Print Server	PM1115P / PM1115U	B
Multi-function Printer and USB Device Server (10/100 MBPS)	PM1115UMF	

Retail-Ready **Network Hubs & Switches**

Description	Part Number
16, 8 and 5 Port Desktop 10/100 Fast Ethernet Switch	DS16105, DS8107, DS5107

Extenders

Input Connector	Ports	Maximum Distance	Features	Part Number
RS-232	1 Port	3300ft.	Serial RS-232 over Cat5/6	RS232EXTC5
RJ-45	1 Port	3300ft.	Ethernet over Single Pair (telephone wire)	110VDSLEXT (kit)
USB	1/1/2 Port	330ft. / 165ft. / 165 ft.	USB over Cat5/6	USB100EXT /110EXT/120EXT
USB 2.0	4 Port	330ft.	USB over Cat5/6	USB204EXT
USB 2.0 + VGA	1 Port	500ft.	KVM Console extender	SV565UTPU
USB 2.0 + VGA + Serial + Audio	1 Port	1000ft.	Long Distance KVM Console extender	SV56UTPUSA

Converters/Switches

Input Connector	Ports	Output Connector	Features	Part Number
RS-232	1 Port	RS-422/485	RS-232 to RS422/485 serial converter	IC485S
RJ45	1 Port	RS-232/422/485	Serial over IP Ethernet Device Server	NETRS2321E
RJ45	1, 2, or 4 Port	RS-232	Serial over IP Ethernet Device Server	NETRS232_1,_2,_4
RJ45 Powered	1 Port	RS-232	Power Over Ethernet (POE) to Serial RS-232	NETRS2321POE

Fiber Media Converters

Speed	Max. Distance	Type /	Connector	Features	Part Number
10/100Mbps	2 km	Multi-Mode	SC or ST	-	MCM110SC2/ST2
10/100Mbps	2 km	Multi-Mode	SC or ST	Steel Case	ET90110SC/ST
10/100Mbps	20 km	WDM (Single fiber for TX/RX)	SC	Kit, includes both end units	ET90110WDM
10/100Mbps	30 km	Single Mode	SC	Longest Distance	ET90110SM30
1000Mbps	550 m	Multi-Mode	SC or LC	Steel Case	ET91000SC/LC
1000Mbps	550 m / 15 km	Multi-Mode/Single Mode	SC	-	MCMGBSC055/15
1000Mbps	10 km	Multi-Mode to Single Mode	SC	Multi-Mode to Single Mode Converter	ET91000MMSM
1000Mbps	40 km	Single Mode	SC or LC	Longest Distance	ET91000SM40/LC

For more products & detailed information visit www.startech.com/networking



You can rely on our technical expertise to help build the technology solutions you need to win more business. With over 20 years of experience providing high quality IT and AV products, we offer robust manufacturing and custom product design capabilities that can help you complete solutions while eliminating hassle and wasted time.

1. Provide us with the basic requirements of your project. Our expert technical staff will review the project quickly, provide a free consultation and cost quotation within 24 hours.

2. We can produce quantities as high as 100,000 pieces with rapid

StarTech.com's custom manufacturing capabilities include:

- · Assembled and Injection Molded Data Cables
- · Fiber Optic Cable Assemblies
- · Video and Monitor Cables
- Internal Power and Data Cables
- Custom Wiring Harnesses
- · Custom Labeling and Barcoding

For more information visit www.startech.com/custom

The StarTech.com Advantage:

Account Manager

- A complete range of IT hardware including hard-to-find and custom solutions
- · Access to engineers who can develop custom solutions and provide post sales support
- Industry certifications including UL, CSA, TUV and ETL

Advantage #2

y phone, email and chat

Fast, friendly

and free support

- · Industry leading warranties
- ISO 9001:2000 Registered
- Over 20 years experience in the IT industry

Consistent performance for better connections

StarTech.com's broad selection of cables helps add value to any project, by saving the time needed to find the right solution. Not only do our cables provide maximum quality and reliability, but the breadth of our product selection helps to ensure all customer needs are met in one place.

Backed by a lifetime warranty, all of our cables ensure top level performance for any application.



Power Cables



IEC320 C-19 to NEMA L5-20P 12/3

Lengths	/ Type	Color	Connectors	Part Number
1 ft, 6 ft, 10 ft	Standard Computer Power Cord Extension	Black	C14, C13	PXT100x
10 ft	10ft Power Extension Y Cable	Black	C14, C13x2	PXT100Y
1 ft, 3 ft, 6 ft, 10 ft	Standard Computer Power Cord	Black	5-15P, C13	PXT101x
6ft	2 Prong European PC Power Cord	Black	Euro Plug, C13	PXT101EUR
6ft	6 ft NEMA 5-15 to C13 Right Angle Power Cable	Black	5-15P, C13 Right Angle	PXT101L
6ft	Laptop Computer Power Cable	Black	1-15P, C7	PXT101NB
6ft	3-Slot Laptop Power Cable	Black	5-15P, 3 C5	PXT101NB3S
6ft	6ft Universal Computer Power Cord (NEMA 5-15P to C13)	Black	5-15P, C13x2	PXT101Y
1ft, 3ft, 6ft, 10ft	1ft Computer Power Cord (C19 to C20)	Black	C19, C20	PXTC19C20x
8ft	Server Power Cord 12 AWG	Black	L5-20P, C13	PXTL520C198
6ft	Server Power Cord 14 AWG	Black	L6-20P, C13	PXTL620C136
1ft	Computer Monitor Power Cable	Black	C14, 5-15R	PAC100
1ft, 10ft	Power Cord Extension Cable	Black	5-15P, 5-15R	PAC101x
1.5ft	Power Cord Extension Splitter Cable	Black	5-15P, 5-15Rx2	PAC101Y

For more products & detailed information visit www.startech.com/cables

xx = Length









Fast and Reliable USB and FireWire cables

Our broad selection of USB and FireWire products allow you to harness the abilities of cutting edge technology, giving you access to more functions and faster data transfers.

Quality

As with any StarTech.com product, we offer only the highest quality of USB and FireWire design and construction.

StarTech.com USB and FireWire cables are designed and built to exceed the highest quality standards.





USB Cables

Lengths	Туре	Color	Connectors	Part Number
1 ft, 3 ft, 6 ft, 10 ft	USB 2.0 Certified	Black	A Male, B Male	USB2HABxx
15 ft	USB 2.0	Black	A Male, B Male	USB2HAB15
6 ft, 10 ft, 15 ft	USB 2.0	Transparent	A Male, B Male	USB2HABxxT
3 ft, 6 ft, 10 ft, 15 ft	USB 2.0	Beige	A Male, B Male	USBFAB_xx
3 ft, 6 ft, 10 ft, 15 ft	USB 2.0	Transparent	A Male, B Male	USBFAB_xxT
3 ft, 6 ft, 10 ft	USB 2.0	Gray	A Male, Mini B Male 5 Pin	USB2HABMxx
3 ft, 6 ft, 10 ft	USB 2.0	Black	A Male, Mini B Male 4 Pin	USBFA4Sxx
6 in, 6 ft	USB 2.0 Extension	Beige	A Male, A Male	USBEXTAA_xx
6 ft	USB 2.0 Extension	Beige	A Male, A Male	USBFAA_6
15 ft	USB 2.0 Active Extension	Beige	A Male, A Male	USB2FAAEXT15
3 ft, 6ft	Micro USB Cable - A to Right Angle Micro B	Black	A Male, Micro B Right Angle	UUSBHAUBxRA
1 ft, 3 ft, 6 ft, 10 ft	USB A to MicroUSB B Cable	Black	A Male, Micro B	UUSBHAUBxx
				xx = Ler

FireWire Cables



Lengths	Type	Color	Connectors	Part Number
6 ft, 10 ft, 15 ft	IEEE-1394 FireWire A	Black	6 Pin, 6 Pin	1394_xx
10 ft, 15 ft	IEEE-1394 FireWire A	Transparent	6 Pin, 6 Pin	1394_xxT
6 ft, 10 ft, 15 ft	IEEE-1394 FireWire A	Black	4 Pin, 4 Pin	1394_44_xx
6 ft, 10 ft, 15 ft	IEEE-1394 FireWire A	Black	4 Pin, 6 Pin	1394_46_xx
15 ft	IEEE-1394 FireWire A	Transparent	4 Pin, 6 Pin	1394_46_15T
6 ft, 10 ft	IEEE-1394 FireWire B	Black	9 Pin, 4 Pin	1394_94_xx
6 ft, 10 ft	IEEE-1394 FireWire B	Black	9 pin, 6 Pin	1394_96_xx
6 ft, 10 ft	IEEE-1394 FireWire B	Black	9 Pin, 9 Pin	1394_99_xx

xx = Length

Adapters

Au	Auapiers			
Тур	e	Color	Connectors	Part Number
Rep	placement USB to PS/2 Keyboard Adapter F/M	Purple	PS/2 Male, USB A Female	GC46FMKEY
Rep	placement PS/2 to USB Keyboard Adapter M/F	Purple	USB A Male, PS/2 Female	GC46MFKEY
Rep	placement PS/2 Mouse to USB Adapter - F/M	Beige	USB A Male, PS/2 Female	GC46MF
Rep	placement USB to PS2 Mouse Adapter	Green	PS/2 Male, USB A Female	GC46FM
Ger	nder Changer USB A Male to USB A Male	White	USB A Female, USB A Female	GCUSBAAFF
Ger	nder Changer USB A Female to USB B Female	White	USB A Male, USB A Male	GCUSBAAMM
Ada	apter USB B Male to USB A Female	White	USB A Female, USB B Female	GCUSBABFF
Ada	apter USB A Male to USB B Female	Beige	USB B Male, USB A Female	GCUSBABFM
Ger	nder Changer USB B Male to USB B Male	White	USB A Male, USB B Female	GCUSBABMF
USE	B to Micro USB Adapter	Black	USB A Male, Micro USB B Male	GCUSBAMBM
IEE	E-1394 Firewire 4-6 Adapter F/M	Black	USB B Male, USB B Male	GCUSBBBMM
IEE	E-1394 Firewire 4-6 Adapter F/M	Black	Firewire 6 pin Male, Firewire 4 pin Female	FIRE46FM
IEE	E-1394 Firewire 4-6 Adapter M/F	Black	Firewire 4 pin Male, Firewire 6 pin Female	FIRE46MF
4 Pc	ort USB Connector Backplate	Gray	USB Female x 4, USB Header x 2	USBPLATE4
2 Pc	ort Low Profile Connector Backplate	Grav	USB Female x2, USB Header x2	USBPLATELP

For more products & detailed information visit www.startech.com/cables

Great Selection, Reliable Performance

To ensure long-term, peak performance, StarTech.com patch cables carry a comprehensive, lifetime warranty.

Best Selection

We offer a complete line of patch cables to suit virtually any project requirement.

Durability

All StarTech.com patch cables are designed to exceed the highest standards, while enduring even the harshest environments.

Cat 5e Patch Cables



1 ft. 2 ft. 3 ft. 5 ft.6 ft. 7 ft. 10 ft. 15 ft. 20 ft. 25 ft. 35 ft. 50 ft. 75 ft. 100 ft.



Snagless Cat 5e Patch Cables

Available lengths: 1 ft. 2 ft. 3 ft. 5 ft.6 ft. 7 ft. 10 ft. 15 ft. 20 ft. 25 ft. 35 ft. 50 ft. 75 ft. 100 ft.



Available colors:



Cat 6 Patch Cables



Cat 5e and Cat 6 wire is also available in Solid and Stranded bulk 1000ft Rolls in all colors

Molded Cat 6 Patch Cables

Available lengths:

1 ft. 2 ft. 3 ft. 5 ft.6 ft. 7 ft. 8 ft. 10 ft. 12 ft. 15 ft. 20 ft. 25 ft. 35 ft. 50 ft. 100 ft

Snagless Cat 6 Patch Cables

Available lengths:

3 ft. 7 ft. 10 ft. 15 ft. 25 ft. 50 ft.





Patch Cables Made Easy!

Use our "Cables at a Glance" tool to quickly find the right patch cable for the job.

Visit: www.startech.com/cables





Internal Cables Fiber Optic Cables

Quality Internal Cables

Rugged Construction


Built to withstand almost any environment, our cables offer the ultimate in durability.

Top Quality

High quality materials and exceptional workmanship combined for top quality cables.

Incredible Selection

Our offering of internal computer cables allows you to source all of your cable needs from one place, saving valuable time.



SATA Cables

	Type	Connectors	Part Number
20 in	Micro SATA to SATA with Power	Micro SATA Female, LP4	MCSATAF20
12 in	Micro SATA to SATA with Power	Micro SATA Male, LP4	MCSATAM12
12 in	Micro SATa Extension Cables	Micro SATA Male, Micro SATA Female	MCSATA12EXT
20 in	Slimline SATA with Power	Slimline SATA Male, LP4	SLSATAM20
20 in	Slimline SATA with Power	Slimline SATA Female, LP4	SLSATAF20
20 in	Slimline SATA Extension Cable	Slimline SATA Male, Slimline SATA Female	SLSATA20EXT
-	Slimline SATA Adapter with Power	Slimline SATA Female, SATA Data, Power	SLSATAADAP
-	Slimline SATA Adapter with Screwmount	Slimline SATA Female, SATA Data, SP4 Power	SLSATACDADAP
18 in, 24 in	SATA Data and Power	Sata Data/Power, Sata DATA, LP4	SATAxxPOW
5 in	SATA Power Cable with Floppy	Sata Power Female, LP4, Floppy Power	LP4SATAFMD
-	SATA Power to LP4 Adapter	Sata Power Female, LP4	LP4SATAFM
5 in	SATA Power Splitter Cable	SATA Power Female, SATA Power Female x 2	PYO3SATA
12 in	LP4 to SATA Power Splitter Cable	LP4, SATA Power Female x 2	PYO2LP4SATA
6 in	LP4 to SATA Power Cable	LP4, SATA Power female	SATAPOWADAP
18 in, 24 in	SATA to Left Angle SATA Cable	Sata Data, SATA Data Left Angle	SATAxxLA1
18 in, 24 in, 36 in	SATA to Right Angle SATA Cable	Sata Data, SATA Data Right Angle	SATAxxRA1
18 in	Right Angle SATA Cable	Sata Data Right Angle, SATA Data Right Angle	SATARA18
18 in, 24 in, 36 in	SATA Cable	SATA Data, Sata DATA	SATA24
_	SATA Power Gender Changer	SATA Power Female, SATA Power Female	GCSATAFF
12 in, 18 in, 24 in	Latching SATA cable	Latching SATA data, Latching SATA data	LSATA12
12 in, 18 in, 24 in	Latching SATA Cable, 1 Right Angle	Latching SATA data, Latching SATA data Right Angle	LSATA12RA1
12 in, 18 in, 24 in	Latching SATA Cable, 2 Right Angle	Latching SATA data Right Angle, Latching SATA data Right Angle	LSATA12RA2
12 in	SATA Data and Power Slot Plate Cable	SATA Data/Power Slot plate, SATA Data/Power motherboard	SATAPOWPLAT1
12 in	SATA Data Slot Plate Cable	SATA Data Slot plate, SATA Data	SATAPLATE1

xx = Length

12" latching SATA cab
2 Right Angle



6 in 20 pin ATX Power Supply to 24 pin Motherboard Adapter ATX2024MF

Internal Power Cables



Lengths	Туре	Connectors	Part Number
6 in	PCI Express	PCI Express Power 6 pin, LP4 x 2	LP4PCIEXADAP
6 in	PCI Express	PCI Express Power 6 pin, PCI Express Power 8 pin	PCIEX68ADAP
8 in	EPS Power Extension Cable	EPS Power Male 8 pin Male, EPS Power 8 pin Female	EPS8EXT
8 in	P4 Power Extension Cable	P4 Power 4 pin Male, P4 Power 4 pin female	ATXP4EXT
8 in	ATX Power Extension Cable	ATX Power 24 pin Male, ATX Power 24 pin Female	ATX24POWEXT
6 in	LP4 to P4 Power Cable	LP4, P4 Power	LP4P4ADAP
6 in	ATX Power 20 pin to 24 pin Adapter	ATX Power 24 pin Male, ATX Power 20 pin Female	ATX2024FM
6 in	ATX Power 24 pin to 20 pin Adapter	ATX Power 20 pin Male, ATX Power 24 pin Female	ATX2024MF
9 in	LP4 Power Splitter Cable	LP4 Male, LP4 Female x 2	PYO2L
8 in	LP4 to LP4 / SP4 Splitter Cable	LP4, LP4 and SP4	PY02SL
12 in	TX3 Fan Power Extension Cable	TX3 Male, TX3 Female	TX3EXT12
12 in	TXS Fan Power Splitter Cable	TX3 Male x 2, TX3 Female	TX3SPLIT12
6 in	TXS Fan Power Splitter Cable	TX3 Male x 2, TX3 Female	TX3SPLITTER
6 in	TX3 Fan Power Extension Cable	TX3 Male, TX3 Female	TX3EXT6
			xx = Length

Fiber Speeds, StarTech.com Quality

Durability

StarTech.com fiber optic cables are designed and constructed to provide impressive performance in any environment.

Quality

Our selection of Fiber Optic cables are constructed of the highest quality materials, ensuring optimum performance.



SKU Type	50FIB-Conn-Length (e.g. 50FIBLCLC1) 50/125 Duplex Multimode	FIB-Conn-Length (e.g. FIBLCLC1) 62/125 Duplex Multimode	SMFIB-Conn-Length (e.g. SMFIBLCSC1) 9/125 Duplex Singlemode
LC-LC	1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m, 35m, 40m, 45m, 50m, 55m, 60m, 65m, 70m, 80m, 85m, 90m, 95m, 100m, 110m, 120m, 130m, 140m, 150m	1m, 2m, 3m, 4m, 5m, 7m, 8m, 10m, 15m, 20m, 100m, 130m, 160m, 200m	
LC-MT	1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m, 35m, 40m, 45m, 50m, 55m, 60m, 65m, 70m, 80m, 85m, 90m, 95m, 100m, 110m, 120m, 130m, 140m, 150m	1m, 2m, 3m, 5m, 7m, 10m, 15m	
LC-SC	1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m, 35m, 40m, 45m, 50m, 55m, 60m, 65m, 70m, 80m, 85m, 90m, 95m, 100m, 110m, 120m, 130m, 140m, 150m	1m, 2m, 3m, 5m, 7m, 10m, 15m	1m, 5m
LC-ST		1m, 2m, 3m, 5m, 7m, 10m, 15m	
MT-MT	1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m, 35m, 40m, 45m, 50m, 55m, 60m, 65m, 70m, 80m, 85m, 90m, 95m, 100m, 110m, 120m, 130m, 140m, 150m	1m, 2m, 3m, 5m, 7m, 10m, 15m	
SC-MT	1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m, 35m, 40m, 45m, 50m, 55m, 60m, 65m, 70m, 80m, 85m, 90m, 95m, 100m, 110m, 120m, 130m, 140m, 150m	1m, 2m, 3m, 5m, 7m, 10m	
MT-ST		1m, 2m, 3m, 5m, 7m, 1m	
SC-SC	1m, 2m, 3m, 5m, 10m, 15m, 20m, 25m, 30m, 35m, 40m, 45m, 50m, 55m, 60m, 65m, 70m, 80m, 85m, 90m, 95m, 100m, 110m, 120m, 130m, 140m, 150m	1m, 2m, 3m, 5m, 7m, 10m, 15m, 20m, 30m, 40m, 50m, 100m, 200m	1m, 2m, 3m, 5m, 10m, 15m, 20m, 30m
ST-SC		1m, 2m, 3m, 5m, 7m, 10m, 15m, 20m, 60m	1m, 2m, 3m, 5m, 10m, 15m, 20m, 30m
ST-ST		1m, 2m, 3m, 5m, 7m, 10m, 15m, 20m, 50m	1m, 2m, 3m, 5m, 10m, 15m, 20m, 30m

For more information visit www.startech.com/cables









A/V Cables For Your Viewing Pleasure...

Quality


Our cables are built from the highest quality materials to provide the best possible image.

Reliability

All of our video cables are backed by lifetime warranty, to ensure long-lasting enjoyment.







xx = Length



15 ft DisplayPort
Cable with Latches

HDMI




xx = Length

xx = Length

6ft HDMI to Mini HDMI

6ft HDMI to Mini HDMI Digital Video Cable

Adapters





Female Adapter
GCDVIIFF

SVGA Cables

SVGA Cables			
Lengths	Туре	Connectors	Part Number
3ft, 6ft, 10ft, 15ft, 25ft, 50ft, 75ft, 100ft	SVGA MonitorSVGA Male, SVGA Male	HD15 Male, HD15 Male	MXT101MMHQxx
3ft, 6ft, 10ft, 15ft, 25ft, 50ft, 75ft, 100ft, 150ft, 200ft	Monitor ExtensionSVGA Male, SVGA Female	HD15 Male, HD15 Female	MXT101HQxx
6ft, 10ft, 15ft	Super Thin Profile SVGA Monitor	HD15 Male, HD15 Male	MXT101MMLPxx
6ft, 10ft, 15ft	Super Thin Profile SVGA Monitor Extension	HD15 Male, HD15 Female	MXT101LPxx

For more products & detailed information visit www.startech.com/cables



Find the right converter, extender, splitter, card or cable in 2 easy steps!

Hard-to-Find Just Got Easier!

Do you ever have trouble finding the right product to connect IT or A/V peripherals?

StarTech.com's new ConXit Connection Wizard helps you find the right converter, extender, splitter, interface card or cable in two easy steps!

Take the worry out of finding the right interconnect product and try ConXit today!

Visit: www.startech.com/conxit



STEP 1

Select connection device



1-800-265-1844

www.startech.com

STEP 2

Select connection on PC or host device



Result

The best products are recommended



For more information visit www.startech.com/conxit







CONVERGEAU



Audio Video Converter





Converter with Audio CPNT2VGAA



S-Video and Composite to HDMI Video Converter with Scaler



HDMI to HDMI Video and Audio Seperation

VGA Video Converters

Description	Input Signal	Output Signal	SKU
VGA to HDMI Video Converter with Audio	VGA / Component	HDMI	VGAHD2HDMI
VGA to HDMI Professional Video Converter with Scaler	VGA	HDMI	VGA2HDMIPRO
VGA to S-Video or Comosite High Resolution Video Converter	VGA	S-Video / Composite	VGA2VID
VGA to S-Video or Composite Video Converter with Remote Control	VGA	S-Video / Composite	VGA2NTSCPRO
VGA to DVI-I Video Converter with Scaler	VGA	DVI-I	VGA2DVII
2 Way VGA to Component HDTV Video Converter with Scaler	VGA	Component	VGA2TV2WAY

DVI Video Converters

Description	Input Signal	Output Signal	SKU
DVI to VGA Video Converter with Scaler	DVI-D	VGA	DVI2VGA
DVI-D to HDMI Video Converter with Audio	DVI-D	HDMI	DVI2HDMI

Component Video Converters

Description	Input Signal	Output Signal	SKU
Component to HDMI Video Converter with Audio	Component	HDMI	CPNTA2HDMI
Component to HDMI Video Converter with Digital Audio	Component	HDMI	CPNTTOS2HDMI
Component to DVI Video Converter	Component	DVI-I	CPNT2DVI
Component to VGA Video Converter with Audio	Component	VGA	CPNT2VGAA

S-Video and Composite Video Converters

Description	Input Signal	Output Signal	SKU	
S-Video and Composite to VGA Video Converter	S-Video / Composite	VGA	COMP2VGA	(3)
S-Video and Composite to VGA Video Converter with Scaler	S-Video / Composite	VGA / Component	VID2VGATV	_
S-Video and Composite to HDMI Video Converter with Scaler	S-Video / Composite	HDMI	VID2HDMITV	_
S-Video and Composite to DVI Video Converter with Scaler	S-Video / Composite	DVI-D	VID2DVIDTV	_
S-Video and Composite to USB Video Capture Cable with Audio	S-Video / Composite	N/A	SVID2USB2	3

Other Converters

Description	Input Signal	Output Signal	SKU	
Two Way Digital Coaxial to TosLink Audio Converter	TosLink, Digital Coaxial	TosLink, Digital Coaxial	SPDIFCOAXTOS	3
HDMI to HDMI Video Converter with Scaler and Audio Seperation	HDMI / DVI	HDMI / DVI	HDMI2HDMI	3



DisplayPort to HDM

Specifications

- Maximum Resolution: 1920x1200
- DP2HDMIADAP: Requires HDMI cable for Display
- DP2HDMI: Requires HDMI cable for Display
- DP2HDMIMM10: All-in-one converter and cable

Description	Part #
Compact DisplayPort to HDMI Video Converter	DP2HDMIADAP
DisplayPort to HDMI Video Converter	DP2HDMI
10ft DisplayPort to HDMI Video Converter	DP2HDMIMM10
6 ft DisplayPort to HDMI Video Converter Cable - M/M	DP2HDMIMM6



DisplayPort to DVI

Specifications

- Maximum Resolution: 1920x1200
- DP2DVI: Requires DVI cable for Display
- DP2DVIMM10: All-in-one converter and cable

Description	Part #
DisplayPort to DVI Video Converter	DP2DVI
10ft DisplayPort to DVI Video Converter	DP2DVIMM10
6 ft DisplayPort to DVI Video Converter Cable - M/M	DP2DVIMM6

22



DisplayPort to VGA

Specifications

Description

DisplayPort to VGA Vic

- Maximum Resolution: 1920x1200
- · Requires VGA cable

	Part #
deo Converter	DP2VGA

Save Yourself Time and Money with **Our Wide Range of Extenders**

Our line of VGA extenders use Cat 5e cabling to allow for longer distances and simple installation. StarTech.com offers signal management hardware and cabling for video extension and digital signage applications.



UTPE / UTPEA series

The UTPEA Series offers point to multi-point 4 and 8 port extenders with the option of using a repeater / line splitter (STUTPEA4X) to run up to 32 displays (see solution diagram).

Specifications

Max Resolution and Distance 1024x768 300m / 950ft 1280x1024 200m / 600ft 1600x1200 100m / 300ft 1920x1200 50m / 150ft

Description - With Audio	Part #
4 Port VGA Video Extender over Cat5 - with Audio	ST124UTPEA
8 Port VGA Video Extender over Cat5 - with Audio	ST128UTPEA
VGA Video Receiver over Cat5 - with Audio	STUTPEALR
4 Port VGA Video Line Splitter over Cat5 - with Audio	STUTPEA4X

Description - No Audio	Part #
4 Port VGA Video Extender over Cat5	ST124UTPE
8 Port VGA Video Extender over Cat5	ST128UTPE
VGA Video Receiver over Cat5 - Long Range Receiver	STUTPRXI

STUTPWALL

STUTPRXWAL Compatible with:

STUTPTXWAL

VGA Wall Plate Video Extender Transmitter and Receiver over Cat 5

VGA Wall Plate Video Extender

VGA Wall Plate Video Extender **Transmitter over Cat 5**

Receiver over Cat 5

ST124UTPE and ST128UTPE

Compatible with: STUTPRXL

This is a point-to-point kit ideal for 1 display


Wall Plates for UTPE Series

In The News



StarTech.com's Converge A/V VGA Video and Audio over Cat 5 Systems Offers a Convenient, Cost-effective Digital Signage Solution

How the UTPEA Series Works



ST121 series

The ST121 Series offers point to point (one Cat 5 cable) or point to multi-point for larger installations. Use a repeater (ST121EXT) to drop signals up to 32 displays along your

Specifications

Max Resolution and Distance 1280x1024 150m / 600ft 1440x900 100m / 300ft

1600x1200 50m / 150ft

Point-to-Point	Part #
VGA Video Extender over Cat5 – w/ith Receiver	ST121UTP
VGA Video Extender over Cat5 with Audio – with Receiver	ST122UTPA
Point-to-Multi Point	
4 Port VGA Video Extender over Cat5	ST1214T
8 Port VGA Video Extender over Cat5	ST1218T
VGA Video Receiver over Cat5	ST121R
VGA Video Repeater / Extender over Cat5	ST121EXT











The Right Splitter to Meet the **Demanding Needs of any Application**

Description	Part #
2 Port VGA Video Splitter	ST122W
4 Port VGA Video Splitter	ST124W
8 Port VGA Video Splitter	ST128W
(All Wall Mountable)	

Wall Mountable VGA Splitters - W Series

· Front panel access to ports allows for easier access and wall mount capability

Specifications

· Maximum Resolution: 1600x1200 Maximum Distance: 200ft / 60m

Bandwidth: 250MHz



Description	Part #
2 Port VGA Video Splitter	ST122L
4 Port VGA Video Splitter	ST124L
O Dort VCA Vidoo Colittor	CT120I

Performance VGA Splitters - L Series

· Our best selling series offers reliability, durability and high performance resolution and bandwidth

Specifications

Maximum Resolution: 1920x1440

Maximum Distance: 200ft / 60m

· Bandwidth: 250MHz



Professional VGA Splitters

· Professional grade splitters for the most demanding requirements

Specifications

- Maximum Resolution: 2048x1536
- Maximum Distance: 200ft / 60m
- Bandwidth: 350MHz



2 Port VGA Video Splitter ST122PRO 4 Port VGA Video Splitter ST124PRO

8 Port VGA Video Splitter ST128PRO

Description	Part #
2 Port DVI Video Splitter	ST122DVI
4 Port DVI Video Splitter	ST124DVI

DVI Video Splitters

• Our 2 and 4 port DVI splitters offer Digital or Analog support

Specifications

Maximum Resolution: 1600x1200

· Maximum Distance: 10m / 30ft



CONVERGEAU

2 Port VGA Video Splitter



No power adapter required means a simple and clean installation for any application

· Power the ST122LE with the included USB power cable for boosting distance requirements

- Maximum Resolution: 2048x1536
- · Maximum Distance: 200ft / 60m
- · Bandwidth: 300MHz



Description		
2 Port VGA Video	Splitter - 300 MHz	

ST122LE

2 Port VGA Video Splitter with Audio



Split video and audio from one computer between two sets of VGA displays

• The ST122PROA is a high quality VGA video and audio splitter offering high resolution, high bandwidth, and audio support

Specifications

- Maximum Resolution: 2048x1536
- · Maximum Distance: 200ft / 60m
- · Bandwidth: 400MHz



2 Port VGA Splitte

Part # ST122PROA

Home Theater and Professional Rack-mountable Switches for Component, VGA, and **HDMI** Connectivity

4 Port VGA Video Switch VS415RVGA 8 Port VGA Video Switch VS815RVGA

4 Port VGA Video Switch VS410RVGAA

VGA Switches

- Connect to your display at a maximum distance of 65 meters
- · Solid construction in a metal enclosure

Specifications

- Maximum Resolution: 2048x1536
- · Maximum Distance: 200ft / 60m
- Bandwidth: 450MHz



Professional VGA Switch with Audio and RS-232

· Connect up to 4 PC's/HDTV with audio devices to one monitor, TV, or projector

Specifications

- Maximum Resolution: 1920x1200 / 1080p
- Maximum Distance: 200ft / 60m
- Bandwidth: 650MHz
- Control: IR Remote or RS-232
- Desktop or Rack-Mount (Mounts Included) See application diagram below

2x2 VGA Video Matrix Switch ST222MX 2x4 VGA Video Matrix Switch ST224MX 2x8 VGA Video Matrix Switch ST228MX 4x4 VGA Video Matrix Switch *ST424MX

Display.

Digital Signage Solutions

VGA Matrix Switches

 Allows you to connect 2 computers to 8 monitors and switch video signals to any desired display

> VGA Switch VS410RVGAA

Specifications

RS-232

- Maximum Resolution: 1920x1440
- Maximum Distance: 200ft / 60m
- *ST424MX (4x4 Matrix): Includes Rack-Mounts and supports audio.



/GA Cable

P.20





Description
4 Port HDMI Switch with Remote
4 Port Component Video Switch

StarTech.com

Making hard-to-find easy! ®

1-800-265-1844 www.startech.com



CONVERGEAU

Professional DVI Video Matrix Switch – with Audio



Select between two DVI-I sources for display on up to four monitors

· Allows two DVI computers to provide video input to display on four different monitors with audio

Specifications

- Maximum Resolution: 1600x1200
- Maximum Distance: 15ft / 5m
- Signal: DVI-I (Analog and Digital) • Control: IR Remote or RS-232
- Installation Use: Desktop or Rack-Mount
- (Mounts Included)
- · Audio Support: Yes, 3.5mm Audio Jacks

2x4 DVI Video Matrix Switch with Remote VS420RDVIA

High Definition Switches

Select from HDMI, Component, S-Video, or composite video switches





VS410HDMIE CPNT410IR

A KVM to Fit Any Configuration

Complete lineup

StarTech.com Desktop KVM Switches offers to fit any situation. Our breadth of product offerings ensures you will find the exact KVM you need for any types of connections you may have.

Reliable

Our Desktop KVM Switches can help eliminate unnecessary downtime by providing a consistently reliable operating experience.



USB

Ports	Input Interface	Video Type	Audio	Accessory Cables /	Features /	Part Number
2 Port	USB	VGA	Yes	Built-In	KVM on a cable, Hot key + push button	SV215MICUSBA
2 Port	USB	VGA	Yes	Included	Kit	SV211KUSB
2 Port	USB	VGA	-	Included	Professional Series	SV231USB
2 Port	USB	VGA	Yes	Included	Built in ethernet network switch	SV231USBAN
2 Port	USB	VGA	Yes	USBVGA4N1Ax(6, 10)	Hot key, 2 port, 2.0 USB Hub	SV231USBA
2 Port	USB	DVI	Yes	Built-In	KVM on a cable, Hot key + push button	SV215MICDVIA
2 Port	USB	DVI	Yes	Included	Kit	SV211KDVI
2 Port	USB	DVI	Yes	USBDVI4N1Ax(6, 10,15)	Hot key, 2 port, 2.0 USB Hub	SV231UADVI
4 Port	USB	VGA	Yes	Included	Built in ethernet network switch	SV431USBAN
4 Port	USB	DVI Dual-Link	Yes	USBDVI4N1Ax(6, 10,15)	Ultra High resolution	SV431DVIUAHR
4 Port	USB	VGA	Yes	Included	Kit	SV411KUSB
4 Port	USB	VGA	Yes	USBVGA4N1Ax(6, 10)	Hot key, 2 port, 2.0 USB Hub	SV431USBA
4 Port	USB	DVI	Yes	USBDVI4N1Ax(6, 10,15)	4 port USB 2.0 USB Hub	SV431DVIUA
4 Port	USB	DVI	Yes	USBDVI4N1Ax(6, 10,15)	Independent audio switching	SV431UADVI
4 Port	USB	VGA	-	SVUSB2N1_x(6,10,15)	Professional Series, Rackmount	SV431USB
4 Port	USB	VGA	Yes	SVUSB2N1_x(6,10,15)	Professional Series, Rackmount	SV431USBAE
2 Port	USB	DisplayPort	-	DISPLPORT6L	First DisplayPort KVM in the world	SV231DPU



KVM Switch with Audio

4 Port USB KVM Switch Audio & USB 2.0 Hub



4 Port StarView USB Console KVM switch



KVM Switch with Audio

PS/2

	Ports	Input Interface	Video Type	Audio	Accessory Cables	/ Features	Part Number
	2 Port	PS/2	VGA	-	Included	Kit	SV211K
	2 Port	PS/2	VGA	-	Built-In	KVM on a cable	SV221MICRO
	2 Port	PS/2	DVI	-	DVIISMM6 + KXT102MM	Hot key + push button	SV221DVI
	2 Port	PS/2	VGA	-	SVPS23N1_x(6,10,15)	Professional Series	SV231
	4 Port	PS/2	VGA	-	Included	Kit	SV411K
	4 Port	PS/2	VGA	Yes	Included	Kit	SV411KA
	4 Port	PS/2	DVI	-	DVIISMM6 + KXT102MM	Professional Series, Rackmount	SV421DVI
ı	4 Port	PS/2	VGA	-	SVPS23N1_x(6,10,15)	Professional Series, Rackmount	SV431

USB & PS/2 Hybrids

Ports	Input Interface	Video Type	Accessory Cables	Features	Part Number
4 Port	PS/2	VGA	SVPS23N1_x(6,10,15) or SVUSB2N1_x(6,10,15)	Professional Series	SV431H
4 Port	USB	VGA	SVECONUSx(6, 10, 15) or SVECONx(6, 10, 15)	Professional Series	SV431DUSB

Dual Display KVMs

Ports	Input Interface	Video Type	Audio	Accessory Cables	Part Number
2 Port	PS/2	Dual Displays VGA + VGA	-	SVPS23N1_x(6,10,15) + MXT101MMHQ	SV221DD
2 Port	PS/2	Dual Displays DVI + DVI	-	DVIISMM6 + KXT102MM	SV221DVIDD
2 Port	USB	Dual Displays VGA + DVI	Yes	USBDVI4N1Ax(6, 10,15) + MXT101MMHQ	SV231DDUSB
2 Port	USB	Dual Displays DVI + DVI	Yes	USBDVI4N1Ax(6, 10,15) + DVIDSMMx(10,15)	SV231DVIDDU
4 Port	PS/2	Dual Displays VGA + VGA	-	SVPS23N1_x(6,10,15) + MXT101MMHQ	SV421DD
4 Port	PS/2	Dual Displays DVI + DVI	-	DVIISMM6 + KXT102MM	SV421DVIDD
4 Port	USB	Dual Displays VGA + DVI	Yes	USBDVI4N1Ax(6, 10,15) + MXT101MMHQ	SV431DDUSB
4 Port	USB	Dual Displays DVI + DVI	Yes	USBDVI4N1Ax(6 10 15) + DVIDSMMx(10 15)	SV431DVIDDU

For more products & detailed information visit www.startech.com/KVM

26

Broad Compatibility, Maximum Reliability

Reliable and Affordable

Built for durability and longevity, StarTech.com Enterprise KVM Switches provide a consistently reliable user experience, and are backed by warranty, and free technical support.

Complete Solutions

KVM Console to USB 2.0 Portable Laptop Crash Cart

8 Port StarView USB Console KVM switch with OSD

StarTech.com KVM switches include unique, all-in-one devices, for control of your entire server room.



Portable KVM Adapter



Enterprise KVM (Rackmount)

Output Plug	Input Plug	Ports	Video	Accessory Cables*	Details	Part Number
USB + PS/2	PS/2	8 Port	VGA	SVECONUSx(6, 10, 15) or SVECONx(6, 10, 15)	-	SV831HD
USB + PS/2	USB + PS/2	8 Port	VGA	SVECONUSx(6, 10, 15) or SVECONx(6, 10, 15)	-	SV831DUSB
USB + PS/2	USB + PS/2	8 Port	VGA	SVECONUSx(6, 10, 15) or SVECONx(6, 10, 15)	With Audio	SV831DUSBA
PS/2	PS/2	8 Port	VGA	SVPS23N1_x(6,10,15, 25, 35, 50)	-	SV831
USB + PS/2	PS/2	16 Port	VGA	SVECONUSx(6, 10, 15) or SVECONx(6, 10, 15)	-	SV1631HD
USB + PS/2	USB + PS/2	16 Port	VGA	SVECONUSx(6, 10, 15) or SVECONx(6, 10, 15)	-	SV1631DUSB
USB + PS/2	PS/2	8 Port	VGA	SV5PS2S or SV5USBS (available in 4 & 8 packs)	CAT5	SV831DUTP
USB + PS/2	PS/2	16 Port	VGA	SV5PS2S or SV5USBS (available in 4 & 8 packs)	CAT5	SV1631DUTP
PS/2	PS/2	8 Port	VGA	SVPS23N1_x(6,10,15)	Dual User	SV832DS

KVM over IP / Remote Server Management (Rackmount)

Output Plug	Input Plug	Ports	/Video /	Accessory Cables*	Details	Part Number
USB	USB	1 Port	VGA	Included	USB 2.0 Virtual Media	SV1107IPEXT
USB + PS/2	USB + PS/2	1 Port	VGA	Included + USB2HAB6	USB 2.0 Virtual Media	SV1115IPEXT
USB + PS/2	PS/2	4 Port	VGA	SVECONUSx(6, 10, 15) or SVECONx(6, 10, 15)	-	SV441HDIE
USB	USB	4 Port	VGA	Included (optional SVUSBVGAx(6,10))	USB 2.0 Virtual Media	SV441DUSBI
USB + PS/2	PS/2	8 Port	VGA	SVECONUSx(6, 10, 15) or SVECONx(6, 10, 15)	-	SV841HDIE
USB + PS/2	PS/2	16 Port	VGA	SVECONUSx(6, 10, 15) or SVECONx(6, 10, 15)	-	SV1641HDIE
USB + PS/2	USB + PS/2	16 Port	VGA	SV5PS2M or SV5USBM	USB 2.0 Virtual Media	SV1653DXI
USB + PS/2	USB + PS/2	16 Port	VGA	SV5PS2M or SV5USBM	USB 2.0 Virtual Media	SV1654DX4I
USB + PS/2	USB + PS/2	32 Port	VGA	SV5PS2M or SV5USBM	USB 2.0 Virtual Media**	SV3254DX4I
Serial RJ45	RJ45	16 Port	-	GC98FF + M45PATCHxBL (3,6,10,15)	Serial Console Server	ECS0016
N/A	Serial DB9	8 Outlet	-	PXT101	Serial Controlled	PCM815SHNA

16 Port Enhanced RS232 Serial Console Server ECS0016

1U 17in Rackmount LCD 16 Port IP KVM Switch

6 ft 4-in-1 USB DVI KVM Cable with Audio and

Video Size Accessory Cables* 1 Port

Rackmount LCD Console

Part Number SVPS23N1_x(6,10,15,25) or USBEXTAA_x(6,10) Lockable LCD RACKCONS1501 17" 1 Port SVPS23N1_x(6,10,15,25) or USBEXTAA_x(6,10) Lockable LCD RACKCONS1701 17" 8 Port RACKCONS1708 SVECONUSx(6, 10, 15) or SVECONx(6, 10, 15) Lockable LCD 16 Port SVECONUSx(6, 10, 15) or SVECONx(6, 10, 15) Lockable LCD RACKCONS1716 19" 1 Port SVPS23N1_x(6,10,15,25) or USBEXTAA_x(6,10) Lockable LCD RACKCONS1901 16 Port 19" SVECONUSx(6, 10, 15) or SVECONx(6, 10, 15) Lockable LCD RACKCONS1916 1 Port Professional Series - Modular 1UCABCONS19 16 Port SVECONUSx(6, 10, 15) or SVECONx(6, 10, 15) Over IP, Professional Series - Modular CABCONS1716I

Universal KVM Cables


KVM Connectors	PC Connectors	Length	Part Number
USB+VGA	USB+VGA	6, 10, 15 ft.	SVUSB2N1_x (6,10,15)
USB+DVI+SPKR+MIC	USB+DVI+SPKR+MIC	6, 15 ft.	USBDVI4N1Ax (6,15)
DB15	USB+VGA	6, 10, 15 ft.	SVECONUSx (6,10,15)
DB15	PS/2+VGA	6, 10, 15, 25, 50 ft.	SVECONx (6,10,15,25,50)
PS/2+VGA	PS/2+VGA	6, 10, 15, 25, 35, 50 ft.	SVPS23N1_x (6,10,15,25,35,50)
PS/2+VGA	PS/2+VGA	6, 10, 15, 25, 50 ft.	PS23N1THINx (6,10,15,25,50)

For more products & detailed information visit www.startech.com/KVM









Robust Server Racks

- · Form factors to suit any application or environment.
- · Choice of superior passive or active cooling designed to keep your equipment cool based on your application.
- · Lockable side panels and doors increase security.
- · Casters and cable management are included on full-size models.
- Flat pack versions available to ship unassembled for handling and staging at a low cost.
- · Lifetime warranties give you peace of mind.

DuraRak Open Racks

- · Most cost-effective rack for situations where security is not a strict requirement.
- Open rack design optimizes airflow through and around installed equipment.
- Lowest price this no frills DuraRak design ships unassembled to minimize manufacturing and transportation costs.
- Available in 4 post and 2 post ("telco") versions.
- New! Heavy duty open rack, great for high density equiptment like UPSs, Blade Servers, etc. (4POSTRACKHD)





Vertical Wallmount - NEW (mount on a wall or under a desk)

			1	
Part #	RK119WALLV	RK219WALLV	RK319WALLV	RK419WALLV
Mounting Depth	Open	Open	Open	Open
Capacity	1U	2U	3U	4U
Details	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal	Vertical / Horizontal



DuraRak Wallmount Cabinets

- · Solid construction in an easy-to-handle package.
- Pre-built cabinets perfect for rapid deployment and installation.

Wallmount



Open rack/relay rack (flat packs)















				_			
Part #	RK120D	2POSTRACK	4POSTRACK12	4POSTRACK25	4POSTRACK36	4POSTRACKBK	4POSTRACKHD
Mounting Depth	Open	Open	31.5"	31.5"	31.5"	31.5"	36"
Capacity	12U	42U	12U	25U	36U	42U	45U
Details	Desktop Rack	-	Adjustable Depth	Adjustable Depth	Adjustable Depth	Adjustable Depth	1800lb. Capacity















DURARAK



	Marie Sal			100	0.	481	400
Part #	2636CABINET	RK2236BKF	7236CABINET	RK4236BK	RK4242BK	*RK4236BKNS	*RK4242BKNS
Rack Mounting	36"	36"	36"	36"	42"	36"	42"
Capacity	15U	22U	41U	42U	42U	42U	42U
Details	Lockable	Vented, Lockable	Vented, Lockable	Vented, Lockable	Vented, Lockable	Sides Available	Sides Available

*No sides versions are perfect when setting up rows of racks; save money and space

Rack Shelves

Part #	CABSHELF	CABSHELFD	RK36SLF	RK36SLFS	RK42SLF	RK42SLFS
Rack Mounting	16"	33"	36"	36"	42"	42"
Capacity	1U	1U	1U	1U	1U	1U
Details	Universal Rack Shelf	Fixed Shelf	Fixed Vented Shelf	Sliding Vented Shelf	Fixed Vented Shelf	Sliding Vented Shelf

Rack Shelves / LCD Mount





Conxit Connection Wizard

StarTech.com's new ConXit Connection Wizard helps you find the right converter, extender, splitter, interface card or cable in two easy steps!

Visit: www.startech.com/conxit



Service Representative

29



Complete product info, tools and resources available online at www.startech.com











www.startech.com

Complete product information and exclusive resources online whenever you need it

Loaded with Features

Tools and guides help you find the products you need

Downloads such as drivers. catalogs and handouts

Earn a diploma at StarTech University



The Most Product Information

Product photo galleries show you exactly what you're getting

Detailed technical specifications for every product

Applications and solutions



Availability Made Easy

Direct hotlinks to your preferred distributor

Secure online ordering provides peace of mind

Quick buy tools makes ordering simple

