



Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
5K/112	AGS.1661/A							CLIP, bonding	1	-	C
5K/114	AGS.1661/C							CLIP, bonding	26	-	C
	DHS.31 Mk.30							CLIP, bonding	1	-	C
								Attaching parts for DHS.31 Mk.30, Clip			
28M/10327	AGS.2002/B/1							Nut, 4BA, thin	1	-	C
28S/	A.32/Y							Screw, 4BA, round head (AGS.245/58)	1	-	C
28L/11067	No.1206							Washer, 4BA, internal teeth, Shakeproof	1	-	C
4436	P.003375A							CLIP, for fuel transfer pipe, L.H.	1	-	C
4435	P.003373A							CLIP, for fuel transfer pipe, R.H.	1	-	C
								Attaching parts for P.003375A and P.003373A, Clips			
28D/7013	A.1/1B							Bolt, 4BA	1	-	C
28M/10287	AGS.2001/B/1							Nut, 4BA, plain	1	-	C
28W/12305	SP.13/B							Washer, 4BA, standard	1	-	C
	P.002761							CLIP, for securing flexible pipes at main tank, 20SWG, DTD.610 (Make from Ref.No.30B/951) (Pre Mod. Vam.938)	1	-	
5377	P.003503							CLIP, for securing flexible pipes at main tank (Mod.Vam.938)	1	-	C
								Attaching parts for P.002761 and P.003503, Clips			
28D/11937	AS.1246/1B							Bolt, 4BA, round head (AS.1884/1B)	1	-	C
28M/10287	AGS.2001/B/1							Nut, 4BA, plain	1	-	C
3088	L.001158A							CLIP, for securing pipes to centre tube of engine mounting frame	2	-	C
3087	P.002183A							CLIP, for securing pipes to upper tube of engine mounting frame	1	-	C
								Attaching parts for L.001158A and P.002183A, Clips			
28D/6998	A.1/1C							Bolt, 2BA	1	-	C
28M/10288	AGS.2001/C/1							Nut, 2BA, plain	1	-	C
28W/3071	AGS.160/C							Washer, 2BA	1	-	C
883	P.00127							CLIP, support, for transfer pipes	2	-	C
								Attaching parts for P.00127, Clip			
28D/10005	AS.1884/1C							Bolt, 2BA, round head	1	-	C
28M/10288	AGS.2001/C/1							Nut, 2BA, plain pinnacle	1	-	C

R E S T R I C T E D

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
								PIPES AND FITTINGS IN FUSELAGE (P.00677)	1	-	
3063	P.001823							ADAPTOR, at fireproof bulkhead, for flexible pipe from barostat	1	-	C
								Attaching parts for P.001823, Adaptor			
28D/6998	A.1/1C							Bolt, 2BA	6	-	C
28M/10288	AGS.2001/C/1							Nut, 2BA, plain	6	-	C
28V/6744	AGS.908/BB							ADAPTOR, at main tank, for drain pipe	1	-	C
3365	P.002560							ADAPTOR, at fireproof bulkhead, for fuel transfer pipes to main tank	1	-	C
1819	P.00166							ADJUSTER, for tank strap	1	-	C
3288	P.001184							BANJO, three-way, at fireproof bulkhead, for vent pipes	1	-	C
3366	P.002559							BANJO, two-way, at fireproof bulkhead, for fuel transfer pipes	1	-	C
3945	A.004224ND							BLOCK, rubbing, at top of tank, front	1	-	C
3946	A.004228							BLOCK, rubbing, at top of tank, rear	1	-	C
	P.002762							BLOCK, spacer, between flexible pipes at main tank, DTD.36B, grade B (Pre Mod.Vam.938)	1	-	C
5376	P.003501							BLOCK, spacer, between flexible pipes at main tank, DTD.36B, grade B (Mod.Vam.938)	1	-	C
28F/10018	AGS.1135/B							BOLT, banjo, for fuel pressure warning switch	1	-	C
3072	P.002001A							BRACKET, mounting, for pressure reducing valve	2	-	C
								Attaching parts for P.002001A, Bracket			
28E/8183	AGS.605/1							Clip	2	-	C
								BRACKET, steady, for main tank	1	-	C
3772	P.002784A							BRACKET, support, for main tank	2	-	C
								Attaching parts for P.002784A, Bracket			
28E/8185	AGS.605/3							Clip	2	-	C
1866	P.00167A							BRACKET, support, for tank strap	2	-	C
28D/12716	A.25/16E							Attaching parts for P.00167A, Bracket			
28M/756	A.16Y/EP							Bolt, 1/4" BSF	2	-	C
28M/756	A.16Y/EP							Nut, 1/4" BSF, plain	2	-	C
	P.00168							Plate, washer, 16SWG, DTD.610 (Make from Ref.No.30E/949)	1	-	C
28E/10154	AGS.605/0C							CLIP	8	-	C
28E/8182	AGS.605/0							CLIP	4	-	C
28E/8183	AGS.605/1							CLIP	34	-	C
28E/8184	AGS.605/2							CLIP	4	-	C

R E S T R I C T E D

FUEL SYSTEM
PIPES AND FITTINGS IN FUSELAGE

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
3368	P.002563							DISC, retaining, for spring on adapter for fuel transfer pipes to main tank	1		C
1891	A.001258A							DOOR, for main tank filler cap	1		C
27FP/92	F.6 $\frac{1}{2}$ /60							FASTENER, Dzus	1		C
27FP/298	GF.6 $\frac{1}{2}$ /250							GROMMET, Dzus	1		C
28L/754	A.16Y/BT							NUT, 4 BA, thin	1		C
28S/2815	E.98239 Mk.2							PLATE, catch, 16 SWG, S84	1		C
	A.33/B16							SCREW, 4 BA, countersunk head (AGS.249/22)	1		C
28W/3070	AGS.160/B							WASHER, 4 BA	1		C
4437	P.003383A							ELBOW, fuel transfer pipe at L.H. wing tank	1		C
4438	P.003384A							ELBOW, fuel transfer pipe at R.H. wing tank	1		C
								Attaching parts for P.003383A and P.003384A Elbows			
28D/12533	A.25/5C							Bolt, 2 BA, (6A1/5C)	2		C
28M/10288	AGS.2001/C1							Nut, 2 BA, plain	2		C
28W/3071	AGS.160/C							Washer, 2 BA	2		C
4895	P.003483A							ELBOW, in feed pipe from L.H. wing tanks to main tank	1		C
4431	P.003381A							ELBOW, in feed pipe from R.H. wing tanks to main tank	1		C
2235	P.00108							ELBOW, vent pipe to wing tank pillar connection	2		C
								FILTER, (See Power Plant Installation Mounting Frames and Attachments)			
26EW/1174	DHS.209 Mk.5							GUARD, hose clip	8		C
	P.002859 ND							HOSE, 3/4" i/d x 7".3 long from adapter at fireproof bulkhead to non-return valve Flylite No.4	1		C
	P.002863 ND							HOSE, 3/4" i/d x 29".0 long from non-return valve to main tank Flylite No.4	1		C
4633	DAS.160/21							HOSE, 1".0 i/d x 4".25 long from elbow at fireproof bulkhead to pipe from wing tanks Dunlop Flameproof	2		C

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl of St.
2239	L.00201A							CLIP, support for vent pipe, L.H.	1		C
2240	L.00201A Mk.2							CLIP, support for vent pipe R.H.	1		C
	P.00743							CLIP, support for vent pipe, 20 SWG, D.T.D.610 (Make from Ref No. 30B/951)	2		
28D/12528	A.25/1B							Attaching parts for P.00743 Clip	1		C
28M/10287	AGS.2001/B1							Bolt, 4 BA (6A1/1B)	1		C
28W/3070	AGS.160/B							Nut, 4 BA	1		C
	DHS.30 Mk.4							Washer, 4 BA	1		
	P.001151							CLIP, tubular, for securing drain pipe from main tank	1		
28D/12623	A.25/5B							Attaching parts for DHS.30 Mk.4 Clip	1		C
28M/13086	A.27/BP							Block, support, 0".75 wide x 0".4 thick x 0".84 long LFS.21	1		C
28W/12305	SP.13/B							Bolt, 4 BA (6A1/5B)	1		C
	DHS.30 Mk.40							Nut, 4 BA, plain (A.16Y/BP)	1		C
								Washer, 4 BA	1		
								CLIP, tubular for securing pressure reducing pipe to lower tube of engine mounting frame	3		
28D/12528	A.25/1B							Attaching parts for DHS.30 Mk.40 Clip	1		C
	DHS.31 Mk.52							Bolt, 4 BA (6A1/1B)	1		C
28M/10287	AGS.2001/B1							Clip, tubular.	1		C
28W/3070	AGS.160/B							Nut, 4 BA, plain	1		C
								Washer, 4 BA	1		
2251	P.00104							CONNECTION, pillar wing tank vent at rib No.1	2		C
2236	P.00437A							CONNECTION, vent from main tank	1		
	DHS.47 Mk.4							CONNECTOR, bonding	11		
	DHS.47 Mk.6							CONNECTOR, bonding	4		
	DHS.47 Mk.18							CONNECTOR, bonding	1		
28F/9705	AGS.1102/C							CONNECTOR, for pressure reducing pipes at joint on engine mounting frame	1		
	DHS.160/B/30							COUPLING	4		
	DHS.160/C/20							COUPLING	3		
	DHS.160/D/20							COUPLING	12		
	DHS.160/F/25							COUPLING (Mod.Vam.3059)	2		
	DHS.160/F/30							COUPLING	1		

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
28F/10526	AGS.1142/BB	NIPPLE, for drain pipe from main tank							1		C
28F/9504	AGS.1142/B	NIPPLE, for pipe from pressure reducing valve							2		C
28F/9619	AGS.1142/C	NIPPLE, for pipe from pressure reducing valve							2		C
3369	P.002561	NUT, cap for banjo at adapter for fuel transfer pipes to main tank							1		C
2223	P.00203	NUT, cap for banjo at vent connection from main tank							1		C
	P.00231	PIECE, packing, at main tank filler cap door, 16 SWG, D.T.D.610 (Make from Ref No.30B/949)							1		
3660	P.002688	PILLAR, banjo at filter, for flexible pipe to pump							1		C
4657	L.001411 ND	PIPE, drain, centre 5/8" o/d from pressure side of vacuum pump							1		C
4913	P.002017A/ND	PIPE, drain, for main tank							1		C
4258	L.001157 ND	PIPE, drain, lower 5/8" o/d from pressure side of pump							1		C
4032	L.001413A/ND	PIPE, drain upper, from pressure side of vacuum pump							1		C
3293	P.001131A	PIPE, feed, from wing tanks L.H. (Pre Mod.Vam.3059)							1		C
3294	P.001132A	PIPE, feed, from wing tanks R.H. (Pre Mod.Vam.3059)							1		C
6456	P.003867 ND	PIPE, feed, from wing tanks L.H. (Mod.Vam.3059)							1		C
6457	P.003868 ND	PIPE, feed, from wing tanks R.H. (Mod.Vam.3059)							1		C
3064	P.001822A	PIPE, flexible, from barostat to adapter at fireproof bulkhead							1		C
3289	P.002009A	PIPE, flexible, from booster pump to fireproof bulkhead (Pre Mod.Vam.938)							1		C
3065	P.001824A	PIPE, flexible, from pump to filter (Pre Mod.Vam.955)							1		C
6507	P.003737A	PIPE, flexible, from pump to filter (Mod.Vam.955)							1		
	P.003745A	ADAPTER, hose							1		
	P.003739A	BANJO, special							1		
28E/8184	AGS.605/2	CLIP, hose							2		C
26DV/921	DHS.209/7	GUARD, hose clip							4		C
	DAS.160/	HOSE, fireproof, 1" i/d x 6".2 long Dunlop							1		
5236	131711	HOSE FUEL TRANSFER AIR FEED							1		
5237											

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
3290	P.002027A							PIPE, flexible fuel feed from wing tanks from main tank to fireproof bulkhead (Pre Mod.Vam.938)	2		C
5375	P.003479A							PIPE, flexible fuel feed from wing tanks from main tank to fireproof bulkhead (Mod.Vam.938)	2		C
5374	P.003469A							PIPE, from booster pump to fireproof bulkhead (Mod.Vam.938)	1		C
	P.003471A/ND							PIPE, (Alternative to P.003703A/ND)	1		
	P.003703A/ND							PIPE, (Alternative to P.003471A/ND)	1		
	P.003475A/ND							PIPE, flexible	1		
4650	P.003041A/ND							PIPE, from pressure reducing valve L.H.	1		C
5763	P.003043A/ND							PIPE, from pressure reducing valve R.H.	1		C
4596	P.003045A/ND							PIPE, to pressure reducing valve L.H.	1		C
4597	P.003047A/ND							PIPE, to pressure reducing valve R.H.	1		C
5353	P.003263A/ND							PIPE, pressure reducing from joint at top of fireproof bulkhead to joint on engine mounting frame	1		C
4627	P.003259A/ND							PIPE, pressure reducing from joint on engine mounting frame to engine diffuser casing	1		C
3663	P.002617 ND							PIPE, transfer, 3/4" o/d to main tank L.H.	1		C
3665	P.002618 ND							PIPE, transfer, 3/4" o/d to main tank R.H.	1		C
3664	P.002621 ND							PIPE, transfer, 3/4" o/d from wing tanks L.H.	1		C
3666	P.002622 ND							PIPE, transfer, 3/4" o/d from wing tanks R.H.	1		C
4429	P.003405A/ND							PIPE, transfer, from wing tank to main tank L.H. (Pre Mod.Vam.955)	1		C
6508	P.003801A/ND							PIPE, transfer, from wing tank to main tank L.H. (Mod.Vam.955)	1		
4899	P.003493A/ND							PIPE, transfer, from wing tank to main tank R.H.	1		C
3291	P.002055A/ND							PIPE, transfer vent L.H.	1		C
3292	P.002056A/ND							PIPE, transfer vent R.H.	1		C
3373	P.002619 ND							PIPE, vent L.H.	1		C
3372	P.002620 ND							PIPE, vent R.H.	1		C

Vampire Mk.9

FUEL SYSTEM
PIPES AND FITTINGS IN FUSELAGE

(Issued with AL.1)

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
3662	P.002605A/ND							PIPE, vent, for main tank, from banjo at top of fireproof bulkhead to atmosphere	1		C
28D/12512	A.25/1C							Attaching parts for P.002605A/ND Pipe Bolt, 2 BA (6A1/1C)	4		C
28M/10288	AGS.2001/C1							Nut, 2 BA, plain	4		C
26BY/168	E.98234							PLATE, catch, for main tank filler cap door	1		C
2211	A.001300							PLATE, retaining, at vent connection from main tank	1		C
28S/2767	A.31/B16							Attaching parts for A.001300 Plate Screw, 4 BA, cheese head (AGS.247/22)	4		C
26BY/270	E.98233A							PLATE, spring for main tank filler cap door	1		C
27FP/345	S.6/425							SPRING, Dzus	1		C
3771	P.002781A							PLATE, support for main tank	1		C
28D/12518	A.25/2E							Attaching parts for P.002781A Plate Bolt, 1/4" BSF (6A1/2E)	2		C
28M/10290	AGS.2001/E1							Nut, 1/4" BSF, plain	2		C
28W/3072	AGS.160/D							Washer, 1/4" BSF	2		C
	Q.003625 ND							PLUG, blanking, fuel vent pipe main tank 5/8" dia x 1".0 long Dural bar	1		C
1972	P.00222							RING, sealing, between top of main tank and fuselage at filler cap (Pre Mod.Vam.3249)	1		C
2212	A.001301							RING, sealing, for retaining plate at vent connection from main tank	1		C
3376	P.002562							RING, sealing, for spring retaining disc at adapter for fuel transfer pipes	1		C
3377	P.002574							SPRING, on fuel transfer pipe adapter at main tank	1		C

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
1973	P.00333A	STRAP, for main tank							2		C
28D/7481	A.15Y/26G	Attaching parts for P.00333A Strap							1		C
1886	P.00165	Bolt, 5/16" BSF (6A1/26G)							3		C
28M/770	A.16Y/GS	Bush							1		C
28P/12462	SP.9/C8	Nut, 5/16" BSF, slotted							1		C
		Pin, split (AGS.784/3)							1		C
7686	P.00242A/1	STRUT, support, for R.H. feed pipe from wing tanks to main tank							1		C
28D/12512	A.25/1C	BOLT, 2 BA (6A1/1C)							2		C
2209	P.00311	CLIP, 1.3/8" i/d							1		C
	P.002993	CLIP, 1.5/8" i/d							1		C
28M/10288	AGS.2001/C1	NUT, 2 BA, plain pinnacle							2		C
3921	P.00243	STRUT							1		C
6A/1912	/	SWITCH, fuel pressure warning							1		A
4261	P.003279A	TANK, (For details see Page 403)							1		A
6000	P.003279A/1	TANK, (For details see Page 403)							1		A
1929	P.00163	TRUNNION, tank strap, L.H. thread							1		C
1930	P.00164	TRUNNION, tank straps, R.H. thread							1		C
27F/2019	6130B	VALVE, non-return, for barostat spill return Aircraftings							1		A
		Attaching parts for 6130B Valve									
28D/11255	AS.1246/2C	Bolt, 2 BA, round head (AS.1884/2C)							2		C
28D/11890	AS.1246/5C	Bolt, 2 BA, round head (AS.1884/5C)							2		C
2962	P.001170A	Clip, saddle							1		C
28E/14146	AS.487/11	Clip, saddle							1		C
28M/10288	AGS.2001/C1	Nut, 2 BA, plain							4		C
27G/2153	ACO.4798	VALVE, pressure reducing, Dunlop (Pre Mod.Vam.3068)							2		A
27VA/3400	ACM.16314	VALVE, pressure reducing, Dunlop (Mod.Vam.3068)							2		A
		Attaching parts for ACO.4798 and ACM.16314 Valves									
28D/12512	A.25/1C	Bolt, 2 BA (6A1/1C)							4		C
28W/3071	AGS.160/C	Washer, 2 BA							4		C
28W/3098	AGS.162/C	Washer, 2 BA, spring							4		C

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
6980	P.003727A/1							VALVE, vent relief (Mod.Vam.3044)	1		B
	P. P.003713							(Alternative to Part No.FMB.A/1)			
6975	P.003709A							CAP, end screwed	1		
6830	P.003719							HEAD, valve	1		C
6829	P.003721							SHIM, laminated	1		C
6828	P.003717							SPRING	1		C
	P.003715 P.003947							WASHER, end cap	1		C
								WASHER, spring seat	1		C
28D/12511	A.25/2B							Attaching parts for P.003727A/1 Valve			
28D/8300	AS.1242/1B							Bolt, 4 BA	3		C
28D/8301	AS.1242/2B							Bolt, 4 BA	2		C
8091	P.003897							Bolt, 4 BA	2		C
								Packing, 1" long x 1/2" wide x 3/32" thick	1		C
28M/10287	AGS.2001/B1							LFS			C
28W/12306	SP.15/B							Nut, 4 BA, plain	7		C
								Washer	7		C
	FMB.A/1							VALVE, vent, relief, Teddington controls	1		
	P. P.003735A							(Mod.Vam.3044) (Alternative to			
								Part No. P.003727A/1)			
28F/8215	AGS.1138/B							<i>complete with housing & nozzle</i>			
								BRACKET			
28F/9655	AGS.1138/J							WASHER, jointing at main tank for drain	1		C
								pipe adapter			
28F/9439	AGS.1138/H							WASHER, jointing for banjo pillar at	2		C
								filter			
28W/7792	AGS.568/F							WASHER, jointing for fuel transfer	3		C
								adapter at main tank			
28F/9653	AGS.1138/F							WASHER, jointing for main tank vent	3		C
								connection banjo			
								WASHER, jointing for wing tank vent	2		C
								connection			

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.

Note:- Pages 399 to 402
not issued

36 KK 5723 START VALVE MK 10.
36 KK 1368 ACCUMULATOR.
36 LL 825 ISOLATION SOLENOID "O" RING
36 LL 1473 " " F.P. I.
36 LL 5433 B.P.C MOD 1130 (MK 12 7AD)
65E 640265 P.L.V. MOD 1130 MK 12.
50E 4828 BOOSTER PUMP.
37A 1401 H.E.J.U.
37A 1990 " "
27 N 105 FIRE BOTTLE (BROMIDE)

JANUARY, 1979

MON.

1

.....

.....

.....

.....

.....

.....

TUES.

2

.....

.....

.....

.....

.....

.....

WED.

3

.....

.....

.....

.....

.....

.....

DR. M. C. H. K. S. P.

Vampire Mk. 9

FUSELAGE TANK

(Issued with A.L.2)

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	P.003279A							FUSELAGE TANK (Pre Mod.Vam.3249)	1		
	P.003279A/1							FUSELAGE TANK (Mod.Vam.3249)	1		
28F/10798	AGS 1129/B							BANJO, at booster pump for drain pipe	1		C
28F/10018	AGS 1135/B							BOLT, banjo, at booster pump for drain pipe	1		C
147 505/ 4828	BP.1 MK.4							PUMP, booster, self priming pumps	1		A
4420	P.003425A/ND							TANK, fuselage, complete (Less fuel transmitter and booster pump) (Pre Mod.Vam.3249)	1		A
6889	P.003937A/ND							TANK, fuselage, complete (Less fuel transmitter and booster pump) (Mod.No.Vam.3249)	1		A
2266	P.0058							ADAPTER, for fuel feed elbow at tank	1		C
2281	P.00160							ADAPTER, for fuel feed elbow at valve	1		C
28F/12747	AGS 1105/J							ADAPTER, for fuel feed valves	2		C
2282	P.00188							ADAPTER, reducing at fuel valves	2		C
3304	P.002245A							ANNULES, vapour guide	1		C
								Attaching parts for P.002245A, Annules			
28D/12533	A.25/5C							Bolt, 2BA (A.1/5C)	4		C
28M/10288	AGS2001/C/1							Nut, 2BA, plain	4		C
3314	P.001949							Washer, jointing	1		C
2336	Q.00111							Washer, jointing, on bolts	4		C
28D/12514	A.25/7C							BOLT, 2BA, for securing booster pump (A.1/7C)	8		C
28D/12630	A.25/19C							BOLT, 2BA, for securing booster pump (A.1/19C)	4		C
2958	P.001152A							CAP, filler	1		C
28N/3721	AGS 607/D							CHAIN, safety	QR		C
28M/13086	A.27/BP							NUT, 4BA, plain (A.16Y/BP)	4		C
	P.001155A							PLATE, backing	1		C
2959	P.001157A							PLATE, Cover	1		C
13241	P.001156							PLATE, swivel for safety chain	1		C
2681/6376	691218							RING, locking	1		C
28S/2875	A.32/B24							SCREW, 4BA, round head (AGS 245/24)	4		C
2290	P.003274							SERING, valve	1		C
2960	P.001154							Valve	1		C
28W/3070	AGS 160/B							WASHER, 4BA	2		C
	DHS 159/L/30							COUPLING, at fuel feed elbow, 1 1/4" i/d X 3."0 long, (Make from Ref. No. 32C/377)	1		C
	DHS160/H/30							COUPLING, at fuel feed elbow	1		C
								Attaching parts for DHS 159/L/30 and DHS 160/H/30, Couplings			
28F/8184	AGS 605/2							Clip	2		C
4623	P.003429A							ELBOW, fuel feed	1		C
28M/10288	AGS 2001/C/1							NUT, 2BA, plain pinnacle, for securing fuel contents transmitter	11		C

(Issued with A.L.2)

FUSELAGE TANK

Vampire Mk. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
3307	P.001951A							PIPE, from pump	1		C
4154	P.002997							PLATE, base	1		C
2267	P.00219							Attaching parts for P.002997, Plate			
28M/10288	AGS2001/C/1							Bolt, from drain plug	1		C
28W/3071	AGS 160/C							Nut, 2BA, plain	17		C
								Washer, 2BA	17		C
	P.003481ND							PLATE, base, valve and tank LESS BOOSTER PUMP	1		
3309	P.002628A							PLATE, bolt, for booster pump	3		C
28S/2139	A.45/B24							Attaching parts for P.002628A, Plate			
								Screw, 4BA, countersunk head	2		C
								(AGS.248/24)			
	P.002741A							PLATE, bolt, for float valve	2		
28S/2821	A.33/B.20							Attaching parts for P.002741A, Plate			
								Screw, 4BA, countersunk head	2		C
								(AGS.249/23)			
2287	P.00154A							PLATE, bolt, for fuel contents	2		C
								transmitter			
28S/2821	A.33/B.20							Attaching parts for P.00154A, Plate			
								Screw, 4BA, countersunk head	2		C
								(AGS 249/23).			
3300	P.002289A							PLATE, bolt, front, for booster pump	1		C
3299	P.002288A							PLATE, bolt, rear, for booster pump	1		C
								Attaching parts for P.002289A and			
28S/2815	A.33/B.16							P.002288A, Plates			
								Screw, 4BA, countersunk head	4		C
								(AGS.249/22)			
3301	P.002285A							PLATE, bolt, side, for booster pump	2		C
28S/2821	A.33/B.20							Attaching parts for P.002285A, Plate			
								Screw, 4BA, countersunk head	9		C
								(AGS.249/23)			
26DV/552	12 PT.21							PLATE, cover, for pacitor-fuel gauge	1	MR	C
26DV/512	12 PT.23A							PLATE, nut, for pacitor fuel gauge	1	MR	C
28D/8342	AS.1248/2C							Attaching parts for 12 PT.23A, Plate			
								Bolt, 2BA, mushroom head	8		C
								(AS.1885/2C)			
26DV/554	12 PT.29A							PLATE, spigot, for pacitor fuel gauge	1	MR	C
28R/11695	AGS 566/K							PLUG, blanking, for booster pump base	1		C
26FM/3238								plate			
26BY/2542	L.981552							PLUG, drain	1		C
28R/6341	AGS 566/B							PLUG, drain	5		C

RESTRICTED

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
3302 26BY/1020	P.002237/A P.98301							RESERVOIR, fuel for inverted flight RING, adapter for filler cap Attaching parts for P.98301 Ring	1 1		C C
28L/753 28M/10328	A.16Y/CT AGS.2002/C1							Nut, 2 BA, thin Nut, 2 BA, thin pinnacle	2 8		C C
26BY/8136 2289	P.98393A P.00217							RING, bolt, for filler cap adapter RING, sealing at filler cap (Pre Mod. Yam.3249)	1 1		C C
	P.003935A/ND							RING, sealing at filler cap (Mod. Yam.3249) Attaching parts for P.00217 and P.003935A ND Rings	1		
28M/10288 26BY/8138	AGS.2001/C1 P.98383							Nut, 2 BA, plain pinnacle Washer, 2 BA, plain	8 8		C C
3650	P.002623							RING, sealing for float valve Attaching parts for P.002623 Ring	1		C
28M/10328	AGS.2002/C1							Nut, 2 BA, thin	9		C
2277	P.003277A P.00150							SHELL, tank ADAPTER, at strainer	1 1	M.R.	C C
26BY/7985	P.98172							ADAPTER, for filler drain pipe	1	M.R.	C
2278	P.00205							ADAPTER, for vent pipe	1	M.R.	C
3657	P.002284							PLATE, base, for booster pump	1	M.R.	C
26BY/8271	P.98405 P.002558							PLATE, base, for filler cap PLATE, base, for float valve	1 1	M.R. M.R.	C C
4263	P.003283							RING, sealing, for fuel contents transmitter	1	M.R.	C
2279	P.00152							SOCKET, earthing, at filler cap Attaching parts for P.00152 Socket	1 2		C C
28M/10288	AGS.2001/C1							Nut, 2 BA, plain pinnacle	2		C
	P.003859 ND							STRAP, handling commercial webbing 2".5 wide	1		C
26BY/17540	DHS.180 Mk.3X							TAB, for locking wire	1		C
4248	P.002545A/1							VALVE, float	1		A
26BY/13445	DHS.12 Mk.16							BOLT, 2 BA, securing float support post	2		C
3652	P.002547							FLOAT	1		C
3654	P.002564							LOCKWASHER, for valve seating and guide	1		C

See 301
See 302
See 303
See 304
See 305
See 306
See 307
See 308
See 309
See 310
See 311
See 312
See 313
See 314
See 315
See 316
See 317
See 318
See 319
See 320
See 321
See 322
See 323
See 324
See 325
See 326
See 327
See 328
See 329
See 330
See 331
See 332
See 333
See 334
See 335
See 336
See 337
See 338
See 339
See 340
See 341
See 342
See 343
See 344
See 345
See 346
See 347
See 348
See 349
See 350
See 351
See 352
See 353
See 354
See 355
See 356
See 357
See 358
See 359
See 360
See 361
See 362
See 363
See 364
See 365
See 366
See 367
See 368
See 369
See 370
See 371
See 372
See 373
See 374
See 375
See 376
See 377
See 378
See 379
See 380
See 381
See 382
See 383
See 384
See 385
See 386
See 387
See 388
See 389
See 390
See 391
See 392
See 393
See 394
See 395
See 396
See 397
See 398
See 399
See 400

RESTRICTED
FUEK SYSTEM
FUSELAGE TANK

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
28P/838	SP.4Y/B12							PIN, shackle, between support post and float	1		C
28P/832	SP.4Y/B6							PIN, shackle, between valve connecting rod and float	1		C
28P/12587	SP.9/C4							PIN, split (AGS.784/1)	2		C
3653	P.002552							POST, support, for float	1		C
4155	P.003145							SEATING, and guide for valve	1		C
5842	P.003491							SEATING, and guide for valve	1		C
28M/10288	AGS.2001/C1							Attaching parts for P.002545A/1 Valve			
								Nut, 2 BA, plain pinnacle	6		C
3312	P.001956A							VALVE, non-return, in vapour guide annulus on base plate			C
3310	P.001955							Attaching parts for P.001956A Valve			
								Screw, 4 BA	2		C
3949	P.001986A							VALVE, non-return, on base plate	3		C
2283	P.0057							HOUSING, valve	1		C
3658	P.00190							PIN, stop	2		C
2275	P.0056							VALVE	1		C
3303	P.002405A							VALVE, vapour escape, at top of fuel reservoir	1		C
26FN/1388	4.PT.45							WASHER, valve seat			C
28D/12623	A.25/5B							Attaching parts for P.002405 Valve			
28D/12533	A.25/5C							Bolt, 4 BA (6A1/5B)	2		C
								Bolt, 2 BA (6A1/5C)	2		C
3311	P.001973A/1							VALVE, vapour, guide	2		C
3329	P.001974 ND							WASHER, valve seat	1		C
28M/10328	AGS.2002/C1							Attaching parts for P.001973A/1 Valve			
28S/2138	A.45/C24							Nut, 2 BA, thin	4		C
								Screw, 2 BA, countersunk head reduced to 0".7 long (AGS.248/15)	4		C
3655	P.001948							Washer, jointing	1		C
2336	Q.00111							WASHER, jointing at booster pump	12		C
3313	P.001947							WASHER, jointing at booster pump	1		C
4350	P.003355							WASHER, jointing at booster pump for pipe	1		C
28F/9655	AGS.1138/J							WASHER, jointing for adapters	6		C
28F/8215	AGS.1138/B							WASHER, jointing for banjo at booster pump and drain plug	3		C

Handwritten notes:
 3
 Valve
 See new sheet
 Do not remove

RESTRICTED
FUEL SYSTEM
FUSELAGE TANK

Vampire Mk, 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
3302	P.002237/A							RESERVOIR, fuel for inverted flight	1		C
26BY/1020 13220	P.98301							RING, adaptor for filler cap	1		C
28L/13124	A27/CT							Attaching parts for P.98301, Ring			
28M/10328	AGS.2002/C1							Nut, 2BA	2		C
								Nut, 2BA	8		C
26BY/8136 13246	P.98393A							RING, bolt, for filler cap adaptor	1		C
2289	P.00217							RING, sealing at filler cap (Pre.Mod. Vam. 3249)	1		C
								Attaching parts for P.00217, Ring			
28M/10288	AGS.2001/C1							Nut, 2BA	8		C
26BY/8438 13247	P.98383							Washer, 2BA	8		C
	P.003935A/ND							RING, sealing at filler cap (Mod.Vam. 3249)	1		
6890	12.PT.1429							RING, sealing	1		C
2289	P.00217							RING, sealing	1		C
								Attaching parts for P.003935A/ND, Ring			
28M/10288	AGS.2001/C1							Nut, 2BA	8		C
26BY/8138	P.98383							Washer, 2BA	8		C
3650	P.002623							RING, sealing for float valve	1		C
								Attaching parts for P.002623, Ring			
28M/10328	AGS.2002/C1							Nut, 2BA	9		C
	P.003277A							SHELL, tank	1		
2277	P.00150							ADAPTOR, at strainer	1	MR	C
26BY/7985	P.98172							ADAPTOR, for filler drain pipe	1	MR	C
2278	P.00205							ADAPTOR, for vent pipe	1	MR	C
3657	P.002284							PLATE, base, for booster pump	1	MR	C
26BY/8271	P.98405							PLATE, base, for filler cap	1	MR	C
	P.002558							PLATE, base, for float valve	1	MR	C
4263	P.003283							RING, sealing for fuel contents transmitter	1	MR	C
2279	P.00152							SOCKET, earthing, at filler cap	1		C
								Attaching parts for P.00152, Socket			
28M/10288	AGS.2001/C1							Nut, 2BA	2		C
8660	P.003859ND							STRAP, handling, commercial webbing 2".5 wide	1		
26BY/17540	DHS.180 MK. 3X.							TAB, for locking wire	1		C

RESTRICTED

RESTRICTED
FUEL SYSTEM
FUSELAGE TANK

Vampire Mk. 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
4248	P.002545A/1							VALVE, float	1		B
26BY/43445 13257	DHS.12 MK.16							BOLT, 2 BA, securing float support post	2		C
3652	P.002547							FLOAT	1		C
3654	P.002564							LOCKWASHER for valve seating, and guide	1		C
28P/838	SP.4Y/B12							PIN, shackle, between support post and float	1		C
28P/832	SP.4Y/B6							PIN, shackle, between valve connecting rod and float	1		C
28P/12587	SP.9/C4							PIN, split	2		C
3653	P.002552							POST, support, for float	1		C
4155	P.003145							SEATING, end guide for valve	1		C
5842	P.003491							SEATING, end guide for valve	1		C
								Attaching parts for P.002545A/1, Valve			
28M/10288	AGS.2001/C1							Nut, 2 BA	6		C
3312	P.001956A							VALVE, non-return, in vapour guide annulus on base plate	1		C
3310	P.001955							Attaching parts for P.001956A, Valve Screw, 4 BA	2		C
3949	P.001986A							VALVE, non return, on base plate (Pre Mod.Vam.3277)	3		C
2283	P.0057							HOUSING, valve	1		C
3658	P.00190							PIN, stop	2		C
2275	P.0056							VALVE	1		C
6987	P.003963A							VALVE, assy, non-return (Mod.Vam.3277)	3		C
2283	P.0057							HOUSING, valve	1		C
3658	P.00190							PIN, locking	2		C
10206	P.003961A							PLATE, valve assy	1		C
	P.003959							PLATE, valve	1		C
10224	P.003957							SEATING, valve	1		C
	P.003953							WASHER	1		C
	P.003955							WASHER	1		C
								Attaching parts for P.003953 and P.003955, Washers			
28M/13086	A.27/BP							Nut	1		C
28S/2809	A.33/B12							Screw	1		C
3303	P.002405A							VALVE, vapour escape, at top of fuel reservoir	1		C
26FN/1388	4PT.45							WASHER, valve seat	1		C
28D/12623	A.25/5B							Attaching parts for P.002405A, Valve Bolt, 4 BA	2		C
28D/12533	A.25/5C							Bolt, 2 BA	2		C

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
3311	P.001973A/1							VALVE, vapour guide	2		C
3329	P.001974ND							WASHER, valve seat	1		C
28M/10328	AGS.2002/C1							Attaching parts for P.001973A/1, Valve	4		C
28S/2138	A4.5/C24							Nut, 2BA	4		C
3655	P.001948							Screw, 2BA, countersunk head, reduced to 0.7 long	4		C
2336	Q.00111							Washer, jointing	1		C
3313	P.001947							WASHER, jointing at booster pump	12		C
4350	P.003355							WASHER, jointing at booster pump	1		C
28F/9655	AGS.1138/J							WASHER, jointing at booster pump for pipe	1		C
28F/8215	AGS.1138/B							WASHER, jointing for adaptors	6		C
28F/10500	AGS.1138/K							WASHER, jointing for banjo at booster pump and drain plug	3		C
3298	P.002291							WASHER, jointing for blanking plug	1		C
3317	P.002287							WASHER, jointing for booster pump and fuel reservoir	2		C
3316	P.002286							WASHER, jointing, for booster pump front bolt plate	1		C
3297	P.002290							WASHER, jointing, for booster pump rear bolt plate	1		C
28F/8225	AGS.1138/A							WASHER, jointing, for booster pump side bolt plate	2		C
13221								WASHER, jointing, for drain plugs on base plate	5		C
26BY/1024	691234							WASHER, jointing, for filler cap	1		C
26BY/6379	P.9895							WASHER, jointing, for filler cap adaptor ring and bolt ring	2		C
13242								WASHER, jointing, for float valve	1		C
3605	P.002573							WASHER, jointing, for float valve bolt plate	1		C
3606	P.002616							WASHER, jointing, for float valve bolt plate	1		C
4262	P.003089							WASHER, jointing, for fuel contents transmitter	2		C
26DV/553	12.PT.27							WASHER, jointing, for pacitor fuel gauge	1		C
26BY/8139	P.9895 MK.2							WASHER, jointing, for pacitor fuel gauge	1		C
13248								WASHER, jointing, for sealing ring at filler cap	1		C
3296	P.002406							WASHER, jointing, for vapour escape valve at top of fuel reservoir	1		C
6A/2822	GP.352/059							TRANSMITTER, fuel contents, pacitor Simmonds	1		A

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Of	M.R.	Cl. of St.
<p>Note:- Pages 409 to 414 not issued</p>											

FUEL SYSTEM
PIPES AND FITTINGS IN WING

(Issued with AL.1)

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
		PIPES AND FITTINGS IN WING (P.001930)							1		
5871	P.003669	ADAPTER, filter (Marston No.1 tanks only)							2		C
6752	P.003915	ADAPTER, filter (Marston tanks only) (Mod.Vam.3204)							2		C
3924	P.001189	ADAPTER, hose, tank No.3 feed pipe							2		C
7913	P.003861A	ADAPTER, pipe, tank No.1 (Mod.Vam.3059)							2		C
	P.00723	BLOCK, clamp, half, securing feed pipe at end rib Port							1		
	P.00725	BLOCK, clamp, half, securing feed pipe at end rib Port							1		
	P.00724	BLOCK, clamp, half, securing feed pipe at end rib Starboard							1		
	P.00726	BLOCK, clamp, half, securing feed pipe at end rib Starboard							1		
		Attaching parts for P.00723, P.00725, P.00724 and P.00726 Blocks (per pair)									
28D/12623	A.25/5BR	Bolt, 4 BA, round head (6A1/5BR)							4		C
28W/3070	AGS.160/B	Washer, 4 BA							4		
3378	P.001814	BLOCK, clamp, half, securing pipes between tanks No.1 and 3							4		C
3379	P.001815	BLOCK, clamp, half, securing pipes between tanks No.1 and 3							4		C
		Attaching parts for P.001814 and P.001815 Blocks (per pair)									
28D/12536	A.25/13C	Bolt, 2 BA (6A1/13C)							2		C
28M/10288	AGS.2001/C	Nut, 2 BA, plain							2		C
28W/3071	AGS.160/C	Washer, 2 BA							2		C
2243	P.00263A	BLOCK, clamp, securing pipes at end rib Port							1		C
2263	P.00264A	BLOCK, clamp, securing pipes at end rib Starboard							1		C
		Attaching parts for P.00263A and P.00264A Blocks									
28D/12623	A.25/5BR	Bolt, 4 BA, round head (6A1/5BR)							4		C
28D/12627	A.25/11B	Bolt, 4 BA (6A1/11B)							1		C
28M/10327	AGS.2002/B1	Nut, 4 BA, thin pinnacle							1		C
28W/3070	AGS.160/B	Washer, 4 BA							5		C
3381	P.002588A	BLOCK, clamp, securing pipes between ribs No.1 and 2							2		C
		Attaching parts for P.002588A Block									
28D/13447	A.25/21CR	Bolt, 2 BA, round head (6A1/21CR)							2		C
28D/12568	A.25/22CR	Bolt, 2 BA, round head (6A1/22CR)							2		C
28M/10328	AGS.2002/C1	Nut, 2 BA, thin pinnacle							4		C
	P.003459 ND	Packing, 0".5 wide, 5/32" thick x 0".5 long, LFS.21							1		C

Removed by sheet - see Do not remove

FUEL SYSTEM
PIPES AND FITTINGS IN WING

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
3380	P.002584A							BLOCK, clamp, securing pipes between tanks No.1 and 3	4		C
28D/12631	A.25/23C							Attaching parts for P.002584A Block			
28M/10288	AGS.2001/C1							Bolt, 2 BA (6A1/23C)	2		C
28W/3071	AGS.160/C							Nut, 2 BA, plain pinnacle	2		C
								Washer, 2 BA	2		C
	P.00733							BLOCK, clamp, securing pipes from external drop tanks	2		
								Attaching parts for P.00733 Block			
28D/12535	A.25/12C							Bolt, 2 BA (6A1/12C)	2		C
28M/12929	A.27/CP							Nut, 2 BA, plain (A.16Y/CP)	2		C
28W/3071	AGS.160/C							Washer, 2 BA	2		C
								BLOCK, junction, pipes to jettison tank (See Aerofoils, Wing)			
5K/112	AGS.1661/A							CLIP, bonding	4		C
5K/114	AGS.1661/C							CLIP, bonding	4		C
28E/8182	AGS.605/0							CLIP	28		C
28E/8183	AGS.605/1							CLIP	63		C
28E/8185	AGS.605/3							CLIP	12		C
	P.001191							CLIP, securing pipes between tanks No.1 and 2	2		
								Attaching parts for P.001191 Clip			
28D/12512	A.25/1C							Bolt, 2 BA (6A1/1C)	2		C
28M/10288	AGS.2001/C1							Nut, 2 BA, plain pinnacle	2		C
28W/3071	AGS.160/C							Washer, 2 BA	2		C
	P.001901							CLIP, securing pipes between tanks No.1 and 2	2		
								Attaching parts for P.001901 Clip			
28D/12512	A.25/1C							Bolt, 2 BA (6A1/1C)	1		C
28M/10288	AGS.2001/C1							Nut, 2 BA, plain pinnacle	1		C
28W/3071	AGS.160/C							Washer, 2 BA	1		C
	DHS.47 Mk.4							CONNECTOR, bonding	4		
	DHS.47 Mk.19							CONNECTOR, bonding	4		
	DHS.160/B/20							COUPLING	14		
	DHS.160/D/20							COUPLING	20		
	DHS.160/D/40							COUPLING	2		
	DHS.160/F/30							COUPLING	10		
	DHS.160/N/35							COUPLING	2		
	P.00659 ND							COUPLING, 2".0 i/d x 2".50 long, D.T.D. 625 (Make from Ref No.32C/459) (Pre Mod.Vam.3045)	2		
	P.00657 ND							COUPLING, 2".0 i/d x 3".0 long, D.T.D. 625 (Make from Ref No.32C/459)	4		

RESTRICTED
FUEL SYSTEM
PIPES AND FITTINGS IN WING

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
								PIPES AND FITTINGS IN WING (P.001930)	1		
5871	P.003669							ADAPTER, filler (Marston No.1 Tanks only) (Pre Mod.Vam.3204)	2		C
6752	P.003915							ADAPTER, filler (Marston No.1 Tanks only) (Mod.Vam.3204)	2		C
3924	P.001189							ADAPTER, hose, tank No.3 feed pipe	2		C
7913	P.003861A							ADAPTER, pipe tank No.1 (Mod.Vam.3059)	2		C
	P.00723							BLOCK, clamp, half, securing feed pipe at end rib, Port	1		
	P.00725							BLOCK, clamp, half, securing feed pipe at end rib Port	1		
	P.00724							BLOCK, clamp, half securing feed pipe at end rib Starboard	1		
	P.00726							BLOCK, clamp, half, securing feed pipe at end rib Starboard	1		
								Attaching parts for P.00723, P.00725, P.00724 and P.00726, Blocks (per pair)			
28D/12623	A25/5B							Bolt, 4BA	4		C
28W/12305	SP.13/B							Washer, 4BA	4		C
3378	P.001814							BLOCK, clamp, half, securing pipes between tanks No.1 and 3	4		C
3379	P.001815							BLOCK, clamp, half, securing pipes between tanks No.1 and 3	4		C
								Attaching parts for P.001814 and P.001815, Blocks (per pair)			
28D/12536	A25/13C							Bolt, 2BA	2		C
28M/10288	AGS.2001/C1							Nut, 2BA	2		C
28W/12252	SP.13/C							Washer, 2BA	2		C
2243	P.00263A							BLOCK, clamp, securing pipes at end rib Port	1		C
2263	P.00264A							BLOCK, clamp, securing pipes at end rib Starboard	1		C
								Attaching parts for P.00263A and P.00264A, Blocks			
28D/12623	A25/5B							Bolt, 4BA	4		C
28D/12627	A25/11B							Bolt, 4BA	1		C
28M/10327	AGS.2002/B1							Nut, 4BA	1		C
28W/12305	SP.13/B							Washer, 4BA	5		C
3381	P.002588A							BLOCK, clamp, securing pipes between ribs No.1 and 2	2		C
								Attaching parts for P.002588A, Block			
28D/13447	A25/21C							Bolt, 2BA	2		C
28D/12568	A25/22C							Bolt, 2BA	2		C
28M/10328	AGS.2002/C1							Nut, 2BA	4		C
	P.003459ND							Packing, 0.5 wide, 5/32" thick x 0.5 long LFS.21	1		

RESTRICTED

RESTRICTED
FUEL SYSTEM
PIPES AND FITTINGS IN WING

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
3380	P.002584A							BLOCK, clamp, securing pipes between tanks No.1 and 3	4		C
28D/12631	A25/23C							Attaching parts for P.002584A, Block			
28M/10288	AGS.2001/C1							Bolt, 2BA	2		C
28W/12252	SP.13/C							Nut, 2BA	2		C
								Washer, 2BA	2		C
	P.00733							BLOCK, clamp, securing pipes from external drop tanks	2		
								Attaching parts for P.00733, Block			
28D/12535	A25/12C							Bolt, 2BA	2		C
28M/12929	A27/CP							Nut, 2BA	2		C
28W/12252	SP.13/C							Washer, 2BA	2		C
								BLOCK, junction, pipes to jettison tank (See Aerofoils, Wing)			
5K/112	AGS.1661/A							CLIP, bonding	4		C
5K/114	AGS.1661/C							CLIP, bonding	4		C
28E/8182	AGS.605/0							CLIP	28		C
28E/8183	AGS.605/1							CLIP	63		C
28E/8185	AGS.605/3							CLIP	12		C
	P.001191							CLIP, securing pipes between tanks No.1 and 2	2		
								Attaching parts for P.001191, Clip			
28D/12512	A25/1C							Bolt, 2BA	2		C
28M/10288	AGS.2001/C1							Nut, 2BA	2		C
28W/12252	SP.13/C							Washer, 2BA	2		C
	P.001901							CLIP, securing pipes between tanks No.1 and 2	2		
								Attaching parts for P.001901, Clip			
28D/12512	A25/1C							Bolt, 2BA	1		C
28M/10288	AGS.2001/C1							Nut, 2BA	1		C
28W/12252	SP.13/C							Washer, 2BA	1		C
	DHS.47 Mk.4							CONNECTOR, bonding	4		
	DHS.47 Mk.19							CONNECTOR, bonding	4		
	DHS.160/B/20							COUPLING	14		
	DHS.160/D/20							COUPLING	20		
	DHS.160/D/40							COUPLING	2		
	DHS.160/F/30							COUPLING	10		
	DHS.160/N/35							COUPLING	2		
	P.00659ND							COUPLING, 2"0 i/d X 2"50 long, DTD.625 (Make from Ref.No.32C/459) (Pre.Mod.Vam.3045)	2		
	P.00657ND							COUPLING 2"0 i/d x 3"0 long DTD.625 (Make from Ref.No.32C/459)	4		
A-7 26EW/4167	DHS.209 Mk.4							GUARD, hose clip	2		C
								Attaching Parts for DHS.209 Mk.4 Guard			
28D/12514	A25/7C							Bolt, 2BA	2		C
28M/10288	AGS.2001/C1							Nut, 2BA	2		C
28W/12252	SP.13/C							Washer, 2BA	2		C

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
3383	P.001919ND							PIPE, connecting tank No. 1 to tank No.2 (Pre Mod Vam 3412)	2		C
11881	P.003987A/ND							PIPE, connecting tank No. 1 to tank No.2 (Mod Vam 3412)	1		C
3397	P.002729ND							PIPE, connecting between tanks No. 1 and 3 from first hose joint, Port (Pre Mod Vam 3412)	1		C
3412	P.002730ND							PIPE, connection between tanks No. 1 and 3 from first hose joint, Starboard (Pre Mod Vam 3412)	1		C
11879	P.003985A/ND							PIPE, connection between tanks No. 1 and 3 from first hose joint, Port (Mod Vam 3412)	1		C
11880	P.003986A/ND							PIPE, connection between tanks No. 1 and 3 from first hose joint, Starboard (Mod Vam 3412)	1		C
4433	P.003415A/ND							PIPE, connection between tanks No. 1 and 3 to first hose joint, Port	1		C
4434	P.003416A/ND							PIPE, connection between tanks No. 1 and 3 to first hose joint, Starboard	1		C
4615	P.00735ND							PIPE, feed between first and second hose joints from tank No. 3 Starboard	1		C
3388	P.002705ND							PIPE, feed between second and third hose joints from external drop tank, Port	1		C
3404	P.002706ND							PIPE, feed between second and third hose joints from external drop tank Starboard	1		C
3789	P.002821ND							PIPE, feed between third and fourth hose joints from external drop tank Port	1		C
3792	P.002822ND							PIPE, feed between third and fourth hose joints from external drop tank Starboard	1		C
3391	P.002711ND							PIPE, feed fourth hose joint from tank No. 3 to main tank, Port	1		C
3406	P.002712ND							PIPE, feed fourth hose joint from tank No. 3 to main tank, Starboard	1		C
3393	P.002715ND							PIPE, feed from external drop tank to first hose joint, Port	1		C
3408	P.002716ND							PIPE, feed from external drop tank to first hose joint, Starboard	1		C
3392	P.002713ND							PIPE, vent, between first and second hose joints from external drop tank, Port	1		C
3407	P.002714ND							PIPE, vent between first and second hose joints from external drop tank, Starboard	1		C

RESTRICTED
FUEL SYSTEM
PIPES AND FITTINGS IN WING

Vampire Mk.9

Ref. No.	Part No.							Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
3389	P.002707ND							PIPE, vent between first and second hose joints from Tank No. 3 Port	1		C
3999	P.002708ND							PIPE, vent between first and second hose joints from Tank No. 3, Starboard	1		C
7724	P.002723ND							PIPE, vent between first and second hose joints from tank No. 4, Port (Make from 30B/994.)	1		
7725	P.002724ND							PIPE, vent between first and second hose joints from tank No. 4, Starboard (Make from 30B/994.)	1		
3390	P.002709ND							PIPE, vent between second and third hose joints from external drop tank, Port	1		C
3405	P.002710ND							PIPE, vent between second and third hose joints from external drop tank, Starboard	1		C
3864	P.002819ND							PIPE, vent between second and third hose joints from tank No. 2, Port	1		C
3791	P.002820ND							PIPE, vent between second and third hose joints from tank No. 2, Starboard	1		C
3793	P.002823ND							PIPE, vent between third and fourth hose joints from external drop tank Port	1		C
3865	P.002824ND							PIPE, vent between third and fourth hose joints from external drop tank Starboard	1		C
3382	P.00727ND							PIPE, vent, fourth hose joint from tank No. 3 to main tank Port	1		C
3400	P.00728ND							PIPE, vent, fourth hose joint from tank No. 3 to main tank Starboard	1		C
3394	P.002717ND							PIPE, vent, from external drop tank to first hose joint, Port	1		C
3409	P.002718ND							PIPE, vent, from external drop tank to first hose joint, Starboard	1		C
3395	P.002719A/ND							PIPE, vent from tank No. 2 to first hose joint, Port	1		C
3410	P.002720A/ND							PIPE, vent from tank No. 2 to first hose joint, Starboard	1		C
3398	P.002739ND							PIPE, vent third hose joint from tank No. 2 to main tank, Port	1		C
3413	P.002740ND							PIPE, vent third hose joint from tank No. 2 to main tank, Starboard	1		C
3922	P.00741							PLUG, blanking, feed pipe from external drop tank	2		C
3923	P.00884							PLUG, blanking, vent pipe from external drop tank	2		C

RESTRICTED
FUEL SYSTEM
PIPES AND FITTINGS IN WING

Vampire Mk 9

Page 419
(Issued with A.L. 10)

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
6981	P.003929	RING, insulating filler cap (for Marston No. 1 tanks only) (Mod Vam 3248)							1		C
28D/10571	AS.1242/13E P.003931	Attaching parts for P.003929, Ring Bolt, 1/4" BSF Tube, distance							4 4		C
8205	P.003933	RING, sealing No. 1, tank (Fireproof only) (Mod Vam 3246)							1		C
8205	P.003933	RING, sealing No. 4, tank (Mod Vam 3247) Attaching parts for P.003933, Ring							1		C
28D/8324	AS.1242/3E	Bolt, 1/4" BSF							4		C
4443	AM.1157P	TANK, No 1 Port, Marston Excelsior (Alternative to Ref No. 4439) (Pre Mod Vam.3042)							1		A
4444	AM.1157S	TANK, No 1 Starboard Marston Excelsior (Alternative to Ref No. 4440) (Pre Mod Vam.3042)							1		A
5758	AM.1402P	TANK, No 1 Port Marston Excelsior (Mod Vam 3042)							1		A
5759	AM.1402S	TANK, No 1 Starboard Marston Excelsior (Mod Vam 3042)							1		A
4314	BM.1593/14	CAP, filler assembly							1		C
4237	CM.1962	CAP, filler							1		C
28N/3721	AGS.607/D	CHAIN, filler cap retaining							1		C
28N/12729	AGS.2031/9	CIRCLIP, external, for 0.72 dia spindle for retaining filler cap collar Seegar							1		C
4238	CM.1994	COLLAR, filler cap retaining chain attachment							1		C
6421	BM.1257/13	NECK, filler assembly							1		C
28N/3724	AGS.609/B	RING, filler cap locking							1		C
6413	BM.1593/6	RING, split key chain type 2							2		C
4439	FT.5669	TANK, No 1 Port, Fireproof (Alternative to Ref No. 4443) (Pre Mod Vam 3042)							1		A
4440	FT.5670	TANK, No 1 Starboard, Fireproof (Alternative to Ref No. 4444) (Pre Mod Vam 3042)							1		A
6750	FT.1988	CAP, filler							1		C
28N/3721	AGS.607/D	CHAIN, filler cap retaining							1		C
28N/16253	AGS.2031/11	CIRCLIP, external for 18 m/m dia spindle for retaining filler cap collar, Seegar							1		C
10512		SLEEVE Moulding							1		

RESTRICTED

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
5397	FT.1989							COLLAR, filler cap retaining chain attachment	1		C
6877	FT.1666							NECK, filler	1		C
	AS.120							RING, filler cap locking	1		
4490	AM.905P Iss 2 & sub.							TANK, No. 2, Port Marston Excelsior (Alternative to Ref No. 4213 or 5728)	1		A
4491	AM.905S Iss 2 & sub.							TANK, No. 2, Starboard Marston Excelsior (Alternative to Ref No. 4214 or 5729)	1		A
4213	FT.4509							TANK, No. 2, Port Fireproof (Alternative to Ref No. 4490 or 5728)	1		A
4214	FT.4510							TANK, No. 2, Starboard, Fireproof (Alternative to Ref.No.4491 or 5729)	1		A
5728	FT.5818							TANK, No. 2, Port, Fireproof (Alternative to Ref.No.4490 or 4213)	1		A
5729	FT.5819							TANK, No. 2, Starboard, Fireproof (Alternative to Ref No. 4491 or 4214)	1		A
4445	AM.1158P							TANK, No. 3, Port, Marston Excelsior (Alternative to Ref No. 4441)	1		A
4446	AM.1158S							TANK, No. 3, Starboard, Marston Excelsior (Alternative to Ref No. 4442)	1		A
4441	FT.5671							TANK, No. 3, Port, Fireproof (Alternative to Ref No. 4445)	1		A
4442	FT.5672							TANK, No. 3, Starboard, Fireproof (Alternative to Ref No. 4446)	1		A
4494	AM.907P Iss 2 & sub							TANK, No. 4, Port, Marston Excelsior (Alternative to Ref No. 4217 or 5732)	1		A
4495	AM.907S Iss 2 & sub							TANK, No. 4, Starboard, Marston Excelsior (Alternative to Ref No. 4218 or 5733)	1		A
4314	EM.1593/14							CAP, filler assembly	1		C
4237	CM.1962							CAP, filler	1		C
28N/3721	AGS.607/D							CHAIN, filler cap retaining	1		C
28N/12729	AGS.2031/9							CIRCLIP, external for O:72 dia. spindle for retaining filler cap Seegar	1		C
4238	CM.1994							COLLAR, filler cap retaining chain attachment	1		C
28N/3724	AGS.609/B							RING, filler cap locking	1		C
6413	EM.1593/6							RING, split, key chain type 2	2		C
10512								SLEEVE MODIFIED	1		

VAMPIRE FB9 FUEL TANK INFORMATION AND SECT/REF NUMBERS

- NOTE 1. Port and Stbd Wing Fuel Tanks No 1 and No 3 are to be Mod/Vamp/694 (all fuel usable) and Pre/Mod/Vamp/568 (Desynn Fuel contents indication) standard and are not interchangeable with T11 tanks.
- NOTE 2. Port and Stbd wing tanks No 2 and No 4 are identical to T11 tanks and are interchangeable.
- NOTE 3. Fuselage fuel tank must be to Pre/Mod/Vamp/568 standard only and is not interchangeable with T11 tanks.
- NOTE 4. Any tank which is not interchangeable with Vampire T11 aircraft must be stencilled "FB9 AIRCRAFT ONLY" on the tank cover and ensure that only the undermentioned Section Reference Numbers are used:

Port Mainplane Tanks

No 1 26FC/4932
No 2 26FC/5664
No 3 26FC/4938
No 4 26FC/4494 - Alternative 27FC/5732

Stbd Mainplane Tanks

No 1 26FC/4933
No 2 26FC/5665
No 3 26FC/4939
No 4 26FC/4495 - Alternative 26FC/5733.

Fuselage Tank

26FC/4249.

(R.B. Pardoe)
WO i/c ASF



Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
6421	EM.1257/13							NECK, filler assembly	1		C
4217	FT.4513							TANK, No.4 Port, Fireproof (Alternative to Ref No. 4494 or 5732)	1		A
4218	FT.4514							TANK, No.4 Starboard, Fireproof (Alternative to Ref No. 4495 or 5733)	1		A
6750	FT.1988							CAP, filler	1		C
28N/3721	AGS.607/D							CHAIN, filler cap retaining	1		C
28N/16253	AGS.2031/11							CIRCLIP, external for 18 m/m dia. spindle for retaining filler cap collar, Seegar	1		C
5397	FT.1989							COLLAR, filler cap retaining chain attachment	1		C
6877	FT.1666							NECK, filler	1		C
	AS.120							RING, filler cap locking	1		
5732	FT.5820							TANK, No 4 Port, Fireproof (Alternative to Ref No. 4494 or 4217)	1		A
5733	FT.5821							TANK, No 4 Starboard, Fireproof (Alternative to Ref No. 4495 or 4218)	1		A
6A/2820	GP.352/057							UNIT, tank, Pacitor Fuel Contents Gauge No. 1 Tank	2		A
6A/2821	GP.352/058							UNIT, tank, Pacitor Fuel Contents Gauge No. 3 Tank	2		A
26BY/920	P.9861A							VALVE, feed connection Tank No. 1 to main tank	2		B
26BY/922	P.9864							HEAD	1		C
28M/13121	A27/CS							NUT, 2BA	1		C
28P/9429528	SP9/C8							PIN, split	1		C
26BY/923	P.9865							SPRING	1		C
26BY/924	P.9863							VALVE	1		C
28W/12252	SP13/C							WASHER	1		C
28F/9439	AGS.1138/H							WASHER, jointing at tank No. 1 valve and at tank No. 3 hose adaptor	4		C
1200946											
28F/9654	AGS.1138/G							WASHER, on external drop tanks feed pipe blanking plug (DHS.203/G)	2		C
28F/9652	AGS.1138/E							WASHER, on external drop tank vent pipe blanking plug (DHS.203/E)	2		C
5872	P.003427ND							WASHER, seating filler cap Nos. 1 and 4 tanks (Marston only) (Alternative to EM 1593/9)	8		C
6414	EM.1593/9							WASHER, seating filler cap Nos. 1 and 4 tanks (Marston only)	8		C

RESTRICTED
 FUEL SYSTEM
 PIPES AND FITTINGS IN WING

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
1624	AS.119							WASHER, seating filler cap Nos. 1 and 4 tanks. (Fireproof only)	4		C
10226	FT.3545							WASHER, seating Komoplastic (Fireproof only)	4		C

FUEL SYSTEM
 INSTALLATION OF 100 GALLON AIRSHIP DROP TANK
 (SPECIAL ORDER ONLY)

Ref. No.	Part No.	Nomenclature						No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6			
	-	INSTALLATION OF 100 GALLON AIRSHIP DROP TANK, PORT (P.002333)						1	-	
	-	INSTALLATION OF 100 GALLON AIRSHIP DROP TANK, STARBOARD (P.002334)						1	-	
3822	P.002396A	BOLT, suspension						1	-	C
	P.001937	BOLT, 1/2" BSF						1	-	
	P.001938	NUT, 1/2" BSF						1	-	
5678	P.003177ND	COUPLING, between break tube and vent elbow, 1/2" i/d x 44"5 long, DTD.625 Type 3 or BTR.Spec.1159						1	-	C
28E/8182	AGS.605/0	Attaching parts for P.003177ND, Coupling Clip						2	-	C
5679	P.003179ND	COUPLING, between break tube and fuel feed elbow, 3/4" i/d x 44"5 long, DTD.625 Type 3 or BTR.Spec.1159						1	-	C
28E/8183	AGS.605/1	Attaching parts for P.003179ND, Coupling Clip						2	-	C
28M/10294	AGS.2001/N/1	NUT, 1/2" BSF, plain, at bottom of suspension bolt						1	-	C
	P.002049A/4	TANK, drop, 100 gallon airship, Port (Pre Mod.Vam.948) (For details see Page 435)						1	-	
4694	P.002049A/5	TANK, drop, 100 gallon airship, Port (Mod. Vam.948) (For details see Page 435)						1	-	A
	P.002050A/4	TANK, drop, 100 gallon airship, Starboard (Pre Mod.Vam.948) (For details see Page 435)						1	-	
4695	P.002050A/5	TANK, drop, 100 gallon airship, Starboard (Mod.Vam.948) (For details see Page 435)						1	-	A
2168	P.00261	TUBE, break, fuel feed						1	-	C
		Attaching parts for P.00261, Tube						1	-	C
2247	P.00254	Gland, sealing						1	-	C
2249	P.00252	Nut, gland						1	-	C
2259	P.00253	Ring, compression						1	-	C

R E S T R I C T E D

FUEL SYSTEM
 INSTALLATION OF 100 GALLON AIRSHIP DROP TANK
 (SPECIAL ORDER ONLY)

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
2167	P.00260							TUBE, break, vent	1	-	C
2248	P.00259							Attaching parts for P.00260, Tube			
2250	P.00257							Gland, sealing	1	-	C
2260	P.00258							Nut, gland	1	-	C
								Ring, compression	1	-	C
3820	P.002393							WASHER, 1/2" BSF, under nut at bottom of suspension bolt	1	-	C

Note:- Pages 431 to 434 not issued

R E S T R I C T E D

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
	P.002049A/4							100 GALLON AIRSHIP DROP TANK, PORT (Pre Mod.Vam.948)	1	-	
4694	P.002049A/5							100 GALLON AIRSHIP DROP TANK, PORT (Mod. Vam.948)	1	-	A
	P.002050A/4							100 GALLON AIRSHIP DROP TANK, STARBOARD (Pre Mod.Vam.948)	1	-	
4695	P.002050A/5							100 GALLON AIRSHIP DROP TANK, STARBOARD (Mod.Vam.948)	1	-	A
3815	P.002865							CAP, filler	1	-	C
26EW/2627	-							CIRCLIP, internal, for 1"0 dia. bore, Seeger	1	-	C
	AS.1930							DOOR, access	1	-	C
6402	P.002126A							ELBOW, fuel feed	1	-	C
6458								Attaching parts for P.002126A, Elbow			
28D/7567	A.17/5C							Bolt, 2BA	6	-	C
28M/10281	AGS.2001/C/3							Nut, 2BA, plain	6	-	C
6424	P.002127							Washer, jointing	2	-	C
28W/8516	AS.470/C							Washer, 2BA, packing	6	-	C
6403	P.002128A							ELBOW, vent	1	-	C
								Attaching parts for P.002128A, Elbow			
28D/7897	A.17/4C							Bolt, 2BA	6	-	C
28M/10281	AGS.2001/C/3							Nut, 2BA, plain	6	-	C
	P.002222							Ring, bearing, for bolt heads	1	-	C
6425	P.002129							Washer, jointing	1	-	C
28W/8516	AS.470/C							Washer, 2BA, packing	6	-	C
6431	P.002315A							FILTER, at fuel feed pipe	1	-	C
								Attaching parts for P.002315A, Filter			
28D/8308	AS.1242							Bolt, 2BA, countersunk head (AS.1882/3C)	10	-	C
6525	P.981739							Ring, bearing, for bolt heads	1	-	C
3816	P.002143							Washer, jointing	1	-	C
4011	P.002973							PEG, locating, front	1	-	C
4153	P.002999							PEG, locating, rear	1	-	C
								Attaching parts for P.002999, Peg			
28M/10282	AGS.2001/E/3							Nut, 1/4" BSF, plain	1	-	C
	P.002206ND							Washer, 0.6 o/d x 17/64" i/d x 0.1 thick, L.1	1	-	C
5860	P.002634							PLATE, cover, for bottom handhole	1	-	C
								Attaching parts for P.002634, Plate			
28S/2814	A.33/C.16							Screw, 2BA, countersunk head (AGS.249/13)	16	-	C
3821	P.002636							Washer, jointing	1	-	C
28L/11035	No.1510							Washer, 2BA, external teeth, Shakeproof	16	-	C

AL7

FUEL SYSTEM
100 GALLON AIRSHIP DROP TANK
(SPECIAL ORDER ONLY)

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
	P.002432							PLATE, cover, for top handhole, 16 SWG DTD.610 (Make from Ref.No. 30B/948)	1	-	
28D/6993	A.1/3C							Attaching parts for P.002432, Plate	16	-	C
3817	P.002433							Bolt, 2BA Washer, jointing	1	-	C
5616	P.981732							PLUG, drain	1	-	C
	P.002101							PLUNGER, for earthing socket	1	-	
	P.002669							RING, adaptor, for filler cap	1	-	
28D/8302	AS.1242/3B							Attaching parts for P.002669, Ring	16	-	C
28M/10287	AGS.2001/B/1							Bolt, 4BA, countersunk head	16	-	C
4099	P.002670							Nut, 4BA, plain Washer, jointing	1	-	C
3818	P.002140							RING, bearing, for nuts of bolts securing adaptor ring for filler cap	1	-	C
	P.002434A							RING, nut, for top handhole cover plate	1	-	
28D/8300	AS.1242/1B							Attaching parts for P.002434A, Ring	4	-	C
28M/10287	AGS.2001/B/1							Bolt, 4BA, countersunk head (AS.1882/1B) Nut, 4BA, plain	4	-	C
	P.002103							RING, retaining, for earthing socket spring, 18SWG, S.84	1	-	
	P.002102							SPRING, for earthing socket	1	-	
28W/7816	AGS.567/H							WASHER, jointing, for drain plug	1	-	C
26BY/5925	H.7680							WASHER, jointing, for filler cap	1	-	C
26AL/1995											

Note:- Pages 437 to 440 not issued

R E S T R I C T E D



Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
1737	- R.00178A	FUSELAGE COMPLETE						ADAPTOR, cannon heating pipe, at fireproof bulkhead	1	-	C
28M/10288	AGS.2001/C/1	Attaching parts for R.00178A, Adaptor						Nut, 2BA, plain pinnacle	3	-	C
28S/2814	A.33/C.16	Screw, 2BA. countersunk head (AGS.249/13)							3	-	C
28W/3071	AGS.160/C	Washer, 2BA							3	-	C
14A/1423	†	ADAPTOR, for G.45 camera mounting in nose						Attaching parts for Air Ministry Ref.No. 14A/1423, Adaptor	1	-	A
	DHS.4 Mk.22	Bolt, 1/4" BSF							4	-	
	B.00174ND	Tube, distance, 5/16" o/d x 22SWG x 0"685 long, T.26							4	-	
6B/2036	†	AMPLIFIER, G.4F compass						Attaching parts for Air Ministry Ref.No. 6B/2036, Amplifier	1	-	A
28M/10328	AGS.2002/C/1	Nut, 2BA, thin							3	-	C
28W/3071	AGS.160/C	Washer, 2BA							3	-	C
	A.001849A/ND	ANGLE, for detachable top nose fairing on top of bulkhead No.1, L.H.							1	-	
	A.001848A/ND	ANGLE, for detachable top nose fairing on top of bulkhead No.1, R.H.							1	-	
1822	A.001317A	ANGLE, landing, on cannon beam for cannon fairing, L.H.							1	-	
1823	A.001318A	ANGLE, landing, on cannon beam for cannon fairing, R.H.							1	-	
1824	A.001067A	SPRING, fastener, complete with plate							3	-	
27FP/353	1.90	SPRING, Dzus									
28FP/		Attaching parts for A.001317A and A.001318A, Angles									
28D/7079	A.1/26C	Bolt, 2BA							7	-	
28M/5316	A.16Y/CP	Nut, 2BA, plain							7	-	
26BY/6875	DHS.56 Mk. 3	Washer, 2BA, L.H.							3	-	
26DL/7389	DHS.56 Mk. 18	Washer, 2BA, R.H.							4	-	
26BY/3465	DHS.33 Mk. 1	Washer, 2BA, shrinkage							14	-	
26DL/7335											

RESTRICTED

FUSELAGE
FUSELAGE COMPLETE

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	B.001187ND							BACKPLATE, for ballast weight in nose, L.H., front lower	1	-	
	B.001186ND							BACKPLATE, for ballast weight in nose, L.H., rear lower	1	-	
	B.001188ND							BACKPLATE, for ballast weight in nose, R.H., front upper	1	-	
28D/8314	AS.1242/10C							Attaching parts for B.001187ND, B.001186ND, and B.001188ND, Backplates			
								Bolt, 2BA, countersunk head, for R.H. backplate (AS.1882/10C)	4	-	C
28M/10288	AGS.2001/C/1							Nut, 2BA, plain	4	-	C
28W/12588	SP.18/C							Washer, 2BA, large	4	-	C
5701	B.001977ND							Washer, 2BA, countersunk, 0"6 o/d x 0"1 thick, L.1	4	-	C
	B.001189ND							BACKPLATE, for ballast weight in nose, L.H., rear upper	1	-	
28D/8134	AS.1242/10C							Attaching parts for B.001189ND, Backplate			
28D/10168	AS.1242/11C							Bolt, 2BA, countersunk head (AS.1882/10C)	2	-	C
28M/10288	AGS.2001/C/1							Bolt, 2BA, countersunk head (AS.1882/11C)	2	-	C
28W/12588	SP.18/C							Nut, 2BA, plain	4	-	C
5701	B.001977ND							Washer, 2BA, large	4	-	C
								Washer, 2BA, countersunk, 0"6 o/d x 0"1 thick, L.1	4	-	C
4646	A.001953A/1							BEAM, cannon, L.H.	1	M.R.	C
4647	A.001954A/2							BEAM, cannon, R.H.	1	M.R.	C
4360	B.002953							BLOCK, mounting for gyro gunsight recorder	1	-	C
								Attaching parts for B.002953, Block			
28D/7030	A.1/2C							Bolt, 2BA	2	-	C
28W/12252	SP.13/C							Washer, 2BA, standard	2	-	C
	A.00665							BLOCK, packing, at bulkhead No.1 for front floor, 0"8 wide x 0"25 thick x 2"3 long, LFS.23	2	M.R.	
1836	B.00162							BOLT, swivel, locking door in front armour bulkhead No.1	2	-	C
								Attaching parts for B.00162, Bolt			
5812	B.00164							Pin	1	-	C
28P/5032	AGS.784/3							Pin, split	1	-	C
27K/781	B.26881							BOX, control, drop tank jettison, Teleflex	2	-	A

RESTRICTED

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
	A.002502A							BRACKET, ammunition door support on cannon beam	2	-	
28D/6990	A.1/13C							Attaching parts for A.002502A, Bracket	2	-	C
28M/10288	AGS.2001/C/1							Bolt, 2BA	2	-	C
	A.002569ND							Nut, 2BA, plain pinnacle	2	-	C
28W/3071	AGS.160/C							Washer, 2BA (Make from Ref.No.28W/3071)	2	-	C
								Washer, 2BA (Required to make Part No. A.002569ND)	2	-	C
	A.005205A							BRACKET, angle for G.4F inverter in nose wheel housing	1	-	
1739	R.00248A							BRACKET, cannon heating pipe clip mounting	1	-	C
1738	R.00238							BRACKET, cannon heating pipe support clamp mounting	1	-	C
								Attaching parts for R.00238, Bracket	2	-	C
28D/7075	A.1/5C							Bolt, 2BA	2	-	C
28M/10288	AGS.2001/C/1							Nut, 2BA, plain pinnacle	2	-	C
28W/3071	AGS.160/C							Washer, 2BA	2	-	C
4320	B.002829A							BRACKET, corrector control panel, G.4F compass	1	-	C
								Attaching parts for B.002829A, Bracket	4	-	C
28S/2856	A.32/C.12							Screw, 2BA, round head (AGS.245/12)	4	-	C
28L/11070	No.1210							Washer, 2BA, internal teeth. Shakeproof	4	-	C
7148	A.005191A							BRACKET, for G.4F inverter in nose wheel housing, L.H.	1	-	C
7149	A.005192A							BRACKET, for G.4F inverter in nose wheel housing, R.H.	1	-	C
1927	B.00161							BRACKET, for swivel bolt of door in front armour bulkhead No.1	2	-	C
								Attaching parts for B.00161, Bracket	2	-	C
28D/7083	A.1/7E							Bolt, 1/4" BSF	2	-	C
28M/756	A:16Y/EP							Nut, 1/4" BSF, plain	2	-	C
1855	B.00107A							BRACKET, forward, bottom, accumulator mounting	2	-	C
								Attaching parts for B.00107A, Bracket	2	-	C
28D/7358	A.15Z/10C							Bolt, 2BA	2	-	C
28M/6435	A.16Z/CP							Nut, 2BA	2	-	C
26BY/3465	DHS.33 Mk.1							Washer, 2BA, shrinkage	4	-	C
26DL/7335											

R E S T R I C T E D

FUSELAGE
FUSELAGE COMPLETE

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
1856	B.00108A							BRACKET, forward, top, accumulator mounting	2	-	C
13257								Attaching parts for B.00108A, Bracket			
26BY/13445	DHS.12 Mk.16							Bolt, 2BA	2	-	C
28W/3071	AGS.160/C							Washer, 2BA	2	-	C
1860	L.00169A							BRACKET, lower, for engine mounting bracing struts on fireproof bulkhead	1	-	C
28D/12000	AS.1242/30G							Attaching parts for L.00169A, Bracket Bolt, 5/16" BSF, countersunk head (AS.1882/30G)	2	-	C
28M/758	A.16Y/GP							Nut, 5/16" BSF, plain	2	-	C
574	DHS.69/E							Shim, 5/16" BSF	QR	-	C
1830	A.00942							Washer, saddle, under bolt head	2	-	C
1832	A.00944							Washer, saddle, under nut	2	-	C
	B.00927A							BRACKET, mounting, for drop tank jettison control box, L.H.	1	-	
	B.00928A							BRACKET, mounting, for drop tank jettison control box, R.H.	1	-	
								Attaching parts for B.00927A and B.00928A, Brackets			
28D/7176	A.1/14C							Bolt, 2BA	2	-	C
28D/7659	A.1/21C							Bolt, 2BA	2	-	C
28W/3071	AGS.160/C							Washer, 2BA	4	-	C
4604	B.001847							BRACKET, mounting, for E.2 compass	1	-	C
28M/10275	AGS.2001/C/4							Attaching parts for B.001847, Bracket			
28S/2424	A.44/C.24							Nut, 2BA, plain	3	-	C
								Screw, 2BA, countersunk head (AGS.244/15)	3	-	C
5372	G.001847A							BRACKET, mounting, for micro switch at nose wheel leg on camera strut	1	-	C
28D/1517	A.25/1C							Attaching parts for G.001847A, Bracket			
28M/10288	AGS.2001/C/1							Bolt, 2BA	2	-	C
28W/12252	SP.13/C							Nut, 2BA, plain	2	-	C
								Washer, 2BA, standard	2	-	C

R E S T R I C T E D

Ref. No.	Part No.	Nomenclature						No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6			
1858	B.00112A							1	-	C
1857	B.00111A							1	-	C
28D/7043	A.15Z/7C							1	-	C
28D/7590	A.15Z/12C							2	-	C
28M/6435	A.16Z/CP							3	-	C
26DL/7335	DHS.33 Mk.1							4	-	C
28W/3098	AGS.162/C							1	-	C
1853	A.001363							1	-	C
1848	A.00633							1	-	C
28D/7030	A.1/2C							2	-	C
28M/5316	A.16Y/CP							2	-	C
1852	A.001124A							1	-	C
1854	A.001416							1	-	C
	A.001003							4	-	C
28D/7153	A.1/22C							1	-	C
	A.002747							1	M.R.	
	A.002748							1	M.R.	
28D/7087	A.1/13E							3	M.R.	C
28M/756	A.16Y/EP							3	M.R.	C
	A.002749							1	M.R.	
28W/3090	AGS.163/D							3	M.R.	C
4356	B.002865A							1	-	C
28S/2856	A.32/C.12							2	-	C
28L/11070	No.1210							2	-	C

R E S T R I C T E D

FUSELAGE
FUSELAGE COMPLETE

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
4359	A.005291							BRACKET, stowage, for gyro gunsight recorder	1	-	C
4357	B.002863A							BRACKET, stowage, for rudder control locking strut	1	-	C
28S/2856	A.32/C.12							Attaching parts for B.002863A, Bracket			
28L/11070	No.1210							Screw, 2BA, round head (AGS.245/12)	2	-	C
								Washer, 2BA, internal teeth, Shakeproof	2	-	C
1846	A.00469A							BRACKET, support, bulkhead No.3 to fuselage side, L.H.	1	M.R.	C
1847	A.00470A							BRACKET, support, bulkhead No.3 to fuselage side, R.H.	1	M.R.	C
								Attaching parts for A.00469A and A.00470A, Brackets			
28D/7521	A.15Z/23E							Bolt, 1/4" BSF	3	M.R.	C
28D/	AS.2920/20E							Bolt, 1/4" BSF, countersunk head	6	M.R.	C
28M/6981	A.16Z/EP							Nut, 1/4" BSF, plain	9	M.R.	C
	DHS.191							Washer, 1/4" BSF, cup	6	M.R.	C
26BY/2856	DHS.33 Mk.2							Washer, 1/4" BSF, shrinkage	16	M.R.	C
13328											
3049	B.00468A							BRACKET, support, for camera and radio receiver mounting on bulkhead No.1	2	-	C
								Attaching parts for B.00468A, Bracket			
28D/7014	A.1/7C							Bolt, 2BA	2	-	C
28M/5316	A.16Y/CP							Nut, 2BA, plain	2	-	C
28W/8516	AS.470/C							Washer, 2BA	2	-	C
1842	A.00413A							BRACKET, support, front, front hinge, cannon door	2	-	C
1843	A.00414A							BRACKET, support, rear, front hinge, cannon door	2	-	C
								Attaching parts for A.00413A and A.00414A, Brackets (per pair)			
28D/6999	A.1/9C							Bolt, 2BA	4	-	C
28D/8507	AS.1242/5C							Bolt, 2BA, countersunk head (AS.1882/5C)	2	-	C
28M/5316	A.16Y/CP							Nut, 2BA, plain	4	-	C
28M/10328	AGS.2002/C/1							Nut, 2BA, thin	2	-	C
26BY/3408	DHS.96							Washer, 2BA, cup	2	-	C
26FM/3239											

R E S T R I C T E D

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
3761	A.002851A	BRACKET, support, front, rear hinge, cannon door, Port							1	-	C
3762	A.002852A	BRACKET, support; front, rear hinge, cannon door, Starboard							1	-	C
3763	A.002857A	BRACKET, support, rear, rear hinge, cannon door, Port							1	-	C
3764	A.002858A	BRACKET, support, rear, rear hinge, cannon door, Starboard							1	-	C
		Attaching parts for A.002851A, A.002852A, A.002857A and A.002858A, Brackets (per pair)									
28D/6999	A.1/9C	Bolt, 2BA							4	-	C
28D/8311	AS.1242/7C	Bolt, 2BA, countersunk head (AS.1882/7C)							2	-	C
28D/12189	AS.1242/18C	Bolt, 2BA, countersunk head (AS.1882/18C)							2	-	C
28M/5316	A.16Y/CP	Nut, 2BA, plain							8	-	C
26BY/3408	DHS.96	Washer, 2BA, cup							4	-	C
26BY/3237											
1859	L.00168A	BRACKET, top, for engine mounting bracing struts on fireproof bulkhead							1	-	C
		Attaching parts for L.00168A, Bracket									
28D/12687	AS.1242/31G	Bolt, 5/16" BSF, countersunk head (AS.1882/31G)							2	-	C
28M/758	A.16Y/GP	Nut, 5/16" BSF, plain							2	-	C
1830	A.00942	Washer, saddle, under bolt head							2	-	C
1832	A.00944	Washer, saddle, under nut							2	-	C
	A.0021A/1	BULKHEAD, No.1, armour plate							1	M.R.	
		Attaching parts for A.0021A/1, Bulkhead									
28D/7021	A.15Z/17C	Bolt, 2BA							7	M.R.	C
28D/11138	A.15Z/20C	Bolt, 2BA							15	M.R.	C
28D/11136	A.15Z/21C	Bolt, 2BA							9	M.R.	C
28M/6435	A.16Z/CP	Nut, 2BA, plain							32	M.R.	C
	7/118	BULKHEAD, No.2, L.H. half							1	M.R.	C
28D/8099	A.1/13A	BOLT, 6BA							2	-	C
28E/10038	AS.2294/3	CLIP, spring, for filler cap spanner stowage							1	-	C
28E/10043	AS.2294/6	CLIP, spring, for filler cap spanner stowage							2	-	C
26DL/7342											
26BY/6964	DHS.103 Mk.2	FERRULE, 2BA							12	-	C
28M/10286	AGS.2001/A/1	NUT, 6BA, plain pinnacle							2	-	C
	A.004024A	PLATE, nut, for bearing housing							1	-	
	A.001457A	PLATE, nut, for pilot's side armour, bottom							1	-	
	A.001455A	PLATE, nut, for pilot's side armour, top							1	-	
26BY/507	DHS.34/A	WASHER, 6BA							2	-	C

RESTRICTED

FUSELAGE
FUSELAGE COMPLETE

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
7119 26DL/7338 26BY/6964 26DL/7342	A.004008A/2 DHS.103 Mk.1 DHS.103 Mk.2 A.001457A A.001455A							BULKHEAD, No.2, R.H. half FERRULE, 4BA FERRULE, 2BA PLATE, nut, for pilot's side armour, bottom PLATE, nut, for pilot's side armour, top	1 2 9 1 1	M.R. - - - -	C C C - -
26DL/7338 26BY/4448 26BY/6964 26DL/7342	A.004029A DHS.103 Mk.1 DHS.103 Mk.2 A.00207 A.004031A							BULKHEAD, No.3, L.H. half FERRULE, 4BA FERRULE, 2BA PACKING PLATE, nut	1 3 8 1 1	M.R. - - M.R. -	C C - -
26DL/7338 26BY/4448 26BY/6964 26DL/7342	A.004030A DHS.103 Mk.1 DHS.103 Mk.2 A.00208 A.004031A							BULKHEAD, No.3, R.H. half FERRULE, 4BA FERRULE, 2BA PACKING PLATE, nut	1 3 6 1 1	M.R. - - M.R. -	C C - -
	- A.007287ND							BULKHEAD, fireproof, and accessories (For details see Separate Unit) CABLE, check, for pilot's stop (Make from Bowden cable Part No.P.7/62)	1 1	- -	- -
	Y.00357A							CABLE, control column and rudder locking struts retaining, for stowage on bulkhead No.2	1	-	-
28X/5450 28Y/3004	† AGS.136/A							CABLE, 3 cwt., W.9 TRIMBLE	QR 2	- -	C C
14A/1380	† -							CAMERA, G,45, in nose CANOPY, cockpit (For details see separate unit)	1 1	- -	A -
27H/2768 814	† A.001305A							CASE, for pilot's notes CASING, housing pilot's access step Attaching parts for A.001305A, Casing	1 1 1	- - -	C C -
28D/7509 28D/7511 28M/10298 28W/6335 26BY/3465 26DL/7335	A.15Z/19C A.15Z/27C AGS.2001/C/2 AGS.947/C DHS.33 Mk.1							Bolt, 2BA Bolt, 2BA Nut, 2BA, plain pinnacle Washer, 2BA Washer, 2BA, shrinkage	1 1 2 2 4	- - - - -	C C C C C
1954	A.001465/1							CHANNEL, reinforcing, at ammunition loading door opening, L.H.	1	-	C
1955	A.001466/1							CHANNEL, reinforcing, at ammunition loading door opening, R.H.	1	-	C

R E S T R I C T E D

FUSELAGE
FUSELAGE COMPLETE

(Issued with AL.1)

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
6562	R.002571A							CLAMP, cannon heating pipe support	1		C
28D/12514	A.25/7C							BOLT, 2 BA	2		C
28E/14147	AS.487/12							CLIP, saddle	1		C
28M/10288	AGS.2001/C1							NUT, 2 BA, plain pinnacle	2		C
								Attaching parts for R.002571A Clamp			
28D/12534	A.25/9C							Bolt, 2 BA (6A1/9C)	2		C
28M/10288	AGS.2001/C1							Nut, 2 BA, plain pinnacle	2		C
28W/3071	AGS.160/C							Washer, 2 BA	2		C
4354	B.002877A							CLAMP, stowage for control locking strut	1		C
								Attaching parts for B.002877A Clamp			
28D/12542	A.25/5E							Bolt, 1/4" BSF (6A1/5E)	1		C
28L/776	A.16Y/ET							Nut, 1/4" BSF, plain	1		C
28E/8184	AGS.605/2							CLIP, cannon heating pipe joints	2		C
	R.00247							CLIP, for cannon heating pipe on bulkhead	2		C
								No.2, 20 SWG, S84			
								Attaching parts for R.00247 Clip			
28D/12537	A.25/14C							Bolt, 2 BA (6A1/14C)	1		C
28M/10288	AGS.2001/C1							Nut, 2 BA, plain pinnacle	1		C
28W/3081	AGS.160/C							Washer, 2 BA	1		C
	R.00246							CLIP, for cannon heating pipe on fuselage	1		
								side, 20 SWG, S84			
								Attaching parts for R.00246 Clip			
28D/11564	AS.1246/1C							Bolt, 2 BA, round head (AS.1884/1C)	1		C
28L/11070	No.1210							Washer, 2 BA, internal teeth, Shakeproof	1		C
28E/10027	AS.2295/1							CLIP, spring, at stowage bracket for	1		C
								gyro gunsight recorder			
6B/405	/							COMPASS, E.2A	1		A
								Attaching parts for Air Ministry Ref			
								No.6B/405 Compass			
28M/10274	AGS.2001/B4							Nut, 2 BA, plain	2		C
28S/2413	A.44/B16							Screw, 4 BA, round head (AGS.244/22)	2		C
27K/196	DS.56/2							CONDUIT, Teleflex No.2 drop tank jettison	QR		C
								control			
	DHS.47 Mk.17							CONNECTOR, bonding	4		
	DHS.47 Mk.21							CONNECTOR, bonding G.45 camera mounting	1		
14A/2853	/							COVER, for G.45 camera in nose	1		
								(Alternative to Ref No.4100)			
4100	Z.005201A							COVER, for G.45 camera in nose	1		C
								(Alternative to Ref No.14A/2853)			
1889	A.00635							DIAPHRAGM, forward of nose wheel door,	1	M.R.	C
								front hinge bracket L.H.			

FUSELAGE
FUSELAGE COMPLETE

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
1890	A.00636							DIAPHRAGM, forward of nose wheel door front hinge bracket R.H.	1	M.R.	C
1888	A.00634							DIAPHRAGM, rear of nose wheel door front hinge bracket	1	M.R.	C
28D/12516	A.25/11C							Attaching parts for A.00634 Diaphragm Bolt, 2 BA (6A1/11C)	2	M.R.	C
28M/12929	A.27/CP							Nut, 2 BA, plain (A.16Y/CP)	2	M.R.	C
26BY/3259	DHS.34/C							Washer, 2 BA	2	M.R.	C
26BY/3165	DHS.33 Mk.1							Washer, 2 BA, shrinkage	4	M.R.	C
26DV/7335											
26DV/1533	12.F.909A							DOOR, ammunition L.H.	1		A
26DV/1534	12.F.910A							DOOR, ammunition R.H.	1		A
	A.001469A/1							BLOCK, for lock handle	2		
28D/9295	AS.1242/7B							Attaching parts for A.001469A/1 Block Bolt, 4 BA, countersunk head (AS.1882/7B)	2		C
28M/13086	A.27/BP							Nut, 4 BA, plain (A.16Y/BP)	2		C
28W/3070	AGS.160/B							Washer, 4 BA	2		C
	A.002503							BRACKET, stay strut attachment 18 SWG S84	1		
28D/9295	AS.1242/7B							Attaching parts for A.002503 Bracket Bolt, 4 BA (AS.1882/7B)	3		C
28M/13086	A.27/BP							Nut, 4 BA, plain (A.16Y/BP)	3		C
28W/3070	AGS.160/B							Washer, 4 BA	3		C
28E/10025	AS.2295/3							CLIP, spring for stay strut	1		C
	B.001107A							CORD, elastic water bottle stowage L.H. door	1		
26DV/1008	12.F.637A							HANDLE, lock	2		C
28L/776	A.16Y/ET							Attaching parts for 12.F.637A Handle Nut, 1/4" BSF, thin	1		C
	A.00331							Shim	1		
28W/3072	AGS.160/D							Washer, 1/4" BSF	1		C
M/ 6579	A.002769A/ND							HINGE	1		
28D/8300	AS.1242/1B							Attaching parts for A.002769A/ND Hinge Bolt, 4 BA, countersunk head	7		C
28M/12928	A.27/EP							Nut, 4 BA, plain (A.16Y/EP)	7		C
26DV/1602	12.F.897A							LOCK	2		C
26DV/1448	12.F.899							SPRING	1		C
28D/8312	AS.1242/8C							Attaching parts for 12.F.897A Lock Bolt, 2 BA, (Only required when Ref Nos.26DV/1533 or 26DV/1534 Doors are fitted)(AS.1882/8C)	1		C
28D/10168	AS.1242/11C							Bolt, 2 BA, (AS.1882/11C)	2		C
28M/12929	A.27/CP							Nut, 2 BA, plain (A.16Y/CP)	QR		C

FUSELAGE
FUSELAGE COMPLETE

(Issued with AL.1)

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
26DV/691	12.F.239							PACKING, for lock, 10 SWG, D.T.D.610 (May be made from Ref No. 30B/1446)	2		C
3340	A.002787							SPRING, lock handle retaining	2		C
3008	A.002605							STRIP, attachment, for rubber seal on bottom edge of door	1		C
1895	A.001835							STRIP, attachment, for rubber seal on front edge of L.H. door	1		C
1900	A.001836							STRIP, attachment for rubber seal on front edge of R.H. door	1		C
2729	A.001839							STRIP, attachment, for rubber seal on rear edge of L.H. door	1		C
2730	A.001840							STRIP, attachment, for rubber seal on rear edge of R.H. door	1		C
1899	A.001474 ND							STRIP, sealing	1		C
3752	A.002499A							STRUT, stay	1		C
								Attaching parts for A.002499A Strut			
28D/12512	A.25/1C							Bolt, 2 BA (6A1/1C)	1		C
28L/753	A.16Y/CT							Nut, 2 BA, thin	1		C
								Attaching parts for 12.F.909A and 12.F.910A Doors			
28D/12733	AS.2920/6C							Bolt, 2 BA, countersunk head	6		C
28M/13591	A.24/CP							Nut, 2 BA, plain (A.16Z/CP)	6		C
3551	B.00156A/2							DOOR, front armour, bulkhead No.1	1		C
3555	B.001077A							CABLE, check	1		C
1905	R.98361							CAP, blanking	1		C
3510	B.00160							CLAMP, locking	2		C
								Attaching parts for B.00160 Clamp			
28D/12813	A.25/26E							Bolt, 1/4" BSF (6A1/26E)	1		C
28D/8328	AS.1242/7E							Bolt, 1/4" BSF, countersunk head (AS.1882/7E)	1		C
28M/12928	A.27/EP							Nut, 1/4" BSF (A.16Y/EP)	2		C
28W/3072	AGS.160/D							Washer, 1/4" BSF	1		C
								COVER, for ballast weight	1		C
1906	B.001050A R.98360							FLANGE, for blanking cap	1		C
								Attaching parts for R.98360 Flange			
28D/12514	A.25/7C							Bolt, 2 BA (6A1/7C)	1		C
28D/12714	A.25/29C							Bolt, 2 BA (6A1/29C)	7		C
28M/12929	A.27/CP							Nut, 2 BA, plain (A.16Y/CP)	8		C
28W/3071	AGS.160/C							Washer, 2 BA	7		C
1907	R.00109							GASKET, under blanking cap flange	1		C

FUSELAGE
FUSELAGE COMPLETE

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
3511	B.00165							HINGE Attaching parts for B.00165 Hinge	2		C
28D/7117	A.15Y/29E							Bolt, 1/4" BSF (6A1/29E)	1		C
28D/8328	AS.1242/7E							Bolt, 1/4" BSF, countersunk head (AS.1882/7E)	1		C
28D/12928	A.27/EP							Nut, 1/4" BSF, plain (A.16Y/EP)	1		C
28L/776	A.16Y/ET							Nut, 1/4" BSF, thin	1		C
28W/3072	AGS.160/D							Washer, 1/4" BSF	1		C
	B.001047 ND							PAD, door, 2".0 dia x 1/4" thick, sorbo rubber	2		
1908	B.00159							RING, door sealing	1		C
4655	R.98362							WASHER, sealing blanking cap	1		C
3554	B.001049							WEIGHT, ballast	1		C
								Attaching parts for B.00156A/2 Door			
28P/1040	SP.4Y/D18							Pin, shackle	2		C
28P/12462	SP.9/C8							Pin, split (AGS.784/3)	2		C
4608	A.007047A							DOOR, gun bay, L.H. (For details see seperate unit)	1		A
4609	A.007048A							DOOR, gun bay, R.H. (For details see seperate unit (Pre Mod.Vam.978)	1		A
6417	A.007048A/1							DOOR, gun bay, R.H. (For details see seperate unit (Mod.Vam.978)	1		A
3592	A.004220							EYE-BOLT, lower, for engine mounting structure on fireproof bulkhead	2		C
3593	A.004221							EYE-BOLT, top, for engine mounting structure on fireproof bulkhead	2		C
								Attaching parts for A.004220 and A.004221 Eye-bolts			
28M/13281	A.24/LC							Nut, 7/16" BSF, castellated (A.16Z/LC)	1		C
28P/12463	SP.9/E10							Pin, split (AGS.784/12)	1		C
1974	L.00176							Shim, under eye-bolt (Pre Mod.Vam.3165)	2		C
8050	L.003699							Shim, under eye-bolt (Mod.Vam.3165)	QR		C
8051	L.003701							Shim, under eye-bolt (Mod.Vam.3165)	QR		C
8052	L.003703							Shim, under eye-bolt (Mod.Vam.3165)	QR		C
3598	A.004196							Washer, saddle, under eye-bolt	1		C
3599	A.004190							Washer, saddle, under nut	1		C
13258											
26BY/14140	DHS.84 Mk.4							EYELET, drainage, in ammunition box floor	4		C
4322	A.00648A/1							FAIRING, fixed aft of nose wheel door Attaching parts for A.00648A/1 Fairing	1	M.R.	C
28D/13105	A.25/26C							Bolt, 2 BA (6A1/26C)	2	M.R.	C
28M/12929	A.27/CP							Nut, 2 BA, plain (A.16Y/CP)	2	M.R.	C
26BY/5839	DHS.34/C							Washer, 2 BA	2	M.R.	C
26BY/3165	DHS.33 Mk.1							Washer, 2 BA, shrinkage	4	M.R.	C
26D/7335											

Vampire MK. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
10465	A.007307A/1							FAIRING, nose, bottom fixed (Mod.Vam.3098)	1		A
838	A.001923							ANGLE, reinforcing	1	MR	C
840	A.00757A							BRACKET, front attachment, nose wheel fairing	2		C
								Attaching parts for A.00757A, Bracket			
28D/12512	A.25/1C							Bolt, 2 BA	2		C
28M/12929	A.27/CP							Nut, 2 BA	2		C
839	A.001894							BRACKET, front, lower	1	MR	C
841	A.001899							BRACKET, peg support L.H.	1	MR	C
842	A.001900							BRACKET, peg support R.H.	1	MR	C
843	A.001901							BRACKET, stiffening, nose wheel fairing	1	MR	C
								front attachment bracket, L.H.			
844	A.001902							BRACKET, stiffening nose wheel fairing	1	MR	C
								front attachment bracket, R.H.			
847	A.001903							CHANNEL, stiffening, centre L.H.	1	MR	C
848	A.001904							CHANNEL, stiffening, centre, R.H.	1	MR	C
845	A.001907							CHANNEL, stiffening, front, L.H.	1	MR	C
846	A.001908							CHANNEL, stiffening, front, R.H.	1	MR	C
849	A.001895							CHANNEL, top former, L.H.	1	MR	C
850	A.001896							CHANNEL, top former, R.H.	1	MR	C
	A.007247A/ND							FRAME, handhole cover plate, Starboard side	1	MR	C
	A.007245 ND							FRAME,	1	MR	C
6994	R.002575A							INLET, air assembly	1		C
853	A.00917A							PEG, locating detachable top nose fairing	2		C
								Attaching parts for P.00917A, Peg			
28D/12512	A.25/1C							Bolt, 2 BA	2		C
28M/10288	AGS.2001/C/1							Nut, 2 BA	4		C
855	A.001270 ND							PLATE, handhole cover, Starboard side	1		C
								Attaching parts for A.001270 ND, Plate			
28D/8300	AS.1242/1B							Bolt, 4 BA	8		C
854	A.001922							PLATE, lap jointing top channels	1	MR	C
26DV/1093	12.F.651A							PLUNGER, spring, for locking detachable top nose fairing	1		C
26DV/1097	12.F.647							CAP, for housing	1		C
26DV/1154	12.F.643							HOUSING, for plunger	1		C

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
26DV/1096	12.F.653ND							PIN, securing plunger, $\frac{1}{8}$ " dia MS.S.I.	1		
26DV/1095	12.F.645							PLUNGER	1		C
	12.F.649							SPRING,	1		C
28M/10288	AGS.2001/C/1							Attaching parts for 12.F.651A, Plunger			
28S/2820	A.33/C20							Nut, 2 BA	3		C
								Screw, 2 BA	3		C
3051	A.004077							SEAL, for camera aperture	1		C
861	A.001897							STIFFENER, bottom edge, L.H.	1	MR	C
862	A.001898							STIFFENER, bottom edge, R.H.	1	MR	C
859	A.001905							STIFFENER, rear edge, L.H.	1	MR	C
860	A.001906							STIFFENER, rear edge, R.H.	1	MR	C
28S/2814	A.33/C16							Attaching parts for A.007307A/1, Fairing			
28S/2820	A.33/C20							Screw, 2 BA	18		C
								Screw, 2 BA	14		C
5400	A.00891A/2							FAIRING, nose, top detachable	1		C
26DV/1153	12.F.723A							HOUSING, for lock complete	1		C
10301	G.00297A/1							FAIRING, nose wheel, in cockpit (Mod. Var. 3146)	1	MR	C
10302	G.001921A							BRACKET, differential unit mounting	1		C
1915	G.00317A							BRACKET, instrument panel mounting L.H.	1		C
1916	G.00318A							BRACKET, instrument panel mounting R.H.	1		C
	G.00298							BRACKET, L.H.	1		
11828	G.00299							BRACKET, R.H.	1		C
3036	Q.00891A							PLATE, bolt, clamp block mounting	1		C
28D/12516	A.25/11C							Attaching parts for G.00297A/1, Fairing			
28D/12535	A.25/12C							Bolt, 2 BA	26		C
28D/12537	A.25/14C							Bolt, 2 BA	3		C
28M/12929	A.27/CP							Bolt, 2 BA	5		C
26BY/3839	DHS.34/C							Nut, 2 BA	34		C
26BY/3165	DHS.33 MK.1							Washer	2		C
26DL/7335								Washer, shrinkage	68		C
1912	A.00799							FAIRLEAD, for elevator cable, on bulkhead No. 3	1		C
26DL/7336	DHS.103 MK.1							FERRULE, 4 BA	QR		C
26BY/4148	DHS.103 MK.2							FERRULE, 2 BA	QR		C
26BY/486	DHS.98							FERRULE, for woodscrews	4		C
11A/1420	/							FLANGE, for G.45 in nose	1		C
26DL/7338	A.001501A/2							FLOOR, cockpit L.H.	1	MR	C
26BY/4148	DHS.103 MK.1							FERRULE, 4 BA	4		C
26BY/3942	DHS.103 MK.2							FERRULE, 2 BA	22		C
1919	A.001195							STRIP, rubbing rudder pedal	1		C
1925	Z.00296							STUD, rudder control locking	1		C
28L/11069	AGS.2035/C							WASHER, shakeproof	1		C

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
260L/7338	A.001502A/4							FLOOR, cockpit, R.H.	1	M.R.	
268Y/4148	DHS.103 Mk.1							FERRULE, 4BA	3	-	C
260L/1962	DHS.103 Mk.2							FERRULE, 2BA	14	-	C
1977	A.001194							STRIP, rubbing, rudder pedal	1	-	C
3552	A.001075A/1							FLOOR, nose, L.H.	1	M.R.	C
	A.001076A/2							FLOOR, nose, R.H. (Pre Mod.Vam.533)	1	M.R.	
4114	A.001076A/3							FLOOR, nose, R.H. (Mod.Vam.533)	1	M.R.	C
28FP/342	S.6/250							SPRING, fastener, Dzus	2	-	C
1920	B.00109A							FRAME, accumulator mounting support, L.H.	1	-	C
1923	B.00110A							FRAME, accumulator mounting support, R.H.	1	-	C
1921	B.00141							LEVER, locking	1	-	C
28P/868	SP.4Y/D.10							PIN, shackle	1	-	C
28P/5032	AGS.784/3							PIN, split	1	-	C
1922	B.00142							SPRING, for locking lever	1	-	C
28W/3072	AGS.160/D							WASHER, 1/4" BSF	1	-	C
								Attaching parts for B.00109A and B.00110A, Frames			
28D/7076	A.1/8C							Bolt, 2BA	1	-	C
28D/7110	A.1/11C							Bolt, 2BA	1	-	C
28M/767	A.16Y/CS							Nut, 2BA, slotted	2	-	C
28E/5032	AGS.784/3							Pin, split	2	-	C
	B.00234ND							Tube, distance, 1/4" o/d x 22SWG x 0"83 long, T.35	1	-	
	B.00235ND							Tube, distance, 1/4" o/d x 22SWG x 1"1 long, T.35	1	-	
28W/3071	AGS.160/C							Washer, 2BA	2	-	C
817	A.001308A							FRAME, pilot's access step cover plate	1	-	C
								Attaching parts for A.001308A, Frame			
28D/12648	AS.2920/7C							Bolt, 2BA, countersunk head	2	-	C
28D/12734	AS.2920/8C							Bolt, 2BA, countersunk head	2	-	C
28M/6435	A.16Z/CP							Nut, 2BA, plain	4	-	C
822	A.001315							GASKET, pilot's access step housing, end plate sealing	1	-	C
823	A.001314							GASKET, pilot's access step, release plate frame sealing	1	-	C
	B.003351A/ND							GUARD, safety, for drop tank jettison lever	1	-	
	A.004874							ANGLE, support, 16SWG, DTD.610 (Make from Ref.No.30B/949)	2	-	
5887	B.003259							BRACKET, for catch	1	-	C

R E S T R I C T E D

FUSELAGE
FUSELAGE COMPLETE

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
26DV/1144 5888	12 F 811A B.003255							CATCH, safety GUARD	1 1	- -	C C
4010 28S/	B.001947 A.32/							Attaching parts for B.003351A/ND, Guard Packing Screw, 2BA, round head (Length determined by thickness of packing (AGS.245)	QB 4	- -	C C
28W/3098	AGS.162/C							Washer, 2BA, spring	4	-	C
7157	B.00166							HINGE, for door in front armour bulkhead No.1	2	-	C
28D/7143 28D/8328	A.1/6E AS.1242/7E							Attaching parts for B.00166, Hinge Bolt, 1/4" BSF Bolt, 1/4" BSF, countersunk head (AS.1882/7E)	1 1	- -	C C
28M/756 28M/10290	A.16Y/EP AGS.2001/E/1 A.001814ND							Nut, 1/4" BSF, plain Nut, 1/4" BSF, plain pinnacle Shim, under hinge, 1 1/2" wide x 20SWG x 2"0 long, DTD.610 (Make from Ref.No.30B/951)	1 1 1	- - -	C C C
1845 1844	A.00426A A.00424A							HINGE, pivot, front, for gun bay doors HINGE, pivot, rear, for gun bay door Attaching parts for A.00426A and A.00424A, Hinges	2 2	- -	C C
28D/6999 28D/7085 28M/5316 28M/756	A.1/9C A.1/9E A.16Y/CP A.16Y/EP							Bolt, 2BA Bolt, 1/4" BSF Nut, 2BA, plain Nut, 1/4" BSF, plain	2 2 2 2	- - - -	C C C C
27H/1991 4078 5U/4938	D.17415 B.002595A †							HOLDER, for engine data plate, Rolls Royce HOLDER, for pilot's notes INVERTER, type 100A, G4F compass Attaching parts for Ref.No.5U/4938, Inverter	1 1 1	- - -	C C A
28D/6993 28M/10288 28W/12252	A.1/3C AGS.2001/C/1 SP.13/C							Bolt, 2BA Nut, 2BA, plain Washer, 2BA	4 4 4	- - -	C C C
	S.00865							LABEL, "Left Hand Belt Tank Capacity 140 Rounds", on ammunition box	2	-	
	S.00867							LABEL, "Right Hand Belt Tank Capacity 140 Rounds", on ammunition box	2	-	
2724 2725	A.001833A/ND A.001834A/ND							MEMBER, gun bay door front hinge brackets MEMBER, gun bay door rear hinge brackets	2 2	M.R. M.R.	C C

R E S T R I C T E D

FUSELAGE
FUSELAGE COMPLETE

(Issued with AL.1)

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
26DV/698	12.UN.105A							MOUNTING, for G.45 camera and radio receiver in nose	1		C
28D/12629	A.25/8C							Attaching parts for 12.UN.105A Mounting	2		C
28M/10288	AGS.2001/C1 B.00175 ND							Bolt, 2 BA (6A1/8C) Nut, 2 BA, plain	2 2		C
								Tube, distance, 1/4" o/d x 22 SWG x 0".698 long, T26 (Make from Ref No. 30A/965)	2		
14A/1042	/							MOUNTING, for G.45 camera in nose	1		C
26DV/696	12.UN.91A							MUDGUARD, protecting camera mounted in nose	1		C
								Attaching parts for 12.UN.91A Mudguard	2		C
28D/12629	A.25/8C							Bolt, 2 BA (6A1/8C)	2		C
28M/10288	AGS.2001/C1 B.00175 ND							Nut, 2 BA, plain pinnacle	2		C
								Tube, distance, 1/4" o/d x 22 SWG x 0".698 long, T26 (Make from Ref No.30A/965)	2		
28W/8516	AS.470/C							Washer, 2 BA	2		C
28M/807	AGS.120/E							NUT, 3/8" BSF, wing accumulator stowage	4		C
28M/803	AGS.120/A							NUT, 1/4" BSF, wing for armour door catch bulkhead No.1	2		C
	A.002639							PACKING, for top front wing joint L.H.	1	M.R.	
	A.002640							PACKING, for top front wing joint R.H.	1	M.R.	
	A.002637							PACKING, on bulkhead No.4 at air duct orifice L.H.	1	M.R.	
	A.002638							PACKING, on bulkhead No.4 at air duct orifice R.H.	1	M.R.	
6B/2569	/							PANEL, corrector control, G.4F compass	1		A
								Attaching parts for Air Ministry Ref No.6B/2569 Panel	4		C
28D/11564	AS.1246/1C							Bolt, 2 BA (AS.1884/1C)	4		C
28L/11070	No.1210							Washer, 2 BA, internal teeth, Shakeproof	4		C
	4204							PANEL, stowage, for 2 stage amber screens (Pre Mod.Vam.966)	1		C
	4355							PEG, s,towage for control locking strut	1		C
								Attaching parts for B.002887A Peg	2		C
28D/12627	A.25/11B							Bolt, 4 BA (6A1/11B)	2		C
	B.002895 ND							Bush, special, Tufnol	2		C
28M/10287	AGS.2001/B1							Nut, 4 BA	2		C
28W/12664	SP.14/B							Washer, 4 BA, standard	2		C
28W/12307	SP.18/B							Washer, 4 BA, large	4		C

FUSELAGE
FUSELAGE COMPLETE

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
26DV/1094	12.F.655A							PIN, lower locating, on bulkhead No.1 for detachable nose fairing	2		C
10300	A.00915A							PIN, top, locating, on bulkhead No.1 for detachable nose fairing	1		C
								Attaching parts for 12.F.655A and A.00915A Pins			
28M/13375	A.27/GP							Nut, 5/16" BSF, plain (A.16Y/GP)	1		C
28W/8520	AS.470/G							Washer, 5/16" BSF	1		C
4610	R.001683M12							PIPE, cannon heating at bulkhead No.2	1		C
6561	R.002577A							PIPE, cannon heating, joint at fireproof bulkhead to joint at bulkhead No.2	1		C
								Attaching parts for R.002577A Pipe			
5K/119	AGS.1661/H							Clip, bonding	1		C
	DHS.47 Mk.4							Connector, bonding	1		C
2877	B.00359							PLATE, armour, back of pilot on bulkhead No.2	1		C
								Attaching parts for B.00359 Plate			
28D/12739	AS.2920/18E							Bolt, 1/4" BSF, countersunk head	16		C
28M/13271	A.24/EP							Nut, 1/4" BSF, plain (A.16Z/EP)	16		C
28W/6336	AGS.947/D							Washer, 1/4" BSF	16		C
26DY/2856 13328	DHS.33 Mk.2							Washer, 1/4" BSF, Shrinkage	32		C
2880	B.00369 ND							PLATE, armour, external, bottom of windscreen	1	M.R.	C
2878	B.00365 ND							PLATE, armour, external, L.H. side of cockpit windscreen	1	M.R.	C
2879	B.00366 ND							PLATE, armour, external, R.H. side of cockpit windscreen	1	M.R.	C
	B.00657							PLATE, armour, on bulkhead No.2 L.H. side	1		
	B.00658							PLATE, armour, on bulkhead No.2 R.H. side	1		
								Attaching parts for B.00657 and B.00658 Plates			
28D/12738	AS.2920/17E							Bolt, 1/4" BSF, countersunk head	3		C
28D/12871	A.26/18E							Bolt, 1/4" BSF (A.15Z/18E)	3		C
	R.002423							PLATE, blanking on bulkhead No.1 Port	1		
								Attaching parts for R.002423 Plate			
28D/12514	A.25/7C							Bolt, 2 BA	4		C
28M/10288	AGS.2001/C1							Nut, 2 BA, plain	4		C
28W/12252	SP.13/C							Washer	4		C
2001	R.00105							Washer, sealing	4		C
5855	A.005197A							PLATE, cover, for G.4F inverter in nose wheel housing	1		C
36KK/4500	22034							PLATE, engine data, D.H.engine company	1		
	Z.00909							PLATE, for modification and serial numbers	1		

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
1956	A.001663							PLATE, joining centre of bulkhead No.3, rear face	1	M.R.	C
1957	A.001664							PLATE, joining centre of bulkhead No.3, front face	1	M.R.	C
								Attaching parts for A.001663 and A.001664, Plates (per pair)			
28D/8509	AS.1242/14C							Bolt, 2BA, countersunk head (AS.1882/14C)	4	-	C
28D/11997	AS.1242/14E							Bolt, 1/4" BSF, countersunk head (AS.1882/14E)	20	-	C
28M/752	A.16Y/CT							Nut, 2BA, thin	4	-	C
28M/776	A.16Y/ET							Nut, 1/4" BSF, thin	20	-	C
26DL/1335	DHS.33 Mk.1							Washer, 2BA, shrinkage	8	-	C
26BY/2856	DHS.33 Mk.2							Washer, 1/4" BSF, shrinkage	40	-	C
13328											
1952	A.001431A							PLATE, joint C, on bulkhead No.3	2	M.R.	C
1953	A.001432A							PLATE, joint C, on bulkhead No.3	2	M.R.	C
								Attaching parts for A.001431A and A.001432A, Plates (per pair)			
28D/7104	A.15Z/15E							Bolt, 1/4" BSF	4	-	C
28D/10704	A.15Z/17E							Bolt, 1/4" BSF	2	-	C
28L/5775	A.16Z/ET							Nut, 1/4" BSF, thin	6	-	C
26BY/2856	DHS.33 Mk.2							Washer, 1/4" BSF, shrinkage	12	-	C
13328											
26BY/2573	A.98486							PLATE, locking, accumulator stowage	4	-	C
	B.002789A							PLATE, mounting, for amplifier, G.4F compass	1	-	
								Attaching parts for B.002789A, Plate			
28D/7114	A.1/19C							Bolt, 2BA	1	-	C
	AS.2920/18E							Bolt, 1/4" BSF, countersunk head	3	-	
28M/10288	AGS.2001/C/1							Nut, 2BA, plain	1	-	C
	B.002793ND							Tube, distance, 1/4" o/d x 22SWG x 0:37 long, T.26	1	-	
26BY/3465	DHS.33 Mk.1							Washer, 2BA, shrinkage	1	-	C
26DL/7335											

R E S T R I C T E D

FUSELAGE
FUSELAGE COMPLETE

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
5875	A.005271A							PLATE, nose wheel housing side, L.H.	1	M.R.	C
	A.005272A							PLATE, nose wheel housing side, R.H.	1	M.R.	C
1950	A.001079A							PLATE, nose wheel housing side, L.H.	1	M.R.	C
1951	A.001080A							PLATE, nose wheel housing side, R.H.	1	M.R.	C
28FF/342	S.6/250							SPRING, fastener, Dzus	8	-	C
								Attaching parts for A.005271A and A.005272A, Plates			
28D/6999	A.1/9C							Bolt, 2BA	14	M.R.	C
28D/7110	A.1/11C							Bolt, 2BA	4	M.R.	C
28D/7177	A.1/15C							Bolt, 2BA	3	M.R.	C
28D/7079	A.1/26C							Bolt, 2BA	1	M.R.	C
28D/7622	A.1/30C							Bolt, 2BA	1	M.R.	C
28M/5316	A.16Y/CP							Nut, 2BA, plain	17	M.R.	C
26FM/3239	DHS.34/C							Washer, 2BA	23	M.R.	C
26BY/3465	DHS.33 Mk.1							Washer, 2BA, shrinkage	46	M.R.	C
26DL/7335											
1949	A.001005A							PLATE, nut, inboard of ammunition boxes	2	-	C
1948	A.001002A							PLATE, nut, on ammunition box for oxygen bottle straps anchor bracket	4	-	C
1947	A.001001A							PLATE, nut, on R.H. ammunition box	1	-	C
	A.004032A							PLATE, nut, on R.H. ammunition box	2	-	C
818	A.001313A							PLATE, pilot's access step housing end	1	-	C
								Attaching parts for A.001313A, Plate			
1837	DHS.12 Mk.7							Bolt, 2BA (Required to make Part No. A.007011ND)	2	-	C
	A.007011ND							Bolt, 2BA (Make from Ref.No.1837)	2	-	C
3095	A.001307A/1							PLATE, pilot's access step release	1	-	C
815	A.001309A							PLATE, pilot's access step tread catch	1	-	C
	A.005195							PLATE, support for inverter type 100A, G.4F compass	1	-	C
								Attaching parts for A.005195, Plate			
28D/11564	AS.1246/1C							Bolt, 2BA (AS.1884/1C)	4	-	C
28W/12252	SP.13/C							Washer, 2BA	4	-	C
1946	A.00960							PLATE, strap, centre of fireproof bulkhead	1	-	C
								Attaching parts for A.00960, Plate			
28D/8323	AS.1242/2E							Bolt, 1/4" BSF, countersunk head (AS.1882/2E)	4	-	C
28D/11637	AS.1242/27G							Bolt, 5/16" BSF, countersunk head (AS.1882/27G)	1	-	C
28D/12467	AS.1242/29G							Bolt, 5/16" BSF, countersunk head (AS.1882/29G)	1	-	C
28M/10290	AGS.2001/E/1							Nut, 1/4" BSF, plain pinnacle	4	-	C
5706	A.002505							Nut, 5/16" BSF, circular	1	-	C
28M/758	A.16Y/GP							Nut, 5/16" BSF, plain	1	-	C
	A.001909							Washer, saddle, for lower bolt	1	-	C
1832	A.00944							Washer, saddle, for top bolt	1	-	C

R E S T R I C T E D

Ref. No.	Part No.	Nomenclature						No. Off	M.R.	Cl. of St.	
		1	2	3	4	5	6				
1958	B.001014	PLATE, washer, at top locating pin on bulkhead No.1, 18SWG, S.84						1	-		
	B.00154A	PLATFORM, accumulator mounting						2	-	C	
	A.1/2E	Attaching parts for B.00154A, Platform						2	-	C	
	28D/7031	Bolt, 1/4" BSF						2	-	C	
	28M/756	Nut, 1/4" BSF, plain						2	-	C	
	28W/3072	Washer, 1/4" BSF						2	-	C	
	27K/695	A.8867	PLUG, screw locking, drop tank jettison cable at control shaft lever, Teleflex						2	-	C
	3320	B.00564	PLUG, sealing, drop tank jettison cable on bulkhead No.2						2	-	C
	3096	A.001306A/1	PLUNGER, actuating, for pilot's access step						1	-	C
	2875	A.002081A	RAIL, canopy, L.H.						1	M.R.	C
2876	A.002082A	RAIL, canopy, R.H.						1	M.R.	C	
1970	A.00477A/ND	RING, for bulkhead No.1, L.H.						1	M.R.	C	
1971	A.00478A/ND	RING, for bulkhead No.1, R.H.						1	M.R.	C	
28D/12735	AS.2920/17C	Attaching parts for A.00477A/ND and A.00478A/ND, Rings						4	M.R.	C	
	28M/6435	Bolt, 2BA, countersunk head						4	M.R.	C	
	26M/5239	Nut, 2BA, plain						4	M.R.	C	
	5725	Washer, 2BA						4	M.R.	C	
		Washer, 2BA, cup						4	M.R.	C	
4033	A.004078	RING, packing between camera and aperture in nose						1	-	C	
3321	B.00565	RING, sealing, drop tank jettison cable on bulkhead No.2						2	-	C	
	-	SEAT, pilot's (For details see Separate Unit)						1	-		
7148	B.00552A/2	SHAFT, control, drop tank jettison						1	-		
	B.00548A	BEARING, housing						3	-		
	C.T.E.18A	BUSH, Oilite						1	-		
	B.00998	BOLT, special, for stop lever (Make from Ref.No.28D/7124)						1	-		
5387	B.00568A	COLLAR						2	-		
	B.003293	GUARD, L.H.						1	-	C	
5388	B.003293	GUARD, R.H.						1	-	C	
3322	B.00539A	LEVER, cable attachment						2	-	C	
3324	B.00981	LEVER, stop						1	-	C	
5885	B.003327A	LEVER, operating						1	-	C	
5886	B.003299	PIN, locking, on operating lever						1	-	C	

RESTRICTED

FUSELAGE
FUSELAGE COMPLETE

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
28L/776	A.16Y/ET							NUT, 1/4" BSF, thin, for bolt in stop lever	1	-	C
5391	DHS.94/5/102							FIN, ground steel	10	-	C
28L/11071	No.1214							WASHER, 1/4" BSF, Shakeproof, for bolt in stop lever	1	-	C
28D/7031	A.1/2E							Attaching parts for B.00552A/2, Shaft			
28D/7089	A.1/19E							Bolt, 1/4" BSF	2	-	C
28D/7520	A.15Z/19E							Bolt, 1/4" BSF	3	-	C
3325	B.001100A							Bolt, 1/4" BSF	4	-	C
	B.00937							Packing	2	-	C
28W/3099	AGS.162/D							Packing, 0"55 thick, V.4	1	-	C
	B.001855A/ND							Washer, 1/4" BSF, spring	2	-	C
3318	B.00563A							SHIELD, for E.2 compass	1	-	C
								SOCKET, for drop tank jettison cable seal on bulkhead No.2	2	-	C
27K/504	DS.47/2							SPRING, lock, drop tank jettison cable at control shaft lever, Teleflex	2	-	C
821	A.001311							SPRING, pilot's access step release plate	1	-	C
820	A.001310							SPRING, pilot's access step return	1	-	C
27K/859	A.14980							STRING, graphited asbestos, for drop tank jettison cable, Teleflex	QR	-	C
3078	A.004066A							STRIP, fastener, L.H. for top edge of cannon fairing	1	-	C
3079	A.004065A							STRIP, fastener, R.H., for top edge of cannon fairing	1	-	C
28FP/353	No.1-90							SPRING, fastener, Dzus	6	-	C
26BY/14348	X.73							STRIP, sealing, gun bay doors, front edge, on bulkhead No.2	QR	-	C
898	A.00420ND							Attaching parts for X.73, Strip Angle, retaining	1	-	C
26BY/14348	X.73							STRIP, sealing, gun bay doors, hinge edge	QR	-	C
28L/754	A.16Y/BT							Attaching parts for X.73, Strip			
28S/2839	A.33/B.32							Nut, 4BA, thin	13	-	C
5958	A.001868ND							Screw, 4BA, countersunk head (AGS.249/26)	13	-	C
5859	A.001869ND							Strip, retaining, centre	1	-	C
914	A.00421ND							Strip, retaining, front	1	-	C
								Strip, retaining, rear	1	-	C
3047	B.00943							STRUT, camera mounting support in nose	2	-	C
28D/7030	A.1/2C							Attaching parts for B.00943, Strut			
28M/10288	AGS.2001/C/1							Bolt, 2BA	1	-	C
28W/12252	SP.13/C							Nut, 2BA, plain pinnacle	1	-	C
								Washer, 2BA, standard	1	-	C

R E S T R I C T E D

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
26BY/5907 26FC/13236 1931	DHS.3 Mk.2 B.00115A							TAB, bonding TRAY, accumulator mounting, inner	6 2	- -	C
1980	B.00113A							TRAY, accumulator mounting, outer, L.H.	1	-	C
1984	B.00114A							TRAY, accumulator mounting, outer, R.H.	1	-	C
1981	B.00155							CLIP, platform retaining	1	-	C
28N/10361	A.00948 AS.1856							HINGE (Make from Ref.No.28N/10361) HINGE (Required to make Part No. A.00948)	1 QR	- -	C
1982	B.00117							HINGE, corner	1	-	C
1983	B.00116							LINK, corner hinge	1	-	C
								Attaching parts for B.00113A and B.00114A, Trays			
28D/6998	A.1/1C							Bolt, 2BA	2	-	C
28M/767	A.16Y/CS							Nut, 2BA, slotted	1	-	C
1943	B.00105A							Pin, corner hinge	1	-	C
1944	B.00106							Pin, main hinge	1	-	C
28P/5032	AGS.784/3							Pin, split	1	-	C
28W/3071	AGS.160/C							Washer, 2BA	1	-	C
6B/438 5811	† B.00163							TRAY, mounting, for G.4F compass amplifier TRUNNION, locking door in front armour bulkhead No.1	1 2	- -	A C
1838	A.00397A							TUBE, bracing, L.H., three legged, at joint B of fuselage and front spar tube	1	M.R.	C
1839	A.00398A							TUBE, bracing, R.H., three legged, at joint B of fuselage and front spar tube	1	M.R.	C
								Attaching parts for A.00397A and A.00398A, Tubes			
28D/7324	A.15Y/8J							Bolt, 3/8" BSF	1	M.R.	C
1834	A.00801							Bolt, 3/8" BSF, at joint plates	1	M.R.	C
1835	A.001006ND							Bolt, 7/16" BSF	1	M.R.	C
28M/772	A.16Y/JS							Nut, 3/8" BSF, slotted	1	M.R.	C
28M/774	A.16Y/LS							Nut, 7/16" BSF, slotted	1	M.R.	C
28P/5032	AGS.784/3							Pin, split	1	M.R.	C
28P/5039	AGS.784/12							Pin, split	1	M.R.	C
28W/3074	AGS.160/F							Washer, 3/8" BSF	1	M.R.	C
28W/3075	AGS.160/G							Washer, 7/16" BSF	1	M.R.	C

R E S T R I C T E D

FUSELAGE
FUSELAGE COMPLETE

Ref. No.	Part No.							Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
3904	D.004235A							TUBE, cross, lower, wing centre section structure	1	M.R.	A
3902	D.004243							BOLT, for fork-end	4	M.R.	C
3905	D.004239							FORK-END, wing attachment, L.H.	1	M.R.	C
3906	D.004240							FORK-END, wing attachment, R.H.	1	M.R.	C
28M/772	A.16Y/JS							NUT, 3/8" BSF, slotted	4	M.R.	C
28P/5032	AGS.784/3							PIN, split	4	M.R.	C
2838	A.00441A							PLATE, fuselage joint, L.H.	1	M.R.	C
2839	A.00442A							PLATE, fuselage joint, R.H.	1	M.R.	C
28W/8521	AS.470/J							WASHER, 3/8" BSF	QR	M.R.	C
3903	D.004244							WASHER, saddle	8	M.R.	C
Attaching parts for D.004235A, Tube											
28D/10704	A.15Z/17E							Bolt, 1/4" BSF	4	M.R.	C
28D/10705	A.15Z/18E							Bolt, 1/4" BSF	6	M.R.	C
28D/7520	A.15Z/19E							Bolt, 1/4" BSF	2	M.R.	C
28D/10706	A.15Z/20E							Bolt, 1/4" BSF	6	M.R.	C
28D/10707	A.15Z/21E							Bolt, 1/4" BSF	4	M.R.	C
28D/12738	AS.2920/17E							Bolt, 1/4" BSF, countersunk head	4	M.R.	C
28D/12739	AS.2920/18E							Bolt, 1/4" BSF, countersunk head	2	M.R.	C
28D/12742	AS.1242/28E							Bolt, 1/4" BSF, countersunk head	4	M.R.	C
28D/12126	AS.1242/29E							Bolt, 1/4" BSF, countersunk head	2	M.R.	C
3902	D.004243							Bolt, 3/8" BSF	4	M.R.	C
28L/776	A.16Y/ET							Nut, 1/4" BSF, thin	6	M.R.	C
28L/5775	A.16Z/ET							Nut, 1/4" BSF, thin	28	M.R.	C
28M/772	A.16Y/JS							Nut, 3/8" BSF, slotted	4	M.R.	C
4126	D.007011							Pin	2	M.R.	C
28P/5032	AGS.784/3							Pin, split	4	M.R.	C
28P/5044	AGS.784/20							Pin, split	2	M.R.	C
28W/3072	AGS.160/D							Washer, 1/4" BSF	6	M.R.	C
26BY/2856	DHS.33 Mk.2							Washer, 1/4" BSF, shrinkage	56	M.R.	C
13328 28W/8521	AS.470/J							Washer, 3/8" BSF	QR	M.R.	C
1831	A.00943							Washer, saddle	2	M.R.	C
1829	A.00941							Washer, saddle	2	M.R.	C
3903	D.004244							Washer, saddle	8	M.R.	C
3899	D.004236A							TUBE, cross, upper, wing centre section structure	1	M.R.	A
3902	D.004243							BOLT, for fork-end	2	M.R.	C
3900	D.004241							FORK-END, wing attachment, L.H.	1	M.R.	C
3901	D.004242							FORK-END, wing attachment, R.H.	1	M.R.	C
28M/772	A.16Y/JS							NUT, 3/8" BSF, slotted	2	M.R.	C
28P/5032	AGS.784/3							PIN, split	2	M.R.	C
2836	A.00305A							PLATE, fuselage joint, L.H.	1	M.R.	C
2837	A.00306A							PLATE, fuselage joint, R.H.	1	M.R.	C

R E S T R I C T E D

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
3903 28W/8521	D.004244 AS.470/J							WASHER, saddle WASHER, 3/8" BSF Attaching parts for D.004236A, Tube	4 QR	M.R. M.R.	C C
28D/10705	A.15Z/18E							Bolt, 1/4" BSF	18	M.R.	C
28D/7520	A.15Z/19E							Bolt, 1/4" BSF	2	M.R.	C
28D/10706	A.15Z/20E							Bolt, 1/4" BSF	2	M.R.	C
28D/12126	AS.1242/29E							Bolt, 1/4" BSF, countersunk head (AS.1882/29E)	4	M.R.	C
28D/12739	AS.2920/18E							Bolt, 1/4" BSF, countersunk head	4	M.R.	C
28L/776	A.16Y/ET							Nut, 1/4" BSF, thin	4	M.R.	C
28L/5775	A.16Z/ET							Nut, 1/4" BSF, thin	26	M.R.	C
4126	D.007011							Pin	2	M.R.	C
28P/5043	AGS.784/19							Pin, split	2	M.R.	C
28W/3072	AGS.160/D							Washer, 1/4" BSF	4	M.R.	C
26BY/2856	DHS.33 Mk.2							Washer, 1/4" BSF, shrinkage	52	M.R.	C
13328 1829	A.00941							Washer, saddle	4	M.R.	C
1831	A.00943							Washer, saddle	4	M.R.	C
5U/4939	†							UNIT, control, Type 12, G.4F compass Attaching parts for Air Ministry Ref.No. 5U/4939, Unit	1	-	A
28D/11255	AS.1246/2C							Bolt, 2BA, round head (Pre Mod.Vam.3033) (AS.1884/2C)	4	-	C
28D/11255	AS.1246/2C							Bolt, 2BA, round head (Mod.Vam.3033) (AS.1884/2C)	2	-	C
5737	A.007273							Clip (Mod.Vam.3033)	1	-	C
28W/12252	SP.13/C							Washer, 2BA (Pre Mod.Vam.3033)	4	-	C
28W/12252	SP.13/C							Washer, 2BA (Mod.Vam.3033)	2	-	C
26BY/14112	DHS.85 Mk.2							WASHER, for drainage eyelet in ammunition box floor	4	-	C
13259											
28W/10794	AGS.567/BB							WASHER, jointing, drop tank jettison cable sealing plug on bulkhead No.2	2	-	C
5656	B.001183ND							WEIGHT, ballast, 13 lbs., in nose, L.H. front lower	1	-	A
5657	B.001185ND							WEIGHT, ballast, 12 lbs., in nose, L.H. rear lower	1	-	A
5658	B.001184ND							WEIGHT, ballast, 12 lbs., in nose, L.H. rear upper	1	-	A
5659	B.001182ND							WEIGHT, ballast, 9 lbs., in nose, R.H. front upper	1	-	A
	B.001035A							WEIGHT, ballast, on bulkhead No.1	1	-	
28M/10290	AGS.2001/E/1							Attaching parts for B.001035A, Weight			
36FC 7181	B.001051ND							Nut, 1/4" BSF, plain	4	-	C
26FC 7182	B.001052ND							Stud, 1/4" BSF, 9"8 long, S.1	1	-	
								Stud, 1/4" BSF, 10"1 long, S.1	1	-	

R E S T R I C T E D

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.

Note:- Pages 467 to 480 not issued

R E S T R I C T E D

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
							COCKPIT CANOPY (A.002040)(Pre Mod.Vam.3113)	1			
2885	A.001673						BRACKET, angle, inner, mounting jettison release lever at canopy rail	2		C	
2884	A.001674						BRACKET, angle, outer, mounting jettison release lever at canopy rail	2		C	
							Attaching parts for A.001673 and A.001674, Bracket				
28D/12118	AS.1242/13B						Belt, 4BA, for inner bracket	2		C	
28D/11126	AS.1242/9B						Belt, 4BA, for outer bracket	2		C	
28M/13086	A27/BP						Nut, 4BA	2		C	
26BY/5937	DHS.95						Washer, 4BA, cup	2		C	
16FN/3261											
2882	A.002149						BRACKET, corner, at sealing bracket joint, L.H.	1	MR	C	
2883	A.002150						BRACKET, corner, at sealing bracket joint, R.H.	1	MR	C	
4224	A.004929A						CANOPY, sliding, complete	1		B	
	A.007211ND						BLOCK, sealing rubber	1			
28D/12002	AS.1248/5B						BOLT, 4BA, mushroom head (AS.1885/5B)	4		C	
28D/8340	AS.1248/7B						BOLT, 4BA (AS.1885/7B)	9		C	
28D/8306	AS.1242/1C						BOLT, 2BA, securing sealing members to canopy runners (AS.1882/1C)	32		C	
4276	A.004933A						CANOPY, Perspex bare	1		B	
4277	A.004971A						FAIRING, rear	1		C	
4274	A.004965A						MEMBER, canopy sealing, L.H.	1		C	
4275	A.004966A						MEMBER, canopy sealing, R.H.	1		C	
28M/13086	A27/BP						NUT, 4BA	13		C	
4447	A.005287A						PLATE, c/w fastener (Pre Mod.Vam.966)	4		C	
4271	A.004959A						RUNNER, canopy L.H.	1	MR	C	
4449	A.007015						BOLT, for vertical rollers	6		C	
28L/13124	A27/CT						NUT, 2BA, thin	6		C	
2868	A.001685						PIN, for horizontal roller	1		C	
2870	A.001687						PIN, for horizontal roller	4		C	
2867	A.001684						ROLLER, horizontal, bottom	5		C	
2866	A.001683						ROLLER, horizontal, top	5		C	
4448	A.007013						ROLLER, vertical	6		C	
2869	A.001686						SCREW, flanged, for horizontal roller	1		C	
4272	A.004960A						RUNNER, canopy, R.H.	1	MR	C	
4449	A.007015						BOLT, for vertical rollers	6		C	
28L/13124	A27/CT						NUT, 2BA, thin	6		C	
2868	A.001685						PIN, for horizontal rollers	5		C	
2867	A.001684						ROLLER, horizontal, bottom	5		C	
2866	A.001683						ROLLER, horizontal, top	5		C	
4448	A.007013						ROLLER, vertical	6		C	
2869	A.001686						SCREW, flanged, for horizontal roller	5		C	

RESTRICTED
FUSELAGE
COCKPIT CANOPY

Vampire Mk. 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	A.004983ND							STRIP, rubber, sealing	1		
	A.007249ND							STRIP, rubber, sealing	2		
	A.005127ND							STRIP, rubber	1		
	A.005125ND							WASHER, Linatex, 1/2" o/d x 1/16" thick	1		
	A.007251ND							WASHER, paper 1/2" wide	2		
4273	A.004977A							TUBE, sealing	1		C
3758	A.002333A/1							CHANNEL, retaining, for canopy seal, L.H.	1	MR	C
3757	A.002332A/1							CHANNEL, retaining, for canopy seal, R.H.	1	MR	C
								Attaching parts for A.002333A/1 and A.002332A/1, Channels			
28D/11126	AS.1242/9B							Bolt, 4BA	7	MR	C
28D/8305	AS.1242/11B							Bolt, 4BA	2	MR	C
28D/12118	AS.1242/13B							Bolt, 4BA	12	MR	C
28D/12284	AS.1242/21B							Bolt, 4BA	3	MR	C
28M/13086	A27/BP							Nut, 4BA	25	MR	C
32C/471	/							Strip, sealing, 1/32" thick, Linatex	QR	MR	C
28W/3088	AGS.163/B							Washer, 4BA, double spring	25	MR	C
3756	A.002340A/1							DIAPHRAGM, sealing, on bulkhead No.3	1		C
								Attaching parts for A.002340A/1, Diaphragm			
28D/8300	AS.1242/1B							Bolt, 4BA	2		C
28D/12625	A25/9B							Bolt, 4BA	9		C
28D/12846	A25/15B							Bolt, 4BA	4		C
28M/13086	A27/BP							Nut, 4BA	15		C
32C/471	/							Strip, sealing, 1/32" thick, Linatex (A.002254ND)	QR		C
28W/12305	SP.13/B							Washer, 4BA	13		C
28W/3088	AGS.163/B							Washer, 4BA	15		C
28W/12307	SP.18/B							Washer, 4BA	15		C
								DRIER, air, system (For details see Separate Unit)	1		
2887	A.002165A							FAIRING, windscreen, complete with de-icer spray pipe	1		C
6404	A.002663							PLATE, cover, 12 SWG, DTD.213	1		C
28S/2815	A33/B16							SCREW, 4BA	4		C
								Attaching parts for A.002165A, Fairing			
28D/8308	AS.1242/3C							Bolt, 2BA	12		C
28D/8312	AS.1242/8C							Bolt, 2BA	23		C
28D/8316	AS.1242/13C							Bolt, 2BA	2		C
28M/10288	AGS.2001/C/1							Nut, 2BA	25		C
2602/7335	/							Strip, sealing 1/8" thick x 1"0 wide, Black Rubber	QR		
2602/3465	DHS.33 Mk.1							Washer, 2BA, shrinkage	50		C
11771	DHS.34/N							Washer, 2BA	2		C

RESTRICTED
 FUSELAGE
 COCKPIT CANOPY

Vampire MK. 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off.	M.R.	Cl. of St.
								GEAR, canopy jettison and winding (A.00201) (A.00200) (For details see separate Unit on Page 495)	1		
3797	A.004764A							HOUSING, for canopy stop plunger Attaching parts for A.004764A, Housing	1		C
28D/12673	A25/12B							Bolt, 4EA	2		C
	12.FC.101A							LANYARD, assy safety (Mod.Vam.3307)	1		
	12.FC.99ND							LANYARD, (Make from No. 2 Hempline Spec. BS.4F.15 - Splice and bind ends with waxed thread)	1		
	12.FC.97ND							LUG, attachment, 16 SWG, L.72	1		C
2891	A.001677A							LATCH, canopy rail, L.H.	1		C
2892	A.001678A							LATCH, canopy rail, R.H.	1		C
	A.002206							PLATE, retaining, for canopy stop plunger	1		C
3798	A.004768							PLUNGER, canopy stop	1	MR	C
2893	A.001675							RAIL, canopy, L.H.	1	MR	C
2894	A.001676							RAIL, canopy, R.H. Attaching parts for A.001675 and A.001676, Rails	1		C
28D/8305	AS.1242/11B							Bolt, 4EA	5	MR	C
28D/12118	AS.1242/13B							Bolt, 4EA	2	MR	C
28D/10618	AS.1242/14B							Bolt, 4EA	9	MR	C
28D/11145	AS.1242/23B							Bolt, 4EA	2	MR	C
28M/13086	A27/BP							Nut, 4EA	34	MR	C
	A.002657							Plate, angle, L.H.	1	MR	C
	A.002658							Plate, angle, R.H.	1	MR	C
	A.002767ND							Plate, washer, 18 SWG, DTD 610 (Make from Ref. No. 30B/950)	1	MR	C
	A.002213							Plate, washer, 18 SWG, DTD 610 (Make from Ref. No. 30B/950)	1	MR	C
32C/471	-							Strip, sealing, 1/32" thick, Linatex	QR	MR	C
28W/12307	SP.18/B							Washer, 4BA	2	MR	C
28W/15347	SP.55/B							Washer, 4BA	19	MR	C
4175	A.005177A							SEAL, for canopy (Pre Mod.Vam.3190)	1		C
* 6727	12.FC.89A							SEAL, for canopy (Mod.Vam.3190)	1		C
2897	A.001666							SPINDLE, gear wheel, on canopy rail Attaching parts for A.001666, Spindle	1		C
	A.002675							Bolt, 4BA, captive	1		C
28D/10618	AS.1242/14B							Bolt, 4BA	2		C
28M/10287	AGS.2001/B1							Nut, 4BA	3		C
7121	A.004060							Shim	1		C
28W/12305	SP.13/B							Washer	3		C
3472	A.004769							SPRING, for canopy stop plunger	1		C
2898	A.001665							WHEEL, gear, canopy winding Attaching parts for A.001665, Wheel	1		C
28M/12928	A27/BP							Nut, 1/4" BSF	1		C
28W/9418921	SP.13/E							Washer	1		C

RESTRICTED

RESTRICTED
FUSELAGE
COCKPIT CANOPY

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
4223	A.001669A/3							WINDSCREEN, complete (Pre Mod Vam. 841)	1		A
26DV/749	12.FS.381A							WINDSCREEN, complete (Mod.Vam 841)	1		A
2901	A.002143							BLOCK, jointing bottom rear corner of side windscreen, L.H.	1		C
2902	A.002144							BLOCK, jointing bottom rear corner of side windscreen R.H.	1		C
28D/8308	AS.1242/3C							BOLT, 2 BA, securing windscreen masks,	14		C
4202	A005057A							BRACKET, 2 stage amber (Pre Mod.Vam 966)	2		C
28M/10287	AGS2001/B1							Attaching parts for A.005057A, Bracket			
28S/2815	A33/B16							Nut, 4 BA	2		C
28W/12305	SP13/B							Screw, 4 BA	2		C
								Washer, 4 BA	2		C
4206	A002059A/2							CHANNEL, retaining for canopy seal	1		C
4203	A.005061A							PLATE, attachment, c/w fastener (Pre Mod.Vam.966)	1		C
2899	A.002323							FILLET, front corner L.H.	1		C
2900	A.002324							FILLET, front corner R.H.	1		C
								Attaching parts for A.002323 and A.002324, Fillets			
28D/12630	A.002351ND A25/19C							Bolt, 2 BA (Make from Ref.No.28D/12630)	1		
								Bolt, 2 BA (Required to make Part No. A.002351ND)	1		C
28S/2790	A.002305ND A31/C32							Screw, 2 BA (Make from Ref.No.28S/2790)	1		
								Screw, 2 BA (Required to make Part No. A.002305ND)	1		C
2904	A.002345							MASK, glazing, for front windscreen	1		C
4458	A.002330							MASK, glazing, for side windscreen,R.H.	1		C
4613	A.002331							MASK, glazing for side windscreen, L.H.	1		C
28S/2809	A33/B12							SCREW, 4 BA	6		C
28S/2808	A33/C12							SCREW, 2 BA	18		C
2905	A002321							SEAL, for windscreen, at front corner fillet, L.H.	1		C
2906	A.002322							SEAL, for windscreen at front corner fillet, R.H.	1		C
32C/624	A.007081ND							STRIP, sealing, 1/16" thick x 1".36 wide	QR		
32C/597	-							STRIP, sealing, 1/32" thick	QR		C
32C/598	-							STRIP, sealing, 1/16" thick	QR		C
32C/593	-							STRIP, sealing, 1/8" thick	QR		C
								STRIP, sealing, 1/2" thick, sponge Rubber	QR		C

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
3442	A.004774A							WINDSCREEN, front, bullet proof	1		A
4185	A.005189							WINDSCREEN, side, L.H.	1		A
4186	A.005190							WINDSCREEN, side, R.H.	1		A
								Attaching parts for A.001669A/3 and 12.FS.381A, Windscreens			
28D/8300	AS.1242/1B							Bolt, 4BA	8	MR	C
28D/8301	AS.1242/2B							Bolt, 4BA	2	MR	C
28D/10168	AS.1242/11C							Bolt, 2BA	2	MR	C
28D/8509	AS.1242/14C							Bolt, 2BA	4	MR	C
28D/8317	AS.1242/15C							Bolt, 2BA	10	MR	C
28D/12120	AS.1242/16C							Bolt, 2BA	10	MR	C
28D/12189	AS.1242/18C							Bolt, 2BA	12	MR	C
28D/8318	AS.1242/19C							Bolt, 2BA	6	MR	C
28D/8320	AS.1242/23C							Bolt, 2BA	2	MR	C
28D/11244	AS.1242/25C							Bolt, 2BA	2	MR	C
28D/12121	AS.1242/28C							Bolt, 2BA	2	MR	C
28M/10287	AGS.2001/B/1							Nut, 4BA	10	MR	C
28M/10288	AGS.2001/C/1							Nut, 2BA	30	MR	C
32C/191	/							Strip, sealing, 1/32" thick, Linatex	QR	MR	C
26DL/7335	A.002843ND							Strip, packing, tapered	QR	MR	C
26BY/3165	DHS.33 Mk.1							Washer, 2BA, shrinkage	52	MR	C
4079	A.005006ND							Washer, taper	2	MR	C
4080	A.005007ND							Washer, taper	4	MR	C

RESTRICTED
FUSELAGE
COCKPIT CANOPY

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.	
2885	A.001673	COCKPIT CANOPY (A.007423) (Mod.Vam.3113)										
								BRACKET, angle, inner, mounting jettison release lever at canopy rail	2		C	
2884	A.001674							BRACKET, angle, outer, mounting jettison release lever at canopy rail	2		C	
								Attaching parts for A.001673 and A.001674, Bracket				
28D/12118	AS.1242/13B							Bolt, 4BA, for inner bracket	2		C	
28D/11126	AS.1242/9B							Bolt, 4BA, for outer bracket	2		C	
28M/13086	A27/BP							Nut, 4BA	2		C	
26BY/5937	DHS.95							Washer, cup	2		C	
26F4/3261												
2882	A.002149							BRACKET, corner, at sealing bracket joint L.H.	1	MR	C	
2883	A.002150							BRACKET, corner, at sealing bracket joint R.H.	1	MR	C	
26DV/1585	12.F.913A							BRACKET, retaining canopy	1		C	
								Attaching parts for 12.F.913A, Bracket				
28D/12513	A25/2C							Bolt, 2BA	8		C	
28M/10288	AGS.2001/C/1							Nut, 2BA	8		C	
28W/12252	SP.13/C							Washer	8		C	
3758	A.002333A/1							BRACKET, retaining canopy seal, L.H.	1	MR	C	
3757	A.002332A/1							BRACKET, retaining canopy seal, R.H.	1	MR	C	
								Attaching parts for A.002333A/1 and A.002332A/1, Bracket				
28D/11126	AS.1242/9B							Bolt, 4BA	7	MR	C	
28D/8305	AS.1242/11B							Bolt, 4BA	2	MR	C	
28D/12118	AS.1242/13B							Bolt, 4BA	12	MR	C	
28D/11144	AS.1242/22B							Bolt, 4BA	3	MR	C	
28M/13086	A27/BP							Nut, 4BA	25	MR	C	
28W/15347	SP.55/B							Washer, double spring	25	MR	C	
	A.007431A							BRACKET, sealing	1			
								Attaching parts for A.007431A, Bracket				
28D/8300	AS.1242/1B							Bolt, 4BA	2		C	
28D/12625	A25/9B							Bolt, 4BA	9		C	
28D/12846	A25/15B							Bolt, 4BA	4		C	
28M/13086	A27/BP							Nut, 4BA	13		C	
	A.007427							Nut, 4BA, special	2			
28W/12305	SP13/B							Washer	13		C	
28W/12307	SP18/B							Washer	15		C	
28W/15347	SP55/B							Washer, double spring	15		C	

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
26DV/1580	12.FC.41A							CANOPY, sliding, complete	1		B
	A.007211ND							BLOCK, sealing rubber	1		
	12.FC.11A							CANOPY, Perspex bare	1		
	12.FC.49A							FAIRING, rear complete	1		
	12.FC.51A/ND							DIAPHRAGM, assembly	1		
28D/8337 28M/13086	AS.1248/1B							Attaching parts for 12.FC.51A/ND, Diaphragm	15		C
	A27/BP							Bolt, 4BA Nut, 4BA	15		C
28D/12515 28M/10288	12.FC.55ND							FAIRING, bare	1		
	A.002517A/1							WEIGHT, ballast Attaching parts for A.002517A/1, Weight	1		
28D/12515 28M/10288	A25/10C							Bolt, 2BA Nut, 2BA	10 10		C C
	AGS.2001/C/1							Attaching parts for 12.FC.49A, Fairing			
28D/8338 28D/8339 28M/13086	AS.1248/3B							Bolt, 4BA	2		C
	AS.1248/6B							Bolt, 4BA	11		C
28M/13086	A27/BP							Nut, 4BA	13		C
	A.005127ND							Strip, rubber, 1/32" thick x 3/4" wide	1		
26DV/1582 26DV/1583	A.005125ND							Washer, Linatex, 1/2" dia. 1/16" thick	13		
	12.FC.47A							MEMBER, canopy sealing, Port	1		C
26DV/1583	12.FC.48A							MEMBER, canopy sealing, Starboard	1		C
								Attaching parts for 12.FC.47A and 12.FC.48A, Member			
28D/8306	AS.1242/1C							Bolt, 2BA	16		C
	A.007251ND							Washer, paper, 1/2" wide	1		
26DV/1586	12.FC.63A							RUNNER, canopy, Port	1	MR	C
	2867 A.001684							ROLLER, horizontal, bottom	5		C
2866	A.001683							ROLLER, horizontal, top	5		C
								Attaching parts for A.001684 and A.001683, Roller			
2868	A.001685							Pin,	1		C
	A.001687							Pin	4		C
2869	A.001686							Screw, flanged	1		C
4448	A.007013							ROLLER, vertical	6		C
								Attaching parts for A.007013, Roller			
28L/13124	A27/CT							Nut, 2BA	6		C
	4449 A.007015							Pin	6		C
	12.FC.59							RUNNER, canopy, bare	1		

RESTRICTED
FUSELAGE
COCKPIT CANOPY

Vampire Mk. 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
26DV/1587	12.FC.65A							RUNNER, canopy, Starboard	1	MR	C
2867	A.001684							ROLLER, horizontal, bottom	5		C
2866	A.001683							ROLLER, horizontal, top	5		C
								Attaching parts for A.001684 and A.001683, Roller			
2868	A.001685							Pin	5		C
2869	A.001686							Screw, flanged	5		C
4448	A.007013							ROLLER, vertical	6		C
								Attaching parts for A.007013, Roller			
28L/13124	A27/CT							Nut, 2BA	6		C
4449	A.007015							Pin	6		C
	12.FC.61							RUNNER, canopy, bare	1		
	A.007249ND							STRIP, sealing, rubber 1"0 wide x 1/64" thick	2		
26DV/8112	12.FC.43ND							STRIP, sealing, rubber, 3/8" x 1/4" x 3"0 long	1	MR	C
4273	A.004977A							TUBE, sealing	1		C
								DRIER, air system (For details refer to Miscellaneous Section)			
2887	A.002165A							FAIRING, windscreen, complete with de-icer spray pipe	1		C
								Attaching parts for A.002165A, Fairing			
28D/8308	AS.1242/3C							Bolt, 2BA	12		C
28D/8313	AS.1242/9C							Bolt, 2BA	21		C
28D/8509	AS.1242/14C							Bolt, 2BA	4		C
28M/10288	AGS.2001/C/1							Nut, 2BA	25		C
26D/17335	A.002669ND							Strip, sealing 1/16" thick x 1"0 wide	1		
26B/3465	DHS.33/1							Washer, 2BA, shrinkage	50		C
11771	DHS.34/N							Washer, 2BA	23		C
								GEAR, canopy jettison and winding (For details see separate entry)			
3797	A.004764A							HOUSING, canopy stop plunger	1		C
	12.FC.101A							LANYARD, safety	1		
	12.FC.99ND							LANYARD (Make from No.2 Hempline Spec.BS.4F.15)	1		
	12.FC.97ND							LUG, attachment, 16 SWG. L.72	1		
2891	A.001677A							LATCH, canopy rail, L.H.	1		C
2892	A.001678A							LATCH, canopy rail, R.H.	1		C
	12.F.931ND							PACKING, behind canopy retaining bracket, 12 SWG. L.72	1		
	A.007177ND							PACKING, between angle brackets and canopy rail (Brass laminum 0.8 thick) (Alternative to A.005179ND)	2		

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
	A.005179ND							PACKING, between angle brackets and canopy rail (light alloy 14 SWG DTD.610) (Alternative to A.007177ND)	2		
	A.002206							PLATE, retaining canopy stop plunger	1		
28D/12626	A25/10B							Attaching parts for A.002206, Plate Belt, 4BA	2		C
3798	A.004768							PLUNGER, canopy stop	1		C
2893	A.001675							RAIL, canopy, L.H.	1	MR	C
2894	A.001676							RAIL, canopy, R.H.	1	MR	C
								Attaching parts for A.001675 and A.001676, Rail			
28D/8305	AS.1242/11B							Bolt, 4BA	5	MR	C
28D/12118	AS.1242/13B							Bolt, 4BA	2	MR	C
28D/10618	AS.1242/14B							Bolt, 4BA	7	MR	C
28D/13530	AS.1242/15B							Bolt, 4BA	2	MR	C
28D/11145	AS.1242/23B							Bolt, 4BA	2	MR	C
28M/13086	A27/BP							Nut, 4BA	17	MR	C
	A.002657							Plate, right-angle, L.H.	1	MR	
	A.002658							Plate, right-angle, R.H.	1	MR	
	A.002213							Plate, washer, 18 SWG. DTD.610 (Make from 30B/950)	1	MR	
	A.002767ND							Plate, washer, 18 SWG, DTD.610 (Make from 30B/950)	1	MR	
28W/12307	SP.18/B							Washer	2	MR	C
28W/15347	SP.55/B							Washer	19	MR	C
2897	A.001666							SPINDLE, gear wheel, on canopy rail	1		C
								Attaching parts for A.001666, Spindle			
	A.002675A							Bolt, 4BA, captive	1		C
28D/10618	AS.1242/14B							Bolt, 4BA	2		C
28M/10287	AGS.2001/B/1							Nut, 4BA	3		C
7121	A.004060							Shim	1		C
28W/12305	SP.13/B							Washer	3		C
3472	A.004769							SPRING, canopy stop plunger	1		C
	A.002246ND							STRIP, packing (light alloy, 18 SWG, DTD.330)	2		
	A.002247ND							STRIP, packing (light alloy, 18 SWG, DTD.330)	2		
32C/191	A.002668ND							STRIP, sealing, 1/32" Black rubber	1	QR	C
6727	12.FC.89A							STRIP, sealing, 1/32" Linatex	1		C
	12.FC.91ND							STRIP, sealing, sliding hood	1		
	A.001947A/ND							STRIP, sealing	1		
								VALVE, assembly	1		

RESTRICTED
FUSELAGE
COCKPIT CANOPY

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
2898	A.001665							WHEEL, gear, canopy winding	1		C
28M/12928	A27/EP							Attaching parts for A.001665, Wheel	1		C
28W/12253	SP.13/E							Nut, 1/4" BSF.	1		C
								Washer	1		C
26DV/749	12.FS.381A							WINDSCREEN, complete	1		A
2901	A.002143							BLOCK, jointing, bottom rear corner	1		C
								of side windscreen, L.H.			
2902	A.002144							BLOCK, jointing, bottom rear corner	1		C
								of side windscreen, R.H.			
	A.002841							BRACKET, corner, bottom, L.H.	1		
	A.002842							BRACKET, corner, bottom, R.H.	1		
4206	A.002059A/2							BRACKET, retaining, for canopy seal	1		C
26DV/768	12.FS.387							CASTING, top	1		C
								Attaching parts for 12.FS.387, Casting			
28S/2809	A33/B12							Screw, 4BA	6		C
	A.002121							CHANNEL, side, L.H.	1		
	A.002122							CHANNEL, side, R.H.	1		
								Attaching parts for A.002121 and			
28S/2808	A33/C12							A.002122, Channel			
								Screw, 2BA	10		C
	A.002329							FRAME, windscreen, bottom, L.H.	1		
	A.002328							FRAME, windscreen, bottom, R.H.	1		
2904	A.002345							MASK, glazing, front windscreen	1		C
4458	A.002330							MASK, glazing, side windscreen, L.H.	1		C
4613	A.002331							MASK, glazing, side windscreen, R.H.	1		C
								Attaching parts for A.002345, A.002330			
								and A.002331, Mask			
28D/8308	AS.1242/3C							Belt, 2BA	14		C
3442	A.004774A							PANEL, front, bullet proof	1		B
4185	A.005189							PANEL, side L.H.	1		B
4186	A.005190							PANEL, side, R.H.	1		B
2905	A.002321							SEAL, for windscreen at front corner	1		C
								tie-bar, L.H.			
2906	A.002322							SEAL, for windscreen at front corner	1		C
								tie-bar, R.H.			
	A.007081ND							STRIP, sealing, 1/16" thick x 1"36 wide	1		
32C/471	/							STRIP, sealing, 1/32" Linatex	QR		C
32C/473	/							STRIP, sealing, 1/16" Linatex	QR		C
32C/474	/							STRIP, sealing, 1/8" Linatex	QR		C
32C/	/							STRIP, sealing, 1/2" thick, sponge	QR		C
								rubber			

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
2899	A.002323							TIE-BAR, front corner, L.H.	1		C
2900	A.002324							TIE-BAR, front corner, R.H.	1		C
								Attaching parts for A.002323 and A.002324, Tie-Bar			
	A.002351ND							Bolt, 2BA (Make from Ref. No.28D/7114)	1		
	A.002305ND							Screw, 2BA (Make from Ref. No. 28S/2790)	1		
28L/11069	AGS.2035/C							Washer	1		C
								Attaching parts for 12.FS.381A,Windscreen			
28D/8300	AS.1242/1B							Bolt, 4BA <input checked="" type="checkbox"/>	6	MR	C
28D/8301	AS.1242/2B							Bolt, 4BA <input checked="" type="checkbox"/>	2	MR	C
28D/10168	AS.1242/11C							Bolt, 2BA <input checked="" type="checkbox"/>	2	MR	C
28D/8316	AS.1242/13C							Bolt, 2BA <input checked="" type="checkbox"/>	4	MR	C
28D/8317	AS.1242/15C							Bolt, 2BA <input checked="" type="checkbox"/>	2	MR	C
28D/11527	AS.1242/17C							Bolt, 2BA <input checked="" type="checkbox"/>	10	MR	C
28D/12189	AS.1242/18C							Bolt, 2BA <input checked="" type="checkbox"/>	4	MR	C
28D/8318	AS.1242/19C							Bolt, 2BA <input checked="" type="checkbox"/>	2	MR	C
28D/11244	AS.1242/25C							Bolt, 2BA <input checked="" type="checkbox"/>	2	MR	C
28D/12121	AS.1242/28C							Bolt, 2BA <input checked="" type="checkbox"/>	2	MR	C
28M/13086	A27/BP							Nut, 4BA	8	MR	C
28M/10288	AGS.2001/C/1							Nut, 2BA <input checked="" type="checkbox"/>	30	MR	C
	A.002843ND							Strip, packing, tapered	QR	MR	C
32C/191	/							Strip, sealing, 1/32" Linatex	QR	MR	C
26DL/7335	DHS.33/1							Washer, 2BA, shrinkage	52	MR	C
4079	A.005006ND							Washer, tapered	2	MR	C
4080	A.005007ND							Washer, tapered	4	MR	C

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
<p>Note:- Pages 493 and 494 not issued.</p>											

COCKPIT CANOPY JETTISON AND WINDING GEAR

(Issued with A.L.5)

Vampire Mk.9

Ref. No.	Part No.	Nomenclature						No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6			
		COCKPIT CANOPY JETTISON AND WINDING GEAR						1		
		(A.00201)(A.00202)								
27S/135	I.132629	BEARING, ball-race, for operating lever spindle, Skefko						2		B
6765	A.007365A	BOX, gear, complete with lever and torque tube, canopy winding						1		B
2306	FGH.80	BUSH, for lever shaft, Oilite						2		C
2307	FGH.92	BUSH, for torque tube drive, Oilite						1		C
5686	A.00111	GEAR, bevel						1		C
4396	A.005265	Attaching parts for A.00111, Gear						1		C
28M/10288	AGS.2001/C/1	Bolt, special						1		C
28W/12252	SP.13/C	Nut, 2BA, plain						1		C
		Washer, 2BA						1		C
6764	A.007363A	HANDLE, complete						1		C
	A.007265	CRANK						1		
	A.002056	KNOB						1		
		Attaching parts for A.002056, Knob						1		C
7079	A.002057	Bolt, special						1		C
28L/12931	A27/ET	Nut, 1/4" BSF.						1		C
6766	12.FC.93	PIN, stop						1		C
		Attaching parts for A.007363A, Handle						1		C
28P/840	SP4Y/B14	Pin, shackle						1		C
28P/12431	SP9/C6	Pin, split						1		C
	A.007271	HOUSING						1		
4395	A.00104	LINK, between handle and plunger						1		C
		Attaching parts for A.00104, Link						1		C
2308	A.00106	Screw, set						1		C
A47	7002 A.00113	PINION, bevel gear, for torque tube drive						1		
	5630 A.007269	PLATE, front, handle stop						1		C
		Attaching parts for A.007269, Plate						5		C
28S/2815	A33/B16	Screw, 4BA						1		
	A.00105	PEN						1		
	A.00102	PLUNGER						1		
	A.0098	SHAFT, for handle						1		
	A.007337	SPACER, between spring and plunger						1		C
2310	A.00108	SPRING, for plunger						1		
A47	7023 A.00565A	TUBE, torque						1		
	A.001887ND	JOINT, universal coupling (Make from Ref. No. 6698)						1		C
6698	NO.01	JOINT, universal coupling, Mollart (Required to make Part No. A.001887ND)						1		C

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	A.002038ND							RIVET, for universal coupling joint, 3/32" dia. x 0.75 long, S.1	2		
	A.002038ND							Attaching parts for A.00565A, Tube Rivet, 3/32" dia. x 0.75 long, S.1	2		
28D/8315	AS.1242/12C							Attaching parts for A.007365A, Box Bolt, 2BA	8		C
2298	A.00116							Gasket	1		C
28M/10328	AGS.2002/C/1							Nut, 2BA	8		C
28W/12252	SP.13/C							Washer	8		C
2907	A.002024A							BRACKET, pulley mounting, on bulkhead No.3	1		C
28D/12537	A25/14C							Attaching parts for A.002024A, Bracket Bolt, 2BA	2		C
28M/12929	A27/CP							Nut, 2BA	2		C
26BY/3239	DHS.34/C							Washer, 2BA	2		C
26BY/3465	DHS.33 MK.1							Washer, 2BA, shrinkage	4		C
2604/7335	3075							A.004098A CABLE, canopy jettison	1		C
26AE/1993	L.95574							Attaching parts for A.004098A, Cable Bobbin, clamping, at hand lever	1		C
28D/8306	AS.1242/1C							Bolt, 2BA, at hand lever	1		C
28M/10288	AGS.2001/C/1							Nut, 2BA, at hand lever	1		C
28P/5494	SP.4Z/B1							Pin, shackle, at operating lever	1		C
28P/12462	SP9/C8							Pin, split, at operating lever	1		C
26BY/5923	H.24654							Washer, cup, at hand lever	1		C
2914	A.002318A							CABLE, canopy release	1		C
28F/5494	SP.4Z/B1							Attaching parts for A.002318A, Cable Pin, shackle	1		C
28F/12462	SP9/C8							Pin, split	1		C

COCKPIT CANOPY JETTISON
AND WINDING GEAR

Vampire Mk.9

Ref. No.	Part No.	Nomenclature						No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6			
3073	A.004058A	LEVER, operating jettison gear connecting rod on bulkhead No.3 L.H.						1		C
2909	A.001694A	LEVER, operating, jettison gear connecting rod on bulkhead No.3 R.H.						1		C
2911	A.002001	PIN, spring anchor L.H.						1		C
4464	A.001699	PIN, spring anchor R.H.						1		C
		Attaching parts for A.002001 and A.001699 Pins						1		C
28L/12931	A.27/ET	Nut, 1/4" B.S.F.						1		C
2912	A.002005	PIN, for connecting rod						1		C
		Attaching parts for A.002005, Pin						1		C
28L/13326	A.27/GT	Nut, 5/16" B.S.F.						1		C
2913	A.001668	SPINDLE						1		C
		Attaching parts for A.001668, Spindle						6		C
28M/10287	AGS.2001/B/	Nut, 4BA						6		C
28S/2815	A.33/B16	Screw, 4BA						6		C
		Attaching parts for A.004058A and A.001694A, Lever						1		C
28M/12930	A.27/ES	Nut, 1/4" B.S.F.						1		C
28E/12462	SP.9/C8	Pin, split						1		C
28W/12253	SP.13/E	Washer						1		C
7003	A.00115	PLATE, cover, for outside canopy release knob						1		C
28R/13491	AS.107	PULLEY, shrouded for canopy jettison cable						1		B
		Attaching parts for AS.107, Pulley						1		C
28D/12633	A.25/7E	Bolt, 1/4" B.S.F.						1		C
28M/10290	AGS.2001/E/	Nut, 1/4" B.S.F.						1		C
2921	A.002004A	ROD, connecting operating lever to jettison lever						2		C
2922	A.002003	EYE-END						1		C
28R/10911	AGS.593/L	EYE-END, L.H. thread						1		C
28L/13326	A.27/GT	NUT, 5/16" B.S.F.						1		C
28L/13464	A.27/GTL	NUT, 5/16" B.S.F.						1		C
		Attaching parts for A.002004A, Rod						1		C
28D/12566	A.25/6C	Bolt, 2BA						1		C
28M/10288	AGS.2001/C/	Nut, 2BA						1		C
28E/12462	SP.9/C8	Pin, split						1		C
28W/12324	SP.15/G	Washer						1		C

RESTRICTED

FUSELAGE
COCKPIT CANOPY JETTISON
AND WINDING GEAR

Vampire Mk. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
2923	A.001693A							ROD, connecting jettison gear operating levers	1		C
2924	A.001691							FORK-END	1		C
28L/12931	A.27/ET							NUT, 1/4" B.S.F.	1		C
28F/863	SP.4Y/D5							Attaching parts for A.001693A, Rod			
28F/12462	SP.9/C8							Pin, shackle	2		C
28W/12496	SP.15/E							Pin, split	2		C
								Washer	2		C
2925	A.002007A							SEAL, for jettison cable on bulkhead No.2	1		C
28N/13737	AGS.2030/13							CIRCLIP, internal	1		C
1672	K.00214							FERRULE, housing for sealing washers	1		C
28N/9796	SP.21							NIPPLE, grease	1		C
2325	K.00217 Mk.2							WASHER, half for sealing washers	4		C
2323	K.00215							WASHER, sealing	8		C
2324	K.00216							WASHER, sealing	6		C
28D/12539	A.25/16C							Attaching parts for A.002007A, Seal Bolt, 2BA	4		C
	DHS.47 Mk.15							Connector, bonding	1		C
2916	A.002036							Gasket, underseal	1		C
28M/10288	AGS.2001/C/1							Nut, 2BA	4		C
11771	DHS.34/N							Washer	3		C
26BY/3165	DHS.33/Mk.1							Washer	8		C
26DL/7335											
	A.00568A							SOCKET, splined canopy winding	1		
28D/12533	A.25/5C							Attaching parts for A.00568A, Socket Bolt, 2BA	1		C
28M/10288	AGS.2001/C/1							Nut, 2BA	1		C

RESTRICTED
 FUSELAGE
 COCKPIT CANOPY JETTISON
 AND WINDING GEAR

Vampire Mk. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
3074	A.004091							SPRING, for jettison gear operating levers on bulkhead No.3	2		C
								Attaching parts for A.004091, Spring	1		C
2908	A.002015							Bolt	1		C
28M/12929	A27/CP							Nut, 2 BA	1		C
28L/12931	A27/ET							Nut, 1/4" BSF	1		C
28W/12252	SP13/C							Washer, 2 BA	1		C
	DHS.57 Mk.3							Washer, 1/4" BSF (Make from Ref. No.26BY/5720)	2		
26BY/2856 13328	DHS.33 Mk.2							Washer, 1/4" BSF, shrinkage	2		C
	A.004048A							STOP, bottom, operating lever, on bulkhead No.3	1		
	A.004051							BOLT, stop	1		
	A.004052A							BRACKET, housing	1		
28M/10288	AGS.2001/C/1							NUT, 2 BA	1		C
3625	A.004050							SPRING	1		C
								Attaching parts for A004048A, Stop	4		C
28D/11976	AS.1246/16E							Bolt 1/4" BSF	1		
	A.004121A							Plate, nut	1		
	A.002893ND							Shim	1		C
2926	A.002176A							STOP, top operating lever on bulkhead No.3	1		C
2927	A.002175							BUFFER	1		C
28M/12929	A27/CP							NUT, 2 BA	1		C
28W/12253	SP.13/E							WASHER, 1/4" BSF	1		C
								Attaching parts for A.002176A Stop	3		C
28D/11976	AS.1246/16E							Bolt, 1/4" BSF	3		C
28M/12928	A27/EP							Nut, 1/4" BSF	3		C
	DHS.34/P							Washer, 1/4" BSF	3		C
26BY/2856 13328	DHS.33 Mk.2							Washer, 1/4" BSF	6		C
	A.005117ND							WASHER, stop, jettison levers (aluminium 0.14 dia. x 0.3 thick) L34	1		
									1		

RESTRICTED

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
<p>Note:- Pages 503 to 510 not issued</p>											

Vampire Mk. 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
6432	P.002608							FIREPROOF, BULKHEAD AND ACCESSORIES	1		
28F/10798	AGS.1129/B							ADAPTER, pipe at canopy seal valve	1		C
								BANJO, for canopy seal valve	2		C
28F/9838	Q.002053A							BLOCK, Junction for dive brake pipe lines	1		C
28F/10410	AGS.1104/A							ADAPTER, pipe	4		C
2368	AGS.1104/C							ADAPTER, pipe	2		C
28F/8225	Q.00213							BLOCK, Junction	1		C
28F/9649	AGS.1138/A							WASHER, Jointing	4		C
	AGS.1138/C							WASHER, Jointing	2		C
28D/11993	AS.1242/12B							Attaching parts for Q.002053A, Block			
28M/13086	A.27/BP							Bolt, 4BA	3		C
28L/11067	AGS.2035/B							Nut, 4BA	3		C
								Washer, 4BA	3		C
	Q.002052A							BLOCK, Junction hydraulic, on front face of fireproof bulkhead	1		
28F/9838	AGS.1104/A							ADAPTER, pipe	4		C
28F/9708	AGS.1104/B							ADAPTER, pipe	2		C
28F/10797	AGS.1129/A							BANJO	4		C
2369	Q.002051							BLOCK, Junction	1		C
28F/10795	AGS.1136/A							BOLT, banjo	4		C
28F/8225	AGS.1138/A							WASHER, Jointing	12		C
28F/8213	AGS.1138/B							WASHER, Jointing	2		C
3800	Q.00115A							BLOCK, pump lines Junction, bottom of fireproof bulkhead	1		B
28F/10410	AGS.1104/C							ADAPTER, pipe	1		C
28F/9709	AGS.1104/D							ADAPTER, pipe	1		C
2643	Q.00116							BLOCK, Junction	1		C
2632	Q.00520A							VALVE, non-return suction lines	1		B
2631	Q.00172							ADAPTER, coupling	1		C
2633	Q.00517							BODY, valve	1		C
26BY/1461	Q.9838							CAP, dust	1		C
26BY/1466	Q.95212							GUIDE, valve	1		C
2634	Q.00518							PLUNGER, valve	1		C
26BY/1471	Q.98130							SPRING.	1		C
2628	Q.00519							VALVE	1		C
	Q.00814							WASHER, jointing under coupling adapter.	1		
28F/9651	AGS.1138/D							WASHER, jointing, under dust cap.	1		C
2629	Q.00521A							VALVE, non-return pressure lines	1		B
2631	Q.00172							ADAPTER, pipe	1		C
2630	Q.00173							BODY, valve	1		C

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
13224	Q.95212							GUIDE, valve	1		C
26BY/1466	AGS.1140/C							PLUG, nipple	1		C
28F/9731	AGS.904/C							SLEEVE, outer	1		C
28F/5604	Q.98130							SPRING	1		C
26BY/1474	62417							VALVE	1		C
26BY/5940	Q.00814							WASHER, Jointing	1		C
13238	AGS.1138/C							WASHER, Jointing	1		C
28F/9649	AGS.1138/D							WASHER, Jointing	3		C
28F/9651								Attaching parts for Q.00115A, Block			
28D/12537	A25/14C							Bolt, 2BA	4		C
28M/10288	AGS.2001/C/1							Nut, 2BA	4		C
4221	P.003247							BOLT, banjo, for canopy seal valve	1		C
	L.003117A/1							BRACKET, complete with pressure transmitter	1		C
4180	L.002795							BRACKET, mounting for transmitter.	1		C
28S/2868	A32/C20							SCREW, 2BA	4		C
6A/2601	+							TRANSMITTER, oil pressure	1		A
28L/11069	AGS.2035/C							WASHER, 2BA	4		C
28D/12532	A25/4C							Attaching parts for L.003117A/1 Bracket			
								Bolt, 2BA	4		C
1861	L.00567A							BRACKET, mounting for canopy seal valve	1		C
28D/12531	A25/3C							Attaching parts for L.00567A Bracket			
								Bolt, 2BA	4		C
5598	A.007253A							BULKHEAD, fireproof (Pre.Mod.VAM.3044)	1	MR	B
	A.007253A/2							BULKHEAD, fireproof (Mod.VAM.996)	1	MR	
								(Pre.Mod.VAM.3262)			
	A.007253A/1							BULKHEAD, fireproof (Mod.VAM.3044)	1	MR	
								(Pre.Mod.VAM,996)			
10220	A.007253A/3							BULKHEAD, fireproof (Mod.Vam.3262)	1	MR	B
6988	A.007341A/ND							BULKHEAD, lower half assembly	1	MR	B
1876	L.0093A							ANGLE, reinforcing L.H.	1	MR	C
1987	A.001298A							BRACKET, bottom centre	1		C
1849	A.00951A							BRACKET, support accumulator mounting	1	MR	C
								(Alternative to A.001893A)			
1851	A.00961A							HINGE, butt	2		C
1850	A.00949							HINGE, centre	1		C
	A.00947							HINGE (Make from Re ^c 28N/10361)	2		
28N/10361	AS.1856							HINGE (Required to make A.00947)	QR		C
4346	A.001893							BRACKET, support accumulator mounting	1	MR	C
								(Alternative to A.00951A)			
1851	A.00961A							HINGE, butt	2		C
1850	A.00949							HINGE, centre	1		C

FIREPROOF BULKHEAD AND ACCESSORIES

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	A.005009A							BRACKET, top hat	1		
	L.003689							BRACKET, coupling support	1		
	A.007361							BULKHEAD, bottom half bare	1	MR	C
1875	A.00698							CHANNEL, cowling support	1		
	A.00684							CHANNEL, reinforcing	1		C
1881	L.00225							CONNECTION, drain	1		
	A.00691							COVER, bottom Joint L.H.	1		
	A.00692							COVER, bottom Joint R.H.	1		
	A.002901 ND							STRIP, retaining 15 ¹ / ₄ long x 20 SWG L.38	1		
	A.002903 ND							STRIP, retaining 23" long x 20 SWG L.38			
	A.002905 ND							STRIP, retaining 14 ¹ / ₈ long x 20 SWG L.38			
-	A.007401 ND							STRIP, rubbing L.H. (Make from Ferrobestos Bn.4 3/32 Thick x 1.0 wide) (Make from 26FC/10230)			
-	A.007399ND							STRIP, rubbing R.H. (Make from Ferrobestos Bn.4, 3/32" thick x 1-0 wide (Make from 26FC/10230)			
-	A.00700ND							STRIP, sealing rubber (Make from Section x 72 Ref.No.26BY/13994)	1		
	A.001782A/ND							BULKHEAD, upper half assembly	1	MR	
	L.001409A							BRACKET, Jury strut, L.H.	1		
	L.001410A							BRACKET, Jury strut, R.H.	1		
	A.00705							BULKHEAD, top half bare	1	MR	C
1874	A.00697							CHANNEL, cowling support	1		
	A.00683							CHANNEL, reinforcing	1		
	A.00689							COVER, top, Joint L.H.	1		
	A.00690							COVER, top, Joint R.H.	1		
	GM.2/E211							GROMMET	3		
1885	A.00993							PLATE, sealing top centre of bulkhead	1		C
1884	A.00704							STIFFENER, on vertical centre line rear	1	MR	C
-	A.007397ND							STRIP, rubbing (Make from Ferrobestos Bn.2, 3/32" thick x 1.0 wide) (Make from 26FC/10230)	2		
								Attaching parts for A.002753A A.002753A/1 A.002753A/2 or A.002753A/3 Bulkheads			
28D/12539	A25/16C							Bolt, 2BA	22	MR	C
28D/12540	A25/18C							Bolt, 2BA	2	MR	C
28M/12929	A27/CP							Nut, 2BA	26	MR	C
	A.00666							Plate, washer at top of bulkhead 16 SWG L72 (Make from Ref.No. 30B/949)	1	MR	
26FN/3259											
26BY/5874	DHS.34/C							Washer, 2BA	24	MR	C
26BY/3165	DHS.33 Mk.1							Washer, 2BA	52	MR	C
26DL/7335											

RESTRICTED
 FUSELAGE
 FIREPROOF BULKHEAD AND ACCESSORIES

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	A.002743AMk.1							CHAIN, for dust cap of non-return valve, suction lines.	1		
	A.002743Mk.2							CHAIN, for non-return valve, pressure lines	1		
	A.001225							CLEAT, for pressure transmitter pipes 1/16" thick F.294/9	4		
28D/12512	A25/1C							Attaching parts for A.001225, Cleat Bolt.	1		C
	DHS.30 Mk.36							CLIP, tubular, for canopy seal valve pipe	1		
2226	P.00526A							COCK, fuel complete with mounting bracket	1		
28D/12512	P.00530							ANCHOR, support	1		C
27F/1909	A25/1C							BOLT, 2BA	2		C
28M/10288	C.332							COCK, fuel Vickers	1		C
2227	AGS.2001/C/1							NUT, 2BA	2		C
2228	P.00531							NUT, union	1		C
2229	P.00527							PLATE, mounting	1		C
	P.00529							WASHER, Jointing	2		C
28D/12512	A25/1C							Attaching parts for P.00526A Cock Bolt, 2BA	7		C
28D/8306	AS.1242/1C							Bolt, 2BA	1		C
28M/10288	AGS.2001/C/1							Nut, 2BA	8		C
28W/12252	SP.13/C							Washer, 2BA	8		C
28F/10785	AGS.1145/A							CONNECTOR	6		C
28F/9584	AGS.1148/B							Attaching parts for AGS.1145/A, Connector Locknut, 1/4" BSP	1		C
28F/8215	AGS.1138/B							Washer, Jointing	2		C
28F/11346	AGS.1112/H							COUPLING, flanged bottom of fireproof bulkhead	2		C
28D/12513	A25/2C							Attaching parts for AGS.1112/H, Coupling Bolt, 2BA	6		C
28M/10288	AGS.2001/C/1							Nut, 2BA	6		C
28W/12252	SP 13/C							Washer, 2BA	6		C
1959	Q.00133							FAIRLEAD, for pipes, top, rear of fireproof bulkhead	1		C
28D/12513	A25/2C							Attaching parts for Q.00133, Fairlead Bolt, 2BA	4		C
28W/12252	SP 13/C							Washer, 2BA	4		C
2706	A.001819A							FAIRLEAD, for rudder balance cable	1		C
28D/12810	A25/13B							Attaching parts for A.001819A Fairlead Bolt, 4BA	2		C
28M/10287	AGS.2001/B/1							Nut, 4BA	2		C
28W/12305	SP 13/B							Washer, 4BA	2		C

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
	CBA							GROMMET, for fuel vent pipe, Connolly	2	-	
28F/9735	AGS.1142A							NIPPLE, for pressure transmitter	2	-	C
28P/987	SP.4Y/M.1							PIN, shackle	1	-	C
28P/5044	SF.9/G.1C							PIN, split	1	-	C
	P.002602A/ND							PIPE, canopy seal valve to hose joint	1	-	
3370	P.001164A							PIPE, fuel vent	1	-	C
								Attaching parts for P.001164A, Pipe			
28D/6998	A.1/1C							Bolt, 2BA	5	-	C
28D/7030	A.1/2C							Bolt, 2BA	1	-	C
28M/10288	AGS.2001/C/1							Nut, 2BA, plain pinnacle	4	-	C
28W/3071	AGS.160/C							Washer, 2BA	6	-	C
								PLATE, cover, access to starter attachment bolts	1	-	C
5806	A.004206A							Attaching parts for A.004206A, Plate			
28D/8346	AS.1248/8C							Bolt, 2BA, mushroom head (AS.1885/8C)	8	-	C
28W/3071	AGS.160/C							Washer, 2BA	8	-	C
								VALVE, non-return, canopy seal	1	-	A
2624	R.0035A							BOLT, 4BA, round head (AS.1884/6B)	3	-	C
28D/12182	AS.1246/6B							BOLT, 4BA, round head (Alternative to Ref.No.28D/11435) (AS.1884/7B)	5	-	C
28D/12009	AS.1246/7B							BOLT, 4BA, round head (Alternative to Ref.No.28D/12009) (AS.1884/9B)	5	-	C
28D/11435	AS.1246/9B							DIAPHRAGM	1	-	C
2625	R.0038							NUT, 4BA, plain pinnacle	8	-	C
28M/10287	AGS.2001/B/1							NUT, 1/4" BSF, thin	1	-	C
28L/776	A.16Y/ET							SEAT, valve	1	-	C
2626	R.0039							VALVE, non-return	1	-	C
2627	R.0040							WASHER, 4BA, opened out to 1/4" clear	1	-	C
28W/6333	AGS.947/B							WASHER, 4BA, standard	8	-	C
28W/12305	SP.13/B										
28F/8215	AGS.1138/B							WASHER, jointing, canopy seal valve	4	-	C
	⁶⁴³⁷ P.002602A/ND										

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.

Note:- Pages 517 to 522 not issued

FUSELAGE
GUN BAY DOORS

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
4608	A.007047A							GUN BAY DOOR, L.H.	1		A
4609	A.007048A							GUN BAY DOOR, R.H. (Pre Mod.Vam.978)	1		A
6417	A.007048A/1							GUN BAY DOOR, R.H. (Mod.Vam.978)	1		A
899	A.001137A							BLOCK, stop, top rear of door	1	M.R.	C
26DV/1478	12.F.269A							BRACKET, for fastener hook, L.H. door	3	M.R.	C
26DV/3668	12.F.275							BOLT	1	M.R.	C
28M/12928	A.27/EP							NUT, 1/4" BSF, plain (A.16Y/EP)	1	M.R.	C
								Attaching parts for 12.F.269A Bracket			
28D/12767	AS.2920/13E							Bolt, 1/4" BSF, countersunk head	2	M.R.	C
28D/12769	AS.2920/15E							Bolt, 1/4" BSF, countersunk head	2	M.R.	C
28D/12738	AS.2920/17E							Bolt, 1/4" BSF, countersunk head	2	M.R.	C
28M/13271	A.24/EP							Nut, 1/4" BSF, plain (A.16Z/EP)	6	M.R.	C
26DV/1307	12.FS.313							Plate, washer	1	M.R.	C
26DV/597	12.FS.39							BRACKET, hinge, front	1	M.R.	C
								Attaching parts for 12.FS.39 Bracket			
28D/7359	A.15Z/11C							Bolt, 2 BA	2		C
28D/12869	A.26/11E							Bolt, 1/4" BSF (A.15Z/11E)	2		C
28M/13591	A.24/CP							Nut, 2 BA, plain (A.16Z/CP)	2		C
28M/13271	A.24/EP							Nut, 1/4" BSF, plain (A.16Z/EP)	2		C
26DV/596	12.FS.37							BRACKET, hinge, rear	1	M.R.	C
								Attaching parts for 12.FS.37 Bracket			
28D/13005	A.26/14C							Bolt, 2 BA (A.15Z/14C)	2		C
28D/13007	A.26/15E							Bolt, 1/4" BSF (A.15Z/15E)	2		C
28M/13591	A.24/CP							Nut, 2 BA, plain (A.16Z/CP)	2		C
28M/13271	A.24/EP							Nut, 1/4" BSF, plain (A.16Z/EP)	2		C
26DV/3664	12.FS.41A							BRACKET, support, rear hinge front L.H. and rear R.H.	1	M.R.	C
26DV/3665	12.FS.42A							BRACKET, support, rear front R.H. and rear L.H.	1	M.R.	C
								Attaching parts for 12.FS.41A and 12.FS.42A Brackets (per pair)			
28D/13005	A.26/14C							Bolt, 2 BA (A.15Z/14C)	3	M.R.	C
28D/13007	A.26/15E							Bolt, 1/4" BSF (A.15Z/15E)	2	M.R.	C
28D/12762	AS.2920/7E							Bolt, 1/4" BSF, countersunk head	2	M.R.	C
28M/13591	A.24/CP							Nut, 2 BA, plain (A.16Z/CP)	3	M.R.	C
28M/13271	A.24/EP							Nut, 1/4" BSF, plain (A.16Z/EP)	4	M.R.	C
	DHS.191							Washer, 1/4" BSF, cup	2	M.R.	C

FUSELAGE
GUN BAY DOORS

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
26DV/2183	12.FS.53A							BRACKET, support, forward hinge, front R.H. and rear L.H.	1	M.R.	C
26DV/2184	12.FS.54A							BRACKET, support, forward hinge front L.H. and rear R.H. Attaching parts for 12.FS.53A and 12.FS.54A Brackets (per pair)	1	M.R.	C
28D/12869	A.26/11E							Bolt, 1/4" BSF (A.15Z/11E)	2	M.R.	C
28D/7359	A.15Z/11C							Bolt, 2 BA	3	M.R.	C
28D/12657	AS.2920/6E							Bolt, 1/4" BSF, countersunk head	1	M.R.	C
28M/13591	A.24/CP							Nut, 2 BA, plain (A.16Z/CP)	3	M.R.	C
28M/13271	A.24/EP							Nut, 1/4" BSF, plain (A.16Z/EP)	3	M.R.	C
	DHS.191							Washer, 1/4" BSF, cup	1	M.R.	C
3023	S.00299A							CHUTE, ammunition, empty case and link for inner cannon on L.H. door	1		C
3024	S.00300A							CHUTE, ammunition, empty case and link for inner cannon on R.H. door	1		C
3025	S.00311A							CHUTE, ammunition, empty case and link for outer cannon on L.H. door	1		C
3026	S.00312A							CHUTE, ammunition, empty case and link for outer cannon on R.H. door Attaching parts for S.00299A, S.00300A, S.00311A and S.00312A Chutes	1		C
28D/12118	AS.1242/13B							Bolt, 4 BA, countersunk head (AS.1882/13B)	4		C
28M/10287	AGS.2001/B1							Nut, 4 BA, plain pinnacle	4		C
26BY/5937	DHS.95							Washer, 4 BA, cup	4		C
26FM/3261											C
26BY/4410	DHS.84 Mk.4							EYELET, drainage	8		C
13258											C
26DV/740	12.F.135A							FASTENER, toggle, R.H. door	3		C
26DV/744	12.F.321A							DOOR	1		C
26DV/741	12.F.147							EYE-BOLT	1	M.R.	C
26DV/3666	12.F.151							HANDLE	1	M.R.	C
26DV/742	12.F.149							HOOK	1	M.R.	C
26DV/743	12.F.267 ND							LOCKNUT	1	M.R.	C
26BY/4579	3.EC.1173							PEG, locating	1		C
11776	12.F.265 ND							PIN, hook securing	1	M.R.	C
1532	L.00109							PIN, shackle	1		C
28P/12463	SP.9/E10							PIN, split (AGS.784/12)	2		C

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
28P/12792	SP.9/E.4							PIN, split, for safety cable attachment	1	-	C
28FP/341	S.5/325							SPRING, Dzus	1	-	C
								Attaching parts for 12 F 135A, Fastener			
28D/12766	AS.2920/12E							Bolt, 1/4" BSF, countersunk head	2	M.R.	C
28D/12769	AS.2920/15E							Bolt, 1/4" BSF, countersunk head	2	M.R.	C
28D/12739	AS.2920/18E							Bolt, 1/4" BSF, countersunk head, for centre and rear fasteners	2	M.R.	C
28D/12741	AS.2920/20E							Bolt, 1/4" BSF, countersunk head, for centre and rear fasteners	2	M.R.	C
28D/12767	AS.2920/13E							Bolt, 1/4" BSF, countersunk head, for forward fastener	2	M.R.	C
28D/12768	AS.2920/14E							Bolt, 1/4" BSF, countersunk head, for forward fastener	2	M.R.	C
28M/6981	A.16Z/EP							Nut, 1/4" BSF, plain, for centre and rear fasteners	8	M.R.	C
28L/5775	A.16Y/ET							Nut, 1/4" BSF, thin, for forward fasteners	8	M.R.	C
	12 F 155ND							Plate, washer	1	M.R.	C
26DV/747	12 FS 371ND							Washer, tapered, for centre and rear fasteners	8	M.R.	C
28W/13388	SP. 14/E							Washer, tapered, for forward fastener	8	M.R.	C
28W/745	12 FS 409ND										
	G.00559							LABEL, "Nose Wheel --- Locking Tools", R.H. door	1	-	
1917	G.00557A							PENNANT, complete with plug for main undercarriage locking on ground, stowed in pouch on R.H. door	2	-	C
	A.00339							PLATE, seal, along front edge of L.H. door, 16SWG, DTD.610 (Make from Ref.No.30B/1449)	1	-	
	A.00340							PLATE, seal, along front edge of R.H. door, 16SWG, DTD.610 (Make from Ref.No.30B/1449)	1	-	
	A.00332							PLATE, seal, along inner edge of door, 16SWG, DTD.610 (Make from Ref.No.30B/1449)	1	-	
	A.00337							PLATE, seal, along outer edge of L.H. door, 16SWG, DTD.610 (Make from Ref.No.30B/1449)	1	-	
	A.00338							PLATE, seal, along outer edge of R.H. door, 16SWG, DTD.610 (Make from Ref.No.30B/1449)	1	-	
	A.00335							PLATE, seal, along rear edge of L.H. door, 16SWG, DTD.610 (Make from Ref.No.30B/1449)	1	-	

R E S T R I C T E D

FUSELAGE
GUN BAY DOORS

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	A.00336							PLATE, seal, along rear edge of R.H. door, 16SWG, DTD.610 (Make from Ref.No.30B/1449)	1	-	
1960	S.00127							PLUG, cannon barrel, stowed in pouch on R.H. door <i>PRE. Mod. VAM. 978</i>	4	-	C
1961	G.00554A							PLUG, screwed, for main undercarriage locking on ground, stowed in pouch on R.H. door	2	-	C
5825	S.00137A							POUCH, stowage, for cannon barrel plugs, on R.H. door	1	-	C
915	G.00558A							POUCH, stowage, for main undercarriage locking plugs, on R.H. door and for cannon cocking tool, on L.H. door	1	-	C
<i>26FM/3277</i>											
<i>26BY/13994</i>	X.72							STRIP, sealing, along inner edge of door	QR	-	C
<i>26BY/7336</i>	DHS.3 Mk.5							TAB, bonding	5	-	C
<i>26BY/3475</i>	DHS.3 Mk.6							TAB, bonding	2	-	C
<i>13230 7G/1164</i>	†							TOOL, cannon cocking, stowed in pouch on L.H. door	1	-	C
<i>26FM/3255</i>											
<i>26BY/5693</i>	DHS.18 Mk.2							WASHER, drainage at gun stirrup hole	1	-	C
<i>26BY/14112</i>	DHS.85 Mk.2							WASHER, for drainage eyelet	8	-	C
<i>13259</i>											

Note:- Pages 527 to 534 not issued

R E S T R I C T E D

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
	-							PILOT'S SEAT (12 F 427)	1	-	
	B.002523							BLOCK, packing, pilot's safety harness release gear, in seat, 1"0 wide x 3/8" thick x 1"5 long, LFS.23	1	-	
3545	B.001033							BLOCK, spacer, bottom, pilot's safety harness release gear mounting on armour plate	1	-	C
28D/8310	AS.1242/6C							Attaching parts for B.001033, Block	1	-	C
28M/10328	AGS.2002/C/1							Bolt, 2BA, countersunk head (AS.1882/6C)	1	-	C
								Nut, 2BA, thin			
	B.002519							BLOCK, spacer, top, pilot's safety harness release gear mounting, on armour plate	1	-	
28D/8310	AS.1242/6C							Attaching parts for B.002519, Block	2	-	C
28M/10328	AGS.2002/C/1							Bolt, 2BA, countersunk head (AS.1882/6C)	2	-	C
								Nut, 2BA, thin			
	AS.2091							BRACKET, bearing, for torque tube	2	-	C
274/3198	CT.39							BUSH, 5/8" long, Oilite	1	-	
								Attaching parts for AS.2091, Bracket			
28D/7005	A.1/16E							Bolt, 1/4" BSF	2	-	C
28D/7109	A.1/17E							Bolt, 1/4" BSF	1	-	C
28M/10290	AGS.2001/E/1							Nut, 1/4" BSF, plain pinnacle	2	-	C
	B.001933							Shim	1	-	
28W/12297	SP.16/E							Washer, 1/4" BSF, thick	1	-	C
28W/3082	AGS.161/D							Washer, 1/4" BSF	2	-	C
26BY/2856	DHS.33 Mk.2							Washer, 1/4" BSF, shrinkage	4	-	C
13328											
802	B.0037							BRACKET, mounting, seat top link, on bulkhead No.2	2	-	C
								Attaching parts for B.0037, Bracket			
28D/12052	AS.1242/20E							Bolt, 1/4" BSF, countersunk head (AS.1882/20E)	1	-	C
28D/12125	AS.1242/22E							Bolt, 1/4" BSF, countersunk head (AS.1882/22E)	1	-	C
28M/10290	AGS.2001/E/1							Nut, 1/4" BSF, plain pinnacle	2	-	C
6801	B.001935							Shim	1	-	C

RESTRICTED

FUSELAGE
PILOT'S SEAT

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
3546	B.00996							BRACKET, pulley mounting, pilot's harness release gear, on back of bulkhead No.2	1	-	C
28D/10168	AS.1242/11C							Attaching parts for B.00996, Bracket			
28M/10288	AGS.2001/C/1							Bolt, 2BA, countersunk head (AS.1882/11C)	5	-	C
	B.001775							Nut, 2BA, plain	5	-	C
28W/12588	SP.18/C							Shim	1	-	C
26BY/3165	DHS.33 Mk.1							Washer, 2BA, large	5	-	C
26DL/7335								Washer, 2BA, shrinkage	10	-	C
	DHS.30 Mk.2							CLIP, for pilot's safety harness release gear cable, on bulkhead No.2	2	-	
	DHS.48 Mk.4							CONNECTOR, bonding, for corrector control	1	-	
26DV/561	12 F 429							FAIRLEAD, on bulkhead No.2, for pilot's harness release gear cable, 1/8" thick, LFS.21	1	-	C
								Attaching parts for 12 F 429, Fairlead			
28D/8311	AS.1242/7C							Bolt, 2BA, countersunk head (AS.1882/7C)	1	-	C
28D/8312	AS.1242/8C							Bolt, 2BA, countersunk head (AS.1882/8C)	2	-	C
28M/10288	AGS.2001/C/1							Nut, 2BA, plain	3	-	C
6F/246	†							HARNESSES, pilot's safety, type ZC	1	-	A
								Attaching parts for type ZC, Harness			
28P/5038	AGS.784/11							Pin, split	2	-	C
	B.00613ND							Tube, connector, 1/2" o/d x 17SWG x 4.7/8" long, T.35	1	-	C
27H/3206793	AS.2093							LINK, attachment, for seat adjustment assister cord	2	-	C
26DV/560	12 F 417							LINK, release gear, top of pilot's safety harness	1	M.R.	C
								Attaching parts for 12 F 417, Link			
28D/7031	A.1/2E							Bolt, 1/4" BSF	2	M.R.	C
28M/756	A.16Y/EP							Nut, 1/4" BSF, plain	2	M.R.	C
805	B.0038							LINK, top, between seat and bulkhead No.2	2	-	C
								Attaching parts for B.0038, Link			
28P/1103	SP.4Y/H.21							Pin, shackle	1	-	C
28P/5037	AGS.784/10							Pin, split	1	-	C
28W/8534	AS.471/J							Washer, 3/8" BSF	1	-	C
26BY/9748	N.98954A							PLATE, nut, on bulkhead No.2, for torque tube bracket bolt	2	-	C

R E S T R I C T E D

Ref. No.	Part No.	Nomenclature						No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6			
3548	B.00995	PULLEY, on back of bulkhead No.2, for pilot's harness release cable						1	-	C
		Attaching parts for B.00995, Pulley						1	-	C
28D/7085	A.1/9E	Bolt, 1/4" BSF						1	-	C
28M/10290	AGS.2001/E/1	Nut, 1/4" BSF, plain						1	-	C
	B.00305	Tube, distance, 3/8" o/d x 17SWG x 1!0152 long, T.35 (Make from Ref.No. 30A/1942)						1	-	C
26DV/708	AS. 2141 ²¹⁴¹	SEAT, pilot's						1	-	A
27H/304	AS.2104	CLIP, spring						2	-	C
28D/9354	AS.1248/6C	BOLT, 2BA, mushroom head						6	-	C
28M/10288	AGS.2001/C/1	NUT, 2BA, plain						6	-	C
27H/304	AS.2143	PLATE, harness attachment, L.H.						1	-	C
26DV/708	AS.2144	PLATE, harness attachment, R.H.						1	-	C
28S/2858	A.32/A.12	SCREW, 6BA, round head, for spring clip (AGS.245/30)						2	-	C
27H/304	AS.2125	UPHOLSTERY, seat back						1	-	C
28W/12296	SP.15/C	WASHER, 2BA, standard						6	-	C
3202	AS.2073	Attaching parts for AS.2141, Seat						2	-	C
	AS.2073	Bolt, 5/8" BSF, bottom attachment						2	-	C
3204	AS.2081	Bush						2	-	C
	AS.2081	Nut, 5/8" BSF, thin castle						2	-	C
	AS.2082	Pin, shackle, top attachment						2	-	C
	SP.4Y/H.21	Pin, split						2	-	C
	AGS.784/10	Pin, split						2	-	C
	AGS.784/21	Shim, between seat and bush						2	-	C
	AS.2080	Washer, 5/8" BSF						2	-	C
	AS.2078	Washer, 3/8" BSF						2	-	C
	AS.471/J	TUBE, torque, seat adjustment						1	-	C
797	AS.2063	BOLT, 2BA, countersunk head, for handle attachment						1	-	C
28D/8313	AS.1242/9C	BOLT, 2BA, countersunk head, for handle attachment						2	-	C
28D/8316	AS.1242/13C	HANDLE, complete						1	-	C
	AS.2105	BUTTON, plunger rod operating						1	-	C
3197	AS.2076	GRIP, handle						1	-	C
3195	AS.2083	ROD, plunger operating						1	-	C
3194	AS.2075	SPRING						1	-	C
3196	AS.2077									

R E S T R I C T E D

FUSELAGE
PILOT'S SEAT

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
28M/5316	A.16Y/CP							NUT, 2BA, plain, for handle and plunger attachment	4	-	C
28W/8516	AS.2072							PLUNGER, for engaging quadrant	1	-	
	AS.470/C							WASHER, 2BA, for handle attachment	3	-	C
28M/772	A.16Y/JS							Attaching parts for AS.2063, Tube			
28P/5032	AGS.784/3							Nut, 3/8" BSF, slotted	2	-	C
27H/3199	AS.2099							Pin, split	2	-	C
								Washer, 3/8" BSF	2	-	C
27H/3205	AS.2092							UNIT, assister, for pilot's seat	1	-	C
								Attaching parts for AS.2092, Unit			
28P/870	SP.4Y/D.12							Pin, shackle	2	-	C
28P/5032	AGS.784/3							Pin, split	2	-	C
28W/8518	AS.470/E							Washer, 1/4" BSF	2	-	C
4050	AS.2830/R/ B.72/C.21							UNIT, release, pilot's safety harness, complete	1	-	A
								Attaching parts for AS.2830/R/B.72/C.21, Unit			
28D/8300	AS.1242/1B							Bolt, 4BA, countersunk head, securing control to seat (AS.1882/1B)	2	-	C
28D/6999	A.1/9C							Bolt, 2BA, securing release to bulkhead No.2, top	2	-	C
28D/7085	A.1/9E							Bolt, 1/4" BSF, securing release to bulkhead No.2, bottom	1	-	C
	B.001088ND							Disc, 1.1/8" o/d x 1/8" thick, Black Rubber	2	-	
28M/5315	A.16Y/BP							Nut, 4BA, plain	2	-	C
	B.001053ND							Tube, distance, 5/16" o/d x 22SWG x 0.94 long, T.35	1	-	
28W/3098	AGS.162/C							Washer, 2BA, spring	2	-	C
28W/3099	AGS.162/D							Washer, 1/4" BSF, spring	1	-	C
	B.001087ND							Washer, 1.1/8" o/d x 5/8" 1/4" x 1/8" thick, Black Rubber	1		

Note:- Pages 539 to 550 not issued

R E S T R I C T E D

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
	-	INSTRUMENT PANELS (B.00924)							1	-	
954	B.0056	ANGLE, at bottom of L.H. and R.H. panels							4	-	C
953	B.0055	ANGLE, at side of L.H. and R.H. panels							9	-	C
		Attaching parts for B.0056 and B.0055, Angles									
28S/2856	A.32/C.12	Screw, 2BA, round head (AGS.245/12)							1	-	C
28L/11070	No.1210	Washer, 2BA, internal teeth, Shakeproof							1	-	C
	B.00631	ANGLE, at top of L.H. panel, 18SWG, DTD.610 (Make from Ref.No. 30B/950)							1	-	
		Attaching parts for B.00631, Angle									
28D/7001	A.1/2B	Bolt, 4BA							1	-	C
28M/10287	AGS.2001/B/1	Nut, 4BA, plain							2	-	C
28S/2857	A.32/B.12	Screw, 4BA, round head (AGS.245/21)							1	-	C
	B.00632	ANGLE, at top of R.H. panel, 18SWG, DTD.610 (Make from Ref.No. 30B/950)							1	-	
		Attaching parts for B.00632, Angle									
28D/7013	A.1/1B	Bolt, 4BA							1	-	C
28D/7001	A.1/2B	Bolt, 4BA							1	-	C
28M/10287	AGS.2001/B/1	Nut, 4BA, plain							2	-	C
7977	B.002695A	BRACKET, mounting, bottom, for blind flying panel							2	-	C
27H/2806	150.P.6	MOUNTING, anti-vibration, Lord							1	-	C
		Attaching parts for B.002695A, Bracket									
28D/11564	AS.1246/1C	Bolt, 2BA (AS.1884/1C)							4	-	C
6978	B.002655A	BRACKET, mounting, top, for blind flying panel							1	-	C
27H/2806	150.P.6	MOUNTING, anti-vibration, Lord							1	-	C
		Attaching parts for B.002655A, Bracket									
28D/7087	A.1/13E	Bolt, 1/4" BSF							3	-	C
28M/10290	AGS.2001/E/1	Nut, 1/4" BSF							3	-	C
28W/12253	SP.13/E	Washer, 1/4" standard							3	-	C
	B.003263A	PANEL, blind flying, complete with instruments.							1	-	
6A/1319	†	ALTIMETER							1	-	A
		Attaching parts for Air Ministry Ref. No.6A/1319, Altimeter									
28M/10275	AGS.2001/C/4	Nut, 2BA							4	-	C
28S/2442	A.44/C.40	Screw, 2BA, round head (AGS.244/18)							4	-	C

RESTRICTED

FUSELAGE
INSTRUMENT PANELS

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
28V/5109	AGS.838/5							BUSH, pipe sealing	12	-	C
28V/11697	AGS.838/6							CAP, blanking, at rate of climb indicator	1	-	C
28V/5107	AGS.838/3							ELBOW, pipe union	1	-	C
6A/1985	†							INDICATOR, air speed	1	-	A
								Attaching parts for Air Ministry Ref. No.6A/1985, Indicator	/		
28M/10275	AGS.2001/C/4							Nut, 2BA	4	-	C
28S/2442	A.44/C.40							Screw, 2BA, round head (AGS.244/18)	4	-	C
6A/2526	†							Tube, distance, 0.75 long	4	-	C
6A/2717	†							INDICATOR, artificial horizon	1	-	A
6B/2035	†							INDICATOR, G.4F compass	1	-	A
								Attaching parts for Air Ministry Ref. No.6B/2035, Indicator			
28S/2424	A.44/C.24							Screw, round head (AGS.244/15)	4	-	C
6A/2171	†							INDICATOR, rate of climb	1	-	A
								Attaching parts for Air Ministry Ref. No.6A/2171, Indicator			
28M/10275	AGS.2001/C/4							Nut, 2BA	3	-	C
28S/2442	A.44/C.40							Screw, 2BA, round head (AGS.244/18)	3	-	C
6A/2672	†							INDICATOR, turn and bank	1	-	A
								Attaching parts for Ref.No.6A/2672, Indicator			
28M/10274	AGS.2001/B/4							Nut, 4BA, plain	4	-	C
28S/2431	A.44/B.28							Screw, 4BA, round head (AGS.244/25)	4	-	C
	B.003261A							PANEL, less instruments	1	-	C
	W.6216/3							BRACKET, for altimeter and air speed indicator pipe connections	1	-	C
								Attaching parts for W.6216/3, Bracket			
28M/10274	AGS.2001/B/4							Nut, 4BA, plain	3	-	C
28S/2127	A.45/B.16							Screw, 4BA, countersunk head (AGS.248/22)	3	-	C
5723	B.002687A							BRACKET, suspension	3	-	C
								Attaching parts for B.002687A, Bracket			
28M/10283	AGS.2001/G/3							Nut, 5/16" BSF, plain	1	-	C
28W/12254	SP.13/G							Washer	1	-	C

Cancelled
See

Sheet

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
		Assy. of INSTRUMENT PANELS (B.00924)							1		
954	B.0056							ANGLE, at bottom of L.H. and R.H. panels	4		C
953	B.0055							ANGLE, at bottom of L.H. and R.H. panels	9		C
								Attaching parts for B.0056 and B.0055, Angles			
28S/2856	A32/C12							Screw, 2BA	1		C
28L/11069	AGS.2035/C							Washer, 2BA	1		C
	B.00631							ANGLE, at top of L.H. panel, 18 SWG, DTD.610. Make from Ref. No. 30B/950	1		
								Attaching parts for B.00631, Angle			
28D/12511	A25/2B							Bolt, 4BA	1		C
28M/10287	AGS.2001/B1							Nut, 4BA	2		C
28S/2857	A32/B12							Screw, 4BA	1		C
	B.00632							ANGLE, at top of R.H. panel, 18 SWG, DTD.610. Make from Ref. No. 30B/950.	1		
								Attaching parts for B.00632, Angle			
28D/12528	A25/1B							Bolt, 4BA	1		C
28D/12511	A25/2B							Bolt, 4BA	1		C
28M/10287	AGS.2001/B1							Nut, 4BA	2		C
7977	B.002695A							BRACKET, mounting, bottom, for blind flying panel	2		B
27H/2783	150 P.6							MOUNTING, anti-vibration, Lord	1		B
								Attaching parts for B.002695A, Bracket			
28D/11564	AS.1246/1C							Bolt, 2BA	4		C
6978	B.002655A							BRACKET, mounting, top, for blind flying panel	1		B
27H/2783	150 P.6							MOUNTING, anti-vibration, Lord	1		B
								Attaching parts for B.002655A, Bracket			
28D/12545	A25/13E							Bolt, 1/4" BSF	3		C
28M/10290	AGS.2001/E1							Nut, 1/4" BSF	3		C
28W/12253	SP.13/E							Washer, 1/4" standard	3		C
	B.002961							PANEL, blind flying complete with instruments (Pre Mod.Vam.897)	1		
6A/1319								ALTIMETER	1		A
								Attaching parts for Ref. No. 6A/1319, Altimeter			
28M/10275	AGS.2001/C4							Nut, 2BA	4		C
28S/2442	A44/C40							Screw, 2BA	4		C
28V/11696	AGS.838/6							CONNECTION, drain top	1		C
28V/5107	AGS.838/3							ELBOW, union	1		C

RESTRICTED
FUSELAGE
INSTRUMENT PANELS

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Of	M.R.	Cl. of St.
6A/1985	/							INDICATOR, airspeed Attaching parts for Ref. 6A/1985, Indicator	1		A
28M/10275	AGS.2001/C4							Nut, 2BA	4		C
28S/2442	A44/C40							Screw, 2BA	4		C
6A/2526	/							Tube, distance 0"75 long	4		C
6A/3290	/							INDICATOR, artificial horizon (Mod.Vam.3258)	1		A
6B/2035	/							INDICATOR, G4F, compass Attaching parts for Ref. 6B/2035, Indicator	1		A
28S/2424	A44/C24							Screw, 2BA	4		C
6A/2966	/							INDICATOR, rate of climb (Mod.Vam.3128) Attaching parts for Ref. 6A/2966, Indicator	1		A
28M/10275	AGS.2001/C4							Nut, 2BA	3		C
6A/1539	/							Plate, adapter,(Mod.Vam.3128)	1		C
28S/2442	A44/C40							Screw, 2BA	3		C
6A/2672	/							INDICATOR, turn and slip Attaching parts for Ref. 6A/2672, Indicator	1		A
28M/10274	AGS.2001/B4							Nut, 4BA	4		C
28S/2431	A44/B28							Screw, 4BA	4		C
28V/5108	AGS.838/4							NUT, union	12		C
	B.002957							PANEL, less instruments	1		
6A/2518	W.6216/4							BOX, suction distributor	1		C
	W.6216/7							BUSH	1		
6A/2520	W.6993/6							COVER	1		C
	W.6216/6							FERRULE	1		
4617	B.003173							PLUG, blanking	1		C
28R/1396	AGS.216 Mk.A							PLUG, blanking	1		C
	B.002959ND							SCREW (Make from Ref.28S/2067)	2		
	B.003315ND							SCREW, blanking 1/4" BSF	1		
28W/9592	AGS.567 Mk.C							WASHER, fibre	1		C
28W/7765	AGS.567 Mk.A							WASHER, fibre	1		C
								Attaching parts for W.6216/4, Box			
28M/10274	AGS.2001/B4							Nut, 4BA	2		C
28S/2127	A45/B16							Screw, 4BA	2		C
	W.6216/3							BRACKET, pressure and Static Connections	1		
6A/2519	W.6216/1							CONNECTION Attaching parts for W.6216/1 Connection	2		C
28M/6037	A18/ES							Nut, 1/4" BSF	1		C
28P/12462	SP9/C8							Pin, split	1		C
								Attaching parts for W.6216/3,Bracket			
28M/10274	AGS.2001/B4							Nut, 4BA	3		C
28S/2127	A45/B16							Screw, 4BA	3		C

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
5723	B.002687A							BRACKET, suspension	3		C
28M/10283	AGS.2001/G3							Attaching parts for B.002687A Bracket	3		C
28W/9419403	SP.13/G							Nut, 5/16" BSF	3		C
								Washer	3		C
	B.002955ND							PANEL, bare	1		
4741	B.002703ND							PIPE, air speed indicator to pressure connection	1		C
4316	B.002707ND							PIPE, artificial horizon to suction distribution box	1		C
	B.002699ND							PIPE, elbow, rate of climb indicator to tee piece at air speed indicator (Pre Mod Vam 3128)	1		
	B.003487ND							PIPE, elbow, rate of climb indicator to tee piece at air speed indicator (Mod Vam 3128)	1		
4743	B.002701ND							PIPE, tee piece at air speed indicator to tee piece at altimeter	1		C
4744	B.002705ND							PIPE, tee piece at altimeter to static connection	1		C
28V/13603	AGS.838/8							RENG, rubber	12		C
28V/5105	AGS.838/2							UNION, tee piece	3		C
28V/13604	AGS.838/9							WASHER, union	1		C
	B.003263A/3							PANEL, blind flying, complete with instruments (Mod.Vam.3322)	1		
6A/1319	/							ALTIMETER	1		A
								Attaching parts for 6A/1319 Altimeter			
28M/10275	AGS.2001/C4							Nut, 2BA	4		C
28S/2442	A44/C40							Screw, 2BA	4		C
28V/5109	AGS.838/5							BUSH, pipe sealing	12		C
28V/11696	AGS.838/6							CAP, blanking, at rate of climb indicator	1		C
28V/5107	AGS.838/3							ELBOW, pipe union	1		C
5L/9951273	/							FILAMENT, 28 Volt, 3.5 Watt, horizon and G4 power failure	1		C
6A/1985	/							INDICATOR, air speed	1		A
								Attaching parts for 6A/1985 Indicator			
28M/10275	AGS.2001/C4							Nut, 2BA	4		C
28S/2442	A44/C40							Screw, 2BA	4		C
6A/2526	/							Tube, distance, 0.75 long	4		C
6A/2717	/							INDICATOR, artificial horizon	1		A
6B/2035	/							INDICATOR, G 4 F Compass	1		A
								Attaching parts for 6B/2035, Indicator			
28S/2424	A44/C24							Screw, 2BA	4		C

RESTRICTED
FUSELAGE
INSTRUMENT PANELS

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
6A/2966	/							INDICATOR, rate of climb	1		A
28M/10275	AGS.2001/C4							Attaching parts for 6A/2966, Indicator	3		C
6A/1539	/							Nut, 2BA	1		C
28S/2442	A44/C40							Plate, adapter	3		C
								Screw, 2BA	3		C
6A/2945	/							INDICATOR, turn and bank	1		A
28M/10274	AGS.2001/B4							Attaching parts for 6A/2945, Indicator	4		C
28S/2431	A44/B28							Nut, 4BA	4		C
								Screw, 4BA	4		C
	12.2F.331							LABEL, "Horizon -G4 Power Fail"	1		
5CX/1069	/							LAMP, warning, horizon-G4 power	1		A
28V/5108	AGS.838/4							NUT, union	12		C
	B.003261A/1							PANEL, less instruments (Mod Vam 3322)	1		
	W.6216/3							BRACKET, for altimeter and air speed indicator pipe connections	1		
								Attaching parts for W.6216/3 Bracket	3		C
28M/10274	AGS.2001/B4							Nut, 4BA	3		C
28S/2127	A45/B16							Screw, 4BA	3		C
5723	B.002687A							BRACKET, suspension	3		C
								Attaching parts for B.002687A, Bracket	3		C
28M/10283	AGS.2001/G3							Nut, 5/16" BSF	1		C
28W9419403	SP.13/G							Washer	1		C
6A/2519	W.6216/1							CONNECTION, pipe, for altimeter and air speed indicator	2		C
								Attaching parts for W.6216/1, connection	2		C
28M/6037	A18/ES							Nut, 1/4" BSF	1		C
28P9429528	SP9/C8							Pin, split	1		C
28V/5105	AGS.838/2							PIECE, tee	3		C
4741	B.002703ND							PIPE, air speed indicator to pressure connection	1		C
5703	B.003291ND							PIPE, elbow, at rate of climb indicator to tee piece at air speed indicator (Pre Mod Vam 3128)	1		C
	B.003709ND							PIPE, elbow, at rate of climb indicator to tee piece at air speed indicator (Mod Vam 3128)	1		C
4743	B.002701ND							PIPE, tee piece, at air speed indicator to tee piece at altimeter	1		C
4744	B.002705ND							PIPE, tee piece, at altimeter to static connection	1		C

RESTRICTED
FUSELAGE
INSTRUMENT PANELS

Vampire Mk.9

(Issued with A.L.12)

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
6A/538 or 6B/2575	/							SCREEN, magnetic type A	1		B
	/							SCREEN, magnetic type B	1		B
	Q 003545ND							TUBE, distance, 5/16" o/d x 20 SWG x 11/16" long at drain tube T9	1		
28V/11697	AGS.838/7							WASHER, for blanking cap at rate of climb indicator	1		C
	B.002535A							PANEL, bottom, centre, complete with instruments (Mod.Vam.3350)	1		
5CZ/430	/							BLOCK, terminal, 2 way	1		B
5CZ/432	/							BLOCK, terminal, 3 way	1		B
5CZ/868	/							BLOCK, terminal, 5 way	1		B
								Attaching parts for 5CZ/430, 5CZ/432, 5CZ/868. Blocks			
28M/10286	AGS.2001/A1							Nut, 6BA	2		C
28S/2828	A33/A24							Screw, 6BA	2		C
6A/2958	/							CLOCK, Mk.4B (Alternative to 6A/2197)	1		A
6A/2197	/							CLOCK, Mk.4 (Alternative to 6A/2958)	1		A
								Attaching parts for 6A/2958 or 6A/2197 Clock			
28D/11210	AS.1246/3C							Bolt, 2BA	2		C
28M/10288	AGS.2001/C1							Nut, 2BA	2		C
6A/2819	GP.251/001							GAUGE, pacitor fuel contents, Simmonds (Pre Mod Vam 3314, 3350)	1		A
								Attaching parts for GP.251/001 Gauge			
28D/11890	AS.1246/5C							Bolt, 2BA	2		C
6A/3857	GP.250/015							GAUGE, pacitor, fuel contents, Simmonds (Mod.Vam.3350)	1		A
								Attaching parts for GP.250/015 Gauge			
28D/11890	AS.1246/5C							Bolt, 2BA	2		C
	B.003165							LABEL, "Fuel Contents"	1		
	B.002537A							PANEL, less instruments	1		
								Attaching parts for B.002535A Panel			
28D/12532	A25/4C							Bolt, 2BA	2		C
28D/12566	A25/6C							Bolt, 2BA	2		C
4916	B.00925							Washer, 0.5 o/d x 0.191 i/d x 0.18 thick, BSS 216	6		C

RESTRICTED

RESTRICTED
FUSELAGE
INSTRUMENT PANELS

Vampire.Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	B.003375A/2							PANEL, L.H. complete with instruments (Mod Vam 3146)	1		
	N.00343A							BRACKET, mounting, complete with terminal blocks	1		
5CZ/430	/							BLOCK, terminal	2		B
	N.00342							BRACKET, mounting, 18 SWG BS.L72 (Make from Ref.No.30B/1730)			
28M/10286	AGS.2001/A1							NUT, 6BA	4		C
28S/2816	A33/A16							SCREW, 6BA	4		C
								Attaching parts for N.00343A, Bracket			
28D/8301	AS.1242/2B							Bolt, 4BA	4		C
28M/10287	AGS.2001/B1							Nut, 4BA	4		C
	DHS.30 Mk.4							CLIP, tubular	1		
10327	N.984154							COVER, for manual control radio switch R.3121	1		C
5L/9951110	/							FILAMENT, for fuel pressure warning lamp 6 volt, 0.24 watt, clear	1		B
5L/9951110	/							FILAMENT, for generator warning lamp 6 volt, 0.24 watt, clear	1		B
5L/9951273	/							FILAMENT, for undercarriage position indicator, 28 volt, 3.5 watt clear (Pre Mod Vam 962)	9		B
5L/9951232	/							FILAMENT, for undercarriage position indicator, 24 volt, 2.8 watt clear, (Mod.Vam.962)	9		B
6A/2191	S.64/2							GAUGE, jet pipe temperature, Weston	1		A
								Attaching parts for S.64/2, Gauge			
28D/12531	A25/3C							Bolt, 2BA	3		C
28M/10328	AGS.2002/C1							Nut, 2BA	3		C
6A/2238	91 MV							GAUGE, oil temperatures, Smiths	1		A
								Attaching parts for 91 MV, Gauge			
28D/12531	A25/3C							Bolt, 2BA	4		C
28M/10288	AGS.2001/C1							Nut, 2BA	4		C

RESTRICTED
FUSELAGE
INSTRUMENT PANELS

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
5L/X951110	-							FILAMENT, for fuel pressure warning lamp 6 volt, 0.24 watt, clear	1	-	B
5L/X951110	-							FILAMENT, for generator warning lamp 6 volt, 0.24 watt, clear	1	-	B
5L/X951273	-							FILAMENT, for undercarriage position indicator, 28 volt, 3.5 watt clear (Pre Mod.Vam.962)	9	-	B
5L/X951232	-							FILAMENT, for undercarriage position indicator, 24 volt 2.8 watt, clear (Mod.Vam.962)	9	-	B
6A/2191	S.64/2							GAUGE, jet pipe temperature, Weston Attaching parts for S.64/2, Gauge	1	-	A
28D/12531	A.25/3C							Bolt, 2 BA	3	-	C
28M/10328	AGS.2002/C1							Nut, 2 BA	3	-	C
6A/2238	91MV							GAUGE, oil temperature. Smiths Attaching parts for 91MV, Gauge	1	-	A
28D/12531	A.25/3C							Bolt, 2 BA	4	-	C
28M/10288	AGS.2001/C1							Nut, 2 BA	4	-	C

RESTRICTED

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
6A/1559	67 RV							INDICATOR, engine revolution, Smiths	1		A
6A/2136	144FL							INDICATOR, flap position, Smiths	1		A
								Attaching parts for 67 RV and 144FL, Indicators			
28D/12533	A25/5C							Bolt, 2BA	2		C
28M/10288	AGS.2001/C1							Nut, 2BA	2		C
5CX/4204	/							INDICATOR, undercarriage position (Mod.Vam.962)	1		A
								Attaching parts for Air Ministry Ref. 5CX/4204, Indicator			
28D/12529	A25/4B							Bolt, 4BA	2		C
	12.N.1301							LABEL, camera test	1		
								Attaching parts for 12N.1301, Label			
28M/10287	AGS.2001/A1							Nut, 4BA	2		C
28S/2857	A32/B12							Screw, 4BA	2		C
	B.001063							LABEL, "Fuel Press"	1		
	B.003139							LABEL, "GEN"	1		C
941	L.00577							LABEL, "Jet Pipe Temp."	1		
	AS.509							LABEL, "Off"	1		C
947	B.00253							LABEL, "Oil Temp."	1		
	AS.510							LABEL, "On"	1		
	DHS.109 Mk. 30							LABEL, "Auto Manual"	1		
	DHS.109 Mk. 50							LABEL, "G" Switch"	1		
								Attaching parts for DHS.109 Mk.30 and DHS.109 Mk.50, Labels			
28M/10286	AGS.2001/A1							Nut, 6BA	2		C
28S/2864	A32/A16							Screw, 6BA	2		C
5CX/1553	/							LAMP, fuel pressure warning	1		A
5CX/1553	/							LAMP, generator warning light	1		A
6A/2194	/							MACHMETER	1		A
								Attaching parts for Air Ministry Ref. No.6A/2194, Machmeter			
10A/12954	/							Mounting, anti-vibration	1		A
28S/2863	A32/B16							Screw, 4BA	4		C
	B.003663A							PANEL, less instruments	1		C
943	B.0053A							BRACKET, for support strut	1		C
								Attaching parts for B.0053A, Bracket			
28D/8307	AS.1242/2C							Bolt, 2BA	1		C
28D/12513	A25/2C							Bolt, 2BA	1		C
28M/12929	A27/CP							Nut, 2BA	2		C
	B.003661ND							PANEL, bare	1		C
317	DHS, 199							TERMINAL, earth	1		B
5CW/4221	/							SWITCH, Camera test	1		
								Attaching parts for Ref.5CW/4221, Switch			
28S/13887	A32/B10							Screw, 4BA	2		C
28L/11067	AGS.2035/B							Washer, 4BA	2		C

RESTRICTED
FUSELAGE
INSTRUMENT PANELS

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	N.00335A							SWITCH, complete with cable for auto- matic, radio control, R.3121	1		
5E/1362	/							CABLE, Ducel, 4 amp	QR		C
5K/2577	BP							SLEEVE, Hellermann	2		C
5CW/898	/							SWITCH, push button, type B	1		A
28M/10286	AGS.2001/A2							Attaching parts for N.00335A, Switch			
28S/2864	A32/A16							Nut, 6BA	4		C
								Screw, 6BA	4		C
	N.00336A/1							SWITCH, complete with cable, for manual radio control R.3121	1		
5E/1362	/							CABLE, Ducel, 4 amp	QR		C
5E/1358	/							CABLE, Unicel, 4 amp	QR		C
5K/2577	BP							SLEEVE, Hellermann	4		C
10F/11714	/							SWITCH, type 170	1		A
28M/10286	AGS.2001/A2							Attaching parts for N.00336A/1, Switch			
28S/2870	A32/A20							Nut, 6BA	4		C
								Screw, 6BA	4		C
10D/246	/							UNIT, electrical controller, type 382 for TR.1464 radio	1		A
								Attaching parts for Air Ministry Ref. No.10D/246 Unit			
28D/12088	AS.1246/7C							Bolt, 2BA	2		C
26AE/582	C1-Z889							Bolt, special	1		C
28M/10288	AGS.2001/C1							Nut, 2BA	2		C
28M/10328	AGS.2002/C1							Nut, 2BA	1		C
28W/3089	B.0034.19ND							Tube, distance, 1/4" o/d, 22 SWG.	2		C
28W/12252	AGS.163/C							Washer, 2BA	1		C
	SP.13/C							Washer, 2 BA	2		C
28D/11255	AS.1246/2C							Attaching parts for B.003375A/2, Panel			
28D/11210	AS.1246/3C							Bolt, 2BA	3		C
28M/10288	AGS.2001/C1							Bolt, 2BA	4		C
								Nut, 2BA	7		C
	B.002984A							PANEL, R.H. complete with instruments (Pre Mod.Vam.883)	1		
	B.002984A/1							PANEL, R.H., complete with instruments (Mod.Vam.883)	1		
933	A.001098A							ADAPTER, stowage, for air drier cap	1		C
28M/10328	AGS.2002/C1							Attaching parts for A.001098A, Adapter			
28S/2814	A33/C16							Nut, 2BA	2		C
								Screw, 2BA	2		C
6A/1588	V.238							ALTIMETER, cabin, Smiths	1		A
28D/11210	AS.1246/3C							Attaching parts for V.238, Altimeter			
28M/10288	AGS.2001/C1							Bolt, 2BA	2		C
								Nut, 2BA	2		C

FUSELAGE
INSTRUMENT PANEL

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
317	DHS.199							TERMINAL, earth	1		C
	B.00255							PLATE, mounting for R.3121 radio control units, 16 SWG, D.T.D. 610 (Make from Ref No.30B/949)	1		
28D/11937	AS.1246/1B							Attaching parts for B.00255 Plate	6		C
28M/10287	AGS.2001/B1							Bolt, 4 BA, round head (AS.1884/1B)	6		C
	N.002337							Nut, 4 BA, plain	1		
28S/2869	A.32/B20							PLATE, mounting, for socket Attaching parts for N.002337 Plate	2		C
27F/1870	/							Screw, 4 BA, round head (AGS.245/23)	1		A
28D/11564	AS.1246/1C							PUMP, de-icing (Pre Mod.Vam.883)	3		C
28M/10288	AGS.2001/C1							Attaching parts for Air Ministry Ref No.27F/1870 Pump	3		C
27F/2162	M.2601							Bolt, 2 BA, round head (AS.1884/1C)	1		A
28D/11937	AS.1246/1B							Nut, 2 BA, plain	3		C
28M/10287	AGS.2001/B1							PUMP, de-icing (Mod.Vam.883) Rotax Attaching parts for M.2601 Pump	3		C
6D/1275	/							Bolt, 4 BA	1		A
								Nut, 4 BA	3		C
28D/11255	AS.1246/2C							REGULATOR, oxygen Attaching parts for Air Ministry Ref No.6D/1275 Regulator	4		C
28M/10288	AGS.2001/C1							Bolt, 2 BA, round head (AS.1884/2C)	4		C
28F/12425	AGS.1109/K							Nut, 2 BA, plain	1		C
10LB/90	/							UNION, reducing, for de-icing pump (Mod.Vam.883)	1		A
28S/3420	A.35/B8							UNIT, control, type 89, R.3121 radio Attaching parts for Air Ministry Ref No.10LB/90 Unit	2		C
								Screw, 4 BA, countersunk head (AGS.249/20)			

FUSELAGE
INSTRUMENT PANELS

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
10LB/91	/							UNIT, control type 90, R.3121 radio Attaching parts for Air Ministry Ref No.10LB/91 Unit	1		A
28S/3420	A.33/B8							Screw, 4 BA, countersunk head (AGS.249/20)	3		C
28D/11255	AS.1246/2C							Attaching parts for B.002984A Panel	6		C
28M/10288	AGS.2001/C1							Bolt, 2 BA, round head (AS.1884/2C) Nut, 2 BA, plain	6		C
	B.001221A/3							PANEL, top centre, complete with instruments	1		
5L/1928	/							FILAMENT, for fire and undercarriage warning lamps, 24 Volt, 2.8 watt clear			A
3004	B.00475							LABEL, "Fire"	1		C
4327	B.00375A/2							LABEL, "Tail Trim"	1		C
946	B.00252							LABEL, "U/c Warning"	1		C
28M/10326	AGS.2002/A1							Attaching parts for B.00252 Label	2		C
28S/2858	A.32/A12							Nut, 6 BA, thin Screw, 6 BA, round head (AGS.245/30)	2		C
	B.003197 ND							LAMP, fire warning (Make from Ref No. 5C/1069)	1		
5C/1069	/							LAMP, (Required to make B.003197 ND)	1		A
5C/1533	/							LAMP, undercarriage warning	1		A
	B.003193							PANEL, less instruments			
317	DHS.199							TERMINAL, earth			C
28D/11890	AS.1246/5C							Attaching parts for B.001221A/3 Panel	2		C
28M/10288	AGS.2001/C1							Bolt, 2 BA, round head (AS.1884/5C) Nut, 2 BA, plain	2		C
	B.0050A							SOCKET, mounting for cross tube	1		C
924	B.0050A							Attaching parts for B.0050A Socket			
28S/2856	A.32/C12							Screw, 2 BA, round head (AGS.245/12)	2		C
	B.0051A							STRUT, support, for L.H. and R.H. instrument panels	2		C
28D/6998	A.1/1C							Attaching parts for B.0051A Strut			
28D/7014	A.1/7C							Bolt, 2 BA	1		C
28E/14143	AS.487/8							Bolt, 2 BA	2		C
28M/5316	A.16Y/CP							Clip, saddle	1		C
28W/3071	AGS.160/C							Nut, 2 BA, plain	3		C
								Washer, 2 BA	1		C

Vampire Mk.9

Ref. No.	Part No.	Nomenclature						No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6			
936	B.00217A	BRACKET, mounting, for de-icing pump (Pre Mod. Vam.883)						1		C
28D/11255	AS.1246/2C	Attaching parts for B.00217A, Bracket						3		C
28M/10288	AGS.2001/C1	Bolt, 2BA						5		C
28S/2862	A32/C16	Nut, 2BA						2		C
		Screw, 2BA								
6680	B.002525	BRACKET, mounting, for de-icing pump (Mod.Vam.883)						1		C
		Attaching parts for B.002525, Bracket						5		C
28D/11255	AS.1246/2C	Bolt, 2BA						8		C
28M/10288	AGS.2001/C1	Nut, 2BA						3		C
28S/2862	A32/C16	Screw, 2BA								
937	A.001122A	CLAMP, support, for air drier tube						1		C
949	A.001120A	Bolt, trunnion						1		C
	A.007083ND	Nut, wing, Make from Part No.AGS.113/C						1		C
28M/802	AGS.113/C	Nut, 2BA, wing, Required to make Part No. A.007083ND						1		C
	A.001119	PIECE, distance						2		C
28F/836	SP.4Y/B10	PIN, shackle, for straps						2		C
28F/12462	SP.9/C8	PIN, split						1		C
950	A.001117A	STRAP, half						1		C
951	A.001118A	STRAP, half								
		Attaching parts for A.001122A, Clamp						2		C
28M/10328	AGS.2002/C1	Nut, 2BA						2		C
28S/2820	A33/C20	Screw, 2BA								
938	A.001221	CLIP, spring for air drier tube						1		C
		Attaching parts for A.001221, Clip						2		C
28M/10328	AGS.2002/C1	Nut, 2BA						2		C
28S/2820	A33/C20	Screw, 2BA								
5L/X951273	/	FILAMENT, for cabin air pressure warning lamp, 24 volt, 2.8 watt clear						1		B
28F/8225	AGS.1138A	GASKET, reducing union on de-icing pump (Mod.Vam.883)						2		C
6A/1862	/	GAUGE, brake pressure						1		A
		Attaching parts for Air Ministry Ref. No.6A/1862 Gauge						2		C
28D/11210	AS.1246/3C	Bolt, 2BA						2		C
28M/10288	AGS.2001/C1	Nut, 2BA								
6A/1749	33/1PG	GAUGE, cabin air pressure, Smiths						1		A
		Attaching parts for 33/1PG, Gauge						2		C
28D/11210	AS.1246/3C	Bolt, 2BA						2		C
28M/10288	AGS.2001/C1	Nut, 2BA								

RESTRICTED
FUSELAGE
INSTRUMENT PANELS

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
14A/1436	/							INDICATOR, camera footage Attaching parts for Air Ministry Ref. No. 14A/1436, Indicator	1		A
28M//12929	A.27/CP							Nut, 2BA	4		C
14A/540	/							Plate, wedge	1		A
28S/2820	A.33/C20							Screw, 2BA	4		C
28S/2862	A.32/C16							Screw, 2BA (Only required when pre-fabricated wedge Plate is used)			
5CX/1553	B.00948							LABEL, "Cabin Pressure Low"	1		
	/							LAMP, cabin air pressure warning	1		A
935	B.002986A B.0054A							PANEL, less instruments	1		
								BRACKET, for support strut	1		C
28D/11255	AS.1246/2C							Attaching parts for B.0054A, Bracket			
28M/12929	A27/CP							Bolt, 2BA	2		C
								Nut, 2BA	2		C
317	DHS.199							TERMINAL, earth	1		C
	B.00255							PLATE, mounting for R.3121 radio control units, 16SWG. DTD.610. Make from Ref. No. 30E/949)	1		
								Attaching parts for B.00255, plate			
28D/11937	AS.1246/1B							Bolt, 4BA	6		C
28M/10287	AGS.2001/B1							Nut, 4BA	6		C
	N.002337							PLATE, mounting, for socket	1		
28S/2869	A32/B20							Attaching parts for N.002337, Plate	2		C
								Screw, 4BA			
27F/1870	/							PUMP, de-icing (Pre Mod.Vam.883)	1		A
								Attaching parts for Air Ministry Ref.No. 27F/1870, Pump			
28D/11564	AS.1246/1C							Bolt, 2BA	3		C
28M/10288	AGS.2001/C1							Nut, 2BA	3		C
27F/2162	M.2601							PUMP, de-icing (Mod.Vam.883) Rotax	1		A
								Attaching parts for M.2601, Pump			
28D/11937	AS.1246/1B							Bolt, 4BA	3		C
28M/10287	AGS.2001/B1							Nut, 4BA	3		C
6D/1275	/							REGULATOR, oxygen	1		A
								Attaching parts for Air Ministry Ref. No. 6D/1275, Regulator			
28D/11255	AS.1246/2C							Bolt, 2BA	4		C
28M/10288	AGS.2001/C1							Nut, 2BA	4		C
28F/12425	AGS.1109/K							UNION, reducing, for de-icing pump (Mod.Vam.883)	1		C

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
4319	B.002919A							TUBE, cross, for mounting of instrument panels	1		C
28S/2856	A.32/C12							Attaching parts for B.002919A Tube	2		C
28L/11070	No.1210							Screw, 2 BA, round head (AGS.245/12)	2		C
								Washer, 2 BA, internal teeth, Shakeproof	2		C
<i>Cancelled by AL3</i>											
<i>See new sheet</i>											
<i>Do not remove</i>											

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Of	M.R.	Cl. of St.
								<i>Cancelled A23</i> <i>See new sheet</i>			

Note:- Pages 563 to 574
not issued

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
10LB/90	/							UNIT, control, type 89, R.3121 radio Attaching parts for Air Ministry Ref. No.10LB/90 Unit	1		A
28S/3420	A33/B8							Screw, 4BA	2		C
10LB/91	/							UNIT, control type 90, R.3121 radio Attaching parts for Air Ministry Ref. No.10LB/91, Unit	1		A
28S/3420	A.33/B8							Screw, 4BA	3		C
28D/11255	AS.1246/2C							Attaching parts for B.002984A Panel	6		C
28M/10288	AGS.2001/C1							Bolt, 2BA	6		C
	B.001221A/3							Nut, 2BA	1		
5L/X951273	/							PANEL, top centre, complete with instruments	2		B
								FILAMENT, for fire and undercarriage warning lamps, 24 volt, 2.8 watt, clear	1		C
3004	B.00475							LABEL, "Fire"	1		C
4327	B.00375A/2							LABEL, "Tail Trim"	1		C
946	B.00252							LABEL, "U/C Warning"	1		C
								Attaching parts for B.00252, Label	2		C
28M/10326	AGS.2002/A1							Nut, 6BA thin	2		C
28S/2858	A32/A12							Screw, 6BA	2		C
5CX/4370	B.003197ND							LAMP, fire warning	1		A
5CX/1553	/							LAMP, undercarriage warning	1		B
	B.003193							PANEL, less instruments	1		C
317	DHS.199							TERMINAL, earth	1		C
								Attaching parts for B.001221A/3, Panel	2		C
28D/11890	AS.1246/5C							Bolt, 2BA	2		C
28M/10288	AGS.2001/C1							Nut, 2BA	2		C
924	B.0050A							SOCKET, mounting for cross tube	1		C
								Attaching parts for B.0050A, Socket	2		C
28S/2856	A.32/C12							Screw, 2BA	2		C
925	B.0051A							STRUT, support, for L.H. and R.H. instrument panels	2		C
								Attaching parts for B.0051A, Strut	1		C
28D/12528	A.25/1C							Bolt, 2BA	2		C
28D/12514	A.25/7C							Bolt, 2BA	1		C
28E/14143	AS.487/8							Clip, saddle	3		C
28M/12929	A27/CP							Nut, 2BA	1		C
28W/3071	SP.13/C							Washer, 2BA	1		C

RESTRICTED
 FUSELAGE
 INSTRUMENT PANELS

Vampire Mk. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
4319	B.002919A							TUBE, cross for mounting of instrument panels	1		C
28S/2856	A.32/C12							Attaching parts for B.002919A, Tube			
28L/11069	AGS.2035/C							Screw, 2BA	2		C
								Washer, 2BA	2		C

Note:- Pages 563 to 574 not issued.



Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
	-	AIR DRIER SYSTEM (A.002310) <i>PRE MOD. VAMP. 3113</i>							1	-	
26BY/16290	B.982013	ADAPTOR, hose, at connection between banjo drier tube and P.R.hose							1	-	C
	DHS.30 Mk.45	CLIP, tubular, attaching pipe to instrument panel, lower							2	-	
28D/10001	AS.1884/1B	Attaching parts for DHS.30 Mk.45, Clip							1	-	C
28M/10287	AGS.2001/B/1	Bolt, 4BA, round head							1	-	C
	DHS.30 Mk.36	Nut, 4BA, plain pinnacle.							6	-	
	DHS.28 Mk. 3	CLIP, tubular, attaching pipe to sliding hood							1	-	
778	A.001169A	CLIP, saddle, at bulkhead No.3							3	-	C
779	A.001111	CONNECTOR, to front and side windscreens							3	-	C
		COUPLING, at connection through instrument panel							3	-	C
28L/6931	AGS.957/B	Attaching parts for A.001111, Coupling							1	-	C
		Locknut							1	-	C
28F/11268	AGS.1111/B	COUPLING, at top centre instrument panel							1	-	C
	A.001170ND	COUPLING, air drier tube to rigid pipe, 5/16" i/d x 9"0 long, F.7 (Make from Ref.No.32C/11)							1	-	C
28M/10793	AGS.1187/BB	NUT, union, at connection between banjo drier tube and P.R. hose							1	-	C
	4740	PIPE, joint on instrument panel to sliding hood							1	-	C
	4405	PIPE, flexible, sliding hood to rigid pipe							1	-	C
	4240	CONNECTOR							1	-	C
	A.002311ND	TUBE, Polyvinyl, 4 m/m x 17"0 long (Make from Ref.No.5F/)							1	-	C
2874	A.002424A	PIPE, main, from air drier to windscreen, complete with branches							1	-	C
26BY/17540	DHS.180 Mk.3X	TAB, for locking wire							2	-	C
26FM/3285	S.981808A	TUBE, drier							1	-	C
26BY/16268	AGS.1132/BB	BANJO							1	-	C
28F/10484	AGS.1135/BB	BOLT, banjo							1	-	C
28F/10485	AGS.605/4Y	CLIP							2	-	C
28E/8186											

MISCELLANEOUS
AIR DRIER SYSTEM

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
10337 26BY/70022 28D/8300	S.981788A AS.1242/1B							CONTAINER and window, for crystals BOLT, 4BA, countersunk head (AS.1882/1B)	1 6	- -	C C
2873	S.981792							PLATE, attachment, for window	1	-	C
	S.982028							PLATE, masking	1	-	C
5684	S.982029							WINDOW, inspection	1	-	C
10334 26BY/17989	S.981806							COUPLING, 3"0 i/d x 2"0 long, Rubber CRYSTALS, silica gel	1 QR	- -	C C
4599	A.12681							FILTER, Vokes	2	-	C
26BY/16445	S.981809A							VALVE	1	-	C
	S.981810A							BODY, complete with valve seat	1	-	C
26BY/16451	B.982007							SEAT	2	-	C
	B.982014A							CAP: blanking	1	-	C
4390	-							CIRCLIP, internal, for 1.1/4" dia. bore, Seeger	1	-	C
26BY/16446	S.981800A							DIAPHRAGM	2	-	C
26BY/16447	B.982010							LOCKNUT	1	-	C
	B.982009							WASHER (Make from Ref.No.28W/3075)	1	-	C
28W/3075	AGS.160/G							WASHER, 7/16" BSF (Required to make Part No. B.982009)	1	-	C
	S.981805A							FILTER	1	-	C
26BY/16447	B.982010							LOCKNUT	2	-	C
28M/767	A.16Y/CS							NUT, 2BA, slotted	6	-	C
33C/779	†							PASTE, sealing, R.2	QR	-	C
26BY/16450	S.981803							SCREW, adjusting	2	-	C
26BY/16448	B.982012							SPRING	2	-	C
26BY/16449	S.981804							WASHER, jointing	1	-	C
28W/3071	AGS.160/C							WASHER, 2BA	6	-	C
28W/6704	AGS.164/R							WASHER, jointing	2	-	C

~~579~~
Notes - Pages 577 to 580 not
issued ALQ.

RESTRICTED
MISCELLANEOUS
AIR DRIER SYSTEM

Vampire Mk.9

Ref. No.	Part No.	Nomenclature						No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6			
		AIR DRIER SYSTEM (12.V.603) (Mod.Vam.3113)						2		
	DHS.30/45	CLIP, tubular, attaching pipe to instrument panel								
28D/11937	AS.1246/1B	Attaching parts for DHS.30/45, Clip						1		C
28M/10287	AGS.2001/B/1	Belt, 4BA						1		C
		Nut, 4BA								
778	A.001169A	CONNECTOR, to front windscreen						1		C
	A.001170ND	COUPLING, air drier tube to rigid pipe						1		
		5/16" i/d x 9"0 long								
779	A.001111	COUPLING, at connection through instrument panel						1		C
		Attaching parts for A.001111, Coupling								
28L/6931	AGS.957/B	Locknut						1		C
26DV/7292	12.V.609ND	COUPLING, between main pipes, 1/4" i/d X 6"0 long						1	MR	C
	S.982013	NIPPLE, connecting, at inlet banjo						1		
28M/6852	AGS.1187/B	Attaching parts for S.982013, Nipple						1		C
		Nut								
	12.V.605ND	PIPE, main, from air drier to rubber coupling, 5/16" o/d x 20 SWG. T.9						1		
26DV/7291	12.V.607ND	PIPE, main from rubber coupling to coupling on instrument panel						1	MR	C
		1/4" o/d x 20 SWG. T9								
26BY/16268	S.981808A	TUBE, air drier						1		B
28F/10484	AGS.1132/BB	BANJO						1		C
		Attaching parts for AGS.1132/BB, Banjo								
28F/10485	AGS.1135/BB	Belt, banjo						2		C
28W/6703	AGS.164/R	Washer, jointing						1		C
10337	S.981788A	CONTAINER, crystals, complete with window						1		C
	S.981791A	CONTAINER						1		C
5684	S.982029	WINDOW, inspection						1		C
		Attaching parts for S.982029, Window								
28D/8300	AS.1242/1B	Belt, 4BA						6		C
	S.982028	Plate, mask						1		C
2873	S.981792	Plate, nut						1		C
		CRYSTALS, silica gel						QR		C
4599	A.12681	FILTER, Vokes						2		C
10334	S.981806	HOSE, connecting valve unit to container						1		C
		Attaching parts for S.981806, Hose								
28E/8186	AGS.605 Mk.4	Clip						2		C

RESTRICTED
 MISCELLANEOUS
 AIR DRIER SYSTEM

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
26BY/16445	S.981809A							VALVE, unit assembly	1		C
	S.981807A							BODY, inlet valve, complete with studs	1		
26BY/16451	S.981798							BODY, outlet valve	1		C
	S.981810A							BODY, complete with valve seats	1		
	B.982007							SEAT, valve	2		
	B.982014A							CAP, blanking	1		
28M/13121 28W/12252	A27/CS							CAP, end	1		C
	SP13/C							Attaching parts for S.981799, Cap	6		
28N/12557 26BY/16446	AGS.2030/39							Nut, 2BA	6		C
	S.981800A							Washer	6		
26BY/16447	B.982010							CIRCLIP, internal, Seegar	1		C
	B.982009							DIAPHRAGM	2		
26BY/70438 26BY/16447	S.981805A							LOCKNUT	1		C
	B.982010							WASHER (Make from Ref.No.28W/3075)	1		
26BY/16450 26BY/16448	S.981803							FILTER	1		C
	B.982012							LOCKNUT, locking adjusting screw	2		
26BY/16449	S.981804							SCREW, adjusting	2		C
								SPRING, valve	2		
								WASHER, jointing	1		C

RESTRICTED
MISCELLANEOUS
CABIN COOLING SYSTEM
(SPECIAL ORDER ONLY)

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		CABIN COOLING (R.002383)									
		COCKPIT TEMPERATURE CONTROL VALVES ARRANGEMENT (R.002355)									
4683	R.002245A							CLIP, securing engine connecting hose to cowl rail	1		C
								Attaching parts for R.002245A, Clip	2		C
28D/12528	A25/1B							Bolt, 4BA	1		C
28E/8183	AGS.605/1							Clip, hose	2		C
28M/10287	AGS.2001/B1							Nut, 4BA	2		C
28W/9419465	SP.13/B							Washer	2		C
11820	DAS.393/16/2"0							COUPLING, Dunlop, 'Silicone' hose, from rib No. 1 and bulkhead (Mod Vam 3395) (Alternative to C25/4 Ply/A/C, 1"0 bore x 2"0 long)	2		C
								Attaching parts for DAS.393/16/2"0, Coupling			
28E/8183	AGS.605/1 R.002337ND							Clip, hose	2		C
								Gauge, phosphor bronze 100/120 mesh 2"0 x 9"0 long	1		
27VA/4135	DAS.393/16/2"5							COUPLING, Dunlop, 'Silicone' hose, pipe adaptor on bulkhead No.4 (Alternative to C25/4 ply/A/C, 1"0 bore x 2"5 long)	1		C
								Attaching parts for DAS.393/16/2"5, Coupling			
28E/8183	AGS.605/1 R.002339ND							Clip, hose	2		C
								Gauge, phosphor bronze 100/120 mesh 2"5 x 9"5 long	1		
4562	R.002013A							PIPE, assembly, from valve to engine connections	1		C
4681	R.002125							PIPE, from valve to connection at bulkhead No.4	1		C
4682	R.002217							PIPE, from valve to connection at rib No.1	1		C
10294	R.001995A/3							VALVE, selector for air temperature control (Mod.Vam.3200)	1		B
4557	R.001969A							BOX, control, complete with shaft	1		C
4564	R.002059							BOX, (Teleflex part No.B.798 modified)	1		C
26FY/2044	DHS.94/4/65							PIN	1		C
4558	R.001955							SHAFT, cam	1		C
								Attaching parts for R.001969A, Box	3		C
28D/12514	A25/7C							Bolt, 2BA	3		C
28M/10288	AGS.2001/C1							Nut, 2BA	3		C
28W/9419402	SP.13/C							Washer	3		C

RESTRICTED
MISCELLANEOUS
CABIN COOLING SYSTEM
(SPECIAL ORDER ONLY)

Vampire.Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
4545	R.001963A							BRACKET, mounting	1		C
4546	R.001959							BUSE	1		C
6459	12.V.611							CAM, 'cold'	1		C
6449	12.V.597							CAM, 'hot'	1		C
4556	R.001957							NUT, special	2		C
6833	R.001991A/1							VALVE, assembly	2		C
4551	R.002057							BODY	1		C
4554	R.001951							CAP, end	1		C
	R.001919							CONNECTOR, outlet	1		
	R.002583							GUIDE	1		
4553	R.001949							LOCKNUT	1		C
4552	R.001993							SPRING	1		C
4548	R.001947							VALVE	1		C
								Attaching parts for R.001995A/3 Valve			
28D/12519	A25/3E							Bolt, 1/4" BSF	1		C
28M/10290	AGS.2001/E1							Nut, 1/4" BSF	1		C
28W/9418921	SP.13/E							Washer	1		C
								COLD AIR UNIT MOUNTING ON RIB 1B (R.002395)			
4886	R.002449							ADAPTOR, pipe on rib No.1 connecting pipe from cold air unit to pipe from temperature control valve	1		C
								Attaching parts for R.002449 Adaptor			
28D/12511	A25/2B							Bolt, 4BA	3		C
28M/10287	AGS.2001/B1							Nut, 4BA	3		C
28W/9419465	SP.13/B							Washer	3		C
27VA/4135	DAS.393/16/ 2"5							COUPLING, 'Silicone' hose, Dunlop, at adaptor on rib No.1	1		C
								Attaching parts for DAS.393/16/2"5 Coupling			
28E/8183	AGS.605/1							Clip, hose	2		C
11822	DAS.393/16/ 9"0							COUPLING, 'Silicone' hose, Dunlop from cold air unit to adaptor on rib No.1	1		C
								Attaching parts for DAS.393/16/9"0, Coupling			
28E/8183	AGS.605/1							Clip, hose	2		C
10184	R.002619A							DIPSTICK, assembly, oil reservoir for cold air unit	1		C

RESTRICTED
MISCELLANEOUS
CABIN COOLING SYSTEM
(SPECIAL ORDER ONLY)

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
7000 26DL/5471 26DV/5984	R.002617							CAP, filler	1		C
	R.002625							DIPSTICK	1		
	DHS.202/C							NUT, locking	1		C
	12.V.667A							FILTER, for cold air unit	1		C
	12.V.687A/ND							COLLAR, assembly	1		
	12.V.651ND							COLLAR	1		
	12.V.655ND							DRAIN	1		
	12.V.685ND							GAUZE, made from copper or brass, 120 mesh, 43 SWG	1		
	12.V.653ND							PLATE, sealing	1		
	R.002251ND							HOSE, flexible, 1/4" i/d x 18'0 long DTD 625 Mk. III	1		
28E/10154	AGS.605/00							Attaching parts for R.002251ND, Hose Clip, hose	2		C
		4529	R.001793A					PIPE, assembly, attaching to channel	1		C
28D/8308	AS.1242/3C						Attaching parts for R.001793A, Pipe Bolt, 2BA	2		C	
4528	R.001795A						PIPE, assembly, attaching to rib and channel	1		C	
28D/8309	AS.1242/4C							Attaching parts for R.001795A, Pipe Bolt, 2BA	2		C
		6551	R.002231A					PIPE, assembly	1		C
28D/12513 28W/9419402	A25/2C SP.13/C							Attaching parts for R.002231A, Pipe Bolt, 2BA	2		C
								Washer	2		C
5814	R.002545A							PIPE, assembly	1		C
		28D/12513 28W/9419402	A25/2C SP.13/C					Attaching parts for R.002545A, Pipe Bolt, 2BA	2 2		C C
							Washer	2		C	
10183 27UA/271	R.002621A ACRE.8 Mk.1B							RESERVOIR, oil for cold air unit	1		B
								UNIT, Godfrey, cold air	1		B
4531 4532 28W/9418921	R.002049A R.002051A SP.13/E							Attaching parts for ACRE.8 Mk.1B, Unit	1		C
								Bolt, assembly, top	1		C
								Bolt, assembly, bottom	1		C
								Washer	2		C

RESTRICTED
MISCELLANEOUS
CABIN COOLING SYSTEM
(SPECIAL ORDER ONLY)

Vampire.Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Of	M.R.	Cl. of St.
4510	D.007413A							INTERCOOLER, installation in wing, R.H.only (R.002399)	2		C
28D/8341 26FN/3275	AS.1248/1C DHS.69/DD							BRACKET, intercooler mounting Attaching parts for D.007413A, Bracket	4		C
								Bolt, 2BA Shim	QR		C
27VA/4135	DAS.393/ 16/2"5							COUPLING, 'Silicone' hose, Dunlop Attaching parts for DAS.393/16/2"5, Coupling	2		C
28E/8183	AGS.605/1							Clip, hose	2		C
6757	R.002077A/1							DUCT, intercooler between air intake and intercooler	1		C
4703	R.002075ND R.002427A							SEAL INTERCOOLER, Marston part No. D.12-1A (Ref.No.27UA/284, modified)	1		C
								Attaching parts for R.002427A, Intercooler	1		
28D/9436920 28M/10288 28W/9419402	A25/1C AGS.2001/C1 SP.13/C							Bolt, 2BA Nut, 2BA Washer	4 4 4		C C C
4519	R.001905A							PIPE, run between bulkhead No.2 and bulkhead No. 4 (R.002357)			
								ADAPTOR, at bulkhead No.4 Attaching parts for R.001905A, Adaptor	1		C
28M/10287 28S/2863	AGS.2001/B1 A32/B16							Nut, 4BA Screw, 4BA	3 3		C C
28E/8183	AGS.605/1							CLIP, hose, between bulkhead No.2 and bulkhead No.3	1		C
28E/9429610	AGS.605/2							CLIP, hose, between bulkhead No.2 and bulkhead No.3	1		C
28E/8183	AGS.605/1							CLIP, hose, between bulkhead No.3 and bulkhead No.4	1		C
28E/9429610	AGS.605/2							CLIP, hose between bulkhead No.3 and bulkhead No.4	1		C
	DHS.401/F25							COUPLING, between bulkhead No.2 and bulkhead No.3	1		
								Attaching parts for DHS.401/F25, Coupling			
28E/8183	AGS.605/1							Clip, hose	2		C

RESTRICTED
MISCELLANEOUS
CABIN COOLING SYSTEM
(SPECIAL ORDER ONLY)

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
27VA/4135	DAS.393/ 16/2"5							COUPLING, 'Silicone' hose, Dunlop between bulkhead No.3 and bulkhead No.4 Attaching parts for DAS.393/16/2"5, Coupling	1		C
28E/8183	AGS.605/1							Clip, hose	2		C
11821	DAS.393/ 20/2"5							COUPLING, 'Silicone' hose, Dunlop between bulkhead No.3 and bulkhead No.4 Attaching parts for DAS.393/20/2"5, Coupling	1		C
28E/9429610	AGS.605/2							Clip, hose	2		C
4673	R.002231A/ND							PIPE, from non-return valve at bulkhead No.2 to joint aft of bulkhead No.3	1		C
4676	R.002333ND							PIPE, from joint aft of bulkhead No.3 to bulkhead No.4	1		C
	R.002329							PLATE, cover on fireproof bulkhead Attaching parts for R.002329 Plate	1		
28D/12512	A25/1C							Bolt, 2BA	3		C
28M/10288	AGS.2001/C1							Nut, 2BA	3		C
28W/9419402	SP.13/C							Washer	3		C
4675	R.002343A							SADDLE, for pipes between bulkhead No.3 and bulkhead No.4	1		C
	R.002485A							SADDLE, for pipes between bulkhead No.2 and bulkhead No.3	1		
26DV/998	12.V.317A							VALVE, non-return, aft of bulkhead No.2	1		C
4672	R.0077							CONNECTOR	1		C
4617	B.C03173							PLUG	1		C
26DV/999	12.V.315							PLUNGER	1		C
1899	R.0071							SHIM	1		C
26DV/1484	12.V.601							SPRING	1		C
								PIPE and Teleflex, Gallery Control Run (R.002919)			
	R.002431A/1							BOX, temperature control	1		
4539	R.002045							BLOCK, distance	1		C
4891	R.002433							BOX, (Teleflex box modified) Attaching parts for R.002433 Box	1		C
28D/8300	AS.1242/1B							Bolt, 4BA	4		C

RESTRICTED
MISCELLANEOUS
CABIN COOLING SYSTEM
(SPECIAL ORDER ONLY)

Vampire.Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
6447	R.002095A/1							WHEEL, control Attaching parts for R.002095A/1, Wheel	1		C
28D/11255	AS.1246/2C							Bolt, 2BA	3		C
28W/11069	AGS.2035/C							Washer	3		C
28D/8310	A1242/6C							Attaching parts for R.002431A/1, Box			
28S/2820	A33/C20							Bolt, 2BA	2		C
								Screw, 2BA	1		C
								CABIN Air System, Front Section (R.002381)			
	R.001489							BLOCK, clamp, forward of bulkhead No.1 L.H.	1		
	R.001490							BLOCK, clamp, forward of bulkhead No.1, R.H.	1		
4896	R.00631							BRACKET, mounting for vacuum valve	1		C
	DHS.401/F25							COUPLING, pipe from distributor	1		
								Attaching parts for DHS.401/F25, Coupling			
28E/8183	AGS.605/1							Clip, hose	2		C
	R.002721A/ND							DISTRIBUTOR, cabin, air	1		
	R.002687ND							BLOCK, plug, blanking 1.5 dia x 0.9 long, Ash V4	1		
	DHS.401/K25							COUPLING, pipe	1		
								Attaching parts for DHS.401/K25, Coupling			
28E/9429610	AGS.605/2							Clip, hose	2		C
4693	R.002295							PIECE, junction	1		C
4893	R.002475A							PUNKAH-LOUVRE, British. Thermotank	1		C
								Attaching parts for R.002475A, Punkah-Louvre			
4887	R.002435							Screw, special	1		C
28W/11071	AGS.2035/E							Washer	1		C
28W/9419402	SP.13/C							Washer	1		C
28F/9620	AGS.1142/D							NIPPLE, adaptor at vacuum valve	1		C
4352	Q.003533A/ND							PIPE, assembly, from vacuum valve	1		C
11328	R.002675ND							PIPE, branch, from distributor	1		C
								junction piece 1.0 o/d x 20SWG T9			
	R.002419							PLATE, blanking	1		
28S/2664	AGS.253/39							Attaching parts for R.002419, Plate			
4113	R.001291							Screw, No.6 x 3/4" Round Head	8		C
								Washer	1		C

RESTRICTED
MISCELLANEOUS
CABIN COOLING SYSTEM
(SPECIAL ORDER ONLY)

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	R.002421							PLATE, blanking	1		
28D/12511	A25/2B							Attaching parts for R.002421, Plate	4		C
28M/10287	AGS.2001/B1							Bolt, 4BA	4		C
								Nut, 4BA			
	R.002415							PLATE, cover	1		
28D/12537	A25/14C							Attaching parts for R.002415, Plate	6		C
2029	R.0093							Bolt, 2BA	1		C
28M/10288	AGS.2001/C1							Gasket	6		C
2009	R.0095							Nut, 2BA	1		C
28W/9419402	SP.13/C							Washer	6		C
								Washer			
4894	A.007231A/ND							PLATE, cover on starboard side to replace Marston cooler	1		C
	A.007203A							BRACKET	1		
	A.007233ND							PLATE, cover	1		
4888	A.007229							RING, stiffening	1		C
								Attaching parts for A.007231A/ND, Plate			
28D/8507	AS.1242/5C							Bolt, 2BA	2		C
28D/8310	AS.1242/6C							Bolt, 2BA	25		C
28D/8313	AS.1242/9C							Bolt, 2BA	1		C
28M/10328	AGS.2002/C1							Nut, 2BA	28		C
2030	R.0097							Ring, joint	1		C
	A.007235ND							Washer, (make from DHS.59/4)	25		
26DL/7335	DHS.33/1							Washer	48		C
	R.002117ND							RING, packing, 3"9 o/d x 2"8 i/d x 1"15 thick laminated birch ply	1		
4684	R.002271A							VALVE, non-return, on fuselage side Starboard	1		B
	R.002261							BODY	1		
28M/13124	A27/CT							LOCKNUT	2		C
4686	R.002265							PIN, hinge	2		C
4687	R.002267A							PLATE	1		C
	R.002279							SEATING	1		
								Attaching parts for R.002279, Seating			
28D/9436920	A25/1C							Bolt, 2BA	1		C
28W/11069	AGS.2035/C							Washer	4		C
4685	R.002285							WASHER, seating	1		C
								Attaching parts for R.002271A, Valve			
28D/12538	A25/15C							Bolt, 2BA	6		C
28M/10328	AGS.2002/C1							Nut, 2BA	6		C
28W/9419402	SP.13/C							Washer	6		C

RESTRICTED

RESTRICTED
MISCELLANEOUS
CABIN COOLING SYSTEM
(SPECIAL ORDER ONLY)

Vampire.Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
27KD/597	/							VALVE, Normalair Attaching parts for Ref.No. 27KD/597, Valve	1		A
28D/12515	A25/10C							Bolt, 2BA	1		C
28D/12539	A25/16C							Bolt, 2BA	5		C
28M/10328	AGS.2002/C1							Nut, 2BA	6		C
4945	R.002445							Piece, distance	1		C
10319	R.002709A							Plate, filter	1		C
26BY/16891	A.1713 Mk.1							VALVE, vacuum, Vickers Armstrong Attaching parts for A1713 Mk.1, Valve	1		A
28D/12629	A25/8C							Bolt, 2BA	4		C
	A.001918A							WEIGHT, ballast	1		
	R.002109ND							CABLE, No.2, Teleflex	1		
	R.001835ND							CONDUIT, No.2, Teleflex, 6"0 long at bulkhead No.4	1		
	R.001833ND							CONDUIT, No.2, Teleflex from bulkhead No.4	1		
	R.001831ND							CONDUIT, No.2, Teleflex	1		
	R.001829ND							CONDUIT, No.2, Teleflex Attaching parts for R.001829ND, Conduit	1		
	DHS.30/3							Clip	2		
28S/2309	AGS.252/22							Screw	2		C
	R.001827ND							CONDUIT, No.2, Teleflex Attaching parts for R.001827ND, Conduit	1		
28D/12691	AS.1246/1/2C							Bolt, 2BA	1		C
28E/14078	AS.3181/4C							Clip	1		C
28W/11070	1210							Washer, shakeproof	1		C
27K/983	A.10899							CONNECTOR, body, Teleflex	3		C
27K/571	A.821							CONNECTOR, conduit, Teleflex	6		C
27VA/4135	DAS.393/ 16/2 ¹ / ₂							COUPLING, 'Silicone' hose, Dunlop Attaching parts for DAS.393/16/2 ¹ / ₂ , Coupling	1		C
28E/8183	AGS.605/1							Clip, hose	2		C
	DHS.184/G23							COUPLING, pipe aft of bulkhead No.2 Attaching parts for DHS.184/G23, Coupling	1		
28E/8183	AGS.605/1							Clip, hose	2		C
26AE/1405	E.305/1							GROMMET, at bulkhead No.4, Standard Insulator Co.	1		C

RESTRICTED
MISCELLANEOUS
CABIN COOLING SYSTEM
(SPECIAL ORDER ONLY)

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	NB.5991							NIPPLE, grease, Tecalemit	3		
	R.002681A/ND							PIPE, assembly	1		
28D/12691	AS.1246/1/2C							Attaching parts for R.002681A/ND, Pipe	3		C
28E/14087	AS.3181/20C							Bolt, 2BA	3		C
28W/11069	AGS.2035/C							Clip, 'P'	3		C
								Washer, shakeproof	3		
	R.002685A/ND							PIPE, assembly at bulkhead No.2	1		
								Attaching parts for R.002685A/ND, Pipe	2		C
28D/12691	AS.1246/1/2C							Bolt, 2BA	2		C
28E/14087	AS.3181/20C							Clip, hose	1		
	R.002413ND							Gasket, langite 2"75 o/d x 1/16" thick	2		C
28W/11069	AGS.2035/C							Washer, shakeproof	1		
12971	12.V.1257A/ND							PIPE, assembly, canopy demister, Starboard	1		C
								Attaching parts for 12.V.1257A/ND, Pipe	1		C
12974	12.V.1283							Clip, special	1		
	12.V.1275ND							Clip, retainer	1		C
28S/2310	AGS.252/39							Screw	1		C
12972	12.V.1255A/ND							PIPE, assembly, canopy demister, Port	1		C
								Attaching parts for 12.V.1255A/ND, Pipe	1		C
12973	12.V.1273							Clip, special	1		
	12.V.1275ND							Clip, retainer	1		C
28S/2310	AGS.252/39							Screw	1		C
12969	12.V.1285ND							PIPE, canopy demister, forward, Starboard	1		C
								Attaching parts for 12.V.1285ND, Pipe	2		C
28D/12512	A25/1C							Bolt, 2BA	1		C
26DV/10105	12.V.1075A							Clip, pipe	2		C
28M/10288	AGS.2001/C1							Nut, 2BA	1		C
12970	12.V.1287A/ND							PIPE, canopy demister, forward, Port	1		C
								Attaching parts for 12.V.1287A/ND, Pipe	2		C
28D/12512	A25/1C							Bolt, 2BA	1		C
26DV/10104	12.V.1065A							Clip, pipe	1		
	DHS.22/1							Lug, bonding	2		C
28M/10288	AGS.2001/C1							Nut, 2BA	1		
	A.007237A							PLATE, adaptor, complete with indicator for control box	1		
	R.002473							INDICATOR	1		
								Attaching parts for A.007237A, Plate	2		C
28S/2862	A32/C16							Screw	1		C
28S/2814	A33/C16							Screw	1		C
28S/2820	A33/C20							Screw	1		C
28W/11070	1210							Washer, shakeproof	2		

RESTRICTED

RESTRICTED
MISCELLANEOUS
CABIN COOLING SYSTEM
(SPECIAL ORDER ONLY)

Vampire.Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Of	M.K.	Cl. of St.
28S/2665	A.007241							PLATE, cover, No.2 bulkhead	1		
	AGS.253/56							Attaching parts for A.007241, Plate Screw	2		C
28E/9429610	DHS.159/L25							PIPE, arrangement of run from cold air unit to cabin (R.002391)	2		
	AGS.605/2							COUPLING, pipe 1"625 o/d x 1"25 i/d x 2"5 long for joints on front face of drag member forward of cold air unit Attaching parts for DHS.195/L25, Coupling	2		C
28E/9429610	DHS.159/N25							Clip, hose	2		C
	AGS.605/2							COUPLING, pipe 1"875 o/d x 1"50 o/d x 2"5 long for joint on non-return valve Attaching parts for DHS.195/N25, Coupling	1		
4671	R.002227A							Clip, hose	2		C
								PIPE, from joint forward of cold air unit to joint on aft face of drag member	1		C
28D/11564 28W/9419402	AS.1246/1C							Attaching parts for R.002227A, Pipe Bolt, 2BA	4		C
	SP.13/C							Washer	4		C
4670	R.002237A							PIPE, from joint on drag member to non-return valve on fuselage side	1		C

NOTE

Pages 591 to 604 not issued

Vampire Mk.9. COCKPIT AIR PRESSURE SYSTEM IN STARBOARD WING

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
								COCKPIT AIR PRESSURE SYSTEM IN STARBOARD WING	1		
4010	D.007413A							BRACKET, inter-cooler mounting	2		C
28D/8341	AS.1248/1C							Attaching parts for D.007413A, Bracket	4		C
26BY/13054	DHS.69/DD							Bolt, 2BA (AS.1885/1C)	QR		C
	DHS.159/L.2.5							Shim	2		
								COUPLING, pipe 1.5/8" o/d x 1.1/4" i/d x 2.1/2" long. F.7, for joints on front face of drag. member and forward of cold air unit	2		
								Attaching parts for DHS.159/L.2.5 Coupling			
28E/8184	AGS.605/2							Clip, hose	2		C
	DHS.159/N2.5							COUPLING, pipe 1.7/8" o/d x 1.1/2" i/d x 2.1/2" long F.7, for joint on non return valve	1		
								Attaching parts for DHS.159/N.25 Coupling			
28E/8184	AGS.605/2							Clip, hose	2		C
4565	R.002077A							DUCT, intercooler, between air intake and intercooler (Pre. Mod Vam.3237)	1		C
4703	R.002075ND							SEAL	1		C
6757	R.002077A/1							DUCT, intercooler, between air intake and intercooler (Mod.Vam.3237)	1		C
4703	R.002075ND							SEAL	1		C
	R.002427A							INTERCOOLER, Marston Part No.D.12-1A (Ref. No.27UA/284 Modified)	1		
								Attaching parts for R.002427A, Intercooler			
28D/12512	A25/1C							Bolt, 2BA	4		C
28M/10288	AGS.2001/C1							Nut, 2BA, plain	4		C
28W/12252	SP.13/C							Washer, 2BA, Standard	4		C
4671	R.002227A							PIPE, from joint forward of cold air unit to joint on aft face of drag member	1		C
								Attaching parts for R.002227A, Pipe			
28D/11564	AS.1246/1C							Bolt, 2BA (AS.1884/1C)	4		C
28W/12252	SP.13/C							Washer, 2BA	4		C

RESTRICTED
MISCELLANEOUS

(Issued with AL.9.) COCKPIT AIR PRESSURE SYSTEM IN STARBOARD WING

Vampire MK9.

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
4670	R.002237A							PIPE, From joint on dragmember to non-return valve on Fuselage side	1		C
	-							UNIT, cold air assy, Mounting of, on rib No.1.B. (R.H. only R.002395)	1		
4886	R.002449A							ADAPTOR, pipe on rib No.1, connecting pipe from cold air unit to pipe from cockpit temperature control valves	1		C
								Attaching parts for R.002449A, Adaptor			
28D/12511	A.25/2B							Bolt 4 BA	3		C
28M/10287	AGS.2001/B1							Stiffnut, 4 BA	3		C
28W/12305	SP.13/B							Washer	3		C
	DHS.184/E.25"							COUPLING, pipe, 1.15/32" o/d x 1.0" i/d x 2. 1/2" long, DTD 826, For pipe connections on inter-cooler and adaptor on Rib No.1.(Pre Mod.Vam,3395)	3		
								Attaching parts for D.H.S, 184/E 2.5 Coupling			
28E/8183	AGS.605/1							CLIP, hose	2		C
27VA/4135	DAS/393/16/2.5"							COUPLING, "Silicone hose, Dunlop, for pipe connections on inter-cooler and adaptor on Rib No.1.(Mod.Vam.3395) Alternative to part No. C2S/4 Ply/A/O liner, 1.)" bore x 2.5" long (Bestobell "Silastic asbestos sleeve)	3		C
								Attaching parts for DAS. 393/16/2.5", Coupling			
28E/8183	AGS.605/1							Clip, hose	2		C
								COUPLING, pipe, 1.15/32" o/d x 1.0" i/d x 9.5" long, D.T.D.826, connecting pipe from cold air unit to adaptor on Rib No.1. (Pre Mod.Vam,3395)	1		
								Attaching parts for DHS. 184/E95, Coupling			
28E/8183	AGS.605/1							Clip, hose	1		C

RESTRICTED
MISCELLANEOUS

Vampire Mk.9. COCKPIT AIR PRESSURE SYSTEM IN STARBOARD WING

(Issued with A.L.9)

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
11822	DAS.393/16/ 9"0							COUPLING, "Silicone" hose, Dunlop connecting pipe from cold air unit to adaptor on Rib No.1 (Mod.Vam.3395) Alternative to part No. C.25/4/PLY A/C liner, 1"0 bore x 9"0 long ("Bestobell" Silastic Asbestos sleeve) Attaching parts for DAS.393/16/9"0 Coupling	1		C
28E/8183	AGS.605/1							Clip, hose	1		C
10184	R.002619A							DIPSTICK, assy oil reservoir, for cold air unit (Mod.Vam.3265)	1		C
7000	R.002617							CAP, filler (Mod.Vam.3265)	1		C
	R.002625							DIPSTICK	1		
26DV/5984	12.V.667A							FILTER, for cold air unit (Mod.Vam 3265)	1		C
	12.V.687AND							COLLAR, assy	1		
	12.V.651ND							COLLAR	1		
	12.V.655ND							DRAIN	1		
	12.V.685ND							GAUZE, (Made from Copper Gauze or alternative, Brass Gauze 120 mesh 43 swg)	1		
	12.V.653ND							PLATE, sealing	1		
	R.002251ND							HOSE, flexible, 1/4" i/d x 18"0 long DTD.623, connecting oil reservoir to cold air unit Attaching parts for R.002251ND, Hose	1		
28E/10154	AGS.605/00							Clip, hose	2		C
5814	R.002545A							PIPE, from connection on cold air unit to joint aft of spar web Attaching parts for R.002545A, Pipe	1		C
28D/12513	A25/2C							Bolt, 2BA	2		C
28W/12252	SP.13/C							Washer, 2BA	2		C

RESTRICTED

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
<p>NOTE:- Pages 599 to 604 not issued.</p>											

MISCELLANEOUS
DESERT EQUIPMENT
(SPECIAL ORDER ONLY)

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
	-	DESERT EQUIPMENT (B.001137)							1	-	
5677	B.001151A	BAG, sandproof, for R.3121 radio							1	-	C
23/113	†	BOTTLE, water							1	-	A
	-	BOX, complete with compass and signal pistol etc. (B.001140A)							1	-	
6982	B.00904A	BOX, stowage							1	-	C
12D/514	†	CARTRIDGE, 1"0 red							8	-	A
6E/374	†	COMPASS, marching							1	-	A
27H/2102	†	HELIOGRAPH							1	-	A
7B/971	†	PISTOL, signal, No.2 Mk.5							1	-	A
4358	B.003039A	BRACKET, storage for ration container							1	-	C
28S/2862	A.32/C.16	Attaching parts for B.003039A, Bracket							2	-	C
28L/11070	No.1210	Screw, 2BA, round head (AGS.245/13)							2	-	C
		Washer, 2BA, internal teeth, Shakeproof									
23/106	†	CONTAINER, flying ration							1	-	A
21C/1364	†	CONTAINER, ordinary ration							1	-	A
	B.001111A	CORD, elastic, for securing signalling strips and tool kit, front							1	-	
	B.001112A	CORD, elastic, for securing signalling strips and tool kit, rear							1	-	
		Attaching parts for B.001111A and B.001112A, Cords									
28D/6993	A.1/3C	Bolt, 2BA							2	-	C
26EW/2700	DHS.34/N	Washer, 2BA							2	-	C
	B.001779A/ND	CORD, elastic, for securing stowage box and ordinary ration container							1	-	
	B.001130A	COVER, for main undercarriage and wheel wells							2	-	
	B.001117A	COVER, for nose wheel							1	-	
	B.001110	GUARD, for signalling strips, 16SWG, DTD.610 (Make from Ref.No. 30B/949)							1	-	
23/76	†	HOLDER, for water bottle							1	-	A
4B/597	†	STRIPS, signalling							1	-	A
1B/4398	†	TOOL KIT, type D							1	-	A
	B.001113A	TRAY, mounting, for flying ration container							1	-	

R E S T R I C T E D

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.

RESTRICTED

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
		GROUND EQUIPMENT							1		
4177	Y.00181							ADAPTER, for wing joints A and B bolt extractor tool	1		C
9105	Y.0093							ADAPTER, for wing joint C bolt extractor tool	1		C
26DV/95013	12.Y.313A							ADAPTER, for towing or steering arm	1		A
	12.Y.327A							BOLT, wing	2		
9022	Y.00303A							COLLAR, for wheels	2		C
	12.Y.435A							HARNESS	1		
9025	Y.0037A							LEVER, locking L.H.	1		C
9026	Y.0038A							LEVER, locking R.H.	1		C
9023	Y.0029A							PIN, for locking levers	2		C
28P/12408	SP.9/K16							PIN, split, for wheel collar	2		C
9113	Y.00897 ND							WHEEL, Conolly	2		C
4G/3070	/							ARM, nose wheel, steering	1		A
4G/4175	/							ARM, nose wheel, towing	1		A
9006	Y.0075A							BOARD, fuselage levelling, lateral	1		A
9011	Y.0076							BOARD, fuselage levelling, longitudinal	1		A
9043	Y.00500A							BOARD, tailplane incidence	1		A
9004	Y.0090A							BOARD, wing dihedral	1		A
9003	Y.0094A							BOARD, wing incidence	1		A
5722	Z.005739							BULLET, guide for fitting engine mounting bolts (special order only)	QR		C
9051	Y.00241A							CABLE, wing slinging, forward (Pre Mod. Vam. 3104)	1		C
9088	Y.001141A							CABLE, wing slinging forward (Mod.Vam. 3104)	1		C
	Y.00605A/ND							CABLE	1		C
28X/3451	/							CABLE, flexible, 35 cwt, W.9	QR		C
28Y/3006	AGS.136/C							THIMBLE	2		C
9027	Y.00232A							FITTING, end, for wing pick up (Pre Mod. Vam. 3104)	1		C
9087	Y.001153A							FITTING, end, for wing pick up (Mod. Vam. 3104)	1		C
	Y.00391 ND							LABEL, identification	1		
28P/5414	AGS.1151/4							PIN, locking	2		C

Cancelled - see next sheet

MISCELLANEOUS
GROUND EQUIPMENT

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Ci. of St.
28P/	SP.4Y/R23							PIN, shackle, for wing pick up	1		C
28P/1105	SP.4Y/H23							PIN, shackle, securing cable to sling	1		C
28P/933	SP.4Y/H11							PIN, shackle, securing end fitting to shackle	1		C
28P/12261	SP.9/E6							PIN, split (AGS.784/10)	1		C
28Y/2903	SP.1/690/F							SHACKLE	1		C
28W/3083	AGS.161/E							WASHER, 5/16" BSF (Required to make Part No. Y.00967 ND)	1		C
28W/3074	AGS.160/F							WASHER, 3/8" BSF	2		C
28W/8534	AS.471/J							WASHER, 3/8" BSF, packing	2		C
	Y.00967 ND							WASHER, 5/16" BSF (Make from Ref No. 28W/3083)	1		C
9052	Y.00242A							CABLE, wing slinging rear (Pre Mod. Vam. 3104)	1		C
9063	Y.001123A							CABLE, wing slinging rear (Mod. Vam. 3104)	1		C
28D/12553	A.25/6J							BOLT, 3/8" BSF (6A1/6J)	3		C
	Y.00606A/ND							CABLE	1		C
28X/3451	f							CABLE, flexible, 35 cwt, W.9	QR		C
28Y/3006	AGS.136/C							THIMBLE	2		C
9028	Y.00235A							FITTING, end, for wing pick up (Pre Mod. Vam. 3104)	1		C
9029	Y.00236A							FITTING, end, for wing pick up (Pre Mod. Vam. 3104)	1		C
9094	Y.001155							FITTING, end, for wing pick up (Mod. Vam. 3104)	1		C
9095	Y.001156							FITTING, end, for wing pick up (Mod. Vam. 3104)	1		C
	Y.00392 ND							LABEL, identification	1		C
28M/13295	A.27/JP							NUT, 3/8" BSF, plain (A.16Y/JP)	3		C
28P/5414	AGS.1551/4							PIN, locking	2		C
28P/1173	SP.4Y/M23							PIN, shackle, securing cable to sling	1		C
28P/933	SP.4Y/H11							PIN, shackle, securing end fitting to shackle	1		C
28Y/2903	SP.1/690/F							SHACKLE	1		C
28W/3074	AGS.160/F							WASHER, 3/8" BSF	1		C
28W/3076	AGS.160/H							WASHER, 1/2" BSF	1		C
28W/8536	AS.471/N							WASHER, 1/2" BSF, packing	2		C

Vampire Mk. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		GROUND EQUIPMENT									
4177	Y.00181							ADAPTER, for wing joints A and B bolt extractor tool	1		C
9105	Y.0093							ADAPTER, for wing joint C bolt extractor tool	1		C
26DV/95013	12.Y.313A							ADAPTER, for towing at steering arm	1		A
9022	12.Y.327A							BOLT, wing	2		C
	Y.00303A							COLLAR, for wheels	1		
9025	12.Y.435A							HARNESS	1		C
	Y.0037A							LEVER, locking L.H.	1		C
9026	Y.0038A						LEVER, locking R.H.	2		C	
9023	Y.0029A						PIN, lever locking	2		C	
28P/12408	SP.9/K16							PIN, split for wheel collar	2		C
9113	Y.00897ND							WHEEL, Connolly			
49/2574	*							ADAPTER, <i>steering ball head</i>	1		A
4G/3070	/							ARM, nose: wheel steering	1		A
4G/4175	/							ARM, nose: wheel towing	1		A
9006	Y.0075A							BOARD, fuselage levelling lateral	1		A
9011	Y.0076							BOARD, fuselage levelling longitudinal	1		A
9043	Y.00500A							BOARD, tailplane, incidence	1		A
9004	Y.0090A							BOARD, wing dihedral	1		A
9003	Y.0094A							BOARD, wing incidence	1		C
5722	Z.005739							BULLET, guide for fitting engine mounting bolts (special order only)	QR		C
9051	Y.00241A							CABLE, wing slinging forward (Pre Mod. Vam. 3104)	1		C
9088	Y.001141A							CABLE, wing slining forward (Mod. Vam. 3104)	1		C
9087	Y.001109A							CABLE, assembly	1		C
	Y.001153A							FITTING, end for wing pick-up	1		
28P/5414	Y.001143ND							LABEL, identification	2		C
	AGS.1551/4							PIN, locking	1		C
28P/14791	SP4Y/R23							PIN, shackle, for wing pick-up	1		C
28P/1099	SP4Y/H17							PIN, shackle, securing cable to sling	1		C
28P/1172	SP4Y/M22							PIN, shackle securing end fitting to shackle	1		G
28P/12364	SP9/G6							PIN, split	1		
28W/12667	Y.001125							SHACKLE	QR		C
	SP18/G							WASHER, 5/16" BSF (Required to make Part No. Y.00967ND)	2		C
28W/12257	SP13/N							WASHER, 3/8" BSF	2		C
	SP13/J							WASHER, 3/8" BSF, packing	2		C
28W/12255	Y.00967ND							WASHER, Make from Ref. 28W/12667	1		
	Y.001139ND							WASHER, distance, between shackle and end fitting S.1	2		

RESTRICTED
MISCELLANEOUS
GROUND EQUIPMENT

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Of	M.R.	Cl. of St.
9052	Y.00242A							CABLE, wing slinging rear (Pre Mod.Vam. 3104)	1		C
9063	Y.001123A							CABLE, wing slinging rear (Mod.Vam.3104)	1		C
28D/12553	A25/6J							BOLT, $\frac{3}{8}$ " BSF	3		C
	Y.001101A/ND							CABLE	1		C
9094	Y.001155A							FITTING, end for wing pick-up	1		C
9095	Y.001156A							FITTING, end for wing pick-up	1		C
	Y.001129ND							LABEL, identification	1		C
28M/13295	A.27/JP							NUT, $\frac{3}{8}$ " BSF	3		C
28P/5414	AGS.1551/4							PIN, locking	2		C
28P/1167	SP.4Y/M17							PIN, shackle, securing cable to sling	1		C
28P/1172	SP.4Y/M22							PIN, shackle, securing end fitting to shackle	1		C
	Y.001125							SHACKLE	1		C
28W/12257	SP.13/N							WASHER, $\frac{3}{8}$ " BSF	1		C
	Y.001131							WASHER, distance, between shackle and end fitting S.1	2		C

Vampire Mk.9

Ref. No.	Part No.	Nomenclature						No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6			
27D/2644	Y.00833A/ND							1		A
27D/	Y.001079A/ND							1		A
27D/2643	Y.00831A/ND							1		A
7G/962	/							4		C
= 7G/1000	/							4		C
27D/2646	Y.00835A/ND							1		A
27D/2666	Z.985082A/ND							1		A
9001	Y.00152A							1		A
9014	Y.00258A							2		A
1078	R.00Y.2							1		A
1077	R.00Y.1							1		A
1079	R.00Y.3							1		A
1080	R.00Y.4							1		A
1081	R.00Y.5							1		A
9044	Y.00519A/1							1		A
	Y.00701 ND							QR		
	Y.00448A							1		
	Y.00447A							1		
	Y.00400							1		C
28P/12647	SP.9/G8							1		C
9059	Y.00449 ND							1		C
28W/3083	AGS.161/E							1		C
	Y.00531							1		
28M/13086	A.27/BP							4		C
	Y.0063 ND							QR		
28S/3426	A.32/B8							4		C
28W/3070	AGS.160/B							4		C
9054	Y.00519A/2							1		A
9057	Y.001082A							1		A
9058	Y.001053							2		C
	Y.001033 ND							QR		

RESTRICTED
MISCELLANEOUS
GROUND EQUIPMENT

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
4589	Y.001061							HOOK, inboard			
4588	Y.001059							HOOK, outboard	1		C
	Y.00531/1							LABEL, "Fix Rope of Wheel.....Before Use" for Port guard	1		C
	Y.001096							LABEL, "Fix Rope of Wheel.....Before Use" for Starboard guard	1		
28M/13086	A.27/BP							NUT, 4 BA, plain for labels (A.16Y/BP)	4		C
	Y.001031 ND							PACKING, edge sealing, 1/4" thick, felt	QR		
28S/2857	A.32/B12							SCREW, 4 BA, round head for label (AGS.245/21)	4		C
9059	Y.00449 ND							SPRING, for hooks	2		C
28W/3071	AGS.160/C							WASHER, 4 BA, for label	4		C
28W/12667	SP.18/G							WASHER, 5/16" BSF, large, for hooks	4		C
4Q/2573	/							JACK, 3 ton, wing	2		A
4Q/1229	/							JACK, 4 ton	1		A
9053	Y.00907							PAD, for wing jack	2		C
9110	Y.0011A							PIN, locking, elevator and rudder controls in boom for rigging	2		C
9114	Y.0011A Mk.3							PIN, locking elevator and rudder control pulleys on false spar for rigging	2		C
9047	Y.00517A							PLATE, blanking, air intake Port	1		C
9046	Y.00516A							PLATE, blanking, air intake Starboard	1		C
28M/807	AGS.120/E							NUT, 3/8" BSF, wing	1		C
	Y.00514 ND							PACKING, edge sealing 1/4" thick, felt	QR		
28P/12462	SP.9/C8							PIN, split (AGS.784/3)	1		C
	Y.00515 ND							SEAL, edge 1/2" diameter, Sorbo Rubber	QR		
	Y.00512A							SPINDLE, clamping	1		
28W/3074	AGS.160/F							WASHER, 3/8" BSF	1		C
9012	Y.00110A							PLATE, jet tail pipe blanking	1		A
	Y.00489A							BOLT, for clamping handle	1		
9036	Y.00408A							HANDLE, clamping	1		C
9038	Y.00117 ND							RING, sealing	1		C
9108	Y.00403A							PLATE, locking, aileron control at base of control column for rigging	1		C
28D/12814	A.25/29E							Attaching parts for Y.00403A Plate			
28M/12923	A.27/EP							Bolt, 1/4" BSF (6A1/29E)	1		C
								Nut, 1/4" BSF, plain (A.16Y/EP)	1		C

RESTRICTED
 MISCELLANEOUS
 GROUND EQUIPMENT

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
9109	Y.00600							PLATE, setting, elevator quadrant in cockpit, for rigging	1		C
	-							PLUG, cannon barrel (See Fuselage Gun Bay Doors)	4		
	-							PLUG, screwed for main undercarriage locking on ground (See Fuselage Gun Bay Doors)	2		
4G/	EP.5002							SLING, engine, also for wing, using cables Part No. Y.00241A and Y.00242A D.H.Engine Company	1		A
1075	Y.00546A							SLING, complete aircraft (Pre Mod. Vam.3104)	1		A
	Y.001151A							SLING, complete aircraft (Mod.Vam.3104)	1		
	Y.00533A							BEAM, spreader	2		C
28D/12569	A.25/10E							BOLT, 1/4" BSF (6A1/10E)	2		C
28D/13703	A.25/17Q							BOLT, 5/8" BSF (A.15Y/17Q)	2		C
28D/14199	A.25/20S							BOLT, 3/4" BSF (6A1/20S)	2		C
28D/14577	A.25/34W							BOLT, 1" .0 BSF (6A1/34W)	2		
	6535 Y.00556A							CABLE, salvage (Pre Mod.Vam.3104)	2		
	Y.001135A							CABLE, salvage (Mod.Vam.3104)	2		
	6538 Y.00539A							CABLE, wing pick up (Pre Mod.Vam.3104)	2		
	Y.001149A							CABLE, wing pick up (Mod.Vam.3104)	2		C
28M/12928	A.27/EP							NUT, 1/4" BSF, plain (A.16Y/EP)	2		C
28M/13145	A.27/QS							NUT, 5/8" BSF, slotted (A.16Y/QS)	2		C
28M/13590	A.27/SS							NUT, 3/4" BSF, slotted (A.16Y/SS)	2		C
28M/13276	A.27/WS							NUT, 1" .0 BSF, slotted (A.16Y/WS)	2		C
28P/5416	AGS.1551/6							PIN, locking for wing attachment bolts	1		C
9060	AS.2436/12							PIN, quick release, for fuselage cables	2		
6687	AS.2444/24							PIN, quick release, for wing cables	1		C
28P/12463	SP.9/E10							PIN, split (AGS.784/12)	4		C
28P/12793	SP.9/E12							PIN, split (AGS.784/13)	1		
	Y.001125							SHACKLE, "D" large	1		
	12.Y.593							SHACKLE, "D" large	1		C
28Y/2903	SP.1/690/F							SHACKLE, for fuselage cables	2		
	6536 Y.00542							SHACKLE, front half, for wing attachment	2		
	6537 Y.00543							SHACKLE, rear half, for wing attachment	2		

A47

A47

RESTRICTED
 MISCELLANEOUS
 GROUND EQUIPMENT

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
	Y.00545A							SLING, cable, crane ring (Pre Mod.Vam.3104.)	1		
	Y.001133A							SLING, cable, crane (Mod.Vam.3104)	1		
9112	Y.00390							SPANNER, box, for bolts at wing joints A and B	1		A
9107	Y.00406A							SPANNER, box, for main undercarriage wheel nuts	1		A
9106	Y.00162A							SPANNER, for fuel and hydraulic tank filler caps, gun bay door and cowling fasteners stowed on bulkhead No.2 (Pre Mod.Vam.3220)	1		A
9062	Y.001227A							SPANNER, for fuel and hydraulic tank filler caps, gun bay door and cowling fasteners stowed on bulkhead No.2 (Mod.Vam.3220)	1		A
7G/1371	S.00135							SPANNER, large, cannon mounting adjustment, stowed on gun bay door	1		A
9100	Y.00185A							SPANNER, ratchet, for Port undercarriage and boom joint bolts	1		A
9101	Y.00186A							SPANNER, ratchet, for Starboard undercarriage and boom joint bolts	1		A
9102	Y.00376							BOX, hexagon, adapter, for boom joint nuts	1		C
	Y.0082							NUT, spring locking	2		
	Y.0088 ND							SPRING, ratchet	1		
	Y.0085							WASHER, serrated, for Port spanner	1		
	Y.0086							WASHER, serrated, for Starboard spanner	1		
7G/1372	S.00136							SPANNER, small cannon mounting adjustment stowed on gun bay door	1		A
9050	Y.00901A							STRUT, locking canopy	1		C
4121	G.00556A							FLAG	1		C
4120	Y.00899							SCREW, adjusting	1		C

RESTRICTED

MISCELLANEOUS
GROUND EQUIPMENT

Vampire Mk.9

(Issued with AL.1)

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
1076	Y.00441A							STRUT, locking, control column	1		A
28D/12544	A.25/8E							BOLT, 1/4" BSF (6A1/8E)	1		C
6869	Y.00350							BOLT, clamp	1		C
5805	Y.00362A							BOLT, wing	2		C
28M/802	AGS.113/C							NUT, 2 BA, wing, for clamp bolt	1		C
28M/10290	AGS.2001/E1							NUT, 1/4" BSF, plain	1		C
28P/12462	SP.9/C8							PIN, split (AGS.784/3)	1		C
	Y.00356 ND							TUBE, distance, 5/16" o/d x 22 SWG x 0".76 long, T26 (Make from Ref No. 30A/968)	1		
	Y.00443A							TUBE, locking	1		
28W/3071	AGS.160/C							WASHER, 2 BA	1		C
3422	Y.00366A							STRUT, locking, rudder control	1		A
	Y.00368							BOLT, locking	2		
7831	Y.00369							CLIP, chain	1		
28P/12262	SP.9/E6							PIN, split (AGS.784/10)	2		C
26BY/7263	DHS.19 Mk.8							SPRING, for locking bolt	2		C
16FV/389	Y.00370 ND							TUBE, distance, 5/16" o/d x 22 SWG x 0".32 long, T26 (Make from Ref No. 30A/968)	2		
	Y.00371 ND							WASHER, bearing, 1".0 o/d x 1/4" i/d x 1/8" thick, LFS.26	2		
26BY/7264	S.98263							WASHER, seating	2		C
9104	Y.00133A							TOOL, for adjusting cowl ring stirrups	1		A
9021	AH.8404							TOOL, main undercarriage wheel extractor Dunlop	1		A
9103	Y.00175A							TOOL, wing joints A and B bolt extractor (Pre Mod.Vam.3182)	1		A
26DV/95035	12.Y.613A							TOOL, wing joints A and B bolt extractor (Mod.Vam.3182)	1		A
1C/6456	R.00Y.48A							TOOLKIT, counters k, complete in box	1		A
	STD.200-1							COUNTERSINK, 90° angle 3/32" pilot dia. 3/8" cutting dia	1		
	STD.200-2							COUNTERSINK, 90° angle 1/8" pilot dia. 3/8" cutting dia	1		
	STD.200-3							COUNTERSINK, 90° angle 5/32" pilot dia. 3/8" cutting dia	1		
	STD.200-4							COUNTERSINK, 90° angle 3/16" pilot dia. 3/8" cutting dia	1		
	STD.200-5							COUNTERSINK, 120° angle 3/32" pilot dia. 3/8" cutting dia	1		

RESTRICTED

MISCELLANEOUS
GROUND EQUIPMENT

Vampire Mk.9

Page 614
(Issued with AL.1)

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	STD.200-6							COUNTERSINK, 120° angle 1/8" pilot dia. 3/8" cutting dia	1		
	STD.200-7							COUNTERSINK, 120° angle 5/32" pilot dia. 3/8" cutting dia	1		
	STD.200-8							COUNTERSINK, 120° angle 3/16" pilot dia. 7/16" cutting dia	1		
	J.16683							HOLDER, adjustable, for countersinks	1		
1082	R.OOY.35A							TOOLKIT, reamer, complete in box	1		A
9205	R.OOY.21							BUSH, guide, for reamers	2		A
9207	R.OOY.10							GAUGE, plug, for 1".005 dia	1		A
9208	R.OOY.11							GAUGE, plug, for 1".010 dia	1		A
9209	R.OOY.12							GAUGE, plug, for 1".015 dia	1		A
9210	R.OOY.13							GAUGE, plug, for 1".020 dia	1		A
1087	R.OOY.30A							KEY, ratchet, for reamers	1		A
	R.OOY.29							SPRING	1		
	R.OOY.47-4							OIL CAN	1		
9201	R.OOY.17							REAMER, 1".005 dia	1		A
9202	R.OOY.18							REAMER, 1".010 dia	1		A
9203	R.OOY.19							REAMER, 1".015 dia	1		A
9204	R.OOY.20							REAMER, 1".020 dia	1		A
9237	R.OOY.34A							SCREWDRIVER	1		A
9206	R.OOY.39							SPANNER, type C	1		A
9002	Y.00118A							TRESTLE, fuselage	2		A
	Y.00263A							TRESTLE, fuselage nose	1		
9017	Y.00307A							TRESTLE, fuselage, picking up on engine mountings	1		A
	GS.458							TRESTLE, tail, type D	2		
6C/603	/							UNIT, pressure transmitter priming and servicing	1		A

RESTRICTED

RESTRICTED

MISCELLANEOUS
GROUND EQUIPMENT

Vampire Mk.9

(Issued with AL.1)

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
								R.A.F. SPECIAL TOOLS			
9056	Y.001013A/ND							BOLT, U, complete with nut (R.A.F. Part No. K(SE)1551/2)	2		C
9020	Y.00696A							FORMER, for nose trestle (R.A.F. Part No. K(SE)1551)	1		A
9013	Y.00691A							FORMER, for use with U.J.T. No.3 Port (R.A.F. Part No. K(SE)1550 L.H.)			
9019	Y.00692A							FORMER, for use with U.J.T. No.3 Starboard (R.A.F. Part No. K(SE)1550 R.H.)	1		A
9042	Y.00698 ND							PLATE, clamp (R.A.F. Part No. K(SE) 1551/3)	1		C
9041	Y.00699 ND							PLATE, retainer (R.A.F. Part No. K(SE) 1551/4)	1		C

RESTRICTED

Page 616
(Issued with AL.1)

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
Note:- Pages 617 to 620 not issued											

RESTRICTED

MISCELLANEOUS
INSTALLATION OF FIRST AID STOWAGE

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
	-							INSTALLATION OF FIRST AID STOWAGE (B.003157)	1	-	
90/1	† ₁₄₅							BAG, first aid equipment	1	-	A
4881 5887	B.003155							BRACKET, for securing elastic cord	2	-	C
28S/2856	A.32/C.12							Attaching parts for B.003195, Bracket			
28L/11070	No.1210							Screw, 2BA, round head (AGS.245/12)	2	-	C
								Washer, 2BA, internal teeth, Shakeproof	2	-	C
	B.003253A/ND							CORD, assembly	2	-	
	†							CORD, 1/4" dia. x 7'0 long, F.1	QR	-	
28H/5564	AGS.897/B							FERRULE	2	-	C

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	-	INSTALLATION OF GYRO GUNSIGHT (B.001030)							1	-	
	B.001783	BRACKET, cable and recorder plug							1	-	
28D/6989	A.1/4C	Attaching parts for B.001783, Bracket							2	-	C
28M/10288	AGS.2001/C/1	Bolt, 2BA							2	-	C
		Nut, 2BA, plain pinnacle									
3336	B.001017A	BRACKET, electrical plug							1	-	C
28D/7272	A.1/2B	Attaching parts for B.001017A, Bracket							4	-	C
28M/10287	AGS.2001/B/1	Bolt, 4BA							4	-	C
		Nut, 4BA, plain pinnacle									
26DV/6873	B.001015A	BRACKET, gunsight mounting							1	-	C
		Attaching parts for B.001015A, Bracket									
4386	B.003085	Block, packing							1	-	C
28D/7114	A.1/19C	Bolt, 2BA							2	-	C
28D/8264	A.1/36C	Bolt, 2BA							2	-	C
28D/7981	A.1/33E	Bolt, 1/4" BSF							1	-	C
28D/7690	A.1/36E	Bolt, 1/4" BSF							1	-	C
28D/7256	A.1/35C	Bolt, 2BA (To be fitted only when B.001007A is used)							1	-	C
28M/10288	AGS.2001/C/1	Nut, 2BA, plain pinnacle							3	-	C
28M/10290	AGS.2001/E/1	Nut, 1/4" BSF, plain pinnacle							2	-	C
26BY/13054	DHS.69/DD	Shim, 1/4" BSF							QR	-	C
26F/3275	AS.2808/5/100	Tube, distance							1	-	
28W/6219	AGS.970/C	Washer, 2BA							7	-	C
28W/6220	AGS.970/D	Washer, 1/4" BSF							3	-	C
3927	B.001024	Washer, special (To be fitted only when B.001007A is used)							1	-	C
3926	B.001023	Washer, packing							1	-	C
	DHS.86 Mk.3	CLIP, tubular, for cables from control box							3	-	
28S/2856	A.32/C.12	Attaching parts for DHS.86 Mk.3, Clip							1	-	C
28L/11070	No.1210	Screw, 2BA, round head (AGS.245/12)							1	-	C
		Washer, 2BA, internal teeth, Shakeproof									
8B/2875	†	GUNSIGHT, gyro, Mk.4E							1	-	A
	B.001020A	TUBE, support							1	-	
		Attaching parts for B.001020A, Tube									
28D/7510	A.15Z/23C	Bolt, 2BA							2	-	C
28M/10298	AGS.2001/C/2	Nut, 2BA, plain							2	-	C
	DHS.66/CC	Shim, 2BA							2	-	
28W/6043	AGS.946/C	Washer, 2BA							2	-	C
26BY/3259	DHS.34/C	Washer, 2BA							2	-	C
26BY/3465	DHS.33 Mk.1	Washer, 2BA, shrinkage							4	-	C
26D/7335											

R E S T R I C T E D

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.

R E S T R I C T E D

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	-	INSTALLATION OF WINDSCREEN DE-ICING (Q.0C11)						1	-		
2657	Q.002047A	CLIP, tank support						1	-	C	
28D/7014	A.1/7C	BOLT, 2BA						2	-	C	
26BY/10687	AS.487/10	CLIP, saddle						1	-	C	
28M/10288	AGS.2001/C/1	NUT, 2BA, plain						2	-	C	
	DHS.30 Mk. 2	CLIP, tubular						6	-		
	DHS.30 Mk.33	CLIP, tubular						2	-		
		Attaching parts for DHS.30 Mk.33, Clip									
28M/10287	AGS.2001/B/1	Nut, 4BA, plain						1	-	C	
28S/2863	A.32/B.16	Screw, 4BA, round head (AGS.245/22)						1	-	C	
	DHS.30 Mk.36	CLIP, tubular						2	-		
	DHS.30 Mk.49	CLIP, tubular						1	-		
	DHS.47 Mk.18	CONNECTOR, bonding, at de-icing fluid tank						1	-		
	Q.002048ND	COUPLING, supply pipe to spray, 1/4" i/d x 1"5 long, Rubber (Make from Ref.No.32C/57)						1	-		
28E/3322	AGS.606/B	ATTACHING PARTS FOR Q.002048ND									
28F/5709	AGS.906/A	NIPPLE, at pipe connection to pump						1	-	C	
28F/5710	AGS.906/B	NIPPLE, at pipe connection to pump						1	-	C	
4751	Q.00365A/ND	PIPE, supply, from connection on bulkhead No.1 to hand pump in cockpit						1	-	C	
4754	Q.00370A/ND	PIPE, supply, from hand pump in cockpit to spray						1	-	C	
4753	Q.00368A/ND	PIPE, supply, from tank to connection on bulkhead No.1						1	-	C	
4752	Q.00367A/ND	PIPE, vent, from tank to atmosphere						1	-	C	
26BY/17540	DHS.180 Mk.3X	TAB, for locking wire						1	-	C	
26FY/3235											
2656	Q.002040A	TANK, for de-icing fluid						1	-	A	
13222	26BY/4062	ADAPTOR, filler cap						1	-	C	
28D/7001	A.1/2B	BOLT, 4BA						8	-	C	
26BY/5920	55598	CAP, filler						1	-	C	
13237	DHS.47 Mk.3	CONNECTOR, bonding						1	-		
28M/10287	AGS.2001/B/1	NUT, 4BA, plain						8	-	C	
13245	26BY/7767	WASHER, for filler cap						1	-	C	
26BY/1636	Q.98599	WASHER, under filler cap adaptor						1	-	C	
		Attaching parts for Q.002040A, Tank									
28E/8187	AGS.605/5	Clip						2	-	C	

R E S T R I C T E D

MISCELLANEOUS
 INSTALLATION OF V.G. RECORDER
 SPECIAL ORDER ONLY

Vampire MK. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
106E/12	/							RECORDER, V.G.	1		A
28V/5109	AGS. 838/5							RING, rubber for "T" unions	6		C
28F/5723	AGS. 904/BB							SLEEVE, outer for blanking cap and pipes	10		C
5404	B.003285							STAY support for V.G. recorder	1		C
	B.003077 ND							TUBE, braided, between V.G. recorder and pipes 5/16" i/d X 18" long DTD 373	2		
28V/5105	AGS. 838/2							UNION, "T" piece	2		C
28F/8294	AGS. 1102/BB							UNION, cone	2		C

RESTRICTED



RESTRICTED
OXYGEN SYSTEM
PIPES AND FITTINGS

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
								PIPES AND FITTINGS (Q.0010) (Pre Mod Vam 3433)			
								PIPES AND FITTINGS (Q.003799) (Mod Vam 3433)			
824	Q.00138							ADAPTER, for passing pipe run through bulkhead No. 2	1		C
								Attaching parts for Q.00138, Adapter Locknut	1		C
828	Q.00139										
825	Q.002037A							BEARER, for mounting oxygen cylinders	8		C
6D/756	/							BLOCK, junction at cylinders	2		C
26BY/1398	Q.98647A							BLOCK, clamping pipes to canopy rail	3		C
								Attaching parts for Q.98647A, Block Nut, 2BA	1		C
28M/10288	AGS.2001/C/1										
834	Q.00180A							BOLT, captive, for pipe clamp blocks on canopy rail	3		C
	Q.003793							BRACKET, mounting for barometric valve on cockpit floor (Mod Vam 3433)	1		
								Attaching parts for Q.003793, Bracket Screw, 2BA	3		C
28S/2868	A32/C20							Washer	3		C
28L/11051	AGS.2034/C								3		C
26BY/7633	Q.98176							CAP, blanking on control valve on bulkhead No. 3	1		C
26DL/7344											
26BY/7597	Q.9849 MK.4							CHAIN, safety, for blanking cap on control valve	1		C
26DL/7343											
	Q.00185							CLAMP, pipe canopy rail 16 SWG S84	1		
								Attaching parts for Q.00185, Clamp Screw, 2BA	1		C
28S/2856	A32/C12							Washer	1		C
28L/11069	AGS.2035/C								1		C
6D/1469	/							CLIP, for economiser flexible hose to Pilots safety harness	1		A
								Attaching parts for A.M. Ref No. 6D/1469, Clip			
28D/11937	AS.1246/1B							Bolt, 4BA	2		C
28M/10327	AGS.2002/B/1							Nut, 4BA	2		C
28W/12305	SP.13/B							Washer	2		C
	Q.00202							CLIP, for filters in pipe between cylinders and control valve on bulkhead No. 3, 20 SWG L72 (Make from Ref No. 30B/1732)	1		

RESTRICTED

RESTRICTED
OXYGEN SYSTEM
PIPES AND FITTINGS

Vampire Mk. 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	DHS. 28 Mk. 2							CLIP, saddle for filter pipe to control valve in bulkhead No. 3	1		
	DHS. 30 Mk. 2							CLIP, tubular	1		
28D/11564	AS 1246/1C							Attaching parts for DHS. 30 Mk. 2 Clip Bolt, 2BA	1		C
28L/11069	AGS. 2035/C							Washer	1		C
	DHS. 30 Mk. 4							CLIP, tubular for economiser pipe on bulkhead No. 2	1		
4679	R. 002165							CLIP, tubular for economiser flexible hose	1		C
28D/12528	A25/1B							Attaching parts for R. 002165, Clip Bolt, 4BA	1		C
28M/10287	AGS. 2001/B/1							Nut, 4EA	1		C
6D/1383	/							CYLINDER, oxygen, Mk. 5D	2		A
	Q. 00922A/ND							ECONOMISER, complete with hose	1		
6D/1444	/							ECONOMISER, Mk. 4 complete with cover	1		A
6D/573	/							HOSE	1		B
26BY/7771	Q. 981188							SLEEVE	1		C
6D/606	/							SOCKET	1		B
								Attaching parts for Q. 00922A/ND, Economiser			
28S/2862	A32/C16							Screw, 2BA	3		C
28W/12252	SP. 13/C							Washer	QR		C
6D/113	/							ELBOW, pipes in barometric line	4		C
28V/5107	AGS. 838/3							ELBOW, pipe at control valve	1		C
6D/114	/							ELBOW, pipe at regulator	1		C
6D/574	/							FILTER, in pipes at cylinders and at adaptor on bulkhead No. 2	3		B
6D/642	/							LABEL, filter	2		C
6D/641	/							LABEL, for non-return valve at top of junction block	1		C
6D/425	/							NUT, blanking on lower junction block	2		C
28V/5108	AGS. 838/4							NUT, Union pipe coupling	6		C
826	Q. 00410A/ND							PIPE, filter to control valve on bulkhead No. 3	1		C
	Q. 001004ND							PIPE, from joint on canopy rail to economiser 5/16" O/D x 22 SWG T9	1		
829	Q. 00412A/ND							PIPE, inner connection, between cylinders	1		C
830	Q. 00413A/ND							PIPE, outer connection, between cylinders	1		C
827	Q. 00411A/ND							PIPE, oxygen cylinder to filter	1		C

RESTRICTED
OXYGEN SYSTEM
PIPES AND FITTINGS

Vampire Mk. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
833	Q. 00766A/ND							PIPE, oxygen cylinder junction block to adaptor on bulkhead No. 2	1		
	Q. 00416A/ND							PIPE, pressure regulator to adaptor on bulkhead No. 2 (Pre Mod Vam 3433)	1		C
	Q. 001003ND							PIPE, pressure regulator to joint on canopy rail 5/16" O/D x 22 SWG. T9	1		
	Q. 003773A/ND							PIPE, barometric valve to adaptor on bulkhead No. 2 (Mod Vam 3433)	1		
	Q. 003775A/ND							PIPE, barometric valve to regulator (Mod Vam 3433)	1		
	Q. 00140							PLATE, adaptor at bulkhead No. 2. 18 SWG L. 72 (Make from Ref No. 30B/1730)	1		
28D/12502	AS. 1246/13C							Attaching parts for Q. 00140, Plate Bolt. 2BA	4		C
28M/10288	AGS. 2001/C/1							Nut. 2BA	4		C
	Q. 00142							Plate, washer 20 SWG, L. 72 (Make from Ref No. 30B/1732)	1		
26BY/7638	Q. 98580							PLATE, escutcheon "Charging Point" of Oxygen System	1		C
13244											
835	Q. 00184A							PLATE, mounting for pipe clamp on canopy rail	1		C
28V/5109	AGS. 838/5							RING, rubber pipe coupling	6		C
837	Q. 002036A							STRAP, securing top oxygen cylinder L/H	2		C
836	Q. 002035A							STRAP, securing top oxygen cylinder R/H	2		C
								Attaching parts for Q. 002036A and Q. 002035A, Straps			
26BY/4021	290530							Bolt, per pair of Straps	1		C
26BY/1941	Q. 00141							Pin, securing at bearer 3/8" O/D x 17 SWG x 1.45 long. T35 (Make from Ref No. 30A/1942)	1		
28F/9429528	SP. 9/C8							Pin, split	2		C
26BY/3285											
26BY/47540	DHS. 180 Mk. 3x							TAB, for locking wire	2		C
26BY/4037	290528							TRUNNION, with plainhole	2		C
26BY/4038	290529							TRUNNION, with 4BA, tapped hole	2		C
28V/5104	AGS. 838/1							UNION, pipe coupling at canopy rail	1		C
6D/575								UNION, pipe for filters in pipe between cylinders and control valve on bulkhead No. 3	1		C

RESTRICTED

RESTRICTED
OXYGEN SYSTEM
PIPES AND FITTINGS

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
6D/223	/							VALVE, control of bulkhead No. 3 Attaching parts for A.M. Ref No. 6D/223, Valve	1		A
28D/11564	AS.1246/1C							Bolt, 2BA	4		C
28L/11069	AGS. 2035/C							Washer	4		C
6D/427	/							VALVE, non return in top junction, Block	1		B
6D/1782	/							VALVE, barometric line on cockpit floor (Mod Vam 3433) Attaching parts for AM. Ref No. 6D/1782, Valve	1		A
28D/12533	A25/5C							Bolt, 2BA	2		C
28W/12355	SP.16/C							Washer	2		C

NOTE:- Pages 645 - 650
not issued.

RESTRICTED

RESTRICTED
PIPE SERVICES
INSTALLATION OF HYDRAULIC TANK

Vampire Mk. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.	
		INSTALLATION OF HYDRAULIC TANK (Q.003767) (Mod Vam 3345)										
26DV/7915	12.21S.2507	BANJO, body							1		C	
28F/11078	AGS.1136/C	Attaching parts for 12.21S.2507 Banjo,							1		C	
28F/11958	AGS.1186/C	Bolt, banjo							2		C	
	4.181	Q.002651	Washer, sealing							2		C
			BLOCK, clamp for tank pipes rear face							2		C
			bulkhead No. 2									
			Attaching parts for Q.002651, Block							1		C
28D/11890	AS.1246/5C	Bolt, 2BA							1		C	
28L/11069	AGS.2035/C	Washer							1		C	
	4.182	Q.002653	BLOCK, clamp for tank pipes rear face							2		C
			bulkhead No. 2									
			Attaching parts for Q.002653, Block							1		C
28D/11210	AS.1246/3C	Bolt, 2BA							1		C	
28L/11069	AGS.2035/C	Washer							1		C	
	2845	Q.00614	BLOCK, clamp for tank pipe rear face							1		C
			bulkhead No. 2									
			Attaching parts for Q.00614 Block							2		C
28D/8310	AS.1242/6C	Bolt, 2BA							2		C	
	5K/112	AGS.1661/A	CLIP, for bonding connector							1		C
28E/14065	AS.3181/3B	CLIP, securing pipe to forward face							4		C	
			bulkhead No. 2									
			Attaching parts for AS.3181/3B, Clip									
			at bottom of bulkhead							1		C
28D/11937	AS.1246/1B	Bolt, 4BA							1		C	
28W/12305	SP.13/B	Washer							1		C	
		DHS.47 Mk. 13	CONNECTOR, bonding rear face bulkhead							1		
			No. 2									
28F/9705	AGS.1102/C	COUPLING, pipe							3		C	
28F/9706	AGS.1102/D	COUPLING, pipe							1		C	
28F/10410	AGS.1104/C	COUPLING, pipe							2		C	
28F/9709	AGS.1104/D	COUPLING, pipe							1		C	
	34.95	Q.00625A/ND	PIPE, engine pump suction line from							1		C
			joint on bulkhead No. 2									
			through floor									
	5704	Q.00619A/ND	PIPE, engine pump suction line hydraulic							1		C
			tank to joint on bulkhead No.2									

RESTRICTED

RESTRICTED
PIPE SERVICES
INSTALLATION OF HYDRAULIC TANK

Vampire Mk. 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	Q.00623A/ND							PIPE, hand pump suction line from joint on bulkhead No. 2 through floor	1		
	Q.003761A/ND							PIPE, hand pump suction line hydraulic tank to joint on bulkhead No.2	1		
	Q.00621A/ND							PIPE, hydraulic return line from point on bulkhead No. 2	1		
	Q.00627A/ND							PIPE, hydraulic tank vent	1		
	Q.003591A/ND							PIPE, return line hydraulic tank to joint on bulkhead No. 2	1		
	Q.003763A/ND							PIPE, hydraulic tank to relief valve on pump	1		
2851	Q.00612							PLATE, seal retaining	1		C
2852	Q.00611							RING, seal retaining vent pipe	1		C
4465	Q.003567A							TANK, hydraulic	1		B
28N/13738	AGS.2030/25							CIRCLIP, internal 1 1/2" dia bore	1		C
2856	Q.00647A							FILTER, in filler neck	1		C
	Q.003637A/ND							TANK, hydraulic less filter	1		
3608	Q.00923							CAP, filler	1		C
4467	Q.003559							GASKET, window sealing	1		C
	Q.003573							NECK, filler (for repairs)	1		
4468	Q.003563							RING, bolt, for window	1		C
4466	Q.003555							RING, nut for window	1	MR	C
2858	Q.00649							WASHER, sealing filler cap	1		C
5636	Q.003557							WINDOW	1		C
								Attaching parts for Q.003557, Window			
28D/12511	A25/2B							Bolt, 4BA	14		C
	Q.00874							Washer, sealing under bolt heads	14		
								Attaching parts for Q.003567A, Tank			
28D/12515	A25/10C							Bolt, 2BA	3		C
28M/10288	AGS.2001/C/1							Nut, 2BA	3		C
26BY/3465	DHS.33 Mk.1							Washer	6		C
26PL/7335											
28F/9649	AGS.1138/C							WASHER, jointing	2		C
28F/9651	AGS.1138/D							WASHER, jointing	1		C

NOTE:-- Pages 653 -- 656
not issued.

RESTRICTED
PIPE SERVICES
PIPES IN FUSELAGE

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
5774	Q.002216A/ND							PIPE, flap up from fireproof bulkhead to selector valve	1		C
27M/7778	AIR.31832							PIPE, flexible, nose wheel down from pipe joint to jack Lockheed	1		A
27M/7781	AIR.34490							PIPE, flexible, nose wheel up, from pipe joint to jack, Lockheed	1		A
	Q.00939A/ND							PIPE, from oil and burner pressure gauges to bleeder valve adaptor	2		
	Q.00447A/ND							PIPE, hand pump suction from pump to joint on bulkhead No. 2	1		
	Q.00823A/ND							PIPE, hydraulic accumulator release valve to flap selector valve	1		
	Q.002645A/ND							PIPE, hydraulic accumulator to charging point on bulkhead No. 2	1		
	Q.00499A/ND							PIPE, hydraulic engine pump pressure from fireproof bulkhead to cut-out valve (Pre Mod Vam 3110)	1		
5735	Q.00515A/ND							PIPE, hydraulic engine pump suction from fireproof bulkhead to hose coupling under cannon floor (Pre Mod Vam 3110)	1		C
	Q.003727A/ND							PIPE, hydraulic engine pump suction from fireproof bulkhead to hose coupling under cannon floor (Mod Vam 3110)	1		
4780	Q.00501A/ND							PIPE, hydraulic from accumulator to cut-out valve	1		C
	Q.00507A/ND							PIPE, hydraulic from cut-out valve to selector valves	1		
	Q.0035A/ND							PIPE, hydraulic pressure from hand pump to the piece on bulkhead No. 2	1		
	Q.00503A/ND							PIPE, hydraulic pressure from pressure release valve on bulkhead No.2 to selector valve	1		
	Q.00505A/ND							PIPE, hydraulic pressure from pressure release valve to tee piece on bulkhead No. 2	1		
	Q.00509A/ND							PIPE, hydraulic pressure from tee piece on bulkhead No. 2 to selector valve	1		
	Q.00442A/ND							PIPE, nose wheel down from selector valve to jack flexible pipe	1		
	Q.00440A/ND							PIPE, nose wheel up from selector valve to jack flexible pipe	1		

RESTRICTED

RESTRICTED
PIPE SERVICES
PIPES IN FUSELAGE

Vampire MK. 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	Q. 00464A/ND							PIPE, oil pressure from junction plate on bulkhead No. 2 to fireproof bulkhead	1		
	Q. 00564A/ND							PIPE, oil pressure from junction plate bulkhead No. 2 to joint behind instrument panel	1		
	Q. 002611A/ND							PIPE, oil pressure gauge, bleeder valve adaptor to joint at support tube	1		
	Q. 00573A/ND							PIPE, port brake, from differential unit to pressure gauge	1		
	Q. 00572A/ND							PIPE, port brake from junction plate on bulkhead No. 2 to differential unit	1		
	Q. 00571A/ND							PIPE, starboard brake from differential unit to pressure gauge	1		
	Q. 00570A/ND							PIPE, starboard brake from junction plate on bulkhead No. 2 to differential unit	1		
	Q. 00483A/ND							PIPE, undercarriage down from fireproof bulkhead to selector valve	1		
	Q. 00481A/ND							PIPE, undercarriage up from fireproof bulkhead to selector valve	1		
	Q. 00876A/ND							PIPE, vent hydraulic tank to joint between bulkhead No. 3 and fireproof bulkhead	1		
26DV/8184	12.S. 1677A/ND							PIPE, hand pump to pressure relief valve (Mod Vam 3345)	1		C
	Q. 003757							PIPE, hand pump to cut-out valve (Mod Vam 3345)	1		
	Q. 003627A							PLATE, junction on bulkhead No. 2	1		
2360	Q. 00330							ADAPTOR, brake Port and Starboard pressure and canopy seal pipes	4		C
2359	Q. 00327							ADAPTOR, oil pressure pipes	2		C
2361	Q. 00331							ADAPTOR, pitot pipes	2		C
	Q. 003629							MANIFOLD	1		
28F/10491	AGS. 1148/A							NUT	2		C
28F/9584	AGS. 1148/B							NUT	4		C
28F/10513	AGS. 1148/BB							NUT	2		C
28F/8225	AGS. 1138/A							WASHER, jointing	4		C
28F/8215	AGS. 1138/B							WASHER, jointing	8		C
28F/9648	AGS. 1138/BB							WASHER, jointing	4		C
28D/13182	A25/14B							Attaching parts for Q. 003627A, Plate Bolt, 4 BA	8		C
28M/10287	AGS. 2001/B/1							Nut, 4 BA	8		C
26BY/5870	DHS. 34/B							Washer	8		C
26BY/3165	DHS. 33/Mk. 1							Washer, shrinkage	16		C
28R/6856	AGS. 948/A							PLUG, in vacuum pipe 3 way adaptor	1		C

RESTRICTED

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		PIPES IN FUSELAGE									
27M/461	AIR.40016	ACCUMULATOR, hydraulic, under cannon floor, Lockheed (For details refer to A.P.4515 Vol.3, Sec.2, Chap.1)						1			A
28F/9706	AGS.1102/D	ADAPTOR, for vacuum pipe behind instrument panel						1			C
10121	Q.002607	ADAPTOR, bleeder valve, for oil and burner pressure gauges						2			C
28V/5104	AGS.838/1	ADAPTOR, for air speed indicator drain pipes						4			C
28F/9501	AGS.1142/B	ADAPTOR, for brake pressure pipes from junction plate cylinder bulkhead No.2						1			C
2704	Q.00846	ADAPTOR, for cabin pressure gauge pipe on bulkhead No.1						1			C
28F/9704	AGS.1102/B	ADAPTOR, for canopy seal pipe forward of instrument panels						1			C
2705	Q.00847	ADAPTOR, for canopy seal pipe on bulkhead No.1						1			C
28F/9705	AGS.1102/C	ADAPTOR, for dive break pipes between bulkhead No.1 and fireproof bulkhead						2			C
28F/9708	AGS.1104/B	ADAPTOR, for hydraulic accumulator R.H. pipe						1			C
28F/9703	AGS.1102/A	ADAPTOR, for oil pressure gauge pipe at back of instrument panels						1			C
28F/10410	AGS.1104/C	ADAPTOR, for pressure pipe at hand pump and hydraulic accumulator L.H. pipe						2			C
3550	A.004160	ANGLE, mounting, for clamp block at nose wheel jack						1			C
		Attaching parts for A.004160 Angle									
28D/12528	A25/1B	Bolt, 4BA						2			C
28M/10287	AGS.2001/B1	Nut, 4BA						2			C
28W/9419465	SP.13/B	Washer						2			C
	Q.00217A	ANGLE, mounting for clamp block under cockpit floor						1			
	Q.00230A	ANGLE, mounting, for clamp block under cockpit floor at bulkhead No.2						1			
26DV/2665	12.3S.677	BANJO, body, on pump (Mod Vam 3345)						1			C
		Attaching parts for 12.3S.677 Banjo									
26DV/8185	12.21S.2517	Bolt, banjo						1			C
28F/12048	AGS.1186/B	Washer						2			C

RESTRICTED
PIPE SERVICES
PIPES IN FUSELAGE

Vampire.Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
2372	Q.00321A							BLOCK, clamp, centre and rear for pipes on cockpit floor	2		C
28D/12534	A25/9C							Attaching parts for Q.00321A, Block			
28W/11069	AGS.2035/C							Bolt, 2BA	3		C
								Washer, 2BA	3		C
2370	Q.00599							BLOCK, clamp, for brake pipes on rear face of bulkhead No.2	2		C
28D/12532	A25/4C							Attaching parts for Q.00599, Block			
28W/11069	AGS.2035/C							Bolt, 2BA	1		C
								Washer	1		C
2370	Q.00599							BLOCK, clamp, for canopy seal pipes on starboard side of cockpit	1		C
28D/12531	A25/3C							Attaching parts for Q.00599, Block			
								Bolt, 2BA	1		C
2385	Q.00240							BLOCK, clamp, for dive brake pipes between fireproof bulkhead and bulkhead No.3	1		C
28D/12534	A25/9C							Attaching parts for Q.00240 Block			
								Bolt, 2BA	1		C
2385	Q.00240							BLOCK, clamp, for dive brake pipes under floor	1		C
28D/9419397	A25/12C							Attaching parts for Q.00240 Block			
28W/11069	AGS.2035/C							Bolt, 2BA	1		C
								Washer	1		C
2376	Q.00472							BLOCK, clamp, for drain pipe on fireproof bulkhead	1		C
28D/12528	A25/1B							Attaching parts for Q.00472, Block			
28M/10287	AGS.2001/B1							Bolt, 4BA	4		C
								Nut, 4BA	4		C
2380	Q.00108A							BLOCK, clamp, for engine pump suction and pressure pipes between fireproof bulkhead and bulkhead No.3	2		C
28D/12537	A25/14C							Attaching parts for Q.00108A, Block			
28M/10288	AGS.2001/C1							Bolt, 2BA	1		C
26FN/3259	DHS.34/C							Nut, 2BA	1		C
								Washer	1		C

RESTRICTED
PIPE SERVICES
PIPES IN FUSELAGE

Vampire Mk.9

Ref. No.	Part No.	Nomenclature						No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6			
2383	Q.00235A	BLOCK, clamp, for hydraulic and brake pipes between fireproof bulkhead and bulkhead No.3						1		C
28D/12534	A25/9C	Attaching parts for Q.00235A, Block						1		C
28W/11070	No.1210	Bolt, 2BA						1		C
		Washer, shakeproof								
2371	Q.00839A	BLOCK, clamp, for hydraulic and brake pipes under cannon floor						1		C
		Attaching parts for Q.00839A, Block								
28D/12566	A25/6C	Bolt, 2BA						1		C
28D/12514	A25/7C	Bolt, 2BA						1		C
28M/10288	AGS.2001/C1	Nut, 2BA						1		C
28W/11070	No.1210	Washer, shakeproof						1		C
2377	Q.00278	BLOCK, clamp, for pipes under cannon floor at bulkhead No.3						2		C
		Attaching parts for Q.00278, Block								
28D/8309	AS.1242/4C	Bolt, 2BA						2		C
2372	Q.00321A	BLOCK, clamp, forward, for pipes on cockpit floor						1		C
		Attaching parts for Q.00321A, Block								
28M/10288	AGS.2001/C1	Nut, 2BA						3		C
28W/9419475	SP.15/C	Washer						3		C
2384	Q.00239	BLOCK, clamp half, for hydraulic and brake pipes between fireproof bulkhead and bulkhead No.3						2		C
		Attaching parts for Q.00239, Block								
28D/12533	A25/5C	Bolt, 2BA						2		C
2378	Q.00280	BLOCK, clamp half, fuselage Port side between bulkhead No.3 and fireproof bulkhead						2		C
		Attaching parts for Q.00280, Block								
28D/12629	A25/8C	Bolt, 2BA						2		C
28W/11070	No.1210	Washer, shakeproof						2		C
2373	Q.00324A	BLOCK, clamp, longitudinal, for pipes on cockpit floor						1		C
		Attaching parts for Q.00324A, Block								
28D/12534	A25/9C	Bolt, 2BA						2		C
28W/11070	No.1210	Washer, shakeproof						2		C

RESTRICTED

RESTRICTED
PIPE SERVICES
PIPES IN FUSELAGE

Vampire.Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	A.002887							BLOCK, clamp, nose wheel pipes at jack	1		
28D/9435710	A25/11C							Attaching parts for A.002887, Block			
28M/10288	AGS.2001/C1							Bolt, 2BA	2		C
28W/9409402	SP.13/C							Nut, 2BA	2		C
								Washer	2		C
11770	Q.00136A							BLOCK, clamp, nose wheel pipes under floor	4		C
								Attaching parts for Q.00136A, Block			
28D/12533	A25/5C							Bolt, 2BA	1		C
28W/11070	No.1210							Washer, shakeproof	1		C
2382	Q.00229A							BLOCK, clamp, nose wheel pipes under cockpit floor at bulkhead No.2	1		C
								Attaching parts for Q.00229A, Block			
28D/12533	A25/5C							Bolt, 2BA	2		C
28W/9419475	SP.15/C							Washer	2		C
4946	Q.00791A							BLOCK, hydraulic accumulator charging	1		B
6847	Q.00792							BLOCK	1		C
	DHS.180/7X							TAB	1		
28Y/10145	AGS.1200							VALVE, charging (Pre Mod Vam 3539)	1		B
28Y/15486	A 58 Mk.2							VALVE, charging (Mod.Vam.3539)	1		B
28F/8215	AGS.1138/B							WASHER, jointing	1		C
								Attaching parts for Q.00791A, Block			
28D/12631	A25/23C							Bolt, 2BA	2		C
28M/10288	AGS.2001/C1							Nut, 2BA	2		C
	DHS.56 Mk.2							Washer (Make from Ref.No. 2cFN/3259)	2		
	Q.00436A							BLOCK, mounting, hydraulic accumulator under cannon floor	2		
1996	Q.00813A							BRACKET, angle, for clamp blocks between fireproof bulkhead and bulkhead No.2	1		C
2367	Q.00563							BRACKET, angle, for clamp blocks under cannon floor	1		C
	Q.00842							BRACKET, angle, for clamp blocks under cannon floor 16 SWG. DTD 610 (Make from Ref.No.30B/949)	1		
								Attaching parts for Q.00563 and Q.00842, Bracket			
28D/12515	Q.003611							Bolt, 2BA (Make from Ref.No.28D/12515)	2		
	A25/10C							Bolt, 2BA (Required to make Q.003611)	2		

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
6556	Q.002106A							BRACKET, mounting for canopy seal three way cock	1		C
28M/10287	AGS.2001/B/1							Attaching parts for Q.002106A Bracket	3		C
28S/2767	A31/B.16							Nut, 4BA Screw, 4BA	3		C
	Q.00476A							BRACKET, mounting for by-pass valve on rear face of bulkhead No.2	1		
28V/5109	AGS.838/5							BUSH, for low pressure pipe joints	11		C
28F/11177	AGS.1159/A							CAP, blanking, for brake differential unit	1		C
6977	R.002509							CAP, blanking, complete, with chain and tag for canopy seal on bulkhead No.1.	1		C
28E/14055	AS.3180/8C							CLIP, at clamp block for pipes under cannon floor at bulkhead No.2.	2		C
28E/14068	AS.3181/6B							CLIP, for bonding connector	2		C
5K/112	AGS.1661/A							CLIP, for bonding connector	4		C
	DHS.29 Mk.3							CLIP, double, for pressure pipe	2		C
2364	Q.00175A							CLIP, hydraulic accumulator support under cannon floor	2		C
28D/12934	A25/28C							Attaching parts for Q.00175A Clip	2		C
28L/11069	AGS.2035/C							Bolt, 2BA Washer	2		C
	DHS.30 Mk.3							CLIP, tubular, top, for canopy seal and hydraulic accumulator pipes	5		
	Q.00919							CLIP, tubular, lower, for canopy seal pipe on bulkhead, No.2. 22 SWG. DTD.610 (Make from Ref. No. 30B/952)	1		
28S/2869	A32/B20							Attaching parts for Q.00919 Clip	1		C
28L/11067	AGS.2035/B							Screw, 4BA Washer, 4BA	1		C
	Q.002100							COCK, three way canopy seal, on Starboard side of cockpit (Make from Ref. No.27F/1897)	1		
28S/2815	A33/B16							Attaching parts for Q.002100, Cock. Screw, 4BA	3		C
28F/1897	A349							COCK, three way canopy seal on Starboard side of cockpit Vickers (Required to make Part No. Q.002100)	1		A
	DHS.47 Mk.4							CONNECTOR, bonding.	2		
	DHS.47 Mk.13							CONNECTOR, bonding	2		

RESTRICTED
 PIPE SERVICES
 PIPES IN FUSELAGE

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
778	DHS.47 Mk.15							CONNECTOR, bonding	2		C
	A.001169A							CONNECTOR, canopy seal	1		
	Q.002229ND							COUPLING, at tee pieces on pressure and static pipes to mach meter 5/16" 1/D x 18"0 long, DTD 373 (Pre.Mod.Vam. 3065)	2		
	Q.003689ND							COUPLING, at tee pieces on pressure and static pipes to mach meter 1/4" 1/D x 18"0 long DTD.251 (Mod.Vam.3065)	2		
	Q.002416ND							COUPLING, at tee pieces on pressure and static pipes behind instrument panel 5/16" 1/D x 3"5 long DTD 373, (Pre.Mod.Vam. 3065)	2		
	Q.003691ND							COUPLING, at tee pieces on pressure and static pipes, behind instrument panel, 1/4" 1/D x 3"5 long DTD 251, (Mod.Vam.3065)	2		
	Q.00895ND							COUPLING, for cabin pressure gauge 5/16" 1/D x 12"0 long F.7. (Make from Ref. No.32C/11(Pre.Mod.Vam 3065)	1		
	Q.003685ND							COUPLING, for cabin pressure gauge 1/4" 1/D x 12"0 long DTD 251 (Mod.Vam.3065)	1		
28E/10154	AGS.605/00							Attaching parts for Q.00895ND and Q.003685ND. Couplings. Clip.	1		C
	DHS.159/E/30							COUPLING, for engine pump suction and vacuum pipes at bulkhead Nos.2 and 3, 1/2" 1/D x 3"0 long F.7 (Make from Ref. No.32C/14)	3		
28E/8182	AGS.605/0							Attaching parts for DHS.159/E/30 Coupling Clip	2		C
	DHS.159/C/20							COUPLING, for vent pipe 3/8" 1/D x 2"0 long F.7 (Make from Ref. No. 32C/12)	1		
28E/10154	AGS.605/00							Attaching parts for DHS.159/C/20 Coupling Clip	2		C
2363	Q.00161A							HANDLE, hydraulic hand pump	1		C
28D/12515	A25/10C							Attaching parts for Q.00161A, Handle	1		C
28M/10288	AGS.2001/C/1							Bolt, 2BA	1		C
								Nut, 2BA	1		C

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
2362	DHS.109 Mk.72							LABEL, "Charging Point"	1	-	
	DHS.109 Mk.71							LABEL, "Test Point"	1	-	
	Q.0078							LEVER, operating, for by-pass valve on rear face of bulkhead No.2	1	-	C
28D/7030	A.1/2C							Attaching parts for Q.0078, Lever	2	-	C
28M/10288	AGS.2001/C/1							Bolt, 2BA	2	-	C
								Nut, 2BA, plain pinnacle			
28F/10491	AGS.1148/A							LOCKNUT, for brake pressure pipe adaptor on bulkhead No.1	1	-	C
28F/9584	AGS.1148/B							LOCKNUT, for canopy seal pipe adaptor on bulkhead No.1	1	-	C
28F/9735	AGS.1142/A							NIPPLE, for brake pressure gauge pipe at bulkhead No.2	1	-	C
28F/5710	AGS.906/B							NIPPLE, for canopy seal pipes at cock and hydraulic accumulator charging block	4	-	C
28F/9501	AGS.1142/B							NIPPLE, for canopy seal pipe	3	-	C
28F/5709	AGS.906/A							NIPPLE, for pipes at brake pressure gauge	3	-	C
28F/9735	AGS.1142/A							NIPPLE, for pressure transmitter on fireproof bulkhead (Mod.Vam.680)	1	-	C
28V/5108	AGS.838/4							NUT, coupling, for air speed indicator pipes and cabin pressure gauge tee piece connections	10	-	C
28F/5721	AGS.904/A							NUT, coupling, for blanking cap on brake differential unit	1	-	C
28M/10287	AGS.2001/B/1							NUT, 4BA, standard, for bonding connector clip	2	-	C
	Q.00697A							PANEL, complete with pneumatic accessories on bulkhead No.2	1	-	
3621	Q.00720							ADAPTOR, aft end of cylinder	1	-	C
3622	Q.00721							ADAPTOR, charging point	1	-	C
28F/11167	AGS.1132/A							BODY, banjo, aft end of cylinder	1	-	C
28F/8221	AGS.1135/A							BOLT, banjo, aft end of cylinder	1	-	C
28D/6998	A.1/1C							BOLT, 2BA, for air filter clip	1	-	C
	Q.00713A							CLIP, air filter	1	-	C
	Q.00709A							CLIP, oil and water trap	2	-	
	Q.00717A							CLIP, securing regulator to cylinder	1	-	
	DHS. 31 Mk.3							CLIP, tubular	1	-	A
6D/128	†							CYLINDER, compressed air	1	-	A
27G/2091	ACO.1268							FILTER, air, Dunlop	1	-	
	DHS.109 Mk.72							LABEL, engraved "Charging Point"	1	-	
28S/7813	No.6							Attaching parts for DHS.109 Mk.72, Label Screw, 3/8", Parker Kalon	2	-	C

R E S T R I C T E D

PIPE SERVICES
PIPES IN FUSELAGE

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
28F/10490	AGS.1148/F							LOCKNUT, at regulator and aft end of cylinder	2	-	C
28F/9584	AGS.1148/B							LOCKNUT, for charging valve	1	-	C
26D/3550	Q.002655ND							NIPPLE (Make from Ref.No.28F/9501)	7	-	C
28F/9501	AGS.1142/B							NIPPLE (Required to make Part No. Q.002655ND)	7	-	C
4141	Q.00872A							PANEL, mounting	1	-	A
28F/10610	AGS.1118/B							PIECE, tee, charging valve line	1	-	C
4822	Q.00704A/ND							PIPE, air filter to pressure valve	1	-	C
4833	Q.00888A/ND							PIPE, air regulator to joint at forward end of cylinder	1	-	C
26D/3551	Q.003633A/ND							PIPE, charging valve to tee piece	1	-	C
4821	Q.00702A/ND							PIPE, joint at forward end of cylinder to air filter	1	-	C
4818	Q.00699A/ND							PIPE, oil trap outlet to air regulator	1	-	C
4820	Q.00700A/ND							PIPE, tee piece to oil trap inlet	1	-	C
37G/706	AR.5/450/2							REGULATOR, air pressure, Hymatic	1	-	A
28S/2862	A.32/C.16							SCREW, 2BA, round head, for oil and water trap, and cylinder clips (AGS.245/13)	3	-	C
37G/653	OWT.46/1							TRAP, oil and water, Hymatic	1	-	A
28Y/10145	AGS.1200							VALVE, air cylinder charging	1	-	C
27G/2022	AHO.5712							VALVE, pressure, Dunlop	1	-	A
28D/6998	A.1/1C							Attaching parts for AHO.5712, Valve Bolt, 2BA	4	-	C
28W/3071	AGS.160/C							Washer, 2BA	2	-	C
26E/3239	DHS.34/C							Washer, 2BA	2	-	C
28L/11070	No.1210							Washer, 2BA, internal teeth, Shakeproof	4	-	C
28F/9653	AGS.1138/F							WASHER, jointing, aft end of cylinder	1	-	C
28F/8215	AGS.1138/B							WASHER, jointing, charging valve	1	-	C
26D/3552	Q.00904							WASHER, pipe joint at forward end of cylinder, 0"8 o/d x 0"5 i/d x 18SWG, DTD.610 (Make from Ref.No.30B/950)	2	-	C
28D/7176	A.1/14C							Attaching parts for Q.00697A, Panel Bolt, 2BA	6	-	C
28D/7735	A.1/23C							Bolt, 2BA	2	-	C
28M/10288	AGS.2001/C/1							Nut, 2BA, plain pinnacle	8	-	C
	DHS.367 Mk.3							Washer, 2BA	8	-	C
26BY/3465	DHS. 33 Mk.1							Washer, 2BA, shrinkage	16	-	C
26DL/7335											

RESTRICTED

RESTRICTED
PIPE SERVICES
PIPES IN FUSELAGE

Vampire MK.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
28F/10020	AGS.1120/1							PIECE, tee for hydraulic pressure pipes on bulkhead No. 2	1	-	C
28F/12587	SP.9/C4							PIN, split, for blanking cap on brake differential unit	1	-	C
	Q.00577ND							PIPE, air speed indicator pressure from drain pipe to joint behind instrument panel	1	-	
4808	Q.00576A/ND							PIPE, air speed indicator pressure from junction plate on bulkhead No. 2 to drain pipe	1	-	C
4765	Q.00459A/ND							PIPE, air speed indicator pressure from junction plate on bulkhead No. 2 to fireproof bulkhead	1	-	C
	Q.00575ND							PIPE, air speed indicator static, from drain pipe to joint behind instrument panel	1	-	
4807	Q.00574A/ND							PIPE, air speed indicator static, from junction plate on bulkhead No. 2 to drain pipe	1	-	C
4766	Q.00460A/ND							PIPE, air speed indicator static, from junction plate on bulkhead No. 2 to fireproof bulkhead	1	-	C
5405	Q.003619A/ND							PIPE, armour bulkhead to pressure cock	1	-	C
4785	Q.00511A/ND							PIPE, brake, L.H. from bulkhead No. 2 to fireproof bulkhead	1	-	C
4767	Q.00461A/ND							PIPE, brake pressure, charging valve tee piece to fireproof bulkhead	1	-	C
4802	Q.00568A/ND							PIPE, brake pressure from junction plate on bulkhead No. 2 to differential unit	1	-	C
4827	Q.00737A/ND							PIPE, brake pressure from junction plate to pressure valve, bulkhead No. 2	1	-	C
4817	Q.00695A/ND							PIPE, brake pressure gauge junction plate to air cylinder, bulkhead No. 2	1	-	C
4823	Q.00725A/ND							PIPE, brake pressure gauge, to junction plate on bulkhead No. 2	1	-	C
4786	Q.00513A/ND							PIPE, brake, R.H. from bulkhead No. 2 to fireproof bulkhead	1	-	C
4135	Q.002643A/ND							PIPE, canopy seal, from tee piece on bulkhead No. 2 to bulkhead No. 1 (Aft)	1	-	C
4826	Q.00735A/ND							PIPE, canopy seal, from tee piece on bulkhead No. 2 to bulkhead No. 1 (Fwd)	1	-	C
4829	Q.00797A/ND							PIPE, canopy seal, junction plate on bulkhead No. 2 to fireproof bulkhead	1	-	C
5792	Q.003651A/ND							PIPE, canopy seal, pressure escape	1	-	C

RESTRICTED

RESTRICTED
PIPE SERVICES
PIPES IN FUSELAGE

Vampire MK. 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
4839	Q.002077A/ND							PIPE, canopy seal pressure from cock to bulkhead No. 2	1	-	C
5406	Q.003621A/ND							PIPE, canopy seal to pressure cock	1	-	C
4775	Q.00491A/ND							PIPE, dive brake off, from fireproof bulkhead to joint between fireproof bulkhead and bulkhead No. 3 (Pre. Mod. Vam. 3110)	1	-	C
	Q.003729A/ND							PIPE, dive brake off, from fireproof bulkhead to joint between fireproof bulkhead and bulkhead No. 3 (Mod. Vam. 3110)	1	-	
4774	Q.00489A/ND							PIPE, dive brake off, from joint between bulkhead No. 3 and fireproof bulkhead to selector valve (Pre. Mod. Vam. 3110)	1	-	C
	Q.003721A/ND							PIPE, dive brake off, from joint between bulkhead No. 3 and fireproof bulkhead to selector valve (Mod. Vam. 3110)	1	-	
4773	Q.00487A/ND							PIPE, dive brake on, from fireproof bulkhead to joint between fireproof bulkhead and bulkhead No. 3 (Pre. Mod. Vam. 3110)	1	-	C
	Q.003731A/ND							PIPE, dive brake on, from fireproof bulkhead to joint between fireproof bulkhead and bulkhead No. 3 (Mod. Vam. 3110)	1	-	
4772	Q.00485A/ND							PIPE, dive brake on from joint between fireproof bulkhead and bulkhead No. 3 to selector valve (Pre. Mod. Vam. 3110)	1	-	C
	Q.003723A/ND							PIPE, dive brake on, from joint between fireproof bulkhead and bulkhead No. 3 to selector valve (Mod. Vam. 3110)	1	-	
4776	Q.00493A/ND							PIPE, dive brake pressure, from cut-out valve to non return valve	1	-	C
4777	Q.00495A/ND							PIPE, dive brake pressure, from non return valve to selector valve	1	-	C
4778	Q.00497A/ND							PIPE, dive brake return, from selector valve to cut out valve	1	-	C
2353	Q.0027A							PIPE, drain, in air speed indicator pressure and static lines, on cockpit floor	2	-	C
5878	Q.003655							PLUG, drain	1	-	C
2336	Q.00111							WASHER, jointing	1	-	C
5873	Q.002215A/ND							PIPE, flap down, from fireproof bulkhead to selector valve	1	-	C
4831	Q.00825A/ND							PIPE, flap selector valve to hydraulic accumulator release valve		-	C

RESTRICTED
PIPE SERVICES
PIPES IN FUSELAGE

Vampire MK.9

Ref. No.	Part No.	Nomenclature						No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6			
5774	Q.002216A/ND	PIPE, flap up from fireproof bulkhead to selector valve						1	-	C
27M/7778	AIR.31832	PIPE, flexible, nose wheel down, from pipe joint to jack, Lockheed						1	-	C
27M/7781	AIR.34490	PIPE, flexible, nose wheel up, from pipe joint to jack, Lockheed						1	-	C
4834	Q.00939A/ND	PIPE, from oil and burner pressure gauges to bleeder valve adaptor						2	-	C
4764	Q.00447A/ND	PIPE, hand pump suction from pump to joint on bulkhead No. 2						1	-	C
4830	Q.00823A/ND	PIPE, hydraulic accumulator release valve to flap selector valve						1	-	C
	Q.002645A/ND	PIPE, hydraulic accumulator to charging point on bulkhead No. 2						1	-	
4779	Q.00499A/ND	PIPE, hydraulic engine pump pressure from fireproof bulkhead to cut-out valve (Pre Mod Vam 3110)						1	-	C
	Q.003725A/ND	PIPE, hydraulic engine pump pressure from fireproof bulkhead to cut-out valve (Mod Vam 3110)						1	-	
5735	Q.00515A/ND	PIPE, hydraulic engine pump suction, from fireproof bulkhead to hose coupling under cannon floor (Pre Mod Vam 3110)						1	-	C
	Q.003727A/ND	PIPE, hydraulic engine pump suction, from fireproof bulkhead to hose coupling under cannon floor (Mod. Vam 3110)						1	-	
4780	Q.00501A/NL	PIPE, hydraulic from accumulator to cut-out valve						1	-	C
4783	Q.00507A/ND	PIPE, hydraulic from cut-out valve to selector valves						1	-	C
4745	Q.0035A/ND	PIPE, hydraulic pressure from hand pump to tee piece on bulkhead No.2						1	-	C
4781	Q.00503A/ND	PIPE, hydraulic pressure from pressure release valve on bulkhead No.2 to selector valve						1	-	C
4782	Q.00505A/ND	PIPE, hydraulic pressure, from pressure release valve to tee piece on bulkhead No. 2						1	-	C
4784	Q.00509A/ND	PIPE, hydraulic pressure, from tee piece on bulkhead No. 2 to selector valve						1	-	C
4763	Q.00442A/ND	PIPE, nose wheel down from selector valve to jack flexible pipe						1	-	C
4762	Q.00440A/ND	PIPE, nose wheel up, from selector valve to jack flexible pipe						1	-	C

RESTRICTED

RESTRICTED
PIPE SERVICES
PIPES IN FUSELAGE

Vampire MK. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
4769	Q.00464A/ND	PIPE, oil pressure from junction plate on bulkhead No. 2 to fireproof bulkhead						1	-	C	
4801	Q.00564A/ND	PIPE, oil pressure, from junction plate bulkhead No. 2 to joint behind instrument panel						1	-	C	
4866	Q.002611A/ND	PIPE, oil pressure gauge, bleeder valve adaptor to joint at support tube						1	-	C	
4806	Q.00573A/ND	PIPE, port brake, from differential unit to pressure gauge						1	-	C	
4805	Q.00572A/ND	PIPE, port brake, from junction plate on bulkhead No. 2 to differential unit						1	-	C	
4804	Q.00571A/ND	PIPE, starboard brake, from differential unit to pressure gauge						1	-	C	
4803	Q.00570A/ND	PIPE, starboard brake, from junction plate on bulkhead No. 2 to differential unit						1	-	C	
4771	Q.00483A/ND	PIPE, undercarriage down, from fireproof bulkhead to selector valve						1	-	C	
4770	Q.00481A/ND	PIPE, undercarriage up, from fireproof bulkhead to selector valve						1	-	C	
4832	Q.00876A/ND	PIPE vent, hydraulic tank to joint between bulkhead No. 3 and fireproof bulkhead						1	-	C	
2360	Q.003627A	PLATE, junction on bulkhead No. 2						1	-		
	Q.00330	ADAPTOR, brake, Port and Starboard pressure and canopy seal pipes						4	-	C	
2359	Q.00327	ADAPTOR, oil pressure pipes						2	-	C	
2361	Q.00331	ADAPTOR, pitot pipes						2	-	C	
28F/10491	AGS.1148/A	LOCKNUT						2	-	C	
28F/9584	AGS.1148/B	LOCKNUT						2	-	C	
28F/10513	AGS.1148/BB	LOCKNUT						4	-	C	
	Q.003629	MANIFOLD						2	-	C	
28F/8225	AGS.1138/A	WASHER, jointing						1	-		
28F/8215	AGS.1138/B	WASHER, jointing						4	-	C	
28F/9648	AGS.1138/BB	WASHER, jointing						8	-	C	
		Attaching parts for Q.003627A, Plate						4	-	C	
28D/13182	A.25/14B	Bolt, 4 BA						8	-	C	
28M/10287	AGS.2001/B/1	Nut, 4 BA						8	-	C	
26BN/5818	DHS.34/B	Washer						8	-	C	
26BY/3165	DHS.33 MK.1	Washer, shrinkage						16	-	C	
26DL/7335	Q.00448	PLATE, packing, cut-out valve mounting under cannon floor, 0"2 thick LFS.21						1	-		
28R/6856	AGS.948/A	PLUG, in vacuum pipe 3 way adaptor						1	-	C	

RESTRICTED
PIPE SERVICES
PIPES IN FUSELAGE

Vampire Mk. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
27W/1	UMC. 501							PUMP, auxiliary hand type 2 (less handle) Lockheed (For details refer to A.P. 4515F Vol 3 Part 1, Sect 2 Chap 1)	1		A
	Q.00448							PLATE, packing 0.2 thick LFS 21 Attaching parts for UMC.501 Pump	1		
28D/12550	A25/22E							Bolt, 1/4" BSF	3		C
28M/10290	AGS. 2001/E/1							Nut, 1/4" BSF	3		C
28S/2857	A32/B12							SCREW, 4BA round head securing bonding clip	2		C
6A/1967	/							VALVE, bleeder for oil and burner pressure gauges	2		B
27M/559	AIR. 40504							VALVE, by-pass, on rear face of bulkhead No. 2 Lockheed (For details refer to A.P.4515F Vol. 3 Part 1, Sect 2, Chap. 1)	1		A
28D/12534	A25/9C							Attaching parts for AIR. 40504, Valve Bolt, 2BA	2		C
4645	Q.00222A							VALVE, hydraulic cut-out complete with Thermal relief valve and connections below cannon floor (Pre Mod Vam 3370)	1		A
11758	Q.00222A/1							VALVE, hydraulic cut-out complete with (Thermal relief valve and connections below cannon floor (Mod Vam 3370)	1		A
28F/9838	AGS. 1104/A							ADAPTOR, pipe	1		C
28F/10796	AGS. 1131/C							BANJO, double right angle adaptor	2		C
28F/10799	AGS. 1129/C							BANJO, single adaptor	1		C
2350	Q.00220							BLOCK, junction four way	1		C
2351	Q.00221							BLOCK, junction five way	1		C
28F/5697	AGS. 902/A							COLLAR	2		C
2346	Q.00219							PILLAR, adaptor headed banjo	2		C
28F/9423229	AGS. 1135/C							PILLAR, double right angle adaptor banjo	2		C
2352	Q.0058							PILLAR, single adaptor banjo	1		C
4746	Q.00223A/ND							PIPE, hydraulic cut-out valve to thermal relief valve (Pre Mod Vam 3370)	1		C
11188	Q.003759A/ND							PIPE, hydraulic cut-out valve to Thermal relief valve (Mod Vam 3370)	1		C
28F/6340	AGS. 566/A							PLUG, in five way junction block	1		C
28F/5721	AGS. 904/A							SLEEVE, outer	2		C

RESTRICTED

RESTRICTED
PIPE SERVICES
PIPES IN FUSELAGE

Vampire MK.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
27M/433	AIR.40020							VALVE, cut-out lockheed (For details refer to AP.4515F Vol 3, Part 1, Sect 2, Chap 1	1		A
27W/5	UMC.632							VALVE, thermal relief (For details refer to AP. 4515F Vol 3, Part 1, Sect 2, Chap 1).	1		A
28F/8225	AGS.1138/A							WASHER, jointing	3		C
28F/9649	AGS.1138/C							WASHER, jointing	4		C
2344	Q.00284							WASHER, jointing	6		C
28D/13447	A25/21C							Attaching parts for Q.00222A or Q.00222A/1 Valve			
28M/11069	AGS.2035/C							Bolt, 2 BA	3		C
								Washer	3		C
27W/10	UMC.706							VALVE, non-return on dive brake pressure line from cut-out to Selector valve, Lockheed (For details refer to AP.4515F, Vol 3, Part 1, Sect 2, Chap 1)	1		A
	Q.002575A/ND							VALVE, pressure release, under cockpit floor	1		
2387	Q.0043							ADAPTOR, pipe	2		C
28D/12513	A25/2C							BOLT, 2 BA securing lever	2		C
2362	Q.0078							LEVER, operating	1		C
28M/12929	A27/CP							NUT, 2 BA	2		C
27M/434	AIR.40018							VALVE, pressure release, Lockheed (For details refer to AP. 4515F, Vol 3, Part 1, Sect 2, Chap 1).	1		A
28M/11069	AGS.2035/C							WASHER, internal teeth	1		C
28F/8225	AGS.1138/A							WASHER, jointing for pipe adaptor	2		C
28D/12629	A25/8C							Attaching parts for Q.002575A/ND Valve			
28M/11069	AGS.2035/C							Bolt, 2 BA	2		C
								Washer, internal teeth	2		C
	Q.00373A							VALVE, selector unit under cannon floor	1		
2345	Q.0070							ADAPTOR, pipe 1/2" BSF, to 1/8" BSP	1		C
2347	Q.00212							ADAPTOR, pipe 1/2" BSF, to 3/8" BSP	2		C
2349	Q.0072							BANJO	2		C
2348	Q.00227							BLOCK, connecting	1		C
28D/13251	A25/44E							BOLT, 1/4" BSF	1		C
28M/10330	AGS.2002/E/1							NUT, 1/4" BSF	1		C
2337	Q.0069							PIECE, distance	2		C
2338	Q.0097							PILLAR, adaptor headed banjo 1/2" BSF to 1/8" BSP	2		C

RESTRICTED
PIPE SERVICES
PIPES IN FUSELAGE

Vampire Mk. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
2339	Q.00225							PILLAR, adaptor headed banjo on connecting block 1/2" BSF to 1/8" BSP	1		C
2340	Q.00226							PILLAR, adaptor headed banjo on connecting block 1/2" BSF to 1/4" BSP	1		C
2342	Q.00332							PILLAR, adaptor head banjo on non-return valve, 1/2" BSF to 1/8" BSP	1		C
2343	Q.00333							PILLAR, adaptor headed banjo on non-return valve 1/2" BSF to 1/4" BSP	1		C
2341	Q.00118							PLUG, connecting block blanking	1		C
27M/462	AIR.34126							VALVE, non-return lockheed (For details refer to AP.4515F, Vol 3, Part 1, Sect 2 Chap 1)	1		A
27M/453	AIR.40272							VALVE, selector Lockheed (For details refer to AP.4515F, Vol 3, Part 1, Sect 2, Chap 1)	3		A
28F/8215	AGS.1138/B							WASHER, jointing	2		C
28F/9648	AGS.1138/BB							WASHER, jointing	6		C
2336	Q.00111							WASHER, jointing for plug in connecting block	1		C
26BY/46565	Q.982437							WASHER, 0"8 O/D X 0"5 I/D	10		C
13262											
27M/692	AIR.42704							VALVE, pressure release in hand pump line under cannon floor Lockheed (For details refer to AP.4515F Vol 3, Part 1, Sect 2 Chap 1) (Mod Vam 3345)	1		A
28F/8225	AGS.1138/A							WASHER, jointing for adaptor on hydraulic accumulator, release and by pass valves	8		C
	DHS.204/J							WASHER, jointing, for bleeder valves oil and burner pressure gauges	2		C
28F/8225	AGS.1138/A							WASHER, jointing, for flexible pipe hose wheels up and down	2		C
28F/8215	AGS.1138/B							WASHER, jointing for hand pump suction canopy seal and hydraulic accumulator R/H pipe adaptors	3		C
28F/9649	AGS.1138/C							WASHER, jointing for hydraulic accumulator L/H pipe adaptor	1		C
11775	3.20.S.3935							WASHER, special jointing for bleeder valves	1		C
28W/12305	SP. 13/B							WASHER, 4BA standard, for bonding	2		C

RESTRICTED

RESTRICTED
PIPE SERVICES
PIPES IN FUSELAGE

Vampire MK 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Of	M.R.	Cl. of St.
<p>NOTE:- Pages 681 to 694 not issued.</p>											

RESTRICTED

Ref. No.	Part No.							Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
2340	Q.00226							PILLAR, adaptor headed banjo, on connecting block, 1/2" BSF to 1/4" BSP	1	-	C
2342	Q.00332							PILLAR, adaptor headed banjo, on non-return valve, 1/2" BSF to 1/8" BSP	1	-	C
2343	Q.00333							PILLAR, adaptor headed banjo, on non-return valve, 1/2" BSF to 1/4" BSP	1	-	C
2341	Q.00118							PLUG, connecting block blanking	1	-	C
27M/462	AIR.34126							VALVE, non-return, Lockheed	1	-	A
27M/7821	AIR.34214							BODY, valve	1	-	C
27M/4224	ADS.35/Q							PLUG	1	-	C
27M/7970	AIR.34216							RETAINER, valve spring	1	-	C
27M/6213	AIR.29266							SPRING	1	-	C
27M/7971	AIR.34212							VALVE	1	-	C
27M/4169	ADS.32/R							WASHER, jointing for plug	1	-	C
27M/453	AIR.40272							VALVE, selector, Lockheed	3	-	A
27M/7969	AIR.33608							BODY, valve and plunger	1	-	C
	AIR.33612							BODY, valve	1	-	
	AIR.33606							PLUNGER	1	-	
27M/3215	AIR.18116							BOLT, end cap fixing	2	-	C
27M/7962	AIR.35804							BEARING, valve plunger	1	-	C
27M/7963	AIR.33620							CAP, end	1	-	C
27M/7964	AIR.33630							FORK, valve plunger	1	-	C
27M/7965	AIR.33618							INSERT	1	-	C
28F/10490	AGS.1148/F							LOCKNUT, for bearing	1	-	C
27M/7966	AIR.33624							PIECE, distance, end cap	1	-	C
27M/7967	AIR.33628							PIECE, distance, plunger seal	2	-	C
27M/7609	AIR.33272							PLATE, manufacturer's name	1	-	C
27M/4222	ADS.35/E							PLUG	1	-	C
27M/7968	AIR.35806							RETAINER	1	-	C
27M/7875	AIR.40084							SEAL, insert to body	1	-	C
27M/7879	ADS.409/1							SEAL, plunger valve	2	-	C
28F/10467	AGS.1139/F							WASHER, jointing, bearing	1	-	C
27M/4313	ADS.33/B							WASHER, jointing, bearing to body	1	-	C
27M/4219	ADS.32/E							WASHER, jointing, for plug	1	-	C
28F/8215*	AGS.1138/B							WASHER, jointing	2	-	C
28F/9648	AGS.1138/BB							WASHER, jointing	6	-	C
2336	Q.00111							WASHER, jointing, for plug in connecting block	1	-	C
26BY/16565	Q.982437							WASHER, 0.8 o/d x 0.5 i/d	10	-	C

R E S T R I C T E D

PIPE SERVICES
PIPES IN FUSELAGE

Vampire Mk.9

Ref. No.	Part No.							Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
28F/8225	AGS.1138/A							WASHER, jointing, for adaptors, on hydraulic accumulator release and by-pass valves	8	-	C
	DHS.204/J							WASHER, jointing, for bleeder valves of oil and burner pressure gauges	2	-	
26FN/2618	DHS.203/A							WASHER, jointing, for flexible pipe, nose wheel up and down	2	-	C
28F/8215	AGS.1138/B							WASHER, jointing, for hand pump suction, canopy seal and hydraulic accumulator R.H. pipe adaptors	3	-	C
28F/9649	AGS.1138/C							WASHER, jointing, for hydraulic accumulator L.H. pipe adaptor	1	-	C
26EW/4355	3-20 S3935							WASHER, special jointing for bleeder valves	1	-	C
28W/12305	SP.13/B							WASHER, 4BA, standard, for bonding connector clip	2	-	C

Note:- Pages 683 to 694 not issued

R E S T R I C T E D

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	-							PIPES IN WING, PORT (Q.002419)	1	-	
	-							PIPES IN WING, STARBOARD (Q.002420)	1	-	
28F/10785	AGS.1145/A							ADAPTOR, for pipes at rib No.1	6	-	C
28F/9533	AGS.1145/B							ADAPTOR, for pipes at rib No.1	1	-	C
28F/10512	AGS.1145/BB							ADAPTOR, for pipes at rib No.1, Port	2	-	C
2618	Q.0049							BANJO, union, at undercarriage up flexible pipe	1	-	C
3645	Q.00257							BLOCK, clamp, bottom half, rib No.2	2	-	C
3646	Q.002475							BLOCK, clamp, centre half, rib No.2	2	-	C
3647	Q.002476							BLOCK, clamp, top half, rib No.2	2	-	C
28D/12535	A.25/12C							Attaching parts for Q.00257 and Q.002475	1	-	C
28D/12516	A.25/11C							Bolt, 2BA	2	-	C
28D/12518	A.25/11C							Strip, capping (Make from Ref.No. 26FN/1360)	1	-	C
26FN/1360	J.275							Strip, capping (Required to make Part No. DHS.175 Mk.11)	QR	-	C
	Q.002619							Strip, packing, 0"5 wide x 0"25 thick x 1"5 long, LFS.21	1	-	
28W/8516	AS.470/C							Washer, 2BA	2	-	C
	Q.002488							BLOCK, clamp, bottom half, rib No.2, Port	2	-	
	Q.002487							BLOCK, clamp, bottom intermediate half, rib No.2, Port	2	-	
	Q.002490							BLOCK, clamp, top half, rib No.2, Port	2	-	
	Q.002489							BLOCK, clamp, top intermediate half, rib No.2, Port	2	-	
								Attaching parts for Q.002488, Q.002487, Q.002490 and Q.002489, Blocks (per set)			
28D/7174	A.1/27C							Bolt, 2BA	2	-	C
	Q.002495							Strip, capping, 16SWG, DTD.610 (Make from Ref.No.30B/94.9)	1	-	
	Q.002620							Strip, packing, 0"6 wide x 0"25 thick x 2"45 long, LFS.21	1	-	
28W/8516	AS.470/C							Washer, 2BA	2	-	C

R E S T R I C T E D

PIPE SERVICES
PIPES IN WING

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
3782	Q.002482							BLOCK, clamp, bottom half, on rib No.2, Port	1	-	C
3781	Q.002481							BLOCK, clamp, centre half, on rib No.2, Port	1	-	C
3783	Q.002486							BLOCK, clamp, top half, on rib No.2, Port	1	-	C
28D/7150	A.1/17C							Attaching parts for Q.002482, Q.002481 and Q.002486, Blocks (per set)			
	Q.002496							Bolt, 2BA	2	-	C
	Q.002622							Strip, capping, 16SWG, DTD.610 (Make from Ref.No.30B/949)	1	-	
28W/8516	AS.470/C							Strip, packing, 0"6 wide x 0"35 thick x 2"1 long, LFS.21	1	-	
	Q.002487							Washer, 2BA	2	-	C
	Q.002490							BLOCK, clamp, bottom half, rib No.2, Starboard	2	-	
	Q.002489							BLOCK, clamp, centre half, rib No.2, Starboard	2	-	
								BLOCK, clamp, top half, rib No.2, Starboard	2	-	
28D/7393	A.1/23C							Attaching parts for Q.002487, Q.002490 and Q.002489, Blocks (per set)			
	Q.002495							Bolt, 2BA	2	-	C
	Q.002620							Strip, capping, 16SWG, DTD.610 (Make from Ref.No.30B/949)	1	-	
28W/8516	AS.470/C							Strip, packing, 0"6 wide x 0"25 thick x 2"45 long, LFS.21	1	-	
	2620							Washer, 2BA	2	-	C
	Q.00251A							BLOCK, clamp, centre, on front spar web	1	-	C
28D/7075	A.1/5C							Attaching parts for Q.00251A, Block			
28W/8516	AS.470/C							Bolt, 2BA	2	-	C
								Washer, 2BA	2	-	C
<i>mb</i> 26W/4756 11776	Q.00136A							BLOCK, clamp, flap pipes on rib No.2	2	-	C
28D/7076	A.1/8C							Attaching parts for Q.00136A, Block			
	Q.002621							Bolt, 2BA	1	-	C
28W/8516	AS.470/C							Strip, packing, 0"5 wide x 0"25 thick x 1"0 long, LFS.21	1	-	
								Washer, 2BA	1	-	C
26BY/9309 13251	Q.98914A							BLOCK, clamp, for air speed indicator pipes on front spar web, Port	1	-	C
28D/7075	A.1/5C							Attaching parts for Q.98914A, Block			
28W/8516	AS.470/C							Bolt, 2BA	1	-	C
								Washer, 2BA	1	-	C

R E S T R I C T E D

Ref. No.	Part No.	Nomenclature						No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6			
2623	Q.00317A	BLOCK, clamp, for brake pipe in undercarriage bay						1	-	C
28D/7075	A.1/5C	Attaching parts for Q.00317A, Block						1	-	C
28W/8516	AS.470/C	Bolt, 2BA						1	-	C
		Washer, 2BA								
2382	Q.00229A	BLOCK, clamp, for dive brake and flap pipes on rib No.2, Starboard						1	-	C
		Attaching parts for Q.00229A, Block								
28D/7029	A.1/6C	Bolt, 2BA						2	-	C
28W/8516	AS.470/C	Washer, 2BA						2	-	C
2619	Q.00159A	BLOCK, clamp, for dive brakes, flaps and undercarriage jack flexible pipes						3	-	C
		Attaching parts for Q.00159A, Block								
28D/7077	A.1/10C	Bolt, 2BA						2	-	C
28M/10288	AGS.2001/C/1	Nut, 2BA, plain pinnacle						2	-	C
28W/8516	AS.470/C	Washer, 2BA						2	-	C
2382	Q.00229A	BLOCK, clamp, for dive brake pipes on rib No.2, Port						2	-	C
		Attaching parts for Q.00229A, Block								
28D/7075	A.1/5C	Bolt, 2BA						2	-	C
28M/10328	AGS.2002/C/1	Nut, 2BA, thin pinnacle						2	-	C
28W/8516	AS.470/C	Washer, 2BA						2	-	C
	Q.002477	BLOCK, clamp, half, on rib No.2, Port						2	-	
		Attaching parts for Q.002477, Block								
28D/7029	A.1/6C	Bolt, 2BA						2	-	C
	DHS.175 Mk.22	Strip, capping (Make from Ref.No. 26FN/1360)						1	-	
26FN/1360	J:275	Strip, capping (Required to make Part No. DHS.175 Mk.22)						QR	-	C
28W/8516	AS.470/C	Washer, 2BA						2	-	C
2620	Q.00251A	BLOCK, clamp, inboard, on front spar web						1	-	C
		Attaching parts for Q.00251A, Block								
28D/7075	A.1/5C	Bolt, 2BA						1	-	C
28D/7076	A.1/8C	Bolt, 2BA						1	-	C
28W/8516	AS.470/C	Washer, 2BA						2	-	C
	Q.002624ND	Washer, packing, 1/2" o/d x 3/16" i/d x 0.18 thick, LFS.21						1	-	

R E S T R I C T E D

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
26EW/1756	Q.00136A							BLOCK, clamp, on false spar and ribs No.2 and 3	3	-	C
28D/7075	A.1/5C							Attaching parts for Q.00136A, Block	1	-	C
28M/10288	AGS.2001/C/1							Bolt, 2BA	1	-	C
								Nut, 2BA, plain pinnacle, for clamp block on rib No.2	1	-	C
28W/8516	AS.470/C							Washer, 2BA	1	-	C
3783	Q.002486							BLOCK, clamp, on rib No.2, Starboard	1	-	C
28D/6990	A.1/13C							Attaching parts for Q.002486, Block	1	-	C
	Q.002496							Bolt, 2BA	2	-	C
								Strip, capping, 16SWG, DTD.610 (Make from Ref.No.30B/949)	1	-	C
	Q.002622							Strip, packing, 0"1/2 wide x 0"35 thick x 2"1 long, LFS.21	1	-	C
28W/8516	AS.470/C							Washer, 2BA	2	-	C
28D/12536	A25/13C							BOLT 2 BA	2	-	C
28D/1252620	Q.00251A							BOLT 2 BA	1	-	C
								BLOCK, clamp, outboard, on front spar web	1	-	C
28D/7076	A.1/8C							Attaching parts for Q.00251A, Block	2	-	C
	Q.003643							Bolt, 2BA	1	-	C
								Strip, packing, 0"5 wide x 0"25 thick x 2"6 long, LFS.21	1	-	C
28W/8516	AS.470/C							Washer, 2BA	2	-	C
28F/8294	AGS.1102/BB							CONNECTOR, air speed indicator pipe joints on rib No.2, Port	2	-	C
28F/9704	AGS.1102/B							CONNECTOR, for brake pipe joint on rib No.2	1	-	C
28F/9703	AGS.1102/A							CONNECTOR, for dive brake and flap pipe joints at rib No.2	6	-	C
28F/10491	AGS.1148/A							LOCKNUT, for pipe adaptors on rib No.1	6	-	C
28F/9584	AGS.1148/B							LOCKNUT, for pipe adaptor on rib No.1	1	-	C
28F/10513	AGS.1148/BB							LOCKNUT, for pipe adaptors on rib No.1, Port	2	-	C
28F/8221	AGS.1135/A							PILLAR, banjo, at undercarriage up flexible pipe	1	-	C
4843	Q.002421A/ND							PIPE, air speed indicator, pressure, joint on rib No.1 to joint at rib No.2, Port	1	-	C
4844	Q.002423A/ND							PIPE, air speed indicator, static, joint on rib No.1 to joint at rib No.2, Port	1	-	C
4852	Q.002439A/ND							PIPE, brake, joint on rib No.1 to joint on rib No.2, Port	1	-	C
4857	Q.002453A/ND							PIPE, brake, joint on rib No.1 to joint on rib No.2, Starboard	1	-	C
28/12629	A.25/8C							BOLT 2 BA (PORT WING ONLY) 6A1/8C	2	-	C
28/12534	A.25/9C							BOLT 2 BA (STARBOARD WING ONLY)	2	-	C

R E S T R I C T E D

Ref. No.	Part No.							Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
4851	Q.002437A/ND							PIPE, brake, joint on rib No.2 to joint in undercarriage bay, Port	1	-	C
4858	Q.002455A/ND							PIPE, brake, joint on rib No.2 to joint in undercarriage bay, Starboard	1	-	C
4749	Q.00336A/ND							PIPE, dive brake off, jack flexible pipe to joint at rib No.2, Port	1	-	C
4739	Q.002469A/ND							PIPE, dive brake off, jack flexible pipe to joint at rib No.2, Starboard	1	-	C
4845	Q.002425A/ND							PIPE, dive brake off, joint on rib No.1 to joint on rib No.2, Port	1	-	C
4855	Q.002449A/ND							PIPE, dive brake off, joint on rib No.1 to joint on rib No.2, Starboard	1	-	C
4847	Q.002429A/ND							PIPE, dive brake off, joint on rib No.2 to joint between ribs No.2 and 3, Port	1	-	C
4750	Q.00338A/ND							PIPE, dive brake on, jack flexible pipe to joint at rib No.2, Port	1	-	C
4865	Q.002471A/ND							PIPE, dive brake on, jack flexible pipe to joint at rib No.2, Starboard	1	-	C
4846	Q.002427A/ND							PIPE, dive brake on, joint on rib No.1 to joint on rib No.2, Port	1	-	C
4856	Q.002451A/ND							PIPE, dive brake on, joint on rib No.1 to joint on rib No.2, Starboard	1	-	C
4848	Q.002431A/ND							PIPE, dive brake on, joint on rib No.2 to joint between ribs No.2 and 3, Port	1	-	C
27M/7780	AIR.31836							PIPE, flexible, flap and undercarriage up, Lockheed	2	-	C 28
27M/7778	AIR.31832							PIPE, flexible, flap down, Lockheed	1	-	C 24
27M/7779	AIR.34492							PIPE, flexible, undercarriage down, Lockheed	1	-	C 26
4849	Q.002433A/ND							PIPE, flap down, jack flexible pipe to joint on rib No.2, Port	1	-	C
4864	Q.002467A/ND							PIPE, flap down, jack flexible pipe to joint on rib No.2, Starboard	1	-	C
4854	Q.002443A/ND							PIPE, flap down, joint on rib No.1 to joint on rib No.2, Port	1	-	C
4862	Q.002463A/ND							PIPE, flap down, joint on rib No.1 to joint on rib No.2, Starboard	1	-	C
4850	Q.002435A/ND							PIPE, flap up, jack flexible pipe to joint on rib No.2, Port	1	-	C
4863	Q.002465A/ND							PIPE, flap up, jack flexible pipe to joint on rib No.2, Starboard	1	-	C
4853	Q.002441A/ND							PIPE, flap up, joint on rib No.1 to joint on rib No.2, Port	1	-	C

R E S T R I C T E D

PIPE SERVICES
PIPES IN WING

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
4861	Q.002461A/ND							PIPE, flap up, joint on rib No.1 to joint on rib No.2, Starboard	1	-	C
4748	Q.00300A/ND							PIPE, undercarriage down, jack flexible pipe to joint on rib No.1, Port	1	-	C
4860	Q.002459A/ND							PIPE, undercarriage down, jack flexible pipe to joint on rib No.1, Starboard	1	-	C
4747	Q.00299A/ND							PIPE, undercarriage up, jack flexible pipe to joint on rib No.1, Port	1	-	C
4859	Q.002457A/ND							PIPE, undercarriage up, jack flexible pipe to joint on rib No.1, Starboard	1	-	C
28F/8225	AGS.1138/A							WASHER, jointing, for undercarriage jack flexible pipe connections	3	-	C

Note:- Pages 701 to 710 not issued

R E S T R I C T E D

Vampire MK.9

PIPES ON FIREPROOF BULKHEAD

(Issued with A.L.9)

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
PIPES ON FIREPROOF BULKHEAD											
3041	Q.001010	ADAPTOR, on hydraulic pump pressure line, for flexible pipe joint							1		C
3042	Q.002104	ADAPTOR, on hydraulic pump suction line, for flexible pipe joint							1		C
2935	Q.00728A	BLOCK, clamp, for air speed indicator pipes above transmitters							1		C
28D/12502	AS.1246/13C	Attaching parts for Q.00728A, Block Bolt, 2BA							1		C
2640	Q.00848	BLOCK, clamp, for air speed indicator pipe, below transmitters							1		C
28D/12533	A25/5C	Attaching parts for Q.00848, Block Bolt, 2BA							2		C
2381	Q.00214A	BLOCK, clamp, for pipe run on forward face of bulkhead							4		C
28D/8507	AS.1242/5C	Attaching parts for Q.00214A, Block Bolt, 2BA							2		C
28W/12252	SP.13/C	Washer							4		C
2381	Q.00214A	BLOCK, clamp for pipes from bulkhead to wing							2		C
28D/12533	A25/5C	Attaching parts for Q.00214A, Block Bolt, 2BA							2		C
2380	Q.00108A	BLOCK, clamp, for pressure and suction pump lines							2		C
28D/12515	A25/10C	Attaching parts for Q.00108A, Block Bolt, 2BA							2		C
28W/12296	SP.15/C	Washer							2		C
3037	Q.002131	BLOCK, clamp, half, for pressure and suction pump pipes at flexible pipe joints							1		C
3038	Q.002132	BLOCK, clamp, half, for pressure and suction pump pipes at flexible pipe joints							1		C
28D/12540	A25/18C	Attaching parts for Q.002131 and Q.002132, Blocks Bolt, 2BA							1		C
28W/12296	SP.15/C	Washer							1		C
2637	Q.00171A	BRACKET, mounting, for clamp block of pipes from bulkhead to wing							2		C

RESTRICTED
PIPE SERVICES
PIPES ON FIRE PROOF BULKHEAD

Vampire MK9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	DHS.30MK.40 DHS.47MK.4 DHS.159/C/2#0							CLIP tubular, for drain pipe CONNECTOR, bonding for drain pipe COUPLING, 3/8" i/d x 2".0 long, DTD625A Type 1. (Make from Ref.No. 32c/399) Attaching parts for DHS.159/C/2#0, Coupling	2 1		
28E/10154	AGS605/00							Clip	2		C
28E/8296	AGS.1116/BB							ELBOW, for air speed indicator pipes	2		C
11882	Q003779							HOSE, flexible, hydraulic pressure line (Mod.Vam.3476)	1		C
4824	Q00731A/ND							PIPE, air speed indicator pressure	1		C
4825	Q00732A/ND							PIPE, air speed indicator, static	1		C
4799	Q00547A/ND							PIPE, brake, from fireproof bulkhead to rib No.1. Port	1		C
4800	Q00549A/ND							PIPE, brake, from fireproof bulkhead to rib No.1. Starboard	1		C
4759	Q00381A/ND							PIPE, brake, on front face of fireproof bulkhead	1		C
4792	Q00533A/ND							PIPE, dive brake off, from fire proof bulkhead to rib No.1. Port	1		C
4793	Q00535A/ND							PIPE, dive brake off, from fireproof bulkhead to rib No.1. Starboard	1		C
4755	Q00377A/ND							PIPE, dive brake off on front face of fireproof bulkhead	1		C
4789	Q00527A/ND							PIPE, dive brake on, from fireproof bulkhead to rib No.1. Port	1		C
4794	Q00537A/ND							PIPE, dive brake on from fireproof bulkhead to rib No.1. Starboard	1		C
4756	Q00378A/ND							PIPE, dive brake on on front face of fire proof bulkhead	1		C
	L.0022/ND							PIPE, drain on fireproof bulkhead	1		
5773	Q003617A/ND							PIPE, flexible, hydraulic pump pressure on rear face of fireproof bulkhead (Pre Mod.Vam. 3116)	1		C
11883	Q003781A/ND							PIPE, flexible, hydraulic pump pressure on rear face of fireproof bulkhead (Mod.Vam. 3476)	1		C
3039	Q002233A/ND							PIPE, flexible, hydraulic pump suction, on rear face of fireproof bulkhead	1		A

Vampire Mk.9

PIPE SERVICES
PIPES ON FIREPROOF BULKHEAD

(Issued with AL.1)

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
4788	Q.00525A/ND	PIPE, flap down, from fireproof bulkhead to rib No.1 Port							1		C
4796	Q.00541A/ND	PIPE, flap down, from fireproof bulkhead to rib No.1 Starboard							1		C
4758	Q.00380A/ND	PIPE, flap down, on front face of fireproof bulkhead							1		C
4791	Q.00531A/ND	PIPE, flap up from fireproof bulkhead to rib No.1 Port							1		C
4795	Q.00539A/ND	PIPE, flap up from fireproof bulkhead to rib No.1 Starboard							1		C
4757	Q.00379A/ND	PIPE, flap up on front face of fireproof bulkhead							1		C
4259	Q.002280A/ND	PIPE, hydraulic pump pressure, on front face of fireproof bulkhead (Pre Mod.Vam.996)							1		C
6861	Q.003697A/ND	PIPE, hydraulic pump pressure, on front face of fireproof bulkhead (Mod.Vam.996)							1		C
8342	Q.003701A/ND	PIPE, 1/2" o/d hydraulic pump suction, on front face of fireproof bulkhead (Mod.Vam.996)							1		C
5660	Q.002281A/ND	PIPE, 1/2" o/d hydraulic pump suction on front face of fireproof bulkhead (Pre Mod.Vam.996)							1		C
4787	Q.00523A/ND	PIPE, undercarriage down, from fireproof bulkhead to rib No.1 Port							1		C
4797	Q.00543A/ND	PIPE, undercarriage down, from fireproof bulkhead to rib No.1 Starboard							1		C
4760	Q.00382A/ND	PIPE, undercarriage down, on front face of fireproof bulkhead							1		C
4790	Q.00529A/ND	PIPE, undercarriage up, from fireproof bulkhead to rib No.1 Port							1		C
4798	Q.00545A/ND	PIPE, undercarriage up, from fireproof bulkhead to rib No.1 Starboard							1		C
4761	Q.00383A/ND	PIPE, undercarriage up, on front face of fireproof bulkhead							1		C
	-	VALVE, pressure reducing (See Power Plant Installation Mounting Frames and Attachments)									

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
<p>Note:- Pages 715 to 720 not issued</p>											

RESTRICTED
PIPE SERVICES
PIPES ON MAIN UNDERCARRIAGE
FOR BRAKES

Vampire Mk.9

Page 721
(Issued with AL.10)

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
								PIPES ON MAIN UNDERCARRIAGE FOR BRAKES PORT (Q.00189)			
								PIPES ON MAIN UNDERCARRIAGE FOR BRAKES STARBOARD (Q.00190)			
28F/9708	AGS.1104/B							ADAPTOR, pipe at elbow at top of compression leg	1		C
4403	Q.002627							BRACKET, for connector at bottom of compression leg, Port	1		C
4404	Q.002628							BRACKET, for connector at bottom of compression leg, Starboard	1		C
12606	Q.003789							BRACKET, for brake hose connection in wing (Mod Vam 3495)	1		C
580	Q.00169							BRACKET, mounting for elbow at top of compression leg Port	1		C
581	Q.00170							BRACKET, mounting for elbow at top of compression leg, Starboard	1		C
								Attaching parts for Q.00169 and Q.00170 Brackets			
576	Q.00188							Bolt, 5/16" BSF	2		C
	Q.00206ND							CLIP, upper hose, leather 3/32" thick x 5/8" wide	1		
								Attaching parts for Q.00206ND, Clip			
28D/12622	A25/3B							Bolt, 4BA	2		C
28W/12305	SP 13/B							Washer	2		C
28F/10431	AGS.1147/B							CONNECTOR, hose	2		C
								Attaching parts for AGS.1147/B Connector			
28F/9584	AGS.1148/B							Nut, locking	1		C
582	Q.00168							ELBOW, for hose, at top of compression leg	1		C
								Attaching parts for Q.00168, Elbow			
28F/9584	AGS.1148/B							Nut, locking	1		C
583	Q.00201A							ELBOW, for hose, at wheel brake	1		C
587	AHO.17731							HOSE, connector at bottom of compression leg to elbow at wheel brake Dunlop	1		B
10323	AHO.16203							HOSE, connector in wing to elbow at top of compression leg Dunlop-	1		B
584	Q.00815A/ND							PIPE, elbow at top to connector at bottom of compression leg Port.	1		C

RESTRICTED

RESTRICTED
PIPES SERVICES
PIPES ON MAIN UNDERCARRIAGE
FOR BRAKES

Page 722
(Issued with A.L.10)

Vampire MK.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
585	Q.00816A/ND							PIPE, elbow at top to connector at bottom of compression leg, Starboard Attaching parts for Q.00815A/ND and Q.00816A/ND , Pipes	1		C
575	Q.00191							Block, packing	2		C
28E/8187	AGS.605/5							Clip	2		C
6870	Q.00167 MK.1							PLATE, locking, for elbow at wheel brake	1		C
28F/8215	AGS.1138/B							WASHER, jointing for pipe adaptor at elbow at top of compression leg	1		C
NOTE:- Pages 723 to 730 not issued											

RESTRICTED

PIPE SERVICES
TOTAL HEAD AIR LINE
TO BAROSTAT

Vampire MK.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.	
		TOTAL HEAD AIR LINE TO BAROSTAT (R.002629) (Mod. Vam. 3098)										
	R.001437 ND	BLOCK, support, half $\frac{1}{2}$ " L.F. sheet							1			
	R.001439 ND	BLOCK, support, half $\frac{1}{2}$ " L.F. sheet							1			
	R.002631 ND	BLOCK, support L.H. $\frac{3}{16}$ " L.F. sheet							1			
	R.002630 ND	BLOCK, support R.H. $\frac{3}{16}$ " L.F. sheet							1			
		Attaching parts for R.002631 ND and R.002630 ND, Block										
28D/12511	A.25/2B	Bolt, 4 BA							2			C
28M/10287	AGS.2001/B/1	Nut, 4 BA							2			C
28W/12305	S.P. 13/B	Washer							2			C
	DHS.28 MK.4	CLIP, at base of bulkhead No. 1							1			
	DHS.30 MK.4	CLIP, "P"							2			
	DHS.159/B/20	COUPLING, hose							9			
		Attaching parts for DHS.159/B/20, Coupling										
28E/10154	AGS.605/00	Clip							2			C
	DHS.159/E/20	COUPLING, hose							1			
		Attaching parts for DHS.159/E/20, Coupling										
28E/8183	AGS.605/1	Clip							2			C
6991	R.001455A/ND	PIPE, drain							1			C
6992	R.001459A/ND	PIPE, drain plug							1			C
6989	R.001339 ND	PIPE, from air intake to joint at bottom of armour plate							1			C
		Attaching parts for R.001339 ND, Pipe										
28D/12528	A25/1B	Bolt, 4 BA							1			C
	DHS.30 MK.4	Clip							1			
28M/10287	AGS.2001/B/1	Nut, 4 BA							1			C
28W/12305	SP.13/B	Washer							1			C
6990	R.001341 ND	PIPE, from drain plug to joint at cannon beam $\frac{5}{16}$ " o/d X 20 SWG T.9 or DTD. 310							1			C
		Attaching parts for R.001341 ND, Pipe										
	DHS.30 MK.4	Clip							2			
6996	R.002633 ND	PIPE, from joint aft of fireproof bulkhead to engine							1			C
6993	R.001487 ND	PIPE, from joint at bottom of armour plate to drain pipe							1			C
6995	R.002627 ND	PIPE, from joint at bulkhead No. 2 to joint forward of fireproof bulkhead							1			C

RESTRICTED


PIPE SERVICES
 TOTAL HEAD AIR LINE
 TO BAROSTAT

Vampire MK. 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
8538	R.001463A/ND							PIPE, from joint at cannon beam to joint at bulkhead No. 2	1		C
8344	R.001461A/ND							PIPE, from joint forward to joint aft of fireproof bulkhead	1		C
28D/12528	A25/1B							Attaching parts for R.001461A/ND, Pipe			
28M/10287	AGS.2001/B/1							Bolt, 4 BA	2		C
28W/12305	SP.13/B							Nut, 4 BA	2		C
								Washer	2		C

Note:- Pages 723 to 730
 not issued.

RESTRICTED





Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.	
		POWER PLANT, ATTACHMENTS AND ACCESSORIES (L.0010)										
2823	L.001355ND							ADAPTOR, air compressor pipe (Make from 28F/11080)	1	-	C	
2663	D.002468A							CLIP, air intake joint, at bulkhead end	2	-	C	
2664	D.002469A							CLIP, air intake joint, at engine end	2	-	C	
	-							CONTROLS, Engine, on fireproof bulkhead (L.002) (For details see Page 193)				
								COWLING, Engine (L.001) (For details see Page 733)				
4876	D.001997A/2							DUCT, air, inner Port	1	-	C	
4738	D.001996A/2							DUCT, air, inner, Starboard	1	-	C	
4640	L.003567A							EXTENSION, fire shield, Port	1	-	C	
4641	L.003569A							EXTENSION, fire shield, Starboard	1	-	C	
26BY/2903	L.98477							BLADE, ejector	2	-	C	
28FP/613	AW.6 $\frac{1}{2}$ /50							FASTENER, Dzus	2	-	C	
28FP/316	GA.6 $\frac{1}{2}$ /375							GROMMET, Dzus	2	-	C	
								EXTINGUISHER, Fire (L.0015) (For details see Page 745)				
								FRAMES, Mounting and Attachments (L.0020) (For details see Page 747)				
2662	D.002465							JOINT, air intake	2	-	C	
								PIPES, air, at engine (R.0010) (For details see Page 757)				
5685	L.002340							PIPE, drain, lower half of fireguard	1	-	C	
28E/8183	AGS.605/1							Attaching parts for L.002340, Pipe Clip, pipe	1	-	C	
2674	L.00637A							PIPE, flexible, from air compressor to fireproof bulkhead	1	-	C	
3071	P.002156A							PIPE, flexible pressure, canopy seal	1	-	C	
								POWER PLANT G.A. (L.0013) (For details see Page 767)				
								Attaching parts for Power Plant				
28M/1312	L.003555							Bolt, 3/8" BSF	4	-	C	
28P/12462	SP. 27/38							Nut, 3/8" BSF	4	-	C	
4388	SP. 9/C8							Pin, split	4	-	C	
28W/12256	SP. 3537							Washer	4	-	C	
	S.P. 13/L							Washer	2	-	C	
	N.003245A							SWITCH, flame assembly, Port (Pre. Mod. Vam. 3238)	1	-	C	

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
	N.003245A/1							SWITCH, flame assembly Port (Mod. Vam. 3238)	1		
5E/3098	/							CABLE, Duprenmet 6 amp	QR		C
	N.003449							CLIP, "P"	4		
28M/10286	AGS.2001/A/1							Attaching parts for N.003449, Clip			
28S/2768	A31/A16							Nut, 6 BA	1		C
								Screw, 6 BA	1		C
	L.003555A							MOUNTING, complete with switches	1		
5715	L.003559A							PLATE, mounting complete with brackets	1		C
5716	L.003551							BRACKET, switch	1		C
5717	L.003552							BRACKET, switch	1		C
5718	L.003554							BRACKET, switch	1		C
	L.003589ND							BRACKET, switch	1		
27N/90	5D/164/B							SWITCH, re-setting, Graviner Attaching parts for Ref. No. 27N/90, Switch	4		A
28D/12515	A25/10C							Bolt, 2 BA	2		C
28M/10288	AGS.2001/C/1							Nut, 2 BA	2		C
28W/12665	S.P. 14/C							Washer	2		C
	5K/87							NUT, cable gland	4		C
	5K/29							SLEEVE,	4		C
	5K/3395	R.G. 340						TERMINAL, Ross-Courtney	16		C
	5X/2270	Z.19980						THIMBLE	16		C
								Attaching parts for N.003245A/1, Switch			
28D/12512	A25/1C							Bolt, 2 BA	4		C
28M/10288	AGS.2001/C/1							Nut, 2 BA	4		C
28W/12252	SP.13/C							Washer	8		C
	N.003247A							SWITCH, flame, assembly Starboard (Pre. Mod. Vam. 3238)	1		
	N.003247A/1							SWITCH, flame, assembly Starboard (Mod. Vam. 3238)	1		
5E/3098	/							CABLE, Duprenmet 6 amp	QR		C
	N.003449							CLIP, "P"	3		
								Attaching parts for N.003449, Clip			
28M/10286	AGS.2001/A/1							Nut, 6 BA	1		C
28S/2768	A31/A16							Screw, 6 BA			

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
5719	L.003557A							MOUNTING, complete with switches	1		C
	L.003561A							PLATE, mounting, complete with brackets	1		C
5716	L.003599							BRACKET, plate attachment	1		C
	L.003551							BRACKET, switch	1		C
5720	L.003553							BRACKET, switch	1		C
	L.003595ND							BRACKET, switch	1		C
	L.003597ND							BRACKET, switch	1		C
27N/90	5D/164/B							SWITCH, re-setting Graviner Attaching parts for Ref. No. 27N/90 switch	4		A
28D/12515	A25/10C							Bolt, 2 BA	2		C
28M/10288	AGS.2001/C/1							Nut, 2 BA	2		C
28W/12665	SP.14/C							Washer	2		C
5K/87	/							NUT, cable gland	4		C
5K/29	/							SLEEVE	4		C
5K/3395	R.C. 340							TERMINAL, Ross Courtney	16		C
5X/2270	Z.19980							THIMBLE	16		C
28D/12512	A25/1C							Attaching parts for N.003247A/1, Switch			
28M/10288	AGS.2001/C/1							Bolt, 2 BA	4		C
28W/12252	SP.13/C							Nut, 2 BA	4		C
								Washer	8		C
27VB/3179	C.50347							VALVE, relief, Hymatic R.V. 10	1		A

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.

RESTRICTED
POWER PLANT INSTALLATION
ENGINE COWLING

Vampire Mk.9

Page 733
(Issued with A.I.12)

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
								ENGINE COWLING (L.001)	1		
10411	L.00853A/5							CONE, rear (Mod.Vam.3226) (Pre.Mod.Vam.3575)	1		B
12098	L.00853A/6							CONE, rear (Mod.Vam.3575)	1		B
	L.0075A							BULKHEAD, centre (Pre Mod Vam 3575)	1	MR	
959	L.00751ND							BULKHEAD, half, Port	1	MR	C
960	L.00752ND							BULKHEAD, half, Starboard	1	MR	C
957	L.0077							PLATE, jointing, front	2	MR	C
958	L.00146							PLATE, jointing, rear	2	MR	C
	15.EC.227A							BULKHEAD, centre (Mod.Vam.3575)	1	MR	
	L.004037ND							BULKHEAD, half, Port	1	MR	
960	L.00752ND							BULKHEAD, half, Starboard	1	MR	C
957	L.0077							PLATE, jointing, front, bottom	1	MR	C
958	L.00146							PLATE, jointing, rear, bottom	1	MR	C
	15.EC.223							PLATE, jointing, front, top	1	MR	
	15.EC.225							PLATE, jointing, rear, top	1	MR	
	L.003817A							BULKHEAD, front	1	MR	
	L.003819ND							BULKHEAD, half, Port	1	MR	
	L.003818ND							BULKHEAD, half, Starboard	1	MR	
963	L.00858							PLATE, jointing, front	2	MR	C
964	L.00859							PLATE, jointing, rear	2	MR	C
317	DHS.199							TERMINAL, earth	1		C
965	L.00856							BULKHEAD, rear (Pre Mod Vam 3575)	1	MR	C
	15.EC.229							BULKHEAD, rear (Mod.Vam.3575)	1	MR	
28E/10026	AS.2295/2							CLIP, spring	2		C
5L/9952604	/							FILAMENT, 24 Volt, 80 watt, frosted	3		B
2068	L.00936A							FRAME, identification, lamp window L.H.	1		C
2069	L.00939A							FRAME, identification, lamp window R.H.	1		C
5CX/3465	/							GLASS, lamp, amber	1		B
5CX/3466	/							GLASS, lamp, green	1		B
5CX/3467	/							GLASS, lamp, red	1		B
5CX/557	/							LAMP, identification	3		B
								Attaching parts for Ref.No. 5CX/557, Lamp			
28D/12513	A25/2C							Bolt, 2BA	3		C
or											
28D/11255	AS.1246/2C							Bolt, 2BA	3		C
28W/9419402	SP.13/C							Washer	3		C
967	L.00488ND							LANDING, lower	1	MR	C
966	L.00487ND							LANDING, upper	1	MR	C
2071	L.00951A							PLATE, mounting, L.H. identification lamp	1		C
968	L.0085							RIB, end, Port	1	MR	C
969	L.0086							RIB, end, Starboard	1	MR	C
971	L.00855							RING, front (Pre Mod Vam 3575)	1	MR	C
	15.EC.231							RING, front (Mod Vam 3575)	1	MR	
2070	L.00949A							RING, mounting, R.H. identification lamp	1		C

RESTRICTED

RESTRICTED
POWER PLANT INSTALLATION
ENGINE COWLING

Vampire.Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
2063	L.00945							RING, packing, R.H.identification lamp	1		C
11462	L.003961A							RING, rear	1	MR	C
974	L.00864ND							SKIN, bottom, centre	1	MR	C
976	L.00866ND							SKIN, bottom, front, Port	1	MR	C
972	L.00862ND							SKIN, bottom, front, Starboard	1	MR	C
980	L.00870ND							SKIN, bottom, rear, Port	1	MR	C
981	L.00871ND							SKIN, bottom, rear, Starboard	1	MR	C
975	L.00865ND							SKIN, top, centre	1	MR	C
977	L.00867ND							SKIN, top, front, Port	1	MR	C
973	L.00863ND							SKIN, top, front, Starboard	1	MR	C
978	L.00868ND							SKIN, top, rear, Port	1	MR	C
979	L.00869ND							SKIN, top, rear, Starboard	1	MR	C
985	L.00897ND							STIFFENER	5	MR	C
	L.003809ND							STIFFENER	1	MR	C
984	L.00896ND							STIFFENER, Port	1	MR	C
986	L.001243ND							STIFFENER, Port	1	MR	C
983	L.00895ND							STIFFENER, Starboard	1	MR	C
987	L.001244ND							STIFFENER, Starboard	1	MR	C
	L.002701ND							STIFFENER, trailing edge	1		
	L.002702ND							STIFFENER, trailing edge	1		
32B/1042	BN.4							STRIP, rubbing, 1"0 wide x 3/32" thick Perobestos	QR		C
27N/72	f							SWITCH, flame Attaching parts for Ref.No. 27N/72, Switch	4		A
28D/12518	A25/2E							Bolt, 1/4" BSF	2		C
28M/10330	AGS.2002/E1							Nut, 1/4" BSF	2		C
28W/9418921	SP.13/B							Washer	4		C
4049	L.001417							WINDOW, identification lamp, L.H. Attaching parts for L.001417 Window	1		C
28D/8307	AS.1242/2C							Bolt, 2BA	12		C
2065	L.00947							Gasket	1		C
2062	L.00943							Mask	1		C
3970	L.001418							WINDOW, identification lamp, R.H. Attaching parts for L.001418, Window	1		C
28D/8307	AS.1242/2C							Bolt, 2BA	6		C
2064	L.00946							Gasket	1		C
2072	L.00941							Mask	1		C
								WIRING, for identification lamps (For details see Page 291)			

RESTRICTED
POWER PLANT INSTALLATION
ENGINE COWLING

Vampire Mk.9

Page 735
(Issued with A.L.10)

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Of	M.R.	Cl. of St.
6814	L.0051A/1							DOORS, inspection, lower complete with hinge rail (Mod Vam 3044)	1		B
1031	L.0050A							DOORS, inspection, upper complete with hinge rail	1		B
1037	L.00431A/ND							DOOR, lower L/H	1		B
1038	L.00432A/ND							DOOR, lower R/H (Pre Mod Vam 3044)	1		B
6758	L.003757A/ND							DOOR, lower R/H (Mod Vam 3044)	1		B
1032	L.00429A/ND							DOOR, upper L/H	1		B
1033	L.00430A/ND							DOOR, upper R/H	1		B
989	L.00458A							ANCHOR, jury strut upper doors	1		C
28D/12632	A25/30C							Attaching parts for L.00458A, Anchor Bolt, 2BA	1		C
28M/10288	AGS.2001/C/1							Nut, 2BA	1		C
1514	L.00823A							BRACKET, stiffener, lower door L/H	1	MR	C
1523	L.00824A							BRACKET, stiffener, lower door R/H	1	MR	C
1515	L.00423							CHANNEL, front, lower door L/H	1	MR	C
1524	L.00424							CHANNEL, front, lower door R/H	1	MR	C
990	L.00421							CHANNEL, front, upper door L/H	1	MR	C
1506	L.00422							CHANNEL, front, upper door R/H	1	MR	C
1516	L.00427							CHANNEL, rear lower door L/H	1	MR	C
1525	L.00428							CHANNEL, rear lower door R/H	1	MR	C
991	L.00425							CHANNEL, rear upper door L/H	1	MR	C
1507	L.00426							CHANNEL, rear upper door R/H	1	MR	C
992	R.00112							CLIP, jury strut, support, upper doors	1		C
3434	L.00116A/1							DOOR, toggle fasteners (Pre Mod Vam 3492)	2		C
7459	L.002363A							CABLE, complete with end fittings	1		C
27FP/252	AFA/40							FASTENER, Dzus	1		C
27FP/296	375/F							GROMMET, Dzus	1		C
12544	L.004013A							DOOR, toggle fasteners (Mod Vam 3492)	2		C
7459	L.002363A							CABLE, complete with end fittings	1		C
27FP/251	FA5/40							FASTENER, Dzus	1		C
27FP/295	GP5/175							GROMMET, Dzus	1		C
	L.004009							PLATE, packing	1		C
4197	L.0053A/1							FASTENER, toggle	1		C
	L.00106							HANDLE	1		C
11323	L.002705							LINK	1		C
11776	3.EC.1173							PEG, retaining	1		C
1533	L.00461							PIN, for spring	1		C
1532	L.00109							PIN, shackle	2		C
28P/12463	SP9/E10							PIN, split, securing pin for spring	1		C

RESTRICTED

RESTRICTED
 POWER PLANT INSTALLATION
 ENGINE COWLING

Vampire Mk. 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
7436	L.00462							PIN, spring locking	1		C
	DHS, 91.Mk,110							PIN, through link	1		
	L.00108							SLEEVE, bearing, on link	1		
11769	L.00460							SPRING	1		C
27FP/340	S. 5/300							SPRING, Dzus	1		C
995	L.00821ND							FILLET, fairing, upper door, L/H	1	MR	C
1509	L.00822ND							FILLET, fairing, upper door, R/H	1	MR	C
996	L.00115							GUSSET, corner	2	MR	C
997	L.00128							GUSSET, fastener, stiffener	2	MR	C
998	L.00129							GUSSET, fastener, stiffener	2	MR	C
28N/10362	AS. 1858							HINGE	QR		C
1000	L.00776							LOUVRE, upper doors	2	MR	C
1518	L.00652ND							SKIN, lower door L/H	1	MR	C
1528	L.001155ND							SKIN, lower door R/H	1	MR	C
999	L.00641ND							SKIN, upper door L/H	1	MR	C
1510	L.00647ND							SKIN, upper door R/H	1	MR	C
1522	L.00657ND							STIFFENER, at hinge, lower doors	1	MR	C
1503	L.00646ND							STIFFENER, at hinge, upper doors	1	MR	C
1521	L.00656ND							STIFFENER, edge, lower door L/H	1	MR	C
1531	L.00662ND							STIFFENER, edge, lower door R/H	1	MR	C
1504	L.00651ND							STIFFENER, edge, upper door L/H	1	MR	C
1511	L.00645ND							STIFFENER, edge, upper door R/H	1	MR	C
1520	L.00655ND							STIFFENER, front, lower door L/H	1	MR	C
1530	L.00661ND							STIFFENER, front, lower door R/H	1	MR	C
1502	L.00644ND							STIFFENER, front, upper door L/H	1	MR	C
1513	L.00650ND							STIFFENER, front, upper door R/H	1	MR	C
1519	L.00653ND							STIFFENER, rear lower door L/H	1	MR	C
1529	L.00659ND							STIFFENER, rear lower door R/H	1	MR	C
1501	L.00642ND							STIFFENER, rear upper door L/H	1	MR	C
1512	L.00648ND							STIFFENER, rear upper door R/H	1	MR	C
	L.00364							STRIP, packing lower hinge	2		
	L.00363							STRIP, packing upper hinge	2		
1505	L.00447A							STRUT, jury upper doors	1		C
								Attaching parts for L.00447A, Strut			
28D/12513	A25/2C							Bolt, 2BA	1		C
28M/10288	AGS. 2001/C/1							Nut, 2BA	1		C
1039	L.0066							RAIL, hinge lower	1		C
1034	L.0065							RAIL, hinge upper	1		C
								Attaching parts for L.0066 and L.0065, Rail			
28D/8307	AS. 1242/2C							Bolt, 2BA	4		C

RESTRICTED
POWER PLANT INSTALLATION
ENGINE COWLING

Vampire Mk. 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
1535	L.00127A							HCOCK, inspection door fastening	8		C
	L.00110							FORK-END	1		
1536	L.00104							HOOK	1		C
28L/12931	A27/ET							NUT, 1/4" BSF	1		C
								Attaching parts for L.00127A, Hook			
28P/863	SP.4Y/D.5							Pin, shackle	1		C
28P/12587	SP.9/C4							Pin, split	1		C
6760	L.0058A/1							PANEL, cowl middle lower	1		B
1551	L.00603							CHANNEL, centre	1	MR	C
1550	L.00601							CHANNEL, front	1	MR	C
6761	L.00605/1							CHANNEL, rear	1	MR	C
3434	L.00116A/1							DOOR, toggle fastener	6		C
7459	L.002363A							CABLE, and end fittings	1		C
27FP/252	AFA/40							FASTENER, Dzus	1		C
27FP/296	375/F							GROMMET, Dzus	1		C
4282	L.001347A/1							FASTENER, toggle centre L/H	1		C
4283	L.001348A/1							FASTENER, toggle centre R/H	1		C
4280	L.001345A/1							FASTENER, toggle front L/H	1		C
4281	L.001346A/1							FASTENER, toggle front R/H	1		C
4284	L.001349A/1							FASTENER, toggle rear L/H	1		C
4285	L.001350A/1							FASTENER, toggle rear R/H	1		C
	L.00106							HANDLE	1		
11323	L.002705							LINK	1		C
11776	3.EC.1173							PEG, retaining	1		C
1533	L.00461							PIN, for spring	1		C
1532	L.00109							PIN, shackle	2		C
28P/12463	SP.9/E10							PIN, split	2		C
7436	L.00462							PIN, spring locking	1		C
	DHS.91/110							PIN, through link	1		
	L.00108							SLEEVE, bearing, on link	1		
11769	L.00460							SPRING	1		C
27FP/340	S.5/300							SPRING, Dzus	1		C
1555	L.00505ND							PANEL, bottom skin	1	MR	C
1545	L.00439A							PIN, dowel	2		C
1553	L.00507ND							PLATE, fairing L/H	1	MR	C
1554	L.00508ND							PLATE, fairing R/H	1	MR	C
1559	L.00503ND							STIFFENER, edge, L/H	1	MR	C
1560	L.00504ND							STIFFENER, edge, R/H	1	MR	C
1557	L.00501ND							STIFFENER, front channel	1	MR	C
1558	L.00502ND							STIFFENER, rear channel	1	MR	C
8191	L.003711A							TUBE, guide fire guard drain	1		C
8192	L.003713A							TUBE, guide front jet pipe drain	1		C
1035	L.0057A							PANEL, cowl middle upper	1		B
1538	L.00602							CHANNEL, centre	1	MR	C
1537	L.00600							CHANNEL, front	1	MR	C

RESTRICTED

RESTRICTED
POWER PLANT INSTALLATION
ENGINE COWLING

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
1539	L.00604							CHANNEL, rear	1	MR	C
3434	L.00116A/1							DOOR, toggle fastener	6		C
7459	L.002363A							CABLE, and end fittings	1		C
27FP/252	AFA/40							FASTENER, Dzus	1		C
27FP/296	375/F							GROMMET, Dzus	1		C
4194	L.001321A/1							FASTENER, toggle centre, L/H	1		C
4193	L.001320A/1							FASTENER, toggle centre, R/H	1		C
4192	L.001319A/1							FASTENER, toggle front, L/H	1		C
4191	L.001318A/1							FASTENER, toggle front, R/H	1		C
4196	L.001323A/1							FASTENER, toggle rear, L/H	1		C
4195	L.001322A/1							FASTENER, toggle rear, R/H	1		C
	L.00106							HANDLE	1		C
11323	L.002705							LINK	1		C
11776	3.EC.1173							PEG, retaining	1		C
1533	L.00461							PIN, for spring	1		C
1532	L.00109							PIN, shackle	1		C
28P/12463	SP.9/E10							PIN, split	2		C
7436	L.00462							PIN, spring locking	1		C
	DHS.91/110							PIN, through link	1		C
	L.00108							SLEEVE, bearing, on link	1		C
11769	L.00460							SPRING	1		C
27FP/340	S.5/300							SPRING, Dzus	1		C
1543	L.00497ND							PANEL, top skin	1	MR	C
1545	L.00439A							PIN, dowel	2		C
1540	L.00499ND							PLATE, fairing, L/H	1	MR	C
1541	L.00500ND							PLATE, fairing, R/H	1	MR	C
1548	L.00495ND							STIFFENER, edge, L/H	1	MR	C
1549	L.00496ND							STIFFENER, edge, R/H	1	MR	C
1546	L.00493ND							STIFFENER, front channel	1	MR	C
1547	L.00494ND							STIFFENER, rear channel	1	MR	C
1570	L.00445							SPRING, tension, for tie-rod at centre fastener	4		C
1569	L.00444							SPRING, tension, for tie-rod at front fastener	4		C
1571	L.00446							SPRING, tension, for tie-rod at rear fastener	4		C
								Attaching parts for L.00445, L.00444 and L.00446, Springs			
28P/833	SP.4Y/B.7							Pin, shackle	1		C
28P/12587	SP.9/C4							Pin, split	1		C

RESTRICTED
 POWER PLANT INSTALLATION
 ENGINE COWLING

Vampire Mk. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
1568	L.00438A							TIE ROD, cowl fastening	12		C
1536	L.00104							HOOK	1		C
28L/12931	A27/ET							NUT 1/4" BSF	1		C
4093	L.001239A/ND							TIE ROD, complete with lug and eye-end	1		C
								Attaching parts for L.00438A, Tie-rod			
28F/835	SP.4Y/B9							Pin, shackle	1		C
28F/836	SP.4Y/B10							Pin, shackle	1		C
28F/12587	SP.9/C4							Pin, split	1		C

RESTRICTED

RESTRICTED
POWER PLANT INSTALLATION
ENGINE COWLING

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
<p>NOTE:- Pages 741-744 not issued.</p>											

RESTRICTED
POWER PLANT INSTALLATION
FIRE EXTINGUISHER SYSTEM

Vampire MK. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		FIRE EXTINGUISHER SYSTEM (L.0015)							1		
28F/9875	AGS.1147/D	ADAPTOR, bulkhead, first joint							1		C
28F/10603	AGS.1112/D	ADAPTOR, bulkhead, joint on rib No. 1							1		C
28D/12512	A25/1C	Attaching parts for AGS.1112/D, Adaptor									
28M/10288	AGS.2001/C/1	Bolt, 2 BA							4		C
28F/10604	AGS.1115/6	Nut, 2 BA plain							4		C
		Washer, plate							1		C
27N/105	/	BOTTLE, fire extinguisher, Graviner							1		A
21A/270	/	BOTTLE, fire extinguisher, Graviner (Alternative to Ref. No. 27N/105)							1		A
875	L.00638	BRACKET, angle, attaching fire extinguisher pipe to engine							1		C
	L.003853A	BRACKET, mounting, fire extinguisher bottle (Mod. Vam. 932)							1		C
28D/12539	A25/16C	Attaching parts for L.003853A, Bracket									
28M/10288	AGS.2001/C/1	Bolt, 2 BA							3		C
	L.00228ND	Nut, 2 BA, plain							3		C
		Tube, distance, 5/16" o/d X 17 SWG X 1'6 long, T35 (Make from Ref. No. 30A/1939)							3		
4878	L.001407ND	CLIP, securing fire extinguisher pipe 20 SWG S.84							1		C
28D/12512	A25/1C	Attaching parts for L.001407ND, Clip									
28M/10288	AGS.2001/C/1	Bolt, 2 BA							1		C
28W/12252	SP.13/C	Nut, 2 BA							1		C
		Washer,							1		C
28F/9879	AGS.1148/D	LOCKNUT, for adaptor at first joint							1		C
4656	L.003627A/ND	PIPE, bottle to first joint							1		C
4654	L.003623A/ND	PIPE, first joint to flange							1		C
874	L.001132A	PIPE, flexible from front ring to adaptor							1		C
27N/72	/	SWITCH, flame							2		A
		Attaching parts for Air Ministry Ref. No. 27N/72, Switch									
28D/12519	A25/3E	Bolt, 1/4" BSF							2		C
28M/10290	AGS.2001/E/1	Nut, 1/4" BSF							2		C
28W/12253	SP.13/E	Washer, 1/4" BSF							2		C
28F/10465	AGS.1139/D	WASHER, jointing for adaptor at first joint							1		C

RESTRICTED

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.

RESTRICTED
POWER PLANT INSTALLATION
MOUNTING FRAMES AND ATTACHMENTS

Vampire MK.9

Page 747
(Issued with A.L.7)

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
								MOUNTING FRAMES AND ATTACHMENTS (L.0020)	1		
5CZ/430	/							BLOCK, terminal	3		B
5CZ/432	/							BLOCK, terminal	2		B
								Attaching parts for Air Ministry Ref. Nos. 5CZ/430 and 5CZ/432, Blocks			
28S/2816	A33/A16							Screw, 6 BA,	2		C
893	L.00775							BRACKET, mounting, boost coil	2		C
								Attaching parts for L.00775 Bracket (per pair)			
28D/12533	A25/5C							Bolt, 2BA	2		C
28M/10288	AGS.2001/C/1							Nut, 2 BA	2		C
28W/12296	SP.15/C							Washer, 2 BA	4		C
4125	A.001224A/1							BRACKET, mounting, engine starter plug	1		C
28E/14145	AS.487/10							CLIP, saddle	2		C
								Attaching parts for AS.487/10, Clip			
28D/12537	A25/14C							Bolt, 2 BA	2		C
28M/10288	AGS.2001/C/1							Nut, 2 BA	2		C
897	A.001213							RING, retaining, for sealing strip	1		C
	A.005181ND							STRIP, sealing length 12"5 (Make from Ref. No. 26BY/13994)	1		C
894	L.00190A							BRACKET, mounting, flame switch	2		C
								Attaching parts for L.00190A, Bracket			
28D/12514	A25/7C							Bolt, 2 BA	1		C
28M/10288	AGS.2001/C/1							Nut, 2 BA	1		C
895	N.00219A							BRACKET, mounting, for test socket	1		C
								Attaching parts for N.00219A, Bracket			
28D/12514	A25/7C							Bolt, 2 BA	4		C
28E/14145	AS.487/10							Clip, saddle	2		C
28M/10288	AGS.2001/C/1							Nut, 2 BA	2		C
3072	P.002001A							BRACKET, mounting pressure reducing valve	1		C
								Attaching parts for P.002001A, Bracket			
28E/8183	AGS.605/1							Clip	2		C
890	L.00517A							BRACKET, rudder balance cable pulley L.H.	1		C
891	L.00518A							BRACKET, rudder balance cable pulley R.H.	1		C
								Attaching parts for L.00517A, and L.00518A, Brackets			
28D/12512	A25/1C							Bolt, 2 BA	1		C
28D/12537	A25/14C							Bolt, 2 BA	2		C
28M/10288	AGS.2001/C/1							Nut, 2 BA	3		C
28W/12252	SP.13/C							Washer, 2 BA standard	2		C

RESTRICTED

RESTRICTED
POWER PLANT INSTALLATION
MOUNTING FRAMES AND ATTACHMENTS

Vampire MK. 9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
3338	N.00548A							BRACKET, terminal block mounting, engine mounting frame L.H.	1		C
3339	N.001001A							BRACKET, terminal block mounting, engine mounting frame, R.H. Attaching parts for N.00548A, and N.001001A, Brackets	1		C
28D/12514	A25/7C							Bolt, 2 BA	2		C
28E/14145	AS.487/10							Clip, saddle	2		C
37A/1813	C.2TS.1							COIL, boost, British Thom son-Houston Attaching parts for Air Ministry Ref. No. 37A/1813, Coil	2		A
28E/8186	AGS.605/4							Clip	2		C
6504	FD.2168							FILTER, fuel Tecalemit (for aircraft fitted with Goblin 2 engines) (Mod. Vam. 955)	1		B
8299	174974 FG.2415							CIRCLIP ELEMENT, assembly	1 1		C
	120629							PLATE, pressure	1		
	160379							SPRING	1		
	174650							WASHER	1		
	141239							WASHER	1		
11472	150319							WASHER	1		C
10179	137015							WASHER, sealing	1		C
11471	137273							WASHER, sealing	1		C
1042	L.00151A							FRAME, engine mounting L.H.	1		A
1043	L.00150A							FRAME, engine mounting R.H. Attaching parts for L.00151A, and L.00150A, Frame	1		A
4387	L.003535							Bolt, engine pick up	2		C
28M/13123	A27/JS							Nut, $\frac{3}{8}$ " BSF slotted	2		C
28P/12462	SP.9/C8							Pin, split	2		C
4388	L.003537							Washer	2		C
28W/12256	SP.13/L							Washer, 7/16" BSF	2		C
889	L.00513							GUARD, aileron balance at pulleys Attaching parts for L.00513, Guard	2		C
28D/12533	A25/5C							Bolt, 2 BA	2		C
28M/10288	AGS.2001/C/1							Nut, 2 BA	2		C
	L.00566ND							Tube, distance $\frac{1}{4}$ " o/d X 22SWG T.4	2		C
28F/9501	AGS.1142/B							NIPPLE, for pressure reducing valve	1		C
28F/9619	AGS.1142/C							NIPPLE, for pressure reducing valve	1		C
6521	P.003773A							PIPE, fuel cock to filter (for aircraft fitted with Goblin 2 engines) (Mod. Vam. 955)	1		C

RESTRICTED

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
28R/13515	AS.104	PULLEY, aileron balance cable Attaching parts for AS.104. Pulley						2		B	
28D/15474	A25/29J	Bolt, $\frac{3}{8}$ " BSF						1		C	
28M/13123	A27/JS	Nut, $\frac{3}{8}$ " BSF, slotted						1		C	
28E/12462	SP.9/C8	Pin, split						1		C	
28R/13515	AS.104	PULLEY, rudder balance cable Attaching parts for AS.104. Pulley						2		B	
28D/12553	A25/6J	Bolt, $\frac{3}{8}$ " BSF						1		C	
28M/13123	A27/JS	Nut, $\frac{3}{8}$ " BSF, slotted						1		C	
28E/12462	SP.9/C8	Pin, split						1		C	
28W/12255	SP.13/J	Washer, $\frac{3}{8}$ " BSF						1		C	
6506	P.003763A	STRUT, fuel filter support, lower (for aircraft fitted with Goblin 2 engines) (Mod.Vam.955)						1		C	
885	P.00124	CLIP						1		C	
11764	P.003765	CLIP Attaching parts for P.00124 and P.003765, Clip						1		C	
28D/12513	A25/2C	Bolt, 2 BA						1		C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						1		C	
	P.003767A	TUBE, stay						1			
6505	P.003755A	STRUT, fuel filter support, upper (for aircraft fitted with Goblin 2 engines) (Mod.Vam.955)						1		C	
883	P.00127	CLIP, (Alternative to DHS.31/52)						1		C	
11765	P.003799	CLIP Attaching parts for P.00127 and P.003799, Clip						1		C	
28D/12513	A25/2C	Bolt, 2 BA						1		C	
28M/10288	AGS.2001/C/1	Nut, 2 BA						1		C	
	P.003757A	TUBE, stay						1			
27N/72	/	SWITCH, flame, on bracing tube (Mod.Vam.3238) Attaching parts for Ref. No.27N/72, Switch						2		A	
28D/12519	A25/3E	Bolt, $\frac{1}{4}$ " BSF						2		C	
	L.003779	Clip						1			
28E/8183	AGS.605/1	Clip						1		C	
28M/10290	AGS.2001/E/1	Nut, $\frac{1}{4}$ " BSF						2		C	
28W/12253	SP.13/E	Washer						4		C	

RESTRICTED
POWER PLANT INSTALLATION
MOUNTING FRAMES AND ATTACHMENTS

Vampire MK. 9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
27N/72	/							SWITCH, flame on frame Attaching parts for Air Ministry Ref. No. 27N/72, Switch	2		A
28D/12143	AS.1246/2E							Bolt, 1/4" BSF	2		C
28M/10290	AGS.2001/E1							Nut, 1/4" BSF	2		C
	L.001268A							TUBE, bracing bottom	2		
	L.001269A							TUBE, bracing top Alternative to L.001270A and L.001271A Tubes	2		
1045	L.001270A							TUBE, bracing, bottom	2		A
1044	L.001271A							TUBE, bracing, top Alternatives to L.001268A, and L.001269A Tubes	2		A
878	L.00172							ADJUSTER, fork-end	1		C
879	L.00171							FORK-END	1		C
28L/14742	A27/LTL							NUT, 7/16" BSF thin L.H. thread	1		C
28L/13641	A27/LT							NUT, 7/16" BSF thin Attaching parts for L.001268A and L.001269A or L.001270A and L.001271A, Tubes	1		C
28D/12787	A25/5G							Bolt, 5/16" BSF	2		C
28M/13122	A27/GS							Nut, 5/16" BSF slotted	2		C
28P/12726	SP.9/C12							Pin, split	2		C
27G/2090	AHO.19682							VALVE, pressure reducing canopy seal Dunlop Attaching parts for AHO.19682, Valve	1		A
28D/12512	A25/1C							Bolt, 2 BA	4		C
28W/12252	SP.13/C							Washer, 2 BA	4		C
28W/3098	AGS.162/C							Washer, 2 BA spring	4		C
28F/9655	AGS.1138/J							WASHER, jointing, fuel filter pipe (Mod. Vam. 955)	1		C

Note:- Pages 751 to 756 not issued.

RESTRICTED

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
								AIR PIPES AT ENGINE (R.0010)	1		
	L.001011							BRACKET, support, for air compressor cooling pipe, 20 SWG DTD.610 (Make from Ref. No. 30B/951)	1		
2825	R.00619A							BRACKET, support for gun heating pipe	3		C
	R.00305							Attaching parts for R.00619A, Bracket Bolt, $\frac{1}{4}$ " BSF (Make from Ref. No. 28D/12707)	1		
28M/12928	A27/E.P.							Nut, $\frac{1}{4}$ " BSF	1		C
28W/12253	SP.13/E							Washer, $\frac{1}{4}$ " BSF	1		C
28W/941892											
28E/14145	AS.487/10							CLIP, saddle securing air compressor cooling pipe	1		
28D/943692								Attaching parts for AS.487/10, Clip Bolt, 2 BA	2		C
28D/12515	A25/10C							Nut, 2 BA	2		C
28M/10288	AGS.2001/C/1							Washer, 2 BA (Make from Ref. No. 28W/12253)	2		C
	L.001108ND										
2826	R.00622A							CLIP, securing gun heating pipe to bracket	3		C
								Attaching parts for R.00622A, Clip Bolt, 2 BA	2		C
28D/12513	A25/2C							Nut, 2 BA	2		C
28M/10328	AGS.2002/C/1										
2053	R.00167A							CLIP, support lower gun heating pipe to cowl rail	1		C
2054	R.00211A							CLIP, support, upper gun heating pipe to cowl rail	1		C
								Attaching parts for R.00167A, and R.00211A Clips			
28D/943692											
28D/12512	A25/1C							Bolt, 2 BA	2		C
28M/10288	AGS.2001/C/1							Nut, 2 BA	2		C
2055	R.00301							CONNECTOR, gun heating pipe	3		C
2056	R.00302							CONNECTOR, gun heating pipe at fireproof bulkhead	1		C
								Attaching parts for R.00301 and R.00302, Connectors			
28E/8185	AGS.605/3							CLIP	2		C

RESTRICTED
POWER PLANT
AIR PIPES AT ENGINE

Vampire MK.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
4024	R.00435ND							COUPLING, cooling pipe to type HX 2 generator	2		C
	L.00406							COUPLING, cooling pipe to shroud on compressor 1 1/2" i/d X 2 1/2" long F.7 (Make from Ref. No. 32C Attaching parts for R.00435ND and L.00406, Couplings	1		
28E/8184	AGS.605/2							Clip	2		C
2050	R.00287A							ELBOW, gun heating pipe L.H.	1		C
2051	R.00288A							ELBOW, gun heating pipe R.H. Attaching parts for R.00287A and R.00288A, Elbows	1		C
28D/12518	A25/2E							Bolt, 1/4" BSF	4		C
2052	R.00195							Gasket	1		C
28W/11071	AGS.2035/E							Washer, 1/4" BSF internal teeth	4		C
6997	R.001727A							PIPE, cool air supply from rib No. 1 (Mod. Vam. 3098) Attaching parts for R.001727A, Pipe	1		C
28P/9436925								Bolt, 2 BA	3		C
28D/12512	A25/1C							Washer	3		C
28W/12252	SP.13/C										
28W/9419402											
4025	R.00436A/ND							PIPE, cooling compressor	1		C
2048	R.00628A/ND							PIPE, gun heating, cold air inlet	1		C
2049	R.00627A/ND							PIPE, gun heating, holt air supply	1		C
4023	R.00444A							SHROUD, cooling air compressor	1		C
28W/14400	AS.2426							SCREW, clamping	1		C
28W/13999	AS.2427							TRUNNION,	1		C
28W/14001	AS 2429							TRUNNION	1		C
28W/1105											

Note: - Pages 759 to 766
not issued

Vampire MK.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		MISCELLANEOUS FITTINGS ON									
		G.A. OF ENGINE (L.0013)									
3032	R.00647	ADAPTOR, cabin supercharger inlet pipe						1			C
6783	Q.003693	ADAPTOR, pressure side of hydraulic pump						1			C
		(Mod. Vam. 996)									
6784	Q.003695	ADAPTOR, suction side of hydraulic pump (Mod. Vam. 996)						1			C
36KK/1188	N.2230	BANJO, starter motor oil feed pipe						1			C
6A/1089	/	BULB, oil thermometer						1			A
		(Alternative to Ref. No. 6A/1566 or 6A/1775)									
6A/1566	/	BULB, oil thermometer, Smiths						1			A
		(Alternative to Ref. No. 6A/1089 or 6A/1775)									
6A/1775	/	BULB, oil thermometer, Westons (Alternative to Ref. No. 6A/1089 or 6A/1566)						1			A
37G/526	/	CIRCLIP, air compressor drive shaft						1			C
	R.00325	CLIP, securing air filter to burner flange, 22 SWG, S84						3			
	R.00322	CLIP, tubular, securing pipe from air filter						5			
36KK/4623	71371	CLUTCH, supercharger						1			A
37G/505	A.2543	Compressor, air Type SH6/2A, Hymatic						1			A
32C/11	DHS.36/11	COUPLING, hose						4			
		Attaching parts for DHS.36/11, Coupling									
28E/10154	AGS.605/00	Clip						2			C
36KK/1775	19914	COUPLING, supercharger clutch						1			C
4631	V.2987	COVER, cabin supercharger inlet port, Marshalls'						1			C
		Attaching parts for V2987, Cover									
	R.00305	Bolt, 1/4" BSF (Make from 28D/12707)						4			
4632	V.6546	Washer, jointing, Marshalls'						1			C
28W/12253	SP.13/E	Washer						4			C
25W/9418921											
2678	R.00194	ELBOW, cabin supercharger outlet pipe						1			C
		Attaching parts for R.00194, Elbow									
	R.00305	Bolt, 1/4" BSF (Make from 28D/12707)						4			
28W/12253	SP. 13/E	Washer						4			C
28W/9418921											
	B. 2818	FILTER, air compressor, Hymatic						1			
37G/612	D.5132	CLIP						1			C
37G/613	C.3263	ELEMENT						1			C
37G/615	D.5130	SPRING						1			C
37G/614	D.4530	WASHER						1			C

RESTRICTED
POWER PLANT
MISCELLANEOUS FITTING

Vampire MK.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
4116	B.25698							FILTER, air, Vokes (Mod. Vam. P.P.25)	1		C
	A.23506							CAP,	2		
4915	C.23027/B							ELEMENT	1		C
	A.26460							INLET, assembly	1		
	A.26461							OUTLET, assembly	1		
	A.17994							PAD	3		
	C.24838/A							SPRING	1		
11808	C.44493							FILTER, air, Vokes (Alternative B.25698)	1		C
5UA/4184	/							GENERATOR, electric 29 Volt, 50 amp Type HX. 2	1		A
6A/1560	59. RV.							GENERATOR, tachometer, Smiths	1		A
37F/4503	C.3804/1							MOTOR, starter Rotax	1		A
	N.2102							NIPPLE, blanking on engine casing	1		
36KK/134	N.663							NUT, cap for supercharger clutch oil feed pipe and starter motor oil feed pipe banjo pillar	2		C
	2510/15							NUT, union on engine casing	1		
36KK/563	N.2389							PILLAR, banjo, supercharger clutch oil feed pip and starter motor oil feed pipe	2		C
8193	L.003721A							PIPE, drain, jet tube	1		C
3101	L.001135A							PIPE, flexible accumulator drain	1		C
3105	L.001139A							PIPE, flexible, barostat drain	1		C
3104	L.001138A							PIPE, flexible, combustion chamber drain	1		C
3103	L.001137A							PIPE, flexible, fuel pump valve drain	1		C
3100	L.001134A							PIPE, flexible, governor bleed drain	1		C
3107	L.001142A							PIPE, flexible, governor main drain	1		C
3102	L.001136A							PIPE, flexible, hydraulic pump drain	1		C
3108	L.002203A							PIPE, flexible, minimum pressure valve drain	1		C
3106	L.001141A							PIPE, flexible rear bearing drain	1		C
36KK/1205	/							PIPE, oil feed to air compressor	1		C
36KK/1203	/							PIPE, oil feed to cabin supercharger clutch	1		C
36KK/4520	23572							PIPE, oil feed to starter motor	1		C
4089	R.00320 ND							PIPE, total head air line, barostat to filter	1		C
4090	R.00321 ND							PIPE, total head airline, from filter	1		C
	17133							PLATE, blanking on engine casing	1		
36KK/48	994/9							PLUG, igniter, KLG	2		A

RESTRICTED
POWER PLANT
MISCELLANEOUS FITTINGS

Vampire Mk.9

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
2659	L.00134							PGST, trunnion, lower cowl support ring	4		C
2658	L.00133							POST, trunnion, upper cowl support ring	4		C
								Attaching parts for L.00134 and L.00133, Post			
28F/10491	AGS.1148/A							Locknut, 1/8" BSF	1		C
28M/10330	AGS.2002/E/1							Nut, 1/4" BSF	1		C
37J/263	AIR.8000							PUMP, hydraulic Mk. 6 Lockheed (For details refer to AP.4515N, Vol.3, Part 1, Sect.3)	1		A
	L.003651							RING, extinguisher, front	1		
28F/10110	AGS.1105/C							ADAPTOR, at tee piece	2		C
5889	L.003609							CLIP, "P" securing pipes	9		C
28V/9990	AGS.949/C							CONNECTOR, between bottom pipe and Port and Starboard pipes	2		C
28F/9433632											
864	L.00784							COUPLING, 3 way Attaching parts for L.00784, Coupling	1		C
28D/12537	A25/14C							Bolt, 2BA	2		C
28M/10288	AGS.2001/C/1							Nut, 2BA	2		C
5890	L.003661A/ND							PIPE, bottom	1		C
5764	L.003657A/ND							PIPE, Port	1		C
5765	L.003653A/ND							PIPE, Starboard	1		C
28F/9649	AGS.1138/C							WASHER, jointing for adaptors	2		C
36KK/1777	N.748							RING, nut clutch couplings	1		C
13006	15.EC.251A							RING, support lower coupling (Mod Vam 3567)	1		B
13005	15.EC.189A							BOX, drain	1		C
1563	L.00131A							BRACKET, trunnion	6		C
3111	L.001055A							BRACKET, trunnion	2		C
1564	L.0088							FORK-END, at trunnion	2		C
28M/13326	A27/GT							NUT, 5/16" BSF, locking for fork-end	2		C
	L.0090							PLATE, reinforcing at trunnion 18 SWG, S.84	4		
	L.003841ND							STRIP, rubbing 2 1/4" wide x 3/32" thick Feobestos B.N.4 (Cut from 32B/1043)	1		
1566	L.00132							TRUNNION	4		C
1565	L.0089							TRUNNION Attaching parts for L.0089, Trunnion	2		C
1562	L.0091							Bolt Attaching parts for 15.EC.251A, Ring	2		C
28D/12519	A25/3E							Bolt, 1/4" BSF	2		C
28M/10290	AGS.2001/E/1							Nut, 1/4" BSF	2		C

RESTRICTED

RESTRICTED
POWER PLANT
MISCELLANEOUS FITTINGS

Vampire Mk.9

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
1561	L.0055A							RING, support upper cowling (Pre Mod Vam 3262)	1		B
10208	L.0055A/1							RING, support upper cowling (Mod Vam 3262)	1		B
	L.00179							BRACKET, fire extinguisher distributor box, 20 SWG, S.84	1		
1563	L.00131A							BRACKET, trunnion	8		C
1564	L.0088							FORK-END, at trunnion	2		C
28M /13326	A27/GT							NUT, 5/16" BSF	2		C
	L.0090							FLATE, reinforcing at trunnion 18 SWG, S.84	4		
26BY/16137	/							STRIP, rubbing 2 1/4" wide x 3/32" thick Bonrest Ferodo (Pre Mod Vam 3262)	QR		C
32B/1043	BN.4							STRIP, rubbing 2 1/4" wide x 3/32" thick Ferobestos (Mod Vam 3262)	QR		C
1566	L.00132							TRUNNION	4		C
1565	L.0089							TRUNNION	2		C
	L.0091							Attaching parts for L.0089 Trunnion, Bolt	2		C
28D/12519	A25/3E							Attaching parts for L.0055A/1, Ring Bolt, 1/4" BSF	2		C
28M /10290	AGS.2001/E/1							Nut, 1/4" BSF	2		C
37G/586	/							SHAFT, driving air compressor	1		C
36KK/4602	24933							SHAFT, driving electric generator	1		C
36KK/1752	21837							SHAFT, driving supercharger	1		C
37G/588	/							SPRING, air compressor-drive shaft	1		C
36KK/1782	16788							SPRING, sliding, supercharger clutch	1		C
2660	L.00411							STIRRUP, long type, cowl rail support	2		C
28D/12993	A25/59C							Attaching parts for L.00411, Stirrup, Bolt, 2BA	1		C
2668	L.00413							Bush	1		C
28M /10288	AGS.2001/C/1							Nut, 2BA	1		C
2661	L.00412							STIRRUP, short type cowl rail support	6		C
28D/12541	A25/24C							Attaching parts for L.00412, Stirrup, Bolt, 2BA	1		C
2668	L.00413							Bush	1		C
28M /10288	AGS.2001/C/1							Nut, 2BA	1		C
27BA /9011	AVX.553							STUD, half self sealing coupling pressure sides of hydraulic pump Lockheed-Avery (Pre Mod Vam 996)	1		C
27BA /9012	AVX.554							STUD, half self sealing coupling suction side of hydraulic pump. Lockheed-Avery (Pre Mod Vam 996)	1		C

RESTRICTED
POWER PLANT
MISCELLANEOUS FITTINGS

Vampire Mk.9

Ref. No.	Part No.							Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
37G/2014	✓							SUPERCHARGER, cabin Mk. xxii Marshalls	1		A
36KK/1310	N.1975							UNION, oil drain	1		C
28F/8225	AGS.1138/A							WASHER, jointing	2		C
28F/9648	AGS.1138/BB							WASHER, jointing	1		C
28F/9650	AGS.1138/CC							WASHER, jointing	1		C
36KK/4568	N.3566							WASHER, packing clutch coupling	1		C
36KK/1803	N.1122							WASHER, packing supercharger driving gear	2		C
36FF/21244	14.06-42							WASHER, supercharger clutch oil feed pipe banjo	2		C
36KK/4569	N.3735							WASHER, tab clutch coupling	1		C
36KK/622	N.1617							WASHER, tab starter motor oil feed pipe banjo	1		C

RESTRICTED



Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
	-							INSTALLATION OF R.3121 (N.00462)	1	-	
	-							AERIAL, in Starboard wing (See Aerofoils, Wing)			
10HA/7788	†							AERIAL, type 8659, from receiver to socket at rear of bulkhead No.4	1	-	A
10HA/7788	†							AERIAL, type 8660, from socket at rear of bulkhead No.4 to aerial in Starboard wing	1	-	A
	N.00197A							CABLE, from plug on bulkhead No.1 to control units	1	-	
5E/1256	†							CABLE, Quintocore (Alternative to Ref.No.5E/2308)	QR	-	C
5E/2308	†							CABLE, Quintocore (Alternative to Ref.No.5E/1256)	QR	-	C
5E/1612	†							CABLE, Quintosheathsmall, 4 amp.	QR	-	C
32C/480	†							CORD, elastic 3/8 dia., Bungee	QR	-	C
5X/2120	Z.22676/C							FERRULE, inner, Breeze	1	-	C
5X/2113	Z.22675/C							FERRULE, outer, Breeze	1	-	C
10H/254	†							PLUG, type 172	1	-	A
10H/258	†							PLUG, type 174	1	-	A
5K/2576	AP							SLEEVE, Hellermann	8	-	C
5K/2577	BP							SLEEVE, Hellermann	2	-	C
5K/2581	GP							SLEEVE, Hellermann	1	-	C
5X/6094	CZ.27918							SOCKET, Breeze	1	-	A
10H/13079	†							SOCKET, type 395	1	-	A
5F/2037	†							TUBE, Polyvinyl, 19 m/m	QR	-	C
	N.00175A							CABLE, from plug on bulkhead No.1 to receiver	1	-	
5E/1256	†							CABLE, Quintocore (Alternative to Ref.No.5E/2308)	QR	-	C
5E/2308	†							CABLE, Quintocore (Alternative to Ref.No.5E/1256)	QR	-	C
5E/1612	†							CABLE, Quintosheathsmall, 4 amp.	QR	-	C
5X/2120	Z.22676/C							FERRULE, inner, Breeze	1	-	C
5X/2113	Z.22675/C							FERRULE, outer, Breeze	1	-	C
10H/254	†							PLUG, type 172	1	-	A
5K/2576	AP							SLEEVE, Hellermann	8	-	C
5K/2577	BP							SLEEVE, Hellermann	2	-	C
5K/2581	GP							SLEEVE, Hellermann	1	-	C
5X/6095	CZ.27998							SOCKET, Breeze	1	-	A
10H/256	†							SOCKET, type 105	1	-	A
5F/2037	†							TUBE, Polyvinyl, 19 m/m	QR	-	C

R E S T R I C T E D

RADIO
INSTALLATION OF R.3121

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
	N.00334A/1							CABLE, from plug on bulkhead No.1 to receiver	1	-	
5E/1369	†							CABLE, Quintocel, 4 amp.	QR	-	C
10H/258	†							PLUG, type 174	1	-	A
10H/2743	†							SOCKET, type W.460	1	-	A
	N.00338A							CABLE, from terminal block on rear of instrument panel to plug on bulkhead No.1	1	-	
5E/1369	†							CABLE, Quintocel, 4 amp.	QR	-	C
5X/1356	†							FERRULE	QR	-	C
5K/2578	CP							SLEEVE, Hellermann	1	-	C
5K/2576	AP							SLEEVE, Hellermann	4	-	C
10H/2743	†							SOCKET, type W.460	1	-	A
	DHS.30 Mk. 4							CLIP, tubular	3	-	
	DHS.30 Mk. 6							CLIP, tubular	8	-	
	DHS.30 Mk.46							CLIP, tubular	1	-	
	DHS.86 Mk. 2							CLIP, tubular	1	-	
	DHS.86 Mk. 7							CLIP, tubular	5	-	
	N.002551							FAIRLEAD, half, on rear face of bulkhead No.4, 1/8" thick, LFS.23	2	-	
3416	N.001229							FAIRLEAD, half, on rib No.1, Starboard wing, 1/8" thick, LFS.23	2	-	C
								Attaching parts for N.001229 and N.002551, Fairleads			
28M/10287	AGS.2001/B/1							Nut, 4BA, plain	3	-	C
28S/2863	A.32/B.16							Screw, 4BA, round head (AGS.245/22)	3	-	C
28W/3070	AGS.160/B							Washer, 4BA	3	-	C
27H/2808	150/P.10							MOUNTING, anti-vibration, for receiver, Lord.	4	-	A
								Attaching parts for 150/P.10, Mounting			
28M/10287	AGS.2001/B/1							Nut, 4BA, plain	4	-	C
28S/2761	A.31/B.12							Screw, 4BA, cheese head (AGS.247/21)	4	-	C
10DB/570	†							RECEIVER, type R.3121	1	-	A
110H/1555	†							SOCKET, two-way, for aerial lead-in cables at rear of bulkhead No.4	1	-	A

RESTRICTED

Ref. No.	Part No.	Nomenclature						No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6			
10A/12222	†	TRAY, mounting, type 39, for receiver Attaching parts for Air Ministry Ref. No.10A/12222, Tray						1	-	A
28D/7083	A.1/7E	Bolt, 1/4" BSF						4	-	C
28M/10290	AGS.2001/E/1	Nut, 1/4" BSF, plain						4	-	C
4048	B.00173	Washer, 1/4" BSF						4	-	C
5F/	†	TUBE, Polyvinyl, 3/4" o/d						QR	-	C
	-	UNITS, control (See Fuselage, Instrument Panels)								

RESTRICTED

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.

R E S T R I C T E D

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
10B/16574	- †							INSTALLATION OF T.R.1934 (N.002667) AERIAL, whip, type 228, at Port wing tip Attaching parts for Air Ministry Ref. No.10B/16574, Aerial	1 -1	- -	A
28D/6989	A.1/4C							Bolt, 2BA	4	-	C
28M/10288	AGS.2001/C/1							Nut, 2BA, plain	4	-	C
	B.00292A							BRACKET, mounting, receiver tray, on bulkhead No.2	2	-	
	B.00295A							BRACKET, mounting, receiver tray, on bulkhead No.3 Attaching parts for B.00292A and B.00295A, Brackets	2	-	
28D/6998	A.1/1C							Bolt, 2BA	2	-	C
28L/11070	B.002635ND No.1210							Shim, under bracket on bulkhead No.2 Washer, 2BA, internal teeth, Shakeproof	1 2	- -	C C
5C/430	†							BLOCK, terminal, 2 way, at pilot's seat Attaching parts for Air Ministry Ref. No.5C/430, Block	2	-	A
28M/10286	AGS.2002/A/1							Nut, 6BA, thin	2	-	C
28S/2840	A.33/A.32							Screw, 6BA, countersunk head (AGS.249/35)	2	-	C
5C/432	†							BLOCK, terminal, 3 way, at bulkhead No.2	1	-	A
10HA/9046	†							CABLE, from bulkhead No.2 to electrical controller	1	-	A
10HA/9049	†							CABLE, from bulkhead No.2 to transmitter/ receiver, for power supply	1	-	A
10HA/9045	†							CABLE, from bulkhead No.2 to transmitter/ receiver	1	-	A
10HA/9048	†							CABLE, from bulkhead No.2 to microphone/ telephone parallel socket at pilot's seat	1	-	A
10HA/9047	†							CABLE, from bulkhead No.2 to transmitter/ receiver, for microphone/ telephone parallel socket	1	-	A
	N.002179A							CABLE, from microphone/telephone parallel socket at pilot's seat to 3 way terminal block	1	-	
5E/1358	†							CABLE, Unicel, 4 amp.	QR	-	C
5E/2105	†							CABLE, Univin, 4 amp., from microphone/ telephone parallel socket at pilot's seat to electrical socket at bulkhead No.2	QR	-	C

R E S T R I C T E D

RADIO
INSTALLATION OF T.R.1934

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
5E/2151	†							CABLE, Unirubber, 4 amp., from relay switch to 3 way terminal block	QR	-	C
	N.002175A							CABLE, from relay switch to earth terminal on L.H. instrument panel	1	-	
5E/1328	†							CABLE, Dumet, 4 amp.	QR	-	C
5K/202	No.18							END, terminal, Ross Courtney	1	-	C
	N.002177A							CABLE, from relay switch to terminal block on L.H. instrument panel	1	-	
5E/1358	†							CABLE, Unicel, 4 amp.	QR	-	C
10HA/9050	†							CABLE, from transmitter/receiver to electrical socket on bulkhead No.4, for whip aerial	1	-	A
10HA/8410	†							CABLE, from bulkhead No.4 to whip aerial in Port wing	1	-	A
	DHS.336 Mk.4B							CLIP, tubular, for cables	4	-	
	DHS.336 Mk.5B							CLIP, tubular, for cables	14	-	
	DHS.336 Mk.7B							CLIP, tubular, for cables	6	-	
	DHS.336 Mk.4C							CLIP, tubular, for cables	1	-	
	DHS.336 Mk.8C							CLIP, tubular, for cables	6	-	
38 E/4040	AS.3180/7B							CLIP, tubular, for cables	4	-	C
876 GEN/11834	AS.3180/5B							CLIP, tubular, for cables	1	-	C
26BY/11834	AS.3180/16B							CLIP, tubular, for cables	3	-	C
28E/10039	No.81/00							CLIP, for cables, Terry	2	-	C
	DHS.1 Mk.1							CONNECTOR, bonding	1	-	
								Attaching parts for DHS.1 Mk.1, Connector			
28M/10287	AGS.2001/B/1							Nut, 4BA, plain	2	-	C
28S/2761	A.31/B.12							Screw, 4BA, cheese head (AGS.247/21)	2	-	C
28W/12305	SP.13/B							Washer, 4BA, standard	2	-	C
	DHS.48 Mk.5							CONNECTOR, bonding	1	-	
								Attaching parts for DHS.48 Mk.5, Connector			
28D/7013	A.1/1B							Bolt, 4BA	1	-	C
28M/10287	AGS.2001/B/1							Nut, 4BA, plain	1	-	C
28W/12305	SP.13/B							Washer, 4BA, standard	1	-	C
3415	N.00683							FAIRLEAD, half, on rear face of bulkhead No.3, 1/8" thick, LFS.23	2	-	C
								Attaching parts for N.00683, Fairlead			
28M/10287	AGS.2001/B/1							Nut, 4BA, plain	3	-	C
28S/2869	A.32/B.20							Screw, 4BA, round head (AGS.245/23)	3	-	C
28W/3070	AGS.160/B							Washer, 4BA, plain	3	-	C

R E S T R I C T E D

Ref. No.	Part No.	1 2 3 4 5 6						Nomenclature	No. Off	M.R.	Cl. of St.
		1	2	3	4	5	6				
3414	N.001227							FAIRLEAD, half, on rib No.1, Port wing, 1/8" thick, LFS.23	2	-	C
	N.002551							FAIRLEAD, half, on rear face of bulkhead No.4, 1/8" thick, LFS.23 Attaching parts for N.001227 and N.002551, Fairleads	2	-	
28M/10287	AGS.2001/B/1							Nut, 4BA, plain	3	-	C
28S/2863	A.32/B.16							Screw, 4BA, round head (AGS.245/22)	3	-	C
28W/3070	AGS.160/B							Washer, 4BA, plain	3	-	C
3418	B.001070A							FRAME, support, tray mounting Attaching parts for B.001070A, Frame	1	-	C
28D/7124	A.1/10E							Bolt, 1/4" BSF	4	-	C
28M/10290	AGS.2001/E/1							Nut, 1/4" BSF, plain	4	-	C
28W/12253	SP.13/E							Washer, 1/4" BSF, standard	4	-	C
1932	B.00276A							MOUNTING, support, for transmitter/ receiver mounting tray	1	-	C
	B.00298ND							PIN, retaining, 1/16" dia. x 0.5 long, S.1	1	-	
1933	B.00282							PLUNGER, catch	1	-	C
1934	B.00284							SPRING, for plunger	1	-	C
28W/8516	AS.470/C							WASHER, 2BA, packing Attaching parts for B.00276A, Mounting	1	-	C
28D/6999	A.1/9C							Bolt, 2BA	4	-	C
28M/10288	AGS.2001/C/1							Nut, 2BA, plain	4	-	C
28W/8516	AS.470/C							Washer, 2BA, packing	4	-	C
28M/10287	AGS.2001/B/1							NUT, 4BA, plain, for cable clips under pilot's seat	2	-	C
28S/2815	A.33/B.16							SCREW, 4BA, countersunk head, securing cable clips under pilot's seat (AGS.249/22)	4	-	C
28S/2857	A.32/B.12							SCREW, 4BA, round head, securing cable clip on fuselage side (AGS.245/21)	1	-	C
3669	N.00407							SHIELD, whip aerial ice prevention Attaching parts for N.00407, Shield	1	-	C
28S/2437	A.44/B.32							Screw, 4BA, round head (AGS.244/26)	4	-	C
4620	B.003171A							SLIDE, loading for transmitter/receiver	1	-	C
10H/2206	†							SOCKET, microphone/telephone parallel type 359, at pilot's seat	1	-	A
110H/1555	†							SOCKET, two-way, for whip aerial lead-in cables at rear of bulkhead No.4	2	-	A
10D/17693	†							TRANSMITTER/RECEIVER, type TR.1934	1	-	A

R E S T R I C T E D

RADIO
INSTALLATION OF T.R.1934

Ref. No.	Part No.	1	2	3	4	5	6	Nomenclature	No. Off	M.R.	Cl. of St.
10AJ/52	†							TRAY, mounting, for transmitter/receiver Attaching parts for Air Ministry Ref. No.10AJ/52, Tray	1	-	A
28D/7089	A.1/19E							Bolt, 1/4" BSF	4	-	C
28M/10290	AGS.2001/E/1							Nut, 1/4" BSF, plain	4	-	C
28W/12298	SP.18/E							Washer, 1/4" BSF, large	8	-	C
28W/12253	SP.13/E							Washer, 1/4" BSF, standard	4	-	C
	-							UNIT, electrical controller, type 382 (See Fuselage Instrument Panel)	-	-	
28W/12253	SP.13/E							WASHER, 1/4" BSF, standard, for packing under mounting tray	6	-	C

Note:- Pages 789 to 800 not
issued

R E S T R I C T E D





RESTRICTED

Section Ref. No.	Part No.	Nomenclature	FITTINGS					
			Section Ref. No.	Part No.	No. off	Section Ref. No.	Part No.	No. off
26FC/3698	K.00453A Mk. 5	CABLE, rudder control, lower, from pulley on false spar at boom to joint in boom	26FC/2559	K.00159 Mk.4	1	28N/10624	AS.1294	1
26FC/3704	K.00453A Mk. 6	CABLE, elevator control, lower, from pulley on false spar at boom to joint in boom	26FC/2559	K.00159 Mk.4	1	28N/10624	AS.1294	1
26FC/3705	K.00453A Mk. 7	CABLE, elevator control, top, from pulley on false spar at boom to joint in boom	26FC/4069	K.00159 Mk.6	1	28N/10625	AS.1293	1
26FC/3697	K.00453A Mk. 8	CABLE, rudder control, top, from joint on rib No.1 to pulley on false spar at boom	26FC/2557	K.00159 Mk.2	1	28N/10625	AS.1293	1
26FC/3689	K.00453A Mk. 9	CABLE, rudder control, from pedals to joint on rib No.1	26FC/1669	K.00160A	1	28N/10624	AS.1294	1
26FC/3690	K.00453A Mk.10	CABLE, elevator control, top, from quadrant to joint on rib No.1	26FC/3692	K.00458 Mk.1	1	28N/10625	AS.1293	1
26FC/3693	K.00453A Mk.11	CABLE, elevator control, lower, from quadrant to joint on rib No.1	26FC/3691	K.00458 Mk.2	1	28N/10625	AS.1293	1
26FC/3694	K.00453A Mk.12	CABLE, rudder balance, intermediate	28N/10625	AS.1293	1	28N/10624	AS.1294	1
26FC/3699	K.00453A Mk.13	CABLE, rudder balance, from joint on rib No.1 to pulley on false spar at boom, Port	26FC/1817	K.00159 Mk.1	1	28N/11157	AS.1280	1

RESTRICTED

Section Ref. No.	Part No.	Nomenclature	Section Ref. No.	Part No.	No. off	Section Ref. No.	Part No.	No. off
26FC/3700	K.00453A Mk.14	CABLE, rudder control, top, from pulley on false spar at boom to joint in boom	26FC/4069	K.00159 Mk.6	1	28N/10625	AS.1293	1
26FC/3701	K.00453A Mk.15.	CABLE, rudder balance, from joint on rib No.1 to pulley on false spar at boom, Starboard	26FC/1817	K.00159 Mk.1	1	28N/10624	AS.1294	1
26FC/3702	K.00453A Mk.16	CABLE, elevator control, top, from joint on rib No.1 to pulley on false spar at boom	26FC/2590	K.00159 Mk.3	1	28N/10624	AS.1294	1
26FC/3703	K.00453A Mk.17	CABLE, elevator control, lower, from joint on rib No.1 to pulley on false spar at boom	26FC/4070	K.00159 Mk.5	1	28N/10624	AS.1294	1
26FC/3695	K.00453A Mk.18	CABLE, aileron control, from joint at control column to joint on rib No.1	28N/10624	AS.1294	2			
26FC/3706	K.00453A Mk.19	CABLE, aileron operating, in wing	26BY/16463	K.98122	1	28N/10625	AS.1293	1
26FC/3707	K.00453A Mk.20	CABLE, aileron balance, in wing	26FC/1673	K.98122 Mk.2	1	28N/10625	AS.1293	1
26FC/3696	K.00453A Mk.21	CABLE, aileron balance, intermediate	28N/10624	AS.1294	2			
26FC/3682	K.00453A Mk.22	CABLE, aileron control, from control column quadrant *	26FC/1817	K.00159 Mk.1	1	28N/10625	AS.1293	1

RESTRICTED

Section Ref. No.	Part No.	Nomenclature	FITTINGS					
			Section Ref. No.	Part No.	No. off	Section Ref. No.	Part No.	No. off
26FC/3244	K.00453A Mk.23	CABLE, elevator control, top, in boom	26FC/4071	K.00446/1	1	28N/10624	AS.1294	1
26FC/3246	K.00453A Mk.24	CABLE, elevator control, lower, in boom	26FC/4072	K.00447/1	1	28N/10625	AS.1293	1
26FC/3248	K.00453A Mk.25	CABLE, rudder control, lower, in boom	26FC/4073	K.00448/1	1	28N/10625	AS.1293	1
26FC/3250	K.00453A Mk.26	CABLE, rudder control, top, in boom	26FC/4074	K.00449/1	1	28N/10624	AS.1294	1
26FC/3678	K.00487A/ND	CABLE, forward end, top, elevator trim, in tailplane	26FC/2571	K.00189	1	28N/10084	AS.1276	1
26FC/3679	K.00489A/ND	CABLE, rear end, top, elevator trim, in tailplane	28N/10083	AS.1260	1	28N/9941	AS.1315	1
26FC/3680	K.00491A/ND	CABLE, forward end, bottom, elevator trim, in tailplane	26FC/2572	K.00190	1	28N/10084	AS.1276	1
26FC/3681	K.00493A/ND	CABLE, rear end, bottom, elevator trim, in tailplane	26FC/3186 26FC/3184 26FC/3185	K.00450 K.00451 K.00451 Mk.2	1 1	28N/10083 28N/9941	AS.1260 AS.1315	1 1
26FC/3326	AS.1347/70 ¹ / ₂	CABLE, for drop tank jettison control, in wing	26FC/4075	AS.1267	1	26FC/4076	AS.1283	1
26FC/3184	K.00451MK1							

RESTRICTED

Part No.	Nomenclature	Size, Gauge and Cutting Length	Material Spec.	Fittings					
				Section Ref. No.	Part No.	No. off	Section Ref. No.	Part No.	No. off
12.S.889ND	Pipe, first from adaptor plate	5/16" o/d x 22 SWG	L56	28F/8297	AGS.952/BB	2	28F/8294	AGS.1102/BB	1
				28F/5723	AGS.904/BB	2			
12.S.891ND	Pipe, from ASI pressure pipe to adaptor plate	5/16" o/d x 22 SWG	L56	28F/5105	AGS.838/2	1	28F/8297 28F/5723	AGS.952/BB AGS.904/BB	1
				28F/5108	AGS.838/4	3			1
				28F/5109	AGS.838/5	3			1
12.S.893ND	Pipe, first from adaptor plate	5/16" o/d x 22 SWG	L56	28F/8297	AGS.952/BB	2	28F/8294	AGS.1102/BB	1
				28F/5723	AGS.904/BB	2			
12.S.895ND	Pipe, from ASI static pipe to adaptor plate	5/16" o/d x 22 SWG	L56	28F/5105	AGS.838/2	1	28F/8297 28F/5723	AGS.925/BB AGS.904/BB	1
				28F/5108	AGS.838/4	3			1
				28F/5109	AGS.838/5	3			1
12.S.1089ND	Pipe, assembly, complete, pressure from pitot head	5/16" o/d x 22 SWG	L56	28F/5108	AGS.838/4	2	28F/5104 28F/13603 28F/5699	AGS.838/1 AGS.838/8 AGS.902/BB	1
				28F/5723	AGS.904/BB	1			2
									1
12.S.1091ND	Pipe, assembly, complete, static from pitot head	5/16" o/d x 22 SWG	L56	28F/5104	AGS.838/1	1	28F/5108 28F/5699 28F/5723	AGS.838/4 AGS.902/BB AGS.904/BB	2
				28F/13603	AGS.838/8	2			1
									1
12.V.605ND	Pipe, main, from air drier to rubber coupling	5/16" o/d x 20 SWG	T9						

Vampire Mk.9

PIPE LINE PARTICULARS

RESTRICTED

(Issued with A.L.12)

RESTRICTED

Part No.	Nomenclature	Size, Gauge and Cutting Length	Material Spec.	Fittings					
				Section Ref. No.	Part No.	No. off	Section Ref. No.	Part No.	No. off
Q.00377A/ND	Pipe, dive brake off, on front face of fireproof bulkhead	3/16" o/d x 24 SWG	DTD503	28F/6344	AGS.952/A	2	28F/5721	AGS.904/A	2
Q.00378A/ND	Pipe, dive brake on, on front face of fireproof bulkhead	3/16" o/d x 24 SWG	DTD503	28F/6344	AGS.952/A	2	28F/5721	AGS.904/A	2
Q.00380A/ND	Pipe, flap down, on front face of fireproof bulkhead	3/16" o/d x 24 SWG	DTD503	28F/6344	AGS.952/A	2	28F/5721	AGS.904/A	2
Q.00381A/ND	Pipe, brake, on front face of fireproof bulkhead	1/4" o/d x 22 SWG	L56	28F/5698	AGS.902/B	2	28F/5722	AGS.904/B	2
Q.00382A/ND	Pipe, U/C down, on front face of fireproof bulkhead	3/16" o/d x 24 SWG	DTD503	28F/6344	AGS.952/A	2	28F/5721	AGS.904/A	2
Q.00523A/ND	Pipe, U/C down, from fireproof bulkhead to rib No.1, Port	3/16" o/d x 24 SWG	DTD323	28F/6344	AGS.952/A	2	28F/5721	AGS.904/A	2
Q.00525A/ND	Pipe, flap down, from fireproof bulkhead to rib No.1, Port	3/16" o/d x 24 SWG	DTD323	28F/6344	AGS.952/A	2	28F/5721	AGS.904/A	2

Vampire Mk. 9

PIPE LINE PARTICULARS

(Issued with A.L.12)

Part No.	Nomenclature	Size, Gauge and Cutting Length	Material Spec.	Fittings					
				Section Ref. No.	Part No.	No. off	Section Ref. No.	Part No.	No. off
Q.00527A/ND	Pipe, dive brake on, from fireproof bulkhead to rib No.1, Port	3/16" o/d x 24 SWG	DTD323	28F/6344	AGS.925/A	2	28F/5721	AGS.904/A	2
Q.00529A/ND	Pipe, U/C up, from fireproof bulkhead to rib No.1, Port	3/16" o/d x 24 SWG	DTD323	28F/6344	AGS.952/A	2	28F/5721	AGS.904/A	2
Q.00531A/ND	Pipe, flap up, from fireproof bulkhead to rib No.1, Port	3/16" o/d x 24 SWG	DTD323	28F/6344	AGS.952/A	2	28F/5721	AGS.904/A	2
Q.00533A/ND	Pipe, dive brake off, from fireproof bulkhead to rib No.1, Port	3/16" o/d x 24 SWG	DTD323	28F/6344	AGS.925/A	2	28F/5721	AGS.904/A	2
Q.00535A/ND	Pipe, dive brake off, from fireproof bulkhead to rib No.1, Starboard	3/16" o/d x 24 SWG	DTD323	28F/6344	AGS.925/A	2	28F/5721	AGS.904/A	2
Q.00537A/ND	Pipe, dive brake on, from fireproof bulkhead to rib No.1, Starboard	3/16" o/d x 24 SWG	DTD323	28F/6344	AGS.925/A	2	28F/5721	AGS.904/A	2
Q.00539A/ND	Pipe, flap up, from fireproof bulkhead to rib No.1, Starboard	3/16" o/d x 24 SWG	DTD323	28F/6344	AGS.925/A	2	28F/5721	AGS.904/A	

RESTRICTED

RESTRICTED

Part No.	Nomenclature	Size, Gauge and Cutting Length	Material Spec.	Fittings					
				Section Ref. No.	Part No.	No. off	Section Ref. No.	Part No.	No. off
Q.00541A/ND	Pipe, flap down, from fireproof bulkhead to rib No.1, Starboard	3/16" o/d x 24 SWG	DTD 323	28F/6344	AGS.952/A	2	28F/5721	AGS.904/A	2
Q.00543A/ND	Pipe, U/C down, from fireproof bulkhead to rib No.1, Starboard	3/16" o/d x 24 SWG	DTD 323	28F/6344	AGS.925/A	2	28F/5721	AGS.904/A	2
Q.00545A/ND	Pipe, U/C up, on fireproof bulkhead to rib No.1, Starboard	3/16" o/d x 24 SWG	DTD 323	28F/6344	AGS.925/A	2	28F/5721	AGS.904/A	2
Q.00547A/ND	Pipe, brake, from fireproof bulkhead to rib No.1, Port	1/4" o/d x 22 SWG	L56	28F/5698	AGS.902/B	2	28F/5722	AGS.904/B	2
Q.00549A/ND	Pipe, brake, from fireproof bulkhead to rib No.1, Starboard	1/4" o/d x 22 SWG	L56	28F/5698	AGS.902/B	2	28F/5772	AGS.904/B	2

Vampire Mk. 9

PIPE LINE PARTICULARS

RESTRICTED

(Issued with A.L.12)

Part No.	Nomenclature	Size, Gauge and Cutting Length	Material Spec.	Fittings					
				Section Ref. No.	Part No.	No. off	Section Ref. No.	Part No.	No. off
Q.00575ND	Pipe, air speed indicator static from drain pipe to joint behind instrument panel	5/16" o/d x 22 SWG	L.65	28F/5108	AGS.838/4	1	28F/5105	AGS.838/2	1
				28F/5109	AGS.838/5	1	28F/5108	AGS.838/4	3
							28F/5109	AGS.838/5	3
Q.00577ND	Pipe, air speed indicator pressure from drain pipe to joint behind instrument panel	5/16" o/d x 22 SWG	L.56	28F/5108	AGS.838/4	1	28F/5105	AGS.838/2	1
				28F/5109	AGS.838/5	1	28F/5108	AGS.838/4	3
							28F/5109	AGS.838/5	3
Q.00731A/ND	Pipe air speed indicator, pressure	5/16" o/d x 22 SWG	L.56	28F/5699	AGS.902/BB	2	28F/5723	AGS.904BB	2
Q.00732A/ND	Pipe, air speed indicator, static	5/16" o/d x 22 SWG	L.56	28F/5699	AGS.902/BB	2	28F/5723	AGS.904BB	2
Q.00766A/ND consisting of 'Pipe Q.00765ND	Pipe, oxygen cylinder junction block to adaptor on bulkhead No.2	3/16" o/d x 22 SWG	DTD 323	6D/790 6D/113	/ /	2 1	6D/487	/	2
Q.001003ND	Pipe, pressure regulator to joint on canopy rail	5/16" o/d x 22 SWG	L.54	28F/5108 28F/5109	AGS.838/4 AGS.838/5	4 4	28F/5104 6D/114	AGS.838/1 /	1 1
Q.001004ND	Pipe, from joint on canopy rail to economiser	5/16" o/d x 22 SWG	L.54	28F/5107 28F/5109	AGS.838/3 AGS.838/5	1 2	28F/5108	AGS.838/4	2

RESTRICTED

Part No.	Nomenclature	Size, Gauge Length	Material	Fittings					
				Section	No.	Section	No.		
Q.002645A/ND	Pipe, hydraulic, accumulator to charging point on bulkhead No.2								
Q.003591A/ND	Pipe, return line, hydraulic tank to joint on bulkhead No.2	3/8" o/d x 22 SWG	L.56	26FC/2853	Q.00609	2	28F/7245	AGS.952/C	2
Q.003721A/ND	Pipe, dive brake off, Fwd. from joint between bulkhead No.3 and fireproof bulkhead to selector valve	3/8" o/d x 22 SWG	DTD.503	28F/5604	AGS.904/C	2	28F/7245	AGS.952/C	2
Q.003723A/ND	Pipe, dive brake on, Fwd. from joint between fireproof bulkhead and bulkhead No.3 to selector valve	3/8" o/d x 22 SWG	DTD.503	28F/5604	AGS.904/C	2	28F/7245	AGS.952/C	2
Q.003727A/ND	Pipe, hydraulic engine pump suction from fireproof bulkhead to hose coupling under cannon floor	1/2" o/d x 22 SWG	L.56	28F/5605 28F/6354	AGS.904/D AGS.952/D	1 1	Belled End		

Vampire Mk.9

RESTRICTED
PIPE LINE PARTICULARS

Page 01 /
(Issued with A.L.12)

Part No.	Nomenclature	Size, Gauge and Cutting Length	Material Spec.	Fittings					
				Section Ref. No.	Part No.	No. off	Section Ref. No.	Part No.	No. off
Q.003729A/ND	Pipe, dive brake off, Aft from fireproof bulkhead to joint between fireproof bulkhead and bulkhead No.3	3/8" o/d x 22 SWG	DTD 503	28F/5604	AGS.904/C	1	28F/5604	AGS.904/C	1
				28F/7245	AGS.952/C	1	28F/7245	AGS.952/C	1
Q.003731A/ND	Pipe, dive brake on, Aft. from fireproof bulkhead to joint between fireproof bulkhead and bulkhead No.3	3/8" o/d x 22 SWG	DTD 503	28F/5604	AGS.904/C	1	28F/5604	AGS.904/C	1
				28F/7245	AGS.952/C	1	28F/7245	AGS.952/C	1
R.002681A/ND consisting of 12.V.527ND and R.002679ND	Pipe, assembly	1"0 o/d x 20 SWG 1"25 o/d x 20 SWG	L.67 L.67	Belled out to 1"25 at one end					
R.002685A/ND consisting of R.002407ND R.002539ND R.002677ND R.002683ND R.002717ND	Pipe, assembly at No.2 bulkhead	1"0 o/d x 16 SWG 1"0 o/d x 20 SWG 1"0 o/d x 20 SWG 1"25 o/d x 20 SWG 1"0 o/d x 20 SWG	L.59 L.67 T9 L.67 L.67	Flange					

RESTRICTED