


CATALOGUE
SPRING 2019



THÉLIOS

FRED

VISUAL INDEX

Click on a picture to view the catalogue page



FG40001 U



FG40002 U



FG40003 U



FG40007 U



FG40004 I/F



FG40005 U



FG40006 I



FG50001 U



FG50002 U



FG50003 U



FG50005 I/F



FG50006 I/U

FRED



FG4000 | U

Universal
Unisex

SPRING



METAL



METAL

1	59	4	12	140	46,45	65,6
2	61	4	12	140	48,1	67,9



12R

Polarized

UPC CODE | 1 : 192337007507
2 : 192337007545



30D

Polarized

UPC CODE | 1 : 192337007521
2 : 192337007569



18C

UPC CODE | 1 : 192337007514
2 : 192337007552



30Z

Only available
in size 59

UPC CODE | 192337007538



30V

Only available
in size 61

UPC CODE | 192337007576

THÉLIOS

FRED



FG40002 U

Universal
Unisex

SPRING



METAL



METAL



58



4



17



140



50,1



66



12D

UPC CODE | 192337007460



30V

UPC CODE | 192337007484



18B

UPC CODE | 192337007477



30Z

UPC CODE | 192337007491

THÉLIOS

FRED



FG40003 U

Universal
Female

RX-able



METAL



METAL

SPRING



52



4



17



140



46,4



56,55



18B

UPC CODE | 192337007200



18Q

UPC CODE | 192337007217



30W

UPC CODE | 192337007224



30Z

UPC CODE | 192337007231

THÉLIOS

FRED



FG40007 U

Universal
Female

SPRING

RX-able



METAL



METAL



51



4



20



140



47,4



54,4



30P

UPC CODE | 192337007279



18Z

UPC CODE | 192337007255



30V

UPC CODE | 192337007286



30L

UPC CODE | 192337007262



030

Clear Lenses

UPC CODE | 192337007248

THÉLIOS

FRED



FG40004 I/F

International and Adjusted Fitting
Female

ADVERTISING

SPRING

RX-able



ACETATE



METAL

I	48	4	21	140	47,5	49,8
F	51	4	17	140	47,6	52,3



30B

UPC CODE | I: 192337007439
F: 192337007392



18P

UPC CODE | I: 192337007422
F: 192337007385



30Z

UPC CODE | I: 192337007453
F: 192337007415



30V

Advertising

UPC CODE | I: 192337007446
F: 192337007408

THÉLIOS

FRED



FG40005 U

Universal
Female

SPRING



METAL



METAL



56



4



15



140



52,9



67,1



30V

UPC CODE | 192337007361



30P

UPC CODE | 192337007354



30G

UPC CODE | 192337007347



30Z

UPC CODE | 192337007378

THÉLIOS

FRED



FG40006 I

International
Male

SPRING

RX-able



ACETATE



ACETATE



54



4



19



145



46,5



60



01R

Polarized

UPC CODE | 192337007095



52V

UPC CODE | 192337007101



55D

Polarized

UPC CODE | 192337007125



53P

UPC CODE | 192337007118



92X

UPC CODE | 192337007132

THÉLIOS

FRED



FG5000 | U

Universal
Male



030

UPC CODE | 192337009501



032

UPC CODE | 192337009518

THÉLIOS

FRED



FG50002 U


Universal
Male

ADVERTISING

SPRING



1	56	4	16	145	38,1	60
2	58	4	16	145	39,4	62,1



030

UPC CODE | 1 : 192337007705
2 : 192337007729



032

Advertising

UPC CODE | 1 : 192337007712
2 : 192337007736


THÉLIOS

FRED



FG50003 U

Universal
Female



030

UPC CODE | 192337007743



032

UPC CODE | 192337007750

THÉLIOS

FRED



FG50005 I/F

International and Adjusted Fitting
Unisex

SPRING



ACETATE



METAL

I	49	4	20	140	42,6	51,6
F	51	4	16	140	43,1	54,8



001

UPC CODE | I: 192337007668
F: 192337007583



053

UPC CODE | I: 192337007682
F: 192337007606



020

UPC CODE | I: 192337007675
F: 192337007590



002

International fitting only
UPC CODE | 192337018473

THÉLIOS

FRED



FG50006 I/U

International and Universal
Male

SPRING



ACETATE



ACETATE

I	50	4	21	145	41,75	54,9
U	54	4	21	145	45	59,3



001

UPC CODE | I : 192337007620
U : 192337007804



052

UPC CODE | I : 192337007637
U : 192337007811



053

UPC CODE | I : 192337007644
U : 192337007828












092

UPC CODE | I : 192337007651
U : 192337007835

THÉLIOS

FRED

GLOSSARY OF ICONS

Base Curvature of the lenses - commonly based on the measure of the radius (mm)	
Bridge Size Minimum horizontal distance between the two lenses (mm)	
Clear Lenses Clear transparent lenses with sun protection filters	
Diameter Width of the lens measured from the bridge (mm)	
Eye Size Horizontal size of the lenses (mm)	
Adjusted Fitting Style available in adjusted fitting, i.e., a fitting suitable mostly for non-Caucasian features - with longer nose pads, wider front and a lesser pantoscopic angle	F
International Fitting Style available in international fitting, i.e., a fitting suitable mostly for Caucasian features	I
Universal Fitting Style available in universal fitting, i.e., a fitting suitable for both Caucasian and non-Caucasian features mostly	U
Front Material Main material used for the front part of the frame	
Height Vertical measurement of the lens starting from the bottommost part of the lens straight up to the top (mm). Allows to assess the suitability for prescription glasses	
Polarized Lenses Lenses made of a polarized filter forming a barrier preventing the reflected light from entering and harming the eye	Polarized
RX-able Frame also suitable for prescription lenses	
Temple Length Measurement of the arms of the frame (mm)	
Temple Material Main material used for the temples of the frame	
UPC Code Universal product code, specific for every SKU	