



Advanced Test Equipment Rentals
www.atecorp.com 800-404-ATEC (2832)

LR USED

*ENVIRONMENTAL
EQUIPMENT COMPANY INC.*

&

LR NEW

TECHNOLOGIES

**Our Equipment can
Simulate Almost Any
Environment**



**SUMMER/FALL
2006 CATALOG
WWW.LRE.COM**



**Buy/Sell Used Refurbished Environmental Test Chambers,
Industrial Ovens, QA Test Equipment**

Summer/Fall
2006

LR **USED**

ENVIRONMENTAL
EQUIPMENT COMPANY INC.

&

LR **NEW**

TECHNOLOGIES

Save on Equipment Costs - Without Risk

By purchasing equipment from **LR Environmental**, you can save your Company up to 80% on equipment costs, while eliminating most of the risks usually associated in purchasing used. Our **CERTIFIED** Refurbished equipment costs significantly less and performs as well as new.

After being purchased, Environmental Chambers and Ovens are reconditioned and carefully checked out by experienced technicians before delivery. We encourage customers to view their purchased equipment in operation prior to shipment - this ensures complete satisfaction.

Also, we now sell Brand New Equipment through our affiliate Company, **LR Technologies**.

In this Catalog, you will find a complete listing of our products, including examples of equipment we have refurbished.

Serving Customers for Over 38 Years Satisfaction Guaranteed!

This is our 38th year of supplying companies with their equipment needs and this has earned us the reputation of being one of the top used equipment dealers in the World. Every item in our catalog can be viewed in our Los Angeles warehouses which are about a 20 minute drive from Los Angeles International Airport. Many other companies claim to be used equipment dealers, but are, in fact, brokers who do not actually stock equipment like we do. Having the equipment in stock allows us to deliver in a very short time.

12902 S. Spring Street
Los Angeles CA 90061
Phone: 800-574-2748
Fax: 323-770-0105
E-Mail: SALES@LRE.COM
Hours: 8am to 5pm Mon-Fri

For Everything
About our Two
Companies,
Please See

WWW.LRE.COM

Largest Refurbishing Facility in the World



Over 50,000 sq ft of Inventory Products Include: (100's Available)

- Industrial Ovens
- Environmental Chambers
- Vacuum Equipment
- Laboratory Equipment
- Semiconductor Equipment
- Vibration Equipment
- Welding Equipment
- QA Test Equipment
- Miscellaneous Equipment

Ovens & Environmental Chambers are

CERTIFIED Refurbished
& Sold with a
NEW! Warranty

State of the Art Refurbishing Facility

In 2005 we built the World's largest Environmental Chamber and Industrial Oven Refurbishing Facility. Over 5,000 sq ft of dedicated space providing each technician with a complete set of utilities and tools to ensure that they have all that is required to excel in their work.

This facility is air conditioned, providing a controlled environment in which equipment can be tested for optimum performance.

All Ovens and Chambers are
CERTIFIED Refurbished, which means
that they must Pass a Grueling
Examination before being Delivered
to the Customer.

A Tribute to our Founder Leonard Rubin

1923-2006

It is with deep sadness and affection that we announce the passing of our Founder, Leonard Rubin on June 22nd, 2006.

Born in 1923 and originally from Chicago, Len moved to California in the early 50's where together with his first wife Donna, they raised four children.

In 1969 Len purchased a used Datsun 1600 pickup truck and bought a load of surplus welders. Without a warehouse to store the equipment, he would drive across Los Angeles finding suitable customers for them. From the proceeds of the welders, he was able to purchase more equipment. Soon he was forced to purchase an 18 ft Ford Cabover which he filled with equipment to drive back and forth between Los Angeles and the San Francisco Bay area.

Noticing a need for used Environmental Test Chambers and Industrial Ovens, Len directed his buying and selling towards these products. Soon business was thriving!


In 1973 Len married Sharon who immediately made a valuable contribution to the business. She taught him fundamental bookkeeping skills such as keeping receipts when purchasing equipment! He also appreciated having a companion waiting with him when his truck broke down on Interstate 5!

Having run out of storage space in his garage at home, Len rented a 4,000 sq/ft warehouse. At this point, his young stepsons started helping out after school by driving forklifts, making deliveries and eventually learning how to repair equipment. Soon they outgrew their small warehouse and eventually had to move to the present day location. In 1999 Len retired from the day to day running of the business after he had grown the Company to over 20 employees. However, he still enjoyed being involved by finding equipment for the Company. For him this was like a treasure hunt and was always his favorite part of the business. His other pasions were baseball - A diehard Dodger fan - playing the stock market, going to Vegas and cruises when he could.

Len always taught his employees to give customers a fair deal and represent products honestly - "This way customers will always return for more equipment" he frequently stated. This tradition resulted in LRE being one of the first equipment dealers to repair and warranty it's products. Today LRE has the largest environmental chamber and oven refurbishing facility in the World.

Len, you will always be fondly remembered by your family, friends, customers and especially your employees who have worked with you for the last several decades.

We will miss you.



Leonard Rubin

Ovens - Burn-In

These ovens are designed for "burn-in" of live loads. Many were originally equipped with special fixturing - most of which we remove - please call for details.

DESPATCH BURN-IN;MODEL #PNC2-16;24X24X48;270 DEG C 220V;3PH;NEW WATLOW PROGRAMMER;OTP #AR-100 RECORDER;50 HZ OPERATION
BD-149C.....\$Call

DESPATCH/AEHR BURN-IN;MODEL #PBC2-16;24X24X48; 210 DEG C;208V;3PH;54 AMPS;OTP;NEW WATLOW PROGRAMMER;AEHR TEST PARTS TO BE REMOVED
BD-769C.....\$Call

DESPATCH/AEHR;#PBC2-16/ATS-12201;24X24X48;208V;3PH 34 AMPS;210 DEG C;OTP;PARTLOW REC;6 PROGRAM BOARDS 130-14413-01C;APPROX 10 MOS DRIVER BOARDS;P/SI 20S 50/20-500/10-250;SYSTEM CONTROL NODULE;DIG CONTROL
BD-612D.....\$Call

LORANGER BURN-IN SYSTEM;MODEL #53DED-DYN;210 DEG C 14 8" X 17" BOARDS;208V;3PH;30 AMPS;OTP;HEWLETT PACKARD #6260B POWER SUPPLY;DIGITAL CONTROL; DESPATCH OVEN
BA-126C.....\$Call

ADEC/DESPATCH BURN-IN;MODEL #PBC-2-16;24X24X48; 210 DEG C;208V;3PH;OTP;PARTLOW RECORDER;15 POWER SUPPLIES;DIGITAL CONTROL;SOLD "AS IS"
BD-365B.....\$Call

AEHR TEST BURN-IN SYSTEM;#12201;208V;3PH;90 AMPS; PARTLOW 4000 RECORDER;52 STATION, 11.5 X 22
BD-9897.....\$Call

BLUE M BURN-IN;#POM-256B-1X; 25X20X20;208 VOLT; 1 PH; 25 AMPS; OTP; REDUNDANT OTP;SSI;
BD-8981.....\$Call

BLUE M BURN-IN;MODEL #B1-32F-1.5;28X25X7 5 DOOR; 208/240V;3PH;47/54 AMPS;OTP;PARTLOW #7000 RECORDER PROCESS OVEN W/DOOR RELEASE TIMER SYSTEM;DIGITAL
BD-433C.....\$Call

BLUE M BURN-IN;MODEL #B132VF-1;48X24X48;572 DEG F; 208/240V;3PH;48/54 AMPS;ATHENA MICROPROCESSOR; VERTICLE FLOW
BD-537F.....5800

BRAND NEW Laboratory Ovens Lowest Prices!

Start at \$2125

Forced Air S/Steel Window Programmable High Quality

Models: LN4, LN-6, LN-8, LN9
 Sizes: 2.4, 5.3, 10.7, 18.5 cu ft
 Max Temp: 260C (except LN9 - 210C)
 Forced Air Circulation
 Programmable Temperature Controller
 S/Steel Interior, Window for LN4, LN6
 For More Details and Photo's
 Please See: WWW.LRE.COM/2

WAKEFIELD BURN-IN SYSTEM;#EG & GWMTSIII;18X22X57; 208/120V;3PH;80A;LIMIT RECORDER;AS IS
BD-8851.....\$Call

Ovens - Clean Room

These ovens are typically stainless steel inside and have Hepa filters to clean the air.

BLUE M CLEANROOM;MODEL #206 SIZE;16.5 X 18 X 20; 482 DEG F;240V;3PH;23 AMPS;OTP;NEW WATLOW MICRO-PROCESSOR #981;HEPA FILTERS NOT GUARANTEED
BA-255F.....\$Call

BLUE M CLEANROOM;MODEL #CR07-146B/C;10.5 X 14 X 14 208/240V;1PH;25/17 AMPS;NEW #981 MICROPROCESSOR W/OTP;HEPA FILTERS NOT GUARANTEED;WATER JACKET
BA-500D.....\$Call

BLUE M CLEANROOM;MODEL #CR07-146CX;10.5 X 14 X 14; 482 DEG F;208/240V;1PH;14/16 AMPS;NEW WATLOW PROGRAMMER;STAINLESS STEEL INTERIOR;WATER JACKET; HEPA FILTERS NOT GUARANTEED
BA-373D.....\$Call

BLUE M CLEANROOM;MODEL #CR07-146CX;10.5 X 14 X 14; 482 DEG F;208/240V;1PH;HEPA FILTERS NOT GUARANTEED NEW WATLOW PROGRAMMER
BA-286D.....\$Call

BLUE M CLEANROOM;MODEL #DCC-206C;16X18X20; 250 DEG C;208/240V;1PH;18/20 AMPS;OTP;STAND; DIGITAL SINGLE SET
BA-821F.....\$Call

BLUE M CLEANROOM;MODEL #DCC-206C;21X20X19;208/240V 1PH;18/20 AMPS;OTP;37X32X50;DIGITAL CONTROL; HEPA FILTERS NOT GUARANTEED
BA-445E.....\$Call

DESPATCH CLEANROOM;MODEL #LCC1-54N-2;18X20X26; 500 DEG F;240V;1PH;28 AMPS;NEW WATLOW DIGITAL SINGLE SET;STAINLESS STEEL INTERIOR;WATERCOOLED
BA-616F.....\$Call

VWR CLEANROOM; #1601; 17X19X19;260C; 220 VOLT; 1 PH; 20AMPS; 981 M-P; ALL STAINLESS; HEPA FILTERS NOT GUARANTEED;
BA-884D.....3800



Despatch Model LAC2-18
Bench-Top Oven
Internal: 35"(w) x 24"(d) x 36"(h)
Temp Max: 500F
Price: \$3600
Search: BD-696F



Blue M Model MP-1406
Oven
Internal: 48"(w) x 24"(d) x 36"(h)
Temp Max: 650F
Price: \$5600
Search: BD-692F



Hughes Solderite System
Model HTT650
With VTA-66 Head
Price: \$3200
Search: WA-7642



BenchMark Seam Welder
Model DB-6000
Internal: 54"(w) x 30"(d) x 28"(h)
Price: \$12,000
Search: WA-377B

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
 For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
 Email: SALES@LRE.COM Web Site: WWW.LRE.COM
 Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more information is Available on our Website. Just Type in the Weblink Shown.

BLUE M CLEANROOM; MODEL# CRO7-256B/CX;482F;
21 1/2 X20X20; 208/240V; 1PH; 27/30AMPS;
STAINLESS INTERIOR; NEW CONTROL SYSTEM; HEPA
FILTERS NOT GUARANTEED;
BD-773B.....\$Call

BLUE M CLEANROOM;MODEL #256 STYLE;21.5 X 20 X 20;
482 DEG F;208V;1PH;OTP;NEW MICROPROCESSOR #981;
HEPA NOT GUARANTEED
BD-285E.....\$Call

BLUE M CLEANROOM;MODEL #256SIZE;21.5 X 20 X 20;
482 DEG F;208V;3PH;27 AMPS;OTP;STAT 1900 CONTROL;
STAND:NO PAINT;HEPA FILTERS NOT GUARANTEED
BD-467D.....\$Call

BLUE M CLEANROOM;MODEL #CRO7-256B/C;20.5 X 19 X 19
250 DEG C;208/240V;1PH;27/30 AMPS;NEW WATLOW
DIGITAL SYSTEM:NO HEPAS
BD-818F.....\$Call

BLUE M CLEANROOM;MODEL #CRO7-256CX177;
21.5 X 20 X 20;250 DEG C;208/240V;1PH;27/30 AMPS;
OTP;NEW DIGITAL SYSTEM;HEPA FILTERS NOT GUARANTEED
BD-824F.....\$Call

BLUE M CLEANROOM;MODEL #DCC-336C;21.5 X 20 X 38;
482 DEG F;208/240V;1PH;35/40 AMPS;STAINLESS STEEL INT.
BD-391F.....\$Call

BLUE M CLEANROOM;MODEL #DCC-336C;21.5 X 20 X 38;
482 DEG F;208/240V;1PH;35/40 AMPS;STAINLESS STEEL
INTERIOR
BD-392F.....\$Call

DESPATCH CLEANROOM;MODEL# LCC1-54;18X20X25;210C;
230V;3PH: DIGITRONIC CONTROL:OPT:STAINLESS INT.:
HEPA'S NOT GUARANTEED: OD- 35X36X71:
STAND WITH CASTERS:
BD-834D.....\$Call

DESPATCH CLEANROOM; MOD# LCC1-54-N;18X20X26;210C,
240 VOLTS, 1PH;28 AMPS;DIGITAL CONTROL.
BD-8447.....\$Call

DESPATCH CLEANROOM;MODEL #LCC1-54-2;18X20X26;
500 DEG F;240V;28 AMPS;DIGITAL CONTROL TIMER;
HEPA FILTERS NOT GUARANTEED
BD-322E.....\$Call

DESPATCH CLEANROOM;MODEL #LOC1-54;17X20X26;
500 DEG F;240V;1PH;30 AMPS;OTP;HEPA FILTERS NOT
GUARANTEED
BD-814F.....\$Call

Ovens & Environmental Chambers are **CERTIFIED** Refurbished & Sold with a Warranty



State of the Art Refurbishing Facility

In 2005 we built the World's largest Environmental Chamber and Industrial Oven Refurbishing Facility. Over 5,000 sq ft of dedicated space providing each technician with a complete set of utilities and tools to ensure that they have all that is required to excel in their work. This facility is air conditioned, providing a controlled environment in which equipment can be tested for optimum performance.

All ovens and chambers are **CERTIFIED** Refurbished, which means that they must pass a grueling examination before being delivered to the Customer.

For Details, see:
WWW.LRE.COM/30



DESPATCH CLEANROOM; #HAF; 48X88X42;500F;480 VOLT;
3 PH;97 AMP;OTP; HONEYWELL # AR-100 RECORDER;
BARBER COLEMAN #570;EXHAUST;STAINLESS STEEL INT
BD-7946.....\$Call

Ovens - Inert Gas

These ovens are purged by Nitrogen gas. They are typically used in applications to prevent oxidation of product being heated

BLUE M INERT GAS;#AGC-136;38X20X25;600 DEG F;480V;
1PH;OTP;NEW MICROPROCESSOR SYSTEM;STAINLESS
INTERIOR;WINDOW
BD-660A.....\$Call

BLUE M INERT GAS;MODEL #GF-256B-3;25X20X20;208V;
1PH;25 AMPS;OTP;600 DEG F;ANALOG CONTROLS;
\$3800 FOR DIGITAL
BD-195C.....\$Call

DESPATCH INERT GAS OVEN;MODEL #LND2-11-3;38X20X25;
208V;3PH;WATLOW #922 MICROPROCESSOR;STAINLESS
STEEL INTERIOR;DESIGNED FOR COMPLETE AUTOMATIC
INERT GAS CYCLING;O2 MONITOR W/RECORDER
BD-590A.....\$Call

DESPATCH INERT GAS OVEN;MODEL #LND2-24-3;48X24X36;
600 DEG F;480V;3PH;27 AMPS;OTP;NEW WATLOW
PROGRAMMER;STAINLESS STEEL INTERIOR
BD-119C.....\$Call

DESPATCH INERT GAS OVEN;MODEL #LND2-24-3;48X24X36;
600 DEG F;480V;3PH;27 AMPS;OTP;NEW WATLOW #981
MICROPROCESSOR;STAINLESS STEEL INTERIOR
BD-142C.....\$Call

DESPATCH INERT GAS OVEN;MODEL #LND2-24-3;48X24X36;
480V;3PH;27 AMPS;NEW WATLOW PROGRAMMER;OTP
BD-117C.....\$Call

DESPATCH INERT GAS OVEN;MODEL #LND2-24-3;48X24X36;
600 DEG F;480V;3PH;27 AMPS;OTP;NEW WATLOW
PROGRAMMER;STAINLESS STEEL INTERIOR
BD-141C.....\$Call

DESPATCH INERT GAS OVEN;MODEL #PNC2-16-5;24X24X48;
210 DEG C;208V;3PH;63 AMPS;OTP;INERT GAS DESIGN
NOT TO MAINTAIN PRESSURE;DIGITAL;NEW OTP
BD-964A.....\$Call



Thermotron Model SM-32C
Temperature/Humidity Chamber
Internal: 38"x38"x38
Temp: -70C to +170C
Price: \$13,500
Search: CH-840F



Blue M Model AC-7602
Temp/Humidity Chamber
Internal: 25"(w) x 20"(d) x 19"(h)
Temp: 12C Above Ambient to 93C
Price: \$6600
Search: CH-701F



Thermotron Model SE-300-2-2
Temperature Chamber
Volume: 10.2 cu. ft.
Temp: -73C to +200C
Price: Please Call
Price: Best Price - Pse Call.



Thermotron Model SM-3.5S
Temperature/Humidity Chamber
Internal: 16"(w) x20"(d) x18"(h)
Temp: -20C to +95C
Humidity: 20% to 95%RH
Price:
Search: CH-580F

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this,  more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

Ovens Inert Gas Continued

Ovens Under 20"x20"x20"

DESPATCH INERT GAS;MODEL#PBC2-16;24X24X48;280C;
208V;3PH;45AMPS; NEW WATLOW PROGRAMER W/O OTP;
STAINLESS INT.:
NOT PROESSURIZED:
BD-920D.....\$Call

DESPATCH INERT GAS; # PBC-2-16SP;24X24X48;280C;
208 VOLT;3 PH;6.5 KW;OTP; LFE MICROPROCESSOR;
HONEYWELL # AR-100 RECORDER;N-2 WILL NOT
MAINTAIN PRESSURE;
BD-7702.....\$Call

DESPATCH INERT GAS;#PNC1-80;24X24X24;+250 DEG C;
208V;3PH;20A;8.5KW;WITH STAND
BD-8807.....\$Call

DESPATCH INERT GAS;MODEL #CRC-40-40-40E;40X40X40;
200 DEG C;208V;3PH;63 AMPS;OTP;PARTLOW #MIC 6000
MICROPROCESSOR;STAINLESS STEEL INTERIOR;NO PAINT
BD-156D.....\$Call

DESPATCH INERT GAS;MODEL #LCC1-87-2;22X20X34;
500 DEG F;230V;1PH;50 AMPS;OTP;NO HEPA FILTER;NEW
DIGITAL CONTROL
BD-350C.....\$Call

DESPATCH;MODEL #SPCLHAF INERT GAS;36X48X61;
225 DEG C;480V;3PH;36 AMP;OTP;NEW WATLOW PROGRAMMR
RECORDER #AR-100;REMOTE CONTROL CONSOLE;INERT GAS;
INERT GAS, INERT GAS, INERT GAS, INERT GAS, INERT
BD-210B.....\$Call

DESPATCH;MODEL #SPCLHAF INERT GAS;36X48X61;
225 DEG C;480V;3PH;36 AMPS;OTP;NEW WATLOW
PROGRAMMER;RECORDER #AR-100;REMOTE CONTROL
INERT GAS, INERT GAS, INERT GAS, INERT GAS, INERT
BD-209B.....\$Call

GALLENKAMP INERT GAS;#SPECIAL;19X18X25;200C;
220 VOLT;50 AMP;SSI; EUROTHERM DIGITAL CONTROL;
BD-7651.....\$Call

**Ovens - Under
20"x20"x20"**
All these ovens include blowers for forced air
convection.

AMERICAN SCIENTIFIC GRAVITY;MODEL #DK-42;115V;
9 AMPS;NEW DIGITAL CONTROL;OTP;STAINLESS STEEL
INTERIOR;
BA-579B.....\$Call

BLUE M BATCH OVEN;MODEL #POM-206B;208V;1PH;19 AMPS
OTP;NEW WATLOW MICROPROCESSOR #981;1 PASS
STAINLESS STEEL INTERIOR
BA-256F.....\$Call

BLUE M GRAVITY;MODEL #OV-725C;25X20X20;500 DEG F;
240V;1PH;OTP;STAINLESS STEEL INTERIOR;STAND;
NEW DIGITAL SINGLE SET
BA-752E.....\$Call

BLUE M HIT-TEMP;MODEL #CW-160E-MP;20X18X20;
704 DEG C;208V;3PH;49 AMPS;OTP;WATLOW #981
MICROPROCESSOR;STAINLESS STEEL INTERIOR;WINDOW
BA-618F.....\$Call

BLUE M LAB OVEN;MODEL #OV-475A-2;12X12X12;
500 DEG F;120V;OTP;ALL STAINLESS STEEL;NEW SINGLE
SET DIGITAL;WINDOW
BA-557F.....\$Call

BLUE M LAB OVEN;MODEL #OV-490A-3;19X15X18;
500 DEG F;120V;1PH;20 AMPS;OTP;NEW DIGITAL SINGLE
SET;STAINLESS STEEL INTERIOR
BA-765E.....\$Call

BLUE M LAB OVEN;MODEL #POM-203A-1X;20X18X20;
400 DEG F;120V;1PH;26 AMPS;OTP;NEW DIGITAL CONTROL
1 PASS AIRFLOW;STAINLESS STEEL INTERIOR;WINDOW
BA-271F.....\$Call

BLUE M;#POM-203AX; 20X18X20;400F; 120 VOLT; 26A;
NEW DIGITAL CONTROL SYSTEM
BA-8276.....\$Call

BLUE M;MODEL #CC02S-M-B-GOP;16 X 15 X 15.75;
600 DEG F;208V;1PH;17 AMPS;OTP;WINDOW;CASTERS;
STAINLESS STEEL INTERIOR;REDUNDANT OIP;1 PASS
AIRFLOW;NEVER USED
BA-846E.....\$Call

BLUE M;MODEL #CR07-146B/C;10.5 X 14 X 14;482 DEG F
208/240V;1PH;NEW DIGITAL SYSTEM;HEPA FILTERS NOT
GUARANTEED;PURGE;TIMER
BA-046D.....\$Call

BLUE M;MODEL #DC-146;14X14X14;650 DEG F;208/240V;
1PH;14/16 AMPS;OTP;1 PASS AIRFLOW;STAINLESS STEEL
INTERIOR;DIGITAL SINGLE SET
BA-402E.....\$Call

BLUE M;MODEL #DC-146C;14X14X14;650 DEG F;208/240V;
1PH;14/16 AMPS;OTP;DIGITAL;STAINLESS STEEL INTERIR
1 PASS AIRFLOW;STAND
BA-034D.....\$Call

BLUE M;MODEL #DC-206C-ST350;20X18X20;650 DEG F;
240V;1PH;20 AMPS;OTP;MICROPROCESSOR;STAINLESS
STEEL INTERIOR;1 PASS AIRFLOW
BA-603E.....\$Call

BLUE M;MODEL #ESP-300C-1;12X12X12;204 DEG C;
208/240V;1PH;OTP;STAINLESS STEEL INTERIOR;STAT 900
PROCESS TIMER
BA-606F.....\$Call

BLUE M;MODEL #ESP-400BC-4;19X15X18;500 DEG F;
208/240V;1PH;15/17 AMPS;OTP;1 PASS AIRFLOW;
STAINLESS STEEL INTERIOR;NEW DIGITAL SYSTEM
BA-612F.....\$Call

BLUE M;MODEL #ESP-400BC-4;19X15X18;500 DEG F;
208/240V;1PH;15/17 AMPS;OTP;1 PASS AIRFLOW;
STAINLESS STEEL INTERIOR;NEW DIGITAL SYSTEM
BA-613F.....\$Call

BLUE M;MODEL #ESP-400BC-4;19X15X18;500 DEG F;
208/240V;1PH;15/17 AMPS;OTP;1 PASS AIRFLOW;
STAINLESS STEEL INTERIOR;NEW DIGITAL SYSTEM
BA-611F.....\$Call

BLUE M;MODEL #ESP-400BC-4;19X15X18;500 DEG F;
208/240V;1PH;1 PASS AIRFLOW;STAINLESS STEEL
INTERIOR;SHELF;NEW DIGITAL SYSTEM
BA-614F.....\$Call

BLUE M;MODEL #ESP-400B-X58;19X15X18;204 DEG C;
208V;1PH;11 AMPS;1 PASS AIRFLOW;STAINLESS STEEL
INTERIOR;NEW DIGITAL CONTROL SYSTEM
BA-823F.....\$Call

BLUE M;MODEL #ESP-400B-X58;19X15X18;204 DEG C;
208V;1PH;11 AMPS;1 PASS AIRFLOW;STAINLESS STEEL
INTERIOR;NEW DIGITAL CONTROL SYSTEM
BA-993F.....\$Call

**Can't Find what
You Need?
We will Help.
Please Let us Know.**



Despatch Temp/Humidity Chamber Model 16519M
Internal: 34(w) x 30"(d) x 32"(h)
Temp: -20C to +170C
Humidity: 20% to 95%RH
Price: \$10,200
Search: CH-484A



Envirotronic Temp/Humidity Chamber Model SH8
Internal: 24"x24"x24"
Temp: -30C to +177C
Humidity: 20% to 95%RH
Price: \$8400
Search: CH-583F



Etak Temp/Humidity Chamber Model FH-1000
Internal: 19.5"(w) x 23"(d) x 29"(h)
Temp: -10C to +100C
Humidity: 20% to 95%RH
Price: \$1500 As Is
Search: CH-9384



Russells Temp/Humidity Chamber Model GD32-3
Internal: 38"x38"x38"
Temp: -24C to +170C
Price: \$11,500
Search: CH-636F



Tenney Temp/Humidity Chamber Model TH-27
Internal: 38"(w) x 26"(d) x 48"(h)
Temp: -10C to +93C
Humidity: 20% to 95%RH
Price: \$9800
Search: CH-533F

Ovens and Environmental Chambers are LRE CERTIFIED Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE
5

Ovens Under 20"x20"x20" Continued

BLUE M;MODEL #ESP-400C-5;19X15X18;500 DEG F;
208/240V;1PH;NEW DIGITAL CONTROL SYSTEM;STAINLESS
STEEL INTERIOR;1 PASS AIRFLOW;WINDOW;SHELF;FUSE
DISCONNECT
BA-605F.....\$Call

BLUE M;MODEL #IGF-146BB;14X14X14;600 DEG F;208V;
1PH;13 AMPS;OTP;NEW DIGITAL SYSTEM;STAINLESS STEEL
INTERIOR
BA-332D.....\$Call

BLUE M;MODEL #MP-206C;20X18X20;650 DEG F;240V;1PH;
20 AMPS;NEW WATLOW PROGRAMMER W/OTP;1 PASS;
STAND W/CASTORS;STAINLESS STEEL INTERIOR;WINDOW
BA-854F.....\$Call

BLUE M;MODEL #OV-490A;120V;20 AMPS;19X15X18;
500 DEG F;BLUE M DIGITAL SINGLE SET;OTP
BA-1251.....\$Call

BLUE M;MODEL #OV-490A-2;19X15X18;500 DEG F;120V;
1PH;OTP;NEW DIGITAL SYSTEM;STAINLESS STEEL
INTERIOR
BA-610F.....\$Call

BLUE M;MODEL #OV-490A-2;19X15X18;500 DEG F;120V;
1PH;OTP;NEW DIGITAL SYSTEM;STAINLESS STEEL
INTERIOR;SHELF
BA-975F.....\$Call

BLUE M;MODEL #OV-510A-2;19X15X18;500 DEG F;120V;
1PH;20 AMPS;OTP;ALL STAINLESS STEEL;DIGITAL
SYSTEM
BA-604F.....\$Call

BLUE M;MODEL #POM-143A-1;14X14X14;400 DEG F;120V;
1PH;17 AMPS;OTP;DIGITAL SINGLE SET CONTROL;1 PASS
AIRFLOW;STAINLESS STEEL INTERIOR
BA-782E.....\$Call

BLUE M;MODEL #POM-203A-1;20X18X20;400 DEG F;120V;
OTP;NEW DIGITAL CONTROL SYSTEM;STAINLESS STEEL
INTERIOR;1 PASS AIRFLOW
BA-625F.....\$Call

BLUE M;MODEL #POM-203A-1;20X18X20;400 DEG F;120V;
1PH;26 AMPS;1 PASS AIRFLOW;STAINLESS STEEL
INTERIOR;NEW DIGITAL SYSTEM
BA-203D.....\$Call

BLUE M;MODEL #POM-203A-1;20X18X20;400 DEG F;120V;
25 AMPS;OTP;NEW DIGITAL SINGLE SET;STAINLESS STEEL
INTERIOR;1 PASS AIRFLOW
BA-600C.....\$Call

BLUE M;MODEL #POM-206;20X18X20;650 DEG F;208V;1PH;
NEW WATLOW SINGLE SET;STAINLESS STEEL INTERIOR;
1 PASS AIRFLOW
BA-573F.....\$Call

BLUE M;MODEL #POM-206C-1;20X18X20;650 DEG F;240V;
1PH;OTP;NEW DIGITAL SINGLE SET
BA-820F.....\$Call

BLUE M;MODEL #POM-566B;19X17X17;572 DEG F;208V;1PH
17 AMPS;STAINLESS STEEL INTERIOR;STAND;WINDOW;
NEW DIGITAL SYSTEM
BA-822F.....\$Call

BLUE M;MODEL #WP-4800A;120V;1PH;60 HZ;W/PUMP &
FILTER
BA-078D.....\$Call

CASCADE TEK #1330GX - IN FOR INV. ONLY
BA-763E

DESPATCH DOUBLE OVEN SYSTEM;MODEL #SPECIAL BENCH-
TOP;2 - 18X25X13;210 DEG C;208V;1PH;2 RECORDERS
#AR-100;STAND W/CASTERS;BURN-IN SET UP;DIGITAL
CONTROL;OTP;STAINLESS STEEL INTERIOR
BA-556E.....\$Call

DESPATCH;MODEL #LAC1-38-4;19X15X18;500F: 240V;
1PH: MICROPROCESSOR CONTROL WITH OTP;
STAINLESS INTERIOR:
BA-837D.....\$Call

DESPATCH;MODEL #LAC1-38B;19X15X18;500 DEG F;240V;
1PH;OTP;NEW DIGITAL STAINLESS STEEL INTERIOR
BA-609F.....\$Call


DESPATCH;MODEL #LAC1-67-2;20X18X20;500 DEG F;240V;
1PH;20 AMPS;DIGITRONIC CONTROL;STAINLESS STEEL
INTERIOR
BA-863D.....\$Call

DESPATCH;MODEL #LAD1-42-3;20X18X20;500 DEG F;
220/240V;1PH;30 AMPS;OTP;PROTOCOL PLUS MICRO-
PROCESSOR;STAINLESS STEEL INTERIOR;O.D. 32X34X55
BA-866D.....\$Call

DESPATCH;MODEL #LFD1-42;20X18X20;260 DEG C;
208/240V;1PH;40 AMPS;NEW DIGITAL SINGLE SET;
FORCED EXHAUST (ALL TIME);STAND
BA-559F.....\$Call

LESCO CONVEYOR FURNACE;#C606;3" X 12" LONG;120V;
350 DEG F;NO POWER SUPPLY;SOLD "AS IS"
BA-9253.....\$Call

Options Available for Ovens and Test Chambers



Photographs Courtesy of Watlow and Honeywell

- Chart Recorders
- Programmable Controllers
- Special Feed-Thru Ports
- Extra Shelves
- Water Recycling System
- CO2/LN2 Boost
- GN2 Purge
- Special Chamber Color
- and Just About Anything Else!

For More Information Please
See: WWW.LRE.COM/28



Despatch Temp/Humidity
Chamber Model 16519M
Internal: 34(w) x 30"(d) x 32"(h)
Temp: -20C to +170C
Humidity: 20% to 95%RH
Price: \$10,200
Search: CH-484A



Tenney Model TR-40
Temp/Humidity Chamber
Internal: 40 cu. ft.
Temp: -25C to +170C
Humidity: 20% to 95%RH
Price: \$13,500
Search: CH-401F



Thermotron Walk-In
Temp/Humidity Chamber
Internal: 85"(w) x 63"(d) x 84"(h)
Temp: -55C to +125C
Humidity: 20% to 95%RH
Price: \$42,000
Search: CH-428F



Thermotron Temp/Humidity
Chamber Model SM-8C
Internal: 24"x24"x24"
Temp: -70C to +177C
Price: \$10,800
Search: CH-762F



Tenney AGREE
Chamber Model AG-40
Internal: 40"(w) x 40"(d) x 36"(h)
Temp: -70C to +177C
Price: \$26,000
Search: CZ-7355

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more information is
Available on our Website. Just Type in the Weblink Shown.

LRE
6

The Largest Refurbishing **CERTIFIED** Environmental Chamber & Industrial Oven Facility in the World

These Photographs Say it all!



For Complete
Details of our
CERTIFIED
Refurbishing
Process, Please See
WWW.LRE.COM/30




Special Customization of Equipment Available

This Altitude Chamber was Refurbished with Some Special Options Added. This Illustrates LRE's ability to Customize Equipment per Your Requirement.


New Feed-Thru Port Installed

"Boost" Vacuum Tanks Added

New Chart Recorder Installed



New Programmable Temperature Controller, Over & Under Temperature Protection Controller and Altitude Controller Installed.



New Environmentally Friendly Refrigerants Installed.

New Feed-Thru Port Installed

Many Other Options Available. Please see: WWW.LRE.COM/23



Ovens Under 20" x20" x20" Continued

Ovens Over 20" x20" x20"

PRECISION SCIENTIFIC; CAT. #31540; 12X12X12; 120V; 225 DEG C; REFERENCE CONTROL
BA-804B.....\$Call

ROLENN; MODEL #RO-150CM; 3" X 10" X 1"; 120V; 1PH; OTP
BA-535B.....\$Call

SIKAMA REFLOW CONVEYOR; MODEL #FALCON 5X4; 208/220V
BA-568F.....\$Call

THERMOLINE; MODEL #3-400; 6 X 20; 240V; 1PH; NO CONTROL
SOLD "AS IS"
BA-803B.....\$Call

THERMOTRON; MODEL #S.1.2H; 16X11X12; 115V; NEW MICRO-PROCESSOR #981
BA-714E.....\$Call

VWR HAFO; MODEL #1602; 20X20X19; 325 DEG C; 208/240V; OTP; WATLOW #942 MICROPROCESSOR; O.D. 32X28X38
BA-699D.....\$Call

VWR SCIENTIFIC HAFO; MODEL #1602; 20X19X19; 230V; 1PH; 19 AMPS; OTP; WATLOW #981 MICROPROCESSOR; STAINLESS STEEL INTERIOR
BA-590F.....\$Call

VWR; MODEL #1620D; 20X19X19; 225C; 220V; 1PH; NEW DIGITAL CONTROL; OTP; STAINLESS INT.:
BA-793D.....\$Call

VWR; MODEL #1670; 20X19X10; 250 DEG C; 240V; 1PH; OTP; WATLOW MICROPROCESSOR #942; OTP; STAINLESS STEEL
BA-899D.....\$Call

Ovens - Over 20" x20" x20"
All these ovens include blowers for forced air convection. Forced exhaust blowers are typically NOT included unless specified.

BLUE M 4 DOOR; MODEL #POM-5164EX; 400 DEG F; 208V; 3PH OTP; 3 DOOR 24 X 24 X 7.5, 4TH DOOR 24 X 24 X 17.5; NEW DIGITAL CONTROL SYSTEM
BD-655B.....\$Call

BLUE M BATCH; MODEL #DC-256C; 24X20X20; 650 DEG F; 208/240V; 1PH; 25/29 AMPS; OTP; NEW WATLOW PROGRAMMER; 1 PASS AIRFLOW; STAINLESS STEEL INTERIOR; SHELF
BD-508F.....\$Call

For Examples of
CERTIFIED
Environmental Chambers and Ovens that Have Been Refurbished, Please see:
WWW.LRE.COM/29



BLUE M BATCH; MODEL #DC-256C; 25X20X20; 650 DEG F; 208/240V; 1PH; 25/29 AMPS; OTP; NEW WATLOW PROGRAMMER; 1 PASS AIRFLOW; STAINLESS STEEL INTERIOR; SHELF
BD-574F.....\$Call

BLUE M BATCH; MODEL #EM-104F; 19X20X38; 400 DEG F; 240V; 3PH; 14 AMPS; OTP; NEW DIGITAL CONTROL SYSTEM; 1 PASS AIRFLOW; SHELF; STAINLESS STEEL INTERIOR
BD-583E.....\$Call

BLUE M BATCH; MODEL #POM-166E; 24X24X48; 600 DEG F; 208V; L3PH; 45 AMPS; 1 PASS AIRFLOW
BD-647F.....\$Call

BLUE M HIGH POWER; MODEL #POM-256B-1HP; 21/5 X 20 X 20; 343 DEG C; 208V; 1PH; 45 AMPS; OTP; NEW DIGITAL SYSTEM; STAINLESS STEEL INTERIOR; STAND
BD-972F.....\$Call

BLUE M PRODUCTION; MODEL #MP-1406C-1; 48X24X36; 650 DEG F; 208/240V; 1PH; 38/44 AMPS; WATLOW #SD PROGRAMMER; STAINLESS STEEL INTERIOR; 1 PASS AIRFLOW SHELF; FUSE DISCONNECT
BD-691F.....\$Call

BLUE M PRODUCTION; MODEL #MP-1406C-1; 48X24X36; 650 DEG F; 208/240V; 1PH; 38/44 AMPS; OTP; WATLOW #SD PROGRAMMER; STAINLESS STEEL INTERIOR; 1 PASS AIRFLOW; SHELF; FUSE DISCONNECT
BD-692F.....\$Call

BLUE M SEMI-HAZARD; MODEL #DCA256A-CHP; 25X20X20; 650 DEG F; 480V; 3PH; 18 AMPS; PRO SET PROGRAMMER; #BM-7000 RECORDER; BLOW OUT PANEL; FORCED EXHAUST
BD-688F.....\$Call

BLUE M; MODEL #CC-04W-M-6-HP; 20X20X20; 650 DEG F; 480V; 3PH; 10 AMPS; 7.2 KW; OTP; 1 PASS AIRFLOW; STAINLESS STEEL INTERIOR; CASTORS
BD-440F.....\$Call

BLUE M; MODEL #DC-256; 25X20X20; 650 DEG F; 208/240V; 1PH; OTP; NEW WATLOW PROGRAMMER; STAINLESS STEEL INTERIOR; 1 PASS AIRFLOW
BD-558F.....\$Call

BLUE M; MODEL #DC-336C; 25X20X38; 650 DEG F; 208/240V; 1PH; OTP; STAT SINGLE SET DIGITAL; FUSE DISCONNECT; ALL STAINLESS STEEL
BD-674F.....\$Call



Thermotron ESS Chamber
Model BBR-90-CH-2(50)
Temp: -54C to +125C
Price: \$65,000
Search: CZ-7688



Thermotron Remote Cooling System
Model PRCH3-3
Temp: -73C to +177C
Price: \$7500
Search: CZ-6255



Thermotron Portable Cooling Unit
Model ECA-2-1
Temp: -30C to +177C
Price: \$1500 As Is
Search: CZ-8299



Bemco Model FW30-2/100C
Temp/Humidity Chamber
Temp: -18C to +94C
Price: \$10,500
Search: CH-702F



CSZ Model ZH-16-2-2-H/C
Temp/Humidity Chamber
Temp: -70C to +170C
Price: \$11,500
Search: CH-729F

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

Ovens - Over 20"x20"x20" Continued

BLUE M;MODEL #MP-256C-1;25X20X20;650 DEG F;
208/240V;1PH;25/29 AMPS;OTP;NEW WATLOW PROGRAMMER;
STAINLESS STEEL INTERIOR;1 PASS AIRFLOW
BD-560F.....\$Call

BLUE M;MODEL #POM-104E;19X20X38;400 DEG F;208V;3PH
OTP;NEW DIGITAL CONTROL SYSTEM;1 PASS AIRFLOW
BD-167C.....\$Call

BLUE M;MODEL #POM-106E;19X20X38;400 DEG F;208V;
3PH;OTP;NEW DIGITAL CONTROL SYSTEM
BD-376C.....\$Call

BLUE M;MODEL #POM-166E;24X24X48;600 DEG F;208V;3PH
RECORDER;NEW WATLOW PROGRAMMER;1 PASS AIRFLOW
BD-168C.....\$Call

BLUE M;MODEL #POM-166F;24X24X48;600 DEG F;208V;3PH
39 AMPS;OTP;NEW WATLOW PROGRAMMER
BD-589F.....\$Call

BLUE M;MODEL #POM-256E-1X;25X20X20;650 DEG F;208V;
3PH;23 AMPS;NEW DIGITAL CONTROL SYSTEM;DOORS W/
WINDOWS;OTP;STAINLESS STEEL INTERIOR
BD-754C.....\$Call

BLUE M;MODEL #POM-336F-1RTP;25X20X38;650 DEG F;
240V;3PH;68 AMPS;NEW DIGITAL CONTROL SYSTEM;1 PASS
AIRFLOW;STAINLESS STEEL INTERIOR
BD-202D.....\$Call

BLUE M;MODEL #POM-588C;24X25X24;260 DEG C;208/240V
1PH;15/18 AMPS;OTP;PAINTED INTERIOR;NEW DIGITAL
SINGLE SET;WINDOW
BD-712F.....\$Call

BLUE M;MODEL #POM7-336C-3;25X20X38;650 DEG F;
208/240V;1PH;35/39 AMPS;NEW WATLOW SD SERIES
PROGRAMMER;STAINLESS STEEL INTERIOR;1 PASS AIRFLOW
FUSE DISCONNECT
BD-829F.....\$Call

BLUE M;MODEL #POM7-336G;25X20X38;650 DEG F;480V;
3PH;12 AMPS;OTP;NEW WATLOW PROGRAMMER;1 PASS
AIRFLOW;STAINLESS STEEL INTERIOR
BD-764F.....\$Call

BLUE M;MODEL #WO-456;48X60X74;350 DEG F;480V;3PH;
70 AMPS
BD-743F.....\$Call

BMA;MODEL #LO8;24X24X24;240V;1PH;NEW WATLOW
PROGRAMMER;+38 TO +220 DEG C
BD-550E.....\$Call

BRAND NEW Lowest Priced Walk-In Oven This Size



4'x4'x6'



Brand New
Only: \$8295
Including Crate

IR TECHNOLOGIES

Specifications
Internal Dimensions: 4'(w) x 4'(d) x 6'(h)
Other Sizes Also Available - Please Inquire
Maximum Temperature: 500F
Horizontal Air Convection
Single Setpoint Temperature Controller
Over Temperature Protection Controller
Flat Floor for Easy Cart Access
Electric
Many Options Available

For More Information and Photographs,
Please See: WWW.LRE.COM/27



CART FOR 246 SERIES;29X21;10 BRACKETS;3 SHELVES
BD-657D.....\$Call

DESPATCH BATCH;MODEL #LHD1-70;24X24X20;600 DEG F;
208V;1PH;17 AMPS;NO STAINLESS STEEL INTERIOR;
NEW DIGITAL CONTROL
BD-615F.....\$Call

DESPATCH OVEN;MODEL #PBC2-16;210 DEG C;208V;3PH;
OTP;DIGITAL CONTROL;SET UP FOR SHELVES
BD-601B.....\$Call

DESPATCH STEAM;MODEL #PWB2-63-1S;48X39X62;460V;3PH
200 DEG F;265,700 BTUH;STEAM
BD-732F.....\$Call

DESPATCH WALK-IN;MODEL #PWE3-10-1E;48X51X69;
850 DEG F;480V;3PH;90 AMPS;68KW;FORCED EXHAUST;
INSIDE NOT PAINTED
BD-721F.....\$Call

DESPATCH/AEHR;#PBC2-16/ATS-12201;24X24X48;208V;3PH
34 AMPS;210 DEG C;OTP;PARTLOW REC;6 PROGRAM BOARDS
130-14413-01C;APPROX 10 MOS DRIVER BOARDS;P/SI 20S
50/20-500/10-250;SYSTEM CONTROL NODULE;DIG CONTROL
BD-612D.....\$Call

DESPATCH;#PNC1-80;24X24X24;210 DEG C;208V;3PH;OTP;
RECORDER/OTP #AR-100;DIGITRONIC CONTROL;STAND WITH
CASTERS
BD-9357.....\$Call

DESPATCH;MODEL #LAC2-18;35X24X36;260 DEG C;240V;
1PH;OTP;PROTOCOL PROGRAMMER;CHROME PLATED STEEL
INTERIOR
BD-696F.....\$Call

DESPATCH;MODEL #LBC2-16;24X24X48;260 DEG C;480V;
3PH;22 AMPS;NEW DIGITAL CONTROL W/OTP
BD-791C.....\$Call

DESPATCH;MODEL #LBC2-32;48X24X48;210 DEG C;
208/240V;3PH;45 AMPS;16KW;OTP;NEW WATLOW PROGRAMMR
SHELF
BD-587F.....\$Call

DESPATCH;MODEL #LFD2-11-3;350 DEG F;208V;3PH;40A;
OTP;DESPATCH MICROPROCESSOR;STAINLESS STEEL
INTERIOR;FORCED EXHAUST
BD-430D.....\$Call

DESPATCH;MODEL #LHD1-70;24X24X20;210 DEG C;240V;
1PH;19 AMPS;OTP;NEW WATLOW PROGRAMMER
BD-8747.....\$Call



CSZ Upright
Freezer WU11S-XX-XS
Internal: 18"x18"x60"
Temp: -70C to +170C
Price: \$6900
Search: CT-299F



CSZ Z16-2-2-H-W/C
Temperature Chamber
Internal: 30"x30"x30"
Temp: -70C to +170C
Price: \$9500
Search: CT-507F



CSZ Z-32
Temp Chamber:
Internal: 38"x38"x38"
Temp: -65C to +170C
Price: \$11,500
Search: CT-471F



Despatch 16207
Temp Chamber
Internal: 20"(w) x 24"(d) x 25"(h)
Temp: -20C to +177C
Price: \$5900
Search: CT-9476



Despatch 16212 Special
Temp Chamber
Internal: 27"(w) x 23"(d) x 28"(h)
Temp: -10C to +170C
Price: \$6400
Search: CT-389D

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this,  more Information is Available on our Website. Just Type in the Weblink Shown.

LRE
10

Ovens - Over 20"x20"x20" Continued

Taking a Chance?

Why "Roll the Dice" when Purchasing Used Environmental Chambers or Ovens - When you can purchase a **CERTIFIED** Refurbished unit from LRE Without the Risk.



We Take the Risk out of Purchasing Used Ovens & Chambers

CERTIFIED

DESPATCH;MODEL #LXD1-42;20X18X20;600 DEG F; 208/240V;14.6 AMPS;3KW;NEW CONTROLS;W/STAND BD-4833.....\$Call

DESPATCH;MODEL #PBC2-16;210 DEG C;208V;3PH;43 AMPS OTP;PARTLOW RECORDER W/OTP;DIGITAL CONTROL BD-378C.....\$Call

DESPATCH;MODEL #PBC2-16;24X24X48;210 DEG C;208V; 3PH;44 AMPS;OTP;NEW DIGITAL CONTROL SYSTEM BD-377C.....\$Call

DESPATCH;MODEL #PBC2-16;24X24X48;210 DEG C;208V; 3PH;OTP;PARTLOW RECORDER;54 STATION;10 7/8 X 21; DIGITAL CONTROL;REDUNDANT OTP;FUSE DISCONNECT BD-351B.....\$Call

DESPATCH;MODEL #PBC2-16;24X24X48;210 DEG C;208V; 3PH;43 AMPS;OTP;PARTLOW RECORDER;OTP;DIGITAL CONTR. BD-380C.....\$Call

DESPATCH;MODEL #PBC2-16;24X24X48;210 DEG C;208V; 3PH;44 AMPS;OTP;NEW DIGITAL CONTROL SYSTEM BD-379C.....\$Call

DESPATCH;MODEL #PBC2-16;24X24X48;210 DEG C;208V; 3PH;OTP;RECORDER OTP;NEW DIGITAL BD-444C.....\$Call

DESPATCH;MODEL #PBC2-16;24X24X48;210 DEG C;208V; 3PH;43 AMPS;OTP;PARTLOW RECORDER;DIGITAL CONTROL BD-387C.....\$Call

DESPATCH;MODEL #PBC2-16;24X24X48;210 DEG C;240V; 3PH;58 AMPS;RECORDER;OTP;DIGITAL CONTROL;CASTERS BD-401C.....\$Call

DESPATCH;MODEL #PBC2-16;24X24X48;210 DEG C;240V; 3PH;58 AMPS;RECORDER;OTP;DIGITAL CONTROL;CASTERS BD-399C.....\$Call

DESPATCH;MODEL #SPCLHAFW/N2;36X48X61;225 DEG C; 480V;3PH;36 AMPS;OTP;NEW WATLOW PROGRAMMER; RECORDER #AR-100;REMOTE CONTROL CONSOLE BD-211B.....\$Call

DESPATCH;MODEL #V-31STD;37X25X50;500 DEG F;480V; 3PH;31 AMPS;NORMAL TEMP 250 DEG F;5 SHELVES;NEW DIG. BD-555B.....\$Call

DESPATCH;MODEL #V-33-STD;2 COMPARTMENT, 17X25X50; 500 DEG F;480/120V;3PH;18 AMPS;12KW;OTP;NEW WATLOW PROGRAMMER BD-457B.....\$Call

DESPATCH;MODEL #VRC2-10-2;37X19X25;460V;3PH;15 AMP #AR-100 RECORDER;NEW DIGITAL CONTROL;60 CYCLE; FORCED EXHAUST BD-8855.....\$Call

DESPATCH;MODEL PBC1-80;24X24X24;210 DEG C;208V; 3PH;OTP;CASTERS;NEW DIGITAL SYSTEM BD-949C.....\$Call

GP GROUP;MODEL #8V;32X28X58;NEW DIGITAL MICRO- PROCESSOR W/OTP;STAINLESS STEEL INTERIOR; SOLD "AS IS" BD-798C.....\$Call

GRIEVE GAS FIRED;MODEL #B1-500;48X48X74;500 DEG F; 460V;3PH;350,000 BTU;SOLD "AS IS" BD-722F.....\$Call

GRIEVE;MODEL #B2-450;54X72X72;450 DEG F;460V;3PH; 55 AMPS;40 KW;NEW DIGITAL;OTP BD-797D.....\$Call

GRIEVE;MODEL #SC-350;68X30X66;480V;3PH;12KW;17 AMP BD-571F.....\$Call

GRIEVE;MODEL #SPECIAL WALK-IN W/AUTOMATIC DOORS; 78X64X78;356 DEG F;460V;3PH;84 AMPS;OTP; NEW WATLOW MICROPROCESSOR;HORIZONTAL BD-478F.....\$Call

GRIEVE;MODEL #TAH-500;36X36X60;500 DEG F;460V;3PH; NEW WATLOW #981 MICROPROCESSOR W/OTP BD-116D.....\$Call

GRUENBERG;MODEL #C13H120M;24X24X36;1200 DEG F; 480V;3PH;18KW;OTP;NEW WATLOW PROGRAMMER; #DR-4200 RECORDER;FORCED EXHAUST BD-513F.....\$Call

GRUENBERG;MODEL #L23V72;24X20X25;230 DEG C;480V; 3PH;18KW;STAND W/CASTORS;STAINLESS STEEL INTERIOR; DIGITAL CONTROL;EXHAUST BD-812F.....\$Call

LESCO UV CURE OVEN;MODEL #CL020;20 X 3.25 X 13.5; 120V;10 AMPS;2 P-300 POWER SUPPLIES BD-485F.....\$Call

LINDBERG BLUE M CONVEYOR OVEN;MODEL #843T-A12-B3; 12" WIDE;350 DEG C;230V;1PH;1/20 IN MIN; VARIABLE SPEED MOTOR BD-439F.....\$Call



Despatch Temp/Humidity Chamber Model 16519M Internal: 34(w) x 30"(d) x 32"(h) Temp: -20C to +170C Humidity: 20% to 95%RH Price: \$10,200 Search: CH-484A



Associated FX-2116 Temperature Chamber Internal: 30"x30"x30" Temp: -70C to +170C Price: \$10,500 Search: CT-476E



Bemco F-100/350-16 Temperature Chamber Internal: 30"(w) x 28"(d) x 30"(h) Temp: -70C to +170C Price: \$9800 Search: CT-859F



Bemco F-100-350 Temperature Chamber Internal: 36"x36"x36" Temp: -65C to +170C Price: \$9800 Search: CT-635F



Bemco F-100/350 Temperature Chamber Internal: 24"x24"x24" Temp: -70C to +170C Price: \$7200 Search: CT-459F



Bemco F-100/350-8 Temperature Chamber Internal: 24"x24"x24" Temp: -70C to +170C Price: \$6995 Search: CT-373F

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

BRAND NEW From LR TECHNOLOGIES.

WWW.LRTECH.COM

New Products Frequently Added

Rent a Test Chamber like this for only \$349 Per Month (beach not included!).

LR
ENVIRONMENTAL
EQUIPMENT DIVISION

More Info Click Here

800-574-2748

LR TECHNOLOGIES
Large Industrial Ovens
@ Lowest Prices!

Model LR-95

- Size Start at 4'W x 4'1/2' H x 13' D
- Horizontal Air Circulation
- Lowest Price in the Industry
- Many Options Available
- Larger Sizes Available
- Heaters
- Hot Floor for Easy Start Access

Specifications
Call or Email for More Details

Only \$8295 (Including Cradle)

LR
ENVIRONMENTAL EQUIPMENT DIVISION
TELEPHONE: 800-574-2748 E-MAIL: SALES@LRTECH.COM

Don't Believe Our Headline...

About Our Company

"Not only are these systems more efficient than any competitor, their performance is superior!"

This Company is the "Duke of the Oven" in the Tubular Industry.

Sterilizer/Autoclave

- Durable
- High Quality
- Great Value
- Safe
- Many Models

Specifications

Products Manufactured by: **LR TECHNOLOGIES**
Phone: 800-574-2748
Click Here to Visit the LR TECHNOLOGIES Web Product Page

Laboratory Freezers To -40° C
GETTING THE MOST FROM YOUR LABORATORY

Efficient And Dependable Low Temperature Laboratory Freezers

High quality, reliable, low temperature laboratory freezers. They are designed for long life and low maintenance. They are also designed for easy start access and easy maintenance.

Efficiency And Dependability For The Most Demanding Laboratories

- Low Temperature
- High Quality
- Low Maintenance
- Easy Start Access
- Easy Maintenance

LR Technologies LR15 Temperature/Humidity Chamber

- Compact Footprint
- Two Temp Versions Available
- Lowest Price
- Highest Quality
- Fast Delivery

Only \$5995! Lowest Price in the Industry!

For Specifications Click Here

LR
ENVIRONMENTAL EQUIPMENT DIVISION
TELEPHONE: 800-574-2748 E-MAIL: SALES@LRTECH.COM

PRODUCTS

- Mechanical Shakers
- Thermal Shock Chambers
- Environmental Test Chambers
- Temperature/Humidity Chambers
- Freezers
- Incubators
- Stability Chambers
- Walk-In Test Chambers
- Storage Freezers
- Rental Chambers and Ovens
- Leasing of Equipment is Also Available.

Mechanical Shakers

LR15 Temperature/Humidity Chamber

Brand New Equipment

LR TECHNOLOGIES, an affiliate Company of LR ENVIRONMENTAL, offers only Brand New Thermal Process and Test Equipment.

- Environmental Test Chambers
- Industrial Ovens
- Vibration Systems
- Space Simulation Chambers
- Hot/Cold Temperature Plates
- Sterilizers/Autoclaves
- Walk-In Test Chambers
- Steady State Chambers
- Storage Freezers
- Rental Chambers and Ovens
- Leasing of Equipment is Also Available.

These are sample pages from our Website.

To see ALL our products, please see WWW.LRTECH.COM

LR TECHNOLOGIES

ENVIRONMENTAL EQUIPMENT DIVISION
TELEPHONE: 800-574-2748 E-MAIL: SALES@LRTECH.COM

PRODUCTS

- Mechanical Shakers
- Thermal Shock Chambers
- Environmental Test Chambers
- Temperature/Humidity Chambers
- Freezers
- Incubators
- Stability Chambers
- Walk-In Test Chambers
- Storage Freezers
- Rental Chambers and Ovens
- Leasing of Equipment is Also Available.

Environmental Test Chambers

LR15 Temperature/Humidity Chamber

LR Technologies

ENVIRONMENTAL EQUIPMENT DIVISION
TELEPHONE: 800-574-2748 E-MAIL: SALES@LRTECH.COM

PRODUCTS

- Mechanical Shakers
- Thermal Shock Chambers
- Environmental Test Chambers
- Temperature/Humidity Chambers
- Freezers
- Incubators
- Stability Chambers
- Walk-In Test Chambers
- Storage Freezers
- Rental Chambers and Ovens
- Leasing of Equipment is Also Available.

Environmental Chambers, Laboratory Incubators and Stability Chambers

LR15 Temperature/Humidity Chamber

Low Cost Laboratory Ovens

Affordable & Portable Vacuum Test Systems
(Space Simulation Thermal Chambers)

Being the convenience and portability of having our own...
STC Open Simulation Thermal Chamber. The STC...
high quality system with a precision...
manufacture are the same. Instead, if you are...
There are many more...
Full featured...
resistance to...
2000...
System options include...
2000...
2000...
2000...

LR TECHNOLOGIES

ENVIRONMENTAL EQUIPMENT DIVISION
TELEPHONE: 800-574-2748 E-MAIL: SALES@LRTECH.COM

PRODUCTS

- Mechanical Shakers
- Thermal Shock Chambers
- Environmental Test Chambers
- Temperature/Humidity Chambers
- Freezers
- Incubators
- Stability Chambers
- Walk-In Test Chambers
- Storage Freezers
- Rental Chambers and Ovens
- Leasing of Equipment is Also Available.

Thermal Shock Chambers

LR15 Temperature/Humidity Chamber

XTREME Temperature Plates

2 Temperature Chamber

Starts at \$8295

Brand New With Warranty

For Specifications Please Click Here

- Small Benchtop Design
- Programmable Controller
- Full Temperature Range, Etc.
- Window in Door Included
- Stainless Steel Interior
- Adjustable High Temperature Fans
- 12" Diameter Front-Through Port in Side Wall

Based on Model LR-95 Thermal Plates

- Extremely Efficient Chamber Design
- Heavy Duty Temperature Control System
- Computer Integrated in Chamber

Ovens - Over 20"x20"x20" Continued

Vacuum Ovens

LUNAIRE;#CE-217;20.5 X 25 X 60;208/230V;1PH;40 AMP
 OTP;GN2 PURGE;SINGLE SET DIGITAL;TIMER;STAINLESS
 STEEL INTERIOR
 BD-341F.....\$Call

NOVASTAR;MODEL #1420;48 X 14 X 1.24;208/230V;3PH;
 50 AMPS;NOVASTAR MICROPROCESSOR;OD 98X33X48
 BD-611E.....\$Call

RESEARCH INC. CONVEYOR;# 4450-24-36;24 X 54 X 1.5
 480 VOLT; 3 PH; 92" OVERALL;MICROPROCESSOR
 SOLD "AS IS"
 BD-7926.....\$Call

WISCONSIN CONVEYOR OVEN;48X48X1.5+;500 DEG F;480V;
 3PH;OTP;HONEYWELL CONTROL
 BD-309F.....\$Call

WISCONSIN CONVEYOR OVEN;MODEL #SPCMINH-60/122;
 60X57X1.5;480V;3PH;35 AMPS;24KW;CONVEYOR SPEED
 CONTROL;VARIABLE AIRFLOW
 BD-304F.....\$Call

Vacuum Ovens

Vacuum pumps are NOT included unless otherwise specified.

AMERICAN SCIENTIFIC VACUUM OVEN;MODEL #DP-41;
 17.75 X 17.75 X 17.75;240 DEG C;220V;1PH;11 AMPS;
 WINDOW;STAINLESS STEEL INTERIOR;SHELF;
 NEW WATLOW SINGLE SET DIGITAL
 BV-689F.....\$Call

AMERICAN SCIENTIFIC VACUUM OVEN;MODEL DP-31C;
 11.5 X 11.5 X 11.5;115V;12 AMPS;WINDOW;STAINLESS
 STEEL INTERIOR
 BV-363E.....\$Call

BLUE M;MODEL #POM-19VC-2;16X17;200 DEG C;240V;1PH;
 24 AMPS;OTP;ANALOG CONTROLS;STAND W/VACUUM PUMP;
 AIR CIRCULATION
 BV-252C.....\$Call

BLUE M;MODEL #VO-19C;16 X 17.75;200 DEG C;1PH;
 208/240V;20/22 AMPS;WELCH VACUUM PUMP;STAINLESS
 STEEL INTERIOR;2 SHELVES;FLOOR STAND
 BV-861F.....\$Call

NAPCO;MODEL #5851;12X19X12;200 DEG C;
 STAINLESS STEEL INTERIOR;WINDOW
 BV-416F.....\$Call

Options Available for Ovens and Test Chambers



Photographs Courtesy of Watlow and Honeywell

- Chart Recorders
- Programmable Controllers
- Special Feed-Thru Ports
- Extra Shelves
- Water Recycling System
- CO2/LN2 Boost
- GN2 Purge
- Special Chamber Color
- and Just About Anything Else!

For More Information Please
See: WWW.LRE.COM/28

NAPCO;MODEL #5861;18X24X18;200 DEG C;120V;
 REFERENCE CONTROL SYSTEM
 BV-474F.....\$Call

NAPCO;MODEL #5861;18X24X18;200 DEG C;120V;
 DIGITAL CONTROL;STAINLESS STEEL INTERIOR;WINDOW
 BV-714F.....\$Call

NAPCO;MODEL #5861;18X24X18;200 DEG C;120V;15 AMPS;
 NEW DIGITAL CONTROL
 BV-454F.....\$Call

NAPCO;MODEL #5861;18X24X18;200 DEG C;120V;15 AMPS;
 REFERENCE CONTROL;WINDOW
 BV-535F.....\$Call

NAPCO;MODEL #5861;18X24X18;200 DEG C;120V;1PH;13A;
 WINDOW;STAINLESS STEEL INTERIOR;REFERENCE CONTROL
 BV-710F.....\$Call

NAPCO;MODEL 5861;18X24X18;120V;13 AMPS;REFERENCE
 CONTROL;STAINLESS STEEL INTERIOR;WINDOW
 BV-713F.....\$Call

PRECISION SCIENTIFIC;MODEL #19;12X16X12;200 DEG C;
 120V;CAST INTERIOR;NEW DIGITAL CONTROL
 BV-429C.....\$Call

SCIENTIFIC PRODUCTS;MODEL #DP-61;220V;1PH;15 AMPS;
 23.5 X 23.5 X 23.5;WINDOW;STAINLESS STEEL INTERIOR
 NEW WATLOW CONTROLLER;SINGLE SET;STAND
 BV-694F.....\$Call

SHELDON TYPE VACUUM OVEN;NO MODEL #;12X19X12;
 200 DEG C;OTP;STAINLESS STEEL INTERIOR;WINDOW;
 DIGITAL SINGLE SET CONTROL;GP-#275 VACUUM GAUGE
 BV-864A.....\$Call

SHELDON TYPE VACUUM OVEN;NO MODEL #;12X19X12;
 200 DEG C;OTP;STAINLESS STEEL INTERIOR;WINDOW;;
 DIGITAL SINGLE SET CONTROL;GP-#275 VACUUM GAUGE
 BV-863A.....\$Call

TENNEY VACUUM CHAMBER;MODEL #125;24X36X24;115V;
 10 AMPS;WATLOW PROGRAMMER #942;HONEYWELL
 #4200;2 6" SIDE PORTS;WINDOW;CASTERS;1380 VACUUM
 PUMP;NOT HEATED
 BV-753E.....\$Call

VWR VACUUM OVEN;MODEL #1410;9X12X9;200 DEG C;120V;
 WINDOW;STAINLESS STEEL INTERIOR;REFERENCE CONTROL
 BV-608F.....\$Call



Pressure Vessel
 Internal: 34"(diam) x 42"(deep)
 Molded Steel
 Interior Painted
 Price: \$500 - Sold As Is
 Search: ZM-717F



Thermotron Model S-4C
 Temperature Chamber
 Internal: 20"x20"x20"
 Temp: -70C to +170C
 Price: \$6995
 Search: CT-716F



Thermotron Model S1.2C
 Bench-Top Temperature Chamber
 Internal: 16"(w) x 11"(de) x 12"(h)
 Temp: -70C to +177C
 Price: \$2995
 Search: CT-715F



Tenney Model BTRC
 Temp/Humidity Chamber
 Internal: 20"(w) x 20"(d) x 22"(h)
 Temp: -70C to +177C
 Humidity: 20% to 95%RH
 Price: \$7900
 Search: CH-709F

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty

For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
 Email: SALES@LRE.COM Web Site: WWW.LRE.COM
 Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this,  more Information is Available on our Website. Just Type in the Weblink Shown.

VWR VACUUM OVEN;MODEL #1450D;18X24X18;225 DEG C;
120V;15 AMPS;ALL STAINLESS STEEL;WINDOW
BV-556F.....\$Call

YES VACUUM CHAMBER;12X13X11;FOR PARTS ONLY;
SOLD "AS IS"
BV-286E.....\$Call

CO₂/LN₂ Temperature Chambers

These chambers are cooled with Liquid CO₂ or LN₂ and heated by electric heaters. Some can achieve very rapid temperature pull-down rates. Please ask for details.

ASSOCIATED 800 PSI CO₂;MODEL #ZBD-108;24X24X24;
-70 TO +170 DEG C;120V;15 AMPS;NEW WATLOW
PROGRAMMER;2 5" SIDE PORTS;HI-LOW LIMIT
CC-037E.....\$Call

ASSOCIATED 900 PSI CO₂;MODEL #TC-1;12X11X13;
-70 TO +170 DEG C;120V;10 AMPS;4" & 1.2" SIDE PORT
WATLOW #945;UPGRADED SD SERIES 2400;WINDOW
CC-758F.....\$Call

ASSOCIATED LN₂;MODEL #ABD-108;24X24X24;-70 TO +170
DEG C;120V;1PH;18 AMPS;DELTA 9010 PROGRAMMER;
2 4.5" SIDE PORTS;HI-LOW LIMIT;IEEE-48
CC-499F.....\$Call

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;18 AMPS;NEW WATLOW PROGRAMMER W/HI-LOW
LIMIT;2 4.5" SIDE PORTS
CC-449F.....\$Call

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;1PH;15 AMPS;NEW WATLOW PROGRAMMER
W/HI-LOW LIMIT;2 5" SIDE PORTS, 2 2" SIDE PORTS
CC-035E.....\$Call

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;18 AMPS;NEW WATLOW PROGRAMMER W/HI-LOW
LIMIT;2 4.5" SIDE PORTS
CC-448F.....\$Call

BRAND NEW Vacuum Ovens

- Lowest Prices
- High Quality



- Sizes: 0.35 cu ft to 7.6 cu ft
- Window in Door
- Digital Temperature Control
- Temperature to 240C
- S/Steel Interior
- FOR MORE INFO PLEASE SEE:
WWW.LRE.COM/9



ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;18 AMPS;NEW WATLOW PROGRAMMER W/HI-LOW
LIMIT;2 4.5" SIDE PORTS
CC-469F.....\$Call

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;1PH;18 AMPS;DELTA PROGRAMMER #9010;
2 4.5" SIDE PORTS;HI-LOW LIMIT;IEEE-488
CC-499F.....\$Call

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;18 AMPS;NEW WATLOW PROGRAMMER W/HI-LOW
LIMIT;2 4.5" SIDE PORTS
CC-498F.....\$Call

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;18 AMPS;NEW WATLOW PROGRAMMER W/HI-LOW
LIMIT;2 4.5" SIDE PORTS
CC-445F.....\$Call

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;1PH;18 AMPS;DELTA PROGRAMMER #9010;
2 4.5" SIDE PORT;HI-LOW LIMIT;IEEE-488
CC-429F.....\$Call

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;1PH;18 AMPS;DELTA PROGRAMMER #9010;
2 4.5" SIDE PORTS;HI-LOW LIMIT;IEEE-488
CC-468F.....\$Call

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;1PH;18 AMPS;DELTA PROGRAMMER #9010;
2 4.5" SIDE PORTS;HI-LOW LIMIT;IEEE-488
CC-446F.....\$Call

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;1PH;18 AMPS;DELTA PROGRAMMER #9010;
2 4.5" SIDE PORTS;HI-LOW LIMIT;IEEE-488
CC-447F.....\$Call

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;18 AMPS;NEW WATLOW PROGRAMMER W/HI-LOW
LIMIT;2 4.5" SIDE PORTS
CC-494F.....\$Call

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;18 AMPS;NEW WATLOW PROGRAMMER W/HI-LOW
LIMIT;2 4.5" SIDE PORTS
CC-491F.....\$Call

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170
DEG C;120V;18 AMPS;NEW WATLOW PROGRAMMER W/HI-LOW
LIMIT;2 4.5" SIDE PORTS
CC-430F.....\$Call

				
<p>Blue M Model MP-206 Oven Interior: 20"x18"x20" Max Temp: 250F Price: \$3800 Search: BA-854F</p>	<p>Blue M Oven Model WO-456 Interior: 48x60x74 Max Temp: 350F Price: \$8200 Search: BD-743F</p>	<p>Thermotron Altitude Chamber Model FA-4-CH-1-1-S Interior: 20"x20"x20" Temp: -70C to +170C Altitude: 100,000 Ft. Price: \$24,000 Search: CZ-736F</p>	<p>Hughes Repair Station Model MCW-500 with Heads VTA-66 and VTA-90 Price: \$4200 Search: WA-756F</p>	<p>Russels Model RB30-LN2 AGREE Temperature Chamber Interior: 42"x42"x30" Temp: -70C to +170C Price: \$7200 Search: CC-670F</p>

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this,  more Information is Available on our Website. Just Type in the Weblink Shown.

CO₂/LN₂ Temperature Chambers Continued

Taking a Chance?

Why "Roll the Dice" when Purchasing Used Environmental Chambers or Ovens - When you can purchase a **CERTIFIED** Refurbished unit from LRE Without the Risk.



We Take the Risk out of Purchasing Used Ovens & Chambers

CERTIFIED

ASSOCIATED LN₂;MODEL #ZBD-108;24X24X24;-70 TO +170 DEG C;120V;18 AMPS;NEW WATLOW PROGRAMMER W/HI-LOW LIMIT;2 4.5" SIDE PORTS
CC-431F.....\$Call

ASSOCIATED;MODEL #BK-1108;24X24X24;NEW WATLOW PROGRAMMER W/HI-LOW LIMIT;-70 TO +170 DEG C;120V; 2 6" PORTS
CC-774D.....\$Call

ASSOCIATED;MODEL #ZBD-108;24X24X24;120V;18 AMPS; -70 TO +170 DEG C;NEW WATLOW PROGRAMMER W/HI-LOW LIMIT;2 5" SIDE PORTS
CC-620D.....\$Call

ASSOCIATED;MODEL #ZBD-108;24X24X24;-70 TO +170 C; 120V;20 AMPS;WATLOW MICROPROCESSOR #942 W/NEW HI-LOW LIMIT;2" SIDE PORT;WINDOW
CC-212E.....\$Call

ASSOCIATED;MODEL #ZBD-108;24X24X24;-70 TO +170 C; 120V;20 AMPS;WATLOW MICROPROCESSOR #942 W/NEW HI-LOW LIMIT;2" SIDE PORT;WINDOW
CC-210E.....\$Call

BEMCO LN₂ 75 PSI;MODEL #LDF100/350;36X36X36; -70 TO +350 DEG F;240V;1PH;22 AMPS;WATLOW #942 MICROPROCESSOR;3" SIDE PORT;CASTORS;STAINLESS STEEL INTERIOR;SHELF
CC-754F.....\$Call

BLUE M LN₂;MODEL #LN-270-BIX;25X19X19;-73 TO +300 DEG C;208V;1PH;23 AMPS;NEW WATLOW PROGRAMMER; STAINLESS STEEL INTERIOR;BENCHTOP
CC-638D.....\$Call

BLUE M;#C0-250B;25X19X20;-73 TO +204 DEG C;208V; 1 PH;OTP;STAINLESS STEEL INTERIOR;3" PORT;NEW WATLOW PROGRAMMER
CC-8353.....\$Call

BLUE M;MODEL #LN-270CMP.1X;25X19X20;-70 TO +170 DEG C;240V;1PH;NEW WATLOW PROGRAMMER
CC-216C.....\$Call

BMA;MODEL #TC-4;18X18X20;-70 TO +170 DEG C;120V; 16 AMPS;NEW WATLOW PROGRAMMER;OTP/UTP
CC-686F.....\$Call

BMA;MODEL #TC-4;18X18X20;-70 TO +170 DEG C;120V; 16 AMPS;NEW WATLOW PROGRAMMER;OTP/UTP
CC-681F.....\$Call

BMA;MODEL #TC-4;18X18X20;-70 TO +170 DEG C;120V; 16 AMPS;NEW WATLOW PROGRAMMER
CC-687F.....\$Call

DELTA DESIGN 100 PSI LN₂;MODEL #2850CN;16X7X6; -70 TO +270 DEG C;120V;20 AMPS
CC-591E.....\$Call

DELTA DESIGN 300 PSI CO₂;MODEL #5900D;120V;15 AMPS 19.5 X 15 X 11;-70 TO +270 DEG C;OTP/UTP;NEW WATLOW PROGRAMMER;HEAT UP 10C PER MIN;COOL DOWN 22C PER MIN;FOR LN₂ ADD \$650.00
CC-419E.....\$Call

DELTA DESIGN 300 PSI CO₂;MODEL #5900L;120V;1PH;15A 19.5 X 15 X 11;-70 TO +270 DEG C;NEW MICROPROCESSOR 981/2;HEAT UP 10C PER MIN;COOL DOWN 22C PER MIN; LN₂ ADD \$650.00
CC-429E.....\$Call

DELTA DESIGN 300 PSI CO₂;MODEL #5900L;120V;1PH;15A 19.5 X 15 X 11;-70 TO +270 DEG C;NEW WATLOW PROGRAMMER;HEAT UP 10C PER MIN;COOL DOWN 22C PER MINUTE;LN₂ ADD \$650.00
CC-436E.....\$Call

DELTA DESIGN 900 PSI CO₂;MODEL #2850C;-70 TO +270 DEG C;15 X 6.5 X 6.5;115V;NEW DIGITAL CONTROL SYSTEM
CC-938C.....\$Call

DELTA DESIGN 900 PSI CO₂;MODEL #6400;20X16X12; -70 TO +270 DEG C;120V;20 AMPS
CC-581E.....\$Call

DELTA DESIGN 900 PSI CO₂;MODEL #6400C;20X16X12; -70 TO +270 DEG C;208V;1PH;25 AMPS;NEW WATLOW PROGRAMMER W/HI-LOW LIMIT
CC-570E.....\$Call

DELTA DESIGN 900PSI CO₂;#2850F;16X8X7;120V;1.8KW; -73 TO +270 DEG C;CO₂;NEW DIGITAL SYSTEM
CC-6256.....\$Call

DELTA DESIGN C0-2 900 PSI; #2850C;15X6X6;120V;15A; -73 TO +270 DEG C;NEW DIGITAL SYSTEM
CC-8495.....\$Call

DELTA DESIGN C0-2;#2300C; 10X7X7;-73+273C;120V; TYPE V CONTROL; HINGED DOOR;NEW DIGITAL SYSTEM
CC-8053.....\$Call



Blue M VRC08-PW
Temperature Chamber
Fast Ramping
Internal: 24"x24"x24"
Temp: -70C to +170C
Price: \$10,400
Search: CT-497C



Blue M 1002-3TPB88
Temperature Chamber
Internal: 14"x14"x14"
Temp: -70C to +177C
Price: \$5995
Search: CT-7113



Blue M BIC-80GMP
Temperature Chamber
Fast Ramp
Internal: 48"(w) x 48"(d) x 60"(h)
Temp: -20C to +125C
Price: \$15,000
Search: CT-6083



Blue M 1004-8C-MP3
Temperature Chamber
Internal: 24"x24"x24"
Temp: -70C to +170C
Price: \$8200
Search: CT-052E



Blue M ETC-09D-6
Temperature Chamber
Temp: -70C to +190C
Price: \$11,500
Search: CT-825F

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you see this,  more information is Available on our Website. Just Type in the Weblink Shown.

LRE

CO₂/LN₂ Temperature Chambers Continued

DELTA DESIGN CO₂ & LN₂;MODEL #6400KDL;20X16X12;
-70 TO +270 DEG C;120V;20 AMPS;NEW WATLOW
PROGRAMMER W/HI-LOW LIMIT;BLANK DOOR
CC-171E.....\$Call

DELTA DESIGN CO₂ 300 PSI;MODEL #6400;20X16X12;
-70 TO +270 DEG C;120V;15 AMPS;NEW WATLOW
PROGRAMMER W/HI-LOW LIMIT;HINGED DOOR
CC-822D.....\$Call

DELTA DESIGN CO₂ 300 PSI;MODEL #6400;20X16X12;
-70 TO +270 DEG C;120V;15 AMPS;NEW WATLOW
PROGRAMMER W/HI-LOW LIMIT;HINGED DOOR
CC-821D.....\$Call

DELTA DESIGN CO₂ 900PSI;#2850F;16X8X7;120V;1.8KW;
-73 TO +270 DEG C;NEW DIGITAL CONTROL
CC-6257.....\$Call

DELTA DESIGN CO-2;#3900DD-4132;16X10X10;-70+270C;
240V;1PH;20AMP;OTP;TYPE V DIGITAL CONTROL;
CC-7507.....\$Call

DELTA DESIGN CO₂;MODEL #2300CR;10X7X7;120V;
-73 TO +270 DEG C;NEW DIGITAL CONTROL SYSTEM;RACK
MOUNT
CC-742C.....\$Call

DELTA DESIGN CO₂;MODEL #2850C;16X7X6.5;120V;
-70 TO +270C;NEW DIGITAL CONTROL
CC-738C.....\$Call

DELTA DESIGN CO₂;MODEL #2850C;16X7X6.5;120V;
-70 TO +270C;NEW DIGITAL CONTROL
CC-739C.....\$Call

DELTA DESIGN CO₂;MODEL #2850CD;15 X 6 X 6.5;
-70 TO +270 DEG C;120V;1PH;20 AMPS;NEW WATLOW
PROGRAMMER
CC-519F.....\$Call

DELTA DESIGN LN₂/CO₂;MODEL #5900CN;19X14X11;120V;
15 AMPS;-70 TO +270 DEG C;NEW WATLOW PROGRAMMER;
DOOR W/WINDOW;STAINLESS STEEL INTERIOR
CC-585F.....\$Call

DELTA DESIGN LN₂;MODEL #9076;20X25X20;
-70 TO +270 DEG C;240V;1PH;DELTA PROGRAMMER #9010;
STAINLESS STEEL INTERIOR;WINDOW
CC-523F.....\$Call

DELTA DESIGN;#4145;15X12X36;240V;1PH;15 AMPS;
LN₂ ADDED;27-STATION TYPE V CONTROL
CC-9881.....\$Call

DELTA DESIGN;MODEL #5900CD;19 X 12 X 11.5;
-70 TO +270 DEG C;120V;20 AMPS;HIGH-LOW LIMIT;
NEW WATLOW PROGRAMMER
CC-501F.....\$Call

DELTA DESIGN;MODEL #5900CD;19 X 12 X 11.5;
-70 TO +270 DEG C;120V;20 AMPS;HIGH-LOW LIMIT;
NEW WATLOW PROGRAMMER
CC-502F.....\$Call

DELTA DESIGN;MODEL #5900CD;19X14X11;120V;1PH;20A;
-70 TO +270 DEG C;NEW WATLOW PROGRAMMER;CO₂/LN₂
CC-517F.....\$Call

DELTA DESIGN;MODEL #5900CD;19X14X11;-70 TO +270
DEG C;120V;1PH;20 AMPS;NEW WATLOW PROGRAMMER;
CO₂/LN₂
CC-518F.....\$Call

DELTA DESIGN;MODEL #6400CD;20 X 16.5 X 12;
-70 TO +270 DEG C;120V;1PH;20 AMPS;NEW WATLOW
PROGRAMMER
CC-516F.....\$Call

DELTA DESIGN;MODEL #7650;20X25X20;240V;1PH;20 AMPS
4.8 KW;-70 TO +270 DEG C;NEW WATLOW PROGRAMMER;
STAINLESS STEEL INTERIOR;WINDOW;CO₂ & LN₂
CC-515F.....\$Call

DELTA DESIGN;MODEL #7650;20X25X20;240V;1PH;4.8KW;
-70 TO +270 DEG C;OTP/UTP;NEW WATLOW PROGRAMMER;
2" BACK PORT;WINDOW;STAINLESS STEEL INTERIOR;20A
CC-524F.....\$Call

DELTA DESIGN;MODEL #9064;20X16X12;120V;
-70 TO +270 DEG C;OTP/UTP;#9010 PROGRAMMER;WINDOW;
STAINLESS STEEL INTERIOR
CC-596F.....\$Call

DELTA DESIGN;MODEL #9064-2-1-1;20X16X12;
-70 TO +270 DEG C;120V;1PH;20 AMPS;#9010 10 STEP
PROGRAMMER;RS-232 INTERFACE
CC-510F.....\$Call

DELTA DESIGN;MODEL #9064-2-1-1;20X16X12;
-70 TO +270 DEG C;120V;1PH;20 AMPS;#9010 10 STEP
PROGRAMMER;RS-232 INTERFACE
CC-511F.....\$Call

DESPATCH 300 PSI CO₂;MODEL #926E-1-2-0-120;120V;
1PH;18.5 AMPS;19X13X11;-70 TO +270 DEG C;OTP;
WATLOW MICROPROCESSOR #982;STAINLESS STEEL
INTERIOR
CC-311F.....\$Call

ASSOCIATED ENVIRONMENTAL

— BRAND NEW —

Complete Range of BRAND NEW Test Chambers



Represented by LR TECHNOLOGIES

- Temperature Chambers
- Temperature/Humidity Chambers
- Thermal Shock Chambers
- Walk-In Chambers
- LN₂/CO₂ Cooled Chambers
- Salt Spray Chambers

For More Information, please see:

WWW.LRE.COM/22




Amsco Sterilizer
Model 608A
Bench-Top Style
Price: \$950
Search: LE-188B



Baxter Varifuge
Model 4656
Refrigerated Centrifuge
100 to 6000 RPM
Price: \$2400
Search: LE-140A



Westbond
Model 7434-15A-28-49
No Scope
Price: \$1200
Search: SC-739F



Agfa/Gevaert Copier
#ReproMaster-2001
Price: \$3400
Search: ZM-9293

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

CO₂/LN₂ Temperature Chambers Continued

DESPATCH 900 PSI CO₂;MODEL #924-1-1-D-O;10X7X7;
-70 TO +270 DEG C;120V;DIGITAL CONTROL
CC-090E.....\$Call

DESPATCH CO₂;MODEL #926-1-1-D-D-120;-70 TO +270 C;
19.5 X 13.5 X 11;115V;20 AMPS;NEW DIGITAL CONTROL;
HIGH-LOW LIMIT
CC-029E.....\$Call

DESPATCH LN₂;MODEL #16012;27X27X28;208V;1PH;
24.5 AMPS;-73 TO +177 DEG C;OTP;PARTLOW #MIC-6000
MICROPROCESSOR;3 2.5" SIDE PORTS;CASTERS
CC-388C.....\$Call

DESPATCH LN₂;MODEL #16012;27X27X28;208V;1PH;24 AMP
-70 TO +170 DEG C;OTP;PARTLOW #MIC-6000 MICRO-
PROCESSOR;1 3" PORT, 2 4" SIDE PORTS
CC-398C.....\$Call

DESPATCH;MODEL #925-1-1-D-O-120;14 X 12 X 8.25;
-70 TO +270 DEG C;115V;20 AMPS;DIGITAL SINGLE SET
CONTROL;WINDOW
CC-555F.....\$Call

QUALMARK HALT;MODEL #OVS-4;54X54X54;-70 TO +170 C;
460V;3PH;166 AMPS;32KW;3 HP MOTORS;SOLD "AS IS"
CC-197E.....\$Call

RANSCO 300 PSI CO₂;MODEL #925-1-2-D-O;115V;20 AMPS
14.5 X 11 X 8.5;-70 TO +270 DEG C;OTP;DIGITAL
THUMBWHEEL
CC-249C.....\$Call

RANSCO 300 PSI CO₂;MODEL #925-1-2-D-O;115V;20 AMPS
14.5 X 11 X 8.5;-70 TO +270 DEG C;OTP;DIGITAL
THUMBWHEEL
CC-248C.....\$Call

RANSCO 300 PSI CO₂;MODEL #925-1-2-D-O;14X11X8.5;
-70 TO +270 DEG C;115V;THUMBWHEEL DIGITAL
CC-788C.....\$Call

RANSCO 300 PSI CO₂;MODEL #925-1-2-D-O;14X11X8.5;
-70 TO +270 DEG C;115V;THUMBWHEEL DIGITAL
CC-789C.....\$Call

RANSCO 300 PSI;MODEL #925-1-D-O;14 X 11 X 8.5;
120V;NEW DIGITAL SYSTEM
CC-787C.....\$Call

RANSCO;#924;10X7X7;-73 TO +270 DEG C;OTP;
WATLOW #920 MICROPROCESSOR
CC-8556.....\$Call

RANSCO;#926-1-1;20X14X11;-73 TO +270 DEG C;120V;
1PH;OTP;DIGITAL CONTROL
CC-9155.....\$Call

RANSCO;MODEL #924-1-1;10X7X7;-70 TO +270 DEG C;
120V;OTP/UTP;NEW DIGITAL CONTROL W/HI-LOW LIMIT
CC-674C.....\$Call

RANSCO;MODEL #924-1-1;10X7X7;-70 TO +270 DEG C;
120V;900 PSI;CO₂;NEW DIGITAL CONTROL SYSTEM
CC-975C.....\$Call

RANSCO;MODEL #925D-1;14.5 X 11 X 8.5;-70 TO +270
DEG C;120V;1PH;19.5 AMPS;OTP;THUMBWHEEL DIGITAL
CC-327C.....\$Call

RANSCO;MODEL #926-1-2-0-0;20X14X11115V;20 AMPS;
-70 TO +270 DEG C;NEW WATLOW MICROPROCESSOR #981
W/HI-LOW LIMIT
CC-574E.....\$Call

RUSSELS;MODEL #RB30-LN₂;42X42X30;-70 TO +170 DEG C
460V;3PH;60 AMPS;WATLOW PROGRAMMER;WINDOW;LIGHT;
SHELF;STAINLESS STEEL INTERIOR
CC-661F.....\$Call

RUSSELS;MODEL #RB30-LN₂;42X42X30;-70 TO +170 DEG C
460V;3PH;60 AMPS;WATLOW PROGRAMMER;WINDOW;LIGHT;
SHELF;STAINLESS STEEL INTERIOR
CC-670F.....\$Call

SAUNDERS CO-2;#4250B; 12X12X8; -70 TO +200C;
208/220V;1PH; OTP; SAUNDERSM/P; IEEE/488 INTER.;
CC-9854.....\$Call

SAUNDERS MIXING CHAMBER; # 4260B; 208/220V;
2250 CONTROL; IEEE/488; RS-232;
CC-9519.....\$Call

SAUNDERS MIXING CHAMBER;#4260; WITH #4248 CONTROL;
CC-9520.....\$Call

SUN 25 PSI LN₂;MODEL #EC-16;22X22X22;-70 TO +315
DEG C;220V;1PH;IEEE-488;RS-232;KEYPAD;
OD 32X36X30
CC-629E.....\$Call

SUN ELECTRONICS 300 PSI CO₂;MODEL #ECO-2;20X16X12;
-70 TO +300 DEG C;NEW WATLOW PROGRAMMER;
CC-442E.....\$Call

SUN ELECTRONICS 300 PSI CO₂;MODEL #ECO-2;20X16X12;
-70 TO +300 DEG C;NEW WATLOW PROGRAMMER
CC-435E.....\$Call



PDR IR Repair Station
Model 1500d
Price: \$1200
Search: SC-213B



Delta Design
Handler Model 4010
Price: \$2200
Search: SC-122B



MCT Micro Reflow
Repair Station
Model 6603
Price: \$900
Search: SC-0001



National Steril Quik
Model 704-900D
Price: \$2200
Search: LE-881B



Labconco
Model 5000400
Glove Box
\$2400
Search: LE-541C

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

SUN ELECTRONICS 300 PSI CO₂;MODEL #ECO-2;20X16X12;
-70 TO +300 DEG C;SUN MICROPROCESSOR 10 STEP;
RS-232 IEE488
CC-422E.....\$Call

SUN ELECTRONICS 300 PSI CO₂;MODEL #ECO-2;20X16X12;
-70 TO +300 DEG C;NEW WATLOW PROGRAMMER
CC-421E.....\$Call

SUN SYSTEMS 850 PSI CO₂;MODEL #ECO-3;20X22X12;220V
1PH;SUN MICROPROCESSOR W/IEEE-488;2" SIDE PORT;
STAINLESS STEEL INTERIOR
CC-951D.....\$Call

SUN SYSTEMS 850 PSI CO₂;MODEL #ECO-3;20X22X12;220V
1PH;SUN MICROPROCESSOR W/IEEE-488;2" SIDE PORT;
STAINLESS STEEL INTERIOR
CC-952D.....\$Call

SUN SYSTEMS 850 PSI CO₂;MODEL #ECO-3;20X22X12;220V
1PH;SUN MICROPROCESSOR W/IEEE-488;2" SIDE PORT;
STAINLESS STEEL INTERIOR
CC-954D.....\$Call

SUN SYSTEMS;MODEL #EC-12;20X14X13;-70 TO +270 C;
120V;OTP;SUN CONTROLLER
CC-607F.....\$Call

THERMOTRON LN₂ SPECIAL;MODEL #F-12CHV-LN₂-5;
18X28X29;-70 TO +170 DEG C;460V;3PH;25 AMPS;
OTP/UTP;NEW WATLOW PROGRAMMER;SPECIAL INTERIOR
CC-201E.....\$Call

THERMOTRON;MODEL #F32CHV-CO₂;40X39X35.5;
-70 TO +170 DEG C;460V;3PH;3" SIDE PORT;WINDOW;
LIGHT;NO SHELF;STAINLESS STEEL INTERIOR
CC-690F.....\$Call

Temperature/ Humidity Chambers

For temperature below 12C above ambient, refrigeration is required. Also, depending on ambient dew point temperature, humidity ranges could be limited at certain temperatures. For very low humidity levels a dehumidifier could be required. Please specify full cycle of typical tests to be performed. Also Chart Recorders are available as an option if not already included.

BEMCO;MODEL #FW30-20/100C;30X29X67;-18 TO +94 C;
230/115V;1PH;40 AMPS;OTP/UTP;6 3.75" SIDE PORTS;
WATLOW #F-4
STEEL INTERIOR
CH-702F.....\$Call

BLUE M AIR-COOLED HUMIDITY;MODEL #AC-77025DC-1;
38X20X18;12 DEG C ABOVE AMBIENT TO +93 DEG C;240V;
1PH;18 AMPS;2" SIDE PORT;2 CHANNEL SINGLE SET
DIGITAL #999;OTP;W/WICK SYSTEM
CH-830F.....\$Call

BLUE M CHAMBER;MODEL #FRP-13B;37X24X25;208V;1PH;
41 AMPS;OTP;-15 TO +93 DEG C;TRULINE RECORDER;
#JC-600 MICROPROCESSOR;10% TO 98% (LIMITED RANGE);
WINDOW;STAINLESS STEEL
CH-767A.....\$Call

BLUE M TEMPERATURE/HUMIDITY;#FR-386PG;38X20X25;
-18 TO +93 DEG C;OTP;NEW WATLOW #F-4 MICROPROCESSOR
W/ELEC SENSOR;WINDOW;WATER COOLED COMPRESSOR
CH-8926.....\$Call

BLUE M TEMPERATURE/HUMIDITY;MODEL #ETC-16DH-G;
30X30X30;-73 TO +190 DEG C;480V;3PH;OTP;3" PORT;
PARTLOW 2 PEN RECORDER;WATERCOOLED;WINDOW;LIGHT;
CASTERS;10HP SYSTEM
CH-695F.....\$Call

BLUE M VAPOR TEMP;MODEL #VP-100AT-1;1 WITH BELLJAR
;VP-100A A-1710;SOLD "AS IS";PACKAGE FOR 2
CH-724D.....\$Call

BLUE M; #FR-386PG;38X20X35;-18+93C;20-98 % R.H.
480 VOLT;3 PH;NEW WATLOW #F-4 MICROPROCESSOR;
WATER COOLED COMPRESSORS;
CH-7985.....\$Call

BLUE M;#FR361E-MP;36X36X36;208V;3PH;57A;WINDOW;
LIGHT;NEW WATLOW #F-4 MICROPROCESSOR;CASTERS;
20% - 98% RH
CH-8132.....\$Call

BLUE M;#FR-361G-MP-1;36X36X36;-18 TO +93 DEG C;
480V;3PH;23A;OTP;NEW WATLOW #F-4 MICROPROCESSOR;
W/ELECTRONIC SENSOR;WINDOW;20% - 98% RH
CH-8254.....\$Call

BLUE M;#FR-381-MP-1;38X20X25;-18 TO +93 DEG C;208V
56A;1PH;OTP;#AR-100 DIFFERENTIAL RECORDER;NEW
WATLOW #F-4 MICROPROCESSOR W/ ELECTRONIC SENSOR
CH-7971.....\$Call

BLUE M;#FR-386PG; 38X20X25;-18+93C;40-98%RH;480V;
3 PH; 11 KW; NEW WATLOW # F-4 MICROPROCESSOR;
HONEYWELL #AR-100 DIFFERENTIAL RECORDER;NO WINDOW;
ELECTRONIC SENSOR
CH-8200.....\$Call

BLUE M;#LRH-361E;36X36X36;-65 TO +93 DEG C;208V;
3PH;82 AMPS;OTP;HONEYWELL DCP-700 MICROPROCESSOR;
HONEYWELL RECORDER;3 3" PORTS;WINDOW;LIGHT;SHELF;
WIPER;WATER-COOLED COMPRESSORS
CH-100A.....\$Call

BLUE M;MODEL #AC-7502TDA-4;19X14X18;12 DEG C ABOVE
AMBIENT TO 93 DEG C;120V;20 AMPS;OTP;PARTLOW
#BM-7000 RECORDER;CONTROLLER RECORDER
CH-372F.....\$Call

BLUE M;MODEL #AC-7602;25X20X18;12 DEG C ABOVE
AMBIENT TO +93 DEG C;120V;22 AMPS;NEW WATLOW
#999 2 CHANNEL SINGLE SET MICROPROCESSOR;2" SIDE
PORT;40% TO 95% RH;WINDOW;STAND
CH-701F.....\$Call

BLUE M;MODEL #AC-7602HA-1;24X19X18;12 DEG C ABOVE
AMBIENT TO +93 DEG C;120V;1PH;22 AMPS;OTP;3" SIDE
PORT;NEW #999 DIGITAL SINGLE SET;STAINLESS STEEL
INTERIOR;STAND W/CASTORS
CH-817F.....\$Call

BLUE M;MODEL #AC7602TDA-1;24X18X17;12 DEG C ABOVE
AMBIENT TO +93 DEG C;120V;22 AMPS;OTP;NEW #999
SINGLE SET DIGITAL;2" SIDE PORT;STAND;STAINLESS
STEEL INTERIOR;WINDOW
CH-971F.....\$Call

**Can't Find what
You Need?
We will Help.
Please Let us Know.**



**PWS Prober
Model SPIC-1
#4890 Instrument Coupler
Olympus Scope
Price: \$2200
Search: SC-7998**



**Branson Plasma Etch System
Model S-3003
PM-119 Generator
Price: \$6500
Search: SC-7991**



**Wesbond
Model 5400-15A-26C-28A-34A...
B&L StereoZoom Microscope
Price: \$5500
Search: SC-773C**



**Westbond
Model 5416-15A-28A-32-34A...
Heated Workholder
Microscope & Illuminator
Price: \$5500
Search: SC-771C**

**Ovens and Environmental Chambers are LRE CERTIFIED Refurbished and Sold with a Warranty
For all other Equipment, please Inquire**

**Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634**

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

Temperature/Humidity Chambers Continued

BLUE M;MODEL #CFR-7552C-1;19.5 X 14 X 18;240V;1PH; 20 AMPS;3 TO 93 DEG C;3" SIDE PORT;HUMIDITY FLOW (WET & DRY BULB);STAND;INSIDE WINDOW;40% TO 98% RH ANALOG CONTROL;#AR-100 DIFFERENTIAL RECORDER;OTP CH-897C.....\$Call

BLUE M;MODEL #CFR-7752C-2;37X20X25;3 TO 93 DEG C; 208/240V;1PH;24/21 AMPS;#AR-100 DIFFERENTIAL RECORDER 3" SIDE PORT;40% - 95% RH;HONEYWELL DIGITAL SYSTEM DIFFERENTIAL SYSTEM W/F4 & ELEC SENSOR \$7600 CH-462D.....\$Call

BLUE M;MODEL #FR-251C-MP;25X20X20;-18 TO +93 DEG C 240V;1PH;40 AMPS;NEW WATLOW #F-4 MICROPROCESSOR W/ ELECTRONIC SENSOR;3" SIDE PORT;20% - 98% RH;WINDOW CASTERS;PASS THRU REAR DOOR;O.D. 71X39X76 CH-798D.....\$Call

BLUE M;MODEL #FR-256PC;25X20X20;-12 TO +93 DEG C; 240V;1PH;36 AMPS;NEW #F-4 MICROPROCESSOR W/ELECTRONIC SENSOR;20% TO 95% RH;DOOR WITH WINDOW; UPGRADED REFRIGERANTS CH-625C.....\$Call

BLUE M;MODEL #FRM-366E;36X36X36;-18 TO +93 DEG C; 208V;3PH;32 AMPS;NEW WATLOW #F-4 W/ELEC. SENSOR; 3" SIDE PORT;10% TO 98% RH;UPGRADED REFRIGERANTS; SHELF;WINDOW CH-673F.....\$Call

BLUE M;MODEL #HR-251B;25X20X20;3 DEG C ABOVE AMBIENT TO 150 DEG C;208V;3PH;43 AMPS;NEW WATLOW MICROPROCESSOR #F-4 W/ELEC SENSOR;10% TO 95% RH; LIMITED RANGE;STAINLESS STEEL INTERIOR CH-200E.....\$Call

BLUE M;MODEL #LR-386MP;38X20X25;-40 TO +93 DEG C; 208V;1PH;62 AMPS;NEW #F-4 MICROPROCESSOR W/ELECTRONIC SENSOR;20% TO 98% RH;WATER-COOLED COMPRESSORS CH-885C.....\$Call

CSZ;MODEL #ZH-16-2-2-H/AC;30X30X30;208V;3PH;39 AMP -70 TO +170 DEG C;NEW WATLOW #F-4 MICROPROCESSOR; OTP/UTP;2 6" PORTS;WINDOW;LIGHT;SHELF;STAINLESS STEEL INTERIOR;CASTORS CH-729F.....\$Call

CSZ;MODEL #ZH-16-2-2-H/AC;30X30X30;-70 TO +170 C; 308V;3PH;39 AMPS;OPT/UTP;NEW WATLOW #F-4 W/ELECT. SENSOR;WINDOW;LIGHT;CASTORS;ENVIRONMENTALLY FRIENDLY REFRIGERANTS CH-805F.....\$Call

CSZ;MODEL #ZH16-2-2-H/AC;30X30X30;-70 TO +170 C; 240V;3PH;39 AMPS;NEW WATLOW #F-4 W/ELECTRONIC SENSOR;3" SIDE PORT;ENVIRONMENTALLY FRIENDLY REFRIGERANTS;WINDOW;LIGHT;CASTORS;FILTER SYSTEM CH-808F.....\$Call

CSZ;MODEL #ZH-32-2-H/AC;38X38X38;-30 TO +170 DEG C 208V;3PH;31 AMPS;NEW WATLOW #F-4 MICROPROCESSOR; HONEYWELL REC #DR4200EV-2;3" SIDE PORT;20%-95% RH; WINDOW;LIGHT;CASTORS;WATER RECIRC SYS CH-409F.....\$Call

DESPATCH FAST RAMP HUM;#ECO607;20X20X25;-73/+177C; 208V;3PH;77A;OTP/UTP;HONEYWELL 2 PEN REC;5X 1.5" SIDE PORTS;WINDOW;LIGHT;CASTORS;WATER COOLED HP-62 7 HP COMP SYS;9 GPM@85F;20%-95% RH;10KW ELEM CH-792E.....\$Call

DESPATCH; MODEL #16619A; 34X30X31;-29 TO 170C; 20 TO 95%RH.H.;208V;3PH;WINDOW, LIGHT;SHELF; CASTERS;PARTLOW 8 PROFILE/6SEGMENT RECORDER / M-P; ELECTRONIC SENSOR; CH-774B.....\$Call

DESPATCH;#16519M;34X30X32;240V;3PH;4" & 3.5" PORT; -20C - +170C;20% - 95% RH;NEW WATLOW MICROPROCESSOR #F-4 W/ELEC SENSOR;WINDOW;LIGHT;CASTERS;NEW REFRIG CH-484A.....\$Call

DESPATCH;MODEL #16635;42X38X38;-70 TO +170 DEG C; 230V;1PH;58 AMPS;OTP/UTP;NEW #F-4 MICROPROCESSOR; ELECTRONIC SENSOR;WINDOW;LIGHT;SHELF;20% TO 95% RH CH-704F.....\$Call

ENVIROTRONICS;MODEL #SH-27;36X36X36;-30 TO +177 C; 230V;3PH;30 AMPS;NEW WATLOW #F-4 MICROPROCESSOR; 2.5" SIDE PORT;ELECTRONIC SENSOR;WINDOW;LIGHT; CASTORS CH-532F.....\$Call

ENVIROTRONICS;MODEL #SH-27R;36X38X36;230V;1PH;40A; -30 TO +170 DEG C;NEW WATLOW #F-4 MICROPROCESSOR; ELECTRONIC SENSOR;TRULINE RECORDER;2 6" SIDE PORTS UPGRADED REFRIGENTS;WINDOW;LIGHT;CASTORS 20%-95% RH CH-578F.....\$Call

ENVIROTRONICS;MODEL #SH8;24X24X24;208V;3PH;40 AMPS -30 TO +170 DEG C;PROGRAMMER W/ELECTRONIC SENSOR; 1 2" SIDE PORT;HP-62;20% TO 95% RH CH-583F.....\$Call

Brand New

Lowest Cost Temp/Humidity Chamber this Size in the World!

Full Featured



LR TECHNOLOGIES

Price Too Low to Publish. Please Call

Internal Volume: 1.5 cu ft
Internal Dimensions: 13"(w)x14"(d)x13"(h)
Temperature Range: 0C to +93C
Also Available from -20C to +93C
Humidity Range: 20% to 95%RH
Single Setpoint Controller
Programmable Controller Available
S/Steel Interior, 2" Feed-Through Port
Power: 120V

For More Details and Photographs See WWW.LRE.COM/10





Web Tech Preconditioning System Model 8000
Two Tanks, Computer Control
Two Automated Stations
Price: \$16,000
Search: SC-860C



HTI Engineering Screen Printer Model HT
Digital XY Control
Javelin Monitor
Price: \$4500
Search: SC-8369



Bransop Reactor Center Model 11018
Internal: 10"(diam) x 18"(deep)
Price: \$1200
Search: SC-8041



MTI/VAC Seam Welder Autovac, Pedestal Saffrol
Price: \$22,000
Search: WA-801C

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this,  more Information is Available on our Website. Just Type in the Weblink Shown.

LRE
20

Temperature/Humidity Chambers Continued

Superior Chamber Control

Watview Software Available for Watlow F4 Programmable Controller



WATVIEW is the HMI (Human Machine Interface) package for Watlow controllers. Use WATVIEW to setup, monitor and edit the values of controller parameters, to monitor and manage alarms, manage recipes and log and graph process data.

Features Include

- Manage Multiple Controllers
- Monitor and Adjust Controller Settings
- Manage Alarms
- Controller Specific Tools
- Log Process Data
- Graph Process Data
- Personal Webserver
- Recipes
- Event Log
- Password Protection
- User Variables
- Online Help



For More Information on this Software, Please see: WWW.LRE.COM/34

ESPEC TEMPERATURE/HUMIDITY;MODEL #LHU-112; 19 X 15.5 X 23.5;-20 TO +85 DEG C;115V;1PH;15 AMPS
ESPEC DIGITAL;WINDOW;40% TO 95% RH
CH-700F.....\$Call

ETAK (JAPAN);#FH-1000; 19.5 X 23 X 29; 200V;3PH; 15.5 AMPS;-10 TO +100 DEG C;OTP;MICROPROCESSOR; ALL STAINLESS;WINDOW;20% TO 95% RH;WATER BOTTLE; SHELF;SOLD "AS IS"
CH-9384.....\$Call

HANKINSON AIR DRYER;#80100;230V;1PH;77 AMPS; 100 SCFM @ 100 PSIG & 100F INLET M.W.P. 175
CH-9900.....\$Call

LORANGER/DESPATCH;36X20X26;12 DEG C ABOVE AMBIENT TO +93 DEG C;208V;3PH;OTP;HONEYWELL DIGITAL; 2 EMI 20V/30A, 2-EMI-7.5V/115A/LORANGER #CC11H02-A
CH-363B.....\$Call

PNEUMATECH AIR DRYER;MODEL #ADA-20;115V;20 SCFM; 175 PSIG
CH-655D.....\$Call

RUSSELLS TEMP/HUMIDITY;MODEL #GD32-3;38X38X38; -24 TO +170 DEG C;230V;3PH;40 AMPS;OTP;NEW #F-4 MICROPROCESSOR W/ELEC SENSOR;HONEYWELL REC;2 6" SIDE PORTS;WINDOW;LIGHT;CASTORS;SHELF;SSI;ENV FRDLY REF
CH-636F.....\$Call

TENNEY;MODEL #BTR;20X20X22;-70 TO +170;208/230V; 1PH;NEW #F-4 MICROPROCESSOR W/ELECTRONIC SENSOR 2" SIDE PORT;OTP/UTP;WINDOW;STAINLESS STEEL INTERIOR;UPGRADED REFRIGERANTS
CH-973F.....\$Call

TENNEY;MODEL #BTRC;20X20X22;-65 TO +177 DEG C; 230V;1PH;35 AMPS;NEW WATLOW #F-4 MICROPROCESSOR & ELECTRONIC SENSOR;2" PORT;WINDOW;LIGHT;CASTORS; STAND W/CART;NO SHELF
CH-755F.....\$Call

TENNEY;MODEL #BTRS;20X20X22;208V;1PH;35 AMPS; NEW WATLOW #F-4 MICROPROCESSOR;NEW ELECTRONIC SENSOR;2" SIDE PORT;WINDOW;LIGHT;STAND W/CASTORS
CH-708F.....\$Call

TENNEY;MODEL #BTRS;20X20X22;230V;1PH;30 AMPS; VERSATENN III MICROPROCESSOR;2 2" SIDE PORTS; STAND W/CASTORS;WINDOW;LIGHT;SHELF;ELECTRONIC SENSOR
CH-709F.....\$Call

TENNEY;MODEL #T14-RS;28X26X34;-24 TO +170 DEG C; 230V;1PH;45 AMPS;NEW WATLOW #F-4 MICROPROCESSOR W/ ELECTRONIC SENSOR;2" SIDE PORT;CASTERS;
CH-259D.....\$Call

TENNEY;MODEL #T20RS;30X31X36;-20 TO +170 DEG C; 230V;27 AMPS;NEW WATLOW F-4 W/ELECTRONIC SENSOR; 4" SIDE PORT;20% TO 95% RH;HI-LOW LIMIT;WINDOW; LIGHT;CASTERS
CH-082D.....\$Call

TENNEY;MODEL #T-30RS;36X40X36;-24 TO +170 DEG C; 240V;1PH;NEW WATLOW #981 MICROPROCESSOR W/OTP-UTP; ENVIRONMENTALLY FREINDLY; CASTERS
CH-260D.....\$Call

TENNEY;MODEL #TH-27-3;38X26X48;-10 TO +93 DEG C; 208V;1PH;40 AMPS;NEW F-4 MICROPROCESSOR;UPGRADED REFRIGERANTS;WINDOW;LIGHT;CASTORS;SHELF;ELECTRONIC SENSOR;20% TO 95% RH
CH-533F.....\$Call

TENNEY;MODEL #TH-65;43.75 X 48 X 52;-18 TO +93 C; 208V;1PH;35 AMPS;OTP;VERSATENN III MICROPROCESSOR W/ELECTRONIC SENSOR;2 6" SIDE PORTS;R-22;CASTORS; 1 SHELF;STAINLESS STEEL INTERIOR
CH-293F.....\$Call

TENNEY;MODEL #TH-65-1;44X44X54;-15 TO +93 DEG C; 230V;1PH;40 AMPS;NEW WATLOW #F-4 MICROPROCESSOR; 1 6" SIDE PORT, 1 3" SIDE PORT, 1 5" DOOR PORT; WINDOW;UPGRADED REFRIGERANTS;20% TO 95% RH
CH-543F.....\$Call

TENNEY;MODEL #THJR;16X15X20;-18 TO +93 DEG C; 115V;15 AMPS;VERSATENN III MICROPROCESSOR W/WICK SYSTEM;2" SIDE PORT;TEMPGARD IV
CH-806F.....\$Call

TENNEY;MODEL #TR-40;39X5 X 44 X 40;-25 TO +170 C; 208V;1PH;50 AMPS;NEW WATLOW #F-4 PROGRAMMER;2 3" SIDE PORTS;20% TO 95% RH;WINDOW;LIGHT;CASTORS; ELECTRONIC SENSOR
CH-401F.....\$Call

TENNEY;MODEL #TR-40-1;40 X 43.5 X 40;-20 TO +170 DEG C;230V;1PH;VERSATENN MICROPROCESSOR W/WICK SYSTEM;#DR-4200EV-2 RECORDER;1.5" SIDE PORT;20% TO 95% RH;W/NEW F-4 & ELEC SENSR (NO RECORDER)\$12,900
CH-491C.....\$Call



MICROAUTOMATION WAFER CLEANER;MODEL #M-2006; PLASTIC DOOR BROKEN; Price: \$2200 Search: SC-843C



TEMPTRONIC THERMOSTREAM; MODEL #TPO-4000A-1821-2; Price: \$6500 Search: SC-545D



TRIO TECH PRESSURE TESTER; MODEL #G-488;7.75 X 8 2 TANK; DIGITAL CONTROL SYSTEM Price: \$750 Search: SC-206E



ULTRATECH RIGID DISC CLEANER;#1014 Price: \$4500 Search: SC-6326



UNGAR REFLOW/REMOVAL; MODEL #4700SMC/IC;115V; DIGITAL TEMPERATURE CONTROL Price: \$950 Search: SC-520A

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE
21

TENNEY;MODEL #TTRC;24X26X28;-70 TO +170 DEG C;
208/230V;1PH;24 AMPS;NEW #F-4 MICROPROCESSOR W/
ELECTRONIC SENSOR;2.5" SIDE PORT;NO WINDOW;
CASTORS;1 SHELF;NEW COMPRESSORS
CH-996F.....\$Call

THERMOTRON;MODEL #SM-32C;38X38X38;-70 TO +170 C;
230V;1PH;50 AMPS;OTP/UTP;NEW WATLOW
#F-4 W/ELECTRONIC SENSOR;2 4" PORTS;20% TO 95% RH;
UPGRADED REFRIGERANTS;WINDOW;LIGHT;CASTORS
CH-840F.....\$Call

THERMOTRON TEMP/HUMIDITY;MODEL #SM-32C;38X38X38;
-70 TO +170 DEG C;230V;3PH;45 AMPS;#2800 PROGRAMMR
W/WICK SYSTEM;#DR-4200GP REC;6" PORT;HP62/SUVA 95;
2 6" DOOR PORTS;WINDOW;LIGHT;CASTORS;W/F4 ELE SNSR
CH-826F.....\$Call

THERMOTRON WALK-IN CHAMBER;#WP605THCM2-10-10;
85X63X84;-55 TO +125C;480V;3PH;63A;NEW WATLOW #F-4
M/P W/ELEC SNSR;2 3" SIDE PORTS;OTP/UTP;SSI;WATER
COOLED COMPRS;20%-95% RH;UPGRADED REFRG;61X84 DOOR
CH-428F.....\$Call

THERMOTRON WALK-IN REF. PKG;#WP-904-CHM(-2);55.25
-45 TO +80C;460V;3PH;350A;4 25HP COMPRESSORS;
NO BOX;DUAL SYSTEM 5C;SOLD "AS IS"
CH-572C.....\$Call

THERMOTRON;MODEL #SM-16C;30X30X30;-65 TO +170 C;
230V;1PH;50 AMPS;2 6" DOOR PORTS, 1 4" SIDE PORT;
WINDOW;LIGHT;CASTORS;UPGRADED REFRIGERANTS
CH-427F.....\$Call

THERMOTRON;MODEL #SM-16S;30X30X30;;208V;1PH;45 AMP
OTP/UTP;NEW WATLOW MICROPROCESSOR #F-4
SENSOR;4" SIDE PORT;WINDOW;LIGHT;-24 TO +170 DEG C
CH-811E.....\$Call

THERMOTRON;MODEL #SM-16S;30X30X30;-24 TO +170 C;
460V;1PH;25 AMPS;OTP;4 6" SIDE PORTS;20% TO 95% RH
WINDOW;LIGHT;CASTORS;NEW WATLOW #F-4 W/ELECTRONIC
SENSOR;UPGRADE TO AIR-COOLED
CH-633F.....\$Call

THERMOTRON;MODEL #SM3.5S;16X17X20;-24 TO +170 C;
#2800 PROGRAMMR W/WICK SYSTEM;1.5" SIDE PORT;
SHELF;STAINLESS STEEL INTERIOR;WINDOW
CH-659F.....\$Call

THERMOTRON;MODEL #SM3.5S;16X18X20;-24 TO +93 DEG C
115V;16 AMPS;4" SIDE PORT;20% TO 95% RH;WINDOW;
SHELF;STAINLESS STEEL INTERIOR;RECIRCULATING SYSTEM
CH-580F.....\$Call

THERMOTRON;MODEL #SM-32C;38X38X38;-70 TO +170 C;
208V;1PH;56 AMPS;NEW WATLOW #F-4 W/ELECT;4 6" SIDE
PORTS;WINDOW;LIGHT;CASTORS;SHELF;20% TO 95% RH;
INSIDE DOOR W/WINDOW;NEW AIR-COOLED COMPRES
CH-807F.....\$Call

THERMOTRON;MODEL #SM-8C;24X24X24;-65 TO +170 DEG C
230V;3PH;25 AMPS;#2800 MICROPROCESSOR W/THERMALARM
HONEYWELL #DR-45A2 REC;2 2" PORTS;HP80/R-23;WINDOW
LIGHT;CASTORS;20% - 95% RH;RECIRC SYS W/PUMP-FILTR
CH-762F.....\$Call

Temperature Chambers

All these chambers include mechanical refrigeration. Typically two compressors are required for temperatures below -40C. LN2 or CO2 Boost can be installed to enhance the rate of cooling.

ASSOCIATED;MODEL #FX-2116;30X30X30;230V;3PH;
-70 TO +170 DEG C;NEW WATLOW PROGRAMMR W/HI-LOW
LIMIT;6" SIDE PORT;WINDOW;LIGHT;CASTERS;UPGRADED
REFRIGERANTS
CT-476E.....\$Call

ASSOCIATED;MODEL #SD-305;20X20X20;-70 TO +170 C;
208V;1PH;OTP/UTP;NEW WATLOW PROGRAMMR;
1.5" SIDE PORT;WINDOW;STAINLESS STEEL INTERIOR;
UPGRADED REFRIGERANTS
CT-839F.....\$Call

ASSOCIATED;MODEL #SK-3108;24X24X24;-65 TO +177 C;
240V;1PH;NEW WATLOW PROGRAMMR;SHELF;STAINLESS
STEEL INTERIOR;WINDOW;LIGHT
CT-486F.....\$Call

ASSOCIATED;MODEL #SK-3108;24X24X24;-70 TO +170
DEG C;230V;20 AMPS;NEW WATLOW PROGRAMMR #981;
UPGRADED REFRIGERANTS;WINDOW
CT-862E.....\$Call

BEMCO FAST RAMP;MODEL #KDCL-2;48X56X75;480V;3PH;
100KW;WATLOW MICROPROCESSOR #F-4 W/HI-LOW LIMIT;
6" SIDE PORT;10 DEG C PER MINUTE;0 TO 70 C;
OD 96X60X120;REF PACKAGE 58X108X94
CT-336E.....\$Call

**Lowest Cost
Temperature
Chamber of this Size
in the World!**



Price too low to Publish - Please Call

LR TECHNOLOGIES Model LR-SD-302

Specifications

Internal Volume: 2 cu ft
Internal Dimensions: 15"(w)
x 15"(d) x 16"(h)

Temperature Range: -66C to +177C
Mechanical Refrigeration

Watlow SD Programmable
Controller

S/Steel Interior, Window in Door
2" Diameter Feed-Thru Port in
Right Wall

Optional RS-232 Interface Available

Power: 120V

For More Details and Photographs
See: WWW.LRE.COM/3



CAMALOT DISPENSER;MODEL #2800;
120V;10 AMPS;DISPENSES XYZ;
18X18 TRAVEL;HIGH SYSTEM
TRACK BALL;\$6000.00 TO
REGISTER SOFTWARE;
Price: \$19,500
Search: SC-809E



ELECTROGLAS PROBER;
MODEL #131;W/STEREOZOOM 4;
3-MODEL 250AL PROBE ARMS;
Price: \$1850
Search: SC-702C



ELECTROVERT WAVE DIPPER;
#WDC36-HT;
Price: \$2200
Search: SC-409B



K & S BONDER;
DIGITAL R/O MISSING,
NO WORK HOLDER,
Price: \$2500
Search: SC-961D



K & S BONDER;
MODEL #4123;
Price: \$2200
Search: SC-812E

Ovens and Environmental Chambers are LRE CERTIFIED Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

Temperature Chambers Continued

BEMCO FAST RAMP;MODEL #KDCL-2;48X56X75;480V;3PH;
100KW;NEW WATLOW PROGRAMMER W/HI-LOW LIMIT;6" SIDE
PORT;10 DEG C PER MINUTE;0 TO 70C;OD 96X60X120;
REF. PACKAGE 58X108X94
CT-348E.....\$Call

BEMCO FLOOR STANDING TEMPERATURE CHAMBER;#FB1.5V;
14X12X15;-73 TO +177 DEG C;120V;20A;NEW WATLOW
#982 PROGRAMMABLE CONTROLLER
CT-8445.....\$Call

BEMCO; #F-100/400-8;24X24X24;-100+400F;480V;3PH;
19AMP;WINDOW;LIGHT;CO-2 BOOST;
CT-6561.....\$Call

BEMCO;MODEL #F-100/350-16;30X28X30;230V;1PH;59 AMP
OTP/UTP;NEW WATLOW PROGRAMMER;6" SIDE PORT. 2.5"
SIDE PORT;WINDOW;LIGHT;SHELF;CASTORS;UPGRADED
REFRIGERANTS;CO2 BOOST
CT-859F.....\$Call

BEMCO;MODEL #F-100/350-27;36X36X36;230V;1PH;35 AMP
-65 TO +170 DEG C;2 5.75 SIDE PORTS;CASTORS;
UPGRADED REFRIGERANTS
CT-367F.....\$Call

BEMCO;MODEL #F100/350-27;36X36X36;-65 TO +170 C;
208V;1PH;55 AMPS;OTP/UTP;NEW WATLOW PROGRAMMER;
2 6" SIDE PORTS;SUV9 95 & 404A;CASTORS;SHELF
CT-635F.....\$Call

BEMCO;MODEL #F100/350-8;24X24X24;208V;1PH;41 AMPS;
OTP/UTP;NEW WATLOW PROGRAMMER;2.75" & 6" SIDE PORT
CASTERS;NEW
CT-459F.....\$Call

BEMCO;MODEL #F-100/350-8;24X24X24;230V;1PH;35 AMPS
-65 TO +170 DEG C;OTP/UTP;NEW PROGRAMMER;1 2.5" &
1 6" SIDE PORTS;CASTORS;SHELF;UPGRADED REFRIGERANT
CT-373F.....\$Call

BEMCO;MODEL #F100/350-8;24X24X24;-65 TO +170 DEG C
220V;1PH;36 AMPS;OTP/UTP;NEW WATLOW PROGRAMMER;
3 7/8" SIDE PORT;UPGRADED REFRIGERANTS
CT-457F.....\$Call

BEMCO;MODEL #F100350-8;24X24X24;-65 TO +170 DEG C;
208V;1PH;40 AMPS;OTP/UTP;NEW WATLOW PROGRAMMER;
4" & 2" SIDE PORTS;WINDOW;LIGHT;CASTORS;UPGRADED
REFRIGERANTS
CT-538F.....\$Call

Taking a Chance?

Why "Roll the Dice" when
Purchasing Used
Environmental Chambers
or Ovens - When you can
purchase a **CERTIFIED**
Refurbished unit from
LRE Without the Risk.



We Take the Risk
out of Purchasing
Used Ovens & Chambers

CERTIFIED

BEMCO;MODEL #F10-100/500-10S;24X24X30;-60 TO +250
DEG C;460V;3PH;26 AMPS;OTP;NEW WATLOW #981 M/P W/
HI-LOW LIMIT;WINDOW;LIGHT;SHELF;REMOTE CONSOLE
CT-525B.....\$Call

BEMCO;MODEL #FB1-5100350;14X14X14;115V;20 AMPS;
-70 TO +170 DEG C;NEW WATLOW MICROPROCESSOR #981;
STAINLESS STEEL INTERIOR
CT-345E.....\$Call

BEMCO;MODEL #FB1.5VW;14X12X15;-100 TO +350 DEG F;
110V;28 AMPS;OTP/UTP;WATLOW #942 MICROPROCESSOR;
3 2.5" SIDE PORTS;WINDOW;LIGHT;SHELF;CASTERS
CT-424B.....\$Call

BEMCO;MODEL #KDCL-2;48X56X75;0 TO 70 DEG C;480V;
3PH;422 AMPS;OTP/UTP;WATLOW MICROPROCESSOR #F-4;
1 6" SIDE PORT;2 SECTIONS;REFRIG. 58-108X94
CT-346E.....\$Call

BEMCO;MODEL #KDCL-2;48X56X75;0 TO 70 DEG C;480V;
3PH;422 AMPS;OTP/UTP;WATLOW MICROPROCESSOR #F-4;
1 6" SIDE PORT;2 SECTIONS;REFRIG. 58-108X94
CT-347E.....\$Call

BLUE M FAST RAMP;MODEL #VRC08-PS-3WG;24X24X24;-70
TO +170 DEG C;480V;3PH;30 AMPS;OTP/UTP;MICRISTAR
MICROPROCESSOR;#AR-100 RECORDER;2" SIDE PORT;SHELF
WATER COOLED COMPRESSOR
CT-498C.....\$Call

BLUE M FAST RAMP;MODEL #VRC08-PW-3WG;24X24X24;-70
TO +170 DEG C;480V;3PH;30 AMPS;OTP/UTP;#JC-600
MICROPROCESSOR;#AR-100 RECORDER;SHELF;WATER
COMPRESSORS
CT-497C.....\$Call

BLUE M;#1002-3TPB-X88;14X14X14;-100 TO+350F, 208V,
47AMP;OTP/UTP;WATER COOLED COMPRESSOR;CASTERS;
#981 MICROPROCESSOR;HI-LOW LIMIT
CT-7113.....\$Call

BLUE M;#1004-8CMP-2;24X24X24;-73+204C;240 VOLT;
1 PH; 28 AMP; OTP; MICRISTAR M/P;#AR-100 RECORDER;
GAUGE PACKAGE; SHELF;
CT-8394.....\$Call

BLUE M;BIC-80GMP-X252;48X48X60;-20+125C;480V;3PH;
132AMP;48KW;OTP/UTP;MICRISTAR MICROPROCESSOR;
RECORDER;6C PER MINUTE;SOLD "AS IS"
CT-6083.....\$Call



Edwards Vacuum Pump
Model E2M2
Price: \$700
Search: VA-9423
MANY OTHER VACUUM
PUMPS AVAILABLE
PLEASE INQUIRE



Leybold Hereaus
Cryogenic Refrigeration System
Model RW3
Price: \$2500
Search: LE-797A



CTI Refrigeration
Model 8510
Price: \$2400
Search: VA-308D
OTHERS AVAILABLE
PLEASE INQUIRE



Everett Charles PGA
Tester Model Kryterion 4000
Hitachi Robot Arms
Price: \$5000
Search: SC-971C

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this,  more Information is
Available on our Website. Just Type in the Weblink Shown.

LRE

Temperature Chambers Continued

BLUE M;MODEL #1004-8B-1;24X24X24;-65 TO +200 DEG C
208V;1PH;24 AMPS;OTP/UTP;NEW WATLOW PROGRAMMER;
6" & 2" SIDE PORTS
CT-394F.....\$Call

BLUE M;MODEL #1004-8C-MP3;24X24X24;240V;1PH;57 AMP
-70 TO +170 DEG C;NEW WATLOW MICROPROCESSOR #981;
PARTLOW RECORDER #BL7000;2 2" SIDE PORTS;WINDOW;
LIGHT;CASTERS;SHELF
CT-052E.....\$Call

BLUE M;MODEL #ETC-09D-6;23.5 X 24 X 27.5;
-70 TO +190 DEG C;480V;3PH;4 10X2 PORTS, 1 2.5"
SIDE PORT;R-507/508;WINDOW;LIGHT;SHELF;CASTORS;
STAINLESS STEEL INTERIOR
CT-825F.....\$Call

BLUE M;MODEL #ETC-09D-KY;23X25X26;415V;3PH;31 AMPS
-70 TO +190 DEG C;PRO 550 PROGRAMMER;3 3" PORTS;
50 CYCLE;WATER COOLED;WINDOW;LIGHT;CASTORS; RS-232
CT-577F.....\$Call

BMA;#TM8C;24X24X24;208/220V;1PH;23A;OTP;6" PORT;
NEW WATLOW #942 MICROPROCESSOR;STAND
CT-8071.....\$Call

BMA;MODEL #TM-8C;243X24X24;-65 TO +170 DEG C;220V;
1PH;23 AMPS;NEW WATLOW PROGRAMMER #981;4" & 1.5"
SIDE PORTS;WINDOW;STAND W/CASTORS;CASCADE;1 SHELF;
NEW HI-LOW LIMIT;UPGRADED REFRIGERANTS
CT-382F.....\$Call


BMA;MODEL #TMV-8CN;24X23X24;-60 TO +177 DEG C;208V
3PH;26 AMPS;WATLOW #942 MICROPROCESSOR W/HI-LOW
LIMIT;CASTERS
CT-792C.....\$Call

CSZ CHAMBER;MODEL #RC3-27-3-S/AC;36X36X36;208V;
3PH;23 AMPS;OTP/UTP;NEW WATLOW #981
1 3" PORT, 2 5/8" PORTS;WINDOW;LIGHT;CASTERS
CT-615C.....\$Call

CSZ UPRIGHT FREEZER;MODEL #WU11S-XX-XS;18X18X60;
-60 DEG C;240V;3PH;14 AMPS;NEW WATLOW SINGLE SET;
UTP;STAINLESS STEEL INTERIOR
CT-299F.....\$Call

CSZ;MODEL #Z16-2-2-H-W/C;30X30X30;-70 TO +170 C;
230V;3PH;39 AMPS;404 & 23;WATER COOLED COMPRESSOR
CT-507F.....\$Call

CSZ;MODEL #Z16-2-2-H-W/C;30X30X30;-70 TO +170 C;
230V;3PH;39 AMPS;404 & 23;WATER COOLED COMPRESSOR
CT-505F.....\$Call



CSZ;MODEL #Z-32;38X38X38;-65 TO +170 DEG C;240V;
3PH;NEW WATLOW PROGRAMMER;3" SIDE PORT;SHELF;
CASTORS;WINDOW;LIGHT
CT-471F.....\$Call

DESPATCH;#16207;20X24X25;-20 TO +177 DEG C;230V;
1PH;20 AMPS;OTP;PARTLOW #MIC-6000 MICROPROCESSOR;
1 2" PORT;CASTERS
CT-9476.....\$Call

DESPATCH;MODEL #16212 SPECIAL;27X23X28;480V;3PH;
-10 TO +170 DEG C;8KW;OTP;WATLOW #920 MICRO-
PROCESSOR;2 4" SIDE PORTS;STAINLESS STEEL INTERIOR
CASTERS;SHELF;SOUNDPROOF PACKAGE;80 PSI GN2 PURGE
CT-389D.....\$Call

DESPATCH;MODEL #LEY1-35T;11X20X24;208/230V;1PH/3PH
24/19 AMP;4" SIDE PORT;WINDOW;LIGHT;SHELVES
CT-148E.....\$Call

ESPEC FAST RAMP;MODEL #ET33CPW;29X29X65
-20 TO +150 DEG C;208/230V;3PH;50 AMPS;NEW WATLOW
PROGRAMMER;2 4" SIDE PORTS;CASTORS;404A;STAINLESS
STEEL INTERIOR;WATER COOLED COMPRESSOR
CT-761F.....\$Call

ESPEC;#PR-3SP;21X31X33;-15 TO +50 DEG C;200V;3PH;
11 AMPS;OTP;#EY-101 MICROPROCESSOR;ALL STAINLESS;
7.5 X 19 AIR OPERATED ACCESS DOOR;WINDOW;CASTERS;
CROSSFLOW CIRCULATION;OZONE FRIENDLY
CT-9651.....\$Call

ESPEC;#PR-3SP;23X31X33;-15 TO +50 DEG C;200V;3PH;
11 AMPS;200V;3PH;OTP;MICROPROCESSOR #EY-101;
7.5 X 19 AIR OPERATED ACCESS DOOR;WINDOW;CASTERS;
ALL STAINLESS;CROSSFLOW CIRCULATION;OZONE FRIENDLY
CT-9679.....\$Call

ESPEC;#PR3SP;23X31X33;-15 TO +50 DEG C;200V;3PH;
11 AMPS;ESPEC MICROPROCESSOR #EY-101;ALL STAINLESS
7.5 X 19 AIR OPERATED ACCESS DOOR;WINDOW;CASTERS;
CROSSFLOW CIRCULATION;OZONE FRIENDLY
CT-9648.....\$Call

ESPEC;#PR3SP;23X33X35;-15 +50 DEG C;200V;3PH;
11 AMPS;OTP;#EY-101 MICROPROCESSOR;ALL STAINLESS;
7.5 X 19 AIR OPERATED ACCESS DOOR;WINDOW;CASTERS;
CROSSFLOW CIRCULATION;OZONE FRIENDLY
CT-9645.....\$Call

FORMA SCIENTIFIC BIO-FREEZER;MODEL #8459;66X27X18;
120V;10 AMPS
CT-397F.....\$Call



LEYBOLD HERAEUS VACUUM PUMP;
#D-16A;115/230V;1PH;1HP
Price: \$1250
Search: VA-9840



LEYBOLD HERAEUS BLOWER SYSTEM;
#WA-250;E-75 PUMPW/FILTER SYSTEM
Price: \$2500
Search: VA-242A



COLD VACUUM SYSTEM TRAP
CHILLER,2-SYSTEM CAPABLE
Price: \$1800
Search: VA-8135



BRANSON/IPC;MODEL #4055/2;
9X21X9;S-3000 CONTROLLER
ASSEMBLY 14643-01 REV A;
PM-119 RF GENERATOR;
PART #03100-02 REV X;
Price: \$8000
Search: SC-397A

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire


Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

Temperature Chambers Continued

Our Equipment can Simulate Almost Any Environment



For Latest Listing of all our Environmental Test Chambers, Please See: WWW.LRE.COM



KELVINATOR FREEZER CHEST;MODEL #UC1030-A14; 35X26X19;115V;16 AMPS;UL LISTED
CT-810E.....\$Call

KELVINATOR;MODEL #1;26X27X21;-10 DEG C;120V; SOLD "AS IS - WORKING"
CT-790E.....\$Call

LUNAIRE STEADY STATE;MODEL #CEO-932-02;33X28X58; 0 TO 99 DEG C;230V;1PH;20 AMPS;OTP;WATLOW MICRO-PROCESSOR #942;STAINLESS STEEL INTERIOR;3 SHELVES OD 40X38X89
CT-337E.....\$Call

LUNAIRE;MODEL #CEU932W-2;33X28X60;230V;1PH;21 AMPS WATLOW SINGLE SET DIGITAL;UTP
CT-820E.....\$Call

RANSCO FAST RAMP;MODEL #1310M;24X24X30;-70 TO +170 DEG C;480V;3PH;35 AMPS;8" PORTS;3 DEG OVER RANGE; NEW WATLOW #981 MICROPROCESSOR W/HI-LOW LIMIT; AIR COOLED
CT-734C.....\$Call

RANSCO;#1310M;24X24X36;-100 TO +350 DEG F;230V; 105A;3PH;RECORDER;JC #620 MICROPROCESSOR;FAST RAMP WATER COOLED COMPRESSOR;UPGRADED REFRIGERENTS
CT-7885.....\$Call

RANSCO;MODEL #1132M;36X38X42;-18 TO +100 DEG C; 460V;3PH;125 AMPS;OTP;MICRISTAR #R-1 MICROPROCESSOR #AR-100 RECORDER;2 2" SIDE PORTS;VERTICLE PASS THRU;WATER COOLED;6.5 HP
CT-385C.....\$Call

RANSCO;MODEL #16207;20X24X24;-29 TO +177 DEG C; 208V;1PH;23 AMPS;OTP;WATLOW #942 MICROPROCESSOR; RECORDER #AR-100;1 1/2" SIDE PORT;WINDOW;LIGHT; CASTERS;SHELF
CT-359B.....\$Call

RANSCO;MODEL #16307-1;20X24X24;-70 TO +170 DEG C; NEW #981 MICROPROCESSOR W/HI-LOW LIMIT;2 1.5" SIDE PORTS;WINDOW;CASTERS
CT-762C.....\$Call

RUSSELLS FAST RAMP;MODEL #RB16-5-5AC;30X30X30; -65 TO +170 DEG C;460V;3PH;37 AMPS;JC SYSTEMS #600 MICROPROCESSOR;2 6" SIDE PORTS;WINDOW;CASTORS; RECORDER;UPGRADED REFRIGERANTS
CT-399F.....\$Call

RUSSELLS;MODEL #RB27-2-2;36X36X36;460V;3PH;42 AMPS -60 TO +170 DEG C;JC SYSTEMS MICROPROCESSOR #5/0; 2 3" & 1 4" SIDE PORTS;WINDOW;LIGHT;HI-LOW LIMIT; REMOTE CONSOLE;NEW REFRIGERENTS
CT-891B.....\$Call

RUSSELLS;#RB-16-255;30X30X30;-24 TO +177 DEG C;460V 80A;3PH;OTP/UTP;6" PORT;WINDOW;WATER COOLED COMPRESSOR;20 HP COMPRESSOR FAST COOL
CT-7356.....\$Call

SO LOW FREEZER CHEST;MODEL #PRO 50-E;30X16X18; -50 DEG F;115V;ANALOG CONTROL
CT-753C.....\$Call

SO-LOW FREEZER;MODEL #PR450-12;55 X 18.5 X 20; -50 DEG;115V;70 AMPS;OD 66X34X48
CT-717E.....\$Call

SO-LOW ULTRA LOW TEMPERATURE FREEZER;MODEL #C80-27 66X30X22;-40 TO -80 DEG C;208V;1PH;DIGITAL CONTROL
CT-390F.....\$Call

SO-LOW;MODEL #C80-27;66X30X22;-40 TO -80 DEG C; 208V;1PH;DIGITAL CONTROL
CT-396F.....\$Call

TENNEY;#BTC, 20 X 20 X 22,-70 TO +170C, 208/220 VOLT, 1 PHASE, 30 AMPS, WINDOW,LIGHT, NEW WATLOW #981/2 M/P, HI/LOW LIMIT, UPGRADED REFRIGERANTS.
CT-949D.....\$Call

TENNEY;MODEL #BTC;20X20X22;-70 TO +170 DEG C; 230V;1PH;28 AMPS;OTP/UTP;NEW WATLOW PROGRAMMER; 2" SIDE PORT;STAND W/CASTORS;SHELF;UPGRADED REFRIGERANTS
CT-735F.....\$Call

TENNEY;MODEL #BTC;20X20X22;-70 TO +170 DEG C;230V; 1PH;30 AMPS;WALTOW MICROPROCESSOR #942;HI-LOW LIMIT;HONEYWELL TRULINE RECORDER;4" SIDE PORT; UPGRADED REFRIGERANTS;STAND W/CASTORS
CT-331F.....\$Call

TENNEY;MODEL #BTC;20X20X22;-70 TO +170 DEG C;230V; 1PH;30 AMPS;OTP;4" SIDE PORT;WINDOW; CASTORS W/STAND;VERSATENN III;R-23/R-22
CT-752F.....\$Call

TENNEY;MODEL #JR;16X11X12;-20 TO +170 DEG C; WATLOW #942 PROGRAMMER;UPGRADED REFRIGERANTS; SINGLE STAGE
CT-593F.....\$Call



ZEISS MICROSCOPE;
MODEL #61087
Price: \$4500
Search: ZM-139C



AUSTIN SCIENTIFIC
EBARA CRYO PUMP;
MODEL #FS-8
Price: \$1200
Search: VA-951A



CTI CRYO REFRIGERATION SYSTEM;
MODEL #1020R;8031023G003;
AIR COOLED;12,250 HOURS
Price: \$4500
Search: VA-184B



DENTON VACUUM SYSTEM;MODEL #DESK II;5.5 X 3.5;115V;
GUARANTEED OPERATIONAL
Price: \$5200
Search: VA-599E

Ovens and Environmental Chambers are LRE CERTIFIED Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE
25

Temperature Chambers Continued

TENNEY;MODEL #JR;16X11X12;-70 TO +170 DEG C;
NEW WATLOW #981 MICROPROCESSOR;WINDOW;OLD STYLE
DOOR
CT-094E.....\$Call

TENNEY;MODEL #JR;16X11X12;-70 TO +170 DEG C;115V;
2" SIDE PORT;UPGRADED REFRIGERANTS;WINDOW;
NEW WATLOW PROGRAMMER
CT-525F.....\$Call

TENNEY;MODEL #JR;16X11X12;-70 TO +170 DEG C;120V;
1PH;NEW WATLOW MICROPROCESSOR #981;2.5" SIDE PORT;
UPGRADED REFRIGERENTS
CT-270F.....\$Call

TENNEY;MODEL #JR;16X11X12;-70 TO +170 DEG C;120V;
1PH;20 AMPS;NEW MICROPROCESSOR PROGRAMMER #981;
2" SIDE PORT;STAINLESS STEEL INTERIOR
CT-251F.....\$Call

TENNEY;MODEL #JR;16X11X12;-70 TO +170 DEG C;120V;
NEW WATLOW PROGRAMMER;2" PORT
CT-772F.....\$Call

TENNEY;MODEL #JR;16X11X12;-70 TO +170 DEG C;120V;
NEW WATLOW PROGRAMMER;WINDOW
CT-575F.....\$Call

TENNEY;MODEL #T-10C;24X26X28;-70 TO +170 DEG C;
208V;1PH;40 AMPS;WATLOW #942 MICROPROCESSOR;
HIGH-LOW LIMIT;6" SIDE PORT;CASTERS
CT-420D.....\$Call

TENNEY;MODEL #T-10C;24X26X28;-70 TO +170 DEG C;
208V;1PH;40 AMPS;OTP;NEW WATLOW SD MICROPROCESSOR;
SHELF;UPGRADED REFRIGERANTS
CT-759F.....\$Call

TENNEY;MODEL #T-10C;24X26X28;-70 TO +170 DEG C;
208/220V;1PH;40 AMPS;OTP/UTP;NEW WATLOW PROGRAMMER
#981;6" PORT;UPGRADED REFRIGERENTS;CASTERS;LIGHT
CT-844E.....\$Call

TENNEY;MODEL #T-10C;24X26X28;-70 TO +170 DEG C;
208/220V;1PH;40 AMPS;OTP/UTP;NEW WATLOW PROGRAMMER
#981;6" PORT;UPGRADED REFRIGERENTS;CASTERS;LIGHT
CT-854E.....\$Call

TENNEY;MODEL #T11C-2;26X26X28;-70 TO +170 DEG C;
208V;1PH;55 AMPS;VERSATENN IV MICROPROCESSOR;
TEMPGARD IV;2 4" SIDE PORTS;R-404A, SUVA 95;
WINDOW;LIGHT;CASTORS;WATER-COOLED COMPRESSORS
CT-827F.....\$Call

TENNEY;MODEL #T-14;27 X 25.5 X 34;440V;3PH;
-70 TO +170 DEG C;NEW WATLOW #981 MICROPROCESSOR
W/HI-LOW LIMIT;1 2" SIDE PORT;WINDOW;CASTERS;LIGHT
CT-445C.....\$Call

TENNEY;MODEL #T20C;30X30X36;-65 TO +170 DEG C;208V
1PH;45 AMPS;VERSATENN MICROPROCESSOR;2" SIDE PORT;
TEMPGARD II HI-LOW LIMIT
CT-150D.....\$Call

TENNEY;MODEL #T20C-3;30X32X36;-70 TO +170 DEG C;
208V;1PH;40 AMPS;OTP/UTP;MICROPROCESSOR #942 W/
TEMPGARD IV;1.5" SIDE PORT;WINDOW;LIGHT;CASTORS;
R-404A, R-23;100 PSI;LN2 BOOST;RS-232
CT-420F.....\$Call

TENNEY;MODEL #T20S;29.75 X 32 X 35.75;230V;1PH;30A
-25 TO +170 DEG C;OTP/UTP;NEW WATLOW PROGRAMMER;
4" & 6" SIDE PORTS;SHELF;STAINLESS STEEL INTERIOR;
WINDOW;LIGHT;CASTORS;UPGRADED REFRIGERANTS
CT-718F.....\$Call

TENNEY;MODEL #T-30C;36X40X36;230V;1PH;35 AMPS;
OTP/UTP;NEW WATLOW PROGRAMMER;2 5" SIDE PORTS;
WINDOW;LIGHT;CASTORS;SHELF;UPGRADED REFRIGERANTS
CT-349F.....\$Call

TENNEY;MODEL #T-30C;36X40X36;-65 TO +170 DEG C;
208V;1PH;45 AMPS;NEW WATLOW PROGRAMMER;2 5.75"
SIDE PORTS;WINDOW;LIGHT;SHELF;CASTORS;UPGRADED
REFRIGERANTS;HI-LOW LIMIT
CT-369F.....\$Call

TENNEY;MODEL #T5;20X21X19;-70 TO +170 DEG C;208V;
1PH;30 AMPS;OTP/UTP;NEW WATLOW MICROPROCESSOR
4" PORT;WINDOW;CASTERS;LIGHT;UPGRADED
O.D. 40X33X78
CT-526E.....\$Call

TENNEY;MODEL #T6C;20.75 X 21 X 22;-65 TO +170 C;
208V;1PH;35 AMPS;OTP/UTP;NEW WATLOW PROGRAMMER;
4" SIDE PORT;CASTORS;SHELF
CT-278F.....\$Call

TENNEY;MODEL #T-6C;20X21X23;-65 TO +170 DEG C;
208V;1PH;35 AMPS;OTP/UTP;NEW WATLOW PROGRAMMER;
3" SIDE PORT;SHELF;CASTORS;SOUNDPROOF PACKAGE;
UPGRADED CFC
CT-351F.....\$Call



**We have 100's of
Environmental Chambers
Available - If you cannot find
what you need in this catalog,
Please contact us - We
Will Help You Find it!**



NEY U/S CLEANER BASIC CLEANING
SYSTEM;OD 72X60X52;
208V;3PH;35 GAL. U/S SPRAY;
21.75 X 29 X 27;EXTENDER ADDS 12"
Price: \$9500
Search: DG-542F



HUGHES PARALELL GAP WELDER;
MODEL #MCW-550-CO2;120V;
COMP. W/MICROWELD VTA 96 HD;
B & L STEREOZOOM 4 W/FOOT PEDAL;
GOAL POST ASSEMBLY



HUGHES WELD POWER SUPPLY
& HED;MODEL #HRW-250;
VTA 60 HEAD - ON PLATFORM



MYACHI TECHNOS WELD POWER
SUPPLY INVERTER;MODEL #1P-215A
Price: \$1800
Search: WA-597E

**Ovens and Environmental Chambers are LRE CERTIFIED Refurbished and Sold with a Warranty
For all other Equipment, please Inquire**

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is
Available on our Website. Just Type in the Weblink Shown.

LRE
26

Temperature Chambers Continued

TENNEY;MODEL #TTC;24X26X27;-70 TO +170 DEG C;
208/220V;1PH;40 AMPS;NEW WATLOW #981 MICROPROCESSR
W/HI-LOW LIMIT;LIGHT;CASTERS
CT-383D.....\$Call

TENNEY;MODEL #TTC;24X26X28;-65 TO +170 DG C;208V;
1PH;40 AMPS;OTP/UTP;NEW PROGRAMMER;1 6" & 1 5"
SIDE PORTS;UPGRADED FREON;CASTORS;SHELF
CT-350F.....\$Call

TENNEY;MODEL #TTC;24X26X28;-70 TO +170 DEG C;208V;
1PH;40 AMPS;WATLOW PROGRAMMER #942;2 6" SIDE PORTS
945 HIGH/LOW LIMIT;SHELF;CASTORS;UPGRADED
REFRIGERANTS
CT-308F.....\$Call

TENNEY;MODEL #TTC;24X26X28;-70 TO +170 DEG C;208V;
1PH;40 AMPS;NEW WATLOW MICROPROCESSOR #981 W/HI-
LOW LIMIT;6" SIDE PORT;CASTERS;UPGRADED
REFRIGERANTS;LIGHT;NO WINDOW
CT-273F.....\$Call

TENNEY;MODEL #TTC;24X26X28;-70 TO +170 DEG C;230V;
1PH;40 AMPS;NEW WATLOW MICROPROCESSOR W/HI-LOW
LIMIT;6" SIDE PORT;UPGRADED REFRIGERANTS;CASTORS;
SHELF
CT-344F.....\$Call

TENNEY;MODEL #TTC;24X26X28;-70 TO +170 DEG C;230V;
1PH;40 AMPS;NEW WATLOW MICROPROCESSOR W/HI-LOW
LIMIT;6" SIDE PORT;UPGRADED REFRIGERANTS;CASTORS;
SHELF
CT-345F.....\$Call

TENNEY;MODEL #TUJR;16X11X12;-70 TO +170 DEG C;115V
18 AMPS;WATLOW #942 MICROPROCESSOR;2 2" SIDE PORTS
CASTORS;SHELF;STAINLESS STEEL INTERIOR;SUVA 95; 404A
CT-836F.....\$Call

TENNEY;MODEL #TUJR;16X11X12;-70 TO +170 DEG C;115V
1PH;20 AMPS;WATLOW #942 MICROPROCESSOR W/RS-232;
2" SIDE PORT;STAINLESS STEEL INTERIOR;CASTORS;
UPGRADED REFRIGERANTS
CT-677F.....\$Call

THERMAL INDUSTRIES;MODEL #TC8;24 X 23.5 X 24;
-30 TO +170 DEG C;230V;3PH;WATLOW MICROPROCESSOR
#920;2 2 7/8" PORTS;WINDOW;LIGHT;CASTORS;STAINLESS
STEEL INTERIOR;MFG OUT OF BUSINESS
CT-725F.....\$Call



Steady State/Stability Chambers

— BRAND NEW —

LR TECHNOLOGIES
Now Offers a full range of:

- Stability Chambers
- Laboratory Incubators
- Freeze Thaw Chambers
- Insect Rearing Chambers
- Laboratory Freezers

For More details, please see:
WWW.LRE.COM/31



THERMAL INDUSTRIES;MODEL #TC-8;24X24X24;230V;3PH;
40 AMPS;-70 TO +170 DEG C;WATLOW PROGRAMMER;
STAINLESS STEEL INTERIOR;CASTORS;SHELF;NO WINDOW;
CT-644F.....\$Call

THERMOTRON REFRIGERATION PACKAGE;MODEL #705/705;
208V;3PH;WATER COOLED;SOLD "AS IS"
CT-112E.....\$Call

THERMOTRON TEMPERATURE CHAMBER;#M-11-CH-2-S;208V;
3PH;27A;I.D. 24X24X24; 3" PORT; 2 HEAT EXCHANGERS
INSIDE CHAMBER;SPECIAL;SHELF;SINGLE STAGE WATER
COOLED;18" VIEWING PORT;ANALOG SINGLE S/P CONTROL
CT-8586.....\$Call

THERMOTRON UPRIGHT FREEZER ADJUSTABLE;
MODEL #F-ZU13-956325;5 CHAMBER 23X18X10;-75 DEG C;
240V;1PH;15 AMPS;UTP
CT-918C.....\$Call

THERMOTRON;#EL-1200;20X20X20;-70 TO+170C;220V;
1PH; 20 AMPS; NEW WATLOW#981/2 M-P. OTP/UTP;
WINDOW, LIGHT CASTERS, NEW COMPRESSORS;
CT-838D.....\$Call

THERMOTRON;#S-1.2C;16X11X12;-100 TO +350 DEG F;
120V;NEW WATLOW MICROPROCESSOR #981
CT-9964.....\$Call

THERMOTRON;#S-8C;24X24X24;-70 TO +170 DEG C;230V;
3PH;#2800 MICROPROCESSOR W/THERM ALARM;#4200 HONEY
WELL REC;2" SIDE PORT;ENV. FRIENDLY REFRIGERANTS;
WINDOW;LIGHT;CASTERS;NO PAINT
CT-631C.....\$Call

THERMOTRON;#SX-35-5-5;38X39X42;240/460V;3PH;OTP;
-73 +177C;THERMOTRON #4800 M/P W/HI-LOW LIMIT;KENT
#P-105 REC;6" PORT;CONVERTED W/NEW COMP;REMOTE
CONTROL CONSOLE;WTR CLD COMP;WINDOW;LIGHT;4
CT-211A.....\$Call

THERMOTRON;#SX-35-5-5;38X39X42;-73 +177 DEG C;
415V;3PH;40A;THERM.#4800 M/P W/HI-LOW LIMIT;KENT
#P-105M;SET UP FOR ASIA/EUROPE VOLTAGE;50 CYCLE;
WINDOW;LIGHT;REMOTE CONSOLE;WTR COOLED
CT-202A.....\$Call

THERMOTRON;#SX-35-5-5;38X39X42;-73 +177 DEG C;
415V;3PH;40A;THERM.#4800 M/P W/HI-LOW LIMIT;KENT
#P-105M REC;SET UP 4 ASIA/EUROPE VOLTAGE;50 CYCLE;
WINDOW;LIGHT;REMOTE CONSOLE;WTR COOLED
CT-210A.....\$Call



EST VIBRATION SYSTEM;MODEL #EST-1636;36X36
TABLE;CONSOLE #SCO-
1000 SINE SERVO CONTROL,
2020 2CH,ACCEL. MON, SD1700 CONTROL SA,
SD426 DISPLAY, FIXTURES-GUARANTEED
Price: \$44,000
Search: VE-909B



GENISCO G ACCELERATOR;
MODEL #D-184;27" DEEP;
1 TO 800 G (1000 G POUND MAX)
Price: \$1800
Search: VE-529C



UNHOLTZ DICKIE VIBRATION SYSTEM;
MODEL #HD-TC-208; AIRCOOLED HD
(NO BLOWER);AMP - MA115-40;
UD SPECTRUM ANALYZER;
UD SPECTRUM GENERATOR;
Price: \$14,500
Search: VE-395E



UNHOLTZ DICKIE;MODEL #106A-1/2;
300 LBS PEAK(SINE), EFFECTIVE WGH, 3LBS,
ACCEL-1006, 1/2" STROKE
AMPL-TA100A(CAL)1/2,
SERIAL #195;AP STRIPCHART;
Price: \$10,500
Search: VE-353C

Ovens and Environmental Chambers are LRE CERTIFIED Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this,  more Information is
Available on our Website. Just Type in the Weblink Shown.

LRE
27

Temperature Chambers Continued

THERMOTRON;MODEL #EL-1200;20X20X20;-65 TO +170 C;
208V;1PH;25 AMPS;WATLOW MICROPROCESSOR #981;
2 3" SIDE PORTS;WINDOW;CASTERS;LN2 BOOST
CT-228E.....\$Call

THERMOTRON;MODEL #EL-8-CH-1-1-CO2;24X24X24;
-65 TO +170;230V;3PH;27 AMPS;OTP;WATLOW PROGRAMMER
4 2.5" SIDE PORTS;WINDOW;LIGHT;CASTERS;UPGRADED
REFRIGERANTS
CT-648F.....\$Call

THERMOTRON;MODEL #F-8 CHA
CT-503B.....\$Call

THERMOTRON;MODEL #M-64CH-705-705;48X48X48;
-60 TO +170 DEG C;480V;3PH;50 AMPS;OTP/UTP;
4" PORT;WINDOW;LIGHT;WATER-COOLED COMPRESSOR
CT-853F.....\$Call

THERMOTRON;MODEL #S1.2C;16X11X12;-70 TO +170 DEG C
120V;1PH;NEW WATLOW PROGRAMMER;4" SIDE PORT;
OLDER REFRIGERANTS
CT-715F.....\$Call

THERMOTRON;MODEL #S1.2C;16X11X12;-70 TO +170 DEG C
115V;20 AMPS;#2800 MICROPROCESSOR;3.5" SIDE PORT;
SHELF;R23/134A
CT-699F.....\$Call

THERMOTRON;MODEL #S1.2C;16X11X12;-70 TO +170 DEG C
120V;1PH;MICROPROCESSOR #2800
CT-498E.....\$Call

THERMOTRON;MODEL #S1.2C;16X11X12;-70 TO +170 DEG C
120V;20 AMPS;#2800 PROGRAMMER;2" SIDE PORT;
OLDER REFRIGERANTS
CT-594F.....\$Call

THERMOTRON;MODEL #S1.2C;16X11X12;-70 TO +170 DEG C
OTP/UTP;NEW WATLOW MICROPROCESSOR #981/2;
2" SIDE PORT;OLDER REFRIGERANTS
CT-723F.....\$Call

THERMOTRON;MODEL #S1.2C;16X11X12;-70 TO +170 DEG C
120V;20 AMPS;NEW WATLOW MICROPROCESSOR #981/2;
3.75" SIDE PORT
CT-306F.....\$Call

THERMOTRON;MODEL #S1.2C;16X11X12;-70 TO +170 DEG C
120V;1PH;20 AMPS;NEW WATLOW PROGRAMMER #981;
CT-252F.....\$Call

For Examples of
CERTIFIED
Environmental Chambers and Ovens that Have Been Refurbished, Please see:
WWW.LRE.COM/29



THERMOTRON;MODEL #S1.2C;16X11X12;-70 TO +170 DEG C
115V;1PH;15 AMPS;2" SIDE PORT;R-12
CT-561F.....\$Call

THERMOTRON;MODEL #S1.2C;16X11X12;-70 TO +170 DEG C
120V;1PH;20 AMPS;NEW WATLOW MICROPROCESSOR #981/2;
4" SIDE PORT;
CT-157E.....\$Call

THERMOTRON;MODEL #S1.2CB;16X11X12;-65 TO +170 C;
120V;20 AMPS;#2800 PROGRAMMER;2" SIDE PORT;
R-12-R-95;STAINLESS STEEL INTERIOR
CT-528F.....\$Call

THERMOTRON;MODEL #S1.2V;16X11X12;-70 TO +170 DEG C
120V;15 AMPS;NEW WATLOW MICROPROCESSOR #981;
3 7/8" SIDE PORT;R12 R-13 OLDER REFRIGERATION;
WINDOW;CASTORS
CT-342F.....\$Call

THERMOTRON;MODEL #S-16C;30X30X30;230V;1PH;42 AMPS;
-70 TO +170 DEG C;4" SIDE PORT;CASTORS;WINDOW;
LIGHT;NO SHELVE
CT-750F.....\$Call

THERMOTRON;MODEL #S-16C;30X30X30;-70 TO +170 DEG C
230V;1PH;30 AMPS;NEW WATLOW PROGRAMMER;2 4" SIDE
PORTS;UPGRADED REFRIGERANTS;CASTORS;LIGHT;WINDOW
CT-862F.....\$Call

THERMOTRON;MODEL #S-16C;30X30X30;-70 TO +170 DEG C
230V;1PH;42 AMPS;NEW WATLOW MICROPROCESSOR #981;
OTP/UTP;WINDOW;LIGHT;CASTERS;UPGRADED
CT-539E.....\$Call

THERMOTRON;MODEL #S-4;20X20X20;-65 TO +170 DEG C;
230V;1PH;27 AMPS;#2800 PROGRAMMER;2 4" SIDE PORTS;
UPGRADED REFRIGERANTS;CASTORS;LIGHT
CT-470F.....\$Call

THERMOTRON;MODEL #S-4;20X20X20;-65 TO +170 DEG C;
230V;1PH;27 AMPS;NEW WATLOW PROGRAMMER;WINDOW;
LIGHT;CASTORS;HI-LOW LIMIT
CT-465F.....\$Call

THERMOTRON;MODEL #S-4;20X20X20;-65 TO +170 DEG C;
230V;1PH;27 AMPS;NEW WATLOW PROGRAMMER;HI-LOW
LIMIT;4" & 6" SIDE PORTS;WINDOW;LIGHT;UPGRADED
REFRIGERANTS
CT-408F.....\$Call



TORIT DUST CLEANER;
#64;115/230V;1PH;
Price: \$650
Search: ZM-8532



UNITRON METALLURGICAL
MICROSCOPE;#MeC 10176;
6"X6" STAGE;40, 5, 10 POWER
OBJECTIVES;1 X 1.5" MOVEMENT
Price: \$1750
Search: ZM-8230



VISION ENGINEERING;MODEL #TS-4;
W/X-Y TABLE;FIBRE OPTIC LIGHT;
OBLIQUE ADJUSTMENT
Price: \$3200
Search: ZM-530F



VITRONICS SURFMOUNT III;#6002;+22
0 TO +370 DEG C;117V;20 AMPS;
14" X 20" BOARD;180 DEG. ROTATION
INX AXIS, MAIN UNIT ONLY;
NO COMPUTER/MONITORS
Price: \$620
Search: ZM-9624



WENTWORTH PROBE STATION;
MODEL #0-037-1112;4" CHUCK B & L
MICROZOOM W/ISOLATION TABLE
Price: \$4500
Search: ZM-2600

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more information is Available on our Website. Just Type in the Weblink Shown.

LRE 28

Superior Chamber Control

Watview Software Available for Watlow F4 Programmable Controller



WATVIEW is the HMI (Human Machine Interface) package for Watlow controllers. Use WATVIEW to setup, monitor and edit the values of controller parameters, to monitor and manage alarms, manage recipes and log and graph process data.

Features Include

- Manage Multiple Controllers
- Monitor and Adjust Controller Settings
- Manage Alarms
- Controller Specific Tools
- Log Process Data
- Graph Process Data
- Personal Webserver
- Recipes
- Event Log
- Password Protection
- User Variables
- Online Help



For More Information on this Software, Please see: WWW.LRE.COM/34

THERMOTRON;MODEL #S-4;20X20X20;-70 TO +170 DEG C; 208V;3PH;30 AMPS;OTP/UTP;NEW WATLOW #981 MICRO-PROCESSOR;2 6" DOOR PORTS, 1 4" PORT;WINDOW;LIGHT; CASTORS;UPGRADED REFRIGERANTS
CT-815F.....\$Call

THERMOTRON;MODEL #S-4;20X20X20;-70 TO +170 DEG C; 230V;1PH;27 AMPS;OTP/UTP;NEW WATLOW PROGRAMMER; 2 8" SIDE PORTS;STAINLESS STEEL INTERIOR;WINDOW; LIGHT;CASTORS;NO SHELF
CT-716F.....\$Call

THERMOTRON;MODEL #S-4C;20X20X20;-70 TO +170 DEG C; 208V;1PH;30 AMPS;OTP/UTP;NEW WATLOW #981;3" SIDE PORT;WINDOW;LIGHT;CASTORS;UPGRADED REFRIGERENTS;SHELF
CT-783E.....\$Call

THERMOTRON;MODEL #S-8;24X24X24;-70 TO +170 DEG C; 208V;3PH;21 AMPS;OTP;#981 MICROPROCESSOR;4" SIDE PORT;WINDOW;LIGHT;CASTERS;WATERCOOLED
CT-817B.....\$Call

THERMOTRON;MODEL #SE-300-2-2;24X26X28;208V;3PH;70 AMPS;-70 TO +180 DEG C;MICROPROCESSOR #7800 W/ IEEE-488;2 3" SIDE PORTS;+71 TO -65-2.80DPM;WINDOW LIGHT;CASTERS;404A & R-508, REFRIG
CT-633D.....\$Call

THERMOTRON;MODEL #VW50-CH-5-5;-55 TO +125 DEG C; 2 CHAMBER 44X23X39;460V;3PH;40 AMPS;#4800 PROGRAMR TRULINE RECORDER;8 4" SIDE PORTS;CASTORS;UPGRADED REFRIGERANTS;WATER-COOLED
CT-442F.....\$Call

VWR/REVCO;MODEL #AB503C12;18.75 X 16.5 X 17; -20 TO -86 DEG C;115V;16 AMPS;R/22/23
CT-333E.....\$Call

AGREE Chambers

These chambers have removable floors under which a shaker table or head can be installed. This allows for simultaneous temperature and vibration testing.

THERMOTRON AGREE;#F-40-CHMV-30-30-3;40X38X44;460V; 3PH;150A;OTP/UTP;NEW M/P #F-4 W/ELEC SNSR;4 6" SIDE PORTS;20% - 95% RH;HP/80 R-23;WINDOW;LIGHT; REF AIR DRYER;CAMBROD 56X68X106;10C PER MIN CH-113E.....\$Call

TENNEY AGREE; #AG-40; 40X40X36;-100+350F;230V; 3PH;150AMP;TEMPGARD OTP;KENT RECORDER; VERSA-TENN MICROPROCESSOR;PLENUM FLOOR
CZ-7355.....\$Call

TENNEY AGREE;#AG-40;40X40X35 1/2;-73+177C;230V; 98AMP;150 FLA;3PH;OTP;WINDOW;RECORDER;LIGHT; WATLOW 920 M/P;SERVICE LIGHTS;PLENUM;WATER-COOLED COMPRESSOR
CZ-5928.....\$Call

TENNEY HUMIDITY AGREE;MODEL #AGP-14;28X27X26; -73 TO +177 DEG C;230V;3PH;60 AMPS;NEW WATLOW #F-4 MICROPROCESSOR W/HI-LOW LIMIT;20% TO 95% RH;WINDOW LIGHT;ELECTRONIC SENSOR;WATER COOLED COMPRESSORS
CZ-292B.....\$Call

THERMOTRON AGREE CHAMBER;#F12CHV-5-5/ECA75/110-1; 28X28X30;-100 TO +350 DEG F;460V;3PH;WINDOW; FORCED TEMPERATURE SYSTEM;CRANE DOOR;FLOOR;AIR PACKAGE;WATER COOLED
CZ-3333.....\$Call


THERMOTRON AGREE CHAMBER;#F12-CHV-5-5;28X28X30; -73 TO +177 DEG C;460V;3PH;25 AMPS;OTP/UTP;WINDOW; WATER COOLED;WATLOW #920 MICROPROCESSOR
CZ-8826.....\$Call

THERMOTRON AGREE CHAMBER;#F-12-CHV-5-5-S; 27X30X29;-73 TO +177 DEG C;440V;3PH;25A; NEW WATLOW #942 MICROPROCESSOR;REMOTE CONTROL CONSOLE;REMOTE WATER-COOLED REFRIGERATION
CZ-8850.....\$Call

THERMOTRON AGREE CHAMBER;#F-12-CHV-5-5-S; 27X30X29;-73 TO +177 DEG C;440V;3PH;25A;OTP; NEW WATLOW #945 MICROPROCESSOR;WINDOW;REMOTE WATER-COOLED REFRIG;REMOTE CONTROL CONSOLE
CZ-8607.....\$Call

THERMOTRON AGREE;#F-180CHV (2)60C;126X56X48; -73 TO +170 C;460V;3PH;235AMP;CONSOLE W #920 M/P OTP/UTP;4-8" PORTS;WINDOWS;LIGHTS;CRANE DOOR; MECHANICAL WATER COOLED
CZ-9107.....\$Call

THERMOTRON AGREE;#F62CHV-705-705;54X54X35.5;-70 TO +170C;460V;3PH;65.1 AMPS;M/P #7800;SOFTWARE CUST RESPONSIBILITY;6" SIDE PORT;WINDOW;LIGHT;R404A/R23 AIR DRYER;REMOTE AIR COOLED;70 TO -50 5C PER MIN
CZ-474C.....\$Call



SSEC SPECIAL GLOVE BOX; 2 STATION 46X30X18;1 STATION 3 OVENS 11X18 W/TELVAC DIGITAL MICRONGAUGE;PURGE CAPABLE; Price: \$8500 Search: ZM-9904



TERRA UNIVERSAL DESSICATOR; MODEL #2064-00;2 COMPARTMENT 15 X 14.5 X 6.5;BACKFLOW; ANTI-STATICSLD Price: \$250 Search: ZM-185E



TERRA UNIVERSAL FARACATOR; MODEL #2541-00;3 COMPARTMENT 16X20X11.5;2 SLIDE OUT TRAYS PERCOMP;BACKFLOW;ANTI-STATIC Price: \$1400 Search: ZM-193E



TERRA UNIVERSAL FARRACOTR; MODEL #2558-00;3 COMPARTMENT 17 X 20 X 11.5;BACKFLOW Price: \$950 Search: ZM-160E

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more information is Available on our Website. Just Type in the Weblink Shown.



Fast Ramp Temperature Chambers

Thermal/Shock Chambers

THERMOTRON AGREE;MODEL #FX62-CHV-25-25;54X54X36;
-100 TO +350 DEG F;208V;3PH;22 AMPS;NEW WATLOW 981
M/P;TRULINE RECDR;4 6" SIDE PORTS;WINDOW;LIGHT;NEW
REFRI;WATER COOLED COMPRESR;THERMALARM HI-LO LIMITS
CZ-663B.....\$Call

THERMOTRON CHAMBER MODEL #F-32-CHV-15-15
ASK FOR DETAILS/PRICE
CZ-693F

THERMOTRON CHAMBER;MODEL #F-32-CHV-15-15;480V;3PH;
88/125 AMPS;40X44X25;-70 TO +170 DEG C;#4800 MICRO
PROCESSOR;TRULINE RECORDER;4 6" SIDE PORTS;CONTROL
CONSOLE;WATER COOLED COMPRESSOR;SOUNDPROOF
CZ-990B.....\$Call

THERMOTRON;MODEL #F-62-CHV-25-25;480V;3PH;105 AMPS
REFRIGERATION PACKAGE ONLY;SOLD "AS IS"
CZ-423C.....\$Call

THERMOTRON;MODEL #F-62-CHV-25-25-CO2;480V;3PH;
105 AMPS;REFRIGERATION PACKAGE ONLY - SOLD "AS IS"
CZ-442C.....\$Call

THERMOTRON;MODEL #F62CHV-25X25;54X54X36;208V;3PH;
185 AMPS;-100 TO +350 DEG F;2 4" SIDE PORTS;NEW
WATLOW #981 MICROPROCESSOR;WINDOW;LIGHT;SOLID
FLOOR
CZ-665B.....\$Call

ESPEC E.S.S.;#BCT-144(2)30-30(2);-65 TO +125 DEG C
2 CHAMBERS PER RFE. PKG;58X62X62;460 VOLT;3 PH;
455 AMPS; R-1 M/P;RECORDER;WATER COOLED COMPRESSOR
15 DEG C PER MINUTE; \$12,000 AS IS
CZ-7934.....\$Call

ESPEC E.S.S.;#BCT-144 (2)30-30(2);-65 TO +125 DEG C
2 CHAMBERS PER RFE PKG.;58X62X62;460 VOLT;3 PH;
455 AMPS; R-1 M/P;RECORDER;WATER COOLED COMPRESSOR
15 DEG C PER MINUTE; \$12,000 AS IS
CZ-8841.....\$Call

ESPEC E.S.S.;#BCT-144(2)30-30(2);-65 TO +125 DEG C;
2 CHAMBER PER RFE. PKG;58X62X62;460 VOLT;3 PH;
455 AMPS;R-1 M/P;RECORDER;WATER COOLED COMPRESSOR;
15 DEG C PER MINUTE; \$12,000 AS IS
CZ-8840.....\$Call

RANSCO ESS;#17292-2RV-2;2 BAY 46X34X83;-40 - +105C
480V;3PH;108KW;30X35 HP REF PER BAY;105 TO -40C 5C
PER MIN PART TEMP;-40 - +105 10C PER MIN PART TEMP
SSI;WATER COOLED 160 GPM;INSTALLATION EXTRA
CZ-9652.....\$Call

CHART INDUSTRIES FAST RAMP;MODEL #TC-4;26X30X44;
-70 TO +170 DEG C;460V;3PH;71 AMPS;OTP;JC SYSTEMS
FAST TRAC MICROPROCESSOR;2 6" SIDE PORTS;
RS-232/422
CZ-285F.....\$Call

THERMOTRON ESS; #BBR-90-CH-2(50);63X35X38;-54+125;
460 VOLT; 3PH; 225 AMPS; JC #620 MICROPROCESSOR;
KENT P-105M RECORDER; 10C PER MIN. 150 LBS PCB;
RETROFITTED TO HP-86/R-23;WATER-COOLED COMPRESSORS
CZ-7688.....\$Call

Fast-Ramp Temperature Chambers

These chambers are capable of Faster than Standard Ramp Rates - Normally Above 10C/Min - Using Mechanical Refrigeration Only - (Not LN2 or CO2).

NOTE: Also see LN2/CO2 Chamber category - They are also capable of Fast Ramp Rates

ESPEC E.S.S.; #WC-BCT-400-30-30;30X65X48;460 VOLT;
3 PH; -50+125C;15 C PER MINUTE;2 DOOR PASS THRU;
NEW WATLOW #981 MICROPROCESSOR;WATER-COOLED
COMPRESSOR
CZ-7987.....\$Call


Items to Consider when Purchasing an Oven or Environmental Chamber

When purchasing an Industrial Oven or Environmental Chamber, there are various things to consider such as the following.

- Temperature Range Required?
- Minimum Internal Dimensions?
- Temperature Ramp Rate?
- Temperature Cycling Required?
- Air Cooled or Water Cooled System?
- Temperature Uniformity Required?
- Temperature Accuracy Required?
- Does Product dissipate any Heat?
- What Electrical Power is Available?
- Is Flammable Gas or Vapor Involved?
- Is Inert Gas Purge Required?
- Can LN2 or CO2 be Used for Cooling?
- Window Required?
- Feed-Thru Ports Required?
- S/Steel Required for Interior?
- Light Required for Viewing?
- Redundant Temperature Protection?

We have an online form which you can fill in with all the above requirements. Once completed, one of our Sales Engineers will find the right equipment for your application.

Fill in our Online Form with Your Requirement and we will Get Back to you!



Please see: WWW.LRE.COM/12



REPRO VACUUM FRAME;#4254;
42X54;DIGITAL TIMER;
Price: \$1600
Search: ZM-9587



RUSKA INSTRUMENT;
CAT #6000-601-74000;
3 SERIES6000 DIR-RD PRESSURE
GAGE 50/100/500 PSI
DIFF.6005 INTERFACE;
Price: \$3200
Search: ZM-533C



SEMIFAB WET BENCH;
MODEL #WPS-400
Price: \$2400
Search: ZM-881C



SOLID STATE EQUIPMENT GLOVE BOX;
46X30X20;HTD 11X15N2 ANTE 12X15X12;
Price: \$4200
Search: ZM-747C

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.



LRE

Thermal Shock Chambers Continued

Thermal Shock Chambers

These chambers typically have two or three zones (hot, cold and/or ambient). The test specimen is located in a basket which cycles between the zones. Cooling is provided by mechanical refrigeration, LN2 or Liquid CO2. Sometimes mechanical refrigeration can be boosted with LN2 or Liquid CO2 for faster temperature stabilization times. Liquid to liquid type thermal shock chambers are also available. Please call for details.

BLUE M LN2 THERMAL SHOCK;#WSP-109B;14X14X14;-70 TO +200C;208V;1PH;106A;16KW;OTP/UTP;JC 600A PROGRAMMR PARTLOW REC;STAINLESS INT;WINDOW;FUSE DISCONNECT; AIR REQ. FOR OPERATION;LN2 SAFETY SYSTEM;QUICK DEL CZ-362F.....\$Call

BLUE M LN-2 THERMAL SHOCK;#WSP-109B-3; 1414X19; -70+200C; 208 VOLT; 1 PH; 77 AMPS; NEW WATLOW #F-4 MICROPROCESSOR; HONEYWELL # AR-100 RECORDER; CZ-8974.....\$Call


BLUE M LN2 THERMAL SHOCK;MODEL #WSP-109;14X14X19; -70 TO +170 DEG C;240V;1PH;65 AMPS;NEW WATLOW #F-4 MICROPROCESSOR;DOOR WINDOWS;LN2 SAFETY SYSTEM CZ-604D.....\$Call

BLUE M LN2 THERMAL SHOCK;MODEL #WSP-109B-5; 14X14X14;-70 TO +170 DEG C;208V;1PH;70 AMPS;NEW WATLOW #F-4 PROGRAMMER;L & N STRIP CHART RECORDER; WINDOWS;STAINLESS STEEL INTERIOR;FUSE DISCONNECT CZ-400F.....\$Call

BLUE M LN2 THERMAL SHOCK;MODEL #WSP-109BMP3; 14X14X19;-70 TO +200 DEG C;208V;3PH;105 AMPS; OTP/UTP;NEW WATLOW MICROPROCESSOR #F-4;STAINLESS STEEL INTERIOR;DOOR WINDOW;OD 64X34X88 CZ-595E.....\$Call

BLUE M LN2 THERMAL SHOCK;MODEL #WSP-109BMP3; 14X14X19;-70 TO +170 DEG C;208V;1PH;106 AMPS; OTP/UTP;NEW WATLOW MICROPROCESSOR #F-4;WINDOWS; STAINLESS STEEL INTERIOR;LN2;SAFETY SYSTEM CZ-399E.....\$Call

BRAND NEW XTREME Hot/Cold Temperature Plates



LR TECHNOLOGIES

FAST RAMP RATE!

Ideal for VERY FAST Temperature Ramping.

Product is attached to plate which is cooled by LN2 or CO2.

Programmable Controller with RS-232 Included.

Temperature Ramp Rates of 20C or More (depending on Mass of Test Item).

Two Models Available:
Model 100: 6.75" x 6.75"
Model 200: 11" x 11"
Temperature: -100C to +200C (LN2)
-65C to +200C (CO2)
Power: 120V

For More Information, Please See: WWW.LRE.COM/35



BLUE M LN2 THERMAL SHOCK;MODEL #WSP-109B-MP3; 14X14X14;-70 TO +200 DEG C;208V;1PH;108 AMPS; OPT/UTP;MICRISTAR MICROPROCESSOR;L & N STRIP CHART RECORDER;WINDOWS;STAINLESS STEEL INT;LN2 SAFTY SYS CZ-512F.....\$Call

BLUE M LN2 THERMAL SHOCK;MODEL #WSP-109BMP3;208V; 1PH;106A;14X14X19;-70 TO +170 DEG C;OTP/UTP;NEW WATLOW MICROPROCESSOR #F-4;YOKOGAWA STRIP SSI;LN2 SAFETY;FUSE DISCONNECT;WINDOW CZ-825E.....\$Call

BLUE M THERMAL SHOCK BATH;MODEL #LTB1-ATS;10X8X14; -73 TO +170 DEG C;208V;1PH;30 AMPS;REQUIRES SHOP AIR;NEW DIGITAL SINGLE SET CONTROLS W/TIMERS CZ-538D.....\$Call

CSZ;MODEL #VTS1.5-3-3-S/WC;14X14X13;460V;3PH; 33 AMPS;-70 TO +170 DEG C;NEW WATLOW #F-4 MP;HI-LOW LIMIT;#DR-4200 1 PEN RECORDER;WATER COOLED COM RESSOR;90 PSIG REG FOR TRANSFER;S/S;WINDOW;NEW REF CZ-806D.....\$Call

DELTA DESIGN LN2 T/S;MODEL #8000CD;10X9X5; -70 TO +170 DEG C;220V;1PH;20 AMPS;OTP/UTP; NEW WATLOW #F-4 MICROPROCESSOR;DOOR WINDOWS CC-849F.....\$Call

ORION CONVEYORIZED THERMAL SHOCK;#ESL-806D-A; 8.25" X 3" 1.25";CARRIAGES;-77+177C;208V;120A;3PH; 6 PT STRIP RECORDER;28' OVERALL;4 ZONE;WATERCOOLED COMPRESSOR;DIGITAL CONTROL;\$4000.00 AS IS CZ-5509.....\$Call

RANSKO ESS;#17292-2RV-2;2 BAY 46X34X83;-40 - +105C 480V;3PH;108KW;30X35 HP REF PER BAY;105 TO -40C 5C PER MIN PART TEMP;-40 - +105 10C PER MIN PART TEMP SSI;WATER COOLED 160 GPM;INSTALLATION EXTRA CZ-9817.....\$Call

RANSKO MECHANICAL THERMAL SHOCK;MODEL #7103-1; 18X18X18;-70 TO +170 DEG C;460V;3PH;65AMPS;OTP/UTP HONEYWELL #AR-100 RECORDER;WATER COOLED RDP-101, MANUAL CONTROL SYSTEM;W/WATLOW #F-4 \$28K CZ-196C.....\$Call

RANSKO AIR TO AIR;MODEL #7102;14.5 X 15.5 X 15; -70 TO +170 DEG C;460V;3PH;54 AMPS;NEW WATLOW #F-4 MICROPROCESSOR;2 PEN RECORDER #AR-100;UPGRADED REFRIGERANTS CZ-477C.....\$Call



MITUTOYO;#PH-350; 15" X 6" STAGE; DIGITAL GAUGES 20X LENS;14" SCREEN Price: \$3500 Search: ZM-345A



MTA WATER CHILLER; MODEL #TAE-0051;460V;3PH; 14 AMPSAIR-COOLED;NEVER USED Price: \$6300 Search: ZM-407C



NIKON COMPARITOR; MODEL #V-12;20X, 50X, 100X; 4" PLATE;GLASS CRACKED Price: \$6200 Search: ZM-679F



OPTEK;25X19;120V;DIGITAL X-Y Price: \$5500 Search: ZM-7900



RD MATHIS POWER AMPLIFIER; #MARK III;1KW;13.56MHZ; Price: \$3500 Search: ZM-5359

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this,  more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

Miscellaneous Chambers

RANSKO MECHANICAL THERMAL SHOCK;MODEL #7110-1;
30X25X24;-70 TO +200 DEG C;480V;3PH;163 AMPS;
#AR-100 RECORDER;NEW DIGITAL CONTROLS;NEW
REFRIGERANTS
CZ-784C.....\$Call

RANSKO MECHANICAL THERMAL SHOCK;MODEL #7160-2;
-73 TO +200 DEG C;460V;3PH;113 AMPS;#AR-100 2 PEN
RECORDER;DIGITAL CONTROL;OTP/UTP;TIMER SYSTEM;
CAN BE INSTALLED W/REMOTE REFRIG;NO LN2 REQUIRED
CZ-982A.....\$Call

RANSKO THERMAL SHOCK;MODEL #7103-1;18X18X18;
-70 TO +170 DEG C;460V;3PH;58 AMPS;OTP/UTP;
HONEYWELL 2 PEN RECORDER;DIGITAL CONTROLS;WATER
COOLED COMPRESSORS
CZ-901B.....\$Call

TENNEY MECHANICAL THERMAL SHOCK;MODEL #T5TS100/400
13.5 X 15 X 15;208V;3PH;60 AMPS;NEW WATLOW
MICROPROCESSOR #F-4;UPGRADED REFRIGERENTS;WATER
COOLED COMPRESSORS
CZ-369E.....\$Call

THERMOTRON MECHANICAL T/S;MODEL #ATS-900C-25-25-
LN2;;26X24X26;-100 TO +350 DEG F;460V;3PH;134 AMPS
OTP/UTP;NEW WATLOW #F-4 MICROPROCESSOR;W/AMBIENT
ZONE;REMOTE CONTROL CONSOLE;WATER COOLED
CZ-297A.....\$Call

ACCOUSTIC CHAMBER;16 X 19 OPENING;24X24X24 BOX;
AC OUTLETS;RCA JACK;COPPER SHIELDED;CASTERS;
SOLD "AS IS"
CZ-942A.....\$Call

ACCOUSTIC CHAMBER;23X24X24;AC OUTLETS;RCA JACKS;
LIGHT;COPPER SHIELDED;CASTERS;SOLD "AS IS"
CZ-945A.....\$Call

ACCOUSTIC CHAMBER;23X24X24;AC OUTLETS;RCA JACKS;
LIGHT;COPPER SHIELDED;CASTERS;SOLD "AS IS"
CZ-940A.....\$Call

ACOUSTIC CHAMBER;23X24X24;AC OUTLETS;RCA JACKS;
LIGHT;COPPER SHIELDED;CASTERS;SOLD "AS IS"
CZ-939A.....\$Call

ATLAS ACTINIC EXPOSURE SYSTEM;#HPUV-3;120V;
SPECIMEN TRAY SIZE 25 X 8.4;SIMULATES EFFECT OF
OFFICE LIGHTING
CZ-9393.....\$Call

ATLAS WEATHEROMETER;#XW-WR; 230V;3PH;35A
SOLD AS IS;
CZ-7935.....\$Call

ATLAS WEATHEROMETER;MODEL #25/18WT;230V;3PH;40 AMP
ROTARY SYSTEM 20" CARBONARC LAMP HUMIDITY
CZ-373C.....\$Call

ATLAS WEATHEROMETER;MODEL #XR-35;25" DIA. RACK;
220V;RACK - 1RPM;TEMPERATURE/HUMIDITY;RADIANT
ENERGY;SINGLE SET MANUAL CONTROLS
CZ-483F.....\$Call

DESPATCH HAST CHAMBER;MODEL #LPB1-15V;12.5" DIA X
16.5" DEEP;+105 TO +166 DEG C;240V;10 AMPS;NEW
CONTROL SYSTEM;R;1.5 DOOR OPENING;50% - 100% RH;
90 PSIG;500W LIVE LOAD DISSIPATION CAPACITY
CZ-057D.....\$Call

DESPATCH HAST;MODEL #LPB-16S;12.5 X 20;105 TO 166
DEG C;208/280V;1PH;8 AMPS;HONEYWELL #DR-4200GP-2
RECORDER;100% SATURATION;105 PSIA
CZ-727D.....\$Call

ENVIROTRONICS HALT CHAMBR;MODEL #EV20-LN2;40X36X24
-70 TO +170C;460V;3PH;70A;JC SYSTEMS #620 M/P;4"
SIDE & 2X6 SIDE DOOR PORTS;WINDOW;LIGHT;-54 - +71
30 - 60 CPM;SCREENING SYS W/NEW CONTROL W/QRS-310C
CZ-750D.....\$Call

ENVIROTRONICS/SCREENING SYSTEMS HALT;#EV82-LN2;
54X54X47;-70 TO +170C;208V;1PH;250A;NEW WATLOW M/P
W/HI-LOW LIMIT;2 10X6, 2 3" SIDE PORTS;115V 160
SCFM;90PSIG;NEW SS CONTROL SYSTEM;42X42 TABLE
CZ-815D.....\$Call

ESS THERMAL PLATFORM;MODEL #MRTP650;6.75 X 6.75;
-35 TO +150 DEG C
CZ-740E.....\$Call

ESS THERMAL PLATFORM;MODEL #MRTP-SS;6.75 X 6.75;
-35 TO +130 DEG C;120V;1PH;15 AMPS;RC-900
CZ-742E.....\$Call

HANSE HALT CHAMBER;MODEL #TCV-9;37X43X44;460V;3PH;
120 AMPS;JC FAST TRAC FOR TEMP;JC SYSTEM FOR
VIBRATION COMBINED W/PLC, DIG. GRMS METER;36X36 TABLE
CZ-767F.....\$Call

HEREAUS WEATHEROMETER;MODEL #XENOTEST 1200CPS;
28X30;220/380V;3PH;TYPE #F-1340548013;
MOTOR 50 CYCLE;SOLD "AS IS"
CZ-191B.....\$Call

MOUNTAINGATE ENG. STEAM AGE;#SAT-100P;13X12;
DIGITAL CONTROL
CZ-8150.....\$Call

NAPCO/PRECISION SCIENTIFIC, AUTOCLAVE, 9 DIA X15,
REF. CONTROL; 15PSI,120 VOLT, 13 AMPS;
CZ-852D.....\$Call

QUALMARK HALT CHAMBER;MODEL #OVS-3;38X43X36;
-70 TO +90 DEG C;480V;3PH;120 AMPS;36X36 TABLE;
6 10X6 PORTS;WINDOW;LIGHT;O.D. 93X60X107
CZ-656F.....\$Call

-30 TO +177 DEG C;440V;3PH;6A;AS IS
CZ-8299.....\$Call

THERMOTRON REFRIGERATION PACKAGE;MODEL #F-135-CH-
30-30;460V;3PH;141 AMPS;WATER-COOLED;SOLD "AS IS"
CZ-409C.....\$Call

THERMOTRON REFRIGERATION PACKAGE;MODEL #F32CHV-15-
15;208V;3PH;SOLD "AS IS"
CZ-171B.....\$Call

THERMOTRON REFRIGERATION PACKAGE;MODEL #F62CHV-25-
25;480V;3PH;SOLD "AS IS"
CZ-754B.....\$Call

Miscellaneous Chambers

Tensile Test, Space Simulation, Steam Ageing, HAST, Hot/Cold Plates

TENNEY ALTITUDE CHAMBER;MODEL #64ST;48X48X48;
0 TO +90 DEG C;230V;50 AMPS;783 MM;493MM
CZ-681E.....\$Call

HARSHAW SALT SPRAY;MODEL #21;29X36X30;AMBIENT TO
130 DEG F;240V;3PH;2 TANK & STORAGE
CZ-655F.....\$Call

ACCOUSTIC CHAMBER;16 X 19 OPENING;24X24X24 BOX;
AC OUTLETS;RCA JACK;COPPER SHIELDED;CASTERS;
SOLD "AS IS"
CZ-943A.....\$Call



KENCO/ALPHA METALS IONIC CONTROL SYSTEM;MODEL #500
Price: \$650
Search: ZM-653B



LECO VARICUT VC-50;MODEL #800-900;
Price: \$1400
Search: ZM-523A



MITUTOYO COMPARATOR;
#PJ-300;12" SCREEN;
3" VIEW AREA;10 POWER
Price: \$4500
Search: ZM-9701



MITUTOYO;#PH-350;
15" X 6" STAGE;DIGITAL GAUGES;
20X LENS;14" SCREEN
Price: \$3500
Search: ZM-343A

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

Miscellaneous Chambers Continued

Degreasers

Furnaces

THERMOTRON REMOTE COOLING SYSTEM;#PRCH3-3;440V;3PH
-100 TO +350 DEG F;25A;WATER-COOLED COMPRESSOR
CZ-6255.....\$Call

BLUE M/AEROTRONIC;#2100C-522125;30X22X24;208V;3PH;
175A;MICRISTAR MICROPROCESSOR;15 DEG C PER MIN
+85 TO -20 DEG C;100 POUNDS;RECORDER;OTP/UTP;
WATER-COOLED COMPRESSOR
CZ-7776.....\$Call

ENSECO;MODEL #ETCV-100300;40X40X36;240V;3PH;
180 AMPS;OTP/UTP;-100 TO +300 DEG F;JC #520 MICRO-
PROCESSOR;TRULINE RECORDER;2 3" SIDE PORTS;WATER
COOLED COMPRESSORS;NEW REFRIGERENTS
CZ-664B.....\$Call

ESPEC;MODEL #ETS4CRW;23X18X15;-70 TO +170 DEG C;
460V;3PH;85 AMPS;MICRISTAR MICROPROCESSER;
HONEYWELL #DR4501 RECORDER;WATER-COOLED
15 HP COMPRESSOR SYSTEM
CZ-216D.....\$Call

ROBOTIC INDUSTRIES STEAM AGE CHAMBER;#ST-1;
18X4X13;240 VOLT; DIGITAL;
CZ-7734.....\$Call

ROBOTIC PROCESS STEAM AGE;MODEL #ST-1;17.5 X 13.5 X 4
CZ-854B.....\$Call

SCREENING SYSTEMS;MODEL #QRS-100;W/3 CABINETS #000
2594 S/N 503-001;S/N 208012, MODEL QRS-100;
#QRS-1200P, S/N 509010; SOLD "AS IS"
CZ-277C.....\$Call

SEXTON ECA SYSTEM;#WC-A34-LN2;480V;3PH;100 AMPS;
AS IS
CZ-8797.....\$Call

SEXTON ECA SYSTEM;#WCA-34-LN2-CAS;480V;3PH;100 AMP
AS IS
CZ-8789.....\$Call

SEXTON TEMPERATURE CONDITIONING SYSTEM;
WATER COOLED COMPRESSORS;NEW DIGITAL CONTROLS;
2.5HP COMPRESSORS
CZ-8809.....\$Call

TENNEY;#AG14SPL;28X27X29;-100 TO +350 DEG F;230V;
90A;3PH;OTP;HONEYWELL #45 RECORDER;WINDOW
CZ-7417.....\$Call

THERMOTRON DUST CHAMBER;MODEL #T-27;36X36X36;115V;
WINDOW;DIGITAL COUNTER
CZ-256D.....\$Call

THERMOTRON ECA SYSTEM;#ECA0/80-1.9/273/4CAO;
460 VOLT; 3 PH; 30 AMP; 4800 MICROPROCESSOR;
WATER COOLED COMPRESSORS;SOLD "AS IS"
CZ-7878.....\$Call

THERMOTRON; #ECA-180-17/3.732CA01; 460 VOLT; 3 PH;
SOLD AS IS;
CZ-7890.....\$Call

THERMOTRON;#F4CHA-1-1;20X20X20;-73 TO +177 DEG C;
208V;3PH;27A;OTP/UTP;#4800 MICROPROCESSOR;
1402 PUMP;FAIRCHILD PNEUMATIC SYSTEM
CZ-8154.....\$Call

THERMOTRON;MODEL #FA-4-CH-1-1-S;20X20X20;
-70 TO +177 DEG C;208V;3PH;50 AMPS;2 4" SIDE PORTS
STOKES VACUUM PUMP;100,000 FT TO -2000 FT;
(MAN CLAMPED DOOR);R-23/R-404A;SSI;THERM-ALARM
CZ-736F.....\$Call

THERMOTRON;MODEL #F64CHM-2;48X48X48;-18 TO +170
DEG C;440V;3PH;29 AMPS;NEW WATLOW #F-4 W/ELECTRONC
SENSOR;4 4" SIDE PORTS;WINDOW;SHELF;NEW REFRIGERANT.
CZ-432C.....\$Call

FERRANTI VINDON AMMONIA REVERSAL OVEN;MODEL #VSL;
11X11X11;2 FLOW METERS;
CZ-8657.....\$Call

QUALMARK HALT II TEST CHAMBER;MODEL #OVS-2;208V;
3PH;26X30X35;H08V;3PH;SIDE ACCESS DOORS;
SOLD "AS IS"
CZ-831A.....\$Call

QUALMARK HALT;MODEL #QVS-4;36X36X54;150 DEG C;
6 10" X 6" PORTS;STAINLESS STEEL INTERIOR;RELIANCE
MOTOR DR;JC SYSTEMS CONTROLLER UPGRADE
CZ-997F.....\$Call

QUV ACCELERATED WEATHER TESTER;MODEL #BASIC;
OD 54X21X53;45C TO 80C;110V;1.3KW;50 SPECIMAN
75 X 150MM
CZ-654F.....\$Call

QUZ ACCELERATED WEATHER TESTER;MODEL #BASIC;
OD 54X21X53;45C TO 80C;110V;1.3KW;50 SPECIMAN
75 X 150 MM
CZ-841F.....\$Call

THERMOTRON;MODEL #ECA0S80-1.09/273/4CAO;460V;3PH;
30 AMPS;FOR PARTS ONLY;SOLD "AS IS"
CZ-8837.....\$Call

Degreasers

NEY U/S CLEANER BASIC CLEANING SYSTEM;OD 72X60X52;
208V;3PH;35 GAL. U/S SPRAY;21.75 X 29 X 27;
EXTENDER ADDS 12"
DG-542F.....\$Call

Furnaces

CM INDUSTRIES RAPID TEMPERATURE FURNACE;5"X5"X5";
MODEL #2005;MICROSTAR MICROPROCESSOR;208V;1PH;70A;
MAX. TEMPERATURE 2000 DEG C;FRONT LOADING
FG-695B.....\$Call

L & L N2 CAPABLE SPECIAL FURNACE;
MODEL #XL124-F358-01-G541240R3K-600;14X26X14;
2350 DEG F;240V;3PH;37 AMPS;N2 PURGE;UNUSED
FG-389F.....\$Call

LINDBERG HI-TEMP FURNACE;#58125;6"X12"X5";240V;OTP
1500 DEG. C;#58125 CONTROL
FG-9271.....\$Call

LINDBERG TUBE FURNACE;MODEL #55322;2 7/8 X 12;
1200 DEG C;240V;1PH;16 SEGMENT PROGRAMMER;
5811 4-P CONTROL;SINGLE SET DIGITAL
FG-991D.....\$Call

LINDBERG TUBE FURNACE;MODEL #55322;2 7/8 X 12;
1200 DEG C;240V;1PH;16 SEGMENT PROGRAMMER;
5811 4-P CONTROL;SINGLE SET DIGITAL
FG-992D.....\$Call

LINDBERG TUBE FURNACE;MODEL #58114-P;3" X 20";
1100 DEG C;240V;OTP;TUBE WITH INSERT
FG-736B.....\$Call

LINDBERG;MODEL #51668 HRS;10.5 X 30 X 11;208/240V;
1200 DEG C;59554 2E5-B-DL-5 220N - W/STAINLESS
MUFFLE
FG-337C.....\$Call

THERMCO MINI BRUTE;MODEL #MB-71;6X38;1100 DEG C;
240V;1PH;35 AMPS;6X38;18" FLAT ZONE;240V;35 AMPS;
1PH
FG-621B.....\$Call



GREENERD 30 TON SERVO CUSTOM LAB
RESS;230V;3PH;10.5 X 15" PLATEN;
DIMENSION II MICROPROCESSOR;
FULL PLC CONTROL SYSTEM;
FULL MANUALS;CHILLERS;
Price: \$6200
Search: ZM-9939



INSTRON TENSILE TESTER
W/GRIPS & MISC. PARTS;
MODEL #1000;W/STRIP
CHART;PNEUMATIC
ACTION GRIPS;
Price: \$9000
Search: ZM-354C



INTERNATIONAL COMP. POWER;
MODEL #RPSR20K6533-HH-DCXX;
480V;3PH;25HP, 1800RPM;
GENERATOR;380/220 26A,
25HP;50 CYCLE;1500RPM
Price: \$4200
Search: ZM-337B



JAY D. SPROUT HYD. PRESS;
14 X 9 PLATENSOLD
Price: \$1900
Search: ZM-914B



KENCO IONIC CONTAMINATION
SYSTEM;MODEL #600;
18 X 18 TEST CELL
Price: \$900
Search: ZM-453F

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE 33

Laboratory Equipment

THERMCO MINI-BRUTE;MODEL #MINI-BRUTE;5 X 32;
SOLD "AS IS"
FG-931C.....\$Call

THERMCRAFT CIRCULATING; #BX-REC;12X10X12;400C;
230V;1PH;25KW;11AMP;DIGITAL CONTROL;
FG-6330.....\$Call

THERMCRAFT TUBE FURNACE;MODEL #27-12;12X7X12;208V;
1PH;23 AMPS;4.6 KW;NO CONTROLS;2 ZONE;SOLD "AS IS"
FG-978C.....\$Call

THERMCRAFT;#6-48-62H;6" DIA. X 4';1000 DEG C;230V;
1PH;60A;14.4KW;6 ZONE;360 DEG. POSITIONING;WITH
MODEL #601-80-230 REMOTE CONTROL CONSOLE
(S/N 92027)
FG-8770.....\$Call

THERMCRAFT;#6-48-62H;6" DIA. X 4';1000 DEG C;230V;
1PH;60A;14.4KW;6 ZONE;360 DEG. POSITIONING;
WITH MODEL #601-80-230 REMOTE CONTROL CONSOLE
(S/N 92026)
FG-8769.....\$Call

WATKINS JOHNSON CONVEYOR 5 ZONE;#12CR-55N(S)
12X60X4;600 DEG C;208/230V;25KVA;3PH;OTP;
WATKINS JOHNSON MICROPROCESSOR #984;N2 PURGE;
40" COOLING;64" UNLOAD;215 OVERALL
FG-642.....\$Call

WATKINS JOHNSON;MODEL #WJ-985;9X86X1;208V;3PH;
17KVA;MICROPROCESSOR #WJ-988 W/COMPUTER;3 CHAMBER;
N2 PURGE;ENTRY & EXIT PURGE, 150 OVERALL W/WAFER
LOADING & UNLOADING;IBM COMPUTER;SOLD "AS IS"
FG-907B.....\$Call

BAXTER VARIFUGE;#4656;240V;1PH;8 AMPS;HEREAUS
SEPA TECH;REFRIGERATED CENTRIFUGE;100 TO 6000 RPM;
4 X 800 ML CAPACITY;ROTOR NOT INCLUDED
LE-140A.....\$Call

BAY VOLTEX WATER CHILLER;MODEL #RRS-0550-AC-LT;
208V;1PH;20 AMPS;1200 BTU HR @ 10C;DIGITAL
LE-956D.....\$Call

BAY VOLTEX;MODEL #HS-0550-AX-SX-RC-DI;230V;1PH;
20 AMPS;5000 BTU PER HR @ 20C;DIGITAL;DI WATER
CIRCULATION
LE-955D.....\$Call

BLUE M WATER BATH;MODEL #MW-1110A-1;12 X 7.5 X 7.5
5 DEG C ABOVE AMBIENT TO +100 DEG C;115V;ALL
STAINLESS STEEL;ANALOG CONTROL;GUARANTEED
OPERATIONAL
LE-244C.....\$Call

BLUE M WATER BATH;MODEL #MW-1110A-1;12 X 7.5 X 7.5
5 DEG C ABOVE AMBIENT TO +100 DEG C;115V;ALL
STAINLESS STEEL;ANALOG CONTROLS;GUARANTEED
OPERATIONAL
LE-243C.....\$Call

BLUE M WATER BATH;MODEL #MW-1110A-1;12 X 7.5 X 7.5
5 DEG C ABOVE AMBIENT TO +100 DEG C;115V;ALL
STAINLESS STEEL;ANALOG CONTROLS;GUARANTEED
OPERATIONAL
LE-245C.....\$Call

BOECKEL;17 7/8 X 19 7/8;STAINLESS STEEL/GLASS BOX
LE-606D.....\$Call

BUEHLER MINIMET;MODEL #69-1000-160
LE-768B.....\$Call

BUEHLER MINIMET;MODEL #69-1000-160;120V
LE-745B.....\$Call

BUEHLER MINIMET;MODEL #69-100-60
LE-800B.....\$Call

BUEHLER POLISHER;#ELECTROMET 4;ELECTROPOLISHER
CELL MODULE;NO POLISHING CELL;FOR SOLID SOLUTION
ALLOYS
LE-221A.....\$Call

BUEHLER SAMPLEMET;#II; 1 1/2 SAMPLE; HTD
LE-206A.....\$Call

BUEHLER VIBROMET;MODEL #69-1000-160;115V
LE-735B.....\$Call

COLE PALMER DIGITAL PH METER;MODEL #5985-80
LE-726B.....\$Call

DESSICATOR BOX;20X17X10
LE-250C.....\$Call

FORMA SCIENTIFIC WATER JACKET INCUBATOR;
MODEL #3154;17.5 X 17.5 X 24;120V;CO2;DIGITAL;
WITH STAND
LE-280C.....\$Call

GALLENKAMP INCUBATOR;#IPR150.XX1.1;18X18X26;350KW;
NEVER USED
LE-7141.....\$Call

HASKRIS WATER CHILLER
LE-969D.....\$Call

JARRET CUTTING SAW
LE-7902.....\$Call

LABCONCO;MODEL #5000400;34X20X24;8X8X10 ENTRY
LE-541C.....\$Call

LABCONCO;MODEL #5035000;34X20X24;W/FILTEK BLOWER
SYSTEM;8X8X10 ENTRY
LE-524C.....\$Call

LABCONCO;MODEL #5035000;34X20X24;W/FILTEK BLOWER
SYSTEM;8X8X10 ENTRY
LE-525C.....\$Call

LECO DOUBLE SIDED POLISHER;MODEL #VP-50; 12';
CAT 891-801-800;W/AP-50 ATTACHMENT
LE-573A.....\$Call

LEYBOLD HEREAUS CRYOGENIC REFRIGERATION SYSTEM;
MODEL #RW3;208/230V;1PH;1.5KW;200V/50HZ 8.5 AMPS
LE-797A.....\$Call

LINDBERG/BLUE M WATER BATH;MODEL #WB1130A;
20X18X9.5;90 DEG C;DIGITAL
LE-333C.....\$Call

M & W WATER CHILLER;#RPCX-52A-56H-AA;208/230V;
25AMP;
LE-7701.....\$Call

NAPCO;MODEL #3341-6;2 CHAMBER 16X16X23;120V;
WITH JACKETED INCUBATOR
LE-477F.....\$Call

Laboratory Equipment

AMSCO STERILIZER;MODEL #608A;7.5 X 16 X 1.5;TMR
LE-188B.....\$Call

BAUSCH & LOMB SPECTRONIC #501;115V;SOLD "AS IS"
LE-530B.....\$Call

BAXTER INCUBATOR;#FD-301S;25X21X28;120V;1PH
LE-7570.....\$Call



GREENERD 30 TON SERVO CUSTOM LAB
RESS;230V;3PH;10.5 X 15" PLATEN;
DIMENSION II MICROPROCESSOR;
FULL PLC CONTROL SYSTEM;
FULL MANUALS;CHILLERS;
Price: \$6200
Search: ZM-9939



INSTRON TENSILE TESTER
W/GRIPS & MISC. PARTS;
MODEL #1000;W/STRIP
CHART;PNEUMATIC
ACTION GRIPS;
Price: \$9000
Search: ZM-354C



INTERNATIONAL COMP. POWER;
MODEL #RPSR20K6533-HH-DCXX;
480V;3PH;25HP, 1800RPM;
GENERATOR;380/220 26A,
25HP;50 CYCLE;1500RPM
Price: \$4200
Search: ZM-337B



JAY D. SPROUT HYD. PRESS;
14 X 9 PLATENSOLD
Price: \$1900
Search: ZM-914B

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

Laboratory Equipment Continued Semiconductor Equipment

NATIONAL STERIL QUIK;MODEL #704-900D;8.5 X 17;115V
REFERENCE CONTROL
LE-881B.....\$Call

NESLAB BATH; #ENDOCAL; OTP; LOW LEVEL CUT-OUT;
PART # 153110;
LE-8463.....\$Call

NESLAB TEMP-BATH;#EX-110;AMBIENT-130C;110V;
1.3 GAL CAPACITY;
LE-6088.....\$Call

NESLAB WATER CHILLER;MODEL #HX-150;208/230V;1PH;
13 AMPS;PD-2 PUMP;WATER-COOLED
LE-788E.....\$Call

NESLAB WATER CHILLER;MODEL #HX-200;;230V;3PH;
18 AMPS;DIGITAL;PD-2 PUMP;15 GAL RES;
6200 WATTS DIS
LE-061E.....\$Call

PRECISION GCA INCUBATOR;#4;16X17X27;100 DEG C;
120V;GRAVITY
LE-8744.....\$Call

PRECISION SCIENTIFIC;MODEL #8000-DSE;9 X 17;
121 TO 132 DEG C;120V;15 AMPS;EUROTHERM DIGITAL
W/ATC TIMER;15 TO 27 PSI
LE-499B.....\$Call

PRECISION SCIENTIFIC;MODEL #8000-DSE;9 X 17;
121 TO 132 DEG C;120V;15 AMPS;EUROTHERM DIGITAL
W/ATC TIMER;15 TO 27 PSI
LE-498B.....\$Call

PRECISION;#EM-4EG 31572/10;18X17X27;70 DEG C;120V;
NO OTP
LE-137A.....\$Call

RAHM RADIATION HAZARD METER;MODEL #2;GENERAL
M-WAVE CORP;SOLD "AS IS"
LE-715C.....\$Call

STERILIGHT UV WATER STERILIZER FILTER;#S24QA; NEW!
LE-900A.....\$Call

TD INTERNATIONAL N-2 STORAGE;2 CHAMBER
14.5 X 15 X 7;SHELF STANDARDS;BACKFLOW
LE-280F.....\$Call

TDI DESSICATOR;2 CHAMBER 14 X 15 X 6.5;
SHELF STANDARDS;BACKFLOW
LE-364F.....\$Call

BRAND NEW Sterilizer/Autoclave Portable - Quality



- Durable
- High Quality
- Great Value
- Safe
- Many Models

For More Details,
Please See
WWW.LRE.COM/14



TDI INTERNATIONAL DESSICATOR;14.5 X 15 X 7;
BACKFLOW;SHELF STANDARDS
LE-325F.....\$Call

TDI INTERNATIONAL DESSICATOR;14.5 X 15 X 7;
BACKFLOW;SHELF STANDARDS
LE-324F.....\$Call

TERRA UNIVERSAL DESSICATOR;11 X 10 X 10.5;
BACKFLOW;SHELF STANDARDS
LE-318F.....\$Call

TERRA UNIVERSAL FARACATOR;MODEL #1918-00;
13 X 20 X 11.5;3 STAINLESS DRAWERS
LE-363F.....\$Call

TERRA UNIVERSAL;12 X 20 X 13;3 DRAWER;BACKFLOW;
PLASTIC
LE-365F.....\$Call

TERRA UNIVERSAL;MODEL #2070-00;2 COMPARTMENT
23X16X11;N2 PURGE
LE-858D.....\$Call

TERRA UNIVERSAL;MODEL #2070-00;23X16X11;
2 COMPARTMENT W/STAND
LE-938D.....\$Call

TERRA UNIVERSAL;MODEL #3361;16.5 X 16 X 10.25;
8 STATION;STAND W/CASTERS
LE-769F.....\$Call

THERMOX 0-2 ANALYZER;MODEL #CG-1000;NO PROBES;
SOLD "AS IS"
LE-533B.....\$Call

THERMOX;0-2 ANALYZER;MODEL #CG-1000;NO PROBES;
SOLD "AS IS"
LE-534B.....\$Call

UNION CARBIDE LN2 STORAGE TANK;MODEL #34XT;
6 TUBE
LE-282C.....\$Call

USON TIME INDICATOR
LE-103C.....\$Call

VWR WATER BATH;MODEL #1245PC;120V;DIGITAL
LE-334C.....\$Call

VWR WATER BATH;MODEL #1245PC;120V;DIGITAL
LE-335C.....\$Call



LABCONCO BIO-HAZARD FUME HOOD;
MODEL #36213;72X23X20
Price: \$2200
Search: ZM-765F



LAM RESEARCH WATER CHILLER
Price: \$8000
Search: ZM-7846



LOCTITE UV CURING SYSTEM;
MODEL #ZETA7200;9X8X7;120V;20 AMPS;
P.#983120/UVA&UVB REGIONS;
PART SIZE 5X6;300W
Price: \$4300
Search: ZM-956A



MAGNAFLUX ANDREX REAL TIME X-RAY;
48 X 39 CABINET;240V;1PH;MONITOR;
CAN BE UPGRADED - CALL FORQUOTE
Price: \$14,500
Search: ZM-8469

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE
35

Semiconductor Equipment Continued

WATERS DATA MODULE;MODEL #730;WITH WATERS #120 SYSTEM CONTROL S/N A3053-2868;SOLD "AS IS" LE-543B.....\$Call

YSI CONDUCTIVITY INSTRUMENT;MODEL #3200;ADJUSTABLE REFERENCE TEMP 0-100C;6 CELL MEMORY RS-232;SOLD "AS IS" LE-716C.....\$Call

Semiconductor Equipment

BRANSON ETCHER;MODEL #2-PM-119 500W GEN.; REACTOR-11020 S/N MF881RO-1;PM-315 GAS MIXING MODULE;SOLD "AS IS" NROR SC-807D.....\$Call

BRANSON PLASMA ETCH SYSTEM;#S-3003; 8X12; # 3000 CONTROL; # PM-119 GENERATOR; SOLD AS IS: SC-7991.....\$Call

BRANSON REACTOR CENTER;#11018; 10X18; AS IS SC-8041.....\$Call

BRANSON/IPC;MODEL #4055/2;9X21X9;S-3000 CONTROLLER ASSEMBLY 14643-01 REV A;PM-119 RF GENERATOR; PART #03100-02 REV X;SOLD AS IS SC-397A.....\$Call

CAMALOT DISPENSER;MODEL #2800;120V;10 AMPS; DISPENSES XYZ;18X18 TRAVEL;HIGH SYSTEM TRACK BALL; \$6000.00 TO REGISTER SOFTWARE;SOLD "AS IS" WORKING SC-809E.....\$Call

DELTA DESIGN HANDLER;MODEL #4010;120V;2.4 KW; SOLD "AS IS" SC-122B.....\$Call

ELECTROGLAS PROBER;MODEL #131;W/STEREOZOOM 4; 3-MODEL 250AL PROBE ARMS;SOLD "AS IS" SC-702C.....\$Call

ELECTROGLAS WAFER PROBE;MODEL #131B1;NO OPTICS; SOLD "AS IS" SC-680B.....\$Call

ELECTROVERT WAVE DIPPER;#WDC36-HT; SC-409B.....\$Call

EVERETT CHARLES PGA TESTER;MODEL #KRYTERION 4000 SERIES;HITACHI ROBOTIC ARMS #C4010SL SC-972C.....\$Call

EVERETT CHARLES PGA TESTER;MODEL #KRYTERION 4000 SERIES;HITACHI ROBOTIC ARMS #C4010SL SC-971C.....\$Call

F-K DELVOTEC U/S WEDGE AUTOMATIC;MODEL #6320;1 MIL TO 5 MIL AL WIRE;ROTARY HEAD;4 AXIS;VIDEO SYSTEM; CUSTOMER RESPONSIBLE FOR REGISTRATION OF GUARANTEED OPERATIONAL; AS IS \$24,000.00 SC-263F.....\$Call

HTI ENGINEERING SCREEN PRINTER; #HT; 16X16; HTI DIGITAL X-Y CONTROL; JAVELIN MONITOR;SOLD "AS IS" SC-8369.....\$Call

K & S BONDER; DIGITAL R/O MISSING.NO WORK HOLDER, SOLD AS IS SC-961D.....\$Call

K & S BONDER;MODEL #4123;SOLD "AS IS" SC-812E.....\$Call

MCT MICRO REFLOW REPAIR STATION;#6603; SC-4583.....\$Call

MCT MICRO REFLOW REPAIR STATION;#6603;110V SC-0001.....\$Call

MCT MICRO-REFLOW SOLDERING SYSTEM;MODEL #6603; WITH OPTICS;SOLD "AS IS" SC-947A.....\$Call

MICROAUTOMATION WAFER CLEANER;MODEL #M-2006; PLASTIC DOOR BROKEN;SOLD "AS IS" SC-843C.....\$Call

MICROGRAPHICS DENSITOMETER;#329 SC-5958.....\$Call

OTC VAPOR PRIME;12X19X12;OMRON MICROPROCESSOR #E5AK;ALL STAINLESS STEEL;G-P GAUGE;MICRO MASTER PROGRAMMER;SOLD "AS IS" SC-965C.....\$Call

PDR IR REPAIR STATION;MODEL #1500D;SOLD "AS IS" SC-213B.....\$Call

PWS PROBER; #SPIC-1;# 4890 INSTRUMENT COUPLER; DIGITAL XY #112; OLYMPUS SCOPE; SOLD AS IS; SC-7998.....\$Call

PWS PROBER;#SPIC-1; 4 " CHUCK; AS IS; SC-7996.....\$Call

ROBOTIC PROCESS ROTARY DIP TESTER;MODEL #RDT-1000; GUARANTEED OPERATIONAL SC-853B.....\$Call

ROBOTIC PROCESS SOLDERABILITY TESTER, MODEL # 202TL; SC-771B.....\$Call

ROBOTIC PROCESS SOLDERABILITY TESTER;MODEL #202TL; 110V SC-371C.....\$Call

SIMCO AEROSTAT IONIZER;#A-300; SC-385B.....\$Call

SLOAN ANGSTROMETER;#M100;5 1/2" CHUCK; SOLD AS IS SC-8488.....\$Call

TEMPTRONIC THERMAL STREAM;MODEL #TPO4000A-2021-2; 220V;1PH;20 AMPS;GUARANTEED OPERATIONAL SC-205C.....\$Call

TEMPTRONIC THERMO STREAM;MODEL #TPO4000A-1021-2; 220V;1PH;2 AMPS;SOLD "AS IS" SC-181E.....\$Call

TEMPTRONIC THERMOSTREAM;MODEL #TPO-4000A-1821-2; 220V;20 AMPS;SOLD "AS IS" SC-545D.....\$Call

TEMPTRONIC THERMOSTREAM;MODEL #TPO4000A-1A11-2; 220V;1PH;20 AMPS;W/ARM;CONTROL SCREEN;GUARANTEED; AS IS \$6500.00 SC-648D.....\$Call

TEMPTRONIC;MODEL #TPO-550AA31;WILKERSON AIRDRYER- DSI-AC-000;TEMPTRONIC THERMAL ZONE;SOLD "AS IS" SC-208D.....\$Call

TEMPTRONICS;MODEL #TPO4000-1121-2;220V;20 AMPS; HORIZONTAL ARM;AIR DRYER;FOR PARTS ONLY SC-612C.....\$Call



HYDROMATIX;MODEL #SYSTEM D7710T;TIMER;450 AUTOTROLDE-I CONTROL;SHIPPED 9/12/96;NEVER USED Price: \$1200 Search: ZM-477A



INTERNATIONAL COMP. POWER; MODEL #RPSR20K6533-HH-DCXX;480V;3PH;25HP, 1800RPM;GENERATOR;380/220 26A,25HP;50 CYCLE;1500RPM Price: \$4200 Search: ZM-337B



Kenco Ionic Contamination System Model 600 18"x18" Test Cell Price: \$900 Search: ZM-453F

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE 36

Semiconductor Equipment Continued

Vacuum Equipment

TENCOR SIGMA SCAN;#80-001000;W/RECORDER 80-00110;
AS IS
SC-9635.....\$Call

TRIO TECH PRESSURE TESTER;MODEL #G-488;
7.75 X 8 2 TANK;115V;30 AMPS;DIGITAL CONTROL
SYSTEM;SOLD "AS IS"
SC-206E.....\$Call

ULTRATECH 6" PLATE CLEANER;MODEL #1014,
SOLD AS IS NROR:
SC-910A.....\$Call

ULTRATECH PLATE CLEANER;MODEL #602SC996C;
SOLD "AS IS"
SC-996C.....\$Call

ULTRATECH RIGID DISC CLEANER;#1014
SC-6326.....\$Call

UNGAR REFLOW/REMOVAL;MODEL #4700SMC/IC;115V;
DIGITAL TEMPERATURE CONTROL
SC-520A.....\$Call

WEB TECH PRECONDITION SYSTEM;MODEL #8000;2 TANKS,
8" X 29";COMPUTER CONTROLLED;2 AUTOMATED STATIONS;
SOLD "AS IS"
SC-860C.....\$Call

WESTBOND EPOXY DIE ATTACH;MODEL #7200A
SC-698B.....\$Call

WESTBOND;MODEL #5400-15A-26C-28A-34A-42C-49A-51-52
-58;W/B & L STEREOZOOM SCOPE
SC-773C.....\$Call

WESTBOND;MODEL #5416-15A-28A-32-34A-42C-43A-45-49A
50-51-52-58-59;110V;W/HEATED WORKHOLDER;MICROSCOPE
W/ILLUMINATOR
SC-771C.....\$Call

WESTBOND;MODEL #7434-15A-28-49;W/B & L ARM;
NO SCOPE
SC-739F.....\$Call

YIELD ENGINEERING;MODEL #YES 3;12 X 12.5 X 12;120V
20 AMPS;INCLUDES ALCATEL 2008A
SC-591F.....\$Call

**Vacuum
Equipment**
**NOTE: Vacuum Pumps are sold
As-Is or Operational Only**

ALCATEL;MODEL #2030;208/230V;SOLD "AS IS"
VA-974C.....\$Call

ALCATEL VACUUM PUMP;#ZT-2033;230/460V;3PH;1 1/2 HP
27 CFM
VA-9518.....\$Call

ALCATEL VACUUM PUMP;#ZT-2060;230/460 VOLT;3 PH;
3 HP MOTOR;
VA-7831.....\$Call

ALCATEL VACUUM PUMP;MODEL #ZM-2008A;115V;7CFM
VA-626A.....\$Call

ALCATEL;MODEL #2004A;120V
VA-975D.....\$Call

AUSTIN SCIENTIFIC CRYO PUMP;MODEL #FS-8;8"
VA-418A.....\$Call

AUSTIN SCIENTIFIC EBARA CRYO PUMP;MODEL #FS-8
SOLD AS IS:
VA-951A.....\$Call

BUSCH VACUUM PUMP SYSTEM WITH 2 MODEL #RCO100-E50-
6-1003;120 GAL RECEIVER - NAT BRD 1997 63 CFM;
GUARANTEED OPERATIONAL
VA-049D.....\$Call

BUSCH VACUUM PUMP;#025-138;230V;3PH;29.3 TORR;
20CFM
VA-7456.....\$Call

BUSCH;MODEL #025-138;208/230/460V;3PH;15/22.9 TORR
1.5 HP;SOLD "AS IS"
VA-981C.....\$Call

BUSCH;MODEL #063-138;220/440V Y3 SOLD "AS IS"
VA-989C.....\$Call

BUSCH;MODEL #RC0025;208 TO 460V;3PH;20 CFM
VA-980C.....\$Call

CAL TESTER;#TH-10;2000 LBS ON 4" DIA RAM;120V;
W/GRIPS
VA-220A.....\$Call

CRYOGENIC COMPRESSOR;MODEL #MC;208/230 60 HZ OR
208/220 50 HZ;SOLD "AS IS"
VA-9458.....\$Call

CRYOGENICS
VA-105D.....\$Call

CTI CRYO COMPRESSOR;220V;50/60 CYCLE;26,844 HOURS;
AIR COOLED;SOLD "AS IS"
VA-065E.....\$Call

CTI CRYO COMPRESSOR;MODEL #21;7302 HOURS;SOLD
"AS IS"
VA-9653.....\$Call

CTI CRYO REFRIGERATION SYSTEM;MODEL #1020R;
8031023G003;AIR COOLED;12,250 HOURS
VA-184B.....\$Call

CTI CRYO REFRIGERATION SYSTEM;MODEL #SCW;208/230V;
P #8032-096GI;HOURS 94880;WATER COOLED COMPRESSORS
20062: AS IS;
VA-322B.....\$Call

CTI CRYO REFRIGERATION SYSTEM;MODEL #SCW;208/230V;
P #8032211;11134 HOURS;P#;WATER COOLED COMPRESSORS
VA-321B.....\$Call

CTI CRYO REFRIGERATION SYSTEM;MODEL #SCW;208/230V;
P #8032211;29975 HOURS;WATER COOLED COMPRESSOR
VA-326B.....\$Call

CTI CRYOGENIC REFRIGERATED SYSTEM;MODEL #SC;
WATER COOLED;SOLD "AS IS"
VA-9069.....\$Call

CTI CRYOPUMP;MODEL #CTI8;8033168;SOLD "AS IS"
VA-139E.....\$Call

CTI HELIUM ABSORBER;MODEL #8500/8810
VA-569B.....\$Call

CTI REFRIGERATION SYSTEM;MODEL #SCW;208/230V;
61655 HOURS;WATER COOLED COMPRESSOR
SOLD AS IS;NROR;
VA-323B.....\$Call

CTI REFRIGERATION;MODEL #8510;220V;3PH;20 AMPS;
COMPRESSOR FOR ON BOARD CRYOPUMPS;SOLD "AS IS"
VA-308D.....\$Call



EPOXYLITE ENCAPSULATOR;MODEL #LPV-2436;2
4 X 36D;208V;3PH;24 AMPS;ALL SHELVES HEATED;
INCLUDES COMPUTER OPERATION;
M & W WATER CHILLER
Price: \$21,500
Search: ZM-948C



EUBANKS WIRE STRIPPER;MODEL #02600;
WITH DE REELER#0625 S/N 884325
Price: \$3400
Search: ZM-587B



HEWLETT PACKARD SWEEP AMPLITUDE ANALYZER
#8755C/182 T DISPLAY;+10dBm TO -50dBm
DYNAMIC RANGE;10MHZ - 26.5GHZ
Price: \$950 Each
Search: ZM-6105

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

Vacuum Equipment

DENTON EVAPORATOR;MODEL #DV-502A;12X12 BELL JAR;
120V;SOLD "AS IS"
VA-617D.....\$Call

DENTON VACUUM SYSTEM;MODEL #DESK II;5.5 X 3.5;
115V;GUARANTEED OPERATIONAL
VA-599E.....\$Call

EDWARDS VACUUM PUMP;MODEL #E2M2;115/230V;1/3 HP
VA-640E.....\$Call

EDWARDS VACUUM PUMP;MODEL #E2M2;115/230V;1/3 HP
VA-641E.....\$Call

EDWARDS VACUUM PUMP;MODEL #E2M2;115/230V;1/3 HP
VA-639E.....\$Call

EDWARDS VACUUM PUMP;MODEL #E2M8;115/230V;1PH;
1/2 HP;FOMBLIN OIL ONLY
VA-637E.....\$Call

EDWARDS;#E2M2;120V;2 CFM
VA-9423.....\$Call

EDWARDS;MODEL #EDM2;115V;SOLD "AS IS"
VA-999C.....\$Call

HITACHI DIRECT DRIVE;#160VP;120V;174 LPM
VA-9414.....\$Call

L & H DRY PUMP;MODEL #50B;208/240V;50/60 CYCLE;
55 M3XH-1;13830;WATER COOLED;SOLD "AS IS"
VA-966D.....\$Call

L & H DRY PUMP;MODEL #50B;208/240V;50/60 CYCLE;
55 M3XH-1;13830;WATER COOLED;SOLD "AS IS"
VA-968D.....\$Call

L & H DRY PUMP;MODEL #50B;208/240V;50/60 CYCLE;
55 M3XH-1;13830;WATER COOLED;SOLD "AS IS"
VA-967D.....\$Call

LEYBOLD HERAUES VACUUM PUMP;#D-16A;115/230V;1PH;
1HP
VA-9840.....\$Call

LEYBOLD HERAUES BLOWER SYSTEM;#WA-250;E-75 PUMP
W/FILTER SYSTEM
VA-242A.....\$Call

LEYBOLD HERAUES BLOWER;MODEL #WAU500OXY;208V;3PH;
VA-612A.....\$Call

LEYBOLD HERAUES CRYO PUMP;#RPL3000S-12;REASONBLY
CLEAN;SOLD "AS IS"
VA-9521.....\$Call

LEYBOLD HERAUES TRIVAC;MODEL #D4AC;120V;1PH
VA-993C.....\$Call

LEYBOLD HERAUES VACUUM PUMP;MODEL #D16A;3PH;
208/230/460V;3PH;4/3.5 2 AMPS;1HP
VA-928D.....\$Call

LEYBOLD HERAUES;#D16AC;115V;1HP;2 STAGE;14 CFM
VA-9422.....\$Call

LEYBOLD HERAUES;MODEL #ULTRATEST M;SOLD "AS IS";
ULTRATEST M-FB & M-5 CONTROL 1
VA-722D.....\$Call

L-H VACUUM PUMP: MODEL# D-16A;208/240/460V;3PH;
1HP MOTOR: EST> 10.7CFM;
30 DAY GUARANTEE:
VA-923D.....\$Call

L-H VACUUM PUMP: MODEL#D-16A;208/240/460V;3PH;
1HP MOTOR: EST-10.7CFM;
30 DAY GUARANTEE:
VA-924D.....\$Call

L-H VACUUM PUMP: MODEL#D-8A;115V/208V; 1PH;
EST>5.3CFM: 1 1/2 HP MOTOR:
30 DAY GUARANTEE:
VA-930D.....\$Call

L-H VACUUM PUMP;MODEL# D-16A;208/240/460V: 3PH;
1HP MOTOR:EST-10.7CFM:
30 DAY GUARANTEE
VA-925D.....\$Call

L-H VACUUM PUMP;MODEL# D-8A;115 THRU 230V:1 PH:
1HP MOTOR:EST- 5.3CFM:
30 DAY GUARANTEE:
VA-921D.....\$Call

L-H VACUUM PUMP;MODEL#D-16A;208V: 3PH:
1HP MOTOR: EST> 10.7CFM:
30 DAY GUARANTEE:
VA-927D.....\$Call

L-H VACUUM PUMP;#D-30;29.5 CFM; 1.5 H/P;
208 VOLT; 1PH;
VA-9862.....\$Call

L-H VACUUM PUMP;MODEL #D16AC;115/230V;1HP
VA-973D.....\$Call

BRAND NEW

**Affordable & Portable
Vacuum Test
Systems**

**Space Simulation
Thermal Chambers**



Different Packages
Available for Different
Requirements.
For More Details,
Please see:

WWW.LRE.COM/24



CW Price Screen Printer
Model 8010
Price: \$3600
Search: ZM-572E



CWP Screen Printer
Model 8010
5"x5"
Price: \$2800
Search: ZM-567E



Emco Mill Model FE-1-CNC-
Price: \$7200
Search: ZM-468C



EMI Power Supply
Model TCR 7.5115S-1-D-394-0V
0-7.5V, 0-115A
Price: \$850
Search: ZM-8423

This is the master Font

Ovens and Environmental Chambers are LRE CERTIFIED Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

Vacuum Equipment Continued

Vibration Equipment

LH VACUUM PUMP;MODEL #RPK80052;SOLD "AS IS"
VA-796A.....\$Call

METROLINE OIL CART;MODEL #ML-1000;120V;1PH;10 AMPS
SOLD "AS IS"
VA-536B.....\$Call

METROLINE OIL CART;MODEL #ML-1000;120V;1PH;10 AMPS
SOLD "AS IS"
VA-540B.....\$Call

POLYCOLD VACUUM SYSTEM TRAP CHILLER,
2-SYSTEM CAPABLE;
SOLD AS IS:
VA-8135.....\$Call

VACUUM DIFFUSION PUMP;MODEL #0178;208V
VA-8066.....\$Call

VACUUM RESEARCH MANUAL GATE VALVE;#VG;4"
VA-9883.....\$Call

VARIAN LEAK DETECTOR;#936-65SP;115V; AS IS: \$4000
VA-9074.....\$Call

WELCH DIRECT DRIVE VACUUM PUMP;MODEL #8925;220V;
1PH;8.6 CFM
VA-178D.....\$Call

WELCH DIRECT DRIVE VACUUM PUMP;MODEL #8925;220V;
1PH;8.6 CFM
VA-182D.....\$Call

WELCH DIRECT DRIVE VACUUM PUMP;MODEL #8925;220V;
1PH;8.6 CFM
VA-183D.....\$Call

WELCH DIRECT DRIVE VACUUM PUMP;MODEL #8925;230V;
8.6 CFM;3/4 HP
VA-118D.....\$Call

WELCH DIRECT DRIVE VACUUM PUMP;MODEL #8925;230V;
8.6 CFM;3/4 HP
VA-120D.....\$Call

WELCH DIRECT DRIVE VACUUM PUMP;MODEL #8925;230V;
8.6 CFM;3/4 HP
VA-121D.....\$Call

WELCH DIRECT DRIVE;MODEL #8805;120V
VA-552B.....\$Call

WELCH DIRECT DRIVE;MODEL #8811;115/230V
VA-497F.....\$Call

WELCH VACUUM PUMP;MODEL #1380;120V;SOLD "AS IS"
VA-7670.....\$Call

WELCH VACUUM PUMP;MODEL #1397;230V;17.7 CFM
VA-741F.....\$Call

WELCH VACUUM PUMP;MODEL #1405;120V;1PH
VA-080D.....\$Call

WELCH VACUUM PUMP;MODEL #8925;220V;1PH;8.6 CFM;
DIRECT DRIVE
VA-167D.....\$Call

WELCH VACUUM PUMP;MODEL #8925;220V;1PH;8.6 CFM;
DIRECT DRIVE
VA-175D.....\$Call

WELCH VACUUM PUMP;MODEL #8925;220V;1PH;8.6 CFM;
DIRECT DRIVE
VA-170D.....\$Call

WELCH VACUUM PUMP;MODEL #8925;230V;8.6 CFM;3/4 HP
VA-925C.....\$Call

WELCH VACUUM PUMP;MODEL #8925;230V;8.6CFM;3/4 HP
VA-922C.....\$Call

WELCH VACUUM PUMP;MODEL #8925;230V;8.6CFM;3/4 HP
VA-926C.....\$Call

WELCH;MODEL #1402;120V;5.6CFM
VA-994C.....\$Call

WELCH;MODEL #1405;1.2 CFM
VA-976C.....\$Call

Vibration Equipment

B & W P.I.N.D.;#LPDA1000A;B & W OSC;BW-003;
B & W 020 HEAD;SOLD "AS IS"
VE-6128.....\$Call

B & W PARTICLE IMPACT NOISE DETECTOR;
MODEL #LPD-B200;OSCILLOSCOPE #1405;BW-100C-2 HEAD;
SOLD "AS IS"
VE-5209.....\$Call

NEW Vibration Equipment




LR TECHNOLOGIES

- **Electrodynmice Shakers**
- **Shaker Tables**
- **Drop Testers**
- **Shock Tester**
- **Various Fixtures**

For more information
please see:
WWW.LRE.COM/32 



Bausch & Lomb
MicroZoom with Vacuum
Holder and Eyepieces
No Objectives
Price: \$1800
Search: ZM-958D



Bausch & Lomb
Model Zoom 5
With Boom Stand & OpticLight
Price: \$1100
Search: ZM-569F



Browne & Sharpe
X-Y Measuring System
Model Validator 50
30"x33" Working Area
18 Hole
Price: \$900
Search: ZM-7899



Controllaser Yag Laser
Model 630
Price: \$3000
Search: ZM-8319

Ovens and Environmental Chambers are LRE CERTIFIED Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this,  more Information is Available on our Website. Just Type in the Weblink Shown.

Brand New Vibration Systems

"Not only are these Systems Priced Lower than any Competitor, their Performance is Far Superior."



"This Company is the 'Talk of Town' in the Vibration Industry."

For More Information on these Electrodynamic Vibration Systems, please see: WWW.LRE.COM/33



EST VIBRATION SYSTEM;MODEL #EST-1636;36X36 TABLE; CONSOLE #SCO-1000 SINE SERVO CONTROL, 2020 2CH, ACCEL. MON, SD1700 CONTROL SA, SD426 DISPLAY, FIXTURES-GUARANTEED;AS IS \$26,000
VE-909B.....\$Call

GENISCO G ACCELERATOR;MODEL #D-184;27" DEEP; 1 TO 800 G (1000 G POUND MAX);GUARANTEED OPERATIONAL
VE-529C.....\$Call

HUNTER/AMETEK PULL TESTER, MODEL # ML-3317, 50 POUND,
VE-985A.....\$Call

LDS VIBRATION SYSTEM. HEAD MODEL # V640;S#151; PA-2000 AMP; S# 158;LING SINE WAVE CON #SCO-100; BLOWER;
SOLD AS IS;
VE-778B.....\$Call

LING AMPLIFIER;MODEL #8016--1-6-SSPA
VE-449E.....\$Call

LING VIBRATION HEAD;MODEL #3105;WATER COOLED;"AS IS"
VE-228C.....\$Call

LING VIBRATION SYSTEM;MODEL #8004/385-04;7.25; 385 HEAD AIR COOLED;1500 FORCE POUND;5 TO 4000 HZ; ELECTRICAL OVERTRAVEL -1.3";CONTROL SYSTEM EXTRA
VE-728F.....\$Call

MB VIBRATION HEAD PACKAGE;MODEL #C-60;EXTRA HEAD NO TAG;OIL COOLED;PHM-11 OIL COOLING SYSTEM; ISOMODE TRUNION;SLIPTABLE #303D-2-1, SERIAL #100-64;6K VECTOR FORCE;12750;PEAK RANDOM
VE-452E.....\$Call

MONTEREY RESEARCH IMPACT;MODEL #66-905-45-100K; 50" MAST MOTORIZED
VE-380E.....\$Call

M-RAD VIBRATION SHOCK MACHINE;#1616200P;16X16; 1 1/2 PAD;
VE-5195.....\$Call

SCREENING SYSTEMS HALT;MODEL #QRS-100; FOR PARTS ONLY
VE-293C.....\$Call

THERMOTRON VIBRATION SYSTEM;MODEL #DS-640-979; KIMBALL - 3565808-80902-3-HAC, 2-6KVA AMPLIFIER, THERM-VIB LEVEL MONITOR;480V;3PH;SOLD "AS IS"
VE-987C.....\$Call

THERMOTRON VIBRATION SYSTEM;MODEL #DS-640-985;460V 3PH;50 AMPS;36" DIA. PLATE;AIR-COOLED;
AIRCOOLED AMP & HEAD;SOLD "AS IS" NROR
VE-558D.....\$Call

UNHOLTZ DICKIE VIBRATION SYSTEM;MODEL #HD-TC-208; 480V;3PH;47 AMPS;AIRCOOLED HD (NO BLOWER); AMP - MA115-40;UD SPECTRUM ANALYZER;UD SPECTRUM GENERATOR;SOLD "AS IS"
VE-395E.....\$Call

UNHOLTZ DICKIE;MODEL #106A-1/2;208V;3PH;300 LBS PEAK(SINE), EFFECTIVE WGH, 3LBS, ACCEL-1006, 1/2" STROKE AMPL-TA100A(CAL)1/2, SERIAL #195;AP STRIP CHART;SOLD "AS IS"
VE-353C.....\$Call

Welding Equipment

AMERICAN TECHNOLOGY WELDING SYSTEM; MODEL #ULTRAWELD 4-3598 **ASK GARY FOR INFO*
WA-737F

BENCHMARK SEAM SEALER;# DB-6000; 54X30X28; ENTRY CHAMBERS; VACUUM PUMPS, 1 COMPUTER, SEALER # SM-8000. S# 1286;SOLD "AS IS"
WA-377B.....\$Call

HUGHES AC WELD P/S;HAC-1-MT;X 6 DURATION;
WA-7128.....\$Call

HUGHES AUXILIARY BATTERY PACK;#ABP-15
WA-209A.....\$Call

HUGHES BONDING SYSTEM;MODEL #MCW-550;DUAL VTA-90 HEAD;2 FOOT PEDALS;BAUSCH & LOMB ZOOM;
WA-740F.....\$Call

HUGHES PARALELL GAP WELDER;MODEL #MCW-550-CO2; 120V;COMP. W/MICROWELD VTA 96 HD; B & L STEREOZOOM 4 W/FOOT PEDAL;GOAL POST
WA-856E.....\$Call

HUGHES PARALLEL GAP;MODEL #VTA-66
WA-582A.....\$Call



Aqueos Tech
Model AQ-400RU-2HP
Internal: 21"x21"x17"
Price: \$8200
Search: ZM-796B



Aqueos Technologies
Wash System
Model AQ400/RU-2HP=45FLA
Megohm Meter, PH Meter
Price: \$8200
Search: ZM-9888



Atlas Copco Air Compressor
with Dry Air System
Model GA-18
Price: \$7500
Search: ZM-854D



Avatar System
Model 90429-0101
With Controller
Price: 350
Search: ZM-226A



Balston Air Package
Model 74-5031
Hydrovane 2HP Motor
Price: \$3500
Search: ZM-352A

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more information is Available on our Website. Just Type in the Weblink Shown.



LRE

Welding Equipment Continued

Miscellaneous Equipment

HUGHES PRECISION WELD HEAD;MODEL #VTA-96;
AIR OPERATED;SOLD "AS IS"
WA-532D.....\$Call

HUGHES SOLDERITE SYSTEM;#HTT650; W- VTA 66 HEAD;
GOAL POST ASSEMBLY;
WA-7642.....\$Call

HUGHES SPOT WELDER;MODEL #VTA-71 TYPE
WA-988B.....\$Call

HUGHES TWEEZER HEAD;MODEL #VTA54
WA-454E.....\$Call

HUGHES WELD P/S;#HRW-250B;120 VOLT; 1 PH;
WA-7532.....\$Call

HUGHES WELD POWER SUPPLY & HED;MODEL #HRW-250;
VTA 60 HEAD - ON PLATFORM
WA-757F.....\$Call

HUGHES WELD POWER SUPPLY;MODEL #HRW-100B;
100 WATT SECONDS;GUARANTEED 30 DAYS
WA-512D.....\$Call

HUGHES WELD POWER SUPPLY;MODEL #VTA-66;
SOLD "AS IS"
WA-962C.....\$Call

HUGHES WELDER P/S;#HRW-250B;120V;250 W/S;PARTS
ONLY;
WA-9870.....\$Call

HUGHES WELDER POWER SUPPLY;#MCW-550
WA-625A.....\$Call

HUGHES WELDER POWER SUPPLY;MODEL #HRW-100B;100
WATT SECONDS
WA-095D.....\$Call

HUGHES WELDER POWER SUPPLY;MODEL #HRW-250;120V;
250 W/S
WA-777C.....\$Call

HUGHES WELDER POWER SUPPLY;MODEL #HRW-250B;AC/DC;
250 W/S
WA-767B.....\$Call

HUGHES/NAEL WELD ANALYZER;#OC-430;
WA-5216.....\$Call

HUGHES;MODEL #HRW50C;120V;50 W/S
WA-361C.....\$Call

HUGHES;MODEL #MCW-550 P/S;VTA 66 HEAD, VTA 90 HEAD
SET UP95 REPAIR STATION
WA-756F.....\$Call

HUGHES;MODEL #VTA-90;SOLD "AS IS"
WA-195D.....\$Call

MTI/VAC SEAM SEALER;AUTOVAC, PEDASTAL SAFTROL
ENTRY 15X24, 2 GLOVE & SEAM SLR;WITH 5 GLOVE BOX
3 OVEN 8.5 X 23 X 23 X 9.5;VAC DRI TRAIN SYSTEM;
SOLD "AS IS"
WA-801C.....\$Call

MYACHI INVERTER;MODEL #IT-500A
WA-579E.....\$Call

MYACHI TECHNOS WELD POWER SUPPLY INVERTER;
MODEL #1P-215A
WA-597E.....\$Call

UNITEK 1-191-01;MODEL #UNIBOND II;W/127 PAR-HEAD;
PHASEMASTER IV;UNIPULSE TRANSFORMER;SOLD "AS IS"
NROR
WA-375C.....\$Call

UNITEK HIGH FORCE PROBE HEAD;MODEL #HFP5-020;
GURANTEED OPERATIONAL
WA-340F.....\$Call

UNITEK LIGHT FORCE WELD HEAD;MODEL #2-162-01(50F);
W/FOOT PEDAL & STAND;GUARANTEED OPERATIONAL
WA-343F.....\$Call

UNITEK PECO WELD POWER SUPPLY;115V;15 AMPS;
MODEL #50HV(1-252-03)
WA-598E.....\$Call

UNITEK THINLINE WELD HEAD;MODEL #2-148-02;
AIR OPERATED
WA-692B.....\$Call

UNITEK TWEEZER
WA-453E.....\$Call

UNITEK WELD HEAD;MODEL #2-127-06-16;AIR OPERATED
WA-694B.....\$Call

UNITEK WELD HEAD;MODEL #2-127-06-16;AIR OPERATED
WA-693B.....\$Call

UNITEK WELD HEAD;MODEL #84A/EZ
WA-566E.....\$Call

UNITEK WELD SENTRY;MODEL #WS2
WA-869A.....\$Call

UNITEK WELDER POWER SUPPLY;#1-180-01;115V;
250 WATT SECONDS
WA-9000.....\$Call

UNITEK WELDER W/HEAD;MODEL #1059B;W/1032C HEAD;
45 W/S;SOLD "AS IS" NROR
WA-458C.....\$Call

UNITEK;#1-132-02;250/50 WATT SECONDS;AS IS
WA-9011.....\$Call

WELTEK WELDING POWER SUPPLY;MODEL #SE-100;
SOLD "AS IS"
WA-8763.....\$Call

ALLEN PRODUCTS PROCESSOR;#P-10R;115V;42A
ZM-6130.....\$Call

AMATEK GAGE;#LO2;0-32 OZ
ZM-8667.....\$Call

AMBER IR SYSTEM;MODEL #AE-4128;120V;SOLD "AS IS"
ZM-8888.....\$Call

AMERICAN INSTRUMENT;MODEL #47-2121;W/WEIGHTS
ZM-530C.....\$Call

AMERICAN OPTICAL DUAL CYCLOPS HEAD
ZM-872A.....\$Call

AMERICAN OPTICAL MICROSCOPE;40, 10, & 4 POWER
OBJECTIVES;10 POWER EYEPIECES;BOTTOM LIGHT
ZM-8543.....\$Call

AMERICAN OPTICAL;MODEL #STEREO STAR 569;
ZOOM .7 TO 30 POWER;SOLD "AS IS"
ZM-030D.....\$Call

AMI SCREEN PRINTER; #432; 4" SQUEEGEE; 4" TRAVEL;
ZM-8478.....\$Call

AMPEX COMPUTER PROCESSING SYSTEM;#HBRESI;FR3030
TAPE DRIVE
ZM-8880.....\$Call

AQUEOS TECH;MODEL #AQ-400RU-2HP;21X21X17;220V;1PH;
45 AMPS;COMPLETE;GUARANTEED OPERATIONAL
ZM-796B.....\$Call

AQUEOUS TECHNOLOGIES WASH SYSTEM;#AQ-400/RU-2HP-
45FLA;21X20X20;220V;1PH;50 AMPS;MEGOHM METER;
PH METER;PRINTER
ZM-9888.....\$Call

ARRESTALL DUST COLLECTOR;MODEL #68-766881-2
ZM-203A.....\$Call

ASYMTEK;MODEL #AUTOMOVE 102;W/IVEK BOX #DS-8
S#1063 APPLICATOR HD #802-30-MI
SOLD AS IS:
ZM-515C.....\$Call

ATLAS COPCO AIR COMPRESSOR WITH DRY AIR SYSTEM;
GA-18; 220/230 VOLT; 1PH; 25 HP;
AIR DRY SYSTEM # ID-60-CSA/UL;
GUAR. OPERATIONAL;
ZM-854D.....\$Call

ATM TRIMMER; #ATR-600;
SOLD AS IS
ZM-7077.....\$Call

AUTOCLAVE ENGINEERS;#MAVP-330FS;650 DEG F;
PARTS ONLY
ZM-8142.....\$Call

AVATAR SYSTEM;#90429-0101; W/CONTROLLER
ZM-226A.....\$Call

BALSTON CLEAN AIR PACKAGE;#74-5031;208/230V;
HYDROVANE 2 HP MOTOR;KELLOG HYDROVANE 10;NOT USED
ZM-352A.....\$Call

BAUSCH & LOMB MICROSCOPE;MODEL #STEREOZOOM 3;
.7 TO 2.5 POWER, 10X EYEPIECES;A STAND
ZM-311C.....\$Call

BAUSCH & LOMB MICROSCOPE;MODEL #STEREOZOOM 4;
.7 TO 3 POWER W/EYEPIECES
ZM-746B.....\$Call

BAUSCH & LOMB MICROSCOPE W/VACUUM WORKHOLDER;
EYEPIECES, NO OBJECTIVES
ZM-958D.....\$Call

Miscellaneous Equipment

1 LOT HBS POWER SUPPLIES;MODEL #M253FN-1;115V;
DC OUT 25 AMPS/9 VOLTS
ZM-566F.....\$Call

3M PORTABLE OVERHEAD PROJECTOR;MODEL #6200AGB
ZM-335D.....\$Call

ACME STEEL BOX STITCHER;7 SPOOL WIRE;
ZM-9592.....\$Call

ACME TRANSFORMER; #T-1A-53363-45 TYPE G;240 V;
45KVA; TO 208Y-120;
ZM-7337.....\$Call

ACME TRANSFORMER;MODEL #T-2A-53342-3S;480V DELTA
TO 240-120V;30KVA
ZM-447E.....\$Call

AGFA/GEVAERT COPIER;#REPROMASTER-2001;208/240V;1PH
10 AMPS;150 MM & 210 MM LENS
ZM-9293.....\$Call

AIRFLOW SYSTEMS INC. FILTERED BLOWER SYSTEM;115V;
CASTERS;APPROX. 1/4 HP
ZM-455A.....\$Call

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM **Web Site:** WWW.LRE.COM
Fax: 323-770-0105 **Phone:** 800-574-2748 or 323-770-0634

Note: Wherever you See this,  more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

Miscellaneous Equipment Continued

BAUSCH & LOMB STAND,#SK ZM-4462.....\$Call	BLACK BOX COMPUTER INTERFACE;MODEL #C026A-R2; RS-232 TO IEEE 488;NEW IN BOX;SOLD "AS IS" ZM-493D.....\$Call	CW PRICE SCREEN PRINTER;MODEL #8010;SOLD "AS IS" ZM-572E.....\$Call
BAUSCH & LOMB STEREO ZOOM;MODEL #STEREOZOOM 4; W/RING ILLUMINATOR, BOOM STAND, 10X EYEPIECES; SOLD "AS IS" ZM-427E.....\$Call	BROWNE & SHARPE X-Y MEASURING SYSTEM; #VALIDATOR 50;30X33 WORK AREA;18 HOLE;SOLD "AS IS" ZM-7899.....\$Call	CW PRICE SCREEN PRINTER;MODEL #8010;SOLD "AS IS" ZM-571E.....\$Call
BAUSCH & LOMB STEREOZOOM 7;W/10 POWER EYEPIECES; BOOM STAND ZM-031D.....\$Call	BUEHLER 12" PLATE ZM-400A.....\$Call	CWP SCREEN PRINTER;MODEL #8010;5X5 ZM-567E.....\$Call
BAUSCH & LOMB STEREOZOOM SCOPE;WITH E-ARM ZM-794E.....\$Call	BUEHLER 2 SPINDLE;MODEL #46-1582-HHXR;115V;W/SINK ZM-379E.....\$Call	DAGE PULL TESTER;MODEL #BT-23; LC-200 PLUG-IN S/N 911184; LC-249 PLUG-IN S/N 920107; CAL-1 940141 ZM-680F.....\$Call
BAUSCH & LOMB STEREOZOOM;MODEL #S-ZOOM 4 ZM-991C.....\$Call	BUEHLER POLISHING TABLE SINGLE SPINDLE; MODEL #171651;120V;NO PLATE;GUARANTEED OPERATIONAL ZM-749C.....\$Call	DATA IO E-PROM PROGRAMMER;#990-1902;W/MANUALS AND MISC. PARTS ZM-9886.....\$Call
BAUSCH & LOMB;MODEL #STEREO 4;WITH BOOM STAND ZM-710C.....\$Call	BUEHLER;MODEL #DUOMET II ZM-527B.....\$Call	DE VILBISS PRESSURE FEED TANK;MODEL #QM5-502; 6.25 X 8.5;SOLD "AS IS" ZM-816C.....\$Call
BAUSCH & LOMB;MODEL #STEREOZOOM 4;7 TO 3 POWER W/EYEPIECES ZM-761B.....\$Call	BUNN STRAPPING MACHINE;#BT-16; 115 VOLT; BUNN #F-28 TAPE; ZM-407B.....\$Call	DEK SEMI AUTOMATIC SCREEN PRINTER; #247; 12 X 12 AREA; MOTORIZED RS TABLE; ZM-8281.....\$Call
BAUSCH & LOMB;MODEL #STEREOZOOM 4;7 TO 3 POWER W/EYEPIECES ZM-689B.....\$Call	CAN AM TURBO COATAIR;208/230V;3PH ZM-456C.....\$Call	DESSICATOR BOX;10 - 22X23X20;DAMAGED DOOR;BACKFLOW ZM-318D.....\$Call
BAUSCH & LOMB;MODEL #STEREOZOOM 7;1.0 TO 7.0 ZM-730B.....\$Call	CARL ZEISS MICROSCOPE;#20-50-00;W/EYEPIECES & METERS;MITUTOYO 0-5MM/0-2" DIGITAL ZM-9672.....\$Call	DESSICATOR BOX;13.25 X 21 X 24;6 1/2 SHELF SEPERATION;4 COMPARTMENT ZM-826C.....\$Call
BAUSCH & LOMB;MODEL #STEREOZOOM 7;W/20X EYEPIECES; OLD STYLE BOOM ZM-553F.....\$Call	CHALLENGER TRANSFORMER;#303-415;480-208-120 V; 300 KVA ZM-9536.....\$Call	DESSICATOR BOX;16 X 13 X 23;AMBER;2 DOOR PASS THRU ZM-688B.....\$Call
BAUSCH & LOMB;MODEL #STEREOZOOM 7;W/SK STAND & LIGHT SOURCE ZM-526C.....\$Call	CHARLES WATER IONIZER;#19500; ZM-386B.....\$Call	DESSICATOR BOX;2 CHAMBER, 15X16X15 ZM-723B.....\$Call
BAUSCH & LOMB;MODEL #ZOOM 5;W/BOOM STAND, OPTIC LIGHT ZM-569F.....\$Call	CHARLES WATER IONIZER;#CP12/120; ZM-403B.....\$Call	DESSICATOR BOX;23 X 7.75 X 6.25;2 CHAMBER;BACKFLOW ZM-870C.....\$Call
BAUSCH AND LOMB ;#BALPLAN; BRIGHT FIELD; 4,10,40, ZM-8482.....\$Call	CHATILLON BASE;MODEL #LTCM-4;SOLD "AS IS" ZM-889D.....\$Call	DESSICATOR BOX;35 X 17 X 26;8 SHELVES PER CHAMBER ZM-073D.....\$Call
BECKMAN SPECTROPHOTOMETER;UV COMPUTING SPECTRO; EXTRA PARTS;SOLD AS IS ZM-233A.....\$Call	CHATILLON DIGITAL SPRING TESTER;MODEL #DST88; 3" PLATFORM;SOLD "AS IS" ZM-434C.....\$Call	DESSICATOR BOX;35X17X26;12" SHELF SEPERATION; 4 SHELVES PER CHAMBER ZM-953C.....\$Call
BENCHMARK U/S IMPACT GRINDER;#100;W/100W DISPLAY; SOLD "AS IS" ZM-230A.....\$Call	CHATILLON FORCE GAUGE;MODEL #DPP-16;16 OZ X 1/8 OZ ZM-403A.....\$Call	DESSICATOR;8 COMPARTMENT;23X22X17;BACKFLOW; DOOR HANDLE MISSING ZM-820C.....\$Call
	CONTROLLASER YAG LASER;#630;220V;1PH;40A; 1510.1B HR;SOLD "AS IS" ZM-8319.....\$Call	



UNITEK PECO WELD POWER SUPPLY;
115V;15 AMPS;MODEL #50HV(1-252-03)
Price: \$3600
Search: WA-598E



Blue M Liqui-Liquid
Thermal Shock Chamber
Model LTB1-ATS
Temp: -73C to +170C
Price: \$11,000
Search: CZ-538D



Orion Conveyorized
Thermal Shock Chamber
Model ESL-806D-A
Price: \$4000 As Is
Search: CZ-5509



Ransco Thermal Shock
Chamber Model 7110-1
Temp: -70C to +200C
Price: \$32,000
Search: CZ-784C



Ransco Thermal Shock
Chamber Model 7103-1
Temp: -70C to +170C
Price: \$22,000
Search: CZ-901B

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note:
Wherever you See this, more Information is
Available on our Website. Just Type in the Weblink Shown.

LRE

Miscellaneous Equipment Continued

<p>DRY BOX PLEXIGLASS;17X12X14 ZM-9407.....\$Call</p> <p>DUST COLLECTOR;220V230V;1PH;9 4X40 FILTERS;1HP ZM-309.....\$Call</p> <p>EMCO MILL;MODEL #FE-1-CNC;X-7.87, Y 3.94 Z-7.87 MILL HD 90 DEG, TABLE-16.54 X 4.92, TBL- .98-8.861 VERTICLE, 3.15-11.02 HOR- SOLD "AS IS" ZM-468C.....\$Call</p> <p>EMERGENCY POWER ENGINEERING POWER CONDITIONER; MODEL #PBROT12-30;208V;3PH;135A;30KV OUTPUT; 235A IN RUSH FOR 90 SECONDS;318A IN RUSH FOR 90 SECONDS;FULL LOAD BYPASS;30KV OUTPUT 6193.07 HRS ZM-8052.....\$Call</p> <p>EMERGENCY POWER ENGINEERING POWER CONDITIONER; #PB48TL2-76;460V;3PH;138A;300A RUSH FOR 90 SECONDS 380A RUSH FOR 90 SECONDS;75KVA OUTPUT;FULL LOAD BYPASS ZM-8051.....\$Call</p> <p>EMI POWER SUPPLY W/RACK;19X28X82;TCR10S50-1-D-OV- 0394;SCR 10-80-OV;SCR 10-40-OV-394;SCR 20-80-394- OV;SCR 20-80-OV;TCR 7.5 S.300-2-D; SOLD "AS IS" NO RIGHT OF RETURN ZM-859B.....\$Call</p> <p>EMI POWER SUPPLY;#TCR 7.5115S-1-D-394-OV; 0-7.5 V;0-115AMP;120 VOLT;SIGNAL; ZM-8423.....\$Call</p> <p>EMI POWER SUPPLY;MODEL #20S90-1-D-OV;0 - 20V; 0 - 90 AMPS;DIGITAL;SOLD "AS IS" ZM-851C.....\$Call</p> <p>EMI POWER SUPPLY;MODEL #TCR10390 ZM-347D.....\$Call</p> <p>EMI POWER SUPPLY;MODEL #TCR10S90 ZM-348D.....\$Call</p> <p>EMI POWER SUPPLY;MODEL #TCR10T-250-1-D;220V;3PH; DIGITAL;SOLD "AS IS" ZM-879C.....\$Call</p> <p>EMT PLASTICS AMBER DESSICATOR;17 X 16.5 X 17 ZM-684B.....\$Call</p> <p>ENDEVCO SIGNAL CONDITIONER;#2775A;W/ACCELEROMETER #2222C;CHARGE SENSOR 1.039;493.pF CAPACITANCE ZM-9435.....\$Call</p> <p>EPOXYLITE ENCAPSULATOR;MODEL #LPV-2436;24 X 36D; 208V;3PH;24 AMPS;ALL SHELVES HEATED;INCLUDES COMPUTER OPERATION;M & W WATER CHILLER;SOLD "AS IS" ZM-948C.....\$Call</p> <p>EPOXYLITE;#ESL4842-C50;48X42;460V;3PH;21A; PARTLOW RECORDER;ANALOG GAUGES;1376 VAC PUMP; SOLD AS IS ZM-9543.....\$Call</p> <p>ESTERLINE ANGUS RECORDER/LOGGER;#MRL-244-2-PD-RC- 64-LI-T; AS IS ZM-9410.....\$Call</p> <p>EUBANKS WIRE STRIPPER;MODEL #02600;WITH DE REELER #0625 S/N 884325 ZM-587B.....\$Call</p> <p>EWARD ASSOCIATES 2 DOOR;12 X 14 X 12.5 ZM-687B.....\$Call</p> <p>EXTEK STEP & REPEAT CAMERA;MODEL #7151;RECORD SOURCE DOCUMENTS TO FICHE FORMAT 105MM;SOLD AS IS ZM-641B.....\$Call</p>	<p>FLOCON GAS CABINET;A755-52-092/A904-52-09X GAS PANEL, ES SAFETY SYSTEM;SOLD "AS IS" ZM-259C.....\$Call</p> <p>FULTER PUMP IND;MODEL #M-3/4-B;115/230V; POLYPROPYLENE;**NEW IN BOX** SOLD AS IS ZM-554F.....\$Call</p> <p>GEORGE STEVENS COIL WINDER;#412AM;MAX COIL 4"; 13"DISTANCE;NO POWER TRANSFORMER ZM-7521.....\$Call</p> <p>GLOVE BOX;46X28X23; 12X14 ANTE CHAMBER; 12X12X12 2ND CHAMBER; AS IS ZM-8943.....\$Call</p> <p>GREENERD 30 TON SERVO CUSTOM LAB PRESS;230V;3PH; 10.5 X 15" PLATEN;DIMENSION II MICROPROCESSOR; FULL PLC CONTROL SYSTEM;FULL MANUALS;CHILLERS; SOLD "AS IS" ZM-9939.....\$Call</p> <p>H/P POWER SUPPLY;MODEL #5256B;115V;0 TO 10V; 0 TO 20 AMP;SOLD "AS IS" ZM-651B.....\$Call</p> <p>H/P POWER SUPPLY;MODEL #5256B;115V;0 TO 10V; 0 TO 20 AMP;SOLD "AS IS" ZM-652B.....\$Call</p> <p>HAAS & ELBER POWER HAND TRUCK;#A25;550 LB CAPACITY NO POWER SUPPLY;SOLD "AS IS" ZM-9647.....\$Call</p> <p>HELLER FORMER/CUTTER;MODEL #715A;SOLD "AS IS" ZM-051D.....\$Call</p> <p>HEWLETT PACKARD MULTISERVICE KIT;#4551A ZM-654A.....\$Call</p> <p>HEWLETT PACKARD OSCILLOSCOPE;#1200A;100 UV; DUAL TRACE ZM-8058.....\$Call</p> <p>HEWLETT PACKARD OSCILLOSCOPE;#1200B;OPTION 6 ZM-6454.....\$Call</p> <p>HEWLETT PACKARD POWER SUPPLY;#6200B;0-40V, .75/ 0-20V-1.5 ZM-9818.....\$Call</p> <p>HEWLETT PACKARD POWER SUPPLY;#6200B;0-40V, 0-.75A/ 0-20V, 0-1.5A ZM-9820.....\$Call</p> <p>HEWLETT PACKARD POWER SUPPLY;#6200B;0-40V, 0-75A/ 0-20V, 0-1.5A ZM-9819.....\$Call</p> <p>HEWLETT PACKARD POWER SUPPLY;#6200B;120V;0-40V, 0-.75A/0-20V, 0-1.5A ZM-9816.....\$Call</p> <p>HEWLETT PACKARD POWER SUPPLY;MODEL #6261B;0-20V; 1-50 AMPS;SOLD "AS IS" ZM-781A.....\$Call</p> <p>HEWLETT PACKARD SWEPT AMPLITUDE ANALYZER;#8755C/ 182 T DISPLAY;+10dBm TO -50dBm DYNAMIC RANGE; 10MHZ - 26.5GHZ ZM-6105.....\$Call</p> <p>HEWLETT PACKARD;#3456A;HP/IB INTERFACE;330 READINGS PER SECOND .1 TO 1000V;SOLD AS IS ZM-222A.....\$Call</p> <p>HONEYWELL DIGITAL PROCESS REPORTER;#DR-1500; 43-DR-99-01;10" STRIP; USER CONFIGURABLE; ZM-8405.....\$Call</p>	<p>HONEYWELL RECORDER;MODEL #TRULINE ZM-407F.....\$Call</p> <p>HONEYWELL STRIP CHART RECORDER;#11234281-53020-00- 0000-102-32;-75 TO +125 DEG C;1 PEN ZM-7131.....\$Call</p> <p>HP POWER SUPPLY;MODEL #6428B;0 - 20V;0 - 45 AMPS; SOLD "AS IS" ZM-861C.....\$Call</p> <p>HUNTER PULLTESTER;MODEL #CTM-TESTER;120V;NO GAUGE; MINIRIK MOTOR CONTROL ZM-281C.....\$Call</p> <p>HYDROMATIX;MODEL #SYSTEM D7710T;TIMER;450 AUTOTROL DE-I CONTROL;SHIPPED 9/12/96;NEVER USED; ZM-477A.....\$Call</p> <p>IBM PRINTER;MODEL #6262MM ZM-120B.....\$Call</p> <p>ILX LIGHTWAVE LASER DIODE CONTROLLER; MODEL #LDC-3724;GPIB;SOLD "AS IS" ZM-446D.....\$Call</p> <p>IMAGE QUEST TECH LIQUID CRYSTAL FILL OVEN;15X18X15 280C;230V;SERIES 307 VACUUM GAUGE;HOTPACK #273800- 23 VACUUM OVEN;NO VACUUM PUMP;SOLD "AS IS" ZM-802E.....\$Call</p> <p>INSTRON LOAD CELL;MODEL #2518-804;10 KN; BOLT TORQUE 50NM ZM-874A.....\$Call</p> <p>INSTRON LOAD CELL;MODEL #2518-807;100N;BOLT TORQUE 50 NM ZM-857A.....\$Call</p> <p>INSTRON LOAD CELL;MODEL #ION;MAX TORQUE 12 NM; WEIGHT - 2KG ZM-859A.....\$Call</p> <p>INSTRON TENSIL TESTER W/GRIPS & MISC. PARTS; MODEL #1000;W/STRIP CHART;PNEUMATIC ACTION GRIPS; SOLD "AS IS" ZM-354C.....\$Call</p> <p>INTERNATIONAL COMP. POWER;MODEL #RPSR20K6533-HH-DC XX;480V;3PH;25HP, 1800RPM;GENERATOR;380/220 26A, 25HP;50 CYCLE;1500RPM ZM-337B.....\$Call</p> <p>INTERNATIONAL TRANSFORMER;#HTV-0;480V - 208V; CAT. #75T82H-6-C-2ES ZM-9709.....\$Call</p> <p>IVEK APPLICATOR BOX;MODEL #OS-8-MICRO-AA ZM-513C.....\$Call</p> <p>JAY D. SPROUT HYD. PRESS;14 X 9 PLATEN SOLD AS IS ZM-914B.....\$Call</p> <p>JC SYSTEMS CONTROLLER IN CABINET;MODEL #600; 19" RACK;SOLD "AS IS" ZM-775E.....\$Call</p> <p>JEFFERSON ELECTRIC TRANSFORMER;MODEL #213-0147-055 480V HIGH - 240V LOW;NOT USED ZM-416D.....\$Call</p> <p>KENCO IONIC CONTAMINATION SYSTEM;MODEL #600; 18 X 18 TEST CELL ZM-453F.....\$Call</p> <p>KENCO/ALPHA METALS IONIC CONTROL SYSTEM;MODEL #500 SOLD "AS IS" ZM-653B.....\$Call</p>
---	--	---

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this,  more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

Miscellaneous Equipment Continued

KENRO;MODEL #7100;MISSING BOTTOM LENS
ZM-7561.....\$Call

KIETHLEY SWITCHING MATRIX;MODEL #707;RACE MOUNT
6 X 7075 (EIGHT 1X12) CARDS;DIGITAL I/O, IEEE-488
SOLD "AS IS"
ZM-489D.....\$Call

LABCONCO BIO-HAZARD FUME HOOD;MODEL #36213;
72X23X20
ZM-765F.....\$Call

LAM RESEARCH WATER CHILLER; 208/230 VOLT;3 PH;30A;
ZM-7846.....\$Call

LEADER DC TRACKING POWER SUPPLY;MODEL #LPS-152;
120V;0-6V/0-5A;NEW IN BOX
ZM-105C.....\$Call

LECO VARICUT VC-50;MODEL #800-900;GUARANTEED
OPERATIONAL
ZM-523A.....\$Call

LEITZ;MODEL #LABORUX 12HL;TYPE 020-435 024, 562214
NO OBJECTIVES;SOLD "AS IS"
ZM-966B.....\$Call

LOCTITE BOND-A-MATIC 200;
ZM-7554.....\$Call

LOCTITE UV CURING SYSTEM;MODEL #ZETA7200;9X8X7;
120V;20 AMPS;P:#983120/UVA&UVB REGIONS;
PART SIZE 5X6;300W
ZM-956A.....\$Call

LOT OF 60 NORTHERN TELECON SPEAKERPHONES;
MODEL "MERIDIAN";NO HANDSETS;SOLD "AS IS"
ZM-219C.....\$Call

M & W SYSTEMS WATER CHILLER;
MODEL #RPCX17-A-D-12X10-LI-CMII;NO NITROGEN
CAPABILITY
ZM-909A.....\$Call

MAGNAFLUX ANDREX REAL TIME X-RAY;48 X 39 CABINET;
240V;1PH;MONITOR;AS IS;CAN BE UPGRADED - CALL FOR
QUOTE
ZM-8469.....\$Call

MAGNETEK TRANSFORMER;MODEL #223-3264;480V;3PH;
LOW VOLTAGE, 208V, 120, 150 KVA
ZM-150A.....\$Call

METRO CART;WITH CASTERS;2 SHELVES
ZM-764E.....\$Call

MEYER GAUGE CALIBRATION ST;MODEL #M-2 PLUS;
2 HOLES MISSING
ZM-108C.....\$Call

MGM TRANSFORMER;#HT250A3BISH TYPE HT;400-208Y
ZM-3835.....\$Call

MICROCELL SEMI AQUEOUS CLEANER WRIST STREPCON;
MODEL #9010;SOLD "AS IS"
ZM-487D.....\$Call

MITUTOYO COMPARITOR;#PJ-300;12" SCREEN;3" VIEW
AREA;10 POWER
ZM-9701.....\$Call

MITUTOYO X-Y READOUT;MODEL #ERC5601W
ZM-7864.....\$Call

MITUTOYO;#PH-350;15" X 6" STAGE;DIGITAL GAUGES;
20X LENS;14" SCREEN
ZM-345A.....\$Call

MITUTOYO;#PH-350;15" X 6" STAGE;DIGITAL GAUGES;
20X LENS;14" SCREEN
ZM-343A.....\$Call

MITUTOYO;#PH-350;15" X 6" STAGE;DIGITAL GAUGES;
20X LENS;14" SCREEN
ZM-315A.....\$Call

MTA WATER CHILLER;MODEL #TAE-0051;460V;3PH;14 AMPS
AIR-COOLED;NEVER USED
ZM-407C.....\$Call

NESLAB WATER CHILLER;MODEL #HX-900;440/480V;3PH;
50 AMPS;UPGRADED REFRIGERATION;TUS PUMP
ZM-487F.....\$Call

NEW HERMES;MODEL #VANGARD 4000;SOLD "AS IS"
ZM-851D.....\$Call

NEW PIG CORPORATION SPILL CART W/AIR PACK;
TRAINING REQUIRED FOR PURCHASER
ZM-983B.....\$Call

NEWPORT MODULAR CONTROL;MODEL #9008/9016;8 PORT;
IEEE-488;RS-232;8 PORT; \$1800 EACH INDIVIDUALLY
WILL SELL 8 UNIT RACK @ \$11,000 (3 RACKS AVAIL)
WILL SELL 6 UNIT RACK @ \$9,000 (1 RACK AVAIL)
ZM-309E.....\$Call

NEWPORT TABLE;60X8X72;NO CYLINDERS;SOLD "AS IS"
ZM-637D.....\$Call

NIKON COMPARITOR;MODEL #V-12;20X, 50X, 100X;
4" PLATE;GLASS CRACKED
ZM-679F.....\$Call

NIKON MEASURESCOPE; 4" STAGE; RING ILLUMINATOR;
ZM-7860.....\$Call

NIKON; LABOPHOT, 20, 100, 100 POWER, LIGHT SOURCE;
ZM-8484.....\$Call

OLYMPUS MICROSCOPE, #CH;4, 10, 20, 40 POWER;
ZM-8483.....\$Call

OLYMPUS MICROSCOPE;MODEL #CHS;20, .10 .25 .65;
BOTTOM LIT
ZM-973B.....\$Call

OLYMPUS MICROSCOPE;MODEL #SZ4045
ZM-972B.....\$Call

OMEGA IO CHANNEL INDICATOR;MODEL #DB41TC-52-MDSS;
GUARANTEED OPERATIONAL;NO CALIBRATION
ZM-448D.....\$Call

OMEGA IO CHANNEL INDICATOR;MODEL #DB41TC-52-MDSS;
GUARANTEED OPERATIONAL;NO CALIBRATION
ZM-447D.....\$Call

OMEGA RECORDER;#CT-1000;0 TO +200 DEG C
ZM-8460.....\$Call

ONO SOKKI FFT ANALYZER;#CF-4220A;GP1B 3" FLOPPY
RS-232;W/CALIBRATION & TECH REPORT ADD \$800.00
ZM-9434.....\$Call

OPTEK;25X19;120V;DIGITAL X-Y
ZM-7900.....\$Call

OVERSEAS PLANNING PROJECTS BONO PULL TESTER;MODEL
#MAXIMO V;WITH NIKON SMZ MICROSCOPE WORKHOLDER
ZM-440A.....\$Call

PENFIELD PURIFICATION SYSTEM;#UFSKID;GE FANUC
MICROPROCESSOR;8 ROMICON HOLLOW FIBER CARTRIDGE
FILTERS;2 THORTON RESISTIVITY 2-3HP CHEMICAL
PUMPS
ZM-9799.....\$Call

PHOTOMATRIX DUPLICATING MICROFICHE;MODEL #860/60;
SOLD "AS IS"
ZM-701B.....\$Call



Dage Pull Tester
Model BT-23
Price: \$5200
Search: ZM-680F



QUV Accelerated Weather Tester
Model #Basic
Price: \$3800
Search: CZ-841F



Qualmark HALT Chamber
Model OVS-3
Internal: 38"(w) x 43"(d) x 36"(h)
Temp: -70C to +90C
Price: \$29000 - Sold As Is
Search: CZ-656F



Harshaw Salt Spray Chamber
Model 21
Internal: 29"(w) x 36"(d) x 30"(h)
Temp: Ambient to 130F
Price: \$4100
Search: CZ-655F

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty
For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)
Email: SALES@LRE.COM Web Site: WWW.LRE.COM
Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note: Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

Miscellaneous Equipment Continued

PILLAR/CYCLE-DYNE INDUCTION HTR; # MK-25; 1 KW;
25 KHZ; WITH#AB6700-56 CHILLER SYSTEM;
GUARANTEED OPERATIONAL;
ZM-839D.....\$Call

PIND TESTERS, INC. STEAM AGE;MODEL #SAS-3000;220V;
1PH;4 DRAWER
ZM-887D.....\$Call

POWER SUPPLY RACK;19X21X61;W/2 LAMBDA
LP-520-0-10V-5A, 2 LP-522-0-40V-0-1.6A
SOLD "AS IS"
ZM-766B.....\$Call

POWER TEN POWER SUPPLY;MODEL #4700D-40250;208V;3PH
0-250ADC, 0-40VDC
ZM-617E.....\$Call

POWER TENN POWER SUPPLY;MODEL #3300D-2050;
0-20 VOLT, 0-50 AMPS
ZM-790C.....\$Call

PRESCO THICK FILM PRINTER;5 1/2" SQUEEGY;
10 X 8 SCREEN;SOLD "AS IS"
ZM-9665.....\$Call

PRESSURE VESSEL;34X42;8" ACCESS;MOLD STEEL;
INTERIOR PAINTED;12 DOOR LATCHES;SOLD "AS IS"
ZM-717F.....\$Call

PURE AIR LAMINER FLOW BENCH;MODEL #720B;
72X22X22;SOLD "AS IS"
ZM-091E.....\$Call

RD MATHIS POWER AMPLIFIER;#MARK III;
1KW;13.56MHZ;
ZM-5359.....\$Call

RECORDAK THERMAL FILM PROCESSOR;MODEL #829
ZM-702B.....\$Call

REICHERT MCBAIN MACHINIST SCOPE;MODEL #260173;
SOLD "AS IS"
ZM-525A.....\$Call

REICHERT MICROSCOPE;#322-026
ZM-4463.....\$Call

REPRO VACUUM FRAME;#4254;42X54;DIGITAL TIMER;
ZM-9587.....\$Call

ROLLER CONVEYOR MOTORIZED;26X96;2 SECTIONS-1 PRICE
ZM-557B.....\$Call

RUSKA INSTRUMENT;CAT #6000-601-74000, 3 SERIES
6000 DIR-RD PRESSURE GAGE 50/100/500 PSI DIFF.
6005 INTERFACE;SOLD "AS IS"
ZM-533C.....\$Call

SAFE; 35X25X55;
ZM-5071.....\$Call

SCC GLOVE BOX;ENTRY CHAMBER 12 X 15 X 12;46W X 19T
X 30D;SINGLE STATION;DAMAGED SIDE OVEN;SOLD "AS IS"
ZM-054D.....\$Call

SCRIPTA PANTOGRAPH;MODEL #SR2DC;USED FOR MOLDS
ZM-680A.....\$Call

SEERITE TRACING BOX;#WTB18/4;25X19
ZM-219A.....\$Call

SEIKOSHA VIDEO COPIER;#VP-3500
ZM-240A.....\$Call

SEMIFAB WET BENCH;MODEL #WPS-400;SOLD "AS IS"
ZM-881C.....\$Call

SHIMPO FORCE GAUGE;50 LBS X .25;CAL DUE 9-98;
SOLD "AS IS"
ZM-101C.....\$Call

SIMCO AEROSTAT; #A-500;
ZM-401B.....\$Call

SIMCO AEROSTAT;#A-400;
ZM-402B.....\$Call

SIMCO IONMETER;MODEL #CM-1;120V
ZM-336D.....\$Call

SLOSYN STEP CONTROL;#SP155A-6209;120/240V
ZM-9008.....\$Call

SMS LAB SPEED COMPOUNDER;460V;3PH;5HP;BACTH
CAPACITY 110 LBS;SOLD "AS IS"
ZM-136C.....\$Call

SOLID STATE EQUIPMENT GLOVE BOX;46X30X20;HTD 11X15
N2 ANTE 12X15X12;SOLD "AS IS"
ZM-747C.....\$Call

SONO-TEK;MODEL #06-05108;NEW IN BOX W/NOZZLE
ZM-714A.....\$Call

SONO-TEK;MODEL #06-05108;NEW IN BOX W/NOZZLE
ZM-720A.....\$Call

SORENSEN POWER SUPPLY RACK;3 PCS 7V/300A
ZM-103D.....\$Call

SPEEDFAM LAPPING UNIT;#CPM III;30" PLATEN;
TOUCHSCREEN, SOLD AS IS
ZM-9761.....\$Call

SS WHITE ABRASIVE UNIT;# HME; W EXTENDED STORAGE;
ZM-8374.....\$Call

SSEC SPECIAL GLOVE BOX;2 STATION 46X30X18;
1 STATION 3 OVENS 11X18 W/TELVAC DIGITAL MICRON
GAUGE;PURGE CAPABLE; SOLD "AS IS"
ZM-9904.....\$Call

STANDARD REGISTER MAIL PROCESSING SYSTEM;
MODEL #THERMOBOND 400
ZM-119B.....\$Call

STANDARD RESEARCH POWER SUPPLY & DISPLAY MOD;
MODEL #SR-280;115V;OUTPUT - +12/2A, -12/2A/+24/1A,
-24/1AM
ZM-741D.....\$Call

STANDARD RESEARCH POWER SUPPLY & DISPLAY MOD;
MODEL #SR-280;115V;OUTPUT - +12/2A, -12/2A/+24/1A,
-24/1AM
ZM-742D.....\$Call

STANDARD RESEARCH POWER SUPPLY & DISPLAY MOD;
MODEL #SR-280;115V;OUTPUT - +12/2A, -12/2A/+24/1A,
-24/1AM
ZM-743D.....\$Call

STANDARD RESEARCH POWER SUPPLY & DISPLAY MOD;
MODEL #SR-280;115V;OUTPUT - +12/2A, -12/2A/+24/1A,
-24/1AM
ZM-744D.....\$Call

STANDARD RESEARCH POWER SUPPLY & DISPLAY MOD;
MODEL #SR-280;115V;OUTPUT - +12/2A, -12/2A/+24/1A,
-24/1AM
ZM-747D.....\$Call

STANDARD RESEARCH POWER SUPPLY & DISPLAY MOD;
MODEL #SR-280;115V;OUTPUT - +12/2A, -12/2A/+24/1A,
-24/1AM
ZM-746D.....\$Call

STANDARD RESEARCH POWER SUPPLY & DISPLAY MOD;
MODEL #SR-280;115V;OUTPUT - +12/2A, -12/2A/+24/1A,
-24/1AM
ZM-745D.....\$Call



BUEHLER MINIMET;
MODEL #69-1000-160
Price: \$850
Search: LE-768B



BUEHLER MINIMET;
MODEL #69-1000-160
Price: \$950
Search: LE-745B



NESLAB BATH; #ENDOCAL;
OTP; LOW LEVEL CUT-OUT;
PART # 153110;
Price: \$450
Search: LE-8463



NESLAB TEMP-BATH;
#EX-110;AMBIENT-130C;
110V;1.3 GAL CAPACITY;
Price: \$850
Search: LE-6088



VWR WATER BATH;
MODEL #1245PC;120V;DIGITAL
Price: \$550
Search: LE-334C

This is the master Font

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty

For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)

Email: SALES@LRE.COM Web Site: WWW.LRE.COM

Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note:

Wherever you See this, more Information is Available on our Website. Just Type in the Weblink Shown.

LRE

Miscellaneous Equipment Continued

STANDARD RESEARCH SYSTEM COMPUTER INTERFACE SET
50;MODEL #SR-245;01650,05546 005469,001533 001619
001372 001616, 001618, 001373 005915
ZM-749D.....\$Call

STURTEVANT RICHMONT HAND TORQUE TOOL ANALYZER;
#E-M-H-2501
ZM-7403.....\$Call

SUPERIOR ELECTRIC PRESET INDEXER;
MODEL #SP155A-6209;6 MOTOR HOOK UP;SOLD "AS IS"
ZM-997C.....\$Call

SWIFT MICROSCOPES;MODEL #STEREO 80;20 POWER;WITH
BOOM STAND
ZM-488A.....\$Call

TAYLOR HOBSON TALLY SURF;#A112/1261F/511;
CONTROL #K510/A07F/1344
ZM-8539.....\$Call

TDI INTERNATIONAL;2 COMPARTMENT 18 X 23 X 11;
BACKFLOW;6 DRAWERS
ZM-317F.....\$Call

TERRA UNIVERSAL DESSICATOR;MODEL #2064-00;
2 COMPARTMENT 15 X 14.5 X 6.5;BACKFLOW;ANTI-STATIC
SOLD "AS IS"
ZM-185E.....\$Call

TERRA UNIVERSAL DESSICATOR;MODEL #2064-00;
2 COMPARTMENT 15 X 14.5 X 6.5;BACKFLOW;ANTI-STATIC
SOLD "AS IS"
ZM-188E.....\$Call

TERRA UNIVERSAL DESSICATOR;MODEL #2067-00;
17 X 16 X 7.5;SOLD "AS IS"
ZM-184E.....\$Call

TERRA UNIVERSAL DESSICATOR;MODEL #DARK PLASTIC;
3 COMPARTMENT 17.5 X 17.5 X 7.5;SOLD "AS IS"
ZM-196E.....\$Call

TERRA UNIVERSAL FARACATOR;MODEL #2541-00;
3 COMPARTMENT 17 X 20 X 11.5;BACKFLOW;SOLD "AS IS"
ZM-194E.....\$Call

TERRA UNIVERSAL FARACATOR;MODEL #2541-00;
3 COMPARTMENT 17 X 20 X 11.5;BACKFLOW;SOLD "AS IS"
ZM-195E.....\$Call

TERRA UNIVERSAL FARACATOR;MODEL #2541-00;
3 COMPARTMENT 16X20X11.5;2 SLIDE OUT TRAYS PER
COMP;BACKFLOW;ANTI-STATIC;SOLD "AS IS"
ZM-193E.....\$Call

TERRA UNIVERSAL FARRACOTR;MODEL #2558-00;
3 COMPARTMENT 17 X 20 X 11.5;BACKFLOW;SOLD "AS IS"
ZM-160E.....\$Call

TEW IMPULSE AUTOSEALER;MODEL #TISA-452;450 MM;
110V; .6KW
ZM-107C.....\$Call

THERMAL CORPORATION CHILLER;MODEL #CPE200-H;
SOLD "AS IS"
ZM-260C.....\$Call

TINIUS OLSON 10K CAP.;#131415;
GRIP-130550/P2000 LBS-T-0 DEFLECTOR #D-2;
SOLD "AS IS"
ZM-212D.....\$Call

TOPAZ LINE CONDITIONER;#84864;120V;6.7 AMP OUTPUT
ZM-8893.....\$Call

TOPAZ LINE CONDITIONER;MODEL #84864.52;120V;6.7
AMPS
ZM-039D.....\$Call

TORIT DUST CLEANER;#64;115/230V;1PH;
ZM-8532.....\$Call

TOXGARD OXYGEN METER;#485950;
ZM-7674.....\$Call

TRIO TECH FILTRATION SYSTEM;MODEL #G-233F
ZM-709C.....\$Call

TWIN CITY BLOWER;#JRW; 115 VOLT; SIZE- 805;
CLASS-SD; 1/2 H.P.; MOUNTED TO TABLE;
ZM-9796.....\$Call

UNITRON METALLURGICAL MICROSCOPE;#MeC 10175;
6"X6" STAGE;40, 5, 10, POWER OBJECTIVES;
1 X 1.5" MOVEMENT
ZM-8081.....\$Call

UNITRON METALLURGICAL MICROSCOPE;#MeC 10176;
6"X6" STAGE;40, 5, 10 POWER OBJECTIVES;
1 X 1.5" MOVEMENT
ZM-8230.....\$Call

UNIVERSAL DISPENSER;MODEL #4713B-05832742282501;
120V;1PH;15 AMPS;SOLD "AS IS" NROR
ZM-450D.....\$Call

VEEEO MARKING SYSTEM;TABLE W/SANYO CCD CAMERA,
LIGHT SOURCE;SOLD "AS IS"
ZM-154E.....\$Call

VERSATILE PLASTICS DESSICATOR BOX;18 X 14.5 X 15;
BACKFLOW;3 SHELF 5";DOOR CRACK
ZM-828C.....\$Call

VERSATILE PLASTICS DESSICATOR BOX;18 X 14.5 X 15;
3 SHELF;5" SEPERATION;BACKFLOW
ZM-830C.....\$Call


VISION ENGINEERING;MODEL #TS-3
ZM-527C.....\$Call

VISION ENGINEERING;MODEL #TS-4;W/X-Y TABLE;

Stay Updated...
Sign Up Now!

For "Specials"
and Regular Updates
of our Inventory,
Please Join our
Email Newsletter List.

We Promise that we will not
devalue your email address
to anyone else.



This way you will
be amongst the
first to be
Informed!

Please join by
going to the
following link:
WWW.LRE.COM/26



Robotic Process
Solderability Tester
Model 202TL
Price: \$4600
Search: SC-771B



Electroglas Wafer
Prober Model 131B1
No Optics
Price: \$950
Search: SC-680B



Micrographics Densitometer
Model 329
Price: \$600
Search: SC-5958



Tempron
Thermostream
Model TPO-4000A
Price: \$6500
Search: SC-545D



Branson/IPC
Model 4055/2
S-3000 Controller
PM-119 RF Generator
Price: \$8000
Search: SC-397A

Ovens and Environmental Chambers are LRE **CERTIFIED** Refurbished and Sold with a Warranty

For all other Equipment, please Inquire

Dimensions: Width x Depth x Height (inches)

Email: SALES@LRE.COM Web Site: WWW.LRE.COM

Fax: 323-770-0105 Phone: 800-574-2748 or 323-770-0634

Note:

Wherever you See this, more Information is
Available on our Website. Just Type in the Weblink Shown.



LRE

FIBRE OPTIC LIGHT;OBLIQUE ADJUSTMENT
ZM-530F.....\$Call

VISTASCOPE COMPARITOR;12 X 6.5 STAGE;10" SCREEN;
MICROMETER X-Y;SOLD "AS IS"
ZM-695A.....\$Call

VISTASCOPE OPTICAL COMPARITOR;MODEL #1400;
6X12 STAGE;W/STAND;LEFT & RIGHT VIEW;RIGHT LENS
MISSING;SOLD "AS IS"
ZM-973A.....\$Call

VITRONICS SURFMOUNT III;#6002;+220 TO +370 DEG C;
117V;20 AMPS;14" X 20" BOARD;180 DEG. ROTATION IN
X AXIS, MAIN UNIT ONLY;NO COMPUTER/MONITOR
AS IS
ZM-9624.....\$Call

WAKEFIELD RACK W/EMI POWER SUPPLIES;2 TCR 10S90;
2 TCR 20S90;TCR 10S165;SOLD "AS IS" NO RIGHT OF
RETURN
ZM-968B.....\$Call

WEB TECH;MODEL #7200E;SOLD "AS IS"
ZM-920B.....\$Call

WENTWORTH PROBE STATION;MODEL #0-037-1112;4" CHUCK
B & L MICROZOOM W/ISOLATION TABLE;SOLD "AS IS"
ZM-260D.....\$Call

WILD EPIMIKROSKOP;MODEL #M-450;1:50 ZOOM;208V;1PH;
(EPIZOOM)
ZM-695B.....\$Call

WILKS IA-CVF;#5683;110/220V;20 METER CELL;
VARIABLE PATH
ZM-337D.....\$Call

WILSON MICROHARDNESS TESTER;MODEL #MO
ZM-829A.....\$Call

YUASA ARBOR PRESS;MODEL #595003;11 1/2 RAM
ZM-204B.....\$Call

YUASA ARBOR PRESS;MODEL #595003;11 1/2 RAM
ZM-205B.....\$Call

ZEISS MICROSCOPE WITH BOOM STAND;#47-50-52-9901;
ZM-5723.....\$Call

ZEISS MICROSCOPE;MODEL #61087
ZM-139C.....\$Call

ZEISS;MODEL #BETA;LENSES - 40 POL, 80 POL,
4U.8 POL.;SOLD "AS IS"
ZM-967B.....\$Call

ZYCAD/PARADIGM COMPUTER;MODEL #2004/XM4402;
P# 101700;2ND UNIT - XM4406-SERIAL #36329 PART
#101871;SOLD "AS IS"
ZM-753B.....\$Call

