



# Product Quick Reference Guide

## Airborne Tunable Antennas

### Contact Us

**US Gov't/Military & N. America**

Aviatech Corporation  
2250 Highland Village Road  
Suite 230  
Highland Village, TX 75077  
Tel: 817-430-4784  
Email: sales@aviatechcorp.com

**Rest of the World**

Cooper Antennas Ltd  
Thames Industrial Estate  
Fieldhouse Lane, Marlow  
Buckinghamshire SL7 1TB UK  
Tel: +44 (0)1628-482-360  
Email: sales@cooperantennas.com

**[WWW.COOPERANTENNAS.COM](http://WWW.COOPERANTENNAS.COM)**

Product Quick Reference Guide  
Revision B

**Instructions:**

Start and stop frequencies are listed for products with a frequency component, such as antennas, filters, multiplexers, etc. When more than one frequency band is present, the individual bands are denoted by “/” for bands on the same connector, and “&” for bands on separate connectors. For example a frequency listing of “30-174/225-512 & 960-1220MHz” indicates two frequency bands, 30-174 and 225-512 are on one connector and the frequency band of 960-1220 is on a different connector.

**Cooper Antennas Ltd.:**

Aviatech Corporation is the sole provider of sales and technical support to the North American market for Cooper Antennas products. Detailed product information is available on the Cooper Antennas website, [www.cooperantennas.com](http://www.cooperantennas.com).

Product Quick Reference Guide  
Revision B

 <p>21-120-01 (30-108 MHz)</p>	 <p>21-140-136 (30-600 MHz)</p>	 <p>21-140-200 (30-600 MHz)</p>	 <p>21-150-02 (30-512 MHz)</p>	 <p>21-150-06 (30-600 MHz)</p>
 <p>21-150-07 (30-600 MHz)</p>	 <p>21-150-10 (30-174 &amp; 225-512 &amp; 550-960 MHz)</p>	 <p>21-150-10-1 (30-512 &amp; 550-941 MHz)</p>	 <p>21-150-10-2 (30-512 &amp; 960-1220 MHz)</p>	 <p>21-150-15 (30-512 MHz)</p>
 <p>21-150-16 (30-3000 MHz)</p>	 <p>21-150-18 (30-512 MHz)</p>	 <p>21-150-18-2 (30-512 &amp; 960-1220 MHz)</p>	 <p>21-150-20 (30-3000 MHz)</p>	 <p>21-150-21 (30-512 &amp; 700 - 1220 MHz)</p>

Product Quick Reference Guide  
Revision B

 <p>21-150-67 (30-512 MHz)</p>	 <p>21-150-136 (30-600 MHz)</p>	 <p>21-150-175 (30-600 &amp; 960-1220 MHz)</p>	 <p>21-150-200 (30-512 MHz)</p>	 <p>21-150-201 (30-530 &amp; 960-1220 MHz)</p>
 <p>21-150-202 (30-600 MHz)</p>	 <p>21-150-224 (29.7-960 MHz)</p>	 <p>21-160-01 (30-512 MHz)</p>	 <p>21-160-01A (30-512 MHz)</p>	 <p>21-160-02 (30-512 MHz)</p>
 <p>21-160-10 (30-600 MHz)</p>	 <p>21-190-06 (30-512 &amp; 960-1220 MHz)</p>	 <p>21-190-118 (118-137 &amp; 225-400 MHz)</p>	 <p>21-290-01 (30-512 &amp; 960-1220MHz)</p>	 <p>21-500-01 (30-512 &amp; 512-945MHz)</p>

Product Quick Reference Guide  
Revision B



21-131-XX  
Series LCU



21-151-XX  
Series  
LCU



21-161-01  
LCU



21-171-XX  
Series  
LCU