

附件七: [ISR 800/1800 固定配置路由器促销主要使用产品清单](#)

| 产品家族                                  | 产品系列 | 产品编号               | 产品描述   |
|---------------------------------------|------|--------------------|--|
| Cisco 800 Series Products             |      |                    |  |
| Cisco 870 Series Products             |      |                    |  |
|                                       |      | CISCO871-K9        | Dual Ethernet Security Router                                |
|                                       |      | CISCO871W-G-E-K9   | Dual E Security Router with 802.11g ETSI Compliant           |
|                                       |      | CISCO871W-G-J-K9   | Dual E Security Router with 802.11g Japan Compliant          |
|                                       |      | CISCO871W-G-A-K9   | Dual E Security Router with 802.11g FCC Compliant            |
|                                       |      | CISCO871-SEC-K9    | Cisco 871 Security Bundle with Advanced IP Services          |
|                                       |      | CISCO876-K9        | ADSLoISDN Security Router                                    |
|                                       |      | CISCO876-SEC-I-K9  | Cisco 876 Security Bundle with Advanced Enterprise features  |
|                                       |      | CISCO876-SEC-K9    | Cisco 876 Security Bundle with Advanced IP Services          |
|                                       |      | CISCO876W-G-E-K9   | ADSLoISDN Security Router w/wireless 802.11g ETSI compliant  |
|                                       |      | CISCO877-K9        | ADSL Security Router   |
|                                       |      | CISCO877-M-K9      | ADSL Security Router with Annex M Support                    |
|                                       |      | CISCO877W-G-A-K9   | ADSL Security Router with wireless 802.11g FCC compliance    |
|                                       |      | CISCO877W-G-A-M-K9 | ADSL Sec Router with wireless 802.11g and AnnexM             |
|                                       |      | CISCO877W-G-E-K9   | ADSL Security Router with wireless 802.11g ETSI compliant    |
|                                       |      | CISCO877W-G-E-M-K9 | ADSL Sec Router with wireless 802.11g and Annex M            |
|                                       |      | CISCO877-SEC-K9    | Cisco 877 Security Bundle with Advanced IP Services          |
|                                       |      | CISCO878-K9        | G.SHDSL Security Router                                      |
|                                       |      | CISCO878-SEC-K9    | Cisco 878 Security Bundle with Plus Feature Set              |
|                                       |      | CISCO878W-G-A-K9   | G.SHDSL Security Router w/wireless 802.11g FCC compliant     |
|                                       |      | CISCO878W-G-E-K9   | G.SHDSL Security Router with wireless 802.11g ETSI compliant |
|                                       |      | ROUTER-SDM-CD-NOCF | SDM software with CD and w/o factory default configuration   |
|                                       |      | CX-CUSTOM-BUILD    | For CX approved customers only, else will delay shipment.    |
| Cisco 870 Series Options & Spares     |      |                    |  |
|                                       |      | MEM870-128D=       | Cisco 870 Series 128MB DRAM Spare                            |
|                                       |      | MEM870-128U192D    | Cisco 870 Series 128 to 192MB SDRAM factory upgrade          |
|                                       |      | MEM870-128U256D    | Cisco 870 Series 128MB to 256MB DRAM upgrade                 |
|                                       |      | MEM870-16F=        | Cisco 870 Series 16MB Flash spare                            |
|                                       |      | MEM870-20U24F      | Memory upgrade for 870, 20 to 24MB                           |
|                                       |      | MEM870-20U28F      | Memory upgrade for 870, 20 to 28MB with Adv IP Services only |
|                                       |      | MEM870-24U28F      | Cisco 870 Series 24MB to 28MB flash upgrade                  |
|                                       |      | MEM870-24U36F      | Cisco 870 Series 24MB to 36MB flash upgrade                  |
|                                       |      | MEM870-24U52F      | Cisco 870 Series 24MB to 52MB flash upgrade                  |
|                                       |      | MEM870-28U36F      | Cisco 870 Series 28MB to 36MB flash upgrade                  |
|                                       |      | MEM870-28U52F      | Cisco 870 Series 28MB to 52MB flash upgrade                  |
|                                       |      | MEM870-32F=        | Cisco 870 Series 32MB Flash spare                            |
|                                       |      | MEM870-4F=         | Cisco 870 Series 4MB Flash spare                             |
|                                       |      | MEM870-64D=        | Cisco 870 Series 64MB SDRAM Spare                            |
|                                       |      | MEM870-8F=         | Cisco 870 Series 8MB Flash spare                             |
|                                       |      | MEM870-8F-IOSUPG   | 870 Series 8MB Flash and Adv IP Services IOS Bundle          |
|                                       |      | PWR-850-870-WW1=   | Cisco 850/870 series external AC power supply spare          |
|                                       |      | 800-ILPM-4         | 4 Port 802.3af capable inline power module for 800 Routers   |
|                                       |      | 800-ILPM-4=        | 4 port 802.3af capable Inline power module for 800 Routers   |
| Cisco 870 Series IOS Software Options |      |                    |  |
|                                       |      | 800-SW-SPARECD     | Cisco 800 Series Software Spare CD                           |
|                                       |      | S870AESK9-12415T   | Cisco 870 IOS ADVANCED ENTERPRISE SERVICES                   |
|                                       |      | S870AESK9-12415T=  | Cisco 870 IOS ADVANCED ENTERPRISE SERVICES                   |
|                                       |      | S870AISK9-12415T   | Cisco 870 IOS ADVANCED IP SERVICES                           |

# Cisco PRC Channel Program Announcement

May., 2008



|                                       |  |
|---------------------------------------|--|
| S870AESK9-12406T                      | Cisco 870 Series IOS ADV. ENTERPRISE SERVICES              |
| S870AESK9-12406T=                     | Cisco 870 Series IOS ADV. ENTERPRISE SERVICES              |
| S870AISK9-12406T                      | Cisco 870 Series IOS ADV. IP SERVICES                      |
| S870AISK9-12406T=                     | Cisco 870 Series IOS ADV. IP SERVICES                      |
| S870AISK9-12415T=                     | Cisco 870 IOS ADVANCED IP SERVICES                         |
| S870ASK9-12406T                       | Cisco 870 Series IOS ADVANCED SECURITY                     |
| S870ASK9-12415T                       | Cisco 870 IOS ADVANCED SECURITY                            |
| S870ASK9-12415T=                      | Cisco 870 IOS ADVANCED SECURITY                            |
| S870ASK9-12406T=                      | Cisco 870 Series IOS ADVANCED SECURITY                     |
| S870AISK9-12411XJ                     | Cisco 870 Series IOS ADVANCED IP SERVICES                  |
| S870ASK9-12411T=                      | Cisco 870 Series IOS ADVANCED SECURITY                     |
| S870AESK9-12404T                      | Cisco 870 Series IOS ADV. ENTERPRISE SERVICES              |
| S870AISK9-12404T                      | Cisco 870 Series IOS ADV. IP SERVICES                      |
| S870AISK9-12404T=                     | Cisco 870 Series IOS ADV. IP SERVICES                      |
| S870AESK9-12402T                      | Cisco 870 Series IOS ADV. ENTERPRISE SERVICES              |
| S870AISK9-12402T                      | Cisco 870 Series IOS ADV. IP SERVICES                      |
| S870ASK9-12402T                       | Cisco 870 Series IOS ADVANCED SECURITY                     |
| S870ASK9-12404T                       | Cisco 870 Series IOS ADVANCED SECURITY                     |
| S870ASK9-12308YI                      | Cisco 870 Series IOS ADVANCED SECURITY                     |
| S870AESK9-12409T                      | Cisco 870 Series IOS ADV. ENTERPRISE SERVICES              |
| S870AISK9-12409T                      | Cisco 870 Series IOS ADV. IP SERVICES                      |
| S870ASK9-12409T                       | Cisco 870 Series IOS ADVANCED SECURITY                     |
| Cisco 850 Series Products             |  |
| CISCO851-K9                           | Ethernet SOHO Security Router                              |
| CISCO851W-G-A-K9                      | Dual E Security Router 802.11g FCC compliance              |
| CISCO851W-G-E-K9                      | Dual E Security Router with 802.11g ETSI Compliant         |
| CISCO851W-G-J-K9                      | Dual E Security Router with 802.11g Japan Compliant        |
| CISCO857-K9                           | ADSL SOHO Security Router                                  |
| CISCO857W-G-A-K9                      | ADSL SOHO Router with 802.11g FCC Compliant                |
| CISCO857W-G-E-K9                      | ADSL SOHO Security Router with 802.11g                     |
| CISCO857W-G-J-K9                      | ADSL SOHO Router with 802.11g Japan Compliant              |
| ROUTER-SDM-CD-NOCF                    | SDM software with CD and w/o factory default configuration |
| CX-CUSTOM-BUILD                       | For CX approved customers only, else will delay shipment.  |
| Cisco 850 Series IOS Software Options |  |
| S850ASK9-12404T                       | Cisco 850 Series IOS ADVANCED SECURITY                     |
| S850ASK9-12402T                       | Cisco 850 Series IOS ADVANCED SECURITY                     |
| S850ASK9-12406T=                      | Cisco 850 Series IOS ADVANCED SECURITY                     |
| S850ASK9-12409T                       | Cisco 850 Series IOS ADVANCED SECURITY                     |
| S850ASK9-12409T=                      | Cisco 850 Series IOS ADVANCED SECURITY                     |
| S850ASK9-12411XW                      | Cisco 850 Series IOS ADVANCED SECURITY                     |
| S850ASK9-12411T                       | Cisco 850 Series IOS ADVANCED SECURITY                     |
| S850ASK9-12411T=                      | Cisco 850 Series IOS ADVANCED SECURITY                     |
| S850ASK9-12415T                       | Cisco 850 Series IOS ADVANCED SECURITY                     |
| S850ASK9-12415T=                      | Cisco 850 Series IOS ADVANCED SECURITY                     |
| Cisco 830 Series Products             |  |
| ROUTER-SDM-CD-NOCF                    | SDM software with CD and w/o factory default configuration |
| CX-CUSTOM-BUILD                       | For CX approved customers only, else will delay shipment.  |
| Cisco 830 Series Options & Spares     |  |
| MEM830-4F=                            | Cisco 830 Series 4MB Flash spare                           |
| MEM830-8F=                            | Cisco 830 Series 8MB Flash spare                           |
| MEM830-16F=                           | Cisco 830 Series 16MB Flash spare                          |
| MEM830-16D=                           | Cisco 830 Series 16MB SDRAM Spare                          |
| PWR-830-WW1=                          | Cisco 830 series external AC power supply spare            |

# Cisco PRC Channel Program Announcement

May., 2008



|                           |   |
|---------------------------|---|
| 830CAB-ETHXOVER=          | RJ45-RJ45 CrossOver Cable                           |
| CAB-AC2                   | AC Power cord North America                         |
| CAB-AC2E                  | AC Power cord Europe                                |
| CAB-AC2J                  | AC Power cord Japan                                 |
| CAB-AC2UK                 | AC Power cord UK                                    |
| CAB-AC2ARG                | AC Power cord Argentina                             |
| CAB-AC2AUS                | AC Power cord Australia                             |
| CAB-AC2CHI                | AC Power cord China                                 |
| CAB-ADSL-RJ11=            | ADSL cable straight RJ11                            |
| CAB-ADSL-RJ11X=           | ADSL Cable RJ11 to RJ11, Cross-over                 |
| CAB-ADSL-800-RJ11         | ADSL RJ11-to-RJ11 Straight Cable                    |
| CAB-ADSL-800-RJ11X        | ADSL RJ11-to-RJ11 Crossover Cable                   |
| CAB-CONAUX                | Straight serial cable - RJ45 to DB25 male           |
| CAB-AC2=                  | AC Power cord North America                         |
| CAB-AC2E=                 | AC Power cord Europe                                |
| CAB-AC2J=                 | AC Power cord Japan                                 |
| CAB-AC2UK=                | AC Power cord UK                                    |
| CAB-AC2ARG=               | AC Power cord Argentina                             |
| CAB-AC2AUS=               | AC Power cord Australia                             |
| CAB-AC2CHI=               | AC Power cord China                                 |
| CAB-CONAUX=               | Straight serial cable - RJ45 to DB25 male           |
| CAB-800-ISDN              | ISDN S/T RJ45 Cable for SOHO/800 series routers     |
| CAB-ADSL-RJ45             | RJ45 ADSL cable                                     |
| CAB-ADSL-RJ45=            | RJ45 ADSL cable                                     |
| Cisco 830 Series Software |   |
| S831CHK9-12417=           | Cisco 831 Series IOS IP/FW 3DES                     |
| S831CHPK9-12417=          | Cisco 831 Series IOS IP/FW/PLUS 3DES                |
| S836CHK9-12417=           | Cisco 836 Series IOS IP/FW 3DES                     |
| S836CHPK9-12417=          | Cisco 836 Series IOS IP/FW/PLUS 3DES                |
|                           | Cisco 836 Series IOS IP/FW/PLUS ISDN DIAL BKUP 3DES |
| S836CHSK9-12417=          | VPN   |
| S837CHK9-12417=           | Cisco 837 Series IOS IP/FW 3DES                     |
| S837CHPK9-12417=          | Cisco 837 Series IOS IP/FW/PLUS 3DES                |
| S831CHK9-12412=           | Cisco 831 Series IOS IP/FW 3DES                     |
| S831CHPK9-12412=          | Cisco 831 Series IOS IP/FW/PLUS 3DES                |
| S836CHK9-12412=           | Cisco 836 Series IOS IP/FW 3DES                     |
| S836CHPK9-12412=          | Cisco 836 Series IOS IP/FW/PLUS 3DES                |
|                           | Cisco 836 Series IOS IP/FW/PLUS ISDN DIAL BKUP 3DES |
| S836CHSK9-12412=          | VPN   |
| S837CHK9-12412=           | Cisco 837 Series IOS IP/FW 3DES                     |
| S837CHPK9-12412=          | Cisco 837 Series IOS IP/FW/PLUS 3DES                |
| S831CHK9-12410=           | Cisco 831 Series IOS IP/FW 3DES                     |
| S831CHPK9-12410=          | Cisco 831 Series IOS IP/FW/PLUS 3DES                |
| S836CHK9-12410=           | Cisco 836 Series IOS IP/FW 3DES                     |
| S836CHPK9-12410=          | Cisco 836 Series IOS IP/FW/PLUS 3DES                |
|                           | Cisco 836 Series IOS IP/FW/PLUS ISDN DIAL BKUP 3DES |
| S836CHSK9-12410=          | VPN   |
| S837CHK9-12410=           | Cisco 837 Series IOS IP/FW 3DES                     |
| S837CHPK9-12410=          | Cisco 837 Series IOS IP/FW/PLUS 3DES                |
| S836CHK9-12408=           | Cisco 836 Series IOS IP/FW 3DES                     |
| S836CHPK9-12408=          | Cisco 836 Series IOS IP/FW/PLUS 3DES                |
|                           | Cisco 836 Series IOS IP/FW/PLUS ISDN DIAL BKUP 3DES |
| S836CHSK9-12408=          | VPN   |
| S831CHK9-12408=           | Cisco 831 Series IOS IP/FW 3DES                     |
| S831CHPK9-12408=          | Cisco 831 Series IOS IP/FW/PLUS 3DES                |

# Cisco PRC Channel Program Announcement

May., 2008



|  |   |
|--|---|
| S831CHK9-12407=                        | Cisco 831 Series IOS IP/FW 3DES                         |
| S831CHPK9-12407=                       | Cisco 831 Series IOS IP/FW/PLUS 3DES                    |
| S836CHK9-12407=                        | Cisco 836 Series IOS IP/FW 3DES                         |
| S836CHPK9-12407=                       | Cisco 836 Series IOS IP/FW/PLUS 3DES                    |
| S836CHSK9-12407=                       | Cisco 836 Series IOS IP/FW/PLUS ISDN DIAL BKUP 3DES VPN |
| S837CHK9-12405=                        | Cisco 837 Series IOS IP/FW 3DES                         |
| S837CHPK9-12407=                       | Cisco 837 Series IOS IP/FW 3DES                         |
| S831CHK9-12411T=                       | Cisco 831 Series IOS IP/FW 3DES                         |
| S831CHK9-12406T=                       | Cisco 831 Series IOS IP/FW 3DES                         |
| S831CHPK9-12406T=                      | Cisco 831 Series IOS IP/FW/PLUS 3DES                    |
| S831CHPK9-12411T=                      | Cisco 831 Series IOS IP/FW/PLUS 3DES                    |
| S836CHK9-12406T=                       | Cisco 836 Series IOS IP/FW 3DES                         |
| S836CHK9-12411T=                       | Cisco 836 Series IOS IP/FW 3DES                         |
| S836CHPK9-12406T=                      | Cisco 836 Series IOS IP/FW/PLUS 3DES                    |
| S836CHPK9-12411T=                      | Cisco 836 Series IOS IP/FW/PLUS 3DES                    |
| S836CHSK9-12406T=                      | Cisco 836 Series IOS IP/FW/PLUS ISDN DIAL BKUP 3DES VPN |
| S836CHSK9-12411T=                      | Cisco 836 Series IOS IP/FW/PLUS ISDN DIAL BKUP 3DES VPN |
| S850ASK9-12406T                        | Cisco 850 Series IOS ADVANCED SECURITY                  |
| S831CHK9-12405=                        | Cisco 831 Series IOS IP/FW 3DES                         |
| S831CHPK9-12405=                       | Cisco 831 Series IOS IP/FW/PLUS 3DES                    |
| S836CHK9-12405=                        | Cisco 836 Series IOS IP/FW 3DES                         |
| S836CHPK9-12405=                       | Cisco 836 Series IOS IP/FW/PLUS 3DES                    |
| S836CHSK9-12405=                       | Cisco 836 Series IOS IP/FW/PLUS ISDN DIAL BKUP 3DES VPN |
| S837CHPK9-12406T=                      | Cisco 837 Series IOS IP/FW/PLUS 3DES                    |
| S837CHPK9-12411T=                      | Cisco 837 Series IOS IP/FW/PLUS 3DES                    |
| S837CHK9-12406T=                       | Cisco 837 Series IOS IP/FW 3DES                         |
| S837CHK9-12411T=                       | Cisco 837 Series IOS IP/FW 3DES                         |
| S836CHPK9-12302XA=                     | Cisco 836 Series IOS IP/FW/PLUS 3DES                    |
| S837CHPK9-12405=                       | Cisco 837 Series IOS IP/FW/PLUS 3DES                    |
| S837CHPK9-12407=                       | Cisco 837 Series IOS IP/FW/PLUS 3DES                    |
| S831CHPK9-12409T=                      | Cisco 831 Series IOS IP/FW/PLUS 3DES                    |
| S831CHK9-12409T=                       | Cisco 831 Series IOS IP/FW 3DES                         |
| S836CHSK9-12409T=                      | Cisco 836 Series IOS IP/FW/PLUS ISDN DIAL BKUP 3DES VPN |
| S836CHPK9-12409T=                      | Cisco 836 Series IOS IP/FW/PLUS 3DES                    |
| S836CHK9-12409T=                       | Cisco 836 Series IOS IP/FW 3DES                         |
| S837CHPK9-12409T=                      | Cisco 837 Series IOS IP/FW/PLUS 3DES                    |
| S837CHK9-12409T=                       | Cisco 837 Series IOS IP/FW 3DES                         |
| Cisco 800 Series                       |   |
| CISCO815                               | CISCO815 Cable Router, North America Docsis Compliant   |
| CISCO815-VPN/K9                        | Cisco 815 ISR, NA Docsis Compliant, with Security       |
| Cisco 800 Series Memory Options        |   |
| MEM800-4F=                             | CISCO 800 series 4MB FLASH MINI-CARD                    |
| MEM800-8F=                             | CISCO series 8MB FLASH MINI-CARD                        |
| MEM800-4D=                             | CISCO 800 series 4MB DRAM DIMM                          |
| MEM800-8D=                             | CISCO 800 series 8MB DRAM DIMM                          |
| MEM820-16D=                            | 16 MB DRAM memory upgrade 806, 820 series               |
| MEM820-32D=                            | 32MB DRAM for 806/820 Series                            |
| Cisco 800 Series Spare and Accessories |   |
| PWR-800-WW1=                           | Cisco 800 Universal, External AC Power Supply Spare     |

# Cisco PRC Channel Program Announcement

May., 2008



|  |   |
|--|---|
| PWR-805-WW1=<br>CX-CUSTOM-BUILD          | Cisco 805 universal, external AC power supply, spare<br>For CX approved customers only, else will delay shipment. |
| Cisco 800 Series Cables                  |   |
| CAB-800=                                 | Cisco 800 spare cabling kit (ethernet, console, ISDN)   |
| CAB-SS-232FC                             | RS-232 Cable, DCE Female to Smart Serial, 10 Feet   |
| CAB-SS-232FC=                            | RS-232 Cable, DCE Female to Smart Serial, 10 Feet   |
| CAB-SS-232FC-EXT=                        | RS232 with extended control leads   |
| CAB-SS-232MT                             | RS-232 Cable, DTE Male to Smart Serial, 10 Feet   |
| CAB-SS-232MT=                            | RS-232 Cable, DTE Male to Smart Serial, 10 Feet   |
| CAB-SS-449FC                             | RS-449 Cable, DCE Female to Smart Serial, 10 Feet   |
| CAB-SS-449FC=                            | RS-449 Cable, DCE Female to Smart Serial, 10 Feet   |
| CAB-SS-449MT                             | RS-449 Cable, DTE Male to Smart Serial, 10 Feet   |
| CAB-SS-449MT=                            | RS-449 Cable, DTE Male to Smart Serial, 10 Feet   |
| CAB-SS-530AMT                            | RS-530A Cable, DTE Male to Smart Serial, 10 Feet  |
| CAB-SS-530AMT=                           | RS-530A Cable, DTE Male to Smart Serial, 10 Feet  |
| CAB-SS-530MT                             | RS-530 Cable, DTE Male to Smart Serial, 10 Feet   |
| CAB-SS-530MT=                            | RS-530 Cable, DTE Male to Smart Serial, 10 Feet   |
| CAB-SS-V35FC                             | V.35 Cable, DCE Female to Smart Serial, 10 Feet   |
| CAB-SS-V35FC=                            | V.35 Cable, DCE Female to Smart Serial, 10 Feet   |
| CAB-SS-V35FT=                            | V.35 Cable, DTE Female to Smart Serial, 10 Feet   |
| CAB-SS-V35MC=                            | V.35 Cable, DCE Male to Smart Serial, 10 Feet   |
| CAB-SS-V35MT                             | V.35 Cable, DTE Male to Smart Serial, 10 Feet   |
| CAB-SS-V35MT=                            | V.35 Cable, DTE Male to Smart Serial, 10 Feet   |
| CAB-SS-X21FC                             | X.21 Cable, DCE Female to Smart Serial, 10 Feet   |
| CAB-SS-X21FC=                            | X.21 Cable, DCE Female to Smart Serial, 10 Feet   |
| CAB-SS-X21MT                             | X.21 Cable, DTE Male to Smart Serial, 10 Feet   |
| CAB-SS-X21MT=                            | X.21 Cable, DTE Male to Smart Serial, 10 Feet   |
| Cisco 828 Series IOS Software<br>Options |   |
| S828C-12318=                             | Cisco 828 Series IOS IP   |
| S828CH-12317=                            | Cisco 828 Series IOS IP/FW  |
| S828CH-12318=                            | Cisco 828 Series IOS IP/FW  |
| S828CHK9-12318=                          | Cisco 828 Series IOS IP/FW PLUS 3DES  |
| S828CP-12318=                            | Cisco 828 Series IOS IP PLUS  |
| S828CP-12317=                            | Cisco 828 Series IOS IP PLUS  |
| S828C-12317=                             | Cisco 828 Series IOS IP   |
| S828C-12405=                             | Cisco 828 Series IOS IP   |
| S828C-12407=                             | Cisco 828 Series IOS IP   |
| S828CH-12407=                            | Cisco 828 Series IOS IP/FW  |
| S828CP-12407=                            | Cisco 828 Series IOS IP PLUS  |
| S828CH-12405=                            | Cisco 828 Series IOS IP/FW  |
| S828CHK9-12405=                          | Cisco 828 Series IOS IP/FW PLUS 3DES  |
| S828CP-12405=                            | Cisco 828 Series IOS IP PLUS  |
| S828CHK9-12317=                          | Cisco 828 Series IOS IP/FW PLUS 3DES  |
| Cisco 820 Series IOS Software<br>Options |   |
| S820C-12317=                             | Cisco 820 Ser IOS IP  |
| S820C-12318=                             | Cisco 820 Ser IOS IP  |
| S820CH-12317=                            | Cisco 820 Ser IOS IP/FW   |
| S820CH-12318=                            | Cisco 820 Ser IOS IP/FW   |
| S820CHK9-12317=                          | Cisco 820 Ser IOS IP/FW PLUS IPSEC 3DES   |
| S820CHK9-12318=                          | Cisco 820 Ser IOS IP/FW PLUS IPSEC 3DES   |
| S820CHV-12317=                           | Cisco 820 Ser IOS IP/FW/VOICE   |
| S820CHV-12318=                           | Cisco 820 Ser IOS IP/FW/VOICE   |
| S820CHVK9-12317=                         | Cisco 820 Ser IOS IP/FW/VOICE PLUS 3DES   |



# Cisco PRC Channel Program Announcement

May., 2008



|                                       |  |
|---------------------------------------|--|
| S820CHVK9-12318=                      | Cisco 820 Ser IOS IP/FW/VOICE PLUS 3DES        |
| S820CP-12317=                         | Cisco 820 Ser IOS IP PLUS                      |
| S820CP-12318=                         | Cisco 820 Ser IOS IP PLUS                      |
| S820CV-12317=                         | Cisco 820 Ser IOS IP/VOICE                     |
| S820CV-12318=                         | Cisco 820 Ser IOS IP/VOICE                     |
| S820CVP-12317=                        | Cisco 820 Ser IOS IP/VOICE PLUS                |
| S820CVP-12318=                        | Cisco 820 Ser IOS IP/VOICE PLUS                |
| S820C-12407=                          | Cisco 820 Ser IOS IP                           |
| S820CH-12407=                         | Cisco 820 Ser IOS IP/FW                        |
| S820CHV-12407=                        | Cisco 820 Ser IOS IP/FW/VOICE                  |
| S820CP-12407=                         | Cisco 820 Ser IOS IP PLUS                      |
| S820CV-12405=                         | Cisco 820 Ser IOS IP/VOICE                     |
| S820CV-12407=                         | Cisco 820 Ser IOS IP/VOICE                     |
| S820CVP-12407=                        | Cisco 820 Ser IOS IP/VOICE PLUS                |
| S820C-12405=                          | Cisco 820 Ser IOS IP                           |
| S820CH-12405=                         | Cisco 820 Ser IOS IP/FW                        |
| S820CHV-12405=                        | Cisco 820 Ser IOS IP/FW/VOICE                  |
| S820CHVK9-12405=                      | Cisco 820 Ser IOS IP/FW/VOICE PLUS 3DES        |
| S820CP-12405=                         | Cisco 820 Ser IOS IP PLUS                      |
| S820CVP-12405=                        | Cisco 820 Ser IOS IP/VOICE PLUS                |
| S820C-12204YA=                        | Cisco 820 Ser IOS IP                           |
| S820CH-12204YA=                       | Cisco 820 Ser IOS IP/FW                        |
| S820CHVK9-12204YA=                    | Cisco 820 Ser IOS IP/FW/VOICE PLUS 3DES        |
| S820CV-12204YA=                       | Cisco 820 Ser IOS IP/VOICE                     |
| S820CVP-12204YA=                      | Cisco 820 Ser IOS IP/VOICE PLUS                |
| Cisco 806 Series IOS Software Options |  |
| S806CHK9-12317=                       | Cisco 806 Series IOS IP/FW PLUS 3DES           |
| S806CHK9-12318=                       | Cisco 806 Series IOS IP/FW PLUS 3DES           |
| S806CP-12318=                         | Cisco 806 Series IOS IP PLUS                   |
| S806CP-12317=                         | Cisco 806 Series IOS IP PLUS                   |
| Cisco 805 Series IOS Software Options |  |
| S805BHK8-12319=                       | Cisco 805 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| S805BHK8-12320=                       | Cisco 805 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| S805BHK8-12321=                       | Cisco 805 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| S805BHK9-12319=                       | Cisco 805 Series IOS IP/IPX/FW PLUS IPSEC 3DES |
| S805BHK9-12320=                       | Cisco 805 Series IOS IP/IPX/FW PLUS IPSEC 3DES |
| S805BHK9-12321=                       | Cisco 805 Series IOS IP/IPX/FW PLUS IPSEC 3DES |
| S805BP-12319=                         | Cisco 805 Series IOS IP/IPX PLUS               |
| S805BP-12320=                         | Cisco 805 Series IOS IP/IPX PLUS               |
| S805BP-12321=                         | Cisco 805 Series IOS IP/IPX PLUS               |
| S805C-12319=                          | Cisco 805 Series IOS IP                        |
| S805C-12320=                          | Cisco 805 Series IOS IP                        |
| S805C-12321=                          | Cisco 805 Series IOS IP                        |
| S805CH-12319=                         | Cisco 805 Series IOS IP/FW                     |
| S805CH-12320=                         | Cisco 805 Series IOS IP/FW                     |
| S805CH-12321=                         | Cisco 805 Series IOS IP/FW                     |
| S805CHK8-12319=                       | Cisco 805 Series IOS IP/FW PLUS IPSEC 56       |
| S805CHK8-12320=                       | Cisco 805 Series IOS IP/FW PLUS IPSEC 56       |
| S805CHK8-12321=                       | Cisco 805 Series IOS IP/FW PLUS IPSEC 56       |
| S805CHK9-12319=                       | Cisco 805 Series IOS IP/FW PLUS IPSEC 3DES     |
| S805CHK9-12320=                       | Cisco 805 Series IOS IP/FW PLUS IPSEC 3DES     |
| S805CHK9-12321=                       | Cisco 805 Series IOS IP/FW PLUS IPSEC 3DES     |
| S805CHP-12319=                        | Cisco 805 Series IOS IP/FW PLUS                |

# Cisco PRC Channel Program Announcement

May., 2008



|   |  |
|---|--|
| S805CHP-12320=  | Cisco 805 Series IOS IP/FW PLUS                |
| S805CHP-12321=  | Cisco 805 Series IOS IP/FW PLUS                |
| S805CP-12319=   | Cisco 805 Series IOS IP PLUS                   |
| S805CP-12320=   | Cisco 805 Series IOS IP PLUS                   |
| S805CP-12321=   | Cisco 805 Series IOS IP PLUS                   |
| S805BHK8-12317=   | Cisco 805 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| S805BHK8-12318=   | Cisco 805 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| S805BHK9-12317=   | Cisco 805 Series IOS IP/IPX/FW PLUS IPSEC 3DES |
| S805BHK9-12318=   | Cisco 805 Series IOS IP/IPX/FW PLUS IPSEC 3DES |
| S805BP-12317=   | Cisco 805 Series IOS IP/IPX PLUS               |
| S805BP-12318=   | Cisco 805 Series IOS IP/IPX PLUS               |
| S805C-12317=  | Cisco 805 Series IOS IP                        |
| S805C-12318=  | Cisco 805 Series IOS IP                        |
| S805CH-12317=   | Cisco 805 Series IOS IP/FW                     |
| S805CH-12318=   | Cisco 805 Series IOS IP/FW                     |
| S805CHK8-12317=   | Cisco 805 Series IOS IP/FW PLUS IPSEC 56       |
| S805CHK8-12318=   | Cisco 805 Series IOS IP/FW PLUS IPSEC 56       |
| S805CHK9-12318=   | Cisco 805 Series IOS IP/FW PLUS IPSEC 3DES     |
| S805CHP-12317=  | Cisco 805 Series IOS IP/FW PLUS                |
| S805CHP-12318=  | Cisco 805 Series IOS IP/FW PLUS                |
| S805CP-12317=   | Cisco 805 Series IOS IP PLUS                   |
| S805CP-12318=   | Cisco 805 Series IOS IP PLUS                   |
| S805CHK9-12317=   | Cisco 805 Series IOS IP/FW PLUS IPSEC 3DES     |
| S805BHK8-12227=   | Cisco 805 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| S805BP-12227=   | Cisco 805 Series IOS IP/IPX PLUS               |
| S805C-12227=  | Cisco 805 Series IOS IP                        |
| S805CH-12227=   | Cisco 805 Series IOS IP/FW                     |
| S805CHK8-12227=   | Cisco 805 Series IOS IP/FW PLUS IPSEC 56       |
| S805CHP-12227=  | Cisco 805 Series IOS IP/FW PLUS                |
| S805CP-12227=   | Cisco 805 Series IOS IP PLUS                   |
| Cisco 805 Series IOS Software Relicensing for Used Equipmen |  |
| LL805BHL=   | Cisco 805 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| LL805BP=  | Cisco 805 Series IOS IP/IPX PLUS               |
| LL805C=   | Cisco 805 Series IOS IP                        |
| LL805CH=  | Cisco 805 Series IOS IP/FW                     |
| LL805CHL=   | Cisco 805 Series IOS IP/FW PLUS IPSEC 56       |
| LL805CHP=   | Cisco 805 Series IOS IP/FW PLUS                |
| LL805CP=  | Cisco 805 Series IOS IP PLUS                   |
| Cisco 800 Series IOS Software Options                       |  |
| S8BHK8-12319=   | Cisco 800 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| S8BHK8-12320=   | Cisco 800 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| S8BHK8-12321=   | Cisco 800 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| S8BHK9-12319=   | Cisco 800 Series IOS IP/IPX/FW PLUS IPSEC 3DES |
| S8BHK9-12320=   | Cisco 800 Series IOS IP/IPX/FW PLUS IPSEC 3DES |
| S8BHK9-12321=   | Cisco 800 Series IOS IP/IPX/FW PLUS IPSEC 3DES |
| S8BP-12319=   | Cisco 800 Series IOS IP/IPX PLUS               |
| S8BP-12320=   | Cisco 800 Series IOS IP/IPX PLUS               |
| S8BP-12321=   | Cisco 800 Series IOS IP/IPX PLUS               |
| S8C-12319=  | Cisco 800 Series IOS IP                        |
| S8C-12320=  | Cisco 800 Series IOS IP                        |
| S8C-12321=  | Cisco 800 Series IOS IP                        |
| S8CH-12319=   | Cisco 800 Series IOS IP/FW                     |
| S8CH-12320=   | Cisco 800 Series IOS IP/FW                     |

# Cisco PRC Channel Program Announcement

May., 2008



|  |  |
|--|--|
| S8CH-12321=  | Cisco 800 Series IOS IP/FW                     |
| S8CHK8-12319=  | Cisco 800 Series IOS IP/FW PLUS IPSEC 56       |
| S8CHK8-12320=  | Cisco 800 Series IOS IP/FW PLUS IPSEC 56       |
| S8CHK8-12321=  | Cisco 800 Series IOS IP/FW PLUS IPSEC 56       |
| S8CHK9-12319=  | Cisco 800 Series IOS IP/FW PLUS IPSEC 3DES     |
| S8CHK9-12320=  | Cisco 800 Series IOS IP/FW PLUS IPSEC 3DES     |
| S8CHK9-12321=  | Cisco 800 Series IOS IP/FW PLUS IPSEC 3DES     |
| S8CHP-12319=   | Cisco 800 Series IOS IP/FW PLUS                |
| S8CHP-12320=   | Cisco 800 Series IOS IP/FW PLUS                |
| S8CHP-12321=   | Cisco 800 Series IOS IP/FW PLUS                |
| S8CP-12319=  | Cisco 800 Series IOS IP PLUS                   |
| S8CP-12320=  | Cisco 800 Series IOS IP PLUS                   |
| S8CP-12321=  | Cisco 800 Series IOS IP PLUS                   |
| S815AISK9-12406XE  | Cisco 800 ADV. IP SERVICES                     |
| S815IPB-12406XE  | Cisco 800 IP BASE W/O CRYPTO                   |
| S8BHK8-12317=  | Cisco 800 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| S8BHK8-12318=  | Cisco 800 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| S8BHK9-12317=  | Cisco 800 Series IOS IP/IPX/FW PLUS IPSEC 3DES |
| S8BHK9-12318=  | Cisco 800 Series IOS IP/IPX/FW PLUS IPSEC 3DES |
| S8BP-12317=  | Cisco 800 Series IOS IP/IPX PLUS               |
| S8BP-12318=  | Cisco 800 Series IOS IP/IPX PLUS               |
| S8C-12317=   | Cisco 800 Series IOS IP                        |
| S8C-12318=   | Cisco 800 Series IOS IP                        |
| S8CH-12317=  | Cisco 800 Series IOS IP/FW                     |
| S8CH-12318=  | Cisco 800 Series IOS IP/FW                     |
| S8CHK8-12317=  | Cisco 800 Series IOS IP/FW PLUS IPSEC 56       |
| S8CHK8-12318=  | Cisco 800 Series IOS IP/FW PLUS IPSEC 56       |
| S8CHK9-12317=  | Cisco 800 Series IOS IP/FW PLUS IPSEC 3DES     |
| S8CHK9-12318=  | Cisco 800 Series IOS IP/FW PLUS IPSEC 3DES     |
| S8CHP-12317=   | Cisco 800 Series IOS IP/FW PLUS                |
| S8CHP-12318=   | Cisco 800 Series IOS IP/FW PLUS                |
| S8CP-12317=  | Cisco 800 Series IOS IP PLUS                   |
| S8CP-12318=  | Cisco 800 Series IOS IP PLUS                   |
| S8BP-12310=  | Cisco 800 Series IOS IP/IPX PLUS               |
| S8BHK8-12227=  | Cisco 800 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| S8BP-12227=  | Cisco 800 Series IOS IP/IPX PLUS               |
| S8C-12227=   | Cisco 800 Series IOS IP                        |
| S8CH-12227=  | Cisco 800 Series IOS IP/FW                     |
| S8CHK8-12227=  | Cisco 800 Series IOS IP/FW PLUS IPSEC 56       |
| S8CHP-12227=   | Cisco 800 Series IOS IP/FW PLUS                |
| S8CP-12227=  | Cisco 800 Series IOS IP PLUS                   |
| S815AISK9-12411T   | Cisco 800 Series IOS ADVANCED IP SERVICES      |
| S815IPB-12411T   | Cisco 800 Series IOS IP BASE W/O CRYPTO        |
| S815IPB-12411T=  | Cisco 800 Series IOS IP BASE W/O CRYPTO        |
| Cisco 800 Series IOS Software Relicensing for Used Equipment |  |
| LL8BHL=  | Cisco 800 Series IOS IP/IPX/FW PLUS IPSEC 56   |
| LL8BP=   | Cisco 800 Series IOS IP/IPX PLUS               |
| LL8C=  | Cisco 800 Series IOS IP                        |
| LL8CH=   | Cisco 800 Series IOS IP/FW                     |
| LL8CHL=  | Cisco 800 Series IOS IP/FW PLUS IPSEC 56       |
| LL8CHP=  | Cisco 800 Series IOS IP/FW PLUS                |
| LL8CP=   | Cisco 800 Series IOS IP PLUS                   |
| LL8CHK2  | Cisco 800 Series IOS IP/FW PLUS IPSEC 3DES     |
| Cisco 1800 Series (Fixed) Integrated Services Routers        |  |



# Cisco PRC Channel Program Announcement

May., 2008



|  |   |
|--|---|
| CISCO1801-M/K9   | CISCO1801 Security Router with Annex M  |
| CISCO1801-M  | ADSL Annex M router w/IOS IP Broadband  |
| CISCO1805-D  | Cisco 1805 4 x FE US DOCSIS 2.0 64 MB Flash 128 MB DRAM   |
| CISCO1805-D/K9   | Cisco 1805 4 x FE US DOCSIS 2 Adv IP 64 MB Flash 192 MB DRAM  |
| CISCO1805-EJ   | Cisco 1805 4 x FE EU JPN DOCSIS 2.0 64 MB Flash 128 MB DRAM   |
| CISCO1811/K9   | Dual Ethernet Security Router with V.92 Modem Backup  |
| Cisco 1800 Series (Fixed) IOS Software Options               |   |
| S180AESK9-12314YT  | Cisco 1800 Series IOS ADV. ENTERPRISE SERVICES  |
| S180AESK9-12402XA  | Cisco 180x Sseries IOS ADV. ENTERPRISE SERVICES   |
| S180AISK9-12314YT  | Cisco 1800 Series IOS ADV. IP SERVICES  |
| S180AISK9-12402XA  | Cisco 180x Sseries IOS ADV. IP SERVICES   |
| S180BB-12406T  | Cisco 180x Sseries IOS IP BROADBAND   |
| S181AESK9-12314YT  | Cisco 1800 Series IOS ADV. ENTERPRISE SERVICES  |
| S181AESK9-12402XA  | Cisco 1800 Series IOS ADV. ENTERPRISE SERVICES  |
| S181AISK9-12314YT  | Cisco 1800 Series IOS ADV. IP SERVICES  |
| S181AISK9-12402XA  | Cisco 1800 Series IOS ADV. IP SERVICES  |
| S181AESK9-12411XJ  | Cisco 181x Series IOS ADVANCED ENTERPRISE SERVICES  |
| Cisco 1800 Series (Fixed) Integrated Services Routers        |   |
| CISCO1801  | ADSL/POTS router w/IOS IP Broadband   |
| CISCO1801/K9   | ADSL/POTS Router with Firewall/IDS and IPSEC 3DES   |
| CISCO1802  | ADSL/ISDN router w/IOS IP Broadband   |
| CISCO1802/K9   | ADSL/ISDN Router with Firewall/IDS and IPSEC 3DES   |
| CISCO1803/K9   | G.SHDSL Router with Firewall/IDS and IPSEC  |
| CISCO1811/K9   | Dual Ethernet Security Router with V.92 Modem Backup  |
| CISCO1812/K9   | Dual Ethernet Security Router with ISDN S/T Backup  |
| CISCO1801-M/K9   | CISCO1801 Security Router with Annex M  |
| Cisco 1800 Series (Fixed Wireless) Integrated Services Route |   |
| CISCO1801W-AG-E/K9   | ADSL/POTS Router with 802.11a+g ETSI Compliant and Security   |
| CISCO1801W-AG-B/K9   | ADSL/POTS Router with 802.11a+g FCC Compliant and Security  |
| CISCO1802W-AG-E/K9   | ADSL/ISDN Router with 802.11a+g ETSI Compliant and Security   |
| CISCO1803W-AG-B/K9   | G.SHDSL Router with 802.11a+g FCC Compliant and Security  |
| CISCO1803W-AG-E/K9   | G.SHDSL Router with 802.11a+g ETSI Compliant and Security   |
| CISCO1811W-AG-B/K9   | Security Router with 802.11a+g FCC Compliant and Analog B/U   |
| CISCO1811W-AG-C/K9   | Security Router 802.11a+g Compliant with Analog backup  |
| CISCO1812W-AG-E/K9   | Security Router with 802.11a+g ETSI Compliant and ISDN S/T  |
| CISCO1812W-AG-C/K9   | Dual Ethernet Security Router, 802.11a+g Compliant DSL over POTs,Annex M Wireless Security Router,FCC Complnt |
| CISCO1801WM-AGB/K9   |   |
| Cisco 1800 (Fixed) Series DRAM Memory Options                |   |
| MEM180X-128U256D   | 128 to 256MB SODIMM DRAM factory upgrade for the Cisco 180X   |
| MEM180X-128U384D   | 128 to 384MB SODIMM DRAM factory upgrade for the Cisco 180X   |
| MEM181X-128U256D   | 128 to 256MB SODIMM DRAM factory upgrade for the Cisco 181X   |
| MEM181X-128U384D   | 128 to 384MB SODIMM DRAM factory upgrade for the Cisco 181X   |
| MEM180X-128D=  | 128MB SODIMM DRAM for the Cisco 180X  |
| MEM180X-256D=  | 256MB SODIMM DRAM for the Cisco 180X  |
| MEM181X-128D=  | 128MB SODIMM DRAM for the Cisco 181X  |
| MEM181X-256D=  | 256MB SODIMM DRAM for the Cisco 181X  |

# Cisco PRC Channel Program Announcement

May., 2008



## Cisco 1800 (Fixed) Series PoE Options

|           |  |
|-----------|--|
| POE-180X  | 802.3af PoE Module, 80W Power Supply and Cable |
| POE-181X  | 802.3af PoE Module, 80W Power Supply and Cable |
| POE-180X= | 802.3af PoE Module, 80W Power Supply and Cable |
| POE-181X= | 802.3af PoE Module, 80W Power Supply and Cable |

## Cisco 1800 (Fixed) Series Rack Mount Kit

|                 |  |
|-----------------|--|
| ACS-1800-RM-19= | 19 inch Rack Mount Kit for Cisco 180X / 181X |
|-----------------|--|

## Cisco 1800 (Fixed) Series Accessory Kits

|           |                              |
|-----------|------------------------------|
| ACS-181X= | Accessory Kit for Cisco 181X |
|-----------|------------------------------|

## Cisco 1800 (fixed & mod)-802.11 a/g Antennae Options-Spares

|                  |  |
|------------------|--|
| AIR-ANTM2050D-R= | 2.2dBi/2.4Ghz,5.0dBi/5GHz DualBand Dipole Antenna          |
| AIR-ANTM4050V-R  | 4.0dBi/2.4Ghz,5.0 dBi/5GHz Dual Band Ceiling Mount Antenna |
| AIR-ANTM4050V-R= | 4.0dBi/2.4Ghz,5.0 dBi/5GHz Dual Band Ceiling Mount Antenna |
| AIR-ANTM5560P-R= | 5.5 dBi/2.4Ghz,6.0 dBi/5GHz Dual Band Wall Mount Antenna   |