




Products in Family

DRH2933RS8/8GB (1 x 8GB RDIMM)
 DRH2933RS4/16GB (1 x 16GB RDIMM)
 DRH2933RD8/16GB (1 x 16GB RDIMM)
 DRH2933RD4/32GB (1 x 32GB RDIMM)
 DRH2933RD4/64GB (1 x 64GB RDIMM)
 DRH2933LR/64GB (1 x 64GB LRDIMM)
 DRH2933LR/128GB (1 x 128GB LRDIMM)
 DRH2933LR3/128GB (1 x 128GB LRDIMM)



Features	Description
288-pin JEDEC-compliant DIMMs 133.35 mm wide by 31.25 mm high (5.25" x 1.23") Data Transfer Rate: 23.4 Gigabytes/sec Operating Voltage: 1.2V (1.14V~1.26V) Fully RoHS Compliant Thermal Sensor	The DRH2933R upgrades are registered memory modules and the DRH2933LR upgrades are load-reduced memory modules, which conform to JEDEC's DDR4-2933, PC4-2933Y standard. The DRH2933LR is a load-reduced DIMM. One EEPROM is used for Serial Presence Detect and a combination register/PLL, with Address and Command Parity is also used.

Dataram Product	HPE Product	Product Description
DRH2933RS8/8GB	P00918-B21	1 x 8GB 1Rx8 PC4-2933Y-R21
DRH2933RS4/16GB	P00920-B21	1 x 16GB 1Rx4 PC4-2933Y-R21
DRH2933RD8/16GB	P00922-B21	1 x 16GB 2Rx8 PC4-2933Y-R21
DRH2933RD4/32GB	P00924-B21	1 x 32GB 2Rx4 PC4-2933Y-R21
DRH2933RD4/64GB	P00930-B21	1 x 64GB 2Rx4 PC4-2933Y-R21
DRH2933LR/64GB	P00926-B21	1 x 64GB 4Rx4 PC4-2933Y-L21
DRH2933LR/128GB	P19047-B21	1 x 128GB 4DRx4 PC4-2933Y-L21
DRH2933LR3/128GB	P00928-B21	1 x 128GB 2S4DRx4 PC4-2933Y-L24



Notes:

1. Tolerances on all dimensions except where otherwise indicated are $\pm .13$. Reference JEDEC standard MO-309C.
2. All dimensions are expressed: millimeters [inches]