

**Only**

**FONTAINE®**

**Gives You the TechLock® System Advantage**

Part # Cross Reference



**FONTAINE®**

# Complete Assembly Part Number Identification Guide

This guide explains the nomenclature for Fontaine Fifth Wheel complete assembly part numbers. Listed is an example of part number SL6AWB675012.

Release	Top Plate	Mounting Style	Height	Slide Travel/ Frame Width
<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px 5px;">S</div> <div style="border: 1px solid black; padding: 2px 5px;">L</div> </div> <p>SR - Side Right SL - Side Left AA - Air-Actuated BL - Blocked Left</p>	<div style="border: 1px solid black; padding: 2px 5px; width: 30px; margin: 0 auto;">6</div> <p>6 - 6000 (No-Slack®II) 7 - 7000 (No-Slack®II) H - H5092 (No-Slack®) X - X5092 (No-Slack®)</p>	<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px 5px;">A</div> <div style="border: 1px solid black; padding: 2px 5px;">W</div> <div style="border: 1px solid black; padding: 2px 5px;">B</div> </div> <p>AWB - Air Wedge Slide LWS - Light Weight Slide MWS - Manual Wedge Slide AFP* - Adjustable Flat Plate PMA - Plate Mount Adjustable PLA - Long Plate Mount PSA - Short Plate Mount FMA - Frame Mount BSM - Bracket Stationary Mount A36 - 36" Angle Mount AWX - Xtra® Heavy Duty Air Wedge Slide</p>	<div style="border: 1px solid black; padding: 2px 5px; width: 60px; margin: 0 auto;">6750</div> <p>Actual height from truck frame to top of fifth wheel.</p> <p>Example: 6750 = 6.75"</p> <p>(Additional heights available.)</p>	<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px 5px; width: 30px;">1</div> <div style="border: 1px solid black; padding: 2px 5px; width: 30px;">2</div> </div> <p>Slide travel for sliding fifth wheels. Example: 12 = 12"</p> <p>- OR -</p> <div style="border: 1px solid black; padding: 2px 5px; width: 30px; margin: 0 auto;">E</div> <p>Frame width for angle mount fifth wheels. E - 34" truck frame L - 33.50" truck frame</p>

\* AFP has been superceded to PMA

- Notes:
- X5092 top plate is rated at 200,000 lbs. drawbar load.
  - 6000, 7000 & H5092 top plates are rated at 150,000 lbs. drawbar load.
  - "SL" as the first two digits designates left side release model. "SR" designates right side release model. Most models are available as left or right side release.
  - "AA" as the first two digits designates air actuated release model. All models (except blocked) are available with air actuated release.
  - Slide travel style mounts are also available in slide travels of 60" & 72".
- V. L. - stands for Vertical Load

Holland Cross Reference - pages 3-6

Conmet Cross Reference - pages 7-10



## 6000, 7000 & H5092 Series Air Slides vs Holland

Slide Travel	Height	FFW 6000 Model 50,000 lbs. V. L.	Holland Cross Ref. #	FFW 7000 Model 55,000 lbs. V. L.	Holland Cross Ref. #	FFW H5092 Model 62,500 lbs. V. L.	Holland Cross Ref. #
12"	6.75"	SL6AWB675012	FW8-8003T1L	SL7AWB675012	FW35-8003T1L	N/A	N/A
16"	6.75"	SL6AWB675016	FW8-8003T2L	SL7AWB675016	FW35-8003T2L	N/A	N/A
20"	6.75"	SL6AWB675020	N/A	SL7AWB675020	N/A	N/A	N/A
24"	6.75"	SL6AWB675024	FW8-8003T3L	SL7AWB675024	FW35-8003T3L	SLHAWS675024	N/A
36"	6.75"	SL6AWB675036	FW8-8003T4L	SL7AWB675036	FW35-8003T4L	SLHAWS675036	N/A
48"	6.75"	SL6AWB675048	N/A	SL7AWB675048	N/A	N/A	N/A
12"	7.75"	SL6AWB775012	FW8-8002T1L	SL7AWB775012	FW35-8002T1L	SLHAWB775012	N/A
16"	7.75"	SL6AWB775016	FW8-8002T2L	SL7AWB775016	FW35-8002T2L	SLHAWB775016	N/A
20"	7.75"	SL6AWB775020	N/A	SL7AWB775020	N/A	SLHAWB775020	N/A
24"	7.75"	SL6AWB775024	FW8-8002T3L	SL7AWB775024	FW35-8002T3L	SLHAWB775024	N/A
36"	7.75"	SL6AWB775036	FW8-8002T4L	SL7AWB775036	FW35-8002T4L	SLHAWB775036	N/A
48"	7.75"	SL6AWB775048	FW8-8002T5L	SL7AWB775048	FW35-8002T5L	SLHAWB775048	N/A
12"	8.75"	SL6AWB875012	FW8-8001T1L	SL7AWB875012	FW35-8001T1L	SLHAWB875012	FW2555-7321T1L
16"	8.75"	SL6AWB875016	FW8-8001T2L	SL7AWB875016	FW35-8001T2L	SLHAWB875016	FW2555-7321T2L
20"	8.75"	SL6AWB875020	N/A	SL7AWB875020	N/A	SLHAWB875020	N/A
24"	8.75"	SL6AWB875024	FW8-8001T3L	SL7AWB875024	FW35-8001T3L	SLHAWB875024	FW2555-7321T3L
36"	8.75"	SL6AWB875036	FW8-8001T4L	SL7AWB875036	FW35-8001T4L	SLHAWB875036	FW2555-7321T4L
48"	8.75"	SL6AWB875048	FW8-8001T5L	SL7AWB875048	FW35-8001T5L	SLHAWB875048	FW2555-7321T5L
12"	9.75"	SL6AWB975012	FW8-8009T2L	SL7AWB975012	FW35-8009T2L	SLHAWB975012	N/A
16"	9.75"	SL6AWB975016	FW8-8009T3L	SL7AWB975016	FW35-8009T3L	SLHAWB975016	N/A
20"	9.75"	SL6AWB975020	N/A	SL7AWB975020	N/A	SLHAWB975020	N/A
24"	9.75"	SL6AWB975024	N/A	SL7AWB975024	N/A	SLHAWB975024	N/A
36"	9.75"	SL6AWB975036	FW8-8009T4L	SL7AWB975036	FW35-8009T4L	SLHAWB975036	N/A
48"	9.75"	SL6AWB975048	FW8-8009T5L	SL7AWB975048	FW35-8009T5L	SLHAWB975048	N/A
12"	10.75"	SL6AWB1075012	N/A	SL7AWB1075012	N/A	SLHAWB1075012	N/A
16"	10.75"	SL6AWB1075016	N/A	SL7AWB1075016	N/A	SLHAWB1075016	N/A
20"	10.75"	SL6AWB1075020	N/A	SL7AWB1075020	N/A	SLHAWB1075020	N/A
24"	10.75"	SL6AWB1075024	N/A	SL7AWB1075024	N/A	SLHAWB1075024	N/A
36"	10.75"	SL6AWB1075036	N/A	SL7AWB1075036	N/A	SLHAWB1075036	N/A
48"	10.75"	SL6AWB1075048	N/A	SL7AWB1075048	N/A	SLHAWB1075048	N/A

## 6000, 7000 LWS Air Slides (Light Weight Slide) vs Holland

Slide Travel	Height	FFW 6000 Model No. 50,000 lbs. vert. load	Holland Cross Ref. #	FFW 7000 Model No. 55,000 lbs. vert. load	Holland Cross Ref. #
12"	6.75"	SL6LWS675012	FW8-7003X1L	SL7LWS675012	FW35-7003X1L
24"	6.75"	SL6LWS675024	FW8-7003X3L	SL7LWS675024	FW35-7003X3L
36"	6.75"	SL6LWS675036	FW8-7003X4L	SL7LWS675036	FW35-7003X4L
12"	7.75"	SL6LWS775012	FW8-7002X1L11	SL7LWS775012	FW35-7002X1L11
24"	7.75"	SL6LWS775024	FW8-7002X3L11	SL7LWS775024	FW35-7002X3L11
36"	7.75"	SL6LWS775036	FW8-7002X4L11	SL7LWS775036	FW35-7002X4L11
12"	8.75"	SL6LWS875012	FW8-7001X1L11	SL7LWS875012	FW35-7001X1L11
24"	8.75"	SL6LWS875024	FW8-7001X3L11	SL7LWS875024	FW35-7001X3L11
36"	8.75"	SL6LWS875036	FW8-7001X4L11	SL7LWS875036	FW35-7001X4L11

## X5092 Air Slide vs Holland

Slide Travel	Height	FFW X5092 Model No. 75,000 lbs. vert. load	Holland Cross Ref. #
12"	9.50"	SLXAWX950012	FW2570-7112X1L
24"	9.50"	SLXAWX950024	FW2570-7112Z3L
36"	9.50"	SLXAWX950036	FW2570-7112X4L
48"	9.50"	SLXAWX950048	FW2570-7112X5L
12"	10.50"	SLXAWX1050012	N/A
24"	10.50"	SLXAWX1050024	N/A
36"	10.50"	SLXAWX1050036	N/A
48"	10.50"	SLXAWX1050048	N/A
12"	11.50"	SLXAWX1150012	N/A
24"	11.50"	SLXAWX1150024	N/A
36"	11.50"	SLXAWX1150036	N/A
48"	11.50"	SLXAWX1150048	N/A

## Blocked H5092 Air Slide vs Holland

Slide Travel	Height	FFW H5092 Model No. 62,500 lbs. vert. load	Holland Cross Ref. #
8.75"	12"	BLHAWB875012	FW35-8401T2L06
8.75"	24"	BLHAWB875024	FW35-8401T3L06
8.75"	36"	BLHAWB875036	FW35-8401T4L06
8.75"	48"	BLHAWB875048	FW35-8401T5L06
9.75"	12"	BLHAWB975012	N/A
9.75"	24"	BLHAWB975024	N/A
9.75"	36"	BLHAWB975036	N/A
9.75"	48"	BLHAWB975048	N/A
10.75"	12"	BLHAWB1075012	N/A
10.75"	24"	BLHAWB1075024	N/A
10.75"	36"	BLHAWB1075036	N/A
10.75"	48"	BLHAWB1075048	N/A

## 6000, 7000 & H5092 Series Manual Slides vs Holland

Slide Travel	Height	FFW 6000 Model 50,000 lbs. V. L.	Holland Cross Ref. #	FFW 7000 Model 55,000 lbs. V. L.	Holland Cross Ref. #	FFW H5092 Model 62,500 lbs. V. L.	Holland Cross Ref. #
12"	6.75"	SL6MWS675012	FW8-8013T1L	SL7MWS675012	FW35-8013T1L	N/A	N/A
16"	6.75"	SL6MWS675016	FW8-8013T2L	SL7MWS675016	FW35-8013T2L	N/A	N/A
20"	6.75"	SL6MWS675020	N/A	SL7MWS675020	N/A	N/A	N/A
24"	6.75"	SL6MWS675024	FW8-8013T3L	SL7MWS675024	FW35-8013T3L	N/A	N/A
36"	6.75"	SL6MWS675036	FW8-8013T4L	SL7MWS675036	FW35-8013T4L	N/A	N/A
48"	6.75"	SL6MWS675048	N/A	SL7MWS675048	N/A	N/A	N/A
12"	7.75"	SL6MWS775012	FW8-8012T1L	SL7MWS775012	FW35-8012T1L	SLHMWS775012	N/A
16"	7.75"	SL6MWS775016	FW8-8012T2L	SL7MWS775016	FW35-8012T2L	SLHMWS775016	N/A
20"	7.75"	SL6MWS775020	N/A	SL7MWS775020	N/A	SLHMWS775020	N/A
24"	7.75"	SL6MWS775024	FW8-8012T3L	SL7MWS775024	FW35-8012T3L	SLHMWS775024	N/A
36"	7.75"	SL6MWS775036	FW8-8012T4L	SL7MWS775036	FW35-8012T4L	SLHMWS775036	N/A
48"	7.75"	SL6MWS775048	FW8-8012T5L	SL7MWS775048	FW35-8012T5L	SLHMWS775048	N/A
12"	8.75"	SL6MWS875012	FW8-8011T1L	SL7MWS875012	FW35-8011T1L	SLHMWS875012	FW2555-7322T1L
16"	8.75"	SL6MWS875016	FW8-8011T2L	SL7MWS875016	FW35-8011T2L	SLHMWS875016	FW2555-7322T2L
20"	6.75"	SL6MWS875020	N/A	SL7MWS875020	N/A	SLHMWS875020	N/A
24"	8.75"	SL6MWS875024	FW8-8011T3L	SL7MWS875024	FW35-8011T3L	SLHMWS875024	FW2555-7322T3L
36"	8.75"	SL6MWS875036	FW8-8011T4L	SL7MWS875036	FW35-8011T4L	SLHMWS875036	FW2555-7322T4L
48"	8.75"	SL6MWS875048	FW8-8011T5L	SL7MWS875048	FW35-8011T5L	SLHMWS875048	FW2555-7322T5L
12"	9.75"	SL6MWS975012	FW8-8019T2L	SL7MWS975012	FW35-8019T2L	SLHMWS975012	N/A
16"	9.75"	SL6MWS975016	FW8-8019T3L	SL7MWS975016	FW35-8019T3L	SLHMWS975016	N/A
20"	6.75"	SL6MWS975020	N/A	SL7MWS975020	N/A	SLHMWS975020	N/A
24"	9.75"	SL6MWS975024	N/A	SL7MWS975024	N/A	SLHMWS975024	N/A
36"	9.75"	SL6MWS975036	FW8-8019T4L	SL7MWS975036	FW35-8019T4L	SLHMWS975036	N/A
48"	9.75"	SL6MWS975048	FW8-8019T5L	SL7MWS975048	FW35-8019T5L	SLHMWS975048	N/A
12"	10.75"	SL6MWS1075012	N/A	SL7MWS1075012	N/A	SLHMWS1075012	N/A
16"	10.75"	SL6MWS1075016	N/A	SL7MWS1075016	N/A	SLHMWS1075016	N/A
20"	10.75"	SL6MWS1075020	N/A	SL7MWS1075020	N/A	SLHMWS1075020	N/A
24"	10.75"	SL6MWS1075024	N/A	SL7MWS1075024	N/A	SLHMWS1075024	N/A
36"	10.75"	SL6MWS1075036	N/A	SL7MWS1075036	N/A	SLHMWS1075036	N/A
48"	10.75"	SL6MWS1075048	N/A	SL7MWS1075048	N/A	SLHMWS1075048	N/A

## 6000, 7000 & H5092 Series PMA Mount vs Holland

Height	FFW 6000 Model No. 50,000 lbs. vert. load	Holland Cross Ref. #	FFW 7000 Model No. 55,000 lbs. vert. load	Holland Cross Ref. #	FFW H5092 Model No. 62,500 lbs. vert. load	Holland Cross Ref. #
6.25"	SL6PMA6250	FW8-7885XL	SL7PMA6250	FW35-7885XL	SLHPMA6250	N/A
7.25"	SL6PMA7250	FW8-7884XL	SL7PMA7250	FW35-7884XL	SLHPMA7250	FW0070-7685XL
8.25"	SL6PMA8250	FW8-7883XL	SL7PMA8250	FW35-7883XL	SLHPMA8250	FW0070-7684XL
9.25"	SL6PMA9250	N/A	SL7PMA9250	N/A	SLHPMA9250	FW0070-7683XL

## 6000, 7000 & H5092 Series FMA Mounts vs Holland

Height	FFW 6000 Model No. 50,000 lbs. vert. load	Holland Cross Ref. #	FFW 7000 Model No. 55,000 lbs. vert. load	Holland Cross Ref. #	FFW H5092 Model No. 62,500 lbs. vert. load	Holland Cross Ref. #
6.375"	SL6FMA6375	FW8-7804XL	SL7FMA6375	FW35-7804XL	–	N/A
7.375"	SL6FMA7375	FW8-7803XL	SL7FMA7375	FW35-7803XL	SLHFMA7375	FW0070-7603XL
8.375"	SL6FMA8375	FW8-7802XL	SL7FMA8375	FW35-7802XL	SLHFMA8375	FW0070-7602XL
9.375"	SL6FMA9375	FW8-7801XL	SL7FMA9375	FW35-7801XL	SLHFMA9375	FW0070-7601XL
10.375"	SL6FMA10375	N/A	SL7FMA10375	N/A	SLHFMA10375	N/A

## 6000, 7000 & H9092 Series PSA Mounts vs Holland

Height	FFW 6000 Model No. 50,000 lbs. vert. load	Holland Cross Ref. #	FFW 7000 Model No. 55,000 lbs. vert. load	Holland Cross Ref. #	Height	FFW H5092 Model No. 62,500 lbs. vert. load	Holland Cross Ref. #
7.125"	SL6PSA7125	N/A	SL7PSA7125	N/A	7.375"	SLHPSA7375	N/A
8.125"	SL6PSA8125	N/A	SL7PSA8125	N/A	8.375"	SLHPSA8375	N/A
9.125"	SL6PSA9125	N/A	SL7PSA9125	N/A	9.375"	SLHPSA9375	N/A
10.125"	SL6PSA10125	N/A	SL7PSA10125	N/A	10.375"	SLHPSA10375	N/A
11.125"	SL6PSA11125	N/A	SL7PSA11125	N/A	11.375"	SLHPSA11375	N/A

## 6000, 7000 & H9092 Series PLA Mounts vs Holland

Height	FFW 6000 Model No. 50,000 lbs. vert. load	Holland Cross Ref. #	FFW 7000 Model No. 55,000 lbs. vert. load	Holland Cross Ref. #	Height	FFW H5092 Model No. 62,500 lbs. vert. load	Holland Cross Ref. #
7.125"	SL6PLA7125	N/A	SL7PLA7125	N/A	7.375"	SLHPLA7375	N/A
8.125"	SL6PLA8125	N/A	SL7PLA8125	N/A	8.375"	SLHPLA8375	N/A
9.125"	SL6PLA9125	N/A	SL7PLA9125	N/A	9.375"	SLHPLA9375	N/A
10.125"	SL6PLA10125	N/A	SL7PLA10125	N/A	10.375"	SLHPLA10375	N/A
11.125"	SL6PLA11125	N/A	SL7PLA11125	N/A	11.375"	SLHPLA11375	N/A

## 6000, 7000 & H5092 Series BSM Mounts vs Holland

Height	FFW 6000 Model No. 50,000 lbs. vert. load	Holland Cross Ref. #	FFW 7000 Model No. 55,000 lbs. vert. load	Holland Cross Ref. #	FFW H5092 Model No. 62,500 lbs. vert. load	Holland Cross Ref. #
5.875"	SL6BSM5875	FW8-7824XL	SL7BSM5875	FW35-7824XL	SLHBSM5875	FW0070-7624XL
6.875"	SL6BSM6875	FW8-7823XL	SL7BSM6875	FW35-7823XL	SLHBSM6875	FW0070-7623XL
7.875"	SL6BSM7875	FW8-7822XL	SL7BSM7875	FW35-7822XL	SLHBSM7875	FW0070-7622XL
8.875"	SL6BSM8875	FW8-7821XL	SL7BSM8875	FW35-7821XL	SLHBSM8875	FW0070-7621XL

## 6000, 7000 & H9092 Series A36 & A44 Mounts vs Holland

Height	Frame Width	FFW 6000 Model 50,000 lbs. V. L.	Holland Cross Ref. #	FFW 7000 Model 55,000 lbs. V. L.	Holland Cross Ref. #	FFW H5092 Model 62,500 lbs. V. L.	Holland Cross Ref. #
5.75"	36"	SL6A365750E	FW8-7814GL	SL7A365750E	FW35-7814GL	SLHA365750E	N/A
5.75"	36"	SL6A365750L	N/A	SL7A365750L	N/A	SLHA365750L	N/A
5.75"	44"	SL6A445750E	N/A	SL7A445750E	N/A	SLHA445750E	N/A
5.75"	44"	SL6A445750L	N/A	SL7A445750L	N/A	SLHA445750L	N/A
6.25"	36"	SL6A366250E	FW8-7813GL	SL7A366250E	FW35-7813GL	SLHA366250E	FW0070-7614GL
6.25"	36"	SL6A366250L	N/A	SL7A366250L	N/A	SLHA366250L	N/A
6.25"	44"	SL6A446250E	N/A	SL7A446250E	N/A	SLHA446250E	N/A
6.25"	44"	SL6A446250L	N/A	SL7A446250L	N/A	SLHA446250L	N/A
7.25"	36"	SL6A367250E	FW8-7812GL	SL7A367250E	FW35-7812GL	SLHA367250E	FW0070-7613GL
7.25"	36"	SL6A367250L	N/A	SL7A367250L	N/A	SLHA367250L	N/A
7.25"	44"	SL6A447250E	N/A	SL7A447250E	N/A	SLHA447250E	N/A
7.25"	44"	SL6A447250L	N/A	SL7A447250L	N/A	SLHA447250L	N/A
8.25"	36"	SL6A368250E	FW8-7811GL	SL7A368250E	FW35-7811GL	SLHA368250E	FW0070-7612GL
8.25"	36"	SL6A368250L	N/A	SL7A368250L	N/A	SLHA368250L	N/A
8.25"	44"	SL6A448250E	N/A	SL7A448250E	N/A	SLHA448250E	N/A
8.25"	44"	SL6A448250L	N/A	SL7A448250L	N/A	SLHA448250L	N/A
9.25"	36"	SL6A369250E	N/A	SL7A369250E	N/A	SLHA369250E	FW0070-7611GL
9.25"	36"	SL6A369250L	N/A	SL7A369250L	N/A	SLHA369250L	N/A
9.25"	44"	SL6A449250E	N/A	SL7A449250E	N/A	SLHA449250E	N/A
9.25"	44"	SL6A449250L	N/A	SL7A449250L	N/A	SLHA449250L	N/A
10.25"	36"	SL6A3610250E	FW8-7553GL	SL7A3610250E	FW35-7553GL	SLHA3610250E	N/A
10.25"	36"	SL6A3610250L	N/A	SL7A3610250L	N/A	SLHA3610250L	N/A
10.25"	44"	SL6A4410250E	N/A	SL7A4410250E	N/A	SLHA4410250E	N/A
10.25"	44"	SL6A4410250L	N/A	SL7A4410250L	N/A	SLHA4410250L	N/A

### X5092 Stationary Short Plate Mount vs Holland

Height	FFW X5092 Model No. 75,000 lbs. vert. load	Holland Cross Ref. #
8.125"	SLXPSA8125	FW0070-7684XL
9.125"	SLXPSA9125	FW0070-7683XL
10.125"	SLXPSA10125	N/A
11.125"	SLXPSA11125	N/A
12.125"	SLXPSA12125	N/A

### X5092 Stationary Long Plate Mount vs Holland

Height	FFW X5092 Model No. 75,000 lbs. vert. load	Holland Cross Ref. #
8.125"	SLXPLA8125	FW0070-7684XL
9.125"	SLXPLA9125	FW0070-7683XL
10.125"	SLXPLA10125	N/A
11.125"	SLXPLA11125	N/A
12.125"	SLXPLA12125	N/A

### Blocked H5092 Stationary Short Plate Mount

Height	FFW H5092 Model No. 62,500 lbs. vert. load	Holland Cross Ref. #
8.375"	BLHPSA8375	FW35-8984XL06
9.375"	BLHPSA9375	FW35-8983XL06
10.375"	BLHPSA10375	N/A

### Blocked H5092 Stationary Long Plate Mount

Height	FFW H5092 Model No. 62,500 lbs. vert. load	Holland Cross Ref. #
8.375"	BLHPLA8375	FW35-8984XL06
9.375"	BLHPLA9375	FW35-8983XL06
10.375"	BLHPLA10375	N/A

## 6000, 7000 & H5092 Series Air Slides vs Conmet

Slide Travel	Height	FFW 6000 Model 50,000 lbs. V. L.	Conmet Cross Ref. #	FFW 7000 Model 55,000 lbs. V. L.	Conmet Cross Ref. #	FFW H5092 Model 62,500 lbs. V. L.	Conmet Cross Ref. #
12"	6.75"	SL6AWB675012	105-1-75531	SL7AWB675012	43-1-75531	N/A	N/A
16"	6.75"	SL6AWB675016	105-1-75536	SL7AWB675016	43-1-75536	N/A	N/A
20"	6.75"	SL6AWB675020	N/A	SL7AWB675020	N/A	N/A	N/A
24"	6.75"	SL6AWB675024	105-1-75532	SL7AWB675024	43-1-75532	SLHAWS675024	43-1-75532
36"	6.75"	SL6AWB675036	105-1-75533	SL7AWB675036	43-1-75533	SLHAWS675036	43-1-75533
48"	6.75"	SL6AWB675048	105-1-75534	SL7AWB675048	43-1-75534	N/A	N/A
12"	7.75"	SL6AWB775012	105-1-75631	SL7AWB775012	43-1-75631	SLHAWB775012	43-1-75631
16"	7.75"	SL6AWB775016	105-1-75636	SL7AWB775016	43-1-75636	SLHAWB775016	43-1-75636
20"	7.75"	SL6AWB775020	N/A	SL7AWB775020	N/A	SLHAWB775020	N/A
24"	7.75"	SL6AWB775024	105-1-75632	SL7AWB775024	43-1-75632	SLHAWB775024	43-1-75632
36"	7.75"	SL6AWB775036	105-1-75633	SL7AWB775036	43-1-75633	SLHAWB775036	43-1-75633
48"	7.75"	SL6AWB775048	105-1-75634	SL7AWB775048	43-1-75634	SLHAWB775048	43-1-75634
12"	8.75"	SL6AWB875012	105-1-75731	SL7AWB875012	43-1-75731	SLHAWB875012	43-1-75731
16"	8.75"	SL6AWB875016	105-1-75736	SL7AWB875016	43-1-75736	SLHAWB875016	43-1-75736
20"	8.75"	SL6AWB875020	N/A	SL7AWB875020	N/A	SLHAWB875020	N/A
24"	8.75"	SL6AWB875024	105-1-75732	SL7AWB875024	43-1-75732	SLHAWB875024	43-1-75732
36"	8.75"	SL6AWB875036	105-1-75733	SL7AWB875036	43-1-75733	SLHAWB875036	43-1-75733
48"	8.75"	SL6AWB875048	105-1-75734	SL7AWB875048	43-1-75734	SLHAWB875048	43-1-75734
12"	9.75"	SL6AWB975012	N/A	SL7AWB975012	N/A	SLHAWB975012	N/A
16"	9.75"	SL6AWB975016	N/A	SL7AWB975016	N/A	SLHAWB975016	N/A
20"	9.75"	SL6AWB975020	N/A	SL7AWB975020	N/A	SLHAWB975020	N/A
24"	9.75"	SL6AWB975024	N/A	SL7AWB975024	N/A	SLHAWB975024	N/A
36"	9.75"	SL6AWB975036	N/A	SL7AWB975036	N/A	SLHAWB975036	N/A
48"	9.75"	SL6AWB975048	N/A	SL7AWB975048	N/A	SLHAWB975048	N/A
12"	10.75"	SL6AWB1075012	N/A	SL7AWB1075012	N/A	SLHAWB1075012	N/A
16"	10.75"	SL6AWB1075016	N/A	SL7AWB1075016	N/A	SLHAWB1075016	N/A
20"	10.75"	SL6AWB1075020	N/A	SL7AWB1075020	N/A	SLHAWB1075020	N/A
24"	10.75"	SL6AWB1075024	N/A	SL7AWB1075024	N/A	SLHAWB1075024	N/A
36"	10.75"	SL6AWB1075036	N/A	SL7AWB1075036	N/A	SLHAWB1075036	N/A
48"	10.75"	SL6AWB1075048	N/A	SL7AWB1075048	N/A	SLHAWB1075048	N/A

## 6000, 7000 LWS Air Slides (Light Weight Slide) vs Conmet

Slide Travel	Height	FFW 6000 Model No. 50,000 lbs. vert. load	Conmet Cross Ref. #	FFW 7000 Model No. 55,000 lbs. vert. load	Conmet Cross Ref. #
12"	6.75"	SL6LWS675012	N/A	SL7LWS675012	N/A
24"	6.75"	SL6LWS675024	N/A	SL7LWS675024	N/A
36"	6.75"	SL6LWS675036	N/A	SL7LWS675036	N/A
12"	7.75"	SL6LWS775012	N/A	SL7LWS775012	N/A
24"	7.75"	SL6LWS775024	N/A	SL7LWS775024	N/A
36"	7.75"	SL6LWS775036	N/A	SL7LWS775036	N/A
12"	8.75"	SL6LWS875012	N/A	SL7LWS875012	N/A
24"	8.75"	SL6LWS875024	N/A	SL7LWS875024	N/A
36"	8.75"	SL6LWS875036	N/A	SL7LWS875036	N/A

## X5092 Air Slide vs Conmet

Slide Travel	Height	FFW X5092 Model No. 75,000 lbs. vert. load	Conmet Cross Ref. #
12"	9.50"	SLXAWX950012	N/A
24"	9.50"	SLXAWX950024	N/A
36"	9.50"	SLXAWX950036	N/A
48"	9.50"	SLXAWX950048	N/A
12"	10.50"	SLXAWX1050012	N/A
24"	10.50"	SLXAWX1050024	N/A
36"	10.50"	SLXAWX1050036	N/A
48"	10.50"	SLXAWX1050048	N/A
12"	11.50"	SLXAWX1150012	N/A
24"	11.50"	SLXAWX1150024	N/A
36"	11.50"	SLXAWX1150036	N/A
48"	11.50"	SLXAWX1150048	N/A

## Blocked H5092 Air Slide vs Conmet

Slide Travel	Height	FFW H5092 Model No. 62,500 lbs. vert. load	Conmet Cross Ref. #
8.75"	12"	BLHAWB875012	N/A
8.75"	24"	BLHAWB875024	N/A
8.75"	36"	BLHAWB875036	N/A
8.75"	48"	BLHAWB875048	N/A
9.75"	12"	BLHAWB975012	N/A
9.75"	24"	BLHAWB975024	N/A
9.75"	36"	BLHAWB975036	N/A
9.75"	48"	BLHAWB975048	N/A
10.75"	12"	BLHAWB1075012	N/A
10.75"	24"	BLHAWB1075024	N/A
10.75"	36"	BLHAWB1075036	N/A
10.75"	48"	BLHAWB1075048	N/A

## 6000, 7000 & H5092 Series Manual Slides vs Conmet

Slide Travel	Height	FFW 6000 Model 50,000 lbs. V. L.	Conmet Cross Ref. #	FFW 7000 Model 55,000 lbs. V. L.	Conmet Cross Ref. #	FFW H5092 Model 62,500 lbs. V. L.	Conmet Cross Ref. #
12"	6.75"	SL6MWS675012	105-1-75071	SL7MWS675012	43-1-75071	N/A	N/A
16"	6.75"	SL6MWS675016	105-1-75076	SL7MWS675016	43-1-75076	N/A	N/A
20"	6.75"	SL6MWS675020	N/A	SL7MWS675020	N/A	N/A	N/A
24"	6.75"	SL6MWS675024	105-1-75072	SL7MWS675024	43-1-75072	N/A	N/A
36"	6.75"	SL6MWS675036	105-1-75073	SL7MWS675036	43-1-75073	N/A	N/A
48"	6.75"	SL6MWS675048	105-1-75074	SL7MWS675048	43-1-75074	N/A	N/A
12"	7.75"	SL6MWS775012	105-1-75171	SL7MWS775012	43-1-75171	SLHMWS775012	43-1-75171
16"	7.75"	SL6MWS775016	105-1-75176	SL7MWS775016	43-1-75176	SLHMWS775016	43-1-75176
20"	7.75"	SL6MWS775020	N/A	SL7MWS775020	N/A	SLHMWS775020	N/A
24"	7.75"	SL6MWS775024	105-1-75172	SL7MWS775024	43-1-75172	SLHMWS775024	43-1-75172
36"	7.75"	SL6MWS775036	105-1-75173	SL7MWS775036	43-1-75173	SLHMWS775036	43-1-75173
48"	7.75"	SL6MWS775048	105-1-75174	SL7MWS775048	43-1-75174	SLHMWS775048	43-1-75174
12"	8.75"	SL6MWS875012	105-1-75271	SL7MWS875012	43-1-75271	SLHMWS875012	43-1-75271
16"	8.75"	SL6MWS875016	105-1-75276	SL7MWS875016	43-1-75276	SLHMWS875016	43-1-75276
20"	6.75"	SL6MWS875020	N/A	SL7MWS875020	N/A	SLHMWS875020	N/A
24"	8.75"	SL6MWS875024	105-1-75272	SL7MWS875024	43-1-75272	SLHMWS875024	43-1-75272
36"	8.75"	SL6MWS875036	105-1-75273	SL7MWS875036	43-1-75273	SLHMWS875036	43-1-75273
48"	8.75"	SL6MWS875048	105-1-75274	SL7MWS875048	43-1-75274	SLHMWS875048	43-1-75274
12"	9.75"	SL6MWS975012	N/A	SL7MWS975012	N/A	SLHMWS975012	N/A
16"	9.75"	SL6MWS975016	N/A	SL7MWS975016	N/A	SLHMWS975016	N/A
20"	6.75"	SL6MWS975020	N/A	SL7MWS975020	N/A	SLHMWS975020	N/A
24"	9.75"	SL6MWS975024	N/A	SL7MWS975024	N/A	SLHMWS975024	N/A
36"	9.75"	SL6MWS975036	N/A	SL7MWS975036	N/A	SLHMWS975036	N/A
48"	9.75"	SL6MWS975048	N/A	SL7MWS975048	N/A	SLHMWS975048	N/A
12"	10.75"	SL6MWS1075012	N/A	SL7MWS1075012	N/A	SLHMWS1075012	N/A
16"	10.75"	SL6MWS1075016	N/A	SL7MWS1075016	N/A	SLHMWS1075016	N/A
20"	10.75"	SL6MWS1075020	N/A	SL7MWS1075020	N/A	SLHMWS1075020	N/A
24"	10.75"	SL6MWS1075024	N/A	SL7MWS1075024	N/A	SLHMWS1075024	N/A
36"	10.75"	SL6MWS1075036	N/A	SL7MWS1075036	N/A	SLHMWS1075036	N/A
48"	10.75"	SL6MWS1075048	N/A	SL7MWS1075048	N/A	SLHMWS1075048	N/A



## 6000, 7000 & H5092 Series PMA Mount vs Conmet

Height	FFW 6000 Model No. 50,000 lbs. vert. load	Conmet Cross Ref. #	FFW 7000 Model No. 55,000 lbs. vert. load	Conmet Cross Ref. #	FFW H5092 Model No. 62,500 lbs. vert. load	Conmet Cross Ref. #
6.25"	SL6PMA6250	104-1-69687	SL7PMA6250	40-1-69687	SLHPMA6250	40-1-69687
7.25"	SL6PMA7250	104-1-69688	SL7PMA7250	40-2-09868	SLHPMA7250	40-2-09868
8.25"	SL6PMA8250	104-1-69667	SL7PMA8250	40-1-69667	SLHPMA8250	40-1-69667
9.25"	SL6PMA9250	104-1-69668	SL7PMA9250	40-1-69668	SLHPMA9250	40-1-69668

## 6000, 7000 & H5092 Series FMA Mounts vs Conmet

Height	FFW 6000 Model No. 50,000 lbs. vert. load	Conmet Cross Ref. #	FFW 7000 Model No. 55,000 lbs. vert. load	Conmet Cross Ref. #	FFW H5092 Model No. 62,500 lbs. vert. load	Conmet Cross Ref. #
6.375"	SL6FMA6375	104-1-60032	SL7FMA6375	41-1-60032	N/A	41-1-60032
7.375"	SL6FMA7375	104-1-60033	SL7FMA7375	41-1-60033	SLHFMA7375	41-1-60033
8.375"	SL6FMA8375	104-1-60034	SL7FMA8375	41-1-60034	SLHFMA8375	41-1-60034
9.375"	SL6FMA9375	N/A	SL7FMA9375	N/A	SLHFMA9375	N/A
10.375"	SL6FMA10375	N/A	SL7FMA10375	N/A	SLHFMA10375	N/A

## 6000, 7000 & H9092 Series PSA Mounts (Stationary Short Plate)

Height	FFW 6000 Model No. 50,000 lbs. vert. load	Holland Cross Ref. #	FFW 7000 Model No. 55,000 lbs. vert. load	Holland Cross Ref. #	Height	FFW H5092 Model No. 62,500 lbs. vert. load	Holland Cross Ref. #
7.125"	SL6PSA7125	N/A	SL7PSA7125	N/A	7.375"	SLHPSA7375	N/A
8.125"	SL6PSA8125	N/A	SL7PSA8125	N/A	8.375"	SLHPSA8375	N/A
9.125"	SL6PSA9125	N/A	SL7PSA9125	N/A	9.375"	SLHPSA9375	N/A
10.125"	SL6PSA10125	N/A	SL7PSA10125	N/A	10.375"	SLHPSA10375	N/A
11.125"	SL6PSA11125	N/A	SL7PSA11125	N/A	11.375"	SLHPSA11375	N/A

## 6000, 7000 & H9092 Series PLA Mounts (Stationary Long Plate)

Height	FFW 6000 Model No. 50,000 lbs. vert. load	Holland Cross Ref. #	FFW 7000 Model No. 55,000 lbs. vert. load	Holland Cross Ref. #	Height	FFW H5092 Model No. 62,500 lbs. vert. load	Holland Cross Ref. #
7.125"	SL6PLA7125	N/A	SL7PLA7125	N/A	7.375"	SLHPLA7375	N/A
8.125"	SL6PLA8125	N/A	SL7PLA8125	N/A	8.375"	SLHPLA8375	N/A
9.125"	SL6PLA9125	N/A	SL7PLA9125	N/A	9.375"	SLHPLA9375	N/A
10.125"	SL6PLA10125	N/A	SL7PLA10125	N/A	10.375"	SLHPLA10375	N/A
11.125"	SL6PLA11125	N/A	SL7PLA11125	N/A	11.375"	SLHPLA11375	N/A

## 6000, 7000 & H5092 Series BSM Mounts vs Conmet

Height	FFW 6000 Model No. 50,000 lbs. vert. load	Conmet Cross Ref. #	FFW 7000 Model No. 55,000 lbs. vert. load	Conmet Cross Ref. #	FFW H5092 Model No. 62,500 lbs. vert. load	Conmet Cross Ref. #
5.875"	SL6BSM5875	104-1-69557	SL7BSM5875	40-1-69557	SLHBSM5875	40-1-69557
6.875"	SL6BSM6875	104-1-69074	SL7BSM6875	40-1-69074	SLHBSM6875	40-1-69074
7.875"	SL6BSM7875	104-1-69705	SL7BSM7875	40-1-69075	SLHBSM7875	40-1-69075
8.875"	SL6BSM8875	104-1-69680	SL7BSM8875	40-1-69680	SLHBSM8875	40-1-69680

## 6000, 7000 & H9092 Series A36 & A44 Mounts vs Conmet

Height	Frame Width	FFW 6000 Model 50,000 lbs. V. L.	Conmet Cross Ref. #	FFW 7000 Model 55,000 lbs. V. L.	Conmet Cross Ref. #	FFW H5092 Model 62,500 lbs. V. L.	Conmet Cross Ref. #
5.75"	36"	SL6A365750E	104-1-60190	SL7A365750E	41-1-60190	SLHA365750E	41-1-60190
5.75"	36"	SL6A365750L	N/A	SL7A365750L	N/A	SLHA365750L	N/A
5.75"	44"	SL6A445750E	N/A	SL7A445750E	N/A	SLHA445750E	N/A
5.75"	44"	SL6A445750L	N/A	SL7A445750L	N/A	SLHA445750L	N/A
6.25"	36"	SL6A366250E	104-1-60194	SL7A366250E	41-1-60194	SLHA366250E	41-1-60194
6.25"	36"	SL6A366250L	N/A	SL7A366250L	N/A	SLHA366250L	N/A
6.25"	44"	SL6A446250E	N/A	SL7A446250E	N/A	SLHA446250E	N/A
6.25"	44"	SL6A446250L	N/A	SL7A446250L	N/A	SLHA446250L	N/A
7.25"	36"	SL6A367250E	104-1-60195	SL7A367250E	41-1-60195	SLHA367250E	41-1-60195
7.25"	36"	SL6A367250L	N/A	SL7A367250L	N/A	SLHA367250L	N/A
7.25"	44"	SL6A447250E	N/A	SL7A447250E	N/A	SLHA447250E	N/A
7.25"	44"	SL6A447250L	N/A	SL7A447250L	N/A	SLHA447250L	N/A
8.25"	36"	SL6A368250E	104-1-60196	SL7A368250E	41-1-60196	SLHA368250E	41-1-60196
8.25"	36"	SL6A368250L	N/A	SL7A368250L	N/A	SLHA368250L	N/A
8.25"	44"	SL6A448250E	N/A	SL7A448250E	N/A	SLHA448250E	N/A
8.25"	44"	SL6A448250L	N/A	SL7A448250L	N/A	SLHA448250L	N/A
9.25"	36"	SL6A369250E	104-1-60179	SL7A369250E	41-1-60179	SLHA369250E	41-1-60179
9.25"	36"	SL6A369250L	N/A	SL7A369250L	N/A	SLHA369250L	N/A
9.25"	44"	SL6A449250E	N/A	SL7A449250E	N/A	SLHA449250E	N/A
9.25"	44"	SL6A449250L	N/A	SL7A449250L	N/A	SLHA449250L	N/A
10.25"	36"	SL6A3610250E	104-1-60198	SL7A3610250E	41-1-60198	SLHA3610250E	41-1-60198
10.25"	36"	SL6A3610250L	N/A	SL7A3610250L	N/A	SLHA3610250L	N/A
10.25"	44"	SL6A4410250E	N/A	SL7A4410250E	N/A	SLHA4410250E	N/A
10.25"	44"	SL6A4410250L	N/A	SL7A4410250L	N/A	SLHA4410250L	N/A

## X5092 Stationary Short Plate Mount vs Conmet

Height	FFW X5092 Model No. 75,000 lbs. vert. load	Conmet Cross Ref. #
8.125"	SLXPSA8125	N/A
9.125"	SLXPSA9125	N/A
10.125"	SLXPSA10125	N/A
11.125"	SLXPSA11125	N/A
12.125"	SLXPSA12125	N/A

## X5092 Stationary Long Plate Mount vs Conmet

Height	FFW X5092 Model No. 75,000 lbs. vert. load	Conmet Cross Ref. #
8.125"	SLXPLA8125	N/A
9.125"	SLXPLA9125	N/A
10.125"	SLXPLA10125	N/A
11.125"	SLXPLA11125	N/A
12.125"	SLXPLA12125	N/A

## Blocked H5092 Short Plate Mount vs Conmet

Height	FFW H5092 Model No. 62,500 lbs. vert. load	Conmet Cross Ref. #
8.375"	BLHPSA8375	N/A
9.375"	BLHPSA9375	N/A
10.375"	BLHPSA10375	N/A

## Blocked H5092 Long Plate Mount vs Conmet

Height	FFW H5092 Model No. 62,500 lbs. vert. load	Conmet Cross Ref. #
8.375"	BLHPLA8375	N/A
9.375"	BLHPLA9375	N/A
10.375"	BLHPLA10375	N/A

## Notes

This is not an exact cross reference and is subject to revision without notice.

Holland is a registered trademark of Holland Hitch Company and is used for reference purposes only.

Conmet is a registered trademark of Consolidated Metco Inc. and is used for reference purposes only.



[www.fifthwheel.com](http://www.fifthwheel.com)