



### 1261 SPECIFICATION FOR STEEL WIRE CABIN HOOKS

SIZE LENGTH	76	101	152	200	250	300
ROD DIA	6.25	6.25	6.25	7.5	7.5	7.5
THICKNESS	2.00	2.00	2.00	2.00	2.00	2.00
NO. OF HOLES	4	4	4	4	4	4
HOLES FOR SCREW NO.	6	6	6	6	6	6
PCS. PER INNER BOX	20	20	10	10	10	10
PCS. PER OUTER CARTON	240	200	200	120	100	100
APPROX. WT. PER 10 PCS. (KGS.)	0.900	1.000	1.150	1.900	2.400	2.900

FINISH AVAILABLE - ZP, EXB

### 1262 STEEL EXTRA LONG CABIN HOOK

SIZE	MM	150	200
	IN	6	8
SCREW NO.		6	6
ROD DIA		5.80	5.80
SHEET THICKNESS		2.20	2.20
PCS. PER INNER BOX		20	20
PCS. PER OUTER CARTON		300	240
APPROX. WT. PER 10 PCS. (KGS.)		0.600	0.700
PALLET QTY. IN PCS.		9000	7200

FINISH AVAILABLE - ZP, EXB

### 38 STEEL BULLET HINGES

SIZE	50	70	70	70	70	70	100	100	100	120
OUTER DIA	10	12	14	16	18	20	16	20	25	30
PCS. IN INNER BOX	50	50	20	20	20	20	10	10	6	4
PCS. IN OUTER CARTON	1000	500	300	300	200	200	120	120	84	48
APPROX. WT. PER 10 PCS. (KGS.)	0.300	0.600	0.820	1.030	1.350	1.700	1.900	2.500	3.520	6.550
PALLET QTY. IN PCS.	34000	17000	12000	9600	7600	7600	6000	4080	2688	1538

FINISH AVAILABLE - SC, ZPYP



**478A CASEMENT STAY**  
(WITH 1 FLAT CENTRE & 1 FLAT OFFSET PIN)

SIZE LENGTH	250	300
SHEET THICKNESS	1.40	1.40
PIN HOLES FOR SCREW NO.	8	8
PCS. PER INNER BOX	10	10
PCS. PER OUTER CARTON	200	200
APPROX. WT. PER 10 PCS. (KGS.)	1.200	1.280

FINISH AVAILABLE - EXB, EXW, EXBR

**478B CASEMENT STAY**  
(WITH 9° CENTRE & 9° OFFSET PIN)

SIZE LENGTH	250	300
SHEET THICKNESS	1.40	1.40
PIN HOLES FOR SCREW NO.	8	8
PCS. PER INNER BOX	10	10
PCS. PER OUTER CARTON	200	200
APPROX. WT. PER 10 PCS. (KGS.)	1.200	1.280

FINISH AVAILABLE - EXB, EXW, EXBR

**478C CASEMENT STAY**  
(WITH 2 NOS. 5/16" PINS)

SIZE LENGTH	250	300
SHEET THICKNESS	1.40	1.40
PIN HOLES FOR SCREW NO.	8	8
PCS. PER INNER BOX	10	10
PCS. PER OUTER CARTON	200	200
APPROX. WT. PER 10 PCS. (KGS.)	1.200	1.320

FINISH AVAILABLE - EXB, EXW, EXBR

**478D STEEL CASEMENT STAY CURLY**  
(WITH 2 PINS)

SIZE LENGTH MM	250	300
PCS. PER INNER BOX	10	10
PCS. PER OUTER CARTON	100	100
APPROX. WT. PER 10 PCS. (KGS.)	1.700	1.800

FINISH AVAILABLE - EXB, EXW, EXBR



MILD STEEL HINGES AND DOOR & WINDOW FITTINGS



# Garg

## MILD STEEL HINGES AND DOOR & WINDOW FITTINGS



MILD STEEL HINGES AND DOOR & WINDOW FITTINGS



### 315 STEEL STRETCHER PLATES

SIZE LENGTH	38
WIDTH	38
MATERIAL THICKNESS	1.90
SCREW ROUND HEAD SIZE	8
PCS. IN INNER BOX	100
PCS. IN OUTER CARTON	700
APPROX. WT. PER 100 PCS. (KGS.)	2.900
PALLET QTY. IN PCS.	33600

FINISH AVAILABLE - SC, ZPYP, BZP

### 316 STEEL HORIZONTAL SLOT PLATES (HEAVY)

SIZE LENGTH	50
WIDTH	38
MATERIAL THICKNESS	3.15
HOLES FOR SCREW NO.	10
PCS. PER INNER BOX	100
PCS. PER OUTER CARTON	600
APPROX. WT. PER 100 PCS.(KGS.)	4.000
PALLET QTY. IN PCS.	25800

FINISH AVAILABLE - SC, ZPYP, BZP

### 316A STEEL HORIZONTAL SLOT PLATES (LIGHT)

SIZE LENGTH	44
WIDTH	32
MATERIAL THICKNESS	2.35
HOLES FOR SCREW NO.	8
PCS. PER INNER BOX	100
PCS. PER OUTER CARTON	1000
APPROX. WT. PER 100 PCS.(KGS.)	2.200
PALLET QTY. IN PCS.	44800

FINISH AVAILABLE - SC, ZPYP, BZP

### 317 STEEL VERTICAL SLOT PLATES (HEAVY)

SIZE LENGTH	50
WIDTH	38
MATERIAL THICKNESS	3.15
HOLES FOR SCREW NO.	10
PCS. PER INNER BOX	100
PCS. PER OUTER CARTON	600
APPROX. WT. PER 100 PCS.(KGS.)	4.000
PALLET QTY. IN PCS.	25600

FINISH AVAILABLE - SC, ZPYP, BZP



**317A STEEL VERTICAL SLOT PLATES (LIGHT)**

SIZE LENGTH	44
WIDTH	32
MATERIAL THICKNESS	2.35
HOLES FOR SCREW NO.	8
PCS. PER INNER BOX	100
PCS. PER OUTER CARTON	1000
APPROX. WT. PER 100 PCS.(KGS.)	2.200
PALLET QTY. IN PCS.	44800

FINISH AVAILABLE - SC, ZPYP, BZP



**452DS/FP STEEL BUTT HINGES  
(DOUBLE SECURITY PINS)**

SIZE LENGTH	101
OPEN WIDTH	90
SHEET THICKNESS	2.50
HOLES FOR SCREW NO.	8
PRS. IN INNER BOX	5
PRS. IN OUTER CARTON	50
APPROX. WT. PER 10 PRS. (KGS.)	4.500
PALLET QTY. IN PRS.	16000

FINISH AVAIBALE - EB, BZP, ZPYP, EXB  
Also available - Loose pin (Code 452 DS/LP)



**318 STEEL TEE PLATES**

SIZE LENGTH	75	100
WIDTH	16	19
SHEET THICKNESS	2.00	2.00
HOLES FOR SCREW NO.	8	8
PRS. IN INNER BOX	25	25
PRS. IN OUTER CARTON	800	400
APPROX. WT. PER 10 PRS. (KGS.)	3.000	5.000
PALLET QTY. IN PRS.	30000	18000

FINISH AVAILABLE - SC, ZPYP, BZP



MILD STEEL HINGES AND DOOR & WINDOW FITTINGS



**Garg**

MILD STEEL HINGES AND DOOR & WINDOW FITTINGS



MILD STEEL HINGES AND DOOR & WINDOW FITTINGS



**319L STEEL CORNER BRACES**  
COUNTER SUNK - INSIDE/OUTSIDE

SIZE LENGTH	25	38	50	65	75	100	125	150
WIDTH	16	16	16	19	19	22	22	25
MATERIAL THICKNESS	1.60	1.60	1.60	2.00	2.00	2.35	2.35	2.65
HOLES FOR SCREW NO.	6	6	6	6	7	7	7	8
SCREW HOLES PER PC	2	4	4	4	6	6	6	6
PCS. PER INNER BOX	50	50	50	50	50	25	25	25
PCS. PER OUTER CARTON	2500	1500	1000	800	500	250	200	150
APPROX. WT. PER 100 PCS. (KGS.)	0.900	1.200	1.900	3.500	4.100	7.500	9.600	15.000
PALLET QTY. IN PCS.	110000	84000	32000	28800	24000	13500	8400	6600

FINISH AVAILABLE - SC, ZPYP, BZP

Note : 320 Inside Countersunk And 321 Outside Countersunk also available.



**319H STEEL CORNER BRACES**  
COUNTER SUNK - INSIDE/OUTSIDE

SIZE LENGTH	27	39	52	66	76	101	127	152
WIDTH	16	16	16	16	16	22	22	25
MATERIAL THICKNESS	2.00	2.00	2.00	2.00	2.00	2.50	2.50	2.50
HOLES FOR SCREW NO.	6	6	6	6	6	7	7	7
SCREW HOLES PER PC	2	4	4	4	4	4	6	7
PCS. PER INNER BOX	50	50	50	50	50	25	25	25
PCS. PER OUTER CARTON	2300	1500	1000	800	500	250	200	150
APPROX. WT. PER 100 PCS. (KGS.)	1.100	1.500	2.100	2.800	3.300	8.200	10.200	14.600
PALLET QTY. IN PCS.	79200	54000	36000	10600	18000	9000	7200	4500

FINISH AVAILABLE - SC, ZPYP, BZP

Note : 320 Inside Countersunk And 321 Outside Countersunk also available.



**324 STEEL CORNER PLATES**

SIZE LENGTH	50 x 50	65 x 65	75 x 75	100 x 100	125 x 125	150 x 150
WIDTH	13	13	16	16	19	22
MATERIAL THICKNESS	1.50	2.00	2.30	2.65	2.65	2.65
HOLES FOR SCREW NO.	6	7	8	8	8	8
SCREW HOLES PER PLATE	4	4	4	6	6	6
PCS. PER INNER BOX	50	50	50	25	25	25
PCS. PER OUTER CARTON	1800	1000	600	500	300	150
APPROX. WT. PER 100 PCS. (KGS.)	1.400	2.200	3.300	5.400	9.100	14.000
PALLET QTY. IN PCS.	72000	46000	30000	19000	10800	7000

FINISH AVAILABLE - SC, ZPYP, BZP



### 325 STEEL MENDING PLATES

SIZE	75	100	125	150
WIDTH	16	16	19	19
MATERIAL THICKNESS	1.85	2.00	2.50	2.50
SCREW NO.	7	7	8	8
SCREW HOLES PER PLATE	4	4	4	4
PCS. PER INNER BOX	50	50	25	25
PCS. PER OUTER CARTON	1500	700	450	600
APPROX. WT. PER 100 PCS. (KGS.)	1.900	2.900	4.700	6.000
PALLET QTY. IN PCS.	54000	35000	21600	16000


FINISH AVAILABLE - SC, ZPYP, BZP



### 325H STEEL MENDING PLATES

SIZE	75	100	125	150	305
WIDTH	19	25	25	25	29
MATERIAL THICKNESS	2.50	2.50	2.50	2.50	4.50
SCREW NO.	7	8	9	9	12
SCREW HOLES PER PLATE	4	4	4	4	6
PCS. PER INNER BOX	50	50	25	25	10
PCS. PER OUTER CARTON	800	400	350	300	80
APPROX. WT. PER 100 PCS. (KGS.)	2.500	4.900	5.700	7.000	28.500

FINISH AVAILABLE - SC, ZPYP, BZP



### 1842 STEEL BUTT HINGES

UNCRANKED KNUCKLE, FIXED PIN (FRENCH SPECIFICATION)

SIZE LENGTH	25	30	35	40	50	60	70	80	90	100
OPEN WIDTH	18	19	22	25	30	35	40	45	45	50
SHEET THICKNESS	0.80	0.80	0.80	0.90	0.90	1.00	1.20	1.20	1.50	1.50
HOLES FOR SCREW NO.	2	2	3	3	4	4	5	7	7	7
PCS. IN INNER BOX	50	50	50	50	25	25	25	25	25	25
PCS. IN OUTER CARTON	4000	4000	4000	2500	1500	1000	500	500	300	300
APPROX. WT. PER 100 PCS. (KGS.)	0.400	0.550	0.700	1.020	1.500	2.200	3.850	5.240	7.200	8.200
PALLET QTY. IN PCS.	248000	184000	144000	100000	66000	46000	26000	19000	13800	12000

FINISH AVAILABLE - SC, BZP, EB

Note : Also available in Brass & Stainless Steel.



MILD STEEL HINGES AND DOOR & WINDOW FITTINGS




# Garg

## MILD STEEL HINGES AND DOOR & WINDOW FITTINGS




MILD STEEL HINGES AND DOOR & WINDOW FITTINGS



### 804 STEEL SQUARE BUTT HINGES UNCRACKED KNUCKLE, FIXED PIN (FRENCH SPECIFICATIONS)

SIZE LENGTH	30	40	50	60	70	80
OPEN WIDTH	30	40	50	60	70	80
SHEET THICKNESS	0.80	0.90	0.90	1.00	1.20	1.20
HOLES FOR SCREW NO.	4	4	5	6	7	7
PCS. IN INNER BOX	50	50	25	25	25	25
PCS. IN OUTER CARTON	3000	1500	600	500	400	300
APPROX. WT. PER 100 PCS. (KGS.)	0.800	1.500	2.300	3.700	5.800	7.100
PALLET QTY. IN PCS.	126000	60000	36000	27000	17600	14400

FINISH AVAILABLE - SC, BZP, EB  
Note : Also available in Brass & Stainless Steel.



### 400 UE STEEL TABLE HINGES UNEVEN FLAPS UNCRANKED (SQUARE/RADIUS CORNERS) (FRENCH SPECIFICATION)

SIZE LENGTH	45	50	75	78.5
OPEN WIDTH	80	85	127	32
SHEET THICKNESS	1.50	1.50	2.00	1.50
HOLES FOR SCREW NO.	6	6	*	7
PRS. IN INNER BOX	20	25	10	20
PRS. IN OUTER CARTON	300	400	150	600
APPROX. WT. PER 10 PRS. (KGS.)	0.470	0.550	1.840	0.350

FINISH AVAILABLE - SC, BZP  
\* Without Counter, Countersunk can be provided as per choice of buyer.  
Also available (400UE RC) Radius Corner



### 236 HANDRAIL BRACKETS

SIZE	63	76
BASE PLATE DIA	57	57
TOP PLATES LENGTH X WIDTH	59 x 21.5	61 x 21.5
HOLES FOR BASE PLATE SCREW NO.	8	8
HOLE FOR TOP PLATE SCREW NO.	8	8
PCS. IN INNER BOX	10	10
PCS. IN OUTER CARTON	100	100
APPROX. WT. PER 10 PCS. (KGS.)	1.28	1.37
PALLET QTY IN PCS.	2400	2400

FINISH AVAILABLE - EXB, BZP, EXW



**236FB HANDRAIL BRACKETS**  
FIX BENDED (EURO) (FRENCH SPECIFICATION)

SIZE	75MM
BASE PLATE DIA	60MM
TOP PLATE LENGTH X WIDTH	70 X 18MM
HOLE FOR BASE PLATE SCREW NO.	10
HOLE FOR TOP PLATE SCREW NO.	10
PCS. IN INNER BOX	10
PCS. IN OUTER CARTON	100
APPROX. WT. PER 10 PCS. (KGS.)	1.48
PALLET QTY. IN PCS.	2400

FINISH AVAILABLE - ZP, ZPYP, EXW, EXGR



**236AB/AS HANDRAIL BRACKETS**  
ADJUSTABLE BENDED/STRAIGHT (FRENCH SPECIFICATION)

SIZE (MIN/MIX)	MM	50/70	55/80
BASE PLATE DIA		60	60
TOP PLATE LENGTH X WIDTH		70 X 18	70 X 18
HOLE FOR BASE PLATE SCREW NO.		10	10
HOLE FOR TOP PLATE SCREW NO.		10	10
PCS. IN INNER BOX		10	10
PCS. IN OUTER CARTON		100	100
APPROX. WT. PER 10 PCS. (KGS.)		1.800	2.000
PALLET QTY. IN PCS.		4500	4000

FINISH AVAILABLE - ZP, ZPYP



**234 GATE HOLD BACK HINGES/PENTURE DE GONDS**  
(FRENCH SPECIFICATION)

SIZE/LENGTH OF BAND	300	400	500	600
OVERALL LENGTH OF BAND	346	446	546	646
WIDTH OF BAND	30	30	30	30
SHEET THICKNESS	4	4	4	4
SHEET THICKNESS	10	10	10	10
HOLES FOR SCREW NO.	10	10	10	10
PCS. IN INNER BOX	10	10	10	5
PCS. IN OUTER CARTON	40	30	30	25
APPROX. WT. PER 10 PCS. (KGS.)	5.200	6.200	7.000	8.000

FINISH AVAILABLE - BZP, EXB







# Garg

## MILD STEEL HINGES AND DOOR & WINDOW FITTINGS



MILD STEEL HINGES AND DOOR & WINDOW FITTINGS



### 1841 STEEL BUTT HINGES CRANKED KNUCKLE FIXED/REMOVABLE PIN (AUSTRALIAN SPECIFICATION)

SIZE LENGTH	70	85
OPEN WIDTH	50	61
SHEET THICKNESS	1.60	1.65
HOLES FOR SCREW NO.	8	8
PRS. IN INNER BOX	10	10
PRS. IN OUTER CARTON	200	150
APPROX. WT. PER 10 PRS. (KGS.)	1.250	1.840
PALLET QTY. IN PRS.	8000	5400

FINISH AVAILABLE - ZP, ZPYP

### 1386 LIGHT FANCY CABINET (BUTTERFLY) HINGE

SIZE LENGTH	42	51
OPEN WIDTH	34	41
SHEET THICKNESS	1.00	1.00
HOLES FOR SCREW NO.	3	3
PRS. IN INNER BOX	50	50
PRS. IN OUTER CARTON	1200	1000
APPROX. WT. PER 10 PRS. (KGS.)	0.140	0.220

FINISH AVAILABLE - EB, FB

### 1387 SEAT HINGE

SIZE LENGTH	64
OPEN WIDTH	38
SHEET THICKNESS	1.0
HOLES FOR SCREW NO.	5
PRS. IN INNER BOX	20
PRS. IN OUTER CARTON	300
APPROX. WT. PER 10 PRS. (KGS.)	0.440

FINISH AVAILABLE - EB, ZP, EXB, EXW, EXBR