



BIGFOOT FOUND

heating cave with portable gas heater



H weekly Heat

October 1, 2020 - March 31, 2021

ELVIS SPOTTED INSIDE RENTAL STORE

Rented dehumidifier and portable kerosene heater



OVERHEARD SAYING:
Thank you....
Thank you very much!



EXCLUSIVE STORY

LOCAL COMPANY Has Warehouse On The Moon

STILL OFFERS
Same Day Shipping
Choice of Terms



'I was abducted by aliens.....they just needed heater parts'




www.phpdistribution.com



FREIGHT

Choose Your Terms

PAYMENTS



Standard Shipping & Terms: Freight shipped prepaid and added to your invoice. FOB Valparaiso, IN. Net 30 terms for invoices up to \$2,499.99.
Freight Option (A): Shall apply on orders of \$2,500 or more. Freight will be invoiced, but may be deducted if paid within Net 30 terms. Freight is non-deductible if payment is late.
Payments Option (B): Payments must be made in 30/60/90/120-day terms, per the above matrix. No interest (if paid on time). Freight is due with the first payment.

“Choose Your Terms” Examples on a \$2,500 Order



OPTION A FREIGHT

Purchase \$2,500 of merchandise and pay using Option A.

The customer pays one lump sum Net 30 days and the freight is free.....

Total Invoice	\$2,500.00
Freight	\$0.00
Total Paid	\$2,500.00

*Freight may be deducted if paid within Net 30 terms.
Freight is non-deductible if payment is late.*



OPTION B EQUAL PAYMENTS

Single invoice shows \$2,500 of merchandise and \$100 in freight. The customer can pay in 3 equal payments and includes the freight in the first payment*.

<i>Total Invoice: \$2,600.00</i>	
Payment 1(*Includes \$100 freight)	\$933.34
Payment 2	\$833.33
Payment 3	\$833.33
Total Paid	\$2,600.00

Concrete Mixers
page **127**



Propane Only NOMAD Heaters
page **19**



LED Flashlights
page **65**



Handwashing Stations
page **115**



FREIGHTMeans You Pay On Time,
ALLOWED Your Freight is
FREE!

Follow Us!



facebook.com/PPHPP46383



twitter.com/PHPDistribution



(search PHP Distribution)

Visit Us!

phpdistribution.com

Call Us!

1.800.362.6951

Fax: 1.800.255.7985

VIDEO DEMO




Throughout the catalog, many of our great products will have the icon shown above next to it. Visit our YouTube Channel to view a demo video of the product.

GROUND SHIPPING TIME FROM PHP



Transit Days

- 1 Day
- 2 Days
- 3 Days
- 4 Days
- 5 Days



Name Brand Product Selection
 We carry thousands of products featuring the names you look for and trust for quality and dependability.



Same Day Shipping
 Strategically located in the Midwest...with our ship same day standard means in most cases you will receive your order within 24-48 hours depending on your location.



Superior Customer Service
 Staffed with knowledgeable representatives to help in any way they can.



Special Terms for Qualifying Customers
 Certain minimum orders receive special terms including payment options and shipping cost.



Top-of-the-Line Technical Service
 Our team is always ready to answer any questions you have.

40,000 BTU Tent Heater page **18**



L.B.WHITE

Red Army Knife page **53**



VICTORINOX
 SWISS ARMY

S-Biner Sidelocks page **51**



NITE IZE

Portable Evaporative Cooler page **173**



L.B.WHITE

OIL-FIRED HEATERS



50,000 BTU

- 4 gallon tank
- Durable barrel design
- Recessed controls

Part#	List Price	Wholesale
DXH50K		Please Login



75,000 BTU

- 4 gallon tank
- Durable barrel design
- Recessed controls
- Built-in thermostat

Part#	List Price	Wholesale
DXH75KT		Please Login



135,000 BTU

- 14 gallon tank
- Heavy-duty roll cage
- Durable barrel design
- Front storage compartment
- Flat-free tires
- Recessed controls
- Built-in thermostat

Part#	List Price	Wholesale
DXH135HD		Please Login



190,000 BTU

- 14 gallon tank
- Heavy-duty roll cage
- Durable barrel design
- Front storage compartment
- Flat-free tires
- Recessed controls
- Built-in thermostat

Part#	List Price	Wholesale
DXH190HD		Please Login



215,000 BTU

- 14 gallon tank
- Heavy-duty roll cage
- Durable barrel design
- Front storage compartment
- Flat-free tires
- Recessed controls
- Built-in thermostat

Part#	List Price	Wholesale
DXH215HD		Please Login



Model #	DXH50K	DXH75KT	DXH135HD	DXH190HD	DXH215HD
Stock#	F348673	F348675	F348690	F348695	F348700
BTU Output	50,000	75,000	135,000	190,000	215,000
*Heats Up To (Approx. Sq. Ft.)	1,500	1,700	3,500	4,388	6,500
Run Time (Approx.)	11 Hrs	11 Hrs	9.5 Hrs	10 Hrs	9.5 Hrs
CFM Output	185	240	275	433	400
Tank Size (Gallons)	4	5	14	14	14
Thermostat	Sold Separately	Included	Included	Included	Included
Tires	N/A	N/A	Foam filled flat-free	Foam filled flat-free	Foam filled flat-free
Weight	22.75 lbs.	29 lbs.	60 lbs.	74 lbs.	106.5 lbs.
Shipping Ctn Size (in volu)	32.5 x 14.25 x 14.75	32.25 x 14.25 x 17	29.75 x 18.25 x 20.75	39.75 x 18 x 21	42 x 18 x 22





75,000 BTU

- Heats up to 1,750 sq. feet
- Built-in thermostat
- Fuel gauge
- Cord wrap
- Easy-off fuel cap
- Lighted on/off switch

Part#	List Price	Wholesale
HS75KT		Please Login



125,000 BTU

- Heats up to 3,000 sq. feet
- Built-in thermostat
- Fuel cap with gauge
- Cord wrap
- Easy-off fuel cap
- Lighted on/off switch
- Oversized traction wheels

Part#	List Price	Wholesale
HS125KT		Please Login



175,000 BTU

- Heats up to 4,250 sq. feet
- Built-in thermostat
- Fuel cap with gauge
- Cord wrap
- Easy-off fuel cap
- Lighted on/off switch
- Oversized traction wheels

Part#	List Price	Wholesale
HS175KT		Please Login



210,000 BTU

- Heats up to 6,000 sq. feet
- Built-in thermostat
- Fuel cap with gauge
- Cord wrap
- Easy-off fuel cap
- Lighted on/off switch
- Oversized traction wheels

Part#	List Price	Wholesale
HS210KT		Please Login



	HS75KT	HS125KT	HS175KT	HS210KT
Stock Number	F17025	F17026	F17027	F17028
Output (BTU/HR)	75,000	125,000	175,000	210,000
Output CFM	240	275	400	400
Fuel	Kerosene / #1 Fuel Oil	Kerosene / #1 Fuel Oil	Kerosene / #1 Fuel Oil	Kerosene / #1 Fuel Oil
Fuel Consumption (gal/hr)	.26	.37	1.15	1.80
Flame Safety	Overheat Safety Shut-off	Overheat Safety Shut-off	Overheat Safety Shut-off	Overheat Safety Shut-off
Ignition	Continuous	Continuous	Continuous	Continuous
Power Required	110 - 115V 60 Hz	110 - 115V 60 Hz	110 - 115V 60 Hz	110 - 115V 60 Hz
Tank Size	6 gallons	14 gallons	14 gallons	14 gallons
Shipping Size (L x W x H)	32" x 14.25" x 17"	42" x 18" x 22.25"	42" x 18" x 22.25"	42" x 18" x 22.25"
Net Weight	28 lbs.	69 lbs.	79 lbs.	82 lbs.
Shipping Weight	43 lbs.	74 lbs.	81 lbs.	87 lbs.
Shipping Cube	4.30	9.73	9.73	9.75
Thermostat	Standard	Standard	Standard	Standard

OIL-FIRED HEATERS



75,000 BTU Direct Spark

- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- High limit safety sensor
- Built-in air pressure gauge

Part#	List Price	Wholesale
Tradesman K75		Please Login



125,000 BTU Direct Spark

- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- High limit safety sensor
- Built-in air pressure gauge
- Pneumatic wheels
- Room temperature display

Part#	List Price	Wholesale
Tradesman K125		Please Login



175,000 BTU Direct Spark

- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- High limit safety sensor
- Built-in air pressure gauge
- Pneumatic wheels
- Room temperature display

Part#	List Price	Wholesale
Tradesman K175		Please Login




210,000 BTU Direct Spark

- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- High limit safety sensor
- Built-in air pressure gauge
- Pneumatic wheels
- Room temperature display

Part#	List Price	Wholesale
Tradesman K210		Please Login

TRADESMAN

	K75	K125	K175	K210
Btu/h Rating	75,000	125,000	175,000	210,000
Heated Air Output (CFM)	265	520	600	650
Pump Pressure (psi)	3.8	5.5	5.5	8.5
Fuel Consumption (max.) (gal./hr.)	0.6	0.95	1.3	1.6
Tank Capacity (gal.)	5	10	13	13
Operating Time/Tankful min. (hrs.)	8.3	10.5	10.0	8.0
Amps (continuous operation)	1.6	2.5	3.2	3.7
Motor Horsepower	1/8	1/5	1/4	1/3
Dimensions (in.)				
Length	32.0	36.1	41.8	41.8
Width	11.8	21.5	23.1	23.1
Height	16.8	24.9	26.1	26.1
Shipping Weight (lbs.)	30.0	63.7	71.6	73.2



No-Spill® CARB Fuel Can w/Auto Stop Nozzle

Meets CARB Environmental Standard

- Wide, stable base can reduce upsets
- Semi-translucent body lets you see your fuel level
- Quart & Liter markings molded in for easy reference
- 7/8" Funnel spout easily fills even the smallest equipment



HOT 4 in 1 Heating Oil Treatment

- TOTALLY disperses water, so in effect there is no longer any "free water"
- Treats 274 gallons.



Part#	List Price	Wholesale
00161		Please Login

Note: Do Not Use With Wick Heaters

Part#	Description	List Price	Wholesale
NS1456	5 Gal. kerosene (blue)-CARB		Please Login

Job Sizing - Heat Requirements

Cubic Feet	Rise in Temperature							
	10°F	20°F	30°F	40°F	50°F	60°F	70°F	80°F
4,000	5,320	10,640	15,960	21,280	26,600	31,920	37,240	42,560
8,000	10,640	21,280	31,920	42,560	53,200	63,840	74,480	85,120
12,000	15,960	31,920	47,880	63,840	79,800	95,760	111,720	127,680
16,000	21,280	42,560	63,840	85,120	106,400	127,680	148,960	170,240
20,000	26,600	53,200	79,800	106,400	133,000	159,600	186,200	212,800
24,000	31,920	63,840	95,760	127,680	159,600	191,520	223,440	255,360
28,000	37,240	74,480	111,720	148,960	186,200	223,440	260,680	297,920
32,000	42,560	85,120	127,680	170,240	212,800	255,360	297,920	340,480
36,000	47,880	95,760	143,640	191,520	239,400	287,280	335,160	383,040
40,000	53,200	106,400	159,600	212,800	266,000	319,200	372,400	425,600
44,000	58,520	117,040	175,560	234,080	292,600	351,120	409,640	468,160
48,000	63,840	127,680	191,520	255,360	319,200	383,040	446,880	510,720
52,000	69,160	138,320	207,480	276,640	345,800	414,960	484,120	553,280
56,000	74,480	148,960	223,440	297,920	372,400	446,880	521,360	595,840
60,000	79,800	159,600	239,400	319,200	399,000	478,800	558,600	638,400
64,000	85,120	170,240	255,360	340,480	425,600	510,720	595,840	680,960
68,000	90,440	180,880	271,320	361,760	452,200	542,640	633,080	723,520
72,000	95,760	191,520	287,280	383,040	478,800	574,560	670,320	766,080
76,000	101,080	202,160	303,240	404,320	505,400	606,480	707,560	808,640
80,000	106,400	212,800	319,200	425,600	532,000	638,400	744,800	851,200
84,000	111,720	223,440	335,160	446,880	558,600	670,320	782,040	893,760
88,000	117,040	234,080	351,120	468,160	585,200	702,240	819,280	936,320
92,000	122,360	244,720	367,080	489,440	611,800	734,160	856,520	978,880
96,000	127,680	255,360	383,040	510,720	638,400	766,080	893,760	1,021,440
100,000	133,000	266,000	399,000	532,000	665,000	798,000	931,000	1,064,000
104,000	138,320	276,640	414,960	553,280	691,600	829,920	968,240	1,106,560
108,000	143,640	287,280	430,920	574,560	718,200	861,840	1,005,480	1,149,120
112,000	148,960	297,920	446,880	595,840	744,800	893,760	1,042,720	1,191,680
116,000	154,280	308,560	462,840	617,120	771,400	925,680	1,079,960	1,234,240
120,000	159,600	319,200	478,800	638,400	798,000	957,600	1,117,200	1,276,800
124,000	164,920	329,840	494,760	659,680	824,600	989,520	1,154,440	1,319,360
128,000	170,240	340,480	510,720	680,960	851,200	1,021,440	1,191,680	1,361,920
132,000	175,560	351,120	526,680	702,240	877,800	1,053,360	1,228,920	1,404,480
136,000	180,880	361,760	542,640	723,520	904,400	1,085,280	1,266,160	1,447,040
140,000	186,200	372,400	558,600	744,800	931,000	1,117,200	1,303,400	1,489,600
144,000	191,520	383,040	574,560	766,080	957,600	1,149,120	1,340,640	1,532,160
148,000	196,840	393,680	590,520	787,360	984,200	1,181,040	1,377,880	1,574,720
152,000	202,160	404,320	606,480	808,640	1,010,800	1,212,960	1,415,120	1,617,280

Formula: Cubic Feet x .133 x Desired Temperature Rise = BTU/h Required

Note: .133 = Heat Loss Variable, a number standard to the industry based on insulation. A tightly insulated building indicates this number is slightly high. Yet a loosely insulated building indicates this number is slightly low. However, .133 is a factor that meets a respectful medium.

OIL-FIRED HEATERS



Radiant Heat!

146,900 BTU Radiant Fired 2-Stage Unit



- Low noise level
- Radiant heat with no air movement
- Lift bracket
- Odor FREE
- Kerosene, diesel, fuel oil
- 14 Gal. shock proof fuel tank
- Dual stage burner - high /low settings
- Electric - 120V, 41 Amps
- Weight - 149 lbs.
- Dimensions - 41"Lx30"Wx47"H

Part#	Description	List Price	Wholesale
HSP150R	Heater		Please Login
F105108	External thermostat		Please Login



115,000 BTU Infrared High Pressure Unit



- Heavy-duty construction
- Radiant heat with no air movement
- Low noise level
- Single point bail lift
- Odor FREE
- Kerosene, diesel, fuel oil
- Shock proof fuel tank
- Adjustable floor-heat shield
- 11.4 gallon fuel tank
- 2.15 amps

Part#	Description	List Price	Wholesale
HS115-IR	Heater		Please Login
THIDF	Thermostat		Please Login



Direct Fired Heaters

- Runs on #1, #2 diesel, kerosene, JP-8, or Jet A fuel
- Simple, easy to use control panel built with tough flameproof plastic
- Safety features include: overheat limit, pressure switch and flame out sensor
- Double layered combustion chamber provides quiet operation and low surface shell temperature
- Preheated fuel filter with fuel gauge is standard
- Optional thermostat available (ACC-THIDF w/50' cord)

Standard Features

- Pre-heated fuel filter
- Fuel gauge
- Lifting brackets
- Power cord bracket
- Large fuel tank, over 35 gallon capacity!
- Runtime: (DF400-12.6 hrs.), (DF600-8.3 hrs.)
- External fuel tank available for even more run time!



Part#	Description	CFM	List Price	Wholesale
DF400	400,000 BTU	2500		Please Login
DF600	600,000 BTU	2800		Please Login
THIDF	Thermostat			Please Login



Portable Oil Indirect-Fired Heaters

- 100% clean, dry heat
- High pressure operation
- Four-loop exhaust gas system™ for higher efficiency
- Temperature rise 160°F
- Extra large fuel tanks for extended run times
- Runs on #1 & #2 diesel, kerosene, JP-8 or Jet A
- Low-power consumption

- Runs on 15 amp circuit
- “One-Man” maneuverability
- Lifting handles
- Fuel gauge
- Extra large capacity tanks
- Thermostat sold separately

No Open Flame!



HVF110 - 110,000 BTU

- 17 gallon tank
- 22 hour run time
- 120v, 6amp
- 1,020 cfm
- Temperature rise = 160° F
- Ductable up to 25'
- 100 lbs.



Part#	Description	List Price	Wholesale
HVF110	Heater		Please Login
WD1220	20' Duct		Please Login
AR110	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
EF1	Raincap/Flue stack		Please Login



HVF210 - 205,000 BTU

- 27.7 gallon tank
- 19 hour run time
- Preheated fuel filter
- 120v, 9amp
- 1,530 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 180 lbs.



Part#	Description	List Price	Wholesale
HVF210	Heater		Please Login
WD1425	25' Duct		Please Login
AR210	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR212	Two-way adapter		Please Login
WD1220	Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login



HVF310 - 300,000 BTU

- 35.7 gallon tank
- 16 hour run time
- Preheated fuel filter
- 120v, 12amp
- 2,500 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 270 lbs.



Part#	Description	List Price	Wholesale
HVF310	Heater		Please Login
WD1825	25' Duct		Please Login
AR310	Duct ring		Please Login
23189	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR312	Two-way adapter		Please Login
WD1220	Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login



HVF410 - 412,000 BTU

- 57 gallon tank
- 30 hour run time
- Preheated fuel filter
- 120v, 20amp
- 3250 cfm
- Temperature rise = 140° F
- Ductable up to 60'
- 507 lbs.
- 2 control settings
Low-272K BTU
High-412K BTU



Part#	Description	List Price	Wholesale
HVF410	Heater		Please Login
WD2025	25' Duct		Please Login
AR401	Duct ring		Please Login
23189	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR402	Two-way adapter		Please Login
WD1825	25' Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login



Ductable Dual-Fuel, Direct Fired Heater

- Heavy-duty frame with wheels and lifting hook
- Changes from vapor propane to natural gas with a turn of a valve
- Low amp draw
- Ductable up to 50'
- Remote thermostat with 50' cord (sold separately)
- 120V



Part#	Description	List Price	Wholesale
DG250	250,000 BTU heater		Please Login
WD1625HT5	25 ft. duct (DG250)		Please Login
AR250	Duct adapter (DG250)		Please Login
DG400	400,000 BTU heater		Please Login
WD2025HT5	25 ft. duct (DG400)		Please Login
AR400	Duct adapter (DG400)		Please Login
DIGTHIDF-5	Thermostat		Please Login
INSTKIT	Hose & Reg. Inst. Kit		Please Login

LP Hose & Regulator Installation Kit #INSTKIT

- 3/4" x 25' hose
- Regulator (1st Stage)
- Tank connector
- Regulator (2nd Stage)
- Thread sealing tape
- All fittings to connect to tanks

PROPANE HEATERS

Propane Forced-Air

HeatStar heaters include a 20 ft. hose and regulator.



85,000 BTU

- Heats up to 2,000 sq. feet
- Will not work with thermostat
- Continuous ignition

Part#	List Price	Wholesale
HS85FAV		Please Login



125,000 BTU

- Heats up to 3,000 sq. feet
- Will not work with thermostat
- Continuous ignition

Part#	List Price	Wholesale
HS125FAV		Please Login



170,000 BTU

- Heats up to 4,000 sq. feet
- Built-in thermostat
- Automatic solid state ignition

Part#	List Price	Wholesale
HS170FAVT		Please Login



400,000 BTU

- Heats up to 9,000 sq. feet
- Built-in thermostat
- Automatic solid state ignition

Part#	List Price	Wholesale
HS400FAVT		Please Login



	HS85FAV	HS125FAV	HS170FAVT	HS400FAVT
Stock Number	F170M5	F170L5	F170T0	F170L5
Output (BTU/hr)	50,000 - 85,000	75,000 - 125,000	125,000 - 170,000	350,000 - 400,000
Output (CFM)	300	280	450	1400
Fuel	Propane Gas	Propane Gas	Propane Gas	Propane Gas
Min. Required Tank Size	20 lb.	40 lb.	100 lb.	100 lb.
Propane Consumption (lb/hr)	2.3 to 3.5	3.5 to 5.8	3.8 to 7.8	11.5 to 18.5
Pressure Regulator Settings	28" W.C.	28" W.C.	35" W.C.	25 PS
Adjustable Height Control	Yes	Yes	Yes	-
Flame Safety	Yes	Yes	Yes	Yes
High Temperature Limit Switch	240°F	240°F	240°F	240°F
Ignition	Continuous	Continuous	Automatic Solid State	Automatic Solid State
Thermostat	-	-	Built-in	Built-in
Power Required	115V 60 Hz 3a	115V 60 Hz 3a	115V 60 Hz 4a	115V 60 Hz 4a
Hose-10ft.	50' I.D. w/ Regulator and P.O.L.	50' I.D. w/ Regulator and P.O.L.	50' I.D. w/ Regulator and P.O.L.	14" I.D. w/ Regulator and P.O.L.
P.O.L./Excess Flow Check Valve	Yes	Yes	Yes	Yes
Shipping Size (L x W x H)	21" x 11.5" x 16"	20.25" x 12" x 15.5"	26.5" x 11.5" x 15.75"	30.5" x 15" x 22.25"
Net Weight (includes Hose / Regulator / P.O.L. Assembly)	19 lbs.	23 lbs.	32 lbs.	47 lbs.
Shipping Weight	23 lbs.	25 lbs.	34 lbs.	51 lbs.
Shipping Cube	2.7	2.7	3.8	7.7

PROPANE HEATERS



40,000 BTU

- 20 lb. minimum tank size
- 11 hour run time
- Rugged two-piece barrel
- Recessed controls
- 15' hose & regulator

Part#	List Price	Wholesale
DXH40FALP		Please Login



65,000 BTU

- 20 lb. minimum tank size
- 7 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- 15' hose & regulator

Part#	List Price	Wholesale
DXH65FALP		Please Login



125,000 BTU

- 40 lb. minimum tank size
- 7 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- Quiet Burner Technology™
- 20' hose & regulator

Part#	List Price	Wholesale
DXH125FALP		Please Login



Cordless Propane Unit 68,000 BTU

- 50% quieter than a standard LP heater
- Hose/Regulator included
- Heats up to 1500 sq ft
- Runs on DeWalt 20V Max & Flexvolt batteries (sold separately)

Part#	Description	List Price	Wholesale
DXH70CFAV	Heater		Please Login
DCB204-2	Batteries (2pk.)		Please Login
DCB118	Charger		Please Login



DeWalt Battery
not included



150,000 BTU

- 100 lb. minimum tank size
- 14 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- Quiet Burner Technology™
- 20' hose & regulator

Part#	List Price	Wholesale
DXH150FALP		Please Login



170,000 BTU

- 100 lb. minimum tank size
- 13 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- Quiet Burner Technology™
- Built-in thermostat
- 20' hose & regulator

Part#	List Price	Wholesale
DXH170FAVT		Please Login



210,000 BTU

- 100 lb. minimum tank size
- 17 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- Quiet Burner Technology™
- Built-in thermostat
- 20' hose & regulator

Part#	List Price	Wholesale
DXH210FAVT		Please Login



Model#	DXH40FALP	DXH65FALP	DXH125FALP	DXH170FAVT	DXH210FAVT	DXH70CFAV	DXH150FALP
Stack#	F3437E5	F3437E8	F3437E15	F3437E9	F3437E25	F3437E3	F3437E6
BTU Output	40,000	65,000-85,000	125,000-150,000	170,000-175,000	210,000-215,000	68,000	150,000-210,000
Heats Up To: (Approx. Sq. Ft.)	800	1,250	2,000	3,200	5,000	4,000	6,000
CFM Output	100	300	300	350	400	250	483
Minimum Recommended Tank Size	20 lbs.	30 lbs.	20 lbs.	40 lbs.	100 lbs.	100 lbs.	(2x) 100 lbs.
Operating Pressure	10 PSI	33 PSI	20 PSI	20 PSI	20 PSI	20 PSI	20 PSI
Approx. Run Time On Minimum Tank Size	12 Hrs.	7 Hrs. High 14 Hrs. Low	6.5 Hrs. High 8 Hrs. Low	8.5 Hrs. High 11 Hrs. Low	15 Hrs. High 17 Hrs. Low	10.5 Hrs. High 17 Hrs. Low	10 Hrs. High 13 Hrs. Low
Thermostat	NO	NO	NO	NO	NO	YES	YES
Quiet Burner Technology®	YES	YES	YES	YES	YES	YES	YES
Weight	20 lbs.	30 lbs.	15 lbs.	22 lbs.	22 lbs.	20.35 lbs.	30.35 lbs.
Shipping Ctn Size (inches)	20.5 x 9.75 x 12.75	19.75 x 11.5 x 14.25	16.5 x 11.5 x 14.25	21.25 x 11.75 x 16	21.25 x 11.75 x 16	28.75 x 11.75 x 16.5	28.75 x 11.75 x 18.5

* Heating area based on average insulation, ceiling height and desired temperature rise.

PROPANE HEATERS

Big Buddy (MH18B)

- Heats up to 400 sq. feet

Hunting Buddy (MH12B)

- Heats up to 300 sq. feet
- Camo faceplate
- Silent electronic ignition

DeWalt Buddy (DXH12B)

- Heats up to 450 sq. feet
- USB charging ports
- LED worklight
- Works with any DeWalt 20-Volt Max or Flexvolt batteries

Features

- Built-in low oxygen shut off sensor and tip-over switch
- Easy-carry handle
- CSA-certified for indoor use

Part#	Description	List Price	Wholesale
MH18B	4,000 - 18,000 BTU		Please Login
MH12HB	6,000 - 12,000 BTU		Please Login
DXH12B	6,000 - 12,000 BTU		Please Login
MH9BX	4,000 - 9,000 BTU		Please Login
MH4B	3,800 BTU		Please Login
F273699	Fuel filter (change annually)		Please Login
F273702	12' Hose recommended to use w/fuel filter		Please Login
F276127	Power adapter for Big Buddy		Please Login
DCB204-2	DeWalt Battery (2pk)		Please Login



Buddy Heater (MH9BX)

- Heats up to 200 sq. feet

Little Buddy (MH4B)

- Heats up to 100 sq. ft.



MH18B



MH12HB



MH9BX



MH4B



MH30T



MH15T



MH45T

Tanktop Heaters

- Reaches full output in seconds
- No electricity required
- Fully assembled and ready to use
- Made of rugged quality materials
- Tank not included
- CSA Approved

Part#	Description	List Price	Wholesale
MH15T	10,000 - 15,000 BTU		Please Login
MH30T	10,000 - 30,000 BTU		Please Login
MH45T	10,000 - 45,000 BTU		Please Login



540° Tank Top Heater

- 360° Burner Head
- 180° Multi-Directional Bracket
- 30,000 - 45,000 BTU per hour
- For use with Liquid Propane
- Push Button TE Valve
- Safety Shut-off Tip Over Switch
- Mounts to a 20 lb. cylinder

Part#	List Price	Wholesale
MH540T		Please Login

Tradesman 125 Propane Heater

- 70,000-125,000 BTU
- 400 CFM
- Continuous Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 25.6"L x 11.8"W x 16"H
- 20.37 lbs. net weight
- Gas pressure regulator and 10' hose included
- CSA Certified



Part#	Description	List Price	Wholesale
Tradesman125	125,000 BTU		Please Login



Tradesman 170 Propane Heater

- 125,000-170,000 BTU
- 550 CFM
- Direct Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 24"L x 9.5"W x 16"H
- 29.2 lbs. net weight
- Gas pressure regulator and 10' hose included
- CSA Certified
- Mounted thermostat - standard



Part#	Description	List Price	Wholesale
Tradesman170P	170,000 BTU		Please Login



Garage Heaters

- Easily Heats 2 And 3 Car Garages
- Includes Gas Conversion Kit
- Ships configured for natural gas
- Cabinet Size: - 12" x 18" x 25"
- Power Exhaust Allows For Vertical Or Horizontal Venting
- Spark Ignition – Features Self-Diagnostic Control Module
- 3-Year Warranty On Parts And Burner
- 10-Year Warranty On Heat Exchanger
- Needs thermostat to operate (sold separately)



Part#	Description	List Price	Wholesale
HSU50NG	45,000 BTU - Propane/NG		Please Login
HSU80NG	80,000 BTU - Propane/NG		Please Login
F10371	Thermostat		Please Login
F102848	*Vertical venting kit-80K BTU only		Please Login

Tradesman 400 Propane Heater

- 250,000-400,000 BTU
- 1,050 CFM
- Direct Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 34.5"L x 12.5"W x 21.5"H
- 52.0 lbs. net weight
- Gas pressure regulator and 10' hose included
- CSA Certified
- Mounted thermostat - standard



Part#	Description	List Price	Wholesale
Tradesman400P	400,000 BTU		Please Login



Unique 3-trial ignition ensures heater will light



Industry's heaviest gauge combustion chamber and burner plate for longest life

L.B. White Tradesman heaters feature a unique 3-trial ignition system, the industry's heaviest gauge combustion chamber and burner plate.



Tradesman 400DF Heater - Dual Fuel

- 170,000-400,000 BTU
- 1,050 CFM
- Switch between LP & NG with the push of a lever
- Direct Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 34.5"L x 12.5"W x 21.5"H
- 43.0 lbs. net weight
- Gas pressure regulator and 10' hose included
- CSA Certified
- Mounted thermostat - standard



Part#	Description	List Price	Wholesale
Tradesman400DF	400,000 BTU		Please Login

NATURAL GAS HEATERS

Forced-Air Natural Gas Heater

- Heater shuts off with loss of flame or power supply
- Made of rugged, durable steel,
- Heats up to 1,250 sq. feet
- Built-in thermostat
- Automatic solid state ignition
- 1/2" hose not included



Part#	Description	List Price	Wholesale
HS170NG	150,000 BTU		Please Login

Forced-Air Natural Gas Heater

- Heated air output 550 cfm
- Direct spark ignition
- Steel case with tri-shield coating
- Unit mount thermostat
- CSA-certified
- 1/2" hose not included



Part#	Description	List Price	Wholesale
Tradesman 170N	125-155,000 BTU w/thermostat		Please Login



Natural Gas Radiant Heater

- Heats up to 3,000 sq. feet
- 16.14"L x 16.14"W x 35.04"H
- Piezo push button ignition
- Regulator included
- No electricity required



Part#	Description	List Price	Wholesale
HS125N	125,000 BTU - natural gas		Please Login

Workman 100N Plus Convection Heater

- 100,000 BTU/h Maximum input
- 400 CFM heated air output
- Piezo pilot ignition
- Stainless burner
- 14"L x 12"W x 20"H
- 12 lbs. net weight



Part#	List Price	Wholesale
Workman 100N Plus		Please Login



Natural Gas Convection Heater

- Piezo push button ignition
- No electricity required
- Heats up to 2,500 sq. ft.
- "Insta-Lock" system for easy assembly - no tools



Part#	Description	List Price	Wholesale
HS100CVNG	50-100,000 BTU - natural gas		Please Login



Radiant Heater

- Cast iron multi-port burner for even heat distribution and long life
- No electrical supply required
- Stainless steel radiant emitter and combustion chamber for durability
- 14" diameter heavy gauge steel base for stability

RCH100N

Built in thermostat!



Garage Heaters

- Easily Heats 2 And 3 Car Garages
- Includes Gas Conversion Kit
- Ships configured for natural gas
- Cabinet Size: - 12" x 18" x 25"
- Power Exhaust Allows For Vertical Or Horizontal Venting
- Spark Ignition - Features Self-Diagnostic Control Module
- 3-Year Warranty On Parts And Burner
- 10-Year Warranty On Heat Exchanger
- Needs thermostat to operate (sold separately)
- Venting kits sold separately



Part#	Description	List Price	Wholesale
HSU50NG	45,000 BTU - Propane/NG		Please Login
HSU80NG	80,000 BTU - Propane/NG		Please Login
F10371	Thermostat		Please Login

See page 11 for venting kit information



Radiant Heater

- Cast iron multi-port burner for even heat distribution and long life
- No electrical supply required
- Stainless steel radiant emitter and combustion chamber for durability
- 18" diameter heavy gauge steel base for stability

4114901



Part#	Description	List Price	Wholesale
RCH100N	100,000 BTU - NG		Please Login
4114901	212,000 BTU - NG		Please Login

RCH units have built in thermostats!



Radiant Heaters

- Heats up to 3,000 sq. feet
- Runs up to 17 hours on a #100 tank
- 16.14"D x 16.14"W x 35.04"H
- Piezo push button ignition
- 12 ft. hose and regulator included (LP model only)
- Regulator included with NG model
- No electricity required



Part#	Description	List Price	Wholesale
HS125LP	125,000 BTU - propane		Please Login
HS125N	125,000 BTU - natural gas		Please Login



Radiant Heater

SunStar Built in thermostat!

- Cast iron multi-port burner
- No electrical supply required
- Stainless steel radiant emitter and combustion chamber for durability
- Heavy gauge steel body construction, welded for strength
- 14" diameter heavy gauge steel base



Part#	Description	List Price	Wholesale
RCH100LP	95,000 BTU - Propane		Please Login
3810	Hose 3/8" x 10' w/3/8" - not included		Please Login
6255NR	Regulator - not included		Please Login
6252NR	Tank connector - not included		Please Login

Oil Fired Radiant

- 146,900 BTU
- Lift bracket
- Odor FREE
- Kerosene, diesel, fuel oil
- 14 Gal. shock-proof fuel tank
- Dual stage burner - high /low
- 41"L x 30"W x 47"H



Part#	Description	List Price	Wholesale
HSP150R	Heater		Please Login
F105108	Thermostat		Please Login

Oil Fired Radiant

- 115,000 BTU
- Heavy-duty construction
- Single point bail lift
- Odor FREE
- Kerosene, diesel, fuel oil
- Shock-proof fuel tank
- Adjustable floor-heat shield
- 11.4 gallon fuel tank
- 2.15 amps



Part#	Description	List Price	Wholesale
HS115-IR	Heater		Please Login
THIDF	Thermostat		Please Login

Radiant Heater

- 45,000 BTU/h Maximum input
- Heavy-duty frame
- Flat-free tires
- Collapsible handle



Part#	List Price	Wholesale
DXH45LP		Please Login

Norseman 250 Cast Iron Propane Heater

- 18"L x 13"W x 24.0"H
- 10 ft. hose
- 75,000 - 250,000 BTU
- 25 PSIG regulator
- Adjustable heat output
- Cast iron burner for longer life
- Heavy-duty construction - 34 lbs
- Needs three, 100 lb. tanks



Part#	List Price	Wholesale
Norseman250		Please Login



Convection Heaters

- Piezo push button ignition
- 10 ft. hose and regulator included (LP model only)
- No electricity required

HS80CVX & HS100CVN

- Heats up to 1,900 sq. ft.(HS80CV)
- Heats up to 1,400 sq. ft.(HS80CVN)
- Runs up to 14 hours on a #20 tank (LP)

HS200CVX

- Heats up to 4,700 sq. ft.
- Runs up to 29 hours on a #100 tank



Part#	Description	List Price	Wholesale
HS80CVX	40-80,000 BTU - propane		Please Login
HS100CVN	40-100,000 BTU - natural gas		Please Login
HS200CVX	100-200,000 BTU - propane		Please Login

Workman 225 Plus Propan Convection Heater

- 16.5"L x 15"W x 26"H
- 10 ft. hose standard
- 45,000 - 250,000 BTU
- Piezo ignitor
- 3.5 to 10 lbs./hour propane consumption
- 10 PSI regulator
- Lightweight and portable
- Needs three, 100 lb. tanks



Part#	List Price	Wholesale
Workman225P		Please Login



ELECTRIC HEATERS



**Cord
Now
Included!**

Electric Heater

- (These units are not ductable)
- Built-in thermostat (32° - 100° F)
 - Overheat protection
 - High quality sealed motor
 - 10' cord and grounded plug



	P900P	P600P
BTU/Hr	30700	20500
Volts	240V 1Ø	240V 1Ø
Amps	38	25
CFM	350	250
Temp. Rise	100°F	100°F
(LxWxH)	22" x 18" x 12"	19.5" x 11.8" x 17.3"

Part#	List Price	Wholesale
P600P		Please Login
P900P		Please Login



Cord not included

Electric Heaters

- Built-in thermostat (32° - 100° F)
- Overheat protection
- High quality sealed motor



Model #	Watts	BTU/Hr	Volts	Amps	CFM	Temp. Rise	Weight	Ductable
P1800-1P	18000/12000	65000/41000	240V 1Ø	75/50	590	100°F	62 lbs.	No
P1800-3P	18000/12000	65000/41000	240V 3Ø	50/34	590	100°F	62 lbs.	No
P1800D	18000/12000	65000/41000	240V 3Ø	50/34	940	100°F	62 lbs.	Yes

Part#	Description	List Price	Wholesale
P1800-1P	Single Phase		Please Login
P1800-3P	Three Phase		Please Login
P1800D	Three Phase - Ductable		Please Login
WD1220	20' Duct		Please Login

**Designed for extreme
winter conditions!**



Cord not included

Electric Heater P40000P

(This unit is ductable up to 50')

Watts	40000/32000/16000
BTU/Hr	136500/109200/54600
Volts	480V 3Ø
Amps	40/32/16
CFM	1800
Temp. Rise	100°F
Weight	130 lbs.
Dim.	45"L x 19"W x 25"H

Part#	Description	List Price	Wholesale
P40000P	Heater		Please Login
WD1425	25' Duct		Please Login



Cord not included

Electric Heater P60000P

(This unit is ductable up to 50')

Watts	60000/48000/24000
BTU/Hr	204700/163800/81900
Volts	480V 3Ø
Amps	60/48/24
CFM	1800
Temp. Rise	100°F
Weight	158 lbs.
Dim.	45"L x 19"W x 25"H

Part#	Description	List Price	Wholesale
P60000P	Heater		Please Login
WD1425	25' Duct		Please Login





Electric Heaters

- No fumes or open flames
- Includes adjustable thermostat
- Durable heavy-duty construction
- Extra coil support



Part#	BTU	Watt	Volt	Corded	List Price	Wholesale
DXH165	5,630	1.65kW	115/Single	Y	Please Login	
DXH330	11,260	3.3kW	240/Single	N	Please Login	
DXH1000TS	34,121	10kW-Hi 7kW-Low	240/Single	N	Please Login	
DXH2000TS	68,242	20kW-Hi 13kW-Low	240/Single	N	Please Login	
DXH2003TS	68,242	20kW	240/Three	N	Please Login	



Electric Heater

(This unit is not ductable)

- Adjustable thermostat
- Overheat protection
- 20 ft. cord
- Powder coat finish


Watts	1500
BTU/Hr	5100
Volts	120
Amps	15
CFM	120
Temp. Rise	100°F
Dim.	13"L x 7.5"W x 11"H



Part#	List Price	Wholesale
P1500P	Please Login	Please Login

heat wagon

POWER-UP those HEATERS



Rental Equipment Cord

- Thermal vinyl plastic rated to -40°F
- 10/3 AWG super heavy-duty cord
- "For Rental Equipment Use" imprinted on cord every 18"
- Highly resistant to abrasion wear
- Jacket type - SJTW-A



CENTURY
WIRE AND CABLE

Part#	Description	List Price	Wholesale
D117100500R	10/3 50' Orange, lighted	Please Login	Please Login
D117101000R	10/3 100' Orange, lighted	Please Login	Please Login

Ground Fault Circuit Interrupters (GFCI)

- 9" Pigtail - Just plug it in
- Grounded neutral protection
- 4-6 mA fault current protection
- Mechanical trip indicator
- 120v/15 amp



Part#	List Price	Wholesale
30434-007	Please Login	Please Login



TPI Milkhouse Heater

- 5120 BTU, 1300 & 1500 watt settings
- Temperature control thermostat
- 6' long - 3 conductor cord
- Tip over switch
- Thermal cut-off device



Part#	Description	List Price	Wholesale
188TASA	Heater	Please Login	Please Login
58384002	On/Off switch	Please Login	Please Login
58384009	Thermostat	Please Login	Please Login
58384010	Limit switch	Please Login	Please Login

CONSTRUCTION HEATERS

heat wagon  **CLEAN, DRY HEAT!**

400,000 BTU Dual-Fuel Indirect-Fired

- 100% clean, dry heat
- Dual fuel - switch from propane to natural gas in minutes
- Approved for indoor/outdoor applications
- Ductable to 50'
- Remote thermostat with 50' cord
- Whisper quiet blower
- Flue stack included



Input	400,000 BTU/Hr
Gas Connection	3/4" FNPT, 14" W.C. max inlet
Electrical	120 Volts 20 amp circuit
Fan	2,100 CFM 1/2" SP
Thermostat	Standard On/Off
Temp Rise	200°F @ 0°F Ambient
Approx. Weight	400 lbs.



Part#	Description	List Price	Wholesale
VG400	Heater		Please Login
WD1225	Ducting 12" x 25' wire reinforced		Please Login
40SV06	Regulator-60 psi. max		Please Login
7525	3/4" x 25' gas hose		Please Login

When you need.....

BIG HEAT

heat wagon 

SURE FLAME

heat wagon 

750,000 BTU Dual-Fuel Direct Fired

- Ductable up to 50 ft.
- Efficient motor reduces amp draw and is rated to run on standard 15 amp circuit
- New remote (50' long) thermostat with Hi/Lo/Off control included
- 12" wheels make for easy handling
- Relays pull in and hold tight down to 95V
- Diagnostic troubleshooting lights



Component upgrades virtually eliminate electrical service calls

Input	750,000 - 490,000 BTU/Hr
Fuel	Vapor Propane/Natural Gas
Gas Connection	3/4" FNPT, 60 psi. max inlet
Electrical	120 Volts 15 amp circuit
Fan	4200 CFM 1 HP
Thermostat	2 Stage Hi/Lo/Off w/50' Remote
Temp Rise	385°F
Weight	200 lbs.



Part#	Description	List Price	Wholesale
1800B	Heater		Please Login
WD2010UHT	Ducting 20" x 10' wire reinforced		Please Login
7525	3/4" x 25' gas hose		Please Login

heat wagon 

950,000 BTU Dual-Fuel Direct Fired

- Ductable up to 100 ft.
- Efficient motor reduces amp draw and is rated to run on standard 15 amp circuit
- New remote (50' long) thermostat with Hi/Lo/Off control included
- 12" wheels make for easy handling
- Relays pull in and hold tight down to 95V
- Diagnostic troubleshooting lights
- No duct adapter needed




Component upgrades virtually eliminate electrical service calls

Input	950,000 - 400,000 BTU/Hr
Fuel	Vapor Propane/Natural Gas
Gas Connection	1-1/4" FNPT, 20 psi. max inlet
Electrical	120 Volts 15 amp circuit
Fan	7200 CFM 1-1/2 HP
Thermostat	2 Stage Hi/Lo/Off w/50' Remote
Temp Rise	250°F
Weight	325 lbs.



Part#	Description	List Price	Wholesale
950H	Heater		Please Login
WD2425HT	Ducting 24" x 25' wire reinforced		Please Login
7525	3/4" x 25' gas hose		Please Login

SURE FLAME



400,000 BTU Dual-Fuel Direct Fired

- CSA-approved for unattended operation
- MEA approved for use in New York City
- Quick changeover from propane to natural gas
- Comes with 3/4" x 25' hose and 40SV06P regulator(60 psi max inlet)
- Thermostat to conserve fuel

Power Requirements	120 Volts, 12 amp
Fan Performance	2000 CFM - 1/4 HP
Inlet Connection	1" FNPT
Inlet Pressure	7" - 14" W.C.
Weight	95 lbs.
Dimensions	44"L, 16.5"W, 22"H
BTU/Hr	400,000
Thermostat	On/Off
Wheel Kit	Optional

**MEA
71-91-E**



Wheel Kit

Part#	Description	List Price	Wholesale
S405P	Heater w/reg. & 25' hose		Please Login
WK1P	Wheel Kit for S405P		Please Login

SURE FLAME



1,500,000 BTU Dual-Fuel Direct Fired

- Efficient motor reduces amp draw and is rated to run on standard 15 amp circuit
- New remote (15' long) thermostat
- Relays pull in and hold tight down to 50V
- Upgraded heater control board

Component upgrades virtually eliminate electrical service calls

Power Requirements	120 Volts, 15 amp
Fan Performance	7000 CFM - 1 HP
Inlet Connection	1-1/4" FNPT
Inlet Pressure	9" - 14" W.C.
Weight	300 lbs.
Dimensions	69"L, 32"W, 41.5"H
BTU/Hr	1,500,000
Thermostat	Hi/Lo/Off



Part#	Description	List Price	Wholesale
S1505B	Heater		Please Login
115V08P	1-1/4"x1-1/4" Reg. 20 psi max		Please Login

See page 27 for hose selection.

SURE FLAME



400,000 BTU Dual-Fuel Indirect Fired

- Stackable design
- 16" puncture proof wheels
- Designed with return air recirculation for increased fuel savings - Size: 16"
- 3 year warranty on combustion chamber
- Flue stack and rain cap included
- Single stage external thermostat included
- Two - 12" outlets

Power Requirements	120 Volts, 12 amp
Fan Performance	5000 CFM - 1 HP
Inlet Connection	1" FNPT
Inlet Pressure	11" - 14" W.C.
Temp Rise	250°F @0°F Ambient
Weight	560 lbs.
Dimensions	82"L, 29"W, 59"H
BTU/Hr	400,000
Thermostat	On/Off, Remote w/20' cord included



Part#	Description	List Price	Wholesale
IX405	Heater		Please Login
40SV06P	3/4" x 1" Reg. 60 psi max		Please Login
WD1225	12" x 25' Duct		Please Login



CONSTRUCTION HEATERS

Dual Fuel or Propane Direct-Fired Heaters



Compact and quiet, Premier heaters in their neutral white color are perfect for tent applications. The Advanced Service Saver self-diagnostic feature makes them easy to maintain. All models are certified to CSA standards.

TS040 - 40,000 BTU

- 330 CFM
- 1.86 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 2.6 starting amps, 1 amps continuous operation
- 24.8"L x 14.5"W x 16.2"H



TS080 - 80,000 BTU

- 450 CFM
- 3.7 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 5 starting amps, 2 amps continuous operation
- 30"L x 14"W x 20"H



Part#	Description	List Price	Wholesale
TS040	40,000 BTU - Propane Only		Please Login
09454	Thermostat with 20' cord		Please Login
07891	Replacement thermostat 20' cord		Please Login
132544	Distribution duct kit, white 8" dia. x 12"L		Please Login
132540	Diffuser w/quick connect		Please Login
132541	End diffuser (fits end of 8" dia. ducting)		Please Login

Part#	Description	List Price	Wholesale
TS080	80,000 BTU - Propane Only		Please Login
TS080DF	80,000 BTU - Dual Fuel		Please Login
26349	Unit diffuser w/quick connect		Please Login
26350	Diffuser for end of duct includes ring		Please Login
26347	Duct kit, white, 12" dia. x 12'L		Please Login
26346	Duct kit, gray, 12" dia. x 12'L		Please Login
26617	12" duct adapter ring (flange)		Please Login
09054	Clamp to hold #26617		Please Login

Includes 15' Gas Hose, Regulator, and Thermostat



TS170 - 170,000 BTU

- 1200 CFM
- 7.9 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 8 starting amps, 3 amps continuous operation
- 31"L x 18"W x 28"H



TS350 - 350,000 BTU


- 2400 CFM
- 16.2 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 30 starting amps, 14 amps continuous operation
- 48"L x 22"W x 41"H



Part#	Description	List Price	Wholesale
TS170	170,000 BTU - Propane Only		Please Login
TS170DF	170,000 BTU - Dual Fuel		Please Login
26351	Unit diffuser w/quick connect		Please Login
26350	Diffuser for end of duct includes ring		Please Login
26347	Duct kit, white, 12" dia. x 12'L		Please Login
26346	Duct kit, gray, 12" dia. x 12'L		Please Login
26617	12" duct adapter ring (flange)		Please Login
09054	Clamp to hold #26617		Please Login

Part#	Description	List Price	Wholesale
TS350	350,000 BTU - Propane Only		Please Login
TS350DF	350,000 BTU - Dual Fuel		Please Login
23189	Diffuser for end of duct includes ring		Please Login
22835	Duct kit, white, 18" dia. x 12'L		Please Login
23050	18" duct adapter ring (flange)		Please Login
573761	Clamp to hold #23050		Please Login

Diffuser and duct sold separately



Dual Fuel or Propane Direct-Fired Heaters



NOMAD



Big heat with big features. The new Nomad tent and construction heaters from HeatStar, have all the quality and durability you have come to trust from the HeatStar brand. Whether you are looking for a heater to put a lot of heat on to a job site or for a unit to quietly sit out of sight at an outdoor event, the HeatStar Nomad heaters are an ideal solution for either. Generously equipped with features to make it easy to use and cheap to operate.

- 6 Output rates on 3 separate units
- 15 ft. hose and regulator included
- Dual fuel standard (LP/NG)
- Multi-rate (High & Low Settings)
- High CFM for greater circulation
- Easy reset high limit switch
- 4 tie down connections (HS190TC, HS250TC)
- Fan-Only option for air circulation
- Remote thermostat with 20' cord
- Spark ignition
- ETL Certified

HS115 - 115,000 BTU

- 650 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 30"L x 15"W x 23-3/4"H



Part#	Description	List Price	Wholesale
HS115SF	115,000 BTU - Propane Only		Please Login
HS115TC	115,000 BTU - Dual Fuel		Please Login
F109105	Diffuser for HS115TC		Please Login
F109106	Duct adapter for HS115TC		Please Login
F109107	30" Short duct for HS115TC		Please Login
F109108	10' duct for HS115TC		Please Login
F109119	Storage box		Please Login

Includes 15' Gas Hose, Regulator, and Thermostat

HS190 - 190,000 BTU

- 1600 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 34-3/4"L x 35-3/4"W x 20-1/4"H



Part#	Description	List Price	Wholesale
HS190SF	190,000 BTU - Propane Only		Please Login
HS190TC	190,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login

HS250 - 250,000 BTU

- 2100 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 34-3/4"L x 35-3/4"W x 20-1/4"H



Part#	Description	List Price	Wholesale
HS250SF	250,000 BTU - Propane Only		Please Login
HS250TC	250,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login



F109105
F109115



F109107
F109117



F109108
F109118



F109106
F109116



F109119

PATIO HEATERS

Radiant Patio Heaters



- 40,000 BTUs
- Covers 10' - 15' diameter
- Completely Self-Contained and Portable
- Provides Clean and Draft Free Circle of Warmth
- Convenient "Piezo" Match Free Ignition
- 100% Safety Control
- Portable Wheel Kit included
- Unit meets or exceed CSA and UL
- Up to 10 hours of use with standard 20 gallon OPD Cylinder



Part #	Color	List Price	Wholesale
PC02AB	Antique Bronze		Please Login
PC02JS	Jet Silver		Please Login
PC02SS	Stainless Steel		Please Login

Stainless Steel

Antique Bronze

Jet Silver




7'3"

SCHAEFER Zubri Portable Patio Heater

- 40,000 BTU; adjustable heat control
- 7'3" tall (Case-56.5" tall x 15" wide)
- Heats approximately 300 sq. ft.
- No tools are necessary
- Portable; legs detach for storage and transport
- Complete with hard-shell carrying case and carrying bag for reflector
- Tip switch
- One year warranty

Part #	List Price	Wholesale
Z1-12CK		Please Login



Carrying Case Included

Rhino Collapsible Patio Heater



- 41,000 BTU/hour output
- Unique **collapsible** design for transport & storage
- Integrated table top
- Easy start electric ignition
- Commercial grade steel with gold hammered powder coat
- Heavy-duty wheels and handle
- 1 Year limited warranty
- CSA tested and approved
- Ships truck
- One year warranty

Part #	Color	List Price	Wholesale
4070	Bronze		Please Login
4075	Black		Please Login



ROCK BOTTOM PRICES

Purchase these DESA-branded portable heater parts at net pricing. Realize an average savings of 65% on all parts shown. While supplies last. PHP reserves the right to limit quantities. (All part numbers reference DESA-branded heater parts.)



7094NR



M51105-01



111037-01



M29608



M51345-06



099415-18



NTC-3BZ



FHPF3-3.5C



117766-01



098508-01



102601-01



M50104-01



079980-01



104054-01



120254-01



104056-01



103684-01



097293-01



102366-01



097159-04



M15241



M51170-01



M50820-02



107643-01



M27417



102487-01



M16660



103814-01



117766-02



118418-01



098219-17



104460-01



097156-01



M51104-01

Part#	Description	Sale Price
103684-01	Fan blade	Please Login
097293-01	Fan blade - 8-1/4"	Please Login
102366-01	100K BTU LP heater motor	Please Login
097159-04	Piezo ignitor	Please Login
M15241	Output Filter	Please Login
M51170-01	Burner Head Plug	Please Login
M50820-02	Fitting Barb	Please Login
107643-01	Fuel Valve	Please Login
M27417	Drain Plug	Please Login
102487-01	Ignitor Electrode	Please Login
103814-01	Tie Wire	Please Login
118418-01	Power Cord	Please Login
098219-17	Power Cord	Please Login
104460-01	Thermostat Knob - Round Shaft	Please Login
097156-01	Washer shim	Please Login
M16660	Photo Cell Bracket	Please Login
M51104-01	Handle	Please Login
7094NR	Handle Clip	Please Login
M51105-01	Fan Guard	Please Login
111037-01	Fan Guard	Please Login
M29608	Aluminum Pump Cover	Please Login
M51345-06	6-1/2" Rubber Tubing	Please Login
M51151-01	5-1/2" Fuel Line Tube	Please Login
099415-18	Propane Regulator	Please Login
NTC-3BZ	Hex Nut	Please Login
FHPF3-3.5C	Fillister Head Screw	Please Login
117766-01	Microprocessor Board 100/150	Please Login
117766-02	Microprocessor Board 200	Please Login
098508-01	Retainer Valve Nut	Please Login
102601-01	Ignition Control	Please Login
M50104-01	Bushing Shorty	Please Login
M50104-06	Bushing Shorty	Please Login
079980-01	Nozzle Adapter	Please Login
120254-01	Nozzle Adapter	Please Login
104056-01	Nozzle Adapter	Please Login
104054-01	Nozzle Adapter	Please Login

PORTABLE HEATER PARTS

Pre-packaged Portable Heater Parts

Compatibility: Master, Dayton, Reddy, Knipco, Remington, Desa

The below part information includes: part numbers for individual blister packs, the part description and certain HeatStar heater compatibility.

Note: Not all parts come in blister packs. Some are packaged in clear bags.

**Complete
Tune-Up Kits
Available On
Page 26**



PP200SC

Ignitor (block type)


Compatibility: Few HSI models

Heavy-duty version of the PP200



PP200 (HA1000)

Ignitor (L-shaped block type)




PP204 (HA3004)

M22456-1 Rotor (1/2"), (4) M8643 Blades, M22009



PP205 (HA3005)

M22456-2 Rotor (5/8"), (4) M8643-2 Blades, M22009 Insert



PP206 (HA3006)

079744-01 Nozzle

Compatibility: 35,000 BTU



PP207 (HA3007)

M50597 Nozzle

Compatibility: 50,000 BTU



PP208 (HA3008)

M50880-01 Nozzle, M8882 Seal

Compatibility: 70,000 BTU



PP209 (HA3009)

M51120-01 Nozzle, M8882 Seal

Compatibility: 100-110,000 BTU



PP210 (HA3011)

M18022 Nozzle, M8882 Seal

Compatibility: 150,000 BTU before 1992



PP211 (HA3012)

M10962-2 Spark plug

Compatibility: 70, 100, 150 - non HSI



PP212 (HA3013)

M29835 Spark plug

Compatibility: 35, 50 - non HSI



PP213 (HA3014)

M29632 Filter, M29633 Filter, M29612-01 Filter

Compatibility: 35, 50, 70



**PP214
(HA3017)**



M12179 Filter, M12244-1 Filter, M11637 Filter, M51150-01 Fuel Filter after 1992

Compatibility: 100 & 150,000 BTU

**PP215
(HA3018)**



M12179 Filter, M12244-1 Filter, M11637 Filter, M19630 Fuel Filter

Compatibility: 150,000 BTU

**PP216
(HA3019)**



M16656-4 Photo Cell

Compatibility: Various

**PP217
(HA3020)**



M8940 Ball, M10993-1 Spring, M27694 Adj. Screw, M22997 Plug

Compatibility: All models

**PP218
(HA3021)**



100070-01 Nozzle Kit

Compatibility: 55,000 BTU

**PP220
(HA3026)**



Nozzle

Compatibility: 70,000 BTU

**PP221
(HA3027)**



Nozzle

Compatibility: 110-115,000 BTU

**PP222
(HA3028)**



Nozzle

Compatibility: 150-155,000 BTU

**PP223
(HA3029)**



Nozzle

Compatibility: 165,000 BTU

PP224



ODS Pilot Assembly

Compatible with many popular brands of vent-free heaters

**PP234
(HA1210)**



Thermostat with numbers on dial

PP236



Photocell

Compatibility: M16656-24

HA1170



(Safety Control / Photo Cell) Tester

Compatibility: All Models

F221887



Filter kit (HeatStar)

Compatibility: Models since 2009

F226831



Rotor kit (HeatStar)

Compatibility: All models



Gas Pressure Test Set

- Employs a 2-1/2" dial, 83K gauge with a dual scale of 0 - 20 ounces and 0 - 35" water column
- Gauge is mounted securely in a polyethylene box with a hinged cover and gray finish
- Three feet of rubber tubing is assembled to the connection of the gauge

Part#	List Price	Wholesale
G24507		Please Login

Oil Burner Electrode Setting Gauge

- Just slide over nozzle and set electrode
- Works great on Wayne Burners, Champion, Century, Porta Heat, and Guardian Heaters
- Does not work well on Master, Reddy, Koehring



Part#	List Price	Wholesale
T100-220		Please Login

Master Safety Control/Photocell Tester

- Portable battery operated (9V battery not included, part #HD-9V)
- Check all low pressure safety controls and low pressure photocells for proper operation
- **Must for all portable heater servicemen and H.S.I. repair.**



A MUST FOR HSI TROUBLESHOOTING!

Part#	List Price	Wholesale
HA1170		Please Login

Propane Test Gauge Low Pressure

- Use on Sure Flame models: SL11B, S1500, S1505 & S2000
- Can also be used on any low pressure gas portable heater
- 0-15 IN W.C.
- 2 1/2" dial
- 1/8" NPT lower mount connection



Part#	List Price	Wholesale
G24503		Please Login



559L-153438



G14494



HA1180

Pressure Gauges For Oil Fired Heaters

- Proper pressure is essential for efficient heater performance. **High Pressure Gauge: 0-160 PSI**, used to set pump pressure on oil heaters equipped with high pressure pump (100+PSI)
- **Low Pressure Gauge: 0-15 PSI**, test gauge is used when adjusting the pump pressure on low pressure oil fired heaters.
- **Liquid Filled Low Pressure Gauge: 0-15 PSI**, for oil fired heaters. Most accurate & longest lasting gauge available today! Mounting is on back of gauge instead of bottom of gauge.

Part#	Description	List Price	Wholesale
G14494	High Pressure, 0-200 PSI		Please Login
HA1180	Low Pressure, 0-15 PSI		Please Login
559L-153438	Liquid Filled Low Pres., 0-15 PSI		Please Login

Essential Tool Kit For Repair Shop

Kit Includes

- HA1170 - Flame out control tester
- HA1180 - Low pressure gauge
- G14494 - High pressure gauge
- 23T - Technical service manual
- CD70112 - Low pressure service CD

Part#	List Price	Wholesale
RS100		Please Login

A Must For HSI Troubleshooting



High Pressure Nozzles



Desa High Pressure

Part#	GPH x Degree	Model#	List Price	Wholesale
M3292	.75 x 80'A	Old B100's		Please Login
M4792	.90 x 80'B	B125		Please Login
M9108	1.00 x 90'A	B150, B155, F155		Please Login
1001347-5	1.50 x 80"	B240		Please Login
M51070-01	2.00 x 70'A	BV400/C		Please Login
M50112	2.50 x 70'A	B350's		Please Login
M30765	4.00 x 80'A	B600's		Please Login



Toro High Pressure

Part#	GPH x Degree	Model#	List Price	Wholesale
154610	.85 x 60'B	CH120 (pre-1977) Champ Ven-Tec		Please Login
154389	.85 x 80'B	CH120 Air Scoop VAL 6		Please Login
154612	1.00 x 90'A	CH150 Inline		Please Login
154387	1.10 x 80'B	CH155's		Please Login
154388	1.65 x 60'B	CH230 (pre-1977)		Please Login
154840	1.65 x 70'B	CH230		Please Login
154744	1.65 x 80'B	CH230		Please Login
147531	4.50 x 80'B	CH650's		Please Login



Stone High Pressure

Part#	GPH x Degree	Model#	List Price	Wholesale
46291	.65 x 80'B	SG100, SG120		Please Login
46238	.85 x 80'B	SG150, SG160		Please Login
46216	1.50 x 80'B	SG500 (1974-1977)		Please Login
46215	2.00 x 80'B	SG300 (pre 1979)		Please Login
46294	3.25 x 80'B	SG500 (1977-on)		Please Login



Universal High Pressure

Part#	GPH x Degree	Model#	List Price	Wholesale
M50112	2.50 x 70'A	K350		Please Login
M30765	4.00 x 80'A	K650		Please Login



Kelly High Pressure

Part#	GPH x Degree	Model#	List Price	Wholesale
32206	.65 x 80'B	90KSHS		Please Login
32233	.85 x 80'B	120KSHS		Please Login
32101	3.00 x 80'B	450KSHS		Please Login

We Offer:
Equal Payments

We Offer:
Freight Allowed

Other High Pressure Nozzles In Stock, Call For Details!

PORTABLE HEATER PARTS

Tune-up Kits for Hot Surface Ignitor (HSI) Heaters



TU55H For all DESA glow bar heaters (up to 70,000 BTU's) that require the HA1000 glow bar.

Kit Includes

- PP200 - Hot surface ignitor
- M29633 - Input filter
- M29612-01 - Output filter
- M29632 - Lint filter
- 147082 - O-ring
- G14490 - Low pressure gauge
- CD70112 - Low pressure service CD

Part#	List Price	Wholesale
TU55H		Please Login



TU60H For all DESA glow bar heaters that require the PP201 glow bar.

Kit Includes

- PP201 - Hot surface ignitor
- M29633 - Input filter
- M29612-01 - Output filter
- M29632 - Lint filter
- 147082 - O-ring
- G14490 - Low pressure gauge
- CD70112 - Low pressure service CD

Part#	List Price	Wholesale
TU60H		Please Login



TU165H For all DESA glow bar heaters from 110K to 200K BTU's that require the 147082 nozzle "O" ring.

Kit Includes

- PP200 - Hot surface ignitor
- M12179 - Input Filter
- M12244-1 - Output filter
- M11637 - Lint filter
- 147082 - O-ring
- G14490 - Low pressure gauge
- M51150-01 - Fuel filter
- CD70112 - Low pressure service CD

Part#	List Price	Wholesale
TU165H		Please Login



TU200H For all DESA 200,000 BTU glow bar heaters that require the M8882 nozzle seal.

Kit Includes

- PP200 - Hot surface ignitor
- M12179 - Input Filter
- M12244-1 - Output filter
- M11637 - Lint filter
- M8882 - Nozzle Sleeve
- G14490 - Low pressure gauge
- M51150-01 - Fuel filter
- CD70112 - Low pressure service CD

Part#	List Price	Wholesale
TU200H		Please Login

Tune-up Kits for Spark Plug Heaters



TU50 BTU sizes 35 & 50,000. Possible Brands: Master, Dayton, Knipco, Reddy, Koehring, Remington, Co-op, others.

Kit Includes

- M29612-01-Output filter
- M29835-Spark Plug
- M29633-Input filter
- 147082-Nozzle O-ring
- M29632-Lint filter
- M29824 Spark plug nut
- 079980-01 Nozzle adapter

Part#	List Price	Wholesale
TU50		Please Login



TU110 New Style Model 100, 110, 150, 165 (Short white plastic fuel filter) Possible Brands: Master, Dayton, Knipco, Remington, Reddy, Koehring, Amoco, Co-op, others.

Kit Includes

- M12179-Input filter
- M10962-2 Spark Plug
- M12244-1-Output filter
- M8882-Nozzle seal
- M11637-Lint filter
- M10809-1 Nozzle spring
- M10659-1-Nozzle washer (2),
- M51150-01-Short fuel filter

Part#	List Price	Wholesale
TU110		Please Login



TU150 These kits are for Desa brand heaters. Old Style Model 150 (Long fuel filter) Possible Brands: Master, Dayton, Knipco, Reddy, Koehring, Amoco, Co-op, others.

Kit Includes

- M12179-Input filter
- M10809-1 Nozzle Spring
- M12244-1 Output filter
- M8882 Nozzle seal
- M11637 Lint filter
- M19630 Long fuel filter
- M10962-2 Spark Plug
- M10659-1-Nozzle washer (2)

Part#	List Price	Wholesale
TU150		Please Login



Pipethreads x Pipethreads

Part#	Description	List Price	Wholesale
6133NR	1/4" FPT x 1/4" FPT Coupler		Please Login
3825CPL	1/4" FPT x 3/8" FPT Coupler		Please Login
2538BELL	1/4" FPT x 3/8" FPT Bell Reducer		Please Login
01544	1/4" FPT x 3/8" FPT Reducing Bushing		Please Login
6435NR	1/4" FPT x 3/8" MPT Bushing		Please Login
01519	1/4" FPT x 1/2" FPT Union		Please Login
28199 (7676NR)	1/4" FPT x 1/2" FPT Bushing		Please Login
3850CPL	3/8" FPT x 1/2" FPT Coupler		Please Login
3850FTG	3/8" FPT x 1/2" FPT Bushing		Please Login
5038FTG	3/8" FPT x 1/2" MPT Reducing Bushing		Please Login
54	1/2" FPT x 1/2" FPT Swivel Union		Please Login
7500P	3/4" FPT x 3/4" FPT Swivel Union		Please Login



Brushable Thread Sealant

- Suitable for steel, copper, brass, aluminum, ABS, PVC and fiberglass piping
- Not suitable for oxygen
- 8 oz. can

Part#	List Price	Wholesale
TTS8		Please Login

Thread Sealing Tape

- Pipe thread connections
- Air, propane or natural gas
- 200 per carton



Part#	Size	List Price	Wholesale
UT11	1/2" x 260"		Please Login



Pipethreads x Flare Fittings

Part#	Description	List Price	Wholesale
097157-01	1/4" FPT x 1/4" MFLR		Please Login
097157-03	1/4" FPT x 1/2" MFLR		Please Login
097809-01	(6124NR) 1/4" MPT x 1/4" MFLR		Please Login
6127NR	1/4" MPT x 3/8" MFLR		Please Login
3810FTG	3/8" FPT x 3/8" MFLR		Please Login
M51572-01	(6122NR) 3/8" MPT x 3/8" MFLR		Please Login
M51572-02	3/8" MPT x 1/2" MFLR		Please Login
10444	1/2" MPT x 1/2" FFLR		Please Login
103401-01(6125NR)	1/2" MPT x 1/2" MFLR		Please Login

MPT=male pipe thread
 FPT=female pipe thread
 MFLR=male flare
 FFLR=female flare

These fittings will be used to connect heating appliances to hoses or regulators.



2538FLR



381050FTG

Flare x Flare Fittings

Part#	Description	List Price	Wholesale
2538FLR	1/4" FFIR x 3/8" MFLR		Please Login
381050FTG	3/8" MFIR x 1/2" FFLR		Please Login



07970



03395



03536

Special Fittings

Part#	Description	List Price	Wholesale
07970*	1/4" FPT x 1/4" LHMPT		Please Login
01098*	1/4" MPT x 1/4" LHMPT		Please Login
03395*	1/4" LHMPT x 1/2" MPT		Please Login
06771**	1/4" MPT x 1/2" MPT (INV. FLR)		Please Login
03536 (04800)**	3/8" MPT x 1/2" MPT (INV. FLR)		Please Login
02894**	1/2" MPT x 1/2" MPT (INV. FLR)		Please Login

*Left Hand Pipe Threads **Inverted Flares

Spark Plugs



**PP212
(HA3013)**

M29835 Spark plug

Compatibility: 35, 50 - non HSI



147080

Compatibility: Champion, Porta Heat, Lawn Boy, Toro, Red Line, Wheatbelt, Century



PP211

F121501, M10962-2

Compatibility: Master, Reddy, Knipco, Remington, Sears, Dayton, others

Transformers



5LAY30

Compatibility: Old style Champion air scoop heaters, steam cleaners



102482-01

Compatibility: Knipco, Reddy, Master, Remington, Koehring

5SAY is on the transformer



LA4V

Universal 3 way transformers will replace nearly all types of 10,000 volt transformers. You have a choice of three different locations for the Electrode Terminals.



5521 I

5523 I



5522 I



5532 I

Ignitor/Electrode Wire Terminals

Part#	Description	Pkg Qty	List Price	Wholesale
55211	90° Electrode Terminal, solderless, reusable	5		Please Login
55231	Straight Insulated Terminal, solderless, reusable	5		Please Login
55221	Straight Non-Insulated Terminal, solderless, reusable	5		Please Login
55321	90° Non-Insulated Terminal, solderless, reusable	5		Please Login



Transformer Wire

- Will work with any portable oil fired space heater
- Belden Type GTO-15 Ignition Wire
- 15,000 Volt Rated
- UL listed

Part#	Length	List Price	Wholesale
41648	10'		Please Login
41650	25'		Please Login



-10° to 100° F Thermostat

- Maintains a set temperature
- Helps save on fuel cost
- Plugs into standard 120 volt outlet
- Bi-metal activated sensor
- No installation required

Part #	List Price	Wholesale
PP234		Please Login



8' Test Cord

- 110 volts
- Stays flexible, even in coldest weather
- Conductor firmly crimped and soldered for maximum current flow
- Clip strongly clinched to cable insulation-won't break off
- Heavy-duty design

Part #	List Price	Wholesale
7328TC		Please Login

See page 27 for description of flares and fittings.

Propane/Natural Gas Hoses

All hoses meet or exceed O.E.M. specifications. All hoses are UL-approved.

Part#	Description	Where Used	List Price	Wholesale
2510LH	1/4" x 10' w/left hand threads 9/16" x 18 fittings	Sure Flame torch LB White Heaters & Torches		Please Login
2510LHFTG	Fitting to connect 2510LH or 2525LH hoses together			Please Login
2510	1/4" x 10' w/1/4"MPT x 1/4" female flair swivel	3500FA, 250, 250A TC200V, TC275, BLP375/T		Please Login
2525	1/4" x 25' w/1/4"MPT x 1/4" female flair swivel	Same as above		Please Login
2525LH	1/4" x 25' w/left hand	Torches		Please Login
2525FTG	Fitting to connect 1/4" hoses together			Please Login
3810	3/8" x 10' w/3/8" MPT x 3/8" female flair swivel	BLP80, 150FA, 80FA, 150FAS		Please Login
381050	3/8" x 10' w/3/8" MPT x 1/2" female flair swivel	BLP150, BLP155, BLP155T		Please Login
3825	3/8" x 25' w/3/8" MPT x 3/8" FPT female flair swivel	Optional hose for 80K & 150K		Please Login
382550	3/8" x 25' w/1/2" MPT	Multiple applications		Please Login
3810FTG	Fitting to connect 3/8" #3810/25 hoses together	Multiple applications		Please Login
5010	1/2" x 10' w/1/2" MPT x 1/2" MPT	Multiple applications		Please Login
5025	1/2" x 25' w/1/2" MPT x 1/2" MPT	Multiple applications		Please Login
5050	1/2" x 50' w/1/2" MPT x 1/2" MPT	Multiple applications		Please Login
54	1/2" Hose swivel connector			Please Login
7510P	3/4" x 10' w/3/4" MPT each end with (1) female swivel adapter	Optional hose for heaters over 375,000 BTU's (S405)		Please Login
7525P	3/4" x 25' w/3/4" MPT each end with (1) female swivel adapter	Optional hose for heaters over 375,000 BTU's (S405)		Please Login
7550P	3/4" x 50' w/3/4" MPT end with female swivel adaptor			Please Login
1050	1" x 50' w/1"MPT x 1"MPT	Includes swivel adapter		Please Login
12510P	1 1/4" x 10' with 1 1/4"MPT x 1 1/4"MPT	Includes swivel adapter		Please Login
12525P	1 1/4" x 25' with 1 1/4"MPT x 1 1/4"MPT	Includes swivel adapter		Please Login
12500P	Fitting to connect 1-1/4" hoses together			Please Login
1025	1" x 25' hose, 1"MPT			Please Login



Natural Gas Hose

- 1/2" x 25'
- Recommended for natural gas heaters

Part#	List Price	Wholesale
5025		Please Login

Don't See What You Need?

Call and Ask..... We Can Get It!

www.phpdistribution.com

PORTABLE HEATER PARTS

Scented Kerosene Additive

- Will help eliminate water and reduce odor!
- One bottle treats 80 gals
- For wick heaters only



Part#	Description	List Price	Wholesale
A09P	Pine, 8 oz. bottle		Please Login
A09H	Honeysuckle, 8 oz. bottle		Please Login
A09HB	Holly Berry, 8 oz. bottle		Please Login
A09R	Rose, 8 oz. bottle		Please Login
A08	Case of mixed additive		Please Login

Ignitors



P10A



P20A



P30A

- Most popular plug fits Aladdin, Corona, Kero Sun, etc.
- Ignitor #1: For heaters you must pull a knob to light. See wick chart for proper ignitor.

Part#	Description	List Price	Wholesale
P10A	Ignitor #1		Please Login
P20A	Ignitor #2		Please Login
P30A	Ignitor #3		Please Login
P15A	Ignitor #4		Please Login

Mica Windows




- Can be cut to fit all wick heaters - 4" x 3-3/4"

Part#	Description	List Price	Wholesale
58	Mica Window		Please Login

A60
Battery Siphon
(use with
Kerosene only)





SI60
Manual Siphon
(can be used with
any fuel type)



Siphon Pumps Battery Operated & Manual

Part#	Description	List Price	Wholesale
A60	Battery Siphon		Please Login
A40	Hanger of 12 Manual Pump (if you order one A40, you receive 12 pumps)		Please Login
SI60	Individual Manual Pump		Please Login



Suntec/Sunstrand Oil Pumps

J STYLE PUMPS ALSO AVAILABLE

Part#	Model	RPM	Rotation	Nozzle Port Location	Strainer & Nozzle Ratin at 100 PSI	Features	List Price	Wholesale
154180	A1YA-7912	1725	R.H.	R.H.	7 gph	-		Please Login
MS1170-01	A2VA-7142	2850	R.H.	R.H.	2.25 gph	-		Please Login
7116	A2VA-7116	3450	R.H.	R.H.	3 gph	-		Please Login

Let Us Give You A Hand Fixing That Heater!



Tech Service Manual On CD
Part #CDTECH

Interactive Heater Troubleshooting CD
Part #CDTS



Low Pressure Manual On CD
Part #CD70112


Gas Fired Manual On CD
Part #CDGF



Low Pressure Service Manual On CD

- New & improved service manual
- Includes info on Desa HSI heaters
- It also covers all three manufacturers of low pressure oil fired heaters; Desa, Toro, and National Riverside

Part #	List Price	Wholesale
CD70112		Please Login



Technical Service Manual

- Heater & equipment breakdowns
- Technical tips & troubleshooting
- Part references

Part #	List Price	Wholesale
23T		Please Login

See online for previous versions of our Technical Manuals

Gas Fired Service Manual

- New service manual!
- Gives an understanding of gas fired heaters, parts description & photos and troubleshooting
- It also covers three manufacturers of gas fired heaters: Desa, National Riverside and L.B. White



Part #	List Price	Wholesale
GM70103		Please Login

PROPANE ACCESSORIES

First Stage High Pressure Regulator

- Reduces LP tank pressure to 10 P.S.I.
- Connections: 1/2" Female NPT Inlet & Outlet
- Factory set outlet pressure: 10 PSIG
- Outlet Pressure: 2,500,000 BTU/hr Propane



Second Stage Low Pressure Regulator

- Reduces the outlet pressure from first stage levels down to burner pressure
- Capacity: 1,200,000 BTU/hr Propane
- Adjustment Range: 9-13" W.C.
- Factory set at 11" W.C.
- Connections: 1/2" Female NPT Inlet and Outlet



Part#	Description	List Price	Wholesale
LV4403TR4	1st Stage Regulator/Red		Please Login
LV4403B4	2nd Stage Regulator/Green		Please Login

High Pressure Regulator

- 10 PSI outlet pressure
 - 1/4" x 1/4" FNPT
- This regulator is used on:
National Riverside: 250, 250A
Master: R/TC250, R/TC250A, R/TC275




Part#	Model	Description	List Price	Wholesale
6256NR	130-00	10 PSI 130 Regulator		Please Login

Low Pressure Regulator

- 11" W.C. outlet pressure
 - 1/4" x 3/8" FPT
- Used on: National Riverside: 150FA, 150FAS, 150FAST, 80VC, 80FA, 100RA
Master: B/RLP45, B/RLP80, BLP150, BLP155, BLP155T



Part#	Model	Description	List Price	Wholesale
6255NR	230-00	11" W.C. 230 Regulator		Please Login



2-Tank Connection Assembly


- Tee adapter assembly
- Includes (2) 30" pigtails
- Manifold (2) LP tanks together

Part#	List Price	Wholesale
FF-KIT188		Please Login



T-Block Manifold

- Inlet - Male POL
 - Outlet - Female POL
- | Part # | Description | List Price | Wholesale |
|--------|------------------|------------|--------------|
| P400 | T-Block Manifold | | Please Login |



POL Pigtail

Part#	Description	List Price	Wholesale
1662	30" Long x 1/4" Copper Tubing		Please Login
1630RU	30" Hose connection POL x POL		Please Login
1648RU	48" Hose connection POL x POL		Please Login



Regulator

- 5-20 PSI outlet pressure
- Fits DESA brands: Master, Reddy, Remington torpedo kerosene forced air heaters

Part#	Description	List Price	Wholesale
LPA2020	5-20 PSI		Please Login



Thread Sealing Tape

- Pipe thread connections
- Air, propane or natural gas
- 200 per carton

Part#	Size	List Price	Wholesale
UT11	1/2" x 260"		Please Login



Propane Tank Stabilizer


- Safest way to rent or sell tank top heaters
- No more tanks falling over!
- Works for up to 60# LP tank

Part#	List Price	Wholesale
F273169		Please Login



LP Tank Quick Connect

Part#	List Price	Wholesale
F276334		Please Login



Acme Thread Cover

- Keeps foreign material from entering the valve

Part#	List Price	Wholesale
95QC		Please Login



Acme Thread Tank Connector

- #G1851 - Up to 140,000 BTU (black)
- #G1852 - 70,000 to 200,000 BTU (green)
- #G1853 - 200K to 400K (red)

Part#	List Price	Wholesale
G1851		Please Login
G1852		Please Login
G1853		Please Login



10 Pack Propane Tank Leak Stopper

Part#	Description	List Price	Wholesale
88S	Flat tag (10 pk.)		Please Login



OPD Valves

Part#	Description	List Price	Wholesale
808107	20 lb. tank		Please Login
808109	30 lb. tank		Please Login

G1629



G1653



Tank Connectors

Part#	Description	List Price	Wholesale
G1629	1/4" POL fitting with excess flow and O-Ring		Please Login
G1643	POL nut only		Please Login
G1653-3	O-Ring only (Bag of 10)		Please Login
30S07P	1/4" POL LH x LH - LB White heaters, torches		Please Login
G1653	POL fitting with handwheel		Please Login
G1630-2	Plastic handwheel		Please Login
6252NR	Tank connector w/check valve		Please Login



Propane Tanks-Steel

Part#	Description	BTU Content	Gallons	Weight	List Price	Wholesale
281247	20# Tank/OPD	430,000	4.7	16.6 lbs		Please Login
296975	30# Tank/OPD	645,000	7.1	25.4 lbs		Please Login
302018	40# Tank/OPD	860,000	9.4	29.1 lbs		Please Login
282157	100# Tank	2,160,000	23.6	68 lbs		Please Login

GLOVES



ToolHandz® Hi-Vis Spandex Extreme Winter Gloves

- Synthetic leather palm
- Hi-vis spandex back
- Palm reinforcements
- Protective guards and padding
- MultiBlend™ insulation
- Waterproof lining
- Sold by individual pair

Part#	Size	List Price	Wholesale
GW101-size	L-XL		Please Login



Waterproof Polar Fleece Insulated Gloves

- Performance winter Fuzzy Hand gear
- Ultra-comfortable construction
- Warm acrylic polar fleece back
- Waterproof barrier lining
- Resilient grain pigskin
- 6 pair per package
- Sold by individual pair

Tagged for Hanging



Part#	Size	List Price	Wholesale
15MAX2-size	M - XL		Please Login



Spandex/Synth. Leather Storm Cuff Hi-Vis Insulated Mechanic's Gloves

- Padded synthetic leather palm
- Comfortable and warm winter lining
- Quality hi-vis materials and reflectives
- Convenient slip-on style
- Sold by individual pair

Tagged for Hanging

Part#	Size	List Price	Wholesale
15HV-size	L-XL		Please Login



#1 BEST SELLER

Tagged for Hanging

Polar Fleece Insulated Gloves

- Plush Polar Fleece Back
- Genuine Side Split Cowhide Palm
- Warm Multiblend™ Lining
- Snug Shirred Elasti Cuff
- 6 pair per package
- Sold by individual pair

Part#	Size	List Price	Wholesale
R15G-size	M - XL		Please Login



Tagged for Hanging

Waterproof Lined Insulated Winter Work Gloves

- Select shoulder split cowhide
- MultiBlend™ insulated
- Natural wing thumb design
- Keeps moisture out
- 6 pair per package
- 72 pair per case
- Sold by individual pair

Part#	Size	List Price	Wholesale
R5LA	L		Please Login



Tagged for Hanging

Premium Winter Work Gloves

- Premium select shoulder bourbon brown split leather palm
- Thick pile lined
- 2-1/2" rubberized cuff
- Gun pattern, yellow heavy canvas back & cuff
- Sold by individual pair

Part#	List Price	Wholesale
3655-L		Please Login
3655-XL		Please Login



Tagged for Hanging

Grain Pigskin Winter Gloves

- Tough grain pigskin
- Fleece lined
- 12 pair per package
- Sold by individual pair

Part#	List Price	Wholesale
1511P-L		Please Login
1511P-XL		Please Login



Tagged for Hanging

Artic Guard Extreme Duty Winter Brick Gloves

- Synthetic liner for extra warmth
- Superior grip wet or dry
- Great for extra cold conditions for all outdoor activities
- Blue & orange available
- Sold by individual pair

Part#	Size	List Price	Wholesale
4789BL-L	Large		Please Login
4789BL-XL	XL		Please Login
4789HO-L-BG	L		Please Login
4789HO-XL-BG	XL		Please Login



Economy Leather Palm Gloves

- Shoulder split cowhide leather
- Gunn pattern
- Cotton palm lining
- 2 1/2" rubberized cuff
- Knuckle strap
- Wing thumb construction

Part#	Size	List Price	Wholesale
R5B	L		Please Login



Tagged for Hanging

Yellow Chore Gloves

- Regular weight
- Straight thumb
- Knit wrist
- 2-layer fleece quilted palm and back
- Clute pattern

Part#	Size	List Price	Wholesale
3460G	L		Please Login
4203QXL-BG	XL		Please Login



Tagged for Hanging

Brown Jersey Gloves

- Comfortable jersey construction
- Multi-purpose hand protection
- Size L
- 9 oz.
- 3401T tagged for hanging
- 12 per package

Part#	Size	List Price	Wholesale
3401	L		Please Login
3401T	L		Please Login



Tagged for Hanging

Textured Latex Concrete/Brick Gloves

- Textured blue latex palm coated
- Gray string knit shell
- 10 Gauge
- Elastic knit wrist
- Seamless knitted

Part#	Size	List Price	Wholesale
4729G	L-XL		Please Login



Latex Palm Coated Gloves

- Blue latex palm coated
- Standard weight string knit shell
- 10 Gauge cotton/polyester knit shell
- Elastic knit wrist
- Seamless knitted

Part#	Size	List Price	Wholesale
2300EE	L-XL		Please Login
2300EET	Tagged-L		Please Login



Tagged for Hanging

Fleece Lined Brown Jersey Gloves

- Comfortable jersey construction
- Multi-purpose hand protection
- Easy slip-on construction
- Size L - 12 pair per package
- Sold by individual pair

Part#	Size	List Price	Wholesale
3421G	L		Please Login



Cotton / Polyester Knit Gloves

- Regular weight
- 7 Gauge
- Elastic knit wrist
- Seamless knitted
- Reversible

Part#	Size	List Price	Wholesale
3403G	L		Please Login



Cotton String Knit Gloves with PVC Dots

- Two-sided black PVC dots
- 7 Gauge
- Elastic knit wrist
- Seamless knitted
- Reversible

Part#	Size	List Price	Wholesale
3405G	L		Please Login



Deerskin

- Supple deerskin leather palm
- ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- Comfortable low profile neoprene cuff
- Convenient sweat wipe
- Sold by individual pair

Part#	Size	List Price	Wholesale
R99D	S-XL		Please Login



Goatskin

- Goatskin leather palm
- Exclusive ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- Comfortable low profile neoprene cuff
- Convenient sweat wipe
- Sold by individual pair

Part#	Size	List Price	Wholesale
R99G	S-XL		Please Login



Pigskin

- Durable pigskin leather palm
- Exclusive ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- Comfortable low profile neoprene cuff
- Convenient sweat wipe
- Sold by individual pair

Part#	Size	List Price	Wholesale
R99A	M-XL		Please Login



Performance Driver Hybrid Glove **DeWALT**

- Provides the protection and durability of a driver, with the fit and dexterity of a performance glove
- Rugged cowhide finger & palm overlays
- Premium grade cowhide leather
- Short slip-on cuff for easy on and off
- Lightweight, breathable spandex back
- Neoprene straps

Part#	Size	List Price	Wholesale
DPG212	L-XL		Please Login



AngelFire® Women's Synthetic Leather Mechanic's Gloves

- Synthetic leather palm
- Spandex back
- Silicone grips on palm

Part#	Size	List Price	Wholesale
GX103	S-L		Please Login



Tool Handz Plus **Tool Handz**

- Convenient elastic cuff
- Comfortable action spandex for snug fit
- Sold by individual pair

Part#	Size	List Price	Wholesale
R99P	S-2XL		Please Login

12 pair per package



Quality Grain Pigskin Driving Gloves

- Pigskin toughness in a classic construction
- Multi-purpose use and versatility
- Ergonomic keystone thumb design
- Shirred elastic back for a snug fit

Part#	Size	List Price	Wholesale
R9P	L		Please Login



Tagged for Hanging

Nitrile Coated Work Gloves

- 13 gauge, 100% Nylon Shell, Nitrile Palm Coated
- Pound for pound tougher than leather
- Form-fitting enough to pick up a dime
- Sold by individual pair

Part#	Size	Color	List Price	Wholesale
4631Q	M-XL	Black on black		Please Login
3407N	M-XL	White on gray		Please Login

Tagged for Hanging

Framer's Gloves

- Exclusive Titan X™ synthetic leather palm
- Action spandex and neoprene back
- Three exposed fingertips for construction jobs
- Performance grip reinforcements
- Sold by individual pair

Part#	Size	List Price	Wholesale
98F	M-XL		Please Login

12 pair per package



DuraSkin Vinyl Industrial Disposable Gloves

- 5 ml
- Lightly powdered gloves
- Gloves are ambidextrous
- Sold by box of 100 gloves

Part#	Size	List Price	Wholesale
2900W	L-XL		Please Login



DuraSkin Nitrile Disposable Gloves

- 4 ml, Blue nitrile
- Textured Fingertips
- USDA accepted
- Sold by box of 100 gloves

Part#	Size	List Price	Wholesale
T2010WC	L-XL		Please Login



Arctic Blue Nitrile Gloves

- 0.06mm thickness provides exceptional touch sensitivity
- Beaded cuffs to ensure protection
- Exceptional tactile sensitivity making them ideal for intricate assembly work
- Powder and latex free
- HACCP certified for food handling
- Sold by box of 100 gloves

Part#	Size	List Price	Wholesale
90096	S		Please Login
90098	L		Please Login
90099	XL		Please Login



Tagged for Hanging

Black PVC Gloves

- 10" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- Interlock lined
- Knit wrist
- Great for sewer auger rentals

Part#	Size	List Price	Wholesale
3361G	L		Please Login



Black PVC Gloves

- 14" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- Interlock lined
- Great for sewer auger rentals

Part#	Size	List Price	Wholesale
3365G	L		Please Login

WINTER PROTECTION



Arctic 2 in 1 Sport Liners Rated at 0° to -20°

- 17-1/2 oz. sport fleece top
- 100% polyester bottom
- Ideal for very cold environments
- Great coverage with reduced drafting
- Top shell made of polyester fleece with elastic around the face; bottom shell made of spun polyester
- Meets the 16 CFR 1610, Class 1

Part#	Side	Central	Bottom	List Price	Wholesale
22316	Silver	Navy Blue	Blue		Please Login



Original HotHands

Provides up to 12 hours of up to 140°F warmth. 40 per case.

Part#	Description	List Price	Wholesale
HH1	8 hrs. 4" x 5"		Please Login

HotHands—2 pack

40 per case.

Part#	Description	List Price	Wholesale
HH2	12 hrs. 2.25" x 4"		Please Login

Toe Warmers

Provides up to 8 hours of up to 140°F warmth. 240 per case.

Part#	Description	List Price	Wholesale
TT240	8 hrs. 3-1/2" x 2-3/4"		Please Login



165



200



400



440

Winter Hard Hat Liners

Part#	Description	List Price	Wholesale
165	32° to -45°, 100% cotton, napped flannel interior		Please Login
200	32° to 45°, 100% cotton, red heavyweight fleece lining		Please Login
400	0° to -20°, full head coverage, wrap around collar, sherpa lining		Please Login
440	0° to -20°, heavy-duty, extra-long nape, sheepskin-like lining		Please Login

Explorers Discover Frozen Caveman

Scientist Melt Him Using Hand Warmers



10 Unit Display with 30 Glasses



Description	Frame	Lenses	Qty.
DZ111VS-G2 Zorge G2	Black	Clear Vapor Shield	3
DZ116VS-G2 Zorge G2	Black	Smoke Vapor Shield	3
SD111-G2 Delano G2	Black	Clear	3
SD117-G2 Delano G2	Black	Silver Mirror	3
TXB236 Brazeau Torque	Matte Black	Polarized Smoke	3
XBAP139 Brazeau Torque	Matte Black	Red Mirror	3
TSDKAP248-G2 Khor G2	White	Polarized Blue Mirror	3
SR116 Reclus	Black	Smoke Lenses	3
TSK236 Kazbek Torque	Matte Black	Polarized Smoke	3
TSDK216-G2 Khor G2	Black Frame	Polarized Smoke	3
9906	10-Unit Locking Counter Display		1

Part#	Description	List Price	Wholesale
9906-KIT	31 Pc. Display		Please Login



ANSI Z87.1+2015 is the American National Standards Institute's (ANSI) most current standard for high impact eye protection. Edge Eyewear has added a "+" to its Z87.1 markings to indicate that the eyewear is compliant with the high impact level of the standard.

The current Military Combat Eye Protection Systems (MCEPS) standard contains a series of tests that are much more intense than ANSI's, such as ballistic fragmentation tests, to simulate projectiles and other dangers faced in combat.

16 Unit Display with 36 Glasses

FREE
Locking Display
with each Kit

Display
Hangs On
Pegboard



Description	Frame	Lenses	Qty.
DZ111VS-G2 Zorge G2	Black	Clear Vapor Shield	3
DZ116VS-G2 Zorge G2	Black	Smoke Vapor Shield	3
SD111-G2 Delano G2	Black	Clear Lenses	3
SD117-G2 Delano G2	Black	Silver Mirror Lens	3
TXB236 Brazeau Torque	Matte Black	Polarized Smoke	3
XBAP139 Brazeau Torque	Matte Black	Red Mirror Lenses	3
TSDKAP248-G2 Khor G2	White	Polarized Blue Mirror	3
SR116 Reclus	Black	Smoke	3
TSK236 Kazbek Torque	Matte Black	Polarized Smoke	3
TSDK216-G2 Khor G2	Black	Polarized Smoke	3
DZ111-2.0-G2 Zorge G2	Black	Clear 2.0 Magnification	3
TSKAP218 Kazbek	Black	Polarized Blue Mirror	3
9916	16-Unit Locking Counter & Pegboard Display		1

Part#	Description	List Price	Wholesale
9916-KIT	37 Pc. Display		Please Login

32 Unit Display with 48 Glasses

Spinning
Display



Description	Frame	Lenses	Qty.
DZ111VS-G2 Zorge G2	Black	Clear Vapor Shield	3
DZ116VS-G2 Zorge G2	Black	Smoke Vapor Shield	3
SD111-G2 Delano G2	Black	Clear	3
SD117-G2 Delano G2	Black	Silver Mirror	3
TXB236 Brazeau Torque	Matte Black	Polarized Smoke	3
XBAP139 Brazeau Torque	Matte Black	Red Mirror	3
TSDKAP248-G2 Khor G2	White	Polarized Blue Mirror	3
SR116 Reclus	Black	Smoke	3
TSK236 Kazbek Torque	Matte Black	Polarized Smoke	3
TSDK216-G2 Khor G2	Black	Polarized Smoke	3
DZ111-2.0-G2 Zorge G2	Black	Clear 2.0 Magnification	3
TSKAP218 Kazbek	Black	Polarized Blue Mirror	3
TSK-XL215 Kazbek XL	Black	Polarized Copper	3
DZ113VS-G2 Zorge G2	Black	Light Blue Vapor Shield	3
SDK111AR-G2 Khor G2	Black	Clear Anti-Reflective	3
HZ136 Caraz Torque	Matte Black	Smoke Lenses	3
9908	32-Unit Rotating & Locking Counter Display		1

Part#	Description	List Price	Wholesale
9908-KIT	49 Pc. Display		Please Login

SAFETY GLASSES



Reclus

- Flexible and durable frame
- Soft TPR nose pads and temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Part#	Frame	Lens	List Price	Wholesale
SR116	Black	Smoke		Please Login



DON'T FOG UP!

VAPOR SHIELD LENSES

VS

Transition from **-44°F (-42°C)** to **15 minutes**

Transition from **-44°F (-42°C)** to **76°F (25°C)**

Transition from **76°F (25°C)** to **-44°F (-42°C)**

125°F (52°C) with 90% humidity



Brazeau

- Flexible and durable frame
- Modern wrap-around design
- Smoke lenses reduce glare
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Part#	Frame	Lens	List Price	Wholesale
TXB236	Black	Polarized Smoke		Please Login
XBAP139	Black	Red Mirror		Please Login



Delano G2

- Sporty, lightweight wraparound frame
- High visibility yellow insert on each temple
- Soft TPR nose pads and temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Part#	Frame	Lens	List Price	Wholesale
SD111-G2	Black	Clear		Please Login
SD117-G2	Black	Silver Mirror		Please Login



Caraz

- Flexible and durable frame
- Smoke lenses reduce glare
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Part#	Frame	Lens	List Price	Wholesale
HZ136	Black	Smoke		Please Login



Kazbek Polarized

- Flexible and durable frame
- Soft TPR nose pads and temple arms for comfort
- Polarized lenses increase clarity by reducing glare
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Part#	Frame	Lens	List Price	Wholesale
TSKAP218	Black	Polarized Blue Mirror		Please Login
TSK236	Black	Polarized Smoke		Please Login
TSK-XL215	XL Black	Polarized Copper		Please Login



Zorge G2

- Flexible and durable black frame
- Soft TPR nose pads and temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards

Part#	Frame	Lens	List Price	Wholesale
DZ111VS-G2	Black	Clear Anti-Fog		Please Login
DZ116VS-G2	Black	Smoke Vapor Anti-Fog		Please Login
DZ113VS-G2	Black	Light Blue Anti-Fog		Please Login
DZ111-2.0-G2	Black	Clear 2.0 Magnifier		Please Login



Khor G2

- Flexible and durable black frame
- Open lower frame prevents sight obstruction
- Soft TPR nose pads and temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards



Part#	Frame	Lens	List Price	Wholesale
TSDKAP248-G2	White	Polarized Blue Mirror		Please Login
TSDK216-G2	Black	Polarized Smoke		Please Login
SDK111AR-G2	Black	Clear Anti-Reflective		Please Login



A



B



C



D



E



F



G



H

Optima Series

- Lightweight comfortable frame
- Dual mold rubber temples
- Adjustable rubber nosepiece
- Polycarbonate lens provides impact resistance
- Dielectric frame
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection



Key	Part#	Frame	Lens Color	List Price	Wholesale
A	OP1010ID	Black	Clear		Please Login
B	OP1011ID	Black	Clear A/F		Please Login
C	OP1020ID	Black	Smoke		Please Login
D	OP1060ID	Black	Silver Mirror		Please Login
E	OP1090ID	Black	Indoor/Outdoor		Please Login
F	OP6710ID	Pink	Clear		Please Login
G	OP6790ID	Pink	Indoor/Outdoor		Please Login
H	OP6767ID	Pink	Pink		Please Login

SAFETY GLASSES



Infinity Series

- 2mm polycarbonate lens material
- Meets or exceeds ANSI Z87 2010 standards
- 99.9% protection From UVA / UVB rays



Key	Part#	Frame	Lens Color	List Price	Wholesale
A	2812	Black/Orange	Gold Mirror		Please Login
B	2117	Crystal Brown	Brown Mirror (HD)		Please Login
C	241	Crystal Black	Smoke		Please Login
D	2244	Pearl White	Clear		Please Login
E	21126	Crystal Brown	Brown (HD)(P)		Please Login
F	2243	Pearl White	Silver Mirror		Please Login
G	224	Pearl Gray	Clear		Please Login
H	263	Shiny Black	Silver Mirror		Please Login
I	2254	Pearl Pink	Clear		Please Login
J	22528	Pearl Pink	Smoke		Please Login



Sniper Series

- Rubber nosepiece for comfort
- Dual mold rubber temple grips for better stability
- Meets ANSI Z87.1-2003
- 99.9% Protection From UVA / UVB Rays



Key	Part#	Frame	Lens Color	List Price	Wholesale
A	9233	Burgundy	Silver Mirror		Please Login
B	9141	Camo	Smoke		Please Login
C	9614	Black	Smoke(P)		Please Login
D	9610	Black	Emerald		Please Login



ES5 Series

- Rubber Nosepiece For All Day Comfort
- Dual Mold Rubber Temple Grips
- 8-Base Curve Lens
- Hard Coated Lens - Protects From Scratches
- Meets ANSI Z87.1+ standards
- 99.9% protection From UVA / UVB Rays



Key	Part#	Frame	Lens Color	List Price	Wholesale
A	29117	Crystal Brown	Brown Mirror(HD)		Please Login
B	2968	Black	Blue Mirror		Please Login
C	2964	Pearl Gray	Clear		Please Login
D	291113	Crystal Brown	Brown Polarized(HD)(P)		Please Login
E	29215	Black	Indoor/Outdoor		Please Login
F	2961	Pearl Gray	Smoke		Please Login



RPG Series

- Polycarbonate lens provides impact resistance
- Rubberized temples and nosepiece
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection



Key	Part#	Frame	Lens Color	List Price	Wholesale
A	23117	Brown	Brown Mirror(HD)		Please Login
B	23226	Black	Blue Mirror(HD)(P)		Please Login
C	23233	Black/Red	Silver		Please Login
D	23125	Burnt Orange	Copper Mirror(HD)		Please Login
E	23615	Pearl Gray	Indoor/Outdoor		Please Login
F	23421	Black	Smoke		Please Login



The Dominator Series

- Integrated rubber nosepiece
- Full frame with larger lens
- Rubber accents on temple
- Meets ANSI Z87.1+ standard

Part#	Frame	Lens	List Price	Wholesale
DPG94-6D	Black	Silver		Please Login



The Ventilator Series

- Rubber nosepiece for all day comfort
- Distortion free lens
- Full wrap-around frame
- Rubber tipped temples
- Meets ANSI Z87.1+ standard

Part#	Frame	Lens	List Price	Wholesale
DPG56B-YD	Black	Yellow		Please Login



Rad-Apocalypse Camo Series

- New, improved soft rubber temples with flared ends
- Neck cord included
- Coated protective lens
- Protective lens provide 99.9% UVA/UVB protection
- Safety Glasses meet ANSI Z87.1+ standards

Part#	Frame	Lens Color	List Price	Wholesale
AP4-B1	Camo	Bronze Anti-Fog		Please Login



The Rad-Sequel Series

- Rubber nosepiece for all day comfort
- Polycarbonate lens for impact resistance
- Meets ANSI Z87.1+ standard

Part#	Lens	List Price	Wholesale
RS1-10	Clear		Please Login
RS1-20	Smoke		Please Login
RS1-90	I/O		Please Login



Mini Blade Series

- Polycarbonate Lens Material
- Ultralight Frame
- Scratch Resistant Coating
- Meets ANSI Z87 2010
- 99.9% Protection From UVA / UVB Rays



Part#	Frame	Lens Color	List Price	Wholesale
32231AF	Aqua	Smoke Anti-Fog		Please Login
32224AF	Pink	Clear Anti-Fog		Please Login



Hot Seller!

Safety Goggles

- Dual injected rubber provides a soft comfortable seal
- Elastic head strap provides a comfortable fit
- Built-in ventilation channel provides extra fog control
- Meets ANSI spec. Z87.1

Part#	List Price	Wholesale
DPG82-11		Please Login



SAFETY GLASSES



Nemesis Series

- Sleek, sporty style
- Soft-touch temples
- Single lens wrap-around protection
- 99.9% UV protection
- Free neck cord included
- Meets ANSI Z87.1+
- Meets all impact resistance standards



Part#	Frame	Lens	List Price	Wholesale
25679	Black	Clear AF		Please Login
25688	Black	Smoke Mirror		Please Login
22475	Black	Smoke AF		Please Login
25685	Black	I/O		Please Login
14481	Black	Blue Mirror		Please Login
22476	Black	Amber AF		Please Login
19639	Blue	Light Blue		Please Login
19642	Black	Blue Shield		Please Login
19644	Camo	Copper		Please Login
22608	Camo	Clear AF		Please Login
22610	Camo	Amber		Please Login
22609	Camo	Smoke AF		Please Login



Nemesis RX Bifocal Series

- Larger lens for a more complete wrap-around impact protection
- Enhanced nose piece design with integrated ridges channels away sweat
- Extended temples hug your head to prevent slipping
- Free neck cord included
- Meets ANSI Z87.1+ Standards

Part#	Lens	Diopter	List Price	Wholesale
28624	Clear	+2.0		Please Login
22516	Smoke	+1.5		Please Login
22519	Smoke	+2.5		Please Login



The Checkmate® Series

- Trend-setting design at a better price point
- Exclusive Duramass® scratch resistant lens coating
- Meet ANSIZ87.1 standards
- Near total seal of eye orbit

Part#	Lens	List Price	Wholesale
CK100	Clear Uncoated		Please Login
CK110	Clear Coated		Please Login



Purity Series

- Wraparound lens for better eye protection
- Comfortable, padded temples
- 99.9% UVA/UVB protection
- CSA Z94.3 compliant

Part#	Frame	Lens	List Price	Wholesale
25652	Smoke	Smoke		Please Login
25654	Clear	Clear AF		Please Login



The Tomahawk Series

- Wrap-around design with side shields
- Adjustable temples
- Polycarbonate lens filters out 99.9% of U.V. rays

Part#	Frame	Lens	List Price	Wholesale
TK110	Black	Clear		Please Login

FREE
Clip-on, Breakaway
Cord w/each pair



The Tremor® Series

- Sleek, wrap-around design
- Revolutionary Hingeless Frame System™
- Gel nosepiece and temple sleeves
- Meet ANSIZ87.1 standards
- Exclusive Duramass® scratch resistant lens coating

Part#	Frame	Lens Color	List Price	Wholesale
TM110	Onyx	Clear		Please Login
TM112	Onyx	Grey		Please Login
TM117	Onyx	Silver Mirror		Please Login
TM128B	Blue	Blue Diamond		Please Login



AngelFire® Women's Synthetic Leather Mechanic's Gloves

- Synthetic leather palm
- Spandex back
- Silicone grips on palm

Part#	Size	List Price	Wholesale
GX103	S-L		Please Login



Optima Series

- Lightweight comfortable frame
- Dual mold rubber temples
- Adjustable rubber nosepiece
- Polycarbonate lens provides impact resistance
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection

Key	Part#	Frame	Lens Color	List Price	Wholesale
A	OP6710ID	Pink	Clear		Please Login
B	OP6790ID	Pink	Indoor/Outdoor		Please Login
C	OP6767ID	Pink	Pink		Please Login



Quick Adjusting Ratchet Hard Hat

- Exclusive ratchet adjustment suspensions
- Comfortable 4-point nylon suspension
- High-density polyethylene (HDPE) shell designed for strength
- Shell has rain trough for extra convenience
- Meets ANSI Z89.1 and CSA Z94.1 requirements for Class E, Type I head protection

Part#	List Price	Wholesale
SWX00348		Please Login



Electronic Earmuff

- Electronic earmuff amplifies low level sounds but compresses noises that exceed safe levels
- Dual microphones
- Independent volume controls
- Adjustable moisture wicking headband
- NRR 20 dB

Part#	List Price	Wholesale
TV0700CS		Please Login



Mini Mag Flashlight, Pink

- National Breast Cancer Foundation Mini Maglite flashlight is engraved with the NBCF ribbon.
- Spare lamp safely secured inside the tail cap
 - 1/2 turn, twist focus, spot-to-flood
 - Candle mode feature
 - O-ring sealed for water resistance

Part#	List Price	Wholesale
MZAMW6		Please Login



Solitaire Flashlight, Pink

- High-intensity adjustable light beam
- Rugged, machined aluminum construction
- Water and shock resistant
- High-strength aluminum alloy case

Part#	List Price	Wholesale
K3AMW6		Please Login

ORCA Premium Cooler

- Roto-molded construction, integrated insulation for maximum ice/cold retention and freshness of your stowed items for up to 10 days
- Padded carrying handles
- Cargo net attachment included
- Lid gasket ensures a perfect seal
- 100% Made in USA
- Lifetime warranty



Part#	Capacity	List Price	Wholesale
ORCP020	20 quart (Pink)		Please Login



Inverter Generators PowerSmart Series



**#1 ROI
In
Rental**



2,200 Watts

- Volts: 120
 - 1 gallon fuel tank
 - 8 hours of run time
 - 59 dB
 - Recoil start
 - Weight: 56 lbs.
- Outlets
- (2) 120V-20A
 - (1) 12V-5A, DC



3,000 Watts

- Volts: 120
 - 1.5 gallon fuel tank
 - 10 hours of run time
 - 58 dB
 - Recoil start
 - Weight: 84 lbs.
- Outlets
- (4) 120V-20A
 - (1) 12V-5A, DC
 - (1) 120V-30A locking



Parallel Kit

Connect two PowerSmart Series™ Inverter Generators together. Whether you have two of same model or one of each, the Parallel Kit gives you more continuous power.

Part#	Description	List Price	Wholesale
030651	2,200 Watt		Please Login
030545	3,000 Watt		Please Login
6278	Parallel kit		Please Login



Part #	NEMA Plug	Connector
01915	L5-30P	(2) 5-20R
01924	L14-20P	(2) 5-20R
01934	L14-30P	(2) 5-20R
09084	L5-30P	(3) 5-15R

Generator Adapters & Cord Sets

- Increase the number of useable 20 amp connectors
- Clear lighted female ends provide power indication
- Job-site tough, flexible STOW and SJTOW cord jackets provide excellent durability.
- Oil and chemical resistant vinyl jacket
- New Hand Pack boxes
 - allow customers to freely view all cord ends in the box
 - offer immediate counter/store displays

Part#	Description	List Price	Wholesale
01915	3'- 10/3 STOW L5-30P to (2) Lighted 5-20R		Please Login
01924	3'- 12/4 STOW L14-20P to (2) Lighted 5-20R		Please Login
01934	3'- 10/4 STOW L14-30P to (2) Lighted 5-20R		Please Login
09084	2'- 12/3 STOW L5-20P to Lighted Tri-Source 5-15R		Please Login



Mini Portable Power Distribution Center

Part#	List Price	Wholesale
01980		Please Login



01970



01972
Roll Cage

Portable Power Distribution Center

Part#	Description	List Price	Wholesale
01970	Power Box - straight blades		Please Login
01972	Power Box - roll cage		Please Login
01918	50' Cord SEOW W/California Ends		Please Login
01919	100' Cord SEOW W/California Ends		Please Login

GENERAC®

Stand-By Units Are Available!



6,500 Watt Generator

- Full panel GFCI protection is OSHA and NEC 2011 compliant
- Idle control conserves fuel and reduces noise
- Integrated lifting eye
- 120/240V selector allows full 120V power or 120/240V power output
- Electric start with manual pull start backup
- Durable, fully welded 1-1/4" steel frame
- On/off switch, fuel shut-off and choke controls conveniently located on control panel
- Low oil pressure shutdown
- Locking, folding handles & never-flat wheels
- Covered outlets for more protection
- Maintenance kit included

Part#	Model	List Price	Wholesale
5930	XP6500E		Please Login

GENERAC®



5,000 Watt Diesel Generator

- Diesel power requires less maintenance, is more efficient and provides a long life
- Yanmar LW series 435cc air-cooled direct injection, industrial-grade diesel engine
- Large 12 Gal. fuel tank with fuel gauge
- Idle control conserves fuel and reduces noise
- Low oil shutdown automatically safeguards engine from damage
- Durable, fully welded 1-1/4" steel frame
- Single touch electric start provides hassle-free start-up, battery not included
- Hour meter with maintenance resets
- Drop ship item

Part#	Model	List Price	Wholesale
6864	XD5000E		Please Login



8,000 Watt Generator

- X frame - fully wrapped heavy duty 12-Gauge steel tube protects the generator and fuel tank from damage
- Full panel GFCI protection OSHA compliant with covered outlets
- Easy access to all routine maintenance areas including filters and spark plugs
- Welded steel feet reinforced
- Truepower technology provides clean, smooth operation of sensitive electronics, tools and appliances
- Idle control reduces noises and conserves fuel for extended run-times
- Locking, folding handles & never-flat wheels
- Recoil/electric start
- Drop ship item

Part#	Model	List Price	Wholesale
6826	XC8000E		Please Login

The Power to Live



Many get their first introduction to portable generators when they need emergency power. During a power outage, Generac portable generators make sure the most important items—lights, refrigerators and freezers, sump pumps, even space heaters and window air conditioners—are up and running, minimizing any disruption to your lifestyle.

The Power to Work



Utility power isn't always available where and when you need to tackle home improvement projects. Take a Generac portable generator to that far corner of your property instead of running lengthy extension cords. Or rely upon portable power if you need to turn off utility power for extensive home improvement work.

The Power to Play



Roughing it is only fun until you can't make a cup of coffee or charge your cell phone. Bring a Generac portable generator to your next tailgate party or camping trip and you'll have all the comforts of home wherever you are. Power kitchen appliances. Charge personal electronics. Watch TV or listen to music. Generac portable generators ensure the good times roll.

2" Ratcheting Tiedowns

- 2" x 27'
- 3,333 lb. working capacity
- Claw hook or flat hook

Part#	Description	List Price	Wholesale
557	Flat Hook		Please Login
557-WHK	Claw Hook		Please Login



Chain Anchor Tiedown

- 2" x 27'
- 10,000 lb. rated capacity
- 3,335 lb. working capacity
- 18" chain length

Part#	List Price	Wholesale
RS-2-27-W-CH		Please Login



2" Ratcheting Tiedowns

- 2" x 27'
- 10,000 lb. rated capacity
- 3,300 lb. working capacity
- Claw hook or flat hook
- Yellow

Part#	Description	List Price	Wholesale
82392	Claw Hook		Please Login
82392F	Flat Hook		Please Login



Ratcheting Tie Downs Claw Hook

- Standard**
- 1" x 15' • 1,500 lb. rated capacity
 - Red • Blister package for hanging

Part#	List Price	Wholesale
84023		Please Login



Locking Tie Down Set-4 pack

- 1" x 6', "S" Hook
- 300 lb. load limit
- 900 lb. break strength

Part#	List Price	Wholesale
42459		Please Login



Ratcheting Tie Downs Claw Hook

- Heavy-Duty**
- 1-1/2" x 15'
 - 3,000 lb. rated capacity
 - Yellow
 - Blister package for hanging

Part#	List Price	Wholesale
28582		Please Login



Tow Strap

- Extra long - 2" x 20'
- 17,000 lb. rated capacity
- Reinforced loop
- Yellow



Part#	List Price	Wholesale
82497		Please Login

Heavy-duty CargoBar™

- Retracts to 48"
- Adjusts continuously to a maximum extension of 108"
- Greater holding power than conventional loadlocks
- Harder to bend and damage



Part#	List Price	Wholesale
CC5010		Please Login

Transport Tow & Binder Chains

- Grade 70 transport
- Working load limit: 6,600 lbs.
- Clevis type hook
- 5/16" chain load limit 4,700 lbs.



Part#	Description	List Price	Wholesale
3583520	3/8" x 20'		Please Login
3524623	3/8" x 16'		Please Login
H3226-5220	5/16" x 20'		Please Login

Chain Binder

- Corrosion-resistant baked enamel finish
- 1 piece fork, lugs, handle
- Drop forged, heat treated steel handle/hooks
- Working load limit: 9,200 lbs.
- Easy secure tightening and quick release
- Max. break strength: 19,000 lbs.



**Works with
1/2" or 3/8"
Chain**

Part#	Description	List Price	Wholesale
19055	1/2" x 3/8" Load Binder		Please Login

Ratchet Binder Plus

- Take-Up: 6.5"
- Working load limit: 7,100 lbs.
- Handle Length: 13.92"
- DOT/CVSA
- Sold individually



**Works with
5/16" or 3/8"
Chain**

Part#	Ctn. Qty.	List Price	Wholesale
H5121-4158	2		Please Login

Ratchet Style QuikBinder

- Fast installation
- Handle folds down for compact storage
- Working load limit: 12,000 lbs.
- Max. break strength: 19,000 lbs.
- DOT/CNSA/CCMTA
- Sold individually



**Works with 1/2"
or 3/8" Chain**

Part#	Description	Ctn. Qty.	List Price	Wholesale
H5125	Load Binder	4		Please Login

Elastic Tie Down

- Elastic design provides constant tension and a firm hold
- Use for quick load binding
- Includes: 2 each of 12", 18", 24"
- Blister package for hanging



Part#	List Price	Wholesale
28380		Please Login



6 Piece Flat Bungee Pack

- Molded steel hooks with protective coating
- 3/4" wide cords for added surface contact
- Includes: 2 each of 15", 25" 1 each of 35", 45"



Part#	List Price	Wholesale
32407		Please Login



Rope Ratchet

- Releases with thumb lever
- Made of tough weather resistant nylon
- 10' braided cord included
- 3/8" has 200 lb. load limit



Part#	Size	List Price	Wholesale
20020	3/8"		Please Login

Carded Pkg.



Rubber Tarp Straps

- Guaranteed elasticity for up to one year
- 25 per bundle

Part#	Strap Lgth	List Price	Wholesale
STR9	9"		Please Login
STR15	15"		Please Login
STR21	21"		Please Login
STR31	31"		Please Login
STR41	41"		Please Login

Sold Individually

Light-duty Poly Twine

- Will not rot, mildew or rust
- Ships in plastic pail for ease of use
- Tensile strength of 210 lbs.
- Length: 6,500'



Part#	List Price	Wholesale
J7603		Please Login

MAKE SURE YOU CHECK OUT THE

BARGAIN BUYS

ON PAGE 206-207

Yellow Polypropylene Rope

- 1/2" x 50' yellow poly rope
- Easy and simple use kit
- Twisted polypropylene construction for added strength and durability
- 358 pounds load limit
- Coil design provides quick access to rope while keeping it neatly organized and untangled



Yellow Polypropylene Rope

- 3/8" x 50', Twisted, Peg Pak
- Economy tie-down rope, 100% virgin twisted poly
- Twice as strong as manila, resistant to rot, mildew, marine growth and petroleum products



Part#	List Price	Wholesale
15027		Please Login

Part#	List Price	Wholesale
16361		Please Login

NEW!



NEW!



Nite Ize S-Biner Slidlock

- Organize, connect, carry, and keep your valuables extra secure
- Will stay firmly locked until you choose to unlock it, allowing for simple and secure linking, attaching, and carrying
- Size: 1.2" x 2.7" x 0.4" (25 lb. rating)
Size: 1.6" x 3.6" x 0.4" (75 lb. rating)
- High quality stainless steel construction
- Features two simple, innovative plastic sliders that, when slid into correct placement, keep the gates securely closed
- Each gate can be independently locked
- Carded

NITE IZE S-Biner SlideLock Gravity Bin Display

- Includes 24 S-Biner SlideLocks
- 5.56"W x 10.87"H x 4.00"D

Part#	List Price	Wholesale
GB-LSBA3-A1		Please Login

Part#	Color	Rating	List Price	Wholesale
LSB3-01-R6	Black	25 lbs.		Please Login
LSB3-11-R6	Stainless	25 lbs.		Please Login
LSB4-01-R3	Black	75 lbs.		Please Login
LSB4-11-R3	Stainless	75 lbs.		Please Login

Universal Coupler Lock in Steel

- Designed to fit 1-7/8", 2", and 2-5/16" couplers
- Prevents theft and keeps your trailer secure
- Yellow color offers high visibility to deter break-ins
- Ratchet design features 11 locking positions for versatility



Part#	List Price	Wholesale
72783		Please Login



Heavy-duty CargoBar™

- Retracts to 48"
- Adjusts continuously to a maximum extension of 108"
- Greater holding power than conventional loadlocks
- Harder to bend and damage

Part#	List Price	Wholesale
CC5010		Please Login

Master Lock® Steel Pin Tumbler Padlock, 4 Pin

- Hardened steel shackle
- 4-pin cylinder helps prevent picking
- Dual locking levers
- 1-9/16" wide body, 2" shackle



Part#	Description	List Price	Wholesale
3DLH	2" Shackle		Please Login
1SSKADLF	1-1/2" Shackle		Please Login
1SSTLF	1-1/2" Shackle, 2-pack		Please Login



TWIST TIES



Gear Tie Reusable Rubber Twist Ties

Gear Tie Reusable Rubber Twist Ties have a tough rubber shell that provides excellent grip and a strong wire inside that holds its shape. (3", 6", 12", 18", 24" or 32")


- Waterproof, UV resistant
- Tough rubber shell provides excellent grip
- Use indoors and outdoors in any weather.
- Won't scratch or mark
- Twist it, tie it, reuse it

Part#	Length	Color	Qty.	List Price	Wholesale
GT3-4PK-A1	3"	Assort.	4 pk.		Please Login
GT3-4PK-01	3"	Black	4 pk.		Please Login
GT6-2PK-31	6"	Orange	2 pk.		Please Login
GT6-2PK-01	6"	Black	2 pk.		Please Login
GT12-2PK-38	12"	Blue	2 pk.		Please Login
GT12-2PK-31	12"	Orange	2 pk.		Please Login
GT18-2PK-31	18"	Orange	2 pk.		Please Login
GT18-2PK-01	18"	Black	2 pk.		Please Login
GT18-2PK-38	18"	Blue	2 pk.		Please Login
GT32-2PK-31	32"	Orange	2 pk.		Please Login
GT32-2PK-01	32"	Black	2 pk.		Please Login
GLL24-33-2R6	24"	Neon Yellow Loopable	2 pk.		Please Login



The Gear Tie Loopable Twist Tie features a strong wire inside that holds its shape and an integrated loop on one end, it allows you to cinch, twist, store, and hang nearly anything for convenient storage and access.

Standard Nylon Cable Ties (clear)



Sold by the bag.

Part#	Qty Per Bag	Tensile Strength	Overall Length	List Price	Wholesale
33NCT4	100	18 lbs.	4"		Please Login
CV2005	100	40 lbs.	7"		Please Login
CV292	100	50 lbs.	11"		Please Login
CV432	100	50 lbs.	14"		Please Login
36-175	50	50 lbs.	36"		Please Login

Service Tags for Electrical Equipment

- Enhances your image and gives your customer confidence
- Provides liability protection
- Meets insurance company requirements
- **Ties sold separately**

Durable, water resistant tags demonstrate that equipment has been serviced and is ready for rental. The tags are filled out and attached to the equipment as it is returned from rental. At the next rental transaction the lower portion of tag is removed and retained by the rental dealer. Size: 2-1/8" wide, 4-1/4" tall and 1000 per box.



Front-143



Front-141

Part#	Description	List Price	Wholesale
143	Electrical Equipment		Please Login
141	General Purpose		Please Login
159	Ties for tags (1,000)		Please Login

Ties sold separately





ACCUSHARP

AccuSharp® Knife Sharpener

- No more messy oils or stones
- Sharpens in as little as 10 seconds
- Large ergonomic handle fits either hand
- Full length finger guard protects your fingers
- Won't rust and can be cleaned with soap and water
- Diamond Honed Tungsten Carbide sharpening blades
- Out performs ALL import knife sharpening
- Heavy-duty industrial design



Part#	Description	List Price	Wholesale
KS001	White		Please Login
CO05C	Camouflage		Please Login

NEW!



Victorinox Classic Red Army Knife

- Tools include knife blade, scissors, nail file with screwdriver tip, toothpick, and tweezers
- Contains six stainless-steel tools
- Measures just 2-1/4 inches long
- Includes key ring

Part#	List Price	Wholesale
56011		Please Login



ACCUSHARP

AugerSharp Sharpener

- Diamond honed tungsten carbide blade
- Bright orange finger guard makes it easy to find on the ice too
- Can be cleaned with soap and water or washed in a dishwasher
- Made in the USA



Part#	List Price	Wholesale
AS007		Please Login



ACCUSHARP

AccuSharp Sport Blue Knife

- Constructed of anodized aluminum and stainless steel
- Patent pending wheel lock with allows for one hand operation
- Will not rust
- Lifetime warranty
- Glass breaker feature
- Belt clip



Part#	List Price	Wholesale
SK701		Please Login



ACCUSHARP

AccuSharp Sport Camouflage Knife

- Constructed of anodized aluminum and stainless steel
- Patent pending wheel lock with allows for one hand operation
- Will not rust
- Lifetime warranty
- Glass breaker feature
- Belt clip



Part#	List Price	Wholesale
SK704		Please Login



- Makes loads feel like 1/3 of actual weight
- No straining your back or gouging your hands
- Adjustable up to 48"
- Weight Cap.:600 lbs./Pair -(Tested at 2,720 lbs.)
- Felt for comfort in any adjusted length



#L74995D
Countertop display contains 6 units.



#FLOOR-POP
Floor display contains 15 units.

Part#	Description	List Price	Wholesale
42895	Forearm Forklift		Please Login
EXT	Extension strap		Please Login
L74995D	Countertop display kit		Please Login
Floor-POP	Floor display kit		Please Login



Moving Harness

- Rated for items weighing up to 800 lbs.
- Encourages proper lifting techniques
- Strap system that employs leverage which makes the items being carried seem MUCH lighter
- Saves floors from scratches, dents, scuffs and scrapes that dollies and hand trucks leave behind
- Includes: 2 harnesses & 2 adjustable center straps

Part#	List Price	Wholesale
FFMHVP		Please Login



Truck Door Pull Down Strap

- Super-strength webbing
- Super-strong strap provides safety when pulling down truck doors
- Length and pre set handles allow for reach w/out climbing up your truck's back end
- Handles provide leverage to easily pull down even stubborn doors



Part#	List Price	Wholesale
FFTDPS		Please Login

*Special Price
Limited
Quantities*



Box Strap

- Allows different size boxes and other items to be carried together efficiently
- Use for carrying up to 40 lbs.
- Use for bundling and securing boxes
- 3" wide strap, the widest box strap around



Part#	List Price	Wholesale
FFBS		Please Login

Moving Blanket

- 72" x 80" - 4 lbs.
- Premium, two color
- Woven construction on the orange side for HEAVY-DUTY use
- Gentle, non-woven on the black side, better for shielding delicate items
- Use to protect floors from falling or stepped on tools, materials, and fixtures



Part#	List Price	Wholesale
FFMB		Please Login



Red/Silver 2" x 10' High Visibility Reflective Safety Tape

- For automotive, recreational vehicles, trailers, farm machinery, marine, sign marking, general household and work place uses, mail boxes, post markers or door markers
- Minimum of 700 candle power brightness
- Alternating 6" red and 6" silver segments
- Withstands brushing, dirt, grime, and high-pressure steam sprayers



Part#	List Price	Wholesale
RE2110		Please Login



Caution & Danger Tape

HARRIS
INDUSTRIES, INC.



Part#	Description	Mil.	Ctn. Qty.	List Price	Wholesale
CT300	3" x 300' roll - Caution	2.0	24		Please Login
CT1000	3" x 1000' roll - Caution	1.5	8		Please Login
DT1000	3" x 1000' roll - Danger	2.0	8		Please Login



631

490A

208

631-KIT



French Creek Full Body Harness

- Lightweight and comfortable
- High-strength, high-visibility nylon webbing
- Dee ring centered in the back for attaching lanyards

Part#	Description	List Price	Wholesale
631	Harness		Please Login
490A	Shock absorbing lanyard		Please Login
208	Nylon carrying bag		Please Login
631-KIT	Harness, bag & lanyard		Please Login



Caution Tape Dispenser

- Serrated plastic edge for clean tearing
- Holds Caution & Danger tape shown above



Part#	List Price	Wholesale
CTD		Please Login

Tear-Off Red Danger Flags

- 12" x 12" plastic flags
- Easily attaches to items protruding from vehicles



Part#	List Price	Wholesale	
		1 Bag of 100	15 Bags of 100
14667		Please Login	

Back Support

- Lightweight, cool, washable nylon
- Contoured support
- Allows for full range of body motion
- 6 per carton



Part#	Size	List Price	Wholesale
7162	M-32"-38"		Please Login
7163	L-38"-47"		Please Login
7164	XL-46"-56"		Please Login



Contractor Grade Non-Skid Tape

- Rugged adhesive-backed tapes easily install indoors or outdoors
- Adheres to almost every clean, dry, and oil-free surface
- Ideal for heavy-duty industrial traffic

Part#	Description	Ctn. Qty.	List Price	Wholesale
AS2	2" x 60' roll	6		Please Login
AS4	4" x 60' roll	3		Please Login
AS6	6" x 60' roll	2		Please Login

Rounded Cap Knee Pads

- Rounded cap allows for swiveling & pivoting
- Durable cordura fabric
- 1/2" neoprene padding
- Woven elastic adjustable straps
- Adjustable buckle easily fastens



Part#	List Price	Wholesale
EKP		Please Login

**Includes
Tripod &
Measuring Rod**

CST/berger



Automatic Optical Level Kit

- Water-resistant for outdoor use
- 1:100 stadia for distance estimation
- Magnetically dampened, wire-hung compensator
- Compensator lock protects level during transport
- Right angle prism for easy bubble viewing
- Top-mounted optical peep-sight for quick reference
- Large effective aperture and minimum focus of 1 foot (0.3m)

Part#	List Price	Wholesale
55-SLVP24ND		Please Login



Construction Laser Level

- Automatic self-leveling increases productivity with fast setups and minimal training
- Durable construction can withstand tough jobsites
- Split beam enables plumb point transfer and 90° layout
- Remote control offers scanning, speed control, slope setting, and alignment control for fast one person setups

Part#	List Price	Wholesale
HV101-4		Please Login



Laser Level LL100

- Complete leveling crew in a case - laser, tripod, receiver and clamp, choice of grade rod, alkaline batteries in a carrying case
- Automatic electronic self-leveling
- Simple one-button operation for quick start up
- Unit stops rotating when jarred
- Job site durable and tough - withstands a 3' drop on concrete or a 5' tip over without breakage

Part#	List Price	Wholesale
LL100N-2		Please Login



**Includes
Tripod &
Measuring Rod**

CST/berger

**Includes
Everything
Shown**



Horizontal/Vertical, Interior/Exterior Rotary Laser Complete Kit

- Both horizontal and vertical beams are self leveling
- Glass enclosed top housing
- Full selection of beam visibility
- More runtime-up to 85 hours of runtime
- Battery level gauge

Part#	List Price	Wholesale
RL25HVCK		Please Login

#1 In The World



Laser Level LL300

- Rugged design
- Built to withstand drops up to 3' directly onto concrete
- Fully automatic self-leveling capability
- Single cross-axis manual slope mode with cross-axis self-leveling allows grade matching for basic slope work, while maintaining accuracy in the cross-slope

Part#	Description	List Price	Wholesale
LL300N-2	Laser w/kit		Please Login



**Includes
Tripod & Measuring Rod**

Compact Laser Measurer 50 ft. Range

- Simple one-button operation - press button once to begin measuring in continuous mode, press button again to hold measurement
- Continuous measurement mode - walk off measurements from the wall and other surfaces
- Precise laser measure technology - accuracy to 1/8"
- Compact size and shape - easily portable and will rest on any flat surface



Part#	List Price	Wholesale
GLM15		Please Login



BOSCH

30 ft. Pocket Laser Distance Measurer

- 30' range
- Measures 2.5" L x 1.25" W x 0.75" H
- Over-molded case
- Built-in battery pack
- Battery fuel gauge (in the display)
- Charges via USB charging cable (included)



Part#	List Price	Wholesale
DW030PL		Please Login



165 ft. Laser Measure with Bluetooth

- Backlit color display
- Bluetooth functionality
- Extremely precise with accuracy of 1/16"
- Overall range is 165'.
- 3 indirect measurement modes are offered along with a built-in inclinometer
- Default real-time measurement shows distances move in relation to the target



Part#	List Price	Wholesale
GLM50C		Please Login

DON'T FORGET!

....to look through our **Bargain Buys** section on page 206-207. Great buys on.....

STOOLS **FLOOR CARE** **FANS** **MISC** **VACUUMS** **SANITATION** **SAFETY**



Aluminum Tripod

- Sturdy and lightweight
- Telescopic legs to setup at various heights
- 5/8 x 11 threaded post accommodates standard instruments and lasers
- Heavy-duty poly-webbing shoulder strap

Part#	List Price	Wholesale
Q104025		Please Login



Construction Tripod

- Lightweight and durable aluminum hinge, clamp and shoe castings
- Hinges are attached with screws, not rivets
- Adjusts from 3'6" to 6'1"
- 5/8" - 11" threaded device

Part#	List Price	Wholesale
2161		Please Login

MEASURING TOOLS

Long Tape

- 300' fiberglass tape
- Reel features a 3:1 gear ratio
- Waterproof, dirt-resistant and washable for increased useful life
- Tape blade is a highly visible yellow
- Double-sided



CST/berger

Part#	Length	List Price	Wholesale
74-Y3008	300'		Please Login

**Superfast
3 x 1 Rewind**

Open Reel Long Tape

- Metal, planetary gearing for super-fast rewind & no more stripped gears!
- High-visibility, double riveted housing
- Tough, double nylon-coated steel
- Double coated PVC fiberglass blades with blade shield
- Metal reinforced crank handle for increased strength



OTRS = Fiberglass NRS = Nylon Steel

Part#	Length	Unit of Measure	List Price	Wholesale
NRS18100	100'	Ft., In., 1/8		Please Login
OTRS18100	100'	Ft., In., 1/8		Please Login
NRS18200	200'	Ft., In., 1/8		Please Login
OTRS18200	200'	Ft., In., 1/8		Please Login
NRS18300	300'	Ft., In., 1/8		Please Login
OTRS18300	300'	Ft., In., 1/8		Please Login

*Engineer's & Metric also available. Please call for details.

**Superfast
3 x 1 Rewind**

Closed Reel Long Tape

- Nylon coated blade for superior durability and rust resistance
- High-impact resistant case with rubber grip



Part#	Length	Unit of Measure	List Price	Wholesale
ST18503X	50'	Ft., In., 1/8		Please Login
ST181003X	100'	Ft., In., 1/8		Please Login

*Engineer's & Metric also available. Please call for details.

Short Tape Measures

- Nylon Coated Steel Blade
- Easy-to-Read Graduations
- True Zero Hook
- Positive Locking Button
- Bumper Cushion
- Heavy-Duty End Hook
- Belt Clip
- 3 Rivet Hook



Part#	Description	List Price	Wholesale
PGPRO1825V	25' - High Vis		Please Login
PGPRO1830	30'		Please Login
PGPRO1835V	35' - High Vis		Please Login



Best Buy!

Contractor Grade Measuring Wheels

- 5-digit magnified counter subtracts in reverse
- RR318N features a 3-pc. collapsible handle with cam-locks and pistol grip handle
- RR112 telescopes from 17" up to 38" without bending
- RR182 offers dual wheel for greater stability

Part#	Wheel	Unit of Measure	List Price	Wholesale
RR112	1 ft.	Ft. & In.		Please Login
RR182	1 Ft. Dual	Ft. & In.		Please Login
RR318N	3 Ft.	Ft. & In.		Please Login

*Engineer's & Metric also available. Please call for details.

Professional Measuring Wheel

- Center aligned design for better wheel balance
- Handle brake and reset for ease of use
- Enhanced pistol grip handle increases control

Handle Reset!

Part#	Wheel	Unit of Measure	List Price	Wholesale
RR112	3 ft.	Ft. & In.		Please Login

*Engineer's & Metric also available. Please call for details.



Metal Professional Measuring Wheel

- Rugged 3/4" tubing—Tough enough to handle any terrain
- Innovative, center aligned design for better wheel balance
- Huge numbers make for easy reading
- 5-digit counter reads up to 99,999

Part#	Wheel	Unit of Measure	List Price	Wholesale
MP401	4 ft.	Ft.		Please Login

*Engineer's & Metric also available. Please call for details.



Little Giant 100' Chalk Line Reel

- Holds almost 1 lb. of chalk
- One-piece steel crank for extra long life

Part#	List Price	Wholesale
G100		Please Login



Giant Chalk Line Reel

- Holds 24 oz. of chalk for less refills
- Easy fill opening with no-leak stopper
- 1-piece steel crank for extra-long life

Part#	Description	List Price	Wholesale
G130	130' - holds 24oz. chalk		Please Login
G150	150' - holds 24oz. chalk		Please Login



Lumber Crayons

- Smear, water, and fade resistant
- Outlast wax or chalk crayons
- Sold by box of 12



Lumber Crayon Holder

- Advance crayon to any designed length then retract to prevent breakage
- Aluminum barrel includes a leather strap
- Sold individually



Part#	Color	List Price	Wholesale
16100R	Red		Please Login
16100Y	Yellow		Please Login
PS100	Holder		Please Login

Quick Fill Chalk Line Reels

- Metal case for rugged use
- 100' line
- Locking action with hook ring doubles as a plumb bob

Part#	List Price	Wholesale
K1		Please Login



Carpenter Pencils

- 5/8" x 7" long
- #3 lead assures more durability
- Sold by box of 72

Part#	Box Qty	List Price	Wholesale
LP72	72		Please Login



Marking Chalk Refill

- 5 lb. container
- Ultrafine

Part#	Color	List Price	Wholesale
105B	Blue		Please Login
105R	Red		Please Login



Surveyors/ Flagger Tape

- Priced individually
- Sleeves contain 12

Part#	Color	Size	List Price	Wholesale
SP771-R	Day Glo Red	1-3/16" x 150'		Please Login
SP771-P	Day Glo Pink	1-3/16" x 150'		Please Login
SP771-O	Day Glo Orange	1-3/16" x 150'		Please Login
SP771-LG	Day Glo Green	1-3/16" x 150'		Please Login
SP771-B	Blue	1-3/16" x 300'		Please Login
SP771-W	White	1-3/16" x 300'		Please Login
SP771-Y	Yellow	1" x 300'		Please Login
SP771-G	Green	1" x 300'		Please Login



Plastic Marking Flags

These bright plastic marking flags are hard to miss. The stake is a 21" wire with a 4" x 5" flag. **Sold in bundles of 100.**

Part#	Color	List Price	Wholesale
900-OG	Orange		Please Login
900-PG	Pink		Please Login
900-LG	Lime Green		Please Login
900-BL	Blue		Please Login
900-WT	White		Please Login
900-RD	Red		Please Login
900-YL	Yellow		Please Login
900-G	Green		Please Login





Paint Striper

800P Vers-A-Striper (pavement)

- Stripe widths from 2" to 4"
- Heavy-duty metal construction
- Holds 1 case of paint
- Paint radius curves with ease
- Curb and edge attachment included

Part#	List Price	Wholesale
800P		Please Login



Athletic Paint Striper

801P Vers-A-Striper (turf and dirt)

- Stripe widths from 2" to 4"
- Larger 10" diameter wheels
- Metal construction - heavy-duty
- Holds 1 case of paint (12 per case)

Part#	List Price	Wholesale
801P		Please Login



Stencil Kit

- Easy to apply
- Professional results
- Reusable - made of heavy glossy cardboard
- Includes seventeen 22.5" x 36" stencils
- Full alphabet, numbers and 13 of the most often used set-ups (Handicap, Exit, No Parking)

Part#	List Price	Wholesale
797P		Please Login



Marking Stick

- 32" overall length
- Wheel has a rubber over mold to reduce vibration
- Flag holder
- Flag insert spike



Spot Marker

- 14" overall length
- Convenient trigger actuator
- Single-hand operation

Part#	Description	List Price	Wholesale
244P	Spot Marker		Please Login
245P	Marking Stick		Please Login

Solvent-Based Striping Paint

- Perfect for concrete and asphalt
- Fast drying, one coat coverage
- 18 oz. cans - net weight
- Sold individually

Part#	Description	List Price	Wholesale
710P	White		Please Login
720P	Yellow		Please Login
740P	Orange		Please Login
750P	Blue		Please Login
770P	Asphalt Black		Please Login



Water-Based Athletic Striping Paint

- Will not burn grass
- Fast drying, long lasting, one coat coverage
- 18 oz. cans - net weight
- Sold individually

Part#	Description	List Price	Wholesale
790P	White		Please Login

Will cover 800 linear ft. with a 4-inch stripe!

Survey Marking Paint

- Upside-down marking paint
- Lasting mark of up to six months
- Non-freezing formula, operational to 14°F
- 17 oz. cans - net weight
- Sold individually

Part#	Description	List Price	Wholesale
203P	Blue		Please Login
205P	Orange		Please Login
207P	White		Please Login
222P	Fl. Orange		Please Login
226P	Fl. Yellow		Please Login
229P	Fl. Pink		Please Login
281P	H.D. Red		Please Login

*12 cans per case

H.D.= (High Delivery) 30% greater than other colors



All Purpose Marking Paint

- Upside-down marking paint
- Lasting mark of up to two months
- 15 oz. cans - net weight
- Sold individually

Part#	Description	List Price	Wholesale
1381P	Red		Please Login
1382P	Yellow		Please Login
1383P	Blue		Please Login
1384P	Green		Please Login
1385P	Orange		Please Login
1387P	White		Please Login
1392P	Fl. Orange		Please Login
1393P	Fl. Yellow		Please Login
1399P	Fl. Pink		Please Login

*12 cans per case



Mr. Heater

Hunting Buddy Heater



- 6,000 and 12,000 BTU/hour
- Camo faceplate
- Quiet electronic ignition
- Fold-down handle
- Accidental tip-over safety shut-off
- Storage space
- Propane cylinders sold separately
- CSA certified

Part#	List Price	Wholesale
MH12HB		Please Login



ACCU SHARP

AccuSharp Camouflage Knife Sharpener



- Diamond honed tungsten carbide blades
- Large, ergonomic handle
- Full length finger guard
- Will not rust
- Great for the toolbox or tackle box
- Made in the USA
- Free POP display w/purchase of 12

Part#	List Price	Wholesale
C005C		Please Login



ACCU SHARP



AccuSharp Camouflage Sport Knife

- Constructed of anodized aluminum and stainless steel
- Will not rust
- Lifetime warranty
- Glass breaker feature
- Belt clip

Part#	List Price	Wholesale
SK704		Please Login



Khor Camo Kit W/Lens

- Includes smoke, yellow and anti-reflective interchangeable lenses, hard carrying case, a soft micro-fiber lens cleaning bag
- Camo frames wraparound design
- Provide 99.9% protection from UVA, UVB and UVC Rays
- ANSI Z87.1+ 2010 Compliant

Part#	Frame	List Price	Wholesale
TSDK21CK	Forest Camo		Please Login
TSDK21DC	Digital Camo		Please Login



Nemesis Series

- Sleek, sporty style
- Soft-touch temples
- Single lens wrap-around protection
- 99.9% UV protection
- Free neck cord included
- Meets ANSI Z87.1+
- Meets all impact resistance standards

JACKSON

Part#	Frame	Lens	List Price	Wholesale
19644	Camo	Copper		Please Login
22608	Camo	Clear AF		Please Login
22610	Camo	Amber		Please Login
22609	Camo	Smoke AF		Please Login



Rad-Apocalypse Camo Series

- Soft rubber temples
- Neck cord included
- Coated protective lens
- Protective lens provide 99.9% UVA/UVB protection
- Meet ANSI Z87.1+ standards

RADIANS

Part#	Lens Color	List Price	Wholesale
AP4-B1	Bronze Anti-Fog		Please Login

Portable Tower Lights

No more lost parts and complicated assembly! Portable, inflatable, lightweight, low maintenance temporary lighting that can be used in a wide variety of indoor and outdoor lighting applications in both large and confined spaces. Designed to operate in windy conditions.



- Includes tie down kit
- Metal Halide long-life, high output lamps
- Ideal for construction, security, party, sporting events, accident investigation, disaster relief, search/rescue



TL750

- 15 ampere, 115 VAC, 60 HZ
- Height, Inflated: 7.5 feet
- Max. Output: 62,000 Lumens
- External anchoring kit
- Washable, abrasion resistant tower material

Part#	List Price	Wholesale
TL750		Please Login



TL1000

- 15 ampere, 115 VAC, 60 HZ
- Height, Inflated: 10 feet
- Max. Output: 62,000 Lumens
- External anchoring kit
- Washable, abrasion resistant tower material

Part#	List Price	Wholesale
TL1000		Please Login



TL1400

- 15 ampere, 115 VAC, 60 HZ
- Height, Inflated: 10 feet
- Max. Output: 105,000 Lumens
- External anchoring kit
- Washable, abrasion resistant tower material

Part#	List Price	Wholesale
TL1400		Please Login

Wobblelight® Worklights

BRIGHT, DURABLE AND VIRTUALLY INDUSTRUCTABLE WOBBLELIGHT® is a self righting, highly durable work light that takes a severe beating with no bulb breakage. Operates on 120 volts.



WL400MH



Wobblelight®

- 36" tall
- Lexan PC dome
- Carrying handle
- Floating shock system
- Internal ventilation system
- Power outlet and inlet
- Counter-weighted
- 12 amp circuit breaker

Part#	Description	List Price	Wholesale
WL85F	Wobblelight Jr. - 85 Watts		Please Login
WL400MH	Wobblelight - 400 Watts		Please Login
111908	Bulb for WL85F		Please Login
111901	Bulb for WL175MH		Please Login
111903	Bulb for WL400MH		Please Login

Wobblelight® Jr.

- 27" tall
- Lexan PC dome
- Carrying handle
- Floating shock system
- Integrated 5' power cord
- Low heat output
- Counter-weighted

CENTURY
WIRE AND CABLE

ProGlo™

NEW!

Portable LED Worklight

- 5000 Lumens of light, 50 watts
- Housing and glass cool to touch
- Over 50,000 hours of bulb life
- Shock and vibration resistant
- 150 sq.ft. lighting area
- 5' 18/3 SJWT power cord

Part#	List Price	Wholesale
PT523050GN		Please Login



Halogen Light

- Non-slip grip handle
- 5' All Weather 18/3 SJWT cord with polarized plug
- Spare bulb (included)
- Tempered Glass Lens
- Weatherproof on/off switch
- 30% larger housing for durability and wider base with foam pads for stability

FREE Spare Bulb!



Part#	Description	List Price	Wholesale
SL1003	500 Watt Light		Please Login
34500	500 watt bulb (pk. 2)		Please Login

BAYCO

Halogen Worklight

- 3 light levels: 250/500/750
- Spare 500W bulb
- 10 ft 16/3 SJWT
- Two control switches

Part#	List Price	Wholesale
PZ-1042		Please Login



Portable LED Dual Head Worklight

- Dual lamp
- 6600 Lumens of light, 60 watts
- Low power consumption
- more than 50,000 hours of bulb life
- Housing remains "cool to the touch"
- Shock and vibration resistant
- 200 sq.ft. lighting area
- 8' 18/3 SJWT power cord

Part#	List Price	Wholesale
PT523230		Please Login




BAYCO

Halogen 1000W Convertible Light Tower

- Two 500 Watt Halogen Fixtures mounted to a removable light rack for portable lighting
- 8' Telescoping Tripod
- Spare bulb (included)
- 6' All Weather 18/3 SJWT cord with polarized plug
- Tempered Glass Lens with safety grill
- Extra bulbs sold in packages of 2

Part#	Description	List Price	Wholesale
SL1006	1000 Watt Light		Please Login
34500	500 watt bulb (pk. 2)		Please Login

FREE Spare Bulb!



BAYCO

Halogen 1500W Heavy-Duty Light Tower

- Approx. 8' telescoping tripod
- Two 250W & two 500W Halogen Bulbs with spare bulb in protective bulb holder
- Removable light rack
- Dual Switches Provide 6 Light Levels -
- Tempered Glass Lens w/Metal Safety Grill
- Durable Powder Coat Finish

Part#	Description	List Price	Wholesale
SL1082	1500 Watt Light		Please Login
34500	500 watt bulb (pk. 2)		Please Login
SL225PDQ	250 watt bulb (pk. 2)		Please Login

FREE Spare Bulb!





Outdoor Weatherproof Lights

- 10 sockets (3 feet apart)
- Outdoor - weatherproof
- Includes 15 bulbs (5 extra)
- Heavy-duty 16/3 SJTW cord
- Connect up to 13 string light sets
- Perfect lighting for gazebos, patios, pergolas & restaurants

Part#	List Price	Wholesale
72041		Please Login



LED Color Changing Cafe Lights

- Commercial grade for year-round, permanent installations
- White cord
- Durable, impact resistant acrylic bulbs
- Perfect for patios, pergolas, gazebos, parties, and camping
- 16 colors to create over 120 possible color combinations
- Includes remote to select color
- UL-153 listed



Part #	Length	List Price	Wholesale
39511	24'		Please Login
39092	48'		Please Login



Focusing LED Flashlight

- 166 lumen output
- 7 hour runtime
- Rear power switch
- Includes 3 AAA-cell batteries
- 143 m (469 ft.) beam distance
- Impact and water resistant

Part#	List Price	Wholesale
TT8607CP		Please Login



Industrial 2D Flashlight

- 10 lumens
- Beam distance of 43 meters
- Battery run time: 20 hours
- Tough polypropylene body
- Protected slide switch
- Impact resistant to 7 feet
- Lifetime warranty

Part#	List Price	Wholesale
WHH2D-A		Please Login



Brilliant Solutions LED Flashlights

- (1) 2D Flashlight: 5 LEDs - 27 Lumens
- (2) 2AA Flashlights: 3 LEDs - 18 Lumens
- 3 ft. Drop Test
- LEDs Last 50,000 hours
- Durable rubberized construction
- Lifetime warranty
- Batteries (included)

Part#	List Price	Wholesale
BER2AA2D-B3A		Please Login



Virtually Indestructible LED 3AAA Headlight

- Super Bright LED Emitter
- 100 Lumen Output
- 30 ft. Impact Resistance
- IP67 Water Resistant
- Runs On 3 x AAA Batteries (Included)

Part#	List Price	Wholesale
DIYHL3AAA-BXTB		Please Login



Virtually Indestructible LED 3AAA Flashlight

- Super Bright LED Emitter
- 300 Lumen Output
- IP67 Water Resistant
- Drop Tested up to 30 ft.
- Rubber bezel
- Anodized Aluminum Construction
- Runs On 3 x AAA Batteries (Included)

Part#	List Price	Wholesale
DIY3AAA-BXTB		Please Login



Virtually Indestructible LED 6AA Flashlight

- 600 Lumens (High)
- 2 Modes High and Energy Saver
- Run Time 4 hr. (High)
- Beam Distance 265 M (High)
- IP67 Water Resistant
- Lifetime Warranty
- Includes 6 AA batteries
- Drop Tested up to 30 ft.

Part#	List Price	Wholesale
DIY6AA-BXTB		Please Login



Virtually Indestructible LED Spotlight

- Three light modes: High, Medium, and Low
- Shatterproof lens and internal reflector
- Includes batteries and a wrist strap
- Runs On 6 x AA Batteries (Included)
- Beam Distance 440 M (High)
- Brightness Outputs:
 - High 750 Lumens - 8 Hours - 440 Meters
 - Low 80 Lumens - 40 Hours - 164 Meters
- IP67 Water Resistant
- 15 ft. Impact Resistance

Part#	List Price	Wholesale
DIYSP6AA-BXB		Please Login



Maglite LED XL50 3Cell AAA Flashlights

- 50 - 200 Lumens
- Powerful projecting LED beam
- Push-button tail cap switch with 3 simple selectable modes
- Battery life on low is 36 hours
- Compact, pocket size design
- Spot-to-flood adjustable LED beam
- Durable, machined aluminum case
- Anodized for corrosion resistance and durability

Part#	Color	List Price	Wholesale
XL50-S3016	Black		Please Login



Maglite Mag 2D LED Flashlights

- 168 Lumens
- Powerful projecting beam that focuses simply by rotating the head
- Balanced Optics, combining a highly refined reflector with a quality LED, for a brilliant adjustable beam
- Intelligent Energy Source Management balancing high brightness with extended battery life

Part#	Color	List Price	Wholesale
ST2D016	Black		Please Login



NEW!



Extendable Magnetic Flashlight

- LED 3-mode light function: high, low, strobe
- Powerful magnet at each end
- Uses one 'AA' battery
- Extra heavy duty telescope for exact positioning
- Unique 2-pocket belt hoster for easy access
- Ideal for your industry: HVAC, plumbing, electrical, welding, auto and truck repair

Part#	Description	List Price	Wholesale
EMF-3	Light		Please Login



Extendable Magnetic Flashlight

- Inspection mirror that rotates 360°!
- Powerful magnet on grip
- Handy pocket clip
- Telescopes from 6.5" to 21"
- Flexible shaft for hard-to-reach places
- Magnet at light is for powerful retrieval
- 3 Super-Bright LED's



Part#	Description	List Price	Wholesale
EMF-2	Light		Please Login
FB-1	Extra long life battery-4 pack		Please Login



NEW!

Wind 'N Go Portable Lantern

- AM/FM radio
- 120 decibel siren
- Night light
- 15 red and white emergency flashing beacon
- Cell phone charger for a Nokia cell phone (Adapters available for other model phones)
- High frequency, ultrasonic mosquito repeller
- DC charger included
- MP3 connector cord included

Part#	List Price	Wholesale
07810		Please Login

Wind 'N Go Britelight

Never requires batteries!

- FM scan radio
- High-decibel siren
- Cell phone charger (Nokia adapter included)
- Belt holster & wrist strap
- May also be charged using an AC adapter (not included)

NEW!



Part#	List Price	Wholesale
07200		Please Login



Work Light w/Spot Work Light & Tool Tap on 40' Metal Reel

- Heavy-duty metal retractable reel
- Polarized plug w/10amp grounded receptacle
- Durable push On/Off switch
- Mounting brackets included



13 watts

Part#	List Price	Wholesale
SL825		Please Login



Ray-O-Vac Alkaline Batteries-sold by pkg. only

Part#	Description	Case Qty.	List Price	Wholesale
ALC-6J	Size C, 6 pack	12		Please Login
ALD-6J	Size D, 6 pack	12		Please Login
ALAA-8J	Size AA, 8 pack	12		Please Login
ALAAA-8J	Size AAA, 8 pack	12		Please Login
AL9V-6J	Size 9 volt, 6 pack	12		Please Login

Lantern and Barricade Batteries

Part#	Description	List Price	Wholesale
944	6-volt spring terminals		Please Login



Pre-Charged Rechargeable Batteries

- Batteries are ready to use out of pack
- Hold their charge 3X longer than standard NiMH rechargeables when not in use
- Can be charged and reused 500 times
- Work in all NiMH chargers

Part#	Description	List Price	Wholesale
LD715-40P	AA 4pack		Please Login
LD724-40P	AAA 4pack		Please Login



Engineer's Raincoat

- Extra long with detachable hood to keep you dry
- Heavy weight .35 mil PVC, polyester backing and corduroy collar
- Non-conductive
- 24 per carton
- Sold individually

Part#	Size	List Price	Wholesale
E4800	M-5XL		Please Login



#1 BEST SELLER

Premium Rugged Series Rainsuit

- 3 piece suit
- 30" jacket with detachable hood
- Heavyweight .35 mil PVC with polyester backing
- Non-conductive
- Medium through 7XL
- 12 per carton
- Sold individually



Part#	Size	List Price	Wholesale
14505-0-2	M		Please Login
14505-0-3	LG		Please Login
14505-0-4	XL		Please Login
14505-0-5	2X		Please Login
14505-0-6	3X		Please Login
14505-0-7	4X		Please Login
14505-0-8	5X		Please Login
14505-0-9	6X		Please Login
14505-0-10	7X		Please Login



Stay Clean While Working On Equipment

Polypropylene Disposable Coverall



- Lightweight polypropylene
- Full zipper front
- Elastic wrist and ankle closures
- Sold individually

Part#	Size	List Price	Wholesale
S6843	L		Please Login
S6844	XL		Please Login
S6845	3XL		Please Login

#1 BEST SELLER



Yellow Slush Boots

- 100% heavy-duty rubber
- 44 mil
- Utilize a boot two sizes larger than your work boot
- To cover "gym" shoes, one size larger should be enough
- 10 pair per carton
- Sold by the pair

Part#	Size	List Price	Wholesale
S2117	9-18		Please Login



Black 5 Buckle Boots

- Easy-on/easy-off
- 100% heavy-duty rubber
- Sizes 9-16
- 6 pair per carton
- Sold by the pair

Part#	Size	List Price	Wholesale
B2511	9-16		Please Login



12-1/2-Ton Low Profile Hydraulic Bottle Jack

- Low profile model
- Precision machined and polished cylinders provide non-abrasive, leak-free, durable performance
- Heavy-duty bases are electrically welded providing a stable platform
- Hydraulic system is protected from damage by internal by-pass mechanism
- Chrome-plated piston and ram are corrosion resistant



- Load Capacity (Tons) 12-1/2
- Piston Lift (In.) 3-3/4
- Minimum Height (In.) 6-3/4
- Maximum Height (In.) 13-3/8

Part#	Description	List Price	Wholesale
JHJ-12-12L	Low profile jack		Please Login



Hydraulic Bottle Jacks

- Precision machined and polished cylinders provide non-abrasive, leak-free, durable performance
- Heavy-duty bases are electrically welded providing a stable platform
- Hydraulic system is protected from damage by internal by-pass mechanism
- Chrome-plated piston and ram are corrosion resistant
- Industrial-duty construction permits use in extreme climates



JHJ-12-12

- Load Capacity (Tons) 12-1/2
- Piston Lift (In.) 5-7/8
- Minimum Height (In.) 9-1/2
- Maximum Height (In.) 18-1/2

JHJ-22-12

- Load Capacity (Tons) 22-1/2
- Piston Lift (In.) 6-1/4
- Minimum Height (In.) 10-5/8
- Maximum Height (In.) 16-7/8

Part#	Description	List Price	Wholesale
JHJ-12-12	12 1/2 Ton jack		Please Login
JHJ-22-12	22 1/2 Ton jack		Please Login

10-Ton Screw Jack

- Industrial design eliminates creeping when holding heavy loads
- Heavy-duty cast bell shaped base provides a stable foundation
- Corrugated pivoting head, contours to the load providing maximum surface contact
- Turning bar not included (available separately)
- Capacity (Tons) 10
- Screw Size (OD x L) 1-1/2 x 8-3/8
- Bar Hole Size (In.) 11/16
- Head Diameter (In.) 3-1/16
- Height Closed (In.) 11



20-Ton Screw Jack

- Industrial design eliminates creeping when holding heavy loads
- Heavy-duty cast bell shaped base provides a stable foundation
- Corrugated pivoting head, contours to the load providing maximum surface contact
- Turning bar not included (available separately)
- Capacity (Tons) 20
- Screw Size (OD x L) 2 x 12
- Bar Hole Size (In.) 13/16
- Head Diameter (In.) 4-1/8
- Height Closed (In.) 16



Part#	Description	List Price	Wholesale
SJ-10	Jack		Please Login
SJTB-58	Turner bar		Please Login

Part#	Description	List Price	Wholesale
SJ-20	Jack		Please Login
SJTB-34	Turner bar		Please Login



Pallet Truck With 5,000 LB Capacity

- Capacity: 5,000 pounds
- Turning Radius: 180 degrees
- 2-1/2" low profile allows for easy engagement of pallets
- Easy-to-use fingertip controls permit single handed operation
- Welded all-steel frame and powder coat finish provide maximum durability and protection
- Chrome-plated pump piston and ram provide corrosion resistance in any industrial environment
- Poly over steel 6-1/4 x 2-3/4 inch steer wheels ensure contact with uneven floors
- Steer wheels feature double sealed lubricated bearings

Part#	Description	List Price	Wholesale
PT-2748J	Jack		Please Login

Lever Hoists

- Low headroom, light weight and durable formed steel enclosure
- Weston style dual pawl brake system
- Alloy steel hooks
- Meets ASME B30, OSHA and NASA-STD-8719.9



Part#	Load Cap.	Lift	List Price	Wholesale
LC008-10	3/4 Ton	10'		Please Login
LC015-10	1-1/2 Ton	10'		Please Login
LC015-20	1-1/2 Ton	20'		Please Login
LC030-10	3 Ton	10'		Please Login

Mini Lever Hoists

- Small size allows operation and storage in tight places
- Planetary gearing is used to minimize operator's effort
- Lightweight and durable all steel construction
- Meets ASME/ANSI B30, OSHA, NASA_STD_8719.9 and EU directives: 98/37/EC



Part#	Load Cap.	Lift	List Price	Wholesale
ML003-05	1/4 Ton	5'		Please Login
ML003-10	1/4 Ton	10'		Please Login

Hand Chain Hoists

- Low headroom, light weight and durable formed steel enclosure
- Weston style dual pawl brake system
- Alloy steel hooks
- Meets ASME B30, OSHA and NASA-STD-8719.9
- Hand chain opening is formed with radius, allowing operation in lifting or pulling direction



Part#	Load Cap.	Lift	List Price	Wholesale
CB010-10-08	1 Ton	10'		Please Login
CB010-20-18	1 Ton	20'		Please Login
CB020-10-08	2 Ton	10'		Please Login
CB020-20-18	2 Ton	20'		Please Login
CB030-20-18	3 Ton	20'		Please Login

Beam Clamps

- Simple installation by hand, no tools required
- The easy way to install a fixed hoist mount or rigging point
- Compact and portable low headroom design
- Meets OSHA, ASME B30, NASA-STD-8719.9 and EU Directives: 98-37/EC



Part#	Load Cap.	Flange Range	List Price	Wholesale
BC-01	1 Ton	3.1 - 9.6"		Please Login
BC-02	2 Ton	3.1 - 9.6"		Please Login
BC-03	3 Ton	3.5 - 13.0"		Please Login
BC-05	5 Ton	3.5 - 13.0"		Please Login
BC-10	10 Ton	3.5 - 13.8"		Please Login

Web Slings

- Heavy duty polyester Web Slings
- Reinforced polyesters wear pads on the eyes
- WLL rated at 5:1
- Each sling is serialized and meets ASME B30.9 and WSTDA standards



Part#	Load Capacities (lbs.)				Length	List Price	Wholesale
	Vertical	Choker	Basket	Width			
EE290104	3200	2500	6400	1"	4'		Please Login
EE290106	3200	2500	6400	1"	6'		Please Login
EE290206	6400	5000	12800	2"	6'		Please Login
EE290208	6400	5000	12800	2"	8'		Please Login
EE290210	6400	5000	12800	2"	10'		Please Login
EE290212	6400	5000	12800	2"	12'		Please Login
EE290216	6400	5000	12800	2"	16'		Please Login
EE290220	6400	5000	12800	2"	20'		Please Login
EE290310	8800	7040	17600	3"	10'		Please Login
EE290320	8800	7040	17600	3"	20'		Please Login
EE290412	12000	9600	24000	4"	12'		Please Login
EE290420	12000	9600	24000	4"	20'		Please Login

Speedway 1-Ton Hoist

- Load capacity - 1-Ton
- Chain fall lines - 2
- 9'10" lift height 12.5" required head room
- 1/4" grade 80 steel chain fully portable for use indoors or out
- Forged 360° swivel hooks
- Mechanical load brake
- Hardened steel construction
- Great for shop or engine hoist



Part#	List Price	Wholesale
7518		Please Login

FUEL CONTAINERS



Only 5 gal. cans (shown) have the dual handle.



No-Spill® Accessories

Part#	Description	List Price	Wholesale
NS0206	6" Extension-Fits all No-Spill cans		Please Login
NS6131	Nozzle assembly (Cans prior 2010)		Please Login
NS6132	Nozzle assembly (Since 2010)		Please Login
6235	Nozzle gasket		Please Login



No-Spill® CARB Fuel Cans w/Auto Stop Nozzle

Meets **CARB** Environmental Standard

- 7/8" Funnel spout easily fills even the smallest equipment
- Wide, stable base can reduce upsets
- Semi-translucent body lets you see your fuel level
- Quart & Liter markings molded in for easy reference

Part#	Description	List Price	Wholesale
NS1415	1.25 Gal. gas (red)- CARB		Please Login
NS1018	1.25 Gal. translucent		Please Login
NS1405	2.5 Gal. gas (red)-CARB		Please Login
NS1008	2.5 Gal. translucent		Please Login
NS1450	5 Gal. gas (red)-CARB		Please Login
NS1456	5 Gal. kerosene (blue)-CARB		Please Login
NS1457	5 Gal. diesel (yellow)-CARB		Please Login
NS1058	5 Gal. translucent		Please Login

What's a "CARB" can?

CARB stands for California Air Resources Board. Some other states subsequently adopted these requirements. No-Spill meets these requirements with the following features:

1. An autostop, self venting nozzle that stops the flow of fuel when the target tank reaches full.
2. A single opening for filling & pouring. No separate vents.
3. A treated can body for very low permeation.
4. Automatic closure. Nozzle automatically springs to the closed position when not pouring.



Pour & Fill Out Of Single Hole

Type I Red Safety Cans for Flammables

- Powder coated all steel construction
- Guaranteed leakproof construction
- Self-closing lid controls vapors and spills
- Exclusive Ten-Year Warranty
- Meets OSHA and NFPA Code 30 - FM approved
- Flame arrester dissipates heat

NEW LOW PRICE

Part#	Gal.	Can Dim. Outer Dia. x H	List Price	Wholesale
7120110	2	Red 9-1/2" x 13-1/4"		Please Login
7150110	5	Red 11-1/2" x 16-7/8"		Please Login
11202Y		Funnel		Please Login



Includes Spout 2-Hole System

NEW LOW PRICE

Type II Safety Cans for Flammables

- Internal dual-density flame arrester to dissipate heat
- Leaktight, self-closing lid
- Automatic venting to guard against pressure buildup
- Every can is 100% tested to guarantee leakproof construction
- Flexible metal hose provides a grounding path

Red Type II Safety Cans*

Part#	Gal.	Hose Dim. Outer Dia. x L	Can Dim. Outer Dia. x H	List Price	Wholesale
7225120	2.5	5/8" x 9"	9-1/2" x 16"		Please Login
7250120	5	5/8" x 9"	11-1/2" x 16-7/8"		Please Login
11078		5/8" replacement spout			Please Login

Blue Type II Safety Cans*

7250320	5	5/8" x 9"	11-1/2" x 16-7/8"		Please Login
---------	---	-----------	-------------------	--	--------------

Yellow Type II Safety Cans*

7250220	5	5/8" x 9"	11-1/2" x 16-7/8"		Please Login
---------	---	-----------	-------------------	--	--------------

*Complies with OSHA & NFPA. Accepted container under CARB. FM approved; UL & ULC listed. FM approved; UL & ULC listed.



Includes Industrial Pump



Gravity Fed



Gas Caddy includes Industrial Pump

- 28 gallon capacity
- Molded-in baffle
- Chemically resistant polyethylene
- Optional siphon kit can be used to fill or evacuate tanks (2400-12)
- Molded-in fuel gauge
- 38"H x 18" W x 13"D
- 50 lbs.
- Includes ground wire
- Pump works when caddy is standing or lying down

DOT-APPROVED



Part#	Description	List Price	Wholesale
Includes Industrial Pump			
403IP	Red 28 gal Gasoline Caddy w/ Pump		Please Login
404IP	Yellow 28 gal Diesel Caddy w/ Pump		Please Login

Gravity Fed

A93-2400	Red 28 gal Gasoline Caddy w/o pump		Please Login
A93-2401	Yellow 28 gal Diesel Caddy w/o pump		Please Login
2400-03	Replacement Pump, <i>Special order only; non-stock item</i>		Please Login
2400-12	Quick disconnect kit		Please Login

A60
Battery Siphon
(2)AA batteries not included
(use with Kerosene only)



SI60
Manual Siphon
(can be used with
any fuel type)



A40

Siphon Pumps Battery Operated & Manual

Part#	Description	List Price	Wholesale
A60	Battery Siphon		Please Login
A40	Hanger of 12 Manual Pump (if you order one A40, you receive 12 pumps)		Please Login
SI60	Individual Manual Pump		Please Login



HOT 4 in 1 Heating Oil Treatment

- TOTALLY disperses water, so in effect there is no longer any "free water"
- Treats 274 gallons.

Hot Seller!

Part#	List Price	Wholesale
00161	\$13.00	\$6.75

Note: Do Not Use With Wick Heaters

Hand Pump

- Fits 15-55 gal. drums with 2" bung
- For light oils, ATF, kerosene
- Dispenses approx. one pint per stroke

Part#	List Price	Wholesale
381HP		Please Login



ABBOTT RUBBER
COMPANY, INC.



Red Jackhammer Hose

- General purpose hose for various rental, construction and industrial applications
- Limited oil resistance
- EPDM cover
- Includes universal couplings with safety clips attached
- Two Band-It smooth I.D. clamps on each end
- 3/4" I.D. x 50' cpld.
- Chicago fittings standard

**250 lbs.
Working
Pressure**

Part#	List Price	Wholesale
1025-0750R-50-CRS		Please Login

Industrial Water/ Garden Hose

- 100% rubber
- 200# P.S.I. working pressure
- Heavy duty MGHT x FGHT solid brass coupling
- Resists sunlight, abrasion, kinking and cracking
- Flexible in freezing temperatures



Part#	I.D. x Length	List Price	Wholesale
1112-0625A	5/8" x 50'		Please Login
1112-0750A	3/4" x 50'		Please Login

Whip Check Safety Cable

- Steel cable prevents the hose from whipping in case of accidental separation of the coupling
- Highly resistant to rust and corrosion
- Easy to install and remove
- No tools needed



Part#	Weight	List Price	Wholesale
UWB1	.21 lbs.		Please Login

Universal Couplings

- For pneumatic lines & spray service
- Rust-proof malleable iron



Hose End

Part#	I.D.	List Price	Wholesale
UH-050-M	1/2"		Please Login
UH-075-M	3/4"		Please Login



FNPT End

Part#	I.D.	List Price	Wholesale
UF-050-M	1/2"		Please Login
UF-075-M	3/4"		Please Login



MNPT End

Part#	I.D.	List Price	Wholesale
UM-050-M	1/2"		Please Login
UM-075-M	3/4"		Please Login



2-Lug Gaskets

- Size: 3/4"
- Bag of 50
- Use with red jackhammer hose

Part#	List Price	Wholesale
UG		Please Login

In-line Lubricator

- Protects portable or stationary air tools
- Efficiently lubricates the tool mechanism each time the air tool is operated



Part#	Size	Oil Cap.	List Price	Wholesale
UPL-400	3/4"	3.7 oz.		Please Login
UPL-400L	3/4"	11 oz.		Please Login

In-line Lubricator Kit

- In-line lubricator
- 1/2" x 10' oil resistant hose assembly
- Male universal coupling
- NPT male x bent stem swivel



Part#	Size	Oil Cap.	List Price	Wholesale
UPL-400-KIT	3/4"	3.7 oz.		Please Login
UPL-400L-KIT	3/4"	11 oz.		Please Login

*Special
Price
Limited
Quantities*

Boss Interlocking Bolt Clamp

- Attach to "Boss" interlocking clamp type couplings
- Plated malleable iron
- Serrations ensure couplings won't work loose



Part#	Hose (I.D. x O.D.)	List Price	Wholesale
HPC-075	3/4" x 1-3/16" - 1-5/16"		Please Login



Goodyear Rubber Air Hose

- Made of rubber for a long life
- 50' in length x 3/8" diameter
- Maximum capacity of 250 PSI for safety



**250 lbs.
Working
Pressure**

Part#	Size	Weight	List Price	Wholesale
12674	3/8"x50'	5.75 lbs.		Please Login



**300 lbs.
Working
Pressure**

Premium PVC Air Hose

- Use with air compressors, staplers, nailers and pneumatic tools
- Oil and abrasion resistant
- Flexible/kink resistant construction
- Coupled with 1/4" brass MNPT
- 3/8" I.D. x 50' cpld.
- Includes two bend restrictors: 1 wire and 1 PVC
- Weight 6.1 lbs.

Part#	List Price	Wholesale
1048-0375R-50-4MMGSG		Please Login



Roofing/Framing Air Hose

- Excellent oil resistance
- Use with air compressors, staplers, nailers and pneumatic tools
- UV stabilized for longer outdoor service
- Flexible in sub-zero temperatures
- Coupled with 1/4" reusable male swivel fittings



**200 lbs.
Working
Pressure**

Part#	Size	Weight	List Price	Wholesale
1042-0250-100-4MMX	1/4"x100'	4.3 lbs.		Please Login

Air Hose Quick Couplers



Coupler-3/8" FNPT

- 1/4" brass body



Part#	List Price	Wholesale
M-718		Please Login

Coupler-1/4" FNPT

- 1/4" brass body



Part#	List Price	Wholesale
M-715		Please Login

Coupler-3/8" MNPT

- 1/4" brass body



Part#	List Price	Wholesale
M-719		Please Login

Coupler-1/4" MNPT

- 1/4" brass body



Part#	List Price	Wholesale
M-716		Please Login

Plug-3/8" FNPT

- 1/4" steel body



Part#	List Price	Wholesale
M-732		Please Login

Plug-1/4" FNPT

- 1/4" steel body



Part#	List Price	Wholesale
M-728		Please Login

Plug-3/8" MNPT

- 1/4" steel body



Part#	List Price	Wholesale
M-733		Please Login

Plug-1/4" MNPT

- 1/4" steel body



Part#	List Price	Wholesale
M-727		Please Login

PVC Water Suction Hose

- Flexible, abrasion-resistant, extruded PVC
- Temp. Range: -10°F to 130°F



M & F Shank Shown



ABBOTT RUBBER COMPANY, INC.



Cpld. M & F Alum Short Shank w/Band-it Clamps

Part#	I.D. x Length	List Price	Wholesale
1240-2000-20	2" x 20'		Please Login
1240-3000-20	3" x 20'		Please Login

Cpld. Alum C & E Cam & Groove w/Band-it Clamps

Part#	I.D. x Length	List Price	Wholesale
1240-2000-20-CE	2" x 20'		Please Login
1240-3000-20-CE	3" x 20'		Please Login
1240-4000-20-CE	4" x 20'		Please Login

M & F Shank Shown



50' PVC Flat Discharge Hose

- Ideally suited for all open end water discharge
- High tensile polyester yarn reinforcement
- Light weight hose coils flat for easy storage
- *1150-2000-50 is a heavy-duty reddish brown discharge hose

Cpld. M & F Alum Short Shank w/Band-it Clamps

Part#	I.D.	List Price	Wholesale
1148-2000-50-NPSH	2"		Please Login
1148-3000-50-NPSH	3"		Please Login
1148-4000-50-NPSH	4"		Please Login
1145-6000-50-NPSH	6"		Please Login
1152-2000-50-NPSH*	2"		Please Login

Cpld. Alum C & E Cam & Groove w/Band-it Clamps

Part#	I.D.	List Price	Wholesale
1148-2000-50-CE	2"		Please Login
1148-3000-50-CE	3"		Please Login
1145-4000-50-CE	4"		Please Login

50' PVC Flat Discharge Hose Kit

- All-In-One Kit provides everything needed to retrofit your pump
- Includes 20' PVC suction, 50' PVC discharge hose, steel round hole strainer and spanner wrench(M&F kits only)
- Kits are supplied in a retail box



ABBOTT RUBBER COMPANY, INC.

Part#	Suction Hose	Discharge Hose	Hose Ends	List Price	Wholesale
1240-KIT-1500-1148	1-1/2"	1-1/2"	M&F		Please Login
1240-KIT-2000-1148	2"	2"	M&F		Please Login
1240-KIT-3000-1148	3"	3"	M&F		Please Login
1240-KIT-1500-1148-QC	1-1/2"	1-1/2"	Quick Coupling		Please Login
1240-KIT-2000-1148-QC	2"	2"	Quick Coupling		Please Login
1240-KIT-3000-1148-QC	3"	3"	Quick Coupling		Please Login

Two aluminum part "A" adapters are included

Aluminum Male-Female Pin-Lugs

- SIPT threads
- Requires clamps to attach to hose



Male Aluminum

Part#	I.D.	List Price	Wholesale
SM-200-A	2"		Please Login
SM-300-A	3"		Please Login
SM-400-A	4"		Please Login

Female Aluminum with Brass Nut

Part#	I.D.	List Price	Wholesale
SF-200-AB	2"		Please Login
SF-300-AB	3"		Please Login
SF-400-AB	4"		Please Login



EPDM Gaskets

- Standard rubber gaskets
- Use for female SIPT pin-lug couplings

Part#	I.D.	List Price	Wholesale
SRW-200	2"		Please Login
SRW-300	3"		Please Login
SRW-400	4"		Please Login
SRW-600	6"		Please Login

Spanner Wrenches

- Plated malleable iron
- Use on male/female pin-lug couplings

Part#	I.D.	List Price	Wholesale
SW-200	2"		Please Login
SW-300	3"		Please Login
SW-400	4"		Please Login



Aluminum Cam & Groove Couplings



Part "A" Male Adaptors

Part#	I.D.	List Price	Wholesale
QA-200-DC	2"		Please Login
QA-300-DC	3"		Please Login
QA-400-DC	4"		Please Login
QA-600-DC	6"		Please Login



Part "E" Male Adaptors

Part#	I.D.	List Price	Wholesale
QE-200-DC	2"		Please Login
QE-300-DC	3"		Please Login
QE-400-DC	4"		Please Login
QE-600-DC	6"		Please Login



Part "B" Female Couplers

Part#	I.D.	List Price	Wholesale
QB-200-DC	2"		Please Login
QB-300-DC	3"		Please Login
QB-400-DC	4"		Please Login
QB-600-DC	6"		Please Login



Part "F" Male Adaptors

Part#	I.D.	List Price	Wholesale
QF-200-DC	2"		Please Login
QF-300-DC	3"		Please Login
QF-400-DC	4"		Please Login
QF-600-DC	6"		Please Login



Part "C" Female Couplers

Part#	I.D.	List Price	Wholesale
QC-200-DC	2"		Please Login
QC-300-DC	3"		Please Login
QC-400-DC	4"		Please Login
QC-600-DC	6"		Please Login



Part "DC" Dust Caps

Part#	I.D.	List Price	Wholesale
QDC-200-DC	2"		Please Login
QDC-300-DC	3"		Please Login
QDC-400-DC	4"		Please Login
QDC-600-DC	6"		Please Login



Part "D" Female Couplers

Part#	I.D.	List Price	Wholesale
QD-200-DC	2"		Please Login
QD-300-DC	3"		Please Login
QD-400-DC	4"		Please Login
QD-600-DC	6"		Please Login



Part "DP" Dust Plugs

Part#	I.D.	List Price	Wholesale
QDP-200-DC	2"		Please Login
QDP-300-DC	3"		Please Login
QDP-400-DC	4"		Please Login
QDP-600-DC	6"		Please Login

Special Price Limited Quantities



Plated Steel Strainers



Round Hole

- Helps to keep potentially damaging solids from entering the pump

Part#	Description	List Price	Wholesale
SRHS-200	2" FNPT		Please Login
SRHS-300	3" FNPT		Please Login
SRHS-400	4" FNPT		Please Login

Square Hole

- Used for trash pumps
- Large openings allow smaller solids to pass but keeps the larger potentially damaging solids out



Part#	Description	List Price	Wholesale
SSHS-200	2" FNPT		Please Login
SSHS-300	3" FNPT		Please Login
SSHS-400	4" FNPT		Please Login



Gaskets for Cam & Groove Couplings

Part#	I.D.	List Price	Wholesale
QRG-200	2"		Please Login
QRG-300	3"		Please Login
QRG-400	4"		Please Login

Hose Menders Steel

- For low pressure suction/discharge hoses
- Used to repair/splice damaged hose or extend hose length
- Rust resistant



Part#	I.D.	List Price	Wholesale
CM-200-S	2"		Please Login
CM-300-S	3"		Please Login
CM-400-S	4"		Please Login
CM-600-S	6"		Please Login



Hose Safety Clips

- Clip and lanyard sold separately
- Bag of 25

Part#	Description	List Price	Wholesale
ESL	Lanyard	Please Login	
ESC	Clip	Please Login	



Center Punch Tensioning Tool

- Designed for fast, efficient application of center punch clamps
- Band width 5/8"
- Galvanized steel clamps

Part#	Desc.	List Price	Wholesale
BCP-P1000I	Tool		Please Login
BCP-10	#10 Clamp, 2-1/2x5/8		Please Login
BCP-14	#14 Clamp, 3-1/2x5/8		Please Login
BCP-18	#18 Clamp, 4-1/2x5/8		Please Login

TERMS & CONDITIONS

PAYMENT TERMS

Our terms are net 30 from date of invoice, unless otherwise stated. Past due invoices are subject to finance charges.

PAYMENT METHODS

We accept Visa, Mastercard, Discover, and American Express.

CREDIT APPROVAL

Orders will be processed subject to credit approval. Unless we have a signed and approved credit application on file, all orders will be held until approved or be processed by credit card. To establish an account, please, fill out the PHP credit application at www.phpdistribution.com or request an application via phone and fax a completed copy to us at 800-255-7985. If you include an order with your application, we will make every effort to process your application within 24 hours of receipt. If you require same day shipping, we suggest you pay using Visa, Mastercard, Discover or American Express.

BACKORDERS

On occasion, an unexpected surge in demand may render us temporarily short of inventory. When that happens we will automatically ship the backordered product when it arrives unless you advise us otherwise. If you prefer, we will hold your order and ship complete.

MINIMUM ORDERS

A \$3.00 charge will be added to orders of less than \$25.00.

RETURNS

Please call for a Returned Goods Authorization Number (RGA#) before returning any item. This number must be clearly marked on the outside of the returned package. You may return parts and whole goods within 14 days of the purchase date without a restocking fee if in new, sellable condition (original factory package, unused, unmarked). After 14 days, returned goods are subject to a 15% restocking fee, after 30 days contact our sales dept. If determined that the goods were shipped to you in error, we will absorb the return freight, otherwise all returns must be shipped prepaid.

Non-stock, special-order items may not be returned.

WARRANTY

If you have new equipment that needs warranty repair (damaged in transit, or not working properly), you can repair it under warranty, or return it to us, and we will repair it under warranty. We will not exchange new equipment for defective models. We expect our customers to process all defects as warranties. Replacement parts from new equipment must reference the model number and serial number. Upon receipt of defective parts we will issue you credit in accordance with factory guidelines.

SHIPPING

We ship all orders to continental U.S.A. destinations via either Federal Express or UPS; any order not conducive to either Federal Express or UPS will ship via one of our preferred carriers prepaid and add. If your order is being shipped collect, you may specify the carrier of your choosing at the time you place your order. Shipments to areas outside of the continental U.S.A., including international shipments, are subject to applicable shipping guidelines and rates. Your non-continental U.S.A. and international shipping rates will be determined on a case-by-case basis and you will be responsible to pay for all applicable shipping costs, as determined by us. All non-drop-shipped orders are shipped FOB Valparaiso, Indiana and freight claims for damaged or missing goods must be settled between the consignee and carrier. Freight shipped pre-paid and add is subject to a handling fee. PHP does not ship Cash on Delivery (C.O.D.).

GENERAL INFORMATION

We sell only to retail or other wholesale outlets. If you have a resale license, you are authorized to purchase from us at wholesale cost.

PRICES

Prices are subject to change without notice. See www.phpdistribution.com for prevailing prices.

TERMS & CONDITIONS

All prices, terms & conditions, promotions & product availability expressed in this catalog supercedes any previous offers. Terms and conditions are subject to change without notice.

FINANCE CHARGES

We charge a late fee of 1-1/2% per month on overdue invoices.

WILL CALL ORDERS

Will call orders must be placed in advance. Please, allow one hour from the time the order is placed to pick-up. Upon your arrival, our customer service personnel in our main lobby will coordinate your pick-up.

2" Submersible Pump



- The built-in thermal protector turns off the power supply in case of overload operation
- Motor output - 1/2 HP
- Delivery volume - 68.5 GPM
- Voltage - 110 V
- Rated current - 7.2 Amps
- Cable length - 20'
- Net weight - 36 Lbs.
- Max head - 33'

Part#	List Price	Wholesale
PB65011		Please Login

3" Submersible Pump



- Full water channel design to cool the motor
- Uni-body constructed 40' power cord
- Motor Output - 2 HP
- Delivery Volume - 7286 GPH
- Voltage - 110V / 220V
- Rated Current - 15 Amps
- Max Head - 61'

Part#	List Price	Wholesale
PB68011		Please Login



2" Submersible Pump



- New air valves offer extra dry run protection
- Thermal overload protected motors
- Fits within an 8" diameter hole
- Motor output - 1/2 HP
- Delivery volume - 4,870 GPH
- Voltage - 110 V
- Rated current - 8.7 Amps
- Cable length - 33'
- Net weight - 36 Lbs.
- Max head - 33'

Part#	List Price	Wholesale
PBX65011		Please Login



Garden Hose Submersible Pumps



- ABS plastic housing is shock resistant and will not rust
- Completely rebuildable—All parts are replaceable
- Delivery volume: 1,584 GPH
- Voltage - 110 V
- Cable length: 15'
- Max head: 24.6'

Part#	Hose Dia.	List Price	Wholesale
NSM-62511	3/4" & 1"		Please Login



Nitrile Coated Work Gloves

- 13 gauge, 100% Nylon Shell, Nitrile Palm Coated
- Pound for pound tougher than leather
- Form-fitting enough to pick up a dime
- Sold by individual pair



Part#	Size	Color	List Price	Wholesale
4631Q	M-XL	Black on black		Please Login
3407N	M-XL	White on gray		Please Login

2" Submersible Trash Pump



- Easily handles solids up to 5/8" diameter
- Double mechanical seals run in an "oil" filled chamber of liquid paraffin to prevent damage from periods of dry running
- The built-in thermal protector turns off the power supply in case of overload operation thus protecting the motor
- Motor output - 1/2 HP, 110V, 7.0 Amps
- Delivery volume - 4760 GPH
- Cable length - 20'
- Net weight - 33 Lbs.
- Max head - 33'

Part#	Description	List Price	Wholesale
PKS65011	Trash pump		Please Login
FS10	Float switch		Please Login



2" Submersible Pumps

- Good for low to medium levels of water at home or at work
- Maximum output capacity: 62 GPM
- Maximum head: 39'
- Intake/discharge diameters: 2"
- 2/3 hp, 115V, single-phase electric
- 32' submersible power cord included
- Urethane semi-vortex impeller with ethylene propylene rubber casing resists abrasion
- Double mechanical seals with silicon carbide faces and an additional lip seal
- Built-in thermal and amperage sensor prevents motor overload or failure due to an accidental dry run

Automatic relay unit turns the pump on when the water level hits the electrodes. Pump shuts off automatically after 1 minute when the water level falls below the electrodes.

Part#	Description	List Price	Wholesale
LB-480	Manual		Please Login
LB-480A	Automatic		Please Login



2" Submersible Pump

- Designed to fit in an 8" pipe up to 60' shut off head
- Maximum output capacity: 73 GPM
- Maximum Head: 60'
- Intake/discharge diameters: 2"
- 1 hp, 115V, single-phase electric
- 50' submersible power cord included
- Double mechanical seals with silicon carbide faces and an additional lip seal
- Built-in thermal and amperage sensor prevents motor overload or failure due to an accidental dry run

Part#	Description	List Price	Wholesale
LB-800	Manual		Please Login
LB-800A	Automatic		Please Login

Factory Direct Pricing!!

View Our Complete Line of



Hoses & Pump Accessories on Pages 72-75



Submersible Trash Pumps

- Built-in shaft mounted agitator suspends solids
- Urethane, semi vortex Impeller for maximum durability and pump performance
- Dual inside mechanical seal with SiC faces provides longest operational life
- Oil Lifter provides lubrication of the seal faces
- V-Ring seal design protects mechanical seal from abrasive particles
- HSZ models have attached float switch for automatic operation

Part#	Discharge	GPH	Max Head	Motor	Cable Length	List Price	Wholesale
Manual Operation							
HS24S	2"	3,000	39'	1.2HP - 110V	20'		Please Login
HS375S	3"	4,200	60'	1 HP - 115V	32'		Please Login

Part#	Discharge	GPH	Max Head	Motor	Cable Length	List Price	Wholesale
Automatic Operation							
HSZ24S	2"	3,000	39'	1.2HP - 110V	20'		Please Login
HSZ375S	3"	4,200	60'	1 HP - 115V	32'		Please Login

HS24S



HSZ24S



HS375S



HSZ375S





3/4" Submersible Ground Drainage Pump



- Able to pump down to the floor
- Prime pump through discharge outlet for start up at any water level
- Internal check valve holds prime and prohibits back flow through pump when stopped
- Urethane, semi vortex impeller and wear plates for maximum durability
- Double inside mechanical seal with SiC faces provides the longest operational life
- Maximum output capacity: 45 GPM
- Maximum head: 40'
- Intake/discharge diameters: 3/4"
- 2/3 hp, 110V, single-phase electric
- 32' submersible power cord included

Part#	List Price	Wholesale
LSC14S		Please Login



2" Submersible Ground Drainage Pump



- Pump holds suction for drainage to 0.2" water level
- Oil lifter provides lubrication of the seal faces
- V-Ring seal design protects mechanical seal from abrasive particles
- Urethane, semi vortex impeller and wear plates for maximum durability
- Double inside mechanical seal with SiC faces provides the longest operational life
- Maximum output capacity: 62.4 GPM
- Maximum head: 40'
- Intake/discharge diameters: 2"
- 2/3 hp, 110V, single-phase electric
- 32' submersible power cord included

Part#	List Price	Wholesale
LSR24S		Please Login



Full Line of Tsurumi Products & Power Solutions Available!



Centrifugal Pump w/ Low Oil Sensor



- Heavy-duty Honda gas engine with oil sensor and silicon carbide mechanical seal provides longer life in this class
- Cast iron impeller and volute casing
- Durable rolled-steel frame provides pump/engine with maximum protection, perfect ease of handling or transport, and safe operation
- Rubber mounts on the pump and the frame
- Honda engine

Part#	Description	List Price	Wholesale
TE3-50HA	2", 4 HP engine		Please Login
TE3-80HA	3", 5.5 HP engine		Please Login



3" Trash Pump w/ Low Oil Sensor



- Heavy-duty Honda gas engine with oil sensor and silicon carbide mechanical seal provides longer life in this class
- Cast Iron impeller and volute casing
- Durable rolled-steel frame provides pump/engine with maximum protection, perfect ease of handling or transport, and safe operation
- Rubber mounts on the pump and the frame
- Galvanized steel hose couplings promise longer thread life
- Max. capacity (GPH): 21,600
- Discharge & suction connection: 3" NPT coupling
- Output: 8 HP GX-240 engine

Part#	List Price	Wholesale
EPT3-80HA		Please Login





1-1/4" Submersible Pump

- Heavy-duty, epoxy coated, cast aluminum construction
- Portable pump for emergency water removal or emptying shallow areas
- Draws water down to 1/8"
- 1/4 HP, 115v AC, 60 Hz
- Maximum capacity: 1320 GPH
- Flow at 10' lift: 1020 GPH
- Discharge size: 1 1/4" (male) NPT
- 8' cord with 3-prong grounded plug

Part#	List Price	Wholesale
FPSC1725X		Please Login



Submersible Cast Iron Sump Pump, Vertical Switch

- Rugged cast iron construction
- Energy-efficient PSC motor
- Rust-proof impeller
- Reliable, professional design
- Superior performance
- Proven technology
- 1/2 HP, 115v AC, 60 Hz
- Maximum capacity: 80 GPM
- Flow at 10' lift: 61 GPM
- Discharge size: 1-1/2" (female) NPT
- 10' cord

Part#	List Price	Wholesale
E50VLT		Please Login



IntelliPump™ Water Removal Utility Pump

- Innovative electronic controlled pump - Pump starts every 2-1/2 minutes to check for water. Shuts off if water is not detected
- Perfect for surfaces that collect water such as basements, rooftops, or any shallow flooded area
- Corrosion-resistant engineered resin construction
- 1/4 HP, 115v AC, 60 Hz
- Maximum capacity: 1790 GPH
- Flow at 10' lift: 1260 GPH
- Discharge size: 1" (female) NPT
- 15' cord with 3-prong grounded plug

Part#	List Price	Wholesale
FP0S1775A		Please Login



Water Removal Utility Pump

- Multipurpose pump designed for emergency dewatering, draining aquariums, waterbeds and clogged sinks
- Self-priming at 8-10 ft. vertically
- Corrosion-resistant, compact and portable
- 1/12 HP, 115v AC, 60 Hz, 2.0 Amps
- Maximum capacity: 350 GPH
- Flow at 10' lift: 300 GPH
- Discharge size: Garden hose
- 6' cord with 3-prong grounded plug
- Max water temp. 77°F (25°C)

Part#	List Price	Wholesale
FPOF360AC		Please Login



Submersible Utility Flood Pump Kit

- Ideal for dewatering applications
- Corrosion-Free thermoplastic construction
- Thermally Protected 4/10 HP motor
- Bottom-suction design
- Removes water to within 7/16" of surface
- 1-1/4" discharge
- Can handle solids up to 1/4"
- 15' power cord
- 25' cloth hose
- Cam-lock fittings (pump discharge & hose)
- Carrying case can also be used to filter out large debris to prevent clogging during operation

Part#	List Price	Wholesale
MUFGP40		Please Login



3000 PSI with Quiet Sense Pressure Washer

- Just pull for power, no priming required
- Maintenance free axial cam pump
- 4 Quick-connect spray tips
- Quiet Sense™ Automatic Throttle Control - Up to 40% QUIETER than standard pressure washer engines when the spray gun trigger is released
- Fold-down handle design
- Removable hose wrap provides a hassle-free storage solution for the 30 ft. hose
- PSI: 3000, 190CC
- GPM: 2.7
- Engine: Briggs & Stratton 875 Professional Series™ OHV

Part#	List Price	Wholesale
020592		Please Login



Rotating Surface Cleaner

- Dual high-pressure, rotating jets for fast cleaning with no streaking
- Dome controls overspray to protect walls and flower beds
- Great for cleaning garage floors, driveways, patios, sidewalks, decks, and other large flat surfaces
- Connects to Quick-Connect Wand
- For pressure washers up to 3000 psi



Part#	List Price	Wholesale
6328		Please Login



Pressure Washing Cleaner

Heavy duty butyl cleaner and degreaser for use in all type of pressures washers. Safe on all hard surfaces. USDA-A1 rating

Part#	Size	List Price	Wholesale
C123	1 gallon		Please Login



Sandblaster Heavy-duty Wet



- Max Flow 10 GPM
- Max Pressure 5,500 PSI
- P/N 85200040 -0° Meg Nozzle up to 4,000 PSI, 4.0 GPM
- **MEG NOZZLE REQUIRED FOR USE!**

Part#	List Price	Wholesale
90019		Please Login
85200040		Please Login



Spray Gun

- Stainless steel and brass components resist corrosion
- Includes trigger safety lock
- For pressure washers up to 3000 psi

Part#	List Price	Wholesale
6200		Please Login



Pro-Style Spray Gun

- Heavy-Duty components for ultimate durability
- Premium soft grip touch points
- Includes trigger safety lock
- For pressure washers up to 3800 psi

Part#	List Price	Wholesale
6201		Please Login

PRESSURE WASHER ACCESSORIES



9' Extension Wand

- Quick-Connect fitting for easy connection to spray tips
- Three pieces thread together securely for better control
- Allows for extended reach cleaning without needing a ladder



Part#	List Price	Wholesale
6206		Please Login



Hot Seller!

24' Telescoping Wand

- 4000 PSI Max Pressure
- 8.0 GPM Max Flow
- 1/4" hose
- (3) 7' sections

Part#	List Price	Wholesale
85206424		Please Login



Quick-Connect Turbo Nozzle

- Whirls a powerful pin-point jet of water
- Cleans up to 40% faster than standard spray nozzles
- Recommended for cleaning brick, concrete and vinyl surfaces
- Connects to Quick-Connect Wand

Part#	Description	List Price	Wholesale
6195	3000 psi.		Please Login
6196	4000 psi.		Please Login



Telescoping Wand Belt Kit

Part#	List Price	Wholesale
85400019		Please Login



5-n-1 Selector Nozzle

- 5 different spray patterns in one convenient quick connect head
- For pressure washers up to 3200 psi
- Connects to Quick-Connect Wand

Part#	List Price	Wholesale
6197		Please Login



Quick-Connect Spray Tips

- Four high-pressure pre-defined spray patterns from pin-point to wide fan (0, 15, 25 & 40 degrees & soap) for precise cleaning
- For pressure washers up to 4000 psi
- Connects to Quick-Connect Wand

Part#	List Price	Wholesale
6193		Please Login





30' x 1/4" Replacement Hose

- For use with cold water pressure washers up to 3000 psi
- Dual O-Ring Sealing System

Part#	List Price	Wholesale
6188		Please Login



High-Pressure Hose Quick-Connect Kit

- Provides Quick-Connect fittings for easy pump-to-hose and hose-to-gun connections
- For pressure washers up to 4000 psi

Part#	List Price	Wholesale
6191		Please Login



Hose to Pump Extension Kit

- Provides Quick-Connect fittings
- (2) Two foot hoses to make connections more easily accessible
- For pressure washers up to 4000 psi

Part#	List Price	Wholesale
6216		Please Login



Dual-Action Brush

- Brush rotates and alternates to allow for deep cleaning of many surfaces
- Great for irregular shaped surfaces
- For pressure washers up to 3000 psi

Part#	List Price	Wholesale
6208		Please Login



O-Ring Replacement Kit

- Replaces worn or damaged o-rings for pressure washer guns, hoses and wands
- Includes garden hose filter

Part#	List Price	Wholesale
6198		Please Login



Pump Oil

- Premium full synthetic oil for maximum pump life and performance
- 15 fl. oz.

Part#	List Price	Wholesale
6033		Please Login



JUSTRITE®
Cigarette Butt Receptacles

- Self-extinguishing design
- Flame-retardant, sturdy polyethylene
- Unique rain bonnet opening keeps rain out and discourages other trash
- FM fire tested and approved!
- 16.5" x 38.5"

Part#	Description	List Price	Wholesale
26800B	Beige		Please Login
26800D	Black		Please Login



Wet Floor Sign

- Professional quality, two-sided signs
- Durable Polypropylene, 25"H x 11"W
- Sign locks into place and won't collapse when bumped

Part#	List Price	Wholesale
3690000		Please Login



Mop Bucket and Wringer

- 35 qt., Yellow
- Material: Plastic, Caster Type:
- 3" Nonmarking casters

Part#	List Price	Wholesale
335-312Y		Please Login



DuraSkin Vinyl Industrial Disposable Gloves

- 5 ml
- Lightly powdered gloves
- Gloves are ambidextrous
- Sold by box of 100 gloves

Part#	Size	List Price	Wholesale
2900W	L		Please Login

JUSTRITE®
Personal Size Cigarette Butt Receptacle

- 11" diameter x 30" tall
- Fits into snug areas and is ideal for sitting areas such as patios, decks, and verandas
- ADA compliant.



Part#	Color	List Price	Wholesale
26806B	Beige		Please Login
26806T	Terra Cotta		Please Login



Polypropylene Disposable Coverall

- Lightweight polypropylene
- Full zipper front
- Elastic wrist and ankle closures
- Sold individually



Part#	Size	List Price	Wholesale
S6843	L		Please Login
S6844	XL		Please Login
S6845	3XL		Please Login



CARLISLE

Professional Cleaning Sweeps

3621952423 - 24" Grey Fine Floor Sweep

- Hardwood blocks
- For dust and fine particles on smooth surface

3621912400 - 24" Palmyra Garage Floor Sweep

- Hardwood blocks
- For heavier debris applications

4526700 - 60" Metal Tip Handle

- Lacquered hardwood with 2-1/2" crimped metal tip

Part#	Description	List Price	Wholesale
3621952423	24" Fine sweep		Please Login
3621912400	24" Garage sweep		Please Login
4526700	60" Metal tip handle		Please Login



CARLISLE

Floor Scrub Brushes

3621966300 - 8" Swivel Scrub w/48" Handle

- Swivels onto its side to clean baseboards & walls

Waste Handling

34294103 - 41 Qt. Black Wastebasket

Part#	Description	List Price	Wholesale
3621966300	8" Swivel scrub w/handle		Please Login
34294103	41 Qt. wastebasket		Please Login



CARLISLE

Cotton Mops

369552B00 - Large Red Wideband/Tailband Mop Head

- 5" color-coded headband
- 4-Ply lopped-end cotton mops are good for aggressive cleaning and absorbancy

36947500 - 60" Fiberglass Mop Handle

- Designed to be used with wide-band mesh headbands
- Use with mop head #369550B00 & #369552B00

Part#	Description	List Price	Wholesale
369552B00	Large-red band mop		Please Login
36947500	60" Fiberglass handle		Please Login



CARLISLE

Dust Mops

- Dust mops are 5" wide

Boot & Shoe Brush

- Sparta® Boot 'N Shoe Brush
- Chrome steel frame can be bolted to the floor
- Brushes flip up to expose a steel scraper
- Long lasting polypropylene bristles

Part#	Description	List Price	Wholesale
364752400	24" Dust mop		Please Login
364753600	36" Dust mop		Please Login
4167200	24" Mop frame		Please Login
36410500	60" Metal handle		Please Login
4042414	Boot/shoe brush		Please Login

Keep your work area tidy with the help of this magnetic sweeper.



Magnetic Floor Sweeper

- 30" wide
- Collects up to 50 lbs. of ferrous materials
- Oversized rubber wheels
- Extra-long telescopic handle extends from 35-1/2" to 50"
- Easy to clean out

Part#	List Price	Wholesale
53420		Please Login



Magnetic Parts Tray

- Heavy-duty stainless steel
- Holds tight to any ferrous surface
- 9-1/2" x 10" x 1-1/4" D

Part#	List Price	Wholesale
67442		Please Login

Wide Mouth Magnetic Parts Bowl

- Holds tight to any ferrous surface
- Holds small parts, nuts & bolts
- 6" diameter and 1" deep

Part#	List Price	Wholesale
67440		Please Login



Professional Grease Gun

- Heavy-duty with a cast steel head
- HD 4 jaw chuck coupler
- 12" wire braided whip hose & #80 loader nipple
- Can be filled by standard 14.5 oz. cartridge, bulk suction & filler pump

Part#	List Price	Wholesale
HD4A		Please Login



Grease Gun

- Pistol style
- Can be filled with 14.5 oz. grease cartridge, filler pump or suction


Part#	List Price	Wholesale
615GG		Please Login



WD-40 Lubricant

Part#	Description	List Price	Wholesale
490040	11 oz. - aerosol		Please Login
490118	1 Gallon		Please Login
10100	Spray Applicator		Please Login

NEW Smart Straw!



Hand Pump

- Fits 15-55 gal. drums with 2" bung
- For light oils, ATF, kerosene
- Dispenses approx. one pint per stroke

Part#	List Price	Wholesale
381HP		Please Login



WypAll Waterless Cleaning Wipes

- 10.5"x12.25" green wipers
- 75 wipers per bucket
- Cleaning agent is tough on grease, grime, ink and paint
- Smooth one side, tough on the other

Part#	List Price	Wholesale
91371		Please Login



X80 Jumbo Roll

- 12.5" x 13.4" red wipers
- 475 WypAll X80 wipers per roll
- Guaranteed more cost-effective than rental shop towels or rags
- Ideal for HEAVY Wiping and Cleaning rough surfaces
- Softer and more absorbent than ever!

Part#	Description	List Price	Wholesale
41055	Roll		Please Login



Scott Blue Shop Towels

- Super strong even when wet
- Easily absorbs grease, liquids, and oils
- Easy dispensing
- Each towel is 10-2/5 in. x 11 in.

Part#	List Price	Wholesale
75130		Please Login



Mr. Heater Propane Torch Kit

- 500,000 BTU/Hr
- 31" heavy-duty handle
- Burn weeds, melt ice and peel paint
- Includes 10' hose and spark igniter
- CSA Certified
- Limited 1-year warranty

Part#	Description	List Price	Wholesale
MH500PT	Torch kit		Please Login
72602M	Hose assembly w/POL		Please Login



Sure Flame Torches



- 200,000 - 375,000 BTU
- Ergonomic design
- Steel head for lower temp. & quick cool down
- Adjustable flame control
- Comes with 10' hose and pol fitting
- 30" torch is individually boxed



Part#	Description	List Price	Wholesale
ST2P	50,000 - 200,000 BTU		Please Login
ST3P	90,000 - 375,000 BTU		Please Login
72603	Striker		Please Login
30507P	POL fitting for ST2P/ST3P		Please Login



Fire Power Torch Kit

- 500,000 BTU
- Blister packed
- Includes 10' hose, tank connector & striker
- 36" wand
- Burns weeds, repairs asphalt, sealing tar, melts ice and thaws pipes

Part#	Description	List Price	Wholesale
500FP	Torch kit		Please Login
1412-0141	Hose		Please Login
0662-0014	Knob		Please Login
0661-0165	Valve		Please Login
72603	Striker		Please Login



Economy Propane Torch Kit

- Vapor torch kit for burning weeds, heating and thawing
- Flame-adjusting valve provides precision
- 500,000 maximum BTU per hour
- 10-foot hose, 23-inch handle length
- Rugged, all steel construction
- American Gas certified
- Canadian Gas certified

Part#	Description	List Price	Wholesale
VT2-1-2-24CE	Torch kit		Please Login



Torch Hoses

Part#	Description	List Price	Wholesale
1412-0141	10' hose for 500FP		Please Login
2510LH	10' hose for ST2 & ST3		Please Login
2525LH	25' hose for ST2 & ST3		Please Login

Adjustable High Pressure Torch Regulator

- Capacity: 820,000 BTU/HR
- Propane outlet pressure range: 10-30 PSIG
- 1/4" Female NPT inlet & outlet
- Color: Red
- Used on propane torches and high pressure gas heaters under 1,000,000 BTU's



Part#	List Price	Wholesale
597FB		Please Login



ATV Vise (All Terrain Vise)

Some jobs go beyond the workshop, making you come to them. For the jobs that demand function, strength and mobility, Wilton's All Terrain Vise answers the call. Secure it to your hitch or mount it on your workbench, the All Terrain Vise is locked, loaded and ready for action.



- Fits standard 2" hitches and includes a locking hitch pin
- Mount it on a bench or hook it to a trailer for maximum versatility
- Lightweight design with integrated carrying handle makes it easy to carry and transport
- Patented locking handle secures vice jaws during transport for extra security
- Set screws designed to provide a tight fit in the hitch and reduce overall vibration while driving
- Water resistant for all weather protection during transport or while hitched
- Large striking anvil for forming and shaping materials
- Replaceable jaws with v-grooves for vertical clamping

Part#	Shp. Weight	List Price	Wholesale
10010	39.5 lbs.		Please Login



Tradesman Bench Vises

- Wider jaws provide greater clamping surface
- Fully enclosed spindle and nut increases the life of the vise
- Large anvil work surface
- Precision turned sidebar
- 360° swivel base with double lockdowns

Part#	Jaw Width	Jaw Opening	Throat Depth	Shp. Weight	List Price	Wholesale
28806	5-1/2"	5"	3-3/4"	53 lbs.		Please Login
28807	6-1/2"	6-1/2"	4"	73 lbs.		Please Login



4 Pc. Professional Hacksaw Kit

- Includes the hacksaw itself, four 6" blades and the miter box
- Comfortable handle design features quick change knob

Part#	List Price	Wholesale
42025		Please Login



18MM Plastic Snap Off Knife

- Steel knife blade with plastic body
- Ergonomic grip
- 13 pt. blade that can be snapped off for a new sharp edge

Part#	Description	List Price	Wholesale
JL-54306-D	Box of 100		Please Login
JL-54306-EACH	Individual		Please Login

Rebar Cutter and Bender

- High strength steel jaws permit the cutting of material up to a 48 Rockwell Hardness for industrial applications
- Mountable on a board or floor
- Cuts and bends up to 5/8 inch, grade 60 rebar for a variety of applications
- Handle Length (In.) 52
- Max Material Hardness HRC-48
- Capacity (In.) 5/8 (Grade 60 Rebar)




Part#	Description	List Price	Wholesale
RCB-25	Bender		Please Login
RCH-26	Repl. head		Please Login



Slammer Hammer Tacker

- Die cast frame and through hardened steel components for extreme durability
- Quick-load magazine
- Tool-free jam clearing
- Includes: Quick Draw Holster and 1,000 3/8" staples



Part#	Description	List Price	Wholesale
H30-8D6	Tacker		Please Login
STCR50193/8-1M	3/8" staples, 1000		Please Login
STCR50191/4-1M	1/4" staples, 1000		Please Login

*Special Price
Limited
Quantities*



Stud Sensor

- Wood and metal stud detection through up to 3/4" deep surface material
- AC detection identifies live wires up to 2" deep
- Sequential LEDs and audible beeps indicate reading
- Marking channel with LED identifies target and makes marking surfaces easy and accurate
- New ergonomic design, and soft grip buttons provide comfort and control of the tool



Part#	List Price	Wholesale
STHT77403		Please Login

Mini Dolly



- Padded surface protects objects
- Ideal for moving over-sized or heavy objects
- Hard rubber swivel casters
- Rounded end corners protect walls
- 18" L x 12-1/4" W



Part#	List Price	Wholesale
52024		Please Login

4-Wheel Furniture Dolly

- Carpeting on both ends
- Solid wood frame finished with clear varnish
- Four swivel casters
- Max. load 800 lbs.
- 30"L x 18"W x 5.6"H



Part#	List Price	Wholesale
52030		Please Login

Compact Laser Measurer 50-Foot Range

- Simple one-button operation - press button once to begin measuring in continuous mode, press button again to hold measurement
- Continuous measurement mode - walk off measurements from the wall and other surfaces
- Precise laser measure technology - accuracy to 1/8"
- Compact size and shape - easily portable and will rest on any flat surface



Part#	List Price	Wholesale
GLM15		Please Login



BOSCH

30 ft. Pocket Laser Distance Measurer

- 30' range
- Measures 2.5" L x 1.25" W x 0.75" H
- Over-molded case
- Built-in battery pack
- Battery fuel gauge (in the display)
- Charges via USB charging cable (included)



Part#	List Price	Wholesale
DW030PL		Please Login



165 ft. Laser Measure with Bluetooth

- Backlit color display
- Bluetooth functionality
- Extremely precise with accuracy of 1/16"
- Overall range is 165'.
- 3 indirect measurement modes are offered along with a built-in inclinometer
- Default real-time measurement shows distances move in relation to the target



Part#	List Price	Wholesale
GLM50C		Please Login



BOSCH



**Superfast
3 x 1 Rewind**

Closed Reel Long Tape

- Nylon coated blade for superior durability and rust resistance
- High-impact resistant case with rubber grip

Part#	Length	Unit of Measure	List Price	Wholesale
ST18503X	50'	Ft., In., 1/8		Please Login
ST181003X	100'	Ft., In., 1/8		Please Login

*Engineer's & Metric also available. Please call for details.





ALL LIGHT
CONDITIONS

NYLON
3 3X LIFE
COATING

10 FOOT
25% MORE
STANDOUT

1-3/16" x 25' Black Widow Black Dual Sided Tape Measure

- 1-3/16" dual sided black blade
- Consecutive inches to 16ths on both sides, vertical read out on back, horizontal on front
- 10' standout for longer reach and efficient measuring
- Reversed color blade for improved legibility, hi-viz green marking
- Matte nylon blade coating in conjunction with black blade offer reduced glare in outdoor applications
- Dual end-hook grips on all sides
- Rugged rubber over mold housing

Part#	List Price	Wholesale
L10258		Please Login



25'x1" Tape Measure

- Polymer-coated blade for long-lasting wear; high-contrast colors for easy readability
- Durable case is textured for non-slip grip
- Tape rule designed for easy use
- Numerical readouts every 1/8"; 7' standout
- Corrosion-resistant Tru-zero end hook for accurate measurements

Part#	List Price	Wholesale
30-455		Please Login



30'x1-1/4" FatMax Measuring Tape

- 11' tape standout
- High-impact ABS case with durable rubber
- Mylar polyester film extends the life
- 1-1/4" wide blade for easy readability
- BladeArmor™ coating on the first 3" maximizes durability of the blade
- Tru-Zero™ end hook for accurate inside and outside measurements

Part#	List Price	Wholesale
33-730		Please Login



Short Tape Measures

- Nylon Coated Steel Blade
- Easy-to-Read Graduations
- True Zero Hook
- Positive Locking Button
- Bumper Cushion
- Heavy-Duty End Hook
- Belt Clip
- 3 Rivet Hook



Part#	Description	List Price	Wholesale
PGPR01825V	25' - High Vis		Please Login
PGPR01830	30'		Please Login
PGPR01835V	35' - High Vis		Please Login





Mechanics Tool Set (192-Piece)

- SAE & Metric
- Polished chrome vanadium finish
- Knurled beauty rings provide a non-slip gripping surface
- Deep laser etched markings for easy identification
- 72 teeth providing 5 degree arc swing
- Low profile directional lever helps reduce catch points

Part#	List Price	Wholesale
DWMT75049		Please Login

12 Piece 3/8" Drive Combination Socket Set

- DirectTorque™ Technology helps prevent rounding of fasteners
- Polished chrome vanadium finish
- Hand stamped markings
- Knurled control ring
- SAE & Metric

Part#	List Price	Wholesale
DWMT75421		Please Login



SAE Combination Wrench Set (8-Piece)

- Lockable stacking cases
- Durable transparent lid
- Exceeds ANSI specifications
- 8 long panel wrenches for long reach and leverage
- Removable internal tray
- Case allows for easy transport and organization
- SAE & Metric

Part#	Description	List Price	Wholesale
DWMT73809	SAE		Please Login
DWMT73810	Metric		Please Login

Ratcheting Combination Wrench Set (8-Piece)

- Shatter resistant
- Interlocking tool sets
- Removable inner trays
- 72 teeth providing 5 degree arc swing
- DirectTorque technology helps prevent rounding of fasteners
- Full Polish Chrome
- SAE & Metric

Part#	Description	List Price	Wholesale
DWMT74734	Metric		Please Login

1/4 in. Drive Socket Set (20-Piece)

- Lockable stacking cases
- Durable transparent lid
- Knurled beauty rings for hand tightening applications
- Exceeds ANSI specifications
- Removable internal tray
- SAE & Metric

Part#	List Price	Wholesale
DWMT73811		Please Login



1/4 in. Drive Socket Set (25-Piece)

- Lockable stacking cases
- Durable transparent lid
- Removable internal tray
- 72-tooth ratchet
- Full life time warranty
- Exceeds ANSI Specifications
- SAE & Metric

Part#	List Price	Wholesale
DWMT73805		Please Login



1/2 in. Ratchet and Socket Set (23-Piece)

- Lockable stacking cases
- Durable transparent lid
- 72-tooth quick release ratchet
- Exceeds ANSI specifications
- Removable internal tray
- Knurled beauty rings for hand tightening applications
- SAE & Metric

Part#	List Price	Wholesale
DWMT73813		Please Login



17 Piece 3/8 in Drive Bit Socket Set

- DirectTorque™ Technology helps prevent rounding of fasteners
- Polished chrome vanadium finish
- Hand stamped markings
- Knurled control ring
- SAE & Metric

Part#	List Price	Wholesale
DWMT73806		Please Login



1/2 in. Drive Socket Set (10-Piece)

- Lockable stacking cases
- Durable transparent lid
- Removable internal tray
- Exceeds ANSI specifications
- Knurled beauty rings for hand tightening applications
- SAE only

Part#	List Price	Wholesale
DWMT73814		Please Login



UltraAccess™ Socket & Ratchet Set (16-Piece)

- Ultra access pass-thru design
- Uni-fit universal drive
- Durable storage case
- 13 Sockets equal 26 sizes of SAE & metric
- 47 Fastener sizes in all plus rounded hex

Part#	List Price	Wholesale
39100		Please Login



6-In-1 Screwdriver

- Ergonomic handle
- Chrome vanadium steel double end bits
- Includes two Philips (#1 & #2), two slotted (3/16" & 1/4") and two nut drivers (1/4" & 5/16")

Part#	List Price	Wholesale
JL-16-4103L		Please Login



Wiss

9-3/4" Straight Cut Aviation Snip

- Compound lever action
- Cuts 18 gauge low carbon steel
- Non-slip serrated jaws made of molybdenum steel
- Self-opening action

Part#	List Price	Wholesale
M3R		Please Login



GRIP

Steel Pipe Wrench

- Sturdy cast iron housing and I-beam handles for a comfortable grip and strength without excess weight
- 3-1/8" jaw opening
- 18" length

Part#	List Price	Wholesale
93100		Please Login



CHANNEL LOCK

Reversible Jaw 10" Pipe Wrench

- Chrome vanadium steel construction
- Reversible Jaw for work on bolts and round stock
- Greater jaw capacity supports larger nuts, bolts, and pipe
- Precise jaw design grips tight

Part#	List Price	Wholesale
810PW		Please Login



Crescent

Adjustable Wrenches

- Increased knurl diameter for easier adjustment and increased load on fastener to reduce slip-off
- All dimensions proportioned for greatest strength and minimum weight
- Chrome plating for superior resistance to rust and corrosion
- 15/16" wide opening

Part#	Size	List Price	Wholesale
AC26VS	6"		Please Login
AC28VS	8"		Please Login
AC210VS	10"		Please Login
AC212VS	12"		Please Login



IRWIN

Bi-Metal Reciprocating Saw Blade

- Cuts composition materials, plastic, pipe, carbon steel and stainless steel
- Use with materials 1/8" and thicker
- Electronic beam weld
- Bi-metal construction

Part#	List Price	Wholesale
372810BB		Please Login

Locking C-Clamp with Regular Tips



IRWIN

- Wide-opening jaws
- Turn screw stays adjusted for repetitive use
- High-grade heat-treated alloy steel
- Guarded release trigger

Part#	List Price	Wholesale
11R		Please Login

Locking C-Clamp with Swivel Pads



IRWIN

- Swivel pads hold tapered work and delicate projects without damaging the work surface
- Wide-opening jaws
- Turn screw stays adjusted for repetitive use
- High-grade heat-treated alloy steel
- Guarded release trigger

Part#	List Price	Wholesale
11SP		Please Login



MORSE

12 Pc. Reciprocating Saw Blade Set

- Heavy-Duty
- 12-Piece - Bi-Metal

Part#	List Price	Wholesale
RBKITHD01		Please Login



Deck Demon

Designed to quickly remove any type of decking materials as well as any fasteners left behind.

- Reduces time and labor
- Maximum leverage saves your back
- Single & double joist compatible
- No damage to existing structure with patented rocker design
- Commercial grade, all-steel construction



Part#	List Price	Wholesale
6004		Please Login



42-Piece S2 Impact Duty Driver Bit Set



- Premium grade S2 tool steel durable composition equals longer bit life
- Driving bits designed for quick change
- Magnetic drive guide helps reduce slipping and wobble

Part#	List Price	Wholesale
48-32-1551		Please Login



Steel Flat Pry Bar



- Black oxide finish which resists rust and corrosion
- Heat treated steel for maximum strength
- 15" length

Part#	List Price	Wholesale
60054		Please Login

Unibit® Fractional Step Drill

- New SpeedPoint™ tip provides 6X faster initial penetration time than before
- Single-fluted cutting edge assures true round holes, and allows greater control
- Ideal for drilling holes in thin materials such as mild steel, copper, brass, aluminum, plexiglass, wood, and laminates

Part#	Size	List Price	Wholesale
10233	1/4" - 3/4"		Please Login



Unibit® Cobalt Step Drill

- 6X longer life
- 3-Flatted shank
- Speedpoint™ tip
- Laser marked sizes
- 10234CB - 12 Steps
- 10239CB - 2 Steps

Part#	Size	List Price	Wholesale
10239CB	7/8" & 1-1/8"		Please Login



7" Contractor Diamond Blade

- Circular saw blade
- Turbo rim for fast, smooth cuts
- Ideal for cutting concrete, bricks, sandstone, stucco and roof tiles
- 8,700 maximum RPM
- DM 7/8" to 5/8" arbor

Part#	List Price	Wholesale
16702		Please Login



7-1/4" 24-Tooth Carbide Blade

- Combo framing - tungsten carbide
- Construction grade
- 5/8" Arbor-diamond knockout
- Ribbed heat vents allow blade to run cooler

Part#	List Price	Wholesale
DW3578B10		Please Login





Long Nose Pliers

- Drop forged, heat treated steel
- Precision machined jaws and cutting edge
- Double dipped cushion grip handles
- 6" length

Part#	List Price	Wholesale
57196		Please Login



3 Pc. Slip Joint Plier Set

- Drop forged
- Cushion grip for comfortable use
- High visibility handles
- 6", 8", 10" lengths

Part#	List Price	Wholesale
58125		Please Login



Vise-Grip ProPliers

- Professional-grade tools
- ProTouch™ grips provide extra comfort and reduces hand fatigue
- Machined jaws for maximum gripping strength
- Induction hardened cutting edge stays sharper, longer
- Includes - (1) 6" Slip Joint Pliers and (1) 6" Long Nose Pliers

Part#	List Price	Wholesale
2078702		Please Login



Diagonal Pliers

- Drop forged, heat treated steel
- Precision machined jaws and cutting edge
- Double dipped cushion grip handles
- 6" length
- Cutting area: 3/4"

Part#	List Price	Wholesale
57200-6		Please Login



Groove Joint Pliers

- Heat treated from high grade steel
- Rib and groove design locks jaws securely in place for a non-slip grip
- Laquer coated to resist rust
- 12" length

Part#	List Price	Wholesale
57075		Please Login



Straight & Curved Jaw Locking Pliers

- Straight jaws provide maximum contact on flat, square, or hex work
- Curved jaw puts tremendous pressure on four points of any style nut or bolt
- High-grade heat-treated alloy steel
- Guarded release trigger quickly unlocks
- Hardened teeth grip from any angle

Part#	Description	List Price	Wholesale
10R	Straight		Please Login
10WR-3	Curved		Please Login

CHAN NEL LOCK



2 Pc. Tongue and Groove Plier Set

- Set includes: 6.5" & 9.5" Tongue & Groove
- High-carbon steel for superior performance on the job and specially coated for ultimate rust prevention
- Right angle, laser heat-treated teeth grip better and last longer
- Undercut tongue and groove design won't slip
- Patented reinforcing edge minimizes stress breakage

Part#	List Price	Wholesale
GS-1		Please Login

CHAN NEL LOCK



3 Pc. Tongue And Groove Plier Set with 6 N' 1 Professional Driver

- Set includes: 6.5", 9.5" & 12" Tongue & Groove, 6 N' 1 screwdriver
- High-carbon steel for superior performance on the job and specially coated for ultimate rust prevention
- Right angle, laser heat-treated teeth grip better and last longer
- Undercut tongue and groove design won't slip
- Patented reinforcing edge minimizes stress breakage

Part#	List Price	Wholesale
GS-3SA		Please Login



CHAN NEL LOCK

9" Linesman Pliers

- High carbon C1080 steel and electronic coating for rust prevention
- Laser heat treated for longer lasting cutting edges
- Plastic coated handles
- Round nose

Part#	List Price	Wholesale
369		Please Login



CHAN NEL LOCK

Tongue and Groove Pliers

- Laser heat treated teeth made of high carbon C1080 steel and electronic coating for rust prevention
- Plastic coated handles

Part#	Size	List Price	Wholesale
426	6.5"		Please Login
420	9.5"		Please Login
440	12"		Please Login
460	16"		Please Login



CHAN NEL LOCK

7" End Cutting Pliers

- High carbon C1080 steel and electronic coating for rust prevention
- Laser heat treated for longer lasting cutting edges
- Plastic coated handles

Part#	List Price	Wholesale
357		Please Login



Mold & Mildew Stain Remover

- Commercial Strength
- No-Scrub
- Trigger Spray
- 32 oz.

Part#	List Price	Wholesale
ZUMILDEW32		Please Login



Foaming Glass Cleaner

- Convenient, aerosol delivery provides premium glass and mirror cleaning.
- 19 oz.

Part#	List Price	Wholesale
ZUFGC19		Please Login



Cleaner/Degreaser

- Quickly cleans virtually any hard or soft surface
- Powers out stains and grease
- Safe on granite, upholstery and more
- No harsh fumes
- 32 oz.

Part#	List Price	Wholesale
ZUAOCD32		Please Login



Simple Green All-Purpose Cleaner

- Strong enough to degrease an engine, gentle enough to remove stains from fabrics
- Non-toxic, biodegradable, non-abrasive
- Concentrated

Part#	Size	List Price	Wholesale
2710200613005	1 gal.		Please Login

Order Online
Visit Our **PHP Website NOW!**



Fast Orange Pumice Lotion Hand Cleaner

- Biodegradable, waterless, petroleum solvent-free hand cleaner
- Contains no harsh chemicals that can sting cuts and abrasions
- Pure, fresh smelling natural citrus power does the cleaning

Part#	Size	List Price	Wholesale
25217	64 oz.		Please Login
25219	1 gal.		Please Login



Drive Belt Dressing

- Prevents belt slippage and glazing
- USDA P-1
- Increases pulling power up to 50%
- Reduces squeaks and slippage
- Works great on generators, fans and pressure washers
- Container size: 16 oz. (12-oz. fill)

Part#	List Price	Wholesale
DB8079		Please Login



Battery Terminal Coating

- Provides a tough, durable coating for battery terminals, cables, and clamps
- Will not crack, chip, or peel
- Provides an airtight and waterproof, insulated coating that minimizes leakage
- Effective on all types of batteries
- Container size: 16 oz. (12-oz. fill)

Part#	List Price	Wholesale
BT6005		Please Login



Carb & Choke Cleaner

- Eliminates rough idling, stalling, engine run-on, and starting hesitation
- Quick and easy to use, fast drying, and leaves no film or residue
- Container size: 16-oz. (12-oz. fill)

Part#	List Price	Wholesale
CC590		Please Login

Purdy



White Adhesive Caulk

- For use on wood, drywall, metal, glass and masonry
- Good flexibility and elasticity
- Interior/Exterior - Paintable
- 10 oz.

Part#	List Price	Wholesale
20510		Please Login

DAP



Watertight Roof Sealant

- High performance, asphalt-based sealant
- Roof gaps and joints, spotting shingles and repairing minor roof leaks
- 10.1 oz.

Part#	List Price	Wholesale
18268		Please Login

LOCTITE



Sub-floor Construction Adhesive

- For bonding wood, metal, concrete/masonry and FRP panels
- Structural & Sub-Floor
- Interior/Exterior
- VOC Compliant
- 28 oz.

Part#	List Price	Wholesale
1602142		Please Login



Underwater Epoxy Putty

- Use on automotive, ceramic, fiberglass, metal
- Great for any type plumbing
- Sets in 30 minutes
- Plugs holes and makes permanent repairs

Part#	List Price	Wholesale
8277F		Please Login

FIX YOUR THINGS™

PC-CONCRETE Anchoring & Crack Filling Epoxy



- Product chosen to repair cracks in warehouse and factory floors
- Squirt and apply using a standard size caulking gun
- Cures hard enough to drive over within 3 hours
- Apply to wet or dry surfaces and will accept paint or concrete stain
- 8.6 oz.

Part#	Description	List Price	Wholesale
072561	Single tube		Please Login
072568	Case of 10		Please Login
900550	Heavy-duty gun		Please Login



Black ABS Cement

- Medium bodies, medium set, ABS solvent cement designed for use on non-pressure ABS pipe and fittings
- NSF certified and UPC listed
- 4 oz.

Part#	List Price	Wholesale
018500-24		Please Login

Special Price Limited Quantities





Stens Small Engine Parts for Honda



Starter Spring

- For HONDA GX120, GX160 and GX200
- Honda code 3683919

Part#	List Price	Wholesale
155300		Please Login



Carburetor

- For HONDA GX160; for 5.5 HP engines
- Honda code 5266705

Part#	List Price	Wholesale
520722		Please Login



Fuel Filter

- For HONDA GX110, GX120, GX140, GX160, GX200, GX240, GX270, GX340 and GX390
- Honda code 0474759

Part#	List Price	Wholesale
120414		Please Login



Carburetor

- For HONDA GX240; for 5 HP engines
- Honda code 5222211

Part#	List Price	Wholesale
520726		Please Login

Outdoor Power Equipment Air Filters

Part#	Description	List Price	Wholesale
605361	Pre-filter - Dolmar/394 173 030		Please Login
605840	Air filter - Dolmar/394173 010		Please Login
100012	Air filter - Honda/17210-ZE3-505		Please Login
100784	Air filter - Honda/17210-ZE1-505		Please Login
100818	Air filter - Honda/17210-ZE2-505		Please Login
100958	Air filter - Honda/17210-ZE0-822		Please Login
100808	Air filter - Partner/506 22 42-01		Please Login
605224	Pre-filter - Stihl/4223 141 0600		Please Login
605228	Air filter - Stihl/4223 141 0300		Please Login



Dolmar 605361



Dolmar 605840



Honda 100012



Honda 100784



Honda 100818



Honda 100958



Partner 100808



Stihl 605224



Stihl 605228





Stens Small Engine Parts for Honda



Gas Caps

- For 4 thru 13 HP engines
- OD: 2-13/16"
- 1/4 twist style, vented, plastic
- Honda code 4572392/5344817

Part#	List Price	Wholesale
125364		Please Login



- For 4 thru 13 HP engines
- OD: 2-3/4"
- Twist lock style, vented, metal
- Honda code 3682028

Part#	List Price	Wholesale
125368		Please Login



Stop Switch

- For HONDA GX120, GX160, GX200, GX240, GX270, GX340, and GX390
- Honda code 2787869

Part#	List Price	Wholesale
430602		Please Login



Dipsticks

- HONDA GX120, GX140, GX160 and GX200
- Honda code 4500146

Part#	List Price	Wholesale
125692		Please Login

- HONDA GX240, GX270, GX340 and GX390
- Honda code 4523106

Part#	List Price	Wholesale
125696		Please Login



100' Starter Rope

- Solid braid #4 - Diameter:1/8"

Part#	List Price	Wholesale
146027		Please Login

- Solid braid #4-1/2 - Diameter:9/64"

Part#	List Price	Wholesale
146035		Please Login

- Solid braid #5 - Diameter:5/32"

Part#	List Price	Wholesale
146043		Please Login



Oil Sensors

- For HONDA GX120, GX160, GX200, GX240, GX270, GX340& GX390
- Honda code 5858444

Part#	List Price	Wholesale
120434		Please Login



Recoil Starter Assm.

- For HONDA GX110, GX120, GX140, GX160 and GX200; for 3.5, 4, 5, 5.5 and 6.5 HP engines
- Honda code 4193033/7546781

Part#	List Price	Wholesale
150703		Please Login

- For HONDA GX340 and GX390; for 11 and 13 HP engines
- Honda code 3713302

Part#	List Price	Wholesale
150707		Please Login

- For HONDA GX240 and GX270; for 8 and 9 HP engines
- Honda code 3678844

Part#	List Price	Wholesale
150711		Please Login



Starter Switch

- HONDA 35100-772-003
- Honda code 4166369
- Magneto ground
- 3 positions - 5 terminals

Part#	List Price	Wholesale
430538		Please Login



- For HONDA GX120, GX160 and GX200
- Honda code 5962063/1501733/5262605

Part#	List Price	Wholesale
120101		Please Login



Ignition Coil

- For HONDA GX110, GX120, GX140, GX160 and GX200
- Honda code 4589693/7988801

Part#	List Price	Wholesale
440105		Please Login

- For HONDA GX240, GX270, GX340 and GX390
- Honda code 5792361/5361605

Part#	List Price	Wholesale
120430		Please Login

Gas Tank

- For HONDA GX240, GX270, GX340 and GX390; for 8,9,11 and 13 HP engines
- Honda code 3713278/7669757 3690070/7627540/8157174

Part#	List Price	Wholesale
125568		Please Login

Gas Tank

- For HONDA GX140, GX160 and GX200; for 5, 5.5 & 6.5 HP engines
- Honda code 3683661

Part#	List Price	Wholesale
125560		Please Login

Work Light w/Spot Work Light & Tool Tap on 40' Metal Reel

- Heavy-duty metal retractable reel
- Polarized plug w/10amp grounded receptacle
- Durable push On/Off switch
- Mounting brackets included



13 watts

Part#	List Price	Wholesale
SL825		Please Login

Flourescent Lights

- Polarized plug with 12amp grounded receptacle & rocker On/Off switch
- Instant no flicker start
- Tough almost unbreakable housing
- 25' 16/3 cord
- SL976 takes two bulbs

26 watts

BAYCO



Part#	Description	List Price	Wholesale
SL976	Light		Please Login
FL-908-BULB	13 watt bulb		Please Login

Transport Tow & Binder Chains

- Grade 70 transport
- Working load limit: 6,600 lbs.
- Clevis type hook
- 5/16" chain load limit 4,700 lbs.



Part#	Description	List Price	Wholesale
3583520	3/8" x 20'		Please Login
3524623	3/8" x 16'		Please Login
H3226-5220	5/16" x 20'		Please Login

Tow Strap

- Extra long - 2" x 20'
- 17,000 lb. rated capacity
- Reinforced loop
- Yellow

CargoLoc
COMPLETE CARGO MANAGEMENT



Part#	List Price	Wholesale
82497		Please Login

CENTURY
WIRE PRO CABLE

Booster Cables

- Tangle free, twin line construction
- Fits all top and side post
- Heavy duty jacket stays flexible to -30°F



D1110420YL-Yellow
• 20' length, 4 Gauge, 400 Amps

D1110130OR-Orange
• 30' length, 1 Gauge, 600 Amps

Part#	List Price	Wholesale
D1110420YL		Please Login
D1110130OR		Please Login

Trailer Hitch Ball Mounts

21514

- Chrome finish
- 200/2,000 TW/GTW capacity for 1-7/8" ball hitches, 600/6,000 for 2", and 1,000/10,000 for 2-5/16"



21514

21512

- Box opening of 2" x 2"
- 200/2,000 TW/GTW capacity for 1-7/8" ball hitches, 600/6,000 for 2", and 1,000/10,000 for 2-5/16"
- Tri-Ball



21512

21542

- Class III has a 6,000 lb. towing capacity
- Drop of 2 inch to help adjust trailer level
- Shank length of 9"



21542

Part#	List Price	Wholesale
21514		Please Login
21512		Please Login
21542		Please Login

Universal Coupler Lock in Steel

- Designed to fit 1-7/8", 2", and 2-5/16" couplers
- Prevents theft and keeps your trailer secure
- Yellow color offers high visibility to deter break-ins
- Ratchet design features 11 locking positions for versatility



Part#	List Price	Wholesale
72783		Please Login



Heavy-duty CargoBar™

- Retracts to 48"
- Adjusts continuously to a maximum extension of 108"
- Greater holding power than conventional loadlocks
- Harder to bend and damage

Part#	List Price	Wholesale
CC5010		Please Login



Wheel Chock

Think safety

- Durable fiber-reinforced rubber compound
- Black
- 9"L x 8"W x 5-3/4"H - 9 lbs.

Part#	List Price	Wholesale
68-9		Please Login

Permatex



Professional Strength Rearview Mirror Adhesive

- Approved and used by GM, Ford and Chrysler
- Fast-acting
- Permanently remounts mirrors to windshields
- ODC-free

Part#	List Price	Wholesale
81844		Please Login

Rain-X



Rain-X

- Dramatically improves wet weather driving visibility, with and without wipers
- Repels rain, sleet, and snow, frost, salt, mud, bugs and grime
- 7 oz.

Part#	List Price	Wholesale
RX11212		Please Login



Headlight Restoration

- Helps restore clear plastic by removing haze and discoloration
- Improves safety with clearer headlight lenses
- Multi-step kit provides a deeper cleaning process than single step products
- Don't replace headlights when you can restore them

Part#	List Price	Wholesale
800001809		Please Login

GUMOUT



Regane Complete Fuel System Cleaner

- Cleans gasoline direct injection (GDI) systems too
- Maximizes fuel economy
- Helps eliminates knocks, pings and hesitation
- Safe for use in turbo and super charged vehicle
- 6 oz.

Special Price Limited Quantities

Part#	List Price	Wholesale
800001364		Please Login

STA-BIL



Ethanol Treatment with Performance Improver

- Prevents corrosion caused by ethanol blended fuels
- Cleans carburetors, fuel injectors, and intake valves
- Keeps engine running smoothly
- Helps remove water from fuel
- Treats 25 gallons
- 10 oz.

Part#	List Price	Wholesale
22264		Please Login



fix flat

Pennzoil - Fix-A-Flat

- Emergency tire repair system seals and inflates most tires in less than one minute
- No jack or tools required
- Can be used on tube or tubeless tires

Part#	Description	List Price	Wholesale
560430	Large tire - 20oz.		Please Login



Tubeless Tire Kit

- Allows repair of truck tires without deflating or removing
- Kit contains 5 repair plugs, 6.25" long, T-handle insert tool, T-handle rasp tool and 1 oz rubber cement

Part#	List Price	Wholesale
22-5-08819-M		Please Login



ProLock Extension Cord Lock

Your extension cords will lock together and not pull apart! Simply push your plug into the ProLock Connector, and the plug and connector instantly lock together.

- Delivers 80 lbs. of pull strength
- Lighted amber power check indicator
- Impact resistant polycarbonate body
- Fitted strain relief for both
10 AWG and 12 AWG cord

Part#	Description	List Price	Wholesale
Extension cord with cord lock connector			
D14412050WH	50' 12/3 White jacket Pro Lock extension cord		Please Login
D14412050BL	50' 12/3 Blue jacket Pro Lock extension cord		Please Login
D14412050YL	50' 12/3 Yellow jacket Pro Lock extension cord		Please Login
D16612100PL	100' 12/3 Yellow jacket Pro Lock extension cord		Please Login
Connector Only - replaces existing female end on cord			
D12500515BK	ProLock connector - Black		Please Login
D12500515BL	ProLock connector - Blue		Please Login

They instantly lock together!!



Push plug into the ProLock™ Connector



Pull down on the collar to release

D12500515BL



Extension Cords

- Jacket type SJTW-A

All Sold Individually Or By The Case Your Choice!

White 12 Gauge 3-wire

Part#	Description	Ctn. Qty.	List Price	Wholesale
D14512015	15', non-lighted	15		Please Login
D14512025	25', non-lighted	12		Please Login
D14512050	50', non-lighted	6		Please Login
123100WN	100', lighted	4		Please Login

Yellow 12 Gauge 3-wire

Part#	Description	Ctn. Qty.	List Price	Wholesale
123100YN	100' lighted	6		Please Login
12350YN	50' lighted	4		Please Login

Orange 12 Gauge 3-wire

Part#	Description	Ctn. Qty.	List Price	Wholesale
D117120500R	50', lighted	6		Please Login
D19912100	100', lighted	4		Please Login

Orange 10 Gauge 3-wire

Part#	Description	Ctn. Qty.	List Price	Wholesale
D14610050	50', lighted, triple tap	6		Please Login
D14610100	100', lighted, triple tap	4		Please Login





CENTURY
WIRE AND CABLE

Rental Equipment Cord

- Thermal vinyl plastic rated to -40°F
- 10/3 AWG super heavy-duty cord
- "For Rental Equipment Use" imprinted on cord every 18"
- Highly resistant to abrasion wear
- Maintains superior flexibility
- Jacket type - SJTW-A
- Sold individually

Part#	Description	Ctn. Qty.	List Price	Wholesale
D117100500R	10/3 50' Orange, lighted	6		Please Login
D117101000R	10/3 100' Orange, lighted	4		Please Login



CENTURY
WIRE AND CABLE

Heavy-duty White Multi-Outlet Cord 6 outlets

- 12/3 50' cord with 600 volt jacket
- The outlets are every 10'
- Lighted ends
- Individually boxed

Part#	List Price	Wholesale
D1242		Please Login

**12 Gauge
3 Wire
50'**

Ground Fault Circuit Interrupters (GFCI)

- 9" Pigtail - Just plug it in
- Grounded neutral protection
- Open neutral protection
- 4-6 mA fault current protection
- Mechanical trip indicator
- 120v/15 amp
- Individually boxed for hanging


Part#	List Price	Wholesale
30434-007		Please Login



GFCI Protected Quad (4) Outlet Box

- 125V/15A rated. UL/CUL listed
- Right angle GFCI plug, NEMA-15 P
- 6 feet of 12/3 gauge SJTW cord
- Lighted On/Off switch

Part#	List Price	Wholesale
30336		Please Login



3-Wire Single Outlet GFCI Adapter Plug

- 120V/15 amp
- Individually boxed for hanging
- For indoor use

Part#	List Price	Wholesale
30439-005		Please Login



User Attachable GFCI (20 amp)

- Operates automatically at 120V or 240V in both 15 amp and 20 amp
- Provides protection for 2 or 3 circuits
- Grounded neutral protection
- Open neutral protection

Part#	List Price	Wholesale
25000		Please Login

**Heavy-Duty
Rain-Proof
Design**



Triple Tap with In-line GFCI (15 amp)

- 2' cord
- 12/3 AWG
- Yellow
- Tagged for hanging

Part#	List Price	Wholesale
30438-024		Please Login



User Attachable GFCI (15 amp)

- 2.5 mA Fault detection
- Grounded neutral protection
- Mechanical trip indicator
- Individually boxed for hanging

Part#	List Price	Wholesale
30434-010		Please Login





“W” Adapter Part

- One male plug and three female connectors, 12/3, STW-A, Vinyl, 18”
- Indoor use only
- Polarized cord



Part#	List Price	Wholesale
1479		Please Login



5965P



05984



05985

Plugs and Receptacles

Part#	Description	List Price	Wholesale
5965P	15 Amp 10 gauge plug, male		Please Login
05984	3-Wire, 15 amp, 12 gauge, male		Please Login
05985	3-Wire, 15 amp, 12 gauge, female		Please Login
LV5259VY	15 Amp 10 gauge, female		Please Login



Power Cord Adapter

- Converts a Twist-to-Lock 20 amp receptacle to a standard 15 amp grounded receptacle.

Part#	Description	List Price	Wholesale
09021	Power Cord Adaptor		Please Login
09020	Converts Standard U Ground to Twist-to-Lock (Not Shown)		Please Login

Yellow Jacket 5 Outlet In-Line Tap

- Outdoor rated with cord lock feature to prevent cords from being accidentally disconnected
- Accommodates 16/3 - 10/3 SJT (300V) up to 12/3ST (600V)
- Connect extension cords together for long power runs
- Durable, yellow overmolded vinyl



Part#	List Price	Wholesale
997362		Please Login

Quad Plug Cord Reel w/Circuit Breaker

- 4 Outlet Reel Works with Almost Any Single-Tap Extension Cord
- Holds up to 100' of 16 & 14 Gauge Cords & up to 75' of 12 Gauge
- Polarized Plug w/4 Grounded Receptacles
- Resettable 11 amp Circuit Breaker
- Durable Steel Stand w/Grip Handle



Part#	List Price	Wholesale
K2000		Please Login



Standard Nylon Cable Ties (clear)



Sold by the bag.

Part#	Qty Per Bag	Tensile Strength	Overall Length	List Price	Wholesale
33NCT4	100	18 lbs.	4"		Please Login
CV2005	100	40 lbs.	7"		Please Login
CV292	100	50 lbs.	11"		Please Login
CV432	100	50 lbs.	14"		Please Login
CT17-50C9	100	50 lbs.	17"		Please Login
36-175	50	50 lbs.	36"		Please Login

Don't starve your power tool motor to death! Determine the ampere rating which is shown on the tool nameplate. Apply this value to the following chart to determine the proper AWG and length of cord.

12/3 AWG Cable

- 50' 15 AMPS
- 100' 15 AMPS
- 150' 13 AMPS
- 200' 10 AMPS
- 250' 7 AMPS

10/3 AWG Cable

- 50' 15 AMPS
- 100' 15 AMPS
- 150' 15 AMPS
- 200' 15 AMPS
- 250' 13 AMPS





01970



01972
Roll Cage

Mini Portable Power Distribution Center

- Turns your L14-30P generator/dryer/range outlet into 8 regular (5-20R) outlets
- Reduces electrical hookup and labor time
- 8 overload, circuit breaker protected 20 amp straight blade outlets
- Compact size allows for use in vertical and horizontal positions
- Mini 10-pound unit is less than half the weight of normal power distribution boxes

Mini Portable Distribution Center - 01980

Power Inlet

- NEMA L14-30P 30A 125/250V - twist lock flanged inlet

Power Outlet

- (4) NEMA 5-20R 20A 125V Straight blade receptacles

Part#	List Price	Wholesale
01980		Please Login

Portable Power Distribution Centers

- Portable, flexible, rugged, and reliable power distribution center designed to withstand harsh jobsite conditions.
- It is an economical solution for electrical hook up on the worksite.
- Made in the USA
- Provide economical, durable temporary jobsite power
- Complies with OSHA and NEC specifications
- ETL listed

Portable Distribution Center - 01970 & 01972

Power Inlet

- 50A 125/250V
- California style flanged covered w/ cover inlet

Power Outlet

- (1) 50A 125/250V California style receptacle w/ cover
- (1) NEMA L6-30R 30A 250V Locking receptacle w/ cover
- (6) NEMA 5-20R 20A 125V Straight blade receptacles w/ cover

Part#	Description	List Price	Wholesale
01970	Power Box - straight blades		Please Login
01972	Power Box - roll cage		Please Login
01918	50' Cord SEOW W/California Ends		Please Login
01919	100' Cord SEOW W/California Ends		Please Login

Extension Cords for Distribution Centers

Part#	Description	List Price	Wholesale
01938	50' SEOW w Hubbell Ends		Please Login
01939	100' SEOW w Hubbell Ends		Please Login

Hubbell = 3 prong, curved

Generator Adapters & Cord Sets

- Increase the number of useable 20 amp connectors
- Clear lighted female ends provide power indication
- Job-site tough, flexible STOW and SJTOW cord jackets provide excellent durability.
- Oil and chemical resistant vinyl jacket
- New Hand Pack boxes
 - allow customers to freely view all cord ends in the box
 - offer immediate counter/store displays

Part#	Description	List Price	Wholesale
01915	3' - 10/3 STOW L5-30P to (2) Lighted 5-20R		Please Login
01924	3' - 12/4 STOW L14-20P to (2) Lighted 5-20R		Please Login
01934	3' - 10/4 STOW L14-30P to (2) Lighted 5-20R		Please Login
09084	2' - 12/3 STOW L5-20P to Lighted Tri-Source 5-15R		Please Login



Part #	NEMA Plug	Connector
01915	L5-30P	(2) 5-20R
01924	L14-20P	(2) 5-20R
01934	L14-30P	(2) 5-20R
09084	L5-20P	(2) 5-15R



Long Handle Round Point Shovel

- #2 front turn step head style
- Black head color
- 47" yellow fiberglass handle
- Square socket
- PermaGrip™ collar, vinyl grip

Part#	List Price	Wholesale
SVLR40		Please Login



Long Handle Square Point Shovel

- #2 front turn step head style
- Black head color
- 47" yellow fiberglass handle
- Square socket
- PermaGrip™ collar, vinyl grip

Part#	List Price	Wholesale
SVLS41		Please Login



Rice Shovel

- Used for irrigation
- 46" yellow fiberglass handle
- Perforated round point head style
- Square socket
- Vinyl grip

Part#	List Price	Wholesale
SVRS40		Please Login



Grain Scoop

- Aluminum head material, #14
- 15.5" x 20" head size
- 29" hardwood handle, steel grip

Part#	List Price	Wholesale
SVSDA14		Please Login



Trench Cleanout Shovel

- Used for cleaning loose materials from trenches prior to laying cable or pipe
- Blade size: (SVTR403 - 3") (SVTR45 - 5")
- Yellow fiberglass handle
- (48" SVTR403) (45" SVTR45)
- PermaGrip™ collar, vinyl grip

Part#	List Price	Wholesale
SVTR403		Please Login
SVTR45		Please Login



Heavy Duty Grain Scoop

- 27% thicker than our other scoops for longer wear
- Aluminum head material, #14
- 15.5" x 20" head size
- 36" hardwood handle, steel grip

Part#	List Price	Wholesale
SVSDA14HM		Please Login



Soil Probe

- Cast metal tip head
- 0.5" x 48" yellow fiberglass shaft handle
- T-cushion grip

Part#	List Price	Wholesale
SP48		Please Login



Tamper


- 8" x 8" solid cast iron
- 45" yellow fiberglass, cushion handle

Part#	List Price	Wholesale
TP8FG		Please Login



Snow Squeegee

- 66" blue aluminum handle with vinyl grip, works well on sidewalks and entryways
- Great for slushy areas and features wrap bracing that does not interfere with snow removal
- 3" deep rubber blade which is replaceable
- 36" W x 66" L x 3"D



Part#	List Price	Wholesale
96636		Please Login



Snow Rake

- 16' aluminum 3-piece handle with vinyl grip
- 24" x 4-5/8" aluminum blade with solid aluminum braces riveted to blade
- Spring steel self-locking snap pins
- Flexible "Shingle Saver" protective sleeve
- ULTRA-light weight




Part#	Description	List Price	Wholesale
96716	Snow rake		Please Login
96060	5' ext. handle		Please Login

Asphalt Lute

- Aluminum blades are 36" wide
- Serrated edge
- Handle is 84" long & 1" diameter non-oxidizing aluminum

Part#	List Price	Wholesale
SA8436		Please Login

Price per pair




Landscape Rake

- Aluminum blades are 36" wide with 2-1/2" long finger-like tines
- Handle is 66" long & 1" diameter non-oxidizing aluminum

Part#	List Price	Wholesale
LA6636		Please Login


Price per pair



Thatching Rake

- 60" hardwood handle
- 20 teeth, 14-3/4"
- Removes thatch and debris from lawns

Part#	List Price	Wholesale
TR30		Please Login



Snow Pusher

- Black ABS head type
- 12" x 24" head size
- 44" yellow fiberglass handle, poly D grip


Part#	List Price	Wholesale
SN100		Please Login



Atlas Digger

- 48" yellow fiberglass handles
- 6" point spread
- Vinyl grip


Part#	List Price	Wholesale
DG100FG		Please Login



Barley Fork

- Forged steel, 5 tines head
- 54" hardwood handle
- Ideal for spreading straw or cleaning up debris

Part#	List Price	Wholesale
AF20		Please Login



Shingle Remover

- Notched with fulcrum head
- 48" hardwood handle

Part#	List Price	Wholesale
SG2LH		Please Login



CHAPIN

Promo Deck Sprayer 1-Gallon

- Ideal for staining, sealing and washing
- Translucent bottle for ease in checking fluid level
- Spray decks, siding, fences and concrete with ease

Part#	List Price	Wholesale
25041		Please Login



Shingle Remover

- 36" yellow fiberglass handle
- 9" wide head
- Extra-strong steel brace

Part#	List Price	Wholesale
SG1		Please Login



CHAPIN

SureSpray 2-Gallon Sprayer

- Patented surespray anti-clog filter
- Dry hands measuring cup
- Clean 'n easy design
- Translucent bottle for ease in checking fluid level
- Curved wand and reinforced hose


Part#	List Price	Wholesale
27020		Please Login



San Angelo Bar

- Forged steel - 1" dia. x 6' long,
- Hexagonal, black head diamond point

Part#	List Price	Wholesale
DG23		Please Login



Digger Tamper Bar

- Forged steel
- 6' long, chisel point
- 1" diameter, round, handle

Part#	List Price	Wholesale
DG19		Please Login



Tree Pruner

- Compound action
- Cuts up to 1-1/4" limb
- 14" blade saw
- 7' to 14' extension fiberglass handle

Part#	List Price	Wholesale
WP6555		Please Login



Woodsman™

Forestry System

- Perfect solution for chain saw, sandblasting or woodworking
- Gladiator® six point ratchet hard hat
- Earmuffs with cushions
- Molded steel mesh face screen



Part#	Description	List Price	Wholesale
6000W	Entire System		Please Login
1000-5	Replacement suspension		Please Login
2293-1	Foam ear cups		Please Login
4000P	Face shield - clear		Please Login
4000W	Face screen - mesh		Please Login

Metal Detector

- Sensitivity, Depth Adjustment (8 Settings)
- Battery Indicator
- Coin Depth Indicator
- Headphone Jack
- Touch-n-Go Operation
- Length: 42" to 51"
- Weight: 2.7 lbs. (1.2 kgs.)
- 4 AA battery operation (batteries included)
- 2 year warranty



Part#	List Price	Wholesale
ACE250		Please Login



Includes:

- (1) 4 lb. Head 12 in. Sledge Hammer
- (1) 32 oz. Head 14 in. Ball Pein Hammer
- (1) 2 lb. Head 16 in. Cross Pein Hammer

B.A.S.H Mechanics Hammer Kit

- Unbreakable technology
- Hi-visibility green head
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- Safety plate locks head firmly to handle, eliminating dislodging
- Anti-vibe prevents injury from repeated use
- No-slip textured handle for secure grip
- Lanyard hole
- Tested for 25,000 overstrikes

Part #	List Price	Wholesale
11111		Please Login

B.A.S.H Sledge Hammers

- Unbreakable technology
- Hi-visibility green head
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- Safety plate locks head firmly to handle, eliminating dislodging
- Anti-vibe neck prevents injury from repeated use
- No-slip textured handle for secure grip
- Lanyard hole
- Tested for 25,000 overstrikes
- Meets ANSI standards

Part#	Head Size	Handle	List Price	Wholesale
20212	2-1/2 lb.	12"		Please Login
20412	4 lb.	12"		Please Login
20416	4 lb.	16"		Please Login
20424	4 lb.	24"		Please Login
20616	6 lb.	16"		Please Login
20624	6 lb.	24"		Please Login
20630	6 lb.	30"		Please Login
20816	8 lb.	16"		Please Login
20824	8 lb.	24"		Please Login
20830	8 lb.	30"		Please Login
20836	8 lb.	36"		Please Login
21016	10 lb.	16"		Please Login
21024	10 lb.	24"		Please Login
21030	10 lb.	30"		Please Login
21036	10 lb.	36"		Please Login
21230	12 lb.	30"		Please Login
21236	12 lb.	36"		Please Login
21424	14 lb.	24"		Please Login
21430	14 lb.	30"		Please Login
21436	14 lb.	36"		Please Login
22024	20 lb.	24"		Please Login
22030	20 lb.	30"		Please Login
22036	20 lb.	36"		Please Login



Bash Splitting Mauls

- Unbreakable Technology: Steel core design prevents breaking during overstrikes
- Safety Plate: Locks head firmly to handle eliminating dislodging
- No-Slip Grip: Textured handle for secure grip while striking
- Anti-Vibe Neck: Ergonomically designed to prevent injury from repeated job site use

Part#	Head Size	Handle	List Price	Wholesale
50630	6 lb.	30"		Please Login
50636	6 lb.	36"		Please Login
50836	8 lb.	36"		Please Login

Deck Demon

Designed to quickly remove any type of decking materials as well as any fasteners left behind. The most efficient and effective tool to remove decking materials!

- Reduces time and labor
- Maximum leverage saves your back
- Single & double joist compatible
- No damage to existing structure with patented rocker design
- Commercial grade, all-steel construction



Part#	List Price	Wholesale
6004		Please Login





Paint Striper

800P Vers-A-Striper (pavement)

- Stripe widths from 2" to 4"
- Heavy-duty metal construction
- Holds 1 case of paint
- Paint radius curves with ease
- Curb and edge attachment included

Part#	List Price	Wholesale
800P		Please Login



Athletic Paint Striper

801P Vers-A-Striper (turf and dirt)

- Stripe widths from 2" to 4"
- Larger 10" diameter wheels
- Metal construction - heavy-duty
- Holds 1 case of paint (12 per case)

Part#	List Price	Wholesale
801P		Please Login



Solvent-Based Striping Paint

- Perfect for concrete and asphalt
- Fast drying, one coat coverage
- 18 oz. cans - net weight
- Sold individually

Part#	Description	List Price	Wholesale
710P	White		Please Login
720P	Yellow		Please Login
740P	Orange		Please Login
750P	Blue		Please Login
770P	Asphalt Black		Please Login



Water-Based Athletic Striping Paint

- Will not burn grass
- Fast drying, long lasting, one coat coverage
- 18 oz. cans - net weight
- Sold individually

Part#	Description	List Price	Wholesale
790P	White		Please Login

Will cover 800 linear ft. with a 4-inch stripe!



No-Spill® CARB Fuel Cans w/Auto Stop Nozzle

Meets CARB Environmental Standard

- 7/8" Funnel spout easily fills even the smallest equipment
- Wide, stable base can reduce upsets
- Semi-translucent body
- Quart & Liter markings molded in

Part#	Description	List Price	Wholesale
NS1450	5 Gal. gas (red)-CARB		Please Login
NS1405	2.5 Gal. gas (red)-CARB		Please Login
NS1415	1.25 Gal. gas (red)- CARB		Please Login



Compost Spreader

- "Sifting" action spreader
- Keep trash inside the drum and off the lawn
- Spread peat moss, mulch, compost, etc.
- 24" wide x 18" diameter
- All steel construction

Part#	List Price	Wholesale
85755		Please Login

MAXIM

**HONDA
ENGINES**



2-year warranty on transmission



Maxim Commercial Tiller

MOST POPULAR

- 160CC Honda engine
- Durable, simple to operate and maintain
- Heavy-duty frames have additional reinforcement at points of stress
- Transmissions enclosed in special design double-welded case
- Extra metal shield keeps wire and vines from getting into seal
- Tillers feature heavy-duty transport wheels & hitch
- Heavy-duty replaceable slasher tines are standard
- Transmission - Roller chain and sprocket sealed and running in oil
- Handles - 11-gauge seamless tubular steel w/ braces
- Tilling Width - 14" to 26" standard
- Wheels - Heavy-duty transport wheels with spring loaded latch pin

Part#	Description	List Price	Wholesale
RMT55H	Tiller		Please Login
130761	Set of 4 tines		Please Login



MAXIM

**HONDA
ENGINES**



Bolt on blades are easier to replace



Maxim Commercial Compact Tiller

- 120CC Honda OHV
- Transmission - Roller chain and sprocket, sealed and running in oil
- Tines - 11" Bolo, self-sharpening, heavy-duty non-winding, forged steel
- Tine Shaft - Case hardened carbon steel
- Tilling Width - 13" or 19" standard
- Tilling Depth - Up to 8"
- Handles - 14 gauge seamless tubular steel w/braces
- Clutch - Hand controlled belt tightener
- Frame - All steel, welded and braced
- Wheels - Adjustable or removable for tilling

Part#	Description	List Price	Wholesale
RM4H	Tiller		Please Login
130832	Set of 4 tines		Please Login



6 Cu. Ft. Wheelbarrow

**SEYMOUR
MIDWEST**

- Poly tray
- 16" 2-ply tires
- Hardwood handle
- Heavy-duty channel steel front braces

Part#	List Price	Wholesale
WB6P		Please Login

Aerator 36" Plug with Wheels



- Loosen soil
- Increase water filtration
- Increase oxygen
- Release carbon dioxide
- Encourage root growth
- 200 lb. capacity/24 gallons
- Overall width 52"
- Rolls on 1" grease-able pillow block bearings
- Wheels are 2 ply, 4.10x 3.50x 4 (for off-road use only)
- Bolt in sod pluggers

Part#	List Price	Wholesale
MSP36		Please Login



HOLE DIGGERS

One-Man Hole Digger

- Operates on hills or store it on its side without fear of damage or oil leaking
- Honda 4-cycle, GX35 Engine
- Digs up to an 8" diameter hole
- Built with oversized ball bearings, heat treated shafts and precision gears
- Unique Comfort-Zone™ handle was newly created to specifically help the operator maintain proper position while digging
- Weight - 26 lbs.
- Auger sold separately



General

**HONDA
ENGINES**

Part#	Description	List Price	Wholesale
M240H	Hole Digger		Please Login
2135-4E	4" auger		Please Login
2135-6E	6" auger		Please Login
2135-8E	8" auger		Please Login
2135-15X	15" extension w/o flighting		Please Login



Two-Man Hole Digger **General**

- 5.0 HP Honda GXV140, 4-cycle engine
- Totally-enclosed, oil-lubricated spur gear reduction
- All-metal, oil-cooled, automatic centrifugal, clutch slips (does not fully disengage) on overload
- Approximately 190' lbs. drilling torque
- 1-3/8" hexagon drive shaft connection
- Weight - 71 lbs.
- Auger sold separately

Part#	Description	List Price	Wholesale
M330H	Hole Digger		Please Login
4450-6E3	6" hex drive auger		Please Login
4450-8E3	8" hex drive auger		Please Login
4450-10E3	10" hex drive auger*		Please Login
4450-12E3	12" hex drive auger*		Please Login
5500-15X	15" extension w/o flighting		Please Login

*Special Order Only; non-cancelable

One-Man Towable Hole Digger

- 8 GPM fixed displacement gear type hydraulic pump, low speed, high torque hydraulic motor direct coupled to the auger
- Includes 10 micron return line filter, suction screen & return line diffuser
- 13 HP Honda GX390
- 276 lbs. at 2000 PSI Max. drilling torque
- 144 RPM auger rotation speed
- 1-3/8" hexagon standard
- 4.80-12 highway use rated tires
- Tires - 4.80-12 highway use rated
- Dimensions - 113"L x 41"W
- Weight - 440 lbs.
- Auger sold separately



General

Part#	Description	List Price	Wholesale
M660H	Hole Digger*		Please Login
4450-6E3	6" hex drive auger		Please Login
4450-8E3	8" hex drive auger		Please Login
4450-10E3	10" hex drive auger*		Please Login
4450-12E3	12" hex drive auger*		Please Login

*Special Order Only; non-cancelable



Replacement Wear Parts For Augers



**AT35
Standard Dirt Tooth**
For ordinary digging conditions.



**AT1336
Tungsten Carbide Tooth**
For use in extremely abrasive and frozen soil.



**AT35HFC
Hardfaced Dirt Tooth**
Hardfacing substantially increases the wear life of the 35 Standard Dirt Tooth.



**ATSB25
Screw Bit**
Use in most soils. Install on all brands of augers except 3" & 4" dia.



**AT5T30
Chisel Type Dirt Tooth**
Rip through caliche, hardpan and other formations.



**ATP801
Screw Bit**
Use on one man augers of all sizes.

Part#	Description	List Price	Wholesale
AT35	Standard tooth		Please Login
AT35HFC	Hardfaced tooth		Please Login
AT5T30	Chisel tooth		Please Login
AT1336	Tungsten tooth		Please Login
ATSB25	Screw bit		Please Login
ATP801	Screw bit		Please Login



Igloo Hand Washing Station

- BPA Free
- 5 gallons = 40 handwashes
10 gallons = 80 handwashes
- UV inhibitors protect against fading & cracking
- Push-lever spigot enables touch-free handwashing
- Soap caddy included
- Reinforced side handles
- Pressure-fit lid stays securely on & doesn't trap dirt or mold
- Seat-top lid can be locked to side handles



Part#	Description	List Price	Wholesale
42260	5 Gallon		Please Login
42261	10 Gallon		Please Login



50 Person First Aid Kit

- Great for shops, jobsites, sporting events

Part#	List Price	Wholesale
6088		Please Login

CONTENTS	QTY.
1" x 3" Adhesive Strips	100
4"x4" Sterile Gauze Pads	10
8"x10" Sterile Combine Pad	2
1/2"x5yd Adhesive Tape	1
4"x5yd Non-Sterile Gauze	2
40" Triangular Bandage	2
Antiseptic Wipes/Burn Cream	1
Antiseptic Wipes	30
First Aid Burn Cream Packets	6
Instant Cold Pack	2
Latex Exam Gloves	2
Scissors	1



Double Bottle 16oz. Eye Wash Station

- 2 each
- Bottles of sterile isotonic buffered solution for flushing or irrigating the eyes on a dual wall mount ready station
- Includes eye cups for easily focusing the fluid stream



Includes 2 eye cups



Part#	Description	List Price	Wholesale
24102	Complete station		Please Login
24101	Replacement bottle		Please Login

24 replacement bottles in a case



25 Person First Aid Kit

- Great for shops, jobsites, vehicles, hunters, camping

Part#	List Price	Wholesale
6080		Please Login

CONTENTS	QTY.
1" x 3" Adhesive Strips	100
8"x10" Large Wound Dressing	1
4"x4" Gauze Pads	5
4"x5yd Gauze Bandage, 4"	1
1/2"x5yd Adhesive Tape	1
40" Triangular Bandage	1
Antiseptic Wipes	30
First Aid Cream Packets	6
Cold Pack	1
Latex Exam Gloves	2
Scissors	1

Portable Eyewash Station



- Compliance - ANSI Z358.1
- 1-hand operation
- Gravity fed
- No plumbing required
- Size: 25-1/2" x 20" x 9-1/2"
- Eyewash preservative #5136
- 15 minute flow time



Part#	Description	List Price	Wholesale
5134-00	Eyewash station		Please Login
5136	Eyewash preservative		Please Login

Supply Refills for all First Aid Kits



Part#	Description	List Price	Wholesale
1-200	1"x3" adhesive strips(100)		Please Login
1-100	3/4"x3" adhesive strips(100)		Please Login
1-550	1"x3" heavy woven fabric strips(50)		Please Login
1-825	Heavy woven knuckle bandage(25)		Please Login



White Duct Tape

- Polyethylene coated cloth
- Use for indoor/outdoor carpet or vinyl tent sidewall repair
- 24 per carton
- 9 mil

Part#	Size	List Price	Wholesale
20CW2	2" x 60 yards		Please Login



Carton Seal Cleartape

- 2" x 55 Yd. - 2.0 Mil
- Exceptional strength and flexibility with excellent adhesion
- Best for carton sealing, bundling and securing loose objects during shipment
- Temperature, tear and impact resistant
- Polypropylene Film

Part#	List Price	Wholesale
9852		Please Login



Tarp/Visqueen/Sidewall Tape

- Heavy-duty poly tape
- Repair tarps, visqueen or sidewalls
- Resists cracking or peeling
- 24 per carton

Part#	Size	List Price	Wholesale
82736	2" x 36 yards		Please Login



7 Mil Vinyl Electrical Tape

- UL approved
- Indoor & outdoor
- Sold in sleeves of 10
- 20 sleeves per case

Part#	Size	List Price	Wholesale
VE75	3/4" x 60'		Please Login



Thread Sealing Tape

- Pipe thread connections
- Air, propane or natural gas
- 200 per carton

Part#	Size	List Price	Wholesale
UT11	1/2" x 260"		Please Login



Painters Tape

- Removes cleanly and easily for up to 14 days without leaving adhesive residue
- Use with water-based and solvent-based coatings
- Medium Adhesion

Part#	Size	List Price	Wholesale
2090-48A	1.88" x 60 yards		Please Login



Nifty® Hand Tear ClearTape

- 2" x 55 Yd. - 3.2 Mil
- Uses serrated edges for simple hand tearing
- Works in cold weather and outdoors
- 36 rolls per carton

Part#	List Price	Wholesale
T3761		Please Login



Utility Grade Duct Tape

- Conforms well to irregular surfaces
- Easy unwind
- Industrial strength
- 24 per carton

Part#	Size	List Price	Wholesale
493	1 7/8" x 60 yards		Please Login





Blue Poly Tarps

- 8 x 8 Scrim
- 3' grommet spacing
- Roped Hem
- 30 micron coating
- 5-6 mil
- Sold individually



NEW !

Biolet grommet.
Stronger and
Rust Proof!!!

Sold Individually



Rubber Tarp Straps

- Molded of 100% EPDM Rubber
- Guaranteed elasticity for up to one year

Part#	Ctn Qty	Size	List Price	Wholesale
B1010-068	40	6' x 8'		Please Login
B1010-810	25	8' x 10'		Please Login
B1010-1012	18	10' x 12'		Please Login
B1010-1216	10	12' x 16'		Please Login
B1010-1620	5	16' x 20'		Please Login
B1010-2020	5	20' x 20'		Please Login
B1010-2030	3	20' x 30'		Please Login
B1010-2040	3	20' x 40'		Please Login
B1010-3040	2	30' x 40'		Please Login
B1010-4040	1	40' x 40'		Please Login
B1010-4060	1	40' x 60'		Please Login

Part#	Strap Lgth	List Price	Wholesale
STR9	9"		Please Login
STR15	15"		Please Login
STR21	21"		Please Login
STR31	31"		Please Login
STR41	41"		Please Login



Dispenser and roll are sold separately

Each Roll Is 1/4 Mile Long!



Large Stretch Wrap

- 18" x 1500'
- Extra wide

Part#	Description	List Price	Wholesale
80183	Large stretch wrap		Please Login
12018	Metal dispenser(as in photo)		Please Login

4 per carton


Small Stretch Wrap

- Fits in the glovebox or toolbox



Part#	Size	List Price	Wholesale
51000	5" x 1000'		Please Login

Egyptian Mummy



Found Wrapped in Stretch Wrap Instead of Bandages

Black Poly Film

- Super tough, fully waterproof plastic sheeting used by DIYers and contractors for large and small construction, landscaping, or covering projects
- Black
- 10' x 25'
- 4 mil
- Waterproof
- 8 rolls in a case

Special Price Limited Quantities



Part#	List Price	Wholesale
4CH10-B		Please Login

Combicut Wet Tile Saw

- Cuts tile, stone or masonry
- Powerful 1.75 hp 110v 15amp motor turns the blade at 2800rpm
- 28" cutting length extends to 31" with plunge cut
- Super light at 72lbs for this length of cutting ability
- Accurate 45 degree miter cuts with tilting head and rail system

Includes

- High quality miter gauge
- Built in laser for accurate long piece cutting
- Removable side table to increase width for large tile
- 10" CR continuous rim blade for tile, stone, and porcelain
- Square steel folding stand

NEW!

- Water valve to control water mist
- 10" continuous rim porcelain blade included
- Complete with high flow water pump
- Included side table for extra work space
- Included protector with 180°

- Equipped with a laser guide to make cuts quickly and accurately
- High impact removable poly water pan with baffles
- Lightweight folding stand included



Specifications

- Blade Diameter: 10"
- Blade Shaft Diameter: 5/8"
- Max. Cutting Length: 28"
- Max. Cutting Depth: 4.75"
- Motor Rating: 1.75HP, 110v, 15 amp
- Blade Speed: 2,800 RPM
- Weight: 72lbs
- Water Pan Capacity: 10 Gallons
- Water Pump Flow: 3 GPM
- Noise Level: 78 dB(A)
- Length: 40"
- Height: 22"
- Width: 18"
- Accuracy of 1/32" allows for seamless cutting
- ABS water tub

Part#	List Price	Wholesale
1188164		Please Login



10" Continuous Rim Wet Cut Tile, Stone & Porcelain Diamond Blade

Part#	List Price	Wholesale
B000006		Please Login



885 CFM

Velo Slimline Blower

- Broad-path airflow
- Low profile
- Daisy-chain with GFCI outlet
- Tough rotomolded housing
- Cord wrap and easy-carry handle
- Multiple position versatility



Part#	CFM	Volts	Amps	List Price	Wholesale
F504	885	115	1.9		Please Login



2500 CFM

Commercial Carpet Blower

- Rotomolded polyethylene housing
- 3-speed switch
- 23' cord with large built-in cord wrap
- Non-skid rubber feet (4)
- Off-set roto-molded carrying handle
- 29 lbs.



Part#	CFM	Volts	Amps	List Price	Wholesale
F600	2500	115	2.4 - 4		Please Login



2700 CFM

Sahara Pro X3 TurboDryer®

- Lower amp draw
- Three speed settings
- Tough rotomolded housing
- Underside drying vent
- Daisy-chain with GFCI outlet



Part#	CFM	Volts	Amps	List Price	Wholesale
F351	2700	115	4		Please Login

Shipp Carpet Cleaning Chemicals



2 oz. of product to 1 gallon of water!

Marvel Steam Cleaner

The ideal product for top quality, one step, convenient carpet cleaning.

Part#	Description	Ctn.	List Price	Wholesale
S00562	Marvel, 32 oz.	12		Please Login
S00563	Marvel, 64 oz.	6		Please Login
S00564	Marvel, 128 oz.	4		Please Login



Traffic Lane Pre-Cleaner - 12 per carton

Loosens tough spots from high traffic lanes.

Part#	Description	List Price	Wholesale
S00531	Pre-Cleaner, 32 oz.		Please Login



UrineRx - 12 per carton

Specially engineered to remove urine odor.

Part#	Description	List Price	Wholesale
URINERX	UrineRX, 32 oz.		Please Login



All Chemicals Are Sold By The Bottle



Presto 3 Mini Carpet Extractor/Spotter

- Convenient 2 gallon capacity
- Translucent recovery tank
- 8' x 1" hose, 25' 18/3 cord
- 19" L x 10" W x 17" H
- Weight: 16.3 lbs
- Clear view hand tool shows cleaning results
- 1.16 HP (870 watt) vacuum motor and 55 psi pump

1-YEAR WARRANTY

Part#	Description	List Price	Wholesale
PRS3	Carpet Extractor		Please Login



Folding handle makes it easy to transport.

RIP-R-STRIPPER™ Floor Stripper

- Great for removing such materials as carpet, ceramic tile and linoleum
- Folding handle allows easier transport in smaller vehicles
- 3/4-HP, 115/230 VAC, 60-Hz electric motor
- Low noise levels (less than 70 dBA)
- 132 lbs.

Part#	Description	List Price	Wholesale
FCS16	Floor Stripper		Please Login

Blades			
FCS1611	Straight 4"x6"		Please Login
FCS1612	Angled 6" wide		Please Login
FCS1613	Straight 3"x10"		Please Login
FCS1615	Scoring facing up		Please Login
FCS1616	Scoring facing down		Please Login



- FCS1611 - General purpose removal projects both concrete and wood surfaces.
- FCS1612 - Mastic and thin film covering removal projects on concrete surfaces ONLY.
- FCS1613 - General purpose removal projects both concrete and wood surfaces.
- FCS1614 - Mastic and thin film covering removal projects on concrete surfaces ONLY.
- FCS1615 - Glued carpet and sheet type linoleum, rubber, PVC, etc. products from concrete surfaces ONLY.
- FCS1616 - Glued carpet and sheet type linoleum, rubber, PVC, etc. products from wood surfaces ONLY.



RIP-R-STRIPPER Self-Propelled Floor Stripper

- Self-propelled
- Emergency stop button
- Dual electric motors
- 3/4-HP, 115/230 VAC, 60-Hz electric motor
- 18" maximum blade cutting width
- 4-bolt blade clamping system
- Integral, maneuver-ease wheels
- Easy removal side plates and operator handle for compact transport
- 220 lbs.

Part#	Description	List Price	Wholesale
FCS18	Floor Stripper		Please Login



Blades			
FCS18-2000	Straight 6"		Please Login
FCS18-2100	Straight 11"		Please Login
FCS18-2200	Scoring 9"		Please Login
FCS18-2400	Straight 18"		Please Login

MAKE SURE YOU CHECK OUT THE

BARGAIN BUYS

ON PAGE 206-207



Yellow Chore Gloves

- Regular weight
- Straight thumb
- Knit wrist
- 2-layer fleece quilted palm and back
- Clute pattern



Part#	Size	List Price	Wholesale
3460G	L		Please Login.
4203QXL-BG	XL		Please Login

Rip-R-Stripper Cart



*Breaker Not Included

***Please Note: The carts listed below come with one mounting kit.**

Part#	Breaker Model	List Price	Wholesale	Availability
CTS12-1000A	Makita HM1500B		Please Login	Drop Ship
	Makita HM1307C			
CTS12-1100A	Makita HM1317CB		Please Login	Drop Ship
	Makita HM1307C			
CTS12-1200A	Bosch 11335K		Please Login	In-Stock
	Bosch GSH 16-28			
CTS12-1300A	Hilti TE905-AVR		Please Login	Drop Ship
CTS12-1600A	Hitachi H65DS2		Please Login	Drop Ship
CTS12-2100A	DeWalt D25941		Please Login	Drop Ship

General

- Removes ceramic tile, hardwood floor and other tough coverings
- Acts as a tool carrier for electric-powered breakers with ratings between 30 and 45 ft.-lbs.
- 12" maximum scraper blade width



Includes One Mounting Kit!!

Mounting Kits



- Use these different mounting kits to attach the Rip-R-Stripper to different 35 lb. electric powered, hand-held breaker hammers.

The Rip-R-Stripper Cart comes with one mounting kit at no additional charge.

If you need an additional mounting kit, please specify which one when ordering.

Part#	Breaker Model	List Price	Wholesale
1000A	Makita HM1500B		Please Login
	Makita HM1307C		
1100A	Makita HM1317CB		Please Login
	Makita HM1307C		
1200A	Bosch 11335K		Please Login
	Bosch GSH 16-28		
1300A	Hilti TE905-AVR		Please Login
1600A	Hitachi H65DS2		Please Login
2100A	DeWalt D25941		Please Login



BOSCH

Bosch Breaker Hammer


- Unmatched power to weight ratio; 34-feet-per-pound of impact force; fastest removal rate in its class by far
- Active vibration control handle
- Versatile bit retention--accepts Bosch 1-1/8-inch hex steel as well as standard 1-1/8-inch air steel
- Rugged durability--metal tube and case design handles tough jobsite use and abuse

- KIT INCLUDES**
- Pointed Chisel
 - Articulating Auxiliary Handle
 - Carrying Case with Wheels
 - Grease tube
 - Cleaning rag

Part#	List Price	Wholesale
11335K		Please Login

Floor Scrapers

Champion




Heavy-duty Scraper

Part#	Description	List Price	Wholesale
FSHD-103B-100S	Scraper		
	1-1/8" Shank		Please Login
FSHD-905-100S	Scraper		
	Hilti 805/905/1000 Shank		Please Login
	Repl. Blade		Please Login
FSHDKIT-L	Repl. Hardware		Please Login



Sure Lock Scraper

Part#	Description	List Price	Wholesale
FSA-MAX-100	Scraper		
	SDS Max Shank		Please Login
FSA-ROTARY-100	Scraper		
	Spline/Rotary Shank		Please Login
	Repl. Blade		Please Login
FSAKIT-L	Repl. Hardware		Please Login



FSP Scraper System

Part#	Description	List Price	Wholesale
FSP-2MM-4	4" Scraper		
	SDS Plus Shank		Please Login
FSP-2MM-8	8" Scraper		
	SDS Plus Shank		Please Login
FSPB-2MM-4	4" Repl. Blade		Please Login
FSPB-2MM-8	8" Repl. Blade		Please Login
FSPRKIT-L	Repl. Hardware		Please Login

FLOOR INSTALLATION



Multi-Undercut Saw Kit

- Undercuts along walls, door jambs, under toe spaces, and will also fully undercut inside corners
- Height of cut is easily adjustable from flush to one inch above the floor
- Base prevents tipping and assures accurate, level cutting
- Heavy duty industrial motor
- "Dual angle" precision depth gauge
- Cuts inside corner completely
- Cuts flush to the floor with a carbide blade
- Rating: 120 Volt AC
- Amperage: 7.0
- No-load RPM: 11,000
- Max Cutting Height: 1"
- Max Cutting Depth: 1-1/4"
- Weight: 11.0 lbs

- Includes:
- 575 Multi-Undercut Saw
 - Carbide-Tipped Blade (#556)
 - Hex wrench
 - Carrying Case



Part#	Description	List Price	Wholesale
575	Saw		Please Login
556	Blade		Please Login



Toe-Kit Saw Kit

- Cuts flush to the inner wall of a toe space in a cabinet or counter area to remove old underlayment
- Clutch mechanism that may disengage to reduce kickback forces if the saw is abused by cutting curves or cutting backward
- Fixed cutting depth for perfect flush cuts
- Powerful 11 Amp, 2-1/2 hp motor with helical gears
- Will fit under toe-kicks as low as 3" in height
- For blade changes, the spindle lock stops the blade rotation, so that the blade can be easily removed
- Rating: 120 Volt AC
- Amperage: 11.0
- Horsepower: 2-1/2
- No-load RPM: 4,500
- Weight: 11.8 lbs

- Includes:
- 775 Toe-Kick Saw
 - 3-3/8" Saw Blade(#787)
 - Carrying Case
 - Hex wrench



Part#	Description	List Price	Wholesale
775	Saw		Please Login
787	Blade		Please Login

Carbide-tipped blade (#787) included



Linoleum Roller

- All steel trouble free construction
- Detachable handle
- Use on: linoleum, vinyl sheet goods, rubber tile, vinyl tile, cork tile, wood block tile, and roofing systems

Part#	Weight	List Price	Wholesale
GU100LR	100 lb.		Please Login

MultiTalent Start Q Oscillator Multi-Tool-FMT250QSL

The universal system for interior construction and renovation with QuickIN and the basic accessories for sanding and sawing.

- Highest quality and stability
- Powerful 250 Watt FEIN high-performance motor
- Convenient, tool-free accessory change
- Electronic speed control
- Softgrip zone provides optimal handling
- Power consumption 250 Watts
- Oscillations 11,000-20,000 rpm
- Weight according to EPTA 3.1 lbs
- Cable with plug 16.4 ft



- Includes:
- FEIN MultiTalent FMT250QSL
 - Backing pad
 - 3 of each sanding sheet (grits 80, 120, 180)
 - Universal E-Cut saw blade 1-3/4"
 - Nylon tool bag

Part#	Description	List Price	Wholesale
72295362090	Oscillator multi-tool		Please Login
63502221270	2" Saw Blade (3-Pack)		Please Login
63502236260	Pro Blade (1-Pack)		Please Login



Carpet Knee Kicker

- Recessed trigger for length adjustment in five settings from 17¾" to 21¾"
- Nine different depth settings
- Gripping head includes three nap grips and a pin plate with 16 hardened steel pins
- Bumper is made from rubber for durability and provides a firm feel and impact that is preferred by many installers
- Comes with gripper cap
- Bumper, nap grips, and pin plate are replaceable
- Net weight: 3 lbs.

Part#	List Price	Wholesale
445		Please Login



Carpet Knee Kicker

- Telescoping steel tube construction makes it one of the most durable knee kickers available
- The double buttons provide four length adjustments from 21" to 25"
- Nine different depth settings
- Gripping head includes three nap grips and a pin plate with 16 hardened steel pins
- Bumper is made from rubber for durability and provides a firm feel and impact that is preferred by many installers
- Comes with gripper cap
- Bumper, nap grips, and pin plate are replaceable
- Net weight: 5.88 lbs.

Part#	List Price	Wholesale
505		Please Login



4" Wide Stair Tool with Molded Cushion Grip

- Used for tucking carpet into the tackless strip/wall gully and to drive carpet into a stair crotch
- Tough chisel type alloy steel, and is bright nickel plated to resist rust and corrosion
- Blade is ground to the correct smooth slim taper, and oversize heads resist hammer damage
- 8" long and a molded cushion grip

Part#	List Price	Wholesale
152B		Please Login



Jr Power Carpet Stretcher

- Head assembly is made of a lightweight cast aluminum
- 14-1/2" wide metal pin plate holds 59 rust resistant nickel plated pins
- 14-1/4" wide tail block assembly has a non-marring rubber pad and glides on each of the 1" ball type casters
- Minimum operating length is 34-1/2", and opens to 22' with four tubing sections

Includes: Adjustable 14" Transfer Tube, Head Assembly, Tail Block Assembly, Steel carrying case, (4) Steel Stretcher Tubes

Part#	List Price	Wholesale
400-CS		Please Login



24" Tile Cutter with Casters

- Makes precise cuts on large tile with ease
- Use on rubber, vinyl comp. and solid vinyl tiles
- Can also cut carpet tiles and other flooring materials
- Makes straight cuts up to 24" tile
- Full diagonal cuts on 12" tile
- Dual measuring scale
- Alloy steel blades

Part#	List Price	Wholesale
H-24		Please Login



12" Tile Cutter with Casters

- Fantastic, high performance tile cutter
- Clean cuts for all types of resilient floor tile
- Cuts solid vinyl tile, asphalt, rubber, cork, linoleum, felt-backed vinyl, marble translucent vinyl, and more
- Expertly designed for a fast, convenient, and durable work experience

Part#	List Price	Wholesale
H-76-1		Please Login



Electrical Orbital Sander

- Powerful totally enclosed motor requires less maintenance
- Rigid cast aluminum pad driver provides increased durability
- Designed specifically for fine finishing of hardwood floors
- Large non-marking transport wheels
- Precision balanced for smooth operation
- Excellent "between coats" system
- Available in standard or dust control version
- Sanding path: 18"
- Sanding pad size: 12" x 18"
- Motor: 1HP
- Power cable: 14-3 50'
- Size (L x W x H): 19" x 20" x 45"
- Shipping weight: 145 lbs.
- *OBS18DC is 07081B*



Part#	Description	List Price	Wholesale
OBS18DC	Floor sander w/dust control		Please Login

Man Hires Bigfoot As Janitor



"Floors have never looked better"

VIRGINIA ABRASIVES

Orbital Floor Sanding Sheets



- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- Pressure Sensitive Adhesive "Sticky-Back" Backing
- Sold individually

Virg. Abr. Part#	Abmast Part#	Size	Pkg. Qty.	List Price	Wholesale
PSA Abrasive Sheets - "Sticky-Back" Backing					
206-34100	B1810	12" x 18" 100	20		Please Login
206-34080	B1880	12" x 18" 80	20		Please Login
206-34060	B1860	12" x 18" 60	20		Please Login
206-34036	B1836	12" x 18" 36	20		Please Login
206-34020	B1820C	12" x 18" 20	20		Please Login

20 per carton

VIRGINIA ABRASIVES

Orbital Floor Maintenance Thick Pads



- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- Sold individually

Virg. Abr. Part#	Abmast Part#	Size	Pkg. Qty.	List Price	Wholesale
416-54187	J182W	12" x 18" x 1" White	5		Please Login
416-54186	J182T	12" x 18" x 1" Tan	5		Please Login
416-54185	J182G	12" x 18" x 1" Green	5		Please Login
416-54184	J182B	12" x 18" x 1" Black	5		Please Login
416-54180	J182R	12" x 18" x 1" Red	5		Please Login

5 per carton

EZ-8 Sander 8" Drum Sander

Contractor-type results with easy-to-use features for the do-it-yourselfer. Available with two drum types - standard and expandable. Comes complete with standard clamp drum with 3-screw clamp bar or with an expandable drum for no-tool paper changes. Enclosed motor eliminates overheating, and the drum lowering lever lets you "feather" the drum like the pros.

- Heavy duty 1-1/2 HP dual capacitor motor is totally enclosed and dust free
- Non-slip cogged belt
- Easy change sandpaper
- Dismantles easily
- 40' power cable
- Designed for years of service
- Weight - 105 lbs.



Part#	List Price	Wholesale
07058A		Please Login

Silicon Carbide Sandpaper Model 7057A only (clamp type)

• 8" x 19-1/2"

Virg. Abr. Part#	Abmast Part#	Description	List Price	Wholesale
002-08100	B5210	100 Grit		Please Login
002-08080	B5280	80 Grit		Please Login
002-08060	B5260	60 Grit		Please Login
002-08036	B5236	36 Grit		Please Login
002-08024	B5224C	24 Grit		Please Login
002-08020	B5220C	20 Grit		Please Login
002-08016	B5216C	16 Grit		Please Login

Sandpaper Model 7058A (expandable type)

Virg. Abr. Part#	Abmast Part#	Description	List Price	Wholesale
Sandpaper is for Expandable Sander				
018-81996	C8912	120 Grit		Please Login.
018-81994	C8910	100 Grit		Please Login
018-81980	C8980	80 Grit		Please Login
018-81960	C8960	60 Grit		Please Login
018-81940	C8940	40 Grit		Please Login
018-81936	C8936	36 Grit		Please Login
018-81924	C8924	24 Grit		Please Login

10 per carton

Super 7R Wood Floor Edger

- Powerful 1 HP motor
- 2800 RPM
- Sealed ball bearings
- Hardened steel pinion reduces vibration
- Precision fitted integral universal motor components
- Large 600 cubic inch collector bag



Part#	List Price	Wholesale
07125A		Please Login

Super 7R Edger Sandpaper Model 7075A

Virg. Abr. Part#	Abmast Part#	Description	List Price	Wholesale
006-70894	B0710	100 Grit		Please Login.
006-70880	B0780	80 Grit		Please Login
006-70860	B0760	60 Grit		Please Login
006-70840	B0740	40 Grit		Please Login
006-70836	B0736	36 Grit		Please Login
006-70820	B0720C	20 Grit		Please Login

50 per carton



Rotating dust pipe allows the dust bag or hose connection to move freely out of the way during operation. The Super 7R pipe rotates 210°.

DON'T FORGET ABOUT SAFETY!



Hearing Page 155



Eyewear Page 39-45

CONCRETE FINISHING



Pul-krete

- Blade of 12-gauge cold rolled steel
- Comes with 54" hardwood handle
- Size: 19" x 54" with hook

Part#	List Price	Wholesale
13877		Please Login



Bull Float

- Magnesium blade
- Double rib construction for added strength
- Long wearing and properly balanced
- Size: 48" x 7-1/4"

Part#	List Price	Wholesale
14704		Please Login



Aluminum Handle Section

- Lightweight, yet rigid tubular design
- Large threads can be combined with similar handles
- Size: 6'x 1-3/4" diameter

Part#	List Price	Wholesale
14804		Please Login

Power Trowel Blades

- Used in conjunction with power trowels for finishing large areas of concrete or for concrete that is too stiff to handle otherwise
- Some available in two mounting styles: bar or channel mount



Float



Combination



Finish

Part#	Type	Model#	Mach. Size	Size	Stock	List Price	Wholesale
17436	Float	A4172	36	10" x 14"	Y		Please Login
17236	Combo	M6092	36	8" x 14"	Y		Please Login
17336	Finish	M6093	36	6" x 14"	Y		Please Login
17244	Combo	M6094	42-48	8" x 18"	Y		Please Login

Power Trowel Blade Conversion Chart (all size references reflect inches)

Machine Model#	Blade Type	Blade Size	Mfr. Part#	Model Part#	Machine Model#	Blade Type	Blade Size	Mfr. Part#	Model Part#	Machine Model#	Blade Type	Blade Size	Mfr. Part#	Model Part#
BARTELL					ESSICK					STONE				
B336/B-436	Finish	6 x 14	TA414	M6093	LB34-3-4	Finish	6 x 14	LB34-120	M6093	T-36	Finish	6 x 14	34578	M6093
	Comb.	8 x 14	TA414	M6092		Comb.	8 x 14	LB34-107	M6092		Comb.	8 x 14	34583	M6092
	Float	10 x 14	TA414F	A4172		Float	10 x 14	LB34-121	A4172		Float	10 x 14	34586	A4172
CEMENTCO-WESTERN					KELLEY					STOW				
3CT-34G3-G4	Finish	6 x 14	3CT-146F	M6093	360TNew	Finish	6 x 14	23674	M6093	36"	Finish	6 x 14	22027-501	M6093
3CT-34E3-E4	Comb.	8 x 14	3CT-148C	M6092		Comb.	8 x 14	23673	M6092		Comb.	8 x 14	22029-501	M6092
	Float	10 x 14	3CT-148C	A4172		Float	10 x 14	23675	A4172		Float	10 x 14	22028-501	A4172
CHALLENGE-CLIPPER					KRAFT					WAGMAN				
EVEREADY-BRIKSAW					36"					Finish				
F-34-3-4	Finish	6 x 14	5530065	M6093		Comb.	8 x 14	SK100	M6093		Comb.	8 x 14	WX614F	M6093
	Comb.	8 x 14	5530064	M6092		Float	10 x 14	SK101	M6092		Float	10 x 14	WX8140	M6092
	Float	10 x 14	5530066	A4172				SK102	A4172				WX914F0	A4172
CHAMPION-DESA					MBW					WHITEMAN				
CORBIT NORTHRUP					36"					J3 & E 34"				
360-370-G-G4	Finish	6 x 14	441140	M6093		Comb.	8 x 14	5347	M6093		Comb.	8 x 14	840	M6092
	Comb.	8 x 14	441128	M6092		Float	10 x 14	5402	M6092		Float	10 x 14	900F	A4172
	Float	10 x 14	441143	A4172				5403	A4172		J4 & E 34"	Finish	6 x 14	F900
DART					MORRISON					J4 & E 34"				
DTF-36					36"					36"				
	Finish	6 x 14	DT7082	M6093		Comb.	8 x 14		M6093		Comb.	8 x 14	C844	M6092
	Comb.	8 x 14	DT7080	M6092		Float	10 x 14		A4172		Float	10 x 14	CL954F	A4172
MULLER					36-3G & E					36-3G & E				
					36-4G & E					36-4G & E				
					Comb.					Comb.				
					8 x 14					8 x 14				
					G1951					G1951				
					M6092					M6092				



Wheelman II Concrete Mixers



- Easy to clean poly drum.
- Mix 275 lbs. of mortar, stucco, grout and concrete in less than 4 minutes
- Easy to move around, construction duty 14" tires make it a breeze to roll around the job site or home
- Can be "knocked down" into 3 easy to load components
- These mixers truly are Contractor duty!

NEW!



✓ 1/2 h.p. 110v industrial grade motor with direct gear drive provides non-stop performance

✓ Wheelbarrow pneumatic wheels

✓ Aggressive paddles to mix fast and complete

✓ 5 cu ft poly drum with 3 cu ft output.



✓ The available gas engine model is perfect when electric power is not available



1105490



Part#	Description	List Price	Wholesale
1105421	Electric mixer		Please Login
1105426	Gas mixer		Please Login
L000015	EZEE Cleaner 22 oz.		Please Login
1105490	Stand		Please Login

	WHEELMAN II GAS	WHEELMAN II E
Drum capacity	5 cu ft	5 cu ft
Batch output	2.5 cu ft	2.5 cu ft
Motor rating	n/a	1/2 hp 110v/amp
Gas engine	Honda 3 hp	n/a
Drum diameter	24 in	24 in
Discharge outlet height	8 in 21 in w/stand	8 in 21 in w/stand
Wheel size	14 in pneumatic tires	14 in pneumatic tires
Weight*	elec 115 lbs	elec 121 lbs
Length*	30 (25) in	30 (25) in
Height*	20-3/4 (28) in	20-3/4 (28) in
Width*	14 (20) in	14 (20) in

*Including the stand included

Minuteman II Concrete Mixers



- Mix 275 lbs. of mortar, stucco, grout and concrete in less than 4 minutes
- Easy to move around, construction duty 10" tires make it a breeze to roll around the job site or home
- Can be "knocked down" into 3 easy to load components
- These mixers truly are Contractor duty!

NEW!

✓ Comes inside the drum so the material back into the paddles.

✓ 1/2 HP, 110V motor with gearbox drive

✓ Mix mortar, stucco, grout, or concrete in less than 4 minutes

✓ Choose either metal or poly drum. Both drums are interchangeable

✓ Easy to mix, easy to transport



Part#	Description	List Price	Wholesale
1126608	Steel drum		Please Login
1126632	Poly drum		Please Login
L000015	EZEE Cleaner 22 oz.		Please Login

	MINUTEMAN II E
Drum capacity	5 cu ft
Batch output	2.5 cu ft
Motor rating	1/2 hp 110v/amp
Gas engine	n/a
Drum diameter	24 in
Discharge outlet height	21 in
Wheel size	12 in tires
Weight*	120 lbs
Length*	52 (25) in
Height*	57 (27) in
Width*	28 (28) in

*Including the stand included

DUSTLESS VACS

Collects up to 99% of airborne dust!



16 Gal. Wet/Dry Vac

- Reinforced barrel and lid (3x stronger)
- Durable rubber wheels for mobility
- Primary and secondary filters may be cleaned without removing the lid
- There is no need to change the filters when switching from a dry job to a wet job (the filters never get wet)
- Large capacity barrel easily holds 40 pounds of dust
- Filters are washable (just throw them in your washing machine)
- Patented double filter system
- We use a powerful 23,000 RPM 11.5 amp electric motor
- Quiet operation at only 81 dB
- External agitator rod allows you to clean filters without opening barrel
- INCLUDES:(1) 16-gallon DustlessVac, (2) extension wands, (1) outer filter, (1) inner filter, (2) WunderBag micro pre-filter, (1) crevice tool, (1) floor tool, (1) 1.5" x 12' crush-resistant hose, 4 Durable rubber casters



16 Gal. HEPA Wet Dry Dustless Vac



- Certified to meet EPA Lead Safe standards
- Can be used for hazardous materials like lead, silica, asbestos
- Large capacity barrel easily holds 40 pounds of dust
- Low long-term upkeep costs make the vacuum very economical
- Powerful 11.5 amp motor provides strong suction
- Switch between dry and wet pickup instantly
- Certified to meet the airtight standards required to support a HEPA rating
- Worry-free wet or dry vacuuming-HEPA filter stays dry
- Wunderbag works in wet and/or dry applications
- INCLUDES:(1) 16-gallon HEPA DustlessVac, (2) extension wands, (1) certified HEPA filter, (1) HEPA filter cover, (2) WunderBag micro pre-filter, (1) crevice tool, (1) floor tool, (1) 1.5" x 12' crush-resistant hose, 4 durable rubber casters



Part#	Description	List Price	Wholesale
D1603	Dustless Wet/Dry Vac		Please Login
D1606	HEPA Dustless Vac		Please Login
DT13141	Micro Pre Filter Package .5 Microns, 2-pack		Please Login
DT13201	HEPA Dustless Filter, .3 Microns		Please Login
D14251	12' Flexible Hose		Please Login
D14291	25' Flexible Hose		Please Login




Turbo Drywall Sander

- Orbital sanding head does the work for you
- Turbine motor is powered by air flow from the vacuum
- Drywall dust is sucked through narrow channels on all four sides of the sanding face
- 6' extendable pole eliminates need for ladders and scaffolding
- Velcro-style sandpaper



It's Hip To Be Square!
Reach Into Corners And Tight Places!



Air powered turbine provides aggressive orbital sanding motion.

Dust is vacuumed in on all four sides.

Sandpaper comes in 25 sheets per package.

Part#	Description	List Price	Wholesale
50001	Turbo Sander		Please Login
54502	100 grit sandpaper		Please Login
54102	120 grit sandpaper		Please Login
54702	150 grit sandpaper		Please Login
54202	180 grit sandpaper		Please Login
54302	220 grit sandpaper		Please Login





DustBuddie® with Universal Adapter & 18" hose

- Fits most hand grinders; adjust height with screws
- Easy to install with band clamp
- Polycarbonate for improved visibility and durability
- Removable front edge of shroud for grinding close to edge
- Brush skirt for improved performance on textured surfaces

Part#	Size	List Price	Wholesale
D1835	5"		Please Login
D1850	7"		Please Login



Hose sold separately

Dustie™

- Fits 4" - 9" grinders
- Dust control shroud fits most hand grinders including Makita, Bosch, Dewalt
- Captures up to 99% of airborne particles
- Meet OSHA guidelines for worker safety
- Installs fast and easy - the Flex-Flange™ connecting collar is built onto the shroud
- No separate universal adapter to hassle with

Part#	Description	List Price	Wholesale
D1836	5" Dustie		Please Login
D1854	7" Dustie		Please Login
D5155	18" Hose		Please Login



Dustless
THE END OF DUST



BitBuddie™ Dustless Bit Shroud

- Use with drills, hammer drills & core drills
- Vacuums up dust and slurry as it is made
- Vacuum pressure holds it in place – no clamps necessary
- Compact design for tight places
- Excellent for drilling faucet holes in stone countertop

Part#	List Price	Wholesale
D1900		Please Login

Order Online

Visit Our
PHP Website NOW!



- ✓ Order online from a secure site
- ✓ Check account status
- ✓ Look up individual parts

Wet/Dry Dust Extractor Vacuums



VAC090AH

GAS20-17AH

- Air Flow (CFM): 150
- Cord Length: 15 ft.
- Automatic filter cleaning system cleans filter every 15 seconds to maintain maximum suction power
- For dry and wet pickup, the extractor has a water-level sensor
- Power tool activation allows power tool's switch to turn vacuum on and off
- Power broker dial optimizes usage of the available power and helps avoid blown circuits
- Wet vacuuming water level sensor automatically shuts down vacuum when water reaches a maximum height to protect motor
- Rubber wheels tires and locking caster built to withstand the demands of a jobsite

Includes:


- HEPA Flat Filter
- VB090F Fleece Filter Bag
- VX1035 9.85 Ft. Vacuum Hose
- VX100 Bend Nozzle
- VX120 Power Tool Adapter Nozzle




VB000P



VB090




VB090F



VF110



VX130



VX120




VH1022



HDC100



HDC300



HDC200



HDC250

HDC400

Part#	Description	List Price	Wholesale
VAC090AH	9 gal.-Auto filter clean		Please Login
GAS20-17AH	17 gal.-Auto filter clean		Please Login

Accessories

VB000P	Disposable plastic bags-9/14 gal. (10)		Please Login
VB090	Paper filter bags-9 gal. (5)		Please Login
VB090F	Fleece filter bags-9 gal. (5)		Please Login
VB090R	Reusable fleece filter bag-9 gal. (1)		Please Login
VB090S	Wet filter bags-9 gal. (5)		Please Login
VB140	Paper filter bags - 14 gal. (5)		Please Login
VB140F	Fleece filter bags-14 gal. (5)		Please Login
VF100	Flat paper filter		Please Login
VF110	Flat PES filter		Please Login
VF120H	Flat HEPA filter		Please Login
VH1022	Hose-10 ft., 22mm		Please Login
VH1035	Hose-10 ft., 35mm		Please Login
VH1622A	Hose-Anti-static-16 ft., 22mm		Please Login
VH1635	Hose-16 ft., 35mm		Please Login
VH1635A	Hose-Anti-static-16 ft., 35mm		Please Login
VX100	Bend, Anti-static		Please Login
VX110	3-piece chrome extension tube, 3 ft.		Please Login
VX120	Powertool adapter 22/35mm		Please Login
VX130	Floor nozzle set		Please Login

Attachments

Part#	Description	List Price	Wholesale
HDC100	SDS-plus (drilling & chipping)		Please Login
HDC200	SDS-max (drilling)		Please Login
HDC250	SDS-max core bit		Please Login
HDC300	SDS-max chiseling		Please Login
HDC400	1-1/8" hex dust collection		Please Login



shop-vac
THE ORIGINAL WET/DRY VAC

10-Gallon Wet/Dry Vac

- 5 HP
- Handy tank drain
- Positive latch system keeps tank & lid secure
- LockOn hose secure hose to vac tank
- Upgraded motor housing with rocker switch

Part#	Description	List Price	Wholesale
5982100	Vacuum		Please Login

Included Accessories:

- 8 ft. hose
- (2) - extension wands
- 12" nozzle,
- Gulper nozzle
- Crevice tool
- 1-1/2" to 1-1/4" adapter
- Cartridge filter
- Filter bag & foam sleeve



Speed Clean™ Dust Extraction Bits

Bosch Speed Clean™ drill bits are built using a solid piece of steel with a dust channel that's milled to Bosch specifications to extract dust while drilling.

- Hollow drill bit – connects to a vacuum system
- Faster drilling – provides up to 25% greater drilling speed
- Great durability
- Optimized for adhesive anchoring



Part#	Description	List Price	Wholesale
DXS2104	DXS SDS+ 5/8 x 10 x 15		Please Login
DXS2114	DXS SDS+ 11/16 x 12-1/2 x 18		Please Login
DXS2124	DXS SDS+ 3/4 x 12-1/2 x 18		Please Login
DXS5034	DXS SDS Max 3/4 x 12-1/2 x 21		Please Login
DXS5044	DXS SDS Max 7/8 x 15 x 25		Please Login
DXS5048	DXS SDS Max 13/16 x 15 x 25		Please Login
DXS5054	DXS SDS Max 1 x 17-1/2 x 27		Please Login
DXS5062	DXS SDS Max 1-1/8 x 20 x 29		Please Login
DXS5082	DXS SDS Max 1-3/8 x 25 x 34		Please Login
DXSMAX	DXS SDS Max Adapter		Please Login
DXSPLUS	DXS SDS+ Adapter		Please Login



Grinder Attachments



Part#	Description	List Price	Wholesale
18CG-45E	4-1/2" Cut-off guard		Please Login
18CG-5E	5" Cut-off guard		Please Login
18CG-6E	6" Cut-off guard		Please Login
18DC-5E	4-1/2" - 5" Cut-off guard		Please Login
18DC-6E	6" Cut-off guard		Please Login
18SG-5E	5" Surface grinding guard		Please Login
18SG-5K	Surface grinder kit		Please Login
18SG-7	7" Surface grinding guard		Please Login
19CG-7	7" Large angle grinder cutting guard		Please Login
19CG-9	9" Large angle grinder cutting guard		Please Login
19DC-7	7" Large angle grinder dust guard		Please Login
19DC-9	9" Large angle grinder dust guard		Please Login
AG50-10TG	5" Tuckpointer kit		Please Login
CSG15	5" Concrete surfacing grinder w/shroud		Please Login
GA50DC	5" Concrete cutting dust guard		Please Login
GA50UC	5" Concrete cutting dust cover		Please Login
TG502	5" Tuckpointer guard		Please Login

WALL COVERING TOOLS



Wallpaper Steamer

- Operates on 110V, 15 amps
- Draws 1,500 watts
- Includes narrow & medium steam pans, 15' steam hose, hose clamps, 15' electric cord, GFI housing and extra water glass



Part#	List Price	Wholesale
5687		Please Login



Strap-N-Stride™ Aluminum Drywall Stilts

- Lightweight stilts are perfect for handling walls and overheads
- Adjusts quickly and easily without tools
- Features dual-spring action to make walking more natural
- Cotton straps with heavy-duty spring clips permanently installed
- Adjustable sole and heel plates with rubber sole bottoms
- Features side pole security pocket for additional safety
- Protective plate over straps for extended wear life
- Taller heel support giving more stability and accommodation for work boots
- Accommodates 230 pounds

Part#	Description	List Price	Wholesale
10770	18"-30", Pair		Please Login



Earlex "SteamMaster" Wallpaper Steamer



- Patented step-on design feature
- Anti-kink Coolrun hose
- 1.9 gallon aluminum water tank
- 120V, 1500 watts, 60Hz AC, 12.5 amps
- Porcupine-Perforator for even faster removal
- Perforates the paper and allows steam to penetrate faster
- Includes all parts & accessories below



Part#	Description	List Price	Wholesale
LMB150	Steamer		Please Login
PPF1	Perforating tool		Please Login
SSP	Small steam pan		Please Login
PS0253	Large steam pan		Please Login
PS0019	Fuse		Please Login
PS0303	Threaded cap		Please Login
PS0038	Hose		Please Login
PS0109	Cord		Please Login
PS0112	Switch		Please Login
PS0123	Thermostat		Please Login

Large pan-10"x13" Small pan-6"x3"





Bolt Remover & Left Hand Spiral Jobber Length Drill Set-10 Pieces

Drills

- Sizes: 3/32, 1/8, 3/16, 1/4 & 5/16
- Special Hi-Molybdenum tool steel
- 135° split point for fast penetration

Taps

- Sizes: EX 1, 2, 3, 4, & 5
- Hi-carbon steel bolt remover used to remove broken screws, bolts, threaded parts

Part#	List Price	Wholesale
58510		Please Login



Heavy Duty Jobber Length Drill Set-29 Pieces

- Sizes: 1/16 thru 1/2 by 64ths
- 135° split point drills are self centering and perform well in harder metals
- Heavy duty construction-ideal for metal drilling applications
- Waterproof and unbreakable case included

Part#	List Price	Wholesale
44170		Please Login

Unibit® Fractional Step Drill

- New SpeedPoint™ tip provides 6X faster initial penetration time
- Single-fluted cutting edge
- Ideal for drilling holes in thin materials



Part#	Size	List Price	Wholesale
10233	1/4" - 3/4"		Please Login



Unibit® Cobalt Step Drill

- 6X longer life
- 3-Flatted shank
- Speedpoint™ tip
- Laser marked sizes
- 10234CB - 12 Steps
- 10239CB - 2 Steps



Part#	Size	List Price	Wholesale
10239CB	7/8" & 1-1/8"		Please Login

17 Pc. Pvb Set 1/16"-3/8"

- Set includes HSS drills and plastic case with rubberized grip panels
- Metal Master
- 17-Pieces



Part#	List Price	Wholesale
8711400R		Please Login



Wheel Not Included

7" High Performance Angle Grinder

- Maximum power at minimum weight - up to 20% lighter than comparable tools
- Patented vibration control with soft grip
- AC/DC capability
- Quick adjust guard system
- Service minder brushes - eliminates guesswork, stops tool when preventive maintenance is required
- Tri-Control Switch Design - helps prevent accidental start-ups

Includes

Vibration control side handle
Quick adjust wheel guard
Grinding wheel flange kit
Spanner wrench

Specifications

Length 17.5"
Max. Motor HP 4
No Load RPM 8,500
Rating 120 V AC/DC
Spindle Thread 5/8" - 11
Weight (lbs.) 11.4

Part#	List Price	Wholesale
1974-8		Please Login



Wheel Not Included

9" High Performance Angle Grinder

- Maximum power at minimum weight - up to 20% lighter than comparable tools
- Patented vibration control with soft grip
- AC/DC capability
- Quick adjust guard system
- Service minder brushes - eliminates guesswork, stops tool when preventive maintenance is required
- Tri-Control Switch Design - helps prevent accidental start-ups

Includes

Vibration control side handle
Quick adjust wheel guard
Grinding wheel flange kit
Spanner wrench

Specifications

Length 17.5"
Max. Motor HP 4
No Load RPM 6,500
Rating 120 V AC/DC
Spindle Thread 5/8" - 11
Weight (lbs.) 11.8

Part#	List Price	Wholesale
1994-6		Please Login



Wheel Not Included

4-1/2" Angle Grinder

- Powerful motor – 10 A and 11,500 RPM
- Carbon brushes
- Direct-motor cooling for higher overload capabilities
- Two-position Vibration Control™ side handle
- Directed air flow diverts dust from vital components
- Toolless, burst-protection adjustable guard
- Service Minder™ brushes
- Large spindle lock for more convenient disc change

Includes

Backing Flange
Lock Nut
Spanner Wrench
Grinding Guard
Vibration Control Side Handle

Specifications

Length 12"
Amps 10
No Load RPM 11,500
Rating 120 V AC/DC
Spindle Thread 5/8" - 11
Weight (lbs.) 4.6

Part#	List Price	Wholesale
GWS10-45		Please Login



NEW!

Works on any Bosch 7/8" arbor angle grinder

X-Lock Cutting/Grinding Wheels

- Snap-on mounting that's up to five times faster
- Wheels are backward compatible with standard 7/8" arbor mounts
- Multiple layers of stranded fiberglass and Aluminum Oxide grit for speed and durability
- Optimized wheels for less vibration and improved working speed

Part#	Application	Dia.	Grit	List Price	Wholesale
TCWX1S450	Metal / stainless steel cutting	4-1/2" x .045"	60		Please Login
TCWX1S500	Metal / stainless steel cutting	5" x .045"	60		Please Login
GWX27LM450	Metal grinding	4-1/2" x 1/4"	30		Please Login
GWX27LM500	Metal grinding	5" x 1/4"	30		Please Login



Wheel Not Included

4-1/2" X-LOCK Ergonomic Angle Grinder

X-LOCK SNAP-ON MOUNTING

- X-LOCK quick-change mount minimizes downtime between wheel changes
- Multi-grip paddle switch – provides increased grip options for better ergonomics, comfort and control
- Tool-free changes with single-lever wheel release, lock-in connection
- Professional 10-amp motor delivers up to 11,000 no-load rpm
- Directed air flow-which cools the motor
- Service Minder brushes-eliminates guesswork, stopping grinder when preventative maintenance is required

Includes

- Angle Grinder
- Auxiliary Handle
- Wheel Guard

Specifications

Length	11.1"
Amps	10
No Load RPM	11,000
Rating	120 V AC/DC
Weight (lbs.)	4.5

Part#	Description	List Price	Wholesale
GWX10-45E	Angle Grinder		Please Login
GWX10-45PE	Angle grinder w/paddle switch		Please Login



Wheel Not Included

5" X-LOCK Ergonomic Angle Grinder

X-LOCK SNAP-ON MOUNTING

- X-LOCK quick-change mount minimizes downtime between wheel changes
- Multi-grip paddle switch – provides increased grip options for better ergonomics, comfort and control
- Tool-free changes with single-lever wheel release, lock-in connection
- Professional 13-amp motor delivers up to 11,500 no-load rpm
- Directed air flow-which cools the motor
- Service Minder brushes-eliminates guesswork, stopping grinder when preventative maintenance is required

Includes

- Angle Grinder
- Auxiliary Handle
- Wheel Guard

Specifications

Length	12.1"
Amps	13
No Load RPM	11,500
Rating	120 V AC/DC
Weight (lbs.)	5.5

Part#	Description	List Price	Wholesale
GWX13-50	Angle Grinder		Please Login
GWX13-50VSP	Angle grinder w/paddle switch		Please Login



Wheel Not Included

X-LOCK SNAP-ON MOUNTING

18V X-LOCK EC Brushless Connected-Ready 4-1/2" - 5" Angle Grinder with No Lock-On Paddle Switch

- X-LOCK quick-change mount minimizes downtime between wheel changes
- Tool-free changes with single-lever wheel release, lock-in connection
- EC Brushless motor – provides greater efficiency that maximizes runtime and productivity
- X-Brake – helps provide a rapid stop of the wheel
- No lock-on paddle switch – provides for multiple, comfortable grip positions; shuts off motor after the switch is released
- KickBack Control – helps shut off the tool if the wheel gets into a bind situation

Includes

- Angle Grinder
- Auxiliary Handle
- Wheel Guard

Specifications

Length	12.5"
Bat. Voltage	18
Rating	18V
Weight (lbs.)	4.5

Part#	Description	List Price	Wholesale
GWX18V-50PCN	Angle Grinder		Please Login



Wheel Not Included



Makita 4-1/2" Paddle Switch Angle Grinder

- Powerful 6.0 AMP motor delivers 11,000 RPM for the most demanding applications
- Small diameter barrel grip (only 2-3/16") with paddle switch for added comfort
- Labyrinth construction seals and protects the motor and bearings from dust and debris for longer tool life
- 4.2 lbs. for reduced operator fatigue

Includes		Specifications	
• 4-1/2" Grinding wheel	No Load Speed	11,000 RPM	
• Wheel guard	Spindle Thread	5/8" x 11 UNC	
• Lock nut	AMPS (120V)	6.0	
• Lock nut wrench	Lock-On: No	Lock-Off: Yes	
• Side handle	Length	10-3/8"	
• Inner flange	Net Weight (lbs.)	4.2	

Part#	List Price	Wholesale
GA4534		Please Login



Wheel Not Included

Makita 7" Angle Grinder

- Powerful 15.0 AMP motor delivers 8,500 RPM for fast material removal
- Labyrinth construction seals and protects the motor and bearings from dust and debris for longer tool life
- Rotatable gear housing can be positioned every 90°
- Ergonomic soft grip provides increased comfort

Includes		Specifications	
• 7" Grinding wheel	No Load Speed	8,500 RPM	
• Side Handle	Spindle Thread	5/8" x 11 UNC	
• Wheel guard	AMPS (120V)	15.0	
• Lock nut	Lock-On: No	Lock-Off: Yes	
• Lock nut wrench	Length	18-5/8"	
• Inner flange	Net Weight (lbs.)	12.2	

Part#	List Price	Wholesale
GA7020		Please Login



1/4" Sheet Finishing Sander

- 2.0 AMP motor that delivers 14,000 OPM for fast and smooth finishing sanding
- Precision engineered all-ball bearing construction for reduced vibration and noise
- Contoured, rubberized palm grip design
- Large clamping lever for quick and easy paper installation
- Efficient through-the-pad dust collection system for a cleaner work environment
- Conveniently located on/off switch
- Rubber-sealed switch prevents dust contamination for longer tool life

Includes
 Abrasive Paper-60 Grit, 100 Grit, 150 Grit, Dust Bag, Punch Plate, Tool Case

Part#	List Price	Wholesale
B04556K		Please Login



Grinding Wheels (1/4" Thick)

- For metal polishing & general flat grinding
- 24 grit

Part#	Diameter	Arbor	Model	List Price	Wholesale
741423-B-25	4-1/2"	7/8"	GA4534, 9527NB, 9527PB 9554NB, 9557NB/PB, 9564CV		Please Login
741414-B-10	7"	5/8"-11	GA7001L, GA7011C, GA7020, GA7021, GA7040S		Please Login



Super Thin Cut-Off Wheel (3/64" Thick)

- Cuts up to 50% faster
- A46 Grit

Part#	Diameter	Arbor	Model	List Price	Wholesale
724112-A-25	4-1/2"	7/8"	GA4534, 9527NB, 9527PB		Please Login

MultiTalent Start Q Oscillator Multi-Tool-FMT250QSL

The universal system for interior construction and renovation with QuickIN and the basic accessories for sanding and sawing.

- Highest quality and stability thanks to metal gear case and consistent use of ball or needle bearings
- Powerful 250 Watt FEIN high-performance motor designed for continuous use
- Convenient, tool-free accessory change, using the QuickIN rapid change system
- Electronic speed control
- Softgrip zone provides optimal handling
- StarlockPlus tool mount with outstanding torque transfer, fits all Starlock and StarlockPlus accessories
- Power consumption 250 Watts
- Oscillations 11,000-20,000 rpm
- Weight according to EPTA 3.1 lbs
- Cable with plug 16.4 ft



STARLOCK SYSTEM



Includes:

- FEIN MultiTalent FMT250QSL
- Backing pad
- 3 of each sanding sheet (grits 80, 120, 180)
- Universal E-Cut saw blade 1-3/4"
- Nylon tool bag

Part#	Description	List Price	Wholesale
72295362090	Oscillator multi-tool		Please Login
63502221270	2" Saw Blade (3-Pack)		Please Login
63502236260	Pro Blade (1-Pack)		Please Login

Combicut Wet Tile Saw

- Cuts tile, stone or masonry
- Powerful 1.75 hp 110v 15amp motor turns the blade at 2800rpm
- 28" cutting length extends to 31" with plunge cut
- Super light at 72lbs for this length of cutting ability
- Accurate 45 degree miter cuts with tilting head and rail system

Specifications

- Blade Diameter: 10"
- Blade Shaft Diameter: 5/8"
- Max. Cutting Length: 28"
- Max. Cutting Depth: 4.75"
- Blade Speed: 2,800 RPM
- Water Pan Capacity: 10 Gallons
- Water Pump Flow: 3 GPM
- Noise Level: 78 dB(A)
- Length: 40"
- Height: 22"
- Width: 18"
- Accuracy of 1/32"
- ABS water tub

Includes

- High quality miter gauge
- Built in laser for accurate long piece cutting
- Removable side table to increase width for large tile
- 10" CR continuous rim blade for tile, stone, and porcelain
- Square steel folding stand

Part#	List Price	Wholesale
1188164		Please Login





10" Continuous Rim Wet Cut Tile, Stone & Porcelain Diamond Blade

Part#	List Price	Wholesale
B000006		Please Login



Power Box™ 360 Job Site Radio with Bluetooth



- Bluetooth® connectivity
- Four-way speakers project 360° sound
- Protective aluminum/rubber roll cage
- Four-way power outlets
- Runs on Bosch 18 V or 14.4 V Lithium-Ion batteries or plugged into a 120 V AC outlet
- AM/FM radio
- Built-in battery charger
- USB charging port
- Play your device through auxiliary input port
- Digital media bay
- Weather- and dust-resistant design
- Illuminated LCD display

Part#	Description	List Price	Wholesale
PB360C	Power Box radio		Please Login
BAT607	14.4 Volt Slim Pack Battery		Please Login
BAT609	18 Volt Slim Pack Battery		Please Login
BAT614	14.4 Volt Fat Pack Battery		Please Login
BAT618	18 Volt Fat Pack Battery		Please Login



Bosch 18V Cordless Lithium-Ion 4-Tool Combo Kit

- 18V Cordless Lithium-Ion 1/2" Drill Driver - DDH181
- 18V Cordless Lithium-Ion 1-1/8" Reciprocating Saw - CRS180
- 18V Cordless Lithium-Ion 6-1/2" Circular Saw - CCS180
- 18V Cordless Lithium-Ion Flashlight - CFL180
- FatPack HC Li-Ion Batteries & Charger
- Carrying Bag

Part#	List Price	Wholesale
CLPK402-181		Please Login



18-Volt EC Brushless Socket Ready Impact with 1/4" Hex and 1/2" Square Drive

- All-in-one impact driver & impact wrench with a 1/4" quick-change hex and 1/2" square drive chuck for sockets
- Highest torque output in its class at 1650 in.-lbs.
- Tested to withstand multiple 10' drop
- Cool pack technology

Includes

- (2) -- 18V Lithium-Ion 4Ah Batteries
- (1) - Lithium-Ion Battery Charger
- (1) - Lboxx 2
- (2) Exact-Fit Insert Tray
- (1) -- Double-ended Impact Bit
- (1) - Belt Clip

Part#	List Price	Wholesale
IDH182-01L		Please Login

*Special
Price
Limited
Quantities*



20V MAX Li-Ion Compact Hammerdrill / Impact Driver Combo Kit

- DCD785 1/2" Hammerdrill
- DCF885 1/4" Impact Driver
- (2) 20V MAX* Lithium Ion 1.5 Ah Battery Packs
- Fast Charger
- (2) Belt Hooks
- Bit Holder
- Contractor Bag



Part#	List Price	Wholesale
DCK285C2		Please Login

Bosch 1" SDS-plus® Rotary Hammer



Specifications	
Amperage	7.5
Rating	120V
No Load RPM	0-1,300
No Load BPM	0-5,800
Length	17-1/4"
Weight (lbs.)	6.7



- 3 modes of operation, rotation, rotary hammer & hammer
- Variable-speed reversing trigger for accurate bit starting, as well as removing fasteners or bound bits
- Integral clutch helps minimize torque reaction
- Double insulated, UL listed, complies with OSHA standards

Part#	List Price	Wholesale
11255VSR		Please Login

Bosch 1-9/16" Combination Hammers



RH540M



RH540S



- Tool-free bit changes with automatic bit locking
- Best in class Impact Energy
- Combination Dual Mode Selector Knob
- Varo-Lock Positioning: Rotates and locks chisel into 12 different positions

Specifications	
Amperage	12
Rating	120V
No Load RPM	170-340
No Load BPM	2,900
Length	19"
Weight (lbs.)	15.2

Part#	Description	List Price	Wholesale
RH540M	SDS-Max		Please Login
RH540S	Spline		Please Login

Bosch 2" SDS-max® Rotary Hammer



Specifications	
Amperage	15
Rating	120V
No Load RPM	100-220
No Load BPM	1,000-2,150
Length	23-1/2"
Weight (lbs.)	26.2

Includes
Auxiliary handle
Carrying case

- Turbo™ Power for torque & speed boost in hammer mode
- Best power-to-weight ratio of 14.1 ft.-lbs. of impact energy
- Vibration Control™ for comfort in all-day applications
- Constant Response™ for soft start, constant speed under load
- Vario-Lock™ positioning for precise chiseling location
- Two drilling speeds to match speed to application

Part#	List Price	Wholesale
RH1255VC		Please Login



Bosch 1-5/8" Spline Combination Hammer



Includes
Auxiliary handle
Carrying case

Specifications	
Amperage	13
Rating	120V
No Load RPM	340
No Load BPM	2,900
Length	19.25"
Weight (lbs.)	15

- Vibration Control™ – vibration reduction in the hammer mechanism and the grip area
- Combination dual mode selector
- Vario-Lock™ positioning — rotates and locks chisel into 12 different positions to optimize working angle
- Service Minder™ light

Part#	List Price	Wholesale
11265EVS		Please Login



Bosch SDS-Max® Demolition Hammer



Specifications	
Amperage	14.0
Rating	120V
No Load BPM	900-1,890
Length	22-1/2"
Weight (lbs.)	22.5
Cord length	12'

Includes
Auxiliary handle
Carrying case

- SDS-max® bit system
- Soft-start and maintains constant speed under load
- Variable-speed dial - for controlled chipping applications
- Hammer rotates and locks chisel into 12 different positions
- Double insulated, UL listed, complies with OSHA standards

Part#	List Price	Wholesale
11316EVS		Please Login



1" SDS-Plus Rotary Hammer



Specifications	
Amperage	8
Rating	120V
RPM	0 - 1,100
BPM	0 - 4,500
Length	16-5/8"
Weight (lbs.)	26.2


Includes
Side Handle
Depth Gauge
Tool Case

- Powerful 8 amp motor delivers 2.1 ft.-lbs. of impact energy
- Anti-Vibration Technology (AVT)
- Vibration Control™ for comfort in all-day applications
- Variable speed trigger
- 40 bit angle settings
- Integrated damper spring is engineered to absorb impact vibrations

Part#	List Price	Wholesale
HR2641		Please Login



CHISELS & BITS



SDS-max® R-Tec

The R-Tec Advantage

Bosch R-Tec technology for SDS-max® chisels use an energy diverting reflection element that increases material removal by 15%. Because the energy is dispersed back into the work material, the tool and bit do more of the work with less vibration for the user. And the R-Tec chisel features a unique cutting head with extra wedges for increased breakout. Bosch SDS-max® R-Tec chisels and points produce faster results in less time and help increase overall jobsite productivity and profitability.



The reflection element diverts the energy of the return shock and converts it into new impact energy.

SDS-max® Hammer Steel

Bosch offers a full assortment of SDS-max® hammer steel points and chisels.

Part#	Description	List Price	Wholesale
HS1934	16" R-Tec star point chisel-self-sharpening		Please Login
HS1935	1" x 16" R-Tec flat chisel-self-sharpening		Please Login
HS1903	1" x 16" R-Tec flat chisel		Please Login
HS1906	5" x 15" Asphalt cutter		Please Login
HS1909	1-3/4" x 9-1/4" Bushing tool		Please Login
HS1910	3" x 12" Scaling chisel		Please Login
HS1916	1-1/2" x 12" Scaling chisel		Please Login
HS1917	2" x 14" Scaling chisel		Please Login
HS1911	1" x 12" Flat chisel		Please Login
HS1912	1" x 18" Flat chisel		Please Login

Part#	Description	List Price	Wholesale
HS1913	12" Bull point		Please Login
HS1914	18" Bull point		Please Login
HS1915	2" x 12" Tile chisel		Please Login
HS1918	6" x 25" Floor scraper		Please Login
HS1922	4-1/2" x 16" Clay spade		Please Login
HS1924	Ground rod driver		Please Login
HS1927	12" Tamper plate shank		Please Login
HS1828	5" x 5" Tamper plate		Please Login
HS1929	1" x 12" gouge		Please Login




SDS-max® Rotary Hammer Core Bits (One Piece Bits)

Bosch SDS-max® carbide-tipped rotary hammer core bits offer an integral shank for better power transmission. Maximum core size is 2-5/8" deep.

Part#	Dimensions	List Price	Wholesale
HC8501	1-3/4" x 7" x 12"		Please Login
HC8506	1-3/4" x 17" x 22"		Please Login
HC8510	2" x 7" x 12"		Please Login
HC8515	2" x 17" x 22"		Please Login
HC8521	2-3/4" x 7" x 12"		Please Login
HC8526	2-3/4" x 17" x 22"		Please Login
HC8531	3-1/4" x 7" x 12"		Please Login
HC8536	3-1/4" x 17" x 22"		Please Login
HC8540	3-1/2" x 7" x 12"		Please Login
HC8545	3-1/2" x 17" x 22"		Please Login
HC8550	4" x 7" x 12"		Please Login
HC8555	4" x 17" x 22"		Please Login
HC8575	5" x 17" x 22"		Please Login
HC8595	6" x 17" x 22"		Please Login
HC88	Centering bit		Please Login

Core Bits with Wave Design

Larger, cleaner holes up to 6" in diameter



All-in-one core transmits power directly to the end of the bit

Wave design transfers energy to bit more effectively for up to 40% faster drilling vs. previous design

SDS-max® Demolition Steel Chisel Merchandiser



- Includes: header, rack hooks and product

Includes SDS-max® Demolition Steel (1 each)

HS1903	1" x 16" Rtec flat chisel
HS1909	One piece bushing tool
HS1910	3" x 12" scaling chisel
HS1915	2" x 11-1/2" tile chisel self-sharpening
HS1917	2" x 14" wide chisel self-sharpening
HS1918	6" x 25" floor scraper
HS1922	4-1/2" x 17" clay spade
HS1924	Ground rod driver
HS1929	1" x 12" gouge
HS1934	16" Rtec star point chisel self-sharpening

Part#	List Price	Wholesale
TS117R		Please Login





SDS-max® SpeedX™ Rotary Hammer Bits

Bosch carbide rotary hammer bits feature tips that stay sharper longer and deliver more holes within specification than competitors' bits.

- Manufactured to ANSI specification B212.15
- SDS-max® rotary hammer bits fit Bosch SDS-max® hammers, but also competitive SDS-max® drive hammers and Hilti® hammers using TE-Y and TE-FY shanks

Part#	Bit Dia.	Usable Length	Overall Length	List Price	Wholesale
HC5005*	3/8"	8"	13"		Please Login
HC5010*	1/2"	8"	13"		Please Login
HC5011*	1/2"	16"	21"		Please Login
HC5015*	9/16"	8"	13"		Please Login
HC5020	5/8"	8"	13"		Please Login
HC5021	5/8"	16"	21"		Please Login
HC5024	5/8"	24"	29"		Please Login
HC5030	3/4"	8"	13"		Please Login
HC5031	3/4"	16"	21"		Please Login
HC5033	3/4"	31"	36"		Please Login
HC5034	3/4"	24"	29"		Please Login
HC5041	7/8"	16"	21"		Please Login
HC5050	1"	8"	13"		Please Login
HC5051	1"	16"	21"		Please Login
HC5061	1-1/8"	16"	21"		Please Login
HC5062	1-1/8"	24"	29"		Please Login
HC5071	1-1/4"	16"	21"		Please Login
HC5081	1-3/8"	16"	21"		Please Login
HC5091	1-1/2"	16"	21"		Please Login
HC5099	2"	16"	21"		Please Login

*Two cutter



SDS-max® SpeedX™ Merchandiser

- Includes: header, rack hooks and product

Includes SDS-max® SpeedX™ Bits (1 each)

HC5091	1-1/2" × 16"/21"
HC5071	1-1/2" × 16"/21"
HC5061	1-1/8" × 16"/21"
HC5051	1" × 16"/21"
HC5041	7/8" × 16"/21"
HC5031	3/4" × 16"/21"
HC5021	5/8" × 16"/21"
HC5030	3/4" × 8"/13"
HC5020	5/8" × 8"/13"
HC5010	1/2" × 8"/13"



Part#	Description	List Price	Wholesale
T5017R	Merchandiser		Please Login



BULLDOG™

Rotary Hammer Bits

Up to
15% Faster

SDS-plus® Bulldog™ Rotary Hammer Bits



- 15% faster in concrete (compared to S4L)
- Optimized brazing and hardening process for long life
- Manufactured to ANSI specification B212.15
- Optimized flute design to reduce bit stress and make the bit SDS-plus® Bulldog™ Rotary Hammer Bit Sets run cooler
- Centric tip for optimal hole geometry
- **Some items are special order only; non-stock item**

SDS-plus® Bulldog™ Hammer Carbide Merchandiser

- Includes: header, rack hooks and product



Includes all SDS-plus® bits shown here!



Part#	Bit Dia.	Usable Length	Overall Length	List Price	Wholesale
HC2000	5/32"	2"	4"		Please Login
HC2001	5/32"	4"	6"		Please Login
HC2009	5/32"	6"	8"		Please Login
HC2010	3/16"	2"	4"		Please Login
HC2011	3/16"	4"	6"		Please Login
HC2012	3/16"	6"	8"		Please Login
HC2014	3/16"	10"	12"		Please Login
HC2031	7/32"	4"	6"		Please Login
HC2040	1/4"	2"	4"		Please Login
HC2041	1/4"	4"	6"		Please Login
HC2042	1/4"	6"	8"		Please Login
HC2044	1/4"	10"	12"		Please Login
HC2051	5/16"	4"	6"		Please Login
HC2054	5/16"	10"	12"		Please Login
HC2061	3/8"	4"	6"		Please Login
HC2064	3/8"	10"	12"		Please Login
HC2067	3/8"	16"	18"		Please Login
HC2081	1/2"	4"	6"		Please Login
HC2084	1/2"	10"	12"		Please Login
HC2087	1/2"	16"	18"		Please Login
HC2088	1/2"	22"	24"		Please Login
HC2094	9/16"	10"	12"		Please Login
HC2102	5/8"	6"	8"		Please Login
HC2104	5/8"	10"	12"		Please Login
HC2107	5/8"	16"	18"		Please Login
HC2124	3/4"	10"	12"		Please Login
HC2127	3/4"	16"	18"		Please Login

Special Price Limited Quantities

Part#	Description	List Price	Wholesale
BDG25R	Merchandiser		Please Login



SDS-plus® Bulldog™ Rotary Hammer Bit Sets




Part#	Includes	List Price	Wholesale
HCK005	(1) 3/16" × 4" × 6", (1) 1/4" Type × 2" × 4", (1) 1/4" × 4" × 6", Tube (1) 3/8" × 4" × 6", (1) 1/2" × 4" × 6"		Please Login
HCST006	(1) 5/32" × 4" × 6", (1) 3/16" × 4" × 6", (1) 1/4" × 2" Brute × 4", (1) 3/8" × 4" × 6", (1) Tough™ flat chisel, (1) point chisel		Please Login

SDS-plus® Rebar Cutters



Part#	Dia.	Length	List Price	Wholesale
RC2064	3/8"	12"		Please Login
RC2084	1/2"	12"		Please Login
RC2094	9/16"	12"		Please Login
RC2104	5/8"	12"		Please Login
RC2124	3/4"	12"		Please Login
RC2144	7/8"	12"		Please Login
RC2164	1"	12"		Please Login
RC2168	1-1/8"	12"		Please Login
RC2172	1-1/4"	12"		Please Login
RC2176	1-1/2"	12"		Please Login

Rebar Cutter Cut rebar, cost and time



- Step 1:**
Drill with SDS-plus® carbide bit and remove after contact with rebar
- Step 2:**
Replace bit with rebar cutter and switch to rotary mode
- Step 3:**
Cut through rebar and remove after contact with concrete
- Step 4:**
Switch back to hammer carbide bit to continue drilling

Concrete Screw Anchoring System

Holds tight tolerances that are critical to precision anchoring



Common Applications:

- ▶ Conduit
- ▶ Electrical boxes
- ▶ Pipe straps
- ▶ HVAC strapping
- ▶ Sign fastening
- ▶ Window frames
- ▶ Backer boards



SDS-plus® Bulldog™ Hex Drive Rotary Hammer Bits

For use with masonry fastening systems/hex sleeve drive tools. Hex drive on bit fits into driver sleeve.
• Manufactured to ANSI specification B212.15

Part#	Bit Dia.	Usable Length	Overall Length	List Price	Wholesale
HC2302	5/32"	4"	7"		Please Login
HC2312	3/16"	4"	7"		Please Login

SDS-plus® Bulldog™ Hex Drive Accessory and Kit

For use with masonry fastening systems/hex sleeve drive tools. Hex drive on bit fits into driver sleeve.
• 1/4" hex shoulder for drive sleeve used to set masonry screws


Part#	Includes	List Price	Wholesale
HC2309	7 pc anchor drive installation kit: 5/32" x 6-1/2" and 3/16" x 6-1/2" hex bits, #2 and #3 Phillips® power bits, 5-3/4" sleeve, 1/4" and 5/16" sockets		Please Login

NOTE: Drill bits (or extension + drill bit) in excess of 8" should never exceed 600 RPM




SPEEDCORE™ Thin-Wall Core Bits

Core Bit Assembly:
Screw core bit onto shank



T3922 / T3923SC
(No pilot bit)



T3925SC / T3926SC / T3927SC
(Includes pilot bit)

SDS-plus® SPEEDCORE™ Thin-Wall Core Bits

Bosch SDS-plus® thin-wall core bits are designed for drilling with smaller hammers; core body range is 1" up to 4-3/8" with a usable cutting depth of 3".

Part#	Dia.	List Price	Wholesale
T3910SC	1"		Please Login
T3911SC	1-3/16"		Please Login
T3912SC	1-3/8"		Please Login
T3913SC	1-9/16"		Please Login
T3914SC	1-7/8"		Please Login
T3915SC	2-9/16"		Please Login

Part#	Dia.	List Price	Wholesale
T3916SC	2-11/16"		Please Login
T3917SC	3-1/8"		Please Login
T3918SC	3-3/16"		Please Login
T3919SC	3-1/2"		Please Login
T3920SC	3-7/8"		Please Login
T3921SC	4-3/8"		Please Login

Part#	Description	List Price	Wholesale
T3922	3" extension SDS-plus®-doesn't include pilot bit (T3924)		Please Login
T3923SC	4" extension SDS-plus®-doesn't include pilot bit (T3924)		Please Login
T3924	SpeedCore™ pilot bit		Please Login
T3925SC	7" extension SDS-plus®-does include pilot bit (T3924)		Please Login
T3926SC	13" extension SDS-plus®-does include pilot bit (T3924)		Please Login
T3927SC	17" extension SDS-plus®-does include pilot bit (T3924)		Please Login





SDS-plus® Bulldog™ Xtreme Hammer Steel

Bosch offers a full assortment of SDS-plus® hammer steel points and chisels.

- HS1465 removes material up to 40% quicker than conventional tile chisels. Ideal for smaller grout joints and specially shaped for prying and removing tiles in one piece
- HS1470 viper flat chisel and HS1472 pointed chisel provide 30% longer life and 15% more material removal

SDS-plus® Bulldog™ Hammer Steel

Part#	Description	List Price	Wholesale
HS1415	10" point		Please Login
HS1420	3/4" x 10" chisel		Please Login
HS1475	10" gouging chisel		Please Login
HS1485	1-1/2" x 5-3/4" stubby scaling chisel		Please Login
HS1490	5-3/4" stubby point		Please Login
HS1495	3/4" x 5-3/4" stubby flat chisel		Please Login

Part#	Description	List Price	Wholesale
HS1425	1-1/2" x 10" wide chisel (self-sharpening)		Please Login
HS1427	2-1/2" x 10" wide chisel (self-sharpening)		Please Login
HS1465	1-1/2" x 10" tile chisel		Please Login
HS1470	3/4" x 10" viper flat chisel (long life)		Please Login
HS1472	10" point (long life)		Please Login



SDS-plus® Bulldog™ Hammer Steel Merchandiser



- Includes: header, rack hooks and product

Includes SDS-plus® Bulldog™ Steel (1 each)

- HS1425 Wide chisel 1-1/2" x 10"
- HS1465 Tile chisel 1-1/2" x 10"
- HS1470 Viper flat chisel LONG LIFE
- HS1472 Pointed chisel LONG LIFE
- HS1475 Gouging chisel
- HS1485 Stubby scaling chisel
- HS1490 Stubby pointed chisel
- HS1495 Stubby flat chisel
- HS1427 Wide chisel 2-1/2" x 10"

Part#	List Price	Wholesale
BDC10R		Please Login



Construction Solutions
Power Tools • Anchoring • Restoration



Stronger Together

Your choice for the best product, support and service solutions





Spline SpeedX™ Rotary Hammer Bits

Bosch spline rotary hammer bits are carbide tipped, fit Bosch and other spline hammers. Manufactured to ANSI specification B212.15.

Part#	Bit Dia.	Usable Length	Overall Length	List Price	Wholesale
HC4501*	3/8"	8"	13"		Please Login
HC4511*	1/2"	8"	13"		Please Login
HC4512*	1/2"	16"	21"		Please Login
HC4513*	1/2"	24"	29"		Please Login
HC4021	5/8"	8"	13"		Please Login
HC4022	5/8"	16"	21"		Please Login
HC4031	3/4"	8"	13"		Please Login
HC4032	3/4"	16"	21"		Please Login
HC4040	7/8"	8"	13"		Please Login

*Two cutter

Part#	Bit Dia.	Usable Length	Overall Length	List Price	Wholesale
HC4041	7/8"	16"	21"		Please Login
HC4050	1"	8"	13"		Please Login
HC4051	1"	16"	21"		Please Login
HC4053	1"	31"	36"		Please Login
HC4060	1-1/8"	8"	13"		Please Login
HC4061	1-1/8"	16"	21"		Please Login
HC4071	1-1/4"	16"	21"		Please Login
HC4081	1-3/8"	16"	21"		Please Login
HC4091	1-1/2"	16"	21"		Please Login
CAS008	Core Bit 8" Extension				Please Login
CAS018	Core Bit 18" Extension				Please Login



Spline Shank SpeedX™ Merchandiser

- Includes: header, rack hooks and product

Includes Spline Shank SpeedX™ (1 each)

HC4091	1-1/2" x 16"/21"
HC4071	1-1/4" x 16"/21"
HC4022	5/8" x 16"/21"
HC4060	1-1/8" x 8"/13"
HC4050	1" x 8"/13"
HC4040	7/8" x 8"/13"
HC4031	3/4" x 8"/13"
HC4021	5/8" x 8"/13"
HC4511	1/2" x 8"/13"
HC4501	3/8" x 8"/13"



Part#	List Price	Wholesale
T5018R		Please Login

Spline Rotary Hammer Core Bits with Wave Design (1 Pc.)

Part#	Bit Dia.	Usable Length	Overall Length	List Price	Wholesale
HC8031	3-1/4"	7"	12"		Please Login
HC8070	5"	7"	12"		Please Login
HC8026	2-5/8"	17"	22"		Please Login
HC8017	2-1/4"	12"	22"		Please Login
HC8021	2-5/8"	7"	12"		Please Login
HC88	Pilot Bit		5-5/16"		Please Login
HC8006	1-3/4"	17"	22"		Please Login
HC8001	1-3/4"	7"	12"		Please Login
HC8015	2"	17"	22"		Please Login
HC8040	3-9/16"	7"	12"		Please Login
HC8010	2"	7"	12"		Please Login
HC8055	4"	17"	22"		Please Login
HC8075	5"	17"	22"		Please Login
HC8036	3-1/4"	12"	22"		Please Login
HC8085	6"	17"	22"		Please Login
HC8045	3-9/16"	17"	22"		Please Login
HC8050	4"	7"	12"		Please Login
HCCR001	Rubber ring & pin				Please Login

Special Price Limited Quantities



Round Hex / Spline Hammer Steel



Bosch offers a full assortment of round hex/spline hammer steel points and chisels.

Part#	Description	List Price	Wholesale
HS1810	3" x 12" Scaling chisel		Please Login
HS1811	1" x 12" Flat chisel		Please Login
HS1812	1" x 18" Flat chisel		Please Login
HS1813	12" Bull point		Please Login
HS1814	18" Bull point		Please Login
HS1817	2" x 12" Scaling chisel		Please Login
HS1824	Ground rod driver (5/8", 3/4")		Please Login

BREAKER HAMMERS

Bosch Brute Breaker Hammer - Basic Kit

- Active Vibration Control™: Vibration reduction in the hammer mechanism and the grip area provides maximum user comfort
- Ergonomic Handles - New ergonomic shock absorbing handles provide additional user comfort in all day applications
- Total portability — Operates on 115/120V AC/DC, 15 amp. outlet or 2500 watt portable generator
- ServiceMinder™ brush system —Shuts the Brute off when brush replacement or preventative maintenance is needed
- The plug-in-anywhere hammer — Does not need a compressor

Specifications

Amperage	15.0
Tool Shank	1-1/8"
Impact Energy (ft. lbs.):	35
Rating	120V
No Load BPM	1000
Length	30.75"
Weight (lbs.)	65



INCLUDES FREE
 • Basic Cart-T1657
 • 1 Points-HS2161
 • 1 Chisels-HS2164



Part#	Description	List Price	Wholesale
BH2760VCB	Hammer		Please Login
T1657	Hammer hauler		Please Login
HS2126	Tent stake driver		Please Login
HS2173	Tamper shank		Please Login
HS2161	1-1/8" shank point		Please Login
HS2164	1-1/8" shank chisel		Please Login



Tent Stake Driver #HS2126

The tent stake driver and tamper shank must be used together to work.



Tamper Shank #HS2173



Bosch Brute Turbo Breaker Hammer

- Best in class impact energy - 47.0 ft. lbs.
- Best in class anti-vibration system in the hammer mechanism
- Anti-slip rubber cover-Helps prevent tool from accidental fall over
- Ergonomic shock absorbing handles
- Hammer Tube Design-Hammer Tube Flutes help dissipate heat,
- Reinforced Hammer Tube Collar / Springs-Maximizes tool holder lifetime by reducing the hammer's impact from blank beats
- Total portability — Operates on 115/120V AC/DC, 15 amp. outlet or 2500 watt portable generator
- ServiceMinder™ brush system —Shuts the Brute off when brush replacement or preventative maintenance is needed
- The plug-in-anywhere hammer — Does not need a compressor

Specifications

Amperage	15.0
Tool Shank	1-1/8"
Impact Energy (ft. lbs.):	43
Rating	120V
No Load BPM	1000
Length	30.5"
Weight (lbs.)	65



INCLUDES FREE
 • Basic Cart-T1757
 • 2 Points-HS2161
 • 2 Chisels-HS2164



Part#	Description	List Price	Wholesale
BH2770VCD	Hammer		Please Login
T1757	Hammer hauler		Please Login
HS2126	Tent stake driver		Please Login
HS2173	Tamper shank		Please Login
1617014113	Brush set		Please Login
HS2161	1-1/8" shank point		Please Login
HS2164	1-1/8" shank chisel		Please Login




Tent Stake Driver #HS2126

The tent stake driver and tamper shank must be used together to work.



Tamper Shank #HS2173



1-1/8" Jackhammer Steel

• Some items are special order only; non-stock item

Current Part#	Old Part#	Description	List Price	Wholesale
P10318	P10318	18" Moil point		Please Login
C10318	C10318	18" Narrow chisel		Please Login
CC11318	CC11318	3" x 20" Wide chisel		Please Login
AC118	AC118	4-1/2" x 20" Asphalt cutter		Please Login
30833297	30833297	15" Digging chisel		Please Login
AG-745-745	CS118	5-1/2" x 20" Clay spade		Please Login
30833294	30833294	2" x 12" Frost wedge		Please Login



Bosch Breaker Hammer



Specifications	
Amperage	15.0
Certifications	cULus
Impact Energy (ft. lbs.)	34
Length	30"
No Load BPM	1,300
Rating	120V
Weight (lbs.)	38

- Unmatched power to weight ratio; 34-feet-per-pound of impact force; fastest removal rate in its class by far
- Active vibration control handle--a unique flexible 2-handed design that reduces vibration
- Versatile bit retention--accepts Bosch 1-1/8-inch hex steel as well as standard 1-1/8-inch air steel
- Total comfort and control--articulating auxiliary handle to maintain the best working posture possible
- Rugged durability--metal tube and case design handles tough jobsite use and abuse



- KIT INCLUDES**
- Pointed Chisel
 - Articulating Auxiliary Handle
 - Carrying Case with Wheels
 - Grease tube
 - Cleaning rag

Part#	List Price	Wholesale
11335K		Please Login

Rip-R-Stripper Cart



Includes One Mounting Kit!!

Shown with the Bosch Breaker Hammer #11335K

- Removes ceramic tile, hardwood floor and other tough floor coverings
- A tool carrier for electric-powered breakers with ratings between 30 and 45 ft.-lbs.
- 12" maximum scraper blade width
- 37' extension cord with GFCI
- 2 year warranty



***Breaker Not Included**



***Please Note: Carts listed below come with one mounting kit.**

Part#	Breaker Model	List Price	Wholesale	Availability
CTS12-1000A	Makita HM1500B		Please Login	Drop Ship
	Makita HM1307C			
CTS12-1100A	Makita HM1317CB		Please Login	Drop Ship
	Makita HM1307C			
CTS12-1200A	Bosch 11335K		Please Login	In-Stock
	Bosch GSH 16-28			
CTS12-1300A	Hilti TE905-AVR		Please Login	Drop Ship
CTS12-1600A	Hitachi H65DS2		Please Login	Drop Ship
CTS12-2100A	DeWalt D25941		Please Login	Drop Ship

Mounting Kits

- Use these different mounting kits to attach the Rip-R-Stripper to different 35 lb. electric powered, hand-held breaker hammers.



The Rip-R-Stripper Cart comes with one mounting kit at no additional charge.

If you need an additional mounting kit, please specify which one when ordering.




Part#	Breaker Model	List Price	Wholesale
1000A	Makita HM1500B		Please Login
	Makita HM1307C		
1100A	Makita HM1317CB		Please Login
	Makita HM1307C		
1200A	Bosch 11335K		Please Login
	Bosch GSH 16-28		
1300A	Hilti TE905-AVR		Please Login
1600A	Hitachi H65DS2		Please Login
2100A	DeWalt D25941		Please Login

Floor Scrapers




Heavy-duty Scraper

Part#	Description	List Price	Wholesale
FSHD-103B-100S	Scraper		
	1-1/8" Shank		Please Login
FSHD-905-100S	Scraper		
	Hilti 805/905/1000 Shank		Please Login
FSHDB-2MM	Repl. Blade		Please Login
FSHDKIT-L	Repl. Hardware		Please Login



Sure Lock Scraper

Part#	Description	List Price	Wholesale
FSA-MAX-100	Scraper		
	SDS Max Shank		Please Login
FSA-ROTARY-100	Scraper		
	Spline/Rotary Shank		Please Login
FSAB-2MM	Repl. Blade		Please Login
FSARKIT-L	Repl. Hardware		Please Login



FSP Scraper System

Part#	Description	List Price	Wholesale
FSP-2MM-4	4" Scraper		
	SDS Plus Shank		Please Login
FSP-2MM-8	8" Scraper		
	SDS Plus Shank		Please Login
FSPB-2MM-4	4" Repl. Blade		Please Login
FSPB-2MM-8	8" Repl. Blade		Please Login
FSPRKIT-L	Repl. Hardware		Please Login

BREAKER HAMMERS

Pneumatic Breaker Hammers

Pneumatic breaker hammers are the demolition tool of choice when power and durability are necessary for a variety of construction and plant maintenance applications such as breaking heavy concrete, reinforced concrete, frozen ground, asphalt, boulders and pavement.

- Alloy steel forgings - excellent durability
- Four-bolt backhead - for rugged use
- Integral oiler - continuous lubrication
- Heavy-duty front head springs
- Reversible piston - reduces maintenance cost

Part#	Model	Description	List Price	Wholesale
8900003029	CP1260	60 lb., 1-1/8" chuck		Please Login
8900003028	CP1260	60 lb., 1-1/4" chuck		Please Login
8900003031	CP1260S	60 lb., 1-1/8" chuck, w/silencer		Please Login
8900003030	CP1260S	60 lb., 1-1/4" chuck, w/silencer		Please Login
8900003038	CP1290	90 lb., 1-1/8" chuck		Please Login
8900003037	CP1290	90 lb., 1-1/4" chuck		Please Login
8900003040	CP1290S	90 lb., 1-1/8" chuck, w/silencer		Please Login
8900003039	CP1290S	90 lb., 1-1/4" chuck, w/silencer		Please Login


CP 1260 (60 lb. Class)

Weight (lbs.)	65
Length (in.)	26-1/2
Air consumption l/s	29
Air inlet inch	3/4 Swivel
Blows per minute	1300
Retainer type	Latch

CP1260S and CP1290S are equipped with silencers

CP 1290 (90 lb. Class)

Weight (lbs.)	83
Length (in.)	28-3/4
Air consumption l/s	38
Air inlet inch	3/4 Swivel
Blows per minute	1200
Retainer type	Latch



1-1/8" Jackhammer Steel


• Some items are special order only; non-stock item

Current Part#	Old Part#	Description	List Price	Wholesale
P10318	P10318	18" Moil point		Please Login
C10318	C10318	18" Narrow chisel		Please Login
CC11318	CC11318	3" x 18" Wide chisel		Please Login
AC118	AC118	5" x 11" Asphalt cutter		Please Login
30833297	30833297	15" Digging chisel		Please Login
AG-745-745	CS118	5-1/2" x 20" Clay spade		Please Login
30833294	30833294	2" x 12" Frost wedge		Please Login

Jackhammer Steel (Shank 7/8" x 4-1/4")

• Some items are special order only; non-stock item

Part#	Description	Length	List Price	Wholesale
30833241	Ground rod driver	7-3/4"		Please Login
30833235	Clay spade	14"		Please Login
30833236	Wedge chisel	15"		Please Login
30833238	Shank for pad	7-1/4"		Please Login
30833252	Tamping pad, round	7"		Please Login
30833239	Tamping pad, square	6"		Please Login
30833240	Tamper sq., compl.	7-1/2"		Please Login
92452817	Driver pad, round	4"		Please Login
92460201	Shank for stake driver			Please Login
92460211	Stake driver 2-1/2" head			Please Login
92382814	Carrying harness			Please Login
7140833	Drill steel	31"		Please Login
7140434	Drill steel	16"		Please Login
5753108	Pilot drill rod	31"		Please Login
30833237	Tie tamper	15-1/2"		Please Login
30833229	Moil point	19"		Please Login
30833231	Wide chisel	9-1/2"		Please Login
30833230	Wide chisel	13-1/2"		Please Login
30833232	Wide chisel	15"		Please Login
30834071	Wide chisel	18"		Please Login
92452812	Asphalt cutter	14"		Please Login
30833233	Digging chisel	15"		Please Login
30833234	Digging spade	12"		Please Login



NEW!

**Bare Tool
2786-20**



Milwaukee

**Kit
2786-22HD**



M18 FUEL ONE-KEY 18-Volt Lithium-Ion Brushless Cordless 9" Cut Off Saw

- Runs on our MILWAUKEE M18 REDLITHIUM batteries (sold separately)
- Power to cut reinforced concrete
- Up To 50% lighter than gas
- No gas headaches
- Cut depth: 3.4"
- Blade diameter: 9"
- RPM: 6,600
- Blade arbor: 7/8"
- Onboard water connection: quick connect
- Load indicator light
- Weight (Bare Tool): 10.6lbs
- RAPIDSTOP blade brake
- ONE-KEY tool tracking and management
- Fully adjustable guard



KIT INCLUDES

M18 FUEL™ 9" CUT-OFF SAW W/ ONE-KEY™

ABRASIVE BLADE

DIAMOND BLADE

M18™ REDLITHIUM™ HIGH OUTPUT™ HD12.0 BATTERY x2

M18™ & M12™ RAPID CHARGER

Part#	Description	List Price	Wholesale
2786-20	Tool Only		Please Login
2786-22HD	Tool + Kit		Please Login

MM4
No Oil Mixing Needed



Makita

Makita 14" Power Cutter

- No oil mixing simplifies operation and prevents engine failure due to improper mix
- Lower fuel consumption at .45 gallons per hour
- Reduced exhaust and intake carbon build-up for longer cylinder life
- Three ring piston for improved commercial engine durability
- Five-stage, foam-paper-nylon system with advanced directional air flow provides very clean air for better saw performance
- Integrated wheels reduce fatigue during long straight cuts and retract when not in use to prevent unexpected movement
- Improved ignition system with larger flywheel and rare earth magnets for more power
- Cutting arm position simply changes from center position to flush (outboard) position allowing cuts directly adjacent to curb edges, walls or directly above the ground
- 4.1 HP - 75.6 cc engine

Part#	Description	List Price	Wholesale
EK7651H	14" Saw		Please Login

VIRGINIA ABRASIVES



High Speed Diamond Blade

Part#	Size	Application	Max RPM	List Price	Wholesale
Ultra Value					
425-04177	14"x.125"x1"/20mm DP	Concrete	5500		Please Login
Premium					
425-04173	18"x.125"x1"/20mm DP	Concrete	3400		Please Login
425-04174	18"x.125"x1"/20mm DP	Asphalt	3400		Please Login
Supreme					
425-06321	14"x.125"x1"/20mm DP	Con./Asph.	5500		Please Login

VIRGINIA ABRASIVES



Premium Rescue/Restoration Diamond Blade

- Fast cutting of construction materials, siding, wood, roofing tiles, iron, and steel
- Silicon carbide impregnated sides reduce binding

Part#	Size	Max RPM	List Price	Wholesale
425-05243	14"x.1/8"x1"/20mm DP	5500		Please Login

VIRGINIA ABRASIVES



Tile Saw Diamond Blade - Wet Cutting

- Sintered for wet cutting granite and marble

Part#	Size	Max RPM	List Price	Wholesale
425-02992	10"x 0.065" x 5/8"	6100		Please Login

VIRGINIA ABRASIVES



Masonry Diamond Blade - Dry Cutting

- Designed for general purpose rental fleets

Part#	Size	Max RPM	List Price	Wholesale
425-03031	14"x .110" x 1" DP	5500		Please Login

MK
MK Diamond Products, Inc.



7" Contractor Diamond Blade

- Circular saw blade
- Turbo rim for fast, smooth cuts
- Ideal for cutting concrete, bricks, sandstone, stucco and roof tiles
- 8,700 maximum RPM
- DM 7/8" to 5/8" arbor

Part#	List Price	Wholesale
167022		Please Login

DEWALT



7-1/4" 24-Tooth Carbide Blade

- Combo framing - tungsten carbide
- Construction grade
- 5/8" Arbor-diamond knockout
- Ribbed heat vents allow blade to run cooler

Part#	List Price	Wholesale
DW3578B10		Please Login

Grinding Wheels (1/4" Thick)



- For metal polishing & general flat grinding
- Aluminum oxide abrasive grains are evenly distributed to give a smooth surface

Part#	Diameter	Arbor	Grit	Pack Qty.	Model	List Price	Wholesale
741423-B-25	4-1/2"	7/8"	24	25	GA4534, 9527NB, 9527PB 9554NB, 9557NB/PB, 9564CV		Please Login
741414-B-10	7"	5/8"-11	24	10	GA7001L, GA7011C, GA7020, GA7021, GA7040S		Please Login

Super Thin Cut-Off Wheel (3/64" Thick)



- Cuts up to 50% faster
- Lasts up to 20% longer
- Use with paper flange (included)

Part#	Diameter	Arbor	Grit	Pack Qty.	Model	List Price	Wholesale
724112-A-25	4-1/2"	7/8"	A46	25	GA4534, 9527NB, 9527PB	\$74.00	\$46.00

Cut-off Wheels



- Reinforced Type 1
- Sold individually



Part#	Size	Application	Max RPM	Pkg. Qty.	List Price	Wholesale
Portable Saws						
424-10814	14" x 1/8" x 20mm High-Speed	Concrete	5400	10		Please Login
424-15714	14" x 1/8" x 20mm High-Speed	Metal	5400	10		Please Login
424-11214	14" x 1/8" x 1" High-Speed	Concrete	5400	10		Please Login
424-16114	14" x 1/8" x 1" High-Speed	Metal	5400	10		Please Login
Road Construction Saws						
424-20414	14" x 3/16" x 1"	Concrete	4365	10		Please Login
424-21214	14" x 3/16" x 1"	Green Concrete/Asphalt	4365	10		Please Login



Diamond Turbo Cup Wheel - Premium

- Professional grade



Part#	Size	Application	Max RPM	List Price	Wholesale
425-04087	7" x 5/8" - 11 - 12 Segments	GP Concrete Finishing	8600		Please Login



X-Lock Cutting/Grinding Wheels



- Snap-on mounting that's up to five times faster
- Wheels are backward compatible with standard 7/8" arbor mounts
- Multiple layers of stranded fiberglass and Aluminum Oxide grit for speed and durability
- Optimized wheels for less vibration and improved working speed

Part#	Application	Dia.	Grit	List Price	Wholesale
TCWX1S450	Metal / stainless steel cutting	4-1/2" x .045"	60		Please Login
TCWX1S500	Metal / stainless steel cutting	5" x .045"	60		Please Login
GWX27LM450	Metal grinding	4-1/2" x 1/4"	30		Please Login
GWX27LM500	Metal grinding	5" x 1/4"	30		Please Login

Works on any Bosch 7/8" arbor angle grinder



EZ Edger Discs

- Fits all 7" Edge Sanders & 3 Head Orbital 6-3/4" Sanders, Clark® EZ-Sand
- Sold individually

Part#	Size	Pkg. Qty.	List Price	Wholesale
003-67894	6-7/8" x NH 100	50		Please Login
003-67880	6-7/8" x NH 80	50		Please Login
003-67860	6-7/8" x NH 60	50		Please Login
003-67836	6-7/8" x NH 36	50		Please Login
003-67820	6-7/8" x NH 20	50		Please Login
003-27820	6" Conversion Disc	10		Please Login

Orbital Floor Sanding Sheets

- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- Sold individually



Virg. Abr. Part#	Abmast Part#	Size	Pkg. Qty.	List Price	Wholesale
PSA Abrasive Sheets - "Sticky-Back" Backing					
206-34100	B1810	12" x 18" 100	20		Please Login
206-34080	B1880	12" x 18" 80	20		Please Login
206-34060	B1860	12" x 18" 60	20		Please Login
206-34036	B1836	12" x 18" 36	20		Please Login
206-34020	B1820C	12" x 18" 20	20		Please Login

20 per carton

Part#	Size	Pkg. Qty.	List Price	Wholesale
Quicksand Abrasive Sheets - "Non-Stick" Backing				
202-34100	12" x 18" 100	20		Please Login
202-34080	12" x 18" 80	20		Please Login
202-34060	12" x 18" 60	20		Please Login
202-34036	12" x 18" 36	20		Please Login
202-34020	12" x 18" 20	20		Please Login

Floor Sanding Sheets

- Fits Clarke® DU-8 or EZ-8 with Notches and Rentlink® and HT8
- 8" X 19-1/2" VA8
- Sold individually



Virg. Abr. Part#	Abmast Part#	Description	Pkg. Qty.	List Price	Wholesale
002-08100	B5210	100 Grit	50		Please Login
002-08080	B5280	80 Grit	50		Please Login
002-08060	B5260	60 Grit	50		Please Login
002-08050		50 Grit	50		Please Login
002-08040		40 Grit	50		Please Login
002-08036	B5236	36 Grit	50		Please Login
002-08024	B5224C	24 Grit	50		Please Login
002-08020	B5220C	20 Grit	50		Please Login
002-08016	B5216C	16 Grit	50		Please Login
002-08012		12 Grit	50		Please Login

Floor Sanding Edger Discs

- Fits Clark® Super 7
- Sold individually



Virg. Abr. Part#	Abmast Part#	Size	Pkg. Qty.	List Price	Wholesale
006-70894	B0710	7" x 7/8" 100	50		Please Login
006-70880	B0780	7" x 7/8" 80	50		Please Login
006-70860	B0760	7" x 7/8" 60	50		Please Login
006-70850		7" x 7/8" 50	50		Please Login
006-70840	B0740	7" x 7/8" 40	50		Please Login
006-70836	B0736	7" x 7/8" 36	50		Please Login
006-70824		7" x 7/8" 24	50		Please Login
006-70820	B0720C	7" x 7/8" 20	50		Please Login
006-70816		7" x 7/8" 16	25		Please Login
006-70812		7" x 7/8" 12	25		Please Login

Orbital Floor Maintenance Thick Pads

- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- Sold individually



Virg. Abr. Part#	Abmast Part#	Size	Pkg. Qty.	List Price	Wholesale
416-54187	J182W	12" x 18" x 1" White	5		Please Login
416-54186	J182T	12" x 18" x 1" Tan	5		Please Login
416-54185	J182G	12" x 18" x 1" Green	5		Please Login
416-54184	J182B	12" x 18" x 1" Black	5		Please Login
416-54180	J182R	12" x 18" x 1" Red	5		Please Login

5 per carton

Expanding Drum Belts - Cloth

- Fits Clarke® EZ-8 Expandable Drum
- 8" x 19" VAEZ8
- Sold individually



Virg. Abr. Part#	Abmast Part#	Description	Pkg. Qty.	List Price	Wholesale
018-81996	C8912	120 Grit	10		Please Login
018-81994	C8910	100 Grit	10		Please Login
018-81980	C8980	80 Grit	10		Please Login
018-81960	C8960	60 Grit	10		Please Login
018-81940	C8940	40 Grit	10		Please Login
018-81936	C8936	36 Grit	10		Please Login
018-81924	C8924	24 Grit	10		Please Login

**VIRGINIA
ABRASIVES**



Premium Segmented Grinding Diamond Head for Concrete

• Professional grade



Part#	Size	Application	Max RPM	List Price	Wholesale
425-04252	10" x 5/8", 10 Segments	Hard Concrete	6100		Please Login
425-04253	10" x 5/8", 20 Segments	Hard Concrete	6100		Please Login
425-04254	10" x 5/8", 10 Segments	Soft Concrete	6100		Please Login
425-04255	10" x 5/8", 20 Segments	Soft Concrete	6100		Please Login

**VIRGINIA
ABRASIVES**

Tungsten Carbide Abrasive Disc



Part#	Size	Pkg. Qty.	List Price	Wholesale
421-80015	15" x 2"	1		Please Login
421-80016	16" x 2"	1		Please Login
421-80017	17" x 2"	1		Please Login

**VIRGINIA
ABRASIVES**

Floor Maintenance Thick Pads



Part#	Size	Pkg. Qty.	List Price	Wholesale
416-50170	17" x 1" Red Buffer	5		Please Login
416-50174	17" x 1" Black Stripper	5		Please Login
416-50175	17" x 1" Green Scrubber	5		Please Login
416-50176	17" x 1" Tan Scrubber	5		Please Login
416-50177	17" x 1" White Polish	5		Please Login
416-50178	17" x 1" White Gold	5		Please Login

**VIRGINIA
ABRASIVES**

Floor Grinding Blocks

- Wooden wedges included
- Sold individually



Part#	Size	Application	Grit	Pkg. Qty.	List Price	Wholesale
426-38002	2" x 2" x 4"	Concrete	80	6		Please Login
426-32402	2" x 2" x 4"	Concrete	24	6		Please Login
426-31202	2" x 2" x 4"	Concrete	10	6		Please Login
426-30802	2" x 2" x 4"	Concrete	8	6		Please Login

**VIRGINIA
ABRASIVES**

Standard Diamond Grinding Blocks

- Holder included
- Segments are premounted



Part#	Size	Application	List Price	Wholesale
425-05234	2"x2"x4" grinding heads	General Purpose		Please Login
425-05235	2"x2"x4" grinding heads	Soft Concrete		Please Login
425-05236	2"x2"x4" grinding heads	Mortar/Epoxy		Please Login
999-00007		Wooden Wedges		Please Login

POWDER ACTUATED TOOLS

Cobra+ 0.27 Caliber Semi-Automatic Tool with Silencer



Includes
Tool
Case
Goggles
Wire Cleaners



- Power adjust drives pins flush
- Silencer reduces noise by 30%
- Rubber cushion on grip
- Fires 10 shot strip loads, 1 strip of loads drives 10 pins (up to 3")



Part#	List Price	Wholesale
R16942		Please Login

Mastershot .22 Caliber Tool



Kit Includes
Tool
Case
Goggles
Wire Cleaners



- Silencing feature
- Fastens up to 3" standard drive pins with washer
- For light and medium duty applications
- Cushioned speed-eject grip
- Weight: 4.4 pounds, length: 13-1/4"

Part#	Description	List Price	Wholesale
R40088	Tool		Please Login
R08897	Kit		Please Login



HD22 - .22 Caliber Single Shot Tool



- Barrel design allows for easy horizontal and overhead fastening
- Fastens up to 2-1/2" standard Ramset drive pins
- Weight: 2.1 pounds, length: 14"



Part#	List Price	Wholesale
R00022		Please Login



TS22 - .22 Caliber Trigger Shot Tool



- Easy grip handle
- Fastens up to 3" standard Ramset drive pins
- Weight: 3.8 pounds
- Length: 17.8"

Part#	List Price	Wholesale
R40066		Please Login

Ramset .27 cal Strip Loads

Part#	Description	List Price	Wholesale
R00652	.27 Cal Grn,3RS27, 100 pk		Please Login
R00667	.27 Cal Yel,4RS27, 100 pk		Please Login
R00682	.27 Cal Red,5RS27, 100 pk		Please Login



Ramset Drive Pins

Part#	Description	List Price	Wholesale
R00780	.300x2 Dr Pin, 1514, 100pk		Please Login
R00786	.300x2-1/2 Dr Pin,1516, 100 pk		Please Login
R09167	Ramguard .300x2-1/2 Dr Pin,100 pk		Please Login
R00794	.300x3 Dr Pin, 1524, 100 pk		Please Login



Ramset Drive Pins w/Washers

Part#	Description	List Price	Wholesale
R00797	.300x1 Pin w/washer, 100 pk		Please Login
R00803	.300x1-1/2 Pin w/washer, 100 pk		Please Login
R00809	.300x2-1/2 Pin w/washer,1516SD, 100 pk		Please Login
R09173	Ramguard .300x2-1/2 Pin w/washer, 100 pk		Please Login
R07886	.300x3 Pin w/washer, 1524SDP, 100 pk		Please Login



Ramset Track Pins

Part#	Description	List Price	Wholesale
R00747	.300x3/4 dr pin 1506, 100 pk		Please Login



Ramset .22 cal Powder Loads

Part#	Description	List Price	Wholesale
R00594	.22 Cal Brn Powder Load,22cw,100 pk		Please Login
R00601	.22 Cal Grn Load,32cw, 100 pk		Please Login
R50077	.22 Cal Yel Powder Load,42cw, 25 pk		Please Login
R00607	.22 Cal Yel Powder Load,42cw, 100 pk		Please Login





ATTENTION

Because of the continuously changing times of the COVID-19 pandemic, dust mask, respirators and other PPE have become more difficult to stock. Our team is currently trying to find replacements. Please check back for any updates on inventory. We appreciate your cooperation!

Hearing Protectors



***NRR=24**

- Ultra-light & comfortable
- Contoured headband with "No-Snag" design
- Extra-wide, soft cushions

Part#	List Price	Wholesale
2408		Please Login



Electronic Earmuff



- Electronic earmuff amplifies low level sounds but compresses noises that exceed safe levels
- Dual microphones
- Independent volume controls
- Adjustable headband
- NRR 20 dB

Part#	List Price	Wholesale
TV0700CS		Please Login



***NRR=27**

- Dielectric, three-position earmuff
- Soft-Seal™ ear cushions provide exceptional comfort
- Special foam head pad

Part#	List Price	Wholesale
S2700		Please Login



***NRR=29**

- Rated #1 by the USAF
- Soft-Seal™ ear cushions provide exceptional comfort
- Ultra-soft head pad

Part#	List Price	Wholesale
2950		Please Login

*NRR-Noise Reduction Rating

9004



9300

SP31C



Ear Plugs

- Reusable molded plug
- One size fits most

Sold by carton

Part#	Description	Ctn Qty	List Price	Wholesale
9004	Reusable w/cord, NRR 24	100		Please Login
9300	Foam w/o cord, NRR 32	200		Please Login
SP31C	Foam w/cord, NRR 32	100		Please Login

HARDHATS



**SAFETY
WORKS**

Adjustable Suspension

- Comfortable pin lock adjustment suspension
- 4-Point nylon suspension
- Sleek & attractive design high density polyethylene shell
- Shell has rain trough for extra convenience
- Meets ANSI Z89.1 and CSA Z94.1 requirements for Class E, Type I head protection

Part#	Color	List Price	Wholesale
SWX00344	White		Please Login
SWX00345	Yellow		Please Login



**For Men
or
Women**

Quick Adjusting Ratchet Hard Hat

- Exclusive ratchet adjustment suspensions
- Comfortable 4-point nylon suspension
- High-density polyethylene (HDPE) shell designed for strength
- Shell has rain trough for extra convenience
- Meets ANSI Z89.1 and CSA Z94.1 requirements for Class E, Type I head protection

Part#	List Price	Wholesale
SWX00348		Please Login

Full Brim

- Full brim provides protection from UV rays on ears and back of neck
- Shorter in the front, allowing the wearer to look upward
- Ratchet suspension
- Meets ANSI Z89.1-2003
- Meets OSHA Type I, Class G & E



**V-Gard®
Protective
Hats**

**SAFETY
WORKS**

Part#	Color	List Price	Wholesale
SWX00358	White		Please Login
SWX00359	Yellow		Please Login
10087220	Suspension		Please Login

Sentry III Ratchet Hard Hats

- Squared-off nape strap
- 6 point nylon web suspension system
- Hearing, welding and face shield accessories can be snapped into universal slots
- Meets ANSI Z89.1 and CSA Z94.1
- Meets OSHA Type I, Class C,G, & E
- SEI certified



Part#	Description	List Price	Wholesale
14024	White		Please Login
14011	Yellow		Please Login

**DON'T FORGET
EYE PROTECTION!**

Kazbek Polarized

- Flexible and durable frame
- Soft TPR nose pads and temple arms for comfort
- Polarized lenses increase clarity by reducing glare
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2015 and MCEPS GL-PD 10-12 standards



**EDGE
SAFETY EYEWEAR**

Part#	Frame	Lens	List Price	Wholesale
TSKAP218	Black	Polarized Blue Mirror		Please Login
TSK236	Black	Polarized Smoke		Please Login
TSK-XL215	XL Black	Polarized Copper		Please Login

Woodsman™ Forestry System

- Perfect solution for chain saw, sandblasting or woodworking
- Gladiator® six point ratchet hard hat
- Earmuffs with cushions
- Molded steel mesh face screen



TASCO

Part#	Description	List Price	Wholesale
6000W	Entire System		Please Login
1000-5	Replacement suspension		Please Login
2293-1	Foam ear cups		Please Login
4000P	Face shield - clear		Please Login
4000W	Face screen - mesh		Please Login

Arctic 2 in 1 Sport Liners Rated at 0° to -20°

- 17-1/2 oz. sport fleece top
- 100% polyester bottom
- Ideal for very cold environments
- Great coverage with reduced drafting
- Top shell made of polyester fleece with elastic around the face
- Meets the 16 CFR 1610, Class 1



Part#	Side	Central	Bottom	List Price	Wholesale
22316	Silver	Navy Blue	Blue		Please Login



Winter Hard Hat Liners

Part#	Description	List Price	Wholesale
165	32° to -45°, 100% cotton, napped flannel interior		Please Login
200	32° to 45°, 100% cotton, red heavyweight fleece lining		Please Login
400	0° to -20°, full head coverage, wrap around collar, sherpa lining		Please Login
440	0° to -20°, heavy-duty, extra-long nape, sheepskin-like lining		Please Login



Engineer's Raincoat

- Extra long with detachable hood to keep you dry
- Heavy weight .35 mil PVC, polyester backing and corduroy collar
- Non-conductive
- 24 per carton
- Sold individually

Part#	Size	List Price	Wholesale
E4800	M-5XL		Please Login

Premium Rugged Series Rainsuit

- 3 piece suit
- 30" jacket with detachable hood
- Heavyweight .35 mil PVC with polyester backing
- Non-conductive
- Medium through 7XL
- 12 per carton
- Sold individually

Part#	Size	List Price	Wholesale
14505-0-2	M		Please Login
14505-0-3	LG		Please Login
14505-0-4	XL		Please Login
14505-0-5	2X		Please Login
14505-0-6	3X		Please Login
14505-0-7	4X		Please Login
14505-0-8	5X		Please Login
14505-0-9	6X		Please Login
14505-0-10	7X		Please Login



#1 BEST SELLER

Yellow Slush Boots

- 100% heavy-duty rubber
- 44 mil
- Utilize a boot two sizes larger than your work boot
- To cover "gym" shoes, one size larger should be enough
- 10 pair per carton
- Sold by the pair



Part#	Size	List Price	Wholesale
S2117	9-18		Please Login



Black 5 Buckle Boots

- Easy-on/easy-off
- 100% heavy-duty rubber
- Sizes 9-16
- 6 pair per carton
- Sold by the pair

Part#	Size	List Price	Wholesale
B2511	9-16		Please Login



Traffic Cones with Reflective Collar

- Extra-wide body
- Rugged base keeps cone upright
- 4" & 6" collars



Part#	Description	List Price	Wholesale
19930	28" - Lime green		Please Login
16519	28" - Orange		Please Login

Traffic Cones

- Rugged base keeps cone upright
- Dayglow orange or lime PVC



Part#	Description	List Price	Wholesale	Pallet
TC18	18" - 2.5 lbs. - orange		Please Login	
TC28	28" - 7 lbs. - orange		Please Login	
3004283	18" - 2.5 lbs. - lime		Please Login	
3004286	28" - 7 lbs. - lime		Please Login	

Other styles can be special ordered

DisposaCone®

- Equip vehicles for roadside emergencies, maintenance, or leave on the job-site
- Stands 18" high
- Folds flat for easy storage
- Sticks to almost anything - concrete, asphalt, glass, metal
- Stands up to 4 days of heavy wind & rain
- 3 cones per package

Part#	List Price	Wholesale
1836R		Please Login


Big Sale!



Orange Safety Fence

- Heavy-duty
- Strong, but lightweight
- Flat safety edge on top and bottom
- Rectangular hole size is 2" x 3-3/4"

Part#	Description	List Price	Wholesale
FE50N	4' x 50', 8 lbs.		Please Login
FE100N	4' x 100', 16 lbs.		Please Login



Contractors Grade Silt Fence

- Economical 36" tall silt fabric
- 1-1/2" x 1-1/2" (Nominal) hardwood stakes
- Stakes spaced every 10' (10' centers)
- 11 stakes per 100' fabric

Part#	List Price	Wholesale
14987		Please Login



Sand Bags (Woven Polypropylene)

- Comes complete with heavy poly-twine ties
- Bright orange (100 hr. UV protection) for increased visibility
- 14" x 26" weigh 50 lbs. when filled
- Sold by carton of 1,000
- Quick Fill Stand folds flat for easy storage




Part#	Description	List Price	Wholesale
14981	Sand bags-orange		Please Login
14981-W	Sand bags-white		Please Login

Red/Silver 2" x 10' High Visibility Reflective Safety Tape

- For automotive, recreational vehicles, trailers, farm machinery, marine or sign marking
- Minimum of 700 candle power brightness
- Alternating 6" red and 6" silver segments
- Withstands brushing, dirt, grime, and high-pressure steam sprayers

Part#	List Price	Wholesale
RE2110		Please Login





Plastic Type I and Type II Barricades

- NCHRP-350 Certified with and without lights
- Meets MUTCD standards
- Weighs only 15 lbs
- Low profile -- Folded dimensions are 2.5"H x 24"W x 45.5"L
- 24" x 12" top panels and 24" x 8" bottom panels
- Built-in bracket accommodates barricade light
- Optional plastic Sand Ballast Bar for additional weight
- 2 per carton

Part#	Description	List Price	Wholesale
Type I			
3001783	24" x 8" x 8"		Please Login
3007829	24" x 12" x 8"		Please Login
Type II			
3007832	24" x 8" x 8"		Please Login
3007834	24" x 12" x 8"		Please Login

Stop/Slow Paddles

- Meets all MUTCD requirements
- Letter Size: 8" for 24", 6" for 18" paddle
- Engineer grade sheeting
- 24" meets DOT Standards



Part#	Description	List Price	Wholesale
03-822P	24" w/ 81" plastic handle		Please Login
03-852	18" w/ 9" polygrip handle		Please Login

OSHA Rebar Caps (Impalement Protection)

- Made of space age high density polymer
- These high quality caps are bright orange and fit rebar #4 - #8

Part#	List Price	Wholesale
14640-4		Please Login



Overall Height
49.8"

Top Diameter: 4"
Base Diameter:
7.56"

High-intensity
sheeting units have
(2) reflective collars

Shown with recycled
rubber base (3007532)
not included

Grip & Go Channelizer Cone

- Meets MUTCD and NCHRP-350 requirements
- Large grip on the handle allows workers to easily pick up
- Large channelizer cone handle accommodates one or two Type A or C lights
- Recycled rubber bases provide stability and support
- 42" tiered cone design allows for easy stackability
- Low density polyethylene with UV inhibitors
- Available with or without sheeting (stripes)

Part#	Description	List Price	Wholesale
3014081	Channelizer-no sheeting		Please Login
3014082	Channelizer w/hi-intensity sheeting		Please Login
3007532	16 lb. base		Please Login
3009066	10 lb. base		Please Login



LED Flashing Barricade Light

- MUTCD & ITE compliant
- 7" polycarbonate lens with advanced optics
- Available in standard yellow case only
- Uses four D-Cell Ray-O-Vac batteries



Includes
Wrench and Wire Key

Part#	Description	List Price	Wholesale
03-10-3WAYDC	Light		Please Login
3019498	Wire key		Please Login

ANSI Class 2 Vest

Whenever greater visibility is desired!



- ANSI/ISEA 107-2004 Class 2 compliant
- 100% polyester with zipper closure
- 2" wide reflectives on front and back
- 4 outside front pockets
- Size: L-4XL

Part#	Size	Description	List Price	Wholesale
SV110	L-4XL	Lime w/gray stripes		Please Login



Surveyor Breakaway Class 2 Safety Vest

- Closure: zipper
- 5-point breakaway
- Tape: 2" silver reflective
- 7 pockets
- Mic tab on both shoulders
- 100% polyester solid knit front and mesh back
- Ideal for extreme work environments around moving machinery



Part#	Description	List Price	Wholesale
SV46G-L	Lime		Please Login
SV46G-XL	Lime		Please Login
SV46G-XXL	Lime		Please Login

SV460-L	Orange		Please Login
SV460-XL	Orange		Please Login
SV460-XXL	Orange		Please Login



Lime Safety Vest

- Lightweight, comfortable polyester mesh
- 1-1/2" orange/silver vertical stripes
- Elastic side straps
- Velcro® front closure
- One size fits most

Part#	List Price	Wholesale
1265		Please Login



Tagged for Hanging

Yellow Chore Gloves

- Regular weight
- Straight thumb
- Knit wrist
- 2-layer fleece quilted palm and back
- Clute pattern

Part#	Size	List Price	Wholesale
3460G	L		Please Login
4203QXL-BG	XL		Please Login



Tagged for Hanging

Brown Jersey Gloves

- Comfortable jersey construction
- Multi-purpose hand protection
- Size L
- 9 oz.
- 3401T tagged for hanging
- 12 per package

Part#	Size	List Price	Wholesale
3401	L		Please Login
3401T	L		Please Login



Hot Seller!

Drywall Lifter

- Load rating - 150 lbs.
- Loading height - 34"
- Requires no tools
- Adjustable cradle accommodates boards up to 4' x 16'
- Reaches height of 11'
- Weighs 115 lbs.
- 6' extension - Part# 186-00



Part#	Description	List Price	Wholesale
138-2	Lifter		Please Login
186-00	6' extension		Please Login
117	Storage stand		Please Login



#1 CHOICE For Rental

Its patented multi-stage chain lift mechanism combined with the patented 2-way overload protection system make the Model 439 the safest, longest lasting, most versatile drywall lift available to the rental industry and serious contractor.

Chain Drive Drywall Panellift

- Chain lift with overload protections
- Reaches 14' 5"
- Standard loading height: 37"
- Handles up to 200 lbs
- Six inch casters makes rolling over clutter easier



Part#	Height	List Price	Wholesale
439	14' 5"		Please Login
117	Storage stand		Please Login



NEW!



Tele-Tower

- Safer than ladders and far more versatile than common scaffolding
- Assembles in about 10 minutes
- Rolls through a standard 32" doorway
- Working height of 18'
- Platform height range 2' to 11'
- 6' L x 19" W deck
- Easy assembly – no tools required
- Heavy-duty 5" casters
- Max load rating 550 lbs.

Part#	Description	List Price	Wholesale
1101	Work platform		Please Login

NEW!



DRILLRITE

Overhead Drill Press

- Chain mechanism for simplicity, long life and low maintenance
- Includes secondary flat base for use on work platforms
- Flex base available for uneven floors (ie; parking garages)
- Reduces operator fatigue
- Integrated dust extraction system
- Drill and vacuum sold separately
- Reaches: 140"
- Travel: 59"
- Cradle Height: 81"



Part#	Description	List Price	Wholesale
350	Drill press		Please Login

CONTRACTOR LIFTS



**Model
EL-405**

Stacker Lift

- 4'5" in height
- 400 lb. lifting capacity
- 53" lifting height
- Two speed winch handle position
- Quick action wheel brake
- Large lifting surfaces
- **Special order only; non-stock item; non-cancelable**

Part#	List Price	Wholesale
EL-405		Please Login



SUMMER



**Ideal, adjustable
work platform
for repair
shops!**



**Great for
loading
customer
vehicles!**

**SERIES 2200
LIL' HOISTER LIFTS**

**Model
2210**

SUMMER



**Ships
Assembled**



Contractor Lift

With the highest reach in the 2200 Series, this double masted lift offers the capability of lifting light fixtures or AC units in low ceiling buildings. Its forks fit between most acoustical ceiling tiles.

- 11' height
- 300 lb. capacity
- High speed reversing winch with automatic braking action
- 1" nylon strap - no more cable kinks
- 106 lbs.

Part#	List Price	Wholesale
784310		Please Login



**Compact Storage
remove forks and
reposition legs for
space saving storage.**



**Reversing
handle for
convenient,
out-of-the-way
storage**



**Model
R-150
R-180
R-250**

**Ships
Assembled**



Roust-A-Bout

Enables one man to lift and place loads in tight locations that would be impossible with other lifts. The Roust-A-Bout eliminates the need for many other tools such as come alongs, scaffolds, monorails, and swing booms.

- Lifts 1,500 lbs.
- 15' height
- Moves vertically and horizontally
- Separate load and mast winches
- Infinite load adjustment
- Mast and base separate quickly for EASY transport
- 780301 - 311 lbs.
- 780302 - 337 lbs. • **Special order only; non-stock item; non-cancelable**
- 780303 - 381 lbs. • **Special order only; non-stock item; non-cancelable**

Part#	Max Height	List Price	Wholesale
780301	15'		Please Login
780302	18'		Please Login
780303	25'		Please Login



SUMNER

SERIES 2000
INTERNAL LIFTS

Model 2015

Shown with optional outrigger kit and 10" wheel kit



Ships Assembled



Built for heavy material such as steel beams and/or continuous work

Material Lift

This compact lift offers stronger mast design and a superior cabling system. The shorter mast sections allow the lift to travel through doorways without tipping and to fit nicely into vehicles with small storage space.

- 15'2" heights
- 800 lb. capacity
- Rolls through standard doorways & tail gates
- Loading Bar - great for overhead cranes
- Plunger pins for quick readjustment and compact storage
- No tools needed - no loose parts
- Large 7/32" load cable
- 315 lbs.

Part#	Max Height/Desc.	List Price	Wholesale
783701	15'2"		Please Login
783935	Outrigger Kit		Please Login
783736	10" Wheel Kit		Please Login
783691	Carriage Fork Ext.		Please Login

SUMNER

SERIES 2100
CONTRACTOR LIFTS

**Model 2118
2124**

Comes standard with outrigger kit and 10" wheel kit



Ships Assembled



18' is MOST POPULAR

Contractor Lift

This compact lift offers stronger mast design and a superior cabling system. The shorter mast sections allow the lift to travel through doorways without tipping and to fit nicely into vehicles with small storage space.

- 18'6" or 23'11" heights
- 650 lb. capacity
- Rolls through standard doorways & tail gates
- Loading Bar - great for overhead cranes
- Plunger pins for quick readjustment and compact storage
- No tools needed - no loose parts
- Large 7/32" load cable
- 783651 - 360 lbs.
- 783652 - 399 lbs.

Part#	Max Height	List Price	Wholesale
783651	18'6"		Please Login
783652	23'11"		Please Login
783691	Carriage Fork Ext.		Please Login

Model 2412

Pipe Cradle Optional



Ships Assembled



Contractor Lift

This super compact lift has handy roller wheels which enable ease of rolling into vehicles for transportation. Features 8" non-marking wheels.

- 12' height
- 400 lb. capacity
- Easily portable for one person
- fits most SUVs and vans
- Forks remove and legs reposition for compact storage
- No tools needed or loose parts
- 195 lbs.
- **Special order only; non-stock item; non-cancelable**

Part#	Description	List Price	Wholesale
784750	Lift		Please Login
783705	Pipe Cradle		Please Login

RevolutionXE Aluminum Multi-Position Ladders

- Rated to hold up to 300 lbs. (Type 1A duty rating)
- Convenient Rock Lock push button adjustment
- Limited Lifetime Warranty
- OSHA & ANSI A14.2 standards
- Use as different configurations, including A-frame, extension



Little Giant
Ladder Systems

FREE FREIGHT



Ratcheting Levelers

- Work safely on uneven terrain
- Hands-free adjustments

Part#	Leveler	Height	Weight	List Price	Wholesale
12017	No	15'	32 lbs.		Please Login
12017-801	Yes	15'	38 lbs.		Please Login
12022	No	19'	38 lbs.		Please Login
12022-801	Yes	19'	44 lbs.		Please Login
12026	No	26'	49.5 lbs.		Please Login
12026-801	Yes	26'	53 lbs.		Please Login

Adjustable Safety Cage Fiberglass Ladders

- Rated to hold up to 375 lbs. (Type 1AA duty rating)
- Adjustable enclosed platform to be a versatile, safe alternative to tying off
- Protects operators in a fully enclosed working platform
- Works on uneven surfaces, stairs, and upper floors
- Includes a one year warranty
- Allows operator to work safely and quickly with two hands while complying with OSHA standards
- Tip & glide wheels



Call For Other Options

Part#	Height	Weight	List Price	Wholesale
18503-240	3'-5'	98 lbs.		Please Login
18509-240	5'-9'	126 lbs.		Please Login
18515-240	8'-14'	149 lbs.		Please Login

Conquest Fiberglass Multi-Use Articulating Ladders-300 lb. Capacity

- Wide-flared base provides much more lateral stability
- Adjustable straight side allows you to easily and safely access attics and roofs
- Non-conductive fiberglass siderails
- Easy-access carrying handle
- Capable of dozens of configurations, including A-frame, extension, and 90°
- Exceeds all OSHA and ANSI standard



Little Giant
Ladder Systems

FREE FREIGHT

Part#	Model	Height	Weight	List Price	Wholesale
15144	Standard M17	15'	40 lbs.		Please Login
15144-186	V-Rung M17	15'	41 lbs.		Please Login
15146	Standard M22	19'	47 lbs.		Please Login
15146-186	V-Rung M22	19'	48 lbs.		Please Login

Telescoping Work Planks

The Little Giant Telescoping Plank converts any of our ladders into a simple scaffolding.

- 250-lbs. rated capacity
- Slip-resistant surface
- 1-year warranty



Little Giant
Ladder Systems

FREE FREIGHT

Part#	Extension	Weight	List Price	Wholesale
10069	6' - 9'	32 lbs.		Please Login
10813	8' - 13'	42 lbs.		Please Login
10915	9' - 15'	47.5 lbs.		Please Login

Skyscraper Telescoping A-Frame Ladders

- Heavy-wall aircraft-grade aluminum construction
- Rated to hold up to 300 lbs. Type 1A
- Adjustable for use on stairs, curbs, docks and more
- Complies with OSHA ANSI A14.2 standards
- Includes a full 5-year Warranty



Part#	Model	Height	Weight	List Price	Wholesale
10109	M15	8'-15'	60 lbs.		Please Login
10110	M17	9'-17'	79 lbs.		Please Login
10121	M21	11'-21'	103 lbs.		Please Login



**All
Little Giant Ladders
Ship
Factory Direct**



Defender Ladder Type 1A

- Built in tipping, gliding wheels
- Wide-flared extension ladder
- Capable of dozens of configurations, including A-frame, extension, & 90°
- Exceeds all OSHA & ANSI standards
- Rated to 300 lbs

**FREE
FREIGHT**

Part#	Model	Height	Weight	List Price	Wholesale
15187-882	17	7'-15'	31.5 lbs		Please Login
15182-882	22	19'	46.5 lbs.		Please Login



Safety Step Stepladder - Type 1A

- Rugged, corrosion-resistant aluminum alloy construction
- Ultra-slim 5" folded depth
- Wide, slip-resistant step treads
- Fold-up safety bar for extra security
- Lightweight and portable
- Built to last and easy to handle
- Integrated work tray
- 300 lbs. capacity

**FREE
FREIGHT**

Part#	Steps	Height	Weight	Load Cap.	List Price	Wholesale
10210BA	2	31.5"	15 lbs.	300 lbs.		Please Login
10310BA	3	44"	20 lbs.	300 lbs.		Please Login
10410BA	4	56"	25 lbs.	300 lbs.		Please Login



MicroBurst Fiberglass Stepladder - Type 1A

- Easy to store and easy to carry
- High-strength steel alloy StableLock spreader system locks securely in place to create a solid A-frame structure with no room for shifting or walking
- Fiberglass construction is ideal for work on electrical circuits
- Rated to hold 300 lbs.

**FREE
FREIGHT**

Part#	Steps	Height	Weight	Load Cap.	List Price	Wholesale
15703-001	2	3'	15 lbs.	375 lbs.		Please Login
15700-001	3	4'	20 lbs.	375 lbs.		Please Login
15705-001	5	6'	22 lbs.	300 lbs.		Please Login
15710-001	7	8'	31 lbs.	300 lbs.		Please Login



Firemans Overhaul Ladder-Type 1AA - Special Duty

- Designed by firefighters for firefighters
- Ratchet™ Levelers
- Roof and rafter hooks
- High-viz reflective labels
- Heat sensing technology
- Meets the requirements of NFPA1901-2009, standards for Automotive Fire Apparatus, section 5.7.1.3 for pumpers, section 8.7.5 for ladder trucks, & section 9.7.1.3 for quints
- Rated to 375 lbs

**FREE
FREIGHT**

Part#	Model	Height	Weight	List Price	Wholesale
15197-303	17	7'-15'	52.3 lbs		Please Login

Choosing The Right Machine For The Job

Choosing the Right Electric Eel Machine for the Job

Model C
3" - 10" dia.
lines up to 200'

Model R
3" - 6" dia.
lines up to 100'

Model E
1-1/4" - 3" dia.
lines up to 75'

Model Z5-AF
1-1/4" - 3" dia.
lines up to 100'

Model Z5
1-1/4" - 3" dia.
lines up to 100'

Model E-AF
1-1/4" - 3" dia.
lines up to 75'

Model RF
3" - 6" dia.
lines up to 100'

Model Z5-Jetifier
1-1/2" - 4" dia. lines

Model CT
3/4" - 2-1/2" dia.
lines up to 50'

Model K
1-1/4" - 3" dia.
lines up to 100'

Model S
1-1/4" - 2-1/2" dia.
lines up to 35'

Handie
1" - 2-1/2" dia.
lines up to 35'

E-CAM
inspects
3" - 8" dia. lines

Closest Auger
3" cable

Auto Cable Feed (AF)

Electric Eel Mfg. Co., Inc. • 501 W. Leffel Lane • Springfield, OH 45501-9985 • 800-833-1212 • Fax: 937-323-3767 • www.electriceel.com
For Illustration Purposes Only, Always Refer to the Operator's Manual and Safety Instructions Before Operating Any Drain and Sewer Cleaning Equipment. Avoid Traps Whenever Possible. Subject to Change Without Notice.



HE1425



Hande Drain Cleaner

- HE-1/4E25
- Opens clogged sinks, lavatories, bathtubs, and shower stall drains
- 1/4" or 5/16" music wire cable for maximum flexibility and durability
- Convenient thumb screw locks cable securely

Part#	Description	List Price	Wholesale
HE1425	Hande Drain Cleaner w/1/4" x 25' cable		Please Login
14E25	1/4" x 25' replacement cable - Hande		Please Login
516E25	5/16" x 25' replacement cable - Hande		Please Login



Kinetic Water Ram

Uses a slug of compressed air which suddenly, swiftly, and safely strikes the column of water in a blocked pipe.

- Complete kit with case.
 • EKWR-2T



Part#	List Price	Wholesale
KWR2T		Please Login

Electric Eel Accessories

MODEL

Part#	Description	HE1425	S	CT	K	E	Z5	R	RF	C	List Price	Wholesale
14E25	1/4" x 25' replacement cable - Hande	X	X	X								Please Login
516E25	5/16" x 25' replacement cable - Hande	X	X	X								Please Login
38C25	3/8" x 25' expanded end replacement cable		X	X								Please Login
516C25	5/16" x 25' expanded end replacement cable		X	X								Please Login
CS-10	Carry case S-10		X									Please Login
EG1A	2 wheel cart w/folding handle					X						Please Login
12C50	1/2" x 50' IC replacement cable					X						Please Login
12C75	1/2" x 75' IC replacement cable					X	X					Please Login
DNTS	3 piece tool set				X	X						Please Login
DNTS5	5 piece tool set						X					Please Login
58C100	5/8" x 100' Tri-Max replacement cable							X	X			Please Login
34C100	3/4" x 100' Tri-Max replacement cable							X	X			Please Login
RTS	4 piece tool set							X	X			Please Login
A1DC	Spear head							X	X	X		Please Login
HDD3S	Root saw							X	X			Please Login
U3H	Grease tool							X	X			Please Login
HDD7	Retriever tool							X	X	X		Please Login
SW18	Spanner wrench for disconnecting tool SC-18							X	X	X		Please Login
FL12	12" Flex leader 1-FLSC1SC2							X	X			Please Login
8TRS	8' TRS reg. dual cables									X		Please Login
10TRS	10' TRS reg. dual cables									X		Please Login
SC13	Feeding tool									X		Please Login
CTSR	5 piece tool set									X		Please Login
A14DC	Root saw									X		Please Login
HDD2A	Retriever tool									X		Please Login
U4H	Grease tool									X		Please Login
SP30	Tool adapter		X	X	X	X	X	X	X	X		Please Login

Included in Tool Set #RTS

View Our Complete Line of
Electric Eel Accessories on Page 167



Counter-Top Drain Cleaner - Model CT

- CTK-5/16EIC35-AF
- 1/5 HP, 90 Volt DC motor
- Heavy-duty housing protects motor and internal wiring
- Cable guide hose eliminates cable whipping
- Stainless steel cable drum will not rust
- Built-in GFCI on 20' line cord
- Air operated foot switch and cord assembly for ease of operation
- 5/16" x 35' cable

Part#	Description	List Price	Wholesale
CT51635	Electric cleaner		Please Login



Tool Set
Included

Manual Powered Drain Cleaner - Model K

- KK-1/2IC50
- Cleans 1-1/4" - 3" diameter lines up to 100'
- Lightweight, less expensive alternative to electric powered models
- Ideal for rooftop work in downspouts
- Runs up to 100' of 1/2" galvanized aircraft wire inner core cable
- Self-aligning bearings
- Thumbscrew locks cable at front of cage
- Heavy-duty steel frame is reinforced on both sides with steel braces

Part#	Description	List Price	Wholesale
KK1250	Manual cleaner w/1/2" x 50' IC cable & tool set		Please Login



Tool Set
Included

**MOST
POPULAR**

Electric Drain Cleaner - Model E

- EK-R-1/2IC50
- Cleans 1-1/4" - 3" dia. lines up to 50'
- Manual feed
- A common and widely rented machine popular with homeowners
- Rugged 1/3 H.P. Baldor motor
- Inner drum to eliminate cable buckling in cage
- Built-in drum shaft slip clutch
- GFCI with 20' power cord

Part#	Description	List Price	Wholesale
EKR1250	Electric cleaner w/1/2" x 50' IC cable & tool set		Please Login



Tool Set
Included

Electric Drain Cleaner - Model Z5

- Z5K-1/2IC75
- Cleans 1 1/4" - 3" dia. lines up to 100'
- Unit built on heavy duty steel frame with folding handle for easy storage and transport
- Totally open cable cage for easy inspection and cleaning of cable
- Wheel break stabilizes unit while in operation
- Easy-to-use air operated foot switch allows the use of both hands when working with cable
- Unique inner drum design eliminates cable tangling in cage
- Rugged 1/3 H.P. Baldor motor



Part#	Description	List Price	Wholesale
Z5K1275	Electric cleaner w/1/2" x 75' IC cable & tool set		Please Login

SECOND CHOICE



Model R



Electric Drain Cleaner - Model R

- RK-5/8IC100
- RK-3/4IC100
- Cleans 3" – 6" dia. lines up to 100'
- Runs the industries toughest TRI-MAX cable in 5/8" x 3/4" diameter
- Ideal in situations with limited working space
- Heavy duty 1/3 H.P. Baldor capacitor start motor
- Rugged 1-1/4" steel frame
- Snap lock tool connectors hold tools firmly in place
- Large 10" wheels for easy maneuvering
- Built-in GFCI w/20' power cord
- **RK58 - Special order only; non-stock item; non-cancelable**

Part#	Description	List Price	Wholesale
RK58	Cleaner w/5/8" x 100' IC cable & tool set		Please Login
RK34	Cleaner w/3/4" x 100' IC cable & tool set		Please Login



2-way Auto Cable Feed

Model RF

Electric Drain Cleaner w/Auto Feed Cable - Model RF

- RFK-3/4IC100
- Same features as Model R
- Added Safety - cable guide spring keeps hands off rotating cable
- Auto Feed - customer does not have to manually pull cable out and push back in cage - 2 way auto feeder does all the work
- Totally Open Cage - for quick inspection of cable and easy cleaning
- **Special order only; non-stock item; non-cancelable**

Part#	Description	List Price	Wholesale
RFK100	Cleaner w/auto cable feed		Please Login

View Our Complete Line of Electric Eel Accessories on Page 167



Now with patent pending redesigned snap-lock cable coupling allows cables to connect easier and quicker than ever.
Part# 8TRS & 10TRS



Electric Drain Cleaner - Model C

- CK-R-1/2-8TRS
- Cleans 3" – 10" dia. lines up to 200'
- Ideal for tougher blockages such as tree roots and for longer runs in main sewer lines
- Spins the 8' or 10' cables at twice the RPM of that of a continuous cable machine for maximum cleaning power
- Safety – No handling of rotating cables
- Lower Maintenance – Sectional cables can be quickly inspected
- Ease of Transport – The Model C drive unit weighs only 72 lbs.
- The handle folds down for easy transport and storage

Part#	Description	List Price	Wholesale
CK128	Cleaner w/(13) 8' TRS reg. dual cables (5) cleaning tools, feeding tool, spanner wrench		Please Login
CDU12	Model C drive unit only		Please Login



Case Sold Separately



Drill Powered Cleaner - Model S

- SK-R-3/8EIC25
- Cleans 1-1/4" – 2-1/2" dia. lines up to 35'
- Ideal for smaller, inside lines such as sinks, tubs, and showers
- Stainless steel cable drum won't rust, break or crack
- Cast aluminum hand guard
- Double insulated drill for shock protection
- Cables are constructed of certified music wire

Part#	Description	List Price	Wholesale
SKR3825	Drill cleaner w/3/8" x 25' EIC cable		Please Login
SDU	Drill cleaner unit only		Please Login
CS-10	Carrying case for Model S (S-10)		Please Login
S-11A	Toilet guide tube		Please Login





24" Pivot Premium Direct Drive Drum Fan

- 2-speed rotary control
- Completely sealed motor
- 6' 6" grounded 3-prong plug
- 1-year warranty
- Tiltable to direct air where needed
- Toolless ergonomic tilt adjustment knobs
- Aluminum blade increases air flow and motor life
- Large wheels and handles for easy transportation



Part#	Volts	HP	Amps	CFM	List Price	Wholesale
PDF24	120	1/3	2.8	7,200/5,500		Please Login



36" Direct Drive Drum Fans

- Galvanized steel base
- Narrow fan profile, and ergonomic handles
- Large rubber wheels
- OSHA compliant guards
- High density polyethylene housing
- Incredibly quiet for its size
- Two year warranty
- Made in the USA



Part#	Color	Volts	HP	CFM	List Price	Wholesale
VKM36-0	White	115	1/2	11,000		Please Login
VKM36-B-0	Black	115	1/2	11,000		Please Login



36" Direct Drive Drum Fan


- 3-paddle steel blade
- Powder coated 20 gauge steel housing
- 1/3 HP, 120V, ball bearing, open ventilated motor
- Rocker switch with 2-speed operation
- 10' long, 3-conductor SJT cord
- 5" rubber wheels
- 1-year warranty



Part#	Volts	HP	Amps	CFM	List Price	Wholesale
CPB36-D	120	1/3	3.6	8,200/7,000		Please Login

42" Belt Drive Drum Fans

- Heavy-duty steel construction
- 2-Speed settings
- Heavy-duty motor
- Permanently lubricated motor
- 10' 3-Prong conductor grounded cord set
- Plastic wheels with rubber tread
- Handle - Full width for easy grip
- 30 seconds to reach max speed



Part#	Color	Volts	CFM	List Price	Wholesale
DR42	Black	120	11,500/9740		Please Login
DR42W	White	120	11,500/9740		Please Login



42" Belt Drive Drum Fan


- Aluminum, 4 paddle blade
- Corrosion and dent proof high density polyethylene housing
- 10" wheels
- 1-Speed
- Permanently lubricated, ball bearing motor
- SJT type 3 conductor, 12' long cord
- Rocker switch



Part#	Volts	HP	Amps	CFM	List Price	Wholesale
PB42B	120	3/4	11	18,200		Please Login

Belt Drive Drum Fans

- 2 Speeds
- 4-blade, oversized fan
- Heavy-duty solid wheels
- Machined, built-in handle
- Powerful, steel construction
- Low-noise, belt-drive operation
- OSHA-compliant safety guards
- 8 ft. grounded power cord (36")
- 10 ft. grounded power cord (48")



Part#	Volts	HP	Amps	CFM	List Price	Wholesale
MAC-36-BDF	120	1/3	4.9	10,200/7300		Please Login
MAC-48-BDF	120	1	9.2	17,200/10,600		Please Login



Pedestal Fans



24PFR - 30PFR

- 2-speeds
- OSHA compliant guards
- Maximum airflow and fan life due to careful matching of motors and fan blades
- Totally enclosed, heavy-duty ball bearing, permanent split capacitor, thermally protected motor
- Two-year limited warranty
- 10' grounded cord



HD30P

- Adjustable 52" - 82"
- Enclosed permanently lubricated, PSC-type ball bearing 120V single-phase motor
- 4-quiet aluminum blades
- Pivot-action fan head
- 2-speed pull chain operation
- 12'L SJT type, 3-conductor power cord
- Meets OSHA standards, UL listed



HD30BSC

- 2-speeds
- Powder coated heavy-duty guard
- Automatic overload protection
- Totally enclosed, UL listed 120V motor
- Two-year limited warranty
- 3" wheels
- Cord wrap

Part#	Oscillating	Size	Volts	HP	Amps	CFM	List Price	Wholesale
24PFR	No	24"	120	1/4	2.9	5281 / 3845		Please Login
30PFR	No	30"	120	1/2	5.2	9424 / 6996		Please Login
HD30P	No	30"	120	1/2		9850 / 7500		Please Login
HD30BSC	Yes	30"	120	1/2	5.8	9800 / 7900		Please Login





14" & 18" Outdoor Epoxy Coated Tent Fans

- Completely sealed motor and speed control
- 3M™ Fusion bonded epoxy coating for extreme conditions
- Outdoor UL 507 rating
- 3-speed
- Fully adjustable wall mount
- 8' cord on both



Part#	Size	Volts	HP	Amps	CFM	List Price	Wholesale
POW14	14" Wall	120	1/8	1.1	4,000/3,300/2,600		Please Login
POW18	18" Wall	120	1/3	1.8	6,600/4,800/3,800		Please Login
POWTPB	Tent Pole Bracket	Fits 2" to 2.5" tent poles					Please Login



12" Air Circulation Tent Fan

- Includes bracket to mount to standard pole
- Great for tent rentals, special events, weddings, sporting events, etc.
- Totally enclosed heavy-duty white motor, thermally protected, pre-lubricated ball bearings
- Maintenance free motor with cord and on/off switch
- Aluminum fan blade



Standard Pole Mount Included!

Part#	Size	Volts	HP	Amps	CFM	List Price	Wholesale
VK12TF-SPM-W	12"	115/230	1/10	1.3/.65	1510		Please Login



885 CFM

Velo Slimline Blower

- Broad-path airflow
- Low profile
- Daisy-chain with GFCI outlet
- Tough rotomolded housing
- Cord wrap and easy-carry handle
- Multiple position versatility



Part#	CFM	Volts	Amps	List Price	Wholesale
F504	885	115	1.9		Please Login



2500 CFM

Commercial Carpet Blower

- Rotomolded polyethylene housing
- 3-speed switch
- 23' cord with large built-in cord wrap
- Non-skid rubber feet (4)
- Off-set roto-molded carrying handle
- 29 lbs.

Part#	CFM	Volts	Amps	List Price	Wholesale
F600	2500	115	2.4 - 4		Please Login



2700 CFM

Sahara Pro X3 TurboDryer®

- Lower amp draw
- Three speed settings
- Tough rotomolded housing
- Underside drying vent
- Daisy-chain with GFCI outlet



Part#	CFM	Volts	Amps	List Price	Wholesale
F351	2700	115	4		Please Login

WayCool Portable Evaporative Cooler



- Coverage up to 4,700 square feet
- Cools air temperature up to 30°F
- Hood oscillates 110° to deliver cool air to a large area
- 2-speed quiet blower moves air up to 100 ft.
- Automatic low water levels shut-off to prevent pump damage
- Specially treated cellulose evaporative pads for extensive pad life
- Base 33" x 33" x 52" tall; 24 gallon reservoir
- 40 MPH air velocity
- 9in. x 18in. discharge opening
- Two year warranty
- Made in the USA



Part#	Tank (gal)	Volts	CFM	HP	List Price	Wholesale
WC-1HPMFAOSC	24	115	1,560/1,320	1		Please Login



Misting Cooler

- 18" portable three-speed self-contained misting fan mounted on a tank
- Mist pump rated for 1 gallon per minute output; housed in a heavy-duty enclosure with tip switch
- 14 gallon water reservoir tank with 6" rubber wheels
- Includes 25' outdoor-rated power cord with integrated GFCI
- Includes one extra nozzle and two plugs
- 7 hours of operation on one full (14 gallon) tank
- 24" wide x 19" deep x 46" high



Part#	Size	Volts	HP	Amps	CFM	Shipping	List Price	Wholesale
PVM18C	18"	120	3/4	11/5.5	6277/4899/4031	UPS		Please Login

Fan folds down for easy storage and moving

No Assembly Required!



30" Oscillating Misting Fan

- Rugged 8" tires
- Attached GFCI plug-in with 120 Volts
- Separate fan and pump controls
- 3-speed
- Enclosed 60 psi pump
- Independent swivel shut-off valve on each nozzle
- Folds down for easy transportation and storage
- Fans are UL507 Indoor/Outdoor Certified
- Tank last 5-8 hours
- Tank size - 22 gal.
- CFM - 8,200/7,200/6,200



Part#	Volts	Amps	List Price	Wholesale
VPC30-POWOSC	120V	2.8/2.4/1.9		Please Login

All motors and fan guards meet or exceed OSHA & UL Standards.



Portable Evaporative Cooler



- Automatic pump shut-off
- Easy water fill: Fill 10-gal tank from manual door for 3 to 4 hours of runtime or leave connected for continuous fill
- Coverage up to 950 square feet
- Lockable wheels and lightweight design provide ultimate portability while louvers can adjust airflow left-to-right
- Quiet operation: Less than 60 dB
- GFCI connection with low amp draw suitable for most available circuits
- Durable UV protected case
- Unit Dimensions - 38"H x 24"W x 17"D



Part#	Tank (gal)	Volts	CFM	HP	List Price	Wholesale
PC-31	10.3	115	3,100/2,400/1,850	1/5		Please Login





Americ Confined Space Ventilator

- Delivers both positive and negative airflow to confined spaces
- Motor rated at 100,000+ continuous-duty hours
- One-speed 115V 8/5.7 Amp 1 HP motor operates at 3,300/2,800 RPM
- Dual wall design protects internal mechanisms
- Capable of connecting up to 125-ft. of straight duct
- Stackable for space-saving storage
- UL and CUL listed
- Weighs only 32.5 lbs.
- For use in non-explosive environments
- Three year warranty
- Made in the USA



Quick-Connect Duct Hose

- 25ft. length reaches areas usually inaccessible
- Made of light-duty vinyl and woven polyester
- Attached carrying bag provides easy carrying and storage
- -20° to 180°F temperature range

Part#	Size	Volts	HP	Speed	CFM	List Price	Wholesale
VAF3000A	12"	115	1	Single	2796		Please Login
AM-DS1225CB	12"x25' Duct						Please Login



Axial Blowers

- Built-in safety screens
- Damage protected On/Off switch
- Multi-vane fan minimizes sound levels
- Easy-grip molded handle
- Double-walled UV-resistant polyethylene housing is dent-resistant and corrosion proof
- Stackable for operation and storage



Part#	Size	Volts	HP	Speed	CFM	List Price	Wholesale
EP8ACP	8"	110	1/3	Single	501		Please Login
EP12ACP	12"	115	1	Single	1825		Please Login
EP16ACP	16"	115	1	Single	4450		Please Login

Blow-R-Pac® Axial Blower

- Complete with 8" x 25' flexible duct and integral storage canister
- Built-in safety screens
- Damage protected On/Off switch
- Multi-vane fan minimizes sound levels
- Easy-grip molded handle
- Double-walled UV-resistant polyethylene housing is dent-resistant and corrosion proof



Part#	Size	Volts	HP	Speed	CFM	List Price	Wholesale
EP8AC25P	8"	115	1/3	Single	902		Please Login

Ventilation Duct

- Vinyl-coated, synthetic fabric construction
- Nylon ring and securing strap on opposite ends

Part#	Size	List Price	Wholesale
FD825	8" x 25'		Please Login
FD1225	12" x 25'		Please Login
FD1250	12" x 50'		Please Login
FD1625	16" x 25'		Please Login



Duct Storage

- SC8-Container**
 - Heavy-duty 16 gauge steel
 - Lockable cover and carry handle
- SR8-Rack**
 - Heavy-duty 11 gauge steel



Part#	List Price	Wholesale
SC8		Please Login
SR8		Please Login





Stealth Axial Fan

- Versatile fan positions for directing airflow
- Variable speed control
- Low-noise Stealth™ fan blades
- Hour meter
- Power outlet socket for daisy-chaining – up to four units
- Circuit breaker and reset switch
- Secure, nested stacking
- Rugged carry handle and integrated cord wrap

Part#	CFM	Volts	Amps	List Price	Wholesale
F568	2600	115	2.7		Please Login



20" Confined Space Ventilator

- Ventilate hazardous gases
- Heavy gauge aluminum housing
- 1 HP, 10 amps, 115 volts, 6500 CFM
- Powder coat safety guards, cord wrap & 10' cord
- Duct sold separately
- 75 lbs.
- 74 dB

Part#	List Price	Wholesale
CS20		Please Login
CS20D		Please Login



Vortex Axial Fan

- Ventilate work areas during remodels, new construction, or cleaning
- Powerful enough to drive air through 125 ft. of ducting
- Built-in handle
- Stackable for storage
- Powerful 1.0 hp motor
- Operate standalone or with stow & go ducting

Part#	CFM	Volts	Amps	List Price	Wholesale
F174	2041	115	7.4		Please Login



8" Confined Space Ventilator

- Comes complete with 25' of ducting in an integrated duct carrier
- 1/3 HP, 2.1 amps, 115 volts, 930 CFM
- Rubber draw latch
- 25' single ply PVC vinyl coated polyester ducting with a standard fastening cuff at the end
- Stackable for efficient storage and work space
- Lightweight (15 lb.)
- ETL listed
- One year warranty

Part#	List Price	Wholesale
MB-P0813-DC25		Please Login



Sto&Go Ducting on the Go

- 12" x 25'
- Temperature range: 20° - 180°F
- Built-in bag with sturdy handle contains and protects ducting during transport and storage
- Semi-rigid ducting constructed with spring steel wire helix
- Black reinforcement strips protect internal wire to ensure long service life

Part#	List Price	Wholesale
F405		Please Login



20" Air Mover

- Built-in carrying handles
- On/Off switch
- 1/2 HP, 7 amps, 115 volts, 5500 CFM
- Rugged steel housing and screen construction
- Stand alone unit or easily stackable
- 14 gauge cord with molded plug
- 74 lbs.

Part#	List Price	Wholesale
FN20		Please Login





DrizAir® 1200 Refrigerant Dehumidifier

- Rugged rotomolded housing
- Electronic touch-pad controls
- Semi-pneumatic wheels
- Built-in duct attachment ring
- If power is interrupted during operation, the unit will automatically restart when power is restored
- 32"H x 20"W x 19.5"D, 80 lbs.
- 115V, 6.4 amps
- 40 ft. drain hose

Part#	Description	List Price	Wholesale
F203-A	Dehumidifier		Please Login
F581	HAF Filters (3 pk.)		Please Login



6000Li LGR Dehumidifier

- LGR technology boosts effective operating range
- Extreme Dewpoint Technology (EDT) delivers the fastest response to changing conditions
- Easily Ductable using built-in snap-ring mount on air outlet
- Time-saving i-Series control panel displays GPP, inlet and outlet temp and TH plus maintenance prompts.
- Uses all-in-one 4-PRO filter
- Unique spill-proof pump basin
- 32.1"H x 20"W x 19.8"D, 100 lbs.
- 115V, 6.6 amps

Part#	Description	List Price	Wholesale
F600	Dehumidifier		Please Login
F579	4-PRO Air Filter (24 pk.)		Please Login



LGR 7000XLI Dehumidifier

- Self-monitoring system
- Built-in humidistat
- Sealed large-capacity pump basin
- Advanced Crossflow Technology maximizes efficiency even in low grain environments
- Ergonomic design
- Integrated cord and hose storage
- Rotomolded housing – practically indestructible
- If power is interrupted during operation, the unit will automatically restart when power is restored. (115V models only)
- 33.5"H x 20"W x 20"D
- 107 lbs.
- 115V, 8.3 amps



Part#	Description	List Price	Wholesale
F412	Dehumidifier		Please Login
F581	HAF Filters (3 pk.)		Please Login



Revolution™ LGR Dehumidifier

- Best low-grain performance in its class
- More water removal than other units 2–3 times its size!
- Delivers “Large” dehu performance yet fits where others don’t
- Control panel displays inlet and outlet temp and RH in real time
- Secure, compact stacking – transport multiple units on a handtruck
- Fastest access for cleaning and maintenance
- Fit more drying in the truck, make fewer trips – make more profit!
- 12.5"H x 17.6"W x 21.5"D
- 65 lbs.
- 115V, 6.2 amps



Part#	Description	List Price	Wholesale
F413	Dehumidifier		Please Login
F583	HAF Filters (3 pk.)		Please Login





Ozone Generator with 3 Ozone Plates

Perfect for deodorizing and sanitizing large spaces. It will eliminate severe odor caused by mold, mildew, tobacco, fire and smoke, water and flood damage, animals, decaying matter, body odor, cooking smells, and more.

- High quality aluminum body
- Functions: 3 Ozone plates + pre-filter + 12-hour timer
- Ozone Output: 150 mg/H up to 1400mg/H
- Fan Output: 110CFM
- 110V, 35W
- Dimensions: 7.5"H x 9.0"W x 12.5"D
- Weight: 9.75 lbs
- Area: 3,500 square feet

Part#	Ozone Output	List Price	Wholesale
053500	1400 milligrams/hr		Please Login



Total Zone Ozone Generator

The most modern, technically advanced systems on the market today. Uses a patent pending corona discharge technology know as "SP-ARC", Silicate Polarized Arc. This allows the generator to produce much higher levels of ozone then any competitive model with little or no maintenance.

- Size: 12.25" x 9" x 6"
- Weight: 7 lbs. 9 oz.
- Timer: 12-hour with hold function
- Fan: 100 CFM
- Ozone Output: TZ-1 - 1,500 mg per hour
TZ-2 - 3,000 mg per hour
- Treatment Area (Cu.Ft.): 50,000 – 60,000
- TZ-1 - 110V, 1 Amp



Part#	Ozone Output	List Price	Wholesale
TZ-1	1500 milligrams/hr		Please Login
TZ-2	3000 milligrams/hr		Please Login

DefendAir HEPA 500 Air Scrubber

Combines advanced air scrubbing performance with the features and functions that help to make the restorer's job easier, faster, and more profitable.

- Includes one primary HEPA filter and one prefilter
- Advanced filtration technology
- Daisy chain capability - link up to 4 units on 1 power outlet
- Variable CFM on each unit - up to 2000 CFM per 15-amp circuit
- Stackable, lightweight, and easily transportable
- 24.6"H x 26.2"W x 18.2"D
- 115V, 3 amps

Part#	Description	List Price	Wholesale
F284	Air scrubber		Please Login
F271	Pre-Filter (1 pk.)		Please Login
F321	Filter (1 pk.)		Please Login
F397	Carbon filter (1 pk.)		Please Login
F415	DOP Pre-filter (1 pk.)		Please Login

DOP-Dispersed Oil Particulate



Pre-Filter
F271



Filter
F321



Carbon
Filter
F397



DOP
Pre-Filter
F415

POPCORN MACHINES

MOST POPULAR

RENT-A-POP 8 OUNCE POPCORN MACHINE


Sturdy cabinet construction



Presentation lamp



Old maid drawer



Heavy duty, padded "comfort-grip" handles snap flat when not in use



Polycarbonate front and side panels in place of glass to prevent breakage during transport



Cord wrap holder

Popcorn Supplies



ProStyle Warmer w/pump-PC2018

- Butter, cheese, chocolate or caramel
- Attractive stainless steel body
- Includes unheated spout domed pump easily dismantled for cleaning
- 120 Volts, 200 Watts



Butter 1 gallon-2016

- No Refrigeration required, even after opening



Popcorn Portion pack
PC10064
PC10063
PC10041

- Pre-measured corn, oil & seasoning
- 2-year shelf life



Scoop Boxes
PC11086 & PC11091

- 100 per case
- Can be used to scoop popcorn out for fast serving
- Holds 2 oz. of popped corn



Paper bags

- 100 per bag
- PC11011 - 8"
- PC11024 - 10"



Butter bags-PC11320

- 100 per case
- Special-coated bags will not leak when butter is applied

Part#	Description	Cty. Qty.	List Price	Wholesale
PC10060	Portion pack for 8 oz.-Canola Oil	24		Please Login
PC10064	Portion pack for 8 oz.	24		Please Login
PC10063	Portion pack for 6 oz.	36		Please Login
PC1042	Speed scoop	1		Please Login
PC1040	Plastic scoop	1		Please Login
PC11086	Scoop boxes .75 oz.	100		Please Login
PC11091	Scoop boxes 1.25 oz.	100		Please Login
PC11011	Paper bags 1 oz.	100		Please Login
PC11011C	Paper bags 1 oz.	1,000		Please Login
PC11024	Paper bags 1.5 oz.	100		Please Login
PC11024C	Paper bags 1.5 oz.	1,000		Please Login
PC11320	Butter bags 2 oz.	100		Please Login
PC2018	Butter warmer w/pump	1		Please Login
2016NT	Butter 1 gallon	1		Please Login

P A R A G O N



1911 Originals

Nostalgic styling with state-of-the-art technology! By combining attractive styling and the latest technology the 1911 Original has become the #1 commercial seller.

- 8 oz. - 68 lbs.
- 6 oz. - 60 lbs.



Theater Pop

Styled just like the poppers you see at the local movie house, these machines have a bright cabinet and classic graphics. The 4 oz. popper has become the #1 consumer seller.

- 8 oz. - 64 lbs.
- 6 oz. - 60 lbs.

Thrifty Pop



Thrifty Pop

Introducing an economy line of popcorn machines.

- 8 oz. - 68 lbs.



Rent-A-Pop

Created with rental stores in mind:

- Retractable handles
- Cord wrap
- Destruction proof glass (polycarbonate panels)
- High value ROI!
- 8 oz. - 58 lbs.

MOST POPULAR

Part#	Description	List Price	Wholesale
8 oz. Machines			
1108910	1911 Original popper		Please Login
1108110	Theater popper		Please Login
1108510	Thrifty popper		Please Login
1108150	Rent-A-Pop		Please Login

6 oz. Machines			
1106910	1911 Original popper		Please Login
1106110	Theater popper		Please Login

Carts & Stands			
3070010	8 oz. & 6 oz. poppers only 1911 cart		Please Login
3070510	8 oz. Thrifty popper only		Please Login
3070150	8 oz. Rent-A-Pop cart		Please Login
3070910	Premium popcorn stand		Please Login

Ounces popped per hour Warranty (Years) Anodized Alum. Kettle Stainless Steel Foodzone Old Maid Drawer Warming Deck

6 oz. Specs & Comparison

1911 Originals 1106910	113	3	•	•	•	•
Theater Pop 1106110	113	3	•	•	•	•

8 oz. Specs & Comparison

Thrifty Pop 1108510	147	1	•	Aluminum		
1911 Originals 1108910	147	3	•	•	•	•
Theater Pop 1108110	147	3	•	•	•	•
Rent-A-Pop 1108150	147	3	•	•	•	•



Best Buy!

“Sno-Storm” Sno-Cone Machine

- Attractive antique-styled serving compartment of stainless steel and aluminum construction with tempered glass
- Features illuminated serving compartment with backlit graphic sign
- 1/3 HP, 1725 RPM motor with safety rest
- 120 volt
- Chip resistant finish
- 3 year warranty
- 75 lbs.
- 3050010 Special order only; non-stock item

“Arctic Blast” Sno-Cone Machine

- A hard-working, economical option, The Arctic Blast has Tinted High-Impact Polycarbonate side panels.
- Sturdy stainless steel and aluminum construction -- durable and easy to clean
 - Chip resistant finish
 - Slanted drain deck — removable, food grade plastic tray drains moisture away from the ice and extends shelf life
 - 1/3 HP, 1725 RPM motor with safety rest
 - 120 volt
 - 50 lbs.
 - 3050010 Special order only; non-stock item

“The Cooler” Sno-Cone Machine

- Unique, playful design is compact but comes equipped with the same heavy-duty motor as the larger model. Made from rugged roto-cast polyethylene, The Cooler is both lighter weight and less expensive. Rear wheels give The Cooler added portability.
- 1/3 HP, 1725 RPM motor with safety rest
 - 120 volt
 - Chip resistant finish
 - 3 year warranty
 - 24”W x 16”D x 24”H
 - 50 lbs.
 - 3050010 Special order only; non-stock item

**3
Year
Warranty**



**3
Year
Warranty**



**3
Year
Warranty**

**Same
Heavy-duty Motor
& Blade As
Bigger Units**

Part#	Description	List Price	Wholesale
6133110	Machine		Please Login
3050010	Matching cart		Please Login
513012	Cup dispenser		Please Login

Part#	Description	List Price	Wholesale
6133310	Machine		Please Login
3050010	Matching cart		Please Login
513012	Cup dispenser		Please Login

Part#	Description	List Price	Wholesale
6133410	Cooler machine		Please Login
3050010	Matching cart		Please Login
513012	Cup dispenser		Please Login





1 Quart Syrup w/flip top cap

Part#	Description	List Price	Wholesale
15041	Blue Raspberry Syrup		Please Login
15051	Cherry Syrup		Please Login
15052	Strawberry Syrup		Please Login
15088	Grape Syrup		Please Login
15102	Lemon Lime Syrup		Please Login
15225	Orange Syrup		Please Login
15230	Blue Bubble Gum Syrup		Please Login

Syrup=12 per carton



1 Gallon Syrup

Part#	Description	List Price	Wholesale
15030	Banana 1 gal.		Please Login
15031	Green Apple Syrup		Please Login
15037	Bubble Gum Blue 1 gal.		Please Login
15044	Blue Raspberry Syrup 1 gal.		Please Login
15058	Cherry Syrup 1 gal.		Please Login
15065	Coconut 1 gal.		Please Login
15089	Grape Syrup 1 gal.		Please Login
15098	Lime 1 gal.		Please Login
15109	Orange Syrup 1 gal.		Please Login
15114	Pina Colada 1 gal.		Please Login
15120	Pineapple 1 gal.		Please Login
15123	Root Beer Syrup 1 gal.		Please Login
15151	Strawberry Syrup 1 gal.		Please Login
15155	Tigers Blood Syrup 1 gal.		Please Login
15173	Watermelon 1 gal.		Please Login

Syrup=4 per carton



Holder

- Stainless steel
- Holds 8 cones



Spoon Straws

- Only red available- 200/pkg



Nylon Ladle

- 6 oz.



Syrup Pump

- One ounce per pump
- For easy dispensing
- Use with 1 gal.



Ice Scoop

- 5 oz.
- Aluminum



Pour Spouts



Sno-cone Cups

- 6 oz.
- 200/sleeve



Quart Bottles

- Pour gallon of syrup into easy to handle bottles

Accessories

Part#	Description	List Price	Wholesale
61225	Sno-cone holder		Please Login
SC6510	Spoon straws (Case 200)		Please Login
61220	Pump for syrup		Please Login
15003	6 oz. cups (Sleeve 200)-design		Please Login
61203	Aluminum ice scoop		Please Login
60251	Quart bottle		Please Login
60253	Pour spout		Please Login
61214	Nylon Ladle		Please Login



Front View



Back View

**15 - 45 minute
cook time depending on
number of hotdogs**

Hot Dog Steamer

- 20 gauge stainless steel construction
- Holds up to 200 hot dogs and 42 buns
- 13.5" W x 16" D x 20" H - 120 Volts
- Removable product trays and sliding doors
- Oversized eight quart water reservoir is the largest available for extended holding times
- Quick turn water release valve eliminates burned fingers and spilled water
- Low water Indicator light and illuminated ON/ OFF switch
- Top loading design for easy access
- Front drain for easy cleaning

Part#	Description	List Price	Wholesale
8020	200 Hot Dog Steamer		Please Login
12119	Foil bags (100)		Please Login
2900W	Large latex gloves (100)		Please Login



Foil Bags

- 3.5"x1.5"x8.5"
- 1000/case



**Latex
Serving
Gloves**
• 100/case

Nacho, Popcorn & Peanut Warmer

- Warming deck to keep nachos hot and fresh
- Easy cleanup
- Comes with popcorn, nachos and peanuts decals (2 of each)
- Huge 100 quart capacity
- 120V
- 29"H x 15"W x 15"D
- 47 lbs.
- **Special order only; non-stock item; non-cancelable**



Part#	List Price	Wholesale
2190110		Please Login

**Woman Marries
Boyfriend's Ghost**

Reception has

- Popcorn Machine
- Custom Fit Tablecovers
- Pedal Karts
- Ice Tables



Spin Magic 5

- New high-performance head will not clog
- Heavy-Duty motor (1/12 horsepower) operates at 3400 RPM for fast delivery
- Motor is completely shielded from sugar to extend its life & easy clean-up
- Aluminum cabinet
- Voltage meter indicates the optimum settings for producing the best product
- 120V, 1636 Watts, 13.6 Amps
- 19"W x 12"D x 21"H
- 3 year warranty



Classic Floss 5

- New high-performance head will not clog
- Heavy-Duty motor (1/12 horsepower) operates at 3400 RPM for fast delivery
- Motor is completely shielded from sugar to extend its life & easy clean-up
- Aluminum cabinet
- 120V, 1636 Watts, 13.6 Amps
- 19"W x 12"D x 21"H, 49 lbs.
- 3 year warranty



Spin Magic Quick Release 5

- Revolutionary, patented, new head design that requires NO tools to remove the head for easy cleaning. Allows the operator the ability to easily spin different flavors of floss with no downtime in production
- New high-performance head will not clog
- Heavy-Duty motor (1/12 horsepower) operates at 3400 RPM for fast delivery
- Motor is completely shielded from sugar to extend its life & easy clean-up
- Aluminum cabinet
- Voltage meter indicates the optimum settings for producing the best product
- 120V, 1370 Watts
- 19"W x 12"D x 21"H, 54 lbs.
- 3 year warranty



Part#	Description	List Price	Wholesale
7105200	Spin Magic machine w/metal bowl		Please Login
7150300	Spin Magic machine w/plastic bowl		Please Login
7105100	Classic Floss 5 machine w/metal bowl		Please Login
7105200QR	Spin Magic Quick Release 5		Please Login
7901	Roll-top bubble		Please Login
3060010	Cotton candy cart		Please Login
3060030	Cotton candy stand		Please Login
CC7903	Replacement aluminum bowl		Please Login

• 3060010 and 3060030 are special order only; non-stock items

Great Western Sugar Floss

- 1/2 gallon carton (3.25 lbs.)
- 6 cartons in a case

One carton makes up to 60-70 cones!



Part#	Description	List Price	Wholesale
16005	Blue raspberry sugar floss		Please Login
16015	Pink bubblegum sugar floss		Please Login
16024	Red cherry sugar floss		Please Login
16035	Purple grape sugar floss		Please Login
16085	Pink vanilla sugar floss		Please Login
16094	Strawberry sugar floss		Please Login

Great Western Sugar Floss

- 16 oz. (1 lb.) resealable container
- *Concentrate mix - must add sugar*
- Longer shelf life

One tub makes 800 - 1,600 cones depending on the amount added to sugar!



Part#	Description	List Price	Wholesale
16124	Blue raspberry sugar floss		Please Login
16120	Pink bubblegum sugar floss		Please Login
16128	Red cherry sugar floss		Please Login
16132	Purple grape sugar floss		Please Login
16143	Pink vanilla sugar floss		Please Login



Roll-Top Bubble - 7901

Shields customers from floss and protects the machine



Spoke-Wheel Cart - 3060010

Antique-style cart includes a display area and a storage area for supplies
33"W x 20"D x 56"H



Cotton Candy Stand - 3060030

Compact metal cart has casters and storage area for supplies
20"W x 20"D x 20"H



Plastic Bags/Cones

- 12"x18"
- Choose from plain or printed
- 1000/case



Part#	Description	List Price	Wholesale
3021M	Cotton candy cones 1,000/case		Please Login
3321	Cotton candy cones 300/case		Please Login
CC7851	Plain plastic bags 1,000/case		Please Login
CC7850	Printed plastic bags 1,000/case		Please Login

ICE TABLES

#FNC7765-Shown with accessories not included



Fill 'n Chill™ Party Table

How can you keep cold food cold and fresh without having to store it in a refrigerator?
The answer is simple: FILL 'N CHILL™ party table.

Place it in any convenient location, load it with about 75 pounds of ice, and fill it with food and drink. That's all there is to it!

- Rugged, lightweight construction
- FDA-approved, polyethylene table top
- Sturdy, powder coated, collapsible steel legs
- Stackable design for convenient storage
- Easily transportable in a mini-van or SUV
- Exterior dimensions: 31" x 73", 6-1/2" deep

***Keeps
Food and Beverages
COLDER, LONGER!***



**Add skirting
for the
complete look!**



#FNC8765



Shown with full depth extension
#FNC7338



Shown with insert which provides a flat
area that is level with the top of the table
#FNC0929



Shown with complete
2/3 depth extension kit
#FNC8223



#1LCT8516-Shown with accessories not included



#1LCT0516-Shown with accessories not included



**Mix or match tables,
purchase 2 or more,
at \$249 each!**



Part#	Description	List Price	1 Table	2+ Tables
Fill 'n Chill Table (2.5'x6')				
FNC7765	White Table (2.5'x6')			Please Login
FNC8765	Black Table (2.5'x6')			Please Login

Fill 'n Chill Table Accessories		List Price	Wholesale
FNC0428	Kwik cover, white		Please Login
FNC7315	Shut-off valve		Please Login
FNC7323	Canvas cover bag		Please Login
FNC7338	White 8" depth extension		Please Login
FNC8039	Black 8" depth extension		Please Login
FNC1223	White 2/3 depth extension		Please Login
FNC8223	Black 2/3 depth extension		Please Login
FNC0929	White insert		Please Login
FNC8929	Black insert		Please Login
FNC7353	Cart		Please Login
FNC7358	Replacement drain		Please Login
FNC7617	Sneeze guard		Please Login
FNC9700	Drain end caps		Please Login
FNC1016	Replacement leg caps (4-pack)		Please Login
FNC7371	White Mini Accordion		Please Login
FNC7372	Black Mini Accordion		Please Login
FNC7379	White Mini Accordion Premier		Please Login
FNC7380	Black Mini Accordion Premier		Please Login
FNC7373	White Shirred		Please Login
FNC7374	Black Shirred		Please Login
FNC7310	Bag of 100 clips-white		Please Login
FNC7350	Bag of 50 clips-white		Please Login
FNC7325	Bag of 25 clips-white		Please Login
FNC8764	Bag of 100 clips-black		Please Login
FNC7625	Bag of 50 clips-black		Please Login
FNC8762	Bag of 25 clips-black		Please Login
FNC1041	Replacement corner bracket-white extension		Please Login
CP-99DE1041	Replacement white corner for depth extension		Please Login
CP-99DE1040	Replacement middle "T" for depth extension		Please Login

Part#	Description	List Price	Wholesale
Little Chiller (2'x4')			
1LCT0516	Little Chiller Table-White (2'x4')		Please Login
1LCT8516	Little Chiller Table-Black (2'x4')		Please Login

Little Chiller Accessories		List Price	Wholesale
1COV5186	Canvas storage bag		Please Login
10DE0928	Little Chiller white full depth extension		Please Login
10DE8928	Little Chiller black full depth extension		Please Login
10DE1060	Little Chiller white 2/3 depth extension		Please Login
10DE8060	Little Chiller black 2/3 depth extension		Please Login
10IN0309	Little Chiller white insert		Please Login
10IN8309	Little Chiller black insert		Please Login
FNC7315	Shut-off valve		Please Login
FNC7358	Replacement drain		Please Login
FNC9700	Drain end caps		Please Login
CP-PK12MA-WH	White Mini Accordion		Please Login
CP-PK12MA-BK	Black Mini Accordion		Please Login
FNC7310	Bag of 100 clips-white		Please Login
FNC7350	Bag of 50 clips-white		Please Login
FNC7325	Bag of 25 clips-white		Please Login
FNC8764	Bag of 100 clips-black		Please Login
FNC7625	Bag of 50 clips-black		Please Login
FNC8762	Bag of 25 clips-black		Please Login

Some accessories are special order only; non-stock item

**Spandex Skirting
No Clips Necessary!**

Part#	Description	List Price	Wholesale
10SP0630	Large Table - White Spandex		Please Login
10SP8630	Large Table - Black Spandex		Please Login
10SP0404	Little Chiller - White Spandex		Please Login
10SP8404	Little Chiller - Black Spandex		Please Login



Replacement Drain #FNC7358



Kwik Cover
This disposable, one time use plastic cover is designed to protect food and beverages.
#FNC0428



White Skirting Clips #FNC7325



Umbrella Drain #FNC7368
Insert an umbrella through center of table allowing shade for table contents.



Shut-off Valve #FNC7315
Allows controlled drainage of water.



Includes pockets for legs to retain shape.

Shown with black spandex skirting #10SP8620



#1LCT0516

#1LCT8516

ORCA PRODUCTS MAKE GREAT RETAIL OPPORTUNITIES!



ORCA 12 oz. Rocket Bottle and Can Beverage Holder

- Two-in-one koozie and bottle that will keep drinks refreshingly cool for up to 12 hours
- Twist cap is contoured to help prevent spills and leaks
- BPA free
- Stainless steel, copper

Part#	List Price	Wholesale
ORCROCK		Please Login



ORCA Chaser 27 oz. Tumblers

- Maintains the temperature of hot or cold liquids
- Leak-proof seal
- BPA-free
- 18/8 stainless steel
- Hand wash
- Measures 7" H
- Double-walled vacuum sealed body and dual insulation system with a copper-clad inner chamber



Part#	Description	List Price	Wholesale
ORCCH27	Silver		Please Login
ORCCHA27PE-CL	Pearl		Please Login
ORCCHA27PI-CL	Pink		Please Login



Igloo Hand Washing Station

- BPA Free
- 5 gallons = 40 handwashes
10 gallons = 80 handwashes
- UV inhibitors protect against fading & cracking
- Push-lever spigot enables touch-free handwashing
- Soap caddy included



Part#	Description	List Price	Wholesale
42260	5 Gallon		Please Login
42261	10 Gallon		Please Login

Igloo Coolers



8242 cup dispenser



25041
25043
Wire rack



25042
Truck rack

Part#	Description	List Price	Wholesale
431	3 gallon cooler		Please Login
451	5 gallon cooler		Please Login
4101	10 gallon cooler		Please Login

42051	5 gallon cooler-Green		Please Login
42052	10 gallon cooler-Green		Please Login

Accessories

24009	Spigot - 1-10 gallon		Please Login
8242	Cup dispenser 4 & 4.5 oz		Please Login
25041	Wire rack for 431, 451		Please Login
25042	Truck rack for 431, 451		Please Login
25043	Wire rack for 4101		Please Login
18208201	4.25 oz Rolled cups (200/sleeve) (25 sleeves/case)-priced per sleeve		Please Login



Ice Hawk Cooler Merchandiser

- Comes complete with casters and dome lid
- Dimensions: 21.25"D x 36"H
- Packs - 12oz Cans: 96 or 12oz Bottles: 60

Part#	List Price	Wholesale
IRP-5005		Please Login



Super Keg Cooler I

- Can be used as a can/bottle or keg cooler
- 25.25"D x 30"H
- Efficiently cools an 8 or 16 gallon keg with only three bags of ice
- Can cool 168-12 oz. cans or bottles
- Pump not included

Part#	Description	List Price	Wholesale
IRP010	Cooler		Please Login
IRP2070	Wheel kit		Please Login
IRP752	Keg Tap		Please Login





**64
Cups
Every
Hour**



Frozen Drink Machine

- Compact Size
- 1 gallon cylinder - 2 gallon hopper
- Up to 64 cups per hour
- Stand-by Switch - refrigerates mix overnight
- Air Cooled
- 21-1/2"H x 11"W x 19"D
- Weight: 90 lbs.
- 115V, 10 amp



**Ships Direct
From Factory**

Part#	List Price	Wholesale
113A		Please Login



BUNN

2 Hopper High Performance Ultra Gourmet Ice® System

- White/Stainless steel finish
- Patented reversing auger design quickens freeze time
- Two 3 gallon hoppers for optimum cooling
- 31.9"H x 16"W x 24.5"D, 120V, 12 amps
- Sanitation listed by NSF
- **Special order only; non-stock item; non-cancelable**

Part#	List Price	Wholesale
ULTRA2-HP		Please Login



**115
Cups
Every
Hour**



Frozen Drink Machine

- Compact Size
- 1 gallon cylinder - 3 gallon hopper
- High Production - Up to 115 cups per hour
- Lighted Flavor Sign - draws attention
- Stand-by Switch - refrigerates mix overnight
- Air Cooled
- 24"H x 10-1/2"W x 20-1/2"D
- Weight: 110 lbs. (uncrated) 120 lbs. (crated)
- 115V, 11 amp



**Ships Direct
From Factory**

Part#	List Price	Wholesale
117A		Please Login



**160
Cups
Every
Hour**



Frozen Drink Machine

- Compact Size
- 2 gallon cylinder - 4 gallon hopper
- High Production - Up to 160 cups per hour
- Lighted Flavor Sign - draws attention
- Stand-by Switch - refrigerates mix overnight
- Air Cooled
- 28"H x 12"W x 24"D
- Weight: 140 lbs. (uncrated), 150 lbs. (crated)
- 115V, 11 amp



**Ships Direct
From Factory**

Part#	List Price	Wholesale
127A		Please Login



WayCool Portable Evaporative Cooler



- Coverage up to 4,700 square feet
- Cools air temperature up to 30°F
- Hood oscillates 110°
- 2-speed quiet blower moves air up to 100 ft.
- Automatic low water levels shut-off
- Base 33" x 33" x 52" tall
- 40 MPH air velocity
- Two year warranty
- Made in the USA



Part#	Tank (gal)	Volts	CFM	HP	List Price	Wholesale
WC-1HPMFAOSC	24	115	1,560/1,320	1		Please Login



Portable Evaporative Cooler



- Automatic pump shut-off
- Easy water fill: Fill 10-gal tank from manual door for 3 to 4 hours of runtime or leave connected for continuous fill
- Coverage up to 950 square feet
- Lockable wheels and lightweight design
- Less than 60 dB
- GFCI connection with low amp draw
- Durable UV protected case
- Unit Dimensions - 38"H x 24"W x 17"D



Part#	Tank (gal)	Volts	CFM	HP	List Price	Wholesale
PC-31	10.3	115	3,100/2,400/1,850	1/5		Please Login

30" Oscillating Misting Fan



- Rugged 8" tires
- Attached GFCI plug-in with 120 Volts
- Separate fan and pump controls
- 3-speed
- Independent swivel shut-off valve on each nozzle
- Folds down for easy transportation and storage
- UL507 Indoor/Outdoor Certified
- Tank last 5-8 hours
- Tank size - 22 gal.



Part#	Volts	Amps	List Price	Wholesale
VPC30-POWOSC	120V	2.8/2.4/1.9		Please Login



Misting Cooler



- 18" portable three-speed
- 1 gallon per minute output
- 14 gallon water reservoir tank with 6" rubber wheels
- Includes 25' outdoor-rated power cord with integrated GFCI
- Includes one extra nozzle and two plugs
- 7 hours of operation on one full tank
- 24" wide x 19" deep x 46" high



Part#	Size	Volts	HP	Amps	CFM	Shipping	List Price	Wholesale
PVM18C	18"	120	3/4	11/5.5	6277/4899/4031	UPS		Please Login

42" Belt Drive Drum Fans

- Heavy-duty steel
- 2-Speed settings
- Heavy-duty motor
- Permanently lubricated motor
- 10' 3-Prong conductor grounded cord set
- Plastic wheels with rubber tread
- Handle - Full width for easy grip
- 30 seconds to reach max speed



Part#	Color	Volts	CFM	List Price	Wholesale
DR42	Black	120	11,500/9740		Please Login
DR42W	White	120	11,500/9740		Please Login

14" & 18" Outdoor Epoxy Coated Tent Fans



- Completely sealed motor and speed control
- Outdoor UL 507 rating
- 3-speed
- Fully adjustable wall mount
- 8' cord on both



Part#	Size	Volts	HP	Amps	CFM	List Price	Wholesale
POW14	14" Wall	120	1/8	1.1	4,000/3,300/2,600		Please Login
POW18	18" Wall	120	1/3	1.8	6,600/4,800/3,800		Please Login
POWTPB	Tent Pole Bracket				Fits 2" to 2.5" tent poles		Please Login



Applause™

Rectangular 8 quart 18/8 stainless steel Chafer features a 90° roll-top and a satin finish frame and body. Polished brass handles create an elegant look. Complete with standard water pan, food pan, and two fuel holders.

Part#	Description	List Price	Wholesale
MACD3	8 quart chafer		Please Login
CDFP55	Food pan for ECON22/MACD3		Please Login



Allegro™ - 9 qt.

Rectangular 9 quart, full size stackable 18/10 stainless steel chafer offers easy storage. Two-tone design with gold plated legs and handles. Includes a food pan, water pan, two fuel holders, and wire lid holder.

Part#	Description	List Price	Wholesale
ALLEGRT10	9 quart chafer		Please Login
CDFP88	Food pan for ALLEGRT10		Please Login



Allegro™ - 5 qt.

Half size, 5 quart rectangular 18/10 stainless steel chafer with gold plated legs and handles features a 1/2 size food pan, water pan, one fuel holder, and wire lid holder.

Part#	Description	List Price	Wholesale
ALLEGRT05	5 quart chafer		Please Login
RFPOSRT	Food pan for ALLEGRT05		Please Login



Full Size Food Pan

- Outside length 20.75", inside length 19.5", outside width 12.875", inside width 11.625", depth 2.5"

Part#	Description	List Price	Wholesale
CDFP88	Full food pan		Please Login

Heavy-duty Pedal Karts

PRIME KARTS



Generate Rental Revenues From.....

**Birthdays
Campgrounds
Family Reunions**

**Vacations
Corporate Events
Fund Raisers**



RACER

The perfect pedal go-kart for ages 2 to 8. It rides like the "big kid" models with the same look and feel.

- For ages 2-8 with a 100 lb. weight limit
- Steel frame with powder coated paint
- Air filled all-terrain tires with inner tubes
- Coaster brake with reverse
- 3 position adjustable seat

Part #	List Price	Wholesale
RACER		Please Login



Any combination of 1 to 3 Racers ships UPS.



TURBO

The TURBO bike is very fun to ride! This unique designed bike allows the rider to steer by leaning their body in the direction they want to go.

- For ages 9 - adult with a 250 lb. weight limit
- Sealed ball bearings for easy pedaling & turning
- Durable BMX style front wheel assembly
- Coaster brake (pedal back to stop)
- 5 position adjustable seat
- Strong steel chainguard
- Heavy wall steel tubing
- Powder coated paint



Part #	List Price	Wholesale
TURBO		Please Login



PRIME KARTS



XL-4

Take on the toughest terrain with confidence in this versatile cart. Four all-terrain tires, articulated front-end design, and a patented transmission with reverse will have you tearing up the trails in record time.

- For ages 7 - adult with a 350 lb. weight limit
- Greaseable fittings on front axles
- Sealed ball bearings for easy pedaling
- Air filled all-terrain tires with inner tubes
- Coaster brake with reverse
- Hand brake/parking brake
- 6 position adjustable seat



Part #	Frame	List Price	Wholesale
XL-4-CHARGERBLUE	Black		Please Login
XL-4-CHARGERGREEN	Black		Please Login
XL-4-CHARGERRED	Black		Please Login
XL-4-CHARGERYELLOW	Black		Please Login



Nitro, Baja and Ranger decals can be special ordered. See website for details.



Custom Fit Tablecovers

- Saves time
- Won't blow off in the wind
- No need for tape, tacks or staples
- Not biodegradable - check local recycling laws



**6' x 30"
8' x 30"
Banquet
Tables**



**60"
30"
Round
Tables**



**Boxes of 100 or
Individually Packaged**



Part #	Description	List Price	Wholesale
3096-W	8' table (100/box)		Please Login
60-W	60" table (100/box)		Please Login
30-W	30" table (25/pack)		Please Login
3072PK-W	Individual 6'		Please Login
3096PK-W	Individual 8'		Please Login
60PK-W	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3096-B	8' table (100/box)		Please Login
60-B	60" table (100/box)		Please Login
30-B	30" table (25/pack)		Please Login
3072PK-B	Individual 6'		Please Login
3096PK-B	Individual 8'		Please Login
60PK-B	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
30-GR	30" table (25/pack)		Please Login
3072PK-GR	Individual 6'		Please Login
3096PK-GR	Individual 8'		Please Login
60PK-GR	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3072PK-GOLD	Individual 6'		Please Login
3096PK-GOLD	Individual 8'		Please Login
60PK-GOLD	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
30-BLK	30" table (25/pack)		Please Login
3072PK-BLK	Individual 6'		Please Login
3096PK-BLK	Individual 8'		Please Login
60PK-BLK	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3072PK-M	Individual 6'		Please Login
3096PK-M	Individual 8'		Please Login
60PK-M	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3072PK-BLKW	Individual 6'		Please Login
3096PK-BLKW	Ind. Pack. 8' cover		Please Login
60PK-BLKW	Ind. Pack. 60" cover		Please Login



Part #	Description	List Price	Wholesale
3072PK-CELEBRATION	Individual 6'		Please Login
3096PK-CELEBRATION	Individual 8'		Please Login
60PK-CELEBRATION	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3072PK-PATRIOTIC	Individual 6'		Please Login
3096PK-PATRIOTIC	Individual 8'		Please Login
60PK-PATRIOTIC	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3072PK-BW	Individual 6'		Please Login
3096PK-BW	Individual 8'		Please Login
60PK-BW	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3096-RW	8' table (100/box)		Please Login
60-RW	60" table (100/box)		Please Login
30-RW	30" table (25/pack)		Please Login
3072PK-RW	Individual 6'		Please Login
3096PK-RW	Individual 8'		Please Login
60PK-RW	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3096-R	8' table (100/box)		Please Login
60-R	60" table (100/box)		Please Login
30-R	30" table (25/pack)		Please Login
3072PK-R	Individual 6'		Please Login
3096PK-R	Individual 8'		Please Login
60PK-R	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3072PK-P	Individual 6'		Please Login
3096PK-P	Individual 8'		Please Login
60PK-P	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3072PK-O	Individual 6'		Please Login
3096PK-O	Individual 8'		Please Login
60PK-O	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3072PK-LB	Individual 6'		Please Login
3096PK-LB	Individual 8'		Please Login
60PK-LB	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3072PK-PINK	Individual 6'		Please Login
3096PK-PINK	Individual 8'		Please Login
60PK-PINK	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3072PK-L	Individual 6'		Please Login
3096PK-L	Individual 8'		Please Login
60PK-L	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3072PK-Z	Individual 6'		Please Login
3096PK-Z	Individual 8'		Please Login
60PK-Z	Individual 60"		Please Login

Collegiate Tablecovers



Washington Redskins running back and Oklahoma University alumni Adrian Peterson



Packaged and Sold Individually
25 per case

Part #	Description	List Price	Wholesale
6'x30"			
3072PK-AL	Alabama-Individual 6'		Please Login
3072PK-CO	Colorado-Individual 6'		Please Login
3072PK-IL	Illinois-Individual 6'		Please Login
3072PK-IU	Indiana-Individual 6'		Please Login
3072PK-IA	Iowa-Individual 6'		Please Login
3072PK-MI	Michigan-Individual 6'		Please Login
3072PK-MO	Missouri-Individual 6'		Please Login
3072PK-UNC	North Carolina-Individual 6'		Please Login
3072PK-NCS	NC State-Individual 6'		Please Login
3072PK-OKS	OK State-Individual 6'		Please Login
3072PK-OK	Oklahoma-Individual 6'		Please Login
3072PK-SYR	Syracuse-Individual 6'		Please Login
3072PK-TT	Texas Tech-Individual 6'		Please Login
3072PK-VAT	Virginia Tech-Individual 6'		Please Login

Part #	Description	List Price	Wholesale
8'x30"			
3096PK-AL	Alabama-Individual 8'		Please Login
3096PK-CO	Colorado-Individual 8'		Please Login
3096PK-IL	Illinois-Individual 8'		Please Login
3096PK-IU	Indiana-Individual 8'		Please Login
3096PK-IA	Iowa-Individual 8'		Please Login
3096PK-MI	Michigan-Individual 8'		Please Login
3096PK-MO	Missouri-Individual 8'		Please Login
3096PK-UNC	North Carolina-Individual 8'		Please Login
3096PK-NCS	NC State-Individual 8'		Please Login
3096PK-OKS	OK State-Individual 8'		Please Login
3096PK-OK	Oklahoma-Individual 8'		Please Login
3096PK-SYR	Syracuse-Individual 8'		Please Login
3096PK-TT	Texas Tech-Individual 8'		Please Login
3096PK-VAT	Virginia Tech-Individual 8'		Please Login



LED Color Changing Cafe Lights

- Commercial grade for year-round, permanent outdoor installations
- White cord
- Durable, impact resistant acrylic bulbs
- Perfect for patios, pergolas, gazebos, home accents, parties, and camping
- Linkable up to 750 feet
- Enbrighten LEDs reduce energy usage by over 95%
- 16 colors to create over 120 possible color combinations
- Includes remote to select color
- No bulbs to replace - ever
- UL-153 listed

Part #	Length	List Price	Wholesale
39511	24'		Please Login
39092	48'		Please Login

JASCO



Outdoor Weatherproof Lights

- 10 sockets (3 feet apart)
- Outdoor - weatherproof
- Includes 15 bulbs (5 extra)
- Heavy-duty 16/3 SJTW cord
- Connect up to 13 string light sets
- Perfect lighting for gazebos, patios, pergolas & restaurants

Part#	List Price	Wholesale
72041		Please Login



White Extension Cords

- Jacket type SJTW-A



White 12 Gauge 3-wire

Part#	Description	List Price	Wholesale
D11712025WH	25', non-lighted		Please Login
D14512050	50', non-lighted		Please Login

Heavy-duty White Multi-Outlet Cord-6 outlets

- This 12/3 50' cord has an extreme duty 600 volt jacket
- The outlets are every 10'
- -40° Coldweather Jacket
- Water & flame resistant
- Lighted ends
- Individually boxed



Part#	List Price	Wholesale
D1242		Please Login

Asphalt Tent Stake Hole Plugs

- A permanent solution
- Goes in quickly, looks natural
- Cold weather won't crack it
- Hot weather won't melt it
- No extra fill needed
- Saves money and time



Part#	Stake Size	Top Diam.	No. Per Case	List Price	Wholesale
106100	1"	1-1/4"	320		Please Login
106150	1-1/4"	1-1/2"	176		Please Login



1" White Tent Strap Ratchet

- 1" x 14' strap assembly
- 1" x 12' loose strap with snap hook
- Ratchet with 24" sewn strap and forged ring
- 3,000 lb. break strength
- 1,000 lb. working load limit

Part#	List Price	Wholesale
ST400		Please Login

Protective White Chair Bags

- Durable poly bags
- Designed to individually cover your wooden chairs before you place them in their canvas bag
- Bag size is 22" x 40"



Part#	List Price	Wholesale
14971		Please Login

Velcro® 15ft Sticky Back® Tape

- The original Hook and Loop Fastener. Easy to use, durable and strong!
- Perfect for smooth surfaces! It is even water resistant.
- Use it indoor and outdoor.
- 15' roll x 3/4" wide



Part #	Color	List Price	Wholesale
90082	White		Please Login

Special Price Limited Quantities



Tent Caps (Rebar - White)

- Designed for the party and rental industries
- Prevents potential injury from protruding rebar
- Made of a tough ABS plastic and are white to provide visible yet unobtrusive protection

Part#	List Price	Wholesale
14610L		Please Login

White Duct Tape

- Polyethylene coated cloth
- Use for indoor/outdoor car or vinyl tent sidewall repair
- 24 per carton
- 9 mil



Part#	Size	List Price	Wholesale
20CW2	2" x 60 yards		Please Login





B.A.S.H. Sledge Hammers

- Unbreakable technology
- Hi-visibility green head
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- Safety plate locks head firmly to handle, eliminating dislodging
- Anti-vibe neck prevents injury from repeated use
- No-slip textured handle for secure grip
- Lanyard hole
- Tested for 25,000 overstrikes
- Meets ANSI standards



Part#	Head Size	Handle	List Price	Wholesale
20212	2-1/2 lb.	12"		Please Login
20412	4 lb.	12"		Please Login
20416	4 lb.	16"		Please Login
20424	4 lb.	24"		Please Login
20616	6 lb.	16"		Please Login
20624	6 lb.	24"		Please Login
20630	6 lb.	30"		Please Login
20816	8 lb.	16"		Please Login
20824	8 lb.	24"		Please Login
20830	8 lb.	30"		Please Login
20836	8 lb.	36"		Please Login
21016	10 lb.	16"		Please Login
21024	10 lb.	24"		Please Login
21030	10 lb.	30"		Please Login
21036	10 lb.	36"		Please Login
21230	12 lb.	30"		Please Login
21236	12 lb.	36"		Please Login
21424	14 lb.	24"		Please Login
21430	14 lb.	30"		Please Login
21436	14 lb.	36"		Please Login
22024	20 lb.	24"		Please Login
22030	20 lb.	30"		Please Login
22036	20 lb.	36"		Please Login



Includes:

- (1) 4 lb. Head 12 in. Sledge Hammer
- (1) 32 oz. Head 14 in. Ball Pein Hammer
- (1) 2 lb. Head 16 in. Cross Pein Hammer

B.A.S.H. Mechanics Hammer Kit

- Unbreakable technology
- Hi-visibility green head
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- Safety plate locks head firmly to handle, eliminating dislodging
- Anti-vibe neck prevents injury from repeated use
- No-slip textured handle for secure grip
- Lanyard hole
- Tested for 25,000 overstrikes
- Meets ANSI standards

Part #	List Price	Wholesale
11111		Please Login

MicroBurst Fiberglass Stepladder - Type 1A

- Easy to store and easy to carry
- High-strength steel alloy StableLock spreader system
- Fiberglass construction is ideal for work on electrical circuits
- Rated to hold 300 lb.



Part#	Steps	Height	Weight	Load Cap.	List Price	Wholesale
15703-001	2	3'	15 lbs.	375 lbs.		Please Login
15700-001	3	4'	20 lbs.	375 lbs.		Please Login
15705-001	5	6'	22 lbs.	300 lbs.		Please Login
15710-001	7	8'	31 lbs.	300 lbs.		Please Login

All Little Giant Ladders Ship Factory Direct

Safety Step Stepladder - Type 1A

Great for sidewall installs!

- Rugged, corrosion-resistant aluminum alloy construction
- Ultra-slim 5" folded depth
- Wide, slip-resistant step treads
- Fold-up safety bar
- Integrated work tray
- 300 lb. capacity



Part#	Steps	Height	Weight	Load Cap.	List Price	Wholesale
10210BA	2	31.5"	15 lbs.	300 lbs.		Please Login
10310BA	3	44"	20 lbs.	300 lbs.		Please Login
10410BA	4	56"	25 lbs.	300 lbs.		Please Login



Rhino Series

Plastic Folding Chairs

- "Rhino Tough, Rhino Strong"
- Injection-molded plastic seat and back
- Seat plate attached to frame by 8 rivets
- 18-gauge, 3/4" tubular steel frame
- Baked on powder enamel, tested to be lead-free
- Ultraviolet additives for super protection
- Triple rivet brackets at the seat for better strength
- SGS Laboratory tested to 300 lbs. live load
- SGS Laboratory tested to 800 lbs. static load
- Non-marring replaceable feet
- Chairs interstack with many other brands
- Color: White
- Dimensions:
Overall Height: 31.5"
Overall Width: 17.5"
Weight: 7.5 lb each
- Sold 10 per box

Part#	Description	List Price	Wholesale
2180	White - 10/Box		Please Login
2185	Black - 10/Box		Please Login
2190	Brown - 10/Box		Please Login
2167	Bone - 10/Box		Please Login



Resin Folding Chairs

- Made from 100% polypropylene resin
- Zinc coated, never-rust screws
- Load rests on two seat bars, not on screws
- Load tested by SGS Laboratories
- Heavy duty construction - supports up to 1,000 lbs
- Comfortable, flexible, padded foam seat
- Seat snaps in/out for easy cleaning
- Simple interlocking features for stacking
- Stain resistant surface - just wipe clean
- * Weatherproof and UV Protected to prevent fading
- Stack up to 30 chairs on dolly

- Dimensions:
Overall height: 30.75"
Overall width: 17.5"
Weight: 11 lbs. each
- Sold 4 per box

Part#	Description	List Price	Wholesale
2302	White - 4/Box		Please Login
2305	Black - 4/Box		Please Login



Banquet Plastic Blow Mold Folding Tables

- Easy, safe storage and transport
- Lightweight, strong & durable
- Poly top impervious to spills & scratches
- Easy to clean
- Auto-locking steel wishbone legs
- Weather Resistant — Great for indoor/outdoor use
- 400 lb. capacity

Part#	Description	List Price	Wholesale
3712	6'x30" Rectangular		Please Login
3713	8'x30" Rectangular		Please Login
3716	60" Round		Please Login



Rhino Series

Banquet Resin Folding Tables

- Rhino Tough. Rhino Strong.
- Weather Resistant and Maintenance Free
- Never Needs Sanding or Refinishing
- 3/4" Lip for Skirting
- Independently Tested and Approved
- Lightweight - Easy to Grip and Carry
- Auto-Locking Steel Wishbone Legs and Steel Frame
- Stain-Resistant Surface Won't Crack or Splinter
- Legs 15" from Ends for Extra Dining Comfort

Part#	Description	List Price	Wholesale
3630	6'x30" Rectangular		Please Login
3635	8'x30" Rectangular		Please Login
3640	60" Round		Please Login



Kwik-Covers

Kwik-Can Covers

Disguise those rusty metal trash barrels and unsightly plastic drums with a Kwik-Can Cover, the innovative, stylish way to cover barrels.

Kwik-Can Covers feature tough elastic at both ends holds this durable, all-weather plastic trash can sleeve snugly in place, leaving you with a clean, pleated look. Sold as case of 50.

Part #	Description	List Price	Wholesale
CANCVR-33GAL-RECY	33 gal. - Recycle logo (50/case)		Please Login
CANCVR-33GAL-W	33 gal. - White (50/case)		Please Login
CANCVR-55GAL-RECY	55 gal. - Recycle logo (50/case)		Please Login
CANCVR-55GAL-W	55 gal. - White (50/case)		Please Login



**Holds
300 lbs.**

Lightweight Folding Chair

- High-quality blow-molded resin
- Contoured seat and back for comfort
- Lightweight for easy handling
- Stain resistant
- Textured powder coated frame has two crossbraces
- **Ships factory direct.**

Sold In Multiples of 4

Part#	Overall HxWxD	List Price	Wholesale
NPS602	32"x18-3/4"x21-1/2"		Please Login



Premium Stackable Folding Chair

- Strengths of a metal folding chair with the benefits of a plastic folding chair
- Color-impregnated polypropylene plastic
- Will not fade or rust
- Powdercoated steel frame
- 29-3/4"H x 18-3/4"W x 20-3/4"D.
- **Ships factory direct.**

Sold In Multiples of 4

Part#	Plastic/Frame Color	List Price	Wholesale
NPS802	Gray/Gray		Please Login
NPS805	Blue/Gray		Please Login
NPS810	Black/Black		Please Login
NPS818	Burgundy/Black		Please Login
NPS821	White/White		Please Login



Chair Dolly

- Use with 800 Series chairs
- 36 chair stack capacity
- 11-gauge steel
- 4" casters - 2 swivel & 2 fixed

Part#	List Price	Wholesale
DY800		Please Login



Lightweight Folding Tables

These lightweight blow-molded plastic folding tables are the perfect solution for your banquet & cafeteria use – indoor or outdoor, or any other application that calls for affordable, lightweight, weather-proof, and highly durable folding tables. **Ships factory direct.**

- Can withstand heat up to 212° Fahrenheit.
- Tabletop in lightly speckled gray with matching gray textured powder coated legs — now in 17-gauge strength



Part#	Description	Size (WxLxD)	Capacity	Weight lbs.	List Price	Wholesale
BT3060	5' Rectangular	30"x60"x1-3/4"	1,500 lbs.	41		Please Login
BT3072	6' Rectangular	30"x72"x1-3/4"	1,500 lbs.	48		Please Login
BT3096	8' Rectangular	30"x96"x2"	1,000 lbs.	64		Please Login
BT60R	5' Round	60"dia. x 2"	1,000 lbs.	55		Please Login
BT71R	5'11" Round	71"dia. x 2"	800 lbs.	82		Please Login

TENT HEATERS

Dual Fuel or Propane Direct-Fired Heaters



Compact and quiet, Premier heaters in their neutral white color are perfect for tent applications. The Advanced Service Saver self-diagnostic feature makes them easy to maintain. All models are certified to CSA standards.

TS040 - 40,000 BTU

- 330 CFM
- 1.86 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 2.6 starting amps, 1 amps continuous operation
- 24.8"L x 14.5"W x 16.2"H



TS080 - 80,000 BTU

- 450 CFM
- 3.7 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 5 starting amps, 2 amps continuous operation
- 30"L x 14"W x 20"H



Part#	Description	List Price	Wholesale
TS040	40,000 BTU - Propane Only		Please Login
09454	Thermostat with 20' cord		Please Login
07891	Replacement thermostat 20' cord		Please Login
132544	Distribution duct kit, white 8" dia. x 12"L		Please Login
132540	Diffuser w/quick connect		Please Login
132541	End diffuser (fits end of 8" dia. ducting)		Please Login

Part#	Description	List Price	Wholesale
TS080	80,000 BTU - Propane Only		Please Login
TS080DF	80,000 BTU - Dual Fuel		Please Login
26349	Unit diffuser w/quick connect		Please Login
26350	Diffuser for end of duct includes ring		Please Login
26347	Duct kit, white, 12" dia. x 12'L		Please Login
26346	Duct kit, gray, 12" dia. x 12'L		Please Login
26617	12" duct adapter ring (flange)		Please Login
09054	Clamp to hold #26617		Please Login

Includes 15' Gas Hose, Regulator, and Thermostat



TS170 - 170,000 BTU

- 1200 CFM
- 7.9 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 8 starting amps, 3 amps continuous operation
- 31"L x 18"W x 28"H



TS350 - 350,000 BTU

- 2400 CFM
- 16.2 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 30 starting amps, 14 amps continuous operation
- 48"L x 22"W x 41"H



Part#	Description	List Price	Wholesale
TS170	170,000 BTU - Propane Only		Please Login
TS170DF	170,000 BTU - Dual Fuel		Please Login
26351	Unit diffuser w/quick connect		Please Login
26350	Diffuser for end of duct includes ring		Please Login
26347	Duct kit, white, 12" dia. x 12'L		Please Login
26346	Duct kit, gray, 12" dia. x 12'L		Please Login
26617	12" duct adapter ring (flange)		Please Login
09054	Clamp to hold #26617		Please Login

Part#	Description	List Price	Wholesale
TS350	350,000 BTU - Propane Only		Please Login
TS350DF	350,000 BTU - Dual Fuel		Please Login
23189	Diffuser for end of duct includes ring		Please Login
22835	Duct kit, white, 18" dia. x 12'L		Please Login
23050	18" duct adapter ring (flange)		Please Login
573761	Clamp to hold #23050		Please Login

Diffuser and duct sold separately



Dual Fuel or Propane Direct-Fired Heaters



NOMAD



Big heat with big features. The new Nomad tent and construction heaters from HeatStar, have all the quality and durability you have come to trust from the HeatStar brand. Whether you are looking for a heater to put a lot of heat on to a job site or for a unit to quietly sit out of sight at an outdoor event, the HeatStar Nomad heaters are an ideal solution for either. Generously equipped with features to make it easy to use and cheap to operate.

HS115 - 115,000 BTU

- 650 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 30"L x 15"W x 23-3/4"H



Part#	Description	List Price	Wholesale
HS115SF	115,000 BTU - Propane Only		Please Login
HS115TC	115,000 BTU - Dual Fuel		Please Login
F109105	Diffuser for HS115TC		Please Login
F109106	Duct adapter for HS115TC		Please Login
F109107	30" Short duct for HS115TC		Please Login
F109108	10' duct for HS115TC		Please Login
F109119	Storage box		Please Login

- 6 Output rates on 3 separate units
- 15 ft. hose and regulator included
- Dual fuel standard (LP/NG)
- Multi-rate (High & Low Settings)
- High CFM for greater circulation
- Easy reset high limit switch
- 4 tie down connections (HS190TC, HS250TC)
- Fan-Only option for air circulation
- Remote thermostat with 20' cord
- Spark ignition
- ETL Certified

Includes 15' Gas Hose, Regulator, and Thermostat

HS190 - 190,000 BTU

- 1600 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 34-3/4"L x 35-3/4"W x 20-1/4"H



Part#	Description	List Price	Wholesale
HS190SF	190,000 BTU - Propane Only		Please Login
HS190TC	190,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login

HS250 - 250,000 BTU

- 2100 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 34-3/4"L x 35-3/4"W x 20-1/4"H



Part#	Description	List Price	Wholesale
HS250SF	250,000 BTU - Propane Only		Please Login
HS250TC	250,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login



F109105
F109115



F109107
F109117



F109108
F109118



F109106
F109116



F109119

TENT HEATERS

- 100% clean, dry heat
- High pressure operation
- Four-loop exhaust gas system™ for higher efficiency
- Temperature rise 160°F
- Runs on #1 & #2 diesel, kerosene, JP-8 or Jet A

Portable Oil Indirect-Fired Heaters

- Low power consumption-runs on 15 amp circuit
- Thermostat sold separately
- Fuel gauge
- Extra large capacity tanks



HVF110 - 110,000 BTU

- 22 hour run time
- 120v, 6amp
- 1,020 cfm
- Temperature rise = 160° F
- Ductable up to 25'
- 100 lbs.



HVF210 - 205,000 BTU

- 19 hour run time
- Preheated fuel filter
- 120v, 9amp
- 1,530 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 180 lbs.



HVF310 - 300,000 BTU


- 16 hour run time
- Preheated fuel filter
- 120v, 12amp
- 2,500 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 270 lbs.



Part#	Description	List Price	Wholesale
HVF110	Heater		Please Login
WD1220	20' Duct		Please Login
AR110	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
EF1	Flue kit		Please Login

Part#	Description	List Price	Wholesale
HVF210	Heater		Please Login
WD1425	25' Duct		Please Login
AR210	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR212	Two-way adaptor		Please Login
WD1220	Duct for two-way		Please Login
EF1	Flue kit		Please Login

Part#	Description	List Price	Wholesale
HVF310	Heater		Please Login
WD1825	25' Duct		Please Login
AR310	Duct ring		Please Login
23189	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR312	Two-way adaptor		Please Login
WD1220	Duct for two-way		Please Login
EF1	Flue kit		Please Login



Note: A duct adapter ring is required to connect duct



Flue Kit - EF1

Screw clamp-SCR18



Two-way Duct Adaptor

- Only compatible with HVF210 and HVF310. (12" outlets) PN-AR212, AR312
- Duct-WD1225

Stainless Steel

Antique Bronze

Jet Silver



Radiant Patio Heaters

- 40,000 BTU
- Covers 10' - 15' diameter
- No electricity required - piezo ignitors are standard
- 9 - 10 hour burn time on HI setting - 20 lb. OPD cylinder
- 100% safety control
- Portable wheel kits are standard
- Unit meets or exceed CSA and UL

Part #	Color	List Price	Wholesale
PCO2AB	Antique Bronze		Please Login
PCO2JS	Jet Silver		Please Login
PCO2SS	Stainless Steel		Please Login




Zubri Portable Patio Heater

- 40,000 BTU; adjustable heat control
- 7'3" tall (Case-56.5" tall x 15" wide)
- Heats approximately 300 sq. ft.
- No tools are necessary
- Portable; legs detach for storage and transport
- Complete with hard-shell carrying case and carrying bag for reflector
- Tip switch



4'8"

Part #	List Price	Wholesale
Z1-12CK		Please Login





Rhino Collapsible Patio Heater

- 41,000 BTU/hour output
- Unique **collapsible** design for transport & storage
- Integrated table top
- Easy start electric ignition
- Commercial grade steel with gold hammered powder coat
- Heavy-duty wheels and handle
- 1 Year limited warranty
- CSA tested and approved
- Ships truck
- One year warranty

8'



Part #	Color	List Price	Wholesale
4070	Bronze		Please Login
4075	Black		Please Login



5.5'


Propane Tanks-Steel

Part#	Description	BTU Content	Gallons	Weight	List Price	Wholesale
281247	20# Tank/OPD	430,000	4.7	16.6 lbs		Please Login
296975	30# Tank/OPD	645,000	7.1	25.4 lbs		Please Login
302018	40# Tank/OPD	860,000	9.4	29.1 lbs		Please Login
282157	100# Tank	2,160,000	23.6	68 lbs		Please Login



2-Tank Connection Assembly

- Tee adapter assembly
- Includes (2) 30" pigtails
- Manifold (2) LP tanks together



Part#	List Price	Wholesale
FF-KIT188		Please Login



Vista™ Recreational Instant Shelter

- 10' x 10' shelter (at base) with angled legs and an open cathedral ceiling
- Sets up in seconds!™
- White powder-coated steel frame
- Polyester top with silver UV undercoating
- CPAI-84 fire resistant fabric top blocks 99% of UV rays
- Weighs only 33 lbs.
- Comes with roller bag and spikes

Part#	Color	List Price	Wholesale
VS2910BL	Blue		Please Login



Vantage™ Recreational Instant Shelter

- NEW Pull pin leg for E-Z quick lock and release
- IMPROVED! E-Z glide truss washers allow for increased stability
- NEW High strength end cap
- Sets up in seconds!™
- 10' x 10'
- Includes convenient roller bag
- Includes spikes
- Meets CPAI-84 and NFPA-701 fire resistant requirements

Part#	Color	List Price	Wholesale
VANTAGE	White		Please Login

Tent Cleaners



Tent Cleaner

Developed just for tent cleaning. Removes mildew stains and penetrates dirt film. Can be used with the pressure washer while tent is erect or manual cleaning with the tent spread on the ground.

Part#	Size	List Price	Wholesale
TC789	1 gallon		Please Login

Miracle Tent Mildew Proof Treatment

The only product for the tent rental industry of its type. One gallon covers 2,650 sq. ft. using a pump-up garden sprayer. Once treated, it lasts for over one year. So you should treat once a year and you can fold up tents wet and they won't generate mildew. You can wash as you would normally.

Part#	Size	List Price	Wholesale
TMP123	1 gallon		Please Login

Blitz Mildew Remover

Incredible mildew remover penetrates and kills the spores. BLITZ keeps the ugly green stuff away for one year.

Part#	Size	List Price	Wholesale
B456	1 gallon		Please Login

-A-

Abrasives	150-153
ABS Cement	99
Adapters, Electric	106
Adhesive Caulk	99
Adhesive, Construction	99
Adhesive Strips Refill	115
Adjustable Wrenches	94
Aerator	113
Air Filters	100
Air Hose	73
Air Hose Couplers	72-73
Air Mover	174-175
Air Purifiers	177
Air Scrubber	177
All Purpose Cleaner	98
All Terrain Vise	88
Angle Grinder	134-136
Asphalt Lute	109
Asphalt Plugs	194
Atlas Digger	109
ATV Vise	88
Augers	114
Automotive	102-103
Aviation Snips	94
Axes	111
Axial Blower	174-175

-B-

Back Supports	55
Barley Fork	109
Barricades	159
Barricade Light	159
BASH Hammers	111, 195
Batteries	66
Battery Charger	66
Beam Clamp	69
Bench Vise	88
Beverage Dispensers	187
Binders	49
Blades	94-95, 118, 122, 150
Blowers & Fans	170-175
Body Harness	54-55
Bolt Clamps	72
Booster Cables	102
Boots	67
Boot/Shoe Brush	85
Bosch	57, 90, 121, 130-131, 134-135, 138-147
Bottle Jack	68
Box Strap	54
Breakaway Safety Vest	160
Breaker Hammers	146-148
Brooms	85
Brute, Breaker Hammer	146
Bucket, Mop	84
Buckle Boots	67
Buddy Heaters	10, 61
Bull Floats	126
Bungee Cords	50

-C-

Cable Ties	52, 106
------------	---------

Caddy Pump	71
Cafe Lights	64, 193
Cam & Groove Couplings	75
Camo Items	53, 61
Can Covers	197
Canopies	201
CARB Cans	70
Cargo Bar	49
Carpenter Pencil	59
Carpet Blowers	119, 172
Carpet Cleaning Chem.	119
Carpet Extractors	119
Carpet Knee Kicker	123
Carpet Tools	123
Caulk	99
Caution Tape	55
CD's, Technical	31
Cement, ABS	99
Centrifugal Pump	79
Chafers/Food Pans	189
Chains	49
Chain Binder	49
Chain Hoist	69
Chair Bags	194
Chair Dolly	197
Chairs	196-197
Chalk/Chalk Lines	59
Channelizer Cones	159
Chargers, Battery	66
Chasers	186
Chisels	140-148
Cigarette Butt Receptacle	84
Circular Saw	138
Clamps	69, 94
Clay Spades	140, 146, 148
Cleaners & Degreasers	81, 98, 119, 201
Clear Tape	116
Combination Hammer	139
Combo Tool Kits	138
Compost Spreader	112
Concession Items	178-183
Concrete Floats	126
Concrete Finishing	126
Concrete Mixers	127
Confined Space Ventilator	174-175
Contractor Lifts	162-163
Coolers	186
Cord Adapters	106
Cord End Replacements	106
Cord Reels	66, 106
Core Bits	140, 143
Cotton Candy Machine/Supplies	183
Couplings	72-75
Coveralls	67, 84
Crayons	59
Credit Application	208
Cut-off Saw	149
Cut-off Wheels	151

-D-

Danger Flags	55
Danger Tape	55
Degreasers & Cleaners	81, 98, 119, 201

Dehumidifiers	176
Demolition Hammer	139
Diamond Blades	150, 153
Diesel Caddy	71
Digger Tamper Bar	110
Discharge Hose	74
Disposable Coveralls	67, 84
DisposaCone	158
Dollies	89
Drain Cleaners	166-169
Drill Bits	95, 133
Drill Press, Overhead	161
Drills	138-139
Drink Machine	187
Drive Sets	92-93
Drum Fan	170
Drum Sander	125
Drywall/Wallpaper Tools	132, 161
Drywall Lifter	161
Drywall Sander	128
Duct	7, 16-19, 174-175, 198-199
Duct Diffusers	18-19, 198-200
Duct Ring	7, 18-19, 198-200
Duct Tape	116
Dust Masks	155
Dust Mops	85
Dustbuddie	129
Dustless Vacuum Systems	128-129

-E-

Ear Plugs	45, 155
Edger, Floor	125
Elastic Tie Downs	50
Electric Drain Cleaners	166-169
Electric Eel	166-169
Electrical Plugs	105-106
Electrical Safety	105
Electrical Tape	116
Electrode Gauge	24
End Table	207
Engine Parts	100-101
Epoxy	99
Extension Cords	104-105
Extension Ladders	164-165
Extractors, Carpet	119
Evaporative Coolers	173
Event Cooling	188
Event Supplies	178-201
Eye Flush Bottles	115
Eyewash Replacement Bottle	115
Eyewash Station	115

-F-

Fall Protection	55
Fans	170-175
Fast Orange Cleaner	98
Fence	158
Fill 'n Chill Party Table	184-185
Fill 'n Chill Party Table Accessories	184-185
Filter, HEPA Vac	128, 130
Finishing Sander	136
First Aid Kits/Refills	115
First Aid Station	115

Fix-A-Flat	103	Harness	54-55	-K-	Karts, Pedal	190-191	
Flagging	55, 59	Head Protection	45, 156		Keg Cooler	186	
Flame Control	24	Hearing Protection	45, 155		Kerosene Additive	30	
Flashlights	45, 64-66	Heater Parts.....	21-31		Knee Kicker, Carpet	123	
Floats	126	Heaters			Knee Pads	55	
Floor Care	119-126	Buddy.....	10, 61		Knife Sharpeners	53, 61	
Floor Dryer	119	Construction	16-19		Knife, Sports	53, 61	
Floor Edger	125	Convection	12-13		Knife, Utility	89	
Floor Installation	122-123	Cordless.....	10		Kwik-Covers.....	192-193, 197	
Floor Preparation	118-121	Direct Spark	4				
Floor Sander	124-125	Electric	14-15		-L-	Ladders	164-165
Floor Scraper.....	120-121, 147	Garage	11-12		Landscape Rake	109	
Floor Scrub Brushes	85	Heatstar	3, 6, 8, 10, 12-13, 19, 199		Lantern	66	
Floor Stripper.....	120-121	Heat Wagon.....	6-7, 14-16, 200		Lanyard.....	55	
Flourescent Lights.....	62, 102	Indirect Fired	7		Laser Distance Measurer	57, 90	
Folding Chairs	196-197	Infrared	6, 12-13		Laser Levels	56	
Folding Tables	196-197	L.B. White	4, 11-13, 18, 198		Laser Level Accessories	57	
Food Handling Gloves	182	Natural Gas	12-13, 16-17, 198-199		Latex Sealant	99	
Food Service Gloves.....	182	Oil Fired	2-7		Lever Hoist	69	
Forearm Forklift.....	54	Patio	20, 200-201		Lifting Straps	54	
Forestry Hard Hat	110	Propane	8-11, 13, 16-20, 198-199		Light Tower	62-63	
Fork, Barley.....	109	Radiant	12-13		Lighting	62-66, 102, 193	
Frozen Drink Machine.....	187	Sureflame.....	17		Linoleum Roller	122	
Fuel Containers	70-71	Tank Top.....	10		Loads & Pins	154	
Fuel Sytem Cleaner	103	Tent.....	198-199		Locking/Fasteners.....	51	
Funnel.....	70	HEPA Vacs	128, 130		Long Tapes	58	
Furniture Dolly.....	89	Hitches	102		Lubricator	72	
		Hoist, Chain	69		Lumber Crayons/Pencils.....	59	
		Hoist, Lever	69		Lumber Crayon Holder	59	
		Hole Diggers	109, 114				
-G-		Honda Parts.....	100-101		-M-	Magnetic Floor Sweeper.....	86
Garden Hose.....	72	Hoses & Accessories.....	72-73, 83		Magnetic Parts Holders.....	86	
Gas Caddies	71	Hoses, Air	73		Magnifier Safety Glasses	44	
Gas Pressure Tester	24	Hoses, Discharge	74		Maintenance	98-101	
Gaskets	72-75	Hoses, Natural Gas.....	29		Makita	136, 139, 149, 151	
Gauges	24	Hoses, Propane	29		Manuals	31	
General	62, 114, 120-121, 147, 174	Hoses, Suction	74		Marking Flags	59	
Generators.....	46-47	Hoses, Torches	87		Marking Paint	60	
Generator Cords & Adapters.....	46, 107	Hoses, Water	72		Marking Stick	60	
GFCI/Adapters	105	Hose Fittings	72-75		Marking Tools.....	59-60	
Glass Cleaner	98	Hose Menders.....	75		Mauls.....	111	
Gloves	34-37	Hot Dog Steamer	182		Measuring Tapes	58, 90-91	
Goggles.....	43	Hot Hands.....	38		Measuring Tools	57-58, 90-91	
Grain Shovel	108				Measuring Wheel	58	
Grease Guns.....	86				Mechanics Tool Sets	92-93	
Grinders, Angle	134-136				Metal Detector.....	110	
Grinding Wheels	134, 136, 151, 153				Mica Windows.....	30	
					Mirror Adhesive	103	
					Misting Fans	173	
-H-					Mixers, Concrete.....	127	
Hacksaw	89	-I-			Mold/Mildew Remover	33, 98	
Halogen Lights	63	Ice Table	184-185		Mop Bucket.....	84	
Hammer (Combo & Rotary)	139	Igloo	115, 186		Mops	85	
Hammer (Sledge)	27, 111	Ignitors	30		Moving Blankets	54	
Hammer Bits/Steel.....	140-148	Impact Driver.....	138		Moving Harness	54	
Hammer Tacker.....	89	Industrial Sanitation Supplies	84-85		Multi-Outlet Extension Cord	105	
Hand Cleaner	98	Inline Lubricators.....	72				
Hand Pump.....	71, 86				-J-	Jackhammer Hose	72
Hand Tools.....	89-97				Jackhammer Steel	146-148	
Hand Washing Stations.....	115				Jacks, Bottle/Screw/Pallet.....	68	
Hand Wipes	86				Job Sizing	5	
Handles.....	85, 126				Jump Starter	102	
Hard Hats	45, 156						
Hard Hat Liners.....	38						

-N-

Nacho Warmer	182
Natural Gas Hose	29
No-Spill	70
Non-Slip Tape	55
Nozzles	25, 82

-O-

Oil, Pump	83
Oil Pumps	30
Oil Treatment	5
Orbital Sander	124
Oscillating Tool	122, 137
Outdoor Equipment	112-113
Overhead Drill Press	161
Ozone Generator	177

-P-

Padlock	51
Paint	60
Paint Striper	60, 112
Painters Tape	116
Pallet Truck	68
Panel Lifter	161
Pans	189
Paragon	178-183
Parts Tray	86
Party Supplies	190-201
Party Table	184-185
Patio Heater	20, 200-201
Pedal Karts	190-191
Pedestal Fan	171
Pencils	59
Photocell Tester	24
Pigtails	32, 201
Pins & Loads	154
Pipe Wrenches	94
Pivot Fan	170
Plastic Gloves	182
Pliers	96-97
Plugs	105-106
Points & Chisels	140-148
POL Pigtails	32, 201
Poly Film	117
Popcorn Popper/Supplies	178
Portable Heater Parts	21-31
Post Hole Digger	109
Powder Actuated Tools	154
Powder Fasteners	154
Power Cutter	149
Power Distribution Center/Cords	46, 107
Power Tools	121-122, 134-139, 146-149
Power Trowel Blades	126
PowerBox	138
Powercord Adapter	106
Preferred Cust. Program	IFC
Pressure Gauges	24
Pressure Washers/Accessories	81-83
Pressure Washer Cleaners	81
Pressure Washer Wand Belt	82
Propane Hoses	29
Propane Tanks	33, 201
Propane Tank Accessores	32-33
Pry Bar	95, 111
Pul-Krete	126
Pump Oil	83

Pumps, Water	77-80
--------------------	-------

-R-

Radio	138
Rainsuits	67
RainX	103
Rake, Landscaping, Thatching	109
Ratchet Hardhats	45, 156
Ratchet Straps	48-49
Rebar Bender/Cutter	89, 143
Rebar Caps	159
Receptacles	106
Recipro Saw	138
Recovery Strap/Tow Strap	49
Reels	66, 106
Reflective Tape	55
Reflective Vests	160
Regulators	32, 87
Rental Extension Cord	105
Rep Coverage	IBC
Respirators	155
Rice Shovel	108
Roof Sealant	99
Rope	50
Rope Ratchet	50
Rotary Hammers	139
Roust-A-Bout	162
Rubber Tarp Straps	50, 117

-S-

Safety Cans	70
Safety Fence	158
Safety Glasses	39-45, 61
Safety Glass Displays	39
Safety Goggles	43
Safety Harness	55
Safety Vests	160
Sales Reps	IBC
San Angelo Bar	110
Sandbags	158
Sanders	124-125, 128, 136
Sandpaper/Pads	124-125, 128, 152
Sanitation Supplies	84-85
Saws	89, 118, 122, 138, 149
Scoop Shovel	108
Screw Jack	68
Screwdrivers	94
Scrub Brushes	85
Scrub Towels	86
Sealant	99
Sealing Tape	116
Service Tags	52
Serving Tray	207
Shelters	201
Shingle Removers	110
Shop Tools	86
Shop Towels	86
Shovels	108
Silt Fence	158
Simple Green Cleaner	98
Siphon Pumps	71
Sledge Hammers	111, 195
Sling, Web	69
Slush Boots	67
Small Engine Parts (HONDA)	100-101
Smokers Cease Fire	84

Snack Tray	207
Sno Cone Cart	180
Sno Cone Machine/ Supplies	180-181
Snow Rake	109
Snow Shovel	109
Socket Sets	92-93
Soil Probe	108
Spanner Wrench	74
Spark Plugs	28
Spline Chisels	145
Spline Shank Drills	145
Splitting Mauls	111
Sport Knives	53, 61
Spot Marker	60
Spray Nozzles, Pressure Washer	82
Sprayers	110
Spreader	112
Stain Remover	98
Step Ladders	164-165
Stencil Kit	60
Step Stool	165
Stilts	132
Stop/Slow Paddles	159
Stain Remover	98
Strainers	75
Straps & Chains	48-49, 194
Stretch Wrap/Dispenser	117
Striping Paint	60
Striping Tools	60
Stud Sensor	89
Submersible Pumps	77-80
Suction Hose	74
Sugar Floss	183
Sumner	162-163
Surveyors Tri-pod	57
Surveyors Vest	160

-T-

T-Block	32
Table, End	207
Table, Party	184-185
Table Covers	192-193
Tables	196-197
Tags	52
Tamper	108
Tamper Bar	110
Tank Connectors	32-33, 201
Tape	116
Tape Measures	58, 90-91
Tarps	117
Tarp Straps	50, 117
Tarp/Visqueen Tape	116
Technical Manuals	31
Tele-Tower	161
Telescoping Ladders	164
Telescoping Work Planks	164
Tent & Party Supplies	178-201
Tent Accessories	194, 201
Tensionin Tool	75
Tent Cleaners	201
Tent Fans	172
Tent Heaters	198-200
Tent Stake Caps	194
Tent Stake Hole Plugs	194
Tent Strap Ratchets	194
Terms & Conditions	76
Test Cord	29

Thatching Rake.....	109
Thermostat	29
Thread Sealant	27
Thread Sealing Tape	116
Tie Downs	48-50
Tile Breaker	120-121
Tile Cutter	118, 123
Tile Saw.....	118
Tillers.....	113
Tire Repair Kit.....	103
Toilet Auger	167
Tool Sharpener	53
Tools..89-97, 121-123, 134-139, 146-149, 154	
Tool Sets	92-93, 138
Torches	87
Torch Hose	87
Torch Regulator.....	87
Tow Straps	49
Towels, Wipes.....	86
Tower Lights	62-63
Traffic Cones.....	158
Traffic Safety	158-160
Trailer Hitch.....	102
Trash Pumps	77-79
Tree Pruner	110
Trench Shovel.....	108
Tripod	57
Trowel Blades	126
Trowel Blade Conversion Ch	126
Tune-Up Kits	26
Twine.....	50
Twist Ties	52

-U-

Universal Couplings	72
Upside Down Paint	60
Utility Knife	89

-V-

Vacuums	128-131
Velcro Strips	194
Ventilator	174-175
Vests, Safety	160
Vises	86

-W-

Wallpaper Steamers	132
Warmer, Nacho, Popcorn, Peanut	182
Wastebaskets	85
Waste Container	85
Water Hose	72
Water Pumps	77-80
WD-40 Lubricant.....	86
Weather Protection	157
Web Slings	69
Wet Floor Sign	84
Wet/Dry Vac	128-131
Wet Tile Saw	118
Wheel Chock.....	103
Wheelbarrow.....	113
Whip Check Cable	72
Winter Protection	38
Wipes	86
Wobblelights	62

Women's Gear	45
Woodsmen Hat	110
Work Planks	164
Work Platform	161
Worklights	62-63, 66
Wrenches.....	92-94

-Manufacturer Index-

3M	116
Abbott	72-75
Accusharp.....	53, 61
Aervoe.....	60, 98, 112
American Metalcraft	189
American Sanders	124-125
Bayco	63, 66, 102, 106
BE Pressure.....	81-82
Black Stallion	34-36
Bosch..57, 90, 121, 130-131, 134-135, 138-147	
Briggs & Stratton	46, 81-83
Bunn	187
Cargoloc	48-50, 102
Carlisle.....	84-85
Century	63, 102, 104-105, 194
ChannelLock	93-94, 97
Chicago Pneumatic.....	148
Cortina	158-159
Crain	122-123
Crews	44
Crossfire	42-43
CST/Berger.....	56, 58
DAP.....	99
Dewalt	2, 9, 13, 15, 43, 57, 90, 92-93, 95, 138
Dri-Eaz	119, 172, 175-177
Dustless Technologies	128-129
Earlex	132
Edge	39-41, 61
Electric Eel.....	166-169
E-Z Up.....	201
Fast Orange	98
Fill 'n Chill	184-185
Fix-A-Flat	103
FloTec	80
Formarm Forklift	54
Frosty Factory.....	187
Generac	47
General	62, 114, 120-121, 147, 174
Gold Medal	183
Grip	48, 50, 73, 86, 89, 94-96
GripRite	117
Gumout	103
Gundlach	122-123
Heat Wagon	6-7, 14-16, 200
HeatStar.....	3, 6, 8, 10-13, 19, 199
Igloo	115, 186
Imer	118, 127
IPG	116
Irwin	94-96, 133
J&D Manufacturing	170-173, 175
Jackson Safety	44
Jasco.....	64, 193
Jet	68, 89
Justrite	70, 84
Keson	58-59, 90-91

Kimberly-Clark	37, 86
Koshin.....	77
Kwik-Covers.....	192-193, 197
L.B. White	4, 11-13, 18, 173, 188, 198
Little Giant	164-165
Loctite	99
Maglite	45, 65
Makita	136, 139, 149, 151
Marshalltown.....	126
Maxim	113
Milwaukee	95, 149
Mr. Heater.....	10, 61, 87
Nite Ize.....	51-52
No-Spill	70
Norseman	133
OdorStop.....	177
Orca Coolers.....	186
P.R.E.	20, 196, 201
Pac-Kit.....	115
Paragon	178-183
Paragon Pro	161
Patio Comfort	20, 200
Peerless	49
Pennzoil	103
Pioneer Eclipse	124-125
Plug-R	194
Prime Karts	190-191
Pullman Holt	119, 172
Purdy.....	99
Radians	41, 43, 45, 61, 155, 160
RainX	103
Ramset	154
Ray-O-Vac	64-66
Safety Works	45, 155-156
SAS Safety Corp.	67, 84, 115, 155
Schaefer	20, 170-173
Scotch	116
Sensible Products	66
Seymour/Midwest	108-110, 112-113
Shipp	81, 119, 177, 201
Shop Vac.....	131
Simple Green	98
Southwire	46, 104, 106-107
Spectra	56
Stanley Bostich	89, 91
Stens	100-101
Sumner	162-163
Sureflame	17, 87, 175
Swanson	91
Telpro	161
Todd	71
Tsurumi	78-79
Virginia Abrasives	124-125, 150-153
Warner	132
WD-40.....	86
Wilton	88, 111, 195
Windsor	119
Wobblelight	62
Zep	98




BARGAIN BUYS

LAST CHANCE!!

Get them while you can . . . the following items listed on our Bargain Buys pages have either been discontinued or been deemed special order items. Hurry, quantities are limited and prices are good for in-stock merchandise only.



Part#	Description	Wholesale
Coolers		
ORCCH27	27 oz., silver chaser	Please Login
ORCCHA27PE-CL	27 oz., pearl chaser	Please Login
ORCCHA27PI-CL	27 oz., pink chaser	Please Login
ORCROCK	20 oz., Rocket Bottle/Can Koozie	Please Login



Part#	Description	Wholesale
Safety		
CTD	Caution Tape Dispenser	Please Login
9904	Fathead Safety Glass Display	Please Login



Part#	Description	Wholesale
Blades / Bits / Pins / Loads		
25CS3	.25 Caliber Green Strip Load-100 pack	Please Login
P10418	1-1/4" x 18" Moil Point	Please Login
HS2863	1-1/8" Shank, 16" Narrow Chisel	Please Login
HC8036	Spline core bit 3-1/4" x 22"	Please Login
HCK001	Bosch carbide hammer drill bit set	Please Login
HC8031	Spline core bit 3-1/4" x 12"	Please Login
HC2009	Bulldog SDS+ rotary hammer bit 5/32" x 8"	Please Login



Part#	Description	Wholesale
Hoses & Accessories		
UPL-400L-KIT	3/4" In-Line Lubricator Kit, 11 oz. Oil Cap.	Please Login
QDP-400-DC	4" "DP" Dust Plug for Cam & Groove Coupling	



Part#	Description	Wholesale
Straps/Fasteners		
FFTDPS	Truck Door Pull Down Strap	Please Login
90082	White Velcro Fastener	Please Login



BARGAIN BUYS



Part#	Description	Wholesale
Tools		
H30-8D6	Bostitch - Slammer Hammer Tacker	Please Login
TRA205T	Staples - 5/16", 1,000 box	Please Login
48-11-1815	18 Volt - Compact Red Lithium Battery	Please Login
IDH182-01L	Bosch Cordless Impact Driver	Please Login
SVPS25M1	25' Proscribe Tape Measure	Please Login
OTRS18200	Fiberglass 200' Tape Measure	Please Login



Part#	Description	Wholesale
Floor Care		
425-04174	18" premium asphalt diamond blade	Please Login
425-04255	10" premium segmented grinding head	Please Login
425-04254	10" premium segmented grinding head	Please Login
425-05235	2 x 2 x 4 Diamond grinding block, medium	Please Login
003-27820	6" conversion disc for edger	Please Login



Part#	Description	Wholesale
Cleaners/Sealants		
018500-24	4 oz. Black ABS Cement	Please Login
800001364	Gumout Fuel System Cleaner, 6 oz.	Please Login



Part#	Description	Wholesale
Misc.		
PSJ120-XXL	BOSCH Heated Jacket, 2XL	Please Login
6216	Hose to Pump Extension Kit	Please Login
4CH10-B	Polyethelene Sheeting, 10"x25', 4 mil	Please Login
10868B	Type II Safety Can, 5 Gal. Blue	Please Login
RR182	Keson 1' Dual Wheel Measuring Wheel	Please Login
B19-L	Black Stallion Driver's Gloves, Large	Please Login
DIY3AAA-B	3AAA LED Flashlight, Virtually Indestructible	Please Login



Part#	Description	Wholesale
Event Supplies		
SNKLIT-RED	Snacklight Tray, Red	Please Login
TBLITSKI-BLK	Tablitki End Table	Please Login
ECON22	8 Quarty Chafer	Please Login



PHP Credit Application

Fax Toll Free: 1-800-255-7985

PHP must have a copy of your Sales Tax Exemption Certificate on file – (the certificate should be returned with the credit application).

Company Name: _____ Phone: _____

Billing Address: _____ Fax _____

Shipping Address: _____ Purchasing Agent _____

Accounts Payable _____

Email Address: _____ Can we contact you with PHP Specials? _____

Ownership Type: Corporation Partnership Sole Proprietor Other How long at location? _____ yrs

- TYPE OF COMPANY: (What business are you in?) Please circle all that apply.
- | | | |
|----------------------|------------------------|-------------------------|
| 1. Contractor Supply | 7. Hardware | 14. LP Dealer |
| 2. Rental Store | 8. Small Engine Repair | 15. Electric Wholesaler |
| 3. Ag/Farm Supply | 9. Electric Motor | 16. Tent & Party |
| 4. Lumber Yard | 10. HVAC | 21. Golf Courses |
| 5. Concrete-Redi Mix | 11. STAFDA | 23. New ARA Member |
| 6. Lawn & Garden | 12. Other _____ | 99. Contractor |

If corporation: Legal Name _____

State of Incorporation _____ Date of Incorporation: _____

BANK REFERENCES:

Name _____ Phone No. _____

Street Address _____ City, State, Zip _____

Savings Account No. _____ Checking Account No _____

State Sales Tax Exempt # _____

SUPPLIER REFERENCES: (To help expedite, please include supplier FAX number and your account number with them.)

(1) Name _____ Phone: A/C _____ - _____

Address _____ Fax # _____

City, State , Zip _____ Acct.#/Contact _____

(2) Name _____ Phone: A/C _____ - _____

Address _____ Fax # _____

City, State , Zip _____ Acct.#/Contact _____

Please sign below, so that we have permission to gather credit information about your company.

In support of this application, PHP is hereby authorized to obtain credit and/or financial information from my/our bank(s), other financial institutions or commercial firms with whom I/we have done business. It is understood that any such credit and/or financial information will be held in strict confidence and used only in consideration of this application.

Upon approval of this application, it is agreed that all purchases will be paid in full and in accordance with the terms of sale as stated on PHP invoice(s). Should I/we not pay PHP according to terms, it is understood that credit privileges may be withdrawn. Should PHP find it necessary to obtain assistance in collecting any past due balance, I/we agree to pay interest at the rate of 1.5% per month (or such other rate allowable by State law), reasonable attorney fees, collection fees, and/or court costs allowable by law. A copy of this statement and application has been received.

Company Name _____ Authorized Signature _____

Telephone _____ Title _____

Personal Guaranty of Indebtedness: If you have been in business less than 2 years, please sign this. The undersigned Guarantor(s), in order to induce PHP to extend credit to applicant herein, and in consideration thereof, does hereby unconditionally, personally, and individually guarantee all sums which may be owed by applicant to PHP arising out of sale of products by PHP to said applicant, whether said indebtedness is due now or hereinafter occurred. This Guaranty is continuing, and shall continue to apply to all indebtedness which applicant may hereinafter incur, renew, or extend whole or in part, with PHP, all without notice to the undersigned Guarantor (s). The Guarantor(s) agrees to pay all costs and expenses, including reasonable attorney fees, which PHP incurs in the collection of any indebtedness from the Guarantor(s) covered by this agreement, or in the collection of any liability of the guarantor(s) hereunder. Notice of acceptance of this Guaranty is hereby waived; notice of any and all indebtedness guaranteed hereunder is expressly waived. The Guaranty is delivered and shall be deemed to have been made in and shall be governed and construed pursuant to the laws of the State of Indiana.

State of _____ County of _____ Signed this _____ day of _____, 20_____.

Subscribed and sworn to before me this _____ day of _____, 20_____.

Guarantor _____

Notary Public _____

CONTACT OUR REPS



If any manufacturer reps would like to represent PHP's product line in the states marked with our logo, please send your line card to the email listed above.



**CT, MA, ME, NH
NY, RI, VT**
J & J Sales
Joe & Peggy Frew
800.255.7991
info@jandjsalescompany.com



IN, KY, MI, OH
McClees Equipment Sales
Jerry McClees
317.840.8355
jlmcclees@tds.net



AL, GA, NC, SC, TN
M&M Sales
Kevin Marchin
803-431-7326
kevin@mmsales.biz



NJ, E. PA
Area Codes 570, 272, 717, 223, 610,
484, 215, 267, 445
Seven40Nine Sales
Kevin Karcher
856.513.5556



AK, ID, MT, OR, WA
Johnson Co., Inc.
Keith Johnson
206.622.9043
info@johnsonrep.com



**IA, KS, MN, MO, ND,
NE, SD**
McClelland Sales Co.
Bob McClelland
314.308.1542
toolman.mcclelland@yahoo.com



CA
Beal Enterprises
Rick Beal
(626) 367-9157
rick@bealenterprises.com



DE, MD, W. PA, E. VA, WV
Area Codes 814, 724, 878, 412
Thomas Sales Company
Ron Thomas
410.804.1200
thomassalescompany@gmail.com



**AR, AZ, CO, DC, FL, HI, IL,
LA, MS, NM, NV, OK, TX,
UP of MI, UT, WI, WY**
PHP
800.362.6951
info@phpdistribution.com

If any manufacturer reps would like to represent PHP's product line in the states marked with our logo, please send your line card to the email listed above.



342 North 400 East
Valparaiso, IN 46383

Phone Toll Free: 800.362.6951
Fax Toll Free: 800.255.7985
phpdistribution.com

