

LESCO DISTRIBUTING INC.

BUYING GUIDE

2017

Consumer Electronics and Communications Specialists



Featuring **ROSEN** and
and Other Quality Electronics



ECHOMASTER



LESCO DISTRIBUTING

INDEX (Texas Edition)

ADVENT.....S1 - S3	GENSSI.....96	PRV AUDIO.....20 - 22
AMERICAN BASS.....30 - 33	HAMMERHEAD.....132	PYRAMID.....125
APP-TRONICS.....69	HORNBLASTERS.....142-143	QPOWER.....91 - 95
AQUATIC AV.....51	HUSTLER.....126	QUICK CONNECT.....53
ARIES.....135-138	JENSEN.....S8	RACE SPORT.....97
ASTATIC.....131	JVC.....6 - 8	RANGER.....129
AUDIOPIPE.....34 - 39	KINETIK.....89	RENEGADE.....55 - 56
AUTOPAGE.....121-122	MASSIVE.....23 - 29	ROADKING.....129
AVITAL.....118	MECHMAN.....29	ROSEN.....1 - 5
BAZOOKA.....48 - 50	METRA.....99 - 109	ROSTRA.....59 - 68
BELTRONICS.....150	MIDLAND.....146	SCOSCHE.....117
BLUE TIGER.....139	MONKEY MADE.....129	SIRIUS XM.....9
BOSS AUDIO.....47	MOVIES-2-GO.....S3	SOLAR GARD.....98
BOYO.....86 - 87	MYRON&DAVIS.....82 - 83	SOUNDSTREAM.....15 - 19
BRANDMOTION.....70 - 73	NAV-TV.....84 - 85	SPAL.....140-141
COBRA.....151-152	OMEGA.....153-167	STETSOM.....42
CONCEPT.....52 - 53	PAC.....110-113	STINGER.....114-116
CRUX.....124	PARROT.....54	TEMPESTA.....43 - 44
ECHOMASTER.....74 - 81	PLANET AUDIO.....47	TIGER.....S12
ESCORT.....150	POLKAUDIO.....40 - 41	TOP DAWG.....58
DIRECTED.....119-120	POWER ACOUSTIK.....10 - 14	UNIDEN.....147-149
DOSY.....132	POWERBASS.....S9 - S12	VAIS.....123
DUAL.....45 - 46	PRECISION POWER.....57 - 58	WHISTLER.....130
FIRESTIK.....127-128	PREDATOR 10-K.....139	WILSON.....131
FRANCIS.....131	PRESIDENT.....145	WORKMAN/BANDIT.....126
FULL THROTTLE.....90	PRESTIGE.....S4 - S7	XS POWER.....88
GALAXY.....144	PROCOMM.....133-134	

See Our Website for the Latest

Application Guides for ROSEN

ROSEN

Navigation System Fitment Chart

ROSEN

AV7950 Headrest Application Guide

ROSEN

AV7800 Headrest Application Guide

LESCO

800-327-2830 Miami • 800-444-8896 Orlando
 800-348-2888 Indiana • 800-527-2939 Texas



Factory Match Headrest

matching
factory
warranty

AV-8900H-DD*

HEADREST 8" HDMI/DVD ENTERTAINMENT SYSTEM

Features:
 • 8" High-Definition LCD Display • Capacitive Touch Control • Built-in DVD Players • 1080p Digital Media File Playback from USB, SD and External Storage Devices • Dual HDMI Inputs for Smartphones, Amazon Fire TV Stick, Roku Stick, and Gaming Devices • Front AV Input • RCA Input • Dual Headphones • Full Frequency Wireless FM Modulated Audio • Remote Control • Matching Factory Warranty

Also Available:
 AV8900H Exclusively has USB, SD and HDMI Inputs Playback in Digital Signal to Ensure No Loss in Video Image (No DVD)



Factory Match Headrest

matching
factory
warranty

AV-7950H-DD*

HEADREST 7" HDMI/DVD ENTERTAINMENT SYSTEM

Features:
 • 7" High-Definition LCD Display • Capacitive Touch Control • Built-in DVD Player • USB Charging Port • HDMI Input for Smartphones, Amazon Fire TV Stick, Roku Stick, and Gaming Devices • Front AV Input • Dual Headphones • Full Frequency Wireless FM Modulated Audio • Remote Control • Matching Factory Warranty

Also Available:
 AV7950H-DM Single-DVD
 AV7950H-MM Dual Monitor (no HDMI)



Factory Match Headrest

3 year
product
warranty

AV-7200-DD*

HEADREST 7" DVD/CD/MP3 ENTERTAINMENT SYSTEM

Features:
 • 7" High-Definition LCD Display • Built-in DVD Player • Front AV Input • RCA Input • Dual Headphones • Full Frequency Wireless FM Modulated Audio • Remote Control • 3-Year Product Warranty

Also Available:
 AV7200-DM Single-DVD

*Custom Headrests Must be Ordered with Electronics Above



AV7800*

**SEAT BACK ENTERTAINMENT SYSTEMS
DESIGNED EXCLUSIVELY FOR VEHICLES
EQUIPPED WITH ACTIVE HEADREST SYSTEMS**

Features:

- 7" High-Definition LCD Displays • Built-in DVD Players • Includes Video Games • Vehicle-Specific and Universal Mounting Systems • Matching Back Covers for an OE-Look • USB Media Port for Flashdrives • Front AV Input • RCA Input • Dual Headphones • Full Frequency Wireless FM Modulated Audio • Remote Control • Matching Factory Warranty

Also Available: HDMI Add-On Kit: AP-HDMIKIT Available in Chrysler, Jeep, Dodge, BMW and Mercedes Benz applications

Call for vehicle application guide!

**Separate custom hardware and back covers required (upholstered)*



matching
factory
warranty



XR1020 Series

OVERHEAD DVD SYSTEMS

Features:

- 10.2" Widescreen High-Definition LCD Display with Built-In DVD/CD/MP3 Player • Includes Video Games • USB Charging Port • HDMI Input for Smartphones, Amazon Fire TV Stick, Roku Stick, and Gaming Devices • Includes (2) Wireless Fold-Flat Headphones • Selectable IR Transmitter (Channel A or B) • Full Frequency Wireless FM Modulated Audio • Dome Lights with 3-Way Switch (On-Auto-Off) • Remote Control • Matching Factory Warranty

- XR1020G *Gray*
- XR1020N *Neutral*
- XR1020B *Black*



matching
factory
warranty

ZR8500 Series

Features:

- 8.5" Widescreen High-Definition LCD Display with Built-in DVD/CD/MP3 Player • Includes (2) Wireless Fold-Flat Headphones • Full Frequency Wireless FM Modulated Audio • Dome Lights with 3-Way Switch (On-Auto-Off) • Remote Control • Matching Factory Warranty

- ZR8500G *Gray*
- ZR8500N *Neutral*



matching
factory
warranty



Piranha Series



TRUE OEM

PIRANHA SERIES NAVIGATION

Features:

- 6.5" - 7" Hi-Res Touchscreen LCD Display
- Factory-Look Faceplate for True OEM Styling
- Plays DVD/CD/MP3
- 50W x 4 RMS MOSFET Audio Amplifier
- AM/FM Tuner w/RDS + 18FM & 12AM Presets
- SAT Radio Ready
- USB & Micro SD Media Ports
- Made for iPod Interface w/Album Art & Search Functions
- Parrot Bluetooth w/Phonebook Download, Voice-Dialing
- Pandora iPhone Interface w/Album Art
- NavNGo Primo 2.0 Nav Software w/ U.S. Maps, 2D/3D Views
- 11+ Million POI Library, 5-Languages, Lane Assist & Junctions Views, Speed Warnings, Green Routing
- Matching Factory Warranty



Chrysler/Dodge/Jeep Series
PR-CR1210-CA



GM Series
PR-GM1210-CA



2012 - 2015 Nissan Altima
PK-ALT113 •



2012 - 2014 - 1/2 Toyota Camry
PK-CAMR12 •



2012 Honda Civic
PK-CIV112 •



2008 - 2012 Toyota Highlander
PK-HIGH09 •



2012 - 2014 Toyota Prius Two
PK-PRIS12 •



2011 - 2014 Toyota Sienna
PK-SIEN11 •



2018 - 13 Toyota Sequoia / 2007 - 13 Tundra
PK-TUND09 •



2012 - 2015 Honda CR-V
PK-CRV12 •



Toyota / Scion Series
PR-TY1210-CA

* Order **PR-ELEC-CA** to complete kit



PR-UN1370-CA

DOUBLE DIN IN-DASH, MULTIMEDIA NAVIGATION SYSTEM

Features:

- 6.5" High-Definition Touch-Screen LCD Display with Tuning/Volume Knob
- Parrot Bluetooth with Phonebook Download, A2DP, and Internal and External Microphones Included
- Nav-N-Go Primo Software includes Visual and Text-to-Speech, Turn-by-Turn Directions, 11+ Million Points-of-Interest Library, 3D Route and Building Views for Major Cities, 3D Topography Terrain Views, Green Routing Options and Fuel Tracker
- 5-Language Options (English, Spanish, Japanese, Korean, and Chinese)
- Made for iPod/Works with iPhone Interface with Direct Connect USB Input
- Play DVD Movies, Audio CDs or Discs w/MP3 Music Files
- AM/FM Tuner w/RDS, 18-FM/12-AM Presets, Seek-Scan
- SAT Radio Ready
- Micro SD Card Slot
- 10 Function Steering Wheel Control Interface for Non-CanBUS Models
- Programmable On-Screen Quick Command Keys for Source Selection
- 7-User-Selectable Back-Light & Screen Highlight Colors
- 50W x 4 Amplifier
- Built-in Crossover
- DSP with Graphic EQ
- Back-Up Camera Interface
- Smart Dual-Zone Interface
- One Audio/Video Input, One Composite Video and Audio Output, 6-Channel Line Level Output, Subwoofer Output with Amplifier Turn-On
- Software Updates via Rosen Web Site and Micro SD Card
- User Quick Start Guide and Detailed Installation Manual
- Matching Factory Warranty



matching factory warranty



• SAT Radio Ready • Micro SD Card Slot • 10 Function Steering Wheel Control Interface for Non-CanBUS Models • Programmable On-Screen Quick Command Keys for Source Selection • 7-User-Selectable Back-Light & Screen Highlight Colors • 50W x 4 Amplifier • Built-in Crossover • DSP with Graphic EQ • Back-Up Camera Interface • Smart Dual-Zone Interface • One Audio/Video Input, One Composite Video and Audio Output, 6-Channel Line Level Output, Subwoofer Output with Amplifier Turn-On • Software Updates via Rosen Web Site and Micro SD Card • User Quick Start Guide and Detailed Installation Manual • Matching Factory Warranty

FACTORY DISPLAY UPGRADES

DISPLAY INTERFACES FOR GM, FORD, NISSAN & INFINITI

Features:

- Each Easy-to-Install System Includes NavGo Primo Software with 11 Million POI and the Capability to Retain the OEM or Add a Color Back-up Camera
- The GMSERIES 4 & 5 also Includes an HDMI Input for Smartphones
- Systems are Complete Plug-and-Play Modules or may also include a Simple to Install Circuit Board
- On-Screen Launch Buttons for Navigation included
- More FIT Models in Development
- Ask your sales representative for current information and model availability

FACTORY DISPLAY INTERFACES



GM Series 4 & 5
GM 8" Upgrade for 4.2" IntelliLink® Models
DB-GMSERIES4-CA / DB-GMSERIES5-CA



Ford Mustang
FIT-MUST15



GM Series 1
DB-GMSERIES1-CA



GM Series 2
DB-GMSERIES2-CA



GM Series 3
DB-GMSERIES3-CA



Nissan/Infiniti Series
DB-NISSERIESHD-CA



Audio/Video Receivers



KWV620BT

- Double DIN DVD Receiver w/6.2" Touchscreen Monitor and Built-In Bluetooth
- Smartphone Control for Android
- Pandora/iHeartRadio Control for Smartphone
- Spotify Control for Smartphone
- SiriusXM Radio Ready
- HDMI Input
- 4.0V Line and Subwoofer Pre-Out Level
- 3-Pre-Output Terminals (F/R/Sub)
- iDataLink Maestro Ready
- Rear-View Camera Ready
- Wireless Remote Included



KWV330BT

- Double DIN DVD Receiver w/6.8" Touchscreen Monitor and Built-in Bluetooth
- USB 1.5A High Current Charging
- 2-Phones Full-Time Connection
- iHeartRadio
- Works with Pandora
- Spotify
- Siri Eyes Free
- K2 Technology
- SiriusXM Ready
- iDataLink Maestro Ready
- Variable Color Illumination
- Rear USB Port
- Rear-View Camera Input
- Rear A/V Input (3.5mm mini)
- Rear A/V Output



KWV420BT

- Double DIN Motorized 7" Touchscreen Monitor Receiver with DVD
- Built-in Bluetooth
- Pandora Control for Apple and Android Devices
- Compatible with Apple iPhone 6/6+ and iOS 8 Software
- iDataLink Maestro Compatible
- Compatible with SiriusXM Satellite Radio Tuner
- Rear Auxiliary Input
- Rear USB Input
- 4-Volt 6-Channel Pre-amp Outputs



KWV130BT

- Double DIN DVD Receiver w/6.2" Touchscreen Monitor and Built-in Bluetooth
- USB 1.5A High Current Charging
- 2-Phones Full-Time Connection
- iHeartRadio
- Works with Pandora
- Spotify
- Siri Eyes Free
- K2 Technology
- SiriusXM Ready
- Front USB Port
- Rear A/V Input (3.5mm mini)
- Rear A/V Output
- Rear-View Camera Input

Digital Media Receivers



KDAV31

- Single DIN DVD/CD/USB Receiver with 3" QVGA Monitor
- Media Playback: MP3/WMA/MPEG 1 & 2/JPEG
- 2-Band EQ (Treble/Bass)
- 8-Preset EQ
- 2.5V Line Pre-Output Level
- 1-Pre-Output Terminal
- Steering Wheel Remote Ready
- Rearview Camera Ready (Dedicated Terminal)
- Wireless Remote (Equipped)



KDX340BTS

- Single DIN Receiver w/2-Line Display
- Variable Color Illumination
- Built-in Bluetooth
- Front USB Port
- USB 1.5A Charging
- 2-Phones Full-Time Connection
- Works with Pandora
- iHeartRadio
- K2 Technology
- Siri Eyes Free
- SiriusXM Ready
- Rear A/V Input (3.5mm mini)
- Rear A/V Output
- Rear-View Camera Input



Double DIN CD Receiver

KWR920BTS

- Double DIN CD Receiver • Built-in Bluetooth for Hands-Free Calling and Audio Streaming • Pandora and iHeartRadio Internet Radio Control with iPhone and Android
- Compatible with SiriusXM Satellite Radio Tuner • Front Auxiliary and USB Input • 4V 4-Channel Preamp Outputs
- Remote Control Included



Single DIN CD Receivers



KDRD98BTS

- Single DIN CD Receiver with 2-Line Display and Built-in Bluetooth • Front USB/AUX Input • 2 Phones Full-Time Connection • Variable Color Illumination • Detachable Face Panel • Works w/Pandora • iHeartRadio • Siri Eyes Free • K2 Technology • USB 1.5A Charging • SiriusXM Ready • Steering Remote Ready • 4.0V 2-Pre-Output Terminals (F/R/Sub)



KDRD88BT

- Single DIN CD Receiver with 2-Line Display and Built-in Bluetooth • Front USB/AUX Input • 2 Phones Full-Time Connection • Detachable Face Panel • Works w/Pandora • iHeartRadio • Siri Eyes Free • K2 Technology • USB 1.5A Charging • Steering Remote Ready • 4.0V 2-Pre-Output Terminals (F/R/Sub)



KDR680S

- Single DIN CD Receiver w/2-Line Display • Variable Color Illumination • Detachable Face Panel • Front USB/AUX Input • USB 1.0A Charging • Android Music Playback via USB • Pandora/iHeartRadio Control for Smartphone • 2.5V Pre-Output Terminals (R/Sub) • Steering Remote Ready
- Remote Control



KDR480

- Single DIN CD Receiver w/2-Line Display • Detachable Face Panel • Front USB/AUX Input • USB 1.0A Charging • Steering Remote Ready • 2.5V Pre-Output Terminals (R Sub) • Android Music Playback via USB • Remote Control



KDR370

- Single DIN CD Receiver w/Detachable Faceplate
- Front Auxiliary Input • Pre-Out Terminals (F/R/Sub)
- Spanish Menu



Marine/MotorSports



KDR97MBS
 • Single DIN CD Receiver with Detachable Face • Built-in Bluetooth • Front USB Input with 1.5A Charging • Front AUX Input • Siri-Eyes Free • 2-Phone Connection • Auto Pairing for iPhone/Android • Apple iTunes Radio/Pandora iHeartRadio Control • SiriusXM Ready • 4.0v Pre-Output Terminals (F/R/Sub) • Detachable Face Panel



KDX33MBS
 • Single DIN Mechless/Receiver for Jeep, Powersports, or Marine Applications • Built-in Bluetooth • Front Auxiliary Input • Front USB Input • Conformal Coated Circuit Board for Water Resistance • Detachable Face • 4V 6-Channel Preamp Outputs • Marine-Rated • Drive Change Mode for Mass Storage Devices • Remote Control Included



CSDR6200M – Black
 • 6.5" 2-Way Coaxial Speakers • Waterproof Carbon Mica Cone Woofer • Weatherproof Rubber Surround • Waterproof PP Cone • 1" Poly-Ether Imide Balanced Tweeter • 50 Watts RMS/150 Watts Peak • 4Ω Impedance • 8.1oz. Ferrite Magnet



CSDR6200MW – White
 • 6.5" 2-Way Coaxial Speakers • Waterproof Carbon Mica Cone Woofer • Weatherproof Rubber Surround • Waterproof PP Cone • 1" Poly-Ether Imide Balanced Tweeter • 50 Watts RMS/150 Watts Peak • 4Ω Impedance • 8.1oz. Ferrite Magnet

drvn Series Coaxial Speakers

• Carbon Mica Woofer • Cloth and Rubber Hybrid Surround • 4 ohm Impedance

Model	Size	RMS/Peak Watts	Tweeter
CSDR6940	4-Way 6 x 9"	90W/550W	Dome PEI
CSDR6930	3-Way 6 x 9"	70W/500W	Dome PEI
CSDR6820	2-Way 6 x 8"	45W/300W	Dome PEI
CSV4627	2-Way 4 x 6"	20W/140W	Dome PEI
CSDR620	2-Way 6.5"	50W/300W	Dome PEI
CSDR420	2-Way 4"	35W/220W	Dome PEI
CSDR520	2-Way 5.25"	40W/260W	Dome PEI





LESCO

DISTRIBUTING



COMMANDER TOUCH – SiriusXM thru Vehicle's Audio System

- Compact Color Touchscreen Controller Mounts Directly to your Dash (tuner hides discreetly)
- Full-Color Display w/Album Art/Artist Name Song Title/Channel Logos and Program Information
- Pause/Rewind & Replay Live Satellite Radio
- Use TuneMix™ to Hear a Mix of Songs from your Favorite Channels
- Keep Moving with the Most Current Updates using Traffic & Weather Now™
- Connects to Any Radio with either an AUX Input or FM Connection
- Can be Updated by a USB Flash Drive (not included) to add New Features and Capabilities as they become Available



SXV300V1 – SiriusXM Connect Vehicle Tuner

- Connect and Control SiriusXM Radio with Single Interface Cable Connection
- Works w/Receivers that are SiriusXM Radio Ready
- Pause/Rewind and Replay up to 60 Min of Live Satellite Radio Broadcasts
- iTunes Tagging w/iPod Connected
- Package includes Hide-away Tuner and Magnetic Antenna (subscription sold separately by SiriusXM)



XEZ1V1 – Onyx EZ Dock & Play Radio w/Vehicle Kit

- Hear SiriusXM thru your Existing Vehicle Radio with Easy, Do-it-yourself Installation
- One-Touch Jump™ to Traffic and Weather
- Optimize Power Connect™ Performance
- Includes PowerConnect™ Vehicle Kit
- Listen at Home, the Office, Outdoors or in Additional Vehicles – all with just One Subscription
- Works on the Sirius Network



SXPL1V1 – Onyx Dock & Play SAT Radio w/Vehicle Kit

- Full Color Album Art while you Listen
- Dock-'n-Play SiriusXM Satellite Radio with Xtra Channels (20 plus channels)
- Start Songs from Beginning with TuneStart™
- Create your own Music Channel with TuneMix™
- Pause Rewind, and Replay
- Docking Station/Roof-Mount Antenna/ Dash Mount Vent Mount/AUX Cable & Power Adapter Included



SXDV3

- Listen to your Dock-'n-Play Radio through your Vehicle Stereo
- Move your Dock-'n-Play Radio from another location to listen in your Vehicle with One Subscription
- Hear SiriusXM through your Existing Vehicle Stereo with Easy Do-it-yourself Installation
- Compatible with SiriusXM, XM and Sirius Dock & Play Radios working on either the XM or Sirius Network



SSV7V1 – Dock & Play Radio

- Hear SiriusXM thru your Existing Vehicle Radio with Easy, Do-it-yourself Installation
- One-Touch Jump™ to Traffic and Weather
- Optimize Power Connect™ Performance
- Includes PowerConnect™ Vehicle Kit
- Listen at Home, the Office, Outdoors or in Additional Vehicles – all with just One Subscription
- Works on the Sirius Network



FMDA25 – SIRIUS® Wired FM Relay Kit

- FM Direct SIRIUS Adapter
- Compatible with all SIRIUS Plug-'n-Play Radios
- Directly Connects to the FM Out Signal from the Plug & Play Unit's Internal FM Modulator to Head Unit FM Antenna Connection
- Internal Relay Switches between SIRIUS Operation when Plug and Play Radio is Powered On and AM/FM Pass-through Operation when Plug and Play Radio is Powered Off



SXDH3 – Home Kit

- Move your Dock-'n-Play Radio from Another Location to listen in your Home or Office with One Subscription
- Works with any Stereo System or set of Powered Speakers that have Audio Input Jacks
- Compatible with SiriusXM, XM and Sirius Dock-'n-Play Radios working on either the XM or Sirius Network



XMARINE – XM and SIRIUS

- Marine Antenna with Water-Proof Sealed Housing
- Suited for High Vibration, Salt Water Environment
- For use w/Single Input Receivers
- Fits Standard 1"-14 Thread Marine Mount Brackets
- 25' Cable is Included

SIRMARINE – SIRIUS Only



NGVA1

- Compact Low-Profile Magnetic-Mount Antenna for Satellite Radio Vehicle Docks
- Magnetic Base
- Rubber Feet
- Installs Unobtrusively on Vehicle's Roof or Trunk
- 23' Cable
- Works with all Satellite Radio Docks (Single-Input Antenna Connector)

– Call for Additional Models –

Source Units



2-Way
MHL

GPS
Navigation &
Bluetooth

PDN-621HB

- Double DIN 6.2" LCD Receiver w/GPS Navigation
- MHL Mobile Link X2 • Complete Control of your Smartphones & Tablets • Built-in Bluetooth • Playback from DVD/CD of MP3/MP4 and from 64GB SD/USB of MP3/MP4 • AUX Audio Input • Front and Rear Preamp Audio Outputs • Video Output • USB Input • Rear View Camera Input



GPS
Navigation &
Bluetooth

PDN-626B

- Double DIN 6.2" LCD Receiver w/GPS Navigation
- Bluetooth v3.0 • A2DP Wireless MP3 Audio Playback from Enabled Device • Playback from DVD CD of MP3/MP4 and from 64GB SD/USB of MP3 MP4 • AUX Audio Input • Front and Rear Preamp Audio Outputs • Variable Subwoofer Preamp Output • Video Output • Rear View Camera Input



GPS
Navigation &
Bluetooth

PDN-726B

- Single DIN 7" LCD Receiver with GPS Navigation
- Bluetooth v3.0 • A2DP Wireless MP3 Audio Playback from Enabled Device • Playback from DVD CD of MP3/MP4 and from 64GB SD/USB of MP3 MP4 • AUX Audio Input • Front and Rear Preamp Audio Outputs • Variable Subwoofer Preamp Output • Video Output • Rear View Camera Input



with
Bluetooth

PD-621XB

- Double DIN 6.2" LCD Receiver w/DVD • Built-in Bluetooth • A2DP Wireless MP3 Audio Playback from Enabled Devices • Sirius/XM Ready • USB Input w/Adaptive Fast Charging • Playback from DVD CD of MP3/MP4 and from 64GB SD/USB of MP3/MP4 • Front & Rear Preamp Audio Outputs • Auxiliary Audio Input • Video Output • Rear View Camera Input



2-Way
MHL

Mobile
LinkX2

PD-62H2B

- Double DIN 6.2" LCD Receiver with MHL Mobile Link X2 • Complete Integration of Select Android Enabled Devices • Bluetooth v3.0 • A2DP Wireless MP3 Audio Playback from Enabled Devices • Playback from DVD/CD of MP3/MP4 and from 64GB SD/USB of MP3/MP4 • AUX Audio Input • Front and Rear Preamp Audio Outputs • Video Output • Rear View Camera Input



2-Way
MHL

Mobile
LinkX2

PD-72H2B

- Single DIN Motorized 7" LCD Receiver with MHL MobileLink X2 • Complete Integration of Select Android Enabled Devices • Bluetooth v3.0 • A2DP Wireless MP3 Audio Playback from Enabled Devices • Playback from DVD/CD of MP3/MP4 & from 64GB SD/USB of MP3/MP4 • AUX Audio Input • Front and Rear Preamp Audio Outputs • Video Output • Rear View Camera Input



MHL

Mobile
LinkX1

PD-624HB

- Double DIN 6.2" LCD Receiver with MHL Mobile-Link X1 • Bluetooth v3.0 • On-Screen Mirroring of Select Android Smart Devices • A2DP Wireless MP3 Audio Playback from Enabled Devices • Playback from DVD/CD of MP3/MP4 and from 32GB SD/USB of MP3/MP4 • AUX Audio Input • RCA A/V Input • Front & Rear Preamp Audio Outputs • Video Output • Rear View Camera Input



MHL

Mobile
LinkX1

PD-724HB

- Single DIN 7" LCD Receiver w/MHL MobileLink X1
- Bluetooth v3.0 • On-Screen Mirroring of Select Android Smart Devices • A2DP Wireless MP3 Audio Playback from Enabled Devices • Playback from DVD/CD of MP3/MP4 & from 64GB SD/USB of MP3/MP4 • AUX Audio Input • RCA A/V Input • Front & Rear Preamp Audio Outputs • Video Output • Rear View Camera Input



with
Bluetooth

PD-624B

- Double DIN 6.2" LCD Receiver • Built-in Bluetooth
- Playback from DVD/CD of MP3/MP4 • Playback from 64GB SD/USB of MP3/MP4 • Front & Rear Preamp Audio Outputs • AUX Audio Input • Video Output • Accepts Fahrenheit OEM & Steering Wheel Control Interface • Rear View Camera Input



with
Bluetooth

PD-724B

- Single DIN Motorized 4.5" LCD Receiver w/Built-in Bluetooth
- A2DP Wireless MP3 Audio Playback from Enabled Devices
- Playback from DVD/CD of MP3/MP4 and from 32GB SD/USB of MP3/MP4 • AUX Audio Input • Front and Rear Preamp Audio Outputs • Variable Subwoofer Preamp Output • Video Output • Rear View Camera Input with Trigger



with
Bluetooth

PD-454B

- Single DIN 4.5" LCD Receiver w/Detachable Face
- Bluetooth v3.0 • A2DP Wireless MP3 Audio Playback from Enabled Devices • Playback from DVD CD of MP3/MP4 and from 32GB SD/USB of MP3 MP4 • AUX Audio Input • Front and Rear Preamp Audio Outputs • Variable Subwoofer Preamp Output • Video Output • Rear View Camera Input



Source Units



with Bluetooth

- PD-930B**
- Single DIN Motorized Detachable 9.3" LCD Touchscreen Receiver • Bluetooth v2.0 • A2DP Wireless MP3 Audio Playback from Enabled Devices • Playback from DVD/CD of MP3/MP4 and 32GB SD/USB of MP3/MP4 • AUX A/V Input • Front & Rear Preamp Audio Outputs • Video Output • Rearview Camera Input



NEW

with Bluetooth

- PCD-52B**
- Double DIN CD/MP3/AM/FM Receiver w/SD/USB Playback w/Bluetooth • Playback from 32GB USB of MP3 & WMA • Playback from CD/CDR/CDRW of MP3/WMA • AUX Audio Input • Front & Rear Pre-Amp Output • Remote Control and Faceplate Carry Case Included



with Bluetooth

- PCD-51B**
- Single DIN CD/MP3 Player AM/FM Receiver with SD/USB Playback • Built-in Bluetooth • Playback from 32GB USB of MP3/WMA • Playback from CD CDR/CDRW of MP3/WMA • Auxiliary Audio Input • Front/Rear Preamp Output • Remote Control and Detachable Faceplate w/Carry Case Included



NEW

with Bluetooth

- PD-651B**
- Double DIN Multimedia Receiver with 6.5" LCD Touchscreen • Bluetooth v2.0 • A2DP Wireless MP3 Audio Playback from Enabled Device • Playback from DVD/CD of MP3/MP4 and from 32GB SD/USB of MP3/MP4 • AUX A/V Input • Front and Rear Preamp Audio Outputs • Dual Zone for Rear Seat • Video Output • Rear View Camera Input



with Bluetooth

- PTID-8920B**
- Single DIN Motorized 7" LCD Touchscreen Receiver • Bluetooth v2.0 • Detachable Faceplate • A2DP Wireless MP3 Audio Playback from Enabled Devices • Playback from DVD/CD of MP3/MP4 and from 32GB SD/USB of MP3/MP4 • Auxiliary A/V Input • Front & Rear Preamp Audio Outputs • Video Output • Rear View Camera Input



with Bluetooth

- PD-710B**
- Single DIN Multimedia Receiver with 7" LCD Touchscreen • Bluetooth v2.0 • A2DP Wireless MP3 Audio Playback from Enabled Device • Playback from DVD/CD of MP3/MP4 & 32GB SD/USB of MP3/MP4 • AUX A/V Input • Front & Rear Preamp Audio Outputs • Video Output • Rearview Camera Input



with Bluetooth

- PD-344B**
- Single DIN Detachable 3.4" LCD Display • Bluetooth v2.0 • A2DP MP3 Audio Playback from Enabled Device • Playback from DVD/CD of MP3 MP4 and from 32GB SD/USB of MP3/MP4 • AUX A/V Input • Front & Rear Preamp Audio Outputs • Video Output • Rearview Camera Input



- PADVD-390**
- Single DIN DVD Player • Playback from DVDR/RW of MP4 & from 32GB USB of MP4 • Flash Memory for Last Position Recall • In-Dash/Floor & Vertical Mounting Brackets Included • DIN Size Trim Ring for In-Dash Mounting Included • Remote Control & IR Repeater Included • OSD On Screen Display • Digital Anti-shock • A/V Preamp Outputs (2v)

Tweeters



- NB-1**
- 2-Way Mount Tweeter • Built-In Crossover • 100 Watts RMS/200 Watts Peak • Niobium Rare Earth Ferroelectric Transducer Magnet • Surface/Angle Mount



- NB-2**
- 3-Way Mount Tweeter • Niobium Rare Earth Ferroelectric Transducer Magnet • Built-In Crossover • 100 Watts RMS/200 Watts Peak • Surface/Angle Mount



- NX-5**
- Bullet Tweeter • Titanium Diaphragm • Cast Aluminum Frame • 1.25" High Temperature Voice Coil • Heavy Stamped Steel Basket • High Strength Magnet • 200 Watts • 4 ohms



POWER ACOUSTIK®

Ceiling Mount Flip-Down Monitors

MHL

PMD-143H

- Ceiling Mount DVD Entertainment System w/Hi-Definition 14.3" LCD & MobileLink MHL Input • Playback from 32GB SD Card or USB of 720p MP4 • FM Stereo Transmitter
- Wireless Infrared Transmitter • Interchangeable Color Skins (Beige/Black/Grey) • RCA A/V In/Out



PMD-112

- Ceiling Mount 11.2" Swivel LCD/DVD Player
- FM Stereo Transmitter
- Wireless IR Transmitter
- 3-Interchangeable Color Skins (Beige/Black/Grey)
- Color Matched Trim Ring for Sculptured Ceiling
- AUX A/V Input • A/V Output • LED Dome Light
- NTSC/PAL Auto Selection



PMD-104X

- Ceiling Mount 10.3" Hi-Res LCD Wide Screen w/DVD • 3 Interchangeable Color Skins (Beige/Black/Grey) • Playback from 32GB SD Card/USB/DVDR/RW
- IR FM Stereo Transmitters
- Rear Panel RCA Audio/Video Input



PMD-102X

- Ceiling Mount DVD w/10.2" Widescreen High-Definition LCD
- DVDR/RW/CDR/RW/16GB SD Card/USB of MP3/MP4 DivX Playback
- 3 Interchangeable Color Skins • Single Channel Wireless IR Transmitter • FM Stereo Transmitter
- AUX Audio/Video Input • Audio/Video Output



PT-110CM

- 11.2" (16:9) Ceiling Mount Swivel Monitor
- 3-Snap-on Color Skins: Gray/Black/Beige • IR Transmitter • Dual A/V Inputs • Color Matched Trim Rings for Sculptured Ceilings Included
- Built-in Dome Lights • NTSC/PAL Auto Selection



PMD-90

- Ceiling Mount 9" Swivel LCD/DVD Player • Playback from DVDR/RW of 720p MP4 & from 32GB SD/USB of 720p MP4 • 3-Interchangeable Color Skins (Beige/Black/Grey)
- Color Matched Trim-Ring for Sculptured Ceiling
- AUX A/V Input • A/V Output • LED Dome Light



Universal Replacement Headrests

PHAD-7

- Universal Headrest Mount Front Loading DVD Player w/7" LCD
- 32GB USB & SD Card Readers
- 3-Changeable Colors Skins (Grey/Beige/Black) • IR and FM Transmitters • AUX A/V Input • RCA A/V Input/Output
- Headphone Output • Pole Width Adjustment & Locking Pole Adapters



HDVD-94T

- Universal Replacement Headrest with DVD Player and 9" Touchscreen LCD
- Headrest Tilts Forward and Backwards
- 3-Changeable Color Skins (Grey/Beige/Black) • Playback from DVDR/RW of 720p MP4 • Playback from 32GB SD Card or USB of MP4 • Wireless IR Transmitter • FM Stereo Transmitter • AUX A/V Input • RCA A/V Input/Output • Headphone Output • Pole Width Adjustment and Locking Pole Adapters



HDVD-94 – As above no Touchscreen Feature

HDVD-91CC

- 9" LCD Widescreen (16:9) Universal Headrest w/Front Loading DVD Player
- 3 Sets Interchangeable Snap-on Color Skins (Grey/Beige/Black) • SDHC Card Reader • USB 2.0 Port • 3.5mm AUX Audio Input • FM and Dual Channel Wireless Infrared Transmitters • Audio Video RCA Input • Pole Width Adjustment and Locking Pole Adapters



H-91CC – As above no DVD

HDVD-71CC – w/7" LCD and DVD **H-71CC** – as 7" LCD no DVD



POWER ACOUSTIK®

Monitors



PT-712IRA

- 7" (16:9) Low Reflection TFT/LCD Monitor • Selectable Aspect Modes
- Ultra Bright LED Backlighting • Dual Channel Infrared Transmitter
- 2 Auxiliary Audio/Video Inputs • Wired Headphone Output • Dimmer Control • Remote Control Included • NTSC/PAL Selection



PT-700MHR

- 7" (16:9) Amorphous Active Matrix TFT/LCD Headrest Monitor • Ultra Bright LED Backlighting • Selectable Aspect Modes • Sculptured Trim Ring Included • Single Video Input • NTSC/PAL Selection • Remote Control Included

BAMF Class A/B Full Range Amplifiers

- MOSFET Power Supply w/ Audiophile Grade IR Transistors • Military Grade SMT PCB • Die-Cast Aluminum Alloy Heatsink • Variable High/Low Pass and Subsonic Crossovers • Bass Boost • Direct Short/Thermal and Overload Circuit Protection • Low Level RCA Inputs • Angled Wire Terminals




Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω RMS	Max Power	Remote Gain
BAMF4-1200	4	75W x 4	150W x 4	300W x 2	1200W	-
BAMF4-1800	4	110W x 4	225W x 4	450W x 2	1600W	-
BAMF5-2500	5	50W x 4 + 425 x 1	100W x 4 + 850 x 1	200W x 2 + 850 x 1-2Ω	2500W	Yes

Class D Monoblock Amplifiers

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω RMS	Max Power	Remote Gain
BAMF1-3000D	1	700W x 1	1000W x 1	1500W x 1-1Ω	3000W	Yes
BAMF1-5000D	1	1100W x 1	1700W x 1	2500W x 1-1Ω	5000W	Yes
BAMF1-8000D	1	1800W x 1	2700W x 1	4000W x 1-1Ω	8000W	Yes

EDGE Class A/B Full Range Amplifiers

- Military Grade PCB w/ PWM MOSFET Power Supply • Variable High/Low Pass Crossovers
- Bass Boost • Direct Short/Thermal and Overload Circuit Protection • Low Level RCA Input
- High/Speaker Level and Low Level/RCA Input



Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω RMS	Max Power	Remote Gain
EG2-1400	2	175W x 2	350W x 2	700W x 1	1400W	-
EG4-1000	4	65W x 4	125W x 4	250W x 2	1000W	-
EG4-1500	4	95W x 4	185W x 4	370W x 2	1500W	-
EG5-2800	5	80W x 4 + 380 x 1	160W x 4 + 760 x 1	200W x 2 + 850 x 1(2Ω)	2800W	Yes

Class D Monoblock Amplifiers

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω RMS	Max Power	Remote Gain
EG1-2500D	1	400W x 1	800W x 1	1250W x 1-1Ω	2500W	Yes
EG1-4500D	1	750W x 1	1500W x 1	2250W x 1-1Ω	4500W	Yes
EG1-7000D	1	1100W x 1	2300W x 1	3500W x 1-1Ω	7000W	Yes
EG1-10000D	1	5000W x 1(0.5Ω)	3300W x 1(0.5Ω)	5000W x 1(0.5Ω)	10000W	Yes



POWER ACOUSTIK®

Razor Class D Full Range Amplifiers



- Mosfet PWM Power Supply • Small Compact 4.75" Wide Chassis • High Pass Low Pass Crossover • Low Level Input Sensitivity • High Level Input • Dash Mount Remote Gain Control Included

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
RZ2-1300D	2	185W x 2	270W x 2	540W x 1	1300W	Yes
RZ4-1200D	4	100W x 4	150W x 4	300W x 2	1200W	-
RZ4-2000D	4	190W x 4	250W x 4	500W x 2	2000W	-
RZ4-3000D	4	285W x 4	375W x 4	750W x 2	3000W	-
RZ5-2500D	5	100W x 4 + 400 x 1	150W x 4 + 600 x 1	300W x 2 + 600 x 1	2100W	Yes
RZ1-2300D	1	900W x 1	1400W x 1	-	2300W	Yes
RZ1-3500D	1	900W x 1	1400W x 1	2100W x 1	3500W	Yes

Blade Class D Full Range Amplifiers



- Mosfet Power Supply w/Audiophile Grade IRTM Transistors • Compact 5" Chassis Design • Hybrid Aluminum Alloy Diecast Heatsink • Hi-Pass or Low Pass X-overs • Direct Short Thermal/Overload Circuit Protection • Low Level RCA Inputs

Model	Chs/Class	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
BLADE4-1200D	4	100W x 4	150W x 1	300W x 2	1200W	-
BLADE1-1200D	1	400W x 1	600W x 1	-	1200W	Yes

Mofu Subwoofers

- Non-Pressed Pulp Cone • Polyether Foam Surround • Die-Cast Aluminum Frame
- Royal Blue Finish with Diamond Cut Accents • Vented Pole Piece • Nickel Plated 8-gauge Compression Wire Terminals



Model	Size	Power Max/RMS	Impedance
MOFO-122X	12"	2700 Watts/1500 Watts	Dual 2Ω
MOFO-124X	12"	2700 Watts/1500 Watts	Dual 4Ω
MOFO-154X	15"	3000 Watts/1700 Watts	Dual 4Ω

EDGE Coaxial Speakers & Component System

- Carbon Fiber Injection Molded Polypropylene Cone • Treated Woven Cloth Surround
- 1" Voice Coil on Aluminum Former • 4-ohm Impedance • 1" Balanced Dome Mylar Tweeter
- Quick Disconnect Terminals



Model	Description	Max Power
EF-60C	6.5" Component/1" Flush Mount Dome Tweeter/Grille Included	500 Watts
EF-694	6 x 9" 4-Way/2" Balanced Dome Mylar Midrange	800 Watts
EF-573	5 x 7" 3-Way/1" Balanced Dome Mylar Tweeter	500 Watts
EF-653	6.5" 3-Way/1" Balanced Dome Mylar Tweeter	400 Watts
EF-52	5.25" 2-Way Yes/1" Balanced Dome Mylar Tweeter	300 Watts
EF-42	4" 2-Way/1" Balanced Dome Mylar Tweeter	250 Watts



Tarantula Electro Full Range Amplifiers



- 2Ω Stereo & 4Ω Bridged Full Range Operation • 2Ω Minimum Impedance Monoblock Operation • Multi-color RGB LED Illumination Accent Lighting
- Solid Color/Flashing/Random or Slow-Motion Color Change • Mosfet Power Supply with Audiophile Grade IR™ Transistors • High and Low Level RCA Input • Variable High, Low Pass and Subsonic Crossovers • Direct Short, Thermal, Overload Circuits Protect Amplifier

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω RMS	Max Power	Remote Gain
T4.1500L	4	120W x 4	180W x 4	360W x 2	1500W	-
T5.2500DL	5	75W x 4 + 325W x 1	125W x 4 + 500W x 1	250Wx2 + 750Wx1(1Ω)	2500W	-
T1.4000DL	1	700W x 1	1300W x 1	-	4000W	Yes
T1.6000DL	1	800W x 1	1400W x 1	2500 x 1(1Ω)	6000W	Yes

Rubicon Nano Full Range Amplifiers



- High Efficiency Class D Full Range Amplifiers • Hybrid Aluminum Alloy Heatsink • Mosfet Power Supply with Audiophile Grade IR™ Transistors • Low Level RCA or High Level Signal Input • Quick Disconnect High Level Wire Harness Included
- Variable High, Low Pass, and Subsonic Crossovers • 4g Power Inout Terminals & 12g Speaker Output Terminals • Direct Short, Thermal, Overload Circuits Protect Amplifier

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω RMS	Max Power	Remote Gain
RN4.1400D	4	125W x 4	175W x 4	350W x 2	1400W	-
RN5.2000D	5	75W x 4 + 500W x 1	100W x 4 + 400W x 1	200Wx2 + 600Wx1(1Ω)	2000W	Yes
RN1.2000D	1	400W x 1	600W x 1	1000W x 1	2000W	Yes
RN1.3000D	1	600W x 1	900W x 1	1500W x 1	1000W	Yes
RN1.5000D	1	1000W x 1	1500W x 1	2500W x 1	5000W	Yes

Stealth Full Range Amplifiers



- High Efficiency Class D Full Range Amplifiers • Hybrid Aluminum Alloy Heatsink • Mosfet Power Supply w/Audiophile Grade IR™ Transistors • High Level or Low Level RCA Input • Quick Disconnect RCA/High Level Wire Harness • Variable High Low Pass, and Subsonic Crossovers • Quick Disconnect Power and Speaker Output Harness Output Terminals • Direct Short, Thermal, Overload Circuits Protect Amplifier

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω RMS	Max Power	Remote Gain
ST1-700D	1	250W x 1	350W x 1	-	700W	Yes
ST4-1000D	4	90W x 4	125W x 4	250W x 2	1000W	-
ST4.1000DB*	4	90W x 4	125W x 4	250W x 2	1000W	-
ST5.1600D	5	65W x 4 + 200W x 1	110W x 4 + 360W x 1	220W x 2 + 360W x 1	1600W	-

*with Built-in Bluetooth

Authorized Dealers Only

– Call your Sales-Rep for Details –

– Territory Restrictions –



Picasso Nano Full Range Amplifiers

- Class D Full Range Amplifier • Mosfet PWM Power Supply • Small Compact 4.75" Wide Chassis • Low Level Input Sensitivity • High Level Input



Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
PN4.520D	4	100W x 4	130W x 4	260W x 2	-	-
PN1.650D	1	400W x 1	650W x 1	-	-	Yes
PN2.350D	2	115W x 2	175W x 2	350W x 1	-	-
PN5.640D	5	60W x 4 + 200W x 1	80W x 4 + 350W x 1	160W x 2 + 350W x 1	-	Yes
PN4.1000D	4	140W x 4	250W x 4	500W x 2	-	-
PN1.1000D	1	350W x 1	600W x 1	1000W x 1 (1Ω)	-	Yes

Picasso Full Range Amplifiers

- Class A/B Full Range Amplifiers (D Mono) • Military Grade PCB w/PWM Mosfet Power Supply • Hi-Level Input with Signal Sense Auto Turn-on • Variable Hi-Pass Low Pass Subsonic Crossovers • Direct Short/Thermal Overload Circuit Protection



Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
PA4.700	4	45W x 4	84W x 2	175W x 2	-	-
P4.500	4	80W x 4	125W x 4	250W x 2	-	-
PA5.1600	5	70W x 4/180W x 1	125W x 4/300W x 1	250W x 2/300W x 1	-	Yes
PA1.3500D	1	750W x 1	1000W x 1	1750W x 1(1Ω)	-	Yes
PA1.5000D	1	1100W x 1	1750W x 1	2500W x 1(1Ω)	-	Yes
PA1.6000D	1	1400W x 1	2000W x 1	3000W x 1(1Ω)	-	Yes

X3 Amplifiers

- 1-ohm Stable Class D Competition Amplifiers • Non-Regulated Mosfet Power Supply • Monoblocks Strapable with 2 ohm Load • High/Low Pass Crossovers
- Variable Bass Boost • 0 gauge Input and 8 gauge Output Terminals



Model	Channels	4Ω RMS (14.4v)	2Ω RMS (14.4v)	1Ω RMS (14.4v)	Remote Gain
X3.2K4	4	250W x 4	400W x 1	400W x 1	Yes
X3.71	1	1750W x 1	3240W x 1	4450W x 1	Yes

Tarantula Subwoofers

- Non-Transfer Spruce Pulp Cone w/UV & Chemical Protection • Extended Excursion Polyether Foam Surround • Vented T-Yoke and Frame • Stitched & Glued Surround
- 3" 4-Layer Voice Coil • Non-Magnetic/Non Resonate Die-Cast Aluminum Frame



Model	Size	RMS/Max	Voice Coil Configuration
T5.122	12"	1000W/2000W	3" DVC 2 ohms
T5.152	15"	1300W/2600W	3" DVC 2 ohms

Authorized Dealers Only
 – Call your Sales-Rep for Details –
 – Territory Restrictions –



LESCO

D I S T R I B U T I N G

SOUNDSTREAM

Stealth-13 Subwoofer

STEALTH-13

- 13" Shallow Mount Subwoofer • Solid Aluminum Cone • Proprietary Cast Aluminum Basket • 200 Watts RMS/400 Watts Max • Semi-Circular Frame Venting • 5" Single 4 ohm Voice Coil • 2" Mounting Depth



Rubicon Subwoofers

- Closed Cell Polyurethane Surround • Overcast Stitched Cone Assembly • Back Plate and T-Yoke Venting • 100% OFC 4-Layer Voice Coil

Model	Size	RMS/Max	Voice Coil Configuration
RUB.104	10"	450W/900W	2" DVC 4 ohm
RUB.124	12"	500W/1000W	2" DVC 4 ohm
RUB.154	15"	550W/1100W	2" DVC 4 ohm



Picasso Subwoofers

- Injection Molded Polypropylene Cone • Overcast Stitched Cones • NBR Rubber Surround • Embossed Dust Cap • Frame Voice Coil Venting • Vented T-Yoke & Back Plate

Model	Size	RMS/Max	Voice Coil Configuration
PCO.8	8"	450W/900W	2" SVC 4 ohm
PCO.10	10"	300W/600W	2" SVC 4 ohm
PCO.12D4	12"	350W/700W	2" DVC 4 ohm



Enclosure w/Amplifier

USB-8A

- 8" Preloaded Under Seat Enclosure with 150 Watt Amplifier Built-in • Variable Low Pass Crossover • 180° Phase Switch • Variable Bass Boost • Remote Gain Control Included



Tweeters

TWS.1

- 1" Soft Dome Tweeter • Tri-Mounting: Flush/Surface and Surface Angle • Rated Input Power: 110 Watts • Impedance: 4 ohm • 12dB/Octave Passive Crossover Included • Ferrofluid Cooled



TWS.3N

- 1" PEI Dome Tweeter • Impedance: 4 ohm • Adjustable Eyeball Design • 12 dB In-Line Crossover Network • Tri-Mounting: Flush/Surface/Surface Angle • Rated Input Power: 110W



TWS.4

- Tantalum 2-way Mount Tweeter • Polished Aluminum Housing • 12 dB In-Line Crossover Network • Rated Input Power: 110 Watts • Impedance: 4 ohm



Authorized Dealers Only
 – Call your Sales-Rep for Details –
 – Territory Restrictions –

Digital Bass Processors



BX-221

- Hi-Tolerance SMD Technology • Parametric Bass Equalizer • Variable PWM Subsonic Filter • Low Level RCA Input/Output • 13.5v Maximum Output Level • Optional Remote Turn-On Input



BX-20Z

- PWM Hi-Head Room Power Supply • Max. Bass Control • Bass Restoration Lighted Display • PFM Subsonic Filter & Bass Level Control • Balanced Inputs • Dash Mount Remote Control



BX-15

- PWM Hi-Head Room Power Supply • Max. Bass Control • Bass Restoration Lighted Display • PFM Subsonic Filter • Balanced Inputs • Bass Output Control • Dash Mount Remote Control



BX-12-Black

- Parametric EQ with Crossover and Sub Volume • 2 Selectable Inputs w/Variable Input Gain • F/R/Subwoofer RCA Outputs • Variable Bass Boost & Subsonic Filter • Dash Mount Remote Control

BX-12W – as above in White



BX-10R

- PWM Hi-Head Room Power Supply • Max. Bass Control • Bass Restoration Lighted Display • PFM Subsonic Filter • Parametric Bass Control • Bass Output Control • Dash Mount Remote Control



BX-10-Black

- PWM Hi-Head Room Power Supply • Max. Bass Control • Bass Restoration Lighted Display • PFM Subsonic Filter • Parametric Bass Control • Bass Output Control • Dash Mount Remote Control

BX-10W – as above in White

Equalizers



MPQ-7B – Half DIN 7-Band Graphic EQ

- Graphic EQ with Subwoofer Level Control • Front Rear, and Subwoofer RCA Outputs • Selectable Low-Pass Filter • Two Selectable Balanced RCA Inputs with Input Gain



MPQ-7XO – Half DIN Dual Ch Parametric EQ

- Two Selectable Balanced RCA Inputs with Input Gain • Selectable Subsonic Filter • Variable Bass Boost • F/R/Subwoofer Outputs • Dual Channel Multi-Band Parametric Equalizer



MPQ-5XO – 4 Band Parametric Equalizer

- Parametric EQ with Crossover and Sub Volume • Two Selectable Inputs with Variable Input Gain • Variable Bass Boost • Variable Subsonic Filter • F/R/Subwoofer RCA Outputs

Marine Source Unit



SMR-31B

- Single DIN CD/MP3/AM/FM Receiver with Bluetooth
- Theft Deterrent Detachable Faceplate • A2DP MP3 Audio Playback • Playback from 32GB USB of MP3 & WMA • Playback from CD, CDR, CDRW of MP3 & WMA • USB 2.0 Port • 3.5mm Auxiliary Audio Input
- Front & Rear Pre-Amp Output • 52 Watts x 4 Mosfet Speaker Outputs • Audio Staging Controls • Custom and Pre-Set Equalizer Settings • Remote Control & Faceplate Carry Case Included

Authorized Dealers Only

– Call your Sales-Rep for Details –

– Territory Restrictions –

Marine Stealth Full Range Amplifiers



- Hybrid Aluminum Alloy Heatsink • Mosfet Power Supply w/Audiophile Grade IRTM Transistors • Military Grade SMT PCB • Direct Short/Thermal & Overload Circuits Protect Amplifier • Variable High/Low Pass and Subsonic Crossovers
- High/Low Level RCA Input • Quick Disconnect RCA/High Level Wire Harness

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
SM4.1000D	4	90W x 4	125W x 4	250W x 2	1000W	-
ST4.1000DB	4	90W x 4	125W x 4	250W x 2	1000W	-
SM1.700D	1	250W x 1	350W x 1	-	700W	Yes

In-Dash Multimedia w/Navigation



VRN-65HB

- Double DIN GPS/DVD/CD/MP3/AM/FM Receiver w/6.2" LCD Touch-Screen and LED Backlight
- Turn-by-Turn GPS Navigation of USA Canada Mexico • Built-in Bluetooth • MobileLink 8.2
- Complete Integration of Select Android Enabled Devices • Rear A/V Input • Front/Rear RCA Pre-amp Audio Outputs • Video Output • Rear View Camera Input with Trigger



VRN-64HB

- Double DIN GPS/DVD/CD/MP3/AM/FM Receiver w/6.2" LCD(LED Backlight) • Built-in Bluetooth
- MobileLink X2 • Turn-by-Turn GPS Navigation of USA/Canada/Mexico • Complete Integration of Select Android Enabled Devices • AUX Audio Input • Front and Rear Pre-Amp Audio Outputs
- Video Output • Rear View Camera Input



VRN-74HB

- Single DIN GPS/DVD/CD/MP3/AM/FM Receiver with 7" LCD(LED Backlight) • Built-in Bluetooth
- MobileLink X2 • Turn-by-Turn GPS Navigation of USA/Canada/Mexico • Complete Integration of Select Android Enabled Devices • AUX Audio Input • Front and Rear Pre-Amp Audio Outputs
- Video Output • Rear View Camera Input

In-Dash Multimedia Source Units



VR-74H2B

- Single DIN 7" LCD Receiver w/MobileLink 8.2
- Complete Integration of Select Android Enabled Devices • Bluetooth v3.0 • Playback from DVD CD of MP3 & MP4 • Playback from 64GB SD/USB of MP3 & MP4 • AUX Audio Input • Front/Rear Preamp Audio Outputs • Video Output • Rear-view Camera Input



VR-64H2B

- Double DIN 6.2" LCD Receiver w/MobileLink 8.2
- Complete Integration of Select Android Enabled Devices • Bluetooth v3.0 • Playback from DVD CD of MP3 & MP4 • Playback from 64GB SD/USB of MP3 & MP4 • AUX Audio Input • Front/Rear Preamp Audio Outputs • Video Output • Rear-view Camera Input



VR-103B

- Single DIN Motorized Source Unit w/Detachable 10.3" Anti-Reflection LCD Touchscreen • Built-in Bluetooth • Playback from DVD/CD of MP3 MP4 from 32GB SD/USB of MP3/MP4 • Rear View Camera Input • Video Output • AUX A/V Input • Front/Rear Preamp Audio Outputs • 90° Angle USB and AUX A/V Input Cable Included

Authorized Dealers Only

– Call your Sales-Rep for Details –

– Territory Restrictions –



4" / 5.25" / 6.5" LOUDSPEAKERS

PRV AUDIO PRO AUDIO WOOFERS ARE AVAILABLE IN MIDBASS AND MIDRANGE TO FIT MOSTLY ANY APPLICATION NEEDS.

MODEL	SIZE	OHMS	APPLICATION	RMS/PROGRAM	SENS	FREQ RESP
4MR60-4	4"	4Ω	MIDRANGE	30W / 60W	90dB	90-15,000Hz
5MR450-NDY	5.25"	4Ω / 8Ω	MIDRANGE	225W / 450W	94dB	160-16,000Hz
6MB200	6.5"	4Ω / 8Ω	MIDBASS	100W / 200W	93dB	125-4,500Hz
6MB250-NDY <small>SLIM DESIGN</small>	6.5"	8Ω	MIDBASS	125W / 250W	94dB	115-6,500Hz
NEW 6MR250A	6.5"	8Ω	MIDRANGE	125W / 250W	94dB	150-9,500Hz
6MR500-NDY	6.5"	4Ω / 8Ω	MIDRANGE	250W / 500W	96dB	105-12,500Hz



6X9" / 8" LOUDSPEAKERS

PRV AUDIO PRO AUDIO WOOFERS ARE AVAILABLE IN MIDBASS AND MIDRANGE TO FIT MOSTLY ANY APPLICATION NEEDS.

MODEL	SIZE	OHMS	APPLICATION	RMS/PROGRAM	SENS	FREQ RESP
8MB450	8"	4Ω / 8Ω	MIDBASS	225W / 450W	93dB	70-7,000Hz
8MB500-NDY <small>SLIM DESIGN</small>	8"	8Ω	MIDBASS	250W / 500W	95dB	65-6,500Hz
NEW 8MR400A	8"	8Ω	MIDRANGE	200W / 400W	94dB	80-8,500Hz
8MR400-NDY <small>SLIM DESIGN</small>	8"	8Ω	MIDRANGE	200W / 400W	94dB	115-8,500Hz
8MR500-NDY-4	8"	4Ω	MIDRANGE	250W / 500W	96dB	95-9,000Hz
8MR500-PhP-4	8"	4Ω	MIDRANGE	250W / 500W	97dB	600-15,000Hz
69MR500-PhP-4	6x9"	4Ω	MIDRANGE	250W / 500W	97dB	500-12,000Hz





LESCO DISTRIBUTING

10" LOUDSPEAKERS

PRV AUDIO PRO AUDIO LOUDSPEAKERS FIT MOSTLY ANY APPLICATION NEEDS.

	MODEL	SIZE	OHMS	APPLICATION	RMS/PROGRAM	SENS	FREQ RESP
	10W450	10"	4Ω / 8Ω	MIDBASS	225W / 450W	93dB	75 - 6,500Hz
NEW	10MB400	10"	8Ω	MIDBASS	200W / 400W	97dB	65 - 4,000Hz
	10W650A	10"	8Ω	MIDRANGE	325W / 650W	97dB	75 - 5,500Hz
NEW	10W650A-NDY	10"	8Ω	MIDRANGE	325W / 650W	97dB	75 - 5,700Hz
	10MB1000	10"	8Ω	MIDBASS	500W / 1,000W	95dB	65 - 5,000Hz
	10MR1000	10"	8Ω	MIDRANGE	500W / 1,000W	99dB	60 - 6,500Hz



COMPRESSION DRIVERS / HORNS

PRV AUDIO OFFERS THE BEST HIGH QUALITY PRO AUDIO 1", 2" COMPRESSION DRIVERS AND TWEETERS.

	MODEL	DIAM	VC	RMS/PROGRAM	SENS	FREQ RESP	
	WG175Ph	1"	1"	75W / 150W	108dB	1,300 - 19kHz	
	DRIVER WAVE GUIDE COMBO: DT175PH-S + WG11-25 WAVE GUIDE						
NEW	WG200Ph	1"	2"	75W / 150W	103dB	700 - 7kHz	
	DRIVER WAVE GUIDE COMBO: PHENOLIC DRIVER + WG11-25 WAVE GUIDE						
NEW	WG275Ph	1"	2"	100W / 200W	106dB	600 - 7kHz	
	DRIVER WAVE GUIDE COMBO: PHENOLIC DRIVER + WG17-25 WAVE GUIDE						



	MODEL	DIAM	VC	RMS/PROGRAM	SENS	FREQ RESP
1" COMPRESSION DRIVERS	DT175-Ph-S	1"	1"	75W / 150W	108dB	1,300 - 19kHz
	D250Ph-S	1"	2"	75W / 150W	107dB	400 - 8kHz
	D230Ti-S	1"	1.4"	30W / 60W	107dB	1,600 - 20kHz
	D280Ti-S	1"	1.75"	80W / 160W	109dB	1,300 - 20kHz
	D290Py-S	1"	1.75"	90W / 180W	109dB	650 - 19kHz

	MODEL	DIAM	RMS/PROGRAM	SENS	FREQ RESP
TWEETERS	TW350Ti	TWEETER	60W / 120W	105dB	3,500 - 20kHz
	TW700Ti	TWEETER	120W / 240W	108dB	3,500 - 22kHz
	NEW TW500My-Nd	TWEETER	75W / 150W	109dB	3,500 - 19kHz

MAKE YOUR OWN COMBO

+ 1" WAVEGUIDES

WG11-25 WG17-25 WG23-25

WG11-25 **NEW**
WHITE, CHROME
ORANGE CR

WGP14-25
CHROME, GOLD, PURPLE CR
GREEN CR, BLUE CR, RED CR
ORANGE CR

MATTE - BLUE, RED, ORANGE, WHITE



FULL RANGE AMPLIFIERS

				
Channels	4	1	1	1
Rated RMS Power at 14.4 V at 1 Ohm	---	---	1400 Watts	---
Rated RMS Power at 14.4 V at 2 Ohms	4 x 105 Watts	655 Watts	825 Watts	1200 Watts
Rated RMS Power at 14.4 V at 4 Ohms	4 x 50 Watts	410 Watts	425 Watts	750 Watts
Rated RMS Power at 14.4 V at 8 Ohms	---	---	---	425 Watts
Average Efficiency at 4 ohms	90 %	88 %	92 %	90 %
Operating Voltage	10 to 16 Volts	10 to 16 Volts	10 to 16 Volts	10 to 16 Volts
Max. Current Draw	32A	58A	130A	105A
Frequency Response	10Hz to 30kHz	10Hz to 25kHz	10Hz to 25kHz	10Hz to 15kHz
Filter Controls	Yes	Yes	Yes	Yes
Low Pass Filter	90Hz / Flat	70Hz to 25kHz	50Hz to 25kHz	50Hz to 15kHz
High Pass Filter	90Hz / Flat	90Hz to 2kHz	10Hz to 700Hz	10Hz to 700Hz
Built in EQ Controls	No	No	Yes	Yes
Protection System	Fused	Fused	On Circuit Board	On Circuit Board
Smart Fan technology*	N/A	N/A	Included	Included
Heat Sink Type	Cast Aluminum	Cast Aluminum	Cast Aluminum	Cast Aluminum
Dimensions (H x W x L)	1.82" x 4.60" x 6.1"	2.17" x 8.03" x 6.30"	3.25" x 6.75" x 11.25"	3.25" x 11.25" x 11.25"
Weight	1.2 Lbs	2.10 Lbs	5.65 Lbs	11.2 Lbs

* Fan Controlled by Audio – This ventilation system is controlled by the volume from the audio source; therefore any increase in volume will make the fan spin faster.

100% COPPER POWER/GROUND CABLES

- Made from true 100% Oxygen-Free Copper (OFC) for a pure power transfer.
- PW Cables series meet the AWG (American Wire Gauge) industry standard requirements.
- Built to perform in extreme temperatures with minimum power loss.
- Soft touch ultra-flexible PVC casing.

Our cables are created to be dense but yet incredibly flexible which makes it easy to install and provides outstanding performance.

PW00AWG-BLACK PW00AWG-ORANGE



00 AWG (67.49 mm²)

PW0AWG-BLACK PW0AWG-ORANGE



0 AWG (53.50 mm²)

PW4AWG-BLACK PW4AWG-ORANGE



4 AWG (21.10 mm²)



Drago Mono Amplifiers

- Link 2 DRAGO Amps Together to Double Power • Up to 10,000 Watts RMS Power when linked • Low Pass Crossover • Low Pass Filter • Subsonic Filter • Bass Boost

Model	Chs/Class	RMS	Maximum	MIN ohm
D5K	1/D	2600 Watts x 1	5000 Watts	1-ohm
D6K	1/D	3000 Watts x 1	6000 Watts	1-ohm
D10K	1/D	5000 Watts x 1	10000 Watts	1-ohm



D Block Amplifiers

- Full Range Class A/B Amplifiers • Mosfet Power Supply • Brushed Aluminum "Finless" Heat Sink • Adjustable Low & High Pass Filter • 6-Way Protection Circuitry • Adjustable Parametric Bass Equalizer

Model	Channels	RMS	Maximum	MIN ohm
D800.4	2	120 Watts x 4	480 Watts x 2	2-ohm
DBX4	2	250 Watts x 4	4000 Watts x 1	2-ohm Stereo/4-ohm Mono



Nano-BLU Amplifiers

- Class-D Full Range with Micro Circuit Topology • Built-in Bluetooth • Full Mosfet with High Grade Switching Devices • Noise Reduction Circuitry • Mil Spec Double-Sided PCB with SMD Parts • 5-Way Protection Circuitry • RCA Inputs • Small Footprint

Model	Channels	RMS	Maximum	MIN ohm
BLX2	2	120 Watts x 2	480 Watts x 1	4-ohm
BLX4	4	120 Watts x 4	480 Watts x 2	4-ohm
BL1	1	800 Watts x 1	1600 Watts x 1	1-ohm
RAILCAP-BLX	Rail Cap Booster			



D Block Mono Amplifiers

Model	Channels	RMS	Maximum	MIN ohm
D2400	1	1200 Watts	2400 Watts	1 ohm
D3600	1	1800 Watts	3600 Watts	1 ohm
D8000	1	4000 Watts	8000 Watts	0.5 ohm



Nano Edge Amplifiers

- Full Mosfet with Hi-Grade Switching • Built-in Noise Rejection Circuitry • Bass Boost • Next Gen Advanced 5-Way Protection • 12 Volt Remote Output for External Devices

Model	Chs/Class	RMS @ 4Ω	Maximum	MIN ohm
EX2	2/AB	120 Watts x 2	480 Watts	1-ohm
EX44	4/AB	100 Watts x 4	400 Watts x 2	1-ohm
EX46	4/D	150 Watts x 4	600 Watts x 2	1-ohm
EX48	4/D	200 Watts x 4	800 Watts x 2	1-ohm
Model	Chs/Class	RMS @ 1Ω	Maximum	MIN ohm
EX5	5/D	120W x 4 + 800W x 1	480W x 2 + 1600W x 1	1-ohm
E2	1/D	800 Watts x 1	1600 Watts	1-ohm
E3	1/D	1400 Watts x 1	2800 Watts	1-ohm
E4	1/D	2000 Watts x 1	4000 Watts	1-ohm
RAILCAP-E	Custom Capacitor Bank Exclusively for EDGE with Molex Plug			





Blade Amplifiers

- Full Mosfet with High Grade Switching • Built-in Noise Rejection Circuitry • Bass Boost
- HPF/LPF/Full Range Crossovers • Next Gen Advanced 5-Way Protection • 12 Volt Remote Output for External Devices • Up to 10 Volt Input via RCA or Speaker Leads

Model	Chs/Class	RMS @ 4Ω	Peak	MIN ohm
B500.2	4/AB	80 Watts x 4	250 Watts x 4	2 ohm
B1000.4	4/AB	80 Watts x 4	250 Watts x 4	2 ohm
B1500.4	4/AB	120 Watts x 4	375 Watts x 4	2 ohm
B2000.4	4/AB	150 Watts x 4	500 Watts x 4	2 ohm
B2000.5	4/AB	600W x 1 @ 2Ω/160W x 4 @ 2Ω	-	2 ohm
Model	Chs/Class	RMS @ 2Ω	Peak	MIN ohm
B1000.1	1/AB	455 Watts x 1	1000 Watts x 1	2 ohm
B2000.1	1/D	1000 Watts x 1 @ 1Ω	2000 Watts x 1	1 ohm
RAILCAP-B	Custom Capacitor Bank Exclusively for BLADE with Molex Plug			



8-Channel Digital Sound Processor with Bluetooth

- CORE-1** – 8-Channels In/Out Digital DSP Processor plus Software w/Bluetooth Streaming
- RBT1** – USB Plug-In Dongle for **CORE-1** (Sold Separately)

Hi-Low Convertors/Bluetooth Summing Electronic Crossovers

- TRI-XO** – 3-Way Active X-over w/Subwoofer Control, 18dB per Octive w/Gain Remote
- B-LYNX** – OEM 4-Channel Line Converter, BT Streaming with **UBT1**, 10Hz - 80Khz
- UBT-1** – Bluetooth Dongle for **B-LYNX**, **NANO-BLU**
- HI-LOW** – High/Low Line Converter, 2-Channel Operation, 12 Volt Remote Output

Signal Processor

- EQ7** – 1/2 DIN, 7 Band Stereo Equalizer, 8v Line Driver, AUX Input

Amplifier Optional Remote Gain

- UR1** – Optional Gain Remote Knob



Amplifier Wiring Kits

- Amplifier Hookup Kits Provide everything you need in one kit, all necessary Wire, Fuses, and Terminals in one Package • Wires are Oxygen Free Pure 100% Copper Cable • Signal Cables use Custom Molded RCA Plugs

Model	Power/Ground	Speaker	Turn-On	RCA	Fuse
AK-4	4 AWG	16 AWG	18 AWG	17 ft.	150A
AK-0	0 AWG	16 AWG	18 AWG	17 ft.	150A
G4	4 AWG	16 AWG	18 AWG	17 ft.	150A





Gordo Subwoofers

- Kevlar Fiber Enhanced Non-Pressed Paper Cone with Textured Paint Finish
- EROM Foam Surround w/Red Stitching • Die Cast Basket w/Black Textured Finish • 4" 4-Layer Hi-Temp Flat Aluminum Wire Voice Coil • Customized Rubber Gasket & Magnet Boot • 10ga Power Cable w/Direct Lead Connection

Model	Size	Power RMS/Peak	Impedance	Magnet
GORDO 121	12"	3000W/6000W	Dual 1 ohm	450 oz.
GORDO 151	15"	3000W/6000W	Dual 1 ohm	450 oz.
GORDO 181	18"	3000W/6000W	Dual 1 ohm	450 oz.



Hippo Subwoofers

- 4000 Watt Deep Cycle Cast Basket Subwoofers • Light Weight/Heavy Duty Fiber/Non-Pressed Paper Cone • 3" Voice Coil • Push Pin Style Terminals

Model	Size	Power RMS/Peak	Impedance	Magnet
HIPPOXL 122*	12"	2500W/5000W	Dual 2 ohm	405 oz.
HIPPOXL 152*	15"	2500W/5000W	Dual 2 ohm	405 oz.
HIPPO 84	8"	500W/1000W	Dual 4 ohm	100 oz.

* Product requires signed Warranty Acknowledgement Form



Summo Subwoofers

- Kevlar Fiber Enhanced Non-Pressed Paper Cone with Textured Paint Finish
- EROM Foam Surround w/Red Stitching • Die Cast Basket w/Black Textured Finish • 4-Layer High-Temp Voice Coil • Customized Rubber Gasket and Magnet Boot • 16 or 10 ga Power Cable with Direct Lead Connection

Model	Size	Power RMS/Peak	Impedance	Magnet
SUMMO 64	6"	150W/300W	Single 4 ohm	48 oz.
SUMMO 84	8"	300W/600W	Dual 4 ohm	90 oz.
SUMMOXL 104	10"	1500W/3000W	Dual 4 ohm	225 oz.
SUMMOXL 124	12"	2000W/3000W	Dual 2 ohm	250 oz.
SUMMOXL 154	15"	1500W/3000W	Dual 4 ohm	225 oz.



MMA Subwoofers

- UV Treated Laminated Paper Cones • EROM Foam Surround w/Red Stitching
- Heavy Gauge Steel Basket • 2.5" 4-Layer High-Temp Voice Coil • Customized Rubber Gasket • Poly Cotton Spider w/Woven Round Tinsel Leads

Model	Size	Power RMS/Peak	Impedance	Magnet
MMA 104	10"	500W/1000W	Dual 4 ohm	70 oz.
MMA 124	12"	500W/1000W	Dual 4 ohm	70 oz.



Torox Subwoofers

- Deep Cycle Cast Basket • CEA 2031 Certified • 3" 4-Layer Voice Coil

Model	Size	Power RMS/Peak	Impedance	Magnet
TOROX 104	10"	1000W/2000W	Dual 4 ohm	180 oz.
TOROX 122	12"	1000W/2000W	Dual 2 ohm	180 oz.
TOROX 124	12"	1000W/2000W	Dual 4 ohm	180 oz.
TOROX 154	15"	1000W/2000W	Dual 4 ohm	180 oz.





UFO Subwoofers

- Shallow Mount Stamped Steel Basket Basket

Model	Size	Power RMS/Peak	Impedance	Magnet
UFO 10	10"	300W/600W	Dual 4 ohm	40 oz.
UFO 12	12"	300W/600W	Dual 4 ohm	50 oz.



GTX Subwoofers

- UV Treated/Non-Pressed Paper Cone with EROM Foam Surround • Heavy Gauge Steel Basket with Industrial Texture Painting • Customized Rubber Gasket & Magnet Boot • 2.5" 4-Layer Hi-Temp Voice Coil • 10mm Top Plate
- Poly Cotton Spider w/Woven Round Tinsel Leads • Strontium Ferrite Magnets

Model	Size	Power RMS/Peak	Impedance	Magnet
GTX 102	10"	700W/1400W	Dual 2 ohm	120 oz.
GTX 104	10"	700W/1400W	Dual 4 ohm	120 oz.
GTX 122	12"	700W/1400W	Dual 2 ohm	120 oz.
GTX 124	12"	700W/1400W	Dual 4 ohm	120 oz.
GTX 154	15"	700W/1400W	Dual 4 ohm	120 oz.



TKO Subwoofers

- Stitched Pressed Paper Cone • 1" Roll Polyester Foam Surround • Custom Designed Stamped Steel Basket with Heavy Powder Coat Finish • 2" Voice Coils on Aluminum Former with Reinforced Neck Joint • Black E-Coated Magnetic Plates • Poly Cotton Spider with Woven Round Tinsel Lead Wire

Model	Size	Power RMS/Peak	Impedance	Magnet
TKO 104	10"	300W/600W	Dual 4 ohm	50 oz.
TKO 124	12"	300W/600W	Dual 4 ohm	50 oz.
TKO 12-S4	12"	300W/600W	Single 4 ohm	50 oz.



ECO Subwoofers

Model	Size	Power RMS/Peak	Impedance	Magnet
ECO 12-S4	12"	250W/500W	Single 4 ohm	45 oz.



LK6 Component Speakers

- UV Poly Injection Cone with Butyl Rubber Surround • Heavy Gauge Steel Basket with Thick Powder Coating • 20mm Soft Dome Directional Tweeter with Multi-Mounting • High Temperature Voice Coil

Model	Size	Power RMS/Peak	Impedance
LK 6	6.5"	80W/160W	4-ohm



ZK & XK Hi-Quality Component Speakers

- Woven Fiber Coating Paper Cone with Butyl Rubber Surround • Custom Cast Aluminum Baskets w/Thick Powder Coating • 1.25" Hi-Temperature KSv Voice Coil • 25mm Silk Diaphragm Tweeters w/Ferro Fluid Cooled VC

Model	Size	Power RMS/Peak	Impedance
XK 6	6.5"	200W/400W	4-ohm
ZK 6	6.5"	200W/400W	4-ohm
Z6 R	6.5"	200W/400W	4-ohm





M Midrange Speakers

- Paper Cones • Cloth Surrounds • CCAW Copper Voice Coils • Stamped Steel Basket • Flat Foam Surrounds • Ferro Fluid Cooled • Vented and Extended Cores • Kapton Coil Formers

Model	Size	Power RMS/Peak	Impedance
M6	6.5"	140W/300W	8-ohm
M8	8.2"	150W/300W	8-ohm
M10	10"	150W/300W	8-ohm



MB Mid Bass Speakers

- Paper Cones • Cloth Surrounds • CCAW Copper Voice Coils • Stamped Steel Basket • Flat Foam Surrounds • Ferro Fluid Cooled • Vented and Extended Cores • Kapton Coil Formers

Model	Size	Power RMS/Peak	Impedance
MB6	6.5"	150W/300W	8-ohm
MB8	8"	175W/350W	8-ohm



MK Series Component Speakers

- Heavy Gauge Steel Shallow Mount Basket • Ferrite Magnet (midrange) • Neodymium Magnets (tweeters) • Custom Rubber Surround with Coated Paper Cone • Phase-Optimized Designed 12db Crossovers

Model	Size	Power RMS/Peak	Tweeter
MK5	5.25" 2-Way	140W/280W	25mm Silk Dome
MK6	6.5" 2-Way	150W/300W	25mm Silk Dome
M6R	6.5" 2-Way	150W/300W	-



PK Series Component Speakers

- Cast Aluminum Basket • High Grade Ferrite Magnets (midrange) • UV Treated Paper Cones w/Custom Cloth Surrounds • Phase optimized Hi-Grade 6db per Octave X-overs • Included Protective Paintable Grills

Model	Size	Power RMS/Peak	Tweeter
PK6S	6.5"	250W/500W	25mm Aluminum



LX Coaxial Speakers

- New LX Series High Power Speakers • Ultra-Light Injected PP Cones • Supple Surgical Rubber Surrounds • Pure German Silk 20mm Swivel Dome Tweeters • Stamped Steel Baskets • 25mm-35mm ASV Voice Coils

Model	Size	Power RMS/Peak	Impedance	Tweeter
LX4	4", 2-Way	50W/220W	4 ohm	20mm Swivel
LX5	5.25", 2-Way	60W/250W	4 ohm	20mm Swivel
LX6	6.5", 2-Way	75W/300W	4 ohm	20mm Swivel
LX46	4 x 6", 2-Way	60W/250W	4 ohm	20mm Swivel
LX57	5 x 7", 2-Way	70W/2800W	4 ohm	20mm Swivel
LX69	6 x 9", 2-Way	80W/320W	4 ohm	25mm Swivel





MX Coaxial Speakers

• Laminated Paper Cone with Butyl Rubber Surround • Heavy Gauge Steel Powder Coated Basket • 1" High Temperature KSV Voice Coil

Model	Size/Type	Power RMS/Peak	Impedance
MX2	- 2" 2-Way	20W/40W	4 ohm v.c.
MX3	- 3" 2-Way	30W/60W	4 ohm v.c.
MX4	- 4" 2-Way	40W/80W	4 ohm v.c.
MX5	- 5.25" 2-Way	40W/80W	4 ohm v.c.
MX65	- 6.5" 2-Way	60W/120W	4 ohm v.c.
MX65S	- 6.5" 2-Way/Shallow	60W/120W	4 ohm v.c.
MX46	- 4 x 6" 2-Way	40W/80W	4 ohm v.c.
MX57	- 5 x 7" 2-Way	50W/100W	4 ohm v.c.
MX693	- 6 x 9" 3-Way	60W/250W	4 ohm v.c.



M Pro Audio Closed Back Shallow Mount

Model	Size	Power RMS/Peak	Impedance
M6C	- 6.5" Midrange	70W/140W	8 ohm v.c.
M8C	- 8" Midrange	80W/160W	8 ohm v.c.
M69C	- 6 x 9" Midrange	60W/240W	8 ohm v.c.
M57C	- 5 x 7" Midrange	50W/200W	8 ohm v.c.



MT/T Pro Audio Bullet Tweeters

Model	Size	Power RMS/Peak	Impedance
MT1	- 1.5" VC	60/300W	4 ohm
T40	- 35mm	- /160W	4 ohm
T45	- 38.5mm	- /160W	4 ohm
T50	- 44mm	60/300W	8 ohm



CT Pro Audio Compression Drivers

Model	Description	RMS/Max Power/Imp
CT4	1" VC, Super Tweeter, Neodymium Magnet	30 Watts/120 Watts - 4 ohm
CT6	1.75" VC, Super Tweeter, Ferrite Magnet	60 Watts/300 Watts - 8 ohm



CT Tweeters

• 12 dB Crossovers • Neodymium Magnets • Surface or Flush Mount

Model	Description	Power RMS/Max
CT1	25mm, Silk Soft Dome Tweeter	60 Watts RMS/110 Watts Max
CT1A	25mm, Aluminum Dome Tweeter	60 Watts RMS/120 Watts Max
CT2II	28mm, Silk Dome Tweeter	80 Watts RMS/160 Watts Max
CT30	30mm, Silk Dome Tweeter	60 Watts RMS/120 Watts Max





M Pro Audio Speakers

Model	Size	Power RMS/Peak	Impedance
M6	- 6" Midrange	140W/300W	8 ohm v.c.
M8	- 8" Midrange	150W/300W	8 ohm v.c.



MC Mid-Range/Bass Pro Audio Speakers

Model	Size	Power RMS/Peak	Impedance
MC 8 II	- 8" Midrange	400W/800W	8 ohm v.c.
MC 10 II	- 10" Midrange	400W/800W	8 ohm v.c.
MC 12 II	- 12" Midrange	400W/800W	8 ohm v.c.



M Pro Audio Shallow Mount Speakers

Model	Size	Power RMS/Peak	Impedance
M6S	- 6.5" Midrange	130W/300W	4 ohm v.c.
M8S	- 8" Midrange	140W/300W	4 ohm v.c.



GM 370A Large Case Elite Series Hairpin Stator Alternator



The 370 amp Large Case Hairpin Stator GM alternator is the most Powerful unit available to replace standard AD244 alternators. This Elite series unit features our custom solid double-stack copper rectifier with (12) large 65 amp press fit diodes & an over sized output stud for excellent durability. These powerhouses crank out over 200+ amps at just 600 RPM engine speed on any standard GM truck, with full 370+ amps at anything above 1800 rpm engine speed! A 46mm Billet aluminum 6 rib pulley is used to maximize low RPM output, so a 1/2" to 1" shorter than stock length belt (not included) is recommended for optimum belt tension. 370 amp Elite series units are made in the USA and come with a 2-year warranty. **NOTE:** Some GM vehicles in this year range have an optional 4-pin rectangular or 2-pin square connector that is not compatible with this unit. Please check your vehicle's original alternator plug and compare to the plug photo to verify proper fitment before ordering. For customers desiring 14.9 to 16.0 volt charging voltage, this 4-pin oval Adjustable Voltage Boost Module is compatible with this unit. Ask a sales associate for more details!

240A S-Series GM 63-85 Chrome 1-Wire Alternator



The S-Series of 6-phase alternators offers incredible low RPM output in a compact and durable package. Highly efficient, these units use less horsepower than conventional 3-phase alternators. 12-diodes, twin rectifier plates & outstanding airflow ensure much better durability than standard Delco based alternators, even in severe conditions. This custom designed housing directly replaces standard Delco 10DN, 10SI and 12SI alternators on most 1963 through 1985 GM vehicles. A side output stud and seamless rear cover with no plug opening allow for better clearance from the back of the alternator to the front of the engine and a smooth appearance. A 1-wire self exciting internal voltage regulator makes installation of these alternators on older or customized vehicles a snap- Simply run a properly sized positive and ground cable from the alternator to the terminals of the battery and the alternator will work perfectly regardless of what kind of wiring harness you have. Because of their compact size and standard GM mounting ears, these alternators also work well in many aftermarket or custom bracket installations. **MADE IN THE U.S.A.**

Call for Models Available from 150 to 370 Amps

- Territory Restrictions -



Phantom Series Amplifiers



- Micro Technology • Variable Subsonic Filter • Variable Low Pass Filter • Variable Bass Boost • 1-ohm Stable

Model	Chs/Class	4 ohm RMS	2 ohm RMS	Max Power
PH-5100MD FR	5/-	90Wx4 + 300W	120Wx4 + 600W	1000W
PH-4100 FR	4/AB	80W x 4	120W x 4	2500W
PH-4000 MD	1/D	2000W@1-ohm	-	4000W
PH-2500 MD	1/D	80W x 4	120W x 4	2500W
PH-1600 MD	1/D	800W@1-ohm	-	1600W

XD Series Amplifiers



Model	Chs/Class	4 ohm RMS	2 ohm RMS	Max Power
XD-1800.1	1/D	245W x 1	450W x 1	1800W
XD-5040.4 FR	4/AB	55W x 4	75W x 4	1400W
XD-1400.2 FR	2/AB	120W x 2	170W x 2	1400W

MR Series Marine Amplifiers



- Low Pass Filter • Subsonic Filter • Bass Boost

Model	Chs/Class	4 ohm RMS	2 ohm RMS	Max Power
MR-2500.1	1/D	-	-	2500W
MR-160.4	4/AB	80W x 4	160W x 4	-



XFL Series Subwoofers

- DVC 4-ohm Impedance • Cast Frame • 3" High-Temp Voice Coil • 200 oz. Magnet

Model	Size	RMS/Peak Power
XFL-1544	15"	1000W/2000W
XFL-1244	12"	1000W/2000W
XFL-1044	10"	1000W/2000W

Available in DVC 2-ohm Impedance



TNT Series Subwoofers

- DVC 4-ohm Impedance • Cast Frame • 2.5" High Temp Voice Coil • 120 oz. Magnet

Model	Size	RMS/Peak Power
TNT-1244	12"	600W/1200W
TNT-1044	10"	600W/1200W



XD Series Subwoofers

- DVC 4-ohm Impedance • Stamped Steel Basket
- 2" High-Temp Voice Coil (1.5" XD-6.5)

Model	Size	RMS/Peak Power
XD-1544	15"	700W/1400W
XD-1244	12"	500W/1000W
XD-1044	10"	450W/900W
XD-844	8"	300W/600W
XD-6.5	6.5"	150W/300W



DX Series Subwoofers

- SVC 4-ohm Impedance • Stamped Basket • 2" High-Temp Voice Coil

Model	Size	RMS/Peak Power
DX-154	15"	500W/1000W
DX-124	12"	400W/600W
DX-104	10"	300W/600W





SQ Series Full Range



- Woven Carbon Fiber Cone • Butyl Rubber Surround • Ferro Fluid Cooled • 4-ohm Impedance

Model	Size	RMS/Peak Power	Voice Coil	Magnet
SQ-6.9	6 x 9"	80W/200W	1" Hi-Temp	25 oz.
SQ-5.7	5 x 7"	75W/150W	-	20 oz.
SQ-6.5	6.5"	80W/160W	-	20 oz.
SQ-5.25	5.25"	60W/120W	1" Hi-Temp	-
SQ-4.6	4 x 6"	50W/100W	1" Hi-Temp	-
SQ-4.0	4"	45W/90W	1" Hi-Temp	10 oz.
SQ-3.5	3.5"	40W/80W	1" Hi-Temp	10 oz.

SQ Tweeters

SQ-T2

- Teteron Dome Tweeters
- 2-Way Passive Crossover
- Ferro Fluid Cooling • Flush Swivel/Surface/Angle Mount
- 60 Watt RMS/120 Watt Max • 4-ohm Impedance
- High-Density Neodymium Magnet



SQ-T12

- 1" Tweeters • Niobium Micro Dome Tweeters
- Polypropylene Diaphragm
- Built-in Crossover • Surface Flush Mount • 50 Watt RMS/100 Watt Max
- 4-ohms Impedance



Amplifier Kits

AB-AK1/0 - 0-Gauge Amp Kit

- 17ft 0 Gauge Red Power Cable
- 3ft 0 Gauge Black Power Cable
- 17ft 18 Gauge Blue Turn-on Wire
- 25ft 12 Gauge Speaker Wire
- 17ft Deluxe RCA Interconnect
- Two 0-Gauge Ring Terminal
- 10 Wire Ties
- 3 Screws
- Deluxe High Quality Fuse Holder
- Gold Plated ANL Fuse(250A)

- AK-5 AWG MINI - 4-Gauge Amp Kit**
- AK-8 AWG MINI - 8-Gauge Amp Kit**



Sound Processors

AB-7B-V

- High End 7-Band Equalizer Voltage Display • Frequency Steps: 50Hz, 125Hz, 315Hz, 750Hz, 2.2KHz, 6KHz, 12KHz
- 7V Preamp Output • 2-RCA Inputs • Fader Control • Sub Frequency and Volume Control • Dim: 9" L x 8" W x 2" H



ABX-3.1A

- Front and Rear Hi-Pass • Subwoofer Low Pass • Input Impedance: 20K-ohms • Output Impedance: Less than 150-ohm • 8V Peak Outputs Level • Channel Separation
- Subsonic Filter • Low Pass/High Pass





Marine Series Amplifiers



- Hi-Pass Filter • Low Pass Filter • Subsonic Filter • Bass Boost • 1-ohm (MR-2500.1) • 2-ohm Stereo (MR-160.4)

Model	Chs/Class	1 ohm	2 ohm	Max Power
MR-2500.1	1/-	2500W	-	2500W
MR-160.4	4/-AB	-	150W x 4	-

Marine Series Speakers



- Full Range Coaxial Components • 4mm Top Plate • 4-ohm Impedance

Model	Size	RMS/Max Power	Voice Coil	Magnet
AB-MRE 6.9	6 x 9"	150W/300W	1" EISV	15 oz.
AB-MRE 7	7"	- /200W	1" EISV	15 oz.
AB-MRE 6.5F	6.5"	- /200W	1" EISV	10 oz.

Marine Subwoofer



- 10" Subwoofer • 750 Watts Max Power • 4-ohm Impedance • Voice Coil 2" EISV Copper Wire • Top Plate 8mm • Magnet 70 oz.

VFL Series Amplifiers



- Low Level Input and Output • Variable Low Pass Filter

Model	Chs/Class	4 ohm RMS	2 ohm RMS	Max Power
VFL-150.1	1/D	-	-	2900W RMS
VFL-350.4	4/AB	175W x 4	250W x 4	2500W
VFL-100.1	1/D	-	-	1500W RMS

VFL Pro Speakers



- Paper Cone • Accordion Surround or Foam Surround • 8-ohm Impedance

Model	Size	RMS/Peak Power	Voice Coil	Magnet
VFL-10MR-8	10"	250W/500W	-	40 oz.
VFL-65MR	6.5"	175W/150W	1.5" Hi-Temp	20 oz.
VFL-69MR	6 x 9"	175W/350W	1.5" Hi-Temp	20 oz.

- Territory Restrictions -

APCL Series Amplifiers



- Class D Mono Power Amplifiers • MOSFET Power Supply
- Variable Low Pass Electronic Crossover • Overload & Overheat Protection

Model	Chs/Class	4 ohm	2 ohm	Max Power
APCL-10001D	1/D	400W x 1	600W x 1	1000W
APCL-15001D	1/D	600W x 1	950W x 1	1500W
APCL-18001D	1/D	700W x 1	1150W x 1	1800W
APCL-30001D	1/D	1800W x 1	3000W x 1	3000W
APCL-1002	2/AB	50W x 2	100W x 2	500W
APCL-2002	2/AB	100W x 2	125W x 4	1000W
APCL-3002	2/AB	150W x 2	300W x 2	1500W
APCL-1004	4/AB	50W x 4	100W x 4	1000W
APCL-1504	4/AB	75W x 4	150W x 4	1500W
APCL-2004	4/AB	100W x 4	150W x 4	2000W
APCL-6004	4/AB	150W x 4	200W x 4	2500W
APCL-1002	2/-	50W x 2	100W x 2	500W
APCL-1004	4/AB	50W x 4	100W x 4	1000W
APCL-1504	4/AB	75W x 4	150W x 4	1500W
APCL-2002	2/AB	100W x 2	125W x 2	1000W
APCL-6004	4/AB	150W x 4	200W x 4	2500W

APMI Series Mini-Amplifiers



- Mosfet Power Amplifiers • Mini-Design

Model	Channels	4 ohm RMS	2 ohm RMS	Max Power
APMI-1300	1	400W x 1	600W x 1	1000W
APMI-1500	1	600W x 1	950W x 1	1500W
APMI-2000	1	900W x 1	1400W x 1	2000W
APMI-2075	2	75W x 2	110W x 2	1000W
APMI-2125	2	125W x 1	200W x 1	1200W
APMI-4080	4	80W x 4	115W x 4	1200W
APMI-55100	5	75W x 4 + 350W	120W x 4 + 500W	1600W
APMI-600	2	268W x 2	380W x 2	600W
APMI-4090	4	100W x 4	130W x 4	1300W



APMA Series Mini-Amplifiers



- FRD Chip Technology • Auto Turn On/Off • Mini-Design • Heavy Duty Stackable Heatsink • Low Pass • Up to 2 ohm Stable

Model	Channels	Class	2 ohm RMS	Max Power
APMA-2100	2	D	100W x 2	200W
APMA-4400	4	D	50W x 4	200W

APDLI Series Amplifiers



Model	Chs/Class	4 ohm RMS	2 ohm RMS	Max Power
APDLI-16001D	1/D	650W x 1	1000W x 1	1600W
APDLI-20001D	1/D	800W x 1	1200W x 1	2000W
APDLI-2504	4/AB	110W x 4	160W x 4	2100W
APDLI-3502	2/AB	160W x 2	325W x 2	1600W

TXX-BD Subwoofers

- Air Cushion Foam Surround Composite Cone • Black Powdered Die-cast Aluminum Basket • 4 ohm 4-Layer Black Aluminum Dual Voice Coil • Nomex Spider



Model	Size	RMS Watt/Peak Watt	Magnet Wt.
TXX-BD2-10	10"	600Watts/1200Watts	100 oz.
TXX-BD2-12	12"	750Watts/1500Watts	150 oz.
TXX-BD2-15	15"	900Watts/1800Watts	160 oz.
TXX-BD1-10	10"	600W/800Watts	60 oz.
TXX-BD1-12	12"	750W/1200Watts	60 oz.
TXX-BD1-15	15"	900W/1600Watts	75 oz.

TXX-BD3 Subwoofers

- Powdered Black Paint Aluminum Basket • 4-Layer Dual Voice Coil BASV • Patent Pipe Multi-Connect Terminal • Dual 4-ohms Impedance



Model	Size	Peak Watt/RMS Watt	Magnet Wt.
TXX-BD3-10	10"	1400Watts/700Watts	132 oz.
TXX-BD3-12	12"	1800Watts/900Watts	204 oz.
TXX-BD3-15	15"	2400Watts/1200Watts	220 oz.



TS-VR Subwoofers

- Powdered Black Paint Steel Basket • 2 x 4 ohm Impedance • Patent Pipe Multi-Connect Terminal

Model	Size	Peak Watt/RMS Watt	Magnet Wt.
TS-VR6	6"	150Watts/ 75Watts	50 oz.
TS-VR8	8"	500Watts/250Watts	40 oz.
TS-VR10	10"	600Watts/300Watts	50 oz.
TS-VR12	12"	50Watts/375Watts	60 oz.
TS-VR15	15"	1000Watts/500Watts	73 oz.



TXX-BDL Subwoofers

- Air Cushion Foam Surround Composite Cone • Powered Black Patent Cast Aluminum Basket • 4-Layer Black Aluminum Voice Coil • Deep Bumped T-yoke • 2 x 4-ohm Impedance

Model	Size	RMS Watt/Peak Watt	Magnet Wt.
TXX-BDL2-12	12"	800Watts/1600Watts	150 oz.
TXX-BDL2-15	15"	900Watts/1800Watts	160 oz.



TS-PP Subwoofers

- Powdered Black Paint Aluminum Basket • 4-Layer Dual Voice Coil BASV (PP2 Subs) • Dual 4-ohms Impedance • 2.5" Kapton Voice Coil (PP3 Subs) • Triple Stack Woofers (PP3 Subs)

Model	Size	RMS Watt/Peak Watt	Magnet Wt.
TS-PP2-12-D4	12"	300Watts/1000Watts	68 oz.
TS-PP2-15-D4	15"	500Watts/1500Watts	80 oz.
TS-PP3-12-D4	12"	600Watts/1200Watts	105 oz.
TS-PP3-15-D4	15"	700Watts/1400Watts	120 oz.



Amplifier Installation Kits

PK-1500X – 60 AMP AFC Fuse

- 17' 2 RCA Plugs to 2 RCA Plugs Cable w/Signal Wire • 17' 8 Ga Red Power Cable • 3' 8 Ga Black Power Cable • 25' 18 Ga Blue Speaker Wire • AGU Fuse Holder with 60A Fuse • Gold Plated Spade Terminal Red Color • Gold Plated Spade Terminal Black Color • Gold Ring Terminal Red Color • Gold Ring Terminal Black Color • 10 Black Cable Ties • 3' Split Loom Tubing

PK-2150X – as above for 80 AMP AFC Fuse





Professional DJ Speaker w/Built-In Amplifier

DJAP-1580BT

- 15" 700W Amplified Loudspeaker
- 2-Way Configuration w/Active Filter/Handle & Wheels • Class AB Amplifier • Wireless Music Stream • FM Tuner • USB Reader
- SD Card Reader up to 32GB • 4.5" Titanium Driver • 2-Way Mic Input • Line Input and Line Output
- Link Output • 3.5mm Stereo Plug to RCA Plug Included • Wireless Remote Control Included • 8-ohm Impedance



DJAP-1280BT

- 12" 500W Amplified Loudspeaker
- 2-Way Configuration w/Active Filter/Handle & Wheels • Class AB Amplifier • Wireless Music Stream • FM Tuner • USB Reader
- SD Card Reader up to 32GB • 3.5" Titanium Driver • 2-Way Mic Input • Line Input and Line Output
- Link Output • 3.5mm Stereo Plug to RCA Plug Included • Wireless Remote Control Included • 8-ohm Impedance



DJAP-B1045CBM

- Wireless Music Stream
- Double 10" Woofer with 2" Kapton Voice Coil • 2-Way Configuration w/Active Filter Amplifier • 2.5" Titanium Drive • Class A/B Amplifier
- USB Host/SD MP3 • 2-Way Mic Input/Line Input/Output
- 12V 12.0Ah Rechargeable Battery Included • Microphone and Stand Included • 8-ohm Impedance



LED Products

Pipedream Lighting Accessory Kit

NL-7LEDX

- 7 Color Accessory Kit for all your Lighting Needs • Choose your Favorite Color • Cycle through Colors • Constant On • Speed Control Setting • Gradual Mixing of 7 Colors • Light up your Car, Truck, or Motorcycle
- Contains: (2) 9" LED Tubes, (2) 6" LED Tubes, 4 Single LED Bulbs, 2 Slim Remotes, 4 Control Module
- Installation Hardware & Instructions Included



Flexible Slimline Multicolor Undercar LED Kit

NL-F3648SLM

- 7 Colors and 12 Lighting Sequences including Sound Activation Model • Transformers are Built into each Tube

Contents:

- (2) 48" LED Tubes / (2) 36" LED Tubes
- 1-LED Controller Module
- 1-Control Board • 1-Remote Board
- All Mounting Hardware Included



LED Truck Tailgate Lights



NLTB-TKLG

- 60" LED Truck Tailgate Lights • 4 Functions: 3 Brake Light, Running Light, Left and Right Turn Signal and Back-up Light
- Self-Adhesive Mounting Pads • Simple 4-Pin Trailer-Style Connector Installation

NL-TKSM

- 48" LED Truck Tailgate Lights




LED Undercar Light Kit



NL-F3648SLM

- Flexible Slimline Undercar LED Kit • 7 Changing Colors
- 2 x 48" Tubes Control Module • 2 x 36" Tubes Control Module
- Built-In Music Sensor • Installation Hardware Included

LED Fender Trim Light Kit



NL-F424WK

- 7 Color LED Fender Trim Light • Selectable Color • Multiple Changing Patterns • Flexible
- Dances to the Beat of the Music • Illuminates the Wheel Well • Size: 24" / 61cm x 4 Pieces
- Easy Installation

Pipedream LED Flexible Strip

NL-KT216LEDM - Dual LED Strips

- 7 Color • 16ft x 2 • A Clearly Marked Line Shows Exactly where to Cut • 24 Key Super Thin IR Remote Controller allows user to Conveniently Set Colors and Control Patterns • Retains memory
- 0.8cm Wide x 0.2cm Height

NL-KT116LEDM - Single LED Strip





Marine Mini Amplifier Series



- MOSFET Power Supply Mini Marine Amplifiers
- Remote Subwoofer Volume Control Included

Model	Channels	4 ohm RMS	2 ohm RMS	Max
APMAR-1300MINI	1	300W x 1	600W x 1	1000W
APMAR-2075MINI	2	75W x 2	110W x 2	1000W
APMAR-4080	4	80W x 4	115W x 2/230W x 2	1200W
APMAR-4090	4	100W x 4	130W x 2	250W

Marine Amplifiers



- Built-in Variable Hi-Pass/Low Pass Crossover
- Electronic Protection Circuitry (Short Circuit, DC Offset & Thermal Overload) • RCA Line Input/Output Jacks
- Remote Subwoofer Volume Control Included

Model	Channels	4 ohm RMS	2 ohm RMS	Max
APMK-4400	4	75W x 4	115W x 4	1400W
APMK-5600	5	60W x 4 + 200W x 1	90W x 4 + 310W x 1	1600W

Marine Subwoofer



- APSW-1031**
- 10" Subwoofer Marine Speaker • White ABS Basket
 - 250Watts RMS/500Watts Peak • Rubber Surround Piano Black IMPP Cone • 56oz. Magnet

Marine Speakers



- Rubber Surround Piano Black IMPP Cone
- Titanium Dome Diaphragm High Performance Tweeter

Model	Description	Magnet Wt.	RMS/Max
APSW-4032	4" 2-Way Marine Coaxial (White)	15 oz	50/100
APSW-4032BK	4" 2-Way Marine Coaxial (Black)	22 oz	50/100
APSW-6032	6.5" 2-Way Marine Coaxial (White)	15 oz	100/200
APSW-6532BK	6.5" 2-Way Marine/ATV Coaxial (Black)	15 oz	100/200
APSW-6932	6 x 9" 2-Way Marine Coaxial (White)	20 oz	150/300
APSW-8032	8" 2-Way Marine Coaxial (White)	22 oz	175/350
APSW-8502BK	8" 2-Way Marine Coaxial (Black)	22 oz	175/350
APSW-8532BK	8" 2-Way Marine Coaxial (Black)	22 oz	175/350



Bluetooth Receiver

APSW-425BTU

- Marine AM/FM Player w/Wireless Smartphone Connection to Stream your Music • AUX Input • Front and Rear RCA Outputs • 25 Watts x 4



Amplifier Kits

PKMB-1500 – 8 Gauge 1500W Amp Kit

- 12' (2) RCA Plugs to (2) RCA Plugs with Signal Wire • 10' 4 AWG White Primary Wire • 10' 4 AWG Black Primary Wire • 100 Amp Breaker • 25' 16 AWG White Speaker Wire • Black Spade Terminal Black Color • Black Spade Terminal White Color • Marine Grade Ring Terminal White Color • 3' Split Loom Tubing • 10 Assorted Cable Ties • Butt Splices 2 Pcs



PKMB-2100 – As above 4 Gauge 2100W Amp Kit

Marine Flexible LED Light Strips & LED Controller

APNL-408CNT – LED Controller

- 10 Selectable Color & Speed Control • Brightness Control • Solid, Fade Function • Sound Control Dances to the Beat of the Music



APNL-LST16 MULTI

- 16ft. Flexible RGB LED Strip • Cuttable every 3 LED • Waterproof Socket • Water Tight Seal • 16ft. Harness • High Grade Epoxy • PK/OR PR/RD/BL/GR Color Lights



APNL-LST8 MULTI

- 8ft. Flexible RGB LED Strip

Marine LED Strips

- Heavy Duty LED Strip • Flexible Easy Installation • Waterproof IP 65 • Simple 2-Wire Hook-up • All Necessary Mounting Hardware Included

- MLDST-12BL** – 12" Blue LED Strip
- MLDST-12GR** – 12" Green LED Strip
- MLDST-12RD** – 12" Red LED Strip
- MLDST-12WH** – 12" White LED Strip
- MLDST-20BL** – 20" Blue LED Strip
- MLDST-20GR** – 20" Green LED Strip
- MLDST-20RD** – 20" Red LED Strip
- MLDST-20WH** – 20" White LED Strip



Off Road/Marine Sound Systems



- Built-in Amplifier and Bluetooth
- Rubber Surround Piano Black IMPP Cone • 1.2" 2-Layer Voice Coil Kapton
- Silk Dome Diaphragm Hi-Performance Tweeter • 15 oz. Magnet • Contains Transmitter Module

ATVP-1500BT – 100 Watts RMS/200 Watts Max

ATVP-3300BT – 175 Watts RMS/350 Watts Max

Marine Speaker Wire

MSC-12-250TC – 12 Gauge 250'

MSC-12-25TC – 12 Gauge 25'

- 100% Oxygen Free Marine Grade, Tinned Cooper, Fine Strand Speaker Wire, White Flexible PVC Jacket

MSC-16-500TC – 16 Gauge 500'

MSC-16-25TC – 16 Gauge 25'



Heavy Duty LED Strips

MLDST-8BL Blue LED Lights

- 8" Marine LED Strip • Waterproof IP 65
- Simple 2-Wire Hook-up • Flexible, Easy Installation • All Mounting Hardware

MLDST-8GR – Green LED Lights

MLDST-8RD – Red LED Lights

MLDST-8WH – White LED Lights



Marine Grade RCA Connectors

- Oxygen Free Audio Cables • Flexible Jacket • Twisted Pair Arrangement • UV Protected White PVC • Weather-Proof

IP-2RCA-12 – 12' RCA Cable

IP-2RCA-25 – 25' RCA Cable

IP-2RCA-3 – 3' RCA Cable

IP-2RCA-6 – 6' RCA Cable

IP-4RCA-12 – 12' RCA Cable/4 Ch

IP-4RCA-25 – 25' RCA Cable/4 Ch

IP-4RCA-6 – 6' RCA Cable/4 Ch





DB+ Coaxial Speakers and Components



Marine Certified

The DB+ Series is IP65 rated so it's dirt - and water-resistant. It also has been tested for salt-fog, UV and humidity. A big part of that marine certification also means that each speaker has a non-corrosive plastic grille, a polypropylene UV tolerant cone, water-proof inner and outer surrounds, and stainless steel mounting hardware, ensuring that it's fully protected against the elements



Model	Size & Type	RMS/Peak Watts	Tweeter	Frequency Response	Impedance
DB402	4" Coaxial	45W/135W	0.75"	60-22kHz	4 ohm
DB522	5.25" Coaxial	100W/300W	0.75"	55-22kHz	4 ohm
DB652	6.5" Coaxial	100W/300W	0.75"	40-22kHz	4 ohm
DB462	4 x 6" Coaxial	50W/150W	0.75"	50-22kHz	4 ohm
DB572	5 x 7" Coaxial	75W/225W	0.75"	35-22kHz	4 ohm
DB692	6 x 9" 3-Way	150W/450W	0.75" + 0.5"	30-22kHz	4 ohm
DB5252	5.25" Component	150W/450W	0.75" + 0.5"	50-23kHz	4 ohm
DB6502	6.5" Component	100W/300W	0.75"	35-23kHz	4 ohm

DB Series Subwoofers

- Polypropylene Cone with Rigid ABS Dustcap • Santoprene Surround • Dual Voice Coil Version • Marine Certified • Fire-Retardant Flat Nomex® Spider • Double Venting of the 4-Layer Kapton Voice Coil Former



Model	Size & Type	RMS/Peak Watts	Tweeter	Frequency Response	Impedance
DB1040	10" Single Voice Coil	250W/500W	-	28-200 Hz	4 ohms
DB1040DVC	10" Dual Voice Coil	250W/500W	-	28-200 Hz	4 ohms
DB1240	12" Single Voice Coil	360W/720W	-	27-200 Hz	4 ohms
DB1240DVC	12" Dual Voice Coil	360W/720W	-	27-200 Hz	4 ohms
DB840	8" Single Voice Coil	180W/360W	-	30-200 Hz	4 ohms
DB840DVC	8" Dual Voice Coil	180W/360W	-	30-200 Hz	4 ohms



LESCO

D I S T R I B U T I N G

polkaudio®

PAD Series Amplifiers




- High-Speed Mosfet Switching – Power Supply
- Thermal, DC Offset, Reverse Polarity and Short Circuit Protection • Nickel-plated Wire Terminals and RCA Connectors
- Stainless Steel Hardware

Model	Channels/Class	2 ohms RMS	Total RMS Power Output
PAD1000.1	Mono/D	800 Watts x 1	1200 Watts
PAD2000.2	2/D	250 Watts x 2	500 Watts
PAD4000.4	4/D	200 Watts x 4	800 Watts
PAD5000.5	5/D	100 Watts x 4	900 Watts

Boom Swimmer Duo and Swimmer Junior

The Polk BOOM Swimmer Duo enters a new stage of evolution, letting you double down on great sound and ultimate portability no matter where adventure leads. Sticking with its original look and rugged features, little may have changed on the outside - but what's inside tells a new story. The Swimmer Duo now includes stereo linking, giving you a more robust sound and better sonic range from all of the tunes you love via a Bluetooth connection.

Add a pair of Swimmer Duo's to your arsenal, easily link them together, and listen to each one as true left and right speakers. Its new built-in mic is speakerphone-ready for those moments when you're listening to music but want to take incoming calls and keep communications hands-free. Plus, its already awesome flexible tail is now 1" longer, giving you endless opportunities to loop, twist, grip and set it however you see fit. And it still comes with a suction cup attachment, so you can stick it to just about any surface for surprisingly better low end response and even more mounting options.



SWIMMER Duo

- SMNBE-A** – Blue
- SMNGO-A** – Green/Orange

- SMNBK-A** – Black
- SMNOR-A** – Orange

SWIMMER Jr.

- SMJBE-A** – Blue
- SMJGM-A** – Grey/Mint

- SMJBK-A** – Black

Boom Bit - Wearable Bluetooth Speakers

The Pole BOOM Bit is the world's first truly wearable Bluetooth speaker that clips securely to your clothing and seamlessly integrates with how you move, safely balancing all your audio with your immediate surroundings.

It features an all-weather IPX7 waterproof rating, speakerphone capability, and a standard USB for on-the-go charging - all housed in a rugged rubberized enclosure.

Spring steel clip slips securely to any apparel - fasten it to your shirt collar for optimal performance. Take hands-free calls and safety on an adventure whether on a bike, in the car, or wherever the journey leads.



BOOM BIT

- BITB-A** – Black
- BITG-A** – Gray
- BITR-A** – Red

- BITY-A** – Yellow
- BITE-A** – Blue



INFINITE 50A



Power Supply and Charger

- Operating voltage DC ----- 7,5V ~ 14,4V
- Operating voltage AC ----- 110V (93V ~140V) / 220V (163V ~ 240V)
- Impedance Output ----- 0 ~ 50A
- Consumption AC ----- 6,5A (127) ~4,6A (220V)
- Dimensions (H x W x D) mm ----- 64 x 185 x 172 mm
- Weight Kg ----- 1,5 Kg

Crossovers

9 Volts Outputs



MODEL

OUTPUTS

STX64	4	LOW (With Bass Boost) - MID LOW - MID HIGH - HIGH
STX104	5	LOW (With Bass Boost + Subsonic Filter) - MID LOW - MID HIGH - HIGH - FLAT
STX2448	4	DIGITAL CROSSOVER - EQUALIZER - LIMITER - DELAY - FREQUENCY GENERATOR

Audio Processor



EX Line

MODEL	# CHANNELS	RMS POWER at 14,4 V	RMS POWER at 12,6 V	FREQ RESP
EX 3000 EQ - 2OHM	1	3600w RMS 2Ω	3000w RMS 2Ω	10Hz to 25kHz
EX 5000 EQ - 1Ω	1	5600w RMS 1Ω	5000w RMS 1Ω	10Hz to 15kHz
EX 5000 EQ - 2Ω	1	5500w RMS 2Ω	5000w RMS 2Ω	10Hz to 15kHz
EX 8000 EQ - 1Ω	1	8900w RMS 1Ω	8000w RMS 1Ω	10Hz to 15kHz
EX 8000 EQ - 2Ω	1	8950w RMS 2Ω	8000w RMS 2Ω	10Hz to 15kHz
EX10500 EQ - 1Ω	1	11600w RMS 1Ω	10500w RMS 1Ω	10Hz to 15kHz
EX10500 EQ - 2Ω	1	11600w RMS 2Ω	10500w RMS 2Ω	10Hz to 15kHz
EX13500 EQ - 1Ω	1	14200w RMS 1Ω	13500w RMS 1Ω	10Hz to 10kHz

LOUDSPEAKERS



TPT-MB10SLIM



TPT-MB8SLIM



TPT-MB6SLIM

400 Watts Continuous Power	300 Watts Continuous Power	200 Watts Continuous Power
200 Watts RMS Power	150 Watts RMS Power	100 Watts RMS Power
Impedance: 4 Ohms	Impedance: 4 Ohms	Impedance: 4 Ohms
Sensitivity: 95 dB	Sensitivity: 95 dB	Sensitivity: 94 dB
Frequency Response: 80 - 4,500 Hz	Frequency Response: 90 - 6,500 Hz	Frequency Response: 95 - 6,500 Hz
Voicel Coil: 1.5"	Voicel Coil: 1.5"	Voicel Coil: 1.5"
Steel Basket – Ferrite Magnet	Steel Basket – Ferrite Magnet	Steel Basket – Ferrite Magnet
Weight: 6.17 Lbs	Weight: 4.63 Lbs	Weight: 3.30 Lbs
Mounting Depth: 3.35"	Mounting Depth: 2.95"	Mounting Depth: 2.36"

TWEETERS

TPT-ST2

4" Super Tweeter	120W / 240W Max Power
Aluminum Diaphragm	Frequency Response: 2,000 - 2,300 Hz
15 Oz Magnet	SPL: 105dB (1W/1M)
1" High Temperature Voice Coil	





COMBOS



TPT-DH100



TPT-DH150



TPT-DH2000

Plastic Horn + Neodymium Compression Driver Plastic Horn + Neodymium Compression Driver Short Aluminium Horn + Compression Driver

200 Watts Continuous Power	200 Watts Continuous Power	400 Watts Continuous Power
100 Watts RMS Power	100 Watts RMS Power	200 Watts RMS Power
Impedance: 8 Ohms	Impedance: 8 Ohms	Impedance: 8 Ohms
Sensitivity: 106 dB	Sensitivity: 104 dB	Sensitivity: 109 dB
Frequency Response: 1.5KHz - 18KHz	Frequency Response: 1.5KHz - 18KHz	Frequency Response: 1.0KHz - 20KHz
1" Phenolic Voice Coil	1" Phenolic Voice Coil	2" Titanium Voice Coil
1" Exit Plastic Horn + Neodymium Driver	1" Exit Plastic Horn + Neodymium Driver	2" Exit Aluminium Horn + Ferrite Driver
Weight: 0.40Lbs	Weight: 1.1 Lbs	Weight: 7.20 Lbs
Mounting Depth: 3.25" (82.5 mm)	Mounting Depth: 2.75" (70 mm)	Mounting Depth: 5.75" (146 mm)

HORNS

TPT-H14-50SLIM

2" Exit Throat
Size: 155mm x 155mm x 75mm
Designed for car door installation





DV695MB

- Double DIN 6.2" Multimedia DVD Receiver • 2-Way DualMirror™ via Digital-to-Digital HDMI • Built-in Bluetooth • Front Panel HDMI • Front Panel USB
- Front Panel 3.5mm Input • 3-Pairs of 4V Preamp Outputs (F/R/S) • Rear RCA A/V input/2 RCA Video Outputs • Built-in Programmable Steering Wheel Control Interface



DV735MB

- Single DIN 7" Multimedia DVD Receiver • 2-Way DualMirror™ via Digital-to-Digital HDMI • Built-in Bluetooth • Front Panel HDMI • 2-USB Inputs/Front 1A/Rear Charge 2.1A • SD Card Input • Front Panel 3.5mm Input • 3-Pairs of 4V Preamp Outputs (F/R/S) • Rear RCA A/V Input/2-Video RCA Outputs • Built-in Programmable Steering Wheel Control Interface



DV635MB

- Double DIN 6.2" Multimedia DVD Receiver • 2-Way DualMirror™ via Digital-to-Digital HDMI • Built-in Bluetooth • Front Panel HDMI • 2-USB Inputs/Front 1A/Rear Charge 2.1A • SD Card Input • Front Panel 3.5mm Input • 3-Pairs of 4V Preamp Outputs (F/R/S) • Rear RCA A/V Input/2-Video RCA Outputs • Built-in Programmable Steering Wheel Control Interface



DV516BT

- Single DIN 7" Multimedia LED Backlit Hi-Def LCD TFT Display DVD Receiver with Built-in Bluetooth
- Front Panel USB (1A) and 3.5mm Auxiliary Inputs
- MicroSD Card Input • 3-Pairs of Preamp Outputs (F/R/Sub) • Rear RCA A/V Input and 2-RCA Video Outputs • Built-in Programmable Steering Wheel Control Interface • 5-EQ presets



DV526BT

- Double DIN 7" Multimedia LED Backlit Hi-Def LCD TFT Display DVD Receiver with Built-in Bluetooth
- Front Panel USB (1A) and 3.5mm Auxiliary Inputs
- MicroSD Card Input • 3-Pairs of Preamp Outputs (F/R/Sub) • Rear RCA A/V Input and 2-RCA Video Outputs • Built-in Programmable Steering Wheel Control Interface • 5-EQ presets



DC525BI

- Double DIN CD Receiver with Large 3.7" Wide Ten Character LCD • Built-in Bluetooth • Front Panel USB (1A) and 3.5mm Inputs • Direct USB Control for most iPhone/iPod Devices • Pandora Radio App Control (iPhone via USB) • RGB Custom Colors with 32,768 Million Combinations • 7-EQ Presets



DC426BT

- Double DIN CD Receiver with Large 3.7" Wide Ten Character LCD • Built-in Bluetooth • Front Panel USB (1A) and 3.5mm Inputs • RGB Custom Colors with 32,768 Million Combinations • 1-Pair of RCA Preamp Outputs • 7-EQ Presets



DC515BI

- Single DIN CD Receiver with Large 3.7" Wide Ten Character LCD • Built-in Bluetooth • Front Panel USB (1A) and 3.5mm Inputs • Direct USB Control for most iPhone/iPod Devices • Pandora Radio App Control (iPhone via USB) • RGB Custom Colors with 32,768 Million Combinations • 7-EQ Presets



DC416BT

- Single DIN CD Receiver with Large 3.7" Wide Ten Character LCD • Built-in Bluetooth • Front Panel USB (1A) and 3.5mm Inputs • RGB Custom Colors with 32,768 Million Combinations • 1-Pair of RCA Preamp Outputs • 7-EQ Presets



LESCO

D I S T R I B U T I N G

Dual
MARINE

Receivers/Marine/Speakers/Accessories



with Bluetooth

DC206BT

- Single DIN In-Dash CD Receiver • Built-in Bluetooth • Front Panel USB 1A Charging Capacity and 2.0 MP3 Playback • Front Panel 3.5mm AUX Input • 7-EQ Presets • 1-Pair Rear 1.2V RCA Preamp Outputs • Remote Control Included



USB Charging Port

XD250

- Single DIN CD Receiver w/Detachable Faceplate • Front Panel 3.5mm AUX Input to Connect iPod/iPhone and other Media Devices • USB Charging Port • 7-Character Blue and Black LCD Screen • 1-Pair of Preamp Outputs • 3-Preset EQ Curves



with Bluetooth

XRM46BT

- Single DIN In-Dash Mechless Receiver • Built-In Bluetooth • Ten Character Black and Blue LCD • Front Panel USB and 3.5mm Inputs • 1-Pair of Preamp RCA Outputs • 4-EQ Preset Curves (Pop Jazz, Rock and Flat)



USB Port

XR4116

- Single DIN Mechless Receiver with 10-Character Black & Blue LCD • Front Panel USB Input • Front Panel 3.5mm Auxiliary Input • 1-Pair Preamp RCA Outputs • 4-EQ Preset Curves (Pop/Rock Jazz/Flat) • 60 Watts Maximum



USB Port

MCP103 - White

- Single DIN Receiver with Pair of 6.5" Speakers • Front Panel USB & 3.5mm Inputs • SD Card Slot behind Faceplate • Detachable Faceplate • 1 Pair (Rear) Preamp RCA Outputs • Remote Control

MCP103B - As above in Black



MGH20 - Round Marine Gauge Hole Radio

- 2-Line 16-Character Mechless AM/FM/MP3/WMA Receiver • Direct Control for iPod and iPhone • Rear USB Input • Control for Pandora via USB • Media Playback from Select Android Devices • 1-Pair of RCA Auxiliary Inputs • Rear Preamp Outputs • IPX6 Waterproof



with Bluetooth

AMB600W

- Single DIN Marine Receiver w/Built-In Bluetooth • Front Panel USB and 3.5mm Input • Direct USB Control for iPod and iPhone • SD Card Reader • SiriusXM Ready • 2-Pairs Preamp RCA Outputs • 7-Channel NOAA Weather-Band Tuner



MWR15 - Marine Wired Remote Control

- Controls Main Features of Receiver • Compatible with any Marine Head Unit w/SWI input • IPX6 Waterproof • UV Resistant and Salt Resistant • Reliable Wired Connection via a 3.5mm Cable • Illuminated Buttons • 1-M Extension Cable



DMS365 - 6.5" 3-Way Marine Speakers

- Corrosion & Rustproof Basket Design • Weather Resistant Injection-Molded Polypropylene Cone • 30 Watts RMS/120 Watts Peak • UV Impregnated ABS Heat-Resistant Weatherproof Grilles • Poly Coated Cloth Surround • 13mm Piezo Tweeter



DMS369 - 6x9" 3-Way Marine Speakers

- Corrosion & Rustproof Basket Design • Weather Resistant Injection-Molded Polypropylene Cone • 50 Watts RMS/200 Watts Peak • UV Impregnated ABS Heat-Resistant Weatherproof Grilles • Poly Coated Cloth Surround • 13mm Piezo Tweeter



LU53PB - Black

- 3-Way Indoor/Outdoor Loud-Speakers • Woofer: 5.25" Polypropylene • Midrange: 25mm Poly Cone • 20mm Piezo Dome Tweeter • 8 ohm Impedance • 60 Watts RMS/125 Watts Peak Power

LU53PW - White



LU43PB - Black

- 3-Way Indoor/Outdoor Loud-Speakers • Woofer: 4" Polypropylene • Midrange: 40mm Poly Cone • Tweeter: 20mm Piezo Dome • 4-6Ω Impedance • 50 Watts RMS/100 Watts Peak Power

LU43PW - White



BOSS[®]
AUDIO SYSTEMS

Double DIN In-Dash NAV/DVD Receiver

BV9384NV

- Double-DIN 6.2" LCD Touchscreen w/Built-in Navigation • Maps of USA, Puerto Rico • Built-in Bluetooth • Plays DVD/CD/USB/SD/MP3/WMA/FLAC 24 BIT Hi-Res Audio/FM/AM and Smart Phones • Compatible with Audio Out from Smartphones and MP3 Players • Video/Front/Rear & Sub Preamp Outputs • USB/SD/AUX/AV/Rear Camera/Steering Wheel Control Inputs • Preset Built-in EQ • Wireless Remote Included



– Call for Additional Models –

Planet Audio[®]

Overhead Flipdown Monitor Package

P12.1ES

- 12.1" Flipdown Swivel/Tilt Widescreen TFT Monitor with Built-in DVD Player • Plays DVD/CD/USB/SD MP4/MP3/WMA • Interchangeable Black/Grey/Tan Housings & 2-Pairs of Dual Channel Headphones • Front Controls • Built-In IR Transmitter • FM Transmitter • USB Port • SD Memory Card Port • Anti-Skip Mechanism • Built-in Dome Lights • NTSC PAL Compatible • Audio/Video Connections • Wireless Remote Control Included

P10.1ES

- As above 10.1" TFT Monitor



AC Amplifier Series

- Mosfet Power Supply • Variable Bass Boost • High and Low Level Inputs

Models	Chs/Class	2 ohm RMS	Max Watts	Remote Sub Control
AC3000.1D	1/D	1125W x 1	3000W	Yes
AC2500.1M	1/AB	1875W x 1	2500W	Yes
AC1200.4	4/AB	225W x 4	1200W	-
AC1200.2	2/AB	450W x 2	1200W	Yes



– Call for Additional Models –



Amplified Bass Tubes

- Fixed 85Hz Crossover • ABS Plastic Amplifier Cover • Built-In Subsonic Filter
- 1 Year Warranty

Model	Description	Power
BTA6250D	6" Class D	250 Watts
BTA8250D	8" Class D	250 Watts
BTA10250D	10" Class D	250 Watts



Amplified Bass Tubes

- Fixed 85Hz Crossover • ABS Plastic Amplifier Cover • Built-In Subsonic Filter
- 1 Year Warranty


Model	Description	Power
BTA6100	6"	100 Watts
BTA8100	8"	100 Watts
BTA10100	10"	100 Watts



BassTube Passive

- Spring Loaded Terminal Cups • Foam Edge Roll • 1 Year Warranty

Model	Description	Power
BT6014	6" 4 ohm	100 Watts
BT8014	8" 4 ohm	100 Watts
BT1014	10" 4 ohm	100 Watts
BT1214	12" 4 ohm	100 Watts
BT6024DVC	6" 4 ohm DVC	200 Watts
BT8024DVC	8" 4 ohm DVC	200 Watts
BT1024DVC	10" 4 ohm DVC	200 Watts
BT1224DVC	12" 4 ohm DVC	200 Watts
NOS8	8" 4 ohm Blue Nitrous-Oxide Look	150 Watts
BT6018	6" 8 ohm	100 Watts
BT8018	8" 8 ohm	100 Watts
BT1018	10" 8 ohm	100 Watts
BT6028DVC	6" 8 ohm DVC	200 Watts
BT8028DVC	8" 8 ohm DVC	200 Watts
BT1028DVC	10" 8 ohm DVC	200 Watts
BT6028DDV	6" 8 ohm DDV	200 Watts



Marine Subwoofer Tubes

Model	Description
MBT8014	8" 4 ohm 150 Watt
MBT1014	10" 4 ohm 200 Watt
MBTA8100	8" 1 x 100 Watt Amplified
MBTA10100	10" 1 x 100 Watt Amplified
MBTA8250D	8" 1 x 250 Watt Mosfet Amplified
MBTA10250D	10" 1 x 250 Watt Mosfet Amplified





LESCO

D I S T R I B U T I N G

"Tubbies"

Hot Item for Ski, Wakeboard, Sport Boats, ATV



MT8100B - Black
MT8100W - White
 • 8" Woofers

MT6502BS - Black
MT6502WS - White
 • 6.5" Woofers

MT6502C - 6.5" Camo
MT6502CHB - 6.5" Compression Horn (Black)
MT6502CHW - 6.5" Compression Horn (White)

MT6552BS - Double Ended Tubbie
 6.5" + 5.25" (Black)

MT6552WS - Double Ended Tubbie
 6.5" + 5.25" (White)

MT8265B - Double Ended Tubbie
 8" + 6.5" (Black)

MT8265W - Double Ended Tubbie
 8" + 6.5" (White)

Call your Sales-rep for Required Mounting Brackets

LED Lighted Tubbies



MT81LKW - White
MT81LKB - Black

- 8" Marine Single Ended Tubbies 2-Way Marine Tower Speakers with LED Dock Light • Water Resistant Single Ended Enclosure • Rubber Woofer Surround • New Slim Line Aerodynamic Design • 360° Rotation • Automotive Paint Finish
- 4 ohm Impedance • 150 Watts RMS per Pair Power Handling/75 Watts each • Internal Hidden Wiring
- New Lighted LED Light Cluster allows for Additional Convenience - can light up entire bow area or swivel to help load and unload in the dark • Waterproof Mid-Range and Tweeter • 12dB Per Octave Two Stage Crossover, Bi-ampable • Salt, fog, and UV Certified • Composite Grill and Basket • Quick Disconnect Clamps • Custom Drawstring Storage Bags Included • Stainless Steel Mounting Hardware
- Various Mounting Clamps available and Sold Separately

Marine/Camo Satellites Speakers

- Composite Speaker Baskets • Poly-Mica Woofer Cones • Aluminum Dome Tweeters • UV Resistant White Grills • Polyurethane Rubber Woofer Surrounds



Model	Description	Power
MAC6510W	- 6.5" 2-Way Coaxial, (White Enclosure)	100 Watts
MAC6510B	- 6.5" 2-Way Coaxial, (Black Enclosure)	100 Watts
MAC6903W	- 6" x 9" 3-Way Coaxial, (White Enclosure)	150 Watts
MAC8100W	- 8" 2-Way Coaxial, (White Enclosure)	150 Watts
MAC8100B	- 8" 2-Way Coaxial, (Black Enclosure)	150 Watts
MAC8002C	- 8" 2-Way Coaxial, (Camo Enclosure)	150 Watts

Bluetooth Audio Control Module



- BTM100**
- Completely Waterproof • Single Chip Bluetooth 3.0 Transceiver Supporting • Uncompressed Streaming
 - Full Bluetooth Control with Advance/Rewind/Pause Play/Volume Up and Down/Answer/Hang Up/Last Number Redial • Press Phone Button to Turn Module On/Off • USB Power Port • Auxiliary Audio Input
 - 2-Volt Output



Party Bar All-in-One Sound & LED System



- BPB24**
- 24" Bluetooth Party Bar Off-Road Sound Bar & LED Illumination System • True Marine Grade Speakers with End-Loaded Woofers and Front Firing Tweeters • 450 Watt Peak Power Integrated Amplifier • Built-in Bluetooth • Cast Aluminum Integrated Grill Mounting System • 360° Rotation • Two Cast Aluminum Legs for Securing Party Bar
 - Integrated T-Slot Mounting System • Power Rail-Ready Marine Grade SAE Quick Disconnect Power Cord • Marine Grade SAE Accessory Connector and Light Switch • Integrated RGB LED Illumination System with Many Colors, Flash Patterns and Speeds • Waterproof 3.5mm AUX Input/Output
 - Wireless Remote Control Included

POWER RAIL READY



ATV-TUBE Off Road Speaker System with LED Lights & Remote



- UT8200RL**
- 8" ATV-Tube Off Road Bluetooth Speaker System w/Wireless Remote and RGB LED Lights • True Marine Grade Coaxial Speakers with Front Firing Tweeters • 450 Watt Peak Power Integrate Amplifier with Easy Pair Integrated • Open Grill Design Bluetooth and Auto Reconnect • Integrated RGB LED Illumination System with Many Colors, Flash Patterns, and Speeds • Wireless Remote Controls Music & Takes Phone Calls • Waterproof 3.5mm AUX Input • Hands-Free Phone Calls when Paired with Bluetooth Enabled Phone • Power-Rail Accessory Bar Ready • Marine Grade SAE Accessory Connector and Light Switch • 4-Nylon Straps for Securing UTube
- UT6200RL**
- As above with 6" Speakers

POWER RAIL READY



ATV-TUBE Off Road Speaker System



- UT8200**
- 8" ATV-Tube Off Road Bluetooth Speaker System • True Marine Grade Coaxial Speakers with Front Firing Tweeters • 450 Watt Peak Power Integrate Amplifier with Easy Pair Integrated • Open Grill Design Bluetooth and Auto Reconnect • Waterproof 3.5mm AUX Input • Hands-Free Phone Calls when Paired with Bluetooth Enabled Phone • Power-Rail Accessory Bar Ready • Marine Grade SAE Accessory Connector and Light Switch (for Adding any LED Light Bar) • 4-Nylon Straps for Securing UTube
- UT6200**
- As above with 6" Speakers

POWER RAIL READY





LESCO

DISTRIBUTING

AQUATIC AV®

products with a watertight reputation

Marine Products Media Receivers

Marine Receiver w/USB



AQ-MP5UBT

- Bluetooth/iPod/iPhone/USB/MP3/AM/FM Marine Stereo • 3" Color Screen with Album Artwork Display • Rotary Knob Control • Removable Faceplate
- Conformal PCB Coating • Charges USB Devices with USB Connector • Fits Most Smartphones & Media Devices • Connect up to 8x Speakers • IP55 Rated • Built-in 288 Watt Amplifier • Stainless Steel Mounting Hardware

Marine Receiver w/USB



AQ-MP-5BT

- Bluetooth/MP3/FM/AM Marine Stereo • Rotary Knob Control • Removable Faceplate • Conformal PCB Coating • Device Charging via USB • Fits Most Smartphones and Media Devices • Connect up to 8x Speakers • IP55 Rated • Built-in 288 Watt Amplifier • Stainless Steel Mounting Hardware

Shockwave Technology™ Marine Amplifier



AQ-AD600.4

- 600 Watt 4-Channel Class-D Marine Amplifier • 4/3 or 2 Output Channels with Blue LED Cone Illumination • IP65 Rated/Waterproof/Salt/Fog/Spray
- Aluminium and Stainless Steel Chassis Construction • 4x RCA (4V) Inputs • Gold Plated Connectors

Wired Marine Remote Control



AQ-WR5F

- 2-Way Fixed Wired Remote Control • Back-Lit LCD Screen • IP65 Waterproof/Dustproof • For use with AQ-MP-5UBT & AQ-MP-5BT Marine Stereos
- 3-5/8" Overall Diameter • Requires Extension Cable (sold separately)

Speakers

Pro-Series Marine Speakers



AQ-SPK6.5-4LW - White

- Polypropylene 6.5" Pro-Series Marine Coaxial Speaker • White Grill Color with Blue LED Cone Illumination • Rubber Surround • 100 Watt Maximum
- 13mm Tweeter • 4-ohm Impedance • Waterproof • Removable Grill

Pro-Series Marine Subwoofer



AQ-SPK10-4LW - White

- Polypropylene 10" Pro-Series Marine Subwoofer • White Grill Color with Blue LED Cone Illumination and Rubber Surround • 400 Watt Maximum
- 4-ohm Impedance • Waterproof • Removable Grill

Harley-Davidson® Media Receivers

Harley-Davidson® Receiver



AQ-MP5UBT-H

- 1998-2013 Motorcycles Upgrade or Replacement Stereo • 3" Color Screen w/Album Artwork Display • Detachable Faceplate • DIN Style • A2DP and iAP Bluetooth/iPod/iPhone/USB/MP3/AUX • AM/FM (US/Euro) • Internal Device Tray w/Illumination • USB & 3.5mm Jack Input • Device Charging via USB • 72 Watt x 4 @ 2-ohm • 2x 12V Triggers • 1x Pair RCA AUX Input
- 2x Pair 4V RCA Pre-Outputs • 1x Subwoofer Pre-Output • DSP • Dual Zone Dual Source • IP55 Waterproof

Harley-Davidson® Receiver



AQ-MP5BT-H

- 1998-2013 Motorcycles Upgrade or Replacement Stereo • Dot Matrix LCD Display • Detachable Faceplate • DIN Style • A2DP Bluetooth/MP3/AUX • AM/FM (US/Euro) • Device Charging via USB • 3.5mm Jack Input • Internal Device Shelf • 72 Watt x 4 @ 2-ohm • 1x Pair 2V RCA Pre-Outputs • IP55 Waterproof

– MAP Contract Required –
– Territory Restrictions –



LESCO

DISTRIBUTING



CFD-135M

- Built-in Miracast for Broadcast of Multimedia Content from Mobile Device to Flipdown 13.3" Panel w/LED Backlighting • DVD/USB/SD Media • Three Interchangeable Chameleon Skins (Black/Gray/Tan)
- Built-in FM & Dual Channel IR Transmitters • 2 Audio/Video Inputs
- 1 Audio/Video Output • Dual Stereo Speakers • Remote Control

CFD-105M –As above with 10.1" Display



CFD-135

- Flipdown 13.3" Digital Panel with LED Backlighting • **NEW** Touch Sensitive Controls • **NEW** Advanced ALC Technology for Improved Audio Volume • **NEW** HDMI Input • Three Sets of Interchangeable Chameleon Skins (Black/Gray/Tan) • FM Transmitter • DVD/USB/SD Media • Dual Channel IR • Dual Stereo Speakers • 2 Audio/Video Inputs • 1 Audio/Video Output

CFD-105 –As above with 10.1" Display

Headrest/Monitors w/DVD



BSD-905M

- 9" TFT/LCD/LED Backlit Display w/Built-in Miracast for Wireless Broadcast of Multimedia Content from Mobile Device to Headrest Display • Built-in DVD Player • Mini USB Port • Front 3.5mm Jack • Built-in FM and Dual Channel Infrared Transmitters • 3 Interchangeable Color Covers (Black/Grey/Tan) • PAL/ATSC Auto Select • Adjustable Poles for Universal Fit • Built-in Dual Speakers • 2 Audio/Video Inputs
- 1 Audio/Video Output • Remote Control Included

BSS-905M –As Above No DVD



BSD-905

- 9" (16:9) TFT/LCD/LED Backlit Display with Built-in DVD Player • Panel Swivels Out • HDMI Input • Mini USB Port • Front 3.5mm Jack • Built-in FM and Dual Channel Infrared Transmitters • 3 Interchangeable Color Covers (Black/Grey/Tan) • Adjustable Poles for Universal Fit • PAL/ATSC Auto Select • Built-in Dual Speakers • 2 Audio/Video Inputs • 1 Audio/Video Output • Remote Control Included

BSS-905 –As Above No DVD



BSD-705

- 7" (16:9) TFT/LCD/LED Backlit Display with Built-in DVD Player • Panel Swivels Out • HDMI Input • Mini USB Port • Front 3.5mm Jack • Built-in FM and Dual Channel Infrared Transmitters • 3 Interchangeable Color Covers (Black/Grey/Tan) • Adjustable Poles for Universal Fit • PAL/ATSC Auto Select • Built-in Dual Speakers • 2 Audio/Video Inputs • 1 Audio/Video Output • Remote Control Included

BSS-705 –As Above No DVD

Rear Seat Headrest/Monitors w/DVD



RSD-905M

- 9" TFT/LCD/LED Backlit Display w/Built-in Miracast for Wireless Broadcast of Multimedia Content from Mobile Device to Headrest Display • Built-in DVD Player • Mini USB Port • Front 3.5mm Jack
- Built-in FM and Dual Channel IR Transmitters • 3-Interchangeable Color Covers (Black/Grey/Tan) • PAL/ATSC Auto Select • Built-in Dual Speakers • 2 A/V Inputs • 1 A/V Output • Universal Attach on Bracket Mechanism Designed to Fit Most Cars • Remote Control



RSD-905

- 9" TFT/LCD/LED Backlit Display w/Built-in DVD Player • Panel Swivels Out • Mini USB Port • High Definition Input for Smart Phone Connectivity • Front 3.5mm Jack • Built-in FM and Dual Channel IR Transmitters • Three Interchangeable Color Covers (Black/Grey/Tan) • PAL/ATSC Auto Select • Universal Attach on Bracket Mechanism Designed to Fit Most Cars • Built-in Dual Speakers • 2 A/V Inputs • 1 A/V Output • Remote Control



LESCO

D I S T R I B U T I N G

CONCEPT

Headphones

CDC-IR30

- Compatible w/all In-Vehicle Audio/Video Applications using Wireless Infrared
- Dual Infrared Source A/B Selector Switch
- Power Supply Indicator Light • Rotating Earpiece for Compact Storage
- Closed Ear, Foam-padded Earpieces for Superior Comfort, Sound Isolation & Noise Cancellation
- Active Noise Reduction for Crystal Clear Sound
- Built-in 2" Mylar Speakers for Superior Sound Quality • Top-of -the-Line, Audiophile Sound Headphones with Self-Adjusting Headband



CDC-IR23

- Compatible w/all In-Vehicle Audio/Video Applications using Wireless Infrared
- Premium Closed-ear Earpieces for Comfort and Sound Isolation
- Adjustable Headband for Comfortable Listening Sessions • Dual Channel • Black Primary Color • Includes Different Color Covers (Pink/Blue Accent)



CDC-IR10

- Compatible w/all In-Vehicle Audio/Video Applications using Wireless IR • Dual IR Source A/B Selector Switch • Power Supply Indicator Light • Rotating Earpiece for Compact Storage
- Closed Ear, Foam-padded Earpieces for Superior Comfort, Sound Isolation & Noise Cancellation




Quick Connect for Fast Parrot Bluetooth Connection

QC
QUICK CONNECT PRODUCTS
Wiring Harnesses

Item	Description
QCBMW-F	QUICK CONNECT FLAT PIN HARNESS
QCCHJ-1R	QUICK CONNECT CHRYSLER DODGE
QCCHJ-2R	QUICK CONNECT NEW CHRYSLER
QCCHJ-3	QUICK CONNECT DODGE JOURNEY
QCCHJ-4	QUICK CONNECT PARROT BT ISO
QCEXP-1	QUICK CONNECT FORD
QCEXP-1MK	QUICK CONNECT FORD 24 PIN MK K
QCFCSS-2P	QUICK CONNECT FORD
QCFOR-11MK	QUICK CONNECT 2011 + FORD MK KI
QCFORC-1	QUICK CONNECT FORD 16 PIN RADIO
QCFORC-1MK	QUICK CONNECT FORD 16 PIN MK
QCGM-1	QUICK CONNECT PLUG & PLAY
QCGM-2	QUICK CONNECT NON-BOSE
QCGM-2MK	QUICK CONNECT NON BOSE MK KITS
QCGM-3	QUICK CONNECT CHEVY IMPALA
QCGM-3MK	QUICK CONNECT GM 14 PIN/16 PIN
QCGMCSS-2P	QUICK CONNECT GM BOSE RDS RADIO
QCGM-CTS	QUICK CONNECT 2008 + CTS GM

Item	Description
QCGM-G8	QUICK CONNECT GM - G8 PONTIAC
QCHBC-GM2	QUICK CONNECT AMPLIFIED
QCHBC-GM3	QUICK CONNECT PARROT HARNESS
QCHBC-HA	QUICK CONNECT AMPLIFIED ACURA
QCHBC-MBZ	QUICK CONNECT MERCEDES
QCHBC-NI	QUICK CONNECT NISSAN WITH BOSE
QCHBC-NI3	QUICK CONNECT NEW NISSAN
QCHON-1	QUICK CONNECT HONDA ACURA
QCHON-1MK	QUICK CONNECT HONDA ACURA MK
QCHON-3MK	QUICK CONNECT NEW HONDA MK
QCJBL-1	QUICK CONNECT LEXUS
QCJBL-2	QUICK CONNECT LEXUS & TOYOTA
QCNIS-1MK	QUICK CONNECT NISSAN MK KITS
QCNIS2	QUICK CONNECT NISSAN TO PARROT
QCNIS-2MK	QUICK CONNECT 2007 + NISSAN MK
QCTOY-1	QUICK CONNECT TOYOTA NON-JBL
QCTOY-1MK	QUICK CONNECT MKI9200





MKI9200

- 2.4" Color TFT Display • SD Slot for up to 32GB of Music • Built-in Digital 20W Amp
- 3.5mm Input Jack • Free Upgradeable Software • Wireless Remote Control



MKI9100

- User-Independent Voice Recognition and Voice Synthesis (text-to-speech) • Built-in Digital 20 Watts Amp • 3.5mm Input Jack
- Free Upgradeable Software • Wireless Remote Control



MKI9000

- Advanced Bluetooth Hands-free Car and Music Kit for iPod • Dispatch Voice and Music on Car's Speakers • DSP-3 for Echo Cancellation & Advanced Noise Reduction
- Compatible with Multiple Connectors



CK3100 LCD

- Bluetooth Hands-Free System w/LCD Screen
- Integrated into the Vehicle's Audio System
- Compatible with all Bluetooth Phones



CK3000 EVOLUTION

- Advanced Voice Recognition Handsfree Bluetooth Car Kit • Compatible w/all Bluetooth Phones • 150 Name Voice Recognition



MINIKITNEO2HD - Black

- Compatible with HD Voice • Activate and Deactivate Siri Eyes Free and Magic Words
- iOS & Android App • Connect to 2 Phones Simultaneously • Find your Vehicle on your Navigation App • Parking and Driving Time Reminders • Last GPS Position Memorized when you Disconnect • Voice Recognition and Pairing Help

Also Available in: Red, Green, or Blue



MINIKIT PLUS

- Connect Simultaneously Two Phones • Use Voice Recognition to Call Contact • Accept/Reject Calls by Voice • Listen to Music or Navigation Commands • Automatic Switch on once in Car • Stores up to 20000 Contacts



Amplifier Series

- MOSFET Power Supply • Low Pass Filter • Bass Boost • Low Pass Filter • RCA Inputs/Outputs • 2-ohm Stability

Model	Channels	4 Ω RMS	2 Ω RMS	Max Power
RXA1100	4	75W x 4	150W x 4	1100W
RXA550	2	75W x 2	150W x 2	550W
RXA1000	1	250W x 1	500W x 1	1000W



BassReflex Enclosure Systems

- Loaded Bass Reflex Ported Subwoofer Enclosures
- Polypropylene Woofer Cone • 2" Voice Coil • Black Composite Foam Woofer Surround • 4 ohm Impedance
- Silver Spring Terminals • Black Carpet Finish with Logo-Embroidery

Model	Size	RMS/Max Power
RXV1202	Dual 12" Subwoofers	600 Watts/1200 Watts
RXV1200	Single 12" Subwoofers	300 Watts/600 Watts



Call for Special Amp/Box Woofer Packages

RXW Series Subwoofers

- 2" Voice Coil • 4 ohm Impedance

Model	Size	RMS/Max Power
RXW1200	12" Subwoofer	300 Watts/600 Watts
RXW1000	10" Subwoofer	250 Watts/500 Watts



Coaxial Speakers

- Full Range Speakers • 4 ohm Impedance

Model	Size	RMS/Max Power
RX42	4" (pr.) 2-Way Speakers	60 Watts/120 Watts
RX52	5.25" (pr.) 2-Way Speakers	80 Watts/160 Watts
RX62	6.5" (pr.) 2-Way Speakers	100 Watts/200 Watts
RX693	6 x 9" (pr.) 3-Way Speakers	150 Watts/300 Watts
RX830	8" (pr.) 3-Way Speakers	150 Watts/300 Watts





Component System

- Capsuled Inline Crossover • 4 ohm Impedance
- 20mm Neodymium-Tweeter

Model	Size	RMS/Max Power
RX6.2C	6.5" 2-Way Component System	100 Watts/200 Watts



PowerSport Sound System

RXA100B – Black

- For use with MP3 Player & Traditional Source Units
- 50 Watts x 2 Maximum Amplifier • AUX & RCA Inputs
- Installation Hardware Included

RXA100C – Chrome



Amplifier Installation Kits

REN35KIT (Apx 2 Gauge)

- 1 x 35 mm² Power Wire (Red), with Flexible Strands (0,15mm), 5m
- 1 x 35 mm² Ground Wire (Grey), with Flexible Strands (0,15mm), 0.8m
- 1 x RCA Stereo Audio Cable (Blue), Double Shielded, 5m
- 1 x 0,5 mm² Remote Wire, 5m
- 1 x ANL Fuseholder with 150 A ANL Fuse

REN20AKIT (Apx 4 Gauge)

- 1 x 20 mm² Power Wire (Red), with Flexible Strands (0,15mm), 5m
- 1 x 20 mm² Ground Wire (Grey), with Flexible Strands (0,15mm), 0.8m
- 1 x RCA Stereo Audio Cable (Blue), Double Shielded, 5m
- 1 x 0,5 mm² Remote Wire, 5m
- Mini ANL Fuse

REN10KIT (Apx 8 Gauge)

- 1 x 10 mm² Power Wire (Red), with Flexible Strands (0,15mm), 5m
- 1 x 10 mm² Ground Wire (Grey), with Flexible Strands (0,15mm), 0.8m
- 1 x RCA Stereo Audio Cable (Blue), Double Shielded, 5m
- 1 x 0,5 mm² Remote Wire, 5m
- 1 x AGU Fuseholder with 40 A Fuse





LESCO

D I S T R I B U T I N G



PrecisionPower
Absolutely State of the Art Mobile Audio

Phantom Class D Amplifiers

- Class D Full Range SMT Circuitry • Double Sided Composite Epoxy PCB
- 3-Way Protection Circuitry • Delayed On/Off Circuit • Variable High/Low and Subsonic Crossovers



Model	Channels	4 ohm RMS	2 ohm RMS	4 ohm RMS Bridged	Bass Knob
P600.2	2	190W x 2	300W x 2	600W x 1	-
P900.4	4	145W x 4	225W x 4	450W x 2	-
P900.5	5	70W x 4 & 270W x 1	115W x 4 & 440 X 1	230W x 2 & 440 x 1	Yes
P1000.1	1	580W x 1	725W x 1	-	Yes

Ion Class D Amplifiers

- Full Range Class D Topology and SMT Technology • Small Chassis
- Complimented with every possible Preamp Adjustment



Model	Channels	4 ohm RMS	2 ohm RMS	4 ohm RMS Bridged	Bass Knob
i350.2	2	115W x 2	175W x 2	350W x 1	-
i520.4	4	100W x 4	130W x 4	260W x 2	-
i640.5	1	60W x 4 + 200W x 1	80W x 4 + 350 X 1	160W x 2 + 350 x 1	Yes
i650.1	1	400W x 1	650W x 1	-	Yes

Atom Class D Amplifiers

- Only 5" x 5" Full Range Amplifiers • Mosfet Power Supply with Audiophile Grade IRTM Transistors • Variable High/Low Pass and Subsonic Crossovers
- Hybrid Aluminum Alloy Heatsink • Direct Short/Thermal/and Overload Protection



Model	Channels	4 ohm RMS	2 ohm RMS	4 ohm RMS Bridged	Bass Knob
A1000.4	4	90W x 4	125W x 4	250W x 2	-
A900.1	1	300W x 1	450W x 1	-	Yes

Black Ice Amplifiers

- Full Range Amplifiers • High Level or Low Level RCA Input • Variable High Low/Subsonic Crossovers • Direct Wire 4ga Power & 12ga Speaker Terminals
- Direct Short, Thermal and Overload Circuits Protect Amplifier



Model	Channels	4 ohm RMS	2 ohm RMS	4 ohm RMS Bridged	Bass Knob
ICE800.2	2	130W x 2	200W x 2	400W x 2	-
ICE1000.4	4	80W x 4	125W x 4	250W x 2	-
ICE1600.4	4	130W x 4	200W x 4	400W x 2	-
ICE2200.5	5	90W x 4 + 300W x 1	135W x 4 + 560W x 1	270W x 2 + 560W x 1	Yes
ICE1300.1D	1	300W x 1	450W x 1	-	Yes
ICE2600.1D	1	600W x 1	900W x 1	-	Yes
ICE5000.1D	1	1200W x 1	1700W x 1	-	Yes
ICE7000.1D	1	1000W x 1	1500W x 1	2300W x 1 (1Ω)	Yes



Sedona Subwoofers

- Injection Molded Polypropylene Cone • NBR Rubber Surround
- Over-cast Stitched Cone • Vented T-Yoke and Back Plate



Model	Size	RMS Power	Voice Coil Configuration	Magnet
SN.8	8"	250 Watts	2" Single 4 ohm	-
SN.10	10"	300 Watts	2" Single 4 ohm	-
SN.12	12"	350 Watts	2" Single 4 ohm	-

Pro Audio Tweeters

Model	Size & Type	Peak Power	Impedance
PT.2	Bullet Tweeter (Pair)	90 Watts	3 ohm
T.2	1" Tweeter (Pair)	100 Watts	4 ohm
PT.4	Bullet Tweeter (Pair)	100 Watts	4 ohm



Speaker Crossover

PRO2.XVR

- Crossover for all SP2 2-way Pro Audio Speakers w/Compression Tweeter



– Territory Restrictions –



EagleEye DVR Dash Cam



TDEE1080CAM

- 1080P HD 120° Wide Angle Camera
- Records all you See & Hear in HD Video • Time and Date Stamped for Verification • 2.7" TFT LCD Screen
- Infrared LED (white LED) • G-Sensor: Record, Save and Lock Video File when G-sensor Detects Collision
- Anti-Theft Technology with Motion Detector • 8 GB SD Card Included • HDMI Output

Dual DVR Dash Cam



TDCAMDUAL2

- Dual Dash Cam is a Vehicle Black Box • Records all Driver Sees & Hears • Records 2 Viewpoints at Once
- Main Camera: 1080P HD Camera with 130° Viewing Angle and 2.7" TFT/LCD Screen • 2nd Camera: has a 120° Wide Angle HD Camera with 30' Cable • Night Assistance LED's (Night Recording) • Includes 16 GB SD Card (can use up to a 256 GB SD Card)

EagleEye Triple Dash Cam



TD3CAM1080P

- 1080P Main Dash Cam with 3.0" LCD Screen • Two 720P Waterproof Side Cameras w/30' Cable • Three Axis Stereo G-Sensor Collision Detection • Records Date/Time • 1 min/3min/5min Cycle Recording • Two MicroSD Card Slots (use up to 128GB) • Microphone Included (main cam only) • Ports: USB, AV-In, GPS
- Supports GPS (must add GPS Antenna as accessory)

License Plate Backup Camera

MS43SLPWA

- Wireless License Plate Bracket Camera • Wireless 4.3" TFT/LCD (16:9) Screen • 170° Wide Angle View
- Wireless Signal will offer a good Picture up to 35 feet
- 4-Angle Viewing Switch (Normal/Reverse/Inverted/Inverted Reverse) • 10' Power Cable w/Receiver
- Video Input • Includes 9-Infrared LED's for Night Visibility



Wireless Backup Camera System

MS-901D

- Digital Wireless Heavy Duty Bracket Backup Camera System with 7" TFT/LCD Monitor • Waterproof Heavy Duty CCD IR Camera w/Flexible Mount Location and Position • 150 foot Wireless Range • Automatic Sun Blocking Feature Viewing while Camera Facing Sun
- RCA A/V Output • Cigarette Lighter Power Adapter for Monitor • Complete with everything Needed to Install





Drive-By-Wire Cruise Control Systems

Drive-by-wire add-on cruise control systems by Rostra are available for many popular vehicle platforms from manufacturers like Toyota/Scion, General Motors, Suzuki, Dodge, Mitsubishi and Chrysler. Each cruise control system is designed with ease of installation in mind and more often than not consists of hardware meant to be completely plug-and-play.

What is included with a Rostra cruise control system?

A typical add-on cruise control system by Rostra includes an intelligent electronic control module with a built-in firmware package designed to deliver specific commands to a vehicle's onboard computer system or accelerator pedal position sensor. When combined with the fashionable control switch, an accelerator pedal interface harness, and primary system power harness, Rostra's cruise control systems provide a carefree way of maintaining highway driving speeds.

Popular Applications for 2015



250-9610
Ford
2011-2015 Fiesta



250-9612
Ford
2014-2015 Transit Connect
1.6L engine only



250-9613/250-9614
Chevrolet/GMC
2011-2015 Cruze (A/T or M/T)
2015 Colorado/Canyon (A/T or M/T)



250-1836
Toyota
Multiple 2006-2015 vehicles



250-9604
Nissan
2007-2015 Sentra



250-9633
Mitsubishi
2014-2015 Mirage

Coming soon...



In 2015 our electronic cruise control systems take a giant leap forward with the addition of our latest control switch allowing you to access the expanded potential of Rostra's cruise control modules.
Stay tuned for more details!



LESCO

DISTRIBUTING

R Rostra Precision Controls, Inc.

Global Cruise Universal Cruise Control

Set your speed with a touch of your finger! Once selected your cruise control constantly measures changes in the engine loading and vehicle speed in order to maintain a constant speed on the highway. Easily set the controls and avoid unintended speeding. Slow down or accelerate, you don't have to touch the pedal. Use your RF switch and have that same functionality built right into your steering wheel!



Improved Operation
 Set Speed
 Coast/Reduce Speed
 Resume/Accel
 Tap-Up, 1 MPH per tap
 Tap-Down, 1 MPH per tap
 Controlled Resume Rate
Enhanced Features
 Modular Design
 Wiring Harness with Lock
 Redesigned Water Sealing
 Self Diagnostics
 Smaller Module

Enhanced Adaptability
 Works with 3, 4, 5, 6 or 8 Cylinders
 Select Square or Sine Wave Speed
 Signal Source
 Select Acceleration Rate
 Select Gain Control
 Select M/T or A/T
 Easier Installation
 No Vacuum Required
 No Clutch Switch Needed
 VSS Wire Already in Harness
 Compatible with Neutral Safety
 Compatible with Direct Fire Ignition

250-1223 (Universal)

Designed to work with any vehicle incorporating the use of a mechanically-operated throttle, a Rostra Universal Cruise offers a great deal of flexibility when it comes to adding a cruise control system to your vehicle. Whether you're restoring a classic hot-rod, prepping the family minivan for holiday traveling or looking to save on the cost of fuel for your motorhome, a universal cruise control from Rostra is the only way to go!

Universal and Vehicle-Specific Cruise Control Switches



250-3020
 Early GM-style lever (1981 and earlier).



250-3021
 Early Ford-style lever (1983 and earlier).



250-3026
 GM/AMC switch with dimmer.



250-3126
 GM-style chrome switch w/out wiper delay (1984-1996).



250-3032
 "Cut Off" installs over existing turn signal lever shaft.



250-3125
 Universal mount with adjustable arm.



250-3304
 "Stubby" universal mount with non-adjustable arm.



250-3421
 "Slim Arm" universal left-hand mount with adjustable arm.



250-3446
 "Slim Arm" universal right-hand mount with adjustable arm.



250-3742
 Universal left-hand mount with On/Off LED.



250-3743
 Universal right-hand mount with On/Off LED.



250-3002
 "Piggy Back" installs on existing lever.



250-3592
 Dash mount switch with engaged LED.



250-3593
 Dash mount switch without engaged LED.



250-1483
 Universal bottom mount RF with bracket.



LESCO

DISTRIBUTING

R Rostra Precision Controls, Inc.

RearSight® LCD Mirror/Monitors

REARSIGHT Backup Camera Systems

Today's drivers are more safety conscious than ever. With the popularity of SUVs, trucks and larger vehicles, blindspot areas behind and beside the vehicle are an increasing problem. Sophisticated video technology now makes it affordable for drivers to have an added dimension of safety. A RearSight® Automotive Rear View Backup Camera System makes backing up easier and less prone to accidents. Nearly every kind of vehicle can benefit from a RearSight Camera System. And with the many systems and options Rostra offers, RearSight® is sure to be one of the most desirable safety products in the aftermarket.

RearSight® LCD Mirror/Monitors Updates continued...

Quick-Touch Power Button (available with mirrors 250-8208, 250-8240, 250-8243, and 250-8273)

The face of the 250-8208 RearSight® mirrors include a power button that controls different functions when the mirror is powered on depending on how it is pressed by the driver.



250-8802 For General Motors Vehicles
Mirror Specifications
 3.5" TFT LCD display High resolution display
 4:3 aspect ratio OEM approved
 Auto-dimming mirror glass Built-in OnStar™ controls **

Mirror Stem Mount Adapters Available

Adapt a vehicle's original equipment rearview mirror mount to accommodate any of Rostra's RearSight® LCD-equipped rearview mirrors



250-8604
 Multiple Dodge/Mercedes/Smart



250-8605
 Multiple Volkswagen/Aud



250-8606
 Volkswagen Passat (2012-2014)



250-8608
 Multiple Dodge/Ram/Chrysler



250-8609 Multiple Honda/Scion/Subaru



LESCO

D I S T R I B U T I N G

R Rostra Precision Controls, Inc.

Tailgate-Handle Integrated Backup Cameras

Rostra's complete line of tailgate handle integrated cameras provides a unique way of adding a backup camera system to many of the most popular pickup trucks on the road. Each tailgate handle is available with either a CCD or CMOS camera, and each CMOS camera comes equipped with selectable parking grid lines that can be turned on or off depending upon your preference. As always, every tailgate handle camera offered by Rostra includes a 30-foot extensions harness, weatherproof plugs, universal RCA connectors, and our industry-leading 3-year/36,000 mile warranty.

2014+ Chevrolet Silverado & GMC Sierra



250-8622

1/4" CMOS camera
160-degree view
.5 Lux light sensitivity

Waterproof case/anti-fog lens
Includes 30-foot harness
RCA adapter included

2007-2013 *Chevrolet Silverado and GMC Sierra



250-8569

1/4" CMOS camera
160-degree view
.5 Lux light sensitivity
Standard S-Video plugs

2007-2013 Toyota Tundra



250-8587

CCD version
1/4" camera
160-degree view
.5 Lux light sensitivity

250-8599

CMOS version
Includes RCA adapter
Waterproof case/anti-fog lens
Includes 30-foot harness

250-8645 2015+ Ford F150



1/4-inch CMOS camera
160-degree view
.5 Lux light sensitivity
Waterproof case
Anti-fog lens
Includes 30-foot harness
RCA adapter included



RearSight® Universal Backup Cameras



250-8082A

Camera Specifications

- 1/4-inch CMOS camera.
- 160-degree view.
- .5 Lux light sensitivity.
- Standard S-Video plugs.
- Includes RCA adapter.
- Includes tab/hinge mounts.
- Overlaid parking gridlines
- Waterproof case/anti-fog lens.
- Includes 30-foot harness.



250-8083A

Camera Specifications

- 1/4-inch CMOS camera.
- 160-degree view.
- .5 Lux light sensitivity.
- Standard S-Video plugs.
- Includes RCA adapter.
- Flush-mounts to flat surface.
- Overlaid parking gridlines
- Waterproof case/anti-fog lens.
- Includes 30-foot harness.



250-8112A

Camera Specifications

- 1/4-inch CCD camera.
- 160-degree view.
- .5 Lux light sensitivity.
- Includes RCA adapter.
- Includes 30-foot harness.
- 'Teardrop' mount for liftgates.
- Includes license plate bracket.
- Includes tailgate handle shroud.
- Waterproof case/anti-fog lens.



250-8147

Camera Specifications

- 1/4-inch CMOS camera.
- 160-degree view.
- .5 Lux light sensitivity.
- RCA video plugs.
- 30-foot harness length.
- Overlaid parking gridlines.
- Drill-in style for flush mounting.
- Lip or tailgate mountable.
- Waterproof case/anti-fog lens.
- Includes all mounting hardware.

Ultrasonic Parking Assist Systems



2501903-BZP



2501920-FZ

The BackZone Plus and FrontZone are revolutionary automotive reverse parking assist systems developed by Rostra Precision Controls and designed to give every driver peace-of-mind while parking their vehicle in cramped quarters. The BackZone Plus and FrontZone units provide both visual and audible alerts to the potential dangers of nearby obstacles through the use of an included buzzer built into a digital display that can be mounted on your sun visor or dashboard.

Included in every BackZone Plus and FrontZone ultrasonic parking assist system, you will find four bumper-mountable ultrasonic sensors with additional 6-degree and 12-degree angled bezels added to accommodate curved bumpers (see photos). Likewise, each kit includes four rubber sleeves to be used to reduce sensor vibration when mounting the ultrasonic sensors in steel bumpers. These sensors provide information to the main control module via the vehicle-length wiring harness, also included. The sensors included with each BackZone Plus arrive with a flat-black finish that can be painted to match the vehicle's exterior*.

Also available: 2501903-BZTRK
As above with 25' harness



Sentry Pro-Grade^{HD} Fleet Safety Equipment



250-8211

Monitor Specifications

5" LCD monitor
480 x 272 resolution
Matte finish reduces glare
Dual video inputs

Includes pedestal mount
Auto day/night dimming
Adjustable brightness/contrast
Built-in speakers for audio



250-8213

Monitor Specifications

5" LCD monitor
480 x 272 resolution
Matte finish reduces glare
Dual video inputs

Includes stem/pedestal mounts
Auto day/night dimming
Adjustable brightness/contrast
Built-in speakers for audio



250-8212

Monitor Specifications

7" LCD monitor
800 x 480 resolution
Matte finish reduces glare
Quad video inputs

Includes pedestal mount
Auto day/night dimming
Adjustable brightness/contrast
Built-in speakers for audio



250-8214

Monitor Specifications

7" LCD monitor
800 x 480 resolution
Matte finish reduces glare
Quad video inputs

Includes stem/pedestal mounts
Auto day/night dimming
Adjustable brightness/contrast
Built-in speakers for audio



250-8118

Monitor Specifications

4.3" LCD monitor
480x272 resolution
Matte finish reduces glare
Four video inputs

Includes stem/dash mounts
Adjustable brightness/contrast
Touch-based controls
Selectable parking grid lines



250-8149-10M and 250-8149-20M

Camera Specifications

1/4" CCD image sensor
420 TV Lines resolution
130-degree wide view
Threaded connectors

10 or 20 meter harnesses
.1 Lux daytime illumination
0 Lux night vision illumination
Built-in microphone for audio



LESCO

D I S T R I B U T I N G

R Rostra Precision Controls, Inc.

DashCam Dashboard Video Recording Systems

Introducing DashCam - a series of compact, fully-featured digital video capture systems that use a standard Class 10 SD or microSD card for storage and record on-road video while you drive. The DashCam recording units and their associated accessories are specifically designed with mobility in mind. Their compact form factor means they blend seamlessly into most vehicle dashboards and windshields while providing easy access to their many features including video playback, starting and stopping recordings, and turning audio capture on or off. The software suite included with each Dashboard Video Recording System provides a sophisticated means of extracting video to a personal computer for editing, as well as providing access to many other features including overlaying GPS coordinates onto a Google Map to view driving patterns, and viewing telemetry data such as in-car G-forces experienced while driving.

250-8918

DashCam Specifications

1-Channel video recording with front-facing camera.
 Front camera: 105-degree, 1080p video resolution.
 Built-in 2.5-inch LCD screen for video playback.
 Navigate video settings built built-in user interface.
 Automatically records with ignition power.
 Microphone and speaker for audio recording/playback.
 IR remote control included.



250-8919HD



Same feature set as part number 250-8919.
 SD card security panel with security screws.
 Includes hard-wired mini USB power supply.

8GB Class 10 microSD card included for recording video.
 IR remote and video-out cable available separately.



ComfortHeat/ComfortSeat Seat Heaters and Lumbar Support

Demand is heating up! Experience the gentle, therapeutic warmth of a Rostra ComfortHeat automotive carbon-fiber seat heating system with dual-zone heating for soothing lower back pain and adding car seat comfort that works with cloth or leather vehicle seats. The therapeutic seat heater is fast-heating providing warmth in less than a minute. Treat yourself to the ultimate in comfort by installing both the ComfortSeat Lumbar Support and therapeutic ComfortHeat heated seats in your vehicle today!

ComfortHeat Seat Heating Features (applies to all)

Feel heat in less than a minute with rapid heat-up.
 Easy-to-locate LED backlit control switches.
 Control switches designed to match factory interiors.
 Includes all wiring and connectors for installation.
 FMVSS 302 material burn resistance compliant.
 Wires protected by thick insulating material.

Two-wire installation (12V ignition power and ground).
 Locking harness ends ensure stable wire connections.
 Includes modifiable 10" x 19" heating elements.
 Element temperatures range from 91° F to 127° F.
 Elements controlled individually with built-in thermostat.
 Elements held in place with heat-resistant adhesive.



250-1871



250-1872



250-1870



Cruise in comfort! With the ComfortSeat Lumbar Support System, you can set the amount of lower back muscle support you need for your individual comfort while driving. Tucked away inside the driver or passenger seat, the Lumbar Support System provides the precise amount of extra lumbar support to your lower back, decreasing lumbar strain at your command. With just the touch of a finger, the seat or console-mounted switch activates a pneumatic motor filling the bladder within the seat. Make every drive a comfortable drive.

ComfortSeat Lumbar FAQ

How long does it take to install the Automotive Lumbar Support?

The Lumbar Support has universal application and is easy to install. Estimated installation time is approximately 1 hour or less.

Will I need to remove the seat?

No. The Lumbar Support can be installed without removing the seat. The seat cover needs only to be pulled up, not removed.

What is the difference between a "front mount" and a "rear mount"?

A "front mount" fits between the foam and upholstery. A "rear mount" fits behind the foam.



Electric pump with pouch.



Lumbar air bladder.



Control switch.



Wiring harness



Part Numbers

250-1453
Front-mount support

250-1454
Rear-mount support

250-1752
Toyota lumbar support



SoftTouch OE by Rostra

Manufacturer	Model	Years	System	Trim Pkg	Part#	Years	System	Trim Pkg	Part#	
Ford	C-Max	2013-2015	Sync2	All	250-7714D	2016	Sync3	All	250-7715D	
	Edge	2011-2015	Sync2	All	250-7714D	2016	Sync3	All	250-7715D	
	Escape	2013-2015	Sync2	All	250-7714D	2016-2017	Sync3	All	250-7715D	
	Expedition	2015	Sync2	All	250-7714D	2016-2017	Sync3	All	250-7715D	
	Explorer	2011-2016	Sync2	All	250-7714D	2017	Sync3	N/A in Base	250-7715D	
	F-150	2013-2015	Sync2	All	250-7714D	2016	Sync3	All	250-7715D	
	F250/F350 SD	2015-2016	Sync2	All	250-7714D	2017	Sync3	All	250-7715D	
	Fiesta	2014-2015	Sync2	All	250-7714D	2016	Sync3	All	250-7715D	
	Flex	2013-2015	Sync2	All	250-7714D	2016	Sync3	All	250-7715D	
	Focus	2012-2015	Sync2	All	250-7714D	2016	Sync3	All	250-7715D	
	Fusion	2013-2016	Sync2	All	250-7714D	2017	Sync3	N/A in S	250-7715D	
	Mustang	2015	Sync2	All	250-7714D	2016-2017	Sync3	All	250-7715D	
	Taurus	2013-2015	Sync2	All	250-7714D	2016	Sync3	All	250-7715D	
	Transit	2015	Sync2	All	250-7714D	2016-2017	Sync3	All	250-7715D	
	Transit Connect	2014-2016	Sync2	All	250-7714D					
	Lincoln	MKC	2015	Sync2	All	250-7714D	2016-2017	Sync3	All	250-7715D
		MKS	2013-2015	Sync2	All	250-7714D	2016	Sync3	All	250-7715D
MKT		2013-2016	Sync2	All	250-7714D	LATE 2016*	Sync3	All	250-7715D	
MKX		2011-2015	Sync2	All	250-7714D	2016-2017	Sync3	All	250-7715D	
MKZ		2013-2016	Sync2	All	250-7714D	LATE 2016-2017*	Sync3	All	250-7715D	
Navigator		2015	Sync2	All	250-7714D	2016	Sync3	All	250-7715D	



Notes: Vehicle must have the Myford Touch system with the 8" screen.
VIN Confirmation is required by Picture of Window sticker, inner drivers door sticker, or VIN plate.
* Confirm system, late production models may be Sync3.

General Motors

GM VEHICLES CAN NOT HAVE THE 7" SYSTEM - MUST HAVE TRIM CODE I05 or I06 - NOT I0A. Option Codes can be found on the RPO sticker.

Manufacturer	Model	Years	System	Trim Pkg	Part#	Years	System	Trim Pkg	Part#
Buick	Enclave	2013-2017	GM Radio	All	250-7717D				
	Encore	2013-2016	GM Radio	All	250-7717D	2017	GMHMI-CP	All	250-7718D
	Lacross	2014-2015	GMHMI	All	250-7716D	2016-2017	GMHMI-CP	All	250-7718D
	Regal	2014-2015	GMHMI	All	250-7716D	2016-2017	GMHMI-CP	All	250-7718D
	Verano	2013-2017	GM Radio	All	250-7717D				
Cadillac	ATS	2014-2015	GMHMI	All	250-7716D	2016-2017	GMHMI-CP	All	250-7718D
	CTS	2013-2015	GMHMI	All	250-7716D	2016-2017	GMHMI-CP	All	250-7718D
	CT6					2017	GMHMI-CP	All	250-7718D
	SRX	2013-2015	GMHMI	All	250-7716D	2016	GMHMI	All	250-7716D
	XTS	2014-2015	GMHMI	All	250-7716D	2016	GMHMI-CP	All	250-7718D
	XT5					2017	GMHMI-CP	All	250-7718D
Chevrolet	Camaro	2011-2015	GM Radio	All	250-7717D	2016-2017	GMHMI-CP	All	250-7718D
	Colorado	2014-2015	GMHMI	All	250-7716D	2016	GMHMI-CP	All	250-7718D
	Corvette	2014-2015	GMHMI	All	250-7716D	2016-2017	GMHMI-CP	All	250-7718D
	Equinox	2013-2017**	GM Radio	All	250-7717D				
	Impala	2014-2015	GMHMI	All	250-7716D	2016-2017	GMHMI-CP	All	250-7718D
	Malibu	2013-2015	GM Radio	All	250-7717D	Late 2016*-2017	GMHMI-CP	All	250-7718D
	Silverado 1500 - 3500	2014-2015	GMHMI	All	250-7716D	2016-2017	GMHMI-CP	All	250-7718D
	Suburban	2014-2015	GMHMI	All	250-7716D	2016-2017	GMHMI-CP	All	250-7718D
	Tahoe	2014-2015	GMHMI	All	250-7716D	2016-2017	GMHMI-CP	All	250-7718D
	Traverse	2013-2017	GM Radio	All	250-7717D				
Volvo	Volt	2011-2015	GM Radio	All	250-7717D	2016-2017	GMHMI-CP	All	250-7718D
	Cruze	2013-2016	GM Radio	7" Mylink	250-7717D	2017	GMHMI-CP	All	250-7718D
GMC	Acadia	2013-2016	GM Radio	All	250-7717D	2017	GMHMI-CP	All	250-7718D
	Canyon					2016	GMHMI-CP	All	250-7718D
	Sierra 1500	2014-2015	GMHMI	All	250-7716D	2016-2017	GMHMI-CP	All	250-7718D
	Sierra 2500	2015	GMHMI	All	250-7716D	2016-2017	GMHMI-CP	All	250-7718D
	Terrain	2013-2017	GM Radio	All	250-7717D				
Yukon	2015	GMHMI	All	250-7716D	2016-2017	GMHMI-CP	All	250-7718D	



Notes: Vehicle must have the 8" screen. Systems not available for 7" or 4" screens.
VIN Confirmation is required by Picture of Window sticker, inner drivers door sticker, or VIN plate. All parts are programmed and drop shipped as ordered.
* Must verify on vehicle ** Vehicle must have factory CD player slot under radio or trim kit is required from the car dealer directly.
If confirmation of a Vin is not provided as described above a reprogramming/retun charge of \$100.00 will be applied.
Optional features such as Camera Activation on a module is available at an added charge, see price sheet for details.



Con-Verse Hands-Free Bluetooth® by Rostra



Good driving requires two hands! Rostra Precision Controls is proud to offer an innovative product that is going to change the way you use your cellular phone while driving. The Con-Verse Automotive Bluetooth® Hands-Free System allows you to keep both hands on the wheel while driving, keeping you alert and aware of your surroundings, ready to react without any distractions.

Customized Bluetooth® kits include factory look-a-like switches designed to fit directly into the knock-out plugs currently on your vehicle's dashboard. They allow you to retain your automobile's factory finish, all while adding the benefits of a hands-free, voice-activated calling system and include wiring harnesses designed to tie directly into your vehicle's radio.



Con-Verse Bluetooth® module

Plug and Play



Custom-fit and vehicle-specific wiring harnesses included in every Bluetooth® kit makes for quick and easy installations normally involving no cutting or splicing of existing vehicle wiring.

Full Duplex DSP



Full Duplex Digital Signal Processing of audio by every Bluetooth® system means you are assured the very best sound quality throughout every phone call or every streamed song.

Multi-Pairing




Utilizing the internal memory in every Bluetooth® module allows for the memorization of up to 5 different cellular phones! Extra phones can be added in just a few short steps, if needed.

Rapid Call Transfer



Phone calls already in progress are transferred between the Bluetooth® module and your cell phone seamlessly when your vehicle's ignition is turned on or off.

Volume Control



With the single-button volume control built into every Bluetooth® control switch, the audio playing over your vehicle's speakers is centralized, easy to find and easy to use.

Incoming Call Rejection



Got a call coming in that you don't want to take? Built into our control switches and modules is the functionality to reject a call, transferring it safely to your voicemail.

Upgradeable Software



Software upgradeability within the Bluetooth® module means that as the Bluetooth® standard grows within the cellular phone industry, your Con-Verse by Rostra system will be able to keep pace.

Multiple Switch Options



Rostra offers a variety of switches to be connected to your Bluetooth® system allowing you to keep the original fit and finish of your vehicle's interior. See above for images.



250-7503
3rd Gen Toyota



250-7504
Nissan



250-7505
Honda



250-7565
Mazda



250-7566
Subaru



250-7526
Universal



LESCO

D I S T R I B U T I N G

APP-TRONICS
WWW.APP-TRONICS.COM

SmartNav 5A Rearview Mirror with 5" Inset/Android Base Platform/GPS NAV/Bluetooth®/Radar Detector



SMARTNAV 5A

- All-in-1 Updatable Rearview Mirror w/Android Base Platform • Internal Radar Detector • iGO Primo Navigation • Turn-by-Turn Voice Guided Directions • 11 Million P.O.I.s • Front Viewing DVR Recording with Preloaded viewable Software, Showing Date/Time/Speed & Google Map Location in HD • Bluetooth • FM Transmitter and a host of Media Players

SmartNav 5R Review Mirror with 5" Inset/GPS NAV/Bluetooth® and Radar Detector



SMARTNAV 5R

- All-in-1 Updatable Rear View Mirror with Internal Radar Detector • iGO Primo Navigation • Turn-by-Turn Voice Guided Directions • 11 Million P.O.I.s • Front Viewing DVR Recording w/Preloaded viewable Software, Showing Date/Time/Speed and Google Map Location in HD • Bluetooth • FM Transmitter and a host of Media Players

SmartVision Rearview Mirror with 5" Inset/Bluetooth®/Dual Line Recording



SMARTVISION

- SmartVision was brought to Market due to the High Demand of the SmartNav 5's Reversing Camera and its 5" 600nit Display Screen which can be seen even on the Brightest Days • We then Added our Premiere Bluetooth 4.0 and Patent Pending Dual Line DVR Recording • System allows the Driver to Record both the Front Viewing Angle as well as the Rear Camera at all times

Reversing Camera Rearview Mirror



SMARTVUE

- High-End Reversing Camera Rear-View Mirror with 5" 600nit Display Screen • Back-up Camera and Universal Mounting Bracket • Inputs for Optional Parking Sensors

SmartNav 5 Plus Mirror w/5" Inset Stealth Interceptor/GPS NAV/Dash Cam/Bluetooth®



SMARTNAV-5+

- SmartNav 5 Plus with Radar Detector and Laser Diffusers • iGO Primo Navigation • Turn-by-Turn Voice Guided Directions • 5" Touchscreen • Front Viewing DVR Recording with Preloaded ADR Software, Showing Date/Time/Speed and Google Map Location in HD • HD Color Rear Camera • Auxiliary Port • FM Transmitter • Bluetooth 4.0



LESCO

D I S T R I B U T I N G

BRANDMOTION
Seamless vehicle personalization

ADAS+

ADVANCED DRIVER ASSISTANCE SYSTEM



Part Number: ADAS-1000



- **Forward Collision Warning:** Provides audible and visual warnings on the 2.4" color touch screen
 - ▶ Calculates potential collisions in seconds to impact



- **Lane Departure:** Watches the road and alerts drivers in the event of accidental lane departure



- **Beep and Watch:** When traffic flow stops, the ADAS Plus keeps watch and alerts the driver to resume driving



- **Video and Event Recording:** Automatic or manually activated front and rear audio and video recording with GPS data on the included 32GB SD card



- **Secondary Camera:** Interior mount, multi-purpose camera for rear event or interior occupant monitoring




360° Vision System

A COMPLETE 360° VIEW OF WHAT'S AROUND THE VEHICLE



- Provides 4x the safety of a backup camera
- The system's software seamlessly stitches camera images generating a 'bird's eye view', making tight space maneuvering easier
- Toggle multiple display modes with the push of a button
 - ▶ 360° view with front camera or rear camera view
 - ▶ Full screen front camera or rear camera view
 - ▶ Front camera view and both sides of the vehicle
- Consists of a front camera, a rear camera, and two exterior mirror cameras and pods
- Forward camera can be activated at speeds under 7mph for specific models
- Module generated park lines on reverse camera view



AVMS-3690
Universal 360°
Vision System

AVMS-3540
30" Cargo Van
Universal 360°
Vision System

AVMS-3600
F-Series 360°
Vision System for
Aftermarket Display
2004-2014

AVMS-3604
F-150 MyFord 4"
360° Vision System
2012-2014

AVMS-3608
F-Series MyTouch 8"
360° Vision System
2013-2014

AVMS-3614
F-150 MyFord 4"
360° Vision System
2015+

AVMS-3618
F-150 MyTouch 8"
360° Vision System
2015+

AVMS-3620
Ford Transit 360°
Vision System for
Aftermarket Display
2013+

AVMS-3621
Ford Transit 360°
Vision System for
4" Factory Display
2013+

AVMS-3622
Ford Transit 360°
Vision System For
8" Factory Display
2014+

AVMS-3700
Jeep Wrangler
360° Vision System
2007+

AVMS-3701
Jeep Wrangler
360° Vision System
for Factory Display
2007+

AVMS-3810
Sprinter 360°
Vision System for
Aftermarket Display
2007+

AVMS-3811
Sprinter 360° Vision
System for Factory
Display 2014+

AVMS-3699
360° Vision System
Calibration Kit



Add cameras to any vehicle display - High level guide only - see app guide for exact vehicle details before purchasing

Vehicle Type	Rear Vision Interface	Rear Vision Kit	Multi Camera Interface	Rear Vision Camera	185° Front Vision	Blind Spot Vision	Cargo View	360° Vision
Audi								
A3/VW	9002-2770	9002-7770	9002-2770	9002-7601	9002-5001	9002-2904	X	AVMS-3690
Console mounted MMI	9002-2771	9002-7771	9002-2771	9002-7601	9002-5001	9002-2904	X	AVMS-3690
Dash mounted MMI	9002-2772	9002-7772	9002-2772	9002-7601	9002-5001	9002-2904	X	AVMS-3690
BMW								
All models w/ 8 radio presets	9002-2773	9002-7773	9002-2773	9002-7601	9002-5001	9002-2904	X	AVMS-3690
All models w/ 6 radio presets	9002-2774	9002-7774	9002-2774	9002-7601	9002-5001	9002-2904	X	AVMS-3690
Chrysler								
5" & 8.4" Radios	9002-2733	9002-7733	9002-2783	9002-7601	9002-5001	9002-2904	X	AVMS-3690
4.3" & pre 2014 8.4" Radios	9002-2735	9002-7735	X	9002-7601	9002-5001	9002-2904	X	AVMS-3690
MyGig Radios	9002-2782	X	9002-2782	9002-7601	9002-5001	9002-2904	X	AVMS-3690
5" & 8.4" Radios (Multi Camera)	9002-2783	X	9002-2783	9002-7601	9002-5001	9002-2904	X	AVMS-3690
RAM Pickup	9002-2733	9002-7736	9002-2900	1009-6503	9002-5001	9002-2904	FTW-7626	AVMS-3705*
Wrangler	9002-6115	9002-8847	9002-2782	9002-8848	9002-5001	9002-2904	X	AVMS-3700
ProMaster	X	FTW-7613	X	FTW-7610	9002-5001	9002-2904	X	AVMS-3730*
ProMaster City	X	FTW-7628	X	FTW-7612	9002-5001	9002-2904	X	AVMS-3690
Ford								
4" MyFord Radios	9002-2750	9002-7750	9002-2780	9002-7601	9002-5001	9002-2904	X	AVMS-3690
8" MyTouch Radios	2751/2752	7751/7752	9002-2781	9002-7601	9002-5001	9002-2904	X	AVMS-3690
F150 2012-14	2750/2751	X	2780/2781	FTW-7614	9002-5001	9002-2904	X	AVMS-3600
F150 2015+	2750/2751	9002-8755	2780/2781	9002-6511	9002-5001	9002-2904	X	3614/3618
F250 2013-16	9002-2751	9002-7754	9002-2781	FTW-7614	9002-5001	9002-2904	X	AVMS-3608
Transit	2750/2751	FTW-7720	2780/2781	FTW-7620	9002-5001	9002-2904	X	AVMS-3620
GM								
MyLink 7" Radios	9002-2760	9002-7760	9002-2785	9002-7601	9002-5001	9002-2904	X	AVMS-3690
Cue Radios	2763/2764	9002-7763	2784/2764	9002-7601	9002-5001	9002-2904	X	AVMS-3690
Silverado 2014+	2763/2764	9002-7762	2784/2764	9002-1005	9002-5001	9002-2904	X	AVMS-3900*
Silverado Pre-2013	X	X	X	9002-9560	9002-5001	9002-2904	X	AVMS-3690
Mercedes Benz								
OK Clear radio buttons split	9002-2775	9002-7775	9002-2775	9002-7601	9002-5001	9002-2904	X	AVMS-3690
OK Clear radio buttons centered	9002-2776	9002-7776	9002-2776	9002-7601	9002-5001	9002-2904	X	AVMS-3690
Metris	9002-2711	9002-7711	9002-2711	9002-7601	9002-5001	9002-2904	X	AVMS-3690
Sprinter	9002-2710	9002-7710	9002-2712	9002-7609	9002-5001	9002-2904	X	AVMS-3810
Toyota								
16 pin 6.1" Display Radios	9002-2630	9002-7630	X	9002-7601	9002-5001	9002-2904	X	AVMS-3690
24 pin 6.1" Display Radios	9002-2730	X	X	9002-7601	9002-5001	9002-2904	X	AVMS-3690

FLEET BACKUP CAMERAS



Chevrolet Express/GMC Savanna Camera - 9002-7607



Sprinter Camera - 9002-7609



Ford E-Series Camera - 9002-7606



Ford Transit Connect Camera - 9002-7605



Ford Transit Full Size Van HiMount Camera - FLTW-7620



Nissan NV Camera 9002-7608



ProMaster Camera FLTW-7610



Universal Cargo Van Infrared CMOS Camera w/ Taillamp FLTW-7604

UNIVERSAL BACKUP CAMERAS



Dual Mount CMOS Camera - 9002-7601



Dual Mount CMOS Camera w/ Infrared Light - FLTW-7611



Gen 7 OEM Lip Mount Camera - 9002-8701



Multi Mount Universal CMOS Camera - FLTW-7602



Snap-in Lip Mount CMOS Camera - FLTW-7603



Snap-In Adjustable Bullet Camera - FLTW-7612

VEHICLE SPECIFIC BACKUP CAMERAS



Ford OEM Oval Emblem Camera - 1008-6509



Ford F-150 OEM Tailgate Handle Camera - 9002-6511



RAM OEM Tailgate Handle Camera - 1009-6503



Silverado OEM Tailgate Handle Camera - 9002-1005



F-Series Tailgate Handle Camera w/ Optional Gridlines - FLTW-7614



F150 Tailgate Handle Camera w/ Optional Gridlines - FLTW-7511



RAM Tailgate Handle Camera w/ Optional Gridlines - FLTW-7633



Silverado Tailgate Handle Camera - FLTW-7616



LESCO

D I S T R I B U T I N G

BRANDMOTION
Seamless vehicle personalization

Parking Sensors & Cameras



Curb Alert PRO - 5000-CA5
Curb Alert Park View PRO - 5000-CA6



185° OEM Front Camera - 9002-5001



Universal Backup Sensor System - 9002-3000
Truck & SUV Extension Harness - 9002-3001

Blind Spot Cameras



Dual Camera Blind Spot Monitoring System w/ Switcher - 9002-2904

Dual Camera Blind Spot Monitoring System w/ 7.3" Display Mirror - 9002-2906

- Adjustable cameras
- Turn-signal activated



Blind Spot Radar



Radar Blind Spot - Shipping November 2016

- Vehicle specific approach
- Cross traffic detection
- Visual & audible warning



Universal Cameras

PCAM-BS1-N

Self-Adhesive Blind Spot Camera for Front, Rear or Side View with Flexible Housing



Key Features:

- 1/4" CMOS sensor
- Operates at 0.1 LUX
- 80° viewing angle
- IP67 water/debris-proof rating
- Parking Lines (selectable)
- Mirrored/non-mirrored image (selectable)



Reduce the risk of collisions and other accidents, especially when changing lanes. The PCAM-BS1 is designed for versatility, and its self-adhesive design, with flexible base can be mounted on multiple areas of a vehicle. When mounted beneath side mirrors, the PCAM-BS1 improves driver visibility during lane changes. Pairing the PCAM-BS1 with a PAC BCI video interface, or with EchoMaster's rearview mirror with monitor PMM-7333-PL, triggers the camera to turn on when a turn signal is being used, and converts the video signal to a constant.

Part Number	Viewing Angle	Sensor Type	LUX Rating	IP Rating	Parking Lines	Image Type	Product Photo
PCAM-201-N Old PN VM-201	170°	1/4" CMOS	0.5	IP67	Selectable	Mirrored/ non-mirrored (selectable)	
PCAM-360-N Old PN VM-360	170°	1/4" CMOS	0.3	IP67	Selectable	Mirrored/ non-mirrored (selectable)	
PCAM-110-N Old PN VM-110	170°	1/4" CMOS	0.5	IP67	Selectable	Mirrored/ non-mirrored (selectable)	
PCAM-150-N Old PN VM-150	170°	1/4" CMOS	0.5	IP68	Selectable	Mirrored/ non-mirrored (selectable)	
CAM-01-N	170°	1/4" CMOS	0.3	IP68	Selectable	Mirrored/ non-mirrored (selectable)	
CAM-02-N	170°	1/4" CMOS	0.3	IP68	Selectable	Mirrored/ non-mirrored (selectable)	
CAM-06-N	150°	1/4" CCD	0.5	IP68	Selectable	Mirrored/ non-mirrored (selectable)	

Universal Third Brake Light Mount

PCAM-15C-N
VM-15C



CMOS Third Brake Light Camera with Night Vision

Key Features:

- 1/4" CMOS sensor
- Operates at 0 LUX
- 170° viewing angle
- IP67 water/debris-proof rating
- Parking lines (selectable)
- Mirrored/non-mirrored image (selectable)

Universal Roof Mount

PCAM-RM1-N
VM-11Y




CCD Roof Mounted Reverse Camera with Night Vision

Key Features:

- CCD sensor
- Operates at 0 LUX
- 120° viewing angle
- IP67 water/debris-proof rating
- Mirrored image

License Plate Mount Cameras

CAM-LF3C-N (chrome) CAM-LF3B-N (black)




1/3" CCD Chrome Full Frame Rearview CCD Color License Plate Camera for Front or Rear View


Key Features:

- 1/3" CCD sensor
- IP67 water/debris-proof rating
- Operates at 0.3 LUX
- Parking lines (selectable)
- 175° viewing angle
- Mirrored/non-mirrored image (selectable)

PCAM-10I-N (with infrared) VM-10LI




PCAM-10L-N VM-10L



Key Features:

- 1/4" CMOS sensor
- IP67 water/debris-proof rating
- Operates at 0 LUX with infrared 0.5
- Parking lines (selectable)
- 170° viewing angle
- Mirrored/non-mirrored image (selectable)

PCAM-LB2B-N BC35B



1/4" CMOS License Plate Mount Reverse Camera with Parking Lines

Key Features:

- 1/4" CMOS sensor
- IP67 water/debris proof rating
- Operates at 1 LUX
- Parking lines (selectable)
- 170° viewing angle
- Mirrored image

Monitors

Rearview Mirror Monitors

PMM-43-ADPL - Auto-dimming mirror
VM-43M-AD-L

PMM-43-PL
VM-43M-L

Key Features:



- Dual video inputs
- Reverse trigger input
- Adjustable parking lines
- 4.3" monitor

PMM-35-ADPL- Auto-dimming mirror
VM-35R-AD-L

PMM-35-DPL- Manual dimming mirror
VM-35R-M-L

PMM-35-PL
VM-35R-L

Key Features:



- Dual video inputs
- Reverse trigger input
- Adjustable parking lines
- 3.5" monitor

PMK-73BS



Blind spot monitoring, lane change assist kit. Take the twisting and turning out of lane changing and reversing. PCAM-BS1-N cameras mount under side view mirrors, and are displayed on the PMM-7333-PL when turn signals are used. The PMM-7333-PL converts the video signals to constant, eliminating the need for a camera switcher.

PCAM-BS1-N (x2)

Key Features:

- 1/4" CMOS sensor
- Operates at 0.1 LUX
- 80° viewing angle
- IP67 water/debris-proof rating
- Parking Lines (selectable)
- Mirrored/non-mirrored image (selectable)

PMM-7333-PL

Key Features:

- Triple video inputs
- 3 individual triggers
- Adjustable parking lines
- Remote control included
- Auto-dimming display

PCAM-10L

Key Features:

- 1/4" CMOS sensor
- Operates at 0.5 LUX
- 170° viewing angle
- IP67 water/debris proof rating
- Parking lines (selectable)
- Mirrored/non-mirrored image (selectable)

Chrysler

Vehicle-Specific Solutions

RAM



PCAM-RAM-N

EV-DRAM
CMOS Tailgate Handle Camera with Parking Lines for Dodge Ram (2009 - 2016)

JEEP



PCAM-JP2-N

JP-CAMMOUNT-KIT
Jeep CMOS Spare Tire Mount Camera with Parking Lines and Mounting Bracket

ProMaster



PCAM-PM4

EV-PM014
CMOS Third Brake Light Camera with Parking Lines for Dodge ProMaster (2014-2016)

ProMaster



PMM-43-PMC-PL

VM-43M-PMC-L
4.3" Mirror Monitor for Dodge RAM Promaster City with Auto-dimming and Adjustable Parking Lines

Integrate safety cameras into the factory screen

Part Number	Description
FC-CJ300	2011-14 Chrysler 300/300C and 2011-16 Dodge Charger & 2014-15 Journey with 8.4" Screen - Camera (PCAM-201-N) & Integrated Connect Harness; Dealer Programming Required
FC-CJDR	2009-16 Chrysler Town & Country and Dodge Grand Caravan, Grand Cherokee, and Patriot, 2009-14 Nitro, 2009-15 Jeep Compass, and 2009-14 Liberty with MyGig - Camera (PCAM-201-N) & Integrated Connect Harness; Dealer Programming Required
FC-DRAMPRO	2013-16 Dodge Ram with 5" or 8.4" screen - Tailgate Camera (PCAM-RAM-N) & PAC BCI-CH41 Interface Module
FC-DRAM	2013-16 Dodge Ram with 5" or 8.4" Screen - Tailgate Camera (PCAM-RAM-N) & Integrated Connect Harness; Dealer Programming Required
FC-GCH-2	2014-16 Dodge Durango and Jeep Grand Cherokee with 4.3", 5" & 8.4" Screen - Camera (PCAM-201-N) & Integrated Connect Harness
FC-WRANGLER	2009-16 Jeep Wrangler with MyGig - JP-MOUNT Spare Tire Bracket, Camera (PCAM-220-N) & Integrated Connect Harness; Dealer Programming Required
FC-WRANGLERPRO	2009-16 Jeep Wrangler with MyGig - JP-MOUNT Spare Tire Bracket, Camera (PCAM-220-N) & Integrated Connect Harness & PAC BCI-CH41 Interface Module; No Dealer Programming Required

Ford

F150 / SUPER DUTY



PCAM-FF150-N

EV-FF150
1/4" CMOS Tailgate Handle Reverse Camera with Parking Lines for Ford F150 (2005-2014) / Super Duty (2008-2016)

F150



PCAM-FD15-N

EV-FORD15
Tailgate Handle Camera with Parking Lines for Ford F150 (2015-2016)

F150 & SUPER DUTY



PCAM-FDL-N

EV-FORD-L
Ford Emblem Reverse Camera with Parking Lines for 2008-14 F-150 & 2008-16 Super Duty

E-SERIES



PCAM-FE6-N

EV-FE006
1/4" CMOS License Plate Light Reverse Camera with Parking Lines for Ford E-Series (2003-2016)

TRANSIT



PCAM-FT1-N

EV-FT822
1/4" CCD License Plate Light Camera with Parking Lines for Ford Transit (2010-2013)



PMM-43-FTM-PL

VM-43M-FTM-L
4.3" Mirror Monitor for Ford Twist Mount with Auto-dimming and Adjustable Parking Lines

General Motors

EXPRESS / SAVANA



PCAM-GM1-N

EV-GM006

CMOS Third Brake Light Camera with Night Vision for Chevy Express / GMC Savana Van (2003-2016)

SILVERADO / SIERRA



PCAM-GM2-N

EV-GM14

CMOS Tailgate Handle Camera for Silverado 1500 / Sierra 1500 (2014-2016)

SILVERADO / SIERRA



PCAM-GM3

EV-GMTR

CMOS Tailgate Handle Camera with Parking Lines for Chevy Silverado 1500 / GMC Sierra 1500 (2007-2013), HD2500/3500 (2007-2014)

EXPRESS / NV200



PMM-43-NV2-PL

VM-43M-NV2-L

4.3" Mirror Monitor for NV200 and Chevy City Express with Adjustable Parking Lines

Integrate safety cameras into the factory screen

Part Number	Description
FC-CUE42	Cadillac/GM Interface module with reverse camera. Compatible with select 4" and 8" screens. (PCAM-10L)
FC-GM1CAMHD-KIT	Interface module which provides HDMI input as well as Reverse Camera (PCAM-10L-N); Compatible with select 7" and 8" IntelliLink and MyLink Systems; 2012-16 Buick Verano, 2012-13 Lacrosse and Regal; 2014-16 Chevrolet Malibu*, 2013-16 Cruze, 2012-16 Equinox and Terrain, 2013-15 Volt and Camaro* (*Malibu and Camaro require separate harnesses)
FC-GM3CAMHD-KIT	Interface module which provides HDMI input as well as Reverse Camera (PCAM-10L-N); Compatible with select 8" IntelliLink and MyLink Systems; 2014-15 Buick LaCrosse; 2014-16 Chevrolet Silverado, 2015-16 Silverado 2500HD/3500HD, 2014-16 Impala and Suburban, 2015-16 Tahoe and Colorado; 2014-16 GMC Sierra, 2015-16 Yukon and Canyon

Honda

Part Number	Description
FC-CIVIC	2012-2014, Civic and 2012-14 Acura ILX without Factory Navigation - Camera (PCAM-110-N) & Integrated Connect Harness
FC-ODYS	2011-2012, Odyssey without Factory Navigation - Camera (PCAM-110-N) & Integrated Connect Harness

Hyundai

Part Number	Description
FC-VELOS	2011-15 Hyundai Veloster with 7" Screen - Camera (PCAM-201-N) & Integrated Connect Harness

Mercedes

SPRINTER

PCAM-SBL-N

EV-MS011

1/4" CMOS Third Brake Light Camera with Night Vision for Sprinter Vans



Part Number	Description
FC-MBENZ15	2014-2016 Mercedes Benz Factory Interface with Back-up Camera (PCAM-201-N)

Mazda

Part Number	Description
FC-MAZX	2013-14 Mazda CX-9 & CX-5, 2013 6 Sedan, 2012 CX-7, and 2013 Mazda3 Sedan and Mazda3 Wagon with Factory LCD Screen - Camera (PCAM-201-N) & Integrated Connect Harness

Subaru

Part Number	Description
FC-SUBA	2013-14 Subaru Legacy, Outback with 5" Touch Screen - Camera (PCAM-110-N) & Integrated Connect Harness



Nissan

NV VAN



PCAM-NV4-N

EV-NV404

CMOS Third Brake Light Camera with Night Vision for Nissan NV Van (2011-2015)

Toyota

TUNDRA



PCAM-TTN-N

EV-TTUN

1/3" CMOS Tailgate Handle Camera for Toyota Tacoma (2008-2016)

TACOMA



PCAM-TTC-N

EV-TTAC

1/3" CMOS Tailgate Handle Camera for Toyota Tacoma (2008-2015)

Part Number	Description
FC-TAC14	2014-2015 Toyota Tacoma with 6.1" screen - Tailgate Camera (PCAM-TTC-N) & Integrated Connect Harness
FC-TOYO	2013-16 Scion FR-S, 2013-15 Scion iQ, TC, Xb, Xd, 2013-16 Subaru BRZ, 2012-13 4Runner, 2013-14 Avalon, 2012-14 Camry, 2012-13 Corolla, Highlander, 2012-15 Prius Gen 3, 2012-16 Prius C, 2012-15 Prius V, 2010-13 RAV4, 2012-15 Venza - Camera (PCAM-110-N) & Integrated Connect Harness
FC-TOYO2	2016 Scion TC with OE touch screen, and 2016 Prius C, 2014-15 RAV4, 2014-16 Corolla, 2014-15 Highlander, Rav4, 2014,5-15 Camry, with 6.1" Screen - Camera (PCAM-110-N) & Integrated Connect Harness
FC-TSAS	2012-13 Toyota Sienna and Sequoia with Screen Non-JBL - Camera (PCAM-110-N) & Integrated Connect Harness
FC-TTAC	2012-13 Toyota Tacoma with 6.1" Screen - Tailgate Camera (PCAM-TTC-N) & Integrated Connect Harness
FC-TTUN	2012-13 Toyota Tundra with Screen Non-JBL - Tailgate Camera (PCAM-TTN-N) & Integrated Connect Harness
FC-CAMRY	2014-15 Toyota Camry Models with 6.1" Screen - OE Fit Camera & Integrated Connect Harness DOES NOT FIT 2014/15 MODELS

VW/Audi

Part Number	Description
FC-AUDI12	For select Audi vehicles with full-color LCD and 3G External MMI (3rd generation Multi-Media Interface); Camera (PCAM-201-N); 2009-2015 Audi A4/S4, A5/S5, A6/S6, Q5, and Q7; 2012-2015 A7/S7
FC-AUDI13	For select Audi vehicles with full-color LCD and 3G Internal MMI (3rd generation Multi-Media Interface); Camera (PCAM-201-N); 2009-2014 A4/S4; 2009-2015 A5/S5 and Q5



ParkAlert

Enhanced Accuracy with Triangulation Technology

ParkAlert digital sensor system is a revolutionary advancement in obstacle detection. Triangulation technology, using the multi-sensor setup, calibrates obstacle detection for improved distance detection, reduced blind spots, and improved obstacle warning.

All ParkAlert front and rear sensors are paintable for a perfect factory match, but also come in four popular vehicle colors:



Gloss Black

Matte Black

Gloss Silver

White

ParkAlert sensors include four sensors and everything needed to complete the installation, including a speaker for an audible alert





PA-DISPLAY

LED Display with Buzzer - Obstacle Distance & Visual Readout

Key Features:

- Multiple mounting options
- Volume control
- Distance displayed with color distance bar indicators

You have the option to upgrade to a visual kit, which includes everything in the standard ParkAlert kits as well as PA-DISPLAY, which gives off both an audible and visual alert for object detection.

Key Features of front and rear ParkAlert sensors kits :

- Front Sensors Detection Range: 0 m/ft to 0.75 m/2.5 ft
- Rear Sensors Detection Range: 0 m/0ft to 1.6 m/5.2 ft
- Volume control/Mute ability
- Plastic bumper friendly
- Compatible with metal bumpers when used with rubber sleeves
- Paintable for a perfect match
- IP67 water/debris-proof rating
- Operating temp: -30°C to 80°C

Color	Four Front Sensors (with speaker)	Four Rear Sensors (with speaker)	Four Front Sensors (with visual display)	Four Rear Sensors (with visual display)
Gloss Black	PS-FBP-B	PS-RBP-B	PS-FDIS-B	PS-RDIS-B
Matte Black	PS-FBP-M	PS-RBP-M	PS-FDIS-M	PS-RDIS-M
Gloss White	PS-FBP-W	PS-RBP-W	PS-FDIS-W	PS-RDIS-W
Gloss Silver	PS-FBP-S	PS-RBP-S	PS-FDIS-S	PS-RDIS-S

ParkAlert Digital Reverse Sensing System For Pick-Up Trucks includes Truck Programmed ECU Control Module, 4 Wide Angle Sensors with OE connectors, Angle Sleeves, Speaker, Hole Saw, 18' Harness and Hardware Kit.

PS-TRUCK-M – Matte Black

PS-TRUCK-S - Silver



00-03000

Hitch mount wireless rear park assist with 3 sensors. Includes 12V plug-in receiver, HitchLock with 2 keys, 7-way power harness and Universal 2-pin power harness.

Key Features:

- Detection Range: 2.1 m/7 ft
- IP67 water/debris-proof rating
- Operating temp: -30°C to 80°C





LESCO

D I S T R I B U T I N G



Headrest w/DVD Player

MK9

- 9" Widescreen (16:9) TFT/LCD Monitor w/Touch Panel with DVD Player • Built-in Standard USB & SD Card • Built-in SPSC Input (Smart Phone Streaming Connector) • Built-in FM Modulator • Built-in Wireless Headphone IR Transmitter • Wi-Fi Compatible • Android Platform Operating System • Built-in Audio Output (3.5mm Jack) • Audio Output • Full Function Remote Control with On-Screen Display



In-Dash Multimedia SmartLink Receiver

NV17X

- Double Din 6.75" WVGA Digital TFT/LCD Glare Resistant Touchscreen with Built-in Bluetooth • Built in iGo GPS Navigation (US only) • Android 2-Way Control • Sirius XM Ready • iPod/iPhone Ready • Front Panel Micro SD/USB/A/V Inputs • External & Internal Microphone • Rear HDMI • Rear Audio/Video Input • 4.1 Channel Output (F/R/Sub) • 1-Video Output • Steering Wheel Control Interface



Flip-Down Entertainment System

SDM108SHX - Shale

- Flip-Down 10.2" TFT/LCD Widescreen (16:9) Monitor with DVD Player • Built-in USB Input • Built-in SPSC Input (Smart Phone Streaming Connector) • Built-in Miracast • Built-in Wireless Headphone with Dual Infrared Transmitter • Built-in FM Transmitter • 1-Audio/Video Input • Audio Output • Full Function Remote Control with On-Screen Display • Dome Lights

SDM108GYX - Grey



Dash Camera Recorder System

DVR300

- 120° Lens Angle • Zoom 4x Digital Zoom • AVI Video Format • JPG Picture Format • Micro TF Card Slot • Multi-Language Selection • Supports TF Card up to 32GB • Built-in Microphone and Speaker • Car Charger DCV Input • Built-in 3.7V 300mAh Li-Battery



Mobile Multi Media Disc Player

AD318

- DVD/VCD/SVCD/CD-R/CD-RW/MP3 Compatible
- Half DIN • Slot Load Disc Feeder • 4-Speed Fast Forward/Backward • Zoom Feature • Frame by Frame/Slow Motion • Fast Forward Reverse
- Slow Play Back • Last Scene Memory • Multi-Angle • Volume Control • Anti-Shock • NTSC PAL Compatible • USB Input • Remote Sensor Eye with 13 Foot Wire • Full Function Wireless Remote Control w/On Screen Display Menu



Universal Back-up Sensor Warning System

RSS201

- Flush Mount 4-Sensor Parking Assistance with Digital LED Display • Direction of Obstruction Indicators • Measureable Effective Distance: 0.5' to 5' • Selectable 3-Level Audible Alarm (High Low/Off) • 4-Flush Mount Ultrasonic Sensors
- Includes Beveled Rings for Angled Bumpers, Install Cable Extension X 4, Power Cable, and High Quality Drill Bit

W205-N RVC NTV-KIT703

The W205-RVC Kit allows the user to add a backup camera input (with active parking lines) and 1 additional (optional) front camera input to the factory media screen in 2015 & up Mercedes vehicles with the NEW NTG5 infotainment system.

For: 2015 & UP MERCEDES A, B, C CLASS, CLA, CLS, E CLASS, GLC, GLE and GLS.



2014 & SPRINTER CAMERA KIT NTV-KIT483

The SPRINTER CAM KIT provides a backup camera input into the factory color LCD radio, allowing the end-user to install an aftermarket reverse camera while retaining the factory radio. Installation is all plug-and-play behind the radio. This kit supports 2014 & up Mercedes Benz Sprinter Vans with a full color LCD radio.

NAV-TV also has the OEM SPRINTER VAN CAMERA available.

For: 2014 & UP MERCEDES BENZ SPRINTER VAN



CHRY UNI-CAM / UCTv2 / UCTv2+ CHRY MULTI-CAM NTV-KIT759 / NTV-KIT762 / NTV-KIT763 / NTV-KIT764

NAV-TV introduces a new cost effective line of products for Chrysler, Dodge, Jeep and RAM vehicles. From Backup camera, Cargo camera to surround view cameras and AV input. All the new interfaces are compatible with the 5" and 8.4" uConnect System. All switching for connected cameras is done through factory controls.

For: 2013 & UP RAM / 2014 & UP JEEP GRAND CHEROKEE and DURANGO / 2015 & UP CHALLENGER / 2013 & UP VIPER.
*AV input is not supported on the 5" Uconnect, only RVC.

NAV-TV also offers a RAM CARGO CAMERA / NTV-KIT773 and the factory RAM HANDLE CAMERA. Cameras are built in to the 3rd brake light and tailgate handle.



AUDI DYNAMIC EXT NTV-KIT701

The AUDI DYNAMIC EXT Kit is a rear view camera and video integration module for Audi vehicles. The rear view image appears automatically when the vehicle is placed into reverse. The AUDI DYNAMIC EXT has a dedicated rear view camera input and one aftermarket extra video input that can be used for front view camera input, or any other composite video source. It has the Dynamic Parking Assist Lines, which move with the steering wheel.

For: 2009 & UP AUDI. Vehicle needs to have the knob that controls the radio on the CENTER CONSOLE, right next to shifter.

NAV-TV also offers a factory AUDI HANDLE CAMERA / NTV-KIT381 compatible with select Audi vehicles.



BMW09N DYNAMIC NTV-KIT725

The BMW09N DYNAMIC Kit is a rear view camera integration with 1 extra video input that can be used for front view camera or any other composite video source. The rear view image appears automatically when the vehicle is placed into reverse. The BMW09N DYNAMIC KIT has the Dynamic Parking Assist Lines, which move along with the steering wheel. For compatibility check for 4 pin connector on the back of the factory LCD screen.

For: 2009 & UP BMW



ALLGIG-XG-HS / FT w/ AV CAMERA HARNESS NTV-KIT260CT / NTV-KIT272CT

Plug and play multi-function interface for CHRYSLER / DODGE / JEEP / VW equipped with the MyGIG touchscreen radio.

Enables viewing of the factory DVD or VES display in motion. Additionally, it allows entering navigation destinations without stopping the vehicle on navigation equipped MyGIG radios.

The following features are available:

- Enables automatic backup camera input when in reverse.
- Enables VES Emulation mode for auxiliary audio/video input.
- Enables a video output to display the built-in DVD image on aftermarket monitor(s).
- Enables a full-time video input for a front and / or rear camera and / or FLIR Night Vision system.
- Enables an external navigation display input for international use.

*Consult NAV-TV application chart when ordering.

NAV-TV also offers a Brandmotion Wrangler Cameras as a Wrangler Camera packages. Wrangler Cameras are compatible with Factory and Aftermarket Rims.



CAMERA 6 NTV-KIT299

The CAMERA 6 is very small universal rear view camera featuring a super high-quality Sony HAD II CCD camera. It can be mounted in any vehicle that has a knockout in the trunk lid lip, or similar location.

The CAM 6 operates in extremely low light (0.01 Lux) and has a 160° field of view. The enclosure is ruggedized, automotive grade metal, completely waterproof (IP68) and is ideal for most installations.





PCM3.1-XG-CAM NTV-KIT375

Backup camera interface for 2009-2016 Porsche Panamera, 2011-2016 Porsche Cayenne, 2014-2016 Porsche Macan and select 2013-2016 Porsche sports cars (911, Cayman, Boxster) with the PCM3.1 navigation radio. A second camera, such as a FLIR Night Vision, front or interior (child) camera, can also be added to the vehicle and displayed at any speed.

For 2017 Porsche vehicles NAV-TV offers the PCM4 CAM / NTV-KIT750 which allow you to add front and rear view camera to the factory PCM4 system.

OEM Fit Handle cameras for: Panamera and Cayenne.

For: 2011-2016 CAYENNE / 2010-2016 PANAMERA / Select 2013-2016 PORSCHE SPORTS CARS (911, CAYMAN, BOXSTER) / 2014-2016 MACAN



UNIVERSAL PRODUCTS

The SVS-6 / NTV-KIT592 is a truly unique and universal video input module that connects to ANY radio equipped with full color LCD screen. The SVS-6 allows the user to add front, rear, blind spot cameras as well as 2 additional video inputs. This module is designed for use with OEM or aftermarket radio screens.



The BlackVue line of Mobile DVR cameras provide Full HD video capture and performance that is second to none. With BlackVue, you will never miss a moment of what is going on in and around your vehicle. Models with built-in Wi-Fi allow you to communicate with the dashcam via a free BlackVue app on your smartphone or tablet and watch live or recorded videos without removing the SD card.

MOST HUR 955 / MOST HUR 997 MOST HUR MB / MOST HUR MB-S / MOST HUR MB V2 NTV-KIT155 / NTV-KIT210 / NTV-KIT421 / NTV-KIT510 / NTV-KIT736

The MOST-H.U.R. (Head Unit Replacement) allows the user to install a feature-rich aftermarket radio while retaining the factory amplifier and converting audio signal to the factory fiber optic system. This is the fastest and easiest way to upgrade sound quality and features without performing "major surgery" to the vehicle. The HUR module also provides Vehicle Speed Sense (VSS out), 12v Reverse (out), hand/foot brake (out) and Illumination (out) for convenience.

For: 2004-2010 Porsche Cayenne / 2005-2012 Boxster, Cayman, 911 / 2003-2008 E CLASS / 2004-2006 CL, S / 2005-2008 CLS, SL, SLK / 2006 GL, ML, R CLASS.

NAV-TV also offers Double Din Dash Kits for select Porsche and Mercedes Benz vehicles.



W204-N RVC NTV-KIT704

The W204-N RVC is a rear view camera and video integration module for Mercedes Benz vehicles equipped with a full color LCD screen. The rear view image appears automatically when the vehicle is placed into reverse. It has Dynamic Parking Assist Lines, which move along with the steering wheel.

For: 2012-2014 A, B, C CLASS, CLA, CLS, E CLASS, G, ML, SL, SLK / 2013-2015 GL, GLK / 2014-2015 GLA



AUDI DYNAMIC INT NTV-KIT700

The AUDI DYNAMIC INT Kit is a rear view camera and video integration module for Audi vehicles. The rear view image appears automatically when the vehicle is placed into reverse. The AUDI DYNAMIC INT has a dedicated rear view camera input and one aftermarket extra video input that can be used for front view camera input, or any other composite video source. It also has Dynamic Parking Assist Lines, which move along with the steering wheel.

For: 2009 & UP AUDI. Vehicle needs to have the knob that controls the radio on the dash, below the air vents.

NAV-TV also offers a factory AUDI HANDLE CAMERA / compatible with select Audi vehicles.



BMW12N DYNAMIC NTV-KIT717

The BMW-12N DYNAMIC Kit is a rear view camera integration with 1 extra video input that can be used for front view camera or any other composite video source. For compatibility check for 6 pin connector on the back of the factory LCD screen. The rear view image appears automatically when the vehicle is placed into reverse. It has the Dynamic Parking Assist Lines, which move along with the steering wheel.

For: 2012 & UP BMW

NAV-TV also offers a factory BMW HANDLE CAMERA / NTV-KIT399 compatible with select Audi vehicles.



MYTOUCH CAM / MYTOUCH CAM ALT / C-MAX CAM NTV-KIT391 / NTV-KIT456 / NTV-KIT767

The MyFordTouch Cam allows the easy integration of a rear camera to the factory MyTouch system. Once installed, the camera will display automatically on the screen whenever the vehicle is shifted into Reverse. All kits are also compatible with the ENERGY and HYBRID vehicles equipped with SYNC 2 and SYNC 3 system.

For: Late model FORD & LINCOLN with MYFORD TOUCH RADIO



FORD UNI-CAM KIT NTV-KIT593

The FORD 4" UNI-CAM enables an aftermarket rear view camera to be displayed on the factory 4" monitor automatically while in reverse. For multi-vehicle use, the FORD 4" UNI-CAM enables rear view camera integration only. The unit comes pre-programmed with a single use and can be reloaded via a pay-per-use downloadable license file available in single, 5, 10, 25, 50 or 100 activations. Additional Activation License files are immediately available upon purchase.

For: 2013 & UP FORD and LINCOLN vehicles equipped with the full color 4" LCD screen





LESCO

D I S T R I B U T I N G

BOYO

License Plate Cameras



VTL275HDL

Multiple Viewing Ultra Slim License Plate Camera with LED Lights. 192° viewing angle, IP67 waterproof, 1280x800 pixels, LED lights On/Off selectable, Reverse/ Non-Reverse image selectable, Parking lines On/Off selectable, Adjustable parking lines.

Black Full Frame: **VTL375HDL**, Silver Full Frame: **VTL275HDL**
Black Bar-type: **VTL425HDL**, Silver Bar-Type: **VTL405HDL**



VTL375

Ultra Slim License Plate Camera. Color CCD 1.56mm board lens, 175° viewing angle, IP67 waterproof, Effective Pixels: NTSC 512(H) x 492 (V), Minimum illumination: 0.3.

Black Full Frame: **VTL375**, Silver Full Frame: **VTL275**
Black Bar-type: **VTL425**, Silver Bar-Type: **VTL405**
Also available in HD models. **VTL375HD, VTL275HD, VTL425HD, VTL405HD**



VTL400CIR

License Plate Camera with night vision High sensitive 1/4" DSP color CMOS, 640(H)x480(V) pixels, Water proof IP67 rating, Low LUX performance of 0.0 with IR on, Wide view angle of 140°, Reverse/ Non-Reverse image selectable, Parking lines built-in

Black Full Frame: **VTL300CIR**
Silver Full Frame: **VTL200CIR**
Black Bar-type: **VTL420CIR**
Silver Bar-Type: **VTL400CIR**



VTL200CL

License Plate Camera with LED Lights High sensitive 1/4" DSP color CMOS lens, 656x492 effective pixels, 420TVL, Wide view angle of 170°, LED lights On/Off selectable, Reverse image/ Non-Reverse image selectable Parking lines On/Off selectable

Black Full Frame: **VTL300CL**, Silver Full Frame: **VTL200CL**
Black Bar-type: **VTL420CL**, Silver Bar-Type: **VTL400CL**



VTL400HD

HD Bar-Type License Plate Camera High sensitive 1/4" HD color HD CCD, 600 TVL horizontal resolution, 640(H)x480(V) pixels, Water proof IP67 rating, Low LUX performance of 0.3, Wide view angle of 170°, Parking lines on/off selectable, Reverse/ Non-Reverse image selectable.

Black Bar-type: **VTL420HD**
Silver Bar-Type: **VTL400HD**



VTL402CL

Bar-Type License Plate Camera with LED Lights 1/4" color CMOS, License plate camera with 3W LED lights, Effective pixels: 656x492, 420TVL, Water proof IP67 rating, 0.5 Lux with LED off, Viewing angle 150°, Parking lines on/off selectable, LED lights on/off selectable

Black Bar-type: **VTL422CL**,
Silver Bar-Type: **VTL402CL**



VTL17L

Behind the license plate camera with LEDs. HD CMOS sensor, 600TVL horizontal resolution, 720*480 pixels, Waterproof (IP67), 170degrees wide viewing angle, Reverse/Non-reverse image selectable, Parking line on/off selectable, LED light on/off selectable



Black Bar-type: **VTL422HDL**
Silver Bar-Type: **VTL402HDL**

VTL402HDL

HD Bar-Type License Plate Camera with LED Lights High sensitive 1/4" DSP color CCD, 540 TVL horizontal resolution, 728(H)x488(V) pixels, Water proof IP67, Low LUX performance of 0.5 Lux with LED off, View angle of 175°, Parking lines on/off selectable, LED lights on/off selectable, Reverse/ Non-Reverse image selectable



VTL16

Behind the license plate camera High Sensitive 1/4" Color CMOS image sensor, Reverse/ Non-Reverse View Selectable, Parking guide line On/Off selectable, Waterproof (IP67), 170 degree (D) wide viewing angle



VTL17ir

Behind the license plate camera with night vision. CMOS sensor with HD vision, Reverse/ Non-Reverse View Selectable, Parking guide line On/Off Selectable, Waterproof (IP67), 170 degree (D) wide viewing angle, 600TVL / 720x480 pixels

Back-up Cameras



VTB16B

Two way mounting camera, Bracket/Keyhole

- 420TVL Horizontal Resolution
- 640(H) x 480(V) Pixels
- Waterproof (IP68)
- Minimum Illumination: 0.1Lux
- Reverse/ Non-Reverse image selectable
- Built-in parking guide line selectable
- Includes bracket mount and keyhole mount accessories for dual mount solution.



VTB123HD

Embedded style camera

- High sensitive 1/4" HD Color CMOS Sensor (1089)
- Reverse/ Non-reverse image selectable
- Parking guide line on/off selectable
- Waterproof (IP67)
- 170° wide viewing angle
- 12VDC (Tolerance 9V ~ 16V)
- Chipset 1089 HD
- Pixel: NTSC/PAL 800x533
- 0.05 Lux



VTK380HD

Keyhole flush mount ball type camera

- High Sensitive 1/4" HD color CMOS sensor (1089)
- 800(H)x533(V) pixels (NTSC)
- Reverse/ Non-Reverse image selectable
- Parking guide line on/off selectable
- Waterproof IP67
- Wide view angle of 170°
- 0.05 Lux



VTB301HD

Bracket Type with night vision and built-in mic

- 1/3" Sharp CCD
- 620TVL horizontal resolution
- 768(H)x494(V) pixels
- Waterproof IP68
- 0.0 Lux/Night Vision with Smart IR
- Wide view angle of 120°
- Reverse/ Non-Reverse image selectable
- Parking lines on/off selectable
- Built-in microphone
- Includes 65ft extension cable

Back-up Monitors



VTM5000S

5" Digital TFT LCD back up monitor

- Display Format: 16:9
- Two Video Inputs
- Reverse trigger wire
- PAL/NTSC auto switch
- Contrast: 350:1
- Pixel: 800 x 480, 480x272
- Slim and Sleek Design



VTM43M

4.3" Replacement Type

OE style rear view mirror monitor

- 2 video input
- Reverse trigger wire
- Super brightness screen with auto adjusting brightness
- The screen automatically dims in the night and brightens in the daylight
- 480x272 RGB resolution
- Includes universal fixed mounting bracket



VTM7012

7" TFT LCD back up monitor

- 3 Video input, 2 audio input, and 1 front A/V input.
- 800x480 RGB resolution
- Built-in speaker
- Contrast, color, and brightness adjustable
- Include sunshade, dash mount stand, remote control
- 3 trigger wires. Ch1, Ch2, Ch3.



VTM43FL

4.3" Replacement Type

Frameless OE style rear view mirror monitor

- 4.3" Ultra high brightness display
- Touch button control
- Automatic brightness adjusting LCD
- The screen automatically dims in the night and brightens in the daylight
- Mirror and normal image switch available
- 2 Video inputs
- Touch screen buttons