

8 **FOOD** PREPARATION & MACHINES

Machinery is the backbone to food operations today to achieve efficiency and volume. Sia Huat has a comprehensive range of machinery to choose from for all your operational needs.

SOUS VIDE BATHS & IMMERSION CIRCULATORS VACUUM PACKING MACHINES **ICE CREAM MACHINES BLENDERS CUTTERS** MANDOLINES **SLICERS & PEELERS** SALAD SPINNERS **JUICERS, DRINKER MIXERS & ICE DEEP FRYERS BAIN MARIES MEAT MINCERS & SLICERS NOODLE MACHINES DOUGH MIXERS COUNTER-TOP OVENS WAFFLE & SAUSAGE MACHINES GRILLS & GRIDDLES** WATER URNS **RICE COOKERS** WARMERS









18-00188

Digital immersion circulator

数码浸入式搅拌器



Can be fitted in seconds to a standard stainless steel or polycarbonate gastronorm tank or round, straight-sided circular pot with a diamter or 30cm or more (minimum depth 15cm and maximum volume of 56 litres). Ideal for portability and space saving.

18-00181	Stirrer case, including handle (cm)	L12.2 x W15.3 x H20
Guar	Guard (cm)	L12.2 x W13.2 x H14.8
	Temperature range (°C)	5 - 95
	Temperature stability (°C)	± 0.05
	Electric specs	230V / 1250W / 50Hz

Digital stirred water bath with drain tap 数码控制搅拌水浴机带排水龙头

Clifton () food

Supplied with an integrated bi-fold lid (registered design) for greater convenience. Circulator can be rotated 360°, so that the bath can be used in any direction to optimise or accomodate counter space.

18-00183	Total dimension, including handle (cm)	W33.5 x D46 x H48.5
	Capacity (ℓ)	14
	Temperature range (°C)	5 - 95
	Temperature stability (°C)	± 0.1
	Electric specs	230V / 1250W / 50Hz
18-00184	Total dimension, including handle (cm)	W33.5 x D62 x H48.5
	Capacity (ℓ)	28
	Temperature range (°C)	5 - 95
	Temperature stability (°C)	± 0.1
	Electric specs	230V / 1250W / 50Hz


Digital unstirred water bath with drain tap

Clifton () food

数码控制静水水浴机带排水龙头

Complete with flat lid and stainless steel perforated shelf to allow for uniform heat distribution by convection.

18-00185Total dimension, including handle (cm)W27 x D33.2 x H29Capacity (l)8Temperature range (°C) $5 - 95$ Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 800W / 50Hz$ Image: Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l)14Temperature range (°C) $5 - 95$ Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 1000W / 50Hz$ Image: Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 1000W / 50Hz$ Image: Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l)Electric specs230V / 1000W / 50HzImage: Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l)28Temperature range (°C)5 - 95Temperature range (°C)5 - 95Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs230V / 1000W / 50HzImage: Total dimension (cm)W60 x D33.2 x H29Image: Total dimension (cm)W60 x D33.2 x H29
Temperature range (°C) $5 - 95$ Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 800W / 50Hz$ 18-00186Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l)14Temperature range (°C) $5 - 95$ Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 1000W / 50Hz$ 18-00187Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l) 28 Temperature range (°C) $5 - 95$ Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 1000W / 50Hz$ 18-00187Total dimension, including handle (cm)W36.1 x D33.2 x H29 $2apacity (l)$ 18-00188Total dimension (cm)W60 x D33.2 x H29
Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 800W / 50Hz$ 18-00186Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l)14Temperature range (°C) $5 - 95$ Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 1000W / 50Hz$ 18-00187Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l) 28 Temperature range (°C) $5 - 95$ Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 1000W / 50Hz$ 18-00187Total dimension, including handle (cm)W36.1 x D33.2 x H29 $230V / 1000W / 50Hz$ 18-00188Total dimension (cm)W60 x D33.2 x H29
Electric specs $230V / 800W / 50Hz$ 18-00186Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l)14Temperature range (°C) $5 - 95$ Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 1000W / 50Hz$ 18-00187Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l) 28 Temperature range (°C) $5 - 95$ Temperature range (°C) $5 - 95$ Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 1000W / 50Hz$ 18-00187Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l) 28 Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 1000W / 50Hz$ 18-00188Total dimension (cm)W60 x D33.2 x H29
18-00186Total dimension, including handle (cm)W36.1 x D33.2 x H29 $Capacity (l)$ 14Temperature range (°C)5 - 95Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs230V / 1000W / 50HzImperature stability (°C)Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l)28Temperature range (°C)5 - 95Temperature range (°C)5 - 95Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs230V / 1000W / 50Hz18-00188Total dimension (cm)W60 x D33.2 x H29
Capacity (ℓ)14Temperature range (°C)5 - 95Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs230V / 1000W / 50Hz18-00187Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (ℓ)28Temperature range (°C)5 - 95Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs230V / 1000W / 50Hz18-00188Total dimension (cm)W60 x D33.2 x H29
Capacity (ℓ)14Temperature range (°C)5 - 95Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs230V / 1000W / 50Hz18-00187Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (ℓ)28Temperature range (°C)5 - 95Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs230V / 1000W / 50Hz18-00188Total dimension (cm)W60 x D33.2 x H29
Temperature range (°C) $5 - 95$ Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 1000W / 50Hz$ 18-00187Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l) 28 Temperature range (°C) $5 - 95$ Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 1000W / 50Hz$ 18-00188Total dimension (cm)W60 x D33.2 x H29
Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 1000W / 50Hz$ 18-00187Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l)28Temperature range (°C) $5 - 95$ Temperature stability (°C) $\pm 0.2 / \pm 0.1$ Electric specs $230V / 1000W / 50Hz$ 18-00188Total dimension (cm)W60 x D33.2 x H29
Electric specs 230V / 1000W / 50Hz 18-00187 Total dimension, including handle (cm) W36.1 x D33.2 x H29 Capacity (l) 28 Temperature range (°C) 5 - 95 Temperature stability (°C) ± 0.2 / ± 0.1 Electric specs 230V / 1000W / 50Hz 18-00188 Total dimension (cm)
18-00187Total dimension, including handle (cm)W36.1 x D33.2 x H29Capacity (l)28Temperature range (°C)5 - 95Temperature stability (°C)± 0.2 / ± 0.1Electric specs230V / 1000W / 50Hz18-00188Total dimension (cm)W60 x D33.2 x H29
Capacity (l) 28 Temperature range (°C) 5 - 95 Temperature stability (°C) ± 0.2 / ± 0.1 Electric specs 230V / 1000W / 50Hz 18-00188 Total dimension (cm) W60 x D33.2 x H29
Capacity (l) 28 Temperature range (°C) 5 - 95 Temperature stability (°C) ± 0.2 / ± 0.1 Electric specs 230V / 1000W / 50Hz 18-00188 Total dimension (cm) W60 x D33.2 x H29
Temperature range (°C) 5 - 95 Temperature stability (°C) ± 0.2 / ± 0.1 Electric specs 230V / 1000W / 50Hz 18-00188 Total dimension (cm) W60 x D33.2 x H29
Temperature stability (°C) ± 0.2 / ± 0.1 Electric specs 230V / 1000W / 50Hz 18-00188 Total dimension (cm) W60 x D33.2 x H29
Electric specs 230V / 1000W / 50Hz 18-00188 Total dimension (cm) W60 x D33.2 x H29
18-00188 Total dimension (cm) W60 x D33.2 x H29
Chambers dimension (cm) W24 x D30 x H15 x 2 chambers
Capacity (l) 8 x 2 chambers
Temperature range (°C) 5 - 95
Electric specs 230V / 1600W / 50Hz
Optional accessories / spares:
18-00189 Stainless steel foam gun holder shelf for 4 clips







Sous Vide Supreme

Light duty model for occasional use.

18-00192

Total dimension (cm) Chambers dimension (cm) Capacity (l) Temperature range (°C)

Electric specs


L35 x W28 x H29 L32 x W25 x H18 10 5 - 95 220-240V / 850W / 50Hz













Besser Vacuum chambers are completely made of stainless steel, designed for a simple and essential use, easy clean and at a very advantageous price. They allow you to pack products in an easy and practical way, offering solidity, quality and savings.

The attention to details and high quality materials ensure maximum security of a perfect and long lasting vacuum. Each machine has got an oil-lubricated pump from Busch, the German world company in the field of vacuum pumps of high quality. Optional functions available.

18-00193	Total dimension (cm)	W63 x D69 x H50	
	Chamber dimension (cm)	L53 x W53 x H20	
	Max seal length (cm)	52	
	Final vacuum (mbar)	2	
	Electric specs	230V / 750W / 50Hz	
18-00194	Total dimension (cm)	W53 x D59 x H49	
	Chamber dimension (cm)	L43 x W43 x H20	
	Max seal length (cm)	42	
	Final vacuum (mbar)	2	
	Electric specs	230V / 750W / 50Hz	
18-00195	Total dimension (cm)	W43 x D49 x H41	
	Chamber dimension (cm)	L33 x W33 x H20	
	Max seal length (cm)	32	
	Final vacuum (mbar)	2	
	Electric specs	230V / 450W / 50Hz	
18-00196	Total dimension (cm)	W40 x D47 x H34	
	Chamber dimension (cm)	L35 x W27 x H14	
	Max seal length (cm)	25	
	Final vacuum (mbar)	2	
	Electric specs	230V / 450W / 50Hz	



The professiona	l vacuum quality and the	advantage of saving money. Automatic.
18-00197	Total dimension (cm)	W49.5 x D29.5 x H18
	Max seal length (cm)	43

Final vacuum (mbar)

External suction vacuum machine - FRESH43

W49.5 x D29.5 x H18
43
0.8
230V / 450W / 50-60Hz



External suction vacuum machine - DIVA

Electric specs

外吸式真空包装机

外吸式真空包装机

Specifically designed for domestic use and small-scale professional activities.

18-00198	Total dimension (cm)	L38 x W18 x H11
	Max seal length (cm)	33
	Electric specs	220-240V / 300W / 50-60Hz

DV





Temperature tolerance to 115°C for convenience in freezing to cooking with Sous Vide.

90 micron plain bags	105 micron embossed bags	Dimension (cm)	
-	18-00273	L30 x W15	
18-00270	18-00274	L30 x W20	
18-00271	18-00275	L40 x W30	
18-00272	-	L50 x W40	





真空袋

90 micron plain bags with temperature tolerance of up to 70°C

	Dimension (cm)
18-00276	L30 x W15
18-00277	L30 x W20
18-00278	L35 x W25
18-00279	L30 x W45









The combination of square shape with the patented airflow system dries foods 10 times faster. Everything is dried evenly and quickly with the inbuilt fan for hot air circulation. Rearranging the trays is not necessary since the air is always moving. Comes with a 26-hour timer.

18-00280	Total dimension (cm)	W43.2 x D48.3 x H20.8
	Number of trays	5
	Electric specs	220-240V / 440W / 50Hz
18-00281	Total dimension (cm)	W43.2 x D48.3 x H31.8
	Number of trays	10
	Electric specs	220-240V / 600W / 50Hz

Optional accessory / spare:

18-00282 Super flexible Paraflexx non-stick sheets, L35 x W35cm



Smoking gun VPolyScience*

The Smoking Gun allows you to quickly and easily finish products with natural cool smoke, without adding heat.

18-00283 Total dimension (inch)

	Optional accessories / spares:		
18-00284 Fruit Orchard smoking chips kit, 4oz		Fruit Orchard smoking chips kit, 4oz	
18-00285 Classic Smokehouse smoking chips kit, 4oz		Classic Smokehouse smoking chips kit, 4oz	
	18-00286	Vintage Cellar smoking chips kit, 4oz	





Anti-griddle VPolyScience*

A traditional cooktop with an amazing twist: it quickly freezes sauces and purees instead of heating them! This unique innovation allows you to effortlessly freeze sauces and purees solid or develop semifrozen creations with stable, crunchy surfaces and cool, creamy centers. The tantalizing dual-textures help satisfy increasing consumer demands for new dining experiences.

18-00287

Total dimension (cm) Electric specs

L40.3 x W46.7 x H26.7 240V / 800W / 50Hz

L14 x W12 x H4





万能冰磨机

Easy to prepare high-quality dishes while saving time, labour and reducing food waste. Deep freeze to -22°C/-8°F for at least 24hrs.

10,00000			
18-00288	Total dimension (cm)	W20 x D36 x H50	
	Container capacity (ℓ)	1.3	
	Electric specs	220V / 1000W / 50Hz	

Optional accessory / spare: 18-00289 Spare container with lid



Ice-cream maker - model ICE-100 Cuisinart

冰激凌机 - ICE-100

冰激凌机

18-00693	Total dimension (inch)	L13.8 x D18.8 x H11.6
	Capacity (l)	1.5
	Electric specs	120V / 150W / 50Hz



18-00692



18-00691



18-00692	Total dimension (cm)	W51 x D31 x H35
	Capacity (l)	1.5
	Electric specs	220V / 160W / 50Hz
18-00691	Total dimension (cm)	W45 x D30 x H27
	Capacity (l)	0.7
	Electric specs	220V / 100W / 50Hz

The HotmixPRO can cook up to 190°C with consistent successful results and saves you the hassle of having to constantly keep a watchful eye on your cooking. Simply store your recipes in a SD card, and HotmixPRO can reproduce those recipes any time with the touch of a button! It is almost like having an additional kitchen staff, because it can prepare sauces, creams, risotto, and more!

Equipped with numerous smart features such as temperature control and programming capabilities, HotmixPRO can perform complex cooking processes as well as mundane tasks, thus increasing your business's efficiency and decreasing your reliance on manpower!



HotmixPRO Creative 可控温冷热打磨机



For the most demanding professionals, one single machine with all functions, both for hot and cold preparations. It automates all the cooling steps with no time loss.

- Degree by degree control from -24 to 190oC
- 23 speed options, including turbo and pulse
- Unique ability to store data on a SD card*, allowing the creation -and subsequent storing on SD- of your custom recipes with ease, even from your computer

18-00290	Total dimensi
	Capacity (l)
	Temperature
	Electric spec
	Revolutions r

)	Total dimension (cm)	L65 x W50 x H33.8
	Capacity (ℓ)	2
	Temperature range (°C)	-24 to 190
	Electric specs	110-240V / 1500W / 50Hz
	Revolutions per min	60 to 12,500





18-00291	Total dimension (cm)	L31.2 x W25.8 x H29.6
(Single)	Capacity (l)	2
	Temperature range (°C)	25 to 190
	Electric specs	110-240V / 1500W / 50Hz
	Maximum power	2300W
	Revolutions per min	60 to 12500
18-00292	Total dimension (cm)	L34.8 x W60 x H29.6
(Twin)	Capacity (l)	2 x 2
	Temperature range (°C)	25 to 190
	Electric specs	110-240V / 2 x 1500W / 50Hz
	Maximum power	2 x 2300W
	Revolutions per min	60 to 12500

HotmixPRO Gastro

可控温冷热打磨机

HotmixPRO Gastro first introduces the maximum temp equal to 190°C, allowing difficult preparations such as caramelization of sugars. And still with degree by degree temperature control.

- Unique ability to store data on a SD card*, allowing the creation -and subsequent storing on SD- of your custom recipes with ease, even from your computer.
- · 23 speed options, including turbo and pulse.
- SD memory system with possibility to store custom recipes.
- Thermally insulated bowl.



浸入式搅拌器 - MP800 Turbo (非拆卸式柄轴)

With an electronic booster system to improve motor performance. Double ergonomic handle for a better user comfort during processing. Removable bell and blade for easy cleaning.

18-00293	Total dimension (cm)	Ø12.5 x L113	
	Mixer tool length (cm)	74	
	Weight (kg)	9.2	
	Mixing capacity (ℓ)	Up to 400	
	Electric specs	230V / 1000W / 50Hz	
	Revolutions per min	9500	

Refer to page 18.11 for support brackets to enhance safety and operation

Immersion mixer MP600 Ultra (non-detachable shaft)

浸入式搅拌器 - MP600 Ultra (非拆卸式柄轴) Removable bell and blade for easy cleaning.

18-00294	Total dimension (cm)	Ø12.5 x L98
	Mixer tool length (cm)	60
	Weight (kg)	7.4
	Mixing capacity (ℓ)	75 to 300
	Electric specs	230V / 850W / 50Hz
	Revolutions per min	9500

Refer to page 18.11 for support brackets to enhance safety and operation



Immersion mixer (detachable shaft) 浸入式搅拌器 (可拆卸柄轴)



The ultimate in performance and power. New cooling technology ensures longer life to your mixer. The DSC system regulates the speed automatically regardless of the product texture. Detachable tool allows for easy cleaning and maintenance.

All stainless steel mixer tool come with Titanium-plated blade.

18-00001	Total dimension (cm)	Ø12.5 x L95
(Pro 800 DSC)	Mixer tool length (cm)	68
	Weight (kg)	6.7
	Mixing capacity (ℓ)	75 to 300
	Electric specs	230V / 800W / 60Hz
	Revolutions per min	9000

Refer to page 18.11 for support brackets to enhance safety and operation

18-00002	Total dimension (cm)	Ø12.5 x L87
(Pro 600 DSC)	Mixer tool length (cm)	60
	Weight (kg)	6.5
	Mixing capacity (ℓ)	75 to 200
	Electric specs	230V / 650W / 60Hz
	Revolutions per min	9000

Refer to page 18.11 for support brackets to enhance safety and operation





Wall storage bracket included

Immersion Mixer MP 550 (non-detachable) robot @ coupe

浸入式搅拌器 - MP550 Ultra (非拆卸式柄轴) Powerful motor for fast processing and an optimum quality end-product. All stainless steel mixer tool come with overmoulded blade to ensure perfect hygiene.

18-00003	Total dimension (cm)	Ø11.1 x L92.5
	Mixer tool length (cm)	55
	Weight (kg)	6.7
	Mixing capacity (ℓ)	Up to 200
	Electric specs	230V / 610W / 50Hz
	Revolutions per min	9000

Refer to page 18.11 for support brackets to enhance safety and operation



Wall storage

bracket included

Immersion Mixer Master MFAP 2000 (detachable) 浸入式搅拌器 MFAP2000 (可拆卸柄轴)



Versatile tri-function mixer for your mixing, whisking and ricing needs! Comes with variable speed control. Detachable tool allows for easy cleaning and maintenance. All stainless steel mixer tool come with Titanium-plated blade.

Ø12.2 x L75.3 18-00004 Total dimension (cm) Mixer tool length (cm) 42 Whisk tool length (cm) 24.5 Foodmill/Ricer length (cm) 42 Weight (kg) 6.5 Mixing capacity (l) 40 to 100 Whisk capacity (l) 10 to 20 Foodmill / ricer capacity (kg) 30 230V / 460W / 60Hz Electric specs Mixer revolutions per min 3000 to 9000 300 to 900 Whisk revolutions per min 100 to 600 Ricer revolutions per min





Versatile bi-function mixer for your mixing and whisking needs! Comes with variable speed control. Detachable tool allows for easy cleaning and maintenance. All stainless steel mixer tool come with Titanium-plated blade.

18-00005	Total dimension (cm)	Ø12.2 x L72
	Mixer tool length (cm)	42
	Whisk tool length (cm)	24.5
	Weight (kg)	4.5
	Mixing capacity (ℓ)	40 to 100
	Whisk capacity (ℓ)	10 to 20
	Electric specs	230V / 460W / 60Hz
	Mixer revolutions per min	3000 to 9000
	Whisk revolutions per min	300 to 900





Immersion Master mixer and table-top cutter (detachable) 浸入式搅拌器和桌面刀具 (可拆卸柄轴)

Immersion Mixer Master MDH 2000 (detachable)

All stainless steel mixer tool come with Titanium-plated blade.

浸入式搅拌器 专业型 MDH2000 (可拆卸柄轴)

2-in-1 machine for table-top and immersion mixing needs! Comes with variable speed control. Detachable tool allows for easy cleaning and maintenance. All stainless steel mixer tool with Titanium-plated blade

18-00006	Total dimension (cm)	Ø12.2 x L72
	Mixer tool length (cm)	42
	Weight (kg)	3.7
	Mixing capacity (ℓ)	40 to 100
	Bowl capacity (ℓ)	5
	Electric specs	230V / 460W / 60Hz
	Immersion mixer revolutions per min	3000 to 9000
	Table-top mixer revolutions per min	1500
Optional items fo	r table-top mixer:	
18-00007	Additional standard blade	
18-00008	Additional serrated blade	







Wall storage bracket included

009	Total dimension (cm)	Ø12.2 x L72
	Mixer tool length (cm)	42
	Weight (kg)	3.7
	Mixing capacity (ℓ)	40 to 100
	Electric specs	230V / 460W / 60Hz
	Revolutions per min	3000 to 9000

Comes with variable speed control. Detachable tool allows for easy cleaning and maintenance.







搅拌器配件 M90

18-000

All stainless steel mixer tool with Titanium-plated blade for Dynamic Master detachable range.

18-00011	Total dimension (cm)	42
	Mixing capacity (ℓ)	40 to 100



Whisk attachment	F90 for Master	r detachable range

打蛋器配件F90-用于专业型可拆卸系列



omic

All stainless steel whisk for Dynamic Master detachable range.

18-00012

Total dimension (cm) Whisk capacity (l)

24.5 10 to 20





Master Beater whisk attachment for Master detachable range

专业型打蛋器配件 - 用于专业型可拆卸系列 All stainless steel whisk for Dynamic Master detachable range, handle support included.

	Whisk tool length (cm)	Whisk capacity (ℓ)	
18-00013	82	20 to 200	
18-00014	72	20 to 200	
18-00015	42	20 to 200	



30 Kg

Ricer	at	tachment AP	90	for	Mast	er	detachable range



压粒器配件 AP90 - 用于专业可拆卸系列 All stainless steel ricer with perforated grid for Dynamic Master detachable range.

18-00016	Total dimension (cm)	42
	Capacity (kg)	30



Emulsifying Dynaturbo attachment for Master detachable range



乳化器配件 - 用于专业可拆卸系列 Generally used for ice cream and sorbets. Finely purees fresh or thawed ingredients which have been processed with the mixer. Comes with 2 heads: one for fruit and one for cream or syrups.

18-00017	Total dimension (cm)	40
	Capacity (l)	5







Comes with a 5I stainless steel Dynacutter bowl, 4 preparation discs (2 and 3 mm shredding discs, 2 and 3 mm slicing discs) and 1 ejector disc.

18-00018	Serving portion	10 to 80 servings
Optional discs:		
18-00019	Dicing kit (mm)	10 x 10
18-00020	Julienne disc (mm)	10 x 10



Immersion Mixer Master 2000 DSC (non-detachable)





40 to


100 L

Wall storage bracket included

Up to

100 L

Wall storage bracket included



专业型浸入式搅拌器-2000DSC(非拆卸式)

Variable speed control coupled with the Dynaspeed control (DSC) system lengthens the time span of usage for all components. This intelligent DSC system regulates the speed automatically regardless of the product texture.

All stainless steel mixer tool come with Titanium-plated blade.

18-00021	Total dimension (cm)	Ø12.2 x L72
	Mixer tool length (cm)	41
	Weight (kg)	3.5
	Mixing capacity (ℓ)	40 to 100
	Electric specs	230V / 460W / 60Hz
	Revolutions per min	3000 to 9000
	Revolutions per min	9000
	Electric specs Revolutions per min	230V / 460W / 60Hz 3000 to 9000

Immersion Mixer MP 450 VV (non-detachable) robot @ coupe

专业型浸入式搅拌器(拆卸式) Powerful motor for fast processing and an optimum quality end-product. Comes with variable speed control. All stainless steel mixer tool with overmoulded blade to ensure perfect hygiene.

18-00022	Total dimension (cm)	Ø10 x L82.5
(MP 450 VV Ultra)	Mixer tool length (cm)	45
	Weight (kg)	6.4
	Mixing capacity (ℓ)	Up to 100
	Electric specs	230V / 450W / 50Hz
	Revolutions per min	1500 to 9000
18-00023	Total dimension (cm)	Ø10 x L72.5
(MP 350 VV Ultra)	Mixer tool length (cm)	35
	Weight (kg)	6.3
	Mixing capacity (ℓ)	Up to 50
	Electric specs	230V / 400W / 50Hz
	Revolutions per min	1500 to 9000





支架

Recommended for use with Dynamic Pro and Master ranges. These provide convenience and assists with the operation of the mixers while enhancing safety.

Easy to dismantle and can be cleaned in the dishwasher. Adjustable length, height and angle.

	Length (cm)
18-00024	60
18-00025	80
18-00026	100
18-00027	120




Side-mounting support bracket



侧悬挂式支架 For kettles or pots. Easy to dismantle and can be cleaned in the dishwasher.

	18-00028	Weight (kg)	0.7
--	----------	-------------	-----







浸入式搅拌器组合PMF250(拆卸式)

Ideal for medium to large capacities and will mix even the most delicate recipes. Versatile bi-function mixer for your mixing and whisking needs! Comes with variable speed control. Detachable tool allows for easy cleaning and maintenance.

All stainless steel mixer tool come with Titanium-plated blade.

18-00029	Total dimension (cm)	Ø9.7 x L64	
	Mixer tool length (cm)	30	
	Whisk tool length (cm)	20.5	
	Weight (kg)	3.4	
	Mixing capacity (ℓ)	20 to 40	
	Whisk capacity (ℓ)	5 to 10	
	Electric specs	230V / 300W / 60Hz	
	Mixer revolutions per min	0 to 9000	
	Whisk revolutions per min	0 to 2000	





Dynamic

Wall storage bracket included


Immersion Mixer PMDH 250 Plus (detachable)



浸入式搅拌器 PMDH250 Plus (拆卸式) Ideal for medium to large capacities and will mix even the most delicate recipes. Comes with variable speed control. Detachable tool allows for easy cleaning and maintenance. All stainless steel mixer tool come with Titanium-plated blade.



18-00030	Total dimension (cm)	
	Mixer tool length (cm)	
	Weight (kg)	
	Mixing capacity (ℓ)	
	Electric specs	
	Revolutions per min	



Ø9.7 x L64





Immersion Mixer PMX 98 Standard (non-detachable)




浸入式搅拌器 PMX 98 Standard (非拆卸式) Ideal for medium to large capacities and will mix even the most delicate recipes.

All stainless steel mixer tool come with Titanium-plated blade.

	18-00031
ſ	
\sim 1	
\bigcirc	







浸入式搅拌器 - 初级组合 (拆卸式)



Versatile bi-function mixer for your mixing and whisking needs! Light and easy to use. Detachable tool allows for easy cleaning and maintenance.

All stainless steel mixer tool with Titanium-plated blade

18-00032	Total dimension (cm)	Ø9.4 x L53
	Mixer tool length (cm)	22.5
	Whisk tool length (cm)	18.5
	Weight (kg)	2.4
	Mixing capacity (ℓ)	5 to 25
	Whisk capacity (ℓ)	1 to 5
	Electric specs	230V / 200W / 60Hz
	Mixer revolutions per min	0 to 9000
	Whisk revolutions per min	0 to 2000





Immersion Whisk FT 97 (non-detachable)



Comes with variable speed control. All stainless steel whisk tool.



18-00041	Total dimension (cm)	Ø11 x L65
	Whisk tool length (cm)	24.5
	Weight (kg)	3.3
	Mixing capacity (ℓ)	5 to 20
	Electric specs	230V / 350W / 60Hz
	Revolutions per min	300 to 900

Immersion Mixer Junior Plus (detachable)

Immersion Mixer Junior Standard (non-detachable)

Immersion Mixer - Bamix Gastro bamix of Swamer

浸入式搅拌器 - BamixGastro

浸入式搅拌器 - 初级标准型(非拆卸式)



浸入式搅拌器 - 初级加强型(拆卸式) Light and easy to use. Detachable tool allows for easy cleaning and maintenance. All stainless steel mixer tool come with Titanium-plated blade.

18-00033	Total dimension (cm)	Ø9.4 x L50.5
	Mixer tool length (cm)	22.5
	Weight (kg)	1.9
	Mixing capacity (ℓ)	5 to 25
	Electric specs	230V / 200W / 60Hz
	Revolutions per min	0 to 9000





5 to 25 L	

5 to 25 L



18-00034	Total dimension (cm)	Ø9.4 x L50.5	
	Mixer tool length (cm)	22.5	
	Weight (kg)	1.7	
	Mixing capacity (ℓ)	5 to 25	
	Electric specs	230V / 200W / 60Hz	
	Revolutions per min	9000	

Light and easy to use. All stainless steel mixer tool come with Titanium-plated blade.

Wall storage bracket included



Comes with wall bracket, multi-purpose blade, beater and whisk.			
18-00035	Total dimension (cm)	Ø8.5 x L49.5	
	Mixer tool length (cm)	35	
	Weight (kg)	1.2	
	Mixing capacity (ℓ)	Up to 50	
	Electric specs	230V / 350W / 60Hz	
	Revolutions per min	16000 to 19000	
18-00036	Total dimension (cm)	Ø7 x L39.5	
	Mixer tool length (cm)	18.5	
	Weight (kg)	1	
	Mixing capacity (ℓ)	Up to 20	
	Electric specs	230V / 200W / 60Hz	
	Revolutions per min	10000 to 17000	





1 to

13.5 L

1 to

12 L

1 to

8 L

Immersion Mini Mixer WSB 33 (non-detachable)

浸入式迷你搅拌器 - WSB33(非拆卸式) 2 speed control. All stainless steel whisk tool.



18-00037	Total dimension (cm)	Ø7.2 x L38	
	Mixer tool length (cm)	17.5	
	Weight (kg)	0.85	
	Mixing capacity (ℓ)	Up to 13.5	
	Electric specs	230V / 100W / 60Hz	
	Revolutions per min	500 R.P.M.	








Choice of standard blade or emulsifying blade for diary and chocolate products. All stainless steel mixer tool with Titanium-plated blade.

18-00038	Mixer tool length (cm)	16
Standard blade	Weight (kg)	1.2
	Mixing capacity (ℓ)	1 to 12
18-00039	Electric specs	230V / 180W / 60Hz
Emulsifying blade	Revolutions per min	9500



Cordless Immersion Mini Mixer MXP 94 (non-detachable)





The only cordless mixer in the industry! Convenient, versatile and powerful. Includes battery pack and charger.

All stainless steel mixer tool come with Titanium-plated blade.

18-00040	Mixer tool length (cm)	16
	Weight (kg)	1.4
	Mixing capacity (ℓ)	1 to 8
	Electric specs	230V / 60Hz
	Charging / usage time	2 hours / 1 hour
	Revolutions per min	7000



Removable bell on models MP 190 V.V. and MP 240 V.V.

Immersion mini mixer (removable blade and emulsifying disc) 浸入式迷你搅拌器(可拆卸刀片和乳化盘)

18-00067	Total dimension (cm)	Ø7.8 x L53.5
(MP 240 V.V.)	Whisk tool length (cm)	24
	Weight (kg)	2.5
	Mixing capacity (ℓ)	1 to 5
	Electric specs	240V / 270W / 50Hz
	Revolutions per min	2000 to 12500
18-00068	Total dimension (cm)	Ø7.8 x 48.5
(MP 190 V.V.)	Whisk tool length (cm)	19
	Weight (kg)	2.5
	Mixing capacity (ℓ)	1 to 5
	Electric specs	240V / 250W / 50Hz
	Revolutions per min	2000 to 12500
18-00069	Total dimension (cm)	Ø7.8 x L45.5
(MP 160 V.V.)	Whisk tool length (cm)	16
	Weight (kg)	2.4
	Mixing capacity (ℓ)	1 to 5
	Electric specs	240V / 220W / 50Hz
	Revolutions per min	2000 to 12500



Cordless Immersion Mini Whisk (non-detachable) 无绳浸入式迷你搅拌器(非拆卸式)



Cordless whisk offers convenience, versatility and power. Includes battery pack and charger. All stainless steel whisk tool.

18-00042	Total dimension (cm)	Ø7.2 x L44.5	
	Whisk tool length (cm)	18.5	
	Weight (kg)	1.5	
	Mixing capacity (ℓ)	1 to 5	
	Electric specs	230V / 60Hz	
	Charging / usage time	2 hours / 1 hour	
	Revolutions per min	700	

Immersion mini mixer - Dynashake (non-detachable)



浸入式迷你搅拌器 - Dynashake(非拆卸式) Small, light, and comes with a powerful motor. This model is equipped with an emulsifying blade and has a variable speed control function. Can be used with small sauce-pans as well as cooking pots up to 1 gallon. Includes a graduated cup and cover -- convenient for milkshakes and smoothies.

18-00086	Total dimension (cm)	W13 x D11 x L46
	Whisk tool length (cm)	18.5
	Weight (kg)	0.99
	Mixing capacity (ℓ)	1 to 4
	Electric specs	230V / 220W / 60Hz
	Revolutions per min	Up to 13000

Immersion mini mixer - Dynamix (non-detachable)



浸入式迷你搅拌器 - Dynamix (非拆卸式) Lightweight and efficient, this compact mixer is equipped with an emulsifying blade and comes with a variable speed control function. Designed for small sauce-pans as well as cooking pots up to 1 gallon. Ideal for dairy and pastry products.

18-00087	Total dimension (cm)	W13 x D11 x L46
	Whisk tool length (cm)	16
	Weight (kg)	0.99
	Mixing capacity (ℓ)	1 to 4
	Electric specs	230V / 220W / 60Hz
	Revolutions per min	Up to 13000

Light-duty Immersion Mixer Combi (non-detachable) 轻型浸入式搅拌器组合(非拆卸式)



Unique stainless steel anti-splashing blender shaft. Small but powerful motor with 2 speed control. Comes with a high speed chopper which is ideal for all kind of herbs, meat, parmesan and nuts. Available with optional stainless steel whisk.

18-00043	Total dimension (cm)	Ø7 x L36
	Mixer tool length (cm)	21
	Weight (kg)	0.58
	Mixing capacity (ℓ)	Up to 50
	Electric specs	230V / 450W / 50Hz













重负荷型搅拌机 - 24CB10

Mechanical controls add versatility with 3 speeds and pulse. Stainless steel container with 2 handles and rubberized lid. New dishwasher-safe one-piece jar pad for easy cleaning.

18-00044	Total dimension (cm)	W25 x D25 x H66
	Blender capacity	4ℓ / 1gallon
	Electric specs	230V / 1800W / 50-60Hz
	Motor	Single phase, 3.75 HP
	Revolutions per min	16800 to 21500

Blends, mixes, stirs, whips, chops, mashes. Heat resistance jug up to 115°C and with extra long blades for more thorough blending. For restaurants, bars, diet kitchens, hospitals, schools, fast food outlets,

Optional accessory /spare:

18-00045 Lid for blending hot foods

Heavy duty blender - SB 4 水壶式搅拌机 - SB4







W27 x D36.5 x H56 4ℓ / 1gallon 220 - 240V / 1000W / 50-60Hz Single phase 700 to 15000



Heavy duty blender - n°37 重负荷型搅拌机



A new concept for blending, mixing, liquefying, emulsifying and grinding. All types of preparations of food and drink for kitchen and bar. Quickly crushes ice cubes. Stainless steel container with safe locking system.

18-00046	Total dimension (cm)	W21.5 x D23 x H61.5
	Blender capacity	4ℓ / 1gallon
	Electric specs	240V / 750W / 50-60Hz
	Motor	Single phase, 1 HP
	Revolutions per min	0 to 15000



Heavy duty bar blender



重负荷型吧台搅拌机

The Brush Blender fits everywhere thanks to its sober design and its low overall dimensions. It can be used equally in its standard version or in-counter version to save space. Unlike universal motors, brushless motor has no brushes (permanent magnet rotor) which gives it a long lifetime (no wear parts), an excellent energy efficiency and a low noise level. BPA-free Jar.

18-00083	Total dimension (cm)	H44 x W20 x D24.7
	Blender capacity	2.4ℓ / 81oz
	Electric specs	220-240V / 1000W / 50-60Hz
	Motor	Single phase
	Revolutions per min	15000



Heavy duty bar blender Stamix

重负荷型吧台搅拌机

The Blending Station Advance has been engineered for perfection including a noise reducing cover for an improved customer experience.

18-00068	Total dimension (cm)	H45.7 x W21.6 x D27.2
	Blender capacity	1.4ℓ / 48oz
	Electric specs	220-240V / 1300-1550W / 50-60Hz
	Motor	3-phase
	Revolutions per min	37000



🕼 Vitamix. Heavy duty blender - Touch and Go[™] Blending Station

重负荷型搅拌机 - 一键式搅拌站

The Vitamix Touch and Go[™] Blending Staion is programmed to mix the most popular drinks consistently every time. Even heavy duty smoothie mixtures, containing high percentages of ice and frozen fruit, and notoriously hard-to-mix ice cream drinks turn out smooth and creamy. Comes with one touch operation and sound reduction chamber.

18-00049	Total dimension (cm)	W23.45 x D25.86 x H54.56
	Blender capacity	0.9ℓ / 32 oz
	Electric specs	220-240V / 1075-1200W / 50-60Hz
	Motor	Single phase
	Revolutions per min	1500 to 22500



Heavy duty bar blender 重负荷型吧台搅拌机

WARING

Great for smoothies, bar drinks, soups, salsas, sauces, desserts, dressings and more. Easy to clean electronic membrane keypad with simple On/Off, High, Low, Stop and Pulse controls. 30 seconds electronic countdown timer. Comes with sound enclosure for minimal noise.

18-00047 To	ōtal dimension (cm)	W23 x D28 x H54
J	lug capacity	2ℓ / 64oz
E	Electric specs	230V / 1500W / 50-60Hz
N	Notor	Single phase, 3.5 HP
R	Revolutions per min	45000

Optional accessory / spare:

 2ℓ polycarbonate container with lid 18-00048



Mechanical controls add versatility with 3 speeds and pulse. Stainless steel container with 2 handles and rubberized stainless steel lid. New dishwasher-safe one-piece jar pad for easy cleaning.

18-00050	Total dimension (cm)	W20.3 x D22.9 x H51
	Blender capacity	2ℓ / 64 oz
	Electric specs	230V / 1200-1400W / 50-60Hz
	Motor	Single phase
	Revolutions per min	37000



Bar blender

酒吧搅拌机 Economic option.

Total dimension (cm)	W18 x D24.5 x H40
Jug capacity	2ℓ / 64oz
Electric specs	230V / 50Hz
Motor	2-phase, 2 HP
	Jug capacity Electric specs

Optional accessory / spare: 18-00116 2ℓ polycarbonate container with lid 18



Heavy duty blender Stamix

重负荷型搅拌机



The exceptional power of the Vita-Mix Drink Machine gives you extra creamy, extra smooth, frozen (not iced) coffee drinks, cocktails, fruit smoothies, frappes, granitas, shakes, ice cream specialty drinks and more. Crush almost two litres of cubed ice in three seconds.

18-00051	Total dimension (cm)	W20.3 x D22.9 x H44
	Blender capacity	1.4ℓ / 48 oz
	Electric specs	220-240V / 750-850W / 50-60Hz
	Motor	Single phase
	Revolutions per min	37000
Optional accessory / spare:		

18-00067 1.4ℓ polycarbonate container with lid

重负荷精英系列搅拌机 - 疯狂玛格丽塔

and user-replaceable blade system.

Heavy duty Elite Series blender - Margarita Madness



18-00084



1	8-	\cap	n	ng	
L	0-	U	U	$_{\rm UU}$	

18-00084	Total dimension (cm)	W17.8 x D25.4 x H34.6
	Jug capacity	1.4ℓ / 48oz
	Electric specs	230V / 50-60Hz
	Motor	2-phase, 2 HP
18-00085	Total dimension (cm)	W17.8 x D25.4 x H34.6
With timer	Jug capacity	1.4ℓ / 48oz
	Electric specs	230V / 50-60Hz
	Electric specs	2307/30-0012
	Motor	2-phase, 2 HP

Perfect for all other types of frozen beverages, cocktails, fruit smoothies and more. Crushes ice into snow in seconds! 48-oz. STACKABLE dishwasher-safe BPA-free copolyester container with removable

Optional accessory / spare:

18-00053 1.4ℓ polycarbonate container with lid



Heavy duty blender - Margarita Madness

重负荷型搅拌机 - 疯狂玛格丽塔

WARING

Crushes hollow ice in seconds! Ideal for Margaritas and ice-blended drinks. Heavy-duty polycarbonate motor housing. User-replaceable metal-reinforced rubber drive coupling.

18-00052	Total dimension (cm)	Ø16.5 x H41.5
	Polycarbonate jug capacity	1.4ℓ / 48 oz
	Electric specs	230V / 50-60Hz
	Motor	Single phase, 1.5 HP

Optional accessories / spares: 18-00053 1.4ℓ polycarbonate container with lid 18-00054 Anti-noise enclosure





18-00055







18-00059

18-00060







厨用搅拌机

3-position toggle switch on stainless steel motor housing. User-replaceable metal-reinforced rubber drive coupling.

Choice of stainless steel or polycarbonate blending jug.

18-00055	Total dimension (cm)	Ø16 x H48
Stainless steel	Jug capacity	2ℓ / 64oz
	Electric specs	230V / 50-60Hz
18-00056	Motor	Single phase, 1.5 HP
Polycarbonate	Revolutions per min	19000 to 23000
Optional accord	riaa (anaraa)	

Optional accessories / spares:

18-00057	2ℓ stainless steel container with lid
18-00058	2ℓ polycarbonate container with lid





厨用搅拌机 3-position toggle switch on black polycarbonate motor housing. User-replaceable metal-reinforced rubber drive coupling.

Choice of stainless steel or polycarbonate blending jug.

18-00059	Total dimension (cm)	Ø16 x H48
Stainless steel	Jug capacity	2ℓ / 64oz
	Electric specs	230V / 50-60Hz
18-00060	Motor	Single phase, 1.5 HP
Polycarbonate	Revolutions per min	19000 to 23000

Optional accessories / spares:

18-00057	2ℓ stainless steel container with lid
18-00058	2ℓ polycarbonate container with lid



厨用搅拌机



2 speed blender with durable, epoxy powder-coated zinc die-cast housing. Choice of stainless steel or glass blending jug.

	Total dimension (cm)	W16 x D16 x H38	
18-00061	Stainless steel jug capacity	1ℓ / 32oz	
18-00062	Glass jug capacity	1.2ℓ / 40oz	
	Electric specs	230V / 50-60Hz	
	Motor	Single phase	
	Revolutions per min	18000 to 20000	

Optional accessories / spares:

18-00063	1 ℓ stainless steel container with lid
18-00064	1.2ℓ glass container with lid and blending assembly

18-00061

18-00062







18-00065





18-00070



18-00071





18-00074

18-00075



厨用搅拌机

Single speed blender with durable, epoxy powder-coated zinc die-cast housing. Choice of stainless steel or glass blending jug.


	Total dimension (cm)	Ø16 x H38
18-00066	Stainless steel jug capacity	1ℓ/32oz
18-00065	Glass jug capacity	1.2ℓ / 40oz
	Electric specs	230V / 50-60Hz
	Motor	Single phase
	Revolutions per min	18000 to 20000
Optional accessor	ries / spares:	
18-00063	1ℓ stainless steel container with lid	
18-00064	1.2 ℓ glass container with lid and blending assembly	

	WAR	IN	c
r	COMM	ERCI.	n.

Bar blender 酒吧搅拌机 Crushes hollow		
Choice of stain	ess steel or polycarbonate blending jug.	
	Total dimension (cm)	Ø18.5 x H41.5
18-00070	Stainless steel jug capacity (ℓ / oz)	1 / 32
18-00071	Polycarbonate jug capacity (ℓ / oz)	1.3 / 44
	Electric specs	230V / 50-60Hz
	Motor	Single phase, 0.75 HP

Optional accessories / spares:

18-00072 18-00073



Basic bar blender



基本型酒吧搅拌机

2 speed blender with durable, epoxy powder-coated zinc die-cast housing. User-replaceable metalreinforced rubber coupling.

Choice of stainless steel or polycarbonate blending jug.

	Total dimension (cm)	Ø18.5 x H35
18-00074	Stainless steel jug capacity	1 ℓ / 32oz
18-00075	Polycarbonate jug capacity	1.4 ℓ / 48oz
	Electric specs	230V / 50-60Hz
	Motor	Single phase, 0.5 HP

Optional accessory	// spares:
18-00076	1 ℓ stainless steel container with lid
18-00077	1.4ℓ polycarbonate container with lid





Basic bar blender 基本型酒吧搅拌机



2-speed glass blender with heavy-duty zinc die-cast housing - offers maximum motor protection, quiet operation, and stability while blending. Recommended for 1 to 25 drinks per day.

18-00112	Total dimension (cm)	L20.3 x W17.8 x H41.9
	Stainless steel jug capacity	1ℓ / 32oz
	Electric specs	230V / 50-60Hz
	Motor	Single phase, 0.5 HP



Light-duty bar blender

轻负荷型 酒吧搅拌机

5-speed blender with water-proof motor block. Ideal for cocktails and drinks and suitable for use with hollow ice.

18-00081	Total dimension (cm)	W17 x D17 x H40
	Polycarbonate jug capacity	1.75ℓ / 59oz
	Electric specs	240V / 525W / 50-60Hz

Optional accessories / spares:18-001141.75ℓ glasss jug

Tabletop light-duty bar blender and dry mill

桌面轻负荷型酒吧搅拌机和干料研磨器 2-in-1 blender and dry mill with safety lock.

18-00082	Total dimension (cm)	W16 x D14.5 x H37
	Polycarbonate jug capacity	1.5ℓ / 50oz
	Dry mill capacity	0.17ℓ / 5.5oz
	Electric specs	220-240V / 350W / 50-60Hz

Tabletop blender / mixer Blixer 6 V.V. robot @ coupe

桌面酒吧搅拌机和混合器 - Blixer 6 V.V.

Comes with a leak proof lid and built-in scraper to easily prepare all types of mixed and liquidized food. A fine serrated blade is supplied as a standard attachment. Polycarbonate lid designed to allow ingredients to be added while processing.

Comes with **pulse control** and **variable speed** for optimum cutting precision. Stainless steel cutter bowl.

18-00090	Total dimension (cm)	W37 x D27 x H53.5	
	Bowl capacity (ℓ)	7	
	Electric specs	230V / 1500W / 50Hz	
	Motor	Single phase	
	Revolutions per min	300 to 3000	

Optional accessory / spare:

18-00091 Fine serrated blade



robot a coupe

Tabletop blender/mixer Blixer 5 Plus	robot @ coupe*
--------------------------------------	----------------

桌面酒吧搅拌机和混合器 - Blixer 5 Plus

Comes with a leak proof lid and built-in scraper to easily prepare all types of mixed and liquidized food. A fine serrated blade is supplied as a standard attachment. Polycarbonate lid designed to allow ingredients to be added while processing.

Comes with **pulse control** and **2 speed** options for optimum cutting precision. Stainless steel cutter bowl.

10,00000	エ / / / /	14/04 D07 1/50
18-00092	Total dimension (cm)	W34 x D27 x H50
	Bowl capacity (ℓ)	5.5
	Electric specs	230V / 1300W / 50Hz
	Motor	Single phase
	Revolutions per min	1500 and 3000
18-00115	Total dimension (cm)	W34 x D27 x H50
18-00115	Total dimension (cm) Bowl capacity (l)	W34 x D27 x H50 5.5
18-00115	()	
18-00115	Bowl capacity (ℓ)	5.5
18-00115	Bowl capacity (ℓ) Electric specs	5.5 440V / 1300W / 50Hz

Optional accessory / spare:

18-00093 Fine serrated blade



18-00096

Tabletop blender/mixer Blixer 3 and 4 robot Coupe

桌面式酒吧搅拌机和混合器 - Blixer 3 和 4

Comes with a leak proof lid and built-in scraper to easily prepare all types of mixed and liquidized food. A fine serrated blade is supplied as a standard attachment. Polycarbonate lid designed to allow ingredients to be added while processing. Comes with **pulse control** for optimum cutting precision. Stainless steel cutter bowl.

18-00094	Total dimension (cm)	W30.4 x D22.6 x H46
(Blixer 4)	Bowl capacity (ℓ)	4.5
	Electric specs	230V / 900W / 50Hz
	Motor	Single phase
	Revolutions per min	3000
18-00096	Total dimension (cm)	W33 x D21 x H42
(Blixer 3)	Bowl capacity (ℓ)	3.7
	Electric specs	230V / 750W / 50Hz
	Motor	Single phase
	Revolutions per min	3000

Optional accessories / spares:

18-00095	Fine serrated blade for 18-00094 (Blixer 4)
18-00097	Fine serrated blade for 18-00096 (Blixer 3)

Tabletop cutter/mixer R10 robot @ coupe

桌面式切碎机/搅拌器 R10

Built with a see-through lid for the ease of monitoring and allows users to add ingredients while the machine is running. The pulse control function gives greater control and optimum cutting precision for better results. Comes with a smooth-edged blade and optional course and fine edged serrated blades for grinding, kneading, or parsley chopping. Parts can be easily removed for convenient cleaning.

18-00098	Total dimension (cm)	W34.5 x D56 x H72	
	Bowl capacity (ℓ)	11.5	
	Electric specs	400V / 2200W / 50Hz	
	Motor	3-phase	
	Revolutions per min	1500 and 3000	
Ontional accord	parias (aparas;		

Optional accessories / spares:18-00295Straight blade18-00296Serrated blade18-00297Fine serrated blade

robot (r coupe" R 3 Art

18-00101

Tabletop cutter/mixer R3 and R2 robot @ coupe

桌面式切碎机/搅拌器 R3 和 R2

Comes with a straight blade knife. Optional serrated blade designed for grinding/kneading and a fine serrated blade mainly for parsley chopping. Polycarbonate lid designed to allow ingredients to be added while processing. Comes with pulse control for optimum cutting precision. Stainless steel cutter bowl. Comes with a straight blade knife. Optional serrated blade designed for grinding/kneading and a fine serrated blade mainly for parsley chopping. Polycarbonate lid designed to allow ingredients to be added while processing. Comes with pulse control for optimum cutting precision. Stainless steel cutter bowl.

18-00101	Total dimension (cm)	W32 x D21 x H40
(R3)	Bowl capacity (ℓ)	3.7
	Electric specs	230V / 650W / 50Hz
	Motor	Single phase
	Revolutions per min	1500
18-00117	Total dimension (cm)	L35 x W20 x H28
(R2)	Bowl capacity (l)	2.9
	Electric specs	230V / 650W / 50Hz
	Motor	Single phase
	Revolutions per min	1500
Optional acces	ssories / spares:	
R3	R2	
18-00102	18-00298	Straight blade
18-00103	18-00129	Serrated blade
18-00104	18-00299	Fine serrated blade







桌面式切碎机/搅拌器 VCB-62

For professional mid-size to large kitchen, the VCB-62 comes with built-in handles for easy mobility and scraper system for perfect results.

18-00336	Total dimension (cm)	L31 x W35 x H48
	Bowl capacity (ℓ)	6
	Electric specs	230V / 1500W / 50-60Hz
	Motor	3-phase
	Revolutions per min	1500 and 3000







Tabletop cutter/mixer VCB-31S

桌面式切碎机/搅拌器 VCB-31S

Special design and angle of the knives turn ingredients in the bowl, giving the content a uniform texture. Achieves perfect results in just half the time taken by a conventional cutter/mixer.

18-00496	Total dimension (cm)	L30 x W28.5 x H44cm
	Bowl capacity (ℓ)	3
	Electric specs	220-240V / 1000W / 50-60Hz
	Motor	Single Phase
	Revolutions per min	1450
		1430



Tabletop chopper grinder

桌面式切碎机/研磨器

WARING

2 separate bowls and blade assemblies for grinding and chopping!

Grinding - 3-blade hub with see-through bowl and patented cover for grinding spices and hard foods such as Parmesan and Romano cheeses, nuts, coffee beans, and peppercorns, allspice, celery and mustard seeds.

Chopping - 2-blade hub and see-through bowl for chopping garlic, shallots, onions, chocolate and leafy herbs. Cover has opening for adding liquids, oils and eggs while processing sauces, creams or toppings.

18-00106	Total dimension (cm)	W14 x D20 x H22
	Bowl capacity (ℓ)	0.7
	Electric specs	230V / 150W / 50Hz
	Motor	Single phase, 0.75 HP



Spice grinder



香辛料研磨器

Comes complete with 3 stainless steel bowls with lids. Suitable for hard spices.

18-00337	Total dimension (cm)	L12 x W14 x H20
	Bowl capacity (ℓ)	0.35
	Electric specs	230V / 175W / 50Hz
	Motor	Single phase, 0.23 HP



Grinding and Pulverizing machine

研磨粉碎机

High speed grinding machine with fineness reaching 200-250 mesh.

18-00661	Total dimension (cm)	W19.5 x D22 x H39
	Capacity (l)	0.35
	Electric specs	220V / 1800W / 50-60Hz
	Revolutions per min	25000



Tabletop cutter/mixer and vegetable cutter R502E robot Coupe

桌面式切碎/搅拌器, 切菜机 R502E

Cutter-mixer attachment comes with a straight blade knife. Optional serrated blade designed for grinding/kneading and a fine serrated blade mainly for parsley chopping.

Vegetable preparation attachment is equipped with a large feed opening (139cm²) for cabbage, celery etc and a round opening (Ø58mm) for slicing long or fragile vegetables. Selection of 50 optional discs for slicing, julienne and grating. No discs included.

Comes with **pulse control** for optimum cutting precision.

18-00338	Total dimension (cm)	W35 x D38 x H66.5
	Bowl capacity (l)	5.5
	Recommended for	30 to 300 meals and more
	Electric specs	230V / 1000W / 50Hz
	Motor	3-phase
	Revolutions per min	750 and 1500

Optional accessories / spares:

18-00119	Straight blade	
18-00120	Serrated blade	
18-00121	Fine serrated blade (Special parsley)	
18-00113	Set of 8 slicing discs (2mm and 5mm slicer, 2mm grater, 3 x 3mm julienne disc, 10mm slicer + 10 x 10mm dicing grid and 2pcs of 10 x 10mm french fry disc)	

See page 18.29 for individual optional vegetable slicers.

Maximise R401 and R301 machines with the optional Robot Coupe Cuisine Kit! Its set of attachments gives convenience to make fruits sauces / coulis and citrus juices in just seconds. All parts can easily be assembled and taken out for washing. Perfect for amuse-bouche, soup, sorbet, icecream, smoothies, jam, fruit pastes, pastilles and more!

Tabletop cutter/mixer and vegetable cutter R401 and R301 Ultra robot & coupe 桌面式切碎/搅拌机, 切菜机 R401 and R301 Ultra

Cutter-mixer attachment comes with a straight blade knife. Optional serrated blade designed for grinding/kneading and a fine serrated blade mainly for parsley chopping. Polycarbonate lid designed to allow ingredients to be added while processing.

Vegetable preparation attachment is equipped with a large feed opening (104cm²) for cabbage, celery etc and a round opening (Ø58mm) for slicing long or fragile vegetables. Selection of 23 optional stainless steel discs for slicing, julienne and grating. No discs included. Comes with **pulse control** for optimum cutting precision.

18-00118	Total dimension (cm)	W30.4 x D32 x H57
(R401)	Bowl capacity (ℓ)	4
	Recommended for	20 to 100 meals and more
	Electric specs	230V / 700W / 50Hz
	Motor	Single phase
	Revolutions per min	1500
18-00125	Total dimension (cm)	W30 x D32.5 x H55
(R301 Ultra)	Bowl capacity (ℓ)	3.5
	Recommended for	10 to 70 meals
	Electric specs	230V / 650W / 50Hz
	Motor	Single phase
	Revolutions per min	1500



18-00125

Optional accessories / spares. R401 R301 Straight blade 18-00119 18-00102 18-00120 Serrated blade 18-00103 18-00121 18-00104 Fine serrated blade (Special parsley) Vegetable preparation attachment (without discs) 18-00122 18-00126 18-00339 Set of 4 slicing discs (2mm and 4mm slicers, 2mm grater, 4 x 4mm julienne disc) 18-00123 Set of 5 slicing discs (2mm and 4mm slicers, 2mm grater, 4 x 4mm julienne disc and 8 x 8mm french fry disc) 18-00340 Cuisine Kit (Fruit sauces/coulis and citrus press function)

See page 18.29 for individual optional vegetable slicers.





18-00118



Tabletop cutter/mixer and vegetable cutter CC-32S



桌面式切碎/搅拌器,切菜机 CC-32S

Works both as a vegetable preparation machine and a verticle cutter, this model is suitable for slicing, grating and shredding all firm and soft vegetables. Tight sealed lid for large liquid volume and dry ingredients. Built with an automatic start-stop function that enhances work effectiveness. It is manufactured with hygiene certified materials and all loose parts can be washed in dishwasher. Its blades are serrated, making them more wear resistant. Small and compact for easy storage.

18-00341	Total dimension (cm)	W28.5 x D35 x H44
	Bowl capacity (ℓ)	3
	Electric specs	220-240V / 1000W / 50Hz
	Motor	Single phase
	Revolutions per min	500 and 1450

See page 18.29 for individual optional vegetable slicers.



Tabletop cutter/mixer and vegetable cutter R201 Ultra E robot g coupe^{*} 桌面式切碎/搅拌器, 切菜机 R201 Ultra E

Cutter-mixer attachment comes with a straight blade knife. Optional serrated blade designed for grinding/kneading and a fine serrated blade mainly for parsley chopping. Polycarbonate lid designed to allow ingredients to be added while processing.

Vegetable preparation attachment is equipped with a large feed opening (for cabbage, celery etc) and a round opening for slicing long or fragile vegetables. Selection of 23 optional stainless steel discs for slicing, julienne and grating.

Comes with **pulse control** for optimum cutting precision. Stainless steel cutter bowl.

18-00127	Total dimension (cm)	W34 x D22 x H44.5
	Bowl capacity (ℓ)	2.5
	Electric specs	230V / 550W / 50Hz
	Motor	Single phase
	Revolutions per min	1500

Optional accesso	ries / spares:
18-00128	Straight blade
18-00129	Serrated blade
18-00130	Fine serrated blade
18-00342	Set of 4 slicing discs (2mm and 4mm slicers, 2mm grater, 4 x 4mm julienne disc)
18-00123	Set of 5 slicing discs (2mm and 4mm slicers, 2mm grater, 4 x 4mm julienne disc and 8 x 8mm french fry disc)

See page 18.29 for individual optional vegetable slicers.



Vegetable preparation machine RG250

蔬菜加工机 RG250

A machine stand model for large capacities. It can slice, dice, shred, grate, make julienne, cut French fries and waffle vegetables. The machine has robust all-aluminium construction with an ergonomic user-friendly design.

18-00881	Total dimension (cm)	L45 x W28.5 x H58.66
	Output capacity per hour (kg)	480
	Electric specs	230 - 240V / 2500W / 50Hz
	Motor	Single phase
	Revolutions per min	350

See page 18.29 for individual optional vegetable slicers.



Vegetable preparation machine RG100

蔬菜加工机 RG100

Slices, dices, shreds, grates makes julienne and crimping slices. Processes fruit, vegetables, dry bread, cheese, nuts, mushrooms, etc. Table top machine made for commercial use and long life. Leaning design reduces stress on shoulders and back when the machine is being refilled.

18-00343	Total dimension (cm)	W72 x D60 x H122.5
	Output capacity per hour (kg)	300
	Electric specs	230 - 240V / 2500W / 50Hz
	Motor	Single phase
	Revolutions per min	350

See page 18.29 for individual optional vegetable slicers.



Trolley and container sold separately

Vegetable preparation machine CL60 Automatic *robot @ coupe* 蔬菜加工机 CL60, 自动型

Equipped with a tilting and removable automatic feed head which is ideal for slicing delicate vegetables such as mushrooms, tomatoes, grating carrots, dicing potatoes and cutting french fries etc. Selection of 35 optional stainless steel discs for slicing, julienne and grating etc. No discs included. 2 speed options of 375 and 750 R.P.M. to guarantee perfect results and fast processing.

18-00131	Total dimension (cm)	W72 x D60 x H122.5
	Output capacity per hour (kg)	900
	Electric specs	400V / 1500W / 50Hz
	Motor	3-phase
	Revolutions per min	375 and 750

Optional accessory / spare:

18-00132 Potato ricer equipment made with a special grid Ø3mm, a paddle and ejector disc.

See page 18.29 for individual optional vegetable slicers.



Container sold separately

Vegetable preparation machine CL55 Automatic robot Coupe

蔬菜加工机 CL55, 自动型

Equipped with a automatic feed head which is ideal for slicing delicate vegetables such as mushrooms, tomatoes, grating carrots, dicing potatoes and cutting french fries etc.

Comes with a stainless steel movable stand.

Selection of 35 optional stainless steel discs for slicing, julienne and grating etc. No disc included. Single speed of 375 R.P.M. suitable for cutting fries and handling delicate vegetables.

18-00133	Dimension without stand (cm)	W35 x D48 x H66.5
	Output capacity per hour (kg)	600
	Electric specs	230V / 1100W / 50Hz
	Motor	Three phase
	Revolutions per min	375 and 750

Optional accessory / spare:

18-00132 Potato ricer equipment made with a special grid Ø3mm, a paddle and ejector disc

See page 18.29 for individual optional vegetable slicers.



Tabletop vegetable preparation machine CL52 robot Coupe

蔬菜加工机 CL52

Equipped with a large feed opening (227cm²) for cabbage, celery etc and a round opening (Ø58mm) for slicing long or fragile vegetables. Removable wall for optimum cutting results, highly recommended for potatoes or tomato slices.

Selection of 37 optional stainless steel discs for slicing, julienne and grating etc. No discs included. Single speed of 375 R.P.M. suitable for cutting fries and handling delicate vegetables.

18-00134	Total dimension (cm)	W36 x D35 x H64
	Output capacity per hour (kg)	300
	Electric specs	230V / 750W / 50Hz
	Motor	Single phase
	Revolutions per min	375

Optional accessories / spares:

- 1		
18-0011	3	Set of 8 slicing discs (2mm and 5mm slicer, 2mm grater, 3 x 3mm julienne disc,
		10mm slicer + 10 x 10mm dicing grid and 2pcs of 10 x 10mm french fry disc)
18-0013	2	Potato ricer equipment made with a special grid $\ensuremath{\textit{@3mm}}$, a paddle and ejector disc

See page 18.29 for individual optional vegetable slicers.

Tabletop vegetable preparation machine CL50 Gourmet Parsley Kit *robot g coupe* 蔬菜加工机 CL50 美芹套装

CL50 Gourmet allows you to make 5 new waffle and dicing cuts of exceptional quality which are otherwise difficult and time consuming to be prepared by hand. Take advantage of the range of 50 different discs and give your imagination free reign to dream up exciting new recipes.

Equipped with a large feed opening (132cm²) for cabbage, celery etc and a round opening (Ø58mm) for slicing long or fragile vegetables.

No disc included. Single speed of 375 R.P.M. suitable for cutting fries and handling delicate vegetables.

18-00344	Total dimension (cm)	W31 x D35 x H59	
	Output capacity per hour (kg)	250	
	Electric specs	230V / 550W / 50Hz	
	Motor	Single phase	
	Revolutions per min	375	

Optional accessories / spares:

18-00113Set of 8 slicing discs (2mm and 5mm slicer, 2mm grater, 3 x 3mm julienne disc, 10mm
slicer + 10 x 10mm dicing grid and 2pcs of 10 x 10mm french fry disc)

See page 18.29 for individual optional vegetable slicers.

Tabletop vegetable preparation machine CL50 robot @ coupe" 桌面式蔬菜加工机 CL50

Equipped with a large feed opening (121cm²) for cabbage, celery etc and a round opening (Ø58mm) for slicing long or fragile vegetables.

Selection of 37 optional stainless steel discs for slicing, julienne and grating etc. No discs included. Single speed of 375 R.P.M. suitable for cutting fries and handling delicate vegetables.

18-00135	Total dimension (cm)	W32 x D35 x H59
	Output capacity per hour (kg)	250
	Electric specs	230V / 550W / 50Hz
	Motor	Single phase
	Revolutions per min	375

Optional accessories / spares:

18-00113	Set of 8 slicing discs (2mm and 5mm slicer, 2mm grater, 3 x 3mm julienne disc, 10mm
	slicer + 10 x 10mm dicing grid and 2pcs of 10 x 10mm french fry disc)
18-00345	Potato Ricer Attachment (Comes with a special 3mm grid, paddle, ejector disc for pureed
	vegetables and a feed tube to facilitate continuous throughput.)

See page 18.29 for individual optional vegetable slicers.



robot a coupe

CL 50

18



Tabletop vegetable preparation machine CL40 robot @ coupe

桌面式蔬菜加工机 CL40

Equipped with a large feed opening (104cm²) for cabbage, celery etc and a round opening (Ø58mm) for slicing long or fragile vegetables. Selection of 28 optional stainless steel discs for slicing, julienne and grating etc. No disc included. Single speed of 375 R.P.M. suitable for cutting fries and handling delicate vegetables.

Output capacity per hour (kg)80Electric specs230V / 500W / 50Hz	
Electric specs 230V / 500W / 50Hz	
Motor Single phase	
Revolutions per min 375	

Optional accessory / spare:

18-00347 Set of 6 slicing discs (2mm and 4mm slicers, 2mm grater, 4 x 4mm julienne disc and 10mm slicer + 10 x 10mm dicing grid)

See page 18.29 for individual optional vegetable slicers.

Tabletop vegetable preparation machine CL20 robot @ coupe 桌面式蔬菜加工机 CL20

Equipped with a large feed opening (104cm²) for cabbage, celery etc and a round opening (Ø58mm) for slicing long or fragile vegetables. Selection of 23 optional stainless steel discs for slicing, julienne and grating etc. No disc included.

18-00348	Total dimension (cm)	W30 x D32 x H55	
	Output capacity per hour (kg)	60	
	Electric specs	230V / 400W / 50Hz	
	Motor	Single phase	
	Revolutions per min	1500	
Optional acces	ssories / spares:		

-

18-00349	Set of 4 slicing discs (2mm and 4mm slicers, 2mm grater, 4 x 4mm julienne disc)
18-00123	Set of 5 slicing discs (2mm and 4mm slicers, 2mm grater, 4 x 4mm julienne disc and
	8 x 8mm french fry disc)

See page 18.29 for individual optional vegetable slicers.



	Thickness	R201 Ultra, R301 Ultra, R401, CL25	CL30	R502, R602VV, CL50, CL52, CL55 and CL60	CL50 Gourmet	CC-32S (Hallde)	RG100 (Hallde)	RG250 (Hallde)
Slicers								
	0.5 mm	-	-	-	-	18-00361	18-00361	18-01050
	0.6 mm (almonds)	-	-	18-00200	18-00200	-	-	-
	0.8 mm	-	-	18-00201	18-00201	-	-	-
	1 mm	18-00202	18-00202	18-00203	18-00203	18-00362	18-00363	18-01051
	1 mm (with 2 guiding inserts for parsley)	-	-	-	18-00364	-	-	-
	1.5 mm	-	-	-	-	18-00365	18-00365	18-01052
	2 mm	18-00204	18-00204	18-00205	18-00205	18-00366	18-00367	18-01053
	3 mm	18-00206	18-00206	18-00207	18-00207	18-00368	18-00368	18-01054
	4 mm	18-00208	18-00208	18-00209	18-00209	18-00369	18-00370	18-01055
	4 mm (cooked potatoes)	-	-	18-00371	18-00371	-	-	-
	5 mm	18-00210	18-00210	18-00211	18-00211	18-00372	18-00373	18-01056
	6 mm	18-00212	18-00212	18-00374	18-00374	18-00375	18-00375	18-01057
	6 mm (cooked potatoes)	-	-	18-00376	18-00376	-	-	-
a Derest	7 mm	-	-	-	-	18-00377	18-00377	18-01058
O CO	8 mm	-	-	18-00213	18-00213	18-00378	18-00378	18-01059
	9 mm	-	-	-	-	18-00379	18-00379	18-01060
	10 mm	-	-	18-00214	18-00214	18-01380	18-01380	18-01061
	14 mm	-	-	18-00215	18-00215	-	-	-
Ripple cut slicers								
8	2 mm	18-00216	18-00216	18-00217	18-00217	-	-	-
	3 mm	-	-	18-00218	18-00218	-	-	-
	4 mm	-	-	-	-	18-01381	18-01382	18-01062
	5 mm	-	-	18-00219	18-00219	-	-	-
A	6 mm	-	-	-	-	18-01383	18-01383	18-01063
Waffle cut slicers								
	2 mm	-	-	-	18-01384	-	-	-
	3 mm	-	-	-	18-01385	-	-	-
	4 mm	-	-	-	18-01386	-	-	-
889.488	6 mm	-	-	-	18-01387	-	-	-

	Thickness	R201 Ultra, R301 Ultra, R401, CL25	CL30	R502, R602VV, CL50, CL52, CL55 and CL60	CL50 Gourmet	CC-32S (Hallde)	RG100 (Hallde)	RG250 (Hallde)
Julienne / strips								
-1	1 x 8 mm			18-01388	18-01388	-	-	-
	1 x 30 mm (onion/cabbage)			18-00389	18-00389	-	-	-
	2 x 2 mm	18-00220	18-00220	18-00221	18-00221	18-00390	18-00391	18-01064
	2.5 x 2.5 mm			18-00392	18-00392	-	-	-
	2 x 4 mm	18-00222	18-00222	18-00223	18-00223	-	-	-
	2 x 6 mm	18-00224	18-00224	18-00225	18-00225	-	18-00393	18-01065
	2 x 8 mm	-	-	18-00226	18-00226		-	-
70/	2 x 10 mm	-	-	18-00227	18-00227		-	-
	3 x 3 mm	-	-	18-00228	18-00228		-	-
	4 x 4 mm	18-00229	18-00229	18-00230	18-00230	18-00394	18-00395	18-01066
	6 x 6 mm	18-00231	18-00231	18-00232	18-00232		18-00396	18-01067
	8 x 8 mm	18-00233	18-00233	18-00234	18-00234		18-00397	18-01068
	10 x 10 mm	-	-	-	-	-	18-00398	18-01069
French fries cutter								
	8 x 8 mm	-	18-00235	18-00236	18-00236	-	-	-
	10 x 10 mm	-	18-00237	18-00238	18-00238	-	-	-
Graters			1			I		
	0.7 mm (radish)	18-00239	18-00239	-	-	-	18-00399	18-01070
	1 mm (radish)	18-00240	18-00240	18-00241	18-00241	-	-	-
	1.3 mm (radish)	18-00242	18-00242	-	-	-	-	-
	1.5 mm	18-00243	18-00244	18-00245	18-00245	18-00437	18-00437	18-01071
TPP	2 mm	18-00246	18-00247	18-00248	18-00248	18-00438	18-00439	18-01072
	3 mm	18-00249	18-00250	18-00251	18-00251	18-00440	18-00440	18-01073
	4 mm	-	-	18-00252	18-00252	18-00443	-	-
	4.5 mm	-	-	-	-	18-00444	18-00444	18-01074
	5 mm	-	-	18-00253	18-00253	-	-	-
	6 mm	18-00254	18-00254	-	-	18-00445	18-00446	18-01075
	7 mm	-	-	18-00255	18-00255	-	-	-
	8 mm	-	-	-	-	18-00447	18-00447	18-01076
State State State	9 mm	18-00256	18-00256	18-00257	18-00257	-	-	-
444518	10 mm	-	-	-	-	18-00448	18-00448	18-01077
	parmesan	18-00258	18-00258	18-00259	18-00259	-	18-00449	18-01078
	rostis potato	18-00450	18-00451	18-00452	18-00453	-	18-00454	18-01079

	Thickness	R201 Ultra, R301 Ultra, R401, CL25	CL30	R502, R602VV, CL50, CL52, CL55 and CL60	CL50 Gourmet	CC-32S (Hallde)	RG100 (Hallde)	RG250 (Hallde)
Dicing equipment								
	2 x 2 x 2 mm (brunoise)	-	-	-	18-00455	-	-	-
	5 x 5 x 5 mm	-	-	18-00260	18-00260	-	-	-
	7.5 x 7.5 mm					-	18-00456**	18-01080**
	8 x 8 x 8 mm	-	18-00261	18-00262	18-00262	-	-	-
	10 x 10 x 10 mm	-	18-00263	18-00264	18-00264	-	18-00457**	18-01081**
	12 x 12 x 12 mm	-	18-00265	-	-	-	-	-
1 dicing grid + 1 slicer	14 x 14 x 5 mm (mozarella)			18-00458	18-00458	-	-	-
	14 x 14 x 10 mm			18-00459	18-00459	-	-	-
	14 x 14 x 14 mm	-	-	18-00460	-	-	-	-
	15 x 15 x 15 mm	-	-	-	-	-	18-00461**	18-01082**
	20 x 20 x 20 mm	-	-	18-00267	-	-	-	-
	25 x 25 x 25 mm	-	-	18-00268	-	-	-	-
	50 x 70 x 25 mm (salad)	-	-	18-00269	-	-	-	-
Soft dicing equipment								
	8 x 8 x 8 mm	-	-	-	-	-	18-00462	18-01083
	10 x 10 x 10 mm	-	-	-	-	-	18-00463	18-01084
	12 x 12 x 12 mm	-	-	-	-	-	18-00464	18-01085
1 dicing grid + 1 slicer	15 x 15 x 15 mm	-	-	-	-	-	18-00465	18-01086

** These codes denote dicing grids only and must be used with a suitable standard, slicer, dicing cutter or fine cut slicer.



Accessories for discs robot & coupe

18-00466	Stainless steel wall discs holder
18-00467	D-clean kit : Cleaning tool for dicing grids






New Exclusive Accessories



Adjustable Slicing Disc

Sealed Whipping Disc







Optional acces	ssories / spares:
18-00351	Adjustable slicing disc with 16 different thickness from 1mm- 6mm
18-00352	Sealed whipping disc for whipped cream, crème fraîche, butter etc
18-00353	Reversible Shredding Disc to process either a fine (2mm) shredding or medium (4mm)
	shredding all in one
18-00354	Continuous-feed chute for large-volume processing

LiquiLock™ sealed, clear-view 3.5-quart batch bowl. Slice, shred, grate, purée, chop, knead and

more! Quality accessories make the WFP14S versatile enough for any food-processing job, with the

W25.5 x D29 x H40

230V / 600W / 50Hz

Single phase, 1HP

3.35

1800

WARING

convenience of a detachable stem to switch tasks with ease.

Total dimension (cm) Bowl capacity (l)

Revolutions per min

Electric specs Motor

Shown with 18-00354





Tabletop blender Dynacutter complete

桌面搅拌器 Dynacutter 完整套装

Commerical food processor

商用食物加工机

18-00350



Consists of the BM 2000 motor block, a stainless steel Dynacutter bowl and a standard straight blade. Expand your usage options by complementing with other attachments in Dynamic's Master range (see 18-00010 to 18-00020).

18-00105	Bowl dimension (cm)	Ø20 x H16
	Bowl capacity (ℓ)	5
	Electric specs	230V / 460W / 50Hz
	Motor	Single phase
	Revolutions per min	1500

Optional accessories / spares:

18-00007	Standard blade
18-00008	Serrated blade

Vegetable preparation machine 蔬菜加工机



Consists of the BM 2000 motor block, a stainless steel Dynacutter bowl, 4 preparation discs (2 and 3 mm shredding discs, 2 and 3 mm slicing discs) and 1 ejector disc.

Expand your usage options by complementing with other attachments in Dynamic's Master range (see 18-00010 to 18-00020).

18-00139	Total dimension (cm)	L36 x W26 x H65 cm					
	Bowl capacity (ℓ)	5					
	Electric specs	230V / 460W / 50Hz					
	Motor	Single phase					
	Revolutions per min	1500					
Optional accessories / spares:							
18-00019	Dicing kit (mm)	10 x 10					
18-00020	Julienne disc (mm)	10 x 10					



Tabletop light-duty food processor

桌面轻负荷型食物加工机

Provided with dough tool, cream propellor for whipping and stainless steel slicing and shredding inserts. Comes with pulse control and variable speed for optimum cutting precision.

	18-00107	Total dimension (cm)	W32 x D24 x H35
ń		Bowl capacity (ℓ)	2
-		Electric specs	220V / 600W / 50-60Hz
		Motor	Single phase







Spring onion cutter

手动蔬菜切片切碎机

Optional accessories / spares:

shredding disc.

18-00157

18-00158

葱切碎机

Compact size onion cutter increases efficiency in the kitchen! Easy to operate and maintain.

Manual vegetable slicing and shredding machine

Total dimension (cm)

Slicing disc

18-00355	Total dimension (cm)	L41 x W35 x H51
	Electric specs	230V / 186W / 50Hz
	Motor	Single phase, 1/4 HP

Slice and shred with ease. The Dynacoupe is ideal for manually slicing and shredding vegetables. Easy to clean and the discs are easily interchangeable. Comes with one 3mm slicing disc and one 3mm

Dynamic

Ø37 x H26

1.5 mm











Manual vegetable dicing machine 手动蔬菜切丁机



Dices, juliennes and slices! Simple and practical to use for rapidly and efficiently preparing vegetables. Its patented grid system made with surgical stainless steel blades ensures a consistent cut of vegetables, fruit and certain cooked meat. Great for soft vegetables. Comes with one 8.5mm grid set.

18-00165	Total dimension (cm)	Ø37 x H26
Optional grids with	pusher:	
18-00166	7 x 7mm	
18-00167	8.5 x 8.5mm	
18-00168	10 x 10mm	









Stainless steel manual tomato wedger

不锈钢手动番茄切块机

不锈钢手动蔬菜切丁机

Cuts tomatoes into 8 wedges smoothly and quickly.

Stainless steel manual vegetable dicer

18-00170 Total dimension (cm) W38.5 x D32.5 x H58



Stainless steel manual tomato slicer

不锈钢手动番茄切片机 Slices tomatoes into 5.5mm thick pieces.



18-00171 Total dimension (cm) L48 x W20 x H28 Optional accessory: 18-00172 Set of 11 blades, 5.5mm thickness



Stainless steel economy manual slicer

不锈钢经济型手动切片机 Slices tomatoes into 5.5mm thick pieces.

	Total dimension (cm)	L42 x W20 x H21	
18-00356	Slicing thickness (mm)	4	
18-00357	Slicing thickness (mm)	5.5	





Fry cutter 18-00175, 18-00176



Wedge cutter 18-00358, 18-00359



French fry cutter WESTMARK

切薯条机 Comes with 9x9mm, 10x10mm and 12x12mm grids.


18-00360 Total dimension (cm) L26 x W10.1 x H13

手动切块机

Manual chateau cutter

Easily makes "château" or "cocottes" with a length from 4 to 8cm. Adjustable blade positions and carriage support.

18-00174 Total dimension (cm) L31 x W17 x H26



薯条与楔形条切条机

Heavy-duty cast body, cast iron handle and stainless steel trough. The frame, pusher block and cutting frame are all rust proof. Capacity of 15.2cm long potatoes and can process up to 22.7kg per hour.

	Total dimension (cm)	L44 x W20.5 x H29	
Complete set o	f cutter with blades and pusher block:		
18-00175	0.6cm french fry cut		
18-00176	1cm french fry cut		
18-00358	6 wedge cutter		
18-00359	8 wedge cutter		
Optional access	sories / spares:		
18-00177	Cutting frame for 18-00175		
18-00178	Cutting frame for 18-00176		
18-00179	Pusher block for 18-00175		
18-00180	Pusher block for 18-00176		





Blade Assembly

Wash Guard

电动食物切片机



Extra-large model designed to handle larger quantities or bigger-sized items such as cooked chicken breasts. Slices soft fruits and vegetables. Get clean cut uniform slices every time, even with overripe, soft tomatoes. High-speed reciprocating stainless steel serrated blades cut cleanly with minimum pressure. Comes complete with pusher assembly and 2 blade assemblies with wash guard for safe cleaning of blade assembly.

	Total dimension (cm)	L46 x W16 x H23
	Total ulmension (CITI)	L40 X WT0 X H23
	Electric specs	230V / 135W / 50-60Hz
Complete set of	slicer with 2 blades:	
18-00141	3/16" slicing thickness	
18-00142	1/4" slicing thickness	
18-00143	3/8" slicing thickness	
Optional access	ories / spares:	
18-00144	Blade assembly for 3/16" slicing thickne	SS
18-00145	Blade assembly for 1/4" slicing thicknes	S
18-00146	Blade assembly for 3/8" slicing thicknes	S

Slices soft fruits and vegetables. Get clean cut uniform slices every time, even with overripe, soft tomatoes. High-speed reciprocating stainless steel serrated blades cut cleanly with minimum pressure. Comes complete with pusher assembly and 2 blade assemblies with wash guard for safe cleaning of

L42 x W16 x H23

230V / 135W / 50-60Hz





Wash guard

Blade assembly







Electric food slicer

Complete set of slicer with 2 blades:

Optional accessories / spares:

Total dimension (cm) Electric specs

3/16" slicing thickness

1/4" slicing thickness

3/8" slicing thickness

Blade assembly for 3/16" slicing thickness

Blade assembly for 1/4" slicing thickness

Blade assembly for 3/8" slicing thickness

电动食物切片机

blade assembly.

18-00149 18-00150

18-00151

18-00152 18-00153

18-00154

The operating lever system allows an effortless and perfect cut. Blade and base can be taken apart for cleaning.

18-00173	Total dimension (cm)	L94 x W29 x H56
	Dimension below blade (cm)	L32 x H19





Mini-guitare for round food with a tender and a homogeneousconsistency : "foie gras," mousse, tender fruits, goat's cheese mozarella, butter, boiled eggs, sausages. 5mm cut.

18-00182

Total dimension (cm)

L45 x W23 x H14

18





不锈钢曼陀林切片机 Comes with 38, 44 or 60 blades for an extra wide range of your vegetable preparation needs!

	Dimension (cm)	L41 x W13.5	
Complete set o	of mandoline with blades:		
18-00302	60 blades		
18-00303	44 blades		
18-00304	38 blades		
Optional acces			

18-00305





Stainless steel protective carriage

玻纤曼陀林切片机带保护架



Comes with 3 julienne blades (3, 5 and 9.5 mm).

18-00306 Dimension (cm)

18-00305

L39.5 x W13.2



Plastic mandoline with protective carriage

塑料曼陀林切片机带保护架



The VIPER mandoline, a compact, more efficient, simpler and even safer mandoline slicer. Betterperforming V-shaped blade which slices all fruits and vegetables, even soft ones, without crushing them. Comes with one slicing plate and two Julienne 4 and 10mm plates for cubes, diamonds, Julienne strips, sticks and rounds. Adjustable thickness of 1 to 10mm.

18-00468

```
Dimension (cm)
```

L41 x W21



Plastic mandoline with protective carriage de BUYER

塑料曼陀林切片机带保护架



Made of stainless steel and polymer composite. Includes double horizontal blades (straight and serrated) and Julienne blades (space 4 and 10 mm)to produce many cut styles: Julienne cuts, waffle cut, slice or crinkle cuts. Precise thickness adjustment up to 10mm.

18-00469





Plastic mandoline with protective carriage



L40 x W20

塑料曼陀林切片机带保护架 Includes four slicing inserts plus two Julienne blade inserts for a variety of cuts.

18-00470 Dimension (cm) L38 x W13 x H17





18-00307 Dimension (cm) L37 x W12.5



Plastic Japanese mandoline

塑料日式曼陀林切片机 Comes with 3 blades

18-00310	Dimension (cm)	L31 x W9	
Optional acces	sories / spares:		
18-00311	Fine tooth blade for 18-00310		
18-00312	Medium tooth blade for 18-00310		
18-00313	Wide tooth blade for 18-00310		



Plastic slicer with protective carriage de BUYER



塑料切片机带保护架

Featuring a V-shaped blade at an optimised cutting angle 19.3°, this model is suitable for all fruits and vegetables - even the softest type (tomatoes, pears, etc). Micro-serration of the blade enables the thinnest cut of fruit/vegetable with skin while preserving flesh composition. Thickness of cut can conveniently be adjusted up to 5mm. Comes with pusher clips-on for space-saving and easy storage. Anti-sliding handle and anti-skid feet.

18-00471 Dimension (cm) L37.5 x W11.5 x H13



Plastic electric turning multi-slicer (Japan)

塑料旋转切片机 Comes with 3 blades.

18-00316	Dimension (cm)	L41.5 x W15 x H18.5
	Electric specs	100V, 50-60Hz, 80W
Optional accesson	ies / spares:	
18-00317	Transformer for 18-00316	
18-00318	Fine tooth blade for 18-00316	
18-00319	Wide tooth blade for 18-00316	



Stainless steel turning slicer

不锈钢旋转切片机 Cuts vegetables in a thin and continuous strand. Comes with 2, 3 and 6 mm blades.

	18-00314	Dimension (cm)	L37 x W14 X H25
Optional accessory / spare:	Optional access	sory / spare:	
18-00315 <i>Motor kit</i> 220V / 50-60Hz	18-00315	Motor kit	220V / 50-60Hz



Plastic turning slicer (Japan)

塑料旋转切片机 (日本) Comes with 3 blades.

18-00320 Dimension (cm)



Plastic turning slicer WESTMARK 塑料旋转切片机

Comes with 3 blades.

18-00472 Dimension (cm) L27 x W14 x H22

L36.5 x W13 x H20



Plastic turning slicer (Japan)

塑料旋转切片机(日本) Comes with 3 blades

	Comes with 3 bla	ades		
-	18-00321	Dimension (cm)	L27 x W10 x H17	
	Optional accessor	1		
	18-00322	Spare fine blade for 18-00321 and 18-00	0325	
	18-00323	Spare flat blade for 18-00321		
	Plastic econo 塑料旋转切片机	my turning slicer ர		
2	Comes with 3 bla	ades.		
	18-00324	Dimension (cm)	L27 x W10 x H17	
	Plastic vertica 塑料垂直旋转步 Comes with 2 bla			
	18-00325	Dimension (cm)	L14 x W10 x H25	
	Optional accessory / spare:			
	18-00322	Spare fine blade for 18-00321 and 18-00	0325	



Plastic turning sheet cutter (Japan)

塑料旋转切片机 (日本)

18-00328	Dimension (cm)	L21 x W24 x H16	
Optional acces	sories / spares:		
18-00473	Spare fine blade for 18-00328		
18-00329	Net cutter attachment for 18-00328		



Stainless steel professional electric peeler

不锈钢专业型电动削皮器 Special machine to peel citrus, kiwis, small melons, peaches, grape-fruits etc. Quickly peels and follows the shape of the fruit. Peeling thickness can be adjusted.

18-00330	Dimension (cm)	W16.5 x D25 x H23
	Electric specs	220V / 18W / 50Hz



Stainless steel professional vegetable peeler
不锈钢专业型电动蔬菜削皮器

	Dimension (cm)	W12.5 x D17 x H16
Complete peel	er for:	
18-00331	Cucumbers	
18-00332	Carrots	
18-00333	Large carrots	








不锈钢专业型电动苹果削皮器

Peel, slice and core apples with ease! Comes with clamp to secure firmly onto workstation.

18-00334 Dimension (cm)	
-------------------------	--

L31.5 x W12.5 X H21







10 00000	Birriorielerri (erri)	0 10 X 1100
	Capacity (l)	20
	Suggested capacity	3 to 5 heads of lettuce
	Electric specs	230V / 200W / 50Hz
	Revolutions per min	500





18-00383 Dimension (cm) Ø43 x H50 Capacity (l) 20 18-00384 Dimension (cm) Ø33 x H42 Capacity (l) 10 Optional accessory / spare:

18-00382 Stabilising base for 20ℓ salad spinner



Stainless stee	l manual	salad	spinner	Ľacor
不锈钢手动沙拉	用干机			

Dimension (cm)

Dimension (cm) Capacity (l)

Dimension (cm)

Dimension (cm)

Capacity (l)

Capacity (l)

Capacity (l)

Manual salad spinner 手动沙拉甩干机

18-00386

18-00476

18-00477

手动沙拉甩干机



Ø20 x H12

Ø26 x H14

Ø21 x H12

Ø26 x H14

З

6

З

6



18-00387 18-00386, 18-00387



18-00476, 18-00477



Economy manual salad spinner

经济型手动沙拉甩干机

18-00388	Dimension (cm)	Ø26 x H17.2
	Capacity (ℓ)	6.2
Colours available:		
03 Green	06 White	



Masticating juice extractor


研磨式果汁机

Uses the patented Low Speed Technology System (LSTS) to extract juices. Operating at only 80 RPM and using a mere 150 Watts of energy, the low RPM ensures that the cellular structure of fruits and vegetables is kept intact, eliminating oxidation and separation.

18-00495	Total dimension (cm)	L28 x W16 x H40
	Electric specs	220V / 150W / 50-60Hz
	Revolutions per min	80 to 85








柑橘榨汁机 nº52

High performance juicer. Comes with 3 extracting cones for limes, lemons/oranges and grapefruits. Polycarbonate bowl with chrome base and waterproof motor block.

18-00400	Total o
	Est. o
	Electri
	Revolu



W20.5 x D30.5 x H49 20 - 40 240V / 230W / 50-60Hz 1500

Lever automatic citrus juicer n°10

自动柄柑橘榨汁机 nº10



Polycarbonate bowl with waterproof motor block. Comes with universal squeezer for all citrus fruits. Aluminium casting and stainless steel construction

Chrome base	Total dimension (cm)	W20 x D30 x H35
18-00401	Est. output (l / hr)	20 - 40
	Electric specs	240V / 230W / 50-60Hz
Painted base	Revolutions per min	1500
18-00402		

18-00401


18-00402



18-00403



18-00404



Comes with 3 extracting cones for limes, lemons/oranges and grapefruits. Polycarbonate bowl with waterproof motor block.

Chrome base	Total dimension (cm)	W20 x D30 x H35
18-00403	Est. output (l / hr)	20 - 40
	Electric specs	240V / 130W / 50-60Hz
Painted base	Revolutions per min	1500
18-00404		







Comes with 2 extracting cones for lemons/oranges and grapefruits. Polycarbonate bowl with chrome base and waterproof motor block.

18-00405	Total dimension (cm)
	Est. output (l / hr)
	Electric specs
	Revolutions per min



W17 x D30.3 x H35

240V / 130W / 50-60Hz

20 - 40

1500

18-00406	Total dimension (cm)	Ø22 x H33
	Est. output (no. of oranges / hr)	100 to 150
	Electric specs	230V / 200W / 50Hz
	Revolutions per min	1500



Citrus	juicer n°71
柑橘榨	汁机 nº71

Comes with universal squeezer for all citrus fruits.

18-00407	Total dimension (cm)	W17 x D23.6 x H17
	Est. output (ℓ / hr)	15
	Electric specs	240V / 40W / 50-60Hz
	Revolutions per min	80



Centrifugal juice extractor n°58



离心式榨汁机 nº58 Powerful juice extractor with extra-wide feeding chute. Very quiet and powerful motor with automatic pulp ejection.

Stainless steel bowl and base.

18-00408	Total dimension (cm)	W32 x D48 x H58
	Est. output (ℓ / hr)	60
	Feeding chute size (cm)	Ø8
	Electric specs	240V / 800W / 50-60Hz
	Revolutions per min	3000



Centrifugal juice extractor n°28

离心式榨汁机 nº28

离心式榨汁机 nº50

Stainless steel bowl and base.



Produces more than one liter of juice per minute. Very quiet and powerful motor with automatic pulp ejection.

Stainless steel bowl and base.

18-00409	Total dimension (cm)	W33 x D46.5 x H51
	Est. output (ℓ / hr)	60
	Feeding chute size (cm)	Ø6.8
	Electric specs	240V / 800W / 50-60Hz
	Revolutions per min	3000

Extra-wide feeding chute for ease of use. Very quiet and powerful motor with automatic pulp ejection.









18-00411



18-00411 Revolutions per min

Centrifugal juice extractor n°50 Same





Centrifugal juice extractor robot @ coupe 离心式榨汁机

Pulp ejection juicer designed for making freshly-squeezed juice and vegetable juices. Patented automatic feed system for continuous throughput of fruit and vegetables with a diameter of up to 79mm.

3000

18-00478	Total dimension (cm)	W23.5 x D59.6 x H53.8
	Est. output (ℓ / hr)	160
	Feeding chute size (cm)	256
	Electric specs	230V / 1000W / 50Hz
	Revolutions per min	3000
18-00479	Total dimension (cm)	W23.5 x D50.5 x H42
	Est. output (ℓ / hr)	120
	Feeding chute size (cm)	162
	Electric specs	230V / 700W / 50Hz
	Revolutions per min	3000





Juice extractor 榨汁机

Commercial juice extractor with stainless steel container

18-00412	Total dimension (cm)	W26 x D47 x H45
	Feeding chute size (cm)	L5 x W3.5
	Electric specs	240V / 600W / 50-60Hz

Optional accessory:

18-00413 Citrus juicer attachment





榨汁机



	10	141	-
COLUMN 1	-		
UUM	IMIL	eu v	м.

COMMERCIAL	00	PCIA	L
	_	 	_

Light duty juice extractor with extra-wide feeding chute for greater ease of use.

18-00480	Total dimension (cm)	L39.5 x W22 x H44	
	Feeding chute size (cm)	Ø7.5	
	Motor	Single phase, 1 HP	
	Electric specs	240V / 700W / 50-60Hz	



Juice extractor

榨汁机

Light duty juice extractor with extra-wide feeding chute for greater ease of use.

18-00414	Total dimension (cm)	W18 x D34 x H36
	Feeding chute size (cm)	Ø7.5
	Electric specs	240V / 700W / 50-60Hz



Sugar cane juice extractor

甘蔗榨汁机

Suitable for juice with fiber: ginger, garlic bulb, orange, lemon, sugar cane, mushroom, and more.

10.00404	Total disconstant (and)	1.40
18-00481	Total dimension (cm)	L43 x W50 x H102
	Feeding chute size (cm)	5 - 8
	Electric specs	230V / 373W / 50Hz



Soya bean grinder

豆浆研磨机

Commercial soya bean grinder, suitable for bean curd, spiced and dried bean curd, soyabean milk, etc.

18-00482	Total dimension (cm)	L40 x W40 x H63
	Est. output (kg / hr)	10 - 25
	Electric specs	230V / 746W / 50Hz
	Motor	Single Phase, 1HP
	Revolutions per min	2800 / 3600





重负荷单轮饮料搅拌机

18-00418

18-00419



WARING

Heavy duty 2-speed drink mixer with removable stainless steel front panel for easy cleaning. Comes with

2-speed drink mixer with removable stainless steel front panel for easy cleaning. Comes with one

Heavy duty variable speed drink mixer with automatic motor activation via bowl detection. Comes with one butterfly agitator, one solid agitator and one malt cup.





Total dimension (cm) Malt cup capacity (l / oz) Electric specs Revolutions per min

Heavy duty single spindle drink mixer

one butterfly agitator, one solid agitator and one malt cup.

Total dimension (cm)

Revolutions per min

Electric specs

Malt cup capacity (ℓ / oz)

WARING

W18.2 x D18.6 x H53 0.83 / 28 240V / 120W / 50-60Hz 8000 to 16000

W18 x D20 x H50

230V / 120W / 50-60Hz 15000 and 20000

0.83 / 28

Optional accessory: 18-00417 0.831 / 28oz malt cup

重负荷单轮饮料搅拌机





18-00417

Optional accessory:

18-00417 0.83 l / 28 oz malt cup



18-00417

18-00436 Total dimension (cm) Malt cup capacity (l / oz)

butterfly agitator and one solid agitator.

Electric specs

Revolutions per min

Single spindle drink mixer

W17.8 x D28 x H50.8 0.95 / 32 230V / 165W / 50-60Hz 16000, 22000, 25000

Optional accessory / spare:

单轮饮料搅拌机

18-00417 0.83 l / 28 oz malt cup



Ice shaver n°9

SANTOS

碎冰机 nº9

Powerful and sturdy, delivered with an adjustable disc to make flaked ice or crushed ice. Design allows for easy cleaning and maintenance.

18-00424	Total dimension (cm)	W25 x D42 x H35
	lce cube tank capacity (kg)	0.8
	Est. output (kg/min)	1.6
	Electric specs	240V / 130W / 50-60Hz
	Revolutions per min	73



Ice crusher n°53



碎冰机 nº53




Choose coarse or fine ice, crushed in just one touch of button. All removable parts can be put in a dishwasher or easily cleaned with hot soapy water.

18-00422	Total dimension (cm)	W23.6 x D35.3 x H47.4
	lce cube tank capacity (kg)	1
	Est. output (kg / min)	3
	Electric specs	240V / 130W / 50-60Hz
	Revolutions per min	73









Choose coarse or fine ice, crushed in just one touch of button. All removable parts can be put in a dishwasher or easily cleaned with hot soapy water.

18-00423	Total dimension (cm)	W23.6 x D35.3 x H47.4
	Ice cube tank capacity (kg)	1
	Est. output (kg / min)	1.5
	Electric specs	240V / 130W / 50-60Hz
	Revolutions per min	73





18-00429

Manual ice d 手动碎冰机	crusher	
	Dimension (cm)	Туре
18-00428	W14.3 x D17 x H27	Chromed
18-00429	L12.5 x W12.5 x H24.5	Plastic

18-00428





Total dimension (cm)	W28 x D40 x H65
Shaved ice tank capacity (kg)	5
Electric specs	220V / 185W / 50-60Hz
Production speed (kg / min)	2.2 - 14
	Shaved ice tank capacity (kg) Electric specs

Ice shaver

冰沙机

Ice shaver 冰沙机

18-00426 Total dimension (cm) W40 x D28 x H46 Shaved ice tank capacity (kg) 1 Electric specs 220V / 185W / 50-60Hz Motor Single phase, 0.25 HP Production speed (kg / min) 2.2 - 14



Block ice shaver 块冰冰沙机

18-00441	Total dimension (cm)	W42 x D31 x H67
	Electric specs	230V / 50Hz
	Motor	Single phase, 0.25 HP
	Production speed (kg / min)	1.36 - 9.5



Bl	oc	k	ice	slicer

块冰冰沙机

18-00442	Total dimension (cm)	W42 x D32 x H69
	Electric specs	230V / 50Hz
	Motor	Single phase, 0.25 HP
	Production speed (kg / min)	1.36 - 9.5







18-00431



18-00432



18-00435





18-00484

18-00483

Glass froster

酒杯瞬时冷冻器

Cools glasses down to -45°C in just 5 seconds! Instantly sterilizes glasses and jars. The glass froster uses a conventional CO2 Gas tank like the ones used in draft beer systems. And it freezes up to 200 glasses per tank, depending on the thickness of the glass. Save both space and energy since it eliminates the need of freezers!

Comes without CO₂ gas tank

18-00493	Manual model without LED lights	
18-00494	Automatic model with LED lights	
	Total dimension (cm)	L15 x W15 x H24
	Electric specs	220V / 20W / 50-60Hz

Cold drink dispe 冷饮机

Cold drink dispenser

enser	SANTOS

18-00430	Capacity	1 x 12ℓ
	Total dimension (cm)	W19 x D43 x H54.5
	Electric specs	240V / W160 / 50Hz
18-00431	Capacity	2 x 12l
	Total dimension (cm)	W38 x D43 x H54.5
	Electric specs	240V / W260 / 50Hz
18-00432	Capacity	3 x 12 <i>l</i>
	Total dimension (cm)	W57 x D43 x H54.5
	Electric specs	240V / W330 / 50Hz

冷饮机	spenser	
18-00433	Capacity	1 x 12ℓ
	Total dimension (cm)	L26 x W43 x H65
	Electric specs	220V / W120 / 50Hz
18-00434	Capacity	2 x 12ℓ
	Total dimension (cm)	L41 x W43 x H65
	Electric specs	220V / W180 / 50Hz
18-00435	Capacity	3 x 12ℓ
	Total dimension (cm)	L61 x W43 x H65
	Electric specs	220V / W230 / 50Hz
	Electric specs	220V / W230 / 50Hz


Slush dispenser 雪泥机

18-00483	Capacity	2 x 12ℓ
	Total dimension (cm)	L43 x W52 x H79
	Electric specs	220-240V/ W500 / 50Hz
18-00484	Capacity	3 x 12ℓ
	Total dimension (cm)	L63 x W52 x H79
	Electric specs	220-240V / W600 / 50Hz









双头油炸炉-经济型

18-00504	Total dimension (cm)	W44.5 x D56 x H37
	Capacity	2 x 8ℓ
	Electric specs	2 x 240V / 2 x 2800W / 50Hz
18-00505	Total dimension (cm)	W56 x D59 x H37
	Capacity	2 x 12l
	Electric specs	2 x 240V / 2 x 2800W / 50Hz



Single deep 单头油炸炉	fryer CRILL	
No faucet	With faucet	
18-00509	-	Total dimension (cm)
		Capacity (l)
		Electric specs

ROLLER

18-00509	-	Total dimension (cm)	W19 x D42.5 x H32
		Capacity (ℓ)	5
		Electric specs	220V / 2000W / 50Hz
18-00510	18-00506	Total dimension (cm)	W28 x D42.5 x H32
		Capacity (ℓ)	8
		Electric specs	220V / 3000W / 50Hz
18-00511	18-00507	Total dimension (cm)	W35 x D45 x H32
		Capacity (ℓ)	12
		Electric specs	380V / 6400W / 50Hz



Single deep fryer

单头油炸炉

18-00512	Total dimension (cm)	W41 x D19 x H31
	Capacity (l)	5
	Electric specs	240V / 2000W / 50Hz
18-00513	Total dimension (cm)	W44.5 x D29 x H33
	Capacity (l)	7
	Electric specs	240V / 2000W / 50Hz
18-00514	Total dimension (cm)	W53 x D29.5 x H37
	Capacity (l)	10
	Electric specs	240V / 2500W / 50Hz
18-00485	Total dimension (cm)	W57.6 x D29 x H37
	Capacity (l)	12
	Electric specs	240V / 3000W / 50Hz



Single deep fryer

单头油炸炉

18-00515	Total dimension (cm)	W44.5 x D27.5 x H37	
	Capacity (ℓ)	5	
	Electric specs	240V / 2800W / 50Hz	
18-00516	Total dimension (cm)	W44.5 x D28 x H37	
	Capacity (ℓ)	8	
	Electric specs	240V / 2800W / 50Hz	
18-00517	Total dimension (cm)	W55.5 x D29 x H37	
	Capacity (ℓ)	12	
	Electric specs	240V / 2800W / 50Hz	



Floor-standing deep fryer

立式油炸炉

18-00519	Total dimension (cm)	W30 x D69 x H107	
	Capacity (ℓ)	12	
	Electric specs	240V / 9000W / 50Hz	



Waterless drop-in induction food warming system SCOOKTek

无水置入式电磁食物保温系统

To fit GN 1/1 food pans with a depth up to 65mm and 100mm.

Two separate control panels per unit (front/back) allows for different products to be held at different temperatures.

Automatic pan detection allows for instant energy transmission to pan, and almost no energy consumption when pan is not present.

18-00486	Total dimension (cm)	L21.75 x W13.75
	Capacity (ℓ)	16
	Temperature range (°C)	30 to 120
	Electric specs	220-240V / 2x650W / 50-60Hz

Optional accessory / spare

不锈钢电动水浴机

18-00487 Top heat booster and LED lighting unit

To fit GN 1/1 food pans with a maximum depth of 150mm..

Stainless steel electric bain marie





18-00488 Total dimension (cm) W69.5 x D64 x H26 Capacity (l) 2 x 24 Max. heat setting (°C) 90 230V / 3600W / 50-60Hz Electric specs 18-00489 Total dimension (cm) W32 x D60 x H26 24 Capacity (l) Max. heat setting (°C) 90 Electric specs 230V / 1800W / 50-60Hz









Stainless steel electric double bain marie

不锈钢电动水浴机 To fit two GN 1/1 food pans with a maximum depth of 150mm.

18-00530	Total dimension (cm)	W67.6 x D56.5 x H26
	Capacity (ℓ)	2 x 24
	Max. heat setting (°C)	80
	Electric specs	220-240V / 3000W / 50-60Hz
18-00532	Total dimension (cm)	W35.5 x D56.5 x H26
	Capacity (ℓ)	24
	Max. heat setting (°C)	80
	Electric specs	220-240V / 1500W / 50-60Hz

Stainless steel electric bain marie

不锈钢电动水浴机

To fit GN 1/1 size food pans with maximum depth of 150mm.

18-00531	Total dimension (cm)	L54 x W34 X H25
	Capacity (ℓ)	24
	Max. heat setting (°C)	70
	Electric specs	230V / 1200W / 50Hz

Stainless steel economy electric bain marie

不锈钢电动经济型水浴机 To fit GN 1/1 size food pans with maximum depth of 150mm.

18-00490	Total dimension (cm)	L59 x W35 x H28	
	Capacity (ℓ)	24	
	Max. heat setting (°C)	9 0	
	Electric specs	230V / 1200W / 50Hz	



Stainless steel electric bain marie

不锈钢电动水浴机

To fit GN 1/1 size food pans with maximum depth of 200mm.

18-00533	Total dimension (cm)	W34 x D54 x H34	
	Capacity (ℓ)	24	
	Max. heat setting (°C)	110	
	Electric specs	230V / 2000W / 50Hz	



Stainless steel electric 4-compartment bain marie

不锈钢电动四格水浴机

To fit two GN 1/3 pans and two GN 1/6 pans wih a maximum depth of 150mm.

18-00534	Total dimension (cm)	W36 x D47 X H34
	Capacity (l)	20
	Max. heat setting (°C)	110
	Electric specs	230V / 800W / 50Hz



Stainless steel electric 3-compartment bain marie

不锈钢电动三格水浴机

To fit one GN 1/2 size and 1 GN 1/3 size food pan (or one GN 1/2 with two GN 1/6 pans) with maximum depth of 150mm.


18-00535	Total dimension (cm)	W37 x D47 X H27
	Capacity (l)	26
	Max. heat setting (°C)	110
	Electric specs	230V / 2000W / 50Hz



Stainless steel electric bain marie

不锈钢电动水浴机

18-00536	Total dimension (cm)	W50 x D21 x H30
	Capacity (ℓ)	25
	Fits	3 x GN 1/4 with 200mm height
	Max. heat setting (°C)	110
	Electric specs	230V / 2000W / 50Hz
18-00538	Total dimension (cm)	W27 x D22.5 x H32.3
	Capacity (ℓ)	25
	Fits	3 x GN 1/4 with 200mm height
	Max. heat setting (°C)	110
	Electric specs	230V / 2000W / 50Hz
18-00537	Total dimension (cm)	W51 x D21 x H30
	Capacity (ℓ)	40
	Fits	3 x GN 1/6 with 200mm height
	Max. heat setting (°C)	110
	Electric specs	220-240V / 2000W / 50Hz



Warms and melts every kind of hazelnut, honey and chocolate topping etc for easy pouring on crepes, waffles, ice cream and other desserts. Can be used as a table top machine or built into the counter. Delivered with 2 squeeze bottles.

18-00539	Total dimension (cm)	L22.5 x W17.5 x H22
	Capacity (ℓ)	1
	Max. heat setting (°C)	50
	Electric specs	230V / 170W / 50Hz



Manual meat slicer

片肉机

18-00645

Total dimension (cm) Blade size (cm / inch) L72 x W60x H74 Ø30 / 12





Stand for 18-00645



Knife cut slicer 电动片肉机

With a revolutionary mechanism to allow for minimal contact of the food item which touches only the knife-edge, permitting conservation of the natural colour and texture. Patented technology exclusive to Essedue.

18-00606	Total dimension (cm)	L70 x W46 x H60
	Blade size (cm / inch)	Ø35 / 14
	Electric specs	230V / 300W / 50-60Hz



18-00600	Total dimension (cm)	L42 x W24 x H30
	Blade size (cm / inch)	Ø19.5 / 8
	Electric specs	230V / 132W / 50-60Hz
18-00601	Total dimension (cm)	L43 x W29 x H43
	Blade size (cm / inch)	Ø22 / 9
	Electric specs	230V / 150W / 50-60Hz
18-00602	Total dimension (cm)	L55 x W36 x H45
	Blade size (cm / inch)	Ø25 / 10
	Electric specs	230V / 245W / 50-60Hz
18-00603	Total dimension (cm)	L60 x W33 x H50
	Blade size (cm / inch)	Ø30 / 12
	Electric specs	230V / 300W / 50-60Hz



Electric econ 电动经济型片	omy meat slicer 肉 机	
18-00607	Total dimension (cm)	L54 x W35 x H47
	Blade size (cm / inch)	Ø27.5 / 11
	Electric specs	230V / 400W / 50Hz
18-00616	Total dimension (cm)	L68 x W47 x H76
	Blade size (cm / inch)	Ø32 / 13
	Electric specs	230V / 370Wx2 / 50Hz





- 12			SAN	JAMAR
silcer	cleaning	sponge	Smart o	Sale + Samilary

片肉机清洗海绵

Aluminum anodised bone saw

Electric specs

Meat

Electric meat slicer


电动片肉机

BladeRunner® offers a safe way to clean the food slicer blade while reducing the risk of cross contamination. Patented BladeRunner® is a cleaner saturated sponge that runs through the slicer the same way a food product is sliced. BladeRunner® provides chemical and friction cleaning in one operation. Active ingredient: Quaternary ammonia, 175ppm. Odourless, tasteless and dries within 60 seconds.





22-00627	Dimension (cm)	L10 x W6.5 x H3
22-00628	Wall chart with instructions	



W53 x D42 x H91 W20 x H22.5 Single phase, 1 HP 230-400V / 750W / 50Hz



Aluminum meat tenderizer 記制 秋肉 却 铝制松肉机



18-00618	Total dimension (cm)	W44 x D21.8 x H46.3	
	Number of blades	2 x 64	
	Cutting capacity (cm)	L15 x W2	
	Electric specs	230V / 150W / 50Hz	



Electric meat mincer grater 电动肉沫机	Restored Roberts Americans Helicitation Roberts Americans Helicitation Roberts Americans
A fast meat grinder equipped with with one stainless steel plate, Ø6m	a functional grate for ripe cheese, bread, cookies and nuts. Comes n.

18-00631	Total dimension (cm)	W30 x D63 x H46	
	Feeding chute (cm)	L14 x W7.5	
	Est. output (kg / hr) - Mincer	160	
	Est. output (kg / hr) - Grater	40	
	Electric specs	230V / 750W / 50Hz	



18-00633 with 18-00635 (GN pan not included)



Comes with one stainless steel plate, Ø4.5mm.

电动肉沫机

18-00619	Total dimension (cm)	W30 x D47 x H45
	Feeding chute (cm)	Ø98
	Est. output (kg / hr)	600
	Motor	Single phase, 2.2 HP
	Electric specs	230V / 1850W / 50Hz
18-00633	Total dimension (cm)	W28 x D46 x H52
	Feeding chute (cm)	Ø82
	Est. output (kg / hr)	250
	Motor	Single phase, 2.2 HP
	Electric specs	230V / 1100W / 50Hz
18-00632	Total dimension (cm)	W26 x D42 x H48
	Feeding chute (cm)	Ø70
	Est. output (kg / hr)	100
	Motor	Single phase, 1 HP
	Electric specs	230V / 750W / 50Hz
Ontional acces	sories / spares	

18-00634	Filling set with 3 funnels and 1 propellor stop for 18-00619
18-00635	Filling set with 3 funnels and 1 propellor stop for 18-00633
18-00636	Filling set with 2 funnels and 1 propellor stop for 18-00632



Electric meat mincer

电动肉沫机

Comes with three stainless steel plates (Ø3.5, 5 and 12mm) and one sausage funnel, Ø17mm.

18-00620	Total dimension (cm)	W50 x D20 x H30	
	Feeding chute (cm)	Ø8	
	Est. output (kg / hr)	70	
	Electric specs	220V / 750W / 50-60Hz	
Optional acces	sories / spares:		
18-00621	Sausage funnel		
18-00622	Plastic pusher		
18-00623	Shaft cover		
18-00624	3-blade knife		
18-00625	4-blade knife		
18-00626	Mesh plate, hole Ø3.1mm		
18-00627	Mesh plate, hole Ø3.9mm		
18-00628	Mesh plate, hole Ø4.8mm		
18-00629	Mesh plate, hole Ø12.7mm		





Stainless steel manual meat mincer	Westmark
不锈钢电动肉沫机	

Comes with three stainless steel plates (Ø3, 4.5 and 8mm).

18-00637 Iotal dimension (cm) L27 x W12 x H15.3	18-00637	Total dimension (cm)	L27 x W12 x H15.3
---	----------	----------------------	-------------------



Plastic manual meat mincer WESTMARK

塑料手动碎肉机

Comes with two stainless steel plates (Ø4.5 and 8mm), pusher and baking attachment.

18-00630

Total dimension (cm)


L23.5 x W13 x H32

18



			S.A
Vertical	sausage	filler	PROSECUTE PROCESSING PROSECUTES THE PROSECTION PROCESSION

垂直式灌肠机



18-00638	Total dimension (cm)	W35 x D35 x H87.5	
	Capacity (ℓ)	14	
18-00639	Total dimension (cm)	W30 x D30 x H71	
	Capacity (ℓ)	7	



Horizontal sausage filler	PRODUCTION PODD THAC PRODUCTION
水平式灌肠机	



Standard supply includes 4 bagging funnels different size for any kind of product to be bagged.

18-00640	Total dimension (cm)	W59 x D23 x H24
	Capacity (l)	5



Hamburger press 汉堡机

Dimension (cm) 18-00641 Ø10 x H26



18-00642, 18-00643



Hamburger press

汉堡机

	Dimension (cm)	Shape	
18-00642	Ø10 x H9	Round	
18-00643	L35 x H10	Oval	
14-02108	Ø10 x H13.5	Round	
14-02133	Ø10 x H5	Round	





Electric noodle machine Imerial RM420 (imperia)

电动面条机 (RM420)

Produces a 22 cm wide, rollout strip of dough. With adjustment button to achieve the desired thickness.

	18-00650	Total dimension (cm)	W30.5 x D21.5 x H25.5
		Electric Specifications	230V / 290W / 50Hz
	Optional cutters:		
		Pasta dimension (mm)	
	18-00651	1.5	Angel hair
atelle	18-00652	2	Tagliatelle
2	18-00653	4	Trenette
~	18-00654	6.5	Fettuccine
	18-00656	12	Lasagnette
ttuccino			

4mm - Trenette

6.5mm - Fettuccine

12mm - Lasagnette





1.5mm - Angel hair



6.5mm - Fettuccine

4mm - Trenette



12mm - Lasagnette

Manual noodle machine Imerial RM220 (imperia)

手动面条机 (RM420)

Produces a 22cm wide, rollout strip of dough. With adjustment button to achieve the desired thickness.

18-00655	Total dimension (cm)	W30 x D22 x H24.5
	· · ·	
Optional cutters:		
	Pasta dimension (mm)	
18-00651	1.5	Angel hair
18-00652	2	Tagliatelle
18-00653	4	Trenette
18-00654	6.5	Fettuccine
18-00656	12	Lasagnette

SIA HUAT CATALOGUE | 18.54

Manual compact noodle machine (imperia)

Total dimension (cm)

手动紧凑式面条机 Produces a 14cm wide, rollout strip of dough. Optional cutters available.

	- manufacture and
18-00658	18-00659





18-00679

18-00657

18-00660

Optional cutters:		
	Pasta dimension (mm)	
18-00658	2	Spaghetti
18-00659	4	Trenette
18-00678	12	Lasagnette
18-00679	32	Pappardelle

W19 x D18.5 x H16

W20 x D19.5 x H14





Manual compact noodle machine imperia

Total dimension (cm)

手动紧凑式面条机 Produces a 14cm wide, rollout strip of dough. Two pasta options - 6.5mm (Fettuccine) and 1.5mm (Angel hair).









8-00696

18-00698

620

18-00688



(Har

18-00689

18-00699



18-00662 & 18-00664



Planetary dough mixer

行星式和面机

Comes with whisk, stirring hook and flat beater to meet all mixing requirements. Guard provided for greater safety.

18-00662	Total dimension (cm)	W60 x D46 x H101	
	Bowl capacity (ℓ)	30	
	Bowl capacity (kg)	6	
	Electric specs	380V / 750W / 50Hz	
	Motor	3-phase, 1 HP	
	Revolutions per min	80 to 310	
18-00664	Total dimension (cm)	W60 x D46 x H101	
	Bowl capacity (ℓ)	20	
	Bowl capacity (kg)	3	
	Electric specs	230V / 370W / 50Hz	
	Motor	Single phase, 1/2 HP	
	Revolutions per min	110 to 475	
18-00666	Total dimension (cm)	W40 x D38 x H73	
	Bowl capacity (ℓ)	10	
	Bowl capacity (kg)	1.5	
	Electric specs	230V / 250W / 50Hz	
	Motor	Single phase, 1/3 HP	
	Revolutions per min	130 to 430	
Optional access	sories / spares:		
18-00663	30ℓ stainless steel mixing bowl		
18-00665	20ℓ stainless steel mixing bowl		
18-00667	10ℓ stainless steel mixing bowl		



18-00668



Planetary dough mixer, table-top

台式行星式和面机

Comes with whisk, stirring hook and flat beater to meet all mixing requirements. Guard provided for greater safety and suitable for table-top use.

18-00668	Total dimension (cm)	W36 x D47 x H61
	Bowl capacity (ℓ)	10
	Bowl capacity (kg)	1.5
	Electric specs	220V / 250W / 50Hz
	Motor	Single phase, 1/3 HP
	Revolutions per min	150 to 630
18-00670	Total dimension (cm)	W30 x D40 x H55
	Bowl capacity (ℓ)	8
	Bowl capacity (kg)	1
	Electric specs	220V / 210W / 50Hz
	Motor	Single phase, 1/3 HP
	Revolutions per min	630
Optional accessor	ies / spares:	
18-00669	10ℓ stainless steel mixing bowl	
18-00671	8ℓ stainless steel mixing bowl	

18-00670

Planetary dough mixer KPM50 Professional KitchenAid

行星式和面机 KPM50专业版

Comes with 2 mixing bowls, whisk, stirring hook and flat beater to meet all mixing requirements. Choose from over 20 optional attachments such as citrus juicers, grinders, pasta maker and ice-cream maker etc for a multi-function machine!

		a multi-function machine!
	18-00672	Total dimension (cm)
		Bowl capacity (l)
		Bowl capacity (kg)
5		Electric specs
	Optional acces	sories / spares:
	18-00673	Food arinder with 2 me

18-00672	Total dimension (cm)	W28 x D37 x H41		
	Bowl capacity (ℓ)	4.8		
	Bowl capacity (kg)	0.7		
	Electric specs	220V / 900W / 50-60Hz		
Optional accessories / spares:				
18-00673	Food grinder with 2 mesh plates	s, Ø4 and 5mm		
18-00675	Ice cream bowl			
18-00676	Sausage stuffer, Ø10 and 16mn	1		

Planetary dough mixer KSM150 KitchenAid

行星式和面机 KSM150

Comes with whisk, stirring hook and flat Beater to meet all mixing requirements. Choose from over 20 optional attachments such as citrus juicers, grinders, pasta maker and ice-cream maker etc for a multi-function machine! Available in several colours.

18-00680-XX	Total dimension (cm)	W28 x D37 x H41
	Bowl capacity (l)	4.8
	Bowl capacity (kg)	0.7
	Electric specs	220V / 300W / 50-60Hz
Colours available: 04 Red	06 White	08 Dark grey
Optional accessor	ies / spares:	

Optional accessor	ies / spares:
18-00685	4.8ℓ stainless steel mixing bowl
18-00673	Food grinder with 2 mesh plates, Ø4 and 5mm
18-00675	Ice cream bowl
18-00676	Sausage stuffer, Ø10 and 16mm



Bread slicer machine

压面机

Pastries, Croissant, Pies, Biscuit, Pita, Tortillas and etc.

18-00677	Total dimension (cm)	L300 x W96 x H110
10-00077	Iotal dimension (CIII)	L000 X W90 X 11110
	Electric specs	415V / 746W / 50Hz
	Motor	3 Phase, 1HP



面包切片机		
18-00720	Total dimension (cm)	L62 x W63 x H61
	Knives	27
	Electric specs	230V / 186W / 50Hz
18-00723	Total dimension (cm)	L34 x W38 x H50.8
	Knives	31
	Electric specs	230V / 186W / 50Hz



Conveyor pizza oven

传动式比萨烤炉

Top and bottom heating elements with individual temperature controller, easy handling for choosing front or rear discharge.

18-00725	Total dimension (cm)	L150 x W68 x H45
	Temperature range (°C)	80 to 100
	Electric specs	220-240V / 6300W / 50Hz



18-00721



18-00722



Double pizza oven with fire stone PZ430D 比萨烤炉带火石PZ430



With infrared quartz elements (1050°C) and fire stone for fast and crispy cooking of pizza, quiche, lasagne, pies (pizza oven function), gratinees, flambees, cheese sandwiches (salamander function), bread, tarts, focaccia, pastries (bread oven function).

Independent regulation of each set of quartz tubes. Bell timer with lock position for non-stop use.

nsion (cm)	W67 x D58 x H50
ıre range (°C)	0 to 350
Decs	380V / 6000W / 50Hz
ension (cm)	W67 x D58 x H27
ıre range (°C)	0 to 350
Decs	220-240V / 3000W / 50Hz
,	ecs nsion (cm) Ire range (°C)

Compact revolving pizza oven

小型比萨烤炉

Make the perfect pizza in 10 minutes with this easy-to-use pizza oven! Developed by champion pizza chef Theo Kalogeracos, the pizza oven features a rotating tray for even cooking; an automatic timer and an upper and lower heating element. With a thoughtfully-designed window at the top of the oven, you can even check up on your pizza without releasing heat.

18-00748-XX	Total dimension (cm)	L44 x W35 x H21
	Heating temperature (oC)	215
	Electric specs	240V / 1000W / 50/60Hz

Colours available:

04 Red

烤炉 SEM600

Salamander SEM600



Completely open on 3 sides to accept dishes of any size.



18-00712	Total dimension (cm)	W60 x D59 x H59
(SEM600Q)	Grill dimension (cm)	L60 x W59
	Heating type	Infrared quartz
	Electric specs	230V / 2800W / 50Hz
18-00749	Total dimension (cm)	W60 x D59 x H59
(SEM600VC)	Grill dimension (cm)	L60 x W59
	Heating type	Ceramic glass
	Electric specs	230V / 2800W / 50Hz

For defrosting, browning, glazing, grilling toasts, gratins, pizzas and onion soup etc without pre-heating.



Economy single-tier salamander

经济型单层烤炉 Economy salamander with complete toasting tray.

18-00726	Total dimension (cm)	L49 x W28.5 x H15
	Grill dimension (cm)	W49 x D26
	Capacity per hour	12 toasts
	Electric specs	220-240 / 2400W / 50Hz
18-00727	Total dimension (cm)	W68 x D50 X H40
	Grill dimension (cm)	W58 x D49.5
	Capacity per hour	15 toasts
	Electric specs	220-240 / 2800W / 50Hz

18-00710



18-00711



Two-tier salamander BAR2000 and BAR1000 双层烤炉BAR2000 和 BAR1000

Quick temperature rise in less than 30 seconds. Removable back panel for easy cleaning.

18-00710	Total dimension (cm)	W45 x D28.5 X H30.5
	Grill dimension (cm)	W35 x D24
	Capacity per hour	300 toasts
	Electric specs	230V / 3000W / 50Hz
18-00711	Total dimension (cm)	W45 x D28.5 X H30.5
	Grill dimension (cm)	W35 x D24
	Consolity por bour	150 toasts
	Capacity per hour	100 104515

Commercial microwave oven - Menumaster DEC14E2

商用微波烤箱-Menumaster DEC14E2 Ideal for single portion throughput in high volume foodservice locations. Accepts one 6" (152) deep 1/2 size food pan.

Total dimension (cm)	W42.5 x D57.8 x H34.3
Electric specs	230V / 1400W / 50Hz
Total dimension (cm)	L58 x W42 x H34
Electric specs	230V / 1400W / 50Hz
	Electric specs Total dimension (cm)



Stainless steel microwave oven

不锈钢微波烤箱 6 Auto Menu Keys and 4 Reheat Menu Keys. New Express Defrost Key with 3 Menus.

18-00724	Total dimension (cm)	W52 x D42 x H30
	Turntable dimension (cm)	W46 x D38 x H27.5
	Electric specs	220V / 800W / 50Hz



Bakery oven FC110EG



烘烤箱 FC110EG

A real baking oven associating convection and steam production.

Quick temperature rising: 300°C in 10 minutes.

The injection of water at high temperature is automatically preset in quantity and time for a smooth, regular and perfectly controlled baking. Reversible turbine each minute.

Cold convection function cools or defrosts products quickly.

Comes with ventilated quartz salamander and 120-minute bell timer with lock function for non-stop use. Does not come with grids.

18-00702	Total dimension (cm)	W79.5 x D72 x H60
	Tray levels	4
	Fits	GN trays, 60x40 trays
	Temperature range (°C)	0 to 350
	Electric specs	380V / 4800W / 50Hz
	Motor	3-phase



Multifunction oven FC60TQ 多功能烘烤箱 FC60TO



Fitted with 4 settings, the FC60TQ is suitable for the varied needs of the professional kitchen. Setting 1: Convection function Setting 2: Pastry oven function Setting 3: Turbo quartz traditional oven function - cooking speed is enhanced Setting 4: Quartz grill - ventilated salamander essential to brown, broil or glaze Delivered with 4 grids, 450 x 340mm

18-00703

Total dimension (cm)	W59.5 x D61 x H59
Tray levels	4
Temperature range (°C)	0 to 300
Electric specs	230V / 3000W / 50Hz





对流式烤箱 FC340TQ

Fitted with 4 settings, the multifunction oven FC340TQ is suitable for the varied needs of the professional kitchen.

Setting 1: Convection function Setting 2: Pastry oven function

Setting 3: Turbo quartz traditional oven function - cooking speed is enhanced. Setting 4: Quartz grill - ventilated salamander essential to brown, broil or glaze. Delivered with 3 cooking grids and 1 pastry tray.

18-00704	Total dimension (cm)	W55 x D47 x H33	
	Tray dimension (cm)	L39 x W26.5 x H1	
	Grid dimension (cm)	L40 x W29	
	Tray levels	3	
	Temperature range (°C)	0 to 250	
	Electric specs	230V / 2200W / 50Hz	



Electric oven toaster

小型电烤箱/吐司机

4 stages switch heating selector, with baking tray, grill tray and crumb tray.

18-00758	Total dimension (cm)	L35 x W23 x H20
	Tray dimension (cm)	L22.5 x W19 x H1
	Electric specs	220-240V / 700W / 50Hz





18-00708







Economy electric oven

经济型电烤箱

Supplied with rotisserie, one baking tray and one wire rack

18-00707	Total dimension (cm)	W62.5 x D42.5 x H44.8
	Tray levels	4
	Tray dimension (cm)	L41.5 x W32.5 x H2.5
	Temperature range (°C)	100 to 250
	Electric specs	230V / 2000W / 50Hz
18-00708	Total dimension (cm)	W56 x D40 x H38.5
	Tray levels	3
	Tray dimension (cm)	L36.5 x W31 x H2
	Temperature range (°C)	100 to 250
	Electric specs	220-240V / 1500W / 50Hz
18-00757	Total dimension (cm)	W50 x D29 x H29
	Tray levels	2
	Tray dimension (cm)	L35 x W25 x H2
	Temperature range (°C)	100 to 250
	Electric specs	220-240V / 1300W / 50Hz

Conveyor toaster CTS1000E

传送式土司机 CTS1000E




Light weight and portable with thermo-insulated carrying handles, energy-saving standby function.


18-00728	Total dimension (cm)	W43 x D47 x H41.5
	Capacity per hour	450 slices
	Electric specs	230V / 2700W / 50Hz

Conveyor toaster CT3000

传送式土司机 CT3000



18-00796	Total
	Capa
	Floct



W53 x D45 x H34.5 540 toasts 230V / 2300W / 50Hz



Conveyor toaster CT540
住ビナトヨれ CT510



传迓式土司机 CT540



Toasts everything from breads and buns to waffles, bagels and muffins with no pre-heating required. Both sets of 4-infrared quartz elements are individually adjustable as well as the speed of the conveyor belt. Front operation to toast bread, brioche, bagels etc. Pass through operation to toast larger items.

18-00713	Total dimension (cm)	W53 x D45 x H34.5
	Capacity per hour	300 to 540 toasts
	Electric specs	230V / 2300W / 50Hz



Economy conveyor toaster

经济型传送式土司机

Economical conveyor toaster with separately controlled top and bottom heating elements.

18-00714	Total dimension (cm)	W53 x D36.5 x H41
	Capacity per hour	300 to 500 toasts
	Electric specs	220-240V / 2300W / 50Hz



Stainless steel combination 4 slots toaster


不锈钢混合式4片土司机



Come with two 3cm regular toast slots and two 4cm extra-wide slots for bagels. Auto pop-up for safe and convenient use.

18-00719	Total dimension (cm)	W29.5 x D33.5 x H23	
	Capacity per hour	380 toasts	
	Electric specs	220-240V / 1350W / 50Hz	





不锈钢4片土司机



Comes with 3cm regular toast slots to accommodate thicker breads such as bagels. Removable crumb trays. Auto pop-up for safe and convenient use.

18-00717	Total dimension (cm)	W60 x D46 x H101
	Capacity per hour	225 toasts
	Electric specs	230V / 1800W / 50Hz





Stainless steel toaster

不锈钢土司机

Commercial toaster with 5 heat settings. Auto pop-up for safe and convenient use.

18-00715	Total dimension (cm)	W46 x D21 x H22.5	
	Electric specs	220V / 3500W / 50Hz	
18-00716	Total dimension (cm)	W37 x D21 x H22.5	
	Electric specs	220V / 2500W / 50Hz	



4-slots toaster 4片经济型土司机

47 空か空エ G 和 Auto pop-up for safe and convenient use.

18-00729 To E

Total dimension (cm) Electric specs W37 x D14 x H16 220-240V / 1100-1200W / 50Hz



Hot dog machine CS3E 热狗机CS3E

Store up to 40 sausages in the 2-section basket keeping the cooked sausages separate from the uncooked. 3 pads toast the baguette or bun on the inside.

18-00730

Total dimension (cm) Electric specs W44 x D30 x H40 230V / 650W / 50Hz



Sausage roller grill RG9 and RG7



烤热狗机 RG9 和 RG7 Keeps pre-cooked sausages warm.

18-00731	Total dimension (cm)	W54.5 x D46 x H24
(RG9)	No. of rolls	9
	Electric specs	230V / 1100W / 50Hz
18-00732	Total dimension (cm)	W54.5 x D32 X H24
(RG7)	No. of rolls	7
	Electric specs	230V / 900W / 50Hz



Sausage bun warmer CB20 热狗面包保温机



Keeps buns warm to make hot and soft hot dogs. The drawer can be removed and the GN 2/3 size inner container can be washed in a dishwasher. Place below sausage roller grill to save space.





Single waffle irons

单头华夫饼机

Highly conductive iron plates spread heat evenly and give golden, crispy waffles in 2.5 minutes. Suitable for cooking fresh or frozen waffles. A removable drip tray surrounding the bottom plate will collect any excess batter.

	Total dimension (cm)	W30.5 x D44 x H23
	Electric specs	230V / 1600W / 50Hz
18-00735	Brussels mould - 3 x 5 squares	
18-00736	Liege mould - 4 x 6 squares	
18-00737	Grooved mould - for making ice cream cones	
18-00738	Round mould - Ø19 cm	
18-00759	Corn waffle mould - L23cm	








双头华夫饼机

Highly conductive iron plates spread heat evenly and give golden, crispy waffles in 2.5 minutes. Suitable for cooking fresh or frozen waffles. A removable drip tray surrounding the bottom plate will collect any excess batter.

	Total dimension (cm)	W55 x D44 x H23
	Electric specs	230V / 3200W / 50Hz
18-00739	Brussels mould - 3 x 5 squares	
18-00740	Liege mould - 4 x 6 squares	
18-00741	Grooved mould - for making ice cream ce	ones
18-00742	Round mould - Ø19 cm	





WARING

经济型华夫饼机 Economical waffle iron with cast iron plates. Only available for Brussels mould design (3 x 5 squares). Comes with removable drip tray.

18-00743 Total dimension (cm) Electric specs W34 x D30 x H28 220-240V / 1500W / 50Hz



18-00746



18-00747



Belgian waffle maker 比利时华夫饼机

Rotary feature for even baking and browing. Audio beep signals when waffle is ready. Tripple-coated non-stick plates allow for easy removal of waffle and quick clean up. Small footprint of double waffle model saves counter space!

18-00746	Total dimension (inch)	W10.45 x D17 x H9.25
Double	Capacity per hour	50 waffles
	Electric specs	120V / 1400W / 60Hz
18-00747	Total dimension (inch)	W10.25 x D20 x H9.25
Single	Capacity per hour	25 waffles
	Electric specs	120V / 1200W / 60Hz





Enamelled cast iron plate produces moist pancakes, buckwheat cakes, Indian tampora and more. Also popular in Asian cuisine for preparing Peking duck skins. 8-star-shaped burner distributes heat evenly, essential when it comes to making the perfect pancake. Includes wooden crepe spreader.


 18-00748
 Total dimension (cm)
 Ø40 x H16

 Electric
 Electric specs
 220-240V / 3600W / 50Hz

 18-00750
 Total dimension (cm)
 Ø40 x H16

 Gas
 Electric specs
 230V / 3600W / 50Hz







Enamelled cast iron plate produces moist pancakes, buckwheat cakes and more. Also popular in Asian cuisine for preparing Peking duck skins. Drawer for keeping dishes or pre-cooked crepes warm. Spiral heating elements distribute heat evenly, essential when it comes to making the perfect pancake. Includes wooden crepe spreader.

	Total dimension (cm)	W45 x D50 X H24
	Electric specs	230V / 3000W / 50Hz
18-00751	Plate dimension (cm)	Ø35
18-00752	Plate dimension (cm)	Ø40



18-00754

18-00753

Economy single crepe machine

经济型单头煎饼机

Coated iron plate produces moist pancakes, buckwheat cakes and more. Also popular in Asian cuisine. Crepe spreader sold separately.

18 18

8-00754	Total dimension (cm)	W42 x D40 X H13.5
	Plate dimension (cm)	Ø40
	Electric specs	220-240V / 2700W / 50Hz
8-00753	Total dimension (cm)	W43 x D44.5 X H23
	Plate dimension (cm)	Ø40
	Electric specs	220-240V / 2700W / 50Hz







18-00793

Total dimension (cm) Electric specs

L36.5 x W13 x H25.5 230V / 600W / 50Hz



18-00760



铸铁盘烧烤机 - PANINI XL



Fitted with cast iron plates for perfectly even cooking. The upper plate is self-balanced and the pressure spring is adjustable so you can adapt the cooking to the food. Available with grooved or flat bottom plate for omelettes, fried eggs, savoury pancakes, artic bread, blinis, wraps, and more.

Extra large cooking surface for efficient output. Flat base version offers teppanyaki style cooking.

	Total dimension (cm)	W41 x D62 x H34	
	Cooking dimension (cm)	W36 x D36	
	Max temperature (°C)	300	
	Electric specs	230V / 3600W / 50Hz	
18-00760	Grooved top plate only		
18-00761	Grooved top and base plates		



Ceramic contact grill - PANINI 陶瓷板烧烤机 - PANINI



This ceramic contact-grill is also meant for a comfort and security of use: a lever system for a non-stop use without any tension of the upper plate. The front of the upper plate avoids the shock between 2 plates when the contact-grill is closed.

The chamber placed just under each plate gives an homogene contact cooking with less power. The glass ceramic contact-grill ensures a cooking without any smoke and can be used without any extractor. The ideal equipment for each point of food in train or subway stations, airports, shopping malls... Counter-balanced top plate to ensure an even cooking, what ever the size of the product by adjusting the height of the plate. Easy cleaning with a wet sponge on cooking surfaces after use. Grease of juice draining in a removable drip tray.

	Total dimension (cm)	W39 x D62 x H24	
	Cooking dimension (cm)	W33 x D28	
	Max temperature (°C)	300	
	Electric specs	230V / 1500W / 50Hz	
18-00763	Grooved top and base plates		



Contact grill - SAVOYE



陶瓷板烧烤机 - PANINI

Fitted with cast iron plates for perfectly even cooking. The upper plate is self-balanced and the pressure spring is adjustable so you can adapt the cooking to the food. Available with grooved or flat bottom plate for omelettes, fried eggs, savoury pancakes, artic bread, blinis, wraps... Narrow model, meant mainly for cooking steaks, hamburgers and fish etc.

	Total dimension (cm)	W33 x D38.5 x H22	
	Cooking dimension (cm)	W26 x D24	
	Max temperature (°C)	300	
	Electric specs	230V / 2000W / 50Hz	
18-00764	Grooved top plate only		
18-00765	Grooved top and base plates		



Economy contact grill

经济型铸铁盘烧烤机

Economical cast iron plates offer even cooking at real value. Only available with grooved top and flat base.

18-00766	Total dimension (cm)	W38 x D41 x H23
	Cooking dimension (cm)	W30 x D38
	Max temperature (°C)	300
	Electric specs	220-240V / 2400W / 50Hz
18-00767	Total dimension (cm)	
	Total ulmension (Chi)	W29.5 x D33 x H23
	Cooking dimension (cm)	W29.5 x D33 x H23 W27 x D25



Induction griddle CookTek

电磁烤盘

Square coils make one large heating surface, allowing you to create hot and cool zones. Control each burner independently. Cheaper, induction cooking is over 90% efficient. Heat the food, not the kitchen!

18-00795	Total dimension (cm)	L77.2 x W64 x H43.7	
	Cooking dimension (cm)	L64.5 x W58.7	
	Max temperature (°C)	250	
	Electric specs	220V / 3500W / 50-60Hz	



18-00768

Glass ceramic griddle plates

玻璃陶瓷板式烧烤机



Ideal equipement for last minute preparation and for fastfood, the Roller Grill glass ceramic plate ensures a very fast and dietetic cooking of steaks, snacks, sandwiches etc.!

- Cooking by direct and even contact of cooking surface thanks to the ceramic chamber under the plate.

- Cooking by infrared rays for a cooking at the core of the product by preserving its nutritional values.

	Total dimension (cm)	W42 x D42 x H15
	Cooking dimension (cm)	W33 x D28
	Max temperature (°C)	400
	Electric specs	230V / 1500W / 50Hz
18-00768	Flat plate	
18-00769	Grooved plate	




18-00771



Steel griddle plates



钢制板式烧烤机



18-00794	Total dimension (cm)	L47.5 x W40 x H23
	Cooking dimension (cm)	W90 x D40
	Max temperature (°C)	300
	Electric specs	230V / 3000W / 50Hz
18-00771	Total dimension (cm)	W45 x D42 x H19
	Cooking dimension (cm)	W40 x D40
	Max temperature (°C)	300
	Electric specs	220-240V / 3000W / 50Hz

Economy steel griddle plate 经济型钢制板式烧烤机

Economical steel griddle plate suitable for cooking meats, bacon, fish, hamburgers, sausages, onions, omelettes etc.

18-00772	Total dimension (cm)	W60.5 x D52 x H26.5
	Cooking dimension (cm)	W60 x D40
	Max temperature (°C)	300
	Electric specs	220-240V / 2800W / 50Hz



Cast iron griddle plate

铸铁板式烧烤机

The steel surrounding with incorporated drip tray is entirely removable (patented) for an easy cleaning of the plate. Stainless steel construction and reinforced isolation.

Suitable for cooking meats, bacon, fish, hamburgers, sausages, onions, omelettes etc.

18-00773	Total dimension (cm)	W62 x D45 x H19
	Cooking dimension (cm)	W60 x D40
	Max temperature (°C)	300
	Electric specs	380V / 6000W / 50Hz



Cast iron griddle plate

铸铁板式烧烤机

Economical cast iron griddle plate suitable for cooking meats, bacon, fish, hamburgers, sausages, onions, omelettes etc.

18-00774	Total dimension (cm)	W45 x D44.5 x H22
	Cooking dimension (cm)	W38 x D38
	Max temperature (°C)	300
	Electric specs	220-240V / 2800W / 50Hz





18-00778



火山岩烤架

Electric lava rock grill for natural, healthy, tasty and easy-to-digest grills. Lava rock reacts in the same way as wood embers, spreading the heat evenly across the cooking surface and absorbingthe fats. Alternate fish, meat, sausages, etc. without transmission of taste or smell.

Easy to clean: Lava rocks can be washed in dishwasher, control-box is removable and lava tray is enamelled.

18-00777	Total dimension (cm)	W59 x D50 x H30.5cm
	Cooking dimension (cm)	2 x W25 x D38
	Electric specs	230V / 2 x 2500W / 50Hz
18-00778	Total dimension (cm)	W30 x D54.5 x H16
	Cooking dimension (cm)	W25 x D38
	Electric specs	230V / 2500W / 50Hz
Optional accessor	y / spare:	
18-00779	Volcanic lava stones	1.5kg



Stainless steel electric griller 不锈钢电子烤架

不够钢电子残朱 Basic electric griller / BBQ stove.

18-00780	Total dimension (cm)	W70 x D20 x H14	
	Cooking dimension (cm)	W55 x D15	
	Electric specs	230V / 2500W / 50Hz	
18-00781	Total dimension (cm)	W70 x D36 x H14	
	Cooking dimension (cm)	W55 x D31	
	Electric specs	230V / 2 x 2500W / 50Hz	



Economy electric griller

经济型电子烤架 Basic electric griller with 5 temperature settings.

18-00782	Total dimension (cm)	W48 x D36 x H9.5
	Cooking dimension (cm)	W38 x D24
	Electric specs	220V / 2000W / 50Hz



Stainless steel infrared gas grill

不锈钢红外天然气烤架 Auto ignition with individual burner control. Rapid and efficient grilling with powerfull infra-red burners. Adjustable top grilling level with heat-resistant protective glass top.

	Total dimension (cm)	W58 x D18 x H22
	Cooking dimension (cm)	W42 x D19
18-00783	PUB	
18-00784	LPG	



18-00785

Electric gyros grill GR60E 电动旋转式烤炉



4 heating elements model for the cooking of 25kg of meat. Heating elements are regulated independently with half or full power. Grills are supplied with fire stones to accumulate the heat.

The bottom plate is fully hermetic: the motor is protected from any infiltration of fat or juice of meat. Fitted with a large stamped juice collector with a removable drip ray for easy cleaning.

18-00785 Total dimension (cm) W58 x D66 x H87 Spit dimension (cm) H60 Cooking capacity (kg) 25 Electric specs 380V / 5800W / 50Hz Motor 3-phase 18-00790 Total dimension (cm) W58 x D66 x H69.5 Spit dimension (cm) W58 x D66 x H69.5 Spit dimension (cm) 18-00790 Total dimension (cm) W58 x D66 x H69.5 Spit dimension (cm) H40 Cooking capacity (kg) Isopacity (kg) 15 Spit dimension (cm) Motor Single phase Single phase Coptional accessories / spares: Single phase Single phase Coptional accessories / spares: Single phase Single phase Support Barbor Soft Soft Soft Soft Soft Soft Soft Soft			
Cooking capacity (kg)25Electric specs380V / 5800W / 50HzMotor3-phase18-00790Total dimension (cm)W58 x D66 x H69.5Spit dimension (cm)H40Cooking capacity (kg)15Electric specs230V / 3600W / 50HzElectric specs230V / 3600W / 50HzMotorSingle phaseOptional accessories / spares:Single phaseGR60EGR40E18-0078618-0078618-0078718-0078718-0078818-0078818-0078818-0078818-0078818-0078818-00788Stainless steel protection	18-00785	Total dimension (cm)	W58 x D66 x H87
Electric specs380V / 5800W / 50HzMotor3-phase18-00790Total dimension (cm)W58 x D66 x H69.5Spit dimension (cm)H40Cooking capacity (kg)15Electric specs230V / 3600W / 50HzMotorSingle phaseOptional accessories / spares:GR60EGR40E18-0078618-0078618-0078718-0078718-0078818-00788Stainless steel protection18-0078818-00786		Spit dimension (cm)	H60
Motor3-phase18-00790Total dimension (cm)W58 x D66 x H69.5Spit dimension (cm)H40Cooking capacity (kg)15Electric specs230V / 3600W / 50HzMotorSingle phaseOptional accessories / spares:GR60EGR40E18-0078618-00786Fire stones for Gyros grill, 1kg18-0078718-0078718-0078818-00788Stainless steel protection		Cooking capacity (kg)	25
18-00790 Total dimension (cm) W58 x D66 x H69.5 Spit dimension (cm) H40 Cooking capacity (kg) 15 Electric specs 230V / 3600W / 50Hz Motor Single phase Optional accessories / spares: Single phase GR60E GR40E 18-00786 18-00786 18-00787 18-00787 18-00788 18-00788		Electric specs	380V / 5800W / 50Hz
Spit dimension (cm) H40 Cooking capacity (kg) 15 Electric specs 230V / 3600W / 50Hz Motor Single phase Optional accessories / spares: GR60E GR40E I8-00786 I8-00786 I8-00787 I8-00787 Stainless steel protection I8-00788 I8-00788 I8-00788 Stainless steel reflectors for GR60E		Motor	3-phase
Spit dimension (cm) H40 Cooking capacity (kg) 15 Electric specs 230V / 3600W / 50Hz Motor Single phase Optional accessories / spares: GR60E GR40E I8-00786 I8-00786 I8-00787 I8-00787 Stainless steel protection I8-00788 I8-00788 I8-00788 Stainless steel reflectors for GR60E			
Cooking capacity (kg)15Electric specs230V / 3600W / 50HzMotorSingle phaseOptional accessories / spares:GR60EGR40E18-0078618-0078618-0078718-0078718-00788Stainless steel protection18-0078818-0078818-00788Stainless steel reflectors for GR60E	18-00790	Total dimension (cm)	W58 x D66 x H69.5
Electric specs230V / 3600W / 50HzMotorSingle phaseOptional accessories / spares:GR60EGR40E18-0078618-0078618-0078718-0078718-0078818-0078718-00788Stainless steel protection18-0078818-00788		Spit dimension (cm)	H40
MotorSingle phaseOptional accessories / spares:GR60EGR40E18-0078618-0078618-0078718-0078718-0078818-0078718-0078818-0078818-0078818-00788		Cooking capacity (kg)	15
Optional accessories / spares:GR60EGR40E18-0078618-00786Fire stones for Gyros grill, 1kg18-0078718-0078718-0078818-0078818-00788Stainless steel protection		Electric specs	230V / 3600W / 50Hz
GR60E GR40E 18-00786 18-00786 Fire stones for Gyros grill, 1kg 18-00787 18-00787 Stainless steel protection 18-00788 18-00788 Stainless steel reflectors for GR60E		Motor	Single phase
GR60E GR40E 18-00786 18-00786 Fire stones for Gyros grill, 1kg 18-00787 18-00787 Stainless steel protection 18-00788 18-00788 Stainless steel reflectors for GR60E			
18-0078618-00786Fire stones for Gyros grill, 1kg18-0078718-00787Stainless steel protection18-0078818-00788Stainless steel reflectors for GR60E	Optional acces	sories / spares:	
18-0078718-00787Stainless steel protection18-0078818-00788Stainless steel reflectors for GR60E	GR60E	GR40E	
18-00788 18-00788 Stainless steel reflectors for GR60E	18-00786	18-00786	Fire stones for Gyros grill, 1kg
	18-00787	18-00787	Stainless steel protection
18-00789 18-00791 Extra spit for GR60E	18-00788	18-00788	Stainless steel reflectors for GR60E
	18-00789	18-00791	Extra spit for GR60E



Gas gyros grill GR40G 旋转式煤气烧烤炉 GR40G



2 infrared burner for the cooking of 15kg of meat. Delivered in LPG with a set of NG injectors. Fitted with infrared burners with safety thermocouple and independent controls with slow setting. The bottom plate is fully hermetic: the motor is protected from any infiltration of fat or juice of meat. Fitted with a large stamped juice collector with a removable drip ray for easy cleaning.

18-00792	Total dimension (cm)	W58 x D66 x H64.5
	Spit dimension (cm)	H40
	Cooking capacity (kg)	15
	Power	5000W

Optional accessories / spares:

18-00787	Stainless steel protection
18-00788	Stainless steel reflectors for GR 40 G
18-00791	Extra spit for GR 40 G



Stainless steel wall-mount electric water heater

不锈钢重负荷型挂壁式电热水器 Temperature range: 60 to 100°C

18-00817	Total dimension (cm)	L18x W42 x H60
	Capacity (gallon)	3.2
	Electric specs	220V / 2000W / 50Hz
18-00818	Total dimension (cm)	L26 x W57x H71
	Capacity (gallon)	13.2
	Electric specs	220V / 3000W / 50Hz

18-00817



18-00818

18-00819



18-00819	Total dimension (cm)	L2 6 x W57 x H82
	Capacity (gallon)	18.5
	Electric specs	380V / 9000W / 50Hz
18-01019	Total dimension (cm)	L26 x W57 x H96
	Capacity (gallon)	23.8
	Electric specs	380V / 12000W / 50Hz

Stainless steel wall-mount electric water heater

不锈钢重负荷型挂壁式电热水器 Temperature range: 60 to 100°C

Stainless steel electric water urn

不锈钢电热水桶

Electric airport 电动气压式热水器

18-00838

18-00839

18-00806	Total dimension (cm)	Ø32 x H49.5
	Capacity (ℓ)	40
	Electric specs	230V / 2500W / 50Hz
18-00805	Total dimension (cm)	Ø30 x H49.5
	Capacity (ℓ)	30
	Electric specs	230V / 2500W / 50Hz
18-00804	Total dimension (cm)	Ø30 x H43
	Capacity (ℓ)	20
	Electric specs	230V / 2500W / 50Hz
18-00803	Total dimension (cm)	Ø25.5 x H34.5
	Capacity (ℓ)	10
	Electric specs	230V / 2500W / 50Hz

W30 x D30 x H 41

W30 x D30 x H56.5

220-240V / 680W / 50Hz

220-240V / 730W / 50Hz

5

4.2







Total dimension (cm)

Total dimension (cm)

Capacity (l)

Capacity (l)

Electric specs

Electric specs

不锈钢气压。	式热水壶(日本)		
18-00814	Total dimension (cm)	Ø16 x H38	
	Capacity (l)	3	
18-00813	Total dimension (cm)	Ø16 x H41.5	
	Capacity (l)	2.5	
18-00811	Total dimension (cm)	Ø18 x H32	
	Capacity (ℓ)	2.2	

18-00811

18-00813 & 18-00814

SIA HUAT	CATALOGUE	18.70



Stainless steel airport

不锈钢气压式热水壶

Gas rice cooker 煤气饭煲

Total dimension (cm)

Total dimension (cm)

Total dimension (cm)

Capacity (l)

Gas type

Capacity (l)

Gas type

Capacity (l)

Gas type

Capacity (pax)

Capacity (pax)

Capacity (pax)

18-00820

18-00821

18-00822

18-00816	Total dimension (cm)	Ø18 x H37
	Capacity (ℓ)	3.5
18-00815	Total dimension (cm)	Ø18 x H32
	Capacity (ℓ)	2.5

Ø48 x H42

Ø48 x H42

Ø58 x H49

0

9

45

9 45

LPG

18 9

LPG

PUB







Electric rice c 电饭煲	ooker		
Stainless steel	Wooden design		
18-00828	18-00830	Total dimension (cm)	Ø39 x H35
		Capacity (l)	6
		Capacity (pax)	30
		Electric specs	230V / 1950W / 50Hz
18-00829	-	Total dimension (cm)	Ø42 x H35
		Capacity (ℓ)	8
		Capacity (pax)	40
		Electric specs	230V / 2300W / 50Hz



Electric rice cooker 数字式电饭煲

18-00844	Total dimension (cm)	Ø28 x H27
	Capacity (l)	1.8
	Capacity (pax)	9
	Electric specs	230V / 700W / 50Hz
18-00845	Total dimension (cm)	Ø24.5 x H23
	Capacity (l)	1
	Capacity (pax)	5
	Electric specs	230V / 500W / 50Hz

	1	8	8
Ċ.			



18-00823 to 18-00827



18-00831 to 18-00833

18-00827	Total dimension (cm)	Ø53 x H38
	Capacity (l)	12
	Capacity (pax)	60
	Electric specs	220V / 2750W / 50Hz
18-00826	Total dimension (cm)	Ø60 x H35
	Capacity (l)	10
	Capacity (pax)	50
	Electric specs	220-240V / 2600W / 50Hz
18-00825	Total dimension (cm)	Ø45 x H38
	Capacity (l)	7.8
	Capacity (pax)	40
	Electric specs	220-240V / 2300W / 50Hz
18-00824	Total dimension (cm)	Ø45 x H32
	Capacity (ℓ)	5.6
	Capacity (pax)	30
	Electric specs	220-204V / 1950W / 50Hz
18-00823	Total dimension (cm)	Ø37 x H32
	Capacity (ℓ)	4.5
	Capacity (pax)	25
	Electric specs	220-240V / 1550W / 50Hz
18-00833	Total dimension (cm)	Ø36 x H29
10 00000	Capacity (l)	4.2
	Capacity (pax)	21
	Electric specs	230V / 1400W / 50Hz
	Licence spees	
18-00832	Total dimension (cm)	Ø33 x H33
	Capacity (l)	3.6
	Capacity (pax)	18
	Electric specs	230V / 1200W / 50Hz
18-00831	Total dimension (cm)	Ø30 x H30
	Capacity (l)	2.8
	Capacity (pax)	14
	Electric specs	230V / 950W / 50Hz



Tabletop sushi ball machine

Non-stick electric rice cooker

电饭煲

台式寿司球机

Using only 1.3s per piece, the Samurice machine is hygienic and fast machine that can meet the highspeed demands of any Japanese restaurant. It is simple to use and maintain, and ensures that rice balls are consistent in texture and size. Includes keep-warm function.

18-00890	Total dimension (cm)	W38 x D48 x H59	
	Capacity per hour	2800 riceballs	
	Electric specs	230V / 90W / 50Hz	



Electric rice warmer

米饭电保温器

18-00846	Total dimension (cm)	Ø49 x H83
	Capacity (ℓ)	36
	Capacity (pax)	180
	Electric specs	220-230V/ 1000W / 50Hz
















Electric rice warmer 米饭电保温器				
Stainless steel	Wooden design			
18-00835	18-00837	Total dimension (cm)	Ø38 x H39	
		Capacity (ℓ)	10	
		Capacity (pax)	50	
		Electric specs	220V / 84W / 50-60Hz	
18-00836	-	Total dimension (cm)	Ø50 x H35	
		Capacity (l)	9	
		Capacity (pax)	45	
		Electric specs	230V / 100W / 50Hz	

Slow	cooker

炖锅

18-00847	Total dimension (cm)	L26 x H29
	Capacity (l)	3.5
	Electric specs	240V / 200W / 50Hz
18-00848	Total dimension (cm)	L23 x H24
	Capacity (l)	1.5
	Electric specs	240V / 200W / 50Hz

Electric soup 电暖汤炉	warmer	
18-00840	Total dimension (cm)	Ø33 x H33
	Capacity (l)	10
	Electric specs	220-240V / 400-450W / 50Hz
18-00841	Total dimension (cm)	Ø42 x H38
	Capacity (ℓ)	10
	Electric specs	230V / 450W / 50Hz



Ø26 x H35
5.7
230V / 300W / 50Hz



Electric porcelain soup warmer

电陶瓷暖汤炉

10,00050	Tatal dimension (and)	W/40 x D04 x L100	
18-00852	Total dimension (cm)	W49 x D34 x H32	
	Capacity (l)	6	
	Electric specs	220-240V / 300W / 50Hz	



Electric two-tier steamer

双层电蒸锅

18-00853	Total dimension (cm)	Ø45 x H62	
	Capacity (ℓ)	20	
	Electric specs	240V / 3000W / 50-60Hz	



Electric thre 三层电蒸锅	ee-tier steamer		
18-00854	Total dimension (cm)	L33 x W24 x H42	
	Capacity (ℓ)	9	

220-240V / 900W / 50-60Hz



Single counter top

Single drop in



Commercial digital induction wok stove - Apogee COOKTek

商用数字式电磁炒锅炉 - Apogee

Electric specs

Offer enhancements such as finer resolution control via 0-100 power settings, an intuitive touch sensitive control panel, digital timer (with alarm only or auto-power off functionality), and keypad lockout to temporarily prevent others from changing cook settings.


Counter top model total dimension (cm)		W39.1 x D49.3 x H1	W39.1 x D49.3 x H18.7	
Drop-in model total dimension (cm)		W41 x D52.5 x H15	W41 x D52.5 x H15.2	
Temperature ran	Temperature range (°C)			
Counter-top	Drop-in			
18-00855	18-00856	Electric specs	200-240V / 2500W / 50Hz	
18-00857	18-00858	Electric specs	200-240V / 3000W / 50Hz	



Single counter top



Single drop in



商用电磁炒锅炉 - Heritage

Offers outstanding performance and value for your money. Designed and built in to survive and thrive in the world's toughest commercial foodservice operating environments, these induction woks feature simple single knob control and many other benefits for more precise, consistent and quality cooking.

Counter top model total dimension (cm)		W37.4 x D43.8 x H18.6	
Drop-in model total dimension (cm)		W41.9 x D41.9 x H15.6	
Temperature range	e (°C)	30 - 260	
Counter-top	Drop-in		
18-00859	18-00860	Electric specs	200-240V / 2500W / 50Hz
18-00861	18-00862	Electric specs	200-240V / 3000W / 50Hz

Induction wok stove with lateral control hob 嵌入式电磁炒锅炉 - 带线控板

18-00863 Total dimension (cm) Temperature range (°C) Electric specs

商用数字式电磁炉 - Apogee

商用电磁炉 - Heritage

Counter top model total dimension (cm)

Commercial digital induction cooker - Apogee COOKTek

Commercial induction cooker - Heritage COOKTek

L34 x W32 x H9.8 60 to 240 220V / 3500W / 50Hz



Single counter top



Single drop in







Single drop in



Double top - front to back






Double top - side by side

		110011 A B I HO ATTILLI	
Drop-in model total dimension (cm)		W41 x D52.5 x H12	
Temperature range (°C)		30 - 260	
Counter-top	Drop-in		
18-00864	18-00865	Electric specs	200-240V / 2500W / 50Hz
18-00866	18-00867	Electric specs	200-240V / 3000W / 50Hz
Double counter top model total dimension (cm)		W35.1 x D77.2 x H12.6	3
Temperature range (°C)		30 - 260	
18-00868		Electric specs	200-240V / 2x2500W / 50Hz
18-00869		Electric specs	200-240V / 2x3000W / 50Hz
		-	

Offer enhancements such as finer resolution control via 0-100 power settings, greater number of temperature settings, intuitive touch sensitive control panel, digital timer (with alarm only or auto-power off functionality), and keypad lockout to temporarily prevent others from changing cook settings.

W35.1 x D44.8 x H12.6



Counter top model total dimension (cm) W35 x D41.4 x H12.6				
Drop-in model total dimension (cm)			W34.9 x D34.9 x H9.3	
Temperature range	(°C)		30 - 260	
Counter-top	Drop-in			
18-00870	18-00871	Electric specs	200-240V / 2500W / 50Hz	
18-00872	18-00873	Electric specs	200-240V / 3000W / 50Hz	
Double front-to-bad	ck counter top model total dim	ension (cm)	W35.1 x D70 x H12.6	
Double front-to-ba	ck drop-in model total dimensio	on (cm)	W34.9 x D69.8 x H9.3	
Temperature range (°C)			30 - 260	
Counter-top	Drop-in			
18-00874	18-00875	Electric specs	200-240V / 2x2500W / 50Hz	
18-00876	18-00877	Electric specs	200-240V / 2x3000W / 50Hz	
Double side-by-side counter top model total dimension (cm)			W70 x D41.5 x H12.6	
Temperature range (°C)			30 - 260	

18-00878 200-240V / 2x2500W / 50Hz Electric specs 18-00879 200-240V / 2x3000W / 50Hz Electric specs

18



OmeletBuster double burner induction cooktop OcookTek

蛋卷小子双头电磁炉

One electrical circuit is required, yet there is enough power in each burner to cook a three-egg omelet in 90 seconds! Speed up the service times of your breakfast buffet egg station! Complete with 2 high-quality Ø20cm aluminized steel fry pans.


18-00880	Total dimension (cm)	L51.4 x W28.3 x H7.9
	Electric specs	200-240V / 2 x 1200W / 50Hz











Commercial economy drop-in induction cooker

Commercial economy drop-in induction cooker

Suitable for buffet tables and general use. Digital temperature display.

商用经济型嵌入式电磁炉

商用经济型嵌入式电磁炉

Suitable for both drop-in and counter-top use. Completely flat bed with touch controls for easy cleaning and maintenance. Lock function eliminates risk of accidental temperature adjustment.

18-00901	Total dimension (cm)	W29 x D36 x H5.5
	Temperature range (°C)	60 to 240
	Electric specs	220V / 1800W / 60Hz

Under-counter buffet warmer - Incogneeto COOKTek

台底式自助餐暖炉 - Incogneeto

Designed to be installed directly under stone or engineered stone counter tops, capable of holding food accurately to within +/-2°F (+/-1.2°C).

- No need to cut or drill holes in your countertop. Units compatible with 20 or 30mm thick standard granite countertops.
- Works with the Magneeto[™] 2 trivet-like device and any induction compatible chafing dish (of suitable diameter).
- Various temperature and power controls for accurate heating.

18-00947	Total dimension (cm)	L41.2 x W37.8 x H10.5
	Temperature range (°C)	30-85
	Electric specs	200-240V / 650W / 50Hz



18-00918



18-00919

Commercial drop-in buffet warmer - Silenzio SCOOKTek

商用嵌入式自助餐暖炉 - Silenzio

Drop-in counter-top design, aluminum housing, heavy duty energy efficient electronics, high-impact commercial grade tempered glass.

18-00918	Total dimension (cm)	L38.1 x W38.1 x H9.5
18-00919	Total dimension (cm)	Ø31.5
	Temperature range (°C)	30 to 120
	Electric specs	200-240V / 650W / 50Hz



Commercial counter-top buffet warmer - Silenzio CookTek


商用台式自助餐暖炉 - Silenzio

Free-standing counter-top design, stainless steel housing, heavy duty energy efficient electronics, highimpact commercial grade tempered glass.

The electronics within the units emit minimal heat, so cooling fan is not needed. As a consequence, the buffet warmers by CookTek® are "whisper quiet" - important in a buffet dining setting.

18-00934	Total dimension (cm)	L44.1 x W32.4 x H9.3
	Temperature range (°C)	30 to 120
	Electric specs	200-240V / 650W / 50Hz





18-00904	Total dimension (cm)	L53 x W35 x H4.5	For GN 1/1
	Temperature range (°C)	Up to 80	
	Electric specs	240V / 230W / 60Hz	





Glass warmer with stainless steel frame

玻璃保温板带不锈钢架

18-00935	Total dimension (cm)	L70.5 x W58 x H7.5	For GN 2/1
18-00936	Total dimension (cm)	L48 x W40 x H7.5	For GN 1/1
	Temperature range (°C)	40 to 90	
	Electric specs	220-240V / 450W / 50Hz	

Stainless steel electric warming plate

不锈钢电保温板

Temperature range: 40 - 100°C

18-00906	Total dimension (cm)	L53 x W32.5	For GN 1/1
	Electric specs	230V / 450W / 50Hz	
18-00907	Total dimension (cm)	L32.5 x W26.5	For GN 1/2
	Electric specs	230V / 300W / 50Hz	
18-00908	Total dimension (cm)	L32.5 x W17.6	For GN 1/3
	Electric specs	230V / 200W / 50Hz	



Stainless steel cooling plate

不锈钢电冷

18-00911	Total dimension (cm)	L53 x W32.5	For GN 1/1
18-00912	Total dimension (cm)	L32.5 x W26.5	For GN 1/2
18-00913	Total dimension (cm)	L32.5 x W17.6	For GN 1/3



Twin coffee warmer 双头咖啡保温站

18-00916

Total dimension (cm) Electric specs

L38 x W18 220V / 160W / 50Hz





Rotating Cooling display

旋转冷藏陈列架



Entirely panoramic and metallic with roof lighting, these display

cabinets will highlight your culinary creations like cakes, pies, cocktails, beverage.. And appetize your guests. The ventilated refrigeration system ensures an even temperature between +2 and +10°C for ideal storage of your foodstuffs.

Silver	Gold		
18-00920	18-00937	Total dimension (cm)	L70 x W70 x H183
		Total dimension (cm)	Ø57
		Electric specs	230V / 500W

Ventilated refrigerated display 【 气流式冷却展示柜

Refrigerated display

to an electric thermostat.

are completely removable.

Delivered without any tray.

冷却展示柜

18-00921

18-00922



Especially fitted for stallholders, convenience stores, butchers, restaurants, shops... this ventilated refrigerated display offers a friendly display surface of 3 x GN1/1 with a middle shelf. Keeps fresh products at constant temperature ($+2/+10^{\circ}$ C).

Modular and panoramic, this model is made up of 2 removable sections: the heating unit and the display cabinet assembled by a system of rollers. Ventilated cooling for a better spread of the refrigerated air; allows the evaporation of condensations.

Front (2 doors) or rear (2 doors) loading and service. Made in all stainless steel with a removable inside tray for easy cleaning.

18-00923	Total dimension (cm)	W100 x D90 x H47.5
	Capacity	3 x GN 1/1 + middle shelf
	Electric specs	230V / 500W / 50Hz

Perfect for salads, fresh sandwiches, yoghurts, desserts, beverage etc with inside temperature maintained between 4 to 10°C (in case of 29°C ambience) and an automatic defrosting system thanks

Easy cleaning: interior upper shelf, bottom trays, rear sliding doors, lateral glasses and the curved glass

Equipment: electronic thermostat, on/off switch, temperature indicator, inside light. Refrigerating gas R

W120 x D73 x H60cm

W80 x D73 x H60

3 x GN 1/1 or 60x40 trays 230V / 430W / 50Hz

2 x GN 1/1 or 60x40 trays 230V / 350W / 50Hz



18-00921



18-00922



Warming display 保温展示柜



134 a without CFC. High quality Danfoss and U.H. components.

Total dimension (cm)

Bottom tier capacity

Total dimension (cm)

Bottom tier capacity

Electric specs

Electric specs

Ideal to keep snacks warm, thanks to a ventilated air system in the warming display. Humidity control through a water container to keep products moist and delicious.

Easy cleaning: interior upper shelf, bottom trays, rear sliding doors, lateral glasses and the curved glass are completely removable.

Features: thermostat (20-91°C), on/off switches, inside light, temperature indicator. Supplied as standard with a menu display.

Delivered without any tray.

18-00924	Total dimension (cm)	W80 x D73 x H60
	Bottom tier capacity	2 x GN 1/1 or 60x40 trays
	Electric specs	230V / 1500W / 50Hz

SIA HUAT CATALOGUE | 18.78





18-00926











Warming display 保温展示柜



Keeps products at a constant temperature of 95°C. Keeps food moist and delicious with a water container to facilitate humidity control.

Efficient and practical with front and rear openings thanks to liftable doors. Equipped with top illuminated display sign.

Removable stainless steel presentation tray with top section in glass for easy cleaning and maintenance. Features: thermostat (0 - 95°C), water container, on/off switch, pilot light, adjustable feet.

18-00925	Total dimension (cm)	W59 x D35 x H37.5
	Capacity	2 x GN 1/1
	Electric specs	230V / 650W / 50Hz
18-00926	Total dimension (cm)	W59 x D35 x H48
	Capacity	1 x GN 1/1
	Electric specs	230V / 650W / 50Hz



18-00927	Total dimension (cm)	W56 x D33.5 x H51	
	Tray capacity	3 x W51 x D30	
	Electric specs	230V / 1000W / 50Hz	

Se	aw	/eed	d dr	yer

海苔干燥器

18-00938	Total dimension (cm)	L23.5 x W23.5 x H13	
	Electric specs	220-230V / 15W / 50Hz	
18-00939	Total dimension (cm)	L23.5 x W14.5 x H14	
	Electric specs	220-230V / 15W / 50Hz	

Towel Fridge

毛巾冷藏箱

Hot only	Hot and Cold		
18-00940	18-00941	Total dimension (cm)	L44 x W30 x H60
		Capacity	140
		Electric specs	220V, 400W, 50/60Hz
18-00942	18-00943	Total dimension (cm)	L44 x W28 x H33
		Capacity	70
		Electric specs	220V, 200W, 50/60Hz
18-00944	-	Total dimension (cm)	L42 x W29 x H28
		Capacity	70
		Electric specs	220V, 180W, 50/60Hz









18-	-00931	Total dimension (cm)	W42 x D8.5 x H29
		Seal dimension (cm)	30
		Electric specs	240V / 200W / 50Hz
18-	-00932	Total dimension (cm)	W30 x D7.5 x H24
		Seal dimension (cm)	20
		Electric specs	240V / 200W / 50Hz

Bag sealer with trimmer
封口机带修边器

Electric insect killer

Electric bag sealer 电动封口机

Total dimension (cm)

L21.9 x W7.5 x H15.2

150

电子灭虫器		
18-00945	Total dimension (cm)	W39.5 x D8.6 x H32
	Effective area (m²)	80
	Electric specs	220-240V / 40W / 50Hz
18-00946	Total dimension (cm)	W65 x D8.6 x H32

Effective area (m²)

Electric specs		220-240V / 40W / 50Hz
Popcorn I 爆米花机	Machine	
18-00950	Electric specs	1300W
	Outout	180a / 3min

18-00950	Electric specs	1300W
	Output	180g / 3min
	Dimension (cm)	L58 x W42 x H74
Cart - Sold se	eparately.	
18-00951	Dimension (cm)	L52 x W88 x H175



Cotton candy machine 棉花糖机

18-00952	Electric specs	220V / 1030W / 50Hz
	Output	1pc / 30s
	Dimension (cm)	L52 x W52 x H50
Cart - Sold separately.		
18-00953	Dimension (cm)	L75 x W52 x H91
Acrylic hood - Sold separately.		
18-00954	Dimension (cm)	Ø54 x H35

Acrylic hood