

Table of Contents

Basic Information (Cores)

The **A/C CONDENSER** is located on the high pressure side of the a/c system. It is mounted directly in front of the radiator where it can receive air flow created by the trucks forward motion and by the engine fan. As refrigerant vapor travels from the compressor through the condenser, a point is reached where condensation occurs. The high pressure liquid refrigerant then travels from the condenser and toward the evaporator. There are various styles and types of condensers used on today's vehicles.

The **A/C EVAPORATOR** is located on the low pressure side of the a/c system. It is usually mounted inside the cab under the dash panel. The evaporator receives the refrigerant from an expansion valve or orifice tube as low pressure liquid. As the refrigerant passes through the coils, a change occurs and the refrigerant becomes a low pressure vapor. Housed with the evaporator is the blower motor; which draws the warm air from the cab over the evaporator and then blows or circulates the cooled air inside the cab.

The **HEATER CORE** is usually located inside the cab under the dash. It is connected to the engines heater hoses. As hot engine coolant flows through its coils or tubes; the blower fan blows or circulates air through it, sending warm air inside the cab.

All of our condensers, evaporators and heater cores are of high quality which meets and/or exceeds the O.E.M requirements.



CONDENSERS

Bracket Kits/Mounting Hardware	306
Condenser Illustrations	293
Condenser Specifications	289
Multi-Flow RetroFit Condensers	306
Power Condensers	306
Repair Fitting	292

EVAPORATORS


Evaporator Illustrations	309
Evaporator Specifications	307
Repair Kits and Fittings	317

HEATER CORES

Heater Core Illustrations	371
Heater Core Specifications	369

Related Items

Condenser Repair Fittings	292
Evaporator In-Cab Air Filters	325
Evaporator Repair Fittings	317
Expansion Valves	319
Heater Fittings	377
Orifice Tubes and Kits	324



Listed in progressive size by Height x Length x Width

HEIGHT	LENGTH	WIDTH	PART #	FITTING LOCATION	APPLICATION	O.E.M. #
6"	36 1/4"	1 7/8"	6250	-	WESTERN STAR	61203-3406
6 1/2"	39 1/2"	1"	6055	A,C	MACK	210RD411M
6 5/8"	23 3/4"	1 7/8"	6035	A,C	KYSOR	401029
7 1/8"	18 1/2"	2 1/2"	6253	B,B	REDDOT - RD9725	RD-4-4440-0
8"	22"	2"	6032	A,C	KYSOR	401080
8"	26 3/4"	1 1/8"	6011	A,F	KENWORTH	K122-93
8"	28 1/2"	1"	6220	C,D	PETERBILT	18-03543
8"	29 1/2"	1 3/4"	6129	A,F	MACK	210RD45A
8"	31"	1"	6087	C,D	PETERBILT 379	18-02915
8"	38"	1 3/4"	6115	A,F	VOLVO	61203-3203
8 1/2"	32 3/4"	1 1/8"	6093	D,F	MACK	210RD410M
8 1/2"	33"	1 1/4"	6022	A,C	MACK	210RD46AM
9"	32 3/4"	1 1/8"	6013	C,D	PETERBILT	18-03093; 18-03554
9"	33"	1 3/4"	6146	C,D	VOLVO	61203-3211
9 1/8"	24 3/4"	2 1/4"	6015	E,F	MACK	RD-4-4144-2
9 1/8"	26 1/4"	2 1/2"	6042	B,B	REDDOT R-9720	RD44069-0
9 1/4"	32 7/8"	1 3/4"	6021	A,E	MACK	4379-RD41810
9 1/4"	37"	3/4"	6195	A,F	WESTERN STAR	61203-3403
9 1/2"	29"	3"	6132	D,F	MACK	210RD413
10"	21 3/4"	1"	6219	A,F	PETERBILT	18-03544
10"	25 1/4"	1"	6209	C,D	KENWORTH T600/800	K122-104
10"	26 1/2"	1"	6226	-	PETERBILT	18-03229
10"	27 1/2"	1 3/4"	6066	A,C	FREIGHTLINER W/CAT	A22-24885-000
10"	27 1/2"	1 3/4"	6200	D,F	FREIGHTLINER	A22-32466-001; BB19757
10 1/8"	19 5/8"	2 3/4"	6050	D,D	REDDOT	RD43586-0
10 1/2"	21 1/4"	3/4"	6335	-	GMC T7500-8500, ISUZU NPR	
10 1/2"	27 1/2"	1"	6216	A,F	PETERBILT	23-12752
10 1/2"	33 3/4"	1 1/2"	6212	A,A	MACK CH	210RD421M
10 3/4"	25 3/4"	1 3/16"	6302	-	Multi-Flow HD, 14405 BTU	
11"	15"	1 1/4"	6338	-	mitsubishi/FUSO	FM 260-330 w/5.9L
11"	35"	1"	6196	A,E	CHE/GMC	3042163
11 7/16"	20 7/8"	1 7/8"	6061	F,F	REDDOT R-6000	RD-4-3874-1; PB1045

(continued)

CONDENSERS

Listed in progressive size by Height x Length x Width (continued)

HEIGHT	LENGTH	WIDTH	PART #	FITTING		O.E.M. #
				LOCATION	APPLICATION	
11 1/2"	35 3/4"	3/4"	6025	D,F	KYSOR	401025
12"	20 1/4"	1 1/2"	6033	D,E	MACK	401077
12"	20 7/8"	3 1/3"	6063	D,D	REDDOT	RD-4-4738-0
12"	21 3/4"	1 3/16"	6304	-	Multi-Flow HD, 12940 BTU	
12"	25 3/4"	1 3/16"	6306	-	Multi-Flow HD, 15965 BTU	
12 1/4"	23"	1 1/4"	6020	D,F	PETERBILT	RD-4-3724-0
12 1/2"	21 5/8"	2 7/8"	6044	B,C	REDDOT	RD4-7424-0
12 1/2"	27 5/16"	2 1/2"	6041	D,F	REDDOT R-9730	RD4-3646-0
12 3/8"	11 1/4"	1 1/4"	6336	-	MINISUBISHI/FUSO	FE 639-640 w/4.9L
12 5/8"	12 5/8"	3/4"	6337	-	MINISUBISHI/FUSO	FE 140-145 w/4.9L
12 5/8"	24 13/16"	3/4"	6294	D,D	FRIEGLINER	SPRINTER
13"	16"	3/4"	6340	-	NISSAN UD LCF 4.7/6.9L	
13"	31 3/4"	1 3/4"	6232	C,D	CHE/GMC G VAN	52457928; 15-6702
13 1/2"	29 3/4"	3/4"	6024	D,F	KYSOR	401024
13 5/8"	12 1/2"	7/8"	6318	-	GMC/ISUZU NPR	condenser w/screen
13 7/8"	26"	1"	6234	F,F	CHE/GMC S,T	52474647; 52462672;15-6911
14"	14"	3/4"	6324	-	Multi-Flow HD	
14"	18"	3/4"	6325	-	Multi-Flow HD	
14"	21 3/4"	1 3/16"	6308	-	Multi-Flow HD, 15230 BTU	
14"	25 3/4"	1 3/16"	6310	-	Multi-Flow HD, 18476 BTU	
14"	26"	1 3/8"	6276	D,F	VOLVO/GM	8074693
14"	26 1/4"	1"	6222	D,F	VOLVO	8022509
14"	26 1/2"	1"	6203	C,D	VOLVO	8164786
14 1/8"	20"	3/4"	6089	A,C	PETERBILT	RD-4-4161-0
15"	27"	3/4"	6034	-	NAVISTAR; VOLVO	RD43197-0; A22-25225-0
15"	28 3/4"	7/8"	6168	D,F	VOLVO	61203-0012
15"	36"	7/8"	6094	D,F	VOLVO	61230-0029; 61203-3002
15 1/4"	29 3/4"	3/4"	6036	D,F	VOLVO	61203-3001, 3002
15 7/16"	27 13/16"	1"	6230	A,C	CHE/GMC C,K	52471230; 15-6872
15 1/2"	29 5/8"	1 3/16"	6312	-	Multi-Flow HD, 24880 BTU	
15 3/4"	23 3/4"	3/4"	6023	D,F	FORD; NAVISTAR	401023; 544928C1
15 3/4"	25 3/4"	3/4"	6162	-	MACK	210RD414M
15 15/16"	27 3/4"	3/4"	6238	D,E	CHE/GMC TOPKICK,KODIAK	97-2000; 52477032; 15-6926
16"	23"	1"	6256	A,B	CHE/GMC ASTRO VAN	3055040; 15-6498
16"	25"	1 1/4"	6096	A,A	CHE/GMC 40-75	3096190
16"	28"	1 1/4"	6147	D,D	CHE/GMC C,K	3053293
16"	28 3/4"	3/4"	6239	D,E	TOPKICK,KODIAK	52464174; 15-6815
16"	28 3/4"	1"	6065	A,C	NAVISTAR 9000	1677378C93
16"	29"	1 1/4"	6083	A,C	NAVISTAR	1649161C92
16"	30"	1 3/4"	6218	-	PETERBILT 320LCF	RD449310
16 1/8"	27 7/8"	1"	6261	B,B	CHE/GMC 96-99 SUBURBAN	52471231; 15-6958
16 1/2"	27 3/4"	3/4"	6049	E,E	REDDOT	RD43682-0
16 1/2"	32 3/4"	3/4"	6213	A,C	MACK MR	210RD425M
17 1/8"	34 1/2"	3/4"	6317	-	GMC C4500-8500	2006-2007 (pad fittings)
17 1/4"	27 1/2"	1 1/8"	6136	A,D	FORD E SERIES	E8OZ-19712B; E8UZ-19712B; YJ250
17 1/2"	12 1/2"	3/4"	6334	-	GMC W Ser/ ISUZU NPR	w/5.7L, V8 gas eng.
17 1/2"	25"	1"	6176	-	FORD F150/350	F4TZ-19712D; F6TZ-19712BA; YJ383
17 5/8"	30"	1 3/8"	6286	B,B	KENWORTH T300	K122-128
18"	18 1/4"	1 1/4"	6043	D,F	CHE/GMC; MACK; VOLVO	401043
18"	21 3/4"	1 1/4"	6121	D,D	FORD CF600/800	E8HZ-19712B
18"	23 3/4"	1 1/2"	6156	D,E	CHE/GMC 40-75	52450299
18"	24"	1 1/2"	6197	D,E	CHE/GMC 80-95 SERIES	3034646
18"	26 3/4"	2 1/4"	6154	-	KYSOR	401031
18"	35 1/2"	1 1/4"	6265	E,E	WESTERN STAR	61203-3409
18 1/2"	46"	3/4"	6045	D,F	REDDOT	RDG-7024-0
19"	23"	7/8"	6288	-	IHC/Navistar	2505650-C-92
19"	26"	1 1/4"	6206	A,F	NAVISTAR 4000	1618820C5
19"	32"	1"	6214	A,F	MACK CH	210RD56M
19"	37"	3/4"	6224	A,C	FORD L SERIES	F6TZ-19712A; YJ363
19 1/4"	22 3/4"	1 1/8"	6075	E,E	FORD AEROSTAR	E69Z-19712A, YJ215
19 1/4"	29 5/8"	3/4"	6326	-	Multi-Flow HD, w/bracket	
19 7/16"	23 3/16"	7/8"	6184	A,C	FORD F600/900	F5HZ-19712A; YJ342
19 7/16"	23 3/16"	7/8"	6185	D,D	FORD F700/900	F5HZ-19712B; YJ343
19 7/16"	23 3/16"	7/8"	6186	-	FORD F600/900	F5HZ-19712C; YJ344
19 7/16"	23 3/16"	7/8"	6188	C,C	FORD F700/900	F5HZ-19712E; YJ346
19 1/2"	26"	3/4"	6251	D,F	MACK VISION	210RD59M

(continued)

CONDENSERS

Listed in progressive size by Height x Length x Width (continued)

HEIGHT	LENGTH	WIDTH	PART #	FITTING		O.E.M. #
				LOCATION	APPLICATION	
19 1/2"	28"	1"	6076	A,C	FORD E SERIES	F3DZ-19712A; F64Z-19712AA; YJ381
19 9/16"	29 5/8"	1 3/16"	6314	-	Multi-Flow HD, 31206 BTU	
19 3/4"	17 1/2"	3/4"	6341	-	500/600 LCF Series	
19 5/8"	29"	7/8"	6290	D,F	MACK	210RD510M
20"	25"	7/8"	6127	A,C	FREIGHTLINER FL	BTA680-830-03-70
20"	28 1/2"	1"	6202	-	KENWORTH T400/600	K122-125
20"	29"	3/4"	6110	D,F	FREIGHTLINER	A22-25339-000
20"	29"	7/8"	6084	D,F	FREIGHTLINER	681-830-00-70
20"	29"	1 1/4"	6191	A,C	FREIGHTLINER	A22-39302-001
20"	29 1/2"	3/4"	6139	A,D	FORD L SERIES	E7HZ-19712E
20"	33"	7/8"	6287	-	FREIGHTLINER	BHT73002
20"	33 1/4"	7/8"	6283	B,B	INTERNATIONAL	3504377C1
20 1/4"	18 1/2"	7/8"	6300	B,B	NAVISTAR	2507482C92, 1E5001
20 1/4"	23 1/2"	5/8"	6299	-	NAVISTAR	2508698C92, 1E5114
20 7/8"	31 1/2"	1 5/8"	6229	D,F	FRIEGLINER	22-42084-002; N83-306275
21"	27"	1"	6204	A,D	FORD L SERIES	F4HZ-19712A; YJ339
21 1/2"	14 3/8"	3/4"	6339	-	HINO Conv. Cab	
21 1/2"	36 1/2"	3/4"	6072	-	CHE/GMC	3058197
22"	25 1/2"	3/4"	6207	A,C	NAVISTAR	481954C5
22"	25 1/2"	7/8"	6086	C,D	NAVISTAR	1675462C2
22"	29 1/2"	3/4"	6059	A,C	FORD L SERIES	F0HZ-19712F
22"	29 1/2"	3/4"	6137	A,D	FORD L SERIES	E7HZ-19712G
22"	34"	3/4"	6126	A,C	NAVISTAR	586908C92
22"	35"	3/4"	6198	B,E	CHE/GMC	3039456
22 1/8"	34 1/2"	5/8"	6345	-	FREIGHTLINER	22-62272-000
22 1/4"	32"	1"	6058	C,D	FORD L SERIES	E4HZ-19712A,B; YJ207
22 3/8"	32"	1"	6057	A,E	FORD L SERIES	E1HZ-19712A
22 1/2"	31"	1"	6157	C,D	FORD L SERIES	E4HZ-19712C; YJ208
22 1/2"	34"	1 1/2"	6064	D,F	NAVISTAR 9000	501118C1; 501118C3
23 1/4"	17 1/4"	1"	6298	-	FREIGHTLINER M2	BHT E2108, E2109; BHTP5631001
23 1/4"	31 3/8"	3/4"	6289	F,F	MACK	210RD418
23 3/4"	26 3/4"	1 1/4"	6109	C,D	NAVISTAR	483479C2; 483479C3
24"	25"	1"	6211	-	MACK DH	210RD412
24"	28"	7/8"	6128	C,C	NAVISTAR	2004801C3
24"	37"	3/4"	6201	B,F	KENWORTH T800	K122-102
24 1/2"	26"	7/8"	6293	A,C	FREIGHTLINER	ARGOSY
24 7/8"	20"	5/8"	6296	A,C	STERLING	BHT 87164
25 1/2"	26"	1"	6085	C,D	NAVISTAR	1667340C4; 1667340C5
25 3/4"	34 1/4"	3/4"	6068	B,B	FORD L SERIES	RD-4-3372-3
25 13/16"	34 3/16"	3/4"	6062	C,C	MACK	210RD277P2
25 13/16"	34 3/16"	3/4"	6105	D,D	W/REDDOT A/C	RD-4-3714-0 GRILLDENSER
26"	25 3/4"	3/4"	6227	-	NAVISTAR R134a	2000655C1; C2
26"	26 1/2"	3/4"	6069	B,B	MACK	210RD48
26"	26 1/2"	1 1/8"	6160	A,C	NAVISTAR	5869077C91
26"	27"	1"	6205	A,C	NAVISTAR 9000	2009378C1
26"	37"	3/4"	6070	B,B	KENWORTH	K122-82
26 1/4"	9 1/4"	3"	6271	-	REDDOT	RD-4-4069-1
27"	25 3/4"	1"	6192	-	NAVISTAR 8000	1674253C2
27 1/8"	31 3/16"	3/4"	6090	B,B	KENWORTH T600	K122-81
27 1/4"	20 3/8"	5/8"	6320	-	FREIGHTLINER M2	22-62339-000
27 1/4"	23 3/8"	7/8"	6330	D,D	FORD (pad fittings)	4C2Z19712DA; 6C2Z19712A
27 3/4"	16 1/4"	3/4"	6322	-	MACK	w/#6,#8 Pad type fittings
27 3/4"	23"	1"	6215	B,B	MACK CH	210RD54M
28"	16"	3/4"	6316	-	GMC C4500-8500	15112434
28"	23 1/2"	3/4"	6280	-	FORD F SER SUPER DUTY	F81Z-19712AA
29 1/8"	20"	7/8"	6228	D,F	FREIGHTLINER	22-43941-000
29 1/2"	19 3/4"	3/4"	6170	C,F	FORD L SERIES	FIHZ/F2HZ-19712A; YJ307
29 1/2"	20"	7/8"	6104	A,D	FORD L SERIES	E7HZ-19712F; YJ238
29 1/2"	24"	7/8"	6275	A,B	PETERBILT	IE4582
29 3/4"	21 1/8"	3/4"	6331	D,D	MACK	210RD428
30 1/2"	19 5/8"	1"	6295	A,C	STERLING	VAB1210364; VAL1210364
30 1/2"	24 1/4"	11/16"	6292	-	PETERBILT 2005	
31"	26"	1 1/2"	6142	-	NAVISTAR	501117C2
31 1/4"	15"	1 3/8"	6323	-	PETERBILT 335	
31 1/2"	16 1/4"	7/8"	6245/A	A,C	VOLVO/GM	3092918, 8084398; 121034
31 1/2"	19"	5/8"	6297	-	FREIGHTLINER	MOD1E5864, 1E6068


(continued)

CONDENSERS

Listed in progressive size by Height x Length x Width (continued)

HEIGHT	LENGTH	WIDTH	PART #	FITTING		O.E.M. #
				LOCATION	APPLICATION	
31 1/2"	24 1/4"	5/8"	6284	A,C	KENWORTH	486684-5008
31 5/8"	32"	3/4"	6144	E,E	PETERBILT	18-03012
32 1/4"	26 3/4"	1"	6165	D,F	FORD C	E7HZ-19712D; YJ227
32 1/2"	20 5/8"	11/16"	6342	D,F	KENWORTH T800,W900B	K122-143
33"	40 1/2"	3/4"	6081	E,E	REDDOT	RD-4-3723-0
33 1/8"	28"	1 1/4"	6273	D,F	PETERBILT	18-04015
33 1/8"	28"	1 1/4"	6301	-	PETERBILT	3S011268; F31-6097
33 1/8"	48"	7/8"	6082	B,B	MACK	4379-RD43595-2; -4
33 1/4"	19"	5/8"	6319	-	FREIGHTLINER Columbia	22-62271-000
33 5/16"	27 11/16"	3/4"	6091	C,C	KENWORTH	K122-51
33 5/16"	31 3/4"	3/4"	6088	E,E	KENWORTH	K122-47; K122-70
33 5/8"	19"	5/8"	6332	-	FREIGHTLINER	MOD1E5865, 1E6069
34"	35 1/4"	3/4"	6171	A,F	KENWORTH	K122-98
34 1/4"	19"	5/8"	6344	-	STERLING LT8000	22-62372-00, 22-65665-000
34 1/4"	37"	7/8"	6079	D,F	PTRBILT; VOLVO	18-02074; 61203-0003
34 1/2"	41"	3/4"	6131	C,C	KENWORTH; CHE/GMC	K122-84
35 5/8"	18"	1 3/8"	6321	-	WESTERNSTAR T/F Style	
35 3/4"	28"	3/4"	6054	A,A	KENWORTH T600	K122-79
36"	40 3/4"	3/4"	6078	A,C	KENWORTH W900	K122-62
36 1/2"	41"	3/4"	6208	A,E	KENWORTH W900	K122-121
37"	29 5/8"	3/4"	6282	E,F	KENWORTH	K122-149
42"	31 1/2"	3/4"	6145	A,F	KENWORTH T600/800	K122-123; K122-124
-	-	-	6178	C,C	FORD F600/800	F5HZ-19712CA; YJ368
-	-	-	6235	B,C	TOPKICK/KODIAK	15-6852
-	-	-	6291	-	MACK MR Ser.	210RD424
-	-	-	6333	-	FREIGHTLINER Chrys Sprinter	68013633AA

CONDENSERS

















Condenser Repair Fitting

PART#	PART#	Size
Brass	Alum.	
4142	4142A	#6 Male Insert O-ring
4143	4143A	#8 Male Insert O-ring

CONDENSERS

Listed in ascending order by part number; specifications are listed by Height x Length x Width
















 <p>6011 8" x 26 3/4" x 1 1/8" Male Insert O'ring Fittings - Location A,F Kenworth T450, T600; K122-93</p>	 <p>6013 9" x 32 3/4" x 1 1/8" Male Insert O'ring Fittings - Location C,D Peterbilt 18-03093; 18-03554</p>	 <p>6015 9 1/8" x 24 3/4" x 2 1/4" With Fan Assembly - 12V Male Insert O'ring Fittings - Location E,F Mack RD4-4144-2</p>
 <p>6020 12 1/4" x 23" x 1 1/4" Male Insert O'ring Fittings - Location D,F Peterbilt RD-4-3724-0</p>	 <p>6021 9 1/4" x 32 7/8" x 1 3/4" Male Insert O'ring Fittings - Location A,E Mack 4379-RD-4-4181-0</p>	 <p>6022 8 1/2" x 33" x 1 1/4" Male Insert O'ring Fittings - Location A,C Mack 210 RD46AM; 4379-RD442320</p>
 <p>6023 15 3/4" x 23 3/4" x 3/4" Male Insert O'ring Fittings - Location D,F Ford 401023; Navistar 544928C1</p>	 <p>6024 13 1/2" x 29 3/4" x 3/4" Male Insert O'ring Fittings - Location D,F For Kysor System 401024 - KA200, 220, 700</p>	 <p>6025 11 1/2" x 35 3/4" x 3/4" Male Insert O'ring Fittings - Location D,F For Kysor System 401025 - KA200, 220, 700</p>
 <p>6032 8" x 22" x 2" Location A,C Kysor 401080</p>	 <p>6033 12" x 20 1/4" x 1 1/2" Location D, E Mack 7979-401077</p>	 <p>6034 15" x 27" x 3/4" Male Insert O'ring Fittings - Location A,F Freightliner A22-25225-0 Navistar RD431970</p>
 <p>6035 6 5/8" x 23 3/4" x 1 7/8" Location A,C Kysor 401029</p>	 <p>The diagram illustrates the standard dimensions for a condenser. It shows a series of horizontal tubes with a central vertical pipe. The overall length is indicated by a double-headed arrow at the top. The overall height is indicated by a double-headed arrow on the right. Six specific fitting locations are labeled: Location A (top left), Location B (middle left), Location C (bottom left), Location D (top right), Location E (middle right), and Location F (bottom right).</p>	

CONDENSERS

CONDENSERS

Listed in ascending order by part number; specifications are listed by Height x Length x Width (continued)

CONDENSERS















 <p>6036 15 1/4" x 29 3/4" x 3/4" Male Insert O'ring Fittings - Location D,F Volvo Serpentine Aftermarket Type 61203-3002</p>	 <p>6041 12 1/2" x 27 5/16" x 3 1/4" Male Insert O'ring Fittings - Location D,F Red Dot R-9730 Unit - RD4-3646-0</p>	 <p>6042 9 1/8" x 26 1/4" x 2 1/2" Male Insert O'ring Fittings - Location ,BB Red Dot R-9720 Unit - RD4-4069-0</p>
 <p>6043 18" x 18 1/4" x 1 1/4" Male Insert O'ring Fittings - Location D,F Che/GMC, Mack, Volvo 401043</p>	 <p>6044 12 1/2" x 21 5/8" x 2 7/8" Male Insert O'ring Fittings - Location B,C Red Dot R-9737 Unit - RD4-7424-0</p>	 <p>6045 18 1/2" x 46" x 3/4" Male Insert O'ring Fittings - Location D,F Red Dot RDG-7024-0</p>
 <p>6049 16 1/2" x 31" x 3/4" Male Insert O'ring Fittings - Location E,E Radiator Mount Grilldenser RD4-3682-0</p>	 <p>6050 10 1/8" x 19 5/8" x 2 3/4" Male Insert O'ring Fittings - Location D,D Red Dot R-9727 Unit - RD4-3586-0</p>	 <p>6054 35 3/4" x 28" x 3/4" Male Insert O'ring Fittings - Location A,A Kenworth T600; K122-79</p>
 <p>6055 6 1/2" x 39 1/2" x 1" Male Insert O'ring Fittings - Location A,C Mack 210RD411M</p>	 <p>6057 22 3/8" x 32" x 1" Male Insert O'ring Fittings - Location A,E Ford L Series E1HZ-19712A</p>	 <p>6058 22 1/4" x 32" x 1" Male Insert O'ring Fittings - Location C,D Ford L Series E4HZ-19712B; YJ207</p>
 <p>6059 22" x 29 1/2" x 3/4" Male Insert O'ring Fittings - Location A,C Ford L Series F0HZ-19712F</p>	 <p>6061 11 7/16" x 20 7/8" x 1 7/8" Male Insert O'ring Fittings - Location F,F Red Dot R6000, R6060 Units - RD4-3874-0</p>	 <p>6062 25 13/16" x 34 3/16" x 3/4" Male Insert O'ring Fittings - Location C,C Mack 210RD277P2</p>



Due to size and weight this unit must be shipped LTL Carrier.

CONDENSERS

Listed in ascending order by part number; specifications are listed by Height x Length x Width (continued)

 <p>6063 12" x 20 7/8" x 3 1/3" Male Insert O'ring Fittings - Location D,D Red Dot Unit - RD4-4738-0</p>	 <p>6064 22 1/2" x 34" x 1 1/2" Male Insert O'ring Fittings - Location D,F Navistar 9000 Series - 501118C3</p>	 <p>6065 16" x 28 3/4" x 1" Male Insert O'ring Fittings - Location A,C Navistar 9000 Series - 1677378C93</p>
 <p>6066 10" x 27 1/2" x 1 3/4" Male Insert O'ring Fittings - Location A,C Freightliner w/Cat. Eng. A22-24885-000</p>	 <p>6068 25 3/4" x 34 3/16" x 3/4" Male Insert O'ring Fittings - Location B,B Ford L Series RD4-3372-3</p>	 <p>6069 26" x 26 1/2" x 3/4" Male Insert O'ring Fittings - Location B,B Mack RL-RS Series 4379-RD4-3434-1</p>
 <p>6070 26" x 37" x 3/4" Male Insert O'ring Fittings - Location B,B Kenworth T800; K122-82</p>	 <p>6072 21 1/2" x 36 1/2" x 3/4" Male Insert O'ring Fittings Che/GMC Bison-General 3058197</p>	 <p>6075 19 1/4" x 22 3/4" x 1 1/8" - Location E,E #8 Female Springlock, #6 Female Springlock Ford Aerostar E69Z-19712A; YJ215</p>
 <p>6076 19 1/2" x 28" x 1" - Location AC #8 Male Springlock, #6 Female Springlock Ford E Series F3DZ-19712A; F64Z-19712AA; YJ381</p>	 <p>6078 36" x 40 3/4" x 3/4" Male Insert O'ring Fittings - Location AC Kenworth W900; K122-62</p>	 <p>6079 34 1/4" x 37" x 7/8" Male Insert O'ring Fittings - Location DF Peterbilt 18-02074; Volvo 61203-0003</p>
 <p>6081 33" x 40 1/2" x 3/4" Male Insert O'ring Fittings - Location EE Red Dot various models RD4-3723-0</p>	 <p>The diagram shows a condenser with horizontal tubes. The overall length is indicated by a dimension line at the top. The height is indicated by a dimension line on the right. Six fitting locations are labeled: Location A (top left), Location B (middle left), Location C (bottom left), Location D (top right), Location E (middle right), and Location F (bottom right).</p>	

CONDENSERS



















Due to size and weight this unit must be shipped LTL Carrier.

CONDENSERS

Listed in ascending order by part number; specifications are listed by Height x Length x Width (continued)















CONDENSERS

 <p>6082 33 1/8" x 48" x 7/8" Male Insert O'ring Fittings - Location BB Mack 4379-RD43595-4</p>	 <p>6083 16" x 29" x 1 1/4" Male Insert O'ring Fittings - Location AC Navistar 1649161C92</p>	 <p>6084 20" x 29" x 7/8" Male Insert O'ring Fittings - Location DF Freightliner w/Det 60 Series 681-830-00-70</p>
 <p>6085 25 1/2" x 26" x 1" Male Insert O'ring Fittings - Location CD Navistar 1667340C5</p>	 <p>6086 22" x 25 1/2" x 7/8" Male Insert O'ring Fittings - Location CD Navistar 1675462C2</p>	 <p>6087 8" x 31" x 1" Male Insert O'ring Fittings - Location CD Peterbilt 379 Series 18-02915</p>
 <p>6088 33 5/16" x 31 3/4" x 3/4" Male Insert O'ring Fittings - Location EE Kenworth K122-70, K122-47</p>	 <p>6089 14 1/8" x 20" x 3/4" Male Insert O'ring Fittings - Location AC Kenworth, Peterbilt RD4-4161-0</p>	 <p>6090 27 1/8" x 31 3/16" x 3/4" Male Insert O'ring Fittings - Location BB Kenworth T600, K122-81</p>
 <p>6091 33 5/16" x 27 11/16" x 3/4" Male Insert O'ring Fittings - Location CC Kenworth K122-51</p>	 <p>6093 8 1/2" x 32 3/4" x 1 1/8" Male Insert O'ring Fittings - Location D,F Mack 210RD410M</p>	 <p>6094 15" x 36" x 7/8" - Location D,F Universal Parallel Flow Copper Tube and Fin - #8 Inlet; #6 Outlet Volvo Serpentine (O.E.M.) Type 61203-3002</p>
 <p>6096 16" x 25" x 1 1/4" Male Insert O'ring Fittings - Location A,A Che/GMC - C, M, W 40-75; 3096190</p>	 <p>6104 29 1/2" x 20" x 7/8" Male Insert O'ring Fittings - Location A,D Ford L Series E7HZ-19712F; YJ238</p>	 <p>6105 25 13/16" x 34 3/16" x 3/4" Male Insert O'ring Fittings - Location D,D Navistar S Series</p>

 Due to size and weight this unit must be shipped LTL Carrier.

CONDENSERS

Listed in ascending order by part number; specifications are listed by Height x Length x Width (continued)

 <p>6109 23 3/4" x 26 3/4" x 1 1/4" Male Insert O'ring Fittings - Location C,D Navistar 483479C2</p>	 <p>6110 20" x 29" x 3/4" Male Insert O'ring Fittings - Location D,F Freightliner A22-25339-000 Radiator Mount</p>	 <p>6115 8" x 38" x 1 3/4" Male Insert O'ring Fittings - Location A,F Volvo 61203-3203</p>
 <p>6121 18" x 21 3/4" x 1 1/4" Male Insert O'ring Fittings - Location DD Ford CF600/800; E8HZ-19712B</p>	 <p>6126 22" x 34" x 3/4" Male Insert O'ring Fittings - Location AC Navistar 586908C92</p>	 <p>6127 20" x 25" x 7/8" Male Insert O'ring Fittings - Location AC Freightliner FL50, FL112, FLL, FLB BTA680-830-03-70; A680-830-0370</p>
 <p>6128 24" x 28" x 7/8" Male Insert O'ring Fittings - Location CC Navistar 2004801C3</p>	 <p>6129 8" x 29 1/2" x 1 3/4" Male Insert O'ring Fittings - Location AF Mack 210RD45A</p>	 <p>6131 34 1/2" x 41" x 3/4" Male Insert O'ring Fittings - Location CC Che/GMC C, M, W 40-75; 3046692; Kenworth K122-84</p>
 <p>6132 9 1/2" x 29" x 3" Male Insert O'ring Fittings - Location DF Mack 210RD413</p>	 <p>6136 17 1/4" x 27 1/2" x 1 1/8" - Location AD #8 Male Springlock; #6 Male Springlock Ford E Series; E8UZ-19712B; YJ250</p>	 <p>6137 22" x 29 1/2" x 3/4" Male Insert O'ring Fittings - Location AD Ford L Series Fittings Facing the side E7HZ-19712G</p>
 <p>6139 20 x 29 1/2" x 3/4" Male Insert O'ring Fittings - Location AD Ford L Series E4HZ-19712E</p>		

CONDENSERS



















Due to size and weight this unit must be shipped LTL Carrier.

CONDENSERS

Listed in ascending order by part number; specifications are listed by Height x Length x Width (continued)















CONDENSERS

 <p>6142 31" x 26" x 1 1/2" Male Insert O'ring Fittings Navistar 501117C2</p>	 <p>6144 31 5/8" x 32" x 3/4" Male Insert O'ring Fittings - Location EE Peterbilt 18-03012</p>	 <p>6145 42" x 31 1/2" x 3/4" Male Insert O'ring Fittings - Location A,F Kenworth T600/800; K122-123, K122-124</p>
 <p>6146 9" x 33" x 1 3/4" Male Insert O'ring Fittings - Location C,D Volvo 61203-3211</p>	 <p>6147 16" x 28" x 1 1/4" Male Insert O'ring Fittings - Location D,D Che/GMC C-K Series 3053293</p>	 <p>6154 18" x 26 3/4" x 2 1/4" Kysor 401031</p>
 <p>6156 18" x 23 3/4" x 1 1/2" Male Insert O'ring Fittings - Location D,E Che/GMC C, M, W 40-75 Series 52450299</p>	 <p>6157 22 1/2" x 31" x 1" Female O'ring Fittings - Location C,D Ford L Series E4HZ-19712C; YJ208</p>	 <p>6160 26" x 26 1/2" x 1 1/8" Male Insert O'ring Fittings - Location A,C Navistar 586907C91</p>
 <p>6162 15 3/4" x 25 3/4" x 3/4" Mack 210RD414M</p>	 <p>6165 32 1/4" x 26 3/4" x 1" Male Insert O'ring Fittings - Location D,F Ford C, CL, CLT, CT; E7HZ-19712D; YJ227</p>	 <p>6168 15" x 28 3/4" x 7/8" - Location D,F Volvo/White 61203-0012</p>
 <p>6170 29 1/2" x 19 3/4" x 3/4" #8 Female Springlocks - Location C,F Ford L Series F2HZ-19712A; YJ307</p>	 <p>6171 34" x 35 1/4" x 3/4" Male Insert O'ring Fittings - Location A,F Kenworth W900; K122-98</p>	 <p>6176 17 1/2" x 25" x 1" Ford F150/350 F4TZ-19712D; F6TZ-19712BA; YJ383</p>

 Due to size and weight this unit must be shipped LTL Carrier.

CONDENSERS

Listed in ascending order by part number; specifications are listed by Height x Length x Width (continued)



















 <p>6178 Ford F600/800 - Location C,C F5HZ-19712CA; YJ368</p>	 <p>6184 18 7/16" x 23 3/16" x 7/8" Location A,C Ford F600/900 F5HZ-19712A; YJ342</p>	 <p>6185 19 7/16" x 23 3/16" x 7/8" Location D,D Ford F700/900 F5HZ-19712B; YJ343</p>
 <p>6186 19 7/16" x 23 3/16" x 7/8" Ford F600/900 F5HZ-19712C; YJ344</p>	 <p>6188 19 7/16" x 23 3/16" x 7/8" Location C,C Ford F700/900 F5HZ-19712E; YJ346</p>	 <p>6191 20" x 29" x 1 1/4" Location A,C Freightliner A22-39302-001</p>
 <p>6192 27" x 25 3/4" x 1" Navistar 8000 Series w/R134a 1674253C2</p>	 <p>6195 9 1/4" x 37" x 3/4" Male Insert O'ring Fittings - Location A,F Western Star 61203-3403</p>	 <p>6196 22" x 35" x 1" Male Insert O'ring Fittings - Location A,E Che/GMC Bison-General 3042163</p>
 <p>6197 18" x 24" x 1 1/2" - Location D,E #8 Male Insert O'ring; #6 Female O'ring Che/GMC Series 80-95 3034646 use w/3 Row Radiator</p>	 <p>6198 22" x 35" x 3/4" Male Insert O'ring Fittings - Location B,E Che/GMC Brig/Bruin 3039456</p>	 <p>6200 10" x 27 1/2" x 1 3/4" Male Insert O'ring Fittings - Location D,F Freightliner FLD, Classic XL A22-32466-001; BEHR #BB19757</p>
 <p>6201 24" x 37" x 3/4" Male Insert O'ring Fittings - Location B,F Kenworth T800; K122-102</p>	 <p>The diagram illustrates the standard dimensions for a condenser. It shows a series of horizontal tubes with a central vertical support. The overall length is indicated by a double-headed arrow at the top. The overall height is indicated by a double-headed arrow on the right. Six specific fitting locations are marked with arrows and labeled: Location A (top left), Location B (middle left), Location C (bottom left), Location D (top right), Location E (middle right), and Location F (bottom right).</p>	


CONDENSERS

CONDENSERS

Listed in ascending order by part number; specifications are listed by Height x Length x Width (continued)











CONDENSERS

 <p>6202 20" x 28 1/2" x 1" Male Insert O'ring Fittings Kenworth T400, T600; K122-125</p>	 <p>6203 14" x 26 1/2" x 1" Male Insert O'ring Fittings - Location C,D Volvo 8164786</p>	 <p>6204 21" x 27" x 1" Male Insert O'ring Fittings - Location A,D Ford L Series F4HZ-19712A; YJ349</p>
 <p>90° #6 #8 6205 26" x 27" x 1" Male Insert O'ring Fittings - Location A,C Navistar 9000 Series w/R134a 2009378C1</p>	 <p>6206 19" x 26" x 1 1/4" Male Insert O'ring Fittings - Location A,F Navistar 4000 Series 1618820C5</p>	 <p>6207 22 x 25 3/4" x 7/8" Male Insert O'ring Fittings - Location A,C Navistar 481954C5</p>
 <p> 6208 36 1/2" x 41" x 3/4" Male Insert O'ring Fittings - Location A,E Kenworth W900B; K122-121</p>	 <p>6209 10" x 25 1/4" x 1" Male Insert O'ring Fittings - Location C,D Kenworth T600, T800; K122-104</p>	 <p> 6211 24" x 25" x 1" Male Insert O'ring Fittings Mack DH Series 210RD412</p>
 <p>6212 10 1/2" x 33 3/4" x 1 1/2" Male Insert O'ring Fittings - Location A,A Mack CH Series 210RD421M</p>	 <p>6213 16 1/2" x 32 3/4" x 3/4" Male Insert O'ring Fittings - Location A,C Mack Series 210RD425M</p>	 <p>6214 19" x 32" x 1" Male Insert O'ring Fittings - Location A,C Mack CH Series 210RD56M</p>
 <p> 6215 27 3/4" x 23" x 1" Male Insert O'ring Fittings - Location B,B Mack CH Series 210RD54M</p>	 <p>6216 10 1/2" x 27 1/2" x 1" Male Insert O'ring Fittings - Location A,F (does not include mounting brackets) Peterbilt 23-12752</p>	 <p>6218 16" x 30" x 1 3/4" Male Insert O'ring Fittings Peterbilt 320 Series RD4-4931-0</p>

 Due to size and weight this unit must be shipped LTL Carrier.

CONDENSERS

Listed in ascending order by part number; specifications are listed by Height x Length x Width (continued)















 <p>6219 10" x 25 3/4" x 1" Male Insert O'ring Fittings - Location A,F Peterbilt 18-03544</p>	 <p>6220 8" x 28 1/2" x 1" Male Insert O'ring Fittings - Location C,D Peterbilt 18-03543</p>	 <p>6222 14" x 26 1/4" x 1" Location D,F Volvo 8022509</p>
 <p>6224 19" x 37" x 3/4" Male Insert O'ring Fittings - Location A,C Ford L Series F6HZ-19712A;YJ363</p>	 <p>6226 10" x 26 1/2" x 1" - Location C,D Peterbilt 18-03229</p>	 <p>6227 26" x 25 3/4" x 3/4" Navistar 2000-4000 w/R134a 2000655-C2</p>
 <p>6228 29 1/2" x 20" x 7/8" Location D,F FREIGHTLINER O.E. 22-43941-000</p>	 <p>6229 20 7/8" x 31 1/2" x 1 5/8" Inlet No. 8 Outlet No. 6 Tube O-Ring Fittings - Location D,F FREIGHTLINER O.E. N83-306275, 22-42084-002; C112,C120 Century Class</p>	 <p>6230 15 7/16" x 27 13/16" x 1" Location A,C Che/GMC C/K Series 52471230; 15-6872</p>
 <p>6232 13" x 31 3/4" x 1 3/4" Location C,D Che/GMC G-Vans 52457928; 15-6702</p>	 <p>6234 13 7/8" x 26" x 1" Location F,F Che/GMC S-T Series 52462672; 15-6911</p>	 <p>6235 Che/GMC 94-96 Topkick Kodiak w/6.0, 7.0 Eng., 15-6852</p>
 <p>6238 15 1/4" x 27 3/4" x 3/4" Location D,E 97-2000 Topkick, Kodiak 15-6926</p>	 <p>Diagram illustrating the dimensions and fitting locations for the condenser. The diagram shows a condenser with horizontal tubes. The overall length is indicated by a dimension line at the top. The overall height is indicated by a dimension line on the right. Six fitting locations are labeled: Fitting Location A, B, and C on the left side; and Fitting Location D, E, and F on the right side.</p>	


CONDENSERS

CONDENSERS

Listed in ascending order by part number; specifications are listed by Height x Length x Width (continued)















CONDENSERS

<p>See page 306 for UNIVERSAL STYLE CONDENSERS and BRACKETS</p>	 <p>6239 16" x 28 3/4" x 3/4" Location D,E Che/GMC C, M, W 40-75 with 6.6L 52464174; 15-6815</p>	 <p>6245A (Aluminum PF Type) 31 1/2" x 16 1/4" x 7/8" Volvo VN 8084348; 20461065; Valeo 1210340</p>
 <p>6250 6" x 36 1/4" x 1 7/8" Volvo 61203-3406</p>	 <p>6251 19 1/2" x 26" x 7/8" - Location D,F Mack Vision 210RD59M</p>	 <p>6253 7 1/8" x 18 1/2" x 2 1/2" Location B,B Red Dot RD9725 Unit, RD4-4440-0</p>
 <p>6256 16" x 23" x 1" - Location A,B Che/GMC Astro-Safari 3055040</p>	 <p>6261 16 1/8" x 27 7/8" x 1" - Location B,B Che/GMC Suburban 52471231; 15-6958</p>	 <p>6265 18" x 35 1/2" x 1 1/4" - Location E,E Western Star 61203-3409</p>
 <p>6271 26 1/4" x 9 1/4" x 3" - Location B,B Red Dot Unit RD4-4069-1</p>	 <p>6273 33 1/8" x 28" x 1 1/4" - Location D,F Peterbilt 18-04015</p>	 <p>6275 29 1/2" x 24" x 7/8" - Location A,B Peterbilt IE-4582</p>
 <p>28-3/4" 26" #8 MOR #6 MOR</p> <p>6276 VOLVO GM O.E. #8074693 14" x 26" x 1-3/8" - Location D,F</p>	 <p>6280 28" x 23 1/2" x 3/4" Block Fitting Ford F Super Duty F81Z-19712AA;YJ408</p>	 <p>6282 37" x 29 5/8" x 3/4" - Location E,F Kenworth K122-149</p>

 Due to size and weight this unit must be shipped LTL Carrier.

CONDENSERS

Listed in ascending order by part number; specifications are listed by Height x Length x Width (continued)

 <p>6283 20" x 33 3/4" x 7/8" - Location B,B International 3504377C1</p>	 <p>6284 31 1/2" x 24 1/4" x 5/8" - Location A,C (re-use o.e. corner brackets) Kenworth 486684-5008</p>	 <p>6286 17 5/8" x 30" x 1 3/8" - Location B,B KENWORTH T300, O.E. #K122-128</p>
 <p>6287 20" x 33" x 7/8" w/Pad Fittings Inlet: #8, Stat seal #0131 - Outlet #6, Stat seal #0130 Freightliner O.E. BHT73002</p>	 <p>6288 19" x 23" x 7/8" 4000, 7000, 8000 Series (pad connectors) IHC/Navistar 2505650C-92</p>	 <p>6289 23 1/4" x 31 3/8" x 3/4" - Location F,F MACK RD688, O.E. 210RD418</p>
 <p>6290 19 5/8" x 29" x 7/8" - Location D,F Inlet No. 8 Male Insert O-Ring Outlet No. 6 Male Insert O-Ring MACK O.E. 210RD510M</p>	 <p>6291 MACK MR Ser. O.E. 210RD424</p>	 <p>6292 30 1/2" x 24 1/4" x 11/16" PETERBILT 2005 O.E. 1E5611 (pad fittings)</p>
 <p>6293 24 1/2" x 26" x 7/8" - Location A,C Inlet No. 8 Outlet No. 6 Tube O-Ring Fitt FREIGHTLINER ARGOSY</p>	 <p>6294 12 5/8" x 24 13/16" x 3/4" #6, #8 metric - Location D,D FREIGHTLINER SPRINTER</p>	 <p>6295 30 1/2" x 15 5/8" x 1" - Location A,C Inlet No. 8 O-Ring Outlet No. 8 O-Ring 2003 STERLING SERIES O.E.#VAB1210364; VAL1210364</p>
 <p>6296 24 7/8" x 20" x 5/8" - Location A,C Inlet No. 8 MIO Outlet No. 8 MIO STERLING BHT 87164, BHT61331</p>	 <p>Length</p> <p>Height</p> <p>Fitting Location A</p> <p>Fitting Location B</p> <p>Fitting Location C</p> <p>Fitting Location D</p> <p>Fitting Location E</p> <p>Fitting Location F</p>	

CONDENSERS


















Due to size and weight this unit must be shipped LTL Carrier.

CONDENSERS

Listed in ascending order by part number; specifications are listed by Height x Length x Width (continued)

CONDENSERS















 <p>6297 31 1/2" x 19" x 5/8" (block connectors) Freightliner 1E5864, 1E6068</p>	 <p>6298 23 1/4" x 17 1/4" x 1" (block connectors) Freightliner M2, BHT E2108; BHTP5631001</p>	 <p>UPS 6299 20 1/4" x 23 1/2" x 5/8" Navistar 2508698C92, 1E5114 (pad fittings)</p>
 <p>6300 20 1/4" x 18 1/2" x 7/8" - Location B,B (pad fittings) Navistar 2507482C92, 1E5001</p>	 <p>6301 33 1/8" x 28" x 1 1/4" #6, #8 MIO fittings Peterbilt oe# F31-6097, 3S011268</p>	 <p>6316 28" x 16" x 3/4" (block connectors) 2003-05 GMC C4500-8500 oe#15112434</p>
 <p>6317 17 1/8" x 34 1/2" x 3/4" (block connectors) 2006-07 GMC C4500-8500 oe# 15829430</p>	 <p>6318 13 5/8" x 12 1/2" x 7/8" (metric fittings) 2006-1999 Isuzu NPR, GMC W3500-4500 w/ Isuzu engine (condenser w/screen)</p>	 <p>6319 33 1/4" x 19" x 5/8" (block connectors) Freightliner, Columbia w/Det 60 Series engine oe# 22-62271-000</p>
 <p>6320 27 1/4" x 20 3/8" x 5/8" (block connectors) Freightliner M2 oe# 22-62339-000</p>	 <p>6321 35 5/8" x 18" x 1 3/8" #6, #8 MIO fittings Western Star T/F Style oe# 61203-3418</p>	 <p>6322 27 3/4" x 16 1/4" x 3/4" #6 and #8 (pad fittings) Mack oe# 210RD-514M</p>
 <p>6323 31 1/4" x 15" x 1 3/8" #6, #8 MIO fittings Peterbilt 335 oe# 3S010633</p>	 <p>6326 19 1/4" x 26 3/4" x 3/4" bracket built into condenser RD4-5709-0</p>	 <p>6330 27 1/4" x 23 3/8" x 7/8" - Location D,D Ford E-350 Van 2006-2004 (pad fittings) O.E.# 4C2Z19712DA, 6C2Z19712A</p>



Due to size and weight this unit must be shipped LTL Carrier.

CONDENSERS

Listed in ascending order by part number; specifications are listed by Height x Length x Width (continued)

 <p>6331 29 3/4" x 21 1/8" x 3/4" #6, #8 MIO fittings - Location D,D MACK 210RD428</p>	 <p>6332 33 5/8" x 19" x 3/4" (block connectors) 06-07 Columbia, Coronado oe# 1E5865 , 1E6069</p>	<p>Photo Not Available</p> <p>6333 Freightliner, Chrys Sprinter oe# 68013633AA</p>
 <p>6334 17 1/2" x 12 1/2" x 3/4" block and metric fitting Isuzu NPR, GMC W Series w/5.7L, V8 gas engine</p>	 <p>6335 10 1/2" x 21 1/4" x 3/4" - metric fittings Isuzu NPR, GMC T7500/8500 w/ Isuzu engine</p>	 <p>6336 12 3/8" x 11 1/4" x 1 1/4" (2) block connections Mitsubishi/Fuso FE 639/640 w/4.9L</p>
 <p>6337 12 5/8" x 12 5/8" x 3/4" (2) block connections Mitsubishi/Fuso FE 140/145 w/4.9L</p>	 <p>6338 11" x 15" x 1 1/4" (metric fittings) Mitsubishi/Fuso FM260/330 w/5.9L</p>	 <p>6339 21 1/2" x 14 3/8" x 3/4" (2) block connections HINO Conv. Cab</p>
 <p>6340 13" x 16" x 3/4" (block and metric fitting) Nissan UD LCF 4.7/6.9L</p>	 <p>6341 19 3/4" x 17 1/2" x 3/4" (2 block connections) 2006-07 CF 500-600 Series LCF</p>	 <p>6342 32 1/2" x 20 5/8" x 11/16" - Location D,F #6, #8 Male Insert O-Ring Fittings Kentworth T800, W900B oe# K122-143</p>
 <p>6344 33 1/4" x 19" x 5/8" (block fittings) 2008 Sterling LT8000 ISC Eng. 22-62372-00, 22-65665-000</p>	 <p>6345 22 1/8" x 34 1/2" x 5/8" (pad manifold) 2009 Freightliner oe# 22-62272-000</p>	

CONDENSERS

CONDENSERS


Multi-Flow Aluminum Heavy Duty RetroFit Condenser - for Add-On A/C



Frame is designed for numerous mounting locations



Multi-Flow Cross Section




4 Pass Coil

Male Insert O'ring Fittings, High density fin count produces exceptional heat transfer.

PART#	A	B	C	Width	BTU's
6302	10 3/4	25 3/4	22 5/8	1 3/16	14405
6304	12	21 3/4	18 13/16	1 3/16	12940
6306	12	25 3/4	22 13/16	1 3/16	15965
6324	14	14	11 5/16	3/4	n/a
6325	14	18	16 1/4	3/4	n/a
6308	14	21 3/4	18 13/16	1 3/16	15230
6310	14	25 3/4	22 13/16	1 3/16	18476
6312	15 1/2	29 5/8	26 11/16	1 3/16	24880
6326	19 1/4	29 5/8	26 3/4	3/4	n/a
(bracket built into condenser)					
6314	19 9/16	29 5/8	28 11/16	1 3/16	31206

CONDENSERS


Power Condensers




6015 12V
9 1/8" x 24 3/4" x 2 1/4"
with Fan Assembly (12v)
Male Insert O'ring Fittings - Location EF
Mack RD4-4144-2




6415 12V
10 1/8" x 22 5/8" x 2 3/4"
Male Insert O'ring Fittings - Location AB



6420 12V
6421 24V
14 1/4" x 22 1/2" x 3 3/4" - 910CFM
Male Insert O'ring Fittings - Location DF




6423 12V
6424 24V
15 1/4" x 25 1/4" x 4 3/4"
Male Insert O'ring Fittings - Location DF




6425 12V
6426 24V
12 7/8" x 33 1/2" x 4"
Male Insert O'ring Fittings - Location AB

Condenser Bracket Kits



9010
Universal Condenser Bracket Kit
Attaches directly to condenser



9013
Multi-Flow Condenser Brackets
Attaches directly to aluminum multi-flow condensers
(supplied in pairs)