

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Data Sheet

Fujitsu LIFEBOOK T730 Tablet PC

Twist to Touch

LIFEBOOK T730

The LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!

Pen- or finger-based work without any restrictions

Either as notebook or Tablet PC, comfortable working in any situation.

- Bi-directional rotatable, tiltable 30.7 cm (12.1-inch) dual digitizer display with multiple touch capability

Flexible working

Increase your productivity and adapt the notebook to your particular way of work.

- Modular bay for an optional second hard disk drive, DVD drive, Blu-ray Disc™ combo drive or second battery

Maximum connectivity

Stay connected wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

- Optional embedded 3G/UMTS with GPS, WLAN and Bluetooth

Highest Security

Protect your most valuable asset – your data.

- Advanced Theft Protection, Computrace® enabled BIOS, optionally integrated TPM Module and fingerprint sensor

Ergonomic working

Automatic adaption of the brightness of your display to your working environment for a longer battery runtime.

- Ambient Light Sensor (ALS)



Components

Processor	Intel® Core™ i7-640M processor (2.80 GHz, 4 MB) Intel® Core™ i7-620M processor (2.66 GHz, 4 MB) Intel® Core™ i5-560M processor (2.66 GHz, 3 MB) Intel® Core™ i5-540M processor (2.53 GHz, 3 MB) Intel® Core™ i5-520M processor (2.4 GHz, 3 MB) Intel® Core™ i5-480M processor (2.66 GHz, 3 MB) * Intel® Core™ i5-460M processor (2.53 GHz, 3 MB) * Intel® Core™ i3-380M processor (2.53 GHz, 3 MB) * Intel® Core™ i3-370M processor (2.40 GHz, 3 MB) *
	*Processor only for retail, SMB, education and government
Operating system	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit
Operating system compatible	Genuine Windows Vista® Business 32-bit Genuine Windows® XP Tablet PC Edition 2005
Operating system notes	Driver support for Microsoft® Windows® XP Microsoft Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite.
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM 4 GB (1 module(s) 4 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM
Supported capacity RAM (max.)	8 GB
Memory slots total	2
Memory slot type	DIMM
Hard disk drives (internal)	SSD SATA, 128 GB, 2.5-inch SSD SATA, 64 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software
WLAN (optional)	Atheros Minicard b/g/n Intel® Centrino® 6200 802.11 a/b/g/n
Wireless technologies	
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth antenna
WLAN notes	Import and usage according to country-specific regulations.
3G/UMTS (optional)	Sierra Wireless Gobi 2000 (downlink 7.2 Mbit/s, uplink 5.76 Mbit/s)
Bluetooth (optional)	Bluetooth 2.1
Display	30.7 cm (12.1-inch), TFT dual digitizer, (WXGA), Anti-glare touchscreen, 1280 x 800 pixel, 600, 200 cd/m ² 30.7 cm (12.1-inch), TFT dual digitizer, (WXGA), Anti-glare touchscreen, 1280 x 800 pixel, 500, 300 cd/m ²

Modular bay options	2nd battery 2nd hard disk drive Blu-ray Disc™ Combo Drive DVD Super Multi Weight saver
Base unit	LIFEBOOK T730
General system information	
Chipset	Intel® QM57
Chipset notes	supports iAMT 6.0, vPro requires Core i5-5xx / i7 processor, Intel W-LAN & TPM module
BIOS features	BIOS Flash EPROM BIOS based on Phoenix TrustedCore Notebook
Display	
Display notes	Optional Wide-View High-Brightness LED WXGA Display (for enhanced outdoor viewing) or standard LED WXGA Display
Brightness - typical	300 cd/m ² (high brightness display), 200 cd/m ² (standard display)
Contrast - typical	500
Digitizer	Dual Digitizer for pen input plus capacitive multi-touch screen
Graphics	
TFT resolution (HDMI)	up to 1920 x 1200
TFT resolution (VGA)	up to 1920 x 1200
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200
Max. resolution external display	1920 x 1200 / true color / 85 Hz
Graphics brand name	Intel® HD Graphics
Graphics features	DirectX® 10.1 support - for stunning 3D graphics and shading effects
Interfaces	
Memory card slots	1 (SD/SDHC/SDXC/MS/MSPro)
ExpressCard slots	1 (54mm supported)
SIM card slot	1 (usable only with 3G/UMTS)
USB 2.0 total	3
FireWire (IEEE1394)	1
VGA	1
HDMI	1
Ethernet (RJ-45)	1
DC-in	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
Internal microphones	2
Docking connector for Port Replicator	1
Kensington Lock support	1
Wired communication	
LAN	Built-in 10/100/1000 MBit/s Intel® 82577 LM

Keyboard and pointing devices

Spill-resistant keyboard
Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm
Fingerprint sensor
Launch keys
Status LED
Application buttons
Tablet Pen
Touch-screen
Touchpad with two mouse buttons and ergonomic scroll sensor

Multimedia

Audio type	On board
Audio codec	Realtek ALC269
Audio features	Stereo speakers, 2 internal microphones
Camera	Optional: Built-in webcam, 2.0 megapixel

Power supply

AC adapter	19 V / 80 W (4.22 A)
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery	Li-Ion battery 6-cell, 5200 mAh, 56 Wh Li-Ion battery 6-cell, 5800 mAh, 63 Wh
2nd battery (optional)	Li-Ion battery 6-cell, 3800 mAh, 41 Wh
Battery features	Dynamic charge supported (rapid charge)
Benchmark	Mobile Mark 2007 (readers mode – e.g. surfing the internet, writing E-mails, viewing documents)
Runtime 1st battery	up to 7 h
Runtime 1st + 2nd battery	up to 11 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.

Power consumption

Power consumption note	See white paper Energy Consumption
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=1fc40c36-e743-4f37-8bd1-e95b89cad403

Dimensions / Weight / Environmental

Dimensions (W x D x H)	297 x 233 x 38.4 (without foot)
Weight	From 1.8 kg
Weight notes	Actual weight may vary depending on configuration
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 % (running)

Additional Software

Additional software (preinstalled)	Adobe Acrobat Reader Application Panel Camera Drivers & Utilities DVD (DUDVD) Microsoft® Office Starter 2010 (32-bit) Nero Essentials (burning software) EasyGuide online user documentation Tablet Button Utility Microsoft® Touch Pack for Windows® 7 Norton Internet Security (incl. Firewall) 90 days version Display Manager Security Application Panel
------------------------------------	---

Additional Software

Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software Recovery DVD (Windows® 7)
---------------------------------------	---

Additional software (included as a CD/DVD)	SmartCase Logon+
---	------------------

Manageability

Manageability features	DeskUpdate Driver management Intel® vPro™ technology
-------------------------------	---

Manageability type	DeskView 10.x client management including:
---------------------------	--

DeskView features	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)
--------------------------	--

Supported standards	WMI PXE BootP (made4you)
----------------------------	--------------------------------

Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html
---------------------------	---

Security

Physical security	Kensington Lock support
--------------------------	-------------------------

System security	Computrace® enabled BIOS Norton Internet Security (incl. Firewall) 90 days version Write protect option for the Flash EPROM Control of all USB interfaces Advanced Theft Protection User and supervisor BIOS password Optional: Trusted platform module (TPM 1.2)
------------------------	---

User security	Integrated Fingerprint Sensor Hard disk password SmartCase Logon+ incl. fingerprint sensor & security software User and supervisor BIOS password
----------------------	---

Compliance

Model	LIFEBOOK T730
--------------	---------------

Germany	TÜV GS
----------------	--------

Europe	CE CB EN 60601-1-2:2007 certified for use in environment with medical application (in progress) Nordic Swan
---------------	--

USA/Canada	cUL FCC Class B
-------------------	--------------------

Global	Microsoft Operating Systems (HCT / HCL entry / WHQL) RoHS (Restriction of hazardous substances) WiFi certified WEEE (Waste electrical and electronic equipment) ENERGY STAR® 5.0 EPEAT® Gold
---------------	---

Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
------------------------	---

Port Replicator interfaces (optional)

Portreplicator\AC Adapter\EU-Cable Kit

Portreplicator\AC Adapter\GB-Cable Kit

Port Replicator interfaces (optional)

DC-in	1	1
Power on switch	1	1
Audio: headphone	1	1
USB 2.0 total	4	4
VGA	1	1
DVI	1	1
Ethernet (RJ-45)	1	1
Kensington Lock support	1	1

Warranty

Standard Warranty	2 years
Service level	Collect & Return Service / Bring-in Service (depending on country)

Maintenance and Support Services - the perfect extension

Recommended Service	3 years, Collect and Return Service, where available: On-site Service
Spare Parts availability	5 years
Service Weblink	http://ts.fujitsu.com/Supportservice



Recommended Accessories

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)

Flexibility, expandability, desktop replacement – to name just a few benefits of Fujitsu docking options.

Order Code:
S26391-F794-L310

LIFEBOOK bundle (Port rep\AC Adapter\UK-Cable Kit)

Flexibility, expandability, desktop replacement – to name just a few benefits of Fujitsu docking options.

Order Code:
S26391-F794-L410

2nd battery

With a second battery you can maximize the working time of your notebook and work wherever you want for a whole working day. Just put the 2nd battery into the modular bay and enjoy truly mobile working – free from the power socket!

Order Code:
S26391-F777-L200

Car / Truck / Air Adapter

People who are often on business or private trips want to power up and recharge their handhelds, tablet PCs and notebooks anywhere and anytime.

Fujitsu's goal is to anticipate our customers' wishes and therefore we offer the Car / truck / air adapter for use in cars, lorries, boats, caravans and airplanes. This power adapter fulfills two basic functions: charging and powering of the device through transformation of the on-board voltage (11 - 32 V) and on the other hand protection of the connected device against interference - for more power on the move.

Order Code:
S26391-F2613-L600

**MicroSaver® Master Access DS,
MicroSaver® DSMicrosaver® DS
Ultra thin**



Losing your notebook is unthinkable. Protect your computer with incomparable security, the disc lock. The most advanced disc locking technology is featured with carbon tempered steel core cable, external braided steel sheath, and patented T-Bar. This model offers the Master Access solution. The Kensington MicroSaver® DS Keyed Ultra-Thin Notebook Lock is designed for the ultimate defense of even the thinnest notebook. The nearly impenetrable disk style keyed locking mechanism along with an advanced cable design provides greater security.

Order Code:
S26361-F1650-L900

Prestige Case Midi



Zip-down case with cushioned Notebook compartment; separate second compartment for mobile accessories and documents; exterior compartment with workstation for mobile accessories; cushioned shoulder strap; trolley fastening strap on the back side For Tablet PC and Notebooks up to 370 x 295 x 50 mm

Order Code:
S26391-F119-L60

Presenter IV Air



Do you often give presentations? Would you like to communicate pro actively with your audience during your presentations? Step up to the plate and make use of your freedom of movement with the Presenter IV Air Whether you're leafing through informative material, adjusting audio files or using the laser pointer to indicate special features, you have everything reliably under control with this presenter. Thanks to the 2D air mouse function you can even do away with the cable mouse and navigate through your files with ease

Order Code:
S26381-K440-L100

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK T730, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK T730, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://ts.fujitsu.com/tabletpc>

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions
Website: <http://ts.fujitsu.com>
2011-03-07 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions