

 **2019-2020**
WINSTED CATALOG

Winsted[®]

Control Room Consoles



THE GLOBAL LEADER 
CONSOLES • FURNITURE • RAISED FLOORS & MORE

 800.447.2257

 winsted.com

 info@winsted.com



WINSTED CORPORATION

Winsted is the worldwide leader in command and control room consoles for 24/7 mission-critical applications. For over 55 years we have been engineering product designs that consider both the application and the user. We offer the industry's most flexible range of ergonomic sit/stand continuous use technical furniture to reduce fatigue and promote productivity. Choose from our extensive catalog offering, customized solutions or fully custom product options. Winsted's industrial interior design experts will help you specify the best products to fit your needs and provide room design and layout services. Winsted; technical furniture solutions, unparalleled service, satisfaction guaranteed.

TABLE OF CONTENTS



PRESTIGE SERIES - 4-23



WORK SURFACES & END PANELS - 24-29



IMPULSE DUAL SIT/STAND - 30-39



ENVISION - 40-47



E-SOC - 48-55



SPECTRUM-2 - 56-57



M-VIEW - 58-65



VERTICAL RACKS - 66-73



CUSTOM WOOD - 74-85



CUSTOM DIVISION - 86-99



ACCESSORIES - 100-101



CHAIRS - 102



WARRANTY & INDEX

See page **103** for Warranty & Terms - See page **105** for complete index



SIGHT-LINE™ PRESTIGE SERIES CONSOLES

Winsted Sight-Line Consoles deliver optimal monitor viewing adjustability by design. With the integrated Winsted Versa-Trak monitor mounting system, Sight-Line consoles can accommodate the broadest range of users who need to adjust and set sight lines and viewing angles customized to their personal needs simply and quickly. Winsted Sight-Line Consoles put critical content in clear sight.

PRESTIGE - SIGHT-LINE

PRODUCT FEATURES AND HIGHLIGHTS

Three Base Console Widths

Base consoles are available in three widths: 24", 48", and 72". Features the Insta-Lock fastening system for simple construction. Black powder-coat finish.

Corner Fillers

Corner fillers help fit consoles into rooms, and deliver a convenient, ergonomic wrap-around operator console. Choose from 15°, 45°, and 90° concave corner options or 15° and 45° convex corner options.

Easy-Access Cable Management

Enhance reliability while protecting and managing your cables. All Prestige consoles feature convenient cable management solutions that are easily accessible. A large drop-down interior tray is also available as an option.

Multi-Purpose Locking Doors

Double-panel doors are extra-sturdy to support a CPU shelf or file/storage bin for convenient swing-out access.

Anti-Tip Extension

Extensions stabilize the console on all in-line console configurations. Anti-tip extensions come standard with all end frames. Black powder-coat finish.

Data/Power Access

Openings for a universal data mounting plate (RJ-45, HDMI, CAT-5, CAT-5E, CAT-6, BNC, and S-Video) and/or duplex power are conveniently located at the back of the work surface on Sight-Line and Insight consoles.

Versa-Trak Monitor Mounting System

Integrated horizontal aluminum track system will support a wide variety of monitor arrays. Versa-Trak offers the ultimate in versatility with easy horizontal adjustment. Post-mounted VESA brackets provide vertical adjustability along with the ability to tilt and pivot the monitors.

Decorative TruForm End Panels

Complete the look of your console with our popular TruForm end panels. TruForm panels are available in a wide variety of colors. End panels can also be custom ordered in laminate or solid-surface materials.

Rack Mount Turret

Optional Sight-Line rack mount turrets can be positioned to meet your needs. Available in either 7" (4U), 10-1/2" (6U), or 19-1/4" (11U) by 19"W EIA rack space. Features a vented top. Decorative wood trim is available. 10-1/2" (6U) turret is available for Insight.

Adjustable Monitor Mounts

VESA-compliant pivot/tilt mounts easily attach monitors to a support post, and provides smooth pivot and pitch adjustment for optimal viewing of flat panel monitors.

Four Monitor Mount Post Heights


Available in four different heights: 15", 28-1/2", 42" and 60" so you can create a monitor array suitable for any application.

Optional M-View Monitor Wall

Sight-Line and Insight consoles work in tandem with our M-View monitor wall system to support large monitors over rack mount turrets.

Multiple Work Surface Options

Choose from four durable work surface options. Our innovative Endurance Plus, our proprietary Comfort Edge, our popular laminate with Safeguard, and flexible Corian® work surfaces are all available for our Prestige consoles.





SLAT-WALL™ PRESTIGE SERIES CONSOLES

Winsted Prestige Slat-Wall Consoles use an innovative, integrated slat-wall design to enhance functionality and declutter workspaces. A wide range of available accessories includes multiple monitor mounts, LED task lights and organizational shelving to create a customized work environment while freeing up desk space. As an added benefit, the slat-wall provides an element of privacy. Winsted Prestige Slat-Wall Consoles offer light privacy with limitless functionality.

PRESTIGE - SLAT-WALL

PRODUCT FEATURES AND HIGHLIGHTS

Three Base Console Widths

Base consoles are available in three widths: 24", 48", and 72". Features the Insta-Lock fastening system for simple construction. Black powder-coat finish.

Corner Fillers

Corner fillers help fit consoles into rooms, and deliver a convenient, ergonomic wrap-around operator console. Choose from 15°, 45°, and 90° concave corner options or 15° and 45° convex corner options.

Easy-Access Cable Management

Enhance reliability while protecting and managing your cables. All Prestige consoles feature convenient cable management solutions that are easily accessible. A large drop-down interior tray is also available as an option.

Multi-Purpose Locking Doors

Double-panel doors are extra-sturdy to support a CPU shelf or file/storage bin for convenient swing-out access.

Anti-Tip Extension

Extensions stabilize the console on all in-line console configurations. Anti-tip extensions come standard with all end frames. Black powder-coat finish.

Data/Power Access

Openings for a universal data mounting plate (RJ-45, HDMI, CAT-5, CAT-5E, CAT-6, BNC, and S-Video) and openings for duplex power are conveniently located at the back of the work surface. Data mounting plates not included, duplex power outlets included.

Decorative TruForm End Panels

Complete the look of your console with our popular TruForm end panels. TruForm panels are available in a wide variety of colors. End panels can also be custom ordered in laminate or solid-surface materials.

Adjustable Monitor Mounts

VESA-compliant pivot/tilt mounts and articulating arms easily attach monitors to the Slat-Wall, and provide smooth pivot and pitch adjustment for optimal viewing of smaller flat panel monitors.

Multiple Work Surface Options

Choose from four durable work surface options. Our innovative Endurance Plus, our proprietary Comfort Edge, our popular laminate with Safeguard, and flexible Corian® work surfaces are all available for our Prestige consoles.

Slat-Wall Mounting System


Constructed of high quality extruded 6105-T5 aluminum, the Slat-Wall system is 15" high and designed to support a variety of monitor mounts and accessories.

Slat-Wall Accessories

Paper Tray: Maximize your work surface with this hanging paper tray.

Phone Caddy: Use this caddy to keep your phone within easy reach.

Paper Organizer: Keep papers organized and out of the way with this stylish organizer





INSIGHT™ PRESTIGE SERIES CONSOLES

Winsted Insight Consoles are a compact version of our feature-rich Sight-Line console. Modular, configurable and compatible with Winsted Versa-Trak and M-View monitor mounting solutions. Insight consoles facilitate greater operator density without a loss of configuration options or functionality. Winsted Insight Consoles feature unlimited possibilities for limited spaces.

PRESTIGE - INSIGHT

PRODUCT FEATURES AND HIGHLIGHTS

Three Base Console Widths

Base consoles are available in three widths: 24", 48", and 72". Features the Insta-Lock fastening system for simple construction. Black powder-coat finish.

Corner Fillers

Corner fillers help fit consoles into rooms, and deliver a convenient, ergonomic wrap-around operator console. Choose from 15°, 45°, and 90° concave corner options or 15° and 45° convex corner options.

Easy-Access Cable Management

Enhance reliability while protecting and managing your cables. All Prestige consoles feature convenient cable management solutions that are easily accessible. A large drop-down interior tray is also available as an option.

Multi-Purpose Locking Doors

Double-panel doors are extra-sturdy to support a CPU shelf or file/storage bin for convenient swing-out access.

Anti-Tip Extension

Extensions stabilize the console on all in-line console configurations. Anti-tip extensions come standard with all end frames. Black powder-coat finish.

Data/Power Access

Openings for a universal data mounting plate (RJ-45, HDMI, CAT-5, CAT-5E, CAT-6, BNC, and S-Video) and openings for duplex power are conveniently located at the back of the work surface. Data mounting plates not included, duplex power outlets included.

Optional M-View Monitor Wall

Sight-Line and Insight consoles work in tandem with our M-View monitor wall system to support large monitors over rack mount turrets.

Decorative TruForm End Panels

Complete the look of your console with our popular TruForm end panels. TruForm panels are available in a wide variety of colors. End panels can also be custom ordered in laminate or solid-surface materials.

Rack Mount Turret

Optional rack mount turret can be positioned to meet your needs. Available in 10-1/2" (6U) by 19"W EIA rack space. Features a vented top. Decorative wood trim is available.

Adjustable Monitor Mounts

VESA-compliant pivot/tilt mounts easily attach monitors to a support post, and provides smooth pivot and pitch adjustment for optimal viewing of flat panel monitors.

Four Monitor Mount Post Heights


Available in four different heights: 15", 28-1/2", 42" and 60" so you can create a monitor array suitable for any application.

Multiple Work Surface Options

Choose from four durable work surface options. Our innovative Endurance Plus, our proprietary Comfort Edge, our popular laminate with Safeguard, and flexible Corian® work surfaces are all available for our Prestige consoles.

Versa-Trak Monitor Mounting System

Integrated horizontal aluminum track system will support a wide variety of monitor arrays. Versa-Trak offers the ultimate in versatility with easy horizontal adjustment. Post-mounted VESA brackets provide vertical adjustability along with the ability to tilt and pivot the monitors.





ASCEND™ PRESTIGE SERIES CONSOLES

Winsted Ascend Sit/Stand Consoles represent the standard for single-surface height adjustable technical furniture. Available in a range of configurations with standard monitor mounting options and a motorized raise/lower feature, Ascend consoles provide the opportunity to alternate between sitting and standing throughout the workday for wellness and productivity. Winsted Ascend Sit/Stand Consoles bring the benefits of movement in the workplace.

PRESTIGE - ASCEND

PRODUCT FEATURES AND HIGHLIGHTS

Three Base Console Widths

Base consoles are available in three widths: 24", 48", and 72". Features the Insta-Lock fastening system for simple construction. Black powder-coat finish.

Corner Fillers

Corner fillers help fit consoles into rooms, and deliver a convenient, ergonomic wrap-around operator console. Choose from 15°, 45°, and 90° concave corner options or 15° and 45° convex corner options.

Easy-Access Cable Management

Enhance reliability while protecting and managing your cables. All Prestige consoles feature convenient cable management solutions that are easily accessible. A large drop-down interior tray is also available as an option.

Multi-Purpose Locking Doors

Double-panel doors are extra-sturdy to support a CPU shelf or file/storage bin for convenient swing-out access.

Anti-Tip Extension

Extensions stabilize the console on all in-line console configurations. Anti-tip extensions come standard with all end frames. Black powder-coat finish.

Electric-Lift Legs

Quickly and easily adjust the work surface height from 28-1/2" to 44-1/2" at the push of a button. Two, three and four leg systems are available with load capacities of 500, 750 and 1,000 pounds respectively.

Decorative TruForm End Panels

Complete the look of your console with our popular TruForm end panels. TruForm panels are available in a wide variety of colors. End panels can also be custom ordered in laminate or solid-surface materials.

Adjustable Monitor Mounts

VESA-compliant pivot/tilt mounts easily attach monitors to a support post, and provides smooth pivot and pitch adjustment for optimal viewing of flat panel monitors.

Four Monitor Mount Post Heights

Available in four different heights: 15", 28-1/2", 42" and 60" so you can create a monitor array suitable for any application.

Multiple Work Surface Options


Choose from four durable work surface options. Our innovative Endurance Plus, our proprietary Comfort Edge, our popular laminate with Safeguard, and flexible Corian® work surfaces are all available for our Prestige consoles.

Cable Grommet

Round plastic grommet with cap allows easy routing of wires from lower cable management to desktop monitors.

Versa-Trak Monitor Mounting System

Integrated horizontal aluminum track system will support a wide variety of monitor arrays. Versa-Trak offers the ultimate in versatility with easy horizontal adjustment. Post-mounted VESA brackets provide vertical adjustability along with the ability to tilt and pivot the monitors.





PRESTIGE SIGHT-LINE SERIES

Our **Flagship Console** is truly one-of-kind with a world class feature set, which is complimented by an impressive appearance, making it ideal for all control room applications. Sight-Line consoles are modular, reconfigurable and expandable to meet your changing needs. Sight-Line consoles can also be customized in numerous ways to create a unique solution.



PRESTIGE SLAT-WALL SERIES

Our **Slat-Wall Console** is built on the same foundation as our award-winning Sight-Line console. The same world class feature set is incorporated with slat-wall to provide added versatility and an element of privacy. The slat-wall is 15" tall and constructed of high quality, extruded 6105-T5 aluminum. The black anodized finish is attractive and smooth to the touch. A variety of monitor mounts and accessories are available to mount on the slat-wall.



PRESTIGE INSIGHT SERIES

Our **Compact Console** features a high-density profile, designed for a high performance world. Insight's overall depth of 32" saves valuable space and maximizes control room functionality. Our engineers reduced the overall depth of the chase and work surface on the popular Sight-Line console to create a compact console solution. The result is an efficient footprint that meets ergonomic standards and provides ample desktop workspace.



PRESTIGE ASCEND SERIES

Our **Sit/Stand Console** offers three programmable height settings for ultimate versatility and optimum comfort in any control room setting. This completely redesigned sit/stand console includes electric-lift legs, which enable operators to quickly and easily adjust the work surface height from 28-1/2" to 44-1/2" with the push of a button. Two-, three- and four-leg systems are available with load capacities of 300, 450 and 600 lbs. respectively.

VERSA-TRAK MONITOR MOUNTING SYSTEM

Integrated horizontal aluminum track system will support a wide variety of monitor arrays. Versa-Trak offers the ultimate in versatility with easy horizontal adjustment. Post-mounted VESA brackets provide vertical adjustability along with the ability to tilt and pivot the monitors.



INTEGRATED DATA/POWER

Keep your electronics up and running. Sight-Line, Slat-Wall and Insight consoles feature openings for universal data mounting plates and duplex power outlets, conveniently located at the back of the work surface where they are within easy reach to connect electronics.



EASY-ACCESS CABLE MANAGEMENT

Enhance reliability while protecting and managing your cables. All Prestige consoles feature convenient cable management solutions that are easily accessible. A large drop-down interior tray for additional cable management is also available as an option.



MULTI-PURPOSE DOORS

Double-panel front and rear doors are extra sturdy to support a CPU shelf or file/storage bin for convenient swing-out access. Prevents reaching and working in confined storage spaces.





SINGLE-OPERATOR SIGHT-LINE CONSOLE

MODEL#	HEIGHT	WIDTH	DEPTH
W5723	28-1/2" (724mm)	78" (1981mm)	43-3/4" (1111mm)
COLOR		SIDE PANEL	WORK SURFACE
BLACK		SHARK GREY TRUFORM	SHARK GRAY ENDURANCE PLUS

72" Sight-Line console comes complete with three monitor mounts.

TRIPLE-OPERATOR SIGHT-LINE CONSOLE

MODEL#	HEIGHT	WIDTH	DEPTH
W5724	28-1/2" (724mm)	174-1/2" (4432mm)	61-1/2" (1562mm)
COLOR		SIDE PANEL	WORK SURFACE
BLACK		WHITE TRUFORM	GRAPHITE NEBULA COMFORT EDGE

Unique design provides ample space for three operators. Console includes three dual-mount LCD poles.



SINGLE-OPERATOR SLAT-WALL CONSOLE

MODEL#	HEIGHT	WIDTH	DEPTH
W5832	41-1/8" (1045mm)	78" (1981mm)	43-3/4" (1111mm)
COLOR		SIDE PANEL	WORK SURFACE
BLACK		FUSION MAPLE LAMINATE	WILLIAMSBURG CHERRY COMFORT EDGE

This 72" console is perfect for one operator. Comes complete with three monitor mounts.

SLAT-WALL CORNER CONSOLE

MODEL#	HEIGHT	WIDTH	DEPTH
W5833	41-1/8" (1045mm)	104-3/8" (2651mm)	57-1/4" (1454mm)
COLOR		SIDE PANEL	WORK SURFACE
BLACK		ICONIC MAPLE LAMINATE	WHITE COMFORT EDGE

Corner design wraps around the operator for maximum comfort. Console includes five monitor mounts.



CURVED INSIGHT CONSOLE

MODEL#	HEIGHT	WIDTH	DEPTH
W6443	28-1/2" (724mm)	95" (2413mm)	39-3/4" (1010mm)
COLOR	SIDE PANEL	WORK SURFACE	
BLACK	ALMOND CHERRY TRUFORM	BILTMORE CHERRY COMFORT EDGE	

Two 15° corners form an ergonomic wrap-around configuration.



INSIGHT CONSOLE WITH CREDEZA

MODEL#	HEIGHT	WIDTH	DEPTH
W6432	28-1/2" (724mm)	84-3/4" (2153mm)	68-3/8" (1737mm)
COLOR	SIDE PANEL	WORK SURFACE	
BLACK	REGIMENTAL BLUE LAMINATE	DOVE GREY COMFORT EDGE	

Corner console features a radial credenza for ample storage.



ASCEND CORNER CONSOLE

MODEL#	HEIGHT	WIDTH	DEPTH
W5739	28-1/2" (724mm) - to - 44-1/2" (1030mm)	128-3/4" (3270mm)	58-5/8" (1489mm)
COLOR	SIDE PANEL	WORK SURFACE	
BLACK	SLATE GREY LAMINATE	BLUEBERRY MATRIX SAFEGUARD	

Sitting or standing, this adjustable console will keep your operators comfortable all day.



ASCEND CONSOLE WITH PENINSULA

MODEL#	HEIGHT	WIDTH	DEPTH
W5729	35" (889mm) - to - 44-1/2" (1030mm)	188-1/8" (4778mm)	105-7/8" (2689mm)
COLOR	SIDE PANEL	WORK SURFACE	
BLACK	WINDSOR MAHOGANY LAMINATE	WINDSOR MAHOGANY COMFORT EDGE	

Dual-operator Ascend console features a center peninsula with extra storage space and three rack mount turrets.

AXIOM MONITOR MOUNTS: (1.5" DIA. MOUNTING POSTS)

W6471

15" Post - Single Monitor Post Mount, Vertical



W6472

28-1/2" Post - Dual Monitor Post Mount, Vertical



W6473

42" Post - Triple Monitor Post Mount, Vertical



W6491

15" Post - Single Monitor Articulating Arm



W6475

15" Post with Height Adjustable Arm



W6492

28-1/2" Post - Single Monitor Articulating Arm



W6493

28-1/2" Post - Dual Monitor Two Articulating Arms



A custom monitor wall with Titan Poles can be integrated to support your larger monitors. Contact Winsted for details.



PRESTIGE MONITOR MOUNTS: (1.9" DIA. MOUNTING POSTS)

E5081

15" Post - Single Monitor Post Mount, Vertical



W5772

28-1/2" Post - Dual Monitor Post Mount, Vertical



W5773

42" Post - Triple Monitor Post Mount, Vertical



W5777

15" Post with Dual 15" Extension Arms



W5690

Dual-Post Large Monitor Mount (Supports 42" - 63" Monitors)



W5774

15" Post with 15" Extension Arm



W5775

28-1/2" Post with 15" Extension Arm



W5779

28-1/2" Post with Two 15" Extension Arms



W5776

42" Post with Two 15" Extension Arms



W5778

15" Post with Height Adjustable Arm



W5698

28-1/2" Post with VESA Mount (Supports 26" - 45" Displays)



** 60" Pole with mounts available. Contact Winsted for details.*

SLAT-WALL MONITOR MOUNTS

58171
Slat-Wall
Monitor Mount



58174
Dual-Hinge Slat-Wall
Monitor Mount



58178
Adjustable Height Slat-Wall
Monitor Mount



SLAT-WALL ACCESSORIES

PAPER TRAY

MODEL#	DIMENSIONS	WEIGHT
58160	1-3/4"H x 15"W x 9-1/2"D (44 x 381 x 241mm)	2 LBS.

Maximize your work surface with this hanging paper tray.



PHONE CADDY

MODEL#	DIMENSIONS	WEIGHT
58161	1-3/4"H x 9"W x 10-3/4"D (44 x 229 x 273mm)	3 LBS.

Use this caddy to keep your phone within easy reach.



VERTICAL PAPER ORGANIZER

MODEL#	DIMENSIONS	WEIGHT
58162	8"H x 6"W x 10-1/4"D (203 x 152 x 260mm)	5 LBS.

Keep papers and folders organized and out of the way with this stylish organizer.





RADIAL END CREDENZA

MODEL#	DESCRIPTION	WEIGHT
W5630	Left credenza for Sight-Line, Slat-Wall & Ascend	136 LBS.
W5631	Right credenza for Sight-Line, Slat-Wall & Ascend	136 LBS.
W6430	Left credenza for Insight only	110 LBS.
W6431	Right credenza for Insight only	110 LBS.

Form and function meet as the radial design provides ample storage with a stylish look. Includes work surface top.

RACK RAILS

MODEL#	DESCRIPTION	WEIGHT
56165	19-1/4" (11U) tapped rack rails (1 Pair)	5 LBS.
W5642	19-1/4" (11U) tapped rack rails (2 Pair) with brackets	10 LBS.

Easily mounts in the front and/or rear of the 24" wide chase.

Rack mount kit for 48" and 72" chase ends.

LED TASK LIGHTS

MODEL#	DESCRIPTION	WEIGHT
W5664	Versa-Trak mounted task light	6 LBS.
W5665	LED task light for vertical Slat-Wall	6 LBS.

Optional Task Light features a three-bar design for ultimate reach and flexibility. The ultra-adjustable LED head can spin in its socket, sweep side to side, and rotate around the end of the arm to point in any direction. Dimming is easily controlled by a touchstrip located near the LED head for easy access.

56679	LED light with magnetic base and 18" flexible neck	1 LB.
10679	LED light with VESA mount and 18" flexible neck	1 LB.

Features a 6-foot cord and allows users to switch between white or red lights.

DOOR MOUNT FILE STORAGE BIN & CPU SHELF

MODEL#	DESCRIPTION	WEIGHT
56088	File storage bin, door mounted	14 LBS.
56087	CPU shelf, door mounted	6 LBS.

Provides convenient swing-out access to files and/or CPU. *Must be used with 56302 door, or the wood doors. Doors sold separately.

RACK MOUNT TURRETS

MODEL#	DESCRIPTION	WEIGHT
64032	10-1/2" (6U) Rack Turret, 12° Slope (Insight Only)	17 LBS.
56030	7" (4U) Rack Turret, 45° Slope	16 LBS.
W5660	7" (4U) Rack Turret with wood trim, 45° Slope	18 LBS.
56032	10-1/2" (6U) Rack Turret, 12° Slope	23 LBS.
W5661	10-1/2" (6U) Rack Turret with wood trim, 12° Slope	25 LBS.
56036	19-1/4" (11U) Rack Turret, 12° Slope	29 LBS.

Rack mount turrets mount easily to the chase and keep electronics within reach.

56981	27" ABS chase filler (Not Shown)	1 LBS.
-------	----------------------------------	--------

Use with rack turrets to enclose unused chase openings. Can be cut to size.

WOOD PRESTIGE CONSOLE DOORS

MODEL#	DESCRIPTION	WEIGHT
56569	Locking TruForm door left-hinged	10 LBS.
56570	Locking TruForm door right-hinged	10 LBS.
56565	Locking Laminate door left-hinged	10 LBS.
56567	Locking Laminate door right-hinged	10 LBS.

Coordinate your console doors with your side panels and/or work surface. Choose from a wide variety of colors.




TELEPHONE TRAY

MODEL#	OVERALL DIMENSIONS	WEIGHT
56250	13"H x 8-1/2"W x 6-3/8"D (330 x 216 x 162mm)	4 LBS.
Mounts at the back of the work surface for quick and easy access to a telephone.		
W6469	13"H x 8-1/2"W x 6-3/8"D (330 x 216 x 162mm)	14 LBS.
Adjustable phone tray designed for Versa-Trak.		



ELECTRICAL

MODEL#	DESCRIPTION	WEIGHT
56264	Single Box with mounting bracket	4 LBS.
56265	Dual Box with mounting bracket	5 LBS.
W5650	Six-Outlet Strip with mounting bracket	3 LBS.
56264 & W5650 brackets mount to intermediate and/or end frames. 56265 mounts to intermediate frame only.		
64264	Single Box with mounting bracket (Insight Only)	3 LBS.
51710	Six-Outlet Strip (Insight Only)	2 LBS.
Mounts to Insight intermediate and/or end frames.		




SIGHT-LINE CPU HOLDER

MODEL#	OVERALL DIMENSIONS	WEIGHT
56220	27-1/2"H x 12-1/2"W x 26"D (699 x 318 x 660mm)	47 LBS.
CPU Holder features an adjustable back and shelf. Inside dimensions are: 24-1/4"H x 9-3/8"W x 25"D (616 x 238 x 635mm). Can be positioned in-line or at the end of the console. Not compatible with Insight.		



CONSOLE PARTITION

MODEL#	OVERALL DIMENSIONS	WEIGHT
W5900	18"H x 2"W x 26-1/2"D (457 x 51 x 673mm) - SIGHT-LINE	12 LBS.
W6500	18"H x 2"W x 21-1/2"D (457 x 51 x 546mm) - INSIGHT	10 LBS.
This stylish cloth partition helps create a private work space. The panel is affixed to a pole that is mounted on the Versa-Trak so it can be positioned where needed and easily moved. Constructed with a low density fiberboard core wrapped with a steel outer frame. Medium grey material.		





64074



56029



W5780



64100



W5749

57730

INTERNAL CABLE TRAY

MODEL#	DESCRIPTION	WEIGHT
64072	Internal cable tray for 24"W base console	5 LBS.
64074	Internal cable tray for 48"W base console	9 LBS.
64076	Internal cable tray for 72"W base console	12 LBS.

Internal cable tray offers a large surface area for mounting cables and routing wires. Features four spring hinges for easy installation and repositioning. Works with all Prestige consoles. Can be mounted horizontally, front-to-back in Insight. Must be mounted vertically or at an angle in Sight-Line, Slat-Wall and Ascend. Can not be used with optional rack rails.

17-1/2" (10U) PRESTIGE RACK CABINET

MODEL#	DIMENSIONS	WEIGHT
56029	19-3/16"H x 23-3/4"W x 12"D (487 x 603 x 305mm)	40 LBS.

Welded rack mounts directly to the front frame of any Prestige console. Features spring pins for easy installation and repositioning, vented sides for cooling and all steel construction for durability. Black textured powder-coat finish.

PRESTIGE UTILITY SHELF

MODEL#	DIMENSIONS	WEIGHT
W5780	15"H x 22"W x 18"D (381 x 559 x 457mm)	20 LBS.
W5781	28-1/2"H x 32"W x 16"D (724 x 813 x 406mm)	34 LBS.

Add storage space and keep your work space clean and organized with this functional utility shelf. Shelf is affixed to poles that are mounted on the Versa-Trak so it can be positioned where needed and easily moved. W5780 features steel construction with black power coat paint. W5781 features laminated wood construction.

PRESTIGE LIFT-OFF PANEL

MODEL#	DESCRIPTION	WEIGHT
64100	Lift-off panel	9 LBS.

Lift off panel mounts to the front or the rear of any Prestige console and features a static latch for closure and easy removal.

PRESTIGE ASCEND REMOTE AND SMARTPHONE APP

MODEL#	DIMENSIONS	WEIGHT
W5749	1/2"H x 1-3/4"W x 5-1/2"D (13 x 44 x 140mm)	0.5 LBS.
57730	7/16"H x 2-3/8"W (11 x 60mm) - Bluetooth® Adapter Only	0.25 LBS.



Wireless remote allows the user to adjust the height of the Ascend work surface. The new, innovative and free Desk Control app allows you to use your phone to adjust your Ascend console. With the Bluetooth® Adapter you are easily up and running.

• iOS (minimum 9.0) • Android (minimum 5.0)





SIGHT-LINE

SLAT-WALL



INSIGHT

ASCEND





DYNA-LINQ™ MODULAR ELECTRICAL SYSTEM

SMART BOX



56730 - Smart Box

JUMPER CORD



56721 - 26"
56726 - 34"
56728 - 48"

DUPLEX OUTLET



56720 - Outlet
56115 - Mounting Plate

ENERGIZE YOUR CONSOLE

Dyna-Linq is a simple, flexible "plug and play" electrical system designed to power your Winsted Sight-Line or Insight console. Dyna-Linq is UL 962 approved and provides a modular, expandable and reconfigurable electrical system that doesn't require an electrician to install. Simply plug it into any standard outlet. **It couldn't be more convenient!**



56719 - Smart Box Bracket - SIGHT-LINE
64719 - Smart Box Bracket - INSIGHT

HOW IT WORKS

- Each 12 amp Smart Box powers up to 8 duplex outlets
- Mount the outlets in the desired locations on the console
- Connect Jumper Cords to the outlets and link together
- Connect Smart Box anywhere in the run of outlets
- Plug the Smart Box into any standard wall outlet

If you purchase a Dyna-Linq system with your console, Winsted will waive the installation charge and install it for **free** prior to shipping!



AIR COMMAND™ PERSONAL ENVIRONMENTAL CONTROL SYSTEM

CLIMATE CONTROL UNIT




CONTROLLER AND VENT



56751 - Single Bay - **SIGHT-LINE & INSIGHT** • 56752 - Double Bay - **SIGHT-LINE & INSIGHT**
56754 - Single Bay **ASCEND CONSOLE** • 56755 - Double Bay **ASCEND CONSOLE**

CLIMATE CONTROL AT YOUR FINGERTIPS

Designed exclusively for our Prestige Series consoles, Air Command is a UL® listed personal environmental control system that is convenient and easy to use. Now your operators can adjust the temperature to suit their own personal preferences. The Air Command system offers three fan speeds to circulate heated or ambient air. The system also cleans the air with a washable, replaceable, open-cell foam filter. The work surface vents are directionally adjustable and there is also an adjustable vent on the climate control unit mounted below the work surface. The 500 watt heater can raise the ambient temperature around the operator 30 degrees. The system will automatically shut off after 2 hours.



LAMINATE WITH SAFEGUARD™

Choose from a broad range of colors, textures and patterns. We supply laminates from all the major manufacturers. The high-pressure laminate is bonded to a 1-1/8" thick industrial grade 45 lb. particle board core for strength. The work surface is finished with our durable Safeguard Edge.

FEATURES:

- Durable high-pressure plastic laminate surface
- Available in a wide variety of colors and patterns
- Optional textures and gloss levels available
- Easy to clean and maintain
- Safeguard Edge provides exceptional durability
- Laminate is bonded to 1-1/8" thick industrial grade 45 lb. particle board



*The sample Colors, Stains, Grains and Finishes shown may vary slightly from actual product samples. If necessary, please request an actual product sample. **Many more colors available.***



WORK SURFACES



ENDURANCE PLUS™

Through a proprietary process, we insert a continuous protective bumper material in the front edge of the work surface. This protective bumper significantly increases the durability of the work surface, which is often subject to heavy physical stress in 24/7 control room environments.

FEATURES:


- Continuous protective bumper inserted in the front edge for improved durability
- Ability to produce multidimensional profiles for comfortable edges and aesthetics
- Easily conforms to three-dimensional surfaces
- Easy to clean with soap and water
- Reduces visible seams



ENDURANCE PLUS WORK SURFACE

*The sample Colors, Stains, Grains and Finishes shown may vary slightly from actual product samples. If necessary, please request an actual product sample. **Many more colors available.***





COMFORT EDGE™

Our urethane Comfort Edge work surface offers the ultimate in flexibility and durability. The black urethane edge is molded to 1-1/8" laminated industrial grade 45 lb. particle board. We can supply laminates from any of the major manufacturers. The Comfort Edge work surface features a smooth, contoured profile to improve operator comfort and maximize productivity.

FEATURES:

- Permanently bonded black urethane creates a long-lasting, water-tight seam with a smooth finish
- Ergonomic profile provides comfort and reduces the risk of injury due to sharp edges
- Antibacterial and antifungal additives promote a healthy work environment
- UV resistant urethane will not change color or deteriorate over time
- Suitable for the most demanding 24/7 control room operations



The sample Colors, Stains, Grains and Finishes shown may vary slightly from actual product samples. If necessary, please request an actual product sample. **Many more colors available.**



WORK SURFACES



CORIAN®

Corian® work surfaces are durable and feature an attractive, seamless appearance. The solid colors penetrate through the entire thickness of the material so blemishes are easily repaired. The smooth, nonporous finish is hygienic and easy to clean, while being resistant to liquids and heat.

FEATURES:

- Whatever the spill, Corian® is easy to clean and stain resistant because liquid cannot penetrate the surface
- Corian's durability and renewability with common abrasive cleaners reduces the need for replacement, which makes Corian® inherently environmentally friendly
- Joints are unobtrusive and impermeable with a seamless appearance
- Colors and patterns penetrate through the surface and cannot wear away
- Corian® is inert, nontoxic, chemically unreactive, hypoallergenic and fire resistant
- Advanced blend of natural minerals and acrylic polymer
- Corian's nonporous surface is very hygienic



*The sample Colors, Stains, Grains and Finishes shown may vary slightly from actual product samples. If necessary, please request an actual product sample. **Many more colors available.***





CUSTOM END PANEL GRAPHICS

Winsted Custom End Panel Graphics add visual impact and dimension to your console and an unexpected yet striking element to your workplace. Supply your photos and images or use our design service. Highest quality inks and premium-grade large format UV protected digital film deliver vibrant, long-lasting graphics. Make your console stand out with Winsted Custom End Panel Graphics.

CUSTOM - END PANEL GRAPHICS



ROUTERED PANEL WITH LOGO



SOLID PANEL WITH LOGO

SHOW YOUR IDENTITY

Add personality to your control room. We offer simple logo decals or complete end panel wraps with custom graphics. Contact Winsted for details.

FULL COLOR WRAP EXAMPLES:





IMPULSE™ DUAL SIT/STAND CONSOLES

Winsted Impulse Series Dual Sit/Stand Consoles feature dual adjustability for the most configurable workspace solution. At the push of a button, users can adjust monitor and work surfaces independent of each other to meet their specific needs. Ideal for multi-user multi-shift 24/7 applications, Impulse consoles easily configure for the broadest range of staff while still delivering the ergonomic advantages of a sit/stand desk system. Winsted Impulse Dual Sit/Stand Consoles are ergonomic designed and infinitely configurable.

IMPULSE - DUAL SIT/STAND

PRODUCT FEATURES AND HIGHLIGHTS

Safeguard Edge Work Surface

Impulse consoles come standard with a durable, high pressure Graphite Nebula laminated work surface featuring our proprietary Safeguard Edge.

Versa-Trak Monitor Mounting System

Integrated horizontal aluminum track system will support a wide variety of monitor arrays. Versa-Trak offers the ultimate in versatility with easy horizontal adjustment. Post-mounted VESA brackets provide vertical adjustability along with the ability to tilt and pivot the monitors.

Electric-Lift Legs

Quickly and easily adjust the work surface height from 30" to 46" at the push of a button. Each work surface has a load capacity of 520 lbs.

Adjustable Monitor Mounts

VESA-compliant pivot/tilt mounts easily attach monitors to a support post, and provides smooth pivot and pitch adjustment for optimal viewing of flat panel monitors.

Perforated Privacy Panel

Decorative, perforated privacy panel conceals cables, enhances the look of the console and adds an element of privacy for the operator.

Easy-Access Cable Management

Enhance reliability while protecting and managing your cables. All Impulse consoles feature a large cable channel incorporated into the modesty panel. In addition, there are four vertical cable carriers that travel with the work surfaces.

Three Monitor Mount Post Heights

Available in three different heights: 15", 28-1/2", and 42" so you can create a monitor array suitable for any application.

CPU Pedestal

CPU pedestal with leg levelers mounts to the inside of the leg and features two slots for adjustable Velcro® straps to keep your CPU safe and secure.

Decorative End Panels (Optional)

Complete the look of your console with our popular TruForm end panels, which are available in a wide variety of colors. Optional end panels can also be custom ordered in laminate or solid-surface materials.

Powder-Coat Paint

The Impulse infrastructure is coated with a durable black powder-coat paint that accentuates the work surface. Textured finish prevents fingerprints and lasts for years.






IMPULSE PARADIGM



B3211



HEALTHY MOVEMENT

Standing at your desk for three hours a day during the typical five-day workweek burns about 750 calories. Over the course of a year that adds up to more than 30,000 extra calories, which is the equivalent of running about 10 marathons.¹

IMPULSE PARADIGM DUAL SIT/STAND CONSOLE

MODEL#	WORK SURFACE HEIGHT	WIDTH	DEPTH
B3211	30"-46" (762-1168mm)	75-5/8" (1921mm)	44-5/8" (1133mm)
Dual surface sit/stand console.			
B3311	30"-46" (762-1168mm)	75-5/8" (1921mm)	44-5/8" (1133mm)
Single surface sit/stand console.			
B3216	30" (762mm)	75-5/8" (1921mm)	44-5/8" (1133mm)
Single surface stationary console. Monitor mounts sold separately, see page 37.			

¹ Mosley, M. (2013, Oct. 16). Calorie Burner. Retrieved from www.bbc.com



IMPULSE AMPLIFY


BOOST MORALE

Sit/stand desks are height-adjustable to provide the ideal fit for each individual. People who are more comfortable and better able to accomplish their tasks will find greater satisfaction in their jobs, thus improving the morale of the organization.




B3231

IMPULSE AMPLIFY DUAL SIT/STAND CONSOLE			
MODEL#	WORK SURFACE HEIGHT	WIDTH	DEPTH
B3231	30"-46" (762-1168mm)	90-1/2" (2299mm)	45-15/16" (1167mm)
Dual surface sit/stand console.			
B3321	30"-46" (762-1168mm)	90-1/2" (2299mm)	45-15/16" (1167mm)
Single surface sit/stand console.			
B3236	30" (762mm)	90-1/2" (2299mm)	45-15/16" (1167mm)
Single surface stationary console. Monitor mounts sold separately, see page 37.			





IMPULSE ALCOVE



ACHIEVE MORE

According to a study conducted by the Draugiem Group, standing leads to a 10 percent increase in productivity. Standing for periods during the workday also results in higher energy levels, improved concentration and fewer headaches. ²

IMPULSE ALCOVE DUAL SIT/STAND CONSOLE			
MODEL#	WORK SURFACE HEIGHT	WIDTH	DEPTH
B3251	30"-46" (762-1168mm)	96-7/16" (2449mm)	48-1/16" (1221mm)
Dual surface sit/stand console.			
B3331	30"-46" (762-1168mm)	96-7/16" (2449mm)	48-1/16" (1221mm)
Single surface sit/stand console.			
B3256	30" (762mm)	96-7/16" (2449mm)	48-1/16" (1221mm)
Single surface stationary console. Monitor mounts sold separately, see page 37.			

² Gifford, G. (2013, Sept. 26). *We Tested Standing Desks*. Retrieved from: readwrite.com



IMPULSE LINEAR


COMPACT PROFILE

All the great features of our popular curved Impulse consoles in a space-saving straight configuration. This 59" wide console is perfect for a single operator working with multiple monitors.



B3261

IMPULSE LINEAR DUAL SIT/STAND CONSOLES			
MODEL#	WORK SURFACE HEIGHT	WIDTH	DEPTH
B3261	30"-46" (762-1168mm)	59" (1499mm)	36-1/2" (927mm)
Dual surface sit/stand console.			
B3341	30"-46" (762-1168mm)	59" (1499mm)	36-1/2" (927mm)
Single surface sit/stand console.			
B3266	30" (762mm)	59" (1499mm)	36-1/2" (927mm)
Single surface stationary console. Monitor mounts sold separately, see page 37.			






IMPULSE LINEAR XL



B3271



EXTRA WORK SPACE

Movement throughout the day is important to maintaining good health. Alternating between sitting and standing is a healthy activity that increases energy and reduces fatigue. This 83" wide linear sit/stand console offers extra work space for your operators.

IMPULSE LINEAR XL DUAL SIT/STAND CONSOLES

MODEL#	WORK SURFACE HEIGHT	WIDTH	DEPTH
B3271	30"-46" (762-1168mm)	83" (2108mm)	36-1/2" (927mm)
Dual surface sit/stand console.			
B3351	30"-46" (762-1168mm)	83" (2108mm)	36-1/2" (927mm)
Single surface sit/stand console.			
B3276	30" (762mm)	83" (2108mm)	36-1/2" (927mm)

Single surface stationary console.
Monitor mounts sold separately, see page 37.

AXIOM MONITOR MOUNTS: (1.5" DIA. MOUNTING POSTS)

W6471

15" Post - Single Monitor Post Mount, Vertical



W6472

28-1/2" Post - Dual Monitor Post Mount, Vertical



W6473

42" Post - Triple Monitor Post Mount, Vertical



W6469

Adjustable Phone Tray Mounts to Versa-Trak



W6491

15" Post - Single Monitor Articulating Arm



W6492

28-1/2" Post - Single Monitor Articulating Arm



W6493

28-1/2" Post - Dual Monitor Two Articulating Arms



W6475

15" Post with Height Adjustable Arm



M-VIEW RIZE

SIT/STAND MONITOR WALL

M-View Rize is the perfect compliment to any console system, including all Impulse consoles. As the operator changes the height of the console, the M-View Rize is able to adjust the height of the monitors on the wall in order to maintain proper ergonomics and optimal sight lines. Available in two standard configurations. We offer a 43" wide configuration for a single monitor and an 83" wide configuration for dual monitors.



M-VIEW RIZE MONITOR WALLS	
MODEL#	DIMENSIONS
M1082	87"H x 43"W x 24-3/8"D (2210 x 1092 x 619mm)
M1088	87"H x 83"W x 24-3/8"D (2210 x 2108 x 619mm)

Electric actuators adjust monitor height at the push of a button. Remote control included.



IMPULSE PARADIGM PENINSULA

MODEL#	DIMENSIONS
B3219	30"H x 36-1/4"W x 68-7/8"D (762 x 921 x 1749 mm)

Peninsula for Impulse Paradigm consoles.



IMPULSE AMPLIFY PENINSULA

MODEL#	DIMENSIONS
B3239	30"H x 40"W x 68-7/8"D (762 x 1016 x 1749 mm)

Peninsula for Impulse Amplify consoles.



IMPULSE LINEAR AND LINEAR XL PENINSULA

MODEL#	DIMENSIONS
B3269	30"H x 28"W x 65-1/2"D (762 x 711 x 1664 mm)

Peninsula for Impulse Linear and Linear XL consoles.



IMPULSE ALCOVE CREDENZA

MODEL#	DIMENSIONS
B3259	30"H x 53-3/4"W x 43-1/2"D (762 x 1365 x 1105mm)

Credenza with two file cabinets for Impulse Alcove consoles.

IMPULSE KEYBOARD TRAY

MODEL#	INSIDE TRAY DIMENSIONS
32250	2"H x 20-3/4"W x 6-1/2"D (51 x 528 x 165mm)

Keyboard tray conveniently mounts to the underside of the work surface.



IMPULSE WIRELESS REMOTE

MODEL#	DIMENSIONS	WEIGHT
B3249	1/2"H x 1-3/4"W x 5-1/2"D (13 x 44 x 140mm)	0.5 LBS.

Wireless remote allows the user to adjust the height of both Impulse work surfaces.



POWER OUTLET WITH CIRCUIT BREAKER

MODEL#	DESCRIPTION	AMP	OUTLET LENGTH	WEIGHT
30701	Six-outlet	15	12-1/4" (311mm)	3 LBS.

Lighted On/Off switch. Mounts anywhere on the underside of any standard Impulse work surface. Features a 15 foot cord.



CPU PEDESTAL

MODEL#	DESCRIPTION	WEIGHT
32087	CPU Pedestal - 8"W x 19-1/2"D (203 x 495mm)	5 LBS.

CPU pedestal with leg levelers mounts to the inside of the end frame and includes two adjustable Velcro straps (Part# 12765).



FLOOR CABLE MANAGEMENT SYSTEM

MODEL#	DESCRIPTION
B3201	Floor Cable System for Linear and Linear XL
B3203	Floor Cable System for Paradigm
B3205	Floor Cable System for Amplify and Alcove

Conveniently routes and protects cables between Impulse end frames.





ENVISION™ COMMAND CONSOLES

Winsted EnVision Series Command Consoles represent the ultimate in customizability. EnVision consoles are available in three widths with single, double, or triple tier slat-walls and can take full advantage of the extensive offering of Winsted accessories for mounting monitors, LED lighting, organization and storage. Winsted EnVision Command Consoles put you in total control.

ENVISION - COMMAND CONSOLES

PRODUCT FEATURES AND HIGHLIGHTS

Multiple Configurations

EnVision comes standard in 42", 60" and 84" widths and can be designed as a single, double or triple tier configuration. Each tier can support single or dual Slat-Wall sections for a track height of 7-1/2" or 15". Combine multiple widths with your choice of corner angles to create the perfect solution.

Multiple Work Surface Options

Choose from multiple work surface options. Our proprietary Endurance Plus, Comfort Edge and laminate with Safeguard are available for EnVision consoles.

Adjustable Monitor Mounts

VESA-compliant pivot/tilt mounts easily attach monitors to the Slat-Wall and provide smooth pivot and pitch adjustment for optimal viewing angles and ergonomic sight lines.

Slat-Wall Accessories

Put the finishing touches on your console and maximize its functionality with a wide variety of accessories specifically designed to mount on EnVision's Slat-Wall.

Slat-Wall Mounting System

Constructed of high-quality extruded 6105-T5 aluminum, the Slat-Wall system can be designed as a 7-1/2" or 15" high solution designed to support a variety of monitor mounts and convenient accessories. Multiple mounting positions on each tier means the Slat-Wall can be positioned exactly where you need it.

Extra-Deep Rear Cable Tray

Cable management should be convenient and flexible. EnVision Command Consoles come standard with a cable trough that simply hooks onto the Slat-Wall, no tools required. Place the cable trough where you need it and you'll have fast, easy access for installation, maintenance and upgrades. The extra-deep design allows room for power outlets and large cable bundles on integrated lacing loops.

Work Surface Cable Tray

Located where you work the most, the integrated cable tray located behind the work surface keeps your work area clean and organized while protecting and organizing your wires and cables.

Adjustable CPU Holder


CPU mount provides easy access to the front and rear of your computer system. The articulating mount extends forward, includes a 90° swivel, and fits CPUs from 13-1/2" to 21-1/2"H by 5-3/8" to 9-3/8"W.

Powder-Coat Paint

EnVision's steel infrastructure is coated with a durable black powder-coat paint that accentuates the work surface and Slat-Wall. The elegant textured finish prevents fingerprints and provides uncompromising durability.

Removable Rear Access Panels

EnVision's support legs feature full-length removable rear access panels to provide quick, easy access to cables for simple installation and reduced maintenance time.






COMMAND YOUR VISION

Winsted EnVision Series Command Consoles feature a modular design which offers the perfect balance of form, function and ergonomics. Suitable for any size control room application, EnVision consoles feature a modern, open architecture design without the limitations of predefined corner angles and is available as a single, double or triple tier slat-wall arrangement which is fully-expandable as needs and technology change. No matter what configuration you choose, sight lines and viewing angles will be ergonomically correct and your operators will be comfortable and productive.

FEATURES

- Modern Ergonomic Design
- No Predefined Corner Angles
- Unlimited Corner Configurations
- Fully-Expandable Slat-Wall
- Extensive Accessory Offering
- Optimized Sight Lines



NEED HELP?

Let Winsted design a console for you: winsted.com/designservice



B3047

PRECONFIGURED ENVISION CONSOLES

MODEL#	DESCRIPTION	OVERALL DIMENSIONS	COLOR
B3013	42" WIDE - SINGLE TIER WITH 7-1/2"H SLAT-WALL	40-1/8"H x 42"W x 43-5/8"D (1019 x 1067 x 1108mm)	BLACK WITH SILVER SLAT-WALL
B3015	60" WIDE - SINGLE TIER WITH 7-1/2"H SLAT-WALL	40-1/8"H x 60"W x 43-5/8"D (1019 x 1524 x 1108mm)	BLACK WITH SILVER SLAT-WALL
B3017	84" WIDE - SINGLE TIER WITH 7-1/2"H SLAT-WALL	40-1/8"H x 84"W x 43-5/8"D (1019 x 2134 x 1108mm)	BLACK WITH SILVER SLAT-WALL
B3023	42" WIDE - SINGLE TIER WITH 15"H SLAT-WALL	40-1/8"H x 42"W x 43-5/8"D (1019 x 1067 x 1108mm)	BLACK WITH SILVER SLAT-WALL
B3025	60" WIDE - SINGLE TIER WITH 15"H SLAT-WALL	40-1/8"H x 60"W x 43-5/8"D (1019 x 1524 x 1108mm)	BLACK WITH SILVER SLAT-WALL
B3027	84" WIDE - SINGLE TIER WITH 15"H SLAT-WALL	40-1/8"H x 84"W x 43-5/8"D (1019 x 2134 x 1108mm)	BLACK WITH SILVER SLAT-WALL
B3033	42" WIDE - DOUBLE TIER WITH 7-1/2"H SLAT-WALL	57-1/8"H x 42"W x 43-5/8"D (1451 x 1067 x 1108mm)	BLACK WITH SILVER SLAT-WALL
B3035	60" WIDE - DOUBLE TIER WITH 7-1/2"H SLAT-WALL	57-1/8"H x 60"W x 43-5/8"D (1451 x 1524 x 1108mm)	BLACK WITH SILVER SLAT-WALL
B3037	84" WIDE - DOUBLE TIER WITH 7-1/2"H SLAT-WALL	57-1/8"H x 84"W x 43-5/8"D (1451 x 2134 x 1108mm)	BLACK WITH SILVER SLAT-WALL
B3043	42" WIDE - DOUBLE TIER WITH 15"H SLAT-WALL	57-1/8"H x 42"W x 43-5/8"D (1451 x 1067 x 1108mm)	BLACK WITH SILVER SLAT-WALL
B3045	60" WIDE - DOUBLE TIER WITH 15"H SLAT-WALL	57-1/8"H x 60"W x 43-5/8"D (1451 x 1524 x 1108mm)	BLACK WITH SILVER SLAT-WALL
B3047	84" WIDE - DOUBLE TIER WITH 15"H SLAT-WALL	57-1/8"H x 84"W x 43-5/8"D (1451 x 2134 x 1108mm)	BLACK WITH SILVER SLAT-WALL

In stock and ready to ship with Graphite Nebula laminate work surface with Safeguard edge. Monitor mounts sold separately. See page 46.



DOUBLE-TIER ENVISION CONSOLE			
MODEL#	HEIGHT	WIDTH	DEPTH
B3065	57-1/8" (1451mm)	84" (2134mm)	47-1/4" (1200mm)
COLOR	WORK SURFACE COLOR	SLAT-WALL	
BLACK	GRAPHITE NEBULA SAFEGUARD EDGE	DOUBLE-TIER 15" HIGH	

Double-Tier EnVision console features a customized kidney bean shaped work surface with grey Safeguard Edge. Comes complete with monitor mounts and task light as shown.

DUAL-WING ENVISION CONSOLE			
MODEL#	HEIGHT	WIDTH	DEPTH
B3067	57-1/8" (1451mm)	145" (3683mm)	66" (1676mm)
COLOR	WORK SURFACE COLOR	SLAT-WALL	
BLACK	PAPIER LUNE SAFEGUARD EDGE	SINGLE & DOUBLE TIER 7-1/2" HIGH	

Dual-Wing EnVision Console features a single-tier center section for open monitor wall viewing. Comes complete with nine pivot/tilt monitor mounts (75 x 75mm/100 x 100mm).



ENVISION CORNER CONSOLE			
MODEL#	HEIGHT	WIDTH	DEPTH
B3068	57-1/8" (1451mm)	135" (3429mm)	93" (2362mm)
COLOR	WORK SURFACE COLOR	SLAT-WALL	
BLACK	MAROOCHY BRUSH SAFEGUARD EDGE	DOUBLE-TIER 15" HIGH	

EnVision Corner Console comes complete with two 4U Rack Cabinets, three Task Lights, six Articulating Monitor Arms and eight pivot/tilt monitor mounts.

THREE-POSITION ENVISION CONSOLE			
MODEL#	HEIGHT	WIDTH	DEPTH
B3066	40-1/8" (1019mm)	122" (3099mm)	122" (3099mm)
COLOR	WORK SURFACE COLOR	SLAT-WALL	
BLACK	VOUS METAL SAFEGUARD EDGE	SINGLE-TIER 15" HIGH	

Three-Position EnVision Console comes complete with six pivot/tilt monitor mounts and three radial credenzas for ample storage.



30175

30172



30178

B3053



B3090

B3091



B3055



30031

MONITOR MOUNTS

MODEL#	DESCRIPTION	WEIGHT
30175	Articulating arm monitor mount - Vertical Slat-Wall	6 LBS.
Articulating arm monitor mount features adjustable tension at pivot points for customized control suitable for touchscreen use. Silver finish.		
30172	Pivot/tilt monitor mount - Vertical and Sloped Slat-Wall	4 LBS.
Monitor mount features adjustable tension at pivot points for customized control, suitable for touchscreen use. Grey finish.		

HEIGHT-ADJUSTABLE PIVOT/TILT MONITOR MOUNTS

MODEL#	DESCRIPTION	WEIGHT
30178	Articulating arm monitor mount - Vertical Slat-Wall	10 LBS.
B3053	Articulating arm monitor mount - Sloped Slat-Wall	13 LBS.
Articulating arm monitor mount features adjustable tension at pivot points for customized control suitable for touchscreen use. Designed for 10" - 30" monitors and is compatible with 75 x 75mm and 100 x 100mm VESA mounting patterns. Mounts have a weight capacity of 25 pounds. Arm extends 20.08" and features 13" of dynamic height adjustment using smooth-motion gas spring technology. Silver finish.		

MONITOR MOUNT - PHONE TRAY

MODEL#	DESCRIPTION	WEIGHT
B3090	Adjustable phone tray - Sloped Slat-Wall	11 LBS.
Phone tray is designed to mount to the sloped EnVision Slat-Wall.		
B3091	Articulating monitor mount - Sloped Slat-Wall	8 LBS.
Monitor mount designed to mount to the sloped EnVision Slat-Wall.		

UNIVERSAL LARGE MONITOR MOUNT

MODEL#	OVERALL DIMENSIONS	COLOR	WEIGHT
B3055	16-1/2"H x 30-3/4"W x 2"D (419 x 781 x 51mm)	BLACK	14 LBS.
Heavy-Duty construction provides a low-profile mounting solution for 32"-52" monitors. Mount allows 0-12° of tilt and has a weight capacity of 125 pounds. Designed for vertical Slat-Wall.			

4U ENVISION RACK MOUNT CABINET

MODEL#	DIMENSIONS	WEIGHT
30031	9-1/8"H x 21-1/16"W x 6"D (232 x 535 x 152mm)	5 LBS.
4U rack cabinet easily mounts to the sloped or vertical Slat-Wall tiers providing convenient access to rack mounted equipment. Black textured powder coat finish.		

POWER OUTLET WITH CIRCUIT BREAKER

MODEL#	DESCRIPTION	AMP	OUTLET LENGTH	WEIGHT
30701	Six-outlet	15	12-1/4" (311mm)	4 LBS.

Lighted On/Off switch. Mounts inside rear lift-off cable tray. Features a 15 foot cord.



30701

CONTEMPORARY LED TASK LIGHT

MODEL#	DESCRIPTION	WEIGHT
W5665	LED task light - Vertical Slat-Wall	4 LBS.
B3056	LED task light - Sloped Slat-Wall	4 LBS.

Optional Task Light features a three-bar design for ultimate reach and flexibility. The ultra-adjustable LED head can spin in its socket, sweep side to side, and rotate around the end of the arm to point in any direction. Dimming is easily controlled by a touchstrip located near the LED head for easy access.



W5665

B3056

REAR ACCESSORY TRAY FOR SLOPED SLAT-WALL

MODEL#	DESCRIPTION	WEIGHT
30080	EnVision accessory tray	4 LBS.

This convenient accessory tray mounts to the rear of the sloped EnVision Slat-Wall. The surface is 16" wide by 8" deep and has a 20 pound weight capacity. Black textured powder coat finish.



ENVISION PENCIL DRAWER

MODEL#	DIMENSIONS	WEIGHT
B3099	2-3/8"H x 13-3/4"W x 18"D (60 x 349 x 457mm)	4 LBS.

Mounts to the underside of any EnVision work surface. Pulls out 12-3/4" (324mm). Black formed plastic.



ENVISION CPU MOUNTS

MODEL#	DESCRIPTION	WEIGHT
B3057	Rear mouted stationary CPU mount	10 LBS.

Fits CPU's from 13-1/2" to 21-1/2" High (343 to 546mm) by 5-3/8" to 9-3/8" Wide (137 to 238mm). Black finish.

B3098	Extends forward with 90° swivel	12 LBS.
--------------	---------------------------------	---------

Fits CPU's from 13-1/2" to 21-1/2" High (343 to 546mm) by 5-3/8" to 9-3/8" Wide (137 to 238mm). Black finish.



B3057



B3098



E-SOC™ CONTROL STATION

Winsted E-SOC Control Stations are the perfect balance between console and workstation. A combination of Winsted Prestige Series Console and Winsted Multimedia Workstation, E-SOC control stations feature Winsted Versa-Trak monitor mounts for complete adjustability and ergonomic viewing comfort, lift-off access panels, integrated cable management and a hinged corner for a scalable, flexible and cost-effective solution suitable for any application. Winsted E-SOC Control Stations provide cost-effective configurations for operator success.

E-SOC - CONTROL STATION

PRODUCT FEATURES AND HIGHLIGHTS

Endurance Plus Work Surface

E-SOC comes standard with our proprietary Endurance Plus Work Surface. Comfort Edge and Laminate with Safeguard work surface options are also available.

Versa-Trak Monitor Mounting System

Integrated horizontal aluminum track system will support a wide variety of monitor arrays. Versa-Trak offers the ultimate in versatility with easy horizontal adjustment. Post-mounted VESA brackets provide vertical adjustability along with the ability to tilt and pivot the monitors.

Rack Mount Turret

Optional 10-1/2" (6U) 7° sloped rack mount turret easily mounts to the E-SOC chase to keep electronics within easy reach. Features a vented top to keep electronics cool. Black textured power-coat finish.

Adjustable Monitor Mounts

VESA-compliant pivot/tilt mounts easily attach monitors to a support post, and provides smooth pivot and pitch adjustment for optimal viewing of flat panel monitors.

Vented Modesty Panel

Decorative, vented modesty panel features convenient lift-off panels for easy access to cables, electronics and CPUs. Integrated cable management with lacing loops enhances the feature set of the E-SOC.

Rack Mount Cabinet

Winsted offers a 19" EIA Rack Mount Cabinet to compliment your Control Station. A wide range of shelves and accessories are available to build the perfect rack solution.

Easy-Access Cable Management

Enhance reliability while protecting and managing your cables. All E-SOC Control Stations feature a cable channel with lacing loops incorporated into the modesty panel and a large, drop-down hinged cable tray that spans the length of the modesty panel.

Three Monitor Mount Post Heights

Available in three different heights: 15", 28-1/2", and 42" so you can create a monitor array suitable for any application.

CPU Mount

CPU mount provides easy access to the front and rear of your computer system. The articulating mount extends forward, includes a 90° swivel, and fits CPUs from 13-1/2" to 21-1/2"H by 5-3/8" to 9-3/8"W.

Optional Task Light


Optional Task Light features a three-bar design for ultimate reach and flexibility. The ultra-adjustable LED head can spin in its socket, sweep side to side, and rotate around the end of the arm to point in any direction. A brightness touchstrip is located near the LED head for easy access.

Powder-Coat Paint

The E-SOC infrastructure is coated with a durable black powder-coat paint that accentuates the work surface. Textured finish prevents fingerprints from showing and lasts for years.

Hinged Corner

E-SOC's innovative hinged corner offers the ultimate in flexibility. With no pre-defined corner angles, E-SOC can be designed to fit in your unique space.





HYBRID FOR PERFORMANCE

Winsted E-SOC Control Stations are designed to promote operator performance when monitoring complex systems. Combining the enhanced ergonomics and functional flexibility of Winsted workstations and consoles for a cost-effective hybrid control station that yields greater comfort, operator attention, and usage satisfaction. E-SOC offers the flexibility, the feature set and the price point to suit any control room installation small or large.

FEATURES

- Modular and Expandable
- Cost-Effective
- Ergonomically Correct
- Improved Operator Performance
- Ample Cable Management
- Infinite Corner Configurations
- Easily Expandable



NEED HELP?

Let Winsted design a console for you: winsted.com/designservice



60" E-SOC CONTROL STATION

MODEL#	HEIGHT	WIDTH	DEPTH
B4314	28-7/8" (733mm)	60" (1524mm)	34-5/8" (879mm)
BASE COLOR		SIDE PANEL	WORK SURFACE
BLACK		CONCRETE TRUFORM	CONCRETE ENDURANCE PLUS

60" wide E-SOC Control Station features the Versa-Trak monitor mounting system and comes complete with three W6491 articulating monitor mounts (See page 55). To order this Control Station without the monitor mounts, please use model number B4304.



48" E-SOC CONTROL STATION

MODEL#	HEIGHT	WIDTH	DEPTH
B4312	28-7/8" (733mm)	48" (1219mm)	34-5/8" (879mm)
BASE COLOR		SIDE PANEL	WORK SURFACE
BLACK		CONCRETE TRUFORM	CONCRETE ENDURANCE PLUS

48" wide E-SOC Control Station features the Versa-Trak monitor mounting system and comes complete with two W6491 articulating monitor mounts (See page 55). To order this Control Station without the monitor mounts, please use model number B4302.



72" E-SOC CONTROL STATION

MODEL#	HEIGHT	WIDTH	DEPTH
B4316	28-7/8" (733mm)	72" (1829mm)	34-5/8" (879mm)
BASE COLOR		SIDE PANEL	WORK SURFACE
BLACK		CONCRETE TRUFORM	CONCRETE ENDURANCE PLUS

72" wide E-SOC Control Station features the Versa-Trak monitor mounting system and comes complete with four W6491 articulating monitor mounts (See page 55). To order this Control Station without the monitor mounts, please use model number B4306.



60" E-SOC CONTROL STATION WITH RACK

MODEL#	HEIGHT	WIDTH	DEPTH
B4324	28-7/8" (733mm)	60" (1524mm)	34-5/8" (879mm)
BASE COLOR		SIDE PANEL	WORK SURFACE
BLACK		CONCRETE TRUFORM	CONCRETE ENDURANCE PLUS

60" wide E-SOC Control Station with 19-1/4" (11U) equipment rack features the Versa-Trak monitor mounting system and comes complete with three W6491 articulating monitor mounts (See page 55).



U-SHAPED E-SOC CONTROL STATION

MODEL#	HEIGHT	WIDTH	DEPTH
B4363	28-7/8" (733mm)	113-1/8" (2873mm)	78-7/16" (1992mm)
BASE COLOR	SIDE PANEL	WORK SURFACE	
BLACK	AMERICAN NATURAL TRUFORM	BASKET WEAVING LAMINATE	

This U-shaped Control Station consists of two 60" sections, one 72" section and two 90 degree corners. Comes complete with Versa-Trak monitor mounting system and ten W6491 articulating monitor mounts (See page 55).



CORNER E-SOC CONTROL STATION

MODEL#	HEIGHT	WIDTH	DEPTH
B4360	28-7/8" (733mm)	140-1/4" (3562mm)	60-1/2" (1537mm)
BASE COLOR	SIDE PANEL	WORK SURFACE	
BLACK	SHARK GREY TRUFORM	CARBON EV LAMINATE	

This Corner Control Station consists of three 48" sections and two 45 degree corners. Comes complete with Versa-Trak monitor mounting system and six W6471 pivot/tilt monitor mounts (See page 55).



L-SHAPED E-SOC CONTROL STATION

MODEL#	HEIGHT	WIDTH	DEPTH
B4361	28-7/8" (733mm)	92-3/16" (2342mm)	92-3/16" (2342mm)
BASE COLOR	SIDE PANEL	WORK SURFACE	
BLACK	BOSTON CHERRY TRUFORM	NATURAL PEAR LAMINATE	

This L-shaped Control Station consists of two 72" sections and one 90 degree corner. Comes complete with Versa-Trak monitor mounting system and six W6491 articulating monitor mounts (See page 55).



CURVED E-SOC CONTROL STATION

MODEL#	HEIGHT	WIDTH	DEPTH
B4362	28-7/8" (733mm)	234-11/16" (5961mm)	54-3/4" (1391mm)
BASE COLOR	SIDE PANEL	WORK SURFACE	
BLACK	SHARK GREY TRUFORM	VOUS MOD LAMINATE	

This Curved Control Station consists of five 48" sections and four 10 degree corners. Comes complete with Versa-Trak monitor mounting system and ten W6471 pivot/tilt monitor mounts (See page 55).




43009



43260



43032



43264



W5664

56679

10679

WELDED 19-1/4" (11U) RACK WITH PLEXI DOOR

MODEL#	DIMENSIONS	WEIGHT
43009	22-7/16"H x 22"W x 28"D (570 x 559 x 711mm)	82 LBS.

Welded 19-1/4" (11U) equipment rack comes complete with front and rear tapped rack rails, removable back panel, leg levelers and plexiglas front door. Side panels are vented and the removable back panel allows for two 1-3/4" openings at the top and bottom for cooling and cabling.

CPU MOUNTS

MODEL#	DESCRIPTION	WEIGHT
43260	Stationary CPU mount	8 LBS.

Fits CPU's from 13-1/2" to 21-1/2" High (343 to 546mm) by 5-3/8" to 9-3/8" Wide (137 to 238mm). Black finish.

43261	Pull-out swivel CPU mount	6 LBS.
-------	---------------------------	--------

Fits CPU's from 8" to 16-3/4" High (203 to 425mm) by 3" to 7" Wide (76 to 178mm). Black finish.

RACK MOUNT TURRET

MODEL#	DIMENSIONS	WEIGHT
43032	16-1/16"H x 21-3/16"W x 12-7/8"D (408 x 538 x 327mm)	18 LBS.

10-1/2" (6U) 7° sloped rack mount turret easily mounts to the E-SOC chase to keep electronics within easy reach. Features a vented top to keep electronics cool. Black textured power-coat finish.

ELECTRICAL BOX

MODEL#	DESCRIPTION	WEIGHT
43264	Single box with mounting bracket	4 LBS.

Mounts to intermediate and/or end frames. Can hold two duplex outlets.

LED TASK LIGHTS

MODEL#	DESCRIPTION	WEIGHT
W5664	Versa-Trak mounted task light	6 LBS.

Optional Task Light features a three-bar design for ultimate reach and flexibility. The ultra-adjustable LED head can spin in its socket, sweep side to side, and rotate around the end of the arm to point in any direction. Dimming is easily controlled by a touchstrip located near the LED head for easy access.

56679	LED light with magnetic base and 18" flexible neck	1 LB.
10679	LED light with VESA mount and 18" flexible neck	1 LB.

Features a 6-foot cord and allows users to switch between white or red lights.

AXIOM MONITOR MOUNTS: (1.5" DIA. MOUNTING POSTS)

W6471

15" Post - Single Monitor Post Mount, Vertical



W6472

28-1/2" Post - Dual Monitor Post Mount, Vertical



W6473

42" Post - Triple Monitor Post Mount, Vertical



W6469

Adjustable Phone Tray Mounts to Versa-Trak



W6491

15" Post - Single Monitor Articulating Arm



W6492

28-1/2" Post - Single Monitor Articulating Arm



W6493

28-1/2" Post - Dual Monitor Two Articulating Arms



W6475

15" Post with Height Adjustable Arm



PRESTIGE MONITOR MOUNTS: (1.9" DIA. MOUNTING POSTS)

E5081

15" Post - Single Monitor Post Mount, Vertical



W5772

28-1/2" Post - Dual Monitor Post Mount, Vertical



W5773

42" Post - Triple Monitor Post Mount, Vertical



W5777

15" Post with Dual 15" Extension Arms



W5690

Dual-Post Large Monitor Mount (Supports 42" - 63" Monitors)



W5774

15" Post with 15" Extension Arm



W5775

28-1/2" Post with 15" Extension Arm



W5779

28-1/2" Post with Two 15" Extension Arms



W5776

42" Post with Two 15" Extension Arms



W5778

15" Post with Height Adjustable Arm



W5698

28-1/2" Post with VESA Mount (Supports 26" - 45" Displays)





SPECTRUM-2™ CONSOLES

Winsted's Spectrum-2 consoles offer flexible equipment mounting options, ergonomic viewing angles and easy expansion. Whether you're creating a single-bay edit suite for video production or a sophisticated multi-operator control room, Winsted offers the perfect console for your precise needs. Each of our rack mount turrets conform to 19"W EIA standards and provide easy access to rack mounted electronics.

SPECTRUM-2 - CONSOLES

PRODUCT FEATURES AND HIGHLIGHTS

Multiple Work Surface Options

Choose from three work surface options. Our proprietary Endurance Plus, Comfort Edge and laminate with Safeguard options are available for all Spectrum-2 consoles.

Base Units

Adaptable lower equipment units can be configured for 19-1/4" (11RU) of rack space, CPU pull-out tray or adjustable shelf storage. Each features a hinged front access panel and a removable rear access panel.

Turret Units

Upper turret units each accommodate 4U rack-mount equipment. Each is vented and features a removable top access panel.

Front Tapped Rack Rails

Upper and lower front 14-gauge tapped rack rails for equipment installation. Rails are stamped with numbered rack increments for easy equipment installation.

High Pressure Laminate Finish

All structural panels are finished in high-pressure plastic laminates, with hundreds of color options to choose from.

Cable Routing

Thoughtful, well-engineered cable pathways accommodate the need for clean, convenient cable management.

Versa-Trak Mounting System

Integrated horizontal aluminum track system will support a wide variety of monitor mounts. Versa-Trak offers the ultimate in versatility with easy horizontal adjustment. Post-mounted VESA brackets provide vertical adjustability along with the ability to tilt and pivot the monitors.

Optional Adjustable Monitor Mounts

VESA-compliant pivot/tilt articulating monitor mounts easily attach monitors to the Versa-Trak and provide smooth pivot and pitch adjustment for optimal viewing angles and ergonomic sight lines.

Adjustable Leg Levelers

Easily fine-tune the height and levelness of your console with the adjustable leg levelers.

Multiple Corner Options

Standard corner options include 15, 45 and 90 degree concave corners as well as 15 and 45 degree convex corners. Custom corner angles are available as needed to help Spectrum-2 conform to your unique space.

Hinged & Removable Access Panels

Spectrum-2 features full-length removable rear access panels and lower hinged front panels to provide quick, easy access to cables and equipment for simple installation and reduced maintenance time.





M-VIEW™ MONITOR WALLS

Winsted's M-View monitor wall, in-stock or custom built, is flexible in design and completely modular. M-View is fabricated from light-weight, high-strength extruded aluminum with a black anodized finish. The monitor wall can support virtually any monitor configuration and can be designed as an in-line, concave or convex mounting solution. The M-View seamlessly integrates technology and space to optimize viewing angles.

M-VIEW - MONITOR WALLS

PRODUCT FEATURES AND HIGHLIGHTS

Stock and Custom Monitor Walls

Choose an in-stock monitor wall that is preconfigured and ready to ship or let Winsted design a custom monitor wall built to your specific monitor configuration.

Large Flat Panel Mounts

Our heavy-duty large monitor mounts combine a low profile design with integrated security features. The mount features a rapid leveling system, quick connect-disconnect installation, fingertip-tilt and a pullout bottom for convenient cable access. Allows for portrait or landscape flat panel installation.

Standard VESA Mounts

Universal VESA mounts easily attach flat panel monitors to the M-View Monitor Wall and provide smooth pivot and pitch adjustments for different viewing angles and ergonomic needs. The VESA mounts move freely along the M-View framework and are available to support almost any monitor.

1-1/2" x 3" Exterior Frame

The exterior framing is constructed of 1-1/2" x 3" extruded aluminum for superior strength and modularity. Custom frames can be manufactured to any height and length.

Power Strips

Ten, eleven or twenty outlet power strips are available with on/off switches and circuit breakers. Power strips mount to the rear of the horizontal and/or vertical frame sections.

Black Anodized Finish

All M-View frames feature a black anodized finish that fits seamlessly into any environment. When installed, the M-View frame blends in with attached monitors, creating a pleasing shadow effect.

1-1/2" x 1-1/2" Interior Supports

The interior supports are constructed of extruded aluminum for superior strength and modularity. Custom frames can be manufactured to any height and length.

Cable and Wire Management

Multiple raceway channels are available for wire management. Run the cables horizontally or vertically using model M1032 (scored walls). Use model M1030 (solid walls) to run cables vertically to the floor.

Modular and Expandable


All M-View monitor walls are designed to support your monitor configuration. The M-View can be expanded and reconfigured based on your changing needs.

Optional Filler Panel

Complete your M-View with custom filler panels, available in a variety of colors and materials. Can be cut to provide access to electronics or vertical rack.

Quick-Release Adjustable Bracket

Our quick-release bracket makes adjusting and reconfiguring your monitors fast and easy on our stock monitor walls.





M-VIEW RIZE™ MONITOR WALLS

M-View Rize is the perfect compliment to any console system, including all Impulse consoles. As the operator changes the height of the console, the M-View Rize is able to adjust the height of the monitors on the wall in order to maintain proper ergonomics and optimal sight lines. Available in two standard configurations. We offer a 43" wide configuration for a single monitor and an 83" wide configuration for dual monitors.

M-VIEW RIZE - MONITOR WALLS

PRODUCT FEATURES AND HIGHLIGHTS

Electric-Lift Actuators

Quickly and easily adjust the height of the monitors at the push of a button. Remote control included. The M1088 with two actuators has a weight capacity of 520 pounds. The M1082 with one actuator has a weight capacity of 260 pounds.

Large Flat Panel Mounts

Our heavy-duty large monitor mounts combine a low profile design with integrated security features. The mount features a rapid leveling system, quick connect-disconnect installation, fingertip-tilt and a pullout bottom for convenient cable access. Allows for portrait or landscape flat panel installation.

1-1/2" x 3" Exterior Frame

The exterior framing is constructed of 1-1/2" x 3" extruded aluminum for superior strength and modularity. Custom frames can be manufactured to any height and length.

Power Strips

Ten, eleven or twenty outlet power strips are available with on/off switches and circuit breakers. Power strips mount to the rear of the horizontal and/or vertical frame sections.

Filler Panel

M-View Rize comes standard with a 1/4" thick black filler panel on the front of the monitor wall. Custom filler panels are also available in a variety of colors and materials. Contact Winsted for details.

Black Anodized Finish

All M-View frames feature a black anodized finish that fits seamlessly into any environment. When installed, the M-View frame blends in with attached monitors, creating a pleasing shadow effect.

Cable and Wire Management


M-View Rize features integrated cable management that moves with the monitors as they are adjusted vertically with the electric-lift actuators.

Two Standard Configurations

The M-View Rize is available in two standard configurations. We offer a 43" wide configuration (Model# M1082) for a single monitor and an 83" wide configuration (Model# M1088) for dual monitors.

M-VIEW RIZE MONITOR WALLS	
MODEL#	DIMENSIONS
M1082	87"H x 43"W x 24-3/8"D (2210 x 1092 x 619mm)
M1088	87"H x 83"W x 24-3/8"D (2210 x 2108 x 619mm)

Electric actuators adjust monitor height at the push of a button. Remote control included.





CUSTOM MONITOR WALLS

If you require a custom-built monitor wall to support your specific monitor configuration, or to fit in your unique space, please contact Winsted and we will provide the perfect solution. Each custom M-View is designed and manufactured from the ground up to meet your specifications. The M-View is fabricated from light-weight, high-strength extruded aluminum and will support any size flat-panel monitor.


FEATURES

- Built to Your Exact Specifications
- Light Weight and High Strength
- Easy to Wire and Maintain
- Adapts to Changing Technology
- Prevents Damage to Interior Walls
- Modular and Expandable



QUESTIONS:

Let Winsted design a monitor wall for you.
Send us an email to: info@winsted.com



STOCK FRAMES WITH ADJUSTABLE UPRIGHTS

MODEL#	A	B	C	D	E	COLOR	WEIGHT
M1100	80" (2032mm)	43" (1092mm)	24-1/2" (622mm)	24" (610mm)	2	BLACK	91 LBS.
M1102	80" (2032mm)	53" (1346mm)	24-1/2" (622mm)	24" (610mm)	2	BLACK	93 LBS.
M1104	80" (2032mm)	63" (1600mm)	24-1/2" (622mm)	24" (610mm)	3	BLACK	98 LBS.
M1106	80" (2032mm)	73" (1854mm)	24-1/2" (622mm)	24" (610mm)	4	BLACK	103 LBS.
M1108	80" (2032mm)	83" (2108mm)	24-1/2" (622mm)	24" (610mm)	4	BLACK	105 LBS.
M1121	94" (2388mm)	43" (1092mm)	38-1/2" (978mm)	24" (610mm)	2	BLACK	96 LBS.
M1123	94" (2388mm)	53" (1346mm)	38-1/2" (978mm)	24" (610mm)	2	BLACK	98 LBS.
M1125	94" (2388mm)	63" (1600mm)	38-1/2" (978mm)	24" (610mm)	3	BLACK	103 LBS.
M1127	94" (2388mm)	73" (1854mm)	38-1/2" (978mm)	24" (610mm)	4	BLACK	108 LBS.
M1129	94" (2388mm)	83" (2108mm)	38-1/2" (978mm)	24" (610mm)	4	BLACK	110 LBS.

Stock frames are pre-configured and ready to ship. All stock frames feature our exclusive quick-release adjustable bracket.

VESA MOUNTS

MODEL#	DESCRIPTION	VESA MOUNT	WEIGHT CAPACITY	WEIGHT
51237	LCD Mount 10"-32" Monitor	75 x 75mm 100 x 100mm	40 LBS.	3 LBS.
51239	LCD Mount 26"-45" Monitor	100 x 100mm 100 x 200mm 200 x 200mm	75 LBS.	8 LBS.

VESA monitor mounts allow smooth range of motion and hassle free, fingertip positioning of the monitors. Low profile appearance and sleek, attractive design conceals all hardware.



UNIVERSAL LARGE FLAT PANEL MOUNT

MODEL#	OVERALL DIMENSIONS	COLOR	WEIGHT
11104	13-1/4"H x 34-7/16"W x 2"D (335 x 875 x 51 mm)	BLACK	19 LBS.

Heavy-Duty construction provides a secure mounting solution for monitors up to 63" wide and/or 200 pounds.



POWER SUPPLY OUTLETS WITH CIRCUIT BREAKERS

MODEL#	DESCRIPTION	AMP	Outlet Length	WEIGHT
M1020	Ten-outlet	15	34" (864mm)	4 LBS.
M1021	Ten-outlet	15	68" (1727mm)	6 LBS.
M1022	Twenty-outlet	15	68" (1727mm)	7 LBS.
M1023	Eleven-outlet	20	68" (1727mm)	8 LBS.

On/Off switch. Mounts to any vertical or horizontal frame section where power is needed.



PANEL CHANNEL WIRE MANAGEMENT DUCTS

MODEL#	OVERALL DIMENSIONS	COLOR	WEIGHT
M1030	1-1/2"H x 1-1/2"W x 72"L (38 x 38 x 1829mm)	BLACK	3 LBS.
M1032	2"H x 2"W x 78"L (51 x 51 x 1981mm)	BLACK	3 LBS.
M1034	2"H x 4"W x 78"L (51 x 102 x 1981mm)	BLACK	4 LBS.

Black plastic channel with scored sidewalls for easy breakout. Protective channel can be cut to size. Model M1030 has solid walls. Covers included.



ADJUSTABLE CPU HOLDER

MODEL#	DESCRIPTION	COLOR	WEIGHT
60082	Adjustable CPU holder with Velcro® strap	BLACK	5 LBS.

CPU holder mounts to the bottom rail of the M-View and securely holds your CPU. Side brackets adjust independently to accommodate a wide variety of CPU sizes.





PRO SERIES II™ VERTICAL RACKS

Winsted Pro-Series Vertical Racks consolidate and protect sensitive electronics. Backed by a lifetime warranty, Pro-Series Vertical Racks are available in sizes up to 45U with a range of accessories for thermal management, enclosing, protecting and providing cable management.

PRO SERIES II - VERTICAL RACKS

PRODUCT FEATURES AND HIGHLIGHTS

Top Panel Options

Individual racks include a variety of top options: raised vented panels, solid and vented blank panels and internal/external mounted fans. Full or partial top coverage provides flexible ceiling cabling options.

Welded Frames

Racks utilize extra-heavy-duty welded construction delivering robust solutions in the most demanding environments.

Lacing Bars

A variety of vertical and horizontal lacing bars are available for each rack style, including a 71" solid copper bus bar.

Adjustable Tapped Rack Rails

Adjustable front and rear 14-gauge tapped rack rails for equipment installation. Rails are stamped with numbered rack increments.

NEMA Conduit Knock-outs

Pro Series II rack frames include NEMA - approved knock-outs which provide excellent wire management with multiple conduit sizes.

Pedestal Wire Access Holes


Rack frame includes two 4" x 10" openings in the pedestal for air intake and cable management.

Powder-Coat Finish

The heavy-duty steel infrastructure of each rack is coated with a durable black powder-coat paint. Textured paint provides a beautiful finish in all environments.

Vented Side Panels

Removable half-height side panels are standard. Convection-cooling side panel venting can be covered when vertical thermal management fans are used.





PRO SERIES II WELDED VERTICAL RACKS

24"D (610mm) RACK CABINET

MODEL#	RACK HEIGHT	OVERALL HEIGHT	WEIGHT
90012	35" (20U)	42" (1067mm)	66 LBS.
90016	70" (40U)	77" (1956mm)	107 LBS.
90018	78-3/4" (45U)	85" (2159mm)	116 LBS.

21-3/4" D from front rack rail to rear rack rail.

32"D (813mm) RACK CABINET

90022	35" (20U)	42" (1067mm)	75 LBS.
90026	70" (40U)	77" (1956mm)	130 LBS.
90028	78-3/4" (45U)	85" (2159mm)	129 LBS.

29-3/4"D from front rack rail to rear rack rail.

38-3/8"D (975mm) RACK CABINET

90032	35" (20U)	42" (1067mm)	104 LBS.
90036	70" (40U)	77" (1956mm)	139 LBS.
90038	78-3/4" (45U)	85" (2159mm)	149 LBS.

36"D from front rack rail to rear rack rail.

DVR RACK - BLACK

MODEL#	DESCRIPTION	WEIGHT
V9019	78-3/4" (45U) x 38-3/8"D vertical rack with vented side panels, locking rear solid door, vented top panel & 5-1/4"H (3U) 300 CFM rack mount filtered fan.	302 LBS.

Whether you are populating a single vertical rack with DVRs or have an entire room to fill, the Pro Series II DVRack is perfect for this application. Order one model number for a complete single rack.

V9021	78-3/4" (45U) x 38-3/8"D vertical rack with locking rear solid door, vented top panel & 5-1/4"H (3U) 300 CFM rack mount filtered fan.	204 LBS.
-------	---	----------

Filling a room? Order multiple racks frames without side panels to create in-line bays.

VENTED SIDE PANELS - BLACK (PAIRS)

24"D (610mm) RACK CABINET

MODEL#	RACK HEIGHT (UNITS)	WEIGHT
90112	35" (889mm) (20U)	33 LBS.
90116	70" (1778mm) (40U)	60 LBS.
90118	78-3/4" (2000mm) (45U)	62 LBS.

32"D (813mm) RACK CABINET

90122	35" (889mm) (20U)	42 LBS.
90126	70" (1778mm) (40U)	74 LBS.
90129	78-3/4" (2000mm) (45U)	83 LBS.

38-3/8"D (975mm) RACK CABINET

90132	35" (889mm) (20U)	50 LBS.
90136	70" (1778mm) (40U)	88 LBS.
90138	78-3/4" (2000mm) (45U)	99 LBS.

Side panels provide ample venting for convection cooling.

VENTED TOP PANELS - BLACK

MODEL#	RACK CABINET DEPTH	WEIGHT
90051	24" (610mm)	8 LBS.
90053	32" (813mm)	11 LBS.
90055	38-3/8" (975mm)	13 LBS.

Includes bracket for Model 10705 exhaust fan. (Fan sold separately - Page 71)

SOLID BLANK TOP PANELS - BLACK (19" W)

MODEL#	RACK SIZE	PANEL SIZE	WEIGHT
99145	24"D	19"W (483) x 10-1/2"H (6U)	4 LBS.
99149	32"D	19"W (483) x 19-1/4"H (11U)	8 LBS.
99152	38-3/8"D	19"W (483) x 24-1/2"H (14U)	11 LBS.

Solid top panels easily mount in the standard 19" vertical rack top.

VENTED BLANK TOP PANELS - BLACK (19" W)

MODEL#	RACK SIZE	PANEL SIZE	WEIGHT
86142 (2)	24"D	19"W (483) x 5-1/4"H (3U)	2 LBS.
86149	32"D	19"W (483) x 19-1/4"H (11U)	4 LBS.
86142 (1)	38-3/8"D	19"W (483) x 5-1/4"H (3U)	1 LB.
86149 (1)	38-3/8"D	19"W (483) x 19-1/4"H (11U)	4 LBS.

Vented beehive panels reduce heat build-up.

TAPPED OUTER RACK RAIL - PAIRS

MODEL#	RACK CABINET DEPTH	WEIGHT
90262	35" (20U)	4 LBS.
90266	70" (40U)	8 LBS.
90269	78-3/4" (45U)	9 LBS.

Right and left rails sold as pairs. 12-Gauge steel with numbered rack units and black zinc plating. Order 10-32 mounting screws separately. Model 10800 (Silver) or 10814 (Black). 50 each per pack.

SCREWS AND WASHERS

MODEL#	DESCRIPTION	WEIGHT
10800	10-32 x 3/4" Silver Pilot screws and washers. 50 each.	0.5 LB.
10814	10-32 x 3/4" Black Pilot screws and washers. 50 each.	0.5 LB.

Pilot screws make it easy to install your electronics.

2-1/2" (64MM) PLATE CASTERS - SET OF FOUR

MODEL#	DESCRIPTION	WEIGHT
85782	For 24"D, 32"D & 38-3/8"D rack cabinets (mount to pedestal only)	4 LBS.

Heavy duty casters allow you to move your vertical rack with ease.

LEG LEVELERS & GUSSETS — SET OF FOUR

MODEL#	HEIGHT	WEIGHT
90270	For 24"D, 32"D & 38-3/8"D rack cabinets	1 LB.

Mounts to rack bottom or pedestals.

STANDARD BLACK PEDESTAL - 22-1/8"W

MODEL#	DIMENSIONS	WEIGHT
90072	24"D x 2-1/2"H (610 x 64mm)	15 LBS.
90076	32"D x 2-1/2"H (813 x 64mm)	16 LBS.
90078	38-3/8"D x 2-1/2"H (975 x 64mm)	18 LBS.

Pedestals provide conduit knock-outs and removable side sections for horizontal cable management.

10" COOLING FAN - BLACK



MODEL#	FAN MEASURES	CFM	WEIGHT
G9085	3-1/2"H x 10"W (89 x 254mm)	550	9 LBS.

Comes complete with 5 foot cord, two finger guards and a 10-1/2" (6U) blank panel for mounting in the Pro Series II vertical rack top.

PRO SERIES II LOCKING DOORS

Rack Frame Size	35" (20U) Mounts to the front/rear frame of Models 90012, 90022, 90032	70" (40U) Mounts to the front/rear frame of Models 90016, 90026, 90036	78-3/8" (45U) Mounts to the front/rear frame of Models 90018, 90028, 90038			
DESCRIPTION	MODEL#	WEIGHT	MODEL#	WEIGHT	MODEL#	WEIGHT
PLEXIGLASS	90332 Front Only	18 LBS.	90336 Front Only	31 LBS.	90338 Front Only	37 LBS.
VENTED SOLID	90322 Front Only	16 LBS.	90326 Front Only	31 LBS.	90328 Front Only	34 LBS.
SOLID	90312 Rear Only	12 LBS.	90316 Rear Only	24 LBS.	90318 Rear Only	26 LBS.

All doors can be installed to open from left or right. Black texture powder coat finish.

VERTICAL RACK LACING OPTIONS - BLACK

	MODEL#	DESCRIPTION	WEIGHT
	1	88217 71-3/4" Lacing strip, supplies multiple binding locations. Fits models 90018, 90028, 90038	2 LBS.
	2	88218 Eight 14" long Velcro straps, mounted on a pre-drilled 72"H x 3/4"W x 1/8" Thick metal strap	2 LBS.
	3	88226 71" Copper bus bar. 1/4" thick x 1"W strap. Fits models 90018, 90028 and 90038. (Not Shown)	6 LBS.

Enhance reliability while protecting and managing your cables.

UNIVERSAL SHELF SUPPORT BRACKETS - BLACK



MODEL#	SIZE	WEIGHT
88220	Brackets support up to a 24"D work surface	9 LBS.

Fastens to front and rear rack rails of any standard 19" EIA cabinet ranging from 22" to 36" D (559 to 914mm).

HORIZONTAL RACK LACING OPTIONS - BLACK

	MODEL#	DESCRIPTION	WEIGHT
	4	10220 1-3/4" Slotted lacing rack mount panel with horizontal slots	1 LB.
	5	85276 Aluminum round bar rack mount cable guide extends cable life	0.5 LB.


All horizontal lacing options mount in any standard 19" opening.

PRO SERIES I & II TRUFORM WORK SURFACES - 18"D

	MODEL#	DESCRIPTION	WIDTH	WEIGHT
	90661	Single-Bay	22-1/8"	29 LBS.
	90662	Two-Bay	44-1/4"	62 LBS.
	90663	Three-Bay	66-3/8"	75 LBS.
	90664	Four-Bay	88-1/2"	96 LBS.

18"D (457mm) work surface with a 1-3/4" (44mm) beveled front edge. Black TruForm finish.

UNIVERSAL RACK MOUNT SHELVES - BLACK



MODEL#	DESCRIPTION	WEIGHT
88091	3-1/2" (2U) Stationary shelf. 2-7/8"H x 18"D (73 x 457mm)	8 LBS.
88093	5-1/4" (3U) Stationary shelf. 4-5/8"H x 18"D (117 x 457mm)	9 LBS.
88095	8-3/4" (5U) Stationary shelf. 8-1/8"H x 18"D (206 x 457mm)	10 LBS.
97091	3-1/2" (2U) Stationary shelf. 2-7/8"H x 12"D (73 x 305mm) Includes Strap Model 12765 for securing electronics	6 LBS.
88094	20" (508mm) Extension pullout shelf. Locks in closed position. Uses 1-3/4" (1U) rack space	17 LBS.

Fits into any 19" EIA (482mm) rack. Heavy 14 gauge sides, 16 gauge bottom, and 12" or 18" deep vented bottom for cooling and strapping down electronics.

MULTI-PURPOSE UTILITY DRAWER - BLACK

	MODEL#	DESCRIPTION	WEIGHT
	88323	3-1/2"H (2U) Utility Drawer	15 LBS.

Can be rack mounted or mounted to the underside of any wood work surface. 3-3/8" (86mm) inside height.

SQUARE HOLE RACK RAILS - BLACK

	MODEL#	HEIGHT	WEIGHT
	90267	70"	3 LBS.
	90271	78-3/4"	3 LBS.
	G8060	Square Tinnerman Nut 25 Each	1 LB.

Designed to mount in Pro Series II vertical racks.

UTILITY DRAWER WITH LOCK - BLACK

	MODEL#	DESCRIPTION	WEIGHT
	88321	8-3/4" (5U) rack mountable pullout utility drawer	18 LBS.

All drawers feature heavy duty ball bearing slides for years of reliability.

MAGNETIC VENT COVER



MODEL#	DESCRIPTION	WEIGHT
10740	6" x 6" (152 x 152mm)	.5 LBS.

Magnetic panel to cover side panel or door vents. Use when positive air flow is needed from bottom to top in cabinet.

COOLING FAN - WITH 5' CORD & PLUG



MODEL#	VOLTS	DECIBELS	CFM	WEIGHT
10705	115	43	105	2 LBS.
10724	220	43	105	2 LBS.
10725	115	30	55	2 LBS.

Easily mounts to vented side panels or vented top panels.

FAN FILTER ASSEMBLY



MODEL#	TYPE	WEIGHT
10720	Filter with finger guard	.5 LBS.

Washable filter covers cooling fans and cleans particles from air before entering cabinet. Black plastic guard.

LCD MONITOR RACK KIT - BLACK



MODEL#	DIMENSIONS	WEIGHT
F8153	19-1/16"W x 5-1/4" (3U)H (484 x 133mm)	5 LBS.

Flat Screen Mounting Kit that allows larger LCDs to be mounted in front of the rack face. Black Finish.

STATIC FLAT SCREEN MOUNTING BRACKET - BLACK



MODEL#	DESCRIPTION	WEIGHT
92186	Up to 19" (483mm) Flat Screen with VESA mount. Maximum LCD width 17-3/8" (441mm) 5-1/4"H (3U)	4 LBS.

Detachable mounting bracket makes installation quick and easy.

RACK MOUNT POWER PANELS - BLACK



MODEL#	DESCRIPTION	AMP	CORD LENGTH	WEIGHT
98703	Six-Outlet	15	15' (4.5M)	4 LBS.
Six-outlet - 2 front, 4 back. 15 amp circuit breaker with on/off switch.				
98708	Eight-Outlet	15	15' (4.5M)	4 LBS.
Eight-outlet. Outlets rotated 90° to accept multiple transformer plugs.				
98709	Eight-Outlet	15	15' (4.5M)	4 LBS.
98714	Twelve-Outlet	15	15' (4.5M)	6 LBS.

Rack mount power panels with surge suppressor.

THERMOSTAT CONTROL



MODEL#	TYPE	WEIGHT
10670	DMS 1141	1 LB.

For inline applications. Set between 32°-140°F (0°-60°C) and the fan(s) will run until the set temperature is reached. Mounts using the supplied DIN rail.

RACK MOUNT KEYBOARD SHELF - BLACK

88397



MODEL#	DESCRIPTION	WEIGHT
88397	Holds keyboards up to 16-1/2"W (419mm)	14 LBS.
88398	Holds keyboards up to 21"W (533mm) Swivels 90° to fit in a rack	18 LBS.

Conveniently stores your keyboard inside the vertical rack.

EXTRA DEEP VENTED STATIONARY SHELF - BLACK



MODEL#	DESCRIPTION	WEIGHT
88090	Rear supports adjust 22" to 37-3/4"D (559 x 956mm) to fit a wide variety of rack cabinets	11 LBS.

Inside tray dimensions: 17-3/8"W x 21-3/4"D (441 x 552mm). Requires just 3-1/2" (2U) of rack space. Overall dimensions: 3-1/2"H x 19"W x 21-3/4"D (89 x 483 x 552mm).

19" WIDE EIA BLANK PANELS



MODEL# BLACK	HEIGHT	RACK UNIT	WEIGHT
99140	1-3/4" (44mm)	(1U)	1 LB.
99141	3-1/2" (89mm)	(2U)	1 LB.
99142	5-1/4" (133mm)	(3U)	2 LBS.
99143	7" (178mm)	(4U)	3 LBS.
99144	8-3/4" (222mm)	(5U)	3 LBS.
99145	10-1/2" (267mm)	(6U)	4 LBS.
99146	12-1/4" (311mm)	(7U)	4 LBS.
99147	14" (356mm)	(8U)	6 LBS.
99148	15-3/4" (400mm)	(9U)	7 LBS.
99149	19-1/4" (489mm)	(11U)	8 LBS.
99152	24-1/2" (622mm)	(14U)	10 LBS.

Our 16 gauge steel blank panels are flanged for extra strength and they are finished attractively in textured powder coat paint. Just choose the appropriate size blank panel to provide the perfect finishing touch for all of your installations.

PANEL PILOT SCREWS WITH WASHER & CAPTIVE NUTS



MODEL#	QUANTITY	COLOR	WEIGHT
G8051	50 each per pack	Silver	.5 LB.
G8054	50 each per pack	Black	.75 LB.
G8101	100 each per pack	Silver	1 LB.
G8104	100 each per pack	Black	1.5 LBS.
G8056 Security Screws	50 each per pack Includes Torx® bit	Black	1 LB.


Pilot screws make it easy to install your electronics.

BLANK PANEL FILLER KITS

KIT #1			KIT #2			KIT #3		
MODEL#	QTY.	WT.	MODEL#	QTY.	WT.	MODEL#	QTY.	WT.
G9101	4ea. (1U) 2ea. (2U) 1ea. (3U)	9 LBS.	G9102	4ea. (1U) 2ea. (2U) 1ea. (9U)	14 LBS.	G9103	4ea. (1U) 2ea. (2U) 1ea. (11U)	16 LBS.

All blank panel kits include mounting hardware (50 bolts and clips).

19"W BEEHIVE VENTED BLANK PANELS - BLACK



MODEL#	HEIGHT	RACK UNIT	WEIGHT
86140	1-3/4" (44mm)	(1U)	.5 LB.
86141	3-1/2" (89mm)	(2U)	.75 LB.
86142	5-1/4" (133mm)	(3U)	1 LB.
86143	7" (178mm)	(4U)	1.5 LBS.
86144	8-3/4" (222mm)	(5U)	2 LBS.
86149	19-1/4" (489mm)	(11U)	4 LBS.
86151	21" (533mm)	(12U)	4 LBS.

Our vented blank panels are available in a variety of sizes and are made from black anodized aluminum. They are flanged for durability and the honeycomb construction provides added ventilation for a variety of rack systems.

BLACK RACK RAIL TRIM

MODEL#	DIMENSIONS	WEIGHT
85744	Sold in 1 ft. increments	.5 LB.

Made of flexible PVC with internal metal clips to provide a permanent grip. Trim has a fine pebble finish to dress up your installation. Use to cover unused rack rail holes. Trim can be cut to size with a scissors.

PLASTIC WIRE DUCT



MODEL#	SIZE	COLOR	WEIGHT
42750	4"H x 2"W x 72"L (102 x 51 x 1829mm)	Black	2 LBS.
42752	2"H x 4"W x 78"L (51 x 102 x 1981mm)	Black	3 LBS.
42755	4"H x 4"W x 72"L (102 x 102 x 1829mm)	Black	4 LBS.
42757	2"H x 2"W x 78"L (51 x 51 x 1981mm)	Black	2 LBS.

Wire ducts are slotted and come complete with cover except 42750.

42756	1-1/2"H x 1-1/2"W x 72"L (38 x 38 x 1829mm)	Black	2 LBS.
-------	---	-------	--------

42756 has solid walls and comes complete with cover.

RECESSED PATCH PANEL BRACKET - PAIR



MODEL#	SIZE	COLOR	WEIGHT
86227	3-1/2"H (2U) - pair	PEARL GREY	2 LBS.

Recess a patch panel back into the rack 4" (102mm) to create extra space for the cable connectors. Pearl Grey.

POWER SUPPLY OUTLETS



MODEL#	DESCRIPTION	AMP	CORD LENGTH	WEIGHT
10710	34" - Ten-outlet	15	72" (1829mm)	4 LBS.
10712	69" - Ten-outlet	15	72" (1829mm)	6 LBS.
10713	68" - Twenty-outlet	15	180" (4572mm)	7 LBS.
10684	70" - Eleven-outlet	20	72" (1829mm)	8 LBS.

Lighted On/Off switch. Mounts to the back of any base/slope rack combination, M-View or vertical rack. Also mounts horizontally in all consoles.

METAL TABLE TOP RACKS - BLACK



MODEL#	DESCRIPTION	WEIGHT
V4211	21"H (12U) Table Top Rack 23-5/8"H x 21-9/16"W x 18-3/4"D (600 x 548 x 476mm)	36 LBS.
V4221	28"H (16U) Table Top Rack 30-5/8"H x 21-9/16"W x 18-3/4"D (778 x 548 x 476mm)	41 LBS.

Standard EIA 19"W cabinets. Two sides, top and bottom. Winsted's "High-Tech" table top rack design fits perfectly in the security market. Steel construction protected by a Black enamel finish. Vented sides to cool your electronics.

LAMINATED TABLE TOP RACKS - BLACK



MODEL#	DESCRIPTION	WEIGHT
99484	7"H (4U) Table Top Rack 8-1/4"H x 20-3/8"W x 18"D (210 x 518 x 457mm)	19 LBS.
99488	14"H (8U) Table Top Rack 15-1/4"H x 20-3/8"W x 18"D (387 x 518 x 457mm)	23 LBS.

Comes complete with laminated top, bottom, a pair of side panels and tapped zinc plated rack rails. Black finish.



**FREE
DESIGN
SERVICE**



PROFESSIONAL GRADE

Winsted Custom Wood offers the highest quality architectural woodwork and commercial cabinetry for all installations. We can custom manufacture to your specifications, or you can work with our expert designers to create a one-of-a-kind environment. Your timeline and budget are a priority and we work hard to achieve both.

CUSTOM WOOD

CONSOLES AND FURNITURE

Winsted built its reputation with control room consoles, but we also have extensive experience in the design and construction of custom wood products for control room environments. Some projects require a custom solution, and Winsted delivers. In addition to our acclaimed catalog products, we have a state-of-the-art custom manufacturing facility and a staff of skilled craftsmen with extensive woodworking experience to accomplish additional custom technical furniture solutions for technology-heavy spaces. And, with over 55 years of control room experience, we are uniquely positioned to create solutions that are sensitive to the human and technical needs of high-use furniture, integrating ergonomic and technology requirements. Following are additional areas of expertise:

- Reception Desks
- Lobby Consoles
- Conference Room Tables
- Operator Pods
- File Cabinets
- Custom Cabinetry
- Wood Consoles
- Credenzas
- Collaboration Tables
- Technology Tables
- Podiums
- Bookcases
- Workstations
- Work Surfaces
- Casework
- Accessories





CONFERENCE TABLES

Let Winsted Custom Wood division design and construct your technical-enabled wood conference tables. Choose the level of technology you need from drop-in data ports, power outlets, channel raceways, custom colors and recessed monitors. We also address the human consideration and factor for viewing angles, reach distance and appropriate leg space. Let Winsted provide a complimentary quotation and color rendering for your project today.

CONFERENCE - TABLES

PRODUCT FEATURES AND HIGHLIGHTS

Tops

High pressure laminate comes standard but you can select from a variety of veneer or solid surface options as well. All tops are available in a variety of sizes and shapes.

Custom Shapes and Sizes

U-shaped, V-shaped, round, or whatever else you can imagine, we can help design and build exactly what you need.

Access Panels and Heavy-Duty Uprights

Sturdy upright legs feature large access panels to route cables and wires into raised floors or into floor-mounted data/power ports.

Leg Levelers

Most floors are at least somewhat out of level, our tables come with leg levelers to account for this.

Edge Detail

Black Safeguard Edge comes standard, but you can also select a 3mm PVC in a variety of colors, or we can do a hardwood edge with a variety of profiles.


Data/Power Ports and Cutouts

We can provide the proper cutouts for your ports. We have several data port options available or you can provide your own and we will make the appropriate cutouts.

Cable Management with Access Holes

Large cable troughs and access holes are provided so hard wired systems are organized. We can also accommodate special requirements.

STANDARD TOP AND BASE DETAILS



EDGE OPTIONS



Safeguard Edge

Heavy duty, rubber T-edge available in black only.



3mm PVC

A durable 3mm thick PVC edge, available in a variety of solid colors and wood grains.




Wood Bull-nose

1-1/2"H x 3/4" thick hardwood edge with top and bottom radius. Laminate or veneer top surface.



Wood Reverse Bevel

1-3/4"H x 3" thick hardwood edge with a 30 degree back bevel. Laminate or veneer top surface.



RECEPTION & LOBBY DESKS

Winsted Reception and Lobby desks, though similar by definition are very different by application. A reception desk receives guests to your company and should be attractive without presenting a barrier but also provide a functional work surface for reception staff. Lobby desks, while often located in reception areas, can also appear in entryways and hallways where spaces vary significantly in size. Winsted lobby desks can be outfitted to accommodate security electronics and VESA-mount monitors.

RECEPTION & LOBBY - DESKS



First Impression



Functional and Durable



Winsted®



NEED HELP?

Let Winsted design a reception desk or lobby console for you.

Send us an email to: info@winsted.com

RECEPTION & LOBBY - DESKS



Steel Infrastructure



Quality Craftmanship



CRENZAS - CABINETRY

Winsted Credenzas and Cabinetry are purpose-built for everything from break rooms to boardrooms. Our highest quality cabinets and credenzas are suitable for all installations with base cabinets constructed of plastic laminate or wood veneer and countertops in plastic laminate or solid surface. We will work from your specification, or our team of experienced designers can work with you to develop a custom solution to fit your specific needs for function, budget and delivery.

CREDENZAS - CABINETS

STANDARD COMPONENTS AND OPTIONS

Order your own custom credenza or cabinet layout using our standard components. Cabinet interiors are black or white melamine. You can choose from a wide variety of high pressure laminates for the exterior colors. Counter tops are made to order, available in high pressure laminate or solid surface (ie. Corian®). Soft close doors and drawers are available upon request.

CREDENZA COMPONENTS

Standard credenzas are 30-3/4" high by 20" deep, or we can manufacture custom sizes to fit your requirements.



FILE/FILE



BOX/BOX/FILE



TWO-DOOR BASE WITH SHELVES



SLIDING DOORS WITH ADJUSTABLE SHELF

CABINET COMPONENTS

Standard base cabinets are 36" high by 24" deep. Standard wall cabinets are 12" deep.



BASE CABINET WITH ADJUSTABLE SHELF
(Drawer Optional)



4-DRAWER STACK



WALL CABINET WITH TWO ADJUSTABLE SHELVES



WALL CABINET WITH MICROWAVE CUBBY

EXTRAS/OPTIONS

ROLL-OUT SHELF

Any adjustable shelf can be replaced with a full extension roll-out.

UNDER CABINET LIGHTING

LED strip or puck lighting is available (will require installation).

VENTILATION EXHAUST FANS

Exhaust fans can be installed to keep your computer equipment cool.

LOCKS

Cabinet locks can be keyed alike or differently. Master keys available.

15500



TWO-DRAWER FILE CABINET

MODEL#	DESCRIPTION
15500	Letter Sized File Cabinet. Custom Colors Available.
Overall Dimensions: 31"H x 18-1/4"W x 20"D (787 x 464 x 508mm).	

15580



BOOKCASE

MODEL#	DESCRIPTION
15580	36" Wide Bookshelf. Custom Colors and Sizes Available.
Overall Dimensions: 48"H x 36"W x 13"D (1219 x 914 x 330mm).	



M1504

SINGLE-FILE CREDENZA WITH STORAGE

MODEL#	DESCRIPTION	TOP SURFACE
M1502	Single-File Credenza with Storage	Laminate
M1503	Single-File Credenza with Storage	Endurance Plus
M1504	Single-File Credenza with Storage	Comfort Edge
M1505	Single-File Credenza with Storage	Corian
Overall Dimensions: 30-3/4"H x 72"W x 20"D (781 x 1829 x 508mm).		



M1513

BOOKSHELF CREDENZA WITH STORAGE

MODEL#	DESCRIPTION	TOP SURFACE
M1512	Bookshelf Credenza with Storage	Laminate
M1513	Bookshelf Credenza with Storage	Endurance Plus
M1514	Bookshelf Credenza with Storage	Comfort Edge
M1515	Bookshelf Credenza with Storage	Corian
Overall Dimensions: 30-3/4"H x 72"W x 20"D (781 x 1829 x 508mm).		



M1525

DUAL-FILE CREDENZA WITH STORAGE

MODEL#	DESCRIPTION	TOP SURFACE
M1522	Dual-File Credenza with Storage	Laminate
M1523	Dual-File Credenza with Storage	Endurance Plus
M1524	Dual-File Credenza with Storage	Comfort Edge
M1525	Dual-File Credenza with Storage	Corian
Overall Dimensions: 30-3/4"H x 72"W x 20"D (781 x 1829 x 508mm).		



BOAT-SHAPED CONFERENCE TABLE

MODEL#	DIMENSIONS
M4564	30"H x 48"W x 96"L (762 x 1219 x 2438mm)

More sizes available. Top available in racetrack or rectangle as well. Safeguard edge standard, other edge options available.



LARGE BOAT-SHAPED CONFERENCE TABLES

MODEL#	DIMENSIONS
M4567	30"H x 48"W x 144"L (762 x 1219 x 3658mm)

More sizes available. Top available in racetrack or rectangle as well. Safeguard edge standard, other edge options available.



COLLABORATION TABLE

MODEL#	DIMENSIONS
M1156	TABLE: 41"H x 48"W x 72"L (1041 x 1219 x 1829mm) WALL: 72"H x 54"W x 5"D (1829 x 1372 x 127mm)

The M1156 collaboration table features a durable, high-pressure laminate top with our proprietary Safeguard Edge. Choose from hundreds of standard laminate colors for the table top and monitor wall. The table base incorporates a wire management trough and hinged doors for easy access. Optional data/power ports available.



ARCHED MEDIA TABLE

MODEL#	DIMENSIONS
M4572	28-1/2"H x 154-1/2"W x 46-1/2"D (724 x 3924 x 1181mm)

A one-sided conference/media table with seating for six. Integrated wire management and hidden work surface supports. Larger versions available.



FROM CONCEPT > TO REALITY


Winsted Custom Division starts with your criteria, and we develop a solution that exactly fits your needs instead of trying to meet your requirements with pre-configured modules. Your solution is designed for YOUR application to exactly match your requirements, space and functionality. We combine the disciplines of industrial design, human factors and interior design to create workspaces that are both efficient and beautiful. We carefully consider the ergonomic requirements of your operators to design consoles and technical furniture that facilitate the complex interactions between personnel, technology and the environment. We work with you to develop custom console solutions for every possible control room application, regardless of the scale or complexity. From the layout of the room, to determining the precise placement of every keyboard, monitors, and telephone, not a single detail is left to chance.

THE MOST DEMANDING INSTALLATIONS


Winsted's custom consoles are installed in nuclear power plants, military command centers, security control rooms and mission critical communication centers around the world. Our installation team has years of experience working in highly secured control room environments. We are experts at working in a 24/7 live environment, yet we can also accommodate phased installations with multiple deliveries and installations to fit your outage schedule. Below is an outline of the comprehensive process we go through to make sure the final installation exceeds your highest expectations.



CONSULTATION




PRELIMINARY DESIGN




REFINEMENT OF DESIGN



ERGONOMIC EVALUATION



FULL COLOR RENDERING



ENGINEERING OF FABRICATION DRAWINGS



FABRICATION




DRY FIT AND INSPECTION



FINAL INSTALLATION

CUSTOM DIVISION

DETAILED FEATURES



Cables run through wire brush and along cable raceway



Monitor pole bolts to track for positioning




Base pan allows cable access



Powder coated tube steel supports Corian countertop and allows for mounting pencil drawer

- ACCESSORIES
- FEATURES







Public Transit Control Room

FORM AND FUNCTION

With every project we strive to create the perfect balance between form and function. Our ergonomic designs maximize operator comfort and productivity, while our aesthetic options such as custom woodworking achieve a truly superior upscale appearance. Contact one of our designers today and let us help you create the perfect custom solution.



Hydroelectric Control Room



Transmission & Distribution - CASE STUDY: winsted.com/gsoc



Height-Adjustable Console with Fixed-Height Push Button Panel

CUSTOM HEIGHT - ADJUSTABLE CONSOLES

Our designers and project managers work closely with A&E firms, contractors and in-house engineers to facilitate everything from initial control center designs to final installation. From single consoles to complete command centers we have the experience and resources to build each project to your every specification.



Reception/Security Desk



Electric Co-Op Distribution Control Room



NUCLEAR CONTROL ROOMS

Control rooms for nuclear plants are without a doubt some of the most complex. Safety and security are chief concerns for these power plants and are a primary focus of control room design. An ergonomic approach to the design of control workstations and the layout of the control room contribute to achieving their strict safety and performance objectives.



Coal Power Control Room - CASE STUDY: winsted.com/gre



Space Port Control Console




Combined Cycle Power Gen Control Room - CASE STUDY: winsted.com/bg



Talon 2 Console



Emergency Operations Center



SKY TRACK™ MONITOR WALL FEATURES

- Mount multiple large monitors to the console base instead of a wall
- Update your existing console with the Sky Track System
- Provides the ability to control monitor viewing distances
- Versatile Sky Track can handle changes in monitor sizes
- Removable panel on 3" Titan pole provides access to wiring
- Leveling foot for height adjustment and stability
- Can be added to all Prestige, Custom, and existing consoles
- Mount storage cabinets above work surface

*Custom configurations
can be added to
any control room
installation, large
or small.*


CUSTOM IMPULSE CONSOLES



WE HAVE RAISED THE BAR

Do you have a unique requirement for a sit/stand console? We can design a custom console to fit the exact dimensions of your space and meet the specific needs of your operators. Small or large work spaces, dual or single height-adjustable surfaces, and curved or straight configurations are just a few of the options available to create the perfect sit/stand console solution.


HEIGHT-ADJUSTABLE SLAT WALL CONSOLE





XSPAND CONSOLE





XSPAND CONSOLE ACCESSORIES



WORK SURFACE CORNER LIGHTS



MODESTY PANEL LIGHT



FIDGET BAR

CUSTOM XSPAND CONSOLE FEATURES

- Side panels can be powder coated steel or laminate construction
- Height adjustment range 30" - 48"
- 76" wide by 38" deep
- Work surface can be laminate, Corian® or steel
- Many colors and material options available. Go to page **24-27** for additional work surface colors
- Easy conversion from fixed height to single height-adjustable to dual height-adjustable


Contact our designers today to create the perfect custom solution and request pricing.

PLASTIC WIRE DUCT



MODEL#	SIZE	COLOR	WEIGHT
42750	4"H x 2"W x 72"L (102 x 51 x 1829mm)	Black	2 LBS.
42752	2"H x 4"W x 78"L (51 x 102 x 1981mm)	Black	3 LBS.
42755	4"H x 4"W x 72"L (102 x 102 x 1829mm)	Black	4 LBS.
42757	2"H x 2"W x 78"L (51 x 51 x 1981mm)	Black	2 LBS.
Wire ducts are slotted and come complete with cover except 42750.			
42756	1-1/2"H x 1-1/2"W x 72"L (38 x 38 x 1829mm)	Black	2 LBS.
42756 has solid walls and comes complete with cover.			

KEYBOARD TRAYS



MODEL#	SIZE	WEIGHT
46250	22"W x 9"D (559 x 229mm) - pulls out 12" (305mm)	9 LBS.
Mounts to the underside of any flat desk top. Outside dimension measures 23-3/4"W (603mm).		
47087	25"W x 10"D (635 x 254mm)	11 LBS.
Features 20° tilt and 9" (229mm) height adjustment. Shelf swivels 180° and stores under the work surface. Mounts to the underside of any flat desk top. Padded wrist support. Black enamel finish.		

MAGNETIC VENT COVER

MODEL#	TYPE	WEIGHT
10740	6" x 6" (152 x 152mm)	.5 LBS.
Magnetic panel to cover side panel or door vents. Use when positive air flow is needed from bottom to top in cabinet.		

POWER SUPPLY OUTLETS



MODEL#	DESCRIPTION	AMP	CORD LENGTH	WEIGHT
10710	34" - Ten-outlet	15	72" (1829mm)	4 LBS.
10712	69" - Ten-outlet	15	72" (1829mm)	6 LBS.
10713	68" - Twenty-outlet	15	180" (4572mm)	7 LBS.
10684	70" - Eleven-outlet	20	72" (1829mm)	8 LBS.
Lighted On/Off switch. Mounts to the back of any base/slope rack combination, M-View or vertical rack. Also mounts horizontally in all consoles.				

THREE DRAWER FILE CABINET - BLACK

MODEL#	DIMENSIONS	WEIGHT
10765	27"H x 15"W x 17-1/2"D (686 x 381 x 445mm)	70 LBS.
10767	27"H x 15"W x 19-3/4"D (686 x 381 x 502mm)	73 LBS.
Compact cabinet fits neatly under a work surface for storage of files in the bottom drawer. Middle drawer is perfect for items that are 4" high and top drawer works well for paper, pens and pencils. Plastic sliding pencil tray comes with cabinet. Master key - 10743		
10764	12"H x 14-3/4"W x 17"D (305 x 375 x 432mm)	14 LBS.
Converts the 10767 and 10765 from a three drawer cabinet to a two drawer file cabinet. 10764 replaces the two box drawers that come standard with 10767 & 10765.		

LED TASK LIGHTS

MODEL#	DIMENSIONS	WEIGHT
56679	LED light with magnetic base and 18" (457mm) flexible neck	1 LB.
10679	LED light with VESA mount and 18" (457mm) flexible neck	1 LB.
Features a 6-foot cord and allows users to switch between a white & red light.		

VELCRO STRAP - BLACK

MODEL#	DESCRIPTION	WEIGHT
12765	Velcro Strap 1" x 96" long (25 x 2438mm)	.5 LB.
Perfect for securing electronics to a shelf.		

PULLOUT, SWIVEL CPU MOUNT

MODEL#	DESCRIPTION	WEIGHT
46260	Extends forward with 90° swivel	15 LBS.
Fits CPU's from 13-1/2" to 21-1/2" High (343 to 546mm) by 5-3/8" to 9-3/8" Wide (137 to 238mm). Black finish. Does not fit E-SOC.		

3-1/2"H UTILITY DRAWER - BLACK

MODEL#	DIMENSIONS	WEIGHT
88323	3-3/8"H x 16"W x 18"D (86 x 406 x 457mm)	14 LBS.
Rack mountable and/or attaches to the bottom of any flat wood work shelves.		

SECTIONAL WALL MOUNT CABINETS - BLACK



MODEL#	RACK HEIGHT	OVERALL DIMENSIONS	WEIGHT
97020	15-3/4"H (9U)	19"H x 21"W x 22-1/4"D (483 x 533 x 565mm)	64 LBS.
97026	28"H (16U)	31-1/4"H x 21"W x 22-1/4"D (794 x 533 x 565mm)	92 LBS.

Made from heavy-gauge steel with 10-32 tapped front rack rails, louvered sides and 270° hinges. This symmetrical cabinet hinges either left or right. Key locking front door. Cabinet section depths: 4-1/2"D (114mm) rear, 16"D (406mm) center, 1-3/4"D (44mm) front. Maximum wt. load 100 lbs.

SECURITY CABINET W/HINGED DOOR - BLACK



MODEL#	OVERALL DIMENSIONS	WEIGHT
96030	9-1/2"H x 19-1/2"W x 23"D (241 x 495 x 584mm)	28 LBS.

Heavy-duty locking cabinet comes with rear cord access slot and vent holes for 10705 cooling fan.

WALL MOUNT MONITOR SHELVES



11081



11093

MODEL#	OVERALL DIMENSIONS	WEIGHT
11081	17"W x 18"D (432 x 457 mm) with 1/2"H (13mm) front retainer lip	10 LBS.

16" centers for wall mounting along with adjustable tilting tray for better viewing angle. 5/16" x 1-1/2" (8 x 38mm) long slots for 96"L (2.4m) monitor safety strap (included). Pearl Grey Finish.

MODEL#	OVERALL DIMENSIONS	WEIGHT
11093	10"H x 18"W x 17"D (254 x 457 x 432mm)	19 LBS.

Supports both electronics on one shelf. Opening size: 5-5/8"H x 17-7/8"W (143x 454mm). 16-gauge steel. Maximum weight 80 lbs. 16" Center wall mounting. Black Finish.

24-1/2" LOCKING SECURITY CABINET - BLACK



MODEL#	OVERALL DIMENSIONS	WEIGHT
G9939	Extra-Deep – 26-5/8"H x 22-5/8"W x 25-1/2"D (676 x 575 x 648mm)	87 LBS.

Cabinet sits on desk or wall mount, front door is 1-1/4" deep for electronic clearance and symmetrical for left- or right-hand mounting. 19" depth from front rack rail to inside back. NEMA electrical knockouts.

ROLL-UP RACK 19-1/4" (11U) CABINET



MODEL#	DESCRIPTION	WEIGHT
E4741	25"H x 24"W x 24"D (635 x 610 x 610mm)	64 LBS.

Includes 2" (51mm) swivel carpet casters. Black Graphite Nebula laminate top and black side panels with black welded steel frame. 19" EIA Equipment Rack.

DESKTOP POWER GROMMET



Closed



Open

MODEL#	DESCRIPTION	WEIGHT
10660	Three Power Outlets and Two Cat 5 Connections	1 LB.
10661	Three Power Outlets and Two USB Ports	1 LB.

Easily converts any desk, table or work surface into a ready-to-access power center. Simply rotate the grommet with its easy 180° rotation system and the grommet is ready to use. 4-3/8" outer ring requires 4.21" hole size. Eight foot power cord included. Many options and configurations available. Contact Winsted for more information.

13-3/4" W PENCIL DRAWER - BLACK



MODEL#	DIMENSIONS	WEIGHT
55233	2-3/8"H x 13-3/4"W x 18"D (60 x 349 x 457mm)	4 LBS.

Mounts to the underside of any work shelf. This drawer will fit between shelf brackets. Pulls out 12-3/4" (324mm). Black formed plastic.



11761

UNIVERSAL TASK CHAIR

MODEL#	OVERALL DIMENSIONS	COLOR	WEIGHT
11761	44" - 48"H x 25-1/2"W x 25"D (1118 - 1219 x 648 x 635mm)	BLACK	49 LBS.

Sit in soft comfort all day with independent back angle control and tilt lock, which allows you to maintain a desired angle, or free float. Features convenient pneumatic seat-height adjustment and height-adjustable back with knob adjustment. Includes height-adjustable "T" style arms and dual-wheel carpet casters. Upholstered with a durable, textured black fabric.



11745

24/7 HIGH BACK CHAIR

MODEL#	OVERALL DIMENSIONS	COLOR	WEIGHT
11745	38-3/4 - 43"H x 26-1/2"W x 25"D (984 - 1092 x 673 x 635mm)	BLACK	52 LBS.

Contemporary design with superior comfort meets simplicity with high-performing functionality in this 24/7 chair designed for demanding control room operations. A suspension mesh back design regulates temperature for long-term comfort, healthy sitting and proper back support. Adjustable arms, back and seat ensure proper fit for every size. Arms included.



11775

24/7 ULTRA CHAIR

MODEL#	OVERALL DIMENSIONS	COLOR	WEIGHT
11775	47-3/4 - 51-3/4"H x 25-3/4"W x 24-3/4"D (1213 - 1314 x 654 x 629mm)	BLACK	55 LBS.

Ultra durable and ultra comfortable! The Ultra chair is designed to perform in the most demanding control room environments. The 11775 is constructed of a sturdy steel frame, Liquicell seat technology covered in top quality black leather, gas cylinder mechanism and a five-star base with 2-1/2" castors for stability. The chair features upper and lower air lumbar adjustability, adjustable headrest, eight inch arm tilt adjustment, tilt rocker adjustment and side tension adjustment. Arms included. Base circumference is 30-1/2".

WINSTED WARRANTY

- A **LIFETIME WARRANTY** on all fixed steel structure frame components.
- A 10 year warranty on adjustable, sliding or hinged components and laminated surfaces.
- A 5 year warranty on Endurance Plus and TruForm surfaces.
- A 2 year warranty on all electrical components and chairs.



All warranties are effective from date of shipment. All products shall be free from defects in material and workmanship under normal usage and conditions for which the products were designed.

Winsted's obligation under this warranty shall be limited to the exchange of the product or parts that proved to be defective or unsatisfactory. Winsted reserves the right to have the product inspected at the buyer's location or have the product returned to the factory for inspection. The above warranty does not extend to consumable products, goods damaged or subjected to accident, abuse or misuse after shipment from Winsted's factory or to goods that are altered or modified.

VALUE

Winsted provides support second to none in the industry. Trained representatives gather project information, give design support to help lay out the project and even provide infield support.

PRODUCT DEVELOPMENT

This process never stops. Winsted is known as the industry leader. We provide new solutions daily as technology continues to change.

AVAILABILITY

Winsted supplies metal consoles and racks from stock and custom wood within 4 weeks. Call for Corian delivery times.

FREIGHT

Call Winsted for your free freight quotation, this takes the guesswork out of the quotation. We can provide CIF quotations for all orders, which helps the customer understand the true cost of the product.

FLAT-PACKED, PRE-ASSEMBLED, INSTALLED

Winsted will drop-ship orders directly. Every order has three options for shipment:

1. **Flat-packed** -
Reduces shipping costs and provides the fastest delivery.
2. **Pre-assembled prior to shipping** -
Reduces customer set-up time.
3. **Installed** -
Product installed by trained Winsted technicians. Call for on-site installation cost.

CUSTOMER SERVICE

Specialists are individually empowered to handle issues and resolve situations efficiently and fairly.

PRODUCT OFFERING

Winsted offers the most complete line of products in the industry, designed to fit a variety of needs within almost any organization. From control room consoles and military command centers, to network operation centers and process control applications. Winsted pledges to provide products that meet today's needs, as well as anticipating future technology requirements.

SATISFACTION GUARANTEED

Winsted Products are guaranteed to be free of manufacturing defects. If any product is determined to be unsatisfactory, call our Customer Service Department Toll-Free 800.447.2257. Our policy is that you must be completely satisfied with our products. For fast service or for additional product information call Toll-Free 800.447.2257.

SHIPPING

All shipments are F.O.B. shipping point. Every attempt will be made to ship your order as soon as possible via the most direct and economical way. If a specific carrier is preferred, the purchase order must be clearly marked.

LIABILITY

No liability is assumed by our company for damage and/or injury resulting from use of the specified carrier.

CREDIT

For new accounts that have not established credit with Winsted, a sufficient amount of time should be allowed to obtain proper credit information. Please be sure to provide your bank information and two trade references with initial order. If immediate shipment of order is desired, Winsted does accept credit cards, ACH payments or send check for full amount. Special order merchandise and large orders may require 50% cash in advance before shipping.

DROP SHIPMENTS

Winsted will ship orders directly to any authorized dealer's customer. Drop shipments are sent pre-paid with freight charges, plus a small handling charge added to the dealers invoice.

FREIGHT SHORTAGES OR DAMAGES

All shipments should be inspected carefully upon receipt. Before signing the freight bill have the delivering carrier note any damage, shortage or loss in writing on the freight bill. Concealed damage must be reported to Winsted within 15 days. Failure to do so places responsibility for loss with the consignee.

RETURNED GOODS

No merchandise may be returned without prior authorization. Custom items will not be accepted on a return. Call Toll-Free 800.447.2257 to our Customer Service Department and obtain a "Return Authorization Number." All returns are to be prepaid. All return merchandise is subject to a 15% restocking and handling charge. Credit will be issued provided products are returned in undamaged condition, and in their original packaging.

TERMS OF SALE

Terms are Net 30 days after credit has been established. Outstanding past due balances are subject to a finance charge of 1-1/2% per month. All terms, conditions, specifications and prices are subject to change without notice.

YOUR SATISFACTION IS GUARANTEED!



INNOVATIVE CONTROL ENVIRONMENTS

Project procurement and implementation strategies have been developed to aid in the delivery of building facilities. At Winsted, we assist with identifying the best strategy to construct facilities based on project needs and goals. Winsted will assess the client's requirements, project scope, time frames, best practices and budget to meet those needs. Whether considering traditional, design/build or an integrated approach, Winsted can help choose which strategy best suits a project for success.

WINSTED CAN PARTNER WITH YOU TO CREATE AN INNOVATIVE CONTROL ROOM TO IMPROVE OPERATIONAL CONDITIONS BY OPTIMIZING THE ENVIRONMENT



DESIGN

DESIGN

Today's evolving world creates the need to evaluate 24/7/365 environment working conditions. It is often necessary to modernize control rooms through renovation and by consolidating quantity of systems and elements. The goal is to promote effective human interaction within the physical control room surroundings. Therefore, early design and planning should be considered to improve situational awareness, vigilance and overall sense of ownership for its users.



MANAGE

MANAGE

Proper management requires a motivated team or individual dedicated to developing scope, capturing, transforming and communicating critical information. Project management exists within each phase of every project delivery method. Often times, control rooms are deliberately scheduled to be renovated, decommissioned and commissioned over a very short period of time, or while maintaining 100% critical capacity. Overall planning, coordination and decision making specific to successful control room projects is essential from beginning to end to produce a functional, efficient and viable project.



BUILD

BUILD

At Winsted, modern control room construction exhibits configurable and adaptive reuse concepts. There are various methods to achieve flexibility, but it is important to build and install durable and longer lasting modular components. Winsted's team of proficient tradesmen, designers, project managers and site supervisors work together to deliver a premium product. Whether the desire is purely functional or aesthetically pleasing, Winsted has the expertise to successfully manage and complete your project on time and within budget.

INDEX: (MODEL NUMBER - PAGE NUMBER)

10220	70	51237	65	85782	69	90269	69	B3047	44	F8153	71	V9019	68
10660	101	51239	65	86140	72	90270	69	B3053	46	G8051	72	V9021	68
10661	101	51710	19	86141	72	90271	70	B3055	46	G8054	72	W5630	18
10670	71	55233	101	86142	72	90312	69	B3056	47	G8056	72	W5631	18
10679	18	56029	20	86143	72	90316	69	B3057	47	G8060	70	W5642	18
10684	100	56030	18	86144	72	90318	69	B3065	45	G8101	72	W5650	19
10705	71	56032	18	86149	72	90322	69	B3066	45	G8104	72	W5660	18
10710	100	56036	18	86151	72	90326	69	B3067	45	G9085	69	W5661	18
10712	100	56087	18	86227	73	90328	69	B3068	45	G9101	72	W5664	18
10713	100	56088	18	88090	71	90332	69	B3090	46	G9102	72	W5665	18
10720	71	56115	22	88091	70	90336	69	B3091	46	G9103	72	W5690	16
10724	71	56165	18	88093	70	90338	69	B3098	47	G9939	101	W5698	16
10725	71	56220	19	88094	70	90661	70	B3099	47	M1020	65	W5723	14
10740	100	56250	19	88095	70	90662	70	B3201	39	M1021	65	W5724	14
10764	100	56264	19	88217	70	90663	70	B3203	39	M1022	65	W5729	15
10765	100	56265	19	88218	70	90664	70	B3205	39	M1023	65	W5739	15
10767	100	56565	19	88220	70	92186	71	B3211	32	M1030	65	W5749	20
10800	69	56567	19	88226	70	96030	101	B3216	32	M1032	65	W5772	16
10814	69	56569	19	88321	70	97020	101	B3219	38	M1034	65	W5773	16
11081	101	56570	19	88323	100	97026	101	B3231	33	M1082	61	W5774	16
11093	101	56679	18	88397	71	97091	70	B3236	33	M1088	61	W5775	16
11104	65	56719	22	88398	71	98703	71	B3239	38	M1100	64	W5776	16
11745	102	56720	22	90012	68	98708	71	B3249	39	M1102	64	W5777	16
11761	102	56721	22	90016	68	98709	71	B3251	34	M1104	64	W5778	16
11775	102	56726	22	90018	68	98714	71	B3256	34	M1106	64	W5779	16
12765	100	56728	22	90022	68	99140	72	B3259	38	M1108	64	W5780	20
15500	84	56730	22	90026	68	99141	72	B3261	35	M1121	64	W5781	20
15580	84	56751	23	90028	68	99142	72	B3266	35	M1123	64	W5832	14
30031	46	56752	23	90032	68	99143	72	B3269	38	M1125	64	W5833	14
30080	47	56754	23	90036	68	99144	72	B3271	36	M1127	64	W5900	19
30172	46	56755	23	90038	68	99145	72	B3276	36	M1129	64	W6430	18
30175	46	56981	18	90051	69	99146	72	B3311	32	M1156	85	W6431	18
30178	46	57730	20	90053	69	99147	72	B3321	33	M1502	84	W6432	15
30701	39	58160	17	90055	69	99148	72	B3331	34	M1503	84	W6443	15
32087	39	58161	17	90072	69	99149	72	B3341	35	M1504	84	W6469	19
32250	39	58162	17	90076	69	99152	72	B3351	36	M1505	84	W6471	16
42750	100	58171	17	90078	69	99484	73	B4302	52	M1512	84	W6472	16
42752	100	58174	17	90112	68	99488	73	B4304	52	M1513	84	W6473	16
42755	100	58178	17	90116	68	B3013	44	B4306	52	M1514	84	W6475	16
42756	100	60082	65	90118	68	B3015	44	B4312	52	M1515	84	W6491	16
42757	100	64032	18	90122	68	B3017	44	B4314	52	M1522	84	W6492	16
43009	54	64072	20	90126	68	B3023	44	B4316	52	M1523	84	W6493	16
43032	54	64074	20	90129	68	B3025	44	B4324	52	M1524	84	W6500	19
43260	54	64076	20	90132	68	B3027	44	B4360	53	M1525	84		
43261	54	64100	20	90136	68	B3033	44	B4361	53	M4564	85		
43264	54	64264	19	90138	68	B3035	44	B4362	53	M4567	85		
46250	100	64719	22	90262	69	B3037	44	B4363	53	M4572	85		
46260	100	85276	70	90266	69	B3043	44	E4741	101	V4211	73		
47087	100	85744	72	90267	70	B3045	44	E5081	16	V4221	73		

AT YOUR SERVICE

FROM CONCEPT TO REALITY



FREE ON-SITE CONSULTATION

Winsted designers have a keen eye for the details that can assist or impede a project, which is why an initial on-site design consultation is on us. We will collect the necessary measurements, document structures and note complications, as well as meet with decision makers – all at our expense. It's our commitment to success.



COMPLIMENTARY DESIGN SERVICE

Winsted is committed to creating a console solution that meets every specification for your project. From ergonomics to electronics, our designers will work with you to include every detail. Once your design is complete, you will receive a design and specification package ready for presentation.



ALL-INCLUSIVE PROJECT SUPPORT

Winsted is your project partner and we strive to exceed your expectations. We provide Building Information Modeling (BIM) files for Revit®, full CAD drawings in multiple views, photo-quality color renderings of the final design and can even create animated “walk-through” videos of the proposed installation.



WORLD CLASS CUSTOMER SERVICE

Winsted strives to provide the best customer service in the industry. Your total satisfaction is the foundation of our success, and you can count on our expert customer service staff before, during and after the sale. And, we stand by our products, which is why so many carry a lifetime warranty. See page **103** for Winsted's Warranty.

WINSTED EQUIPMENT LAYOUT SOFTWARE



THE MOST ADVANCED CONSOLE DESIGN SOFTWARE IS HERE!

WELS™ IS A WINSTED-EXCLUSIVE CONSOLE DESIGN SOFTWARE TOOL THAT MAKES CONTROL ROOM DESIGN AND LAYOUT FAST, EASY, ACCURATE AND FUN!

This interactive, user-friendly, 3D console design software program lets you use Winsted consoles and furniture to quickly design control room solutions that meet your needs. WELS is easy to use - and requires no additional design/ CAD software to operate.

WELS4 FEATURES

- WELS 4 is a FREE Winsted-exclusive tool. With it you can design your control room with any of our Consoles and Desks, Vertical Racks, M-View Monitor Walls and Conference Room Tables.
- On-screen toolbars and windows allow quick selection of products and accessories.
- Built-in control room designer lets you create a room to match your exact floor plan.
- Generate part lists and design specification sheets.
- Place multiple consoles and command centers anywhere in the room.
- Change the color of the work surface and side panels to show how the console will look in your room.
- Smart design programming helps you place parts where they belong.
- Accessorize designs with monitors, LCDs, DVD players, keyboards, blank panels, doors and more.
- WELS 4 is a true 3D design program. You can view your designs from any vertical or horizontal angle.
- WELS 4 is a stand-alone program requiring no additional software.
- Export your design to DWG or DXF to import into your CAD program or export to JPEG format to use in presentations and design discussions.

WELS4 SYSTEM REQUIREMENTS:

Operating System: Microsoft Windows - Windows XP - or newer

DOWNLOAD YOUR **FREE** COPY OF WELS AT: winsted.com/WELS





WINSTED HEADQUARTERS
10901 HAMPSHIRE AVE. S.
MINNEAPOLIS, MN 55438-2385 USA

CUSTOMER#

DEPT. CODE

HELP STOP WASTEFUL DUPLICATE MAILINGS

If you receive duplicates of the same brochure with different customer numbers, please send us the labels. Indicate the correct label and we will update our records. Thanks for your help.

FOR THE WINSTED DEALER NEAREST YOU
Call **1.800.447.2257** Or Fax **1.800.421.3839**



winsted.com | info@winsted.com



WINSTED - LOCATIONS



WINSTED WORLD HEADQUARTERS

10901 Hampshire Avenue South
Minneapolis, MN 55438-2385 USA

TEL: 800.447.2257 • 952.944.9050
FAX: 800.421.3839 • 952.944.1546
EMAIL: info@winsted.com
WEB: winsted.com

WINSTED CUSTOM DIVISION

1750 Breckinridge Pkwy, Suite 100
Duluth, GA 30096-7576 USA

TEL: 800.237.5606 • 770.840.0880
FAX: 770.840.9685
EMAIL: custom@winsted.com
WEB: winstedcustom.com

WINSTED EUROPE • MIDDLE EAST

Unit D1 Sapphire Court
Isidore Rd, Bromsgrove Enterprise Park
Bromsgrove B60 3FL - UK

TEL: 44 (0) 1527 833714
EMAIL: info@winsted.co.uk
WEB: winsted.com