

SAMSUNG LFD Professional LCD Monitor

ทุกจุดรับประกัน 3 ปี onsite



Samsung LFD UDE Series

- UD46E-A 46" UD55E-A 55"
- UH55F-E 55" UD46E-B 46"
- UD46E-C 46" UD55E-B 55"

Display	D-LED DID					
Native Resolution	1920x1080					
Brightness (Max)	Max 700 cd/m2 (UD46E-A 46", UD55E-A 55",UH55F-E 55") Max 500 cd/m2 (UD46E-B 46", UD46E-C 46", UD55E-B55")					
Contrast Ratio	3500:1(UD46E-A 46" UD46E-B 46",UD46E-C 46"), 4000:1(UD55E-A 55"UH55F-E 55", UD55E-B 55")					
Input	Analog D-SUB, DVI-D, Display Port 1.2 HDMI1, HDMI2, Stereo mini Jack					
Output	DP1.2(Loop-out), Stereo mini Jack					
External Control	RS232C(in/out), RJ45					
Bezel to Bezel	1.7 mm (UH55F-E 55"), 5.5 mm (UD46E-C 46") 3.5 mm (UD46E-A 46", UD55E-A 55", UD46E-B 46",UD55E-B 55")					
Special Feature	Plug and Play (DDC2B), Video Wall(15x15), Video Wall Daisy Chain(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain, Smart F/W update, Clock Battery					
Waranty	3 Yrs					
SRP (Inc. Vat)	UD46E-A 46"	UD55E-A 55"	UH55F-E 55"	UD46E-B 46"	UD46E-C 46"	UD55E-B 55"
	179,000.-	239,000.-	479,000.-	129,000.-	99,000.-	189,000.-

LED TV & SMART TV

320



Samsung LFD PH Series

- PH43F 43" PH49F 49"
- PH55F 55"



Samsung LFD PM Series

- PM32F 32" PM43F 43"
- PM49F 49" PM55F 55"

Display	60Hz E-LED BLU			60Hz E-LED BLU			
Native Resolution	1920x1080 (16:9)			1920x1080 (16:9)			
Brightness (Max)	700nit			400nit (PM32F 32") 500nit (PM43F 43", PM49F 49", PM55F 55")			
Contrast Ratio	3000:1 (PH43F 43"), 4000:1 (PH49F 49"), 5000:1 (PH55F 55")			3000:1 (PM43F 43"), 4000:1 (PM49F 49") 5000:1 (PM32F 32", PM55F 55")			
Input	DVI-I(D-Sub Common), Display Port 1.2 (2), HDMI (2), Stereo mini Jack			DVI-I(D-Sub Common), Display Port 1.2 (2), HDMI (2), Stereo mini Jack			
Output	DP1.2(Loop-out), Stereo mini Jack			DP1.2(Loop-out), Stereo mini Jack			
External Control	RS232C(in/out) thru Stereo Jack, RJ45			RS232C(in/out) thru Stereo Jack, RJ45			
Bezel to Bezel	-			-			
Special Feature	Non Glare Panel, Temperature Sensor, Video Wall(15x15), Video Wall Daisy Chain(16), Pivot Display, Clock Battery, Built in Speaker(10W x 2), WiFi Module Embedded, IP5x, Center IR, Magic Clone, Auto Source Switching & Recovery, RS232C/RJ45 MDC, Plug and Play, PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain, Firmware Update by Network, New Home Screen, PC-less VideoWall, Multi Channel, Mobile Control, Event Schedule, Backup Player			Non Glare Panel(only 43" 49" 55"), Temperature Sensor, Video Wall(15x15), Video Wall Daisy Chain(16), Pivot Display, Clock Battery, Built in Speaker (10W x 2), WiFi Module Embedded, Tuner(only for NA), IP5x, Center IR, Magic Clone(to USB), Auto Source Switching & Recovery, RS232C/RJ45 MDC, Plug and Play, PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain (HDCP Support), Firmware Update by Network, New Home Screen, PC-less VideoWall, Multi Channel, Mobile Control, Event Schedule, Backup Player			
Waranty	3 Yrs			3 Yrs			
SRP (Inc. Vat)	PH43F 43"	PH49F 49"	PH55F 55"	PM32F 32"	PM43F 43"	PM49F 49"	PM55F 55"
	69,900.-	95,900.-	139,900.-	38,900.-	57,900.-	75,900.-	115,900.-

SAMSUNG LFD Professional LCD Monitor

ถูกรับประกัน 3 ปี onsite



Samsung LFD DM Series

DM32E 32" DM40E 40"
 DM55E 55" DM65E 65"
 DM75E 75" DM82D 82"

Display	60Hz D-LED BLU (DM40E 40", DM55E 55", DM65E 65", DM75E 75") , 120Hz E-LED BLU (DM82D 82")
Native Resolution	1920x1080 (16:9)
Brightness (Max)	450 nit (DM40E 40", DM55E 55", DM65E 65", DM75E 75") 500nit (DM82D 82")
Contrast Ratio	4000:1 (DM65E 65") 5000:1 (DM40E 40", DM55E 55", DM75E 75", DM82D 82")
Input	Analog D-SUB, DVI-D(HDMI Common), Display Port 1.2, HDMI1, HDMI2, HDMI3(DM82D 82"), Component(CVBS Common), Stereo mini Jack
Output	DP1.2(Loop-out), Stereo mini Jack
External Control	RS232C(in/out) thru stereo jack, RJ45
Bezel to Bezel	-
Special Feature	WiFi Module Embedded, SD Card Slot, Magic Clone(to USB), DP 1.2 Digital Daisy Chain, Built In MagicInfo Player S3, Firmware Update by Network, LFD New Home Screen, PC-less VideoWall, Predefined Template for Vertical Usage, Multi Channel, Mobile Control, Event Schedule, Backup Player, PC-less Touch

Waranty	3 Yrs					
SRP (Inc. Vat)	DM32E 32"	DM40E 40"	DM55E 55"	DM65E 65"	DM75E 75"	DM82D 82"
	34,900.-	52,900.-	104,900.-	159,000.-	249,000.-	279,000.-



E-BOARD

DM65E-BR 65" DM75E-BR 75"
 DM82E-BR 82"

Display	120Hz D-LED BLU
Native Resolution	1920x1080 (16:9)
Brightness (Max)	380nit (DM65E-BR 65", DM75E-BR 75") 430nit (DM82E-BR 82")
Contrast Ratio	4000:1 (DM65E-BR 65", DM75E-BR 75") 5000:1(DM82E-BR 82")
Input	Analog D-SUB, DVI-D, Display Port 1.2, Rear: HDMI1, HDMI2, Front Tray Box: HDMI3 Component(CVBS Common), Stereo mini Jack
Output	Stereo mini Jack
External Control	RS232C(in/out) thru stereo jack, RJ45
Bezel to Bezel	-
Special Feature	Magic Clone(to USB), Auto Source Switching & Recovery, RS232C/RJ45 MDC, Plug and Play, PIP/PBP, Image Rotation, Button Lock, Built In MagicInfo Player S3, MagicWB S+R58:S582(65"), MagicWB S2(75" 82"), Magic Presenter, USB Auto Switching, Firmware Update by Network, LFD New Home Screen, Predefined Template for Vertical Usage, Multi Channel, Mobile Control, Event Schedule, Backup Player, MagicPresenter(65" 82")

Waranty	3 Yrs		
SRP (Inc. Vat)	DM65E-BR 65"	DM75E-BR 75"	DM82E-BR 82"
	219,000.-	299,000.-	449,000.-

SAMSUNG LFD Professional LCD Monitor



Promotion E-Board 55" ตั้งแต่วันนี้ - 31 มีนาคม 2560 (สินค้ามีจำนวนจำกัด)



KIT-EBOARD55
SRP : 69,900.- (inc.Vat)


Remark : By order 60 days

สินค้าชุดนี้ประกอบด้วย

- SSG-LH55DBEPLGC/XP** LFD,DB55E,55inch,350nits,5000:1 (Warranty 3Years)
- SSG-CY-TD55LDAH/EN** Touch Overlay for D-Series 55" (Warranty 3Years)
- SSG-WMN4270SD/EN** LFD wall mount WMN4270SD/EN
- SSG-BW-EDS30WSA** Magic IWB S

Feature

- Meeting on White-Board
- Open content (image, audio, video, documents) from internal or external storage
- User can store annotation on documents (MS PowerPoint/Word/Excel/PDF)
- User can create/delete/navigate pages
- User can draw on the content of external source in the white-board
- Users can share content of users' device (Audio/Video/Image) with others
- User can capture entire screen easily with gesture or from the screen menu at the bottom



Samsung LFD Options

Option	Model Code	SRP	Product
Wall Mount	WMN22UDPD	15,900	UD22B
	WMN4270SD	4,500	ME46,ME55,UE46,UE55,DE46,DE55,PE46,PE55,MD46,MD55,L E46,LE55,HD46,HD55,ED46,ED55, DH48, DH55, DM48, DM55, DB48, DB55
	WMN4070SD	2,000	ME32, ME40,DE40,PE40,MD32,MD40,ED32,ED40,LE32,HD32,HD40, DH40, DM32, DM40, DB32, DB40"
	WMN2070D	3,900	
	WMN9500SD	22,900	ME95C
	WMN8200SD	19,900	
	WMN6575SD	10,900	ED65C, ED75C, MD65C, ME75C
	WMN450MD	1,900	
	WMN-46VD	11,500	UD46, UE46
	WMN-55VD	12,000	UD55, UE55
CeilingMount	CML400D	16,900	ME32, ME40,DE40,PE40, MD32,MD40,ED32,ED40,LE32,HD32,HD40, DH40, DM32, DM40, DB32, DB40, QM40D
	CML450D	25,900	ME46,ME55,ME65,UE46,UE55,DE46,DE55, PE46, PE55, MD46, MD55, MD65, LE46,LE55,ED46,ED55,ED65,ED75,HD46, DH48, DH55, DM48, DM55, DM65, DM75, DB48, DB55
	CML500D	27,900	
Foot Stand	STN-L3240E	1,600	DH40, DM32, DM40, DM32, DB40, ED32, ED40
	STN-L6500E	3,200	MD65C, DM65
	STN-L4655E	3,500	QM50, QM55, DH48, DH55, DM48, DM55, DB48, DB55, UE46, UE55, ED46, ED55
	STN-L7585F	11,500	DM75D, QM85D
Welcome B'd	STN-W4075E	27,000	
Standard Enclosure	STN-E46D	17,900	OH46D
	STN-E55D	20,900	OH55D

Philips Smart TV

1 year Warranty



4110 series

PHL-24PHA4110S/98

SRP : 4,990.- (inc.Vat)



Description PHILIPS LED TV - Analog
Panel Size 24 นิ้ว
Aspect Ratio 16:9
Picture Processing Digital Crystal Clear 100 Hz PMR
Resolution 1366 x 768
Brightness 240
Viewing Angle 176(H)/176(V)
Ambilight ไม่มี
Sound Output 2x 4วัตต์, Incredible Surround
Connectivity, In 1xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB
Other Features ช่องต่อ PC-in VGA สำหรับการเชื่อมต่อเป็นคอมพิวเตอร์ PC
TUNER อนุบาล็อก
Dimension 550 x 156 x 360
Weight 2.5 กก.

5210 series

PHL-32PHT5210S/98

SRP : 7,990.- (inc.Vat)



Description PHILIPS LED TV - DVB-T2
Panel Size 32 นิ้ว
Aspect Ratio 16:9
Picture Processing Digital Crystal Clear 100 Hz PMR
Resolution 1366 x 768
Brightness 240
Viewing Angle 176(H)/176(V)
Ambilight ไม่มี
Sound Output 2x 8วัตต์, Incredible Surround
Connectivity, In 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB
Other Features ช่องต่อ PC-in VGA สำหรับการเชื่อมต่อเป็นคอมพิวเตอร์ PC
TUNER ดิจิตอลทีวี: DVB-T/T2
Dimension 737 x 210 x 483
Weight 6.5 กก.

5100 series

PHL-40PFT5100S/98

SRP : 12,990.- (inc.Vat)



Description PHILIPS LED TV - DVB-T2
Panel Size 40 นิ้ว
Aspect Ratio 16:9
Picture Processing Digital Crystal Clear 100 Hz PMR
Resolution 1920 x 1080
Brightness 280
Viewing Angle 176(H)/176(V)
Ambilight ไม่มี
Sound Output 2x 8วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Incredible Surround
Connectivity, In 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB
Other Features ช่องต่อ PC-in VGA สำหรับการเชื่อมต่อเป็นคอมพิวเตอร์ PC
TUNER ดิจิตอลทีวี: DVB-T/T2
Dimension 918 x 257 x 570
Weight 9.1 กก.

5109 series

PHL-40PFT5109S/98

SRP : 12,990.- (inc.Vat)



Description PHILIPS LED TV - DVB-T2
Panel Size 40 นิ้ว
Aspect Ratio 16:9
Resolution 1920 x 1080
Brightness 300
Viewing Angle 176(H)/176(V)
Ambilight ไม่มี
Picture Processing Digital Crystal Clear 100 Hz PMR
Sound Output 2x 10วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Virtual Surround
Connectivity, In 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB, IEC75, 1xPC-in VGA
Other Features ช่องต่อ PC-in VGA สำหรับการเชื่อมต่อเป็นคอมพิวเตอร์ PC
TUNER ดิจิตอลทีวี: DVB-T/T2
Dimension 904 x 302 x 610
Weight 9.5 กก.

8509 series

PHL-50PUT8509S/98

SRP : 39,990.- (inc.Vat)



Description PHILIPS SMART LED TV - DVB-T2
Panel Size 50 นิ้ว
Aspect Ratio 16:9
Resolution 3840x2160
Brightness 350 cd/m2
Viewing Angle 176(H)x176(V)
Ambilight 3 ด้าน
Sound output 20W
Signal Input 4 x HDMI, 2 x USB, Wi-Fi, Ethernet-LAN RJ-45, Component in, Audio L/R in
Tuner ดิจิตอล: DVB-T2
Dimension 1123 x 722 x 280 mm
Weight 17.9 kg

8509 series

PHL-50PUT8509S/98

SRP : 33,990.- (inc.Vat)



Description PHILIPS SMART LED TV - DVB-T2
Panel Size 55 นิ้ว
Aspect Ratio 16:9
Resolution 1920x1080
Brightness 350 cd/m2
Viewing Angle 176(H)x176(V)
Ambilight 2 ด้าน
Sound output 20W
Signal Input 3 x HDMI, 2 x USB, Wi-Fi, Ethernet-LAN RJ-45, Component in, Audio L/R in
Tuner ดิจิตอล: DVB-T2
Dimension 1243.2 x 770.5 x 252.8 mm
Weight 19.5 kg

LED TV & SMART TV

323