



QNAP : NAS (Network Attached Storage)

| SIS PART NO. | QNAP PART NO. | | SRP (Inc.VAT) | Warranty | Stock |
|---|----------------------|-------------|------------------|----------|-----------|
| NAS for Home & SOHO | | | | | |
| TAS-X68 Series QTS + Android™ dual-system | | | | | |
| TS-X28 Series | | | | | |
| QNP-TS-128A | TS-128A | New Model | 4,760 | 2 Years | By order |
| QNP-TS-228A | TS-228A | New Model | 6,360 | 2 Years | Available |
| QNP-TS-328 | TS-328 | New Model | 9,960 | 2 Years | Available |
| TS-X31P,TS-X31X , TS-X31U Series | | | | | |
| QNP-TS-231P2-1G | TS-231P2-1G | Best Seller | 10,430 | 2 Years | Available |
| QNP-TS-231P2-4G | TS-231P2-4G | | 13,050 | 2 Years | Available |
| QNP-TS-431P | TS-431P | | 11,890 | 2 Years | Available |
| QNP-TS-431X-2G | TS-431X-2G | Best Seller | 16,580 | 2 Years | Available |
| QNP-TS-431X2-2G | TS-431X2-2G | | 17,410 | 2 Years | By order |
| QNP-TS-431X2-8G | TS-431X2-8G | | 24,220 | 2 Years | By order |
| QNP-TS-431XeU-2G | TS-431XeU-2G | | 21,720 | 2 Years | By order |
| QNP-TS-431XeU-8G | TS-431XeU-8G | | 28,330 | 2 Years | By order |
| Qnp-TS-832X-2G | TS-832X-2G | | 31,830 | 2 Years | Available |
| Qnp-TS-832X-8G | TS-832X-8G | | 38,370 | 2 Years | By order |
| Qnp-TS-932X-2G | TS-932X-2G | | 26,150 | 2 Years | Available |
| Qnp-TS-932X-8G | TS-932X-8G | | 32,700 | 2 Years | By order |
| TS-X51 & TS-X451U & TS-X51A & TS-X51+ Series | | | | | |
| QNP-TS-251A-2G | TS-251A-2G | Best Seller | 13,170 | 2 Years | Available |
| QNP-HS-251+ | HS-251+ (2GB) | | 17,170 | 2 Years | By order |
| QNP-TS-251+-2G | TS-251+-2G (2GB RAM) | Best Seller | 14,770 | 2 Years | Available |
| QNP-TS-451+-2G | TS-451+-2G (2GB RAM) | | 21,200 | 2 Years | Available |
| TS-X53B Series | | | | | |
| QNP-TS-253B-4G | TS-253B-4G | | 23,970 | 2 Years | Available |
| QNP-TS-253Be-2G | TS-253Be-2G | New Model | 17,420 | 2 Years | Available |
| QNP-TS-253Be-4G | TS-253Be-4G | New Model | 19,160 | 2 Years | By order |
| QNP-TS-453Be-2G | TS-453Be-2G | Best Seller | 22,220 | 2 Years | Available |
| QNP-TS-453Be-4G | TS-453Be-4G | | 23,970 | 2 Years | By order |
| QNP-TS-453B-4G | TS-453B-4G | | 30,950 | 2 Years | Available |
| QNP-TS-453B-8G | TS-453B-8G | | 36,360 | 2 Years | By order |
| QNP-TS-653B-4G | TS-653B-4G | | 38,810 | 2 Years | Available |
| QNP-TS-653B-8G | TS-653B-8G | | 44,450 | 2 Years | By order |
| TS-x453Bu Series (ราคาไม่รวมขา Rack) | | | | | |
| QNP-TS-453BU-4G | TS-453BU-4G | | 43,610 | 2 Years | Available |
| QNP-TS-453BU-2G | TS-453BU-2G | | 39,250 | 2 Years | By order |
| QNP-TS-853BU-4G | TS-853BU-4G | | 58,890 | 2 Years | Available |
| QNP-TS-853BU-RP4G | TS-853BU-RP4G | | 69,810 | 2 Years | Available |
| QNP-TS-1253BURP4G | TS-1253BU-RP-4G | | 78,540 | 2 Years | Available |
| QNP-TS-1253BU-4G | TS-1253BU-4G | | 67,620 | 2 Years | By order |
| TVS-X71 Series | | | | | |
| QNP-TS-473-4G | TS-473-4G | | 30,080 | 2 Years | By order |
| QNP-TS-473-8G | TS-473-8G | | 34,440 | 2 Years | By order |
| QNP-TS-673-4G | TS-673-4G | | 34,440 | 2 Years | By order |
| QNP-TS-673-8G | TS-673-8G | | 38,810 | 2 Years | By order |
| QNP-TS-873-4G | TS-873-4G | | 38,810 | 2 Years | By order |
| QNP-TS-873-8G | TS-873-8G | | 43,180 | 2 Years | By order |
| TS-x873U Series (ราคาไม่รวมขา Rack) | | | | | |
| QNP-TS-873U-4G | TS-873U-4G | | 63,230 | 2 Years | By order |
| QNP-TS-873U-RP-8G | TS-873U-RP-8G | | 78,540 | 2 Years | By order |
| QNP-TS-1273U-8G | TS-1273U-8G | | 80,720 | 2 Years | By order |
| QNP-TS-1273U-RP-8G | TS-1273U-RP-8G | | 91,630 | 2 Years | By order |
| QNP-TS1273U-RP-16G | TS1273U-RP-16G | | 100,370 | 2 Years | By order |
| QNP-TS-1673U-8G | TS-1673U-8G | | 93,830 | 2 Years | By order |
| QNP-TS1673U-RP-16G | TS1673U-RP-16G | | 113,460 | 2 Years | By order |
| QNP-TS1673U-RP-64G | TS1673U-RP-64G | | 111,290 | 2 Years | By order |
| TVS-X73 Series | | | | | |
| QNP-TVS-473e-4G | TVS-473e-4G | | 40,400 | 2 Years | Available |
| QNP-TVS-473e-8G | TVS-473e-8G | | 44,900 | 2 Years | By order |
| QNP-TVS-673e-4G | TVS-673e-4G | | 45,790 | 2 Years | By order |
| QNP-TVS-673e-8G | TVS-673e-8G | | 50,290 | 2 Years | By order |
| TVS-X73 Series | | | | | |
| QNP-TVS-873e-4G | TVS-873e-4G | | 52,530 | 2 Years | Available |
| QNP-TVS-873e-8G | TVS-873e-8G | | 57,030 | 2 Years | By order |
| TS-x463U Series (ราคาไม่รวมขา Rack) | | | | | |
| Qnp-TS-463XU-4G | TS-463XU-4G | | 45,800 | 2 Years | By order |
| Qnp-TS-463XU-RP-4G | TS-463XU-RP-4G | | 56,710 | 2 Years | By order |
| Qnp-TS-863XU-4G | TS-863XU-4G | | 61,070 | 2 Years | By order |
| Qnp-TS-863XU-RP-4G | TS-863XU-RP-4G | | 71,990 | 2 Years | By order |
| Qnp-TS-1263XU-4G | TS-1263XU-4G | | 69,810 | 2 Years | By order |
| Qnp-TS-1263XU-RP4G | TS-1263XU-RP-4G | | 80,720 | 2 Years | By order |

NETWORK ATTACHED STORAGE

QNAP : NAS (Network Attached Storage)



Table with columns: Article, Descriptions, SRP (inc.VAT). Contains detailed specifications for various QNAP NAS models including TVS, TS, and TBS series.

NETWORK ATTACHED STORAGE

174



QNAP : NAS (Network Attached Storage)

Table with columns: Article, Descriptions, SRP (inc.VAT). Lists various QNAP NAS models and accessories with their specifications and prices.

NETWORK ATTACHED STORAGE



QNAP : NAS (Network Attached Storage)

| Article | Descriptions | SRP (inc.VAT) |
|-------------------------|---|---------------|
| TRAY-35-NK-BLK07 | HDD tray for TS-932X, TS-963X, TVS-951X | 550 |
| TRAY-35-NK-WHT01 | 3.5" HDD Tray for HS-453DX, with its key lock, white, metal | 550 |
| TRAY-35-NK-GLD01 | Gold HDD Tray v1 for 3.5" and 2.5" drives without key lock, black, plastic with 6 x screws for 2.5" HDD, toolless | 550 |
| SP-ES-TRAY-LOCK | HDD Tray of ES NAS series | 620 |
| SP-ES-TRAY-WOLOCK | HDD Tray of ES NAS series | 620 |
| RAM-1GDR3-SO-1333 | 1GB DDR3 RAM, 1333 MHz, SO-DIMM | 1,640 |
| RAM-2GDR3-SO-1600 | 2GB DDR3 RAM, 1600 MHz, SO-DIMM | 2,550 |
| RAM-4GDR3-SO-1600 | 4GB DDR3 RAM, 1600 MHz, SO-DIMM | 3,640 |
| RAM-8GDR3-SO-1600 | 8GB DDR3 RAM, 1600 MHz, SO-DIMM | 6,550 |
| RAM-2GDR3TO-SO-1600 | 2GB DDR3 RAM, 1600 MHz, SO-DIMM | 2,550 |
| RAM-4GDR3TO-SO-1600 | 4GB DDR3 RAM, 1600 MHz, SO-DIMM | 3,640 |
| RAM-1GDR3L-SO-1600 | 1GB DDR3L RAM, 1600 MHz, SO-DIMM | 1,640 |
| RAM-2GDR3L-SO-1600 | 2GB DDR3L RAM, 1600 MHz, SO-DIMM | 2,550 |
| RAM-4GDR3L-SO-1600 | 4GB DDR3L RAM, 1600 MHz, SO-DIMM | 3,640 |
| RAM-8GDR3L-SO-1600 | 8GB DDR3L RAM, 1600 MHz, SO-DIMM | 6,550 |
| RAM-2GDR3LKO-SO-1600 | 2GB DDR3L RAM, 1600 MHz, SO-DIMM | 2,550 |
| RAM-2GDR3LA0-SO-1866 | 2GB DDR3L RAM, 1866 MHz, SO-DIMM | 2,730 |
| RAM-4GDR3LA0-SO-1866 | 4GB DDR3L RAM, 1866 MHz, SO-DIMM | 3,640 |
| RAM-4GDR4A0-SO-2400 | 4GB DDR4 RAM, 2400 MHz, SO-DIMM, 260 pin, A0 version | 3,820 |
| RAM-2GDR4A0-SO-2400 | 2GB DDR4 RAM, 2400 MHz, SO-DIMM, 260 pin, A0 version | 2,730 |
| RAM-4GDR4A0-UD-2400 | 4GB DDR4 RAM, 2400 MHz, UDIMM | 3,640 |
| RAM-8GDR4A0-UD-2400 | 8GB DDR4 RAM, 2400 MHz, UDIMM | 6,550 |
| RAM-16GDR4A0-UD-2400 | 16GB DDR4 RAM, 2400 MHz, UDIMM | 9,460 |
| RAM-4GDR4A1-UD-2400 | 4GB DDR4 RAM, 2400 MHz, UDIMM | 3,640 |
| RAM-8GDR4A1-UD-2400 | 8GB DDR4 RAM, 2400 MHz, UDIMM | 6,550 |
| RAM-16GDR4A1-UD-2400 | 16GB DDR4 RAM, 2400 MHz, UDIMM | 9,460 |
| RAM-4GDR3-LD-1600 | 4GB DDR3 RAM, 1600 MHz, long-DIMM | 4,370 |
| RAM-8GDR3-LD-1600 | 8GB DDR3 RAM, 1600 MHz, long-DIMM | 7,280 |
| RAM-2GDR3ECC-LD-1600 | 2GB DDR3 ECC RAM, 1600 MHz, long-DIMM | 2,910 |
| RAM-4GDR3ECC-LD-1600 | 4GB DDR3 ECC RAM, 1600 MHz, long-DIMM | 4,370 |
| RAM-8GDR3ECC-LD-1600 | 8GB DDR3 ECC RAM, 1600 MHz, long-DIMM | 7,280 |
| RAM-4GDR4K1-SO-2400 | 4GB DDR4 RAM, 2400 MHz, SO-DIMM, 260 pin, K1 version | 3,820 |
| RAM-8GDR4K1-SO-2400 | 8GB DDR4 RAM, 2400 MHz, SO-DIMM, 260 pin, K1 version | 6,550 |
| RAM-16GDR4K1-SO-2400 | 16GB DDR4 RAM, 2400 MHz, SO-DIMM, 260 pin, K1 version | 9,460 |
| RAM-2GDR4P0-SO-2400 | 2GB DDR4 RAM, 2400 MHz, SO-DIMM, 260 pin, P0 version | 2,730 |
| RAM-4GDR4K0-SO-2666 | 4GB DDR4-2666, SO-DIMM, 260 pin, K0 version | 4,000 |
| RAM-8GDR4K0-SO-2666 | 8GB DDR4-2666, SO-DIMM, 260 pin, K0 version | 6,910 |
| RAM-16GDR4K0-SO-2666 | 16GB DDR4-2666, SO-DIMM, 260 pin, K0 version | 9,820 |
| RAM-4GDR4ECP0-UD-2666 | 4GB ECC DDR4 RAM, 2666 MHz, UDIMM | 4,330 |
| RAM-8GDR4ECP0-UD-2666 | 8GB ECC DDR4 RAM, 2666 MHz, UDIMM | 7,240 |
| RAM-16GDR4ECP0-UD-2666 | 16GB ECC DDR4 RAM, 2666 MHz, UDIMM | 11,820 |
| RAM-8GDR4ECCO-RD-2666 | 8GB DDR4-2666, ECC R-DIMM, 288 pin, K0 version | 7,600 |
| RAM-16GDR4ECCO-RD-2666 | 16GB DDR4-2666, ECC R-DIMM, 288 pin, K0 version | 12,180 |
| RAM-32GDR4ECCO-RD-2666 | 32GB DDR4-2666, ECC R-DIMM, 288 pin, K0 version | 22,160 |
| RAM-64GDR4ECCO-LR-2666 | 64GB DDR4-2666, ECC LR-DIMM, 288 pin, S0 version | 42,530 |
| RAM-32GDR4ECCO-LR-2400 | 32GB DDR4 ECC RAM, 2400MHz, LR-DIMM | 21,790 |
| RAM-64GDR4ECCO-LR-2400 | 64GB DDR4 ECC RAM, 2400MHz, LR-DIMM | 42,160 |
| RAM-32GDR4ECCO-RD-2133 | 32GB DDR4 ECC RAM, 2133MHz, R-DIMM | 21,790 |
| RAM-8GDR4ECCO-RD-2400 | 8 GB DDR4 ECC RAM, 2400MHz, R-DIMM | 7,240 |
| RAM-16GDR4ECCO-RD-2400 | 16GB DDR4 ECC RAM, 2400MHz, R-DIMM | 11,820 |
| RAM-4GDR4-LD-2133 | 4GB DDR4 RAM, 2133 MHz, long-dimm, 288 pin | 3,640 |
| RAM-8GDR4-LD-2133 | 8GB DDR4 RAM, 2133 MHz, long-dimm, 288 pin | 6,550 |
| RAM-16GDR4-LD-2133 | 16GB DDR4 RAM, 2133 MHz, long-dimm, 288 pin | 9,460 |
| RAM-32GDR3ECCO-RD-1600 | 32GB DDR3 ECC RAM, 1600 MHz, long-DIMM | 21,790 |
| RAM-16GDR3ECC-RD-1600 | 16GB DDR3 ECC RAM, 1600 MHz, long-DIMM | 13,820 |
| SSD-M2080-256GB-A01 | M.2 2280 SATA 6Gbs SSD, 256GB MLC, Internal SSD Module | 8,370 |
| SSD-MSATA-256GB-A01 | 2 x 128 GB mSATA SSD, SATA 6Gbs, Internal SSD Module | 15,970 |
| LAN-1G2T-I210 | Dual-port 1GbE network expansion card | 2,150 |
| QXG-10G1T | Single-port (10Gbase-T) 10GbE network expansion card, PCIe Gen3 x4, Low-profile bracket pre-loaded, Low-profile flat and Full-height brackets are bundled | 3,640 |
| LAN-10G2T-X550 | Dual-port 10Gbase-T network expansion card for tower and rackmount models, desktop brackets | 13,060 |
| LAN-10G2SF-MLX | Dual-port 10GbE QSFP+ network expansion card | 8,370 |
| LAN-40G2SF-MLX | Dual-port 40GbE QSFP+ network expansion card | 18,150 |
| SP-BRACKET-10G-T | Desktop NAS bracket for Intel X520-T2 10GbE NIC | 360 |
| SP-BRACKET-10G-EMU | Desktop and 1U NAS bracket for Emulex dual port SFP+ 10GbE NIC | 360 |
| SP-BRACKET-10G-X520SR2 | Desktop NAS bracket for Intel X520-SR2/X520DA-2 10GbE NIC | 360 |
| CAB-NIC40G30M-QSFP | QSFP DAC cable | 4,000 |
| CAB-DAC15M-SFP-DEC02 | SFP+ 10GbE twinaxial direct attach cable, 1.5M, S/N and FW update | 1,820 |
| CAB-DAC30M-SFP-DEC02 | SFP+ 10GbE twinaxial direct attach cable, 3.0M, S/N and FW update | 2,550 |
| CAB-DAC50M-SFP-DEC02 | SFP+ 10GbE twinaxial direct attach cable, 5.0M, S/N and FW update | 3,640 |
| FRX-10G3SF+-SR-MLX | Mellanox MT102A-SR 10GbE Transceiver | 4,690 |
| SAS-12G2E | Dual-wide-port storage expansion card, SAS 12Gbps | 15,810 |
| CAB-SAS10M-8088 | Mini SAS cable (SFF-8088), 1.0m | 3,600 |
| CAB-SAS05M-8088 | Mini SAS cable (SFF-8088), 0.5m | 2,510 |
| CAB-SAS10M-8088 | Mini SAS cable (SFF-8088), 1.0m | 3,600 |
| CAB-SAS20M-8088 | Mini SAS cable (SFF-8088), 2.0m | 3,870 |
| CAB-SAS30M-8088 | Mini SAS cable (SFF-8088), 3.0m | 4,330 |
| CAB-SAS05M-8644 | Mini SAS cable (SFF-8644), 0.5m | 2,510 |
| CAB-SAS10M-8644 | Mini SAS cable (SFF-8644), 1.0m | 3,600 |
| CAB-SAS20M-8644 | Mini SAS cable (SFF-8644), 2.0m | 3,870 |
| CAB-SAS30M-8644 | Mini SAS cable (SFF-8644), 3.0m | 4,330 |
| CAB-SAS05M-8644-8088 | Mini SAS cable (SFF-8644-8088), 0.5m | 2,510 |
| CAB-SAS10M-8644-8088 | Mini SAS cable (SFF-8644-8088), 1.0m | 3,600 |
| CAB-SAS20M-8644-8088 | Mini SAS cable (SFF-8644-8088), 2.0m | 3,970 |
| CAB-SAS30M-8644-8088 | Mini SAS cable (SFF-8644-8088), 3.0m | 4,330 |
| CAB-TBT10M | 1.0m Thunderbolt™ 2 cable | 1,560 |
| CAB-TBT20M | 2.0m Thunderbolt™ 2 cable | 1,820 |
| CAB-TBT320M-40G-LINTES | 2.0m Thunderbolt3 Type-C 40Gbps active cable | 2,910 |
| CAB-TBT305M-40G-LINTES | 1.5m Thunderbolt3 Type-C 40Gbps passive cable | 1,270 |
| USB-U3A2P01 | Dual-port USB 3.1 Type-A Gen 2 10Gbps PCIe card | 1,820 |
| SP-A02-8CM4A-FAN-MODULE | Fan module, 8038 *4, 9950 RPM | 7,240 |
| SP-A02-8CM4B-FAN-MODULE | Fan module, 8038 *4, 9950 RPM | 7,240 |
| SP-A02-8CM4C-FAN-MODULE | Fan module, 8038 *4, 11500 RPM | 5,780 |
| SP-X79U-FAN-MODULE | System cooling fan module for TS-X79U series | 5,420 |
| SP-X79U15K-FAN-MDLE | System cooling fan module for TS-X79U-SAS series | 5,780 |
| SP-FAN-BLOWER-A01 | TVS-x82/TVS-x82T CPU FAN accessory, 2900rpm blower fan | 1,270 |
| SP-ESNAS-FAN-MODULE | Fan module of ES NAS | 5,780 |
| RM-IR004 | RM-IR004 IR remote control | 550 |
| RM-IR003 | RM-IR003 IR remote control | 550 |
| RM-IR002 | IR remote control for HS-251, TS-x51, TS-x70, TS-x70 Pro, TS-x69 Pro, TS-x69L, TVS-x71 series | 550 |
| MB-WALL01 | Mounting Bracket - Wall mount for IS-400 Pro | 730 |
| MB-DINRAIL01 | Mounting Bracket - DIN rail mount for IS-400 Pro | 1,090 |
| SCR-HDD35A-96 | Screw pack for 3.5" HDD installation, 96 pieces, Flat head machine screw | 150 |
| SCR-HDD35B-96 | Screw pack for 3.5" HDD installation, 96 pieces, Flat head machine screw | 150 |
| SCR-HDD25A-96 | Screw pack for 2.5" HDD / SSD installation, 96 pieces, Flat head machine screw | 150 |
| SCR-M25SDA-96 | Screw pack for M.2 SSD installation, 96 pieces, Flat head machine screw | 150 |
| SCR-HDD35A-9K | Screw pack for 3.5" HDD installation, 5,000 pieces, Flat head machine screw | 1,640 |
| SCR-HDD35B-9K | Screw pack for 3.5" HDD installation, 5,000 pieces, Flat head machine screw | 1,640 |
| SCR-HDD25A-9K | Screw pack for 2.5" HDD / SSD installation, 5,000 pieces, Flat head machine screw | 1,640 |
| HS-M2SSD-01 | Heatsink for M.2 SSD module, 14*14MM, Black, self adhesive, 8 pcs | 470 |
| HS-M2SSD-02 | Heatsink for M.2 SSD module, 68*19.8*1MM, Dark Green, 2PCS | 470 |
| HS-M2SSD-03 | Heatsink for M.2 SSD module, 68*19.8*1MM, Dark Green, 6PCS | 1,640 |
| HS-M2SSD-04 | Heatsink for M.2 SSD module, 68*21*10.5 MM, Silver metal, 4PCS | 1,090 |
| KAB-001 | OceanKTV Audio Box, USB Interface, 2 MIC IN, 2 RCA Out for Turbo NAS HDMI Model | 2,510 |
| FLASH-32GB-MSATA | mSATA cache module, 32GB | 4,690 |
| SSD-M2080-64GB-A01 | M.2 2280 SATA 6Gbs SSD, 64GB, Internal SSD Module | 4,690 |
| CTL-ES1640DC-V2-80G-FAN | Controller FRU for ES1640dc v2 160GB, including FAN and BBU | 158,940 |
| CTL-ES1640DC-V2-80G-FAN | Controller FRU for ES1640dc v2 160GB, including FAN | 154,580 |
| CTL-ES1640DC-V2-80G | Controller FRU for ES1640dc v2 160GB | 149,120 |
| CTL-ES1640DC-V2-48G-FAN | Controller FRU for ES1640dc v2 96GB, including FAN and BBU | 122,560 |
| CTL-ES1640DC-V2-48G-FAN | Controller FRU for ES1640dc v2 96GB, including FAN | 118,200 |
| CTL-ES1640DC-V2-48G | Controller FRU for ES1640dc v2 96GB | 112,740 |
| CTL-EJ1600-V2-FAN | Controller FRU for EJ1600 v2, including FAN | 19,970 |
| CTL-EJ1600-V2 | Controller FRU for EJ1600 v2 | 14,520 |
| QM2-2S | Dual M.2 22110/2280 SATA SSD expansion card (PCIe Gen2 x4), Low-profile bracket pre-loaded, Low-profile flat and Full-height are bundled | 3,240 |
| QM2-2S10G1T | Dual M.2 22110/2280 SATA SSD and single 10GBASE-T 10GbE network expansion card (PCIe Gen2 x4), Low-profile bracket pre-loaded, Low-profile flat and Full-height are bundled | 9,360 |
| QM2-2P10G1T | Dual M.2 22110/2280 PCIe SSD and single 10GBASE-T 10GbE network expansion card (PCIe Gen2 x4), Low-profile bracket pre-loaded, Low-profile flat and Full-height are bundled | 8,690 |
| QM2-2S-220A | Dual M.2 22110/2280 SATA SSD expansion card (PCIe Gen2 x2), Low-profile bracket pre-loaded, Low-profile flat and Full-height are bundled | 3,600 |
| QM2-2P-244A | *shorter version to support TVS-x82/TS-x77 PCIe slot 2 & slot 3 Dual M.2 22110/2280 PCIe SSD expansion card (PCIe Gen2 x4), Low-profile bracket pre-loaded, Low-profile flat and Full-height are bundled | 4,690 |
| QM2-4S-240 | *shorter version to support TVS-x82/TS-x77 PCIe slot 2 & slot 3 Quad M.2 SATA SSD expansion card; supports up to four M.2 2280 formfactor M.2 SATA SSDs; PCIe Gen2 x4 host interface; Low-profile bracket pre-loaded, Low-profile flat and Full-height are bundled | 6,150 |
| QM2-4P-284 | Quad M.2 PCIe SSD expansion card; supports up to four M.2 2280 formfactor M.2 PCIe (Gen2 x4) SSDs; PCIe Gen2 x8 host interface; Low-profile bracket pre-loaded, Low-profile flat and Full-height are bundled | 6,880 |
| QM2-2P-344 | Dual M.2 PCIe SSD expansion card; supports up to two M.2 2280/22110 formfactor M.2 PCIe (Gen3 x4) SSDs; PCIe Gen3 x4 host interface; Low-profile bracket pre-loaded, Low-profile flat and Full-height are bundled | 7,240 |
| QM2-2P-384 | Dual M.2 PCIe SSD expansion card; supports up to two M.2 2280/22110 formfactor M.2 PCIe (Gen3 x4) SSDs; PCIe Gen3 x8 host interface; Low-profile bracket pre-loaded, Low-profile flat and Full-height are bundled | 7,970 |
| QM2-4P-342 | Quad M.2 PCIe SSD expansion card; supports up to four M.2 2280 formfactor M.2 PCIe (Gen3 x2) SSDs; PCIe Gen3 x4 host interface; Low-profile bracket pre-loaded, Low-profile flat and Full-height are bundled | 8,330 |
| QM2-4P-384 | Quad M.2 PCIe SSD expansion card; supports up to four M.2 2280 formfactor M.2 PCIe (Gen3 x4) SSDs; PCIe Gen3 x8 host interface; Low-profile bracket pre-loaded, Low-profile flat and Full-height are bundled | 9,790 |
| KIT-SLIMODDINST-01 | Slim Optical Drive installation kit | 3,640 |
| QWA-AC2600 | Dual-band AC2600 wireless PCIe expansion card | 5,780 |

NETWORK ATTACHED STORAGE

176



SIS Distribution (Thailand) Public Company Limited
 TEL. 02-020-3000 FAX 02-020-3780
 Email address : sis@sisthai.com

บริษัทฯ ขอสงวนสิทธิ์ในการเปลี่ยนแปลงโดยไม่另行通知สำหรับลูกค้า ส่วนหน้า รวมถึงข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว

QNAP : NAS (Network Attached Storage)



**2 Years Warranty
Carry-in SiS**



Best Seller

| | | |
|-----------------------------|---|---|
| P/N | QNP-TS-228A | QNP-TS-231P2-1G |
| Bay | 2 Bay | 2 Bay |
| CPU Frequency | ARM 1.4GHz Quad core | Annapurna Labs AL-314, 4-core, 1.7GHz |
| Memory | 1 GB DDR4, not expandable | 1GB DDR3 RAM SODIMM (Max. 8GB) |
| Flash Memory | 4GB eMMC | 512MB NAND flash |
| Hard Disk Drive | 2 x 3.5 inch SATA 6Gbps | 2.5"/3.5" SATA 6Gb/s, 3Gb/s HDD or SSD; Hot-swappable (Exclude Hard drive :ลูกค้าต้องซื้อมาเพิ่มเอง) |
| Maximum Raw Capacity | | 20TB |
| USB Port & eSATA | Type A; 1 x USB 3.1 Gen1 (Front); 2 x USB 2.0 (Rear) | 3 x USB 3.0 port (Front x1; Rear x 2) |
| LAN | 1 x Gigabit RJ-45 Ethernet port | 2 x Gigabit RJ-45 Ethernet port |
| RAID Support | Single Disk, JBOD, RAID 0, 1 | Single Disk, JBOD, RAID 0, 1 |
| IP Camera Support | Included 4 (up to 16 channels via optional purchase) | Included 2 (up to 25 channels via optional purchase) |
| Other | | |
| SRP (inc. VAT) | 6,360 | 10,430 |

**2 Years Warranty
Carry-in SiS**



Best Seller

| | | |
|-----------------------------|--|---|
| P/N | QNP-TS-231P2-4G | QNP-TS-251PLUS-2G |
| Bay | 2 Bay | 2 Bay |
| CPU Frequency | Annapurna Labs AL-314, 4-core, 1.7GHz | Quad-Core Intel® Celeron® 2.0GHz (burst up to 2.42GHz) |
| Memory | 4GB DDR3 RAM SODIMM (Max. 8GB) | 2GB DDR3L RAM (1 x 2GB) expandable RAM, up to 8GB |
| Flash Memory | 512MB NAND flash | 512MB |
| Hard Disk Drive | 2.5"/3.5" SATA 6Gb/s, 3Gb/s HDD or SSD; Hot-swappable (Exclude Hard drive :ลูกค้าต้องซื้อมาเพิ่มเอง) | 2 x 2.5" or 3.5" SATA 6Gb/s, 3Gb/s HDD or SSD; hot swappable trays (Exclude Hard drive :ลูกค้าต้องซื้อมาเพิ่มเอง) |
| Maximum Raw Capacity | | 16TB |
| USB Port & eSATA | 3 x USB 3.0 port (Front x1; Rear x 2) | 2 x USB 3.0 (Front: 1, Rear: 1) 2 x USB 2.0 (Rear) |
| LAN | 2 x Gigabit RJ-45 Ethernet port | 2 x Gigabit RJ-45 Ethernet port |
| RAID Support | Single Disk, JBOD, RAID 0, 1 | Single Disk, JBOD, RAID 0, 1 |
| IP Camera Support | Included 2 (up to 25 channels via optional purchase) | Included 2 (up to 40 channels via optional purchase) |
| Other | AC adapter, 65W, 100 - 240V | |
| SRP (inc. VAT) | 13,050 | 14,770 |

**2 Years Warranty
Carry-in SiS**



| | | |
|-----------------------------|---|--|
| P/N | QNP-TS-253B-4G | QNP-TS-253Be-2G |
| Bay | 2 Bay | 2 Bay |
| CPU Frequency | Intel® Celeron® J3455 quad-core 1.5 GHz, up to 2.3 GHz *NAS av Windows ต้องตั้งเป็น NAS ที่มี CPU Intel และ RAM 4GB ขึ้นไป* 512MB DOM | Intel® Celeron® J3455 quad-core 1.5 GHz, up to 2.3 GHz |
| Memory | 4GB DDR3L-1600 (2 x 2GB) Expandable RAM, up to 8GB 2, SODIMM | 2GB DDR3L SODIMM (2 x 1GB), max. 8GB |
| Flash Memory | Hot-swappable 2 x 3.5"/2.5" SATA 6Gb/s HDD/SSD | Hot-swappable 2 x 3.5"/2.5" SATA 6Gb/s HDD/SSD |
| Hard Disk Drive | | |
| Maximum Raw Capacity | 20TB | |
| USB Port & eSATA | 5 x USB 3.0 Type-A ports | 5 x USB 3.0 Type-A port |
| LAN | 2 x RJ45 Gigabit LAN port | 2 x RJ45 Gigabit LAN port (Optional 10 Gigabit LAN port via a PCIe expansion card) |
| RAID Support | Single Disk JBOD, RAID 0, 1 | RAID 0,1, JBOD, single |
| IP Camera Support | Included 4 (up to 40 channels via optional purchase) | Included 4 (up to 40 channels via optional purchase) |
| Other | USB QuickAccess : USB Type-C, 1 PCIe 2.0 x2 slot, 2 x HDMI v1.4b, up to 3840 x 2160, 30 Hz, 2 x 3.5mm dynamic microphone input jacks, speaker, 3.5mm line out jack | 1 PCIe 2.0 x2 slot, 2 x HDMI v1.4b, up to 3840 x 2160, 30 Hz, Input: 2 x 3.5mm microphone input jacks Output: speaker, 3.5mm line out jack |
| SRP (inc. VAT) | 23,970 | 17,420 |

NETWORK ATTACHED STORAGE

177

QNAP : NAS (Network Attached Storage)



| P/N | QNP-TS-251B-2G | QNP-TS-332X-2G | QNP-TS-332X-4G |
|----------------------|--|--|---|
| Bay | 2 Bay | 3 Bay | 3 Bay |
| CPU Frequency | Intel® Celeron® J3355 dual-core 2.0 GHz processor (burst up to 2.5 GHz) Architecture: 64-bit x86 | AnnapurnaLabs, an Amazon company Alpine AL-324Quad-core 1.7GHz ARM® Cortex-A57 Processor, 64-bit | Alpine AL-324 Quad-core 1.7GHz ARM® Cortex-A57 Processor |
| Memory | 2 GB DDR3L (1 x 2 GB) (Maximum 8 GB (2 x 4 GB) 2 x SODIMM DDR3L up to 1866, with dual-channel support) | 2 GB DDR4 2400 (1 x 2 GB) (Maximum 16 GB (1 x 16 GB),1 x SODIMM slot) | 4 GB DDR4 2400 (1 x 4 GB) (Maximum 16 GB (1 x 16 GB),1 x SODIMM slot) |
| Flash Memory | 4GB eMMC | 512 MB NAND Flash | 512 MB NAND Flash |
| Hard Disk Drive | 2 x 3.5" SATA 6 Gbps HDD | Hot-swappable 3 x 3.5"/2.5" SATA 6Gb/s HDD/ SSDs (2.5" tray base for installing 2.5" HDD/SSD) | Hot-swappable 3 x 3.5"/2.5" SATA 6Gb/s HDD/ SSDs (2.5" tray base for installing 2.5" HDD/SSD) |
| Maximum Raw Capacity | | | |
| USB Port & eSATA | 2 x USB 3.0, 3 x USB 2.0 | USB 3.0 (Front: 1; Rear: 2) | USB 3.0 (Front: 1; Rear: 2) |
| LAN | 1 x RJ45 | 1 x 10GbE SFP+ /2 x Gigabit RJ45 | 1 x 10GbE SFP+ /2 x Gigabit RJ45 |
| RAID Support | RAID 0, 1, JBOD, Single | RAID 0/1/5/,single, JBOD | RAID 0/1/5/,single, JBOD |
| IP Camera Support | Two free camera licenses Note: The application supports a maximum of 32 camera channels. You can purchase additional licenses on the QNAP website | Includes 2 free camera licenses, up to 24 camera channels via additional license purchase | Includes 2 free camera licenses, up to 24 camera channels via additional license purchase |
| SRP (inc. VAT) | 13,050 | 16,550 | 18,290 |

2 Years Warranty Carry-in SiS



QNAP NAS 3 Bay รุ่นใหม่!!



| P/N | QNP-TS-328 | QNP-TS-351-2G |
|----------------------|--|--|
| Bay | 3 Bay | 2 Bay |
| CPU Frequency | Realtek Quad-core ARM CortexA53 (64-bit), RTD 1296, 1.4GHz | Intel® Celeron® J1800 dual core 2.41 GHz processor, up to 2.58 GHz |
| Memory | 2GB DDR4 RAM (not expandable) | 2 GB DDR3L (1 x 2 GB) (Maximum 8 GB (2 x 4 GB) 2 x SODIMM slot) |
| Flash Memory | 4GB eMMC | 12 MB NAND Flash |
| Hard Disk Drive | "Hot-swappable 3 x 3.5"/2.5" SATA 6Gb/s HDD/SSDs (bundled one 2.5" tray base for installing 2.5" HDD/SSD; additional purchase can be made from QNAP shop)" | Hot-swappable 3 x 3.5"/2.5" SATA HDDs/SSDs Note: 1. HDD 1~2 supports SATA 3Gb/s, HDD 3 supports SATA 6Gb/s 2. 2.5-inch HDD/SSD drive tray bases can be purchased from QNAP Online Shop |
| Maximum Raw Capacity | | |
| USB Port & eSATA | 2 x USB 3.0 (1 x Front); 1 x USB 2.0 (Rear) | 1 x USB 3.0, 2 x USB 2.0 |
| LAN | 2 x RJ45 Gigabit LAN port | 1 x Gigabit RJ45 |
| RAID Support | RAID 0, 1, 5, JBOD, single | RAID RAID 0/1/5/, single, JBOD |
| IP Camera Support | Included 4 (up to 16 channels via optional purchase) | Includes 2 free camera licenses, up to 32 camera channels via additional license purchase |
| Other | speaker, 3.5mm line out jack | |
| SRP (inc. VAT) | 9,960 | 13,050 |

2 Years Warranty Carry-in SiS

QNAP รุ่นใหม่ HDD



| Model | QNP-TS-431X2-2G | QNP-TS-453Be-2G |
|----------------------|--|---|
| CPU Frequency | Annapurna Labs Alpine AL-212 1.7GHz Quad Core | Intel Celeron Apollo Lake J3455 1.5 GHz Quad Core (up to 2.3 GHz) |
| Memory | 2GB DDR3 SODIMM (Max. 8GB) | 2GB DDR3L SODIMM (2 x 1GB), max. 8GB |
| Flash Memory | 512MB | 512MB DOM |
| Hard Disk Drive | 4 x 2.5"/3.5" SATA 6Gb/s | 4x 2.5" or 3.5" SATA 6Gb/s, 3Gb/s |
| Maximum Raw Capacity | 40TB | 40TB |
| USB & eSATA | 3 x USB 3.0 por | 5 x USB 3.0 port |
| LAN | 1 x 10GbE SFP+ & 2 x GbE | 2 GigaLan (with 1 PCIe slot, up to 4 Gigabit LAN ports or 10GbE) |
| RAID Support | Single Disk,JBOD, RAID 0, 1, 5, 5+hot spare, 6, 10 | JBOD, RAID 0, 1, 5, 5+hot spare, 6, 6 +hot spare, 10, 10 +hot spare |
| IP Camera Support | Included 2 (up to 30 channels via optional purchase) | Default: 4, Max.: 40 (optional license purchase) |
| Other | | |
| SRP (inc. VAT) | 15,900 | 22,220 |

NETWORK ATTACHED STORAGE

QNAP : NAS (Network Attached Storage)



2 Years Warranty
Carry-in SiS

QNAP ฤๅຊຸ່ມໄປ່ວນ HDD



| Model | QNP-TS-453B-4G | QNP-TS-653B-4G |
|----------------------|---|---|
| CPU Frequency | Quad-Core Intel® Celeron® J3455 1.5GHz (Burst up to 2.3GHz) | Quad-Core Intel® Celeron® J3455 1.5GHz (Burst up to 2.3GHz) |
| Memory | 4GB (2 x 2GB) (Expandable RAM, up to 8GB) | 4GB (2 x 2GB) (Expandable RAM, up to 8GB) |
| Flash Memory | 512MB DOM | 512MB DOM |
| Hard Disk Drive | 4 x 3.5" or 2.5" SATA II/III HDD & SSD (Hard drive not included) | 6 x 3.5" or 2.5" SATA II/III HDD & SSD (Hard drive not included) |
| Maximum Raw Capacity | 40TB | 60TB |
| USB | 5 x USB 3.0 port | 5 x USB 3.0 port |
| USB QuickAccess | USB Type-C | USB Type-C |
| LAN | 2x Gigabit RJ-45 Ethernet port (Wake on LAN) | 2x Gigabit RJ-45 Ethernet port (Wake on LAN) |
| RAID Support | JBOD, RAID 0, 1, 5, 5+hot spare, 6, 10 | JBOD, RAID 0, 1, 5, 5+hot spare, 6, 6+hot spare, 10, 10+hot spare |
| IP Camera Support | Included 4 (up to 40 channels via optional purchase) | Included 4 (up to 40 channels via optional purchase) |
| SRP (inc. VAT) | 30,950 | 38,810 |

2 Years Warranty
Carry-in SiS

QNAP ฤๅຊຸ່ມໄປ່ວນ HDD



| Model | QNP-TVS-473E-4G | QNP-TVS-873e-4G |
|----------------------|---|---|
| CPU Frequency | AMD R series RX-421BD 4-core 2.1 GHz, Turbo Core to 3.4 GHz | AMD R series RX-421BD 4-core 2.1 GHz, Turbo Core to 3.4 GHz |
| Memory | 4GB (2x 2GB) DDR4 SODIMM | 4GB (2x 2GB) DDR4 SODIMM |
| Flash Memory | 512MB (DOM for dual OS) | 512MB (DOM for dual OS) |
| Hard Disk Drive | 4x 2.5"/3.5" SATA 6Gb/s | 8x 2.5"/3.5" SATA 6Gb/s |
| Maximum Raw Capacity | 40TB | 80TB |
| USB & eSATA | 4 xUSB 3.0 port | 4 xUSB 3.0 port |
| LAN | 4 GigaLan, optional 10GbE via PCIe card | 4 GigaLan, optional 10GbE via PCIe card |
| RAID Support | JBOD, RAID 0, 1, 5 + Hot Spare, 6, 6 + Hot Spare, 10, 10 + Hot Spare | JBOD, RAID 0, 1, 5 + Hot Spare, 6, 6 + Hot Spare, 10, 10 + Hot Spare |
| IP Camera Support | Included 4 (up to 72 channels via optional purchase) | Included 4 (up to 72 channels via optional purchase) |
| SRP (inc. VAT) | 40,400 | 52,530 |

2 Years Warranty
Carry-in SiS

QNAP ฤๅຊຸ່ມໄປ່ວນ HDD



| Model | QNP-TVS-682-i3-8G | QNP-TVS-882-i5-16G |
|----------------------|--|---|
| CPU Frequency | Intel® Core™ i3-6100 3.7 GHz dual-core processor | Intel® Core™ i5-6500 3.6 GHz quad-core processor |
| Memory | 8GB DDR4 (pre-installed 4GB x 2) and expandable RAM, up to 32GB (8GB x 4) | 16GB DDR4 (pre-installed 8GB x 2) and expandable RAM, up to 32GB (8GB x 4) |
| Flash Memory | 512MB | |
| M.2 Slot | 2 x M.2 2242/2260/2280/22110 SATA 6Gb/s SSD (M.2 SSD is not included) | |
| PCIe Slot | 2 (1* PCIe Gen3 x16; 1* PCIe Gen3 x4) | |
| Hard Disk Drive | 4 x 2.5"/3.5" hard drive or SSD & 2 x 2.5" SSD (Hard drive not included) | 6 x 2.5"/3.5" hard drive or SSD & 2 x 2.5" SSD (Hard drive not included) |
| HDMI Output | 3 (HDMI 1.4b x2, HDMI 2.0 x1) | |
| Audio Input & Output | Audio In: 2 x 6.3mm MIC In & 2 x built-in speaker, 1 x 3.5mm Line-out jack | |
| USB & eSATA | 5 x USB 3.0 port (front: 1; rear: 4) | |
| LAN | 4 x Gigabit Ethernet port (RJ-45) | |
| RAID Support | JBOD, RAID 0, 1, 5, 5+hot spare, 6, 10 | RAID 0,1, 5, 6, 10, + hot spare, JBOD single |
| IP Camera Support | Included 8 (up to 80 channels via optional purchase) | |
| SRP (inc. VAT) | 55,500 | 77,900 |

NETWORK ATTACHED STORAGE

179

ASUSTOR : NAS (Personal to Home 1-30 user)



3 Years Warranty
Carry-in SiS



| Model | ASU-AS1002T | ASU-AS1004T |
|----------------------|---|--|
| CPU Frequency | Marvell ARMADA-385 1GHz (Dual-Core) Processor | |
| Memory | 512MB DDR3 (not expandable) | |
| Hard Disk Drive | 2x 3.5" SATAII / SATAIII (Hard drive not included) | 4x 3.5" SATAII / SATAIII (Hard drive not included) |
| Maximum Raw Capacity | 16TB | 32TB |
| USB & eSATA | 2 x USB 3.0 port (Front x 1, Back x 1) | |
| LAN | 1 x Gigabit RJ-45 Ethernet port | |
| RAID Support | Single disk, JBOD, RAID 0, RAID 1 | Single disk, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10 |
| IP Camera Support | Included 4 (up to 8 channels via optional purchase) | |
| Other | Certification: FCC, CE, VCCI, BSMI, C-TICK | |
| SRP (inc. VAT) | 6,500 | 11,300 |

3 Years Warranty
Carry-in SiS



| Model | ASU-AS3102T | ASU-AS3104T |
|----------------------|---|--|
| CPU Frequency | Intel Celeron N3050 1.6GHz Dual-Core (burst up to 2.08-2.48GHz) Processor | |
| Memory | 2GB DDR3L (not expandable) | |
| Hard Disk Drive | 2x 3.5" SATAII / SATAIII (Hard drive not included) | 4x 3.5" SATAII / SATAIII (Hard drive not included) |
| Maximum Raw Capacity | 16TB | 32TB |
| USB & eSATA | 3 x USB 3.0 port (Front x 1, Back x 2) | |
| LAN | 1 x Gigabit RJ-45 Ethernet port | |
| RAID Support | Single disk, JBOD, RAID 0, RAID 1 | Single disk, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10 |
| IP Camera Support | Included 4 (up to 16 channels via optional purchase) | |
| Other | HDMI 1.4b x 1 Infrared Receiver | |
| SRP (inc. VAT) | 11,300 | 13,400 |

ASUSTOR : NAS (Home to Power User (30-100 users))



3 Years Warranty
Carry-in SiS



| Model | ASU-AS3202T | ASU-AS3204T |
|----------------------|--|--|
| CPU Frequency | Intel Celeron 1.6GHz Quad-Core (burst up to 2.24GHz) Processor | |
| Memory | 2GB DDR3L (not expandable) | |
| Hard Disk Drive | 2x 3.5" SATAII / SATAIII (Hard drive not included) | 4x 3.5" SATAII / SATAIII (Hard drive not included) |
| Maximum Raw Capacity | 16TB | 32TB |
| USB & eSATA | 3 x USB 3.0 port (Front x 1, Back x 2) | |
| LAN | 1 x Gigabit RJ-45 Ethernet port | |
| RAID Support | Single disk, JBOD, RAID 0, RAID 1 | Single disk, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10 |
| IP Camera Support | Included 4 (up to 16 channels via optional purchase) | |
| Other | HDMI 1.4b x 1 Infrared Receiver | |
| SRP (inc. VAT) | 14,500 | 17,400 |

NETWORK ATTACHED STORAGE

ASUSTOR : NAS Home to Power User (30-100 users)



3 Years Warranty
Carry-in SiS



| Model | ASU-AS6102T | ASU-AS6104T |
|----------------------|--|---|
| CPU Frequency | Intel Celeron N3050 1.6GHz Dual-Core (burst up to 2.16GHz) Processor | |
| Memory | 2GB SO-DIMM DDR3L (1GB x 2, Expandable. Max 8GB) | |
| Hard Disk Drive | 2 x 3.5" or 2.5" SATA II/III HDD & SSD (Hard drive not included) | 4 x 3.5" or 2.5" SATA II/III HDD & SSD (Hard drive not included) |
| Maximum Raw Capacity | 16TB | 32TB |
| USB & eSATA | 3 x USB 3.0 port (Front x 1, Back x 2), 2 x USB 2.0 port , 2 x eSATA | |
| LAN | 2 x Gigabit RJ-45 Ethernet port | |
| RAID Support | Single disk, JBOD, RAID 0, RAID 1 | Single disk, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10 |
| IP Camera Support | Included 4 (up to 25 channels via optional purchase) | |
| Other | HDMI 1.4b x 1 + S/PDIF x 1 + Infrared Receiver | |
| SRP (inc. VAT) | 15,000 | 17,700 |

ASUSTOR : NAS Power User to Business (100-200 users)



| Model | ASU-AS6202T | ASU-AS6204T |
|----------------------|---|--|
| CPU Frequency | Intel Celeron N3150 1.6GHz Quad-Core (burst up to 2.08GHz) Processor | Intel Celeron 1.6GHz Quad-Core (burst up to 2.08-2.24GHz) Processor |
| Memory | 4GB SO-DIMM DDR3L (2GB x 2, Expandable. Max 8GB) | |
| Hard Disk Drive | 2 x 3.5" or 2.5" SATA II/III HDD & SSD (Hard drive not included) | 4 x 3.5" or 2.5" SATA II/III HDD & SSD (Hard drive not included) |
| Maximum Raw Capacity | 16TB | 32TB |
| USB & eSATA | 3 x USB 3.0 port (Front x 1, Back x 2), 2 x USB 2.0 port , 2 x eSATA | |
| LAN | 2 x Gigabit RJ-45 Ethernet port | |
| RAID Support | Single disk, JBOD, RAID 0, RAID 1 | |
| IP Camera Support | Included 4 (up to 25 channels via optional purchase) | |
| Other | HDMI 1.4b x 1 + S/PDIF x 1 + Infrared Receiver | |
| SRP (inc. VAT) | 17,200 | 21,800 |




| Model | ASU-AS6208T | ASU-AS6210T |
|----------------------|--|---|
| CPU Frequency | Intel Celeron 1.6GHz Quad-Core (burst up to 2.08-2.24GHz) Processor | Intel Celeron N3150 1.6GHz Quad-Core (burst up to 2.08GHz) Processor |
| Memory | 4GB SO-DIMM DDR3L (Expandable. Max 8GB) | |
| Hard Disk Drive | 8 x 3.5" or 2.5" SATA II/III HDD & SSD (Hard drive not included) | 10 x 3.5" or 2.5" SATA II/III HDD & SSD (Hard drive not included) |
| Maximum Raw Capacity | 64TB | 80TB |
| USB & eSATA | 3 x USB 3.0 port (Front x 1, Back x 2), 2 x USB 2.0 port , 2 x eSATA | |
| LAN | 4 x Gigabit RJ-45 Ethernet port | |
| RAID Support | Single disk, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10 | |
| IP Camera Support | Included 4 (up to 25 channels via optional purchase) | |
| Other | HDMI 1.4b x 1 + S/PDIF x 1 + Infrared Receiver | |
| SRP (inc. VAT) | 32,200 | 38,600 |

NETWORK ATTACHED STORAGE

181





Presenting Powerful New Enterprise-Class Models

Dynamically enhanced performance takes your NAS experience to the next level



AS7004T-i5

AS7010T-i5

ASUSTOR : NAS Small & Medium Business (200 and above users)



| Model | ASU-AS7004T | ASU-AS7008T |
|----------------------|--|---|
| CPU Frequency | Intel Core i3-4330 3.5GHz (Dual-Core) | |
| Memory | 2GB SO-DIMM DDR3 (Expandable. Max 16GB) | |
| Hard Disk Drive | 4 x 3.5" or 2.5" SATA II/III HDD & SSD (Hard drive not included) | 8 x 3.5" or 2.5" SATA II/III HDD & SSD (Hard drive not included) |
| Maximum Raw Capacity | 32TB | 64TB |
| USB & eSATA | 3 x USB 3.0 port (Front x 1, Back x 2), 2 x USB 2.0 port , 2 x eSATA | |
| LAN | 2 x Gigabit RJ-45 Ethernet port | |
| RAID Support | Single disk, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10 | |
| IP Camera Support | Included 4 (up to 49 channels via optional purchase) | |
| Other | HDMI 1.4b x 1 + S/PDIF x 1 + Infrared Receiver | HDMI 1.4b x 1 + Infrared Receiver |
| SRP (inc. VAT) | 40,000 | 52,500 |



| Model | ASU-AS7010T |
|----------------------|--|
| CPU Frequency | Intel Core i3-4330 3.5GHz (Dual-Core) |
| Memory | 2GB SO-DIMM DDR3 (Expandable. Max 16GB) |
| Hard Disk Drive | 10 x 3.5" or 2.5" SATA II/III HDD & SSD (Hard drive not included) |
| Maximum Raw Capacity | 80TB |
| USB & eSATA | 3 x USB 3.0 port (Front x 1, Back x 2), 2 x USB 2.0 port , 2 x eSATA |
| LAN | 2 x Gigabit RJ-45 Ethernet port |
| RAID Support | Single disk, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10 |
| IP Camera Support | Included 4 (up to 49 channels via optional purchase) |
| Other | HDMI 1.4b x 1 + Infrared Receiver |
| SRP (inc. VAT) | 59,000 |

Synology : NAS (Network Attached Storage)



| PART NO. | Description | SRP (inc. VAT) | Warranty | Stock |
|---|--|-------------------|--------------|----------|
| J-Series : Home, Small Office and Personal Cloud Solution User : 1 - 5 Users | | | | |
| SNG-DS418J | 4-bay DiskStation, Dual Core 1.4 GHz, 1GB RAM | 10,660 | 2 Yrs. | Stock |
| Value Series : Home to Business Workgroup User : 10 - 20 Users | | | | |
| SNG-DS418 | 4-bay DiskStation, Quad Core 1.4 GHz, 2GB RAM | 13,750 | 2 Yrs. | Stock |
| SNG-DS418play | 4-bay DiskStation, Dual Core 2.0 GHz (turbo to 2.5 GHz), 2GB RAM (up to 6GB) | 17,000 | 2 Yrs. | Stock |
| KIT-SNG-RS819 | 4-bay RackStation (up to 8-bay), Quad Core 1.4 GHz, 2GB RAM | 26,500 | 3 Yrs. | By order |
| Plus Series : Small and Medium Business User : 30 - 40 Users | | | | |
| SNG-DS918PLUS | Best Seller 4-bay DiskStation (up to 9-bay), Quad Core 1.5 GHz (turbo to 2.3 GHz), 4GB RAM (up to 8GB) | 18,620 | 3 Yrs. | Stock |
| SNG-DS1019PLUS | 5-bay DiskStation (up to 10-bay), Quad Core 1.5 GHz (turbo to 2.3 GHz), 8GB RAM, Built-in two M.2 NVMe SSD slots | 24,220 | 3 Yrs. | Stock |
| SNG-DS1618PLUS | 6-bay DiskStation (up to 16-bay), Quad Core 2.1 GHz, 4GB RAM (up to 32GB), 10GbE NIC & M.2 SATA SSD support (optional) | 27,930 | 3 Yrs. | Stock |
| SNG-DS1819plus | 8-bay DiskStation (up to 18-bay), Quad Core 2.1 GHz (Cache 8 MB), 4GB RAM (up to 32GB), 10GbE NIC & M.2 SATA SSD support (optional) | 33,540 | 3 Yrs. | Stock |
| KIT-SNG-RS820PLUS | New!! สิ้นค้ามาแทนรุ่น RS818plus - Launch on September 2019 | | | |
| KIT-SNG-RS820RP+ | New!! สิ้นค้ามาแทนรุ่น RS818RPplus - Launch on September 2019 | | | By order |
| SNG-DS2419plus | 2-bay DiskStation (up to 24-bay), Quad Core 2.1 GHz, 4GB RAM (up to 32GB), 10GbE NIC & M.2 SATA SSD support (optional) | 54,040 | 3 Yrs. | By order |
| KIT-SNG-RS1219PLUS | 8-bay RackStation (up to 12-bay), Quad Core 2.1 GHz, 2GB RAM (up to 16GB), 10GbE NIC support (optional), M.2 SSD support with M2D18 | 39,770 | 3 Yrs. (SRS) | By order |
| KIT-SNG-RS2418PLUS | 12-bay RackStation (up to 24-bay), Quad Core 2.1 GHz, 4GB RAM (up to 64GB), 10GbE NIC & M.2 SATA SSD support (optional) | 62,150 | 3 Yrs. (SRS) | Stock |
| KIT-SNG-RS2418RP+ | 12-bay RackStation (up to 24-bay), Quad Core 2.1 GHz, 4GB RAM (up to 64GB), 10GbE NIC & M.2 SATA SSD support (optional), Redundant power | 80,800 | 3 Yrs. (SRS) | By order |
| KIT-SNG-RS2418RP+ | 12-bay RackStation (up to 24-bay), Quad Core 2.1 GHz, 8GB RAM (up to 64GB), 10GbE NIC & M.2 SATA SSD support (optional), Redundant power | 83,000 | 3 Yrs. (SRS) | By order |
| KIT-SNG-RS2818RP+ | 16-bay RackStation (up to 28-bay), Quad Core 2.1 GHz, 4GB RAM (up to 64GB), Redundant power | 95,720 | 3 Yrs. (SRS) | By order |
| KIT-SNG-RS2818RP+ | 16-bay RackStation (up to 28-bay), Quad Core 2.1 GHz, 8GB RAM (up to 64GB), Redundant power | 97,900 | 3 Yrs. (SRS) | By order |
| FS & XS Series : Large Scale Business User : 40+ Users | | | | |
| SNG-DS3018xs | 6 bay DiskStation (up to 30-bay), Dual Core 2.2 GHz (turbo to 2.6 GHz), 8GB RAM (up to 32GB), 10GbE NIC & M.2 SATA SSD support (optional) | 46,580 | 5 Yrs. | Stock |
| SNG-DS3617xs | 12-bay DiskStation (up to 36-bay), Quad Core 2.2 GHz (turbo to 2.7GHz), 16GB RAM (up to 48GB) | 85,760 | 5 Yrs. | By order |
| SNG-FS1018 | 12-bay FlashStation, Dual Core 2.2 GHz (turbo to 2.6GHz), 8GB RAM (up to 32GB), 10GbE NIC & M.2 SATA SSD support (optional) | 54,040 | 5 Yrs. (SRS) | By order |
| KIT-SNG-RS1619xsp | 4-bay RackStation (up to 16-bay), Quad Core 2.2 GHz (turbo to 2.7GHz), 8GB RAM (up to 64GB), 2x M.2 NVMe, 10GbE NIC support (optional), M.2 SSD support with M2D18, Redundant power | 70,840 | 5 Yrs. (SRS) | Stock |
| KIT-SNG-RS3618xs | 12-bay RackStation (up to 36-bay), Quad Core 2.4 GHz (turbo to 2.7 GHz), 8GB RAM (up to 64GB), 10GbE NIC support (optional) | 93,840 | 5 Yrs. (SRS) | By order |
| KIT-SNG-RS3617RPxs | 12-bay RackStation (up to 36-bay), Quad Core 2.4 GHz (turbo to 2.7GHz), 8GB RAM (up to 64GB), 10GbE NIC support (optional), Redundant power | 116,220 | 5 Yrs. (SRS) | By order |
| KIT-SNG-RS3617xs+ | 12-bay RackStation (up to 36-bay), Six Core 2.2 GHz (turbo to 2.7GHz), 8GB RAM (up to 64GB), 2x10GbE Base T, Redundant power | 147,940 | 5 Yrs. (SRS) | Stock |
| KIT-SNG-RS4017xs+ | 16-bay RackStation (up to 40-bay), Eight Core 2.1 GHz (turbo to 2.7GHz), 8GB RAM (up to 64GB), 2x10GbE Base T, Redundant power | 185,240 | 5 Yrs. (SRS) | By order |
| KIT-SNG-SA3400 | New!! 12-bay RackStation (up to 180-bay), Eight Core 2.1 GHz (turbo to 2.7GHz), 16GB RAM (up to 128GB), 2x10GbE Base T, Redundant power | 222,700 | 5 Yrs. | By order |
| KIT-SNG-FS3400 | New!! 24-bay 2.5" SAS/SATA All-flash storage, Eight Core 2.1 GHz (turbo to 2.7GHz), 16GB RAM (up to 128GB), 2x10GbE Base T, Redundant power | 253,000 | 5 Yrs. | By order |
| KIT-SNG-FS6400 | New!! 24-bay 2.5" SAS/SATA All-flash storage (up to 72-bay), 2xEight Core 2.1 GHz (turbo to 3.0GHz), 32GB RAM (up to 512GB), 2x10GbE Base T, Redundant power | 452,700 | 5 Yrs. | By order |
| KIT-SNG-UC3400 | New!! Launch on Q4/2019 | | | |
| KIT-SNG-RC18015xsp | Controller (required to be paired with another RC18015xs+ and at least one RXD1215sas, up to 180-bay), Quad Core 3.3 GHz, 8GB RAM (up to 32GB), 10GbE NIC support (optional), Redundant power | 126,910 | 5 Yrs. (SRS) | By order |
| Expansion Unit (ส่วนขยาย Expansion Unit รุ่นอื่นๆ ได้ที่เว็บไซต์ที่ดูแล้ว) | | | | |
| SNG-DX517 | 5-bay SATA expansion unit | 18,500 | 3 Yrs. | By order |
| SNG-DX1215 | 12-bay SATA expansion unit | | | |
| KIT-SNG-RX418 | 4-bay SATA expansion unit | 45,000 | 5 Yrs. | By order |
| | | 24,600 | 3 Yrs. (SRS) | By order |
| KIT-SNG-RX1217 | 12-bay SATA expansion unit for RS3618xs, RS2418(RP)+, RS4017xs+, RS3617xs+, RS3617(RP)xs, RS3614xs+, RS3614(RP)xs, RS2416(RP)+, RS2414(RP)+, RS3413xs+, RS3412(RP)xs, RS3411(RP)xs, RS2212(RP)+, RS2211(RP)+ | 56,600 | 3 Yrs. (SRS) | By order |

NETWORK ATTACHED STORAGE

Synology : NAS (Network Attached Storage)



| PART NO. | Description | SRP (inc. VAT) | Warranty | Stock |
|--|---|-------------------|--------------------------|----------|
| Router | | | | |
| SNG-RT2600ac | AC2600 router, Dual Band, MU-MIMO, SRM | 7,800 | 2 Yrs. | Stock |
| SNG-MR2200ac | AC2200 router, Tri Band, MU-MIMO, Single Wi-Fi name and seamless roaming with 802.11 k/v/r support, SRM | 5,000 | 2 Yrs. | Stock |
| Surveillance | | | | |
| SNG-VS960HD | Video Decoder (up to 96ch @720p) | 16,000 | 3 Yrs. (ต่อระบบได้ 5 ปี) | Stock |
| SNG-VIRTUAL-1LIC | 1 License for Cameras and I/O Modules | 2,000 | - | By order |
| SNG-VIRTUAL-4LIC | 4 License for Cameras and I/O Modules | 7,700 | - | By order |
| SNG-VIRTUAL-8LIC | RECOMMEND 8 License for Cameras and I/O Modules | 14,000 | - | By order |
| Software License | | | | |
| SNG-EW201 | 2-years extended warranty pack (เฉพาะบาง model) | 3,400 | - | Stock |
| SNG-EW202 | 2-years extended warranty pack (เฉพาะบาง model) | 7,800 | - | By order |
| Port 10 Gigabit / Adapter Card for M.2 | | | | |
| SNG-E10G17-F2 | Dual-port 10 Gigabit SFP+ PCIe 3.0 x8 Ethernet adapter | 9,130 | 5 Yrs. | By order |
| SNG-E10G18-T1 | Single-port 10 Gigabit Base-T PCIe 3.0 x4 Ethernet adapter | 5,900 | 5 Yrs. | By order |
| SNG-E10G18-T2 | Dual port 10 Gigabit Base-T PCIe 3.0 x8 Ethernet adapter | 8,599 | 5 Yrs. | Stock |
| SNG-M2D18 | PCIe Gen2 x8 adapter card for Dual M.2 NVMe / SATA SSD slots | 5,550 | 3 Yrs. | By order |
| RAM (สอบถาม RAM รุ่นอื่นๆ ได้ที่เซสส์ไทย) | | | | |
| SNG-D3NS1866L-4G | RAM module for DS218+, DS718+, DS418play, DS918+ | 2,420 | 1 Yr. | By order |
| SNG-D4N2133-4G | RAM module for RS2418(RP)+, RS2818RP+ | 2,630 | 1 Yr. | Stock |
| SNG-D4NESO-2400-4G | RAM module for DS1618+, DS1819+ | 2,990 | 1 Yr. | By order |
| SNG-RAM1600DDR3L-4GBX | RAM module for DS1517+, DS1817+, RS818(RP)+, RS1219+ | 5,699 | 1 Yr. | By order |
| SNG-RAM1600DDR3L-8GBX | RAM module for DS1517+, DS1817+, RS818(RP)+, RS1219+ | 10,450 | 1 Yr. | By order |
| RAIL KIT | | | | |
| SNG-RKS1317 | Rail Kit Sliding, Support Rack 1U, 2U, 3U Rack mounting depth: 610mm to 890mm | 2,810 | 1 Yr. | Stock |

Synology : Disk Station



2 Years Warranty



Best Seller



Hot Price

| Model | SNG-DS418 | SNG-DS418J |
|----------------------------------|---|---|
| CPU | Realtek RTD1296, 64 Bit, Quad Core 1.4 GHz | Dual Core 1.4 GHz |
| RAM | 2 GB DDR4, 1 Slot | 1 GB DDR4 |
| Drive Bays | 4 | 4 |
| Max. Bays with Expansion | - | - |
| Drive Type | 3.5" or 2.5" SATA HDD, 2.5" SATA SSD (hard drives not included) | 3.5" or 2.5" SATA HDD, 2.5" SATA SSD (hard drives not included) |
| Max. Capacity | 40 TB (10 TB drive x 4) (Capacity may vary by RAID types) | 40 TB (10 TB drive x 4) (Capacity may vary by RAID types) |
| Hot Swappable Drive | Yes | None |
| RJ-45 1GbE LAN / USB 3.0 / eSATA | 2 / 2 / - | 1 / 2 / - |
| Supported RAID Type | Synology Hybrid RAID / Basic / JBOD / RAID 0 / RAID 1 / RAID 5 / RAID 6 / RAID 10 | Synology Hybrid RAID (SHR) / Basic / JBOD / RAID 0 / RAID 1 / RAID 5 / RAID 6 / RAID 10 |
| MAX IP cam | 30 (including 2 Free License) | 16 (including 2 Free License) |
| Virtualization | None | None |
| SRP (inc. VAT) | 13,750 | 10,660 |

3 Years Warranty



** ต่อประกันได้ **
EW201 - (2 Year Extension)



Best Seller

** ต่อประกันได้ **
EW201 - (2 Year Extension)

| Model | SNG-DS1819plus | SNG-DS918plus |
|----------------------------------|---|--|
| CPU | Quad Core 2.1 GHz | Intel Celeron J3455, 64 Bit, Quad Core 1.5 burst up to 2.3 GHz |
| RAM | 4 GB DDR4, Up to 32 GB(16 GB X2), 2 Slots Memory | 4 GB DDR3L, Up to 8 GB (4 GB x 2), 2 Slots Memory |
| Drive Bays | 8 | 4 |
| Max. Bays with Expansion | 18 | 9 |
| Drive Type | 3.5" or 2.5" SATA HDD, 2.5" SATA SSD (hard drives not included) | 3.5" SATA HDD, 2.5" SATA HDD, 2.5" SATA SSD |
| Max. Capacity | 112 TB (14 TB drive x 8) (Capacity may vary by RAID types) 252 TB (112 TB + 14TB drive x 10) (Capacity may vary by RAID types) | M.2 NVMe 2280 SSD (Optional) 40 TB (10 TB drive x 4) / 90 TB (10 TB drive x 9) (Capacity may vary by RAID types) |
| Hot Swappable Drive | Yes | Yes |
| RJ-45 1GbE LAN / USB 3.0 / eSATA | 4 / 4 / 2 | 2 / 2 / 1 |
| Supported RAID Type | Basic / JBOD / RAID 0 / RAID 1 / RAID 5 / RAID 6 / RAID 10 | Synology Hybrid RAID / Basic / JBOD / RAID 0 / RAID 1 / RAID 5 / RAID 6 / RAID 10 |
| MAX IP cam | 40 (including 2 Free License) | 40 (including 2 Free License) |
| Virtualization | Vmware vSphere 6 with VAAI, Window Server 2016, Citrix Ready, OpenStack | Vmware vSphere 6 with VAAI, Window Server 2012, Window Server 2012 R2, Citrix Ready, OpenStack |
| SRP (inc. VAT) | 33,540 | 18,620 |

NETWORK ATTACHED STORAGE

Synology : Rack Station



Best Seller

3 Years Warranty



| | |
|---|---|
| Model | KIT-SNG-RS819 |
| CPU | Realtek RTD1296 , Quad Core 1.4 GHz |
| RAM | 2 GB DDR4 |
| Drive Bays | 4 |
| Max. Bays with Expansion | 8 |
| Drive Type | 3.5" or 2.5" SATA HDD, 2.5" SATA SSD (hard drives not included) |
| Max. Capacity | 56 TB (14 TB drive x 4) (Capacity may vary by RAID types) 112 TB (56 TB + 14 TB drive x 4) (Capacity may vary by RAID types) |
| Hot Swappable Drive | Yes |
| Ports : RJ-45 1GbE LAN / USB 3.0 / eSATA | 2 / 2 / 1 |
| Supported RAID Type | Synology Hybrid RAID (SHR), Basic, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10 |
| MAX IP cam | 16 (including 2 Free License) |
| Virtualization | None |
| Power Supply | - |
| SRP (inc. VAT) | 26,500 |

Best Seller

**** ต่อประกันได้ ****
EW202 - (2 Year Extension)

3 Years Warranty



| | |
|--|---|
| Model | KIT-SNG-RS2418+ |
| CPU | Intel Atom C3538, Quad Core 2.1 GHz |
| RAM | 4 GB DDR4, up to 64 GB (16 GB x 4), 4 Slots Memory16 |
| Drive Bays | 12 |
| Max. Bays with Expansion | 24 |
| Drive Type | 3.5" or 2.5" SATA HDD, 2.5" SATA SSD (hard drives not included) |
| Max. Capacity | 144 TB (12 TB drive x 12) (Capacity may vary by RAID types) 288 TB (144 TB + 12 TB drive x 12) (Capacity may vary by RAID types) |
| Hot Swappable Drive | Yes |
| Ports : RJ-45 1GbE LAN / USB 3.0 / Expansion Port | 4 / 2 / 1 |
| Supported RAID Type | Synology Hybrid RAID / Basic / JBOD / RAID 0 / RAID 1 / RAID 5 / RAID 6 / RAID 10 |
| MAX IP cam | 40 (including 2 Free License) |
| Virtualization | Vmware vSphere 6 with VAAI / Window Server 2012 / Window Server 2012 R2 / Window Server 2016 / Citrix Ready / OpenStack |
| Power Supply | Single |
| SRP (inc. VAT) | 62,150 |

5 Years Warranty



| | |
|--|--|
| Model | KIT-SNG-RS1619xs+ |
| CPU | Intel Xeon D-1527 (4 Core 2.2 GHz up to 2.7 GHz) |
| RAM | 8 GB DDR4 ECC UDIMM (8 GB x 1), up to 64 GB (16 GB x 4), 4 Slots Memory |
| Drive Bays | 4 |
| Max. Bays with Expansion | 16 |
| Drive Type | 3.5" or 2.5" SATA HDD, 2.5" SATA SSD (hard drives not included) |
| Max. Capacity | 56 TB (14 TB drive x 4) (Capacity may vary by RAID types) 224 TB (56 TB + 14 TB drive x 12) (Capacity may vary by RAID types) |
| Hot Swappable Drive | Yes |
| Ports : RJ-45 1GbE LAN / USB 3.0 / Expansion Port | 4 / 2 / 1 |
| Supported RAID Type | RAID F1 / Basic / JBOD / RAID 0 / RAID 1 / RAID 5 / RAID 6 / RAID 10 |
| MAX IP cam | 75 (including 2 Free License) |
| Virtualization | VMware vSphere 6 with VAAI / Window Server 2016 / Citrix Ready / OpenStack |
| Power Supply | Dual |
| SRP (inc. VAT) | 70,840 |



Synology : Rack Station

3 Years Warranty



** ต่อประกันได้ **
EW202 - (2 Year Extension)



| Model | KIT-SNG-RS1219+ | KIT-SNG-RS2818RP+ |
|--------------------------|---|---|
| CPU | Intel Atom C2538, Quad Core 2.4 GHz | Intel Atom C3538 quad-core 2.1GHz, 64 Bit |
| RAM | 2 GB DDR3, up to 16 GB (8 GB x 2), 2 Slots Memory | 4 GB DDR4-2133 Non-ECC UDIMM (expandable up to 64 GB with 16 GB ECC UDIMM x 4) |
| Drive Bays | 8 | 16 |
| Max. Bays with Expansion | 12 | 28 |
| Drive Type | 3.5" or 2.5" SATA HDD, 2.5" SATA SSD (hard drives not included) | 3.5" or 2.5" SATA HDD, 2.5" SATA SSD (hard drives not included) |
| Max. Capacity | 96 TB (12 TB drive x 8) (Capacity may vary by RAID types) 144 TB (96 TB + 12 TB drive x 4) (Capacity may vary by RAID types) | 192 TB (10 TB drive x 16) (Capacity may vary by RAID types) 336 TB (10 TB drive x 28) (Capacity may vary by RAID types) |
| Hot Swappable Drive | Yes | Yes |
| Ports | RJ-45 1GbE LAN / USB 3.0 / eSATA 4 / 2 / 1 | 4 / 2 / 1 |
| Supported RAID Type | Synology Hybrid RAID / Basic / JBOD / RAID 0 / RAID 1 / RAID 5 / RAID 6 / RAID 10 | Synology Hybrid RAID / Basic / JBOD / RAID 0 / RAID 1 / RAID 5 / RAID 6 / RAID 10 |
| MAX IP cam | 40 (including 2 Free License) | 40 (including 2 Free License) |
| Virtualization | Vmware vSphere 6 with VAAI / Window Server 2016 / Citrix Ready / OpenStack | VMware vSphere 5 with VAAI / Vmware vSphere 6 with VAAI / Window Server 2012 / Window Server 2012 R2 / Microsoft Hyper-V / Citrix Ready / OpenStack |
| Power Supply | Single | Dual |
| SRP (inc. VAT) | 39,770 | 95,720 |

5 Years Warranty



New!!

| Model | KIT-SNG-RS1619xs+ |
|--------------------------|--|
| CPU | Intel Xeon D-1531(6-Core 2.2 (base) / 2.7 (turbo) GHz) |
| RAM | 8 GB DDR4 ECC UDIMM (8 GB x 1), up to 64 GB (16 GB x 4), 4 Slots Memory |
| Drive Bays | 12 |
| Max. Bays with Expansion | 36 |
| Drive Type | 3.5" or 2.5" SATA HDD, 2.5" SATA SSD (hard drives not included) |
| Max. Capacity | 120 TB (10 TB drive x 12) (Capacity may vary by RAID types) 360 TB (10 TB drive x 36) (Capacity may vary by RAID types) |
| Hot Swappable Drive | Yes |
| Ports | RJ-45 1GbE LAN / USB 3.0 / eSATA 4 / 2 / 2 / 2 |
| Supported RAID Type | RAID F1, Basic, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10 |
| MAX IP cam | 90 (including 2 Free License) |
| Virtualization | VMware vSphere 6 with VAAI, Window Server 2012, Window Server 2012 R2, Microsoft Hyper-V, Citrix certified, Openstack |
| Power Supply | Dual |
| SRP (inc. VAT) | 70,840 |

5 Years Warranty



| Model | KIT-SNG-RS3617xs+ |
|--------------------------|--|
| CPU | Intel Xeon D-1531 (6-Core 2.2 (base) / 2.7 (turbo) GHz) |
| RAM | 8 GB DDR4 ECC UDIMM (8 GB x 1), up to 64 GB (16 GB x 4), 4 Slots Memory |
| Drive Bays | 12 |
| Max. Bays with Expansion | 36 |
| Drive Type | 3.5" or 2.5" SATA HDD, 2.5" SATA SSD (hard drives not included) |
| Max. Capacity | 120 TB (10 TB drive x 12) (Capacity may vary by RAID types) 360 TB (10 TB drive x 36) (Capacity may vary by RAID types) |
| Hot Swappable Drive | Yes |
| Ports | RJ-45 1GbE LAN / 10GBase-T / USB 3.0 / Expansion 4 / 2 / 2 / 2 |
| Supported RAID Type | RAID F1 / Basic / JBOD / RAID 0 / RAID 1 / RAID 5 / RAID 6 / RAID 10 |
| MAX IP cam | 90 (including 2 Free License) |
| Virtualization | VMware vSphere 6 with VAAI / Window Server 2012 / Window Server 2012 R2 / Microsoft Hyper-V / Citrix certified / Openstack |
| Power Supply | Dual |
| SRP (inc. VAT) | 147,940 |



Synology Consumer : DiskStation 2 Bay

**2 Year Warranty
Carry-in**



Best Seller

รุ่นนี้เหมาะ:กับใช้ในบ้าน เก็บไฟล์ ดูหนัง ฟังเพลง

| | |
|-----------------------------|---|
| Model | SNG-DS218j |
| Bay | 2-Bay |
| CPU Frequency | Marvell Armada 385 88F6820, Dual Core 1.3 GHz |
| Memory | 512 MB DDR3 |
| Flash Memory | |
| Hard Disk Drive | 3.5" SATA HDD 2.5" SATA HDD (with optional 2.5" Disk Holder) 2.5" SATA SSD (with optional 2.5" Disk Holder) |
| Maximum Raw Capacity | 24 TB (12 TB drive x 2) (Capacity may vary by RAID types) |
| USB Port & eSATA | 2 x USB 3.0 |
| LAN | 1 RJ-45 1GbE LAN Port |
| RAID Support | Synology Hybrid RAID (SHR), Basic, JBOD ,RAID 0/1 |
| IP Camera Support | 14 (including 2 Free License) |
| Other | 60W/100V to 240V AC |
| SRP (inc. VAT) | 5,550 |

Maximum Raw Capacity >> 32 TB (16 TB drive x 2) (Capacity may vary by RAID types)

**2 Year Warranty
Carry-in**



Best Seller



“รุ่นนี้เหมาะ:กับการใช้ในบ้านที่เน้นเรื่องมัลติมีเดีย เพราะมีว่าชิบสำหรับใช้ในการทรานโคัดไฟล์มัลติมีเดีย”

รุ่นนี้เหมาะ:กับธุรกิจขนาดเล็ก

| | SNG-DS218play | SNG-DS218 |
|-----------------------------|---|---|
| Model | SNG-DS218play | SNG-DS218 |
| Bay | 2-Bay | 2-Bay |
| CPU Frequency | Realtek RTD1296 Quad Core 1.4 GHz | Realtek RTD1296 Quad Core 1.4 GHz |
| Memory | 1 GB DDR4 | 2 GB DDR4 |
| Flash Memory | | |
| Hard Disk Drive | 3.5" SATA HDD 2.5" SATA HDD (with optional 2.5" Disk Holder) 2.5" SATA SSD (with optional 2.5" Disk Holder) | 3.5" SATA HDD 2.5" SATA HDD 2.5" SATA SSD |
| Maximum Raw Capacity | 24 TB (12 TB drive x 2) (Capacity may vary by RAID types) | 24 TB (12 TB drive x 2) (Capacity may vary by RAID types) |
| USB Port & eSATA | 2xUSB3.0 | 1xUSB2.0,2xUSB3.0 |
| LAN | 1 RJ-45 1GbE LAN Port | 1 RJ-45 1GbE LAN Port |
| RAID Support | Synology Hybrid RAID (SHR), Basic, JBOD ,RAID 0/1 | Synology Hybrid RAID (SHR), Basic, JBOD ,RAID 0/1 |
| IP Camera Support | 15 (including 2 Free License) | 20 (including 2 Free License) |
| Other | 60W/100V to 240V AC | 60W/100V to 240V AC |
| SRP (inc. VAT) | 8,180 | 9,280 |

Maximum Raw Capacity >> 32 TB (16 TB drive x 2) (Capacity may vary by RAID types)

Maximum Raw Capacity >> 32 TB (16 TB drive x 2) (Capacity may vary by RAID types)

**2 Year Warranty
Carry-in**



Best Seller



Best Seller

**3 Year Warranty
Carry-in**

เหมาะ:กับ SME ที่เก็บไฟล์ข้อมูลขนาดไม่ใหญ่มาก

“รุ่นนี้เหมาะ:กับ SME ที่คิดว่าไฟล์จะเพิ่มมากขึ้นเรื่อยๆในอนาคต เพราะสามารถต่อเชื่อมกับ expansion ยูนิต เพื่อเพิ่มได้เป็น 7 เบบย์ได้”

| | SNG-DS218+ | SNG-DS718+ |
|-----------------------------|---|---|
| Model | SNG-DS218+ | SNG-DS718+ |
| Bay | 2-Bay | 2-Bay (Up to 7 Drive Bays with Expansion Unit) |
| CPU Frequency | Intel Celeron J3355 Dual Core 2.0 burst up to 2.5 GHz | Intel Celeron J3455 Quad Core 1.5 burst up to 2.3 GHz |
| Memory | 2GB GB DDR3L (1 x 2GB)Expandable up to 6 GB (2 GB + 4 GB) | 2GB GB DDR3L (1 x 2GB)Expandable up to 6 GB (2 GB + 4 GB) |
| Flash Memory | | |
| Hard Disk Drive | 3.5" SATA HDD 2.5" SATA HDD 2.5" SATA SSD | 3.5" SATA HDD 2.5" SATA HDD 2.5" SATA SSD |
| Maximum Raw Capacity | 24 TB (12 TB drive x 2) (Capacity may vary by RAID types) | 24 TB (12 TB drive x 2) (Capacity may vary by RAID types) |
| USB Port & eSATA | 3xUSB3.0 ,1xeSATA Port | 3xUSB3.0 ,1xeSATA Port |
| LAN | 1 RJ-45 1GbE LAN Port | 2 RJ-45 1GbE LAN Port |
| RAID Support | Synology Hybrid RAID (SHR), Basic, JBOD ,RAID 0/1 | Synology Hybrid RAID (SHR), Basic, JBOD ,RAID 0/1 RAID 5/6/10 (with expansion unit) |
| IP Camera Support | 25 (including 2 Free License) | 40 (including 2 Free License) |
| Other | 60W/100V to 240V AC | 65W /100V to 240V AC |
| SRP (inc. VAT) | 11,160 | 14,890 |

Model SNG-DS218+ เป็น SNG-DS218PLUS 11: Maximum Raw Capacity >> 32 TB (16 TB drive x 2) (Capacity may vary by RAID types)

Model SNG-DS718+ เป็น SNG-DS718PLUS 14: Maximum Raw Capacity >> 32 TB (16 TB drive x 2) (Capacity may vary by RAID types)



SIS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000 FAX 02-020-3780
Email address : sis@sisthai.com

บริษัทขอสงวนสิทธิ์ในการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว