HP LaserJet Managed MFP E730dn Printer Series



Powerful. Flexible. Secure.

Change is the only constant in business. Advance your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers 'you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity.

- Tackle anything with our powerful processor. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Increase your day-to-day productivity with our industry leading, single pass 120 ipm ² duplex scanning.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 8-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart³ firmware.

Customizable solutions built to last.

- Make your day-to-day more productive with customized experiences with cloud-connected HP Workpath apps⁵ that let you access personalized content, integrate paper and digital workflows.
- Unleash your creativity and match any office decor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform, containing hundreds of HP and third-party solutions as well as card reader support.

Always on guard with HP Wolf Security.

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified ⁷ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield[™] is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁸
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁹ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel. ¹⁰
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.¹¹

Product walkaround

1. Flatbed scanner handles sheets up to 11x17-inch (297 x 432 mm)

- 2. 500-sheet output bin
- 3. Automatic two-sided printing
- 4. Easy-access USB port¹
- 5. Front door access to toner cartridges
- 6. Slot for cable-type security lock
- 7. Super Speed USB 3.0 Host Port
- 8. Hi-Speed USB 2.0 Host Port
- 9. Gigabit Ethernet Port
- 10. Hi-Speed USB 2.0 device port
- 11. 520-sheet tray 3 supports media sizes up to A3 (11x17-inch)
- 12. 100-sheet dual side ADF supports media sizes up to A3 (11x17-inch)
- 13. 8.0-inch color touchscreen display (20.3 cm)
- 14. Power button
- 15. Hardware Integration Pocket (for connecting accessory and third-party devices)²
- 16. Right door access to the print path
- 17. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17-inch)
- 18. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 19. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17-inch)



Series at a glance

Model	HP LaserJet Managed MFP E730dn	
Product number	5QJ87A	SQJ87A (Base) + 8EP55AAE (Speed license)
Print speed (A4 and letter, Black) ³	Up to 25 ppm	Up to 30 ppm
Scan speed (A4 and letter, Black)⁴	60 ppm/120 ipm, simplex/duplex (both models)	
Functions	Print, copy, and scan (fax and wireless optional) (both models)	
1	2	

¹ An administrator must enable the easy-access USB port before use. ² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Top features

Get more done faster with leading printing, scanning and copying speeds, maximum uptime - powered by HP's custom designed quad-core processor.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats.¹ We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

U04NCE - HP 1 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx U04NDE - HP 3 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx U04NFE - HP 4 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx U04NFE - HP 3 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx U04NE - HP 3 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx U04NE - HP 3 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx U04NE - HP 4 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx U04NE - HP 1 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx U04NE - HP 1 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx U04NE - HP 3 year Farts Exchange w/DMR Service for LaserJet Managed MFP E730xx U04NE - HP 3 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx U04NE - HP 4 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx U04NE - HP 5 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx U04NSE - HP 5 year Parts Exchange w/DMR Service for LaserJet Managed MFP E730xx U04NSE - HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E730xx U04NSE - HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E730xx U04NSE - HP 1 year Post Warranty A hour 9X5 with DMR Service for LaserJet Managed MFP E730xx U04NVFE - HP
Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator's Resource Kit

ccessories		
	155P7A	HP Laser Jet InnerFinisher 2/3 Hole Punch
	155P8A	HP LaserJet InnerFinisher 2/4 Hole Punch
	155P9A	HP LaserJet Inner Finisher Swedish Hole Punch
	190A1A	HP Laser Jet Workgroup Lunar Gray Color Panel
	190A6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel
	190A9A	HP Laser Jet Workgroup Stand Lunar Gray Color Panel
	190B1A	HP Laser Jet Workgroup Comet Red Color Panel
	190B6A	HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel
	190B9A	HP Laser Jet Workgroup Stand Comet Red Color Panel
	190C1A	HP Laser Jet Workgroup Cosmic Green Color Panel
	190C6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
	190C9A	HP LaserJet Workgroup Stand Cosmic Green Color Panel
	190D1A	HP LaserJet Workgroup Constellation Yellow Color Panel
	190D6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
	190D9A	HP Laser Jet Workgroup Stand Constellation Yellow Color Panel
	190F1A	HP Laser Jet Workgroup Aurora Purple Color Panel
	190F6A	HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
	190F9A	HP Laser Jet Workgroup Stand Aurora Purple Color Panel
	2NR12A	HP Removable Hard Drive Enclosure
	2TD64A	HP Accessibility Kit
	35H11A	HP HID Mobile Access Mifare DES Fire Keystroking Reader
	3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	478C2A	HP Printing Voice Assistant
	4QL32A	HP Legic Secure USB Reader
	4XN67A	Internal USB Expansion Kit
	5QK14A	HP MFP 810 Analog Dual Fax
	6GW46A	HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand
	6GW49A	HP LaserJet Inner Finisher
	6GW52A	HP Laser Jet Workgroup Job Separator
	6GW54A	HP Laser Jet Workgroup Stand
	6HN31A	HP 500GB CCC, FIPS, TAA Hard Disk Drive
	7ZA07A	HP MFP 811 Analog Dual Fax
	7ZA08A	HP MFP 800 Analog Single Fax
	7ZA09A	HP MFP 801 Analog Single Fax
	8FP31A	HP Jetdirect LAN Accessory
	9EQ11A	HP 500GB CCC, FIPS Hard Disk Drive
	B5L31A	HP Foreign Interface Harness
	CC543B	HP SmartCard NIPRNet Solution for US Government
	F8B30A	HP SmartCard SIPRNet Solution for US Government
	X3D03A	HP USB Universal Card Reader
	Y1G13A	HP LaserJet Inner/Booklet Staples
	Y1G22A	HP Laser Jet Paper Tray Heaters Accessory
	Y1G23A	HP LaserJet Second Exit Accessory
	Y7C05A	HP HIP2 Keystroke Reader
	Y7C07A	HP SIM for HID iClass for HIP2 Reader
eed Licenses	8ED5544E	HP LaserJet Managed MFP E730 25 to 30ppm License

Data sheet | HP LaserJet Managed MFP E730dn Printer Series

Functions	Print, copy, scan, fax (optional)				
Print speed ^{3,4}	Letter Black	Up to 25 ppm	Up to 30 ppm (with 8EP55AAE)		
	First page out Letter Black	As fast as 9.3 sec	As fast as 9.3 sec (with 8EP55AAE)		
Print resolution	Black (best): Up to 1200 x 1200 dpi reduced speed; Black (normal): Up to 600 × 600 dpi; Black (fine line	s): Up to 1200 × 1200 dpi		
rint technology	Laser				
Print cartridges number	1 (black)				
itandard print languages	HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible				
Printer smart software eatures	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB				
Color scanning	Yes				
ican speed Normal [®]	Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color) Duplex: Up to 120 ipm (b&w), up to 120 ipm (color)				
ican type / Technology	ADF; Flatbed / Contact Image Sensor (CIS)				
ican resolution	Hardware: Up to 600 × 600 dpi; Optical: Up to 600 × 600 dp	Di			
Scan file format	Hi-Compression PDF; JPG; MTIFF; PDF; PDFA; TIFF; XPS				
ican input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications				
ican Size	ADF Maximum: 11 x 17 in ADF Minimum: 4.1 x 5 in Flatbed	: 11.69 x 17 in			
Ouplex ADF scanning	Yes, single pass duplex scanning				
ADF capacity	Standard, 100 sheets				
wain version	Version 2.4				
it depth / Grayscale levels	24-bit/256				
)igital sending standard eatures	Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to SFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed plotture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten				
Copy speed ⁷	Letter Black	Up to 25 cpm	Up to 30 cpm (with 8EP55AAE)		
	Letter Black Duplex	Up to 19 cpm	Up to 20 cpm (with 8EP55AAE)		
	First copy out Letter Black	As fast as 5.5 sec	As fast as 5.5 sec (with 8EP55AAE)		
opy resolution	Black (text and graphics): ; Up to 600 × 600 dpi				
laximum number of copies	Up to 9999 copies				
opier resize	25 to 400%				
Copier settings	Auto-fit; Booklet; Collation; Content orientation; Edge Erase; Image adjustment; Job build; N or Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlarge; Scan m (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Blank page suppression; Scan to job storage				
ax speed	Up to: 33.6 kbps / Letter: 3 sec per page				
	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi				
ax resolution	Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No				
ax resolution Tax Features	Maximum speed dialing numbers: Up to 1000 numbers (ea	eduction supported: Yes Auto-redialing: Yes F rted: No Fax polling supported: Yes (poll to re ach with 210 destinations) PC interface suppo	Fax delayed sending: No Distinctive ring detection supported: No Fax eceive only) Fax telephone mode supported: No Junk barrier supported: Ye orted: Yes Remote retrieval capability supported: No Telephone handset		
ax Features tandard connectivity	Maximum speed dialing numbers: Up to 1000 numbers (ea supported: No	ach with 210 destinations) PC interface suppo	orted: Yes Remote retrieval capability supported: No Telephone handset		
ax Features andard connectivity etwork capabilities	Maximum speed dialing numbers: Up to 1000 numbers (ea supported: No 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Int	ach with 210 destinations) PC interface suppo	orted: Yes Remote retrieval capability supported: No Telephone handset		
ax Features andard connectivity etwork capabilities	Maximum speed dialing numbers: Up to 1000 numbers (ea supported: No 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Int (host)	ach with 210 destinations) PC interface suppo	orted: Yes Remote retrieval capability supported: No Telephone handset		
ax Features tandard connectivity etwork capabilities /ireless capability	Maximum speed dialing numbers: Up to 1000 numbers (ea supported: No 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Int (host) Standard (built-in Gigabit 10/100/1000T Ethernet)	ach with 210 destinations) PC interface suppo	orted: Yes Remote retrieval capability supported: No Telephone handset Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.		
	Maximum speed dialing numbers: Up to 1000 numbers (ea supported: No 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Int (host) Standard (built-in Gigabit 10/100/1000T Ethernet) Optional, enabled with purchase of a hardware accessory	ach with 210 destinations) PC interface suppo	orted: Yes Remote retrieval capability supported: No Telephone handset Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.		
ax Features Standard connectivity Network capabilities Vireless capability Aobile printing capability	Maximum speed dialing numbers: Up to 1000 numbers (easupported: No 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Int (host) Standard (built-in Gigabit 10/100/1000T Ethernet) Optional, enabled with purchase of a hardware accessory Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; N Standard:6 GB; Maximum:6 GB	ach with 210 destinations) PC interface suppor tegration Pocket 2nd generation (HIP2); 1 Hi- NFC Touch-to-print (optional); PrinterOn Print ard, 32 GB eMMC; Optional, HP Laser Jet 500	orted: Yes Remote retrieval capability supported: No Telephone handset Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0		

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes;			
raper nationing	Input Capacities, Max: Up to 2180 sheets (Tray1: up to 100 sheets; Tray 2, 3, 4 & 5: up to 520 sheets);			
	Output Capacities; Nax. Up to 500 sheets Standard; Up to 100 sheets (nay, a value); and a value so sheets);			
	Duplex Options: Automatic: Envelope feeder: No; Standard paper trays: 3			
Media types supported	Plain, HP EccEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, Mid-Weight 96-110g, Heavy 111-130g, HP Matte 150g, Extra Heavy			
······	131-175g, HP Matte 200g, Card stock 176-220g, Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored			
Media weight supported	Tray 1: 16 to 47 lb bond; Tray 2, 3: 16 to 58.5 lb bond			
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio 8.5 x 13, 11 x 17, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, Envelope #9, Envelope #10, Envelope Monarch; Tray 2:			
••	Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16k; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k			
Media Sizes Custom	Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.5 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.5 x 8.27 to 11.69 x 17 in			
What's in the box	50,87A In box materials; Guide install, Flyer Regulatory, Power Cords, Label, Drums.			
Replacement cartridges ¹	HP Black Managed Laser Jet Toner Cartridge (ISO Yield 18,000) W9034MC, HP Black Managed Laser Jet Toner Cartridge (ISO Yield 33,000) W9035MC			
Product dimensions	W x d x h: 22.3 x 25.4 x 31.4 in; Maximum: 53.9 x 47.1 x 44.1 in;			
Product weight	126.9 lb;			
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support			
	to learn about HP award winning service and support options in your region.			
Energy star certified	Yes			
Ecolabels	EPEAT® registered; Blue Angel; IT ECO Declaration			
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; tilting (adjustable angle) display; Speaker			
Display description	8-in (20.3 cm) touchscreen, XGA Color Graphic Display (CGD)			
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com			
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge			
	readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS),			
	SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity			
	Checking with self-healing capability). Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™,			
	Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs			
Compatible operating	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS			
systems	Windows 11, Windows 10, Windows 7, Windows Client OS, Android, IOS, Mobile OS, InacOS 10, 15 Catalina, InacOS 11 Big Sul, InacOS 12 Monterey, Chrome OS			
Compatible network	Windows Server; Linux; Citrix; UNIX; Novell			
operating systems				
Minimum system	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available			
requirements	hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com			
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%),			
	50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption:			
	510 watts (25ppm, printing), 560 watts (30ppm, printing), 29.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)			
Acoustics	Acoustic power emissions: 6.63 Bel(A), printing simplex A4 at 25ppm; 6.75 Bel(A), printing simplex A4 at 30ppm; Acoustic Pressure Emissions (active, printing): 51dB(A),			
<u>.</u>	printing simplex A4 at 25ppm; 52dB(A), printing simplex A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), ADF scan A4 at 60ipm			
Operating environment	Operating temperature range: 59 to 86°F; Recommended operating temperature: 59 to 86°F; Storage temperature range: 14 to 104°F; Operating humidity range: 20 to			
	80% RH; Recommended humidity operating range: 20 to 80% RH			

Messaging Footnotes

¹ HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2022 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

³Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

⁴ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

⁵ Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required. HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details.

⁷ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019–2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.

⁹100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic. Hardware based. Post-consume recycles is based on the definition set in the Erech standard on integring equipment, incl. rooke, and to expresse as protein or construction on the erect of the post-of the erect of the erec of the erect of th

Technical Specifications Footnotes

¹ Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies. ² Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

³Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Por Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)

⁷ First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printer claims. Exact speed varies depending on the system configuration and document

⁸ Acoustic values are subject to change. For current information see https://www.hp.com/support



To learn more, visit hp.com

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express war accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein May 2023

