



HP Sales Central

HP OfficeJet Pro 8732M All-in-One Printer (T0G56A)

Active as of 31-03-2017



Overview

Maximize your print environment with space-saving HP Print Forward Design. Help reduce costs with fleet management solutions. Stay productive with an all-in-one designed for high-volume enterprises.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future.

<http://www.hp.com/go/learnaboutsupplies>

Remarkable value for professional-quality printing

Print up to 3x as many pages with optional Original HP high-yield ink cartridges.⁵

Produce professional-quality black text that's perfect for printing reports, emails, and more.

Produce water-, smear-, and fade-resistant prints that stand up to highlighters.⁶

Innovative design for superb office productivity

Speed through print jobs, using superfast two-sided printing.⁷

Breeze through multipage documents with one-pass two-sided scanning and a 50-page automatic document feeder.

Revolutionary design delivers laser-like paper handling and superfast print speeds.

Mobile printing that keeps your business covered

Print with just a touch of your NFC-enabled mobile device to the printer—no company network needed.⁸

Print directly from your mobile device without accessing the company network, from anywhere in the office.³

Easily print from a variety of smartphones and tablets.²

Ultimate fleet control, seamless management

Get increased printing options with HP PCL 6, HP PCL 5c, HP PS, and scalable TrueType fonts.

Easily print Microsoft® Word and PowerPoint® files, plus Adobe® PDF files, directly from your USB drive.⁴

Experience a new style of business printing and imaging, with HP JetAdvantage On Demand solutions.¹⁰



On-the-go printing with HP ePrint

Print photos, documents, and more when you're on the go, using HP ePrint.¹²



Automatic document feeder

Allows multiple pages to be copied or scanned at one time



2-sided printing

Allows you to print on both sides of the page, cutting your paper use by up to 50%.



Color touchscreen (printer)

Manage jobs directly at the MFP, using the HP color touchscreen.



Ethernet (printer)

Add this device to your office Ethernet network to share with your workgroup.

Scan to email

Save time by sending scanned documents or photos directly from your printer to email recipients.

Replaces

Status	Product Name	Discontinued	SKU
Pending discontinuance	HP Officejet Pro 276dw Multifunction Printer	01-12-9998	CR770A

Specifications

Functions

Print, copy, scan, fax

Multitasking supported

Yes

Print speed black (ISO)

Up to 24 ppm

Print speed black (draft, A4)

Up to 36 ppm

Print speed black (ISO, A4)

Up to 24 ppm⁵

Print speed duplex (A4)

Up to 20 ipm

First page out black (A4, ready)

As fast as 10 sec

Recommended monthly page volume

250 to 2000

Number of users

1-5 Users

Print technology

HP Thermal Inkjet

Printer drivers included

Windows PCL6 Discrete, Mac PS, Windows HP UPD (PCL6, PS), Linux, UNIX, SAP

Print quality black (best)

Up to 1200 x 1200 optimized dpi on plain paper from 600 x 600 input dpi

Processor speed

1.2 Ghz

Print languages

HP PCLXL (PCL6), PCL5, native PDF, HP Postscript Level 3 emulation

Display

4.3" CGD touchscreen

Print colors

No

Number of print cartridges

1 (black)

Automatic paper sensor

Yes

Mac compatible

Yes

Printer Management

HP Web Jetadmin; Embedded Web Server; HP UPD Printer Administrator Resource Kit; HP Utility (Mac), HP JetAdvantage Security Manager optional

Security management

SSL/TLS (HTTPS), LDAP authentication; optional HP and 3rd party authentication solutions (e.g. badge readers) IPP over TLS; WPA2-Enterprise wired; 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP); Pre-Shared Key Authentication for Wireless (PSK); firewall, certificates configuration; Control panel lock; Password protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; native authentication and authorization access control, native color access control; configurable authentication time out; UPD PIN printing; Mopy mode via UPD PIN printing; compatible with optional HP JetAdvantage Security Manager; Secure Boot, Firmware Integrity checking, Run-time code integrity

Mobile printing capability

HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing⁴

(Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>)

Wireless capability

Yes, built-in Ethernet, Wi-Fi 802.11b/g/n

Connectivity, standard

1 USB 2.0; 1 Host USB; 1 Ethernet; 1 Wireless 802.11b/g/n; 2 RJ-11 modem ports

Connectivity, optional

Support the following external Jetdirect servers; Print only: HP Jetdirect en1700 External Print Server (J7988G), HP Jetdirect en3700 Fast-Ethernet External Print Server for Network Capable Hi-Speed USB 2.0 Peripherals (J7942G), HP Jetdirect ew2400 802.11b/g wireless and Fast Ethernet external print server (USB 2.0, 10/100Base-TX, 802.11b/g) (J7951G), HP Jetdirect ew2500 802.11b/g Wireless Print Server (J8021A); Other supported accessories: Apple AirPort Express, Apple AirPort Extreme, Apple Airport Time Capsule

Minimum System Requirements

Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer.
Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8.
Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8.
Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB Linux (For more information, see <http://hplipopensource.com/hplip-web/index.html>)

Minimum System Requirements

for Macintosh

Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB

Compatible Operating Systems

Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer.
Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8.
Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8.
Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB Linux (For more information, see <http://hplipopensource.com/hplip-web/index.html>)

(Not supporting Windows XP (64-bit) and Windows Vista (64-bit))

Compatible Network Operating Systems

Novell iPrint Client v5.4 for Vista, Win7, Win8, Novell iPrint Client v5.4 for WinXP, Novell Open Enterprise Server 2 for Linux, NetWare 6.5 SP8, Windows Server 2012 R2 Terminal Services Citrix XenApp 7.5, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5, Windows Server 2012 Terminal Services Citrix XenApp 7.5, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5, Windows Server 2008 R2 SP1 Terminal Services Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenApp 7.5, Citrix XenDesktop 5.6, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5, Windows Server 2008 R2 Terminal Services Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenDesktop 5.6, Windows Server 2008 Terminal Services Citrix XenApp 5.0, Citrix XenApp 5.0 Feature Pack 2 & 3, Windows Server 2003 Terminal Services Citrix Presentation Server TM 4.5, Citrix Presentation Server 4.0, Windows Server 2003 Terminal Services Citrix Presentation Server 4.5, Citrix Presentation Server 4.0, Citrix MetaFrame® Presentation Server, 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Windows App-V 2012 R2 Terminal Services, Windows Server 2012 R2 64-bit, Windows Server 2012 R2 Terminal Services 64-bit, Windows Server 2012 64-bit, Windows Server 2012 Cluster Support 64-bit, Windows Server 2012 Terminal Services 64-bit, Windows Server 2008 R2 SP1 64-bit, Windows Server 2008 R2 Standard Edition/Enterprise Edition 64-bit, Windows Server 2008 R2 Cluster Support 64-bit, Windows Server 2008 Standard Edition/Enterprise Edition 32-bit, Windows Server 2008 Enterprise Edition 64-bit, Windows Server 2008 SP1/SP2, Windows 2008 Server Terminal Services 32-bit, Windows Server 2008 Cluster Support, Windows Server 2003 R2 Standard Edition/Enterprise Edition 32-bit, Windows Server 2003 SP1/SP2 32-bit, Windows 2003 Server Terminal Services 32-bit, Windows Server 2003 Cluster Support 32-bit.

Memory

512MB

Maximum Memory

512 MB

Paper handling input, standard

250-sheet input tray

Paper handling input, optional

Optional 250-sheet input tray

Input capacity

Up to 250 sheets

Maximum input capacity (sheets)

Up to 500 sheets

Paper handling output, standard

150-sheet output tray

Output capacity

Up to 150 sheets

Maximum output capacity (sheets)

Up to 150 sheets

Duplex printing

Automatic (standard)

Paper trays, standard

1

Paper trays, maximum

Up to 2

Envelope Feeder

No

Maximum Input Capacity (envelopes)

Up to 30

Media sizes supported

A4; A5; A6; B5 (JIS); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki, Ofuku Hagaki)

Media sizes, custom

Tray 1: 76 x 127 to 216 x 356 mm

Media types

Plain; HP EcoFFICIENT; HP Premium Presentation Matte 120g; HP Tri-fold Brochure Glossy 180g; HP Brochure Matte 180g; HP Brochure Glossy 180g; HP Advanced Photo Papers; Light 60-74g Intermediate 85-95g; Cardstock; Thick Plain Paper; Letterhead

Media weight, recommended

60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to 90 g/m² (envelope); 163 to 200 g/m² (card)

Borderless printing

Yes, Edge to Edge for A4 and Edge to Edge for Letter size

Scanner type

Flatbed, ADF

Scan file format

Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)

Scan resolution, optical

Up to 1200 dpi

Bit depth

24-bit

Scan size, maximum

216 x 356 mm

Scan size (ADF), maximum

215 x 355mm

Automatic document feeder capacity

Standard, 50 sheets

Digital sending standard features

Scan-to E-mail; Fax Archive to E-mail

File Format Supported

PDF; TIFF; JPEG

Scan speed (normal, A4)

Up to 19 ipm (200 ppi, b&w); up to 8 ipm (200 ppi, color)

Copy Speed Black (maximum, A4)

Up to 36 cpm

Copy speed black (ISO)

Up to 22 cpm

Copy resolution (black text)

Up to 600 dpi

Copy resolution (black graphics)

Up to 600 dpi

Copy resolution (color text and graphics)

Up to 600 dpi

Copy reduce / enlarge settings

25 to 400%

Copies, maximum

Up to 99 copies

Copier settings

Copies; Two-Sided; Lighter/Darker; HP Copy Fix; ID Copy; Resize; Quality; Paper Size; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Tray Select; Enhancements

Faxing

Yes, black & white

Fax Transmission Speed

4 sec per page

Fax Modem Speed

Avago DP5 Fax modem

Fax memory

Up to 100 pages

Fax Broadcast Locations

20

Fax Auto Redial

Yes

Fax delayed sending

Yes

Junk fax barrier

Yes, requires Caller ID

Fax Polling

No

Fax Remote Retrieval

No

Fax forwarding

Yes

Fax PC Interface Supported

Yes, HP Software support provided

Power

Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz

Power supply type

Internal (Built-in) Universal Power Supply

Power consumption

35 watts maximum, 0.14 watts (Manual-Off), 7.20 watts (Standby),
1.30 watts (Sleep)³

(Power measurements are based on ENERGY STAR® OM test procedure with 230 VAC, 50 Hz input.)

Typical electricity consumption**(TEC) number**

0.31 kWh/Week

ENERGY STAR® certified

Yes

Operating temperature range

5 to 40°C

Recommended operating**humidity range**

25 to 75% RH

Minimum dimensions (W x D x H)

49.95 x 44.97 x 32.73 cm (desktop footprint); 49.95 x 53.01 x 32.73 cm
(duplexer built-in, output tray no need to extend)

Maximum dimensions (W x D x H)

499.5 x 449.7 x 327.3 mm (desktop footprint); 499.5 x 530.1 x 327.3
mm (duplexer built-in, output tray no need to extend)

Weight

15.2 kg

Package dimensions (W x D x H)

583 x 393 x 612 mm

Package weight

18.7 kg

Quantity per pallet

20

Pallet dimensions (W x D x H)

1219 x 1016 x 2590 mm

Pallet weight

390 kg

Country of origin

Made in China

Software included

HP Dropbox
HP Google Drive
Microsoft DotNet

Warranty

1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)

Overview

- 2 Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>
- 3 Mobile device needs to be connected directly to the Wi-Fi Direct® signal of a Wi-Fi Direct supported AiO or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see <http://www.hp.com/go/mobileprinting>. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance®.
- 4 Microsoft and PowerPoint are U.S. registered trademarks of the Microsoft group of companies. Feature works with Microsoft Word and PowerPoint 2003 and later. Only Latin language fonts are supported.
- 5 Based on yields for HP 956/957/958/959XL ink cartridges compared with HP 952/953/954/955A ink cartridges. For more information, see <http://www.hp.com/go/learnaboutsplies>
- 6 Water, smear, fade, and highlighter resistance based on ISO 11798 and internal HP testing. For details, see <http://www.hp.com/go/printpermanence>
- 7 Excludes first set of ISO test pages. For details, see <http://www.hp.com/go/printerclaims>
- 8 Requires a compatible NFC-printing-enabled mobile device. For a list of compatible NFC-printing-enabled mobile devices, see <http://www.hp.com/go/nfcprinting>
- 10 HP JetAdvantage On Demand is a web-based application that requires Internet access. Supported browsers include Microsoft® Internet Explorer® 9-11, Google Chrome® 9 and newer, Mozilla® Firefox® 4 and newer, and Safari® 5 and newer. Compatible with select HP LaserJet, Officejet Pro, and Digital Sender Flow devices that can connect to the Internet. May require a firmware upgrade. For more information, see <http://www.hpjetadvantage.com>
- 12 Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at hp.com/go/mobileprinting.

Specifications

- 3 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- 4 Wireless performance is dependent upon physical environment and distance from the access point. Wireless operations are compatible with 2.4 GHz routers only; excludes wireless direct. Wireless direct may require driver or apps be installed and connected on wireless-enabled mobile device or PC. Wireless functionality may vary by computer and mobile operating systems, see hpconnected.com. HP ePrint requires: account registration, HP ePrint-enabled printer, Internet connection, and a wireless-enabled mobile device or Internet-connected computer with email capability. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. AirPrint supports OS X® Lion, OS X® Mountain Lion and the following devices running iOS 4.2 or later: iPad®, iPhone® (3GS or later), iPod touch® (3rd generation or later) and requires the printer be connected to the same network as your OS X or iOS device. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc. Windows is a trademark of the Microsoft group of companies. BlackBerry® names and logos are the property of Research In Motion Limited. Android is a trademark of Google Inc.
- 5 Speed specifications have been updated to reflect current industry testing methods.

Assets

Competitive information (1)

Why HP printers and MFPs vs. Kyocera? (LTR)

Partner and Channel

Gain a competitive edge with HP devices that are designed with the future in mind. From the industry's strongest print security to forward thinking extensibility features--discover the reasons to choose HP printers and MFPs over Kyocera devices.

Customer presentation (1)

HP and Celiveo Enterprise. Customer presentation.

Partner and Channel

A presentation describing the HP and Celiveo Enterprise document management and security solution, which offers wide-ranging authentication options, analytical tracking features, robust printing safeguards, and industry-specific connectors.

Data sheet (1)

APJ Datasheet for HP OfficeJet Pro 8732M All-in-One Printer (English)

APJ Datasheet consist of technical specification and messaging for HP OfficeJet Pro 8732M All-in-One Printer

Partner presentation (1)

Buyers Lab (BLI) 2018 Award slide (WW)

Partner and Channel

A slide providing the BLI 2018 Award for Most Reliable Business Printer & MFP Brand. The slide includes content about the award and corresponding footnotes.

Product/solution award (1)

Buyers Lab (BLI) - HP Most Reliable Business Printer Brand - Summer '18 - APJ & EMEA

Buyer's Lab Most Reliable Business Printer Brand Award given to HP OfficeJet, OfficeJet Pro, LaserJet, and PageWide products - 2018 through 2021. HP award use rights cover 2018 to 2021.

Sales guide (1)

HP Line-up Map (HP OfficeJet and OfficeJet Pro Printers) - March 2018 Edition (APJ)

HP Line-up Map consist of technical specification and messaging (HP OfficeJet and OfficeJet Pro Printers) - March 2018 Edition (APJ)

Success story (2)

Automobile dealership franchiser J.D. Byrider drives efficiency with HP MPS

J.D. Byrider selected HP Managed Print Services for its 30 company-owned stores and its corporate headquarters. Costs are improved, efficiency is up, and high-quality, cost effective color printing is available with HP Officejet Pro X printers.

HP MPS helps Hochschild Mining reach new heights in extreme conditions

Mining demands highly durable technology solutions that can withstand extreme elevations and physical environments. To meet these needs with significant results, Hochschild Mining relies on an HP MPS program incorporating HP printer technology.

Images - Product (6)



100 x 70 (jpg) 100 x 70 (jpg)
 96 x 72 (jpg) 96 x 72 (jpg)
 96 x 72 (png) 96 x 72 (png)
 99 x 74 (png) 99 x 74 (png)
 153 x 115 (png) 153 x 115 (png)
 180 x 135 (png) 180 x 135 (png)
 240 x 180 (jpg) 240 x 180 (jpg)
 240 x 180 (png) 240 x 180 (png)
 247 x 185 (png) 247 x 185 (png)
 170 x 190 (jpg) 170 x 190 (jpg)
 257 x 193 (png) 257 x 193 (png)
 320 x 240 (jpg) 320 x 240 (jpg)
 320 x 240 (png) 320 x 240 (png)
 474 x 356 (png) 474 x 356 (png)
 513 x 385 (png) 513 x 385 (png)
 400 x 400 (jpg) 400 x 400 (jpg)
 400 x 400 (png) 400 x 400 (png)
 573 x 430 (png) 573 x 430 (png)
 800 x 600 (png) 800 x 600 (png)
 1659 x 1246 (png)1659 x 1246 (png)
 1500 x 1775 (jpg) 1500 x 1778 (jpg)
 4213 x 3500 (png)4213 x 3500 (png)
 4226 x 3803 (jpg) 4219 x 3814 (jpg)

100 x 70 (jpg) 100 x 70 (jpg)
 96 x 72 (jpg) 96 x 72 (jpg)
 96 x 72 (png) 96 x 72 (png)
 99 x 74 (png) 99 x 74 (png)
 153 x 115 (png) 153 x 115 (png)
 180 x 135 (png) 180 x 135 (png)
 240 x 180 (jpg) 240 x 180 (jpg)
 240 x 180 (png) 240 x 180 (png)
 247 x 185 (png) 247 x 185 (png)
 170 x 190 (jpg) 170 x 190 (jpg)
 257 x 193 (png) 257 x 193 (png)
 320 x 240 (jpg) 320 x 240 (jpg)
 320 x 240 (png) 320 x 240 (png)
 474 x 356 (png) 474 x 356 (png)
 513 x 385 (png) 513 x 385 (png)
 400 x 400 (jpg) 400 x 400 (jpg)
 400 x 400 (png) 400 x 400 (png)
 573 x 430 (png) 573 x 430 (png)
 800 x 600 (png) 800 x 600 (png)
 1659 x 1246 (png)1659 x 1246 (png)
 1500 x 1848 (jpg) 1500 x 1848 (jpg)
 4059 x 3048 (png)4058 x 3051 (png)
 4057 x 3184 (jpg) 4057 x 3187 (jpg)

100 x 70 (jpg) 100 x 70 (jpg)
 96 x 72 (jpg) 96 x 72 (jpg)
 96 x 72 (png) 96 x 72 (png)
 99 x 74 (png) 99 x 74 (png)
 153 x 115 (png) 153 x 115 (png)
 180 x 135 (png) 180 x 135 (png)
 240 x 180 (jpg) 240 x 180 (jpg)
 240 x 180 (png) 240 x 180 (png)
 247 x 185 (png) 247 x 185 (png)
 170 x 190 (jpg) 170 x 190 (jpg)
 257 x 193 (png) 257 x 193 (png)
 320 x 240 (jpg) 320 x 240 (jpg)
 320 x 240 (png) 320 x 240 (png)
 474 x 356 (png) 474 x 356 (png)
 513 x 385 (png) 513 x 385 (png)
 400 x 400 (jpg) 400 x 400 (jpg)
 400 x 400 (png) 400 x 400 (png)
 573 x 430 (png) 573 x 430 (png)
 800 x 600 (png) 800 x 600 (png)
 1659 x 1246 (png)1659 x 1246 (png)
 1500 x 1807 (jpg) 1500 x 1808 (jpg)
 4153 x 3054 (png)4153 x 3054 (png)
 4149 x 3193 (jpg) 4149 x 3195 (jpg)



Right facing

54 x 41 (jpg) 54 x 41 (png)
 100 x 70 (jpg) 96 x 72 (jpg)
 96 x 72 (png) 99 x 74 (png)
 153 x 115 (png) 180 x 135 (png)
 240 x 180 (jpg) 240 x 180 (png)
 247 x 185 (png) 170 x 190 (jpg)
 257 x 193 (png) 320 x 240 (jpg)
 320 x 240 (png) 474 x 356 (png)
 513 x 385 (png) 400 x 400 (jpg)
 400 x 400 (png) 573 x 430 (png)
 800 x 600 (png) 1659 x 1246 (png)
 1500 x 1683 (jpg) 4407 x 2787 (png)
 4454 x 2896 (jpg)



Rear facing

54 x 41 (jpg) 54 x 41 (png)
 100 x 70 (jpg) 96 x 72 (jpg)
 96 x 72 (png) 99 x 74 (png)
 153 x 115 (png) 180 x 135 (png)
 240 x 180 (jpg) 240 x 180 (png)
 247 x 185 (png) 170 x 190 (jpg)
 257 x 193 (png) 320 x 240 (jpg)
 320 x 240 (png) 474 x 356 (png)
 513 x 385 (png) 400 x 400 (jpg)
 400 x 400 (png) 573 x 430 (png)
 800 x 600 (png) 1659 x 1246 (png)
 1500 x 1772 (jpg) 4232 x 2808 (png)
 4232 x 2938 (jpg)



Top view open

54 x 41 (jpg) 54 x 41 (jpg)
 54 x 41 (png) 54 x 41 (png)
 100 x 70 (jpg) 100 x 70 (jpg)
 96 x 72 (jpg) 96 x 72 (jpg)
 96 x 72 (png) 96 x 72 (png)
 99 x 74 (png) 99 x 74 (png)
 153 x 115 (png) 153 x 115 (png)
 180 x 135 (png) 180 x 135 (png)
 240 x 180 (jpg) 240 x 180 (jpg)
 240 x 180 (png) 240 x 180 (png)
 247 x 185 (png) 247 x 185 (png)
 170 x 190 (jpg) 170 x 190 (jpg)
 257 x 193 (png) 257 x 193 (png)
 320 x 240 (jpg) 320 x 240 (jpg)
 320 x 240 (png) 320 x 240 (png)
 474 x 356 (png) 474 x 356 (png)
 513 x 385 (png) 513 x 385 (png)
 400 x 400 (jpg) 400 x 400 (jpg)
 400 x 400 (png) 400 x 400 (png)
 573 x 430 (png) 573 x 430 (png)
 800 x 600 (png) 800 x 600 (png)
 1659 x 1246 (png)1659 x 1246 (png)
 1500 x 1859 (jpg) 1500 x 1859 (jpg)

4036 x 4024 (jpg) 4036 x 4024 (jpg)
4036 x 4024 (png)4036 x 4024 (png)

Images - Annotated (29)



Weber - HP OfficeJet Pro 8720 White - eTail - Dynamic Smart App SMB Ink



Weber - HP OfficeJet Pro 8720 White - eTail - Infographic Smart App Consumer SMB Ink



Weber - HP OfficeJet Pro 8720 White - eTail - Infographic Smart App Consumer SMB Ink



Weber - HP OfficeJet Pro 8720 White - eTail - Whats in the Box



Weber - HP OfficeJet Pro 8720 White - eTail - White Carousel 1



Weber - HP OfficeJet Pro 8720 White - eTail - White Carousel 2



Weber - HP OfficeJet Pro 8720 White - eTail - White Carousel 3



Weber - HP OfficeJet Pro 8720 White - eTail - White Carousel 4



Weber - HP OfficeJet Pro 8720 White - eTail - White Carousel 5




Weber - HP OfficeJet Pro 8720 White - eTail - White CrossSell Chart




Weber - HP OfficeJet Pro 8720 White - eTail - White Dynamic 50 Page




Weber - HP OfficeJet Pro 8720 White - eTail - White Dynamic Base



Weber - HP OfficeJet Pro 8720 White - eTail - White Dynamic



Weber - HP OfficeJet Pro 8720 White - eTail - White Dynamic



Weber - HP OfficeJet Pro 8720 White - eTail - White Dynamic

Innovative



Weber - HP OfficeJet Pro 8720 White - eTail - White Dynamic Versatile

Instant Ink



Weber - HP OfficeJet Pro 8720 White - eTail - White Infographic Instant Ink

Touch Screen



Weber - HP OfficeJet Pro 8720 White - eTail - White Infographic Instant Ink



Weber - HP OfficeJet Pro 8720 White - eTail - White Infographic Mobile



Weber - HP OfficeJet Pro 8720 White - eTail - White Infographic Mobile



Weber - HP OfficeJet Pro 8720 White - eTail - White Infographic Multifunction



Weber - HP OfficeJet Pro 8720 White - eTail - White Infographic Multifunction



Weber - HP OfficeJet Pro 8720 White - eTail - White Infographic Productivity



Weber - HP OfficeJet Pro 8720 White - eTail - White Infographic Productivity




Weber - HP OfficeJet Pro 8720 White - eTail - White Infographic Scan



Weber - HP OfficeJet Pro 8720 White - eTail - White Infographic Scan



Weber - HP OfficeJet Pro 8720 White - eTail - White Static



Weber - HP OfficeJet Pro 8720 White - eTail - White Why Buy



Weber - HP OfficeJet Pro 8720 White - eTail - White Why Buy

Search additional assets (Asset Hub)

Search for additional assets

This link is being provided as a convenience and for informational purposes only. HP Sales Central bears no responsibility for the accuracy, legality or content of the external site or for that of subsequent links. Contact the external site for answers to questions regarding its content.

HP Care Pack Services

Imaging and Printing Commercial Care Pack Services

Active

HP Installation Service with network configuration for Personal Scanner and Printer (1 unit)

U9JT1E

Imaging and Printing Consumer Care Pack Services

Active

HP 1 year Post Warranty Next Business Day Exchange Hardware Support for OfficeJet Pro High

U6M77PE

Active

HP 1 year Post Warranty Next Business Day Onsite Exchange Hardware Support for OfficeJet Pro High

U6M78PE

Active

HP 1 year Post Warranty Return for Repair Hardware Support for OfficeJet Pro High

U6M80PE

Active

HP 1 year Post Warranty Standard Exchange Hardware Support for OfficeJet Pro High

U6M79PE

Active

HP 3 year Next Business Day Exchange Hardware Support for OfficeJet Pro High

U6M71E

Active

HP 3 year Next Business Day Onsite Exchange Hardware Support for OfficeJet Pro High

U6M72E

Active

HP 3 year Return for Repair Hardware Support for OfficeJet Pro High

U6M76E

Active

HP 3 year Standard Exchange Hardware Support for OfficeJet Pro High

U6M75E

Active

HP 4 year Next Business Day Onsite Exchange Hardware Support for OfficeJet Pro High

U6M73E

Active

HP 5 year Next Business Day Onsite Exchange Hardware Support for OfficeJet Pro High

U6M74E

Active

HP Installation with Networking Service for Consumer Printer

U6N05E

Printing Solutions

Print Management

Active

HP JetAdvantage Insights

HPJETADINSIGHTS

Active

HP Universal Print Driver

HPUNIVPRNTRV

HP Paper Designed for Inkjet Printers

HP Inkjet Photo Paper

Active

HP Advanced Glossy Photo Paper-15 sht/4 x 6 in
3HX58A

Active

HP Advanced Glossy Photo Paper-50 sht/4 x 6 in
F4T22A

Active

HP Rounded Corner Photo Paper/15 sht/5 x 7 in
3WL67A

Detailed Specifications

Accessories

HP OfficeJet Pro 8700 250-sheet input tray K7S44A

Acoustic power emissions

6.8 B(A) (printing at 20 ppm)

Acoustic power emissions (active copy)

6.9 B(A) (copying at 18 ppm with ADF running)

Acoustic pressure emissions

59 dB(A) (draft printing at 20 ppm)

Additional information about HP

<http://www.hp.com>

Additional information about HP in the countries

<http://www.hp.com/uk>

Auto fax reduction supported

Yes

Automatic document feeder capacity

Standard, 50 sheets

Automatic paper sensor

Yes

Bit depth

24-bit

Borderless printing

Yes, Edge to Edge for A4 and Edge to Edge for Letter size

Bottom margin (A4)

3.3 mm

Code name

Weber PDL

Color copy capability

No

Color scanning

Yes

Color(s) of printing supplies

Black

Compatible Network Operating Systems

Novell iPrint Client v5.4 for Vista, Win7, Win8, Novell iPrint Client v5.4 for WinXP, Novell Open Enterprise Server 2 for Linux, NetWare 6.5 SP8, Windows Server 2012 R2 Terminal Services Citrix XenApp 7.5, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5, Windows Server 2012 Terminal Services Citrix XenApp 7.5, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5, Windows Server 2008 R2 SP1 Terminal Services Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenApp 7.5, Citrix XenDesktop 5.6, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5, Windows Server 2008 R2 Terminal Services Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenDesktop 5.6, Windows Server 2008 Terminal Services Citrix XenApp 5.0, Citrix XenApp 5.0 Feature Pack 2 & 3, Windows Server 2003 Terminal Services Citrix Presentation Server TM 4.5, Citrix Presentation Server 4.0, Windows Server 2003 Terminal Services Citrix Presentation Server 4.5, Citrix Presentation Server 4.0, Citrix MetaFrame® Presentation Server, 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Windows App-V 2012 R2 Terminal Services, Windows Server 2012 R2 64-bit, Windows Server 2012 R2 Terminal Services 64-bit, Windows Server 2012 64-bit, Windows Server 2012 Cluster Support 64-bit, Windows Server 2012 Terminal Services 64-bit, Windows Server 2008 R2 SP1 64-bit, Windows Server 2008 R2 Standard Edition/Enterprise

Edition 64-bit, Windows Server 2008 R2 Cluster Support 64-bit, Windows Server 2008 Standard Edition/Enterprise Edition 32-bit, Windows Server 2008 Enterprise Edition 64-bit, Windows Server 2008 SP1/SP2, Windows 2008 Server Terminal Services 32-bit, Windows Server 2008 Cluster Support, Windows Server 2003 R2 Standard Edition/Enterprise Edition 32-bit, Windows Server 2003 SP1/SP2 32-bit, Windows 2003 Server Terminal Services 32-bit, Windows Server 2003 Cluster Support 32-bit.

Compatible Operating Systems

Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer.
Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8.
Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8.
Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB Linux (For more information, see <http://hplipopensource.com/hplip-web/index.html>)

Connectivity, optional

Support the following external Jetdirect servers; Print only: HP Jetdirect en1700 External Print Server (J7988G), HP Jetdirect en3700 Fast-Ethernet External Print Server for Network Capable Hi-Speed USB 2.0 Peripherals (J7942G), HP Jetdirect ew2400 802.11b/g wireless and Fast Ethernet external print server (USB 2.0, 10/100Base-TX, 802.11b/g) (J7951G), HP Jetdirect ew2500 802.11b/g Wireless Print Server (J8021A); Other supported accessories: Apple AirPort Express, Apple AirPort Extreme, Apple AirPort Time Capsule

Connectivity, standard

1 USB 2.0; 1 Host USB; 1 Ethernet; 1 Wireless 802.11b/g/n; 2 RJ-11 modem ports

Control panel

3 Buttons (Home, Help, Back); Active control light; WiFi control light

Copier settings

Copies; Two-Sided; Lighter/Darker; HP Copy Fix; ID Copy; Resize; Quality; Paper Size; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Tray Select; Enhancements

Copies, maximum

Up to 99 copies

Copy reduce / enlarge settings

25 to 400%

Copy resolution (black graphics)

Up to 600 dpi

Copy resolution (black text)

Up to 600 dpi

Copy resolution (color text and graphics)

Up to 600 dpi

Copy speed black (draft, letter)

Up to 36 cpm

Copy speed black (ISO)

Up to 22 cpm

Copy Speed Black (maximum, A4)

Up to 36 cpm

Count of cartons per pallet layer

5

Count of layers in pallet

4

Country of origin

Made in China

Digital sending standard features

Scan-to E-mail; Fax Archive to E-mail

Dimension(W x D x H) Footnote**Number**

[1]

Dimensions with trays up (W x D x H)

499.5 x 449.7 x 327.3 mm (desktop footprint); 499.5 x 530.1 x 410.5 mm (with second 250-sheet paper tray installed.)

Display

4.3" CGD touchscreen

Distinctive ring detection supported

Yes

Duplex printing

Automatic (standard)

Duty cycle (monthly, letter)

Up to 30,000 pages

Duty cycle footnote number

[7]

Electromagnetic compatibility

FCC CFR 47, Part 15 Class B (USA); ICES - 003, Issue 5 Class B (Canada)

Energy savings feature technology

Schedule On and Schedule Off

ENERGY STAR® certified

Yes

Enhanced scanning resolution

Up to 1200 dpi

Envelope Feeder

No

Exifprint supported

Yes

Fax Auto Redial

Yes

Fax Broadcast Locations

20

Fax delayed sending

Yes

Fax forwarding

Yes

Fax memory

Up to 100 pages

Fax memory

Up to 100 pages

Fax Modem Speed

Avago DP5 Fax modem

Fax PC Interface Supported

Yes, HP Software support provided

Fax Polling

No

Fax Remote Retrieval

No

Fax resolution black

203 x 196 dpi, 256 levels of gray

Fax smart software features

Digital Fax - Fax to Mac/Fax to PC is available with Windows and Macintosh (Please use: Visit <http://www.hp.com/support> to download the latest software.)

Fax telephone mode supported

No

Fax Transmission Speed

4 sec per page

Fax transmission speed (letter)

4 sec per page

Faxing

Yes, black & white

Faxing options (ADF)

Two-sided

File Format Supported

PDF; TIFF; JPEG

First page out black (A4, ready)

As fast as 10 sec

First page out black (letter, ready)

As fast as 10 sec

First page out footnote number

[6]

Functions

Print, copy, scan, fax

Geographic availability

NA; LA; EMEA; APJ

Ink types

Pigment-based (black)

Input capacity

Up to 250 sheets

Junk fax barrier

Yes, requires Caller ID

Left margin (A4)

3.3 mm

Levels of grayscale

256

Mac compatible

Yes

Maximum dimensions (W x D x H)

499.5 x 449.7 x 327.3 mm (desktop footprint); 499.5 x 530.1 x 327.3 mm (duplexer built-in, output tray no need to extend)

Maximum input capacity**(10x15cm photos)**

Up to 50 sheets

Maximum input capacity (4x6 photo)

Up to 50 sheets

Maximum input capacity (cards)

Up to 50 sheets

Maximum Input Capacity (envelopes)

Up to 30

Maximum input capacity (labels)

Up to 50 sheets

Maximum input capacity (photo paper)

Up to 50 sheets

Maximum input capacity (sheets)

Up to 500 sheets

Maximum Memory

512 MB

Maximum output capacity (cards)

Up to 65 cards

Maximum output capacity (envelopes)

Up to 25 envelopes

Maximum output capacity (photo paper)

Up to 50 sheets

Maximum output capacity (sheets)

Up to 150 sheets

Maximum print area

209 x 349 mm

Media sizes supported

A4; A5; A6; B5 (JIS); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki, Ofuku Hagaki)

Media sizes supported, key

10 x 15 cm; A4; Envelopes

Media sizes, custom

Tray 1: 76 x 127 to 216 x 356 mm

Media types

Plain; HP EcoFFICIENT; HP Premium Presentation Matte 120g; HP Tri-fold Brochure Glossy 180g; HP Brochure Matte 180g; HP Brochure Glossy 180g; HP Advanced Photo Papers; Light 60-74g Intermediate 85-95g; Cardstock; Thick Plain Paper; Letterhead

Media weight, recommended

60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to 90 g/m² (envelope); 163 to 200 g/m² (card)

Memory

512MB

Minimum dimensions (W x D x H)

49.95 x 44.97 x 32.73 cm (desktop footprint); 49.95 x 53.01 x 32.73 cm (duplexer built-in, output tray no need to extend)

Minimum System Requirements

Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer.
Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8.
Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8.
Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB Linux (For more information, see <http://hplipopensource.com/hplip-web/index.html>)

Minimum System Requirements**for Macintosh**

Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB

Mobile printing capability

HP ePrint; AirPrint™; Mopria™-certified; Wireless Direct Printing

Mobile printing capability

footnote

Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>

Mobile printing capability**footnote number**

[4]

Multitasking supported

Yes

Network capabilities

Yes, via built-in Ethernet, wireless 802.11b/g/n

Network protocols, supported

Supported Network Protocols configurations (IPv4, IPv6); ARP; BOOTP; SMTP client; LLNMR; Bonjour; LP/ APIPA (Auto IP); NetBIOS/WINS; LPR/LPD; Custom Raw Port/Port9100; DNS Resolver; mDNS; SNMPv1/v3; Web Services Discovery; Web Services Print; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; Syslog; Firewall; SSL/TLS (HTTPs); Password-protected network Embedded Web server; Enable/disable network ports & device features, 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP) & 802.1 Wired

Non-Operating Humidity Range

Up to 90% RH (non-condensing) at a temperature of 60°C (140°F)

Number of print cartridges

1 (black)

Number of users

1-5 Users

Operating humidity range

20 to 80% RH

Operating system (supported note)

Not supporting Windows XP (64-bit) and Windows Vista (64-bit)

Operating temperature range

5 to 40°C

Output capacity

Up to 150 sheets

Output file format

PDF; TIFF; JPEG

Package dimensions (W x D x H)

583 x 393 x 612 mm

Package weight

18.7 kg

Pallet dimensions (W x D x H)

1219 x 1016 x 2590 mm

Pallet weight

390 kg

Paper handling input, optional

Optional 250-sheet input tray

Paper handling input, standard

250-sheet input tray

Paper handling output, standard

150-sheet output tray

Paper trays, maximum

Up to 2

Paper trays, standard

1

PictBridge description

No

PictBridge supported

No

Plug and play

Auto Wireless Connect

Power

Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz

Power consumption

35 watts maximum, 0.14 watts (Manual-Off), 7.20 watts (Standby),
1.30 watts (Sleep)

**Power consumption footnote
number**

[3]

Power consumption Note

Power measurements are based on ENERGY STAR® OM test procedure
with 230 VAC, 50 Hz input.

Power supply type

Internal (Built-in) Universal Power Supply

Print colors

No

Print colors maximum

1

Print heads

1 (black)

Print languages

HP PCLXL (PCL6), PCL5, native PDF, HP Postscript Level 3 emulation

Print quality black (best)

Up to 1200 x 1200 optimized dpi on plain paper from 600 x 600 input dpi

Print Resolution Technologies

HP Thermal Inkjet

Print speed

Print speed up to 24 ppm (black)

**Print speed (A4/letter) footnote
number**

[5]

Print speed black (draft, A4)

Up to 36 ppm

Print speed black (draft, letter)

Up to 36 ppm

Print speed black (ISO)

Up to 24 ppm

Print speed black (ISO, A4)

Up to 24 ppm

Print speed black (ISO, letter)

Up to 24 ppm

Print speed duplex (A4)

Up to 20 ipm

Print speed duplex (letter)

Up to 20 ipm

Print technology

HP Thermal Inkjet

Print Technology

Ink

Printer drivers included

Windows PCL6 Discrete, Mac PS, Windows HP UPD (PCL6, PS) , Linux, UNIX, SAP

Printer Management

HP Web Jetadmin; Embedded Web Server; HP UPD Printer Administrator Resource Kit; HP Utility (Mac), HP JetAdvantage Security Manager optional

Printer smart software features

Orientation: Portrait/Landscape/Rotate by 180 degrees; Print On Both Sides; Flip pages up; Pages per sheet: 1 page per sheet/2 pages per sheet/4 pages per sheet/6 pages per sheet/9 pages per sheet/16 pages per sheet; Print Quality: General Office/Professional/Presentation/Maximum dpi; RGB color: Default (sRGB)/Photo (sRGB)/Photo (Adobe RGB 1998)/Vivid (sRGB); Printing Shortcuts; Print in Grayscale: Off/Black Ink Only/High quality grayscale; Page order: Right, then Down/Down, then Right/Left, then Down/Down, then Left; Booklet Layout: Off/Left binding/Right binding; Print page borders; Special pages: Front Cover(No Covers/Blank or Preprinted/First Page of Job)/Back Cover(No Covers/Blank or Preprinted/Last Page)/Print pages on different paper(Eg. 1,3,5)/Insert blank or preprinted sheets(Eg. 1,3,5); Resizing Options: Actual size/Print document on:/Scale to fit/percentage of actual size; Watermarks: None/Confidential/Draft/Sample/First page only; Job Storage Mode: Off/Proof and Hold/Personal Job/Quick Copy/Stored Job; Make Job Private/Secure: None/PIN to print/Encrypt Job (with password); User Name: User Name/Custom; Job Name: Automatic/Custom; If job name exists: Use Job Name + (1-99)/Replace Existing File; Copies: (1 to 9999); Collate; Reverse page order; Print all text as black; Control Panel Shortcuts; HP UPD PIN printing; HP Color Access Control; Optional: HP and third party extensibility solutions; wireless

Processor speed

1.2 Ghz

Product logos

Energy Star; USB Hi-Speed; "Works with Windows 7" logo; "Wireless; Print; Fax; Scan; Copy"; ePrint; logo; Ethernet; 2-sided print; 4 individual inks; Mopria™-certified

Product long name specifications

HP OfficeJet Pro 8732M All-in-One Printer - Print: Up to 24 ppm black, Up to 1200 x 1200 optimized dpi on plain paper from 600 x 600 input dpi black & Up to 2400 x 1200 optimized dpi on HP Advance Photo Paper 600 x 600 dpi input colour; Up to 30,000 pages per month duty cycle; Scan: Up to 1200 x 1200 dpi Hardware; Up to 1200 dpi Optical; Up to 1200 dpi Enhanced; Copy: Up to 36 cpm black (maximum, A4), 25 to 400%; Fax: 4 sec per page, Up to 100 pages; 1 USB 2.0; 1 Host USB; 1 Ethernet; 1 Wireless 802.11b/g/n; 2 RJ-11 modem ports

Quantity per pallet

20

Recommended Macintosh system requirements

Apple® OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB

Recommended monthly page volume

250 to 2000

Recommended operating humidity range

25 to 75% RH

Recommended operating temperature range

15 to 32°C

Resolution (black and white, standard mode)

203 x 98 dpi

Resolution (black photo grayscale)

300 x 300 dpi

Right margin (A4)

3.3 mm

RMN number

SNPRC-1602-02

Safety

WW PSU: EN 60950/IEC 60950 Compliance (International); cCSAus (USA/Canada)

Scan file format

Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)

Scan input modes

Front-panel scan, copy, fax, or from software

Scan resolution enhanced disclaimer

The maximum dpi at which you can scan is limited by available computer memory, disk space, and other system factors.

Scan resolution, hardware

Up to 1200 x 1200 dpi

Scan resolution, optical

Up to 1200 dpi

Scan size (ADF), maximum

215 x 355mm

Scan size (ADF), minimum

127 x 127 mm

Scan size, maximum

216 x 356 mm

Scan speed (normal, A4)

Up to 19 ipm (200 ppi, b&w); up to 8 ipm (200 ppi, color)

Scan speed (normal, letter)

Up to 19 ipm (200 ppi, b&w); up to 8 ipm (200 ppi, color)

Scan speed duplex (normal, A4)

Up to 23 ipm (200 ppi, b&w); up to 12 ipm (200 ppi, color)

Scan speed duplex (normal, letter)

Up to 23 ipm (200 ppi, b&w); up to 12 ipm (200 ppi, color)

Scan technology

Contact Image Sensor (CIS)

Scanner type

Flatbed, ADF

Security management

SSL/TLS (HTTPS), LDAP authentication; optional HP and 3rd party authentication solutions (e.g. badge readers) IPP over TLS; WPA2-Enterprise wired; 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP); Pre-Shared Key Authentication for Wireless (PSK); firewall, certificates configuration; Control panel lock; Password protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; native authentication and authorization access control, native color access control; configurable authentication time out; UPD PIN printing; Mopy mode via UPD PIN printing; compatible with optional HP JetAdvantage Security Manager; Secure Boot, Firmware Integrity checking, Run-time code integrity

Send to email capability

Yes

Software included

HP Dropbox, HP Google Drive, Microsoft DotNet

Standard input capacity (cards)

Up to 50 sheets

Standard input capacity (envelopes)

Up to 30

Standard input capacity (legal)

Up to 250 sheets

Standard input capacity (secondary tray)

Up to 250 sheets

Standard media sizes (duplex)

A4; B5

Standard output capacity (cards)

Up to 65 cards

Standard output capacity (envelopes)

Up to 25 envelopes

Standard output capacity (labels)

Up to 60 sheets

Standard output capacity (legal)

Up to 150 sheets

Storage device and direct print support

Front-facing USB/Flash drive

Storage temperature range

-40 to 60°C

Sub-brand name

Officejet Pro

SureSupply supported

Yes

System requirements, recommended

Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer.
Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8.
Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8.
Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB Linux (For more information, see <http://hplipopensource.com/hplip-web/index.html>)

Target user and print volume

For teams up to 3 users; Prints up to 2,000 pages/month

Tech spec footnote

[1] Dimensions vary as per configuration

Tech spec footnote

[2] Weight varies as per configuration

Tech spec footnote

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

Tech spec footnote

[4] Wireless performance is dependent upon physical environment and distance from the access point. Wireless operations are compatible with 2.4 GHz routers only; excludes wireless direct. Wireless direct may

require driver or apps be installed and connected on wireless-enabled mobile device or PC. Wireless functionality may vary by computer and mobile operating systems, see hpconnected.com. HP ePrint requires: account registration, HP ePrint-enabled printer, Internet connection, and a wireless-enabled mobile device or Internet-connected computer with email capability. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. AirPrint supports OS X[®] Lion, OS X[®] Mountain Lion and the following devices running iOS 4.2 or later: iPad[®], iPhone[®] (3GS or later), iPod touch[®] (3rd generation or later) and requires the printer be connected to the same network as your OS X or iOS device. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple[®] Inc. Windows is a trademark of the Microsoft group of companies. BlackBerry[®] names and logos are the property of Research In Motion Limited. Android is a trademark of Google Inc.

Tech spec footnote

[5] Speed specifications have been updated to reflect current industry testing methods.

Tech spec footnote

[6] Either after first page or after first set of ISO test pages. For details see <http://www.hp.com/go/printerclaims>

Tech spec footnote

[7] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement

Telecom compliance (fax capability)

USA: TIA-968-B September 2009; Canada: IC CS-03, Part 1, Issue 9, Amendment 4, December 2010; EU: ETSI ES 203 021-2 (V2.1.2 2006-01), ETSI ES 203 021-3 (V2.1.2 2006-01)

Telephone handset supported

No

Top key features

50-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing

Top margin (A4)

3.3 mm

Twain version

Version 1.9

Typical electricity consumption (TEC) number

0.31 kWh/Week

Video action printing note

No

Video action printing supported

No

Warranty

1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)

Web solutions

HP JetAdvantage On Demand; variety of Apps including Scan to email

Weight

15.2 kg

Wireless capability

Yes, built-in Ethernet, Wi-Fi 802.11b/g/n