

Print, copy, scan, fax;

HP PageWide Managed Color MFP P77440dn Printer



Low-cost color, maximum uptime, and strongest security from a smart, efficient HP PageWide MFP.

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.



Affordable color printing for every office

- Depend on lasting value. Get the results you expect for a game-changing low color cost per page.
- Print even faster—and save even more per page—by setting this MFP to General Office mode.³
- Help keep energy costs down with the most efficient MFP in its class.²



Minimal interruptions. Maximum uptime.

- Minimize interruptions with an HP PageWide MFP designed for less maintenance than laser competitors.⁴
- Print speeds up to 50% faster than competitors—as fast as 60 ppm in color and black-and-white.⁵
- Print Microsoft® Word and PowerPoint® files with a USB port that quickly recognizes, formats, and prints.⁶
- Equip this HP PageWide MFP with a variety of accessories to meet the needs of your office.



Strong security designed to detect and stop attacks

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Protect information on the MFP and in transit over the network.⁷
- Monitor activity to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.



Designed with the environment in mind

- Conserve resources with HP PageWide—designed to use less energy than any laser MFP in its class.²
- This MFP meets rigorous standards for ISO class 5 cleanrooms—perfect for sensitive environments.
- Help reduce your impact. Count on easy cartridge recycling at no charge through HP Planet Partners.⁸
- Keep noise to a minimum with an MFP designed to be quiet. Place it near people without disrupting work.

Get to know the HP PageWide Managed Color MFP P77440dn



Series at a glance



| Model (product number) | MFP P77440dn (Y3Z60A) | P77940dn (Y3Z61A) | P77940dns (Y3Z64A) | P77940dn+ (Y3Z65A) |
|---|--|--|--|--|
| Functions | Print, scan, copy | Print, scan, copy | Print, scan, copy | Print, scan, copy |
| Print speeds, black and colour, A4 and letter ² | Up to 40/60 ppm, Professional/General Office (GO) mode | Up to 40/60 ppm, Professional/GO mode | Up to 40/60 ppm, Professional/GO mode | Up to 40/60 ppm, Professional/GO mode |
| Scan speeds (A4 and letter, black and colour) ³ | 35 ppm/50 ipm, simplex/duplex | 35 ppm/50 ipm, simplex/duplex | 35 ppm/50 ipm, simplex/duplex | 35 ppm/50 ipm, simplex/duplex |
| 350-sheet inner finisher (staples up to 50 sheets) ⁴ | Not available | Not available | ✓ | Not available |
| 3,250-sheet external finisher (staples up to 65 sheets) ⁴ | Not available | Not available | Not available | ✓ (required) |
| Control panel display | 10.9 cm (4.3-inch) colour touchscreen panel | 20.3 cm (8.0-inch) pivoting colour touchscreen | 20.3 cm (8.0-inch) pivoting colour touchscreen | 20.3 cm (8.0-inch) pivoting colour touchscreen |
| Input capacity (standard/max ⁵) | Up to 1,200/5,200 sheets | Up to 650/4,650 sheets | Up to 650/4,650 sheets | Up to 650/4,650 sheets |
| Output capacity ⁴ | Up to 500 sheets | Up to 500 sheets | Up to 850 sheets | Up to 3,250 sheets |
| Optional wireless printing ⁶ /Bluetooth® Low Energy ⁷ | ✓ | ✓ | ✓ | ✓ |

Technical specifications

| | |
|--|--|
| Functions | Print, copy, scan, fax; |
| Print | |
| Duplex print options | Automatic (standard) Manual (driver support provided) |
| Print speed ⁵ | Black (A4, normal) As fast as 40 ppm; Black (A4, duplex) As fast as 28 ppm Color (A4, normal) As fast as 40 ppm; Color (A4, Duplex) As fast as 28 ppm |
| First page out ⁶ | Black (A4, ready) As fast as 8 sec; Black (A4, sleep) As fast as 10.5 sec Colour (A4, ready) As fast as 8.3 sec; Colour (A4, sleep) As fast as 10.5 sec |
| Print resolution | Black (best) Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte) Color (best) Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers) |
| Print technology | HP PageWide Technology with pigmented inks |
| Print resolution technology | HP PageWide Technology up to 1200 x 1200 optimized dpi from 600 x 600 input dpi |
| Print cartridges number | 4 (1 each black, cyan, magenta, yellow) |
| Standard print languages | HP PCLXL (PCL6), PCL5, native PDF, HP Postscript Level 3 emulation; P/LJ, JPEG, PCLM |
| Printer management | HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web Jetadmin Software; Printer Administrator Resource Kit for HP Universal Print Driver |
| Scan | |
| Scan technology | Type Flatbed, ADF; Technology Contact Image Sensor (CIS) |
| Scan speed | Normal (A4) Up to 50 ipm (mono and color), LEF* |
| Scan resolution | Enhanced Up to 600 ppi; Hardware Up to 600 ppi; Optical Up to 600 ppi |
| Scan size | ADF 297 x 864 mm Flatbed 297 x 432 mm |
| Scan input modes | Front panel applications: Copy, Scan to E-mail with LDAP e-mail address lookup, Scan to Network Folder, Scan to USB, Scan to Sharepoint. Client applications: EWS, HP Scan App |
| Scan file format | Scan File Types supported by included software: Bitmap (bmp), JPEG (jpg), PDF (pdf), PNG (png), Rich Text (rtf), Searchable PDF (pdf), Text (txt), TIFF (tif) |
| Copy | |
| Copy speed ³ | Black (A4, best) As fast as 40 ppm; Color (A4, best) As fast as 40 ppm |
| Copy resolution | Black (text and graphics) Up to 600 x 600 dpi; Color (text and graphics) Up to 600 x 600 dpi |
| Max. number of copies | Up to 9999 copies |
| Copier resize | 25 to 400% |
| Copier settings | Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, ID Scan, job build, edge-to-edge, job storage |
| Fax | |
| Fax speed | Black (best) Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard) 204 x 98 dpi; Black and white (fine) 204 x 196 dpi; Black photo grayscale 203 x 196 dpi (8-bit grayscale) |
| Fax resolution | Up to 300 x 300 dpi (400 x 400 dpi for received faxes only) |
| Fax features | Auto fax reduction supported Yes; Auto-redialing Yes; Fax delayed sending No; Distinctive ring detection supported No; Fax forwarding supported Yes; Junk barrier supported Yes; Maximum speed dialing numbers Up to 1000 numbers (each with 210 destinations); PC interface supported Yes, HP Software support provided; Fax polling supported Yes (poll to receive only) |
| Fax smart software features | Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule |
| Connectivity | |
| Standard connectivity | 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network |
| Mobile printing capability | HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing; Google Cloud Print 2.0; Mobile Apps |
| Wireless capability | Optional, enabled with purchase of a hardware accessory |
| Network Capabilities | Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-TX, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard) |
| Memory | |
| | Standard 2816 MB – System Total Standard; 1280 MB on Formatter; 1024 MB on the SCB; 512 MB on the ECB; Maximum 3584 MB – System Total Standard; 2048 MB on Formatter (with 1024 MB DIMM); 1024 MB on the SCB; 512 MB on the ECB |
| Processor speed | |
| | 1.2 GHz |
| Duty cycle (monthly)⁷ | |
| | Up to 150,000 pages; Recommended monthly page volume: 2500 to 30,000 |
| Paper handling | |
| Input | 550-sheet Tandem Input Tray; 100-sheet multi-purpose tray; Optional 550 sheet tray; optional cart with integrated 550 sheet tray; optional cart with 3 integrated 550 sheet trays; optional cart with integrated 2000 sheet trays |
| Output | 500-sheet face-down output bin |
| Media type | Plain paper, HP EcoFICIENT, HP Premium Presentation Matte 120g, HP Brochure Matte 180g, HP Brochure Glossy, HP Advanced Photo Papers, Light 60-74g, Intermediate 85-95g, Mid-Weight 96-110g, Heavy 111-130g, Extra Heavy 131-175g, Cardstock 176-220g, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Prepunched, Colored, Bond, Recycled, Rough |
| Media weight | Tray 1: 60-220 gsm, 300 gsm Photo Paper Only; Trays 2-5: 60-220 gsm; HCl trays 3 & 4: 60-220 gsm |
| Media sizes custom | HCI: LTR; A4 |
| Dimensions (W x D x H) | 604 x 604 x 664 mm |
| Weight¹ | 66.8 kg |
| What's in the box | HP PW Managed Color MFP P77440dn; HP Setup Ink Cartridges; Installation guide, Support flyer; documentation on CD-ROM; Power cord |
| Warranty features | 90 days parts only warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. |
| Systems | |
| Compatible operating systems | Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) |
| Minimum system requirements | PC Windows® 10, 8.1, 8, 7: 1 GHz 32-bit or 64-bit processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer. Windows Vista®: 900 MHz processor (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8. Windows® XP SP3 or higher (32-bit only); any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8 Mac Apple® OS X v10.12 Sierra, OS X v10.11 El Capitan, OS X v10.10 Yosemite; minimum 1.2 GB available HD space; Internet required; USB port |
| Fonts and Typefaces | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 internal Windows Vista 8 Fonts (Calibri, Cambria), additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts |
| Control panel | 4.3" CGD (Color Graphic Display), IR touchscreen for P77440dn series |
| Display | 4.3" CGD (Color Graphic Display), IR touchscreen for P77440dn series; |
| Power | Power supply type Internal (Built-in) power supply; Power supply required Input voltage: 100 to 240 VAC, 50/60 Hz; Power consumption² : 475 watts (printing), 32 watts (ready), 1.4 watts (sleep), 0.2 watts (off); Typical electricity consumption (TEC) number² : ES: 1.533 kWh/Week BA: 1.548 kWh/Week |
| Software included | HP Device Experience (DXP), HP PCL 6 Print Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals |
| Acoustics | Acoustic power emissions: 6.6 dBA (Printing color simplex A4 at 41 ppm); Acoustic power emissions (ready) Inaudible; Acoustic pressure emissions (standby) 51 dBA (ADF scan color simplex A4 at 70 ppm) |
| Environmental ranges | Operating temperature range 15 to 30° C. Recommended operating temperature 17 to 25° C. Non-operating humidity range 10 to 80% RH; Operating humidity range 10 to 80% RH; Recommended operating humidity range 30 to 70% RH |
| Security management | Kerberos authentication, LDAP authentication, 2000 user PIN codes, Network IPsec/Firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List, HP Trusted Platform Module (TPM) comes standard; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, HP Security Management; Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in ArcSight and Splunk SIEMs; For more security settings for HP JetAdvantage Security Manager go to http://h10032.www1.hp.com/ctg/Manual/c03602120 |
| Safety approvals and requirements | EN 60950-1:2006 + A11:2009 + A12:2010 + A12:2011 + A2:2013; IEC 60950-1:2005 + A1:2009 + A2:2013; EN 62471:2008 / IEC 62471:2010; EN 62479:2010 / IEC 62479:2010; China CCC, GS, UL Listed |
| Supported network protocols | IPv4/IPv6; Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLIP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print |

Ordering Information

| Number | Description |
|--------|--|
| Y3Z60A | HP PageWide Managed Color MFP P77440dn Printer |

Supplies and Maintenance Kits

| Number | Description |
|---------|--|
| W1B43A | HP PageWide Printhead Wiper Kit |
| W1B44A | HP PageWide Service Fluid Container |
| W1B45A | HP PageWide Roller Kit |
| W1B47A | HP ADF Roller Replacement Kit |
| X4D20AC | HP 993 AC Black Managed PageWide Cartridge (~20,000 pages) |
| X4D11AC | HP 993 AC Cyan Managed PageWide Cartridge (~16,000 pages) |
| X4D14AC | HP 993 AC Yellow Managed PageWide Cartridge (~16,000 pages) |
| X4D17AC | HP 993 AC Magenta Managed PageWide Cartridge (~16,000 pages) |

Accessories

| Number | Description |
|--------|---|
| B5L28A | HP Internal USB Ports |
| B5L31A | HP Foreign Interface Harness |
| E5K48A | HP 1 GB x32 144-pin (800 MHz) DDR3 SODIMM |
| J8031A | HP Jetdirect 2900nw Print Server |
| J8030A | HP Jetdirect 3000w NFC/Wireless Accessory |
| C4487A | HP LaserJet MFP Analog Fax Accessory 500 |
| W1B49A | HP 128GB Memory Module |
| P1V16A | HP PageWide Managed 550-sheet Paper Tray |
| P1V17A | HP PageWide Managed 550-sheet Paper Tray and Cabinet |
| P1V18A | HP PageWide Managed 3x550 sheet Paper Tray and Stand |
| P1V19A | HP PageWide Managed 4000 sheet High-capacity Paper Tray and Stand |

Care Packs

| Number | Description |
|---------|---|
| U9VX8E | HP 1 year Next Business Day w/Defective Media Service for PageWide MFP P779xx Managed |
| U9VX9E | HP 3 year Next Business Day w/Defective Media Service for PageWide MFP P779xx Managed |
| U9VY0E | HP 4 year Next Business Day w/Defective Media Service for PageWide MFP P779xx Managed |
| U9VY1E | HP 5 year Next Business Day w/Defective Media Service for PageWide MFP P779xx Managed |
| U9VY2E | HP 3 year 4 hour 9x5 w/Defective Media Retention PageWide MFP P779xx Managed |
| U9VY3E | HP 4 year 4 hour 9x5 w/Defective Media Retention PageWide MFP P779xx Managed |
| U9VY4E | HP 5 year 4 hour 9x5 w/Defective Media Retention PageWide MFP P779xx Managed |
| U9VY5E | HP 1 year Parts Exchange Service for PageWide Managed (Managed Component Only) |
| U9VY6E | HP 3 year Parts Exchange Service for PageWide Managed (Managed Component Only) |
| U9VY7E | HP 4 year Parts Exchange Service for PageWide Managed (Managed Component Only) |
| U9VY8E | HP 5 year Parts Exchange Service for PageWide Managed (Managed Component Only) |
| U9VY9PE | HP 1 year Post Warranty Next Business Day w/DMR PageWide MFP P779xx Managed |
| U9VZ0PE | HP 2 year Post Warranty Next Business Day w/DMR PageWide MFP P779xx Managed |
| U9VZ1PE | HP 1 year Post Wty 4 hour 9x5 w/Defective Media Service for PageWide MFP P779xx Managed |
| U9VZ2PE | HP 2 year Post Wty 4 hour 9x5 w/Defective Media Service for PageWide MFP P779xx Managed |
| U9VZ3PE | HP 1 year Post Wty Parts Exchange Service for P779xx Managed (Managed Component Only) |
| U9VZ4PE | HP 2 year Post Wty Parts Exchange Service for P779xx Managed (Managed Component Only) |

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

HP Inc. offices

| | | |
|-------------|-------------------|--|
| Australia | (613) 8833 5000 | hp.com.au |
| China | (010) 6564 3888 | hp.com.cn |
| Hong Kong | (852) 3077 2688 | hp.com.hk |
| India | (80) 2612 9000 | hp.com.in |
| Indonesia | (62-21) 5799 1088 | hp.com/id |
| Korea | (02) 2199 0114 | hp.co.kr |
| Malaysia | (603) 2332 3333 | hp.com.my |
| New Zealand | (09) 918 9555 | hp.co.nz |
| Philippines | (632) 888 5900 | hp.com/ph |
| Singapore | (65) 6275 3888 | hp.com.sg |
| Taiwan | (02) 3789 9900 | hp.com.tw |
| Thailand | (662) 353 9500 | hp.com/th |
| Vietnam | (848) 3823 4151 | hp.com/vn |

For the following countries, please fax your queries to(65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

Supported paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

For more solutions information, please visit hp.com/go/gsc



Footnotes

- ¹ Based on HP review of 2017 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: <http://hp.com/go/printersecurityclaims>.
- ² Energy claim based on TEC data reported on <http://energystar.gov> as of February 2018. Data normalized to determine energy efficiency of in-class color laser printers and MFPs with print speeds between 20-80 ppm as of February 2018. Subject to device settings. Actual results may vary.
- ³ Comparison based on printing in Professional mode.
- ⁴ Fewer service parts claim based on HP analysis of leading in-class A3 color laser printers and MFPs as of February 2018; calculations use publicly available and/or published manufacturer rated yields for long-life consumables and assume 600,000 pages printed (using a 60% black/40% color ratio). Learn more at <http://hp.com/go/pagewideclaims>.
- ⁵ Comparison of HP PageWide A3 devices with leading in-class color ink/laser MFPs (\$3,000 – \$11,299 and € 2,820- € 11,199), and color ink/laser single function printers (\$1,500-\$4,799 and € 1,410- € 4,599) as of February 2018; market share as reported by IDC as of Q3 2017, excluding other HP PageWide products. HP PageWide speeds based on General Office mode and exclude first page. Learn more at <http://hp.com/go/printerspeeds>.
- ⁶ Feature works with Microsoft® Word and PowerPoint® 2003 and later. Only Latin language fonts are supported.
- ⁷ Requires separate purchase. For details, see <http://hp.com/go/securitymanager>.
- ⁸ Program availability varies. For more information, visit <http://hp.com/recycle>.

Technical specifications disclaimers

- ¹ With ink installed, no media in trays
- ² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power Consumption and Energy Star TEC values typically based on measurement of 115V device.
- ³ Speed specifications have been updated to reflect current industry testing methods.
- ⁴ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
- ⁵ ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see hp.com/go/printerclaims
- ⁶ No heating or fusing warm up time required
- ⁷ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- ⁸ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ⁹ HP SureSupply alerts you when you should replace a print cartridge and helps you purchase locally or via the Internet. For more information, visit hp.com/learn/suresupply. Only available with original HP supplies; Internet access required.
- ¹⁰ All HP media listed as compatible with the printer in the HP PageWide Printing Supplies Compatibility Guide, regardless of weight, may be used
- ¹² Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

Walkaround footnotes

- ¹ An administrator must enable the easy-access USB port before use.
- ² The HP PageWide Managed Color MFP P77440dn and MFP P77940dn/dns/dn+ models print up to 40/60 ppm (Professional mode/GO mode), A4 and letter, simplex. ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see hp.com/go/printerclaims.
- ³ Scan speed measured from ADF at default 300 dpi (black-and-white, greyscale, and colour). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁴ A 350-sheet inner finisher is available on the HP PageWide Managed Color MFP P77940dns model only. That model has a maximum output capacity of 850 sheets. A 3,250-sheet external finisher is required for the HP PageWide Managed Color MFP P77940dn+ model. The external finisher can staple up to 65 pages. The lower bin supports output of up to 3,000 sheets and the upper bin supports output of up to 250 sheets. It is not supported on the MFP P77440dn or MFP P77940dn/dns models. The MFP P77940dn+ has a maximum output capacity of 3,250 sheets. Models without an inner or external finisher have a maximum output capacity of 500 sheets.
- ⁵ Purchase of optional paper tray required to reach maximum input capacity.
- ⁶ Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz routers only.
- ⁷ Bluetooth® is a trademark owned by its proprietor and used by HP Inc. under license.

To learn more, visit hp.com

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

