HP LaserJet MFP M436 series



Affordable A3 copier—your desktop copying workhorse

Count on reliable, affordable A3 MFP productivity to expand potential. Simplify workflows with efficient scan solutions and copying, and get networking plus remote monitoring. Save resources and time with automatic paper-handling features.²³



HP LaserJet MFP M436n



HP LaserJet MFP M436nda

Set the pace with reliable A3 productivity

- Conserve resources with automatic two-sided printing and copying—consume up to 50% less paper.
- Capture both sides of the page with ease, using the 100-sheet reversing automatic document feeder.
- Launch tasks at the device—streamline copying; capture a two-sided ID; and darken, enlarge, or reduce images.
- Create a one-sided copy of a two-sided ID—quickly capture the front and back on a single-sided page.

Business copying performance without compromise

- Help save budget and put affordable MFP performance to work for your business.
- Help protect your investment and get affordable running costs, using Original HP toner cartridges.

Built-in networking and remote monitoring

- Easily set up, print, and share printing resources with built-in Ethernet networking.
- Identify new devices and gain insight into printing with HP Web Jetadmin remote discovery and monitoring.

Product walkaround

- 1. Automatic document feeder (ADF) cover
- 2. ADF width guide
- 3. Scanner glass (A3)
- 4. 250-sheet output bin
- 5. Front door access to toner cartridges
- 6. 250-sheet input tray 2
- 7. 250-sheet input tray 3 (optional)²
- 8. 100-sheet reversing ADF (input)¹
- 9. ADF output tray
- 10. 4-line LCD, 10 key pad, 4-button quick set
- 11. 100-sheet multipurpose tray 1
- 12. Tray 3 jam cover
- 13. Hi-Speed USB 2.0 printing port
- 14. Built-in Ethernet 10/100 Base TX networking
- 15. Automatic two-sided printing and copying³



HP LaserJet MFP M436nda



Series at a glance





Model	HP LaserJet MFP M436n	HP LaserJet MFP M436nda
Product number	W7U01A	W7U02A
Print/copy speed up to 23 ppm ⁴	Yes	Yes
Input capacity: 350 sheets (standard), 600 sheets (maximum) with optional 250-sheet tray	Yes	Yes
Output capacity: 250 sheets	Yes	Yes
Built-in Ethernet networking	Yes	Yes
100-sheet reversing ADF	Optional	Yes
Automatic duplex printing and copying	Not available	Yes

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability:

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configu ation Service

Standard Care (high level of uptime:

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support

Next Business Day Onsite Support

4 hr Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices









Top Features

Move business forward with reliable A3 printing and copying at up to 23 ppm. Save time and resources with automatic two-sided printing and two-sided scanning. Simplify workflows—send scans where they need to go directly from the MFP.

Get high-quality pages with affordable running costs, using Original HP toner cartridges and long-life drums. Print more pages with fewer interruptions, using high-yield cartridges—up to 13,700 pages (ISO)^a.

Gain connections for the modern work style, and remotely monitor your environment. Quickly share resources with built-in 10/100 Ethernet. Gain fresh insight into your environment with remote discovery and monitoring.

Product

W7U01A HP LaserJet MFP M436n W7U02A HP LaserJet MFP M436nda

Accessories Service Part

SAM -SL-ADF250D HP LaserJet 100 Sheet Reverse ADF SAM -SL-SCF2080 HP LaserJet 250 Sheet Media Tray Only to be installed by qualified service technician.

Supplies

CF256A HP 56A Black Original LaserJet Toner Cartridge (yield ~7,400 ISO pages)

CF256X HP 56X High Yield Black Original LaserJet Toner Cartridge (yield ~13,700 ISO pages)

CF257A HP 57A Original LaserJet Imaging Drum (yield ~80,000 pages)

HP Care Packs

U9JT4E HP 3v Nbd+DMR LJ M436 MFP HW Supp U9JT5E HP 4y Nbd+DMR LJ M436 MFP HW Supp U9JT6E HP 5y Nbd+DMR LJ M436 MFP HW Supp U9JT7E HP 3y 4h 9x5+DMR LJ M436 MFP HW Supp HP 4y 4h 9x5+DMR LJ M436 MFP HW Supp U9JT8E U9JT9E HP 5y 4h 9x5+DMR LJ M436 MFP HW Supp U9JU3E HP 1y PW Nbd+DMR LJ M435 MFP HW Supp HP 1v PW 4h 9x5+DMR LJ M435 MFP HW Supp. U9JU4E U9JT2E HP Inst SVC w/nw Workgroup Printer

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet MFP M436 series

Model	HP LaserJet MFP M436n	HP LaserJet MFP M436nda	
Product number	W7U01A	W7U02A	
Functions	Print, Copy, Scan		
Print			
Duplex print options	No	Plain, Mid-weight, Light, HP Laser Jet, Colored, Preprinted, Recycled, Intermediate, LetterHead, Prepunched; A4, A5, B5(JIS), Letter, Executive, Statement, A3, B4(JIS), B5(JIS), BK, 16K, 11x17, Legal, Oficio 216x340, Oficio 8.5x13; 16-29 lb, (60~110g)	
Print speed	Black (normal, A4): Up to 23 ppm; Black (normal letter): Up to 23 ppm; Black (normal A3): Up to 12 ppm	Black (normal, A4): Up to 23 ppm; Black (normal letter): Up to 23 ppm; Black (normal A3): Up to 12 ppm; Black Duplex (A4): Up to 12 ppm	
Print technology	Laser		
First Page Out	Black (A4, ready): Less than 8.8 seconds ; Black (A4, sleep): Less than 25 seconds	Black (A4, ready): Less than 8.7 seconds; Black (A4, sleep): Less than 24 seconds	
Print resolution	Black (best): Optical: 600 x 600 dpi; Enhanced: 1200 x 1200 dpi; Black (normal): 600 x 600 dpi	·	
Print cartridges number	1 Black		
Standard print languages	PCLSE, PCL6		
Printer management	Printer Administrator Resource Kit for HP Universal Print Driver; UPD Active Directory Template; AutoUpgrad PRNCON.EXE; HPPRLOG; Migrate-Server-Tools; UpdateNow; Remove Plug and Play Drivers; HP SNMP Proxy		
Scan			
Scan speed	Normal, A4: Up to 30 ipm (With ADF Accessory)	Normal, A4: Up to 30 ipm	
Scan resolution	Enhanced: Up to 1200 x 1200 dpi with reduced speed; Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi		
Scan size	Flatbed: 297 x 432 mm; Maximum (ADF): 297 x 432 mm		
Scan input mode	TWAIN, WIA; Scan to PC (Local, Network) from ADF or Platen		
Scan file format	TIFF, JPEG, PDF, BMP		
Сору			
Copy speed	Black (normal, A4): Up to 23 cpm; Black (normal, letter): Up to 23 cpm		
First copy out	Black (A4): Less than 7.4 seconds ; Black (A4, sleep): Less than 25 seconds	Ready (platen): Less than 7.8 seconds; Ready (ADF): Less than 10.8 seconds; Black (A4, sleep): Less than 23.9 seconds	
Copy resolution	Black (text and graphics): Platen: Scan 600 x 600, Printing 600 x 600; Document feeder: Scan 600 x 600,	Printing 600 x 600; Color (text and graphics): Up to 600 x 600 dpi	
Max no of copies	Up to 999		
Copier resize	25 to 400%		
Copier settings	600 x 600 dpi x 2 bit; Originals content settings: Text, Text/Photo, Photo, Map; Recuce/Enlarge scaling: 25% to 400%; Copy quantity settings: 1 to 999; Darkness controls: 11 levels (Light, Normal, Dark); Colation: Yes (Limited); N-up: A3: 2/4/8/16-up; A4: 2/4/8-up		
Connectivity			
Standard connectivity	High speed USB 2.0		
Wireless capability	No No		
Network Capabilities	Built-in Ethernet 10/100 Base-TX network		
Memory	Standard: 128 MB; Maximum: Onboard		
Processor speed	600 MHz		
Duty cycle (monthly)	Up to 50,000 pages per month; Recommended monthly page volume: 2,000		
Paper handling	,		
Output	Up to 250 Sheets		
Media type	Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycled, Intermediate, Letterhead, Prepunched		
Media weight	Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m²; Optional Tray 3: 60 to 110 g/m²; Optional ADF: 60 to 195 g/m²		
Media sizes custom	Tray 1: Minimum: 125 x 102 mm, Maximum: 306 x 914 mm; Tray 2: Minimum: 148 x 182 mm, Maximum: 2		
Dimensions (W x D x H)	560 x 540 x 413 mm	560 x 583 x 505 mm	
Weight What's in the box	25 kg HP Laser Jet MFP M436 series; HP Original Black Laser Jet Introductory Toner Cartridge (~4,000 page yield); HP Original Laser Jet Imaging Drum (~80,000 page yield); Printer documentation and sofware on CD-ROM; Ql Install Guide; Power Cord; USB Cable		
Warranty features	One-year, on-site limited warranty		
Systems	and young an one united training		
Compatible operating systems		ndows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-bit & 64-bit edition tions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com); Window IOws 10 all 32-bit & 64-bit editions (excluding RT OS for Tablets); Windows 8/8.1/10 RT; Other OS; UNIX	
Minimum system requirements	PC: CD-ROM or DVD drive, or Internet connection; dedicated USB or network connection or Wireless connection; 200 MB available hard disk space; (For OS hardware requirements see microsoft.com)		
Fonts and Typefaces	49 Scalable Fonts (Include OCR-A / OCR-B) / 1 Bitmap		
Control panel	4-Line LCD, 4 Quick-launch buttons		
Display	- Line LO		
	None		
Hard dick		rmal Operation FEOW Peads 90W May/Deak 1 1kWh Sleen/Deugs Off 1W/O 2W TEC 0 000kwh Person	
Hard disk Power	Power supply type: Internal (Built-in) power supply; Power supply required: AC 220 - 240V: 50/60Hz, Not consumption: TEC: 0.998 kWh; Typical Electricity Consumption number: 0.998kWh	miał Operation 550w, Ready 60w, Max/Peak 1.1kwii, steep/Power Off 1w/0.2w, 1EC 0.556kwii, Power	
	consumption: TEC: 0.998 kWh; Typical Electricity Consumption number: 0.998kWh For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP	Send Fax, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manual olbox, HP Fax Print Driver, HP Fax Setup Wizard, HP Product Improvement Study, HP Scan App and DriversScar	
Power Software included	consumption: TEC: 0.998 kWh; Typical Electricity Consumption number: 0.998kWh For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Soft Mac OS; Welcome Screen, (Directs users to HP.com or OS App Source for printer software); HP Device To	Send Fax, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manual bolbox, HP Fax Print Driver, HP Fax Setup Wizard, HP Product Improvement Study, HP Scan App and DriversScar	
Power	consumption: TEC: 0.998 kWh; Typical Electricity Consumption number: 0.998kWh For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP 15 ro Mac OS; Welcome Screen, Ciprects users to HP.com or OS App Source for printer software); HP Device To to e-mail setup Wizard, Scan to Folder Setup Wizard	Send Fax, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manual bolbox, HP Fax Print Driver, HP Fax Setup Wizard, HP Product Improvement Study, HP Scan App and DriversScar 34; Acoustic Pressure Emissions Bystander (ready): 30 dBA	
Power Software included Acoustics	consumption: TEC: 0.998 kWh; Typical Electricity Consumption number: 0.998kWh For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP 'S For Mac OS; Welcome Screen, (Directs users to HP. com or OS App Source for printer software); HP Device To to e-mail selvup Wizard, Scan to Folder Setup Wizard Acoustic Pressure Emissions Bystander (active, printing): Tray 1: 53 dBa; Tray 2: 51 dBa; Tray 3: 53 dB Operating Temperature Range: 10 to 30°C; Recommended Operating Temperature: 10 to 30°C; Non-op	Send Fax, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manual holbox, HP Fax Print Driver, HP Fax Setup Wizard, HP Product Improvement Study, HP Scan App and DriversScar BA; Acoustic Pressure Emissions Bystander (ready): 30 dBA perating Humidity Range: 10 to 90% RH; Operating Humidity Range: 20 to 80% RH; Recommended	
Power Software included Acoustics Environmental ranges	consumption: TEC: 0.998 kWh; Typical Electricity Consumption number: 0.998kWh For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP 15 or Mac OS; Welcome Screen, (Directs users to HP.com or OS App Source for printer software); HP Device To to e-mail setup Wizard, Scan to Folder Setup Wizard : Acoustic Pressure Emissions Bystander (active, printing): Tray 1: 53 dBA; Tray 2: 51 dBA; Tray 3: 53 dB Operating Temperature Range: 10 to 30°C; Recommended Operating Temperature: 10 to 30°C; Non-op Operating Humidity Range: 20 to 80% RH	Send Fax, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manual holbox, HP Fax Print Driver, HP Fax Setup Wizard, HP Product Improvement Study, HP Scan App and DriversScar BA; Acoustic Pressure Emissions Bystander (ready): 30 dBA perating Humidity Range: 10 to 90% RH; Operating Humidity Range: 20 to 80% RH; Recommended	

Footnotes

- ¹ Not all HP Web Jetadmin features are supported on the HP LaserJet MFP M436. HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin. ² Automatic two-sided printing is standard on the HP LaserJet MFP M436nda only.
- ³ Reversing automatic document feeder is standard on the HP LaserJet MFP M436nda only. Requires a separate purchase for the HP LaserJet MFP M436n.
- ⁴ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Product Walkaround disclaimers

- Reversing automatic document feeder is standard on the HP LaserJet MFP M436nda only. Requires a separate purchase for the HP LaserJet MFP M436n.

 Purchase of optional paper tray required to reach maximum input capacity.

 Automatic two-sided printing is standard on the HP LaserJet MFP M436nda only.

 Measured using ISO/IEC 24734 and excludes the first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

To learn more, visit hp.com

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENDERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

