SONY

BRAVIA™ 4K HDR OLED Professional Displays

Innovative displays designed for business

42" - 83" A90K/A80K/ A90J/A95K Series

FWD-42A90K

FWD-48A90K

FWD-55A80K

FWD-65A80K

FWD-77A80K

FWD-55A90J







Make an impressive statement with exquisite 4K HDR OLED images, effortless style and sound to match

Add unprecedented impact to your visual communications with the stunningly styled, fully featured BRAVIA OLED Professional Display. Combining bright, beautiful 4K HDR image quality with easy operation, it's an imposing addition to corporate boardrooms, lobbies, and reception areas.

Optimised for professional display applications, BRAVIA takes full advantage of cutting-edge OLED display technologies and our ingenious Cognitive Processor XR to ensure vibrant high-contrast 4K images.

The beautifully sleek, minimalist design of the A95K*/A80J/A90J/A90K is sure to impress in any setting. And with Acoustic Surface Audio+, cinematic sound comes directly from the screen.

For even greater peace of mind there's the added reassurance of our 3 Years warranty with advanced exchange handled by local partner, on premise where possible. You can also choose to extend your support for an additional 2 years.

Ultimate Picture Quality











4K image resolution (3840 x 2160 pixels)

4K offers four times the detail of Full HD, with a resolution of over 8 million pixels bringing extra clarity to corporate display, education and digital signage applications.

High contrast OLED screen technology

Each self-illuminating pixel is precisely and individually controlled so that you can enjoy breathtaking OLED contrast with pictures that feel deep, natural and real.

Wider Colour with XR TRILUMINOS Pro™ in A80K, A90J, A90K, and XR TRILUMINOS Max™ in A95K

Powered by our Cognitive Processor XR, the OLED series reproduce colour in a way that humans find beautiful. See a wider palette of colours with an enhanced range of hue and saturation, allowing natural shades and precise details to be seen, even in dark scenes.

Spectacularly real 4K HDR images

With XR HDR Remaster, this display can detect each object on screen, analyse its colour and adjust contrast for even more realistic pictures. Object-based processing, powered by BRAVIA XR™, takes precision to a whole new level by adding adjustment of hue, saturation, brightness, motion vector, bandwidth and more. The result is exceptionally real scenes with greater depth, lifelike textures and natural colours.

Smoother movement

With our XR OLED Motion, even fast action stays smooth and clear. Moving images are precisely controlled to minimise blur so that pictures remain true with less loss in brightness during high-speed scenes.

Sound from the screen

With our Acoustic Surface Audio+ technology, sound comes directly from the centre of the screen with powerful actuators behind the TV vibrating to create acoustics that move with the picture.

A95K has the new OLED (QD-OLED) screen and XR TRILUMINOS Max™



Do more with Android TV

Discover a world of apps and online content powered by Android TV. Use Voice Search to find content easily with no typing.

Google Chromecast and Apple Airplay

With Google Chromecast built-in, and Apple Airplay, easily mirror your content and enjoy it super-sized on your BRAVIA.

Flexible Mounting and Installation

BRAVIA Professional Displays offer flexible mounting options with VESA standard mounting for easy integration into a wide range of environments.

Greater peace of mind

There's the added reassurance of our 3 Years warranty with advanced exchange handled by local partner, on premise where possible. You can also choose to extend your support for an additional 2 years.

Specifications

		FWD-42A90K	FWD-48A90K	FWD-55A95K	FWD-65A95K			
	Screen size	42"(41.5")	48"(47.5")	55"(54.6")	65"(64.5")			
Display features	(measured diagonally)	106 cm	121 cm	139 cm	164 cm			
	Display resolution (H x V, pixels)	3840 x 2160						
	Display device	OLED OLED(QD-OLED)						
Professional	Aspect Ratio Operating System	16:9 Android 10						
features	On-board Storage (GB)			GB				
	TV System (Digital Terrestrial)	DVB-T/T2						
Dienlay	TV System (Digital Cable) TV System (Digital Sat)	DVB-C DVB-S/S2						
Display System	Number of Tuners							
	(Terrestrial/Cable)	2(Digital) / 1(Analog)						
	Number of Tuners (Sat) Wi-Fi Direct	2 Yes						
	Wi-Fi Certified	Yes						
	Wi-Fi Standard	a/b/g/n/ac						
Network	Apple AirPlay	Yes Yes						
Features	Chromecast built-in Internet Browser	Yes Vewd						
	Codec for Home Network	MPEG1:MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)						
	Wireless LAN	Integrated						
	USB playback codecs	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MPE(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionIpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,MotionIpeg/MKV:Xvid,AVC,MPEG4,VPB.HEVC/WEBM:VPB/AGPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only) Yes						
	i-Manual	Yes Yes						
Convenience features	On Screen Clock	Yes						
	Sleep Timer On/Off Timer	Yes						
	On/On Timer	Yes AFR,AMH,ARA,ASM,AZE,BEL,BUL,BEN,BOS,CAT,CZE,DAN,DEU,GRE,ENG,SPA,EST,BAQ,PER,FIN,FRA,GLG,GUJ,HIN,HRV,HUN,IND,ISL,ITA,HEB,JPN,KAZ,KAN,KOR,K						
	Display Language IP Control	IR, LAO,LIT,LAV,MAC,MAL,MON,MAR,MAY,BUR,NOB,NEP,NLD,ORI,PAN,POL,POR,RUM,RUS,SOL,SLV,ALB,SRP,SWE, SWA,TAM,TEL,THA,TGL,TUR,UKR,URD,UZB,VIE, zh_CN,zh_HK,zh_TW,ZUL Yes						
Control specs	Pro mode	No						
	HDMI Signal	1080n	4096x2160p(24,50,60Hz), 3840x; (30.50.60,100,120Hz), 1080/24p, 1080i(50		. 480p			
	HDCP	1080p(30,50,60,100,120Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p HDCP2.3(for HDM11/2/3/4)						
	RF (Terrestrial/Cable) Connection Input(s)	1(Bottom)						
	IF (Satellite) Input(s)	2(Bottom)						
Inputs &	Composite Video Input(s)	Hybrid w/S-Center Speaker Input x1(Side, Mini jack)						
Outputs	HDMI inputs total	4(1Side, 3Bottom)						
	USB ports	2(Side) / 1(Bottom)						
	Ethernet inputs RS-232C Input(s)	1(Bottom) No						
	HDMI PC Input Format	640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz),						
	· ·	1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz), 3840x2160p(30Hz), 3840x2160p(60Hz, 8bits*)						
A !! -	PCMCIA Slot(s) Speaker Position	1(Side)						
Audio specifications	Audio Power Output	10W + 10W + 5W 20W + 20W + 10W + 10W						
	Wide Mode	Wide zoom/Normal/Full/Zoom/14:9,Normal/Full2 for PC						
	4:3 Default	Yes						
	Video Processing	XR 4K Upscaling						
Video Specification	4K Processor	Cognitive Processor XR						
	Motion enhancer HDR (High Dynamic Range)	XR OLED Motion, Auto mode						
	compatibility	Yes (HDR10, HLG, Dolby Vision)						
	Panel Refresh Rate (Native Hertz)	100Hz						
	Cable Management Frame colour	Yes Titanium Black						
Design	Stand Design	Aluminum Center Plate Full Edge Slate						
Features	VESA® Hole Spacing	Yes						
	Compatible VESA® Hole Pitch (W x H)	30.0 x 30.0 cm						
	Rated Power Consumption	201 W 235 W 348 W 417 W						
Eco & energy	Power Consumption (in Standby)	0.50 W						
saving	Mercury content (mg)	0.0						
	Power Saving Mode / Back Light	Yes						
	Off Mode	Approx.	Approx.	Approx.	Approx.			
Dimensions	Display only (W x H x D) Display with Stand (W x H x D)	93.3 x 54.6 x 5.7 (2.05) cm Approx. 93.3 x 55.1 x 22.5 cm	106.9 x 62.4 x 5.9 (2.48) cm Approx. 106.9 x 62.9 x 22.5 cm	122.5 x 71.4 x 4.3 (2.17) cm	144.4 x 83.7 x 4.3 (2.17) cm			
	Display only	93.3 x 55.1 x 22.5 cm Approx. 13.3 kg	Approx. 13.4 kg	Approx. 21.2 kg	Approx. 27 kg			
Weights (Approx.)	Display with Stand	Approx. 16.4 kg	Approx. 16.5 kg	-	-			
(, .ppi 0.,)	Package Carton (Gross)	Approx. 21 kg	Approx. 21 kg	Approx. 40 kg	Approx. 51 kg			
Optional accessories	Wallmount Bracket	SU-WL450(Terminal access limitation, refer to SU-WL450 product page)	SU-WL450(Terminal access limitation, refer to SU-WL450 product page), SU-WL850(Depends on usage of terminal)	SU-WL450(Terminal access limitation, refer to SU-WL450 product page), SU-WL850(Refer to Country/Area Handling Chart)	SU-WL450(Terminal access limitation, refer to SU-WL450 product page), SU-WL850(Refer to Country/Area Handling Chart)			
Service and Warranty	Standard Warranty	3,	l Years with advanced exchange handled l	by local partner, on premise where possil	ple			

Display features (Hx Disp features) Professional features On-l TV S Display TV S System Num (Terr Num Wi-F Wi-F App Chrc Network Inter	reen size easured diagonally) splay resolution x V, pixels) splay device pect Ratio retating System reboard Storage (GB) System (Digital Terrestrial) System (Digital Cable) System (Digital Sat) mber of Tuners	55"(54.6") 139 cm	65"(64.5") 164 cm	77*(76.7*) 195 cm 3840 x	55"(54.6") 139 cm x 2160	65"(64.5") 164 cm	83"(82.5") 210 cm	
Display features (H x Disp Asp) Professional features (Dri- Display TV S TV S Display TV S System Num (Term Num Wi-F Wi-F App Chrc	splay resolution x V, pixels) splay device pect Ratio ereating System I-board Storage (GB) System (Digital Terrestrial) System (Digital Cable) System (Digital Sat) Imber of Tuners	139 cm	164 cm	3840 x		164 cm	210 cm	
H x Disp	x V, pixels) splay device pect Ratio ereating System I-board Storage (GB) System (Digital Terrestrial) System (Digital Cable) System (Digital Sat) Imber of Tuners				< 2160			
Asp Professional features	pect Ratio verating System -board Storage (GB) System (Digital Terrestrial) System (Digital Cable) System (Digital Sat) mber of Tuners			0.1				
Professional features	erating System - board Storage (GB) System (Digital Terrestrial) System (Digital Cable) System (Digital Sat) mber of Tuners				ED			
TV S	-board Storage (GB) System (Digital Terrestrial) System (Digital Cable) System (Digital Sat) mber of Tuners		16:9 Android 10					
Display TV S System Num (Terr Num Wi-F Wi-F App Chrice Network Inter	System (Digital Terrestrial) System (Digital Cable) System (Digital Sat) mber of Tuners							
Display TV S System Num (Terr Num Wi-F Wi-F App Chrc Network Inter	System (Digital Sat) mber of Tuners	16GB DVB-T/T2						
System Num (Tern Num Wi-F Wi-F App Chrc Network Inter	mber of Tuners	DVB-C						
(Terring Num Wi-F Wi-F App Chroc Network Inte		DVB-S/S2						
Num Wi-F Wi-F Wi-F App Chrc Network Inte	rrestrial/Cable)	2(Digital) / 1(Analog)						
Wi-F Wi-F App Chrc Network Inte	mber of Tuners (Sat)	2						
Wi-F App Chro Network Intel	-Fi Direct	Yes						
App Chro Network Inter	-Fi Certified -Fi Standard	Yes a/b/q/n/ac						
Chro Network Inte	ple AirPlay	Yes						
	romecast built-in	Yes						
Features	ernet Browser	Vewd						
	dec for Home Network	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/ MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/ WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/ JPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)			MPEG1:MPEG1/MPEG2PS:MPEG2/ EG2TS(HDV,AVCHD):MPEG2,AVC/ MP4(XAVC S):AVC,MPEG4,HEVC/AV1:Xvid,MotinJpeg/ASF(WMV):VC1/ MOV:AVC, MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/ WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/ FLAC/JPEG			
Wire	reless LAN	Integrated						
USB	B playback codecs	MPEG1:MPEG2PS:MPEG2ZYMPEG2ZTS(HDV,AVCHD):MPEG2,AVC/ MP4(XAVC S):AVC,MPEG4,HeVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4/P8.HEVC/ WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/ JPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only) MPEG1:MPEG1:MPEG2PS:MPEG4,PMPEG2PS:MPEG4/MPEG2PS:MPEG4,PMC;AVCM) MP4(XAVC S):AVC,MPEG4,HVC1/SVICAMPCG4,PASF(WMC)-XVCM,MPEG4,MOTION-INDICATE MP4(XAVCM)-XVCM,MPEG4,MOTION-INDICATE MP4(XAVCM)-XVCM,MOTION-INDICATE MP4(XAVCM)-XVCM,MPEG4,MOTION-INDICATE MP4(XAVCM)-XVCM,MOTION-INDICATE MP4(XAVCM)-XVCM,MOTION-INDICATE MP4(XAVCM)-XVCM,MOTION-INDICATE MP4(XAVCM)-XVCM,MOTION			Jpeg/ASF(WMV):VC1/ C,MPEG4,VP8.HEVC/			
C	MI-CEC	Yes						
features	Manual Screen Clock	Yes Yes						
	ep Timer			Ye				
On/	/Off Timer	Yes						
·	splay Language	AFR,AMH,ARA,ASM,AZE,BEL,BUL,BEN,BOS,CAT,CZE,DAN,DEU,GRE,ENG,SPA,EST,BAQ,PER,FIN,FRA,GLG,GUJ,HIN,HRV,HUN,IND,ISL,ITA,HEB,JPN,KAZ,KAN,KOR,K IR, LAO,LIT,LAV,MAC,MAL,MON,MAR,MAY,BUR,NOB,NEP,NLD,ORI,PAN,POL,POR,RUM,RUS,SOL,SLV,ALB,SRP,SWE, SWA,TAM,TEL,THA,TGL,TUR,UKR,URD,UZB,VIE, zh_CN,zh_HK,zh_TW,ZUL						
Control specs	Control o mode		Yes	N		es (requires authentication	1)	
		No 4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60,100,120Hz), 1080p(30,50,60,100,120Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p						
	MI Signal	4096x2160p(24,50,60H2),	384UX210UP(24,25,3U,5U,6U			3UI(5U,6UHZ), 7ZUP(3U,5U,6	JHZ), 720724p, 576p, 480p	
HDC RF (1	(Terrestrial/Cable)		4(5:4-)	HDCP2.3(for F	IDMI1/2/3/4)	1/0-#>		
Coni	nnection Input(s)		1(Side)		1(Bottom)			
C	Satellite) Input(s) mposite Video Input(s)		2(Side)	Hubrid w/C Contor Spook	or Input v1(Sido Mini inck)	2(Bottom)		
iliputs &	MI inputs total	Hybrid w/S-Center Speaker 4(4Side)			4(1Side, 3Bottom)			
	B ports		2(Side)		2(Side) / 1(Bottom)			
	nernet inputs	1(Side)			1(Bottom)			
	-232C Input(s)	640v480(31 5kHz 60H	z) 800v600(370kHz 60Hz)	N: 1, 1024x768(48.4kHz,60Hz), 1		152v864(67.5kHz 75Hz) 160	10v900(55 9kHz 60Hz)	
HDN	MI PC Input Format	0407400(21.36.12,0011)Hz), 1920x1080(67.5kHz,60H			0x300(33.3x112,00112),	
	MCIA Slot(s)		1(Top)		1(Side)			
Audio	eaker Position	Down firing + Front						
specifications Aud	dio Power Output	10W + 10W + 10	W + 10W + 10W	10W + 10W +	20W + 20W + 10W + 10W + 10W			
	de Mode	Wide zoom/Normal/Full/Zoom/14:9,Normal/Full1/Full2 for PC						
	B Default	Yes VP AV Localina						
AV D	deo Processing Processor	XR 4K Upscaling Cognitive Processor XR						
video	otion enhancer	XR OLED Motion, Auto mode						
	PR (High Dynamic Range)	Yes (HDR10, HLG, Dolby Vision)						
	mpatibility							
	nel Refresh Rate (Native Hertz)	100Hz						
	ble Management ime color	No Yes						
	and Design	Titanium Black Metal Slim Wedged Stand A			Aluminum Center Plate			
Features VES	SA® Hole Spacing							
	mpatible SA® Hole Pitch (W x H)	Yes 30.0 x 30.0 cm 40.0 x 40.0					40.0 x 40.0 cm	
	ted Power Consumption	362 W	460 W	603 W	399 W	532 W	817 W	
Pow	wer Consumption	302 W 400 W 003 W 399 W 332 W 817 W						
	Standby) ercury content (mg)	0.0						
Pow	wer Saving Mode / Back Light f Mode	Yes						
(W x	splay only x H x D)	Approx. 122.7 x 71.2 x 5.3 (0.69) cm	Approx. 144.8 x 83.6 x 5.3 (2.62) cm	Approx. 172.2 x 99.8 x 5.4 (2.79) cm	Approx. 122.3 x 70.9 x 4.1(0.56) cm	Approx. 144.4 x 83.3 x 4.1(0.56) cm	Approx. 185.0 x 106.7 x 5.3 (0.73) cm	
Dimensions	splay with Stand	Approx.	Approx.	Approx.	Approx.	Approx.	Approx.	
(W x	x H x D)	122.7 x 73.8 x 33.0 cm	144.8 x 86.2 x 33.0 cm	172.2 x 102.4 x 38.9 cm	128.2 x 70.9 x 31.7 cm	150.2 x 83.4 x 31.7 cm	188.0 x 107.2 x 42.8 cm	
Weights	splay only	Approx. 17.9 kg	Approx. 23 kg	Approx. 34.8 kg	Approx. 18.6 kg	Approx. 22.5 kg	Approx. 42 kg	
	splay with Stand ckage Carton (Gross)	Approx. 19.5 kg Approx. 25 kg	Approx. 24.6 kg Approx. 33 kg	Approx. 37 kg Approx. 43 kg	Approx. 20.3 kg Approx. 29 kg	Approx. 24.6 kg Approx. 34 kg	Approx. 43.5 kg Approx. 59 kg	
(Approx.)			-	nitation, refer to SU-WL450 p				
(Approx.) Pack	allmount Bracket	SU-	***-+>o(i.e.i.i.iiiai access iim		310ddct page), 30 **2030(2	repenus on usage or termi	nai)	



Bring the incredible depth and quality of 4K HDR OLED resolution to your business

Ideal for:

Corporate presentation
Digital signage
Video conferencing
Education

For full features visit pro.sony/products/professional-displays

© 2022 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology partners, Sony delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit www.pro.sony

Distributed by						

PrimeSupport

Find your local telephone number to contact our *PrimeSupport Helpdesk* on our website **pro.sony/en_GB/change-country-region-language**

Monday - Friday 09:00 - 18:00 (Central European Time), excluding local national holidays. Support is available in English, French, Italian, German & Spanish

Prime Support Pro