



## HP V270 27-inch Monitor (3PL17AA)

Active as of 15/06/2018



### Overview

#### An affordable productivity tool

Increase productivity and enjoy expansive Full HD views on the HP V270 27-inch Monitor. The narrow bezels, spacious screen and flexible connectivity are optimal for maximum workplace efficiency at an economical price point.

Increase productivity and enjoy expansive Full HD views on the HP V270 27-inch Monitor at an economical price point optimal for maximum workplace efficiency.

#### Additional resources

[Warranty Checker \(HP Inc\)](#)

[Partner Pricing Information](#)



#### Expansive Views

See more with the generous 27-inch diagonal screen and narrow bezels making it easier for you to maximize productivity while creating a stylish workspace with the large, sleek bezel design.



#### Flexible connectivity and an efficient workspace

Utilize optimal connectivity options through VGA, DVI, and HDMI inputs while freeing up valuable desk space with the integrated 100-mm VESA pattern to directly attach select HP PCs to the back of the monitor or mount the display on a wall or to an arm or stand.<sup>1</sup>



#### Vibrant presentation features

See more with the generous 27-inch diagonal screen and narrow bezels making it easier for you to maximize productivity and create a stylish workspace.

### Specifications

#### Display size (diagonal)

68.58 cm (27")

#### Display type

IPS with LED backlight

#### Aspect ratio

16:9

#### Resolution (native)

FHD (1920 x 1080 @ 60 Hz)

#### Resolutions supported

1024 x 768; 1280 x 1024; 1280 x 720; 1280 x 800; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080; 640 x 480; 720 x 400; 800 x 600

**Pixel pitch**

0.311 mm

**Brightness**

300 cd/m<sup>2</sup>

**Contrast ratio**

1000:1 static; 10000000:1 dynamic

**View angle**

178° horizontal; 178° vertical

**Response time**

5 ms gray to gray (with overdrive)

**Tilt and swivel angle**

Tilt: -5 to +20°

**Display features**

Anti-glare; BrightView Panel; Language selection; LED Backlights; On-screen controls; Plug and Play; User programmable; Anti-static

**Display scan frequency (horizontal)**

Up to 80 kHz

**Display scan frequency (vertical)**

Up to 60 Hz

**Onscreen controls**

Brightness; Color Control; Contrast; Exit; Image Control; Information; Input Control; Language; Management; Menu; Power Control

**Physical security**

Security lock-ready (lock is sold separately)

**Power**

Input voltage: 100 to 240 VAC

**Power consumption**

35 W (maximum), 31 W (typical), 0.5 W (standby)

**Operating temperature range**

5 to 35°C

**Environmental**

Arsenic-free display glass; Mercury-free display backlights

**Minimum dimensions (W x D x H)**

62.02 x 4.51 x 36.22 cm

*(Without stand)*

**Dimensions With Stand (W x D x H)**

62.02 x 23.99 x 44.26 cm

**Weight**

5.2 kg

**Country of origin**

Made in China

**What's in the box**

AC power cord  
Documentation  
VGA cable

**Warranty**

1 year limited warranty

---

**Overview**

- 1 See product QuickSpecs for exact PC and thin client compatibility, sold separately. HP Quick Release required and sold separately. Mounting hardware sold separately. Options sold separately.
- 2 HP Care Pack Services are sold separately. Service levels and response times for HP Care Pack Services may vary depending on your geographic location. Service starts from date of hardware purchase. Restrictions and limitations apply. See [www.hp.com/go/cpc](http://www.hp.com/go/cpc) for details. HP services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

**Images - Product (5)**



**Center facing**

54 x 41 (jpg)	54 x 41 (png)
100 x 70 (jpg)	96 x 72 (jpg)
96 x 72 (png)	99 x 74 (png)
153 x 115 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (png)
247 x 185 (png)	170 x 190 (jpg)
257 x 193 (png)	320 x 240 (jpg)
320 x 240 (png)	474 x 356 (png)
513 x 385 (png)	400 x 400 (jpg)
400 x 400 (png)	573 x 430 (png)
800 x 600 (png)	1659 x 1246 (png)
1500 x 1446 (jpg)	3848 x 2812 (png)
3849 x 2862 (jpg)	



**Left facing**

54 x 41 (jpg)	54 x 41 (png)
100 x 70 (jpg)	96 x 72 (jpg)
96 x 72 (png)	99 x 74 (png)
153 x 115 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (png)
247 x 185 (png)	170 x 190 (jpg)
257 x 193 (png)	320 x 240 (jpg)
320 x 240 (png)	474 x 356 (png)
513 x 385 (png)	400 x 400 (jpg)
400 x 400 (png)	573 x 430 (png)
800 x 600 (png)	1659 x 1246 (png)
1500 x 2067 (jpg)	2696 x 2901 (png)
2694 x 2942 (jpg)	



**Right facing**

54 x 41 (jpg)	54 x 41 (png)
100 x 70 (jpg)	96 x 72 (jpg)
96 x 72 (png)	99 x 74 (png)
153 x 115 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (png)
247 x 185 (png)	170 x 190 (jpg)
257 x 193 (png)	320 x 240 (jpg)
320 x 240 (png)	474 x 356 (png)
513 x 385 (png)	400 x 400 (jpg)
400 x 400 (png)	573 x 430 (png)
800 x 600 (png)	1659 x 1246 (png)
1500 x 2059 (jpg)	2702 x 2911 (png)
2704 x 2948 (jpg)	



**Left profile closed**

54 x 41 (jpg)	54 x 41 (png)
100 x 70 (jpg)	96 x 72 (jpg)
96 x 72 (png)	99 x 74 (png)
153 x 115 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (png)
247 x 185 (png)	170 x 190 (jpg)
257 x 193 (png)	320 x 240 (jpg)
320 x 240 (png)	474 x 356 (png)
513 x 385 (png)	400 x 400 (jpg)
400 x 400 (png)	573 x 430 (png)
800 x 600 (png)	1659 x 1246 (png)
1438 x 2861 (png)	1438 x 2914 (jpg)
1500 x 3888 (jpg)	



**Rear facing**

54 x 41 (jpg)	54 x 41 (png)
100 x 70 (jpg)	96 x 72 (jpg)
96 x 72 (png)	99 x 74 (png)
153 x 115 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (png)
247 x 185 (png)	170 x 190 (jpg)
257 x 193 (png)	320 x 240 (jpg)
320 x 240 (png)	474 x 356 (png)
513 x 385 (png)	400 x 400 (jpg)
400 x 400 (png)	573 x 430 (png)
800 x 600 (png)	1659 x 1246 (png)
1500 x 1500 (jpg)	3710 x 2785 (png)
3711 x 2843 (jpg)	

## HP Care Pack Services

### HP Recommends

Active	HP 5 year Next Business Day Onsite Hardware Support for Monitors	U0A97E
Active	HP 4 year Next business day Onsite Standard Monitor Hardware Support	U0A96E
Active	HP 3y NextBusDay Standard Monitor HWSupp	UD950E

### Personal Systems Commercial Care Pack Services

Active	HP 3y NextBusDay Standard Monitor HWSupp	UD950E
Active	HP 4 year Next business day Onsite Standard Monitor Hardware Support	U0A96E
Active	HP 5 year Next Business Day Onsite Hardware Support for Monitors	U0A97E

## Detailed Specifications

### Additional information about HP in the countries

[hp.com](http://hp.com)

### Aspect ratio

16:9

### Brightness

300 cd/m<sup>2</sup>

### Brightness (typical) footnote number

[1]

### Certifications and compliances

Australian-New Zealand MEPS; BSMI; CB; CCC; CECP; CEL; ISC; KC; KCC; PSB; SEPA; VCCI; Vietnam MEPS; WEEE; Microsoft WHQL Certification Win-10, Win-8, Win-7

### Code name

Queen

### Contrast ratio

1000:1 static; 10000000:1 dynamic

### Contrast ratio footnote number

[1]

### Copyright notice

Copyright © 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

### Country of origin

Made in China

### Datasheet publication number

4AA7-3234

### Dimensions (W x D x H) Note

Without stand

### Dimensions With Stand (W x D x H)

62.02 x 23.99 x 44.26 cm

### Display area (imperial)

23.53 x 13.24 in

### Display area (metric)

59.78 x 33.63 cm

### Display features

Anti-glare; BrightView Panel; Language selection; LED Backlights; On-screen controls; Plug and Play; User programmable; Anti-static

### Display Input Type

1 DVI-D; 1 VGA; 1 HDMI 1.4

### Display input type note

with HDCP support on HDMI and DVI-D

### Display scan frequency (horizontal)

Up to 80 kHz

### Display scan frequency (vertical)

Up to 60 Hz

### Display size (diagonal)

68.58 cm (27")

### Display type

IPS with LED backlight

### Environmental

Arsenic-free display glass; Mercury-free display backlights

**Image legal disclaimer**

Product image may differ from actual product

**Legal disclaimer**

EPEAT® registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country. See HP's 3rd party option store for solar energy accessory at [www.hp.com/go/options](http://www.hp.com/go/options)

**Minimum dimensions (W x D x H)**

62.02 x 4.51 x 36.22 cm

**Onscreen controls**

Brightness; Color Control; Contrast; Exit; Image Control; Information; Input Control; Language; Management; Menu; Power Control

**Operating humidity range**

20 to 80% RH

**Operating temperature range**

41 to 95°F

**Operating temperature range**

5 to 35°C

**Physical security**

Security lock-ready (lock is sold separately)

**Pixel pitch**

0.311 mm

**Power**

Input voltage: 100 to 240 VAC

**Power consumption**

35 W (maximum), 31 W (typical), 0.5 W (standby)

**Product brand name**

HP

**Quickspec**

<http://h20195.www2.hp.com/v2/GetDocument.aspx?docname=c05943581>

**Resolution (native)**

FHD (1920 x 1080 @60 Hz)

**Resolutions supported**

1024 x 768; 1280 x 1024; 1280 x 720; 1280 x 800; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080; 640 x 480; 720 x 400; 800 x 600

**Response time**

5 ms gray to gray (with overdrive)

**Response time footnote number**

[1]

**Sales office and telephone number**

Albania: +49 89 9396 1803; Algeria: +213 (0) 61 68 23 00; Austria: +43 (0) 810 00 60 80; Bahrain: 800 171; Belgium: +32 (02) 729 71 11; Bulgaria: +359 2 969 87; Bosnia-Herzegovina: +49 89 9396 1803; Commonwealth of Independent States (CIS): +(095) 923 50 01; Croatia: +385 1 606 02 00; Czech Republic: +420 261 108 108; Denmark: +45 48 12 10 00; HP East Africa, Authorized Consultant: +254 20 27 16 111; Egypt: HP +202 792 5070; Estonia: +372 6 813 820; Finland: HP Myyntipalvelu 010 217 2700; France: +33 (0) 826 800 400; Germany: +49 (0) 180 532 62 22; Greece: +30 801 11 22 55 47; Hungary: +36 (1) 382 11 11; Iceland: +354 (1) 67 10 00; Ireland: +353 1 615 82 00; Israel: +972 9 830 48 48; Italy: Prodotti +39 02 92607 330, Servizio HP Care Pack: +39 02 9212 2040; Kazakhstan & Kyrgyzstan: +7 327 2 58 43 43; Latvia: +371 703 07 00; Lithuania: +370 5 2103 300; Luxembourg: (+352) 263 160 34 Macedonia: +49 89 9396 1803; Malta: +49 89 9396 1803; Middle East (Within UAE Toll Free): 800 45 20; Moldova: +49 89 9396 1803; Morocco (African Region): Call Centre +212 22 40 47 47, HP Sale Office +212 22 97 37 37/+212 22 43 64 00; Netherlands: 0800 266 7272; Nigeria: + 234 13 205 241/3; Norway: +47 24 09 70 00; Poland: 0 801 522 622 and/or 00 48 22 565 77 00 (calls are charged at national rates); Portugal: +351 808 200 808 (end user welcome desk for commercial products); Romania: +40 (21) 303 83 00; Saudi Arabia: (Toll free) 800 897 14 33, Office Number: +96612731200; Serbia and Montenegro: +381 11 201 99 00; Slovakia: 0800 147 147; Slovenia: +386 1 230 74 20; Spain: +34 (91) 631 16 00; Sweden: +46 200 27 00 00; Switzerland: Pre-sales/product information +41 (0) 848 88 44 66, Spare parts, manuals +41 (0) 848 84 74 64; Tunisia: +216 1 89 12 22; Turkey: +90 (212) 444 79 79; UAE (Toll Free): 800 45 20; UAE (Toll Free): 800 45 20 or 800 49 10; Ukraine: +380 44 490 61 20; United Kingdom: HP Teleweb Glasgow +44 (0) 845 270 40 00

**Service description**

HP 3 year Next business day Onsite Standard Monitor Hardware Support

**Services (Care Pack)**

Receive 3 years of next business day onsite HW Support from an HP-qualified technician for your computing device, if the issue cannot be solved remotely.

**Tech spec footnote**

[1] All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

**Tech spec footnote**

[2] EPEAT® Silver (select regions).

**Tilt and swivel angle**

Tilt: -5 to +20°

**Trademark information**

ENERGY STAR® and the ENERGY STAR® mark are registered trademarks of the U.S. Environmental Protection Agency.

**UNSPSC code**

43211902

**VESA mount**

100 mm

**View angle**

178° horizontal; 178° vertical

**Warranty**

1 year limited warranty

**Weight**

5.2 kg

**Weight note (metric)**

With stand

**What's in the box**

AC power cord; Documentation; VGA cable

*The product could differ from the images shown. © Copyright 2015 HP Inc. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable.*