

Suggested List Price

International –

Standard Equipment and Accessories

Effective: November 1, 2015

Revised: January 15, 2016



TABLE OF CONTENTS

Cube Ice Machines.....	3-13
Standard Remotes.....	7
QuietQube® Remotes & Ice Beverage.....	9-10
Flake Ice Machines.....	11-12
Nugget Ice Machines.....	12
Dispensers.....	14
Ice Storage Bins.....	15
Bin Adapters & Deflector Kits.....	16-17
Accessories.....	18-20

NOTATIONS

Shipping weights are approximate.

TERMS

Terms

Terms are as Company may extend to purchaser.

Terms for Parts

C.O.D. (Deviation on authorization of Credit Department only.)

Returned Parts

Will not serve as an offset for accounting purposes. Credits for returned parts are issued by our Parts Department after inspection of returned defective parts indicates a credit is in order.

Prices

Prices are F.O.B. Manitowoc, Wisconsin. All prices and specifications are subject to change without notice.

COMMERCIAL WARRANTY

Warranty - Cube Ice Machine

- 5-year parts-and-labor coverage on Indigo, S, U, QQ and IB-model ice machine evaporators.
- 5-year parts and 3-year labor coverage on Indigo, S, U, QQ and IB-model ice machine compressor.
- 3-year parts-and-labor coverage on all dispensers, storage bins, and Indigo, S, U, QQ and IB-model ice cube machines.

Warranty - QM Series Ice Machine

- 3-year parts-and-labor coverage on all components.

Warranty - SM/BG Series Ice Machine

- 3-year parts-and-labor coverage on all components.

Warranty - RF/RNS Ice Machines

- 3-year parts.
- 2-year labor.
- Compressor parts for 5 years and labor for 2 years.

Warranty - Countertop Nugget Dispenser Ice Machines (RNS12/20)

- 2-year parts-and-labor coverage on all components.
- Compressor parts for 5 years and labor for 2 years.

RESIDENTIAL WARRANTY

Warranty - All Ice Machines

- 1-year parts-and-labor


ICE STYLES

- Dice Cube2.22 x 2.22 x 2.22 cm
100% ice to water ratio.
- Half Dice Cube0.95 x 2.86 x 2.22 cm
100% ice to water ratio.
- Regular Cube.....2.86 x 2.86 x 2.22 cm
100% ice to water ratio.
- Gourmet Cube3.49 x 3.49 cm octagon
shape cube
(SM-50 model).
100% ice to water ratio.
- Large Gourmet2" tall x 1-1/2" wide
x 1- 3/4" thick. 60
grams, 100% ice to
water ratio.
- Nugget Ice.....Countertop, Under-
counter and Modular
Ice Makers 0.76 x 0.76
x 1.27 cm pieces. 90%
ice to water ratio.
- Flake IceFlake ice is smaller
bits of ice. 73% ice to
water ratio.

ICE STORAGE CAPACITY


The calculation used to determine actual ice storage capacity varies among manufacturers, most use the AHRI standard. When the AHRI standard is not referenced, use cubic meters capacity for accurate comparison between manufacturer's models.








DIMENSION DRAWINGS



Height includes legs set at 15.2 cm. Legs adjust from 15.2 cm to 19.1 cm.

HOW TO READ A MODEL NUMBER



	Model	Condenser Type	Cube Size	Shipping Weight	115/60/1-161	208-230/60/1-261	230/50/1-251			
SM-50		SM-50A	Air Cooled	Standard Octagon	52 kg	\$3,603				
		<p>Ice storage capacity 25 lbs. Includes AR-2800 water filter. Drain pump available as accessory (K-00376). Includes 6' power cord with NEMA 5-15P plug. Not compatible with AuCS. IMPORTANT NOTE: Use only Metal Safe Cleaner 000006036 on this product. Other cleaners will damage the evaporator and will not be covered under warranty.</p>								
QM-30/QM-45		QM-30A	Air Cooled	Dice	49 kg	\$3,641	\$3,701			
		QM-45A	Air Cooled	Dice	52 kg	\$4,346	\$4,406			
<p>Ice storage capacity 14 kg Includes 1.8 m power cord with NEMA 5-15P plug. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with AuCS.</p>										
Q-210/Q-270		Q-210	W 66 D 67.3 H 97.8 cm	Q-210A	Air R-290	Half Dice	72 kg			\$5,373
		Q-270	W 76.2 D 71.5 H 97.8 cm	Q-270A	Air R-290	Half Dice	95 kg			\$6,186
<p>Ice storage capacity is 36 kg for the Q-210 and 45.4 kg for the Q-270. Includes 1.8 m power cord with NEMA 5-15P plug. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with AuCS.</p>										
U-140 / U-190		UR-0140A	Air Cooled	Regular	69 kg	\$3,942★		\$4,002		
		UD-0140A	Air Cooled	Dice	69 kg	\$3,942★	\$3,992★	\$4,002		
		UD-0140W	Water Cooled	Dice	69 kg	\$3,942				
		UY-0140A	Air Cooled	Half Dice	69 kg	\$3,942★	\$3,992★	\$4,002		
		UY-0140W	Water Cooled	Half Dice	69 kg	\$3,942				
		UR-0190A	Air Cooled	Regular	69 kg	\$4,144★		\$4,204		
		UD-0190A	Air Cooled	Dice	69 kg	\$4,144★	\$4,194★	\$4,204		
		UY-0190A	Air Cooled	Half Dice	69 kg	\$4,144★	\$4,194★	\$4,204		
		U-140	*60 kg daily at 70/50° *43 kg daily at 90/70°							
		U-190	*90 kg daily at 70/50° *64 kg daily at 90/70°							
<p>Ice storage capacity up to 40 kg. Includes 1.8 m power cord with NEMA 5-15P plug. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with AuCS. LuminIce™ compatible as accessory (K-00440).</p>										
U-240		UR-0240A	Air Cooled	Regular	71 kg	\$4,647★	\$4,697★	\$4,707		
		UD-0240A	Air Cooled	Dice	71 kg	\$4,647★	\$4,697★	\$4,707		
		UD-0240W	Water Cooled	Dice	73 kg	\$4,647	\$4,697	\$4,707		
		UY-0240A	Air Cooled	Half Dice	72 kg	\$4,647★	\$4,697★	\$4,707		
		UY-0240W	Water Cooled	Half Dice	72 kg	\$4,647	\$4,697	\$4,707		
		U-240	W 66 D 71.1 H 97.8 cm *102 kg daily at 70/50° *73 kg daily at 90/70°							
U-310		UR-0310A	Air Cooled	Regular	94 kg	\$5,520★		\$5,580		
		UD-0310A	Air Cooled	Dice	94 kg	\$5,520★	\$5,570★	\$5,580		
		UD-0310W	Water Cooled	Dice	96 kg	\$5,520				
		UY-0310A	Air Cooled	Half Dice	95 kg	\$5,520★	\$5,570★	\$5,580		
		UY-0310W	Water Cooled	Half Dice	96 kg	\$5,520				
		U-310	W 76.2 D 71.1 H 97.8 cm *138 kg daily at 70/50° *107 kg daily at 90/70°							
<p>Ice storage capacity 45.4 kg. Includes 1.8 m power cord with NEMA 5-15P plug. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with AuCS. LuminIce™ compatible as accessory (K-00440).</p>										
BG-260		BG-0260A	Air Cooled	Large Gourmet	147 kg.	\$8,000				
<p>Ice storage capacity 65 kg. Includes 1.8m power cord with 20A plug. Use cleaner (000006036) only with this model. Not compatible with AuCS or LuminIce.</p>										
<p>W 84 D 74 H 120.1 cm *142 kg daily at 70/50° *115 kg daily at 90/70°</p>										


UNDERCOUNTER CUBE

★ **ENERGY STAR® Qualified Model**

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Dice air-cooled condenser model at air temperature/water temperature.

UG-20 / UG-30



W 45 D 47.5 H 65 cm


UG-20: *22 kg daily at 21/10°
*16.6 kg daily at 32/21°
UG-30: *31 kg daily at 21/10°
*25.3 kg daily at 32/21°

Model	Condenser Type	Cube Size	Shipping Weight	115/60/1 -161	208-230/60/1 -261	230/50/1 -251
UG-020A	Air-Cooled	Gourmet	45 kg		\$2,193	\$2,193
UG-030A	Air-Cooled	Gourmet	45 kg	\$2,264	\$2,264	\$2,264
UG-030W	Water-Cooled	Gourmet	45 kg			\$2,825

Ice Storage Capacity 10 kg
 50 Hz Electric Connection Options: Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug
 60 Hz models offered in Z for Bare Lead.
 60Hz 115v add B for grounded power cord
 Use cleaner (000006036) only with this model.
 Not for use with AuCS cleaning system.
 Optional Leg Kit K-00345

Contact your local distributor for pricing.

UG-40 / UG-50



W 55 D 55 H 80 cm


UG-40: *45 kg daily at 21/10°
*36 kg daily at 32/21°
UG-50: *55.3 kg daily at 21/10°
*43 kg daily at 32/21°

UG-040A	Air-Cooled	Gourmet	59 kg		\$2,723	\$2,723
UG-050A	Air-Cooled	Gourmet	60 kg	\$2,764	\$2,764	\$2,825
UG-050W	Water-Cooled	Gourmet	60 kg			\$3,162

Ice Storage Capacity 25 kg
 50 Hz Electric Connection Options : Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug
 60 Hz models offered in Z for Bare Lead.
 60Hz 115v add B for grounded power cord
 Use cleaner (000006036) only with this model.
 Not for use with AuCS cleaning system.
 Optional Leg Kit K-00345

Contact your local distributor for pricing.

UG-65 / UG-80



W 70 D 60 H 90 cm











UG-65: *67.3 kg daily at 21/10°
*58.3 kg daily at 32/21°
UG-80: *86.4 kg daily at 21/10°
*67.5 kg daily at 32/10°

UG-065A	Air-Cooled	Gourmet	72 kg		\$3,172	\$3,172
UG-080A	Air-Cooled	Gourmet	75 kg		\$3,330	\$3,346

Ice Storage Capacity 44 kg
 50 Hz Electric Connection Options : Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug
 60 Hz models offered in Z for Bare Lead.
 Use cleaner (000006036) only with this model.
 Not for use with AuCS cleaning system.
 Optional Leg Kit K-00345

Contact your local distributor for pricing.


**Daily ice production based on 50 Hz air-cooled condenser model at air temperature/water temperature.
 For Sotto 50 Hz models, add "Z" for Bare Lead, "F" for Schuko, "I" for Oblique Flat Blades, and "G" for Blade to end of model number when ordering.*

	Model	Condenser Type	Cube Size	Shipping Weight	115/60/1 -161	208-230/60/1 -261	230/50/1 -251		
i-300 Series		ID-0302A	Air Cooled	Dice	64 kg	\$5,144★	\$5,194★	\$5,204	
		ID-0303W	Water Cooled	Dice	63 kg	\$5,144	\$5,194	\$5,204	
		IY-0304A	Air Cooled	Half-Dice	67 kg	\$5,144★	\$5,194★	\$5,204	
		IY-0305W	Water Cooled	Half-Dice	65 kg	\$5,144	\$5,194	\$5,204	
		Optional Configurations:							
	LuminIce™ Growth Inhibitor (Add "X" to end of model number)				+ \$604	+ \$604	+ \$604		
		Recommended Bins: B-400 (see page 15).							
		See pages 14, 16 & 17 for required adapters, deflectors, and dispenser baffles. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.							
	W 76.2 D 62.2 H 41.9 cm								
	*141 kg daily at 70/50°								
	*107 kg daily at 90/70°								
	Not Stackable								
i-322 Series		ID-0322A	Air Cooled	Dice	62 kg	\$5,303	\$5,353	\$5,363	
		ID-0323W	Water Cooled	Dice	59 kg	\$5,303	\$5,353	\$5,363	
		IY-0324A	Air Cooled	Half-Dice	62 kg	\$5,303	\$5,353	\$5,363	
		IYP-0324A	Air R-290	Half-Dice	62 kg			\$6,337	
		IY-0325W	Water Cooled	Half-Dice	61 kg	\$5,303	\$5,353	\$5,363	
		Optional Configurations:							
	LuminIce™ Growth Inhibitor (Add "X" to end of model number)				+ \$604	+ \$604	+ \$604		
	High Pressure Water Valve (Add "HP" to end of water-cooled model number)					+ \$855			
		Recommended Bins: B-320 or B-420 (see page 15).							
		See pages 14, 16 & 17 for required adapters, deflectors, and dispenser baffles. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.							
	W 55.9 D 62.2 H 54.6 cm								
	*159 kg daily at 70/50°								
	*104 kg daily at 90/70°								
	Not Stackable								
i-450 Series		ID-0452A	Air Cooled	Dice	73 kg	\$5,697★	\$5,747★	\$5,757	
		ID-0453W	Water Cooled	Dice	64 kg	\$5,697	\$5,747	\$5,757	
		IY-0454A	Air Cooled	Half-Dice	77 kg	\$5,697★	\$5,747★	\$5,757	
		IY-0455W	Water Cooled	Half-Dice	70 kg	\$5,697	\$5,747	\$5,757	
		Optional Configurations:							
			LuminIce™ Growth Inhibitor (Add "X" to end of model number)				+ \$604	+ \$604	+ \$604
	Correctional Model (Add "P" to end of model number)				+ \$843	+ \$843			
	High Pressure Water Valve (Add "HP" to end of water-cooled model number)					+ \$855			
		Recommended Bins: B-400 or B-570 (see page 15).							
		See pages 14, 16 & 17 for required adapters, deflectors, and dispenser baffles. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Ice Production and energy usage different for alternative refrigerant models. See spec sheet.							
	W 76.2 D 62.2 H 54.6 cm								
	*204 kg daily at 70/50°								
	*152 kg daily at 90/70°								
	Not Stackable								
i-522 Series		IR-0520A	Air Cooled	Regular	65 kg	\$5,559	\$5,609	\$5,619	
		IR-0521W	Water Cooled	Regular	64 kg	\$5,559	\$5,609	\$5,619	
		ID-0522A	Air Cooled	Dice	65 kg	\$5,559	\$5,609	\$5,619	
		ID-0523W	Water Cooled	Dice	64 kg	\$5,559	\$5,609	\$5,619	
		IY-0524A	Air Cooled	Half-Dice	66 kg	\$5,559	\$5,609	\$5,619	
		IY-0525W	Water Cooled	Half-Dice	64 kg	\$5,559	\$5,609	\$5,619	
		Optional Configurations:							
	LuminIce™ Growth Inhibitor (Add "X" to end of model number)				+ \$604	+ \$604	+ \$604		
	Correctional Model (Add "P" to end of model number)				+ \$843	+ \$843			
	High Pressure Water Valve (Add "HP" to end of water-cooled model number)					+ \$855			
		Recommended Bins: B-320 or B-420 (see page 15).							
		See pages 14, 16 & 17 for required adapters, deflectors, and dispenser baffles. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Ice Production and energy usage different for alternative refrigerant models. See spec sheet.							
	W 55.9 D 62.2 H 54.6 cm								
	*220 kg daily at 70/50°								
	*163 kg daily at 90/70°								
	Not Stackable								
i-500 Series		IR-0500A	Air Cooled	Regular	73 kg	\$5,914★	\$5,964★	\$5,974	
		IR-0501W	Water Cooled	Regular	72 kg	\$5,914	\$5,964	\$5,974	
		ID-0502A	Air Cooled	Dice	71 kg	\$5,914★	\$5,964★	\$5,974	
		ID-0503W	Water Cooled	Dice	74 kg	\$5,914	\$5,964	\$5,974	
		ID-0592N	Remote Air ¹	Dice	74 kg	\$5,778			
		IY-0504A	Air Cooled	Half-Dice	72 kg	\$5,914★	\$5,964	\$5,974	
		IYP-0504A	Air R-290	Half-Dice	66 kg			\$6,941	
		IY-0505W	Water Cooled	Half-Dice	73 kg	\$5,914	\$5,964	\$5,974	
		IY-0594N	Remote Air ¹	Half-Dice	73 kg	\$5,778			
		Optional Configurations:							
			LuminIce™ Growth Inhibitor (Add "X" to end of model number)				+ \$604	+ \$604	+ \$604
	High Pressure Water Valve (Add "HP" to end of water-cooled model number)					+ \$855			
		Recommended Bins: B-400, B-570 or F-700 (see page 15).							
		See pages 14, 16 & 17 for required adapters, deflectors, and dispenser baffles. ¹ Use JC-0495 remote condenser and RT()R-404A tubing kit (see page 8). Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.							
	W 76.2 D 62.2 H 54.6 cm								
	*254 kg daily at 70/50°								
	*186 kg daily at 90/70°								
	Not Stackable								

★ ENERGY STAR® Qualified Model

*Daily ice production based on Half-Dice air-cooled model at air temperature/water temperature.

i-606 Series



W 76.2 D 62.2 H 54.6 cm
 *288 kg daily at 70/50°
 *252 kg daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263	230/50/1-251
ID-0606A	Air Cooled	Dice	88 kg	\$6,965★		\$7,025
ID-0606W	Water Cooled	Dice	88 kg	\$6,965		\$7,025
ID-0696N	Remote Air ¹	Dice	97 kg	\$6,826		\$6,886
IY-0606A	Air Cooled	Half Dice	94 kg	\$6,965★		\$7,025
IY-0606W	Water Cooled	Half Dice	88 kg	\$6,965		\$7,025
IY-0696N	Remote Air ¹	Half Dice	100 kg	\$6,826		\$6,886

Optional Configurations:

LuminIce™ Growth Inhibitor (Add "X" to end of model number) + \$604 + \$604 + \$604
Correctional Model (Add "P" to end of model number) + \$843 + \$843 + \$843



Not Stackable

Recommended Bins: B-570 or F-700 (see page 15).


See pages 14, 16 & 17 for required adapters, deflectors, and dispenser baffles.

¹Use JC-0895 remote condenser and RT()R-404A tubing kit (see page 8).

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc

F-Style bins and Manitowoc B-750, B-1050, B-1100, and B-1400 bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

i-906 Series



W 76.2 D 62.2 H 67.3 cm
 *426 kg daily at 70/50°
 *295 kg daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263	230/50/1-251
IR-0906A	Air Cooled	Regular	97 kg	\$8,691★	\$8,891★	\$8,916
IR-0906W	Water Cooled	Regular	105 kg	\$8,691	\$8,891	\$8,916
IR-0996N	Remote Air ¹	Regular	105 kg	\$8,556★	\$8,756★	\$8,781
ID-0906A	Air Cooled	Dice	97 kg	\$8,691	\$8,891★	\$8,916
ID-0906W	Water Cooled	Dice	96 kg	\$8,691	\$8,891	\$8,916
ID-0996N	Remote Air ¹	Dice	96 kg	\$8,556★	\$8,756★	\$8,781
IY-0906A	Air Cooled	Half Dice	100 kg	\$8,691★	\$8,891★	\$8,916
IY-0906W	Water Cooled	Half Dice	99 kg	\$8,691	\$8,891	\$8,916
IY-0996N	Remote Air ¹	Half Dice	99 kg	\$8,556★	\$8,756★	\$8,781

Optional Configurations:

LuminIce™ Growth Inhibitor (Add "X" to end of model number) + \$604 + \$604 + \$604
Correctional Model (Add "P" to end of model number) + \$843 + \$843 + \$843



Not Stackable


Recommended Bins: B-570, B-970 or F-1300 (See page 15).

See pages 14, 16 & 17 for required adapters, deflectors, and dispenser baffles.

¹Use JC-0995 remote condenser and RT()R-404A tubing kit (see page 8).

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins and Manitowoc B-750, B-1050, B-1100, and B-1400 bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

i-1106 Series




W 76.2 D 62.2 H 74.9 cm
 *544 kg daily at 70/50°
 *395 kg daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263	230/50/1-251
ID-1106A	Air Cooled	Dice	105 kg	\$9,854★	\$10,054★	\$10,079
ID-1106W	Water Cooled	Dice	103 kg	\$9,854	\$10,054	\$10,079
ID-1196N	Remote Air ¹	Dice	103 kg	\$9,727★	\$9,927★	\$9,952
IY-1106A	Air Cooled	Half Dice	109 kg	\$9,854★	\$10,054★	\$10,079
IY-1106W	Water Cooled	Half Dice	108 kg	\$9,854	\$10,054	\$10,079
IY-1196N	Remote Air ¹	Half Dice	107 kg	\$9,727★	\$9,927★	\$9,952

Optional Configurations:

LuminIce™ Growth Inhibitor (Add "X" to end of model number) + \$604 + \$604 + \$604
Correctional Model (Add "P" to end of model number) + \$843 + \$843 + \$843



Not Stackable

Recommended Bins: B-570, C-730S, B-970,

F-1300, F-1325, F-1650 or FC-1350 (See page 15).


See pages 14, 16 & 17 for required adapters, deflectors, and

dispenser baffles. ¹Use JC-0995 remote condenser and RT()R-404A tubing kit

(see page 8). Kit K00347 ice deflector must be ordered separately if used with:

non-Manitowoc bins, Manitowoc F-Style bins and Manitowoc B-750, B-1050, B-1100, and B-1400 bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

i-1200 Series



W 76.2 D 62.2 H 74.9 cm
 *547 kg daily at 70/50°
 *422 kg daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263	230/50/1-251
ID-1202A	Air Cooled	Dice	109 kg	\$11,347	\$11,547	\$11,572
ID-1203W	Water Cooled	Dice	111 kg	\$11,347	\$11,547	\$11,572
IY-1204A	Air Cooled	Half Dice	114 kg	\$11,347	\$11,547	\$11,572
IY-1205W	Water Cooled	Half Dice	111 kg	\$11,347	\$11,547	\$11,572

Optional Configurations:

LuminIce™ Growth Inhibitor (Add "X" to end of model number) + \$604 + \$604 + \$604



Not Stackable

Recommended Bins: B-570, C-730S, B-970,

F-1300, F-1325, F-1650 or FC-1350 (See page 15).


See pages 14, 16 & 17 for required adapters, deflectors, and

dispenser baffles. Kit K00347 ice deflector must be ordered separately

if used with: non-Manitowoc bins, Manitowoc F-Style bins and Manitowoc

B-750, B-1050, B-1100, and B-1400 bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

i-1406 Series



W 121.9 D 62.2 H 74.9 cm
 *753 kg daily at 70/50°
 *593 kg daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263	230/50/1-251
ID-1406A	Air Cooled	Dice	132 kg	\$11,864 ★	\$12,064 ★	\$12,089
ID-1406W	Water Cooled	Dice	135 kg	\$11,864	\$12,064	\$12,089
ID-1496N	Remote Air ¹	Dice	133 kg	\$11,718 ★	\$11,918 ★	\$11,943
IY-1406A	Air Cooled	Half Dice	132 kg	\$11,864 ★	\$12,064 ★	\$12,089
IY-1406W	Water Cooled	Half Dice	133 kg	\$11,864	\$12,064	\$12,089
IY-1496N	Remote Air ¹	Half Dice	135 kg	\$11,718 ★	\$11,918 ★	\$11,943

Optional Configurations:

LuminIce™ Growth Inhibitor (Add "X" to end of model number)	+ \$604	+ \$604	+ \$604
Correctional Model (Add "P" to end of model number)	+ \$843	+ \$843	




Not Stackable

Recommended Bins: B-970, F-1300, F-1325, F-1650 or FC-1350 (See page 15).

See pages 16 & 17 for required adapters and deflectors.

¹Use JC-1395 remote condenser and RL()R-404A tubing kit (see page 8). Kit K00349 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins and Manitowoc B-1100, and B-1400 bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

i-1800 Series



W 121.9 D 62.2 H 74.9 cm
 *844 kg daily at 70/50°
 *660 kg daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263	230/50/1-251
IR-1800A	Air-Cooled	Regular	144 kg	\$14,632	\$14,832	\$14,857
IR-1890N	Remote Air ¹	Regular	147 kg	\$14,498	\$14,698	\$14,723
ID-1802A	Air Cooled	Dice	144 kg	\$14,632	\$14,832	\$14,857
ID-1803W	Water Cooled	Dice	145 kg	\$14,632	\$14,832	\$14,857
ID-1892N	Remote Air ¹	Dice	147 kg	\$14,498	\$14,698	\$14,723
IY-1804A	Air Cooled	Half Dice	146 kg	\$14,632	\$14,832	\$14,857
IY-1805W	Water Cooled	Half Dice	146 kg	\$14,632	\$14,832	\$14,857
IY-1894N	Remote Air ¹	Half Dice	150 kg	\$14,498	\$14,698	\$14,723

Optional Configurations:

LuminIce™ Growth Inhibitor (Add "X" to end of model number)	+ \$604	+ \$604	+ \$604
Correctional Model (Add "P" to end of model number)	+ \$843	+ \$843	




Not Stackable

Recommended Bins: B-970, F-1300, F-1325, F-1650 or FC-1350 (See page 15).

See pages 16 & 17 for required adapters and deflectors.


¹Use JC-1395 remote condenser and RL()R-404A tubing kit (see page 8). Kit K00349 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins and Manitowoc B-1100, and B-1400 bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

S-3300 Series



W 121.9 D 78.7 H 91.4 cm
 *1,533 kg daily at 70/50°
 *1,263 kg daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/3-263
SD-3303W3	Water Cooled	Dice	227 kg	\$25,238
SD-3303W3HP	Water Cooled	Dice	227 kg	\$26,615
SY-3305W3	Water Cooled	Half Dice	230 kg	\$25,238
SY-3305W3HP	Water Cooled	Half Dice	230 kg	\$26,615



Not Stackable

Recommended Bins: F-1300, F-1325, F-1650 or FC-1350 (See page 15). See pages 16 & 17 for required adapters and deflectors.

Not for use with AuCS cleaning system.

Kit K00391 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc 121.9 cm & 152.4 cm F-Style bins and Manitowoc B-1100, and B-1400 bins.


HP = High Pressure Option

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

★ **ENERGY STAR® Qualified Model**

*Daily ice production based on half-dice air-cooled condenser model at air temperature/water temperature. S-3300 based on water-cooled condenser.

MARINE ICE CUBE MACHINES (WATER-COOLED ONLY)



i-606

W 76.2 D 62.2 H 54.6 cm

i-906

W 76.2 D 62.2 H 67.3 cm

i-1406

W 121.9 D 62.2 H 74.9 cm

i-1800


W 121.9 D 62.2 H 74.9 cm

Series	Model	21°/10°	32°/21°	Cube Size	Ship Weight	208-230/60/1 -261M	208-230/60/3 -263M	460/60/3 -463M
i-606	ID-0606W	300 kg	261 kg	Dice	88 kg	\$8,873		
	IY-0606W	318 kg	263 kg	Half Dice	88 kg	\$8,873		
i-906	ID-0906W	379 kg	336 kg	Dice	96 kg	\$10,868	\$11,068	\$11,768
	IY-0906W	397 kg	367 kg	Half Dice	99 kg	\$10,868	\$11,068	\$11,768
i-1406	ID-1406W	649 kg	601 kg	Dice	137 kg	\$13,334	\$13,534	\$14,234
	IY-1406W	662 kg	603 kg	Half Dice	133 kg	\$13,334	\$13,534	\$14,234
i-1800	ID-1803W	853 kg	758 kg	Dice	146 kg	\$16,433	\$16,633	\$17,333
	IY-1805W	857 kg	794 kg	Half Dice	146 kg	\$16,433	\$16,633	\$17,333

Not Stackable

MODULAR MARINE

STANDARD REMOTE AIR-COOLED CONDENSER




Model	For use with Remote Ice Machine	Shipping Weight	115/60/1 -161	208-230/60/1 -261	230/50/1 -251
JC-0495	i-500 Series	29 kg	\$1,391		
JC-0895	i-606 Series	35 kg		\$1,777	\$1,777
JC-0995	i906 and i1106 Series	35 kg		\$1,814	\$1,814
JC-1395	i-1406 and i-1800 Series	36 kg		\$1,854	\$1,854

NOTE: For coated condenser coils, add \$200 to list price. This option is recommended for high salt spray environments. Must be requested at time of order.

REMOTE

STANDARD REMOTE TUBING KITS & ACCESSORIES



Kit	For use with Series	Tubing Length	Shipping Weight	Suggested List Price
RT-20-R-404A	i-500, 606, 906, 1106 - Precharged	6.1 m	5 kg	\$396
RT-35-R-404A	i-500, 606, 906, 1106 - Precharged	10.7 m	7 kg	\$488
RT-50-R-404A	i-500, 606, 906, 1106 - Precharged	15.2 m	10 kg	\$587
RL-20-R-404A	i-1406, 1800 - Precharged	6.1 m	5 kg	\$396
RL-35-R-404A	i-1406, 1800 - Precharged	10.7 m	8 kg	\$488
RL-50-R-404A	i-1406, 1800 - Precharged	15.2 m	10 kg	\$587

ACCESSORY

K-00129	Remote Coupling Kit needed for non-Manitowoc Tubing	1 kg	\$135
---------	---	------	-------


NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an S or Indigo remote model requires a NEW condenser and line set. Use of a new multi-circuited condenser is approved when sized and installed as outlined in Manitowoc Product Information. Rack system applications are not approved.

TOP AIR DISCHARGE KIT

Kit	For use with Series	Shipping Weight	Suggested List Price
K-00379	Indigo (450, 500, 606) models & S Series (450,500, 600)	9 kg	\$349
K-00438	Indigo or S Series 320 and 520	8 kg	\$349
K-00439	Indigo 906	8 kg	\$349
K-00449	Indigo 1106 and 1200	9 kg	\$349

QUIETQUBE® ICE MACHINES

QuietQube® Ice Machines



i-686C


W 76.2 D 62.2 H 54.6 cm

i-976c

W 76.2 D 62.2 H 67.3 cm

i1176c

W 76.2 D 62.2 H 74.9 cm




i-1470C

W 76.2 D 62.2 H 63.5 cm

i-1870C / i-2176C


W 76.2 D 62.2 H 74.9 cm



S-3070C

W 121.9 D 78.7 H 91.4 cm

Ice/Bev Ice Machines



IB-696C

W 55.9 D 35.6 H 61.0 cm

IB-890C

W 55.9 D 35.6 H 67.3 cm

IB-1090C

W 55.9 D 35.6 H 77.5 cm

Series	Model	Daily Ice Production		Cube Shape	Shipping Weight	115/60/1 -161	230/50/1 -251
		70/50°	90/70°				
i-686C	ID-0686C	275 kg	236 kg	Dice	65 kg	\$6,603★	\$6,803
	IY-0686C	288 kg	240 kg	Half Dice	66 kg	\$6,603★	\$6,803
i-976C	ID-0976C	302 kg	263 kg	Dice	72 kg	\$8,103★	\$8,328
	IY-0976C	370 kg	279 kg	Half Dice	73 kg	\$8,103★	\$8,328
i-1170C	ID-1176C	461 kg	400 kg	Dice	78 kg	\$8,902★	
	IY-1174C	474 kg	408 kg	Half Dice	79 kg	\$8,902★	
i-1470C	ID-1472C	603 kg	515 kg	Dice	79 kg	\$10,584★	
	IY-1474C	646 kg	544 kg	Half Dice	81 kg	\$10,584★	
i-1870C	ID-1872C	778 kg	624 kg	Dice	95 kg	\$13,095	\$13,320
	IY-1874C	821 kg	667 kg	Half Dice	95 kg	\$13,095	\$13,320
i-2176C	ID-2176C	870 kg	732 kg	Dice	95 kg	\$13,340	
	IY-2176C	885 kg	767 kg	Half Dice	95 kg	\$13,340	
S-3070C	SD-3072C	1293 kg	1013 kg	Dice	192 kg	\$25,786	\$26,086
	SY-3074C	1320 kg	1043 kg	Half Dice	192 kg	\$25,786	
IB-696C	IB-0696YC	284 kg	252 kg	Half Dice	55 kg	\$7,523★	
IB-890C	IB-0894YC	374 kg	306 kg	Half Dice	59 kg	\$8,752★	\$8,977
IB-1090C	IB-1094YC	485 kg	413 kg	Half Dice	67 kg	\$9,480★	

Optional Configurations:

LuminIce™ Growth Inhibitor (Add "X" to end of model number)


+ \$604

+ \$604

Note: LuminIce™ not available on S-3070C models.


Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

Ice deflector K-00383 required for two i-1470, i1870 or i2176 units side by side. Single i1470, i1870 or i2176 requires K-00386 when installing on a C-730 ice storage bin. Kit not to be used when installing on an ice dispenser. i686C, i976C and i1176C require ice deflector K-00347 for F-Style or non-Manitowoc bins. S-3070C requires ice deflector K-00391 for F-Style or non-Manitowoc bins.




Ice Maker

+



Condensing Unit

+



Tubing

=


QuietQube®
or
Ice/Beverage
Ice Making
Components¹

NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an Indigo or S-remote model requires a NEW condenser and line set. Only Manitowoc CVD/ICVD condensing units are approved with QQ and IB Series machines.

¹Appropriate adapter is required with ice dispensers or storage bin. For Quiet Qube machines other than IB machines, an optional K-00446 bin dispenser thermostat kit maybe required for high humidity locations to reduce equipment sweating. IB ice machines come equipped from the factory with a built in bin dispenser thermostat.

★ ENERGY STAR® Qualified Model


CONDENSING UNITS



iCVD-0696
iCVD-0996
iCVD-1195
iCVD-1496
iCVD-1895
RCU-1075
RCU-1275
RCU-2375

W 86.4 D 61.3 H 65.4cm

W 115.6 D 42 H 78.5 cm *RJC-1275



iCVD-2096
CVD-3085

W 134.6 D 66 H 65.4 cm

W 130.6 D 47 H 116 cm *RJC-2375

Model	Condenser Type	For use with	Shipping Weight	208-230/60/1 -261	208-230/60/3 -263	230/50/1 -251	380-415/50/3 -453
ICVD-0696	Air-Cooled	i-686C, IB-696C	81 kg	\$2,702	\$2,809	\$2,702	
ICVD-0996	Air-Cooled	i-976C, IB-890C	83 kg	\$2,948	\$3,056	\$2,948	
ICVD-1195	Air-Cooled	i-1176C, IB-1090C	94 kg	\$3,115	\$3,222		
ICVD-1496	Air-Cooled	i-1470C	86 kg	\$3,408	\$3,515		
ICVD-1895	Air-Cooled	i-1870C	88 kg	\$4,214	\$4,321	\$4,241	
ICVD-2096	Air-Cooled	i-2176C	121 kg	\$6,886	\$6,993		
CVD-3085	Air-Cooled	S-3070C	122 kg		\$8865		\$8,865
RCU-1075	Air-Cooled	RN-1078C/RFS-1278C	91 kg	\$2,805	\$2,912		
RCU-1098	Air-Cooled	RNS-1078C	91 kg	\$2,805	\$2,912		
RCU-1275	Air-Cooled	RN-1278C	99 kg	\$2,959	\$3,066		
RCU-2375	Air-Cooled	RFS-2378C	113 kg		\$3,791		
RJC-1275	Air-Cooled	RFS-1278C	97 kg				\$7,114
RJC-2375	Air-Cooled	RFS-2378C	143 kg				\$10,007

NOTE: For coated condenser coils, add \$200 to list price. This option is recommended for high salt spray environments. Must be requested at time of order.

QUIETQUBE® & IB REMOTE TUBING KITS & ACCESSORIES

Kit	Indigo-Series Remote Tubing Kits	Shipping Weight	Suggested List Price
RC-26	6.1 m tubing length for iCVD-0696, 0996, and 1195 condensing units. Not precharged.	5 kg	\$274
RC-36	9.1 m tubing length for iCVD-0696, 0996, and 1195 condensing units. Not precharged.	8 kg	\$394
RC-56	15.2 m tubing length for iCVD-0696, 0996, and 1195 condensing units. Not precharged.	12 kg	\$630
RC-25	6.1 m tubing length for iCVD1496, and 1895 condensing units. Not precharged.	6 kg	\$304
RC-35	9.1 m tubing length for iCVD1496, and 1895 condensing units. Not precharged.	9 kg	\$453
RC-55	15.2 m tubing length for iCVD1496, and 1895 condensing units. Not precharged.	14 kg	\$717
RC-28	6.1 m tubing length for iCVD-2096 condensing units. Not precharged.	8 kg	\$391
RC-38	9.1 m tubing length for iCVD-2096 condensing units. Not precharged.	11 kg	\$677
RC-58	15.2 m tubing length for iCVD-2096 condensing units. Not precharged.	18 kg	\$1,100
K-00166	"S"-Trap kit for iCVD-1496, 1895, 2095, and CVD-3085 condensing units with line set rise over 6.1 m.	1 kg	\$72
K-00172	S-Trap kit for Indigo Series iCVD-0696, 0996, and 1195 condensing units with line set rise over 20'	1 lb.	\$72
K-00435	12.7 Meter communications wire kit for Indigo Quite Qube (included with all Indigo RC tubing kits)		\$108



Kit	Flake, S3070C Nugget Tubing Kits	Shipping Weight	Suggested List Price
RC-51	15.2 m tubing length for RCU and RJC condensing units. Not precharged.	12 kg	\$524
RC-24	6.1 m Tubing length for CVD-3085	17 kg	\$574
RC-34	9.1 m Tubing length for CVD-3085	21 kg	\$836
RC-54	15.2 m Tubing length for CVD-3085	33 kg	\$1,353







*IB ADAPTER FOR CORNELIUS DISPENSER: Ordered and shipped from Manitowoc Ice

K-00340	For 55.9 cm wide Enduro 150 for McDonald's ABS unit	12 kg	\$927
K-00341	62.2 cm Enduro 175	12 kg	\$1,016
K-00342	76.2 cm Enduro 200/250	14 kg	\$1,151
K-00343	111.8 cm Enduro 300	21 kg	\$1,373

IB ACCESSORY

K-00436	IB-1090C Back Enclosure Kit (for IB-1090C only)	5 kg	\$228
----------------	---	------	--------------


	Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161	208-230/60/1 -261	208-230/60/3 -261	230/50/1 -251
RF-0266	 RF-0266A W 50.0 D 66.0 H 95.3 cm *93 kg daily at 70/50° *68 kg daily at 90/70°	Air Cooled	Flake Ice	76 kg	\$6,853★			\$6,933
		<p>Ice storage capacity: RF-0266A = 27 kg</p> <p>Includes 1.8 m power cord with NEMA 5-15P plug. Use cleaner (000006036) only with this model. Not compatible with AuCS or LuminIce®. Price list performance rating is 60hz data. 50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.</p>						
RF-0385	 RF-0385A W 73.8 D 69.0 H 100.4 cm *159 kg daily at 70/50° *124 kg daily at 90/70°	Air Cooled	Flake Ice	102 kg	\$7,346★			\$7,426
		<p>Ice storage capacity: RF-0385A = 40 kg</p> <p>Includes 1.8 m power cord with NEMA 5-15P plug. Use cleaner (000006036) only with this model. Not compatible with AuCS or LuminIce®. Price list performance rating is 60hz data. 50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.</p>						

	Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161	208-230/60/1 -261	208-230/60/3 -263	230/50/1 -251
RFS-0300	 W 55.9 D 59.9 H 66.0 cm *176 kg daily at 70/50° *130 kg daily at 90/70°	Air Cooled	Flake Ice	79 kg	\$6,530			\$6,610
		<p>  Recommended Bins: B-320 or B-420 (See page 15). See pages 16 & 17 for required adapters.</p> <p>Use cleaner (000006036) only with this model. Price list performance rating is 60hz data. Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®. Not Stackable</p>						
RFS-0650	 W 55.9 D 59.9 H 66.0 cm *345 kg daily at 70/50° *245 kg daily at 90/70°	Air Cooled	Flake Ice	104 kg	\$8,253	\$8,303★		\$8,333
		Water Cooled	Flake Ice	104 kg	\$8,253	\$8,303		\$8,333
<p>  Recommended Bins: B-320 or B-420 (see page 15). See pages 16 & 17 for required adapters.</p> <p>Use cleaner (000006036) only with this model. Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®. Not Stackable</p>								

★ ENERGY STAR® Qualified Model

*Daily ice production based on air-cooled condenser model at air temperature/water temperature.


RFS-1200



W 76.2 D 59.9 H 70.0 cm

*584 kg daily at 70/50°
*396 kg daily at 90/70°

Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161	208-230/60/1 -261	208-230/60/3 -263	230/50/1 -251
RFS-1200A	Air Cooled	Flake Ice	119 kg		\$11,053		\$11,153
RFS-1200W	Water Cooled	Flake Ice	119 kg		\$11,053		\$11,153



Recommended Bins: B-400, B-570, B-970¹ (See page 15).

See pages 16 & 17 for required adapters.


¹B-970 bin requires 121.9 cm B-style bin adapter K-00458

Use cleaner (000006036) only with this model.

Price list performance rating is 60hz data.

Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®. **Not Stackable**

RFS-1270



W 55.9 D 59.9 H 66.0 cm

*523 kg daily at 70/50°
*435 kg daily at 90/70°

RFS-1278C**	QuietQube Remote	Flake Ice	84 kg		\$9,231★		\$9,331
--------------------	------------------	-----------	-------	--	-----------------	--	----------------

**Requires RCU1075 (60hz) or RJC 1275 (50hz) remote condensing unit and RC-51 tubing kit. (see page 10)



Recommended Bins: B-320, B-420, B-970¹ (See page 15).

See pages 16 & 17 for required adapters.


¹B-970 bin requires 121.9 cm B-style bin adapter K-00368

Use cleaner (000006036) only with this model.

Price list performance rating is 60hz data.

Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®. **Not Stackable**

RF-2300



W 93.4 D 68.4 H 70.0 cm

*1,097 kg daily at 70/50°
*755 kg daily at 90/70°

RF-2300A	Air Cooled	Flake Ice	205 kg			\$20,675	\$20,975
RF-2300W	Water Cooled	Flake Ice	205 kg			\$20,675	\$20,975

Recommended Bins: F-1300, F-1325, F-1650, FC-1350 (See page 15).




No additional adapter needed, use top provided with bin.

Use cleaner (000006036) only with this model.

Price list performance rating is 60hz data.

Not for use with SPA/SFA dispensers or AuCS. **Not Stackable**

RFS-2370C




W 76.2 D 59.9 H 70.0 cm

*984 kg daily at 70/50°
*772 kg daily at 90/70°

RFS-2378C**	QuietQube Remote	Flake Ice	127 kg		\$17,100★		\$17,200
--------------------	------------------	-----------	--------	--	------------------	--	-----------------

**Requires RCU2375 (60hz) or RJC2375 (50hz) remote condensing unit and RC-51 tubing kit. (see page 10)



Recommended Bins: B-970 (See page 15). Requires B-style bin adapter K00370


See pages 16 & 17 for required adapters.

Use cleaner (000006036) only with this model.

Price list performance rating is 60hz data.

Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®. **Not Stackable**

RNS-12 / RNS-20




W 41.3 D 61 H 106.7 cm W 41.3 D 61 H 106.7 cm
 *118 kg daily at 70/50° *85 kg daily at 90/70°
 *118 kg daily at 70/50° *85 kg daily at 90/70°

Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161	230/50/1 -251
RNS-12A	Air Cooled	Nugget	83 kg	\$8,030	\$8,163
RNS-12AT	Air Cooled	Nugget	83 kg	\$8,321	\$8,454
RNS-20A	Air Cooled	Nugget	90 kg	\$9,707	\$9,840
RNS-20AT	Air Cooled	Nugget	90 kg	\$9,998	\$10,131

Note Dispensing Type: "A" model is lever activated and "AT" model is sensor activated. 3 dispensing options: ice, water, and ice/water together. Bin capacity is 5 kg and 9 kg. Legs sold separately. Use cleaner (000006036) only with this model. Not compatible with AuCS. Price list performance rating is 60hz data.

Kit	Description	Electrical	Shipping Weight	Suggested List Price
K-00345	Leg kit (Adjustable: 11.4–16.5 cm)	—	1 kg	\$112
K-00377	Kit to convert from lever activated to touchless sensing dispensing option	115/60/1	1 kg	\$381
K-00378	Kit to convert from lever activated to touchless sensing dispensing option	208-230/50/1	1 kg	\$381
K-00453	RNS Stand	—	50 kg	\$884

RNS-0244




RNS-0244A W 50.0 D 66.0 H 84.3 cm
 *66 kg daily at 70/50°
 *53 kg daily at 90/70°

Model	Condenser Type	Ice Shape	Ship Weight	115/60/1 -161	208-230/60/1 -261	208-230/60/3 -263	230/50/1 -251
RNS-0244A	Air Cooled	Nugget	71 kg	\$6,188★			\$6,268

Ice storage capacity: RNS-0244A = 18 kg

Includes 1.8 m power cord with NEMA 5-15P plug.
 Use cleaner (000006036) only with this model. Not compatible with AuCS or casters.
 Price list performance rating is 60hz data. 50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.

RNS-0385




RNS-0385A W 73.8 D 69.0 H 100.4 cm
 *137 kg daily at 70/50°
 *112 kg daily at 90/70°

RNS-0385A	Air Cooled	Nugget	102 kg	\$7,313★			\$7,393
-----------	------------	--------	--------	----------	--	--	---------

Ice storage capacity: RNS-0385A = 40 kg

Includes 1.8 m power cord with NEMA 5-15P plug.
 Use cleaner (000006036) only with this model.
 Not compatible with AuCS or casters.
 Price list performance rating is 60hz data.
 50 Hz Electric Connection: Add Z for Bare Lead cord to the end of the model number.

RNS-0308




W 55.9 D 60 H 66 cm
 *143 kg daily at 70/50°
 *114 kg daily at 90/70°

Model	Condenser Type	Ice Shape	Ship Weight	115/60/1 -161	208-230/60/1 -261	208-230/60/3 -263	230/50/1 -251
RNS-0308A	Air Cooled	Nugget	79 kg	\$5,894			\$5,974

Not Stackable. Use cleaner (000006036) only with this model.
 All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.
 Not for use with SPA/SFA dispensers, AuCS, or LuminIce.

RNS-0600




W 55.8 D 60" H 66" cm
 *268 kg daily at 70/50°
 *204 kg daily at 90/70°

RNS-0608A	Air Cooled	Nugget	95 kg	\$8,323★			\$8,403
RNS-0609W	Water Cooled	Nugget	95 kg	\$8,323			\$8,403

Not Stackable. Use cleaner (000006036) only with this model.
 All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.
 Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®.

RNS-1000



RNS-1008A/
 RNS-1009W: W 76.2 D 60 H 69.5 cm
 RNS-1078C: W 55.8" D 60 H 69.5 cm
 RNS-1008A/ *489 kg, daily at 70/50°
 RNS-1009W: *374 kg daily at 90/70°
 RNS-1078C: *513 kg daily at 70/50°
 *408 kg daily at 90/70°

RNS-1008A	Air Cooled	Nugget	125 kg		\$11,153 ★		\$11,235
RNS-1009W	Water Cooled	Nugget	125 kg		\$11,153		
RNS-1078C**	QuietQubeRemote	Nugget	88 kg	\$10,320 ★	\$10,370 ★		

**Requires RCU1098 remote condensing unit and RC-51 tubing kit.
Not Stackable. Use cleaner (000006036) only with this model.
 All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.
 Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®.

*Daily ice production based on air-cooled condenser model at air temperature/water temperature.


★ ENERGY STAR® Qualified Model



W 55.9 D 78.7 H* 137.2 cm

Model	Description	Shipping Weight	115/60/1 -161	208-230/60/1 -261	230/50/1 -251
SPA-160 Push for Ice	54 kg storage, floor standing dispenser.	75 kg	\$5,618	\$5,668	\$5,728
SFA-191	54 kg storage, floor standing dispenser with water valve.	76 kg	\$6,616	\$6,666	\$6,726

Patented "Push for Ice" rocking chute dispense mechanism. Adjustable (15.2 cm to 19 cm) stainless steel legs included. Accepts single 55.9 cm Dice or Half-Dice size ice machine (order separately). S and Indigo 55.9 cm requires K-00348 baffle (included with dispenser).



W 76.2 D 81.3 H* 153.7 cm


SPA-310 Push for Ice	180 lb. storage, floor standing dispenser.	95 kg	\$6,365	\$6,415	\$6,475
SFA-291	180 lb. storage, floor standing dispenser with water valve.	97 kg	\$7,491	\$7,541	\$7,601

Patented "Push for Ice" rocking chute dispense mechanism. Adjustable (6"-7.5") stainless steel legs included. Accepts single 22" (K-00365 adapter required) or 30" Dice or Half Dice size machines no larger than the i906. Indigo 30" machines require the K-00346 baffle (included with the dispenser).

*Includes 15.2 cm adjustable leg


ICE STORAGE BINS

B-STYLE




B-320

W 55.9 D 86.4
H 96.5 cm




B-400

W 76.2 D 86.4
H 96.5 cm




B-420

W 55.9 D 86.4
H 127.0 cm



B-570

W 76.2 D 86.4
H 127.0 cm



B-970**

W 121.9 D 86.4
H 127.0 cm

Model	Application Storage Capacity*		Shipping Weight	Suggested List Price
	AHRI/Kg.	Meters		
B-320	95.3	.25	34 kg	\$1,678
B-400	131.5	.35	41 kg	\$1,846
B-420	140.6	.37	49 kg	\$1,920
B-570	195.0	.51	52 kg	\$2,089
B-970**	322.1	.84	68 kg	\$2,952

One set of stainless steel legs included in bin price for B-Series bin.
Height includes bin legs set at 15.2 cm. Legs adjust from 15.2 to 19.7 cm.

For bin adapters and ice deflectors, please see page 17

*AHRI application storage capacity for bins is based on 80% of total volume in cubic feet x 14 kg./91.4 cm average density of ice.




Model	Indigo Accessory	Shipping Weight	Suggested List Price
K-00426	55.9 cm Bin Level Control* (B-320 & B-400)	2 kg	\$465
K-00427	83.8 cm Bin Level Control* (B-420, B-570 & B-970)	2 kg	\$519

*Bin level control overall length dimension includes holding bracket.
Bin Level Control only for use with Indigo-Series ice machines on B-Style bins.


** Previous C950 bin requires K-00119 bin deflector when using S-22", S-30" or S-48".
Use K-00385 ice deflector with S-1479, S1870C or S2170C on B970

F-STYLE Large Capacity




F-700

W 76.2 D 78.7†
H 148.6 cm




F-1300

W 121.9 D 78.7†
H 161.3 cm




F-1325

W 152.4 D 78.7†
H 138.4 cm



F-1650

W 152.4 D 78.7†
H 161.3 cm



FC-1350

W 152.4 D 101.6†
H 186.7 cm

†Snout adds 20.3 cm to depth of ice bin.

Model	Application Storage Capacity*		Shipping Weight	Suggested List Price
	AHRI/Kg	Meters		
F-700	308.4	.57	88 kg	\$4,817
F-1300	598.8	1.08	132 kg	\$6,075
F-1325	601.0	1.12	136 kg	\$6,366
F-1650	753.0	1.35	148 kg	\$7,074
FC-1350	612.4	1.13	318 kg	\$18,117

One set of stainless steel legs included in bin price.
Height includes bin legs set at 15.2 cm. Legs adjust from 15.2 to 19.1 cm.

For bin adapters and ice deflectors, please see page 17.

For use with Manitowoc ice machines only.

*Application Storage capacity for F- bins is based on 90% of total volume in cubic feet x 35lb./ft.3 average density of ice.

Model	Accessory	Shipping Weight	Suggested List Price
K-00412	118.1 cm Paddle (for 78.7 cm deep F Bins)	2 kg	\$171
K-00414	Shovel	5 kg	\$171
K-00416	Totes Carrier, Set of 6	15 kg	\$1,070
K-00418	Replacement Cart	34 kg	\$2,672
K-00419	148.6 cm Paddle (for FC-1350 Bin)	3 kg	\$171

BIN ADAPTERS & ICE DEFLECTOR KITS

Kit	Adaption	Shipping Weight	Suggested List Price
K-00365	55.9 cm S, Indigo, RFS, RN or RNS Ice Machine to 76.2 cm B Bins and S Dispensers. Not for IB	4 kg	\$181
K-00117	55.9 cm Q, S, Indigo, RFS, RNS or RN-400 Ice Machine to C-730S Bin. Not for IB	5 kg	\$279
K-00195	55.9 cm IB Series to 55.9 cm B-320 or B-420 Bin or 55.9 cm S Dispensers.	5 kg	\$314
K-00196	55.9 cm IB Series to B-170, 400 or 570 Bin or 76.2 S Dispensers	7 kg	\$339
K-00368	55.9 cm Q, S, Indigo, RFS, RN or RNS Ice Machine to B-970 Bin. Not for IB	8 kg	\$295
K-00371	Two RN-1078C, RN-1278C or RNS-1078C to B-970 Bin (water-cooled or QuietQube only)	4 kg	\$252
K-00458	76.2 cm Q, S, Indigo, RFS, RN or RNS Ice Machine to 121.9 cm B-970 Bin. No weight limit	15 kg	\$423
K-00369	76.2 cm Q, S or Indigo Ice Machine to 121.9 cm B-970 Bin. Weight limit 81.6 kg. maximum (Series 300, 450, 500 only.)	6 kg	\$308
K-00156	76.2 cm S, Indigo or RN Ice Machine to C-900 or C-950 Bin – includes ice deflector	6 kg	\$314
K-00157	76.2 cm S, Indigo or RN Ice Machine to C-970 Bin	5 kg	\$324
K-00170	Ice deflector required on Manitowoc F-Style or Non-Manitowoc bins for all Q-600, Q-800, and Q-1000 Series	3 kg	\$172
K-00119	Ice deflector required for Q-1800, i-1406 or i-1800 on C-900 and C-950 bin	4 kg	\$148
K-00211	Ice deflector required for Q-Dual on Non-Manitowoc or F-Style bins	5 kg	\$172
K-00382	Ice deflector required for i-1470C, i-1870C or i-2176C on non-Manitowoc or F-Style bins	4 kg	\$174
K-00383	Ice deflectors required for two i-1470C, i-1870C or i-2176C units side by side on non-Manitowoc or F-style bins.	8 kg	\$290
K-00385	Adaptor and ice deflector required for i-1470C, i-1870C or i-2176C on B-970. Before installation remove deflector in B-970 bin prior to installing K-00385	15 kg	\$523
K-00386	Adaptor and ice deflector required for i-1470C, i-1870C or i-2176C on C730 bin.	3 kg	\$267
K-00347	Ice deflector required for 76.2 cm S or Indigo ice machines on non-Manitowoc or F-Style bins	3 kg	\$172
K-00349	Ice deflector required for 121.9 cm S-ice machine on non-Manitowoc or F-Style bins	5 kg	\$203
K-00391	Ice deflector set required for S-3300 ice machine on non-Manitowoc or 121.9 cm or 152.4 cm F-Style bins	8 kg	\$562
K-00404	76.2 cm bin adapter kit for 64.0 cm RF Flake Ice Machines	5 kg	\$246
K-00420	Filler Panel Kit allows 55.9 cm RN-1078C, RN-1278C or RNS-1078C to be placed on F-Style Bins with 76.2 cm opening (for use with adapter included with bin)	2 kg	\$176
K-00421	Filler Panel Kit allows two side by side 55.9 cm RN-1078C, RN-1278C or RNS-1078C to be placed on 152.4 cm F-Style Bins with two 76.2 cm openings (requires K-603030 or K-613030)	2 kg	\$176
K-00422	Adapter for RF-2378C Flaker and B-970 Bin	13 kg	\$444
K-302200	Adapter for 55.9 cm RFS or RNS on F-700 bin	18 kg	\$836
K-302500	Adapter for 64.0 cm RF Flaker on F-700 bin	18 kg	\$836
K-303000	Adapter for 76.2 cm S or Indigo Cuber on F-700 bin	18 kg	\$491
K-483048	Adapter for 76.2 cm & 121.9 cm S or Indigo Cuber on F-1300 bin	20 kg	\$898
K-482500	Adapter for 64.0 cm RF Flaker on F-1300 bin	20 kg	\$780
K-603048	Adapter for 76.2 cm & 121.9 cm S or Indigo Cuber on F-1325 and F-1650 bins	24 kg	\$1,040
K-604800	Adapter for S-3070C & S-3300 on F-1325 and F-1650 bins	24 kg	\$1,174
K-603030	Adapter for two 76.2 cm S or Indigo Cuber units side by side on F-1325 and F-1650 bins (remote or water-cooled only)	24 kg	\$1,040
K-613048	Adapter for 76.2 cm & 121.9 cm S or Indigo Cuber on F-1350 bin	27 kg	\$1,410
K-612500	Adapter for 64.0 cm RF Flaker on F-1350 bin	27 kg	\$1,410
K-614800	Adapter for S-3070C & S-3300 on F-1350 bin	27 kg	\$1,571
K-613030	Adapter for two 76.2 cm S or Indigo Cuber units side-by-side on F-1350 bin (remote or water-cooled only)	27 kg	\$1,410

MISCELLANEOUS

Kit	Description	Shipping Weight	Suggested List Price
K-00457	DISPENSER THERMOSTAT KIT - For use with S-Series. For use on dispensers only. Reduces ice machine overflow and condensation problems. Replaces K-00364.	1 kg	\$319
K-00446	DISPENSER THERMOSTAT KIT - For use with Indigo Series only on ice dispensers. May A ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	2 kg	\$215
K-00210	DISPENSER BAFFLE - required for 76.2 cm Q-Series Manitowoc ice machine on non-Manitowoc and Q-dispensers. (Q-dispensers include this adapter.)	1 kg	\$70
K-00346	DISPENSER BAFFLE - required for use with any Manitowoc 76.2 cm S or Indigo Series ice machine in a dispenser application. Dispenser baffle is included with S-Series dispenser, no need to order. NOT required for i-1470, i-1870 and i-2170.	1 kg	\$70
K-00348	DISPENSER BAFFLE - required for use with any Manitowoc 55.9 cm S or Indigo Series ice machine in a dispenser application. Dispenser baffle is included with S-Series dispenser, no need to order. NOT required for i-1470, i-1870 and i-2170.	1 kg	\$78
K-00395	S-3300 BIN THERMOSTAT KIT - For use with S-3300	1 kg	\$462
K-00400	CUP DISPENSING CHUTE KIT - Narrower Dispenser chute for cup dispensing applications.	1 kg	\$94

BIN ADAPTERS & ICE DEFLECTOR KITS FOR CURRENT MODELS

ICE MACHINE

BIN		i-320 ³ & i-520 ³	i-300 ⁴	i-450 ⁴ & i-500 ⁴	i-606 ⁴	i-906 ⁴ i-1106 ⁴ & i-1200 ⁴	i-1406 ⁵ & i-1800 ⁵	
	B-170	K-00365					N/A	N/A
	B-320		N/A	N/A	N/A	N/A	N/A	N/A
	B-400	K-00365					N/A	N/A
	B-420		N/A	N/A	N/A	N/A	N/A	N/A
	B-570	K-00365						N/A
	B-970	K-00368	K-00369	K-00369	K-00458	K-00458		
	C-730 ²	K-00117						N/A
	C-900/950	N/A	K-00156	K-00156	K-00156	K-00156		K-00119
	C-970	N/A		K-00157	K-00157	K-00157		
F-700 ⁸	N/A		K-00347	K-00347	K-00347		N/A	
F-1300 ⁸	N/A		K-00347	K-00347	K-00347		K-00349	
F-1325 ⁸ F-1650 ⁸	N/A		K-00347	K-00347	K-00347		K-00349	
FC-1350 ⁸	N/A		K-00347	K-00347	K-00347		K-00349	
SPA-160		N/A	N/A	N/A	N/A		N/A	
SPA-310	K-00348 & K-00365						N/A	
Non-Manitowoc Dispensers	K-00348	K-00346	K-00346	K-00346	K-00346	K-00346	N/A	

ICE MACHINE

BIN		i-686C ⁴ , i-970C ⁴ i-1170C ⁴	i-1470C ^{1,6} i-1870C ^{1,6} i-2176C ^{1,6}	IB-686C IB-894C & IB-1094C	RNS-0308 RNS-0600 RNS-1078C	RFS-0300 RFS-0650 RFS-1278C	RFS-1200 RNS-1000 RFS-2378C	RF-2300	S-3300 ⁷ S-3070C ⁷
	B-170	N/A	N/A	K-00196	K-00365	K-00365		N/A	N/A
	B-320	N/A	N/A	K-00195			N/A	N/A	N/A
	B-400		N/A	K-00196	K-00365	K-00365		N/A	N/A
	B-420	N/A	N/A	K-00195			N/A	N/A	N/A
	B-570		N/A	K-00196	K-00365	K-00365		N/A	N/A
	B-970	K-00369	K-00385	N/A	K-00368	K-00368	K-00458	N/A	N/A
	C-730 ²		K-00386	N/A	K-00117	K-00117		N/A	N/A
	C-900/950	K-00156	N/A	N/A	N/A	N/A	K-00156	N/A	N/A
	C-970	K-00157	N/A	N/A	N/A	N/A	K-00157	N/A	N/A
F-700 ⁸	K-00347		N/A	K-302200	K-302200			N/A	
F-1300 ⁸	K-00347		N/A	N/A	N/A			Not Required	
F-1325 ⁸ , F-1650 ⁸	K-00347		N/A	K-00421 & K-603030	K-00421 & K-603030			K-604800	
FC-1350 ⁸	K-00347		N/A	K-00421 & K-613030	K-0421 & K-613030			K-614800	
SPA-160	N/A	N/A	K-00195	N/A	N/A	N/A	N/A	N/A	
SPA-310		N/A	K-00196	N/A	N/A	N/A	N/A	N/A	
Non-Manitowoc Dispensers	K-00346	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

¹ K-00382 ice deflector for i-1470C, i-1870C or i-2176C on F-Style and non-Manitowoc bins.

² The K-00023 bin adapter is shipped with the C-730 bin.

³ When putting two 55.8 cm units on B-970 bin use K-00371 – water-cooled or CVD remote only.

⁴ When installing 76.2 cm Indigo single evaporator machine on F-Style and non-Manitowoc bins K-00347 deflector is required.

⁵ When installing 121.9 cm Indigo single evaporator machine on non-Manitowoc bin K-00349 deflector is required.

⁶ K-00383 for use with two i-1470C, i-1870C, or i-2176C units side by side on 152.4 cm F-Style Bins.

⁷ K-00391 Ice Deflector Kit when installing S-3300 on bin application.

⁸ Adapter included for single head application unless otherwise noted.

Note: Shaded area indicates NOT a product application.

Accessory prices are now included in the Standard Equipment Suggested Price List.

AuCS® AUTOMATIC CLEANING SYSTEM

Kit	Description	Shipping Weight	Suggested List Price
iAuCS	Automatic Cleaning System Accessory for all Indigo Series ice machines 300 to 1800 . Cannot be used with Indigo IB Series, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine but electrical is supplied from the machine. When ordering, indicate electrical requirements; 115 volt 60 Hz –IAuCS-161, and 230 volt 60 Hz – I AuCS-261.	5 kg	\$761
iBAuCS	Automatic Cleaning System Accessory for Indigo IB Series ice machines: IB-690C, IB-890C and IB-1090C . Cannot be used with Indigo Series ice machines 300 to 1800, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine. Electrical requirements 115 volt 60 Hz. Includes 10' power cord with NEMA 5-15P plug.	5 kg	\$761

Note: AuCS Automatic Cleaning System cannot be used with flake and nugget ice machines.

ACCESSORIES

LUMINICE II™ GROWTH INHIBITOR

Kit	Description	Shipping Weight	Suggested List Price
K-00450	LuminIce™ Growth Inhibitor Kit for Indigo i-300 to i-1200, and QuietQube i-680C to i-1070C . Replaces K-00424	2 kg	\$643
K-00451	LuminIce™ Growth Inhibitor Kit for Indigo IB Series, QuietQube i-1470C, i-1870C, i-2176C and 121.9 cm i-1406 and i-1800 models . Replaces K-00434.	2 kg	\$643
K-00452	LuminIce™ Growth Inhibitor Kit for NEO U-140 to U-310 . Replaces K-00440.	5 lb.	\$643
K-00425	Replacement LuminIce™ Bulb, for LuminIce first generation only.	1 kg	\$94
K-00454	Replacement LuminIce II bulb for LuminIce II only	1 kg	\$94
K-00455	Remote LuminIce II external LED indicator	1 kg	\$55

REPLACEMENT CLEANER / SANITIZER for Cubers Only

Kit	Description	Shipping Weight	Suggested List Price
000005162	Cleaner: 16 oz. bottle (sold in case of 12)	8 kg	see parts price list
000005164	Sanitizer: 16 oz. bottle (sold in case of 12) Hazardous labeling for international shipment	7 kg	
94-0580-3 94-0581-3	Refills for all AuCS Systems Cleaner: one gallon container (sold in case of 4) Sanitizer: one gallon container (sold in case of 4) Hazardous labeling for international shipment	20 kg 16 kg	see parts price list

Note: The cleaning and sanitizing fluids are the same chemistry for all AuCS systems. The bottles used with the AuCS-SI are custom to the machine and included with the original system. If bottle replacements are needed for AuCS-SI, they are 9405543 and 9405443 available through Parts Dept. The gallon bottles can be used for refills on any system.

REPLACEMENT CLEANER / SANITIZER for SM-50, BG, Flake & Nugget

000006036	Metal-safe cleaner for SM-50, Sotto, and Flake & Nugget ice machines - 16 oz. bottles (sold in case of 12) - hazardous labeling for international shipment	6 kg	see parts price list
000005164	Sanitizer: 16 oz. bottle (sold in case of 12) - hazardous labeling for international shipment	7 kg	see parts price list



CleanAir™ Pack			
Kit	Description	Shipping Weight	Suggested List Price
K-00206	6 ea. replacement packets, 1ea basket, 2 ea. thumb screws. For use in Q and S-Series ice machines only. Cannot be used with S-3070C, S-3000, Indigo, nugget, flake, or undercounter ice machines.	1 kg	\$250

ARCTIC PURE® – WATER FILTER			
Model	Description	Shipping Weight	Suggested List Price
AR-PRE	Pre-filter assembly includes head, shroud, hardware, mounting assembly, and one filter cartridge. Use on all Manitowoc machines. Manitowoc machines.	1 kg	\$310
AR-10000	Primary filter assembly, includes head, shroud, hardware, mounting assembly, and one filter cartridge. See below for sizing guide.	2 kg	\$431
AR-20000	Primary filter assembly includes head, shroud, hardware, mounting assembly, and one filter cartridge. See below for sizing guide.	2 kg	\$736
AR-40000	Primary filter assembly, includes head, shroud, hardware, mounting assembly, and two filter cartridges. See below for sizing guide.	5 kg	\$1,252

Note: AR-PRE, AR-10000 and AR-20000 sold in master packs of six. AR-40000 sold individually.

Replacement Filter Cartridges

K-00374	AR-2800 replacement (sold in case of 12). Used with SM-50.	5 kg	\$919
K-00337	AR-PRE replacement (sold in case of 12)	11 kg	\$1,222
K-00338	AR-10000 replacement (sold in case of 12)	11 kg	\$1,317
K-00339	AR-20000/40000 replacement (sold in case of 6)	8 kg	\$860
K-00344	Bin bracket for Arctic Pure water filter	2 kg	\$78

SIZING GUIDE				
Ice Machine	Model			
	AR-PRE	AR-10000	AR-20000	AR-40000
QM30	•	•		
QM45	•	•		
U-140	•	•		
U-190	•	•		
U-240	•	•		
U-310	•	•		
BG-260	•	•		
i-300	•	•		
i-320	•	•		
i-520	•	•		
i-450	•	•		
i-500	•	•		
i-606	•	•		
i-906	•		•	
i-1106	•			•
i-1200	•			•
i-1406	•			•
i-1800	•			•
i-1470C	•			•
i-1870C	•			•
i-2176C	•			•
IB-696C	•	•		
IB-890C	•		•	
IB-1090C	•		•	
RNS-12/20	•	•		
RNS-308	•	•		

Ice Machine	Model			
	AR-PRE	AR-10000	AR-20000	AR-40000
RNS-600	•	•		
RNS-1000	•		•	
RNS-1078C	•		•	
RF-0266	•	•		
RF/RFS-0300	•	•		
RF-0385	•	•		
RF/RFS-0650	•		•	
RF/RFS-1200	•		•	
RF/RFS-1278C	•		•	
RF-2300	•		•	
RF/RFS-2378C	•			•

The S-3300 is not compatible with existing filters.

ACCESSORIES



CONVENIENT ICE BAGGER			
Kit	Description	Shipping Weight	Suggested List Price
K-00146	Ice bagger assembly, includes bagger, B-Model bin adapter, and 250 bags and ties. Stainless steel finish.	11 kg	\$639
K-00068	Replacement Bags/Ties Bag Kit - includes 1,000 bags (4 wickets of 250) and ties.	15 kg	\$367



ICE SCOOP			
Kit	Description	Shipping Weight	Suggested List Price
3302583	6 oz. clear scoop for QM and SM Series (each)	1 kg	see parts price list
040002930	22 oz. blue scoop (Used with Neo undercounter units.)	1 kg	see parts price list
3302603	32 oz. white scoop (each) (Used for B-170 and Q-Series undercounter units.)	1 kg	see parts price list
3302593	82 oz. white scoop (each) (Used for ice bin B-320 and up.)	2 kg	see parts price list

DRAIN PUMP			
Kit	Description	Shipping Weight	Suggested List Price
K-00376	Drain Pump for SM-50A. Used where gravity drain not available. 12' rise and 100' run maximum.	3 kg	\$534



LEGS & CASTERS			
Model	Description	Shipping Weight	Suggested List Price
K-00063	2.5" Casters. For use with NEO, Q-Series (not QM), and B-170 bin. 4 ea. non-locking swivel.	1 kg	\$279
K-00064	2.5" Casters. For use with NEO, Q-Series (not QM), and B-170 bin. 2 ea. locking swivel and 2 ea. non-locking swivel.	1 kg	\$301
K-00153	4.625" Adjustable Flange Foot - stainless steel	2 kg	\$236
K-00176	4" leg for QM30 or QM45 - black painted	1 kg	\$126
K-00215	QM Series leveler legs, adjusts from .5" to 1.25" - 1/2-13 thread	1 kg	\$62
K-00137	6" Adjustable Flange Foot - stainless steel for S and B Series bins	3 kg	\$236
K-00151	6" Adjustable Flange Foot- Gray painted for S bins and Neo under counters	2 kg	\$138
K-00145	6" Adjustable Secured Flange Foot - stainless steel	3 kg	\$321
K-00144	12" Adjustable Flange Foot - stainless steel. Can use with undercounter machines and B170 and B400 Bin. Not for use with 22" unit, stacked units, dispensers, or the QM series.	4kg	\$321
K-00138	Adjustable Caster Legs, 7.625" - 8.625" - stainless steel. Not for use with 22" unit, or any stacked units, dispensers, QMs or RF flakers. 2-locking casters and 2 non-locking per set.	7 kg	\$661
K-00350	6" Adjustable Legs - stainless steel standard on B-Series bins.	2 kg	\$112
K-00345	Leg kit for SM-50 & RNS12/20 series ice machines. Adjustable 4.5"-6.5".	1 kg	\$112
K-00445	1.125" Non-adjustable foot. For use with NEO.	2 kg	\$63

This page intentionally left blank.

This page intentionally left
blank.

This page intentionally left
blank.

Manitowoc Deutschland GmbH
Auf der Weih 11
35745 Herborn
Germany
Tel: 0 27 72 - 5805 0
Fax: 0 27 72 - 5805 70
E-mail: info@manitowoc-de.com
www.manitowoc-de.com

Manitowoc Foodservice Iberia, S.A.U.
C/ Textil, 6 Pol. Ind. La Ferreria
08110 Montcada i Reixac Barcelona
Spain
Tel: (+34) 902 20 10 69
Fax: (+34) 93 348 15 09
Email: fraubcn@frau.es
www.manitowocfsi.es

Manitowoc Foodservice UK Limited
Ashbourne House,
The Guildway, Old Portsmouth Road
Guildford GU31 1LR
UK
Tel: +44 (0) 1483 464 972
Fax: +44 (0) 8453 011 462
E-mail: fsuk.sales@manitowoc.com
www.manitowocfoodservice.com/uk

Manitowoc EMEA
www.manitowocice.com/emea
Manitowoc China
www.manitowoc.com.cn
Manitowoc Latin America
www.manitowoclatam.com

Scan the code below to locate a dealer, distributor or sales representative in your area.



www.mtwfsusa.com/minisite/sales/buylocally



COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV
= ISO 9001:2008 =

Manitowoc Foodservice is a global leader in foodservice operations that speaks the language of our partners from sales to aftercare. Purchasing equipment is easy with Manitowoc Finance, which offers direct, low-rate financing options for the equipment you need today. Manitowoc KitchenCare® helps service, maintain, and protect your foodservice equipment and facility throughout the lifecycle of your business. Being fluent is more than understanding equipment; it is an understanding of your foodservice business. If you're ready to talk foodservice, Manitowoc speaks your language.

Our best in class brands include: Cleveland, Convotherm®, Dean®, Delfield®, Frymaster®, Garland®, Kolpak®, Koolaire®, Kysor Panel Systems®, Lincoln, Manitowoc® Beverage Systems, Manitowoc® Ice, Merco®, Merrychef®, Multiplex®, RDI Systems, Servend®, U.S. Range & Welbilt®



Connect with us @ www.mtwfs.com