# UNCLASSIFIED

A	N			
N	U	-	 	

## DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION ALEXANDRIA, VIRGINIA


DOWNGRADED AT 3 YEAR INTERVALS: DECLASSIFIED AFTER 12 YEARS DOD DIR 5200 10



UNCLASSIFIED

# THIS REPORT HAS BEEN DECLASSIFIED AND CLEARED FOR PUBLIC RELEASE.

# DISTRIBUTION A APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.



BY:

A.R. LAUER, ET AL
PRINCIPAL TECHNICIAN
THE DRIVING LABORATORY
INDUSTRIAL SCIENCE RESEARCH INSTITUTE
IOWA STATE COLLEGE

AMES, IOWA

# A CONTRACT RESEARCH REPORT TO DEDONNEL DELECTION OF THE ARMY DREAD BRADER A CONTRACT RESEARCH REPORT TO DEDONNEL DELECTION D

#### AFTITUDE TESTS FOR ARMY MOTOR VEHICLE OPERATORS

by

A.R. Lauer, Principal Technician
Gloria L. Grace, Assistant
Gerald C. Helmstalter, Assistant
Chester C. Collins, Assistant
Moreon E. Lampman, Assistant
Ted Campbell, Assistant
Charles E. Schumacher, Assistant
Gilbert E. Miller, Assistant
Paul W. Porter, Assistant
Lewis R. Vavra, Assistant
Eugene L. Moore, Assistant
R.N. Kjerland, Technician

The Driving Laboratory
Industrial Science Research Institute
Iowa State College \_\_\_\_\_
Ames, Iowa

FINAL REPORT

31 October 1952

DEPARTMENT OF THE ARMY
Project No. 29565100 Subtask 78
RESEARCH CONTRACT NO. DA-49-083 OSA-191
PERSONNEL RESEARCH SECTION PR 6578

PRS Reports are technical reports. They are intended primarily for research agencies in the Armed Forces as a means of guiding further research in the area of human resources. As research findings accumulate and suggest official action, recommendations are made separately to appropriate military agencies. Information of more general interest is presented in the Foreword to this report.

#### FOREWORD

This report is of primary interest to research workers concerned with the selection and training of personnel for specific Military Occupations. Specific selection tests of known efficiency are needed for the most economical assignment of recruits, replacements, and transfers to Military Occupational Specialties. The objective of this project was to develop such selection procedures for assigning Army personnel to Army transportation units.

New tests were needed to measure the non-intellectual and non-personality traits which contribute to success as a driver in Army driving operations. Tests of sensory ability (such as ability to remember what has just been seen) and of motor performance (for example, strength of grip) were studied as possible predictors of good drivers. Information on Army Personnel Records was reviewed to ascertain what might be used to improve driver selection efficiency. Tests of skills and aptitudes believed to be required for efficient driving were tried out.

To gather the necessary information for constructing selection instruments, proposed tests were administered to over 1400 Army drivers. Scores on these experimental procedures were then compared with ratings received on a drivers' rating form developed by the Adjutant General's Office, DA. The best predictors of good driving performance were found to be knowledge of motor-vehicle operation, experience in driving, other personal background factors and attitudes, judgment in traffic situations, conscientiousness in following detailed assignments, and general muscular coordination.

Field runs showed that group tests designed to measure these characteristics are from three to five times as efficient as the individual tests currently in operation as selection procedures and require considerably less effort and time to administer.

#### PREFACE AND ACKNOWLEDGMENT

The inauguration of this project is due largely to the foresight shown and groundwork laid by Dr. Julius E. Uhlaner, Chief, Research Operations II of The Personnel Research Section, F.R. and F. Branch, The Adjutant General's Office, Department of the Army. Others who have advised and otherwise facilitated the project from the above office were Dr. Donald E. Baier, Chief; Dr. Edward A. Rundquist, Research Manager; Dr. Hubert E. Brogden, Research Adviser; Mr. Harry H. Harman, Chief, Research Services; Dr. Erwin K. Taylor, former Contract Research Officer; Dr. Robert Perloff of the Contract Research Office and Dr. Arthur J. Drucker, Acting Contract Research Officer, as well as numerous other staff assistants who have aided in various ways.

The splendid cooperation of the Army Safety Director, Mr. Elliot Parker and his staff, especially the counsel of Mr. Donald S. Buck, was most helpful in the study. Safety Officers of the Second, Fourth and Fifth Armies: Mr. Wm. A. Buhrman, Mr. H.T. Buchanan and Mr. L.L. Quintal, respectively, have also done much to render the visits to installations successful and pleasant. The various Post safety officers have done a splendid job of making arrangements for the testing work and without their aid the project would not have been feasible.

It would be impossible to name all the Army Officers and personnel who have aided in some way by securing clearance, providing men and otherwise aiding in making the project fruitful and pleasant. To all of these and to the men in the ranks who served as subject we owe a debt of thanks.

The undersigned and assistants are also indebted to Dr. Charles E. Friley, President; Dr. H.V. Gaskill, Dean of the Division of Science; Dr. John A. Greenlee, Assistant to the Dean of Science; Mr. Campbell Mosier, Manager of the IBM Office; all of Iowa State College and others who have worked on the project, for their personal interest throughout the study.

(Signed) A.R. Lauer, et al
Director, Driving Research Laboratory
October 31, 1952 Industrial Science Research Institute

#### APTITUDE TESTS FOR DRIVERS

#### CONTENTS

	Page
INTRODUCTION	1
REVIEW OF THE LITERATURE	1
SCOPE OF THE PRESENT STUDY	2
Purpose Variables	oku vinas i julius sa
Population	
THE FIRST RUN	5
Purpose Procedure Results	
THE SECOND RON	· · · · · · · · · · · · · · · · · · ·
Cross-validation of pencil-and-paper tests Preliminary run on additional tests	
THE THIRD EXPERIMENTAL RUN	12
Purpose Procedure Results	
SELECTION OF THE BATTERY	15
SUMMARY AND CONCLUSIONS	16.
REFERENCES	17
References cited General related reading list	
APPENDIXES	21

#### TABLES

Table No.		Page
1.	Possible predictors selected for further development on the basis of Run One results.	7
2.	Intercorrelations of ten most promising predictors from Run Two-A data.	9
3.	Intercorrelations of fourteen most promising predictors from Run Two-B data.	11
4.	Tests selected for Run Three.	12
<b>5.</b>	Intercorrelations of thirty-two most promising predictors from Run Three data.	14
6.	Battery of tests for driver selection.	15
7.	Battery of four driver tests.	15
ೆ.	Battery of three driver tests.	16

#### APTITUDE TESTS FOR DRIVERS

#### INTRODUCTION

The problem of efficient driver selection is of paramount importance to the Army as well as to our national economy. The Army in 1951 drove nearly one billion vehicle miles in its world-wide operation (exclusive of the Far East Command). During the 1951 period military vehicles were involved in 18,999 accidents in this large area of operation, at a cost in excess of four million dollars. The military index is about 1.9 accidents per 100,000 miles of travel, which is approximately equivalent to the accident rate of civilian males between 19 and 25 years of age. The high incidence of accidents among the male population of military age, exclusive of military accidents, further emphasizes the enormous problem the Army faces in building up an efficient mechanized fighting force.

Today every recruit has a record of his abilities and aptitudes on his Form 20. Upon entering the Army he is given tests to show his capacity as a clerical worker, a mechanic, and other occupational specialties. However, no comparable tests of the soldier's background as a driver or his aptitude for driving are employed. The objective of this study was to find ways of classifying men with respect to driving aptitude and ability.

#### REVIEW OF THE LITERATURE

AND SERVICE STREET

A partial list of related references has been attached to the list of cited references for those who may wish to go further into the literature than is warranted here.

The problem of selecting drivers to improve the average efficiency level is not new and was adequately covered by others (5, 10). It has been handled in various ways, but no highly satisfactory results have been obtained. This is partly due to the fact that the criterion used for selection has usually been accident records. The reliability of such records as kept in public files has long been open to question (1, 2, 5, 12). To abandon the accident-index in any form as a primary criterion of driving performance or as an operational selection technique is not, of course, to deny that a driver with a high accident record is a poor risk. But the establishment of a statistical relationship between the number of accidents and some index of expert driving may be difficult. Particularly is this true in the Army where one or two accidents usually disqualifies a driver and where periods of observation are limited. It would appear that adequate ratings may be better indexes of good driving than accidents.

At best it may be said that devices for the selection of drivers developed to the present may be considered valuable mostly for spotting a few extreme cases that should not be driving. After a careful screening by the Army through induction and enlistment methods employed, it is doubtful if many of those highly unfitted for driving get into the Service. The real problem

in driver selection is that of probing the psychological makeup of the soldier to ascertain which of his characteristics and capacities correlate with successful Army vehicle driving performance. It would seem that the factors which correlate with ratings would be the best operational criterion of selection.

The various methods of streetcar, bus, and motor vehicle operator selection and improvement previously used, for example, (2, 4, 7, 9, 11) may be classified into the following categories:

- l. Performance tests designed merely to alert the prospective employee to an awareness that he is being carefully and critically considered. They appear to have had the psychological effect of scaring off the highly incompetent and neurotic applicants, and of keeping conscientious employees at a high level of efficiency, particularly when the labor market is flooded.
- 2. The adaptation of standard psychological tests such as reaction time, strength of grip, measurements of vision and color vision, motor coordination, and other tests of hypothesized functions assumed to be related to driving or similar performance.
- 3. Various pencil-and-paper tests designed to measure a ch psychological characteristics as:
- a. Intelligence.
  - b. Introversion extroversion.
  - c. General personality characteristics.
  - d. Mechanical aptitude and knowledge.
  - e. Mastery of the principles of safe driving.
  - f. Certain combinations or adaptations of the above assumed to have validity as criteria of driving performance.

and the second of the second o

4. Complex performance devices simulating driving variously named the drivometer, driver-rater, reactometer, etc.

These suggestions from the literature were considered in choosing and constructing tests for the present study.

#### SCOPE OF THE PRESENT STUDY

#### PURPOSE

Since the Personnel Research Section, Personnel Research and Procedures Branch, The Adjutant General's Office, Department of the Army, has done considerable work in the area of attitude and personality measurement, the present project emphasized two phases of the problem: 1) The development of pencil-and-paper tests which might assay the functions ordinarily measured by "so-called" psychophysical tests—a category of standard psychological tests.

2) The modification of currently used and other possible cognitive group tests which might be employed in driver selection.

The hypotheses to be tested in this study may be stated as follows: Driving aptitude can be measured successfully by pencil-and-paper tests designed to measure functions related to driving apart from intelligence. A satisfactory battery of group tests may be selected and developed to give a higher selection efficiency than those in current use. The design of this research program was essentially a three-stage validation study in which each stage or experimental run served a specific In general, the purpose of Run One was to gather information necessary for a preliminary estimate of the characteristics of an original group of tests. Run Two included: 1) a cross-validation of the tests (utilizing the most efficient keys developed in Run One) found to be promising; and 2) a study of additional tests suggested by the results of the first run or available since the first run was completed. The objective of Run Three was to make a final check before selecting combinations of tests for an operational battery. It will be more appropriate to describe in detail specific purposes, and the particular tests, populations, and procedures used at the time each run is considered. A BURNES CONTRACTOR STATE OF THE STATE OF TH The Predictors. Within the framework of the contract specifications, the rationale of approach was to devise, assemble, or adapt tests to measure the following functions assumed to be determiners of driving aptitude: 1. Physical activity or motility. 2. Gross eye-hand coordination. Finer coordinations. 3. Spatial relations. 4. 5. Speed and accuracy of perception. 6. Visual perception. 7. Visual memory. 8. Judgment factors. 9. Personality patterns involved in driving behavior. 10. Knowledge of motor-vehicle traffic laws and regulations as well as acceptable driving habits. Tests were assembled and chosen for direct use or modification on the basis of the following criteria: Do they appear to measure the functions listed above? Would they seem reasonable to the average Army driver as tests of driving, i.e., do they have "face validity"? Do they appear to be long enough to be reliable, but short enough to be used effectively in a battery under operational conditions? Are they clear in meaning with a minimum of verbiage? Can they be objectively scored? - 3 -

Some of the tests administered in this study are described with specimens in Appendix A. Administrative procedures are described in Appendix B. For the most part these predictors are of the cognitive, pencil-and-paper type. About one-third of them were developed by the contracting staff. Four were furnished by the contractor. Others were borrowed and adapted with permission of the owners or commercial representatives.\* In only one test was there a question of copyright involved.

Some of the tests in the battery were adopted without revision since they had been previously given to thousands of subjects. Most of the new tests, however, were tried out on smaller groups of students and driver-education classes. The battery of possible predictors was also tried out on 70 National Guard drivers of Boone, Iowa, upon invitation of the local commander who was interested in encouraging safe driving in his unit. Since these administrations were entirely preliminary to establish time limits, check and revise directions, and gather similar administrative data, the details of these studies are not included in this report.

The Criterion. The instrument used to validate the driver selection tests investigated in this study was Ratings for Drivers, Form X-2, DA AGC PRT 2403. It was administered in each run of the study. This criterion instrument was developed (12) by the Personnel Research Section, Personnel Research and Procedures Branch, The Adjutant General's Office, Department of the Army. It consists of: a "halo" scale on Appearance and Military Bearing which is used as a suppressor to draw off the personal feelings of the rater toward the ratee; four criterion rating scales on Near Accidents, Reaction to Sudden Changes, Effect of Temper on Driving, and Knowledge of Own Limitations; and a check-list of 15 undesirable driving habits.

In scoring the criterion instrument, means and standard deviations of raw scores on the scale and check-list portions are involved. For the second and third runs of this study, the criterion score was calculated on each roster rather than on the entire population, using the corresponding means and standard deviations. This was advisable since the assumption of equal variance across rosters was not sustained when subjected to test of homoscedasticity. This procedure was not necessary for the first run, since the tests were given to smaller groups which tended to restrict administration to only certain installations and units. Further details of group differences in criterion scores are discussed in Appendix C.

The criterion instrument is so scored that a low score is indicative of good performance. The reverse is true of the predictor tests used in this study—a high score is indicative of good performance. Hence, correlations between a good predictor and the criterion will be negative in sign. Since the correlation coefficients computed in this study have not been reflected, a high but negative quotation is desirable in the tables of data to be presented.

<sup>&</sup>quot;Note: See Appendix A, page 4 for detailed list and explanations.

POPULATION

The examinee required by the design of the present study was the enlisted man who had sufficient driving experience in the Army and who was well enough known to associates and supervisors at his installation to be rated properly by them. Installations were selected for each run of the study on the basis of the availability of the desired types and number of troops and for economy in time required to collect data. As much as possible enlisted men were used who drove for at least 50 per cent of their working time, drove at least 100 miles a month or had been military drivers for at least three months, and who were known to at least five associates and superiors for a minimum of three months. Most drivers were well above these criteria limits for inclusion in the experimental group.

Complications occasionally arose which reduced the number of desired subjects. Despite advanced scheduling and excellent cooperation, variation in training quotas and transfer of personnel affected in some instances the number of men available for a given test. Because of these and related circumstances, the same number of men did not take each test in Run One.

Drivers in tactical units often drive only on maneuvers or to and from the drill area. Most of their time is spent in cleaning and maintaining their vehicle. Thus it was sometimes difficult to establish the actual proportion of time a man spent in driving without a personal interview or individual observation. This may have limited the number of men available for a given group selected primarily on the amount of driving they did. Drivers from head-quarters companies and certain pools seldom drive with other drivers. While they do spend most of their time driving, there are few raters who know them well enough to rate them or those who do know them may not have come to the experimenters' attention due to their association with units not scheduled for testing. As a further example, men are frequently assigned to a certain vehicle one day and to another the next day. Although they drive every day, few persons at the installation know exactly how well they drive. Unless the vehicle is damaged or some adverse report is made by the personnel for whom they have driven, direct information about them may not be available.

Some of these factors would undoubtedly reduce the validity coefficients obtained in this study. Many of the difficulties were overcome or corrected by suitable methods of selection or analysis, but it is still probable that the validity coefficients presented in this report are on the conservative side.

RUN ONE

PURPOSE

The objectives of this exploratory first run of test administrations were: 1) to secure sufficient data for preliminary estimates of the relative validities of the proposed tests so as to select for further study those showing

promise of predicting driver aptitude and to eliminate at the outset those showing no predictive efficiency or which have too much overlap with Aptitude Area I of the Army Classification Battery; and 2) to modify or develop scoring keys for use in cross-validation of the most usable tests in the second run designated here as Run Two.

#### PROCEDURE

The first testing runs were started in July, 1951 at Fort Sheridan, Illinois; Camp Atterbury, Indiana; Fort Leavenworth, Kansas; and Camp Carson, Colorado. Because of flood conditions, testing at Fort Leonard Wood, Misscuri was postponed until August 1951 and the scheduled visit to Fort Riley, Kansas was cancelled.

During this run groups of 20 drivers were scheduled each half day. In all 480 men were tested; of these 468 had sufficiently complete records, adequate driving experience, and a sufficient number of ratings.

The tests used in Run One are described in the first section of Appendix A. Attempts were made to find scoring methods which would give the highest possible predictive efficiency. These details are described in Appendix F, along with information on additional tests related to but not made a part of this study. For the results to be presented, only the scoring found to give the best validity and most practical was used.

Item analysis was made of the tests for which its use was appropriate. The procedure is discussed in Appendix G. Due to the size of correlations with the Criterion, the significance of biserials obtained was not sufficiently above chance to warrant confidence in the results. However, the item analysis served very useful purposes in revealing unsatisfactory items (which were deleted) and in constructing keys for the various tests based upon rational considerations supplemented by the item-analysis results.

#### RESULTS

The results of Run One on tests are shown in the first section of Appendix D.

As indicated by the correlations and later by item analysis and sectional analysis, certain of the tests did not appear to give promise and were not carried in Run Two. These were the speed of perception tests.

Gertain other tests, although the validity coefficients were low, ned for various reasons shown some promise and were revised or lengthened. For example: In activity or motility, checks against laboratory measures were made. Any form of test which showed highest relation to this function was considered a legitimate instrument as the problem was to cross-validate the function rather than the test itself.

In some instances the desirable items were carried over in condensed form, or entirely new types of tests were made to measure assumed aspects of the function postulated to be measured. In most cases the procedure was merely that of developing a key from the item analysis or of combining two tests into one as in the case of Activity I and Activity II, CRT 63. In Spatial Relations, CRT 206 - Form A and CRT 59 - Form B were combined into CRT 214 - Form X. Also in Driving Judgment, CRT 45 - Form A and CRT 203 - Form B were combined into CRT 88 - Form X. This consisted in combining the useful items of two forms into another form and using the original key for the items used.

Since Line Tracing, CRT 67 showed a higher validity coefficient than most others, and also since it was the only test of the function, a parallel test was developed to give higher precision in secring, and another test called Pattern Tracing, CRT 195 was added.

The tests assembled from the results and item analyses of Run One for use in Run Two are shown in Table 1.

Table 1. Possible Predictors Selected for Further Development on the Basis of Run One Results.

Activity II	CRT 63	Object Identification	CRT	65
Driving Judgment	CRT 88	Pattern Tracing	CRT	195
Emergency Driving	CRT 196	Space Judgment	CRT	69
Emergency Judgment	CRT 87	Spatial Relations	CRT	214
Lateral Perception	CRT 66	Traffic Observation	CRT	201
Line Tracing	CRT 67	Visual Acuity	CRT	202
Motto Test	CRT 208			

#### RUN TWO

The second run has two parts due to the availability of additional tests after the study was underway. The objective of one part was the cross-validation of the pencil-and-paper tests selected or suggested by the results of Run One. The results are described as Run Two-A. The Run Two-B covers the preliminary study of certain new tests introduced. Additional tests used in Run Two-A and Run Two-B are described in the second section of Appendix A.

#### GROSS-VALIDATION OF PENCIL-AND-PAPER TESTS

Procedure. The following installations were selected for Run Two-A: Fort Leonard Wood, Missouri; Fort Riley, Kansas; Fort Knox, Kentucky; and Fort Sheridan, Illinois. Of the 326 men tested, 289 usable cases were available. Later, because of presumed cultural influences, the roster was further reduced to 203 cases of more or less homogeneous nature. All correlations used in later calculations were computed from scores on this latter group.

The tests given were suggested by the results of Run One as described earlier. The schedule called for testing 20 men a day during an 8-hour testing period. In order to offset systematic effects which might unduly influence the first or last test given during the day, the order of tests was rotated. Blocks of tests were given in such a way as to provide relief from ennui or boredom and the greatest saving in time. As nearly as possible the Criterion, PRT 2406, was given in the forenoon or early afternoon.

Results. The results of this part of the second run (Run Two-A) are presented in Appendix D. In order to reduce the number of predictors, ten of those showing the highest validity were intercorrelated to determine their separate contributions. The results are shown in Table 2. The last column of this Table shows the validity coefficient for each of these tests (unreflected). The intercorrelations were used in later calculations.

#### PRELIMINARY RUN ON ADDITIONAL TESTS (Run Two-B)

<u>Purpose</u>. The primary objective of this second part of Run Two was a field investigation of the Driver's Self-Description Blank, DA AGO PRT 2457, which was not ready for use until after Run One had been completed. Occasion was also taken to investigate the following groups of tests:

- l. Physical Aptitude Tests, Examination for Motor Vehicle Operations, WD AGO PRT 565. This is the battery of currently used Army driver selection tests. Though a collection of several tests, the battery was so organized and weighted (6) as to produce the composite PRT 565 score used in this study. Run Two-B offered the opportunity of firming-up the administration and scoring procedures of PRT 565 so that in Run Three these physical tests could be compared with the pencil-and-paper tests being developed in the present study.
- 2. Several scores from the Soldier Record Form 20 that are generally available for use in classifying enlisted men.
- 3. Supplementary psychophysical tests (described in the second section of Appendix A) either suggested by the results of Runs One and Run Two-A or modified forms of certain PRT 565 tests.
  - 4. Some of the border-line tests from Run One and Run Two-A were rechecked.

Intercorrelations of Ten Most Promising Predictors from Run Two-A Data. Table 2.

- 4 2	Predictor I	Army Designation	44	2	, m	7	5	9	7	∞	6	2	9 10 Validity
H	1 Driving Judgment	CRT 88		.53	9	97.	.57	.37	22.	.43	07.	.45	19
N	Visual Acuity	CRT 202		ļ	67.	17.	77:	87.	.3	.47	38	.45	-19
m	Emergency Driving	CRT 196		×		.51	. 58	.27	.24	.45	.32	.52	14
4	Emergency Judgment	CRT 87				T	.45	32	2	.37	.34	£.	12
2	Driver Know-How	PRT 2412					Ť	.29	.24	.47	.29	.32	12
9	Attention to Detail	PRT 2347						1	.34	.43	.38	.31	77
_	Two-Hand Coordination	PRT 2387								77:	.31	.29	12
60	Word Matching	CRT 207					-				.33	.36	16
6	Educational Level										T.	.38	11
0	10 Mechanical Aptitude											l	13

Frocedure. Tests were administered at three installations: Fort Riley, Kansas; Fort Leonard Wood, Missouri; and Camp Atterbury, Indiana. Five examiners tested 40 men a day; 20 men reported for the group tests and 20 for the psychophysical tests in the morning and then exchanged places in the afternoon. Special care was taken by trained personnel to administer the PRT 565 according to specific instructions so that the results would be as accurate as possible. As a result correlation coefficients obtained for PRT 565 in this study are undoubtedly higher than would have been obtained under operational conditions.

Although 220 men were tested, 140 cases were usable after careful gleaning on the basis of sufficient driving experience and adequate ratings; complete records on all the tests were available, however, for only 124 men. Absences due to flood conditions and emergency assignments were primarily responsible for this shrinkage in the number of available cases.

Results. Information on the fourteen most promising predictors is presented in Table 3. The validity coefficients, presented in the last column of this Table, may be compared with similar information presented in the last column of Table 2, for Run Two-A. The intercorrelations shown in Table 3 were used in later calculations.

Intercorrelations of Fourteen Most Promising Predictors from Run Two-B Data Table 3.

0	80	19	- 1B	77	-,14	24	05	23	19	01	14	15	17
E	.37	.16	,24	ર્જ	17	87.	.15	80.	. 52	.50	. 59	97	12.
Q	.37	.19	.15	.35	8,	17:	.27	01	87.	.50	69.	.70	î Î
ບ	-45	53	233	10	.25	.57	.11	17:	.55	.62	99.		
Э	67°	. 28	•39	.18	7	.51	.16	21.	.63	.62			
Ą	-45	.31	45	Ħ.	.20	.56	.03	0.5	.79	1	·		
6	• 54	07	87.	8	.18	.56	17.	.16	i			7	
€0	.23	.26	.29	8	.27	.03	•07						
4	.17	4	99	32	97.	13	-						
9	4.	.30	.33	6.	8	i							
2	.20	8	ส	g	1					a 1	* **	9. 1. 9. 4. 4	
7	6.	8	-10	1			5.1 <u>.</u>					. 5	
3	77.	,27	1	<b>,</b>	_								
2	38	1		IS 245	5 2457					1 .3 8			
٦	1			E	Æ		-						
	Visual Acuity - CRT 202	Difference Detection - CRT 216	(All items) Lateral Perception - CRT 66	Driver's Self-Description Blank - PR	Driver's Self-Description Blank - FR	rersonality & Attitudes Educational Level	Strength of Grip	Composite PRT 565 Score	Aptitude Area I	Arithmetic Information	Mechanical Aptitude	Shop Mechanics	Automotive Information

The code values here refer to this matrix only and were used for convenience in IBM work. N=124Legend:

Electrical Information

ΕÌ

Ü

O Criterion

-.16

It was decided from the evaluations made in Run Two to use the following predictors in the third run (Table 4).

Table 4. Tests Selected for Run Three

Te	est	D	esign	Army
1	Attention to Detail		PRT	2374
2	Driver's Self Description Blank (Several scores)		PRT	2457
3	Driving Judgment		CRT	88
4	(Combination of items from two tests)* Emergency Judgment		CRT	87
5	Lateral Perception		CRT	200
6	Path Tracing		FRT	2382
7	Two-Hand Coordination		PRT	2387
8	Word Matching		CRT	207

<sup>\*</sup> Two verbal-type tests, Driving Judgment (CRT 88) and Emergency Driving (CRT 196) were combined and a key based on item analysis of the two tests from Run One was used. The test retained the name Driving Judgment.

#### RUN THREE

#### PURPOSE

The objective of the third run was to cross-validate the battery of tests being developed in this study and compare them with the operational battery, PRT 565. Other tests were added in Run Three in order to obtain additional information on them.

#### PROCED URE

The final experimental run was begun in May 1952 and completed on 13 June 1952. Installations selected were: Fort Sill, Oklahoma; Camp Chaffee, Arkansas; Fort Campbell, Kentucky; and Fort Knox, Kentucky. The testing schedule for Run Three was the same as that used in Run Two-B. Of the 553 men tested, 331 cases were acceptable from the criteria of useability set up. (See page 5)

#### RESULTS

Means, standard deviations, and validity coefficients for the tests used in Run Three are presented in Appendix D. The last column (W) of Table 5 presents the correlations between the Criterion and the 32 most promising variables investigated in Run Three. Again, for use in later calculations, intercorrelations are also presented. Intercorrelations between some of these variables and four scores from the Army Classification Battery of tests, are, for convenience, presented in Appendix P. Additional results on visual acuity tests are presented in Appendix F.

It is to be noted that the validity coefficient for the operational battery, PRT 565, -.12 (unreflected r) is not among the highest of those quoted in the last column of Table 5. Also, since PRT 565 is actually a battery of tests, it is legitimate to compare PRT 565 with the other tests taken as a group. In Run Three a multiple R, after shrinkage, of -.39 (unreflected r) was obtained for seven of these predictors. This result is considerably higher than the -.12 obtained for PRT 565.

Comparison   Com	May of 2021.	1	14.0		~	1	1	4		7	1	]		1	-3	200	1		4	STATE OF	2.5	]	1	1	3	- 1	6	No. Barre	10	4
The companion of the co			0	8	1 3	3.	4	ż	7		-				30.1		8		-16	72.00				-	.15	Ģ	77.	27.	3	Ė,
Difference in the control of the con		18	-	1	3	7	3	4	N				10.00	-25	11-75	143	8	200	-13	50.05	5000	- 100		3000		•	H.		1	4
Putting paleons    1		8 8	~		3.	4	ă.	Ą	7		-	OF LAN		3.30	35		4		a	1		17.6			1	٠,	7.	80	×	98
Deficience between the content of th		81	-			.1	3	9	×				1		115	- 17	*	of Cha	77	11000	201	200		4			57.	30-	57:	8
The control of the co		E.	.4		-		1	r;	Ŋ			- Pick		2	1		4	7	7			4				9.1	16	ä.	<b>5</b> .	8
The control material and con		182	•					i	Ą	R	7- 91		31		100	14	ğ	9	70	5				90" 6	.15	8	77	41	S	Ä
		E	•						i	*	_	100	- du	200	Tar.		Ę	8		A 24	1	100				6	14	n.n	*	7
The friends of the control of the co	Tienel Acedig	E N	_							i	7 27	1		188	-		9	4	200	77.						800	3	177	4	7
	Path Practing (Army S vight)	記録	14		40						7	764.0				15	ą	6.		100	SPI	7.	123			8	Ę	8	.16	ď
160   1   150   17   150   1	Briver's Salf-Desertption Missk Side 1, Box 72"	15									1		Siek			-	ą	8.	2	W. 10	117			ha!		ę.	8	8	8	8
Principle to Debail   Principle   Princi	Side 1, For ope												OUR'L	4		41.5	4	8		100			5.50			S.	œ.		8	14
Private   1972   Private		E				100	100					200	T	•	4	200	8	7.		100	700	100				09	8	60.	×	3
Side 1, per 19.   20.	4	E 5	. 0											1	3	3		8	200		10111	100	4000			ş	=	8	7	, in
Side 1, Dec. 100   Side 1, Dec. 100   Side 2, Dec. 100   Side 3, Dec	51de 1, Bez m	**	A								W.	10	21	34	-1	4	5	ą	1		100		- 556			8	9.	7	600	ď,
Side 1, Dec. 197   Side 197   Side 207   Side 3, Dec. 197   Side 3,	Side 1, Don "O"															t	8	<b>2</b> .		5-F 15		PT . C.	-		80	9.	100-	6	8	8
150.2   Dec 17   Dec 17     150.2   Dec 17     15									VOICE LET		12	02.					1	ş		200			3-12			Ş	8	17:		.d
											i i		red A				A T	L	Se.L	The same	32.4	5 19	1343			5	ę,	5	61,	4
	Side 2, Ben "A"												Fee	4 79	Partie of						Chief I.	Sec. 150.	35.0			80	8	77	BO*-	Ų
	Standimens	1	H														-			100	200	200				B	8	*0°-	?	Ħ
	Chedon Bearth's Time (Nam.)	2	•		1							100					The Late					- 27			A 10	9	4	ğ	ಕ	3.
	Field of Vinter	<b>F</b> %	<b>×</b>													-	Asir.				2	•	6			7	ď.		Ę	×
	a Mes	2 E	,4 ;																			1	Š.	-	1.32	वं ।	<b>a</b> 1	8		R.
		10												*			PLAN.		(2)4) (2)4) (2)4)					1		9	1 1	2 3	7 1	<b>4</b> 8
	West 18th	1 2	. 0									N.	7 .	e de la constante de la consta							in the second	100			1	7	7		2	
	Chatse Regetten Time	đ	•																	10.00		- W. T.			54.5	ł	F	7	3	04-
AP 5 Transmit Assert  AP 1 Transmit Assert	Choles Regeless Time (Verlability)	2 5	o .													4						King s			4		1	\$	F 1	7
in AFR T T T T T T T T T T T T T T T T T T T	Manuel (mm)												The state of the s	Springs Springs			× 193			1.1476	7.40	100	A							1
AR T TO THE TO ARE	Composite 717 365	R	ı, pe											MALE S					134						(Feb. 2)				12.1X	
V V V V V V V V V V V V V V V V V V V	Aphitude Area I	25	Þ											-9775	. 4	2		P	1				1					a ditar		
f . Array Pro-cornel Account.  F . Significant at the 35 level.	Hechardical Aptivale	Ę	<b>p</b> - 1						ē.		51			2.124.emile Andrewer	3	1	1													44
# - Array Provides A Accord.  # - Significant at the \$5 level Culturies variable any matter.  ** - Significant at the \$5 level Culturies variable any matter.  ** - See Will Section literations for \$177 - Ear to \$15.	Griterion		-											erint)				* 1				1								
particular at the 25 percent Oriverson verifield only marked.  Particular at the 21 percent of the 21 percent of 2	400	1											4.00	-			2 0	140	188									4-10-	75.4	
		M low	25.0	7 - 15	4	1		Ê						n-KSID-II			W.			, Y			4							

.43 - .19\*\*
.50 - .28\*\*
.50 - .28\*\*
.41 - .28\*\*
.41 - .28\*\*
.41 - .41 -

ä ä

... ... ... ... ... ...

#### SELECTION OF THE BATTERY

Once information on the individual tests was available, it remained to select tests for combination into the most effective battery of predictors. Combinations of different tests and of varying numbers of tests were investigated. The results of combining tests according to beta weights are presented in Appendix E. These results, however, are very similar to the validity coefficients determined for combinations of the same tests each weighted equally.

The results in general show that beyond five or seven tests, little is gained in validity with the addition of more predictors. Further, combinations of five or so tests were found to all have about the same predictive efficiency. Feasibility of administering the tests, then, was the primary consideration in choosing the following battery:

Table 6. Battery of Tests for Driver Selection.

Age				
Attention to Det	ail	orașe.	PRT	2374
Driver's Self De	scription Bl	enk	PRT	2457 -
Driving Know-How	The second second second		FRT	2412
Emergency Judgme	nt		CRT	87
Two-Hand Coordin	ation		PRT	2387
Word Matching			CRT	207

The validity coefficient for this battery was found to be .38 (reflected r).

Should it be desirable to have available for operational use more than one battery, this larger bettery can be broken down into two smaller batteries with very little loss in predictive efficiency. Using seven previous tests, the smaller batteries listed in Tables 7 and 8, are suggested:

Table 7. Battery of Four Driver Tests.

Driver's Self Description Blank	PRT	2457
Age		
Attention to Detail	PRT	2374
Driving Know-How	PRT	2412

Validity coefficient = .39 (reflected r)

#### Table 8. Battery of Three Driver Tests

Emergency Judgment CRT 87

Two-Hend Coordination PRT 2387

Word Matching CRT 207

Validity coefficient = .24 (reflected)

These two batteries could be used to supplement each other if retesting or alternate forms are required, or if tests for initial screening as well as at unit level are desired.

#### SUMMARY AND CONCLUSIONS

From three experimental runs using a total of over 1400 men, nearly 1100 cases were usable when selected on the basis of sufficient driving experience and adequate ratings. The mean validity coefficient of the possible predictors administered to these men increased from .09 in the first run, to .14 in the second, to .20 in the final experimental run (the coefficients have been reflected.) From the data of Run Two-A a multiple R of .26 was found for a battery of seven tests. A multiple R of .33 was found for six predictors used in Run Two-B. In Run Three a multiple R of .42 was found for seven predictors. After shrinkage this coefficient reduced to .39.

A battery of equally-weighted tests selected from the second run was found to have a cross-validity in the third run of .38. It should be pointed out that this battery of seven tests can be subdivided into two smaller batteries—one of four tests, the other of three—with very little loss in stability of results. Validity coefficients for the smaller batteries were found to be .39 and .24. These smaller batteries may lend themselves more readily to operational use in an Army selection program.

The average validity coefficient for a composite score on PRT 565, the currently used driver selection battery on two runs, was about .18 (reflected r). Predictors were developed, however, which have about five times the predictive efficiency of PRT 565. Considering that the new batteries may be given to groups and may be scored objectively, the advantages are obvious.

Within the limitations of the present study, it may be concluded that:

- 1. The first hypothesis, which was to be tested in this study, is confirmed; driving aptitude can be measured by pencil-and-paper tests using combined associates and supervisors ratings as the criterion.
- 2. The second hypothesis is also confirmed; a battery of pencil-and-paper tests may be used to give an improved estimate of Army driving aptitude and ability over methods now used.

#### REFERENCES CITED

- Allgaier, E. and Lauer, A.R., A preliminary analysis of the psychophysical correlates of automotive manipulation. Amer. Jour. Optom., 1941, 18, #2, 49-57.
- 2. Cleeton, G.U., Measuring susceptibility to accidents in streetrar operators. Psychol. Bull., 1935, 22, 704.
- 3. Emends, E.J.; Grace, G.L.; Grace, H.A. and Lauer, A.R., Factors associated with the accidents of commercial drivers. Ms. Driving Research Leboratory, Iowa State College, 1951.
- Gheselli, Edwin E. and Brown, Clarence W., The prediction of accidents of taxicab drivers. J. Appl. Psychol., 1949, 33, 540-546.
- 5. Johnson, H.M., The detection and treatment of accident prone drivers. Psychol. Bull., 1946, 43, 489-532.
- 6. Lauer, A.K., Leaning to Drive Safely. Burgess Publishing Co., Minneapolis, Min., 1949, p. 36.
- 7. Miller, Charles and Lauer, A.R., The mechanical aptitude of drivers in relation to performance at the wheel. Proc. Iowa Acad. of Sci., 1946, 53, 273-275.
- 8. Seashore, R.L., Individual differences in motor skills. J. Gen. Psychol., 1930, 2, 38-66.
- 9. Snow, A.J., Tests for chauffeurs. Indus. Psychol., 1926, 1, 30-45.
- 10. Thorndike, Robert L.; Duker, Sam; Hagen, Elizabeth and Flanagan, J.G.,
  Human factors in accidents. School of Aviation Medicine, American
  Inst. for Research, 1950, 174 pp. (Restricted)
- 11. Vitelles, M.S., II. Methods devised for Milwaukee Electric Railway and Light Co. J. Pers. Res., 1925, 4, 173-199.
- Reports of the Personnel Research Section, Personnel Research and Procedures Branch, The Adjutant General's Office, Department of the Army.
  - 12. PRS Report 935. The development of criteria of safe driving for the individual. 1952, 19 pp.

- GENERAL RELATED READING LIST (Does not include references directly cited.)
- Allgaier, E., What the Ford tests showed. Pub. Safety, 1941, 19, 14-15.
- Allgaier, E., Evaluation of driver tests. Amer. J. Optom. Arch., Amer. Acad. Cptom., 1941, 18, 345-347.
- Baker, J.S., Studying the accident-prone driver. Fub. Safety, 1934, 5, 22-23.
- Barsantee, H., Accident-addicts. The Trav. Standard, 1938, 26, 21.
- Bonnardel, R., La psychometrie et la prevention des accidents du travail. Travail Hum., 1949, 12, 1-15.
- Brody, L., Personal Factors in Safe Operation of Motor Vehicles. Center for Safety Educ., New York, 1947, (2nd. Ed.), 96 pp.
- Brown, Glarence W. and Ghiselli, Edwin E., Accident proneness among streetcar metermen and motor coach operators. J. Appl. Psychol., 1948, 32, 20-23.
- Burtt, H.E. and Frey, O.C., Suggestions for measuring recklesness. Person. Jour., 1934, 13, 39-46.
- Canty, Alan, A note concerning the examination of traffic offenders. Jour. Appl. Psychol., 1936, 20, 493-498.
- Chambers, E.G., A preliminary inquiry into the part played by character and temperament in accident causation. J. Ment. Sci., 1939, 85, 115.
- Csillag, I. and Hedri, E., Personal factors of accident proneness. Indus. Med., 1949, 18, 29-30.
- De Silva, H.R., Why We Have Automobile Accidents. John Wiley & Sons, Inc., New York, 1942, 394 pp.
- De Silva, H.R., Robinson, P. and Forbes, T.W., Some psychological factors in accident-repeater drivers. Jour. Abn. and Soc. Psychol., 1939, 34, 124-128.
- Dunbar, F., Susceptibility to accidents. Med. Clin. N. Amer., 1944, 28, 653-662.
- Eno Foundation for Highway Traffic Control, Personal characteristics of traffic accident repeaters. Saugatuck, Conn., The Eno Foundation, 1948.
- Enc Foundation for Highway Traffic Control, The Motor-Vehicle Driver: His Nature and Improvement. Saugatuck, Conn., The Enc Foundation, 1949.

- Fletcher, Edwin D., The effect of special tests on driving performance.

  Calif. Highway Patrolman, 1939, 2.
- Forbes, T.W., The normal automobile driver as a traffic problem. J. Gen. Psychol., 1939, 20, 471.
- Harris, Frank K., A comparison of the personality characteristics of accident and non-accident industrial populations. Amer. Psychol., 1949, 279.
- Johnson, La Verne and Lauer, A.R., The effect of induced manual handicaps on motor performance of a complex nature. Jour. of Appl. Psychol., 1937, 21, 85-93.
- Keane, F.L. and O'Connor, J., A measure of mechanical aptitude. Pers. J., 1927-28, 6, 15-24.
- Kramer, Milton D. and Lauer, A.R., The psychology of safety and safe human conduct. The Jour. of Educ. Soc., 1946, 20, 107-113.
- Kraft, Merwin A. and Forbes, T.W., Evaluating the influence of personal characteristics on the traffic-accident experience of transit operators. Proc. Highway Res. Board, 1944, 278-291.
- Lauer, A.R., Fact and fancy regarding driver-testing procedures. Jour. of Appl. Psychol., 1937, 21, 173-184.
- Lauer, G.I., Cutler, Max and Lauer, A.R., Exposure risk as a criterion of traffic accident hazards in Iowa. Proc. Iowa Acad. Sci., 1945, 52, 261-263.
- Lawsche, C.H., Jr., A review of the literature related to the various ps psychological aspects of highway safety. Lafayette, Ind., Purdue Univ. Eng. Exp. Sta. Res. Series No. 66, 1939.
- Mallart, J., Causes psicological de los accidentos y modo de eliminarias. (Psychological causes of accidents and means of eliminating them.) Psicotecnica, 1943, 4, 142-147.
- Marbe, K., The psychology of accidents. Human Factor, 1935, 9, 100-104.
- Miles, G.H., The psychology of accidents. Jour. Nat. Inst. Indus. Psychol.
- Pennsylvania Department of Motor Vehicles, Deaf mutes are safest motorists on Pennsylvania's highway system. Bull, Am. Assoc. Mot. Veh. Admin., 1940, 5, 15.
- Ream, M.J., The tapping test: A measure of motility. Psychol. Monog., 1922, 31, 140, 293-319.
- Reid, W.G., Drivers aptitude tests of the thir armored division. Harper Hosp. Bull., 1942, 1, 97-102.

- Ruch, F.L. and Wilson, C.L., A new system for selecting safe drivers.. Comm. Cer. J., 1948, 76, 66-68.
- Ryan, A.H. and Warner, M., The effect of automobile driving on the reaction time of the driver. Amer. Jour. of Psych., 1936, 48, 403-421.
- Selling, I.S., Personality traits observed in automobile drivers. J. Crim. Fsychopath., 1940, 1, 258-263.
- Siebrecht, Elmer B., Measuring Driver Attitudes. Center for Safety Educ., New York, 1941, 29 pp.
- Slocombe, C.S. and Bingham, W.V., Men who have accidents; individual differences among motormen and bus operators. Person. Jour, 1927, 124-267.
- Slocombe, C.S. and Brakeman, E.R., Psychological tests and accident-proneness. Brit. J. Psychol., 1930, 21, 29.
- Stump, N.T., A statistical study of visual functions and industrial safety. J. Appl. Psychol., 1945, 29, 467-470.
- Tillmen, W.A. and Hobbs, G.E., The accident-prone automobile driver; a study of psychiatric and social background. Amer. Jour. Psychiat., 1949, 106, 321-331.
- U.S. Congress, Motor vehicle traffic conditions in the U.S. The accident prone driver. House Document No. 462, Part VI, 1938.
- U.S. War Department, Driver selection training and supervision; wheeled vehicles. U.S. War Dept. Tech. Manual, 1945, 21-300. (Pub. Bd. #18977, Washington, D.C.)
- Uthoff, Lualis and Lauer, A.R., Empirical study of compensation. Proc. Iowa Acad. of Sci., 1939, 46, 352-359.
- Waits, J.V., The use of the American Transit Motor Ability Test in the selection of bus and streetcar operators. Proc. Highway Res. Board, 1946, 340-353.
- Weiss, Albert P. and Lauer, A.R., Psychological Principles in Automotive Driving. The Chio State Univ., Columbus, Ohio, 1930.
  - Wilson, Clark L. Jr., The use of biographical information blank in predicting labor turnover among bus and streetcar operators. USC Abstr. Dissert., Los Angeles, 1948, 188-191.

### APPEND IXES

			Page
Appendix	A.	Description of Tests	1
Appendix	В.	Standard Directions and SOP Used in the Field	12
Appendix	c.	Correction of Criteria Data	23
Appendix	D.	Statistical Results	27
Appendix	E.	Selection of Tests	31
Appendix	F.	Special Data and Explorations	41
Appendix	c.	Discussion of Item-Analysis Methods	45

#### Appendix A - Description of Tests

Copies of the tests developed are on file with Personnel Research & Procedures Branch, TAGO, Department of Army. Sample items are shown and described here. It was not thought necessary to make copies large enough to be legible. Each will be designated as to Plate and number on the plate. Some of the conventional type of pencil-and-paper tests will be described in a sentence and a sample item given to illustrate the form of questions. See Plates 1, II and III pp. 5-7. NA indicates no CRT number was assigned.

#### TESTS USED IN RUN ONE

- 1. CRT 63 Activity I (not shown here but similar to Plate II-7.)
  A pencil-and-paper test of activity or motility having a reliability above
  .80 and a validity of .45 when correlated with actual tapping using Ream's method. It is set up to be scored by IBM.
- 2. CRT 63 Activity II. A variant of Activity I in which the strokes required were altered from single down stroke to a down-and-up stroke.
- 3. CRT 60 Tracing Coordination (not shown). Similar to an IBM scoring key with connecting lines leading towards the center of the page. The subject uses two pencils, starting with left hand at upper left and with the right hand at lower right. Moving along the lines and towards the center, the subject blacks in each circle as reached. The tests are scored on IBM machines.
- 4. CRT 67 Tracing Ability. This test of finer coordination was originally run to match an IBM scoring sheet in which samplings of the accuracy of tracing a line were randomly chosen as the method of scoring. Due to complications introduced from printing, the tests were hand-scored but could be easily adapted for regular machine work. (See Plate I-1)
- 5. CRT 206, CRT 59 and CRT 197 Spatial Relations. This is an adaption of the O'Connor Block Test to pencil-and-paper form. The examinee is shown the complete block assembly, then is given a partly assembled block with five alternate possibilities for fitting one of five blocks into a given position. His score is the correct number of choices. (See Plate II-6)
- 6. CRT 68 Visual Recognition. A perception test in which a circular pattern design is presented at the left-hand side of the page. Five similar looking designs are set at the right for comparison. The subject selects the one like the sample. (See Plate II-5)
- 7. CRT 199 Letter Block. A test designed to measure speed and accuracy of perception. The blocks of letters are presented and the task is to go through quickly and pick out the row in each block which has a wrong letter in it. Each block of letters is an item. (See Plate I-7)

- 8. CRT 63 Object Identification. A test of observation with two objectives. The examinee must, (a) search over the page for the right numbered item, and (b) answer the question which relates to accuracy of observation. (See Plate I-5 and I-6)
- 9. CRT 61 Speed of Perception. A number-checking test after Evans and others in which serial numbers about 3/4 inch in height are placed at random on a page. The examinee traces the serial numbers in order as far as he can go in a given time and then puts a cross over the last one he reaches. The score is the number he reaches. (Not shown on plate)
- 10. CRT 62 Speed of Perception (Revised). The same as before but with every alternate number reduced in size to ordinary reading type. The rationale is that the time required for the eye to accommodate, a type of near-far fixation, might be measured. (Not shown on plete)
- 11. CRT 66 Lateral Perception. Hypothesized as an indirect measure of visual efficiency in the periphery of vision. The subject compares two rous of random letters for differences or sameness presented in groups of five. The successive groups alternate from the center of the page to the side. (See Plate II-3)
- 12. CRT 202 Visual Acuity. A test in five parts designed to measure detailed visual perception. The test is structured to avoid linguistic and higher mental activity effects as far as possible. Each part has a different design, graduated in size, to increase difficulty in seeing. The score is the number right. (See Plate II-9 and II-10, and Plate III-1 and III-2)
- 13. CRT 207 Word Matching. A visual perception test in which a key word at left is matched by one of five choices at right. The task requires sufficient vision to read the word correctly. The size is successively reduced past the threshold of readability for one with subnormal vision.
- 14. CRT 201 Traffic Observation. An adaptation of the classic Aussage test made up of traffic situations. Objective questions (shown at the right of picture) are presented after a short period of study. (See Plate I-2 and I-3)
- 15. CRT 64 Visual Nemory. A type of immediate recognition of forms. It was hypothesized as a measure of a driver's tendency to notice and then forget dangers in the environment. The designs used were the same as for Visual Recognition (shown on Plate II-5) except differently arranged. In certain respects it is similar to Traffic Observation except the designs are abstract.
- 16. CRT 69 Space Judgment. A test after Ghiselli in which spatial intervals are compared. The subject selects the letter which is closest to the standard or reference letter of each item. (See Plate I-4)
- 17. CRT 87 Emergency Judgment. Pictorial presentation of traffic situations are made. The subject indicates his choice of solutions in a

five-answer multiple choice item. (See Plate II-2)

- 18. CRT 196 Emergency Driving. Questions of the conventional four and five-answer type on information designed to measure one's reactions to emergencies in driving. The aim was to concentrate on emergency situations if they could be differentiated. Two forms were used.
- 19. CRT 88 Driving Judgment. Similar to the above but emphasis was placed on judgment with respect to ordinary driving practices. The two forms, A and B, were merged into Form X for the second run, retaining the best items only.
- 20. CRT 208 Notto Test. A set of common proverbs and axioms involving mechanisms hypothesized to be related to proper behavior in traffic situations. Three responses are possible: (A) Agree with, (B) Don't know, (C), Do NOT agree. A weighting system of from 1 to 3 is used in reverse order. Sample items are:
- 1. Nothing succeeds like success. (A) Agree (B) Don't know (C) Do NOT\*agree
  2. Knowledge is power. (A) Agree (B) Don't know (C) Do NOT agree

\*NOT is capitalized for emphasis.

#### TESTS USED IN RUN TWO

The tests described below are mostly group tests of cognitive nature with the exception of PRT 565 and were added to the battery on the second run.

- 1. PRT 565 These tests are the regular Army driver selection tests. They were given according to Army specifications, both as to construction of the test, design of the apparatus and test administration. A full description is given in the Manual "Examinations For Motor Vehicle Operators," MVO-I, M, WD AGO PRT-565 and need not be given here.
- 2. PRT 2387 Army Two-Hand Coordination. A motor coordination test in which special hand pegs are alternately aimed at circles to the right and to the left, starting with the center columns. The score is the number of targets hit according to standards set up. (See Plate III-3) Note the starting point is marked. The carbon is placed on the back and the score is the number of targets hit within the circle.
- 3. CRT 195 Pattern Tracing. A standard IBM form is over-printed with a pattern to be traced on the separate answer sheet without the pattern. Control and close observation are necessary.
- 4. FRT 2382 Army Path Tracing. A maze is over-printed on standard IBM sheets. The subject traces through the maze. Fer cent right was used as a score. The test is designed for IBM scoring but because of some printing irregularities they were doubly scored by machine and some hand scored to assure a reliable measure. Only slight discrepancies were noted on the two sets of scoring and a mean was taken for the two. (See Plate II-4)

#### for general layout.)


- 5. PRT 2374 Attention to Detail. Army test composed of rows of O's, a number of which are broken. The task is to determine how many are broken in each line. Used only in Run Two-A and Run Three.
- 6. PRT 2457 Driver's Self Description Blank. Described elsewhere by PRS. A driver's background and personality-attitude blank. Several scores are available.
- 7. PRT 2412 Driver Know-How Test. Developed by PRS and consists of 48 items involving knowledge of driving and safety behind-the-wheel. Score is the number right.
- 8. Experimental Test. CRT 217 Perseveration. A combination of sense and nonsense, and word combinations which may be either true, false, or pure nonsense being answered (A), (B), or (C) accordingly. (See Plate I-9 for general layout).
- 9. Experimental Test. CRT 218 Accuracy. A tedious and boring test in which items consist of different numbers of certain letters, numbers or symbols appearing in a mixed line, e.g.,
- 1. Which number occurs most often? 139765437265434723


$$(A) = 3$$
  $(B) = 7$   $(C) = 2$   $(D) = 4$   $(E) = 6$ 


- 10. Experimental Test. CRT 216 Difference Petection. An observation test set near the discrimination threshold, Pictures of commonplace and automotive-type apparatus are presented with a structuring sentence to direct attention to proper detail. This test was cross-validated. Score is number right. (See Plate I-10).
- 11. Experimental Test. CRT 215 Motility. This test is a further development of CRT 63, Activity I and Activity II. The general format is shown (Plate II-7). The first part involves blackening in the triangles as rapidly as possible. The second part is essentially the same as CRT 63.

#### TESTS OR ELEMENTS NOT ENTIRELY ORIGINAL

Test	Army Desig- nation	Credit Due	Permission granted for experimental use
Speed of Perception (Rev.)	61 62	Author unknown rights expired	Dr. J.E. Evans, ISC
Activity Motility	63 215	Adapted for exp. use on IBM	IBM, Des Moines
Visual Memory	64	Rights expired if ever entered	J.E. Evans, ISC
Space Judgment	69	Edwin E. Ghiselli	Dr. Ghiselli, Berkeley, Calif. through PRS
Visual Acuity	202	For use of tar- gets in Part II	R.A. Sherman Bausch & Lomb, Rochester









# PRT 565 PSYCHOPHYSICAL TESTS CONSTRUCTED ACCORDING TO ARMY SPECIFICATIONS












PLATE IV

## SUPPLEMENTARY PSYCHOPHYSICAL TESTS USED IN PRELIMINARY AND EXPERIMENTAL RUNS






2



J



5

The following supplemental psychophysical tests were evaluated as predictors of driving aptitude and/or ability.

- 1. Armed Forces Vision Test as described by the Armed Forces Vision Committee (not shown here). It comprises an objective test of visual acuity, muscle imbalance and color vision.
- 2. <u>Motility Test</u>. A measure of activity developed by Ream (G). The sum of four trials of 10 seconds each was used as a score. A telegraph key with self-timer and counter gives a reliability of .94. The key is standardized at 3 mm. throw and 50 grams pressure resistance. (See Plate V-2)
- 3. Strength of Grip. The Amedley (hand dynamometer) calibrated in kilograms was used to make the measurements. The sum of four successive trials (R, L, R & L) was used as the score. When given under proper conditions of motivation the reliability is .95 or above. (See Plate V-5 right).
- 4. <u>Ocular Dominance</u>. A variant of the Parson's Manometer adapted by using a red filter over the right eye and blue filter over the left eye. While the test has shown differences between accident and non-accident drivers in previous studies, the method of administration is new and because of an apparent systematic error introduced by the colored filters the results were not used. A quantitative scoring is obtained by totaling the number of R sightings made in seven trials. (See Plate V-5 left).
- 5. Choice Reaction Time. An electronic variant of the regular PRT 565 test using a falling board, but with both red and green lights being used. The subject reacts only when the red light appears. The contact key, when pressed lightly by the foot, closes the chronoscope circuit which is instantaneously released upon reaction by the subject. This eliminated the systematic "action time" error pointed out by others. Any false move on a green signal which starts the clock is recorded as an error. Three scores were calculated: (a) reaction time as such (mean of 20 trials), (b) variability between successive trials, and (c) error or "false start" score. The latter is assumed to be a measure of the tendency to become nervous or to lack of self-control.
- 6. Steadiness Test. A modification of Whipple's Steadiness Test has been commonly used as a measure of driving aptitude. The subject stands before the instrument and moves the stylus down a narrowing V-slot until contact is made with the side. This closes a circuit and a red light flashes. Readings are made at the point of contact on a calibrated scale. (See Plate V). The score is computed as the sum of 8 trials as shown in inches of travel on the scale. This function is assumed to be related to the path, line and other tracing tests which in certain instances showed some promise as predictors of driving. Now of these functions held up on cross-validation.

7. Depth Perception or Distance Judgment. A modification of the Army PRT 565 version of the Howard-Dohlman test but made somewhat longer, using a variable-placed stationary peg, was employed. A friction control cord attached to the movable peg tended to minimize the possibility of "cheating" by using certain non-visual cues. This test was found to be slightly more reliable than that built according to Army PRT 565 specifications. (See Plate V-3).

The Self Rating item was placed on the data sheet as an afterthought to test the hypothesis that certain persons and groups tend to overestimate or underestimate themselves. (See Appendix B, page 22).

The apparatus shown in (Plate IV-3) is that of the regular Army PRT 565 and need not be described further here. The exact specifications for dimensions, lighting, practice instructions and scoring methods were followed literally from Army manual. Specific instructions and SOP for all the tests are given in Appendix B.

At the bottom (Plate IV-5) is shown some of the boards used on the PRT 565 fall apparatus for measuring reaction time. The device was found to be extremely troublesome and not dependable. Besides being slow in administration, it was found to require almost as much time for servicing as that required for actual testing. Note excessive wear.

A composite was made of PRT 565 scores by pre-determined weightings made to give the best predictive values of the composite score for driving aptitude. (See Lauer 6). It is herein designated as PRT Composite and indicates the predictive efficiency of currently used Army driver selection tests given as prescribed in the Army manual.

Appendix B - Standard Directions and SOP Used in the Field

### INSTRUCTIONS FURNISHED INSTALLATIONS

A full set of directions for the convenience of local Safety Directors and Officers who were to make arrangements on the Post as per contract plan, were sent out as follows:

INFORMATION BULLETIN FOR TEST RUNS ON DRIVER APTITUDE TESTS (Adapted to fit the run, installation, dates and other details)

re: Contract DA-49-083 CSA-191 Driver Aptitude Tests.

In a Department of Army Contract Research Project on Driver Aptitude Tests authorized by the Department of Army, Adjutant General 's Office, Washington, D.C., we are to visit several installations on the first test run at which time we need about \_\_\_\_\_ men, 40 a day for four hours, who have the following qualifications as requested by the Department of Army.

- 1. Army drivers in uniform holding an Army driver's license.
- 2. Groups of 20 men from one unit or closely related units who know each other reasonably well and who know something of each other's driving skill, experience and habits so that they may rate each other.
- 3. Men who drive or have driven light and medium heavy Army equipment.
- 4. Hen who are known to from 2-6 supervisors who would be able to rate them as drivers.

The purpose of the study is to develop a screening test for Army drivers that could be used to classify and select drivers of Army motor vehicles. The results of such tests might possibly go on Form 20 along with mechanical aptitude, clerical aptitude and other abilities after suitable evaluation and selection of testing units. The Adjutant General's Office at Washington has authorized the study and will lend its full support and authority. You no doubt have received this information through channels by this time.

A room will be needed for this testing program that is provided with tables to seat 20 men. Two groups of 20 each will be needed for four hours testing each day which we may designate as Group A and Group B. Group A takes the tests in the morning and Group B in the afternoon. Both groups appear at 0800 or the regular scheduled beginning hours observed at the Post. One group will be needed for four hours in the forenoon and the other for four hours in the afternoon. The men will stay to complete all records started. The tests are interesting and the soldiers usually enjoy them. The immediate results of the program will be to dignify and encourage the work of the Safety Director or Officer who arranges the schedule, the place of testing and other details.

We are advised from Washington that the original authorization and directive from the Adjutant General's Office issued at the beginning of the research in March of 1951 gives clearance for the complete contract. This is the first run and subsequent visits may be necessary to complete the contract. If there are any questions about the plans we will be pleased to write or call in persons to help clarify them.

It is our plan now to visit the following installations under your command in compliance with our obligations of the contract:

(List of installations and dates inclusive are inserted here)

All equipment and tests will be furnished by the examining personnel which will consist of the following persons:

Dr. A.R. Lauer, Director of the Project
Ted Campbell, Research Assistant
Gerald C. Helmstadter, Research Assistant
(Personnel for other runs or installations listed accordingly)

Provisions for quartering these men on the Post for the dates given are desired. Also two or more enlisted men with some clerical ability and who know their way around the Post will be needed to help in proctoring and in securing personnel records of drivers.

The research team will arrive on the afternoon of the day before beginning the tests in order to have everything ready for starting early the first morning scheduled at the installation. They will leave the late afternoon of the last date and will not need quarters for that night. In other words, they will arrive at about o'clock on (Pay, Month, date) and leave (Day, month, date).

The best results have been obtained when the units selected for furnishing the men are notified by written letter and the list of cooperating organizations is run in the Post Bulletin over the signature of the Commanding Officer. It is essential that all men used report punctually and stay until the completion of the tests.

It is suggested by the Department of Army that local arrangements be made by the Post Safety Officer or Director acting under the proper higher command. This is a project in which the whole Army has considerable at stake and your full cooperation is solicited.

Thanking you most sincerely for your help and cooperation.

Very sincerely yours,

(Signature)
A.R. Lauer, Director of Project
Driving Research Laboratory
Industrial Science Research Institute
Iowa State College, Ames, Iowa

### SOP FOR FIELD TESTING ON CONTRACT NO. DA-49-083 OSA-191 APTITUDE TESTS FOR DRIVERS

### GENERAL PRECAUTIONS

- 1. Keep the directions before you at all times and read them to each subject. Make the reading of directions conversational in style.
- 2. Motivation of the subject is very important for administration of tests. Try to keep every subject trying to beat his own record.
- 3. Tests which come in contact with the body should be sterilized twice each half day or after each subject has been tested in certain cases. Keep sterilizing agent away from paint on commercial instruments. This applies only to psychophysical tests.
- 4. Record each setting or trial as completed. Never rely on your memory.
- 5. Be on the slert constantly for any attempt at collusion or otherwise beating the tests.

### 1. INTRODUCTION TO WRITTEN TESTS Read to the Examinees

"liy name is (give name) and this is (give name). We are working under orders from the Department of Army at Washington, down through channels, and by authority of the Chief of Staff of this Post. We were also in uniform during World War II and had our share of active service.

"The Department of Army is particularly anxious to reduce accidents, both at home and in the combat zone. They are convinced that improved selection and training methods for drivers will help do this. Therefore, we ask that you please give your best cooperation in the following ways:

- 1. Mark the tests as quickly and accurately as you can.
- 2. Do not talk or bother others. If you have a question, raise your hand and we will help you if the nature of the test permits. Work as quietly as possible.
  - 3. Give your full attention to the job. Do your best.

"Since you have been assigned here during the day it is our duty to report back to your company the completeness of all records started. Be sure your test papers are all complete before you leave. Check with us before you leave so we may make a good report for the day. (Examiner specifically indicates those to do checking out)

"The purpose of the study is to evaluate selected tests for drivers developed and given here and at several other installations. Eventually some form of these will probably be used to classify every recruit as he comes into the Army the same as the other tests of clerical aptitude and mechanical ability which most of you have taken.

"You have been especially selected as a group of the most experienced drivers in the Army and your scores will be used as a standard of classification for new drivers. Therefore it is important that you do your best.

"You will find the tests interesting, for the most part, and if you care to know something of your record when you check out we will be gled to tell you anything we can. The test papers may eventually go to Washington, so please be as neat and careful with your paper as possible. Remember you must use the special pencil handed out so that the scoring machine will pick up the line. Mark clearly between the lines, to blacken it in, thus a proper was not the answer sheet to indicate the correct

answer for the question. Most of the tests will be timed so watch that you start and stop exactly with the signal which will be given as: READY - BEGIN and STOP when the bell rings at the end of the test.

(In the morning the examiner adds further:) "This afternoon you will report back for the psychophysical tests." (In the afternoon session say:) "First we will fill out your roster data sheet, the long slip which has been handed you." The directions were then read as given.

### 2. INSTRUCTIONS FOR ADMINISTRATION OF THE CRITERION RATING FORM

"In this next part we are going to give you a roster of drivers, most of whom you know, and ask you to tell us how well each man does on the different things that go into making up an all-around good, safe driver. Some of the things you will rate him on are: his military bearing, how often he has near-accidents, and how he reacts to sudden changes, and others.

"Here are the booklets that you will use. DO NOT OPEN THESE BOOKLETS UNTIL I TELL YOU TO.

"Notice the words on the cover: 'EXPERIMENTAL-FOR RESEARCH
PURPOSES ONLY.' This means that the information you give us will not be
known to anyone at this Post and no man will be affected in any way by this
information.

"You will notice the two numbers on the front of the booklet.

These two numbers indicate the PIACE and the GROUP. We do this so we will not have to use your name when rating other drivers. We keep record of the ratings by these two numbers and the letters on the scales.

"Notice the column of lettered boxes at the right hand side of the page. Pull out the roster sheet and line up the roster with the lettered boxes - A with the A box, B with the B box, and so on. (Demonstrate)

next to your own name and cross your name off of the roster. You will not rate yourself. Is there any driver on your roster that you do not know or that you do not know his driving? If there is, put a circle in the box next to his name and cross his name off the roster. You will not rate anyone you have crossed off of the roster. If there are some drivers you do know but you are not sure of being able to rate them, put an X in the boxes next to their name. YOU WILL RATE THEM TO THE BEST OF YOUR ABILITY - MAKE THE BEST ESTIMATE YOU CAN OF THEM. Are there any questions?

"Now we are ready to rate the drivers you know on the first scale. Turn to Page 2 and line up the letters on the right hand side of the page, A with the A box, B with the B box, and so on. The question we are rating on is: 'How does he rate on personal appearance and military bearing?' If he is tops, one of the best, he rates a 1, a 2, or a 3. If he is about average, like most drivers, he rates a 7, 8 or 9. If he is one of the poorest, he rates a 13, 14 or 15. Each time you rate a man you first decide which section he belongs in, then decide which number on the scale best fits him. Then put that number in the box next to his name. DO NOT RATE ANYONE YOU HAVE CROSSED OFF OF THE ROSTER. MAKE THE BEST GUESS YOU CAN ON THIS BASIS OF WHAT YOU DO KNOW ABOUT EACH DRIVER."

(Examiner please refer to Page 5 of the directions and follow the SOP carefully.)

### INTRODUCTION TO PSYCHOPHYSICAL TESTS

"My name is (give name) and my assistant's name is (give name). We also have been in uniform at various times and understand your problems. We are acting under orders from the Department of Army in Washington and you have been assigned here for the day by the Commanding Officer of the Post. We are all vorking together to improve the methods of selecting and training of drivers. You have been particularly selected as experienced drivers whose records are to be used as a standard of comparison for future selection of men who will do a good job handling motor vehicles.

"Since we can take only four or five drivers at one time through the psychophysical tests, will you please remain in your seats and complete the two written tests which will be handed out in a few minutes. There is no time limit on the written tests and after you get started we will call some of you to do the individual tests of reaction time, strength, activity, vision, etc. Then you can return to your seat and complete the written tests. All are to be completed before you leave. Please do not waste time so all may get through together if possible.

"We are passing out three forms in a folio together with one answer sheet. Keep all these together in the folio. They are to be filled out as follows:

a. One form is to be used with your psychophysicals. Fill out the first page down the row of 0's - 000000000 at the lower part of the page. This is merely a division line.

- b. The Driver's Written Test. Put the answers to this on your answer sheet marked #DA-AGO PRT 2410, starting in columns 3 and 4 with item 91. The answer to question 1 will be in the #91 place on the answer sheet, question 2 in #92, etc. Use special rencil provided by us in all these tests. If one breaks ask for another.
- c. The Driver's Self Description Blank covers certain experiences that you have had. The answers to these questions will be placed on the same sheet starting on Side l at l. You are to answer all the questions required on the blank. (Examiner reads directions from the booklet as given and gives any needed directions regarding the marking of questions.)

"Since we have to account to your organization for completeness of records made today, will you please check out with me so that we may give you a clean slate on completion of the tests."

### 4. DIRECTIONS FOR PSYCHOPHYSICAL TESTS

### a. Steadiness.

Explain the test briefly, then say: "Take this stylus and stand with your arm directly in front of the test. (Demonstrate) Insert stylus carefully and move down as far as possible without touching sides which will flash the red light. Work carefully and try to get all the way through." When the light flashes say: "You made \_\_\_\_\_ that time. Try to do a little better the next trial, etc. You will have eight trials." Take readings on 8 trials and record each as taken.

### b. Strength of Grip

Explain the test and then say: "Take this dynamometer and give us all the grip you can. Hold it like this (demonstrate) at your side but do not let it touch your side or clothing. Do your best. This is a contest." Make four alternate right and left trials and record each as taken. Do not allow adjustment of dynamometer to be made. Set on line marked. Note reasons if one hand is noticeably weaker. Record the alleged reason.

### c. Color Vision.

Explain test and say: "Read the numbers when I turn the page as quickly as possible." Merely write the numbers on the record sheet above those listed if they are different. If all are read correctly merely write 0:K. at the end of row.

### d. Activity or lictility.

Explain the test and say: "We want to see how active you are.

Take the key between your thumb and two fingers like this (demonstrate) and move up and down as fast as you can. Remember this is a speed test.

READY - BEGIN!" Give four trials after the subject understands. The key must be held lightly with thumb and first finger and not released while

tapping. Keep motivating subject while working. Do not allow interim trials and have the person relax by shaking the hand vigorously. Keep the key set at 50 grams resistance and 3 millimeters of throw up and down.

### e. Handedness.

Merely ask the subject which hand he uses best - Right, Left or Both.

### f. Choice Reaction Time.

Explain the test and say: "Please sit down in the chair with your left foot on the rubber mat and the toe of your right on the red button at the right. Depress it <u>lightly</u> to make contact. Watch for the lights. (Indicate). If a red light flashes, move the foot over to the pedal at center as quickly as possible. If a green light flashes make no movement at all but wait for a red light. READY!" Record each reaction as made. Tally the times the subject makes a false move on the green light. Any movement of the chronoscope hand is a false move.

Give 9 greens and 20 reds in the following order: 1. G, 2. R, 3. G, 4. R, 5. R, 6. R, 7. G, 8. R, 9. R, 10. R, 11. G, 12. R, 13. G, 14. R, 15. R, 16. G, 17. R, 18. R, 19. R, 20. R, 21. G, 22. R, 23. R, 24. G, 25. R, 26. G, 27. R, 28. R, 29. R.

Record number of errors or false starts on green and the time for each reaction to red. (Note: if a color blind person is found who cannot tell colors, give red lights only.)

### g. Hearing.

Give exact directions prescribed in PRT 565. (Use the manual as you give the test and be sure it is kept out of sight so that no one sees it at any time.)

### h. Simple Reaction Time. (Foot pedal reaction)

Explain the test, then say: "Please sit down with your left foot on the white footprint on the floor. Look at the red dot under #7 on the falling board. (Indicate). When the board starts to drop, hit the pedal as quickly as possible and hold it down. READY - FIXATE!" Record 20 trials. Tally any misses on sheet as blanks. Be sure and vary the time between "Ready" and the actual release from \$\frac{1}{2}\$ to 2 seconds.

Alternate Test. Hand reaction time using apparatus and procedure outlined on page 252, FM 25-10, Basic Field Menual, Motor Transport, 1942.

i. Distance Judgment and Depth Perception. (Depth Perception apparatus built to specifications from PRT 565 Manual.)

Explain the test, then say: "Please sit on the chair and set the two black pegs at equal distance from you, even. They should line up exactly even, crosswise. (Demonstrate). Do this quickly." Make redordings

at each setting and then repeat by saying, "Same thing again, we want several trials. Now another trial, etc." Have strings released after each trial to avoid cues. Have a 40 watt ceiling light directly above the pags. Make eight trials, recording only last six.

- j. Visual Acuity using Shellen Chart. (Apparatus, directions and procedure taken exactly from PRT 565 Manual.
- k. Astigmatism using Smellen Chart

Explain the test, then say: "Holding this card over your right eye, look at the fan-dial at the top of the vision chart. Do the lines look equally dark?" If the answer is 'no' ask further, "At what hand of the clock are they darker? Are the lines slightly or markedly darker?" Record as same, slightly, or markedly, and indicate meridian by the clock fact as 9, 10, 11, 12, 1, 2, 3, etc. You need use only the upper half of clock dial. Do same for the left eye.

### 1. Field of Vision.

Explain test and say: "Please sit down at the perimeter just touching it about one inch under your eyes. Look directly at red button ahead. (Indicate). When you see this target (let them see it) moving at the side say 'now'." Same at left. Reset perimeter each time and record settings. Repeat as before. Flace it directly under a ceiling light. Examiner stands or sits just across the table to note any tendency to peek. Two trials on each side.

- m. Armed Forces Vision Test. (See Standard Directions furnished with instrument.)
- Slide 1. Vertical Phorias. Say, "Do you see a red dotted line? Do you see the number steps? Looks like an Lupside down. What number step or L is nearest the red dotted line?" Alternate and additional directions if examinee fails to understand.
- Slide 2. Horizontal Phorias. Say, "Now look again. To which number does the arrow point? To which is it closest?" Have examinee blink eyes if he sees either or above only arrow or the number. A malingerer may see only one.
- Slide 3. Right and Left Acuity (normal).\* Read the letters in line 5. Now the letters in line 8 (or 8a). The score is the smallest line in which not more than 3 letters are missed. Move up or down from line 8 or 8a. (See Manual for letters.)
- Slide 4. Right and Left Acuity (subnormal). Same directions as 3. (See Manual, pages 12 & 13 for letters.)

\*This procedure was varied slightly for the final run at the suggestion of Dr. Julius E. Uhlaner. The results were recorded on sheets filed with PRS. The longer directions and procedures would not be suitable for operational use.

- Slide 5. Same as 3 but for both eyes (normal). Same directions as 3. (See Manual, pages 12 & 13 for letters.)
- Slide 6. Both Eyes (subnormal). Same directions as 3. (See Manual, pages 12 & 13 for letters.)

Slide 7. Color Slide. "You will see four circles with various colored dots. Read me the number outlined in different colors you see within Top circle, Right circle, Bottom circle, Left circle, etc. as they are presented." Record numbers seen.

### n. Ocular Dominance.

Do not explain test. The subject should be naive. Merely ask the examinee to keep both eyes open and to look at a black target with white symbols and report if the symbols are "bluish" or "pinkish" in color. The following targets were designed but only the cross and star were used:

1. Disk, 2. Triangle, 3. Star, 4. Square, 5. Cross, 6. Half circle, 7. Diamond, Targets were about 5 inches across and displayed at 18 feet or more. The color only was recorded. Lower scope each time.

5. PSYCHOPHYSICAL TESTS AND AUXILIARY DATA SHEET (Project on Driver Aptitude Tests - Contract No. DA-49-083 OSA-191)

Form X-3 Restricted	را به در این در	i mengalak pelanggalak digi s Galabatan pelakan dan		)ate
Name		Insta	llation	
Unit Rank Months	in Army_	Main	job in Arm	
AgeHeightWeight	Reach	_Chest	Waist	Years of schooling
Job in civilian life			Pay you	got a month at this
jobWhat do you wish	to do wh	en dischar	rged?	
Home address				
Home address Street How many accidents have you	nad when d	riving (a	l'own ) an Army v	State ehicle?
(b) a civilian vehicle?	. (Damag	e of \$10	or more, or	r someone needed
first aid.) Describe brief?	Ly - two e	xamples:		
No. 1 - Time of day	Number of	persons	in car	Age of car
Also in a line or so just who	at happene	d (confide	ential)	
No 2 - Time of day	Warmhon of	nemanna	ín aen	Age of oan

L.	Steadiness:	1	_2_	3	4_	5	6	_7		BMea	in
2.	Strength:	R_	_L_	R	_L_					Mos	n
3.	Color Perception: (Cross out those missed and write below digits read in their place.)	1	<u> 8 6</u> .	7.5	. 2	15 75 — —	2 6	45	97 :	5 16 00 Summa	00 26 4 
4.	Motility	1	2	3	4_						ın
5.	Handedness:		1	В							
6.	Choice Reaction Time		1	_2	_3	4	_5	_6_	7	88	9
	101112	1	3	_14	_15_	16_	1.7		18_	19	_20
	Errors or false	att	empt	s	- 1	Mean			Mean	Variabi	lity
7.	Hearing:	R.	1	22	_3	I.	. 1	_2_	3	Mea	in
3,	Simple Reaction Time	3 1	1	_2	_3	_4	_5	_6_	7	8	_9
	10 11 12	1	3	14	_15_	16_	17		_18_	19	_20
9.	Depth Perception:			1	_2_	3	_4	_5_	6	7	_8
10	. Snellen Chart:	Ri						ded	tri	als) Mes	<b>"</b>
	(b) Astigmatism	PH	ght_	Lef	`t	_Both				Summa	77
	. Field of Vision: . Visual Efficiency:		1	_2	_3	L,		_2_	3	Ne	in_
	1. Ver	tica	1 Ph	orias_							Varante 1.2
	2. Hor	izon	tal	Phoria	ıs		-				Salagan Salama
	3. Acu	ity	R1	ght	_Lef	t]	Both_				
24.4	4. Col	or	Top	R	ht_	Le:	ft	Bot	tom_	Sum	nary
	. Ocular Dominance:	- 1		100	100	1					

TOLL THE WAY	100		Traem	arty	Record		SHAP KUK			-
16. Self-1	e tina	TP	Will Up		tolra s	o oma?	ate te	ct of	ನಿಣಗಳುಗೆಗ	e inclu
										rself or
										e line
	Lange of				P m sore	*5~3	AAC 2	32 000	<u> </u>	<u> </u>
near		per ce	nt lev	A Comment	10 7 7 7 7 7					1 1 1 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
neas	est 5	per ce	nt lev	<u>e</u> 1.		Ner V				
<u>neez</u>		per ce	nt <u>lev</u>	6T.		14.74 - 14.74	1	1	t	
<u>neaz</u> 1 0		per ce 1 20	nt <u>lev</u> 1 30	67.	1 50	60	-1 -70	1 80	1 90	160

### Appendix C - Correction of Criterion Data

### THE EFFECT OF HOMOGENEOUS GROUPING OF VALIDITY COEFFICIENTS

During the analysis of Run Two-A data it was noticed that the test groups varied widely from installation to installation and also within installations. As was confirmed in later runs, certain cultural groups low in general ability tended to over-estimate their immediate associates as drivers. They did not include their own name on the PRT 2408 rosters and no self-ratings were made. However in Run Two-B self-ratings were requested on the psychophysical data sheet and the same tendency in self-rating was noted.

This tendency was thought to be detrimental to the validity indexes obtained and it was suggested by PRS that the mean zero r's from subgroups be calculated separately and mean r's from given predictors be obtained from z-transformation of the coefficients. To do this it was first necessary to group those rosters having greatest similarity. The relationship between the mean and standard deviations on the criterion was decided upon as the most logical index to use. Since no great consistency seemed to hold for either of these parameters, as such, the coefficient of variability was found to give rather discrete groupings of rosters. This

ratio C = K was considered to be the most satisfactory index for

classifying resters into sub-groups for calculation of zero r's. As the scores were standardized by rosters this was possible within installations in order to reduce the task of making the calculations since the procedure required treating each group as a separate matrix in the analysis.

In all, seven sub-groups were thus created and analysis of variance made of the groups. The F values were calculated for each of the selected battery of tests chosen as the most useful battery for cross-validation in the third and final run.

### TABLE C-1

Comparison of Sub-groups for Difference in Means of Predictors

(F value for Sub-groups by Variables)

Variable
0 1 2 3 4 6 7 8 B

P = 3.893\*\* 5.213\*\* 2.703\* 1.178 4.667\*\* 3.569\*\* 2.315\* 1.765 3.236\*\*

All but two of the redictors showed significant F values confirming the hypothesis that the sub-groups were sufficiently different to warrant corrective treatment.

Further calculation of r's from the sub-groups and taking the mean of the z-transformations as the best estimate of validity gave r's somewhat higher than those calculated from the composite of all groups as will be noted from perusal of Table C-2.

TABLE C-2 Sub-group Validities and Mean Validity Obtained with z-transformation for Selected Variables (Run Three N = 331)

Group	N -	0	7-31	2	zero r	4	6	7	8	В
A	68	.0831	.0580	.2014	.2446	.2752	.2296	.1816	.0840	.1748
В	38	.0165	.4849	.3127	.2885	.1483	.2482	.2522	.0711	.4057
C	43	.1887	.0253	.2061	.2453	.3427	.1502	.0668	.0979	.1462
D	74	.1725	.0992	.1508	.1703	.1952	.1542	.1379	.1630	.1368
E	35	.2812	.3275	.1950	.1862	.2894	.4240	.0089	.0910	.5580
F	47	.1278	.1563	.1651	.2885	.5804	.1685	.3345	.0893	.4570
G	26	.2365	.1498	.2250	.2453	.3590	.0914	.1245	.1229	.4580
		1	<i>l</i> al <b>i</b> dit	ies for	Total	Group -	Uncorr	ected		
Total	331	.1294	.1475	.1907	.2125	,2787	.2011	.1360	.0665	.2855
		slight	tenden	cy for	transfo	rmed va	liditie	s to be	larger	than the
compos	ites. for 1	Table C-	-2:	design						

Variables: 0 - Word Matching

4 - Driver Know-How

1 - Lateral Perception

6 - Two-Hand Coordination

2 - Emergency Judgment

7 - Visual Acuity

3 - Driving Judgment

8 - Path Tracing (% right)

B - Attention to Detail

Note: Variable 5 was not used in this analysis.

The results corrobrate the reasoning leading up to this corrective treatment and the mean r's were used in the cross-validations in which they were needed.

TESTS FOR THE NEED OF FURTHER CORRECTION OF SUB-GROUP MEANS ON THE CRITERION

The problem of recalculating a composite r after correction of the

criterion for possible differences in predictor means of sub-groups was considered. It was decided to first make these corrections and then determine whether a significant difference existed. Since there were nine variables it was obvious that nine different sets of criteria could not be used and the predicted criterion means for each of the nine variables were averaged to obtain a composite sub-group criterion.

In order to test the significance of differences which might exist the mean criterion scores for each sub-group were predicted for each of nine variables, using the regression equation:

$$\tilde{y} = byx (x - \tilde{x}) + \tilde{y}$$

where:

Y = predicted mean criterion score for sub-group

x = sub-group mean for variable x

x = population mean for variable x

y = population mean criterion score

$$byx = \overline{r} \frac{s_y}{s_y}$$

where:

r = mean correlation coefficient of variable x with criterion y

Sy = standard deviation of criterion

 $s_x$  = standard deviation of variable x

There individual predicted mean criterion scores were averaged giving the following predicted mean criterion scores for the seven sub-groups as shown in Table C-3.

TABLE C-3

Comparison of Hean and Predicted Values of Criterion Scores for Seven Sub-Groups

المراجعة الأمارية	Predicted liean	
Sub-Group	Criterion Score	Difference
	150.8397*	+1.6615
2	148.1418	-1.0364
1 <b>3</b>	148.8249	3533
4	148.5898	5884
5	149.1459	0323
6	149.4675	+ .2893
7	148.6236	5546

<sup>\*</sup>The values are carried to four places only for emphasis in this comparison.
Actually the means are not significant beyond integral values.

Since the standard error of estimate of the population mean criterion score, as calculated by the formula shown below is 1.3910, only one predicted subgroup mean criterion score showed a difference from the population mean greater than the standard error of estimate and none were significantly greater.

$$\frac{\pi}{x} = \frac{5}{\sqrt{N-1}}$$

where:

= standard error of estimate of the mean

s = standard deviation of criterion

N = number of subjects

It is quite certain that any effects on correlation of a composite score if carried out would be negligible and not worth the time required to make the additional computations.

Appendix D - Statistical Results

### RUN ONE DATA

Postulated Function		Army Desig- nation	Relia- bility r	r with Aptitude Area I	Validity r
Activity	Activity I Activity II	<b>63</b>	.67 .67	+.06 02	+.02 07
Gross Coordination	Tracing	60		. 12	
COOLGIUMATION	Coordination	60		+.13	
Fine :					
Geordination	Line Tracing	67	.65	+.02	20
Perception and	Spatial Relations				
Coordination	Form A	206	.62	+.15	
	Form B	59		+.22	
Speed and	Visual Recognition	68	.84	1.49	
Accuracy of	Letter Block	199	.89K*	+.52	+.10
Perception	Object Identification	65	.86	1.22	;
	Speed of Perception	61		+.37	01
the state of the s	Speed of Perception				
	(Revised)	62	900 THE 1800	<b>+.36</b>	<b>+.01</b>
	Lateral Perception	66	.63	÷.50	05
Visual	Visual Acuity	202			
Perception	Part I			1 • <b>1</b> 00	
	Part II			+.42	
	Part III			<b>+.38</b>	
	Part IV			+-24	
	Part V			+•3 <del>9</del>	
	Total	:	.91		
	Word Matching	207	•93	+•37	08
Visual	Traffic Observation	201	.82	1.20	
Memory	Visual Memory	64	.74	+.34	
Judgmental	Space Judgment	69	.87	+.28	
Factors	Emergency Driving	196	.81K	‡.38	
	Emergency Judgment Driving Judgment	87	.61	+.41	
	Form A	45	.71	+.31	
	Form B	203	.89	+.12	
Personality and				t V <sub>is</sub>	
Compensation	Motto Test	208	.82	1.20	
				The state of the s	

<sup>\*</sup>K indicates use of Kudor-Richardson Formula. Others odd-even technique corrected by the Spearman-Brown formula.

rny	THE STATE OF THE S	Scoring	Vali-			Maxi
esignatio	Name	Method	dity	Mean	S.D.	mum*
CRT 63	Motility	No. right	4.0/	155.0	13.6	293 M
RT 2387	Two-Hand Coordination			103.9		173 M
RT 60	Tracing Coordination			85.0		
RT 67	Tracing Ability Sampl	e nts No wicht	+.06			44 M
RT 195	Pattern Tracing	a a a a				
RT 2382	Army Path Tracing			232.2		313 M
RT 206	Contint Dalations / For	m V No miles	203	77.0		100 10
nt 68	Spatial Relations (For Visual Recognition Letter Block Object Identification Attention to Detail Lateral Ferception Visual Acuity (Parts I Visual Acuity (Parts I	m A) No. right	01	75.7	5.9	40 1
RT 199	Alegan Diese	No. right	05	27.0	7.9	40 1
RT 65	Object Teast Clastic	No. right	05	21.0	9.0	42 1
RT 2374	colest reductives crou	No. right		70.8	4.0	27 T
	Attention to Detail	No. right	14	21.4	7.3	50 M
RT 66	Lateral Perception	No. right	08	30.6	9.0	50 T
RT 202	Visual Acuity (Parts I	1, 111, IV & V) No	16	45.3	12.0	96 T
RT 202	Visual Acuity (Parts I	I, III & IV) right	19	39.3	7.4	84 1
PT 207	Word Matching Traffic Observation Visual Memory Space Judgment	No. right	16	39.0	7.9	50 1
RT 201	Traffic Observation	No. right	05	34.1	9.9	50 1
RT 64	Visual Memory	No. right	07	6.6	4.6	20 3
RT 69	Space Judgment	No. right	04	16.6	5.9	48 7
RT 196	Emergency Driving	No. right	14	16.3	5.1	35 7
RT 87	Emergency Judgment	No. right	21	15.4	5.7	30 3
RT 88	Driving Judgment (Form	X - Selected item	5			*.***
	from Run I	) Cross validated	19	10.3	3.3	23
RT 88	Driving Judgment (Form	X - all items)	1.000			14
	7	Cross waldated	12	17.1	5.9	40 :
RT 208	Notto Test	Special	04	61.7		
RT 2412	Driver Know-How Aptitude Area I	No. right	12	29.5	7.0	
COM	A	/. \	, OO	0/ /		
GCT	Aptitude Area I	(A)	07	94.4	T9.T	1 Chat 1
	by M = Maximum score ma			7-4-4		1242
				7-4-4		Trivia 1
Followed	by M = Maximum score ma			7-4-4		T-474 1
Followed	by M = Naximum score ma	de; by T = Total	items i	n the t	est.	
Followed UN TWO-B RT 202	by M = Maximum score ma  DATA  Visual Acuity (Farts I	de; by T = Total :	items i	n the t	est.	
Followed UN TWO-B RT 202 RT 216	by M = Naximum score ma	de; by T = Total :	items i	n the t	est.	84
Followed UN TWO-B RT 202 RT 216 RT 66	DATA  Visual Acuity (Farts I Difference Detection (Lateral Perception	de; by T = Total :  I, III & IV) No. R All items) No. Rt.	items i	n the t	est.	84
Followed UN TWO-B RT 202 RT 216 RT 66	DATA  Visual Acuity (Farts I Difference Detection (Lateral Perception	de; by T = Total :  I, III & IV) No. R All items) No. Rt.	items i	11.3 12.1 37.0	13.7 3.6 7.5	84 25 50
Followed UN TWO-B RT 202 RT 216 RT 66 RT 2457	DATA  Visual Acuity (Parts I Difference Detection (Lateral Perception Driver's S-D Blank, Si	de; by T = Total:  I, III & IV) No. R All items) No. Rt.  de 1, Box D (A)	items i t08 19 18 14	11.3 12.1 37.0 35.7	13.7 3.6 7.5 6.3	84 25 50
Follewed UN TWO-B RT 202 RT 216 RT 66 RT 2457 RT 2457	DATA  Visual Acuity (Farts I Difference Detection (Lateral Perception Driver's S-D Blank, Si Driver's S-D Blank, Si	de; by T = Total:  I, III & IV) No. R All items) No. Rt.  de 1, Box D (A) de 2, Box B (A)	items i t08 19 16 14	41.3 12.1 37.0 35.7 27.0	13.7 3.6 7.5 6.3 4.0	84 25 50 51 35
Followed UN TWO-B RT 202 RT 216 RT 66 RT 2457 RT 2457 PR*	DATA  Visual Acuity (Farts I Difference Detection (Lateral Perception Driver's S-D Blank, Si Driver's S-D Blank, Si Educational Level	de; by T = Total:  I, III & IV) No. R All items) No. Rt.  de 1, Box D (A) de 2, Box B (A) (A)	t08 19 16 14 14	41.3 12.1 37.0 35.7 27.0 9.8	13.7 3.6 7.5 6.3 4.0 1.9	84, 25, 50, 51, 35,
Follewed UN TWO-B RT 202 RT 216 RT 66 RT 2457 RT 2457 PR* P**	DATA  Visual Acuity (Farts I Difference Detection (Lateral Perception Driver's S-D Blank, Si Driver's S-D Blank, Si Educational Level Strength (Total 4 tria	de; by T = Total:  I, III & IV) No. R All items) No. Rt.  de 1, Box D (A) de 2, Box B (A) (A)	items i t08 19 16 14 14 24 24	41.3 12.1 37.0 35.7 27.0 9.8 203.2	13.7 3.6 7.5 6.3 4.0 1.9 26.7	84 25 50 51 35 13
Follewed UN TWO-B RT 202 RT 216 RT 66 RT 2457 RT 2457 PR* P** RT 565	DATA  Visual Acuity (Parts I Difference Detection (Lateral Perception Driver's S-D Blank, Si Driver's S-D Blank, Si Educational Level Strength (Total 4 tria Composite Psychophysic	de; by T = Total:  I, III & IV) No. R All items) No. Rt.  de 1, Box D (A) de 2, Box B (A) (A) ls) al (Weighted)	items i t08 19 16 14 14 24 02 23	41.3 12.1 37.0 35.7 27.0 9.8 203.2 241.0	13.7 3.6 7.5 6.3 4.0 1.9 26.7 30.1	84 25 50 51 35 13
Follewed UN TWO-B RT 202 RT 216 RT 66 RT 2457 RT 2457 PR* P** RT 565	DATA  Visual Acuity (Farts I Difference Detection (Lateral Perception Driver's S-D Blank, Si Driver's S-D Blank, Si Educational Level Strength (Total 4 tria Composite Psychophysic Aptitude Area I	de; by T = Total:  I, III & IV) No. R All items) No. Rt.  de 1, Box D (A) de 2, Box B (A) (A)	items i t08 19 16 14 14 24 02 23 19	11.3 12.1 37.0 35.7 27.0 9.8 203.2 241.0 96.7	13.7 3.6 7.5 6.3 4.0 1.9 26.7 30.1 17.6	84 25 50 51 35 13
Follewed UN TWO-B RT 202 RT 216 RT 66 RT 2457 RT 2457 PR* P** RT 565 GCT PR	DATA  Visual Acuity (Farts I Difference Detection (Lateral Perception Driver's S-D Blank, Si Driver's S-D Blank, Si Educational Level Strength (Total 4 tria Composite Psychophysic Aptitude Area I AR	de; by T = Total:  I, III & IV) No. R All items) No. Rt.  de 1, Box D (A) de 2, Box B (A) (A) ls) al (Weighted) (A)	items i t08 19 16 14 14 24 23 19 10	41.3 12.1 37.0 35.7 27.0 9.8 203.2 241.0 96.7 91.1	13.7 3.6 7.5 6.3 4.0 1.9 26.7 30.1 17.6 21.5	84 25 50 51 35 13
Follewed UN TWO-B RT 202 RT 216 RT 2457 RT 2457 PR* P** RT 565 GCT PR	DATA  Visual Acuity (Farts I Difference Detection (Lateral Perception Driver's S-D Blank, Si Driver's S-D Blank, Si Educational Level Strength (Total 4 tria Composite Psychophysic Aptitude Area I AR MA	de; by T = Total:  I, III & IV) No. R All items) No. Rt.  de 1, Box D (A) de 2, Box B (A) (A) ls) al (Weighted) (A)	items i t08 19 16 14 14 24 02 23 19 10	11.3 12.1 37.0 35.7 27.0 9.8 203.2 241.0 96.7 91.1	13.7 3.6 7.5 6.3 4.0 1.9 26.7 30.1 17.6 21.5 19.4	84 25 50 51 35 13
Followed RUN TWO-B RT 202 RT 216 RT 2457 RT 2457 PR* PR* PR* PRT 565 GCT PR	DATA  Visual Acuity (Farts I Difference Detection (Lateral Perception Driver's S-D Blank, Si Driver's S-D Blank, Si Educational Level Strength (Total 4 tria Composite Psychophysic Aptitude Area I AR MA SM	de; by T = Total:  I, III & IV) No. R All items) No. Rt.  de 1, Box D (A) de 2, Box B (A) (A) ls) al (Weighted) (A) ""	items i t08 19 16 14 24 02 23 19 10 14 15	11.3 12.1 37.0 35.7 27.0 9.8 203.2 241.0 96.7 91.1 101.8	13.7 3.6 7.5 6.3 4.0 1.9 26.7 30.1 17.6 21.5 19.4 18.1	84 1 25 1 50 1 35 1 13 1 279 1
Followed  EUN TWO-B  ERT 202  ERT 216  ERT 66  ERT 2457  PRT 2457  PR*  PR*  PRT 565  GCT  PR	DATA  Visual Acuity (Farts I Difference Detection (Lateral Perception Driver's S-D Blank, Si Driver's S-D Blank, Si Educational Level Strength (Total 4 tria Composite Psychophysic Aptitude Area I AR MA	de; by T = Total:  I, III & IV) No. R All items) No. Rt.  de 1, Box D (A) de 2, Box B (A) (A) ls) al (Weighted) (A)	items i t08 19 16 14 14 24 02 23 19 10	11.3 12.1 37.0 35.7 27.0 9.8 203.2 241.0 96.7 91.1	13.7 3.6 7.5 6.3 4.0 1.9 26.7 30.1 17.6 21.5 19.4 18.1	84 1 25 1

```
CRT 88
            Driving Judgment
                                                No.Rt.
                                                          -,21
                                                                  15.0
                                                                          5.1
                                                                                30 T
                                                 11
                                                          -.19
CRT 87
                                                                  18.5
                                                                                30 T
            Emergency Judgment
                                                                          3.8
                                                          -.28
                                                                  28.4
PRT 2412
            Driver Know-How
                                                                          6.1
                                                                                AI M
PRT 2374
            Attention to Detail.
                                                          -.29
                                                                  26.1
                                                                          7.2
                                                                                47 M
PRT 2387
                                                           -.20
                                                                 109.3
                                                                         24.4
                                                                               166 M
            Two-Hand Coordination
                                                                                50 T
CRT 207
            Word Matching
                                                          -.13
                                                                  40.5
                                                                          6.2
                                                          -.15
                                                                   6.6
                                                                          2.1
CRT 216
            Difference Detection (Selected items)
                                                                                12 M
CRT 216
            Difference Detection (Total items)
                                                          -.18
                                                                  12.3
                                                                                25 T
                                                                          3.1
CRT 66
                                                                                50 T
            Lateral Perception
                                                                  33.9
                                                                          8.3
                                                No.Rt.
                                                          -.15
CRT 202
                                                                                84 T
            Visual Acuity (Parts II, III & IV) " "
                                                          -.14
                                                                  41.4
                                                                         11.4
PRT 2382
                                                                  93.9
            Army Path Tracing
                                             % Correct
                                                          -.07
                                                                          9.2
                                                                               100 M
PRT 2457
            Driver's S-D Blank, Side 1, Box E
                                                                          7.5
                                                                                92 M
                                                   (A)
                                                           .00
                                                                  72.9
PRT 2457
                            12
                                   11
                                            11
                                       1,
                                               F
                                                          -.10
                                                                 107.6
                                                                         11.3
                                                                               139 M
               11
                       II.
                            .11
                                   11
                                       1,
                                            11
                                                    11
PRT 2457
                                               A
                                                          -.10
                                                                  14.3
                                                                          4.5
                                                                                24 M
                             T1
                                                          -.08
PRT 2457
                                                                  0.5
                                               B
                                                                          3.6
                                                                                15 M
               11
                       11
                                   11
                                       1,
                                            II.
PRT 2457
                                               C
                                                    11
                                                          -.10
                                                                  10.8
                                                                                15 M
                                                                          4.4
                                       1,
                       11
                            Ħ
                                   11
                                            11
                                                    17
                                               D
PRT 2457
                                                           -.18
                                                                  34.7
                                                                          6.7
                                                                                 50 M
                                            11
               11
                       11
                            41
                                   11
                                        2,
                                                    11
PRT 2457
                                               B
                                                           +.12
                                                                                35 M
                                                                  27.4
                                                                          3.9
                                       2,
                            II
                                            11
                                   II
                                                    11
                                                           +.05
PRT 2457
                                               Δ
                                                                  42.4
                                                                          5.9
                                                                                57 M
                                        2,
                                            Ħ
                                                    11
PRT 2457
                                                           +.04
                                                                   3.1
                                                                          3.8
                                                                                  7 M
                                                    11 11
APR
            Aptitude Area I
                                                          -.18
                                                                  94.8
                                                                         16.8
                                                                               133 M
                                                    11
APR
            RV
                                                          -.07
                                                                  96.5
                                                                         19.1
                                                                               143 M
APR
            AR
                                                           -.24
                                                                  90.5
                                                                         19.1
                                                                               145 M
APR
            PA
                                                                  96.7
                                                           -.07
                                                                         22.2
                                                                               139 M
APR
            ACS
                                                           -.06
                                                                  86.7
                                                                         18.5
                                                                               140 M
APR
            ARC
                                                           -.09
                                                                 105.8
                                                                         10.4
                                                                               151 M
                                                    11
APR
            SM
                                                           -.21
                                                                  99.9
                                                                         17.7
                                                                               139 M
                                                    11
                                                                               145 M
APR
            AI
                                                                 102.6
                                                           -.24
                                                                         19.0
                                                    11
APR
            MA
                                                           -.23
                                                                 103.5
                                                                         16.9
                                                                               155 M
            EI
                                                    11
APR
                                                           -,17
                                                                  93.7
                                                                         23.8
                                                                                139 M
            RI
APR
                                                           -.07
                                                                  89.6
                                                                         24.8
                                                                               141 M
PP
            Choice Reaction Time (errors or false
                                                starts)
                                                           +.17
                                                                    3.0
                                                                          1.8
                                                           4.11
APR
            Months in Army
                                                                  25.5
                                                                         19.5
PP
            Weight
                                                           -.10
                                                                 166.4
                                                                         21.4
PP
            Job Rating as Civilian (Barr Scale)
                                                                          2.3
                                                           -.07
                                                                    6.3
APR
            Average Miles a Month
                                                           4.10
                                                                 807.1 428.5
PP
            Motility (Total of 4 trials : 10)
                                                           -.06
                                                                          3.0
                                                                  27.1
                                                           +.03
                                                                         14.7
PP
                                                                   58.2
            Snellen Acuity
                                                                         10.5
ARP
            Time Since Personnel Action (In Mos.)
                                                           +.09
                                                                    9.9
PRT 565
            Composite
                                                                 252.0
                                                                         29.9
                                           (Weighted)
                                                           -.12
            Strength (Total of 4 trials : 10)
                                                                  19.4
PP
                                                           4,19
                                                                          2.9
            Length of Present Assignment (In Mos.)
APR
                                                                         10.3
                                                           1.02
                                                                  10.6
APR
            Months Exp. in Driving Army Vehicles
                                                          +.05
                                                                  17.9
                                                                         19.3
APR & PP
                                                                          0.3
            Accidents Driver Has Had
                                                           +.05
                                                                   0.4
PP
                                                           +.07
                                                                          1.8
            Self Rating (On a 10 pt. scale)
                                                                   6.4
PP
                                           (In yrs.)
                                                           -.12
                                                                   22.8
                                                                          2.8
PP
            Educational Level
                                                                          2.2
                                      (Yrs. in school)
                                                           -.18
                                                                    9.9
PP
                                                                  81.0
            Steadiness (total of 8 trials)
                                                           -.10
                                                                         12.8
PP
            Choice Reaction (Mean x 2)
                                                           +.06
                                                                   63.9
                                                                          8.7
                                                            .00
PP
            Field of Vision (Total field)
                                                                 175.5
                                                                         10.8
PP
            Armed Forces Vision Test(Same as Snellen) +.03
                                                                   58.7
                                                                         45.3
PP
            Choice Reaction Time (Total variability
                                             ÷ 10)
                                                           +.06
                                                                  13.1
                                                                          5.0
```

Supplementary intercorrelations from Run Three are presented below using the same numerical designation used in Table 5 shown in the main body of this report.

Predictor	Army Designation	AR O	SM 1	AI 2	EI 3	
Word Matching	CRT 207	.4383	.4058	.3137	.1966	
Lateral Perception	CRT 200	.4887	.4282	.3491	,3080	
Emergency Judgment	CRT 87	.4778	.3977	.3564	.2645	
Driving Judgment	CRT 88	.4890	.5408	.4589	.3289	~
Driving Know-How	PRT 2412	.4893	.5266	.5355	.2930	
Difference Detection	CRT 216	.2734	.2790	.1910	.1038	
Two-Hand Coordination	PRT 2387	.2490	.2197	.1426	.0905	
Visual Acuity (II, III & IV)	CRT 202	.4458	.3502	.2919	.2434	
Attention to Detail	PRT 2374	.3652	.2605	.2499	.1330	
Bib, Side 1 Box D	PRT 2457	0493	.0853	.2515	0571	
Bib, Side 2 Box B	PRT 2457	.1833	.1737	.1822	.0896	
Strength	Measured	.1223	.1293	.1877	.0767	
Education al Level	APR	.5222	.4864	.3595	.3247	
Composite PRT 565	PRT 565	.2588	.2640	.2656	.0722	
Aptitude Area I	ACT	.7941	.6774	-5438	-4497	-5
Mechanical Aptitude	ACT	.5221	.5930	.5669	.3864	- 120

### Appendix E - Selection of Tests

Tests with significant zero-order coefficients (in Tables 3 and 5) were combined to determine the effectiveness of batteries composed of different tests and of varying numbers of tests.

Since the betas vary considerably with the particular combinations of variables in which they are found, it was thought advisable to try as many different combinations as the data would permit in order to provide alternate batteries. Consequently a number of combinations were made from the basic data and the cross-validation techniques applied to each. Because subjects in Run Two-A and Run Two-B were not common, cross-validations were made only on combinations of variables within each run.

The combinations are labelled, Table E-1, E-3, E-5, E-7, and E-9, to distinguish the predictor battery assembled. Each is set up separately for convenience of reference. When double cross-validations were possible, Tables E-2, E-4, and E-6 are given for comparison. Although the term has not been generally used, it might be convenient to speak of such treatment as forward or backward cross-validations. The former being used in the cases where betas from a subsequent run are multiplied by zero r's. This necessitates calculation of the multiple R's to obtain betas for use in the process, but the double set of values is useful for better comparisons.

Combination of Five Predictors from Run Two-A for Gross-Validation with Run Three Data N=203

	Variable	Army Designation	Working Time in Minutes	2 3 Inter	Intercorrelations 4 5	9
٠, ٠,		GRT 66	ž	. 3668 . 4502		2074
in-	Word Matching Driver Know-How Driver's S.D Blenk	CHI 20/	<b>.</b>		.1559 .4273 .2418 .2917	-,1594
ំ សំ	Side 1, Box D 5. Attention to Detail	PRT 2457 PRT 2374	02		0065	.0197
9	6. Criterion Total	PRT 2408				
No	Non-cross-validated R = 2359 (ref)	353 (reflected				
			東京 一年 一年 一日 一日 一日 日 日 日 日 日 日 日 日 日 日 日 日			

Data
Cross-Validation
30
Ö
4.
7
7
03
9
X
9

	And the Contract
	1.2
t.	
C	
વ	-
a.	
· G	
a.	
2	
- +	
	H441W
, ac	
2	
- E	A company of the contract of
rder of Magnitude of Betas	
L	
· • • • •	
6	
والمحافظة المالية	
	Maria de la como
- 1	
1, 1, +	
6-10-2	
di servici	
S. Calder	All the state of t
<b>E</b> _	
4 1	45000
A 5	12 68 85 CT
Betas fo Run Iwo-	P 2000
3 z	
@ <u>_</u>	
Trist?	
Ħ	
idities from iun Three	
e- 8	* * * *
es hre	はゆぎはは
7	6 3 8 8 8
#7 C	HAMAN
<b>d</b> 5	7 1 1 1 1
Ø .	
S. 100	
	6
	8
	Ž
	5
0)	Same as abowe
ිට්	;; g
erie	egend (Sam
., .	80
(d)	9
	正名うよう

TABLE E-2

Combination of Five Predictors from Run Three for Gross-Validation using Run Two-A Data

N = 331

Army Designation CRT CRT PRT
Emergency Judgment CRT 66 16  Variable netion Minutes  Word Matching CRT 207 8  Driver Know-How PRT 2412 20  Oriver's S.D. Blank  Side 1, Box D PRT 2457 20
Energency Judgment GRT 66 Word Matching GRT 207 Driver Know-How PRT 2412 Driver's S.D. Blank Side 1, Box D Attention to Detail pre 2457
Energency Judgment GRT 66 Word Matching GRT 207 Driver Know-How PRT 2412 Driver's S.D. Blank Side 1, Box D Attention to Detail pre 2457
Energency Judgment GRT 66 Word Matching GRT 207 Driver Know-How PRT 2412 Driver's S.D. Blank Side 1, Box D Attention to Detail pre 2457
Energency Judgment GRT 66 Word Matching GRT 207 Driver Know-How PRT 2412 Driver's S.D. Blank Side 1, Box D Attention to Detail pre 2457
Emergency Judgment Word Matching Driver Know-How Driver's S.D. Blank Side 1, Box D
2

Non-cross validated R = .4058 (reflected)
\*Mean validities from z-transformation used in cross-validation.

Cross-Validation Data

	Variable	Validities from Rum Two-A	Run Two-A	Order of Magnitude of Betes
44444	Legend: (Same as above)	2074 1594 1233 .0195 1382	0436 0422 2382 1578	410HW

Gress-validation R = .2390 (reflected)

### TABLE E-3

Combination of Six Fredictors from Run Two-B for Gross-Validation with Run Three Data

127 = N

		Desig-	T. me th		Я	Intercorrelations	lations			
	variable	nation	Manutes Manutes	CV	3	7	2	9	7	1
-	Lateral Perception C	99 JEO	u,	.2666	.3222	.2895	78517	1035	C3/41 -	
å	Difference Detection	OFF 216	•		3032	.2761	1925	-0008	000	
3	Educational Level	AFR				.5134	7007	7900	2/30	5
4.	Mechanical Aptitude	ACT	Available	720			6873	7871	1303	
S	Automotive Information	ACT			* * * * * * * * * * * * * * * * * * *			3541	1683	
°	Side 1, Box D	PRT 24.57	న్ని						92	
~	Criterion	PRT 2,08							CO-10-1	
			THE PERSON NAMED OF PERSONS ASSESSMENT OF PE	の 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Service of the servic	10 10 10 10 10 10 10 10 10 10 10 10 10 1				

Cross-Validation Data

elidities from Betas from Run Two-B Order of Magnitude of Retas	-1694* -1536 -1773 -1939 -2268 -2352 -0619
Variable	. (Same as above)

Cross-validated R = .3016 (reflected)
\*Mean validation from z-transformation used in cross-validat

Total working time - 31 minutes

Non-cross-validated R = .3278 'Reflected'

Combination of Six Predictors from Num Three for Cross-Validation vith Run inc-B Data

	Variable	nation	Minuter.	2	3	4 5	2	9	7
	Lateral Perception	CRT 66	9	.4250	7822	.4118	1678	0852	16
•	Difference Detection	CRT 216	•	i i i i i i i i i i i i i i i i i i i	2184	.3027	0161.	0246	15
•	Educational Level	AR	Available			64.87	3595	-,1057	17
	Mechanical Aptitude	ACT	Available				. 5669	.0922	-,2268
	Automotive Information		Aveilable			Co.		.2515	-,238

PRT 2457 PRT 2408

Non-cross-validated R = .3188 (reflected)

tes	
Order of Magnitude of Betes	
0	10 10 m ++ 01 H
itad	
Magr	
o.	
der	
ð	The New York
***	
as from Three	6428828
Betas from Run Three	0431 0714 0865 0748 0963
Be	
E.	
Validities from Run Two-B	1752 1909 24,39 1393 1683 14,09
dit o T	<b>הַ</b> וְּמִּיִּהְהִּ
Vali Ru	
	_
	8
	gend: Same as above
b.le	d: - ne
ırıe	gend (San
VE	
#21.5 Y	44444

## TABLE E-5

Six Predictors Combined From Two-A for Gross-Validation with Run Three Data

N = 203

Validity Coefficients	1204 1233 1684 1382 1054 1273	
Working Time in Minutes	10 20 20 4 Available Available	ims - 54 minutes bion Data
Army Designation	HRT 2387 HRT 2412 GRT 88 HRT 2374 AFR ACT HRT 2408	Total working time - 5 (reflected)  Cross-Validation Data
Variable	1. Two-Hand Coordination 2. Driver Know-How 3. Driving Judgment 4. Attention to Detail 5. Educational Level 6. Mechanical Aptitude 7. Oriterion	Non-cross-validated R = .2140 (r

Betas from Run Two-A	
Validities from Run Three	2070# 3095# 2260# 3004# 2268
Variable	1. Legend: 2. (same as above) 3. 4. 5.

Gross-va lidation R = .2254 (reflected)
\*Mean validities from z-transformation used in cross-validation

TABLE E-6

Six Predictors Combined From Run Three for Orces-Validation with Run Iwo-A Data

N = 331

Verights	Doefmotics	Working Tame
8 T T T T T T T T T T T T T T T T T T T	TOTORITATION.	ALL FLIGHTER
1. Two-Wand Coordination	PRT 2387	30 × 2070*
2. Driver Know-How	RT 24.12	20
3. Driving Judgment	CRT 88	-,2260#
4. Attention to Detail	PRT 2374	
5. Educational Level	AFR	
6. Mechanical Aptitude	ACT	Available2268
7. Criterion	PRT 2408	

Non-cross-validated multiple F. = .3865 (reflected)

# Gross-Validation Data

Variable	Validities from Betas from Run Two-A	Order of Magnitude of Betas
1. Legend:		
3. (Calle as above)		+ • •
• • •	1054	

Oross-validated R = .2557 (reflected)
\*Mean validities from z-transformation used in cross-va

	-
	-
1	E
	ART
	E

Seven Best Fredictors Combined from Run Three Data

Army         Working Time         Validity Coefficients           ment         GRT 87         16        1974*           w         FRT 2412         20        1974*           u         FRT 2412         20        2070*           u         FRT 2387         4         4        2070*           thation         FRT 2457         20        2070*           stail         ACT         Available        2268           crmation         ACT         Available        2332           FRT 2408         ACT         Available        2332           Total working time - 70 minutes        2332           Mot cross-validated         Multiple R
Variable  Lamergency Judgment  Driver Know-How  Wo-Hand Coordination  Attention to Detail  Driver's S-D Blank (Side 1, Mechanical Aptitude  Automotive Information  Criterion

..3095\* ..3095\* ..3004\* ..1781 ..2268 1. Legend:
2. (Same as above)
3.
4.
5.

R = .4156 (reflected) \*Mean validation 2-transformation used in calculation of R

Combination of Twelve Predictors based on Run Three Data N = 331

1. Ward Matching GRT E .5130 ,3668 .4238 .3543 .2443 .3603 .35530103 .3339 .4607 .31371489* 2. Lateral Perception GRT 5 .5196 .4176 .4250 .2834 .4953 .48750852 .2453 .4418 .34911664* 3.Emergenicy Judg- GRT 5 .5196 .4176 .4250 .2834 .4953 .48750852 .2453 .4418 .34911664* 4. Driver Knov-How PRT 20 .3500 .2165 .4215 .3353 .1354 .3046 .5401 .53553095* 5. Differention RRT 10 .2578 .3156 .0071 .1745 .2406 .1426 .2700* Coordination CRT 12 .2387 .3368 .1042 .1823 .4064 .29191489* 7. Visual Acuity CRT 12 .237 .3968 .1042 .1823 .4064 .29191489* 8. Attention to RRT 20 .237 .237 .2064 .2250 .3026 .24993004* 9. Driver's S-D RRT 20 .237 .237 .2064 .2291 .2004* 10. Peychophysical StD RRT 20 .2076 .2256 .2256 .22551242 .2362 .11461 .2262 .23621242 .23621242 .23621242 .23621242 .236212422482	Variable	Army Desig- T nation	Army ing Desig- Time in nation Min, 2	3	7	5	9	Interc	Intercorrelations	ions 9	10	A Company	ង	P.
Lateral Percep- GRT 5 .5198 .4176 .4250 .2834 .4953 .48750852 .2453 .4418 .3491  tion  tion  fine continuation  Two-Hand  Occriterion  Action of Available  Action of Available  Lateral Percep- GRT 5 .5198 .4176 .2941 .2455 .3442 .30240401 .2017 .4318 .3564  Sylvariant Properties and Sylvariant CRT 6 .2502 .2971 .3621 .0246 .5401 .5355  Distriction  Line constituent CRT 6 .2941 .2942 .2971 .3621 .0246 .1033 .3027 .1910  Sylvariant CRT 12 .2578 .3156 .0071 .1745 .2406 .1426  Coordination to PRT 2 .2578 .3156 .0071 .1745 .2406 .1269  Attention to PRT 2 .2578 .3156 .0071 .1745 .2406 .2919  Wednesded a ptil - AGT Available  Line constituent CRT 4 .2009 .2002 .2515  Blank, 53de 1, Box D 24,57  Feychophysical Aptil - AGT Available  Line constituent CRT Avai		CRT 202	8 .5130	.3668		.3543	.2443	.3603	.3553	-,0103	.3339	.4607	.3137	*6871
Detection   PRT   20   .5414 .2941 .2455 .3442 .3024 -0401 .2017 .4318 .3564	2. Lateral Perception	<b>F 2</b>	'n	.5198	<i>9LT</i> 7:	.4250	.2834	.4953	51.875	0852	.2453	81777	.3491	1684*
Driver Know-How PRT 20 .2165 .4215 .3353 .1354 .3046 .5401 .5355 2412 ct. 2	3.Emergency Judg-	क्ष्यु	94	1	.5474	.2941	.2455	.3442	.3024	0701	.2017	.4318	.3564	-,1974
Difference CRT 6 .1992 .2971 .3621 .0246 .1033 .3027 .1910 Detection 216 Detection 2287 Coordination 2387 Coordination 2387 Visual Acutty CRT 12 Coordination to PRT 4 Attention to PRT 4 Detection 2374 Detection 2377 CRT 12 .2006 .1426 .2919 CRT 12 .274 Detection 2387 Coordination 2387 CRT 12 .2007 .1745 .2006 .1426 Coordination to PRT 4 Detection Acutty CRT 12 Coordination 2377 CRT 12 .2007 .3026 .2499 CRT 20 Detection Acutty CRT 12 Coordination Criterion CRT Available Location Criterion Criterion Criterion 2408	4. Driver Know-How	PRT S7.5			Š.	.3500	.2165	.4215	.3353	.1354	9706	.5401	.5355	-,3095*
Detection 216  Notestion 216  Two-Hand RRT 10  Coordination 2387  Visual Acuty CRT 12  Visual Acuty CRT 12  Visual Acuty CRT 12  Attention to RRT 4  Driver's S-D RRT 20  September 1) Box D 2457  Fivehophysical Apti- ACT Available Acritoring A	ä	S					.1992	.2971	.3621	.0246	.1033	.3027	1910	1536
Coordination         2387           Visual Acuity         GRT 12           (II, III & IV)         202           Attention to Detail         2374           Detail         2374           Driver's S-D         FRT 20           Blank, Side 1, Box D 2457         2055           Psychophysical Apti- ACT Available tude         Act Available tude           Automotive Information         ACT Available Information           RRT Information         RRT RRT Available Information	4	216 FF	39. 10 %					2578	.3156	1700.	.1745	57706	.1426	70
(II, III & IV) 202  Attention to RT 4  Loring 1 2374  Detail 2374  Detail 1 2374  Detail 2374  Driver's S-D RT 20  Blank, Side 1, Box D 24,57  Exychophysical RT 30  Mechanical Apti- ACT Available this Act Available this Act Available Information RT  Lifermation RT  Criterion RT  Criterion 2266 .2250 .3026 .2499		2387	4				dike Vara		30,69	10/2	1823	3	2010	
Attention to FRT 4  Detail 2374  Detail 2374  Driver's S-D PRT 20  Blank, Side 1, Box D 2457  Frychophysical PRT 30  Frychophysical PRT 30  Frychophysical Apti- ACT Available tude  Automotive Act Available Tructude Act Available Tructude Automotive Tructude Automotive Tructude Automotive Tructude Tructude Tructude Tructude Tructude Tructude Automotive Tructude Tructude Tructude Act Available Tructude Truc	7		*	V				e Ti	0046.	1044	(30T°	<b>†</b>	. ~ 7.17	( direct
Detail 2374 Driver's S-D PRT 20 Blank, Side 1, Box D 24,57 Psychophysical PRT 30 Fsychophysical Apti- ACT Available tude Automotive ACT Available Information RRT Criterion PRT Criterion 24,08	At	ě١.	7				\$0.20 (15)			0246	.2250	,3026	.2499	*7006*-
Priver's S-D FRT 20 Blank, Side 1, Box D 24,57 Psychophysical FRT 30 Medhanical Apti- ACT Available tude Automotive Automotive Information Criterion 24,08		2374									14 CC C	CCCC	אנזנ	1961
Psychophysical RRT 30 .2265 .2556 Medhanical Apti- ACT Available tude Automotive ACT Available Information RT Criterion 2408	to the same of the same of	FRT 5 D 24.5	27 20	**				). /-			ckos.	.0388	(163.	10/7:
Mechanical Apti- ACT Available tude Automotive Information Criterion RT 2408	A. A.	FRI 565	30									.2265	.2556	1242
Automotive ACT Available Information RT Criterion 2408			Availabl	•			in in the second	*					6995.	de Cal
Criterion	-4	ACT	Availabl	<b>O</b>		•	e de la companya de				\ m			2382
	C	RT 2408												

Non-cross-validated R = .4215 (reflected)
After application of the shrinkage formula, R = .

\*Mean validities from z-transformation used in calculation of R.

Order of Magnitude of Betas	116014140100
Run Thrse Betas	.0312 .0447 .0278 .0377 .0302 .0302 .0313 .0313 .0313
Rum Throe Validities	-1489* -1684* -1974* -3095* -1536 -1536 -1781 -1242 -2268
Variable	1. Legend: 2. (Same as preceding page) 3. 4. 5. 6. 10.

### Appendix F - Special Data and Explorations

As in any research program, new suggestions are constantly coming up and oftentimes a slight digression will yield most important data to guide further progress of the study. In order to avoid confusion of the reader as to the essential features of this study, all such secondary observations and explorations are brought together here for brief discussion. They will be presented in the order of development and under the respective headings outlined in this report.

### RUN ONE

Some explorations were made of using the first five scales on the Army Rating Scale. Although Scale I was intended only as a suppressor, the results showed it merely tended to dilute the results as expected. Use of PRT 2408 was found superior to the five-scale version or any other combination of parts of the Criterion explored. These explorations were begun in an attempt to expand the Scale portion which was quite normal in order to minimize the Habit portion which was considerably skewed. Empirical tests of normalizing did not contribute positively nor in any appreciable way enough to warrant the extra effort.

A Driving Score Card has been used for several years for driver education students at Iowa State College. It is normally used as one rides in the car with a neophyte driver. Before PRT 2408 was available, and in some preliminary runs with certain tests using local National Guard units as subjects, this card was used as a basis of evaluation. It was slightly changed to be adaptable to group ratings. In the absence of any sort of criterion it was used and gave some degree of promise. In a later study during Run One it was given to a limited number of subjects and designated as the Short Criterion. A combination by simple addition of scores of PRT 2408 and the Short Criterion was also tried out on a limited number of variables. The sum of the two was arbitrarily designated as the Master Criterion. Neither of these alternate criteria used in the preliminary explorations added anything to the regular Army PRT 2408 and the results will not be reported in detail.

Different methods of scoring certain tests were also explored. Notable of these was the CRT 60, Tracing Coordination Test. (Not shown on Plate) The following methods were used: (a) total number right, (b) total of right-hand, (c) total of left-hand, and (d) difference between the right and left hands. No essential difference was found and since the total score was more reliable it was used in all further studies of this test.

### RUN TWO-A

In this run several extra-contractural explorations were made on scoring methods. PRS had found some advantage for the inner trials (two adjacent columns of circles) in the PRT 2387, Two-Hand Coordination Test. (See Appendix A, Plate III-3). Correlations were made of the following scorings with the criterion: (a) total score, (b) "per cent error" of items

attempted was used as the score, (c) "inner" score, (d) "middle" score, and (e) "outer" score. No appreciable difference was found but the "per cent error" total score gave the lowest validity coefficient with the PRT 2408. Since the total score was most stable and yielded a reliability of 4.63 on 89 cases by the test-retest method, it was used. The shorter scores would likely give insufficient consistency.

The PRT 2382 Army Path Tracing was scored in two ways: "number right" and "per cent right". The latter score gave a more satisfactory validity than the former, although neither was strong enough to place the test in the final battery.

Various combinations and forms of the Spatial Relations Test were used but none yielded adequate validaties to place it in the final battery of predictors. (See Appendix A, Plate II-6)

### RUN TWO-B

It was suggested that certain tests might give a better predictive index if they were given under distraction. Consequently the following tests were given both ways, alternating the "with" and "without" distraction from group to group: PRT 2382 - Army Path Tracing, CRT 60 - Two-Hand Tracing, and CRT 66 - Lateral Perception. Since the validities were all appreciably lower "with" distraction than "without" the further use of distraction was abandoned.

In the psychophysical tests it was found that the PRT 565 device for measuring depth perception was defective in several ways, notably in that it could be "adjusted" by the examinee to make a better score than deserved. This aculd be done in various ways: (a) by noting small cues on the string, (b) by moving to extremes, then setting the peg in the middle, (c) by signals from a colleague, (d) by feel of slight friction, and others. A larger model was constructed which allows: (a) the stationary pegs to be set at different points, (b) the movable peg to slip on the string, and (c) longer travel to offset the placement feature. This modified test gave considerably higher reliability

Further improvements for this test would be: (a) built-in-illumination, (b) hiding the target from view of on-lookers, and (c) use of a total integrating score mechanism, etc. From several sources of information and observation it is doubtful whether PRT 565 is usually given according to specifications outlined in the Manual.

### RUN THREE

The only additional explorations made in Run Three was a testretest of reliability made of FRT 2387 - Army Two-Hand Goordination which
yielded a raw r of .63 on 89 cases. The test was used on the same group within a period of three hours. The test should probably be lengthened.

Several newer tests were developed later in the study which may have possibilities. These will be described briefly.

1. Perseveration Test. Since several investigators have mentioned perseveration in relation to accidents, the rationale is that a measure of the tendency to perseverate may indicate a tendency to be involved in an accident through a deficiency in the ability to adapt momentarily. This could well show up in ratings of a driver.

The nature of the test is that of a boring and tedious type of activity in which the responses are structured in one direction. At the end of a certain number of items the task is reversed, thus putting the examinee off guard. The per cent of errors made in the second section only is taken as a score. The items are of the following type:

### Section I

### Section II

1. Which letter is most frequent in 20. Which mark appears least often? the following line?

2. Which symbol occurs most of ten? 21. Which number is used least of ten?

After attaining a set, the task is changed and the per cent of error after the change is hypothesized as a measure of the tendency to perseverate. The purpose of the test is disguised under the title Accuracy Test. Copies have been furnished PRS. Preliminary runs showed promising validities.

Another test of perseveration of somewhat different nature was used in an experimental way. It consists of the intermingling of nonsense syllables with sense material. In principle it was not unlike the disarranged sentenced test of the Army Alpha. The score is simply the number right. The rationale is that one willing to compensate in effort over a boring and senseless task may tend to give more careful attention to the job of driving at times when he may be more likely to have trouble. The following items are similar to those used and will indicate the nature of the test:

- 1. Men plunka now icko travel i pio by high booka altitude planes.
- 2. Ipke zebios hila ornos dimba.
- 3. Eska ostriches uo yield loma superior ilya des fur.

The first item would be marked (A) as true, the second (B) as being pure nonsense, and the third (C) as being untrue. Only preliminary studies were made of this tact

A special study was made of visual acuity tests as predictors of driving ability. While a complete matrix could not be set up due to the lack of common examinees, the following correlations were computed:

### Various Correlations of Visual Tests (All reflected r's N = 331)

	-
Smellen Acuity with Armed Forces Vision Test	.67
Snellen Acuity with X Vision Test	.54
Snellen Acuity with Word Matching, CRT 207	.21
Smollen Acuity with Visual Acuity, CRT 202	
(Parts II, III & IV)	.04
CRT 207 with Armed Forces Test	.13
CRT 202 with Armed Forces Test	.03
CRT 207 with CRT 202	.36

The fact that the examinees were a more or less homogeneous group by reason of having been doubly screened for visual acuity would tend to lower these correlations. Word Matching would seem to be the better test of visual acuity of the two written tests used. Acuity itself did not correlate significantly with ratings on the Criterion, but this, again, could be due to the screening of the men before they became drivers. Doubtful cases for the most part would have been screened out.

### Appendix G - Discussion of Itom-Analysis Methods

While item-analysis was made of tests to which it was applicable for both Pun One and Run Two, subsequent check by cross-validation did not show stable results. A method used by PRS was employed. It consists of dividing the test group into five equal parts weighting each of the quintiles as follows: Two extreme quintiles x 1.478, quintiles next to extremes x .562 and zero weighting for the middle quintile. Estimated biserials are obtained from the Kolbe-Edgerton Table.

Also a short test composed of significant items chosen from several earlier tests, mostly not in the selected battery from Run Two-A, were composited and used in Run Three on an experimental basis. Despite the experimental cross-validation sample showed only an r of .10 in the proper direction of relationship with the criterion. Biserials averaged .25.

Thus the tests for usefulness suggested by Katzell (1951) do not seem to warrant item-analysis for the data under consideration here.

A number of similar explorations with forms of tests indicated that item-analysis and selection with the size of biserials to be expected and the number of cases in this study is not worth-while. Normal chance variation usually erases any selected item significance on cross-validation. It is suggested that chi square or some application of the phi coefficient might be used in order that significance of biserials be determined before a long and laborious process of calculation of coefficients be carried out. It is the writer's opinion, as a result of this study, that only biserial r's sufficient to show significance at the 10 per cent confidence level should be given consideration in item selection for data of this type.