


A FINITE ELEMENT PREPROCESSOR
FOR SAP IV AND ADINA

Adrian Earl Kibler

Y KNOX LIBRARY
POSTGRADUATE SCHOOL

NAVAL POSTGRADUATE SCHOOL

Monterey, California



THESIS

A FINITE ELEMENT PREPROCESSOR
FOR SAP IV AND ADINA

by

Adrian Earl Kibler, Jr.

September 1977

Thesis Advisor:

G. Cantin

Approved for public release, distribution unlimited.

T180085

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A Finite Element Preprocessor for SAP IV and ADINA		5. TYPE OF REPORT & PERIOD COVERED Master's Thesis; September 1977
7. AUTHOR(s) Adrian Earl Kibler, Jr.		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		12. REPORT DATE September 1977
		13. NUMBER OF PAGES 131
14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Data Checking, Preprocessor, Postprocessor, Finite Element, Computer Code, SAP IV, ADINA		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The primary purpose of this thesis was to provide a method of checking the geometry and element connectivity input data for two finite element programs, ADINA and SAP IV. This preprocessor will accept the ADINA or SAP IV data deck, with minor modifications, and generate a graphical display of the finite element model. The display is an oblique orthographic projection, and any orientation may be specified. Several		

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE/When Data Entered.

(20. ABSTRACT Continued)

options are available: exploded plots, partial plots, node numbering, element numbering, and others. Elements with three nodes on the same edge are plotted with a continuous curve on each edge generated by an interpolated parabola. Displacement postprocessing capability also exists.

described in greater detail below all the requirements for the design of

WATER OF SCIENCE IN INDUSTRIAL DESIGN

from the
UNIVERSITY OF TORONTO
DEPARTMENT OF COMPUTER SCIENCE

John Eastman Jr.

John Eastman
B.Sc. Computer Science
University of Toronto

Richard Weston

Allen E. Parks

Mark A. Denehy

Approved for public release; distribution unlimited.

A Finite Element Preprocessor
for SAP IV and ADINA

by

Adrian Earl Kibler, Jr.
Lieutenant, United States Navy
B.S.E.E., Pennsylvania State University, 1972

Submitted in partial fulfillment of the
requirements for the degree of

MASTER OF SCIENCE IN MECHANICAL ENGINEERING

from the

NAVAL POSTGRADUATE SCHOOL
September 1977

ABSTRACT

The primary purpose of this thesis was to provide a method of checking the geometry and element connectivity input data for two finite element programs, ADINA and SAP IV. This preprocessor will accept the ADINA or SAP IV data deck, with minor modifications, and generate a graphical display of the finite element model. The display is an oblique orthographic projection, and any orientation may be specified. Several options are available: exploded plots, partial plots, node numbering, element numbering, and others. Elements with three nodes on the same edge are plotted with a continuous curve on each edge generated by an interpolated parabola. Displacement postprocessing capability also exists.

TABLE OF CONTENTS

I.	INTRODUCTION -----	10
A.	GENERAL -----	10
1.	Preprocessing -----	10
2.	Postprocessing -----	11
B.	HISTORY OF DEVELOPMENT OF PSAPI -----	12
1.	SUBROUTINE PSAP Implementation -----	12
2.	Motivation for SUBROUTINE PSAPI -----	12
C.	PRESENT CAPABILITY -----	13
D.	EASE OF MODIFICATION -----	15
II.	PROGRAM ORGANIZATION AND DESCRIPTION OF OPERATION -----	16
A.	PSAPI FLOW CHART -----	16
B.	NAMELIST AND EULER ANGLES -----	16
1.	NAMELIST OPTION -----	16
2.	NAMELIST PICT -----	18
a.	Oblique Orthographic Projections (Euler Angles) -----	18
b.	Scaling -----	20
c.	Partial Plots -----	20
C.	NODAL POINT (GEOMETRY) INFORMATION READ-IN -----	21
D.	ELEMENT (CONNECTIVITY) INFORMATION READ-IN -----	21
E.	DISPLACEMENT DATA READ-IN FOR DISPLACEMENT POSTPROCESSING -----	21
F.	PLOTTING LOGIC -----	24

III.	PSAP1 SAMPLE PROBLEMS -----	27
A.	ADINA EXAMPLES -----	27
1.	Reinforced Concrete Beam -----	27
2.	Flat Plate With Hole -----	35
B.	SAP IV EXAMPLES -----	35
1.	SAP IV Truss Problem -----	35
2.	Cylindrical Bar with Spherical Hole -----	46
IV.	CONCLUSIONS AND RECOMMENDATIONS -----	59
APPENDIX A:	PSAP1 USER'S MANUAL -----	60
APPENDIX B:	SUBROUTINE PSAP1 LISTING -----	78
LIST OF REFERENCES -----		129
INITIAL DISTRIBUTION LIST -----		130

LIST OF FIGURES

1.	Flow chart of program PSAP1 -----	17
2.	Flow chart for reading geometry and element connectivity data -----	22
3.	Nodal point and displacement storage arrays -----	23
4.	Flow chart for PSAP1 plotting subroutine, PLOTX --	25
5.	Example 1, ADINA truss and 8 node plane elements, Reinforced Concrete Beam (Given on page 84, reference 2) -----	28
6.	Example 1, ADINA input deck listing. Page 1 of 2 -----	29
	Page 2 of 2 -----	30
7.	Example 1, PSAP1 input deck listing. Page 1 of 2 -----	31
	Page 2 of 2 -----	32
8.	Example 1, PSAP1 output graphs. (a) Undefomed structure, nodes numbered ----- (b) Exploded plot, elements numbered -----	33 34
9.	Example 2, flat plate with a hole in tension -----	36
10.	Example 2, PSAP1 input deck listing. Page 1 of 3 ----- Page 2 of 3 ----- Page 3 of 3 -----	37 38 39
11.	Example 2, PSAP1 output graphs. (a) Actual mesh, nodes numbered ----- (b) Symmetric representation, elements numbered --	40 41
12.	Example 3, SAP IV truss element problem -----	42
13.	Example 3, PSAP1 input deck listing. Page 1 of 2 ----- Page 2 of 2 -----	43 44
14.	Example 3, PSAP1 output graphs -----	45
15.	Example 4, six inch diameter cylindrical bar with a two inch diameter spherical void on the center line under pressure -----	47

LIST OF FIGURES (CONTINUED)

16.	Example 4, PSAP1 input deck listing.	
	Page 1 of 6 -----	48
	Page 2 of 6 -----	49
	Page 3 of 6 -----	50
	Page 4 of 6 -----	51
	Page 5 of 6 -----	52
	Page 6 of 6 -----	53
17.	Example 4, PSAP1 output graphs.	
(a)	Total structure -----	54
(b)	Elements 1-10, nodes numbered -----	55
(c)	Elements 1-10, elements numbered, exploded plot -----	56
(d)	Elements 11-20, nodes numbered -----	57
(e)	Elements 11-20, elements numbered, exploded plot -----	58
18.	Coordinate system and Euler angles (rotations) for oblique orthographic projection shown in X-Z viewing plane. (Taken from reference 4, page 127) -----	70

ACKNOWLEDGMENT

I would like to acknowledge my sincere and deep appreciation to all those who were instrumental in providing me with motivation and assistance in the development of this thesis. In particular I would like to thank Professor Gilles Cantin, my thesis advisor, for his friendship, assistance and excellent academic guidance; Professor R. E. Ball for providing me with the original deck of cards and helpful guidance; and my wife and family for the sacrifices they have made while I have been in pursuit of my profession.

I. INTRODUCTION

A. GENERAL

The continued developments and advancements of the finite element method this last decade have provided greater machine capabilities than ever before. Here at the Naval Postgraduate School (NPS), two of the more favorable finite element programs are SAP IV [reference 1] for linear analysis and ADINA [reference 2] for nonlinear analysis. However, with the large amounts of numerical input/output data and automatic mesh generation, it is impractical to check and reduce this data without a graphical representation. Data checking is divided into two areas: preprocessing and postprocessing.

1. Preprocessing

Preprocessing is the checking of the input data deck. Errors in a finite element program occur basically in two areas. First, how close is the mathematical model (boundary conditions, loading conditions, material properties, etc.) to the real problem? Second, are numerical errors present, or did misinterpretation of instructions occur in data deck preparation? Of the second type, most common errors are found in the geometry and element connectivity data. Preprocessing includes the forming of a graphical representation of the finite element model on which geometry and element errors are easily detected. When

node and element numbering options are available, the graph aids in the physical interpretation of the output data. Preprocessing is not a foolproof method of eliminating errors, but it does provide a tremendous advantage to the user. Preprocessors may be incorporated into the data check mode of the finite element program. However, to modify a large and complex program is dangerous. This may not be the best approach. A safer method is to develop a preprocessor which will read the finite element program deck separately with minimum modifications to that deck.

2. Postprocessing

Though not as important as preprocessing, postprocessing is extremely helpful in output analysis. Probably the most common and useful type of postprocessing is the contour plot. Appendix C of reference 4 lists a program developed to produce contour plots of stress data from finite element models. Contour plots can easily be adapted to a 2D system, but 3D requires plotting the contours on 2D surfaces, a bit more complicated. Two methods of postprocessing of displacements are the plotting of a deformed model or placing scaled vectors at the nodes. In the cases where the displacements are small, multiplication by a magnification factor produces an exaggerated representation. Like preprocessing, postprocessing can be incorporated into the finite element program directly, or done separately. When done separately, the finite element program must still be modified slightly to obtain a punched deck of the stresses

and displacements in the desired format. This thesis is primarily concerned with preprocessing.

B. HISTORY OF DEVELOPMENT OF PSAP1

A package [reference 4] containing digital computer programs for generating oblique orthographic projections and contour plots was produced by the National Aeronautics and Space Administration's (NASA) Langley Research Center (LRC) and distributed by the National Technical Information Service in January, 1975. The programs are completely general. Both programs contain options for selecting various plotting equipment including CALCOMP, VARIAN, and cathode ray tube (CRT) displays. With minor modifications, they can be adapted to most any system.

1. SUBROUTINE PSAP Implementation

Losh [reference 6], for his master's thesis in aeronautical engineering, implemented the preprocessor and postprocessor program, PSAP, at NPS in December, 1976. Modifying the LRC package [reference 4], Losh adapted SUBROUTINE PSAP to the NPS IBM 360/67 system using the CALCOMP model 765 plotter. PSAP serves as a preprocessor for SAP IV models, and serves as a postprocessor for displacements of those models. Unfortunately, PSAP is severely limited in the type of elements it can plot.

2. Motivation for SUBROUTINE PSAP1

With the introduction of the ADINA [reference 2] program at NPS in January, 1977, and with expectation of

doing future analysis on ceramic turbine blades, it was desired to expand PSAP to include all ADINA elements and the 8-20 node brick elements in SAP IV. Like PSAP, PSAP1 contains preprocessing and displacement postprocessing capabilities. PSAP1 is presented in this thesis and has the following improvements over PSAP:

- a. Preprocessing for all ADINA elements.
- b. SAP IV 8 and 8-20 node elements.
- c. Expansion of SUBROUTINE ERROR.
- d. Interpolation of curves using shape functions [reference 3] through three points on the edges of the 8-20 node brick elements and the 4-8 node plane elements.
- e. Improvements in defining the plot origin.
- f. Addition of an option (ISCALE = 0) to plot sections of a model without losing perspective.
- g. Several other minor modifications considered improvements.

C. PRESENT CAPABILITY

PSAP1 has the capability to plot all ADINA elements and all SAP IV elements except the pipe element. It will interpolate curves on the edges of 4-8 node plane elements and 8-20 node brick elements. Many options are given in Appendix A. Some of the more frequently used options are listed below:

1. Numbering of grid points (NOTAT = 1).
2. Numbering of the elements (NOTAT = 2).
3. Exploded plot (KDISP = 2).

4. Postprocessing of displacements (NUDISP or NVDISP or NWDISP = 1) in two forms: plot of deformed structure (KDISP = 1) or displacements represented by vectors at the nodes (KDISP = 3; see reference 6).

5. Symmetric representation about the XY (KSYMXY = 1), XZ (KSYMxz = 1) or YZ(KSYMYZ = 1) planes.

6. Option to plot sections of the model (partial plot) to obtain a better view. Partial plots may be plotted to the scale of the complete model to avoid losing perspective (ISCALE = 0) or blown up to obtain a better view (ISCALE = 1). Multiple plots may be obtained using the same geometry and same displacement data (KODE = 1), same geometry and new displacement data (KODE = 2), or new geometry and new displacement data (KODE = 3; see figure 1).

In general, multiple plots (sections, partial plots, additional problems) present no problem. Plotting package user courtesy dictates that no more than 5 plots be placed on the CALCOMP plotter at any one time. Also, if the plots contain many elements (especially 8-20 node elements), it is possible to run out of space in the plotting data sets. When this happens, you will receive

ERROR IHC240I STAE, ABEND CODE IS: SYSTEM OB37 SYS PLOT.

The best thing to do is split the run into two jobs. If the job must be run on one job (i.e., a large number of elements in the model or an assembly drawing where the scale of multiple plots is the same), then SYS PLOT space

may be increased [references 7 and 8] by adding the card

```
//GO.SYS PLOT DD SPACE=(CYL,(needed space)),SYSOUT=C
```

just prior to card

```
//GO.FT10F001 DD UNIT = SYSDA
```

in Appendix A. It would be wise to seek advice from a consultant in Ingersoll 146 if additional plotting space is required.

D. EASE OF MODIFICATION

Both PSAP and PSAP1 are written to maintain as much generality as possible for ease of expansion and modification. Several FORTRAN statements, variables and subroutines are not used. They were left purposely unchanged. Although PSAP1 specifically reads ADINA and SAP IV data, it can easily be expanded to include any geometry and element data format. Simply study the read-in and storage methods (see Section II), and construct appropriate subroutines to read any particular format.

II. PROGRAM ORGANIZATION AND DESCRIPTION OF OPERATION

A. PSAP1 FLOW CHART

Figure 1 is a condensed flow chart of PSAP1. Probably the most important information given on this chart is the sequence in which the data cards, NAMELIST OPTION and NAMELIST PICT are read. Remember, when generating a sequence of plots, once a parameter has been defined, it retains that value until it is reassigned. Note that when KODE = 1 or 2, the original values of NAMELIST OPTION and NAMELIST PICT are retained until they are changed. However, when KODE = 3 a new title card, NAMELIST OPTION and a set of problem data are read. All variables in NAMELIST OPTION and NAMELIST PICT are assigned their default values. A new problem begins in this case. It is important that the last NAMELIST PICT to be read must contain the value of KODE = 0.


B. NAMELISTS AND EULER ANGLES

1. NAMELIST OPTION

Description and default values of NAMELIST OPTION are given in Appendix A. Basically NAMELIST OPTION variables pertain to the given problem: the number of nodes, geometry format, displacement format, space between plots, and paper size. Default values for NAMELIST OPTION are set, and NAMELIST OPTION is read at the beginning of the problem. Assigned values will remain until exit from the

Start

Figure 1. Flow chart
of program PSAP1



program (KODE = 0) or a new set of problem data is read (KODE = 3).

2. NAMELIST PICT

Like NAMELIST OPTION, NAMELIST PICT variable descriptions and default values are given in Appendix A. Basically NAMELIST PICT variables pertain to a given plot. One NAMELIST OPTION may apply to several successive plots, but each NAMELIST PICT defines a unique plot. That plot may include the whole model, part of the model and any options defined in NAMELIST PICT. NAMELIST PICT also specifies the viewing plane through the Euler angles (figure 18, Appendix A).

a. Oblique Orthographic Projections (Euler Angles)

An example of an oblique orthographic projection of a finite element model is given in figure 18 in Appendix A. The model can be viewed in any selected orientation. Euler angle transformations are used to specify orientation of the model to be projected. As described in reference 4, this transformation resolves the coordinate system of the model to a principal viewing plane (i.e., X_OY_O , X_OZ_O , Y_OZ_O) on which the display is to be plotted. Prior to rotation, the model coordinate system (X, Y, Z) is coincident with the coordinate system containing the viewing planes (X_O, Y_O, Z_O). The viewing planes are fixed, and the model is rotated about its model coordinate system. The rotations (ψ, θ, ϕ) of the body about the model axes (X, Y, Z) are shown in figure 18, Appendix A. The NAMELIST PICT variables KHORZ (horizontal

axis), KVERT (vertical axis), PSI (ψ), THETA (θ), and PHI (ϕ) specify the viewing plane and Euler angles. The order of the Euler angle rotations must be PSI, THETA and then PHI. Mathematical transformations are:

$$\begin{Bmatrix} X_O \\ Y_O \\ Z_O \end{Bmatrix} = [\underline{A}_\phi] [\underline{A}_\theta] [\underline{A}_\psi] \begin{Bmatrix} X \\ Y \\ Z \end{Bmatrix}$$

$$[\underline{A}_\psi] = \begin{bmatrix} \cos \psi & -\sin \psi & 0 \\ \sin \psi & \cos \psi & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

$$[\underline{A}_\theta] = \begin{bmatrix} \cos \theta & 0 & \sin \theta \\ 0 & 1 & 0 \\ -\sin \theta & 0 & \cos \theta \end{bmatrix}$$

$$[\underline{A}_\phi] = \begin{bmatrix} 1 & 0 & 0 \\ 0 & \cos \phi & -\sin \phi \\ 0 & \sin \phi & \cos \phi \end{bmatrix}$$

SUBROUTINE ROTAT calculates the transformation matrices for every NAMELIST PICT, except if ISCALE = 0. ISCALE = 0 directs the scale of the plot to be the same as that of the

previous plot. Should a rotation occur with ISCALE = 0, the plot width could exceed the paper width.

b. Scaling

The safest scaling method is automatic scaling (ISCALE = 1). The user may specify a scale (ISCALE = 2) and the plot origin (XORGN,YORGN), but one must be careful not to run the plotting pen off the graph paper. ISCALE = 0 is a very useful option. The plot will use the same scale as the previous plot. It is useful in an assembly graph where examination of a mesh in sections without losing perspective is desired. Example 3, Section III, illustrates the option ISCALE = 0. When ISCALE = 1 in a NAMELIST PICT defining a partial plot, a "blow-up" of that section is obtained. ISCALE cannot be zero in the first NAMELIST PICT.

c. Partial Plots

To develop a partial plot, three methods of segregating elements exist: first, by the X, Y, and Z cutting planes; second, by node numbers, and, third, by element numbers. If a model has an area where the elements are relatively small, a "blow-up" may be desired. Choose a numbering scheme or coordinates to define the section to be segregated using one of the methods above. Example 3 (figure 14, Section III) uses X, Y, and Z cutting planes to define the partial plots. Example 4 (figure 17, Section III) uses element numbers to section the plots.

C. NODAL POINT (GEOMETRY) INFORMATION READ-IN

Nodal point data is read in by the GEOMn subroutines (GEOM1, GEOM2, and GEOM9, see figure 2). Since SAP IV and ADINA data decks are similar, SUBROUTINES GEOM1 and GEOM9 are also very similar. They are both constructed to read and generate data in exactly the same way as ADINA and SAP IV. All data not needed by PSAP1 is disregarded and the nodal point data is stored in array ZZZ (figure 3). After studying storage array ZZZ and GEOM1 (or GEOM9), a user moderately familiar with FORTRAN programming could easily construct a user supplied subroutine (GEOM2) to read the nodal point data in any desired format.

D. ELEMENT (CONNECTIVITY) INFORMATION READ-IN

After reading and storing the nodal point data, the element data must be read. The GEOMn subroutine will read the element control card (NPAR, references 1 and 2). SUBROUTINE ELTYPE (figure 2) calls the proper element subroutine to read the element data specified on the element control card. If several groups of elements are to be read, the process is repeated until all of the element groups have been read. Although the nodal point data is stored in array ZZZ, the element connectivity is read and stored on device 10 (disk).

E. DISPLACEMENT DATA READ-IN FOR DISPLACEMENT POSTPROCESSING

Displacement data may be read in (figure 1) by SUBROUTINE DATA9 (KDATA=9) or SUBROUTINES DATA1 or DATA5 (user supplied,




Figure 2. Flow chart for reading geometry and element connectivity data.

$$\begin{bmatrix} ZZZ(1) & ZZZ(N+1) & ZZZ(2N+1) & ZZZ(3N+1) & ZZZ(4N+1) & ZZZ(5N+1) & ZZZ(6N+1) \\ ZZZ(2) & ZZZ(N+2) & ZZZ(2N+2) & ZZZ(3N+2) & ZZZ(4N+2) & ZZZ(5N+2) & ZZZ(6N+2) \\ " & " & " & " & " & " & " \\ " & " & " & " & " & " & " \\ ZZZ(N) & ZZZ(2N) & ZZZ(3N) & ZZZ(4N) & ZZZ(5N) & ZZZ(6N) & ZZZ(7N) \end{bmatrix}$$

(a)

$$\begin{bmatrix} NUMPT(1) & XPT(1) & YPT(1) & ZPT(1) & UPT(1) & VPT(1) & WPT(1) \\ NUMPT(2) & XPT(2) & YPT(2) & ZPT(2) & UPT(2) & VPT(2) & WPT(2) \\ " & " & " & " & " & " & " \\ " & " & " & " & " & " & " \\ NUMPT(N) & XPT(N) & YPT(N) & ZPT(N) & UPT(N) & VPT(N) & WPT(N) \end{bmatrix}$$

(b)

$$\begin{bmatrix} 1 & X1 & Y1 & Z1 & U1 & V1 & W1 \\ 2 & X2 & Y2 & Z2 & U2 & V2 & W2 \\ " & " & " & " & " & " & " \\ " & " & " & " & " & " & " \\ N & XN & YN &ZN & UN & VN & WN \end{bmatrix}$$

(c)

Figure 3.

Nodal point and displacement storage arrays.

 $N =$ The number of nodes.

(b) Arrays in subroutines called by PSAP1.

(c) Nodal coordinates and displacements in (a) and (b).

KDATA = 1 or 5). When read, displacement data is stored in the last three columns of array ZZZ (figure 3). PSAP1 can postprocess displacements for both ADINA and SAP IV. The difficulty comes in obtaining a punched deck of cards. Reference 6 gives a description of how to obtain a deck of cards for SAP IV in a format acceptable to SUBROUTINE DATA9. ADINA has no such provision. However, when preprocessing, the displacement data will be omitted (NUDISP=NVDISP=NWDISP=0), and this step will be by-passed.

F. PLOTTING LOGIC

SUBROUTINE PLOTX (figure 4) is the main plotting routine. Since the nodal point data is stored in array ZZZ and the connectivity is stored on device 10, it is a simple matter to read the connectivity from device 10 (one element at a time), and connect the nodes as they are defined in references 1 and 2. For example, NEND = number of nodes defining the connectivity of a single element, NUMEL = the element number and NODE(NEND) is the array containing the connectivity. Device 10 contains this information successively for each element. The statement

```
READ(10) NEND,NUMEL,(NODE(I),I=1,NEND)
```

will read the element connectivity to be plotted. The 8-20 node brick (ADINA and SAP IV) and the 4-8 node plane elements (ADINA) may have 3 points defining each edge. If the midpoint node is defined, then isoparametric




Figure 4. Flow chart for PSAP1 plotting subroutine, PLOTX. Array NODE contains the connectivity of the element being plotted. NEND = the number of nodes defining the connectivity of a single element. NUMEL = the element number.

shape functions (reference 3) are used to interpolate along the three-node edges. These shape functions are identical to those used by ADINA and SAP IV, so the geometry represented graphically is identical to the problem solved in ADINA and SAP IV. SUBROUTINE CURVE does the interpolation with the following equations:

$$X_o = N1 * X_{01} + N2 * X_{02} + N3 * X_{03}$$

$$Y_o = N1 * Y_{01} + N2 * Y_{02} + N3 * Y_{03}$$

$$N1 = S * (S - 1.0) / 2.0$$

$$N2 = - (S + 1.0) * (S - 1.0)$$

$$N3 = S * (S + 1.0) / 2.0$$

$$\underline{-1.0 \leq S \leq 1.0}$$

PSAP1 uses the NPS plotting package [reference 5] subroutines.


III. PSAP1 SAMPLE PROBLEMS

The following examples have been chosen to illustrate some of the most useful options of PSAP1. Prior to attempting to use PSAP1, the user should have the problem defined and the cards punched in the format of references 1 and 2. Appendix A of this thesis gives a complete description of deck preparation for PSAP1 here at NPS. This section should prove helpful in the understanding and interpretation of the options presented in Appendix A.


A. ADINA EXAMPLES

1. Reinforced Concrete Beam (example 1, figure 5)

This example was chosen because it illustrates the importance of the exploded plot when more than one element group is used. It is taken from the ADINA manual [reference 1]. Figure 6 is a listing of the data cards as they are prepared for ADINA. Figure 7 indicates how that deck would be modified for PSAP1. Note: load cards are removed, NAMELIST OPTION and NAMELIST PICT are added, and the title to be plotted on the graph is added in figure 7. Otherwise, figures 6 and 7 are the same. Figure 8, part (a), illustrates an undistorted ($KDISP = 0$) PSAP1 plot with the nodes numbered ($NOTAT = 1$). Figure 8, part (b), shows the same mesh in an exploded form ($KDISP = 2$) with the elements numbered ($NOTAT = 2$). Note how the truss elements are visible in the exploded plot.



BEAM DIMENSIONS



FINITE ELEMENT IDEALIZATION

MATERIAL PROPERTIES:

$$\sigma_c = 3740 \text{ psi}$$

$$\sigma_s = 458 \text{ psi}$$

$$\sigma_y \text{ steel} = 44000 \text{ psi}$$

$$E_{o, \text{concrete}} = 6100 \text{ ksi}$$

$$\nu = 0.2$$

$$E_{\text{steel}} = 30000 \text{ ksi}$$

$$E_{t,\text{steel}} = 300 \text{ ksi}$$

Figure 5. Example 1, ADINA truss and 8 node plane elements, Reinforced Concrete Beam (Given on page 84, reference 2).


```

      1 10   1   0          *****
      1   .000733863 0.00
      0.620   .000733863 0.00
      0.440   1   1   3.00.
      3000.   1   4.4   1   3.00.
      1   28   31   0.0.
      10

      2 1.000217164 0
      6100.   0.20
      0.458   -3.74
      1   6   1   -.002
      8   2   1   1
      5   6   1   1
      32   26   25   31
      6   6   1   1
      9   3   2   1
      10   6   26   32
      33   27   26   30
      1   9
      0.4.0   0.0
      8.0   1.3.5
      21   3   1   -0.5

      *****
      TRUSS ELEMENT INPUT
      3 1   3
      1   10   1   0
      1   1   1   1
      0.620   .000733863 0.00
      0.440   1   1   3.00.
      3000.   1   4.4   1   3.00.
      1   28   31   0.0.
      10

      *****
      2D CONTINUUM ELEMENT INPUT
      5 1   0   0
      1   10   1   0
      1   1   1   1
      0.620   .000733863 0.00
      0.440   1   1   3.00.
      3000.   1   4.4   1   3.00.
      1   28   31   0.0.
      10

      *****
      APPLIED LOAD DATA
      5 1   0   0
      1   10   1   0
      1   1   1   1
      0.620   .000733863 0.00
      0.440   1   1   3.00.
      3000.   1   4.4   1   3.00.
      1   28   31   0.0.
      10

```

Figure 6. Example 1, ADINA input deck listing, page 2 of 2.

***** Not part of input deck.


```

***** PSAP1 TITLE TO BE PLOTTED ON GRAPH
KIBLER AE NONLINEAR ANALYSIS OF A REINFORCED CONCRETE BEAM (ADINA EX)
***** NAMELIST OPTION
&OPTION
  KECFM=1,
  NDEST=33,
  YSPACE=10.0,
  &END

```

```

***** TITELINE CARD ADINA EXAMPLE
NONLINEAR ANALYSIS OF A REINFORCED CONCRETE BEAM
33100111 0 2 *****
   2      1      2      MASTER CONTROL CARDS
             BLANK CARD
             BLANK CARD
             BLANK CARD
             BLANK CARD
25
   ***** TITELINE CARD ADINA EXAMPLE
   ***** NODAL POINT DATA
   0.
   10.
   120.
   38.
   50.
   59.
   68.
   0.
   10.
   20.
   40.
   38.
   50.
   59.
   68.
   0.
   10.
   20.
   40.
   38.
   50.
   59.
   68.
   0.
   10.
   20.
   40.
   38.
   50.
   59.
   68.
   0.
   10.
   20.
   40.
   38.
   50.
   59.
   68.
   0.
   10.
   20.
   40.
   38.
   50.
   59.
   68.
   0.
   10.
   20.
   40.
   38.
   50.
   59.
   68.
   0.
   10.
   20.
   40.
   38.
   50.
   59.
   68.
   0.
   10.
   20.
   40.
   38.
   50.
   59.
   68.
  20.
  ***** LOAD CONTROL CARD
  1    1    20

```

***** Not part of input deck.

Figure 7. Example 1, PSAP1 input deck listing, page 1 of 2.


```

***** INITIAL CONDITIONS *****

1 10 1 0 ***** TRUSS ELEMENTS ***** 3 1 3
0.620 .000733863 0. 300. 1 3 0.
30000. 1 44.0 1 0. 1 0 0.
10 28 31 1 0. 1 0 0.

2 1C 1 164 0 ***** 2D CONTINUUM ELEMENT INPUT ***** 5 1 0 0
1.000217164 0 2 6
6100. 0.20 0.458 -3.74 -.002 0.0005 0.50
1 6 1 7 1 7 0 4 0 6.
8 2 1 6 1 6 0 28 0 6.
5 6 2 6 2 6 0 29 0 6.
32 26 2 1 8 6 0 5 0 6.
6 6 3 2 1 8 0 6 0 6.
9 3 1 6 1 6 0 29 0 6.
10 6 27 26 32 30 0 29 0 6.
33 27 32 30 0 29 0 6.

***** APPLIED LOAD DATA IS REMOVED *****

***** NAMELIST PICT (UNDEFORMED STRUCTURE) *****

EPICT
KHORZ=2,
KVERT=3,
NOTAT=1,
PLOTSZ=8.75,
KODE=1,
EFND
***** NAMELIST PICT (EXPLODED PLOT) *****

EPICT
DMAGS=0.7,
KDISP=2,
KODE=0,
NOTAT=2,
PLOTSZ=9.0,
EEND
***** Not part of input deck


```

Figure 7. Example 1, PSAPI input deck listing, page 2 of 2.

	3	6	9	12	15	18	21	24	27	30	33
2											
1	4	7	10	13	16	19	22	25	28	31	32

(a) Undeformed structure (KDISP=0), nodes numbered (NOTAT=1).

Figure 8. Example 1, PSAP1 output graphs, page 1 of 2.



(b) Exploded plot (KDISP=2), elements numbered (NOTAT=2).

Figure 8. Continued, page 2 of 2.

2. Flat Plate With Hole (example 2, figure 9)

This is a well known problem with which one can calculate the stress concentration on a hole in a plate under axial tension. Figure 10 is a listing of the PSAP1 deck set-up. The mesh is composed of ADINA variable 4-8 node plane elements. Notice on figure 11, parts (a) and (b), how the interpolating shape functions round off the 3-node edges. Part (a) has the nodes numbered (NOTAT = 1). Part (b) has the elements numbered (NOTAT = 2), and illustrates the use of the symmetry option (KSYMXY=KSYMZX=1). The symmetry option enables one to obtain a picture of the complete plate even though the model only consisted of a quarter plate with proper boundary conditions.

B. SAP IV EXAMPLES

1. SAP IV Truss Problem (example 3, figure 12)

Figure 13 is a listing of the PSAP1 data deck. Figure 14 indicates how multiple partial plots can be used to obtain a better representation of the model. Part (a) of figure 14 is the complete model. Part (b) is the left half (XXMAX = 50'), and part (c) is the right half (XXMIN = 50', XXMAX = 1.0E20'). Notice also that for Parts (b) and (c), ISCALE = 0, which means succeeding plots have the same scale as the first. Had ISCALE equaled 1 (blow-up), then the width of the half view would have been the same as the complete model. Figure 14 size is limited by the NAMELIST PICT variable PLOTSZ.

Figure 9. Example 2, flat plate with a hole in tension. ADINA 4-8 node plane element.

Thickness = 1 inch

Young's modulus = 30.0×10^6 psi


Poisson's ratio = .333

Total elements = 18

Total nodes = 44

Distributed Load =

1000.0 psi



KIBLER AE FLAT PLATE TESTING ***** PSAPI TITLE CARD TO BE PLOTTED ON GRAPH
OPTION ***** NAMELIST OPTION

KGECM=1
NNDEST=44,
YSPACF=5.0,
EFND

KIBLER AE FLAT PLATE PROBLEM IN ADINA EXAMPLE ***** TITLE CARD ADINA EXAMPLE WITH DATA GENERATION

44100111	1	0	0	0	MASTER CONTROL CARDS	1	0	0
0	0	0	0	1	BLANK CARD			
0	0	0	0	1	BLANK CARD			
X	37	1	1	0	*****	NODAL POINT DATA	1.0	90.0
X	32	1	0	0		0.0	3.0	90.0
X	29	1	0	0		0.0	1.0	78.75
X	3	0	0	0		0.0	2.5	78.75
X	30	0	0	0		0.0	1.0	67.50
X	34	0	0	0		0.0	2.5	56.25
X	31	0	0	0		0.0	1.0	45.0
X	35	0	0	0		0.0	2.5	45.0
X	32	0	0	0		0.0	1.0	33.75
X	36	0	0	0		0.0	2.5	33.75
X	33	0	0	0		0.0	1.0	22.50
X	37	0	0	0		0.0	2.5	22.50
X	34	0	0	0		0.0	1.0	11.25
X	38	0	0	0		0.0	2.5	11.25
X	35	1	0	0		0.0	1.0	0.0
X	39	0	1	1		0.0	2.5	0.0
X	36	1	1	1		0.0	1.0	0.0

Figure 10.

Example 2, PSAPI input deck listing, page 1 of 3.

**** Not part of input deck.

38	1	0	0	1	1	1	0.0	1.5	
39	1	3	9	1	1	1	0.0	3.0	
40	1	0	1	1	1	1	0.0	3.0	
41	1	1	1	1	1	1	0.0	1.5	
42	1	1	0	1	1	1	0.3	0.0	
43	1	0	0	1	1	1	0.0	4.0	
44	1	0	0	1	1	1	0.0	4.0	
									LOAD CONTROL CARD

3	1	2	0	2	6	6	2D CONTINUUM ELEMENT INPUT	0	
									INITIAL CONDITIONS
2	18	0	0	30.0E06	•333	1	2	0	1.0
1	1	6	3	12	10	2	2	11	0
4	7	9	18	18	16	8	0	17	1.0
5	5	6	11	11	11	2	0	0	0
10	12	21	21	19	11	0	20	0	0
8	18	27	27	25	17	0	26	0	0
16	18	21	30	28	20	0	29	0	0
9	21	27	36	34	26	0	35	0	0
19	25	27	31	31	21	2	0	1.0	0
12	25	25	35	38	37	29	0	0	0
13	23	25	31	31	31	1	0	0	0
28	30	38	38	38	38	31	0	0	0
14	35	35	31	31	31	1	0	1.0	
30	32	39	39	38	38	31	0	0	
15	35	40	40	39	39	33	0	1.0	
32	34	40	41	41	40	35	0	0	
16	34	36	41	41	40	35	0	1.0	
34	37	38	43	43	42	0	0	1.0	
17	37	38	44	44	43	0	0	0	
18	38	39	44	44	43	0	0	1.0	
38	39	39	44	44	43	0	0	0	

Figure 10. Example 2, PSAP1 input deck listing, page 2 of 3.

***** Not part of input deck.


```

***** APPLIED LOAD DATA IS REMOVED
***** NAMELIST PICT (ACTUAL STRUCTURE)

&PICT
KHZRZ=2,
KVERT=2,
NOTAT=1,
PLOTSZ=7.6,
ISCALE=1,
KODE=2,
&END

***** NAMELIST PICT (SYMMETRIC REPRESENTATION)


&PICT
PLOTSZ=8.0
NOTAT=2,
KSYMXZ=1,
KSYMXY=1,
KODE=0,
&END

```

Figure 10. Example 2, PSAP1 input deck listing, page 3 of 3.


***** Not part of input deck.

Figure 11. Example 2, PSAPl output graphs, page 1 of 2.




(a) Actual mesh, nodes numbered.

Figure 11. Continued, page 2 of 2.



(b) Symmetric representation, elements numbered.

Figure 12. Example 3,
SAP IV truss element
problem.



KIBLER AE SAP IV TRUSS EXAMPLE PROBLEM
 ***** NAMELIST OPTION

60FTICN
 YSPACE=C.25,
 &END

 PSAP SAMPLE TRUSS PROBLEM WITH INNER ELEMENTS

S	1	1	0	0	0	***** MASTER CONTROL CARD
1	1	0	0	1	1	NODAL POINT DATA
2	0	1	0	1	1	0.0 50.0 0.0 50.0
3	0	0	0	1	1	50.0 100.0 0.0 50.0
4	0	0	0	1	1	50.0 50.0 0.0 50.0
5	0	1	1	1	1	50.0 50.0 30.0 30.0
6	1	0	1	1	1	0.0 0.0 15.0 25.0
7	0	0	1	1	1	0.0 0.0 0.0 0.0
8	0	1	0	1	1	0.0 0.0 0.0 0.0
9	0	0	0	1	1	0.0 0.0 0.0 0.0
10	2.0	4.32E09	1	6.5E-36	3	THREE DIMENSIONAL TRUSS ELEMENT DATA
						7.0E-02 4.89E02
1	1	2	3	1	1	70.0
2	1	1	4	1	1	70.0
3	2	2	4	1	1	70.0
4	3	3	1	1	1	70.0
5	4	4	6	1	1	70.0
6	5	1	7	1	1	70.0
7	6	7	2	1	1	70.0
8	7	8	3	1	1	70.0
9	8	9	7	1	1	70.0
10	9	10	1	1	1	70.0

Figure 13. Example 3, PSAPI input deck 1 listing, page 1 of 2.

***** Not part of input deck.


```

10   3     8
11   2     5
12   4     5
13   4     9
14   5     7
15   5     9
16   6     7
17   7     8
18   6     9
19   7     9
20   8     9

```

LOAD, LOAD CASE MULTIPLIER AND DYNAMIC ANALYSIS
CARDS REMOVED

NAMELIST PICT FOR TOTAL MESH

&PICT
KHCRZ=1,
KVERT=2,
PSI=-2C.0,
PHI=25.0,
THETA=-40.0,
PLCTSZ=4.5,
NCTAT=1,
KODE=1,
GENC

NAMELIST PICT (LEFT HAND SIDE)

&PICT
XXMAX=50.0,
XXMIN=50.0,
ISCALE=C,
GENC

NAMELIST PICT (RIGHT HAND SIDE)


&PICT
XXMAX=1.0E20,
XXMIN=50.0,
KODE=C,
GENC

Figure 13. Example 3, PSAPI input deck listing, page 2 of 2.



***** Not part of input deck.

Figure 14. Example 3, PSAP1 output graphs.

(c) Right hand side.



(b) Left hand side.



(a) Complete structure.

. 2. Cylindrical Bar With Spherical Hole (example 4,
figure 15)

This mesh could have several uses. Two might be to calculate stress concentrations if the bar is under axial load or to calculate loading if the void is under pressure (i.e., dispersed nuclear fuel pellet). Figure 16 is a listing of the PSAP1 data deck. Figure 17, part (a), is a representation of the complete model. Parts (b), (c), (d), and (e) of figure 17 are partial plots of the total structure using options of the undeformed structure (KDISP = 0) with node numbering (NOTAT = 1), and the exploded plot (KDISP = 2) with element numbering (NOTAT = 2).




Figure 15. Example 4, six inch diameter cylindrical bar with a two inch diameter spherical void on the center line under pressure.

1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																							
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																							
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1																							
1	0	0	1	0	0	0	1	0	0	0	1	0	0	0	1	0	0	1	0	0	0																							
0	1	0	0	1	1	0	0	1	0	0	0	1	0	0	1	0	0	0	1	1	0																							
0	1	0	0	1	1	0	0	1	0	0	0	1	0	0	1	0	0	0	1	1	0																							
1	2	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116

Figure 16. Continued,
page 3 of 6.

***** Not part of
input deck.

117	1	0	0	0	0	1	1	1	0.057403	1.055	4.0
118	C	0	0	0	1	1	1	1	1.0607	1.0607	4.0
119	0	0	0	1	0	1	1	1	1.0858	0.057403	4.0
120	0	0	1	0	0	1	1	1	1.50	0.057403	4.0
121	0	0	0	1	0	1	1	1	1.5910	2.025	4.0
122	1	0	0	1	0	1	1	1	2.25	0.0	4.0
123	0	0	0	1	0	1	1	1	0.0	3.0	4.0
124	0	1	0	0	0	1	1	1	1.481	2.07716	4.0
125	1	0	0	0	1	1	1	1	2.07213	2.01213	4.0
126	0	0	0	0	1	1	1	1	2.0716	1.01481	4.0
127	0	0	0	0	1	1	1	1	1.0	0.0	4.0
128	0	0	1	0	0	1	1	1	1.0	1.0	4.0
129	0	1	0	1	0	*	1	VARIABLE	20	3	3
8	2	0	1	0	0	0	30.	0E06	30.0E06	30.	333
1	12.0E6	12.0E6	12.0E6	12.0E6	1	*	333	*	333	*	333
1.120	E6	1	1.20E4	1	1	BLANK CARD					
1.1	E6	1	1.20E4	1	1	1.0	0	1	7	35	36
1	1	0	1	0	0	1	0	1	0	39	1
38	14	34	40	5	0	BLANK CARD					
46	16	40	48	13	0	5	5	7	15	43	44
54	16	0	1	0	0	0	0	BLANK CARD	BLANK CARD	35	47
62	16	48	56	21	0	13	15	23	51	52	55
70	16	0	1	0	0	0	0	BLANK CARD	BLANK CARD	60	63
78	18	0	1	0	0	21	23	31	59	60	63
86	80	80	86	38	0	34	40	40	81	82	85
94	67	67	69	69	0	0	0	0	85	85	35
102	20	20	1	0	46	38	40	48	89	90	93
110	E4	86	94	46	0	0	0	0	85	85	39
118	68	69	72	72	1	0	0	0	93	43	39
126	71	68	71	71	0	0	0	0	44	44	47
134	20	7	20	7	0	0	0	0	36	36	39

Figure 16. Continued, page 4 of 6. ***** Not part of input deck.

100	92	94	102	54	46	48	56	97	93	98	101	51	47	52	55	
174	71	72	75	0	0	0	54	56	64	105	1C1	106	109	59	55	
8	20	0	110	62	54	56	0	0	0	0	0	0	0	60	63	
108	100	102	110	110	0	0	80	80	86	114	115	118	81	82	85	
77	174	75	78	11	0	0	BLANK	CARD	BLANK	CARD	BLANK	CARD	BLANK	CARD	BLANK	
9	14	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
117	113	113	119	84	84	80	80	86	114	115	118	81	82	85	BLANK	
1C	16	0	1	0	0	0	0	0	0	0	0	0	0	0	CARD	
125	117	119	127	92	84	86	94	122	118	123	126	89	85	90	93	
11	14	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
40	34	34	42	7	1	1	9	36	37	41	1	3	4	8	BLANK	
12	16	0	1	0	0	0	0	0	0	0	0	0	0	0	CARD	
48	40	42	50	15	7	9	17	44	41	45	49	1	11	8	12	16
13	16	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
56	48	50	58	23	15	17	25	52	49	53	57	1	19	16	20	24
14	16	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
64	56	58	66	31	23	25	33	60	57	61	65	1	27	24	28	32
15	18	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
86	80	80	88	40	34	34	42	82	83	87	36	37	41	41	41	
69	67	67	70	70	70	73	0	0	0	0	0	0	0	0	0	
16	20	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
94	86	88	96	48	40	42	50	90	87	91	95	44	41	45	49	
72	69	70	73	1	0	0	0	0	0	0	0	0	0	0	0	
17	20	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
102	94	96	104	56	48	50	58	98	95	99	103	52	49	53	57	
175	72	73	76	1	0	0	0	0	0	0	0	0	0	0	0	
18	23	3	1	0	0	0	0	0	0	0	0	0	0	0	0	
110	1C2	1C4	112	64	56	58	66	106	103	107	111	60	57	61	65	
178	75	76	79	1	0	0	0	0	0	0	0	0	0	0	0	
115	14	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
115	113	113	121	86	80	80	88	115	116	120	82	83	87	87	BLANK	
20	16	121	129	94	86	88	96	123	120	124	128	90	87	91	95	CARD

Figure 16. Continued, page 5 of 6. ***** Not part of input deck.


```

***** NAMELIST PICT FOR TCTAL STRUCTURE

&PICT
KHCZRZ=2,
KVERT=2,
PHI=10.0C,
THETA=10.0,
PSI=45.0,
ISCALE=2,
XCRGN=C.4,
PSCALE=0.5714,
KOCE=1,
&END

***** NAMELIST PICT, ELEMENTS 1-10, NODES NUMBERED

&PICT
NOTAT=C,
NCTAT=1,
XLT=C.1,
NELMAX=10,
&END

***** NAMELIST PICT, ELEMENTS 1-10, EXPLODED PLOT

&PICT
NOTAT=2,
KDISP=C.1,
DMACS=C.5,
XLT=0.151,
&END

***** NAMELIST PICT, ELEMENTS 11-20, NODES NUMBERED

&PICT
NOTAT=1,
XLT=C.1,
KDISP=C.1,
NELMIN=11,
NELMAX=20,
&END

***** NAMELIST PICT, ELEMENTS 11-20, EXPLODED PLOT


&PICT
NOTAT=2,
KDISP=C.2,
DMACS=C.5,
XLT=0.151,
KOCE=0,
&END

```

Figure 16. Continued, page 6 of 6.


***** Not part of input deck.

Figure 17. Example 4, PSAP1 output graphs, page 1 of 5.




(a) Total structure.

Figure 17. Continued, page 2 of 5.




(b) Elements 1-10, nodes numbered.

Figure 17. Continued, page 3 of 5.




(c) Elements 1-10, elements numbered, exploded plot.

Figure 17. Continued, page 4 of 5.



(d) Elements 11-20, nodes numbered.

Figure 17. Continued, page 5 of 5.



(e) Elements 11-20, elements numbered, exploded plot.

IV. CONCLUSIONS AND RECOMMENDATIONS

With a little study of PSAPI and figure 2, one realizes how simple it would be to expand PSAPI to include virtually an unlimited number of geometry data input formats. Simply supply the GEOMn subroutines, element subroutines and modify SUBROUTINE ELTYPE if necessary. Another interesting project would be to incorporate PSAPI into ADINA and SAP IV so that a mesh plot could be obtained in the data check mode only. Reference 4 contains routines for plotting stress contours which could be incorporated. Hidden line logic is available. It would be difficult but could be incorporated. Hidden line plots are pretty, but they are not very practical when preprocessing because in preprocessing it is advantageous to see all of the nodes.

APPENDIX A

PSAP1 USERS MANUAL

I. NAMELISTS

It may be useful for the user to review NAMELISTS in any good FORTRAN manual. However, a short description of the NAMELIST input is given here. Only columns 2 through 80 of each card will be read. The computer expects to find a special delimiter symbol in column 2 of the first card followed by the NAMELIST name. The delimiter symbol for the IBM 360-370 series is the ampersand & ; other processors use the dollar sign \$. Following the first card comes the list of variables and their assigned values. Some important points about the variables are:

- A. Variables and their values need not appear in any special order.
- B. Predefined variables need not appear in the list if it is not necessary to change the value.
- C. A comma should follow each assigned value.
- D. It is recommended that each variable appear on a separate card to facilitate change.

The last card following the NAMELIST variables contains, beginning in column 2, the delimiter sign followed by the word END. For example, &OPTION (read NAMELIST OPTION) contains 12 variables. All are initially assigned default

values. But, suppose three of those values (NNDEST=200, KGEM=9, YSPACE=2.0) do not apply to a specific problem. The &OPTION would be read as follows:

```
_&OPTION  
_ NNDEST=300,  
_ KGEM=1,  
_ YSPACE=5.0,  
_ &END
```

Blank space in column 1.

III. INPUT PROCEDURES

The following sequence of cards is necessary to use PSAP1.

NOTES IBM CARDS

COLUMNS

123456789-----

(1) // [Standard green job card]
// EXEC FORTCLGP,REGION.GO=150K
//FORT.SYSIN DD *

(2) C MAIN PROGRAM
DIMENSION ZZZ(NZ),DISPD(5,3,NON)
CALL PSAP1(ZZZ,NZ,DISPD,NON)
STOP
END

(3) /*
//LINK.USDD DD UNIT=3330,VOL=SER=DISK02,
// DISP=SHR,DSN=S1153.PSAP1
//LINK.SYSIN DD *
INCLUDE USDD(LOADM)
ENTRY MAIN


```
(4)      /*  
         //GO.FT10F001 DD UNIT=SYSDA,  
         // SPACE=(CYL,(3,1)),  
         // DCB=(RECFM=VS,BULKSIZE=3520)  
  
(5)      //GO.SYSIN DD *  
  
(6)      [PSAP1 title card as it appears on plot]  
  
(7)      &OPTION  
         [&OPTION variables to be initially set or changed]  
         &END  
  
(8)      [ADINA or SAP IV geometry data. Title  
         card through element data - remove load cards]  
  
(9)      [Case identification card - Omit if IDCASE = 0]  
         [Displacement data cards - Omit for preprocessing  
         only]  
  
(10)     &PICT  
         [&PICT variables to be initially set or changed]  
         &END  
  
(11)     [Additional data as defined by last value of  
         KODE in NAMELIST PICT - Omit if last  
         value of KODE = 0]  
  
(12)     /*
```


Notes:

- (1) Standard basic deck set up as described in chapter 3 of reference 8.

```
// [Standard green job card]
// EXEC FORTCLGP,REGION.GO=150K
//FORT.SYSIN DD *
```

- (2) Main program.

```
DIMENSION ZZZ(NZ),DISPD(5,3,NON)
CALL PSAP1(ZZZ,NZ,DISPD,NON)
STOP
END
```

The main program has two functions: to allocate fast storage space, and to call PSAP1. NON must be greater than the number of nodes. NZ must be
+3
greater than $4 * \text{NON}$ ($7 * \text{NON}$ if displacement data cards are to be input. i.e., NUDISP, NVDISP, or NWDisp = 1).

- (3) Using load module library.

```
/*
//LINK.USDD DD UNIT=3330,VOL=SER=DISK02,
// DISP=SHR,DSN=S1153.PSAP1
//LINK.SYSIN DD *
INCLUDE USDD(LOADM)
ENTRY MAIN
```

PSAP1 should be precompiled and stored in the machine in a load module. Load modules are a type of user library described in reference 7 and chapter 3 of reference 8. Since PSAP1 requires over one minute to compile, precompiling results in a large time

savings. These cards are subject to change, and the most current version is determined by the user maintaining this library. If PSAP1 is not on a load module, these control cards may be replaced by subroutine PSAP1 (which consists of a box and a half of cards).

(4) Allocation of storage.

```
/*
//GO.FT10F001 DD UNIT=SYSDA,
// SPACE=(CYL,(3,1)),
// DCB=(RECFM=VS,BULKSIZE=3520)
```

PSAP1 uses a slow storage device to store the element connectivity. These cards allocate 3 cylinders as described in chapter 3 of reference 8.

(5) Deck set up card.

```
//GO.SYSIN DD *
```

This is a standard deck set up card described in chapter 3 of reference 8.

(6) PSAP1 title card.

PSAP1 title card is the title that will appear on the graph. Make sure a user identification is on this card. It consists of 80 alphanumeric characters. The first 40 characters will form the first title line. The last 40 will form the second line.

(7) NAMELIST OPTION.

(Note: start in second column)

```
&OPTION  
[&OPTION variables to be initially set or changed]  
&END
```

<u>VARIABLE-DEFAULT</u>	<u>DESCRIPTION</u>	
NNDEST-200	Must be equal to the number of nodes.	
NUDISP-0	0 - X direction displacements not input. 1 - X direction displacements input.	
NVDISP-0	0 - Y direction displacements not input. 1 - Y direction displacements input.	
NWDISP-0	0 - Z direction displacements not input. 1 - Z direction displacements input.	
(Note: unless displacement data is to be input, allow NUDISP, NVDISP, and NWDISP to default.)		
KGEOM-9	Specifies the geometry input format. 1- Subroutine GEOM1 reads in ADINA data deck geometry and connectivity. 2- Subroutine GEOM2 may be supplied by user along with subroutines NSPLAN, NS3DEE and NSTRU to read nodal data and connectivity in any format. 9- Subroutine GEOM9 reads in SAP IV data deck geometry and connectivity.	
KDATA-9	Specifies the subroutine and corresponding method of input for displacement data. 1- Subroutine DATA1, a user supplied subroutine.	

2- Subroutine DATA2, a user supplied subroutine.

9- Subroutine DATA9, reads a punched output displacement deck from execution of SAP IV as presented in reference 6. (Note: unless displacement data is to be plotted, allow to default.)

NVALUS-0 Not incorporated, allow to default.

IRESEQ-1 Not incorporated, allow to default.

KPLOT-1 Not incorporated, allow to default.

YSPACE-2.0 Space between plots in the Y direction in inches when successive plots are plotted (i.e., KODE \neq 0). The graph title is plotted both on the top and at the bottom of each set of graphs controlled by a given NAMELIST OPTION. The space between the title and the plot is YSPACE/2.0.

PSIZE-9.0 Paper size in the X direction, in inches. Used in scaling of the plots to insure this dimension is not exceeded. However, when manual scaling (ISCALE = 2; see NAMELIST PICT) this protection is not available, and it is possible to exceed the paper width.

IDCASE-0 0- No identification card precedes the deck of displacement values.

 1- Identification card precedes the deck of displacement values.

(8) SAP IV or ADINA data cards.

Here insert the geometry (node coordinates) and element connectivity. This includes the title card through the element data cards; the load cards are removed. For a SAP IV data deck, NAMELIST OPTION variable KGEOM = 9. For an ADINA data deck, KGEOM = 1.

From ADINA deck remove:

1. Applied loads data.
2. Frequency and mode shape calculations data.

From SAP IV deck remove:

1. Concentrated load mass data.
2. Element load multipliers.
3. Dynamic analysis cards.

Otherwise, these cards are exactly the same as the deck prepared for SAP IV or ADINA. PSAP1 is not limited to SAP IV and ADINA. The user may specify any unique format (i.e., KGEOM = 2). In this case, SUBROUTINE GEOM2 must be supplied by the user.

(9) Case ID card and displacement data cards.

PSAP1 is intended to be used essentially for preprocessing. If it is desired to use the postprocessing option, the user is referred to reference 6. Otherwise, omit the case ID card and displacement data.

(10) and (11) NAMELIST PICT.

(Note: start in second column)

```
&PICT
[&PICT variables to be initially set or changed]
&END
```

<u>VARIABLE-DEFAULT</u>	<u>DESCRIPTION</u>
KHORZ-1	Integer designating the horizontal axes of the viewing plane. 1 = X_o . 2 = Y_o . 3 = Z_o . (See figure 18.)
KVERT-2	Integer designating the vertical axes of the viewing plane. 1 = X_o . 2 = Y_o . 3 = Z_o . (See figure 18.)
PHI-0.0	Angular rotation of the model about its X axis in degrees (performed 3rd, see figure 18).
THETA-0.0	Angular rotation of the model about its Y axis in degrees (performed 2nd, see figure 18).
PSI-0.0	Angular rotation of the model about its Z axis in degrees (performed 1st, see figure 18).
NEWFR-1	1- Frame change before plotting. 2- No frame change before plotting. (Normally allow to default. A frame change resets the Y origin past the previous plot by YSPACE given in NAMELIST OPTION and resets the X origin at 0.0)
ISCALE-1	0- No scale change. Use the same scale as the previous plot. Useful in an assembly graph where it is desired to examine a mesh in sections




Figure 18. Coordinate systems and Euler angles (rotations) for an oblique orthographic projection shown in $X-Z$ viewing plane.
(Taken from reference 4, page 127.)

without losing perspective. See example 3 in
Section III of this thesis. ISCALE cannot be zero
in the first NAMELIST PICT.

1- Automatic scaling of plot and
computation of proper origin location.

2- User specified origin and scaling.

PLOTSZ-10.0 Maximum dimension desired on com-
 pleted plot prior to rotation. After rotation it
 is possible for the maximum dimension in the pro-
 jected plane to exceed PLOTSZ. The maximum size
 of the projection is unlimited on the vertical axis
 but is limited by the paper width (PSIZE in NAMELIST
 OPTION) on the horizontal axis. If rotation of the
 model causes the projection to go off the paper,
 it is rescaled prior to plotting. PLOTSZ is used
 in scaling only if ISCALE = 1).

XORGN-0.0 X location of the plot origin.
(Used only if ISCALE = 2.)

YORGN-0.0 Y location of the plot origin.
(Used only if ISCALE = 2.)

PSCALE-1.0 Model size reduction factor.

PSCALE is equal to the actual model size divided by
the desired plot size. It is used only if ISCALE = 2.
(Note that when ISCALE = 2 is used, no rescaling
occurs if rotation causes the projection to exceed
the paper width.)

NOTAT-0 0- No numbering on plots.
 1- Numbering of grid points.
 2- Numbering of elements.

XLHT-0.14 Height in inches of the integers
specified by NOTAT. It should be a multiple of
.07. If XLHT is not a multiple of .07, it will be
rounded to the nearest multiple. XLHT has a
maximum of .49 and a minimum of .07.

KDISP-0 0- Plot of undeformed structure.
 1- Plot of deformed structure.
 2- Exploded plot.
 3- Displacement represented by
vectors.

KDISP = 1 or 3 represents a form
of postprocessing and displacement data must be
input in (9). If postprocessing is desired, refer
to reference 6.

IDMAG-2 1- Direct magnification of displace-
ment data by DMAGS.
 2- Scaling of displacement data
to a maximum value of DMAGS.

DMAGS-1.0 Magnification of displacements
(if KDISP = 1 or 3). Reduction factor of elements
(if KDISP = 2).

KSYMXY-0 1- Symmetry about X-Y plane.

KSYMxz-0

1- Symmetry about X-Z plane.

KSYMYz-0

1- Symmetry about Y-Z plane.

A plate quadrant with KSYMxz and
KSYMYz equal to 1 would yield a complete plate.

See example 2 in Section III in this thesis.

Note: To develop a partial plot, three methods of segregating elements exist: First, by X, Y and Z cutting planes; second, by node numbers; and third, by element numbers. The next ten variables are used to separate elements into partial plots.

XXMAX,YYMAX,ZZMAX-1.0E20 Local cutting planes

XXMIN,YYMIN,ZZMIN-(-1.0E20) Parallel to the principal
planes.

NDMAX-9999999 Maximum gridpoint identification
number to be included in the plot.

NDMIN-0 Minimum gridpoint identification
number to be included in the plot.

NELMAX-9999999 Maximum element number to be
included in the plot.

NELMIN-0 Minimum element number to be
included in the plot.

KODE=0

Specifies the control option after
the plot is completed.

0- Last plot, exit from program.

1- Read another NAMELIST PICT.

2- Read a new set of displacement
data. (Postprocessing only.) For KODE = 2, dis-
placement data must be followed by another NAMELIST
PICT.

3- Read a complete new set of input
data starting with a title card.

For KODE = 1, 2 or 3, additional
sections of the deck must be repeated. The deck
must end with a NAMELIST PICT having a value of
KODE = 0.

Note: A most important point to remember when
generating a sequence of plots is that once a
parameter has been defined, it retains that value
until it is reassigned. For example, if PLOTSZ is
assigned a value of 8.0 for the first of a series
of plots, and it is not redefined in any subsequent
NAMELIST PICT; the value of PLOTSZ will be retained
as originally specified. However, when KODE = 3
and a new title, NAMELIST OPTION and problem data
are read, all variables in NAMELIST OPTION and
NAMELIST PICT are assigned their default values. The

problem starts over in this case. Refer to the flow chart in figure 1 and study the path for different values of KODE.

(12) Delimiter card.

/*

Delimiter card is defined in chapter 3 of reference 8.

III. SPECIAL FEATURES OF PSAPI

A. POSTPROCESSING

Reference 6 contains information and examples on the use of the postprocessor. SAP IV has the capability to punch displacement data cards in an acceptable format for PSAPI (specifically subroutine DATA9). As of this writing, ADINA does not have this capability, and data cards would have to be punched manually by the user.

B. PARTIAL DATA

Reference 6, on page 30, establishes a procedure by which it is possible to input only a portion of the finite element model for a data check. This feature is valuable in a case where several different people are preparing different parts of a large data base for a problem and desire to check individually their inputs graphically for accuracy. All nodal coordinates for the entire model may be input, or only those that specifically define the portion of the finite element model to be plotted. In either case, all nodal coordinates that define the elements to be plotted must be specified. To use this feature the "element control cards" (described in references 1 and 2) must be modified. For example, if only the connectivity for elements 15 through 50 of a problem are available, the changes below would be made.

1. All SAP IV Elements

All SAP IV element control card changes would have similar changes because columns 6-10 contain the total number of group elements. Columns 66-70 are not used. Thus to plot only elements 15 through 50, make the following changes:

a. Enter the upper bound (i.e., 50) in columns 6-10.

b. Enter the lower bound (i.e., 15) in columns 66-70.

2. ADINA Truss, 2D and 3D Elements

ADINA element control cards for the truss, 2D continuum and the 3D continuum elements would be changed as follows:

a. Enter the upper bound (i.e., 50) in columns 5-8.

b. Enter the lower bound (i.e., 15) in columns 53-56.

3. ADINA Beam Element

ADINA element control cards for the beam element would be changed as follows:

a. Enter the upper bound (i.e., 50) in columns 5-8.

b. Enter the lower bound (i.e., 15) in columns 65-68.

MAIN PROGRAM

```
DIMENSION ZZ(1400),DISPD(5,3,200)
CALL PSAPI(zz,1400,DISPD,200)
STOP
END    PSAPI
```

SUBROUTINE PSAPI DOCUMENTATION

DESCRIPTION OF INPUT DATA CARDS

TITLE CARD - 80 ALPHANUMERIC CHARACTERS OF GRAPH TITLE INFORMATION
TO BE PRINTED ABOVE AND BELOW THE GRAPH. THE FIRST 40
CHARACTERS WILL FORM THE FIRST TITLE LINE. THE LAST 40
THE SECOND LINE.

NAMELIST OPTION - CONTAINS VALUES TO VERIFY STORAGE IN BLANK
COMMON AND CONTROL VALUES NEEDED BY THE PROGRAM.

THE FOLLOWING VALUES ARE INCLUDED---

NNDEST = ESTIMATE NUMBER OF GRID POINTS TO BE USED. VALUE MUST
BE GREATER THAN OR EQUAL TO THE ACTUAL NUMBER OF GRID

POINTS
** DEFAULT = 200 **
NUISP = 0 FOR NO DISPLACEMENT DATA IN X-DIRECTION
= 1 FOR DATA INCLUDING DISPLACEMENTS IN X-DIRECTION.
** DEFAULT = 0 **
NVDISP = 0 FOR NO DISPLACEMENT DATA IN Y-DIRECTION
= 1 FOR DATA INCLUDING DISPLACEMENTS IN Y-DIRECTION.
** DEFAULT = 0 **
NWDisp = 0 FOR NO DISPLACEMENT DATA IN Z-DIRECTION
= 1 FOR DATA INCLUDING DISPLACEMENTS IN Z-DIRECTION.
** DEFAULT = 0 **

KGEOM SPECIFIES SUBROUTINE AND CORRESPONDING METHOD OF INPUT
FOR MODEL GEOMETRY. SUPPLIED SUBROUTINE - GEOM1
KGEOM = 1 FOR USER SUPPLIED SUBROUTINE - GEOM1


```

GEOM1 DEVELOPED TO READ ADINA GEOMETRY DATA - MAR 77 000000390
= 2 FOR USER SUPPLIED SUBROUTINE - GEOM2 000000400
= 9 FOR SAP IV DATA DECK INPUT SUBROUTINE - GEOM9. 00000041C
  ** DEFAULT = 9 ** 000000420
KDATA SPECIFIES SUBROUTINE AND CORRESPONDING METHOD OF INPUT 000000430
FOR DISPLACEMENT DATA. 000000440
KDATA = 1 FOR SUBROUTINE DATA1 TO READ IN DISPLACEMENT DATA 000000450
-- SUPPLIED BY THE USER. 000000460
= 5 FOR SUBROUTINE DATA5 TO READ IN DISPLACEMENT DATA 000000470
-- SUPPLIED BY THE USER. 000000480
= 9 FOR SUBROUTINE DATA9 TO READ SAP IV DATA. 00000049C
  ** DEFAULT = 9 ** 000000500
NVALUS - NOT USED AT NPS ----- ALLOW DEFAULT 000000510
000000520
000000530
000000540
000000550
000000560
000000570
000000580
000000590
000000600
000000610
000000620
000000630
000000640
000000650
000000660
000000670
000000680
000000690
000000700
000000710
000000720
000000730
000000740
000000750
000000760
000000770
000000780
000000790
000000800
000000810
000000820
000000830
00000084C
000000850
000000860

  ** DEFAULT = 0 ** 000000540
  ** DEFAULT = 1 ** 000000550
KPLOT SPECIFIES THE TYPE OF OUTPUT DEVICE TO BE USED.
KPLOT = 1 FOR CALCOMP. 000000560
= 2 FOR LANGLEY RESEARCH CENTER USE ONLY 000000570
= 3 FOR LRC USE ONLY 000000580
= 4 FOR LRC USE ONLY 000000590
  ** DEFAULT = 1 ** 000000600
YSPACE = SPACE BETWEEN PLOTS IN Y DIRECTION (INCHES) WHEN 000000610
MULTIPLE PLOTS ARE PRODUCED. YSPACE/2.0 IS SPACE 000000620
BETWEEN TITLE BLOCK AND PLOT. 000000630
  ** DEFAULT = 2.0 ** 000000640
PSIZE = PAPER SIZE IN X DIRECTION USED IN SCALING OF 000000650
PLOTS TO INSURE THIS DIMENSION IS NOT EXCEEDED.
  ** DEFAULT = 9.0 ** 000000660
IDCASE = 0 FOR NO TITLE CARD PRECEDING 000000670
1 DECKS OF DISPLACEMENT VALUES.
= 1 FOR TITLE CARD PRECEDING 000000680
1 DECKS OF DISPLACEMENT VALUES.
  ** DEFAULT = 0 ** 000000690

```

MODEL GEOMETRY IS NOW INPUT IN ONE OF THE FOLLOWING FORMS
DEPENDING ON THE VALUE OF KGEOM SPECIFIED IN NAMELIST OPTION.

```

USE IF KGEOM = 1 CALL SUBROUTINE GEOM1 WHICH READS ADINA GEOMETRY DATA
USE IF KGEOM = 2 CALL SUBROUTINE GEOM2 WHICH IS PREPARED BY THE USER TO

```


READ GEOMETRY DATA.

USE IF KGEOM = 9

CALL SUBROUTINE GEOM9 WHICH READS SAP IV GEOMETRY DATA.

CASE IDENTIFICATION CARD.

THIS CARD IS OMITTED IF ICASE=0 IS SPECIFIED IN EOPTION
IF PRESENT, THIS CARD CONTAINS ANY DESIRED ALPHANUMERIC
INFORMATION IN COLUMNS 1-80 WILL NOT APPEAR ON PLOT BUT WILL
APPEAR ON PRINTOUT ABOVE DISPLACEMENT DATA

DATA TO BE PLOTTED IS NOW INPUT IN ONE OF THE FOLLOWING FORMS
DEPENDING ON THE VALUE OF KDATA SPECIFIED IN NAMelist OPTION.

USE IF KDATA = 1
CALL SUBROUTINE DATA1 WHICH IS PREPARED BY THE USER

USE IF KDATA = 5
CALL SUBROUTINE DATA5 WHICH IS PREPARED BY THE USER

USE IF KDATA = 9
CALL SUBROUTINE DATA9 WHICH READS SAP IV DISPLACEMENT DATA.
A DISPLACEMENT DATA DECK CAN BE PREPARED FOR ADINA IN A
FORMAT COMPATABLE WITH DATA9.

NAMelist PICT - CONTAINS VALUES NEEDED TO GENERATE PLOTS.

THE FOLLOWING VALUES ARE INCLUDED---

KHORZ = INTEGER DESIGNATING HORIZONTAL AXIS OF VIEWING PLANE,
WHERE 1=X, 2=Y, 3=Z,
** DEFAULT = 1 **
KVERT = INTEGER DESIGNATING VERTICAL AXIS OF VIEWING PLANE,

WHERE $1 = X$, $2 = Y$, $3 = Z$.
 ** DEFAULT $T = 2$.**
 PHI = ANGULAR ROTATION OF MODEL ABOUT ITS X-AXIS, IN DEGREES
 (** MUST BE TAKEN THIRD).
 ** DEFAULT = 0.0**
 THETA = ANGULAR ROTATION OF MODEL ABOUT ITS Y-AXIS, IN DEGREES
 (** MUST BE TAKEN SECOND).
 ** DEFAULT = 0.0**
 PSI = ANGULAR ROTATION OF MODEL ABOUT ITS Z-AXIS, IN DEGREES
 (** MUST BE TAKEN FIRST).
 ** DEFAULT = 0.0**
 NEWFR = 1 FOR FRAME CHANGE BEFORE PLOT IS MADE *PAST PREVIOUS PLOT
 (A FRAME CHANGE RESETS THE Y-ORIGIN PAST PREVIOUS PLOT
 BY YSPACE AND X ORIGIN AT 0.0)
 NEWFR.NE.1 FOR NO FRAME CHANGE BEFORE PLOTTING
 CCOC150C
 00001510
 00001520
 00001530
 00001540
 00001550
 00001560
 00001570
 00001580
 00001590
 00001600
 00001610
 00001620
 00001630
 00001640
 00001650
 00001660
 00001670
 00001680
 00001690
 00001700
 00001710
 00001720
 00001730
 0000174C
 00001750
 00001760
 00001770
 00001780
 00001790
 00001800
 00001810
 C0001820

WHERE $1 = X$, $2 = Y$, $3 = Z$.
 ** DEFAULT = 1 FOR INTERNAL ORIGIN LOCATION AND SCALING.
 I SCALE = 2 FOR USER-SPECIFIED ORIGIN AND SCALING.
 = 0 FOR NO SCALE CHANGE (I.E. USE SAME SCALE AS PREVIOUS PLOT)
 PLOT) THIS IS USEFUL IN AN ASSEMBLY GRAPH WHERE IT IS
 NECESSARY TO EXAMINE A MESH IN SECTIONS WITHOUT LOSING
 PERSPECTIVE. ISCALE CANNOT BE ZERO ON THE FIRST PLOT.
 ** DEFAULT = 1.0**
 PLOTSZ = MAXIMUM DIMENSION DESIRED ON COMPLETED PLOT.
 (USED FOR SCALING IF ISCALE = 1)
 PLOTSZ SCALES THE PLOT PRIOR TO ROTATION. IF ROTATION
 CAUSES THE PLOT TO EXCEED PAPER WIDTH (PSIZE)
 RESCALED AND THE PLOT SIZE IS REDUCED ACCORDINGLY.
 ** DEFAULT = 10.0**
 XORGN = X-LOCATION OF PLOT ORIGIN (USED IF ISCALE = 2).
 YORGN = Y-LOCATION OF PLOT ORIGIN (USED IF ISCALE = 2).
 PSCALE = MODEL SIZE/REDUCTION FACTOR. PSCALE = ACTUAL MODEL
 SIZE/DESIRED PLOT SIZE (USED IF ISCALE = 2).
 ** DEFAULT = 1.0**
 NOTAT = 0 FOR NO NUMBERING ON PLOTS.
 = 1 FOR NUMBERING OF GRID POINTS.
 = 2 FOR NUMBERING OF ELEMENTS.
 XLHT = HEIGHT OF INTEGERS SPECIFIED BY NOTAT, IN INCHES.
 ** DEFAULT = 0**
 KDISP = 15**
 ** DEFAULT = C.15**
 KDISP = 0 FOR UNDEFORMED PLOT.
 = 1 FOR EXPLODED PLOT.
 = 2 FOR DISPLACEMENTS REPRESENTED BY VECTORS.
 = 3 FOR DISPLACEMENTS REPRESENTED BY DMAGS.
 ** DEFAULT = C**
 KEMAG = 1 FOR DIRECT SCALING OF DATA BY DMAGS.


```

      = 2 FOR SCALING OF DATA TO A MAX. VALUE OF DMAGS.
      ** DEFAULT = 2 ** MAGNIFICATION OF DISPLACEMENTS (IF KDISP=1).
      = REDUCTION FACTOR OF ELEMENTS (IF KDISP=2).
      ** DEFAULT = 1.0 **
      KSYMXY = 1 FOR SYMMETRY ABOUT X-Y PLANE.
      KSYMxz = 1 FOR SYMMETRY ABOUT X-Z PLANE.
      ** DEFAULT = 0 **
      KSYMYZ = 1 FOR SYMMETRY ABOUT Y-Z PLANE.
      ** DEFAULT = 0 **
      XMAX, YMAX, ZMAX, XMIN, YMIN, ZMIN LOCATE CUTTING PLANES
      PARALLEL TO PRINCIPAL (X-Y, X-Z, Y-Z) PLANES
      TO LIMIT PLOT. XMAX=YYMAX=X=ZZMAX=1.0E+20 ***
      ** DEFAULT XMAX=YMIN=ZMIN=-1.0E+20 ***
      NDMAX = MAXIMUM GRID PT. TO BE INCLUDED IN PLOT.
      NDMIN = MINIMUM GRID PT. TO BE INCLUDED IN PLOT.
      ** DEFAULT = 0 **
      NELMAX = MAXIMUM ELEMENT NUMBER TO BE INCLUDED IN PLOT.
      ** DEFAULT = 999999999999 ***
      NELMIN = MINIMUM ELEMENT NUMBER TO BE INCLUDED IN PLOT.
      ** DEFAULT = 0 **
      KODE SPECIFIES CONTROL OPTION AFTER PLOT IS COMPLETE.
      KODE = 0, LAST PLCT, EXIT FROM PROGRAM.
      = 1, READ ANOTHER NAMELIST PICT.
      = 2, READ A NEW SET OF DISPLACEMENT DATA, INCLUDING A
          CASE IDENTIFICATION CARD IF PRESENT.
      = 3, READ A COMPLETE NEW SET OF INPUT DATA,
          INCLUDING A TITLE CARD.
      ** DEFAULT = 0 **

```

THE ABOVE COMPRISES A COMPLETE BASIC SET OF INPUT DATA IF
 KODE = 0 IN EPICT. FOR KODE = 1, 2, OR 3, ADDITIONAL SECTIONS OF
 THE BASIC DECK MUST BE REPEATED. THE DECK MUST END WITH
 NAMELIST EPICT HAVING KODE = 0.

DESCRIPTION OF GRAPHICS SUBROUTINES

THE SUBROUTINES USED IN THE ACTUAL CREATION OF PLOTS BY
THE CALCOMP MODEL 765 CAN BE FOUND IN NPS TECHNICAL NOTE
NUMBER 0211-03, "PLOTTING PACKAGE FOR NPS IBM 360/367".

SUBROUTINE PSAPI IS A MODIFICATION TO NAVAL POSTGRADUATE
SCHOOL THESIS BY LT D.M. LOSH DECEMBER 1976. MODIFICATION
INCLUDED SSAP IV 8-21 NODE BRICK ELEMENTS, BOUNDARY ELEMENTS AND
ADINA TRUSS, PLANE, BRICK, BEAM ELEMENTS, AND OTHER MINOR
IMPROVEMENTS.

MODIFIED BY ADRIAN E. KIBLER JR.
LT USN
NAVAL POSTGRADUATE SCHOOL
MONTEREY, CA
JAN - JUN 1977

SUBROUTINE PSAPI(ZZZ,NZ,DISPD,NON)
*
*** THIS IS THE MAIN SUBROUTINE WHICH CALLS OTHER SUBROUTINES
*
INTEGER NUMPT,XPT,YPT,ZPT,UPT,VPT,WPT
COMMON/CDATA/NTIME,NTLC
COMMON/CONTROL/KGEON,KDATA,KPLOT,KSYMMX,KSYMMZ,NGTAT,XLHT,
KHORZ,KVERT,PHI,THETA,PSI,NEWFR,ISCALE,PLOTSZ,XORGN,YORGN,
2PSCALE,KDISP,Dmag,KODE
COMMON/LIMITS/XMAX,YMAX,ZZMAX,XXMIN,YMIN,ZZMIN,NDMAX,NDMIN,
1NELMAX,NELIN
COMMON/CORGN/YPMAX,YSPACE,PSIZE
COMMON/GLOOP/ILoop

```

COMMON/ABLK/ A(3,3)
COMMON/SAVEV/ DMAGS, IDMAG
COMMON/KOUNTS/ NNODE, NNODEST, NUDisp, NVDisp, NWcISP
COMMON/VALUES/ NVALUS
COMMON/CASEID/ IDCASE
DIMENSION ZZ(NZ),DISPD(5,3,NON),ABCD1(10),ABCD2(10),ABCD3(10),
1ABCD4(10)
NAMESL1,ST/PICT/,KHORZ,KVERT,PHI,THETA,PSI,NEWFR,ISCALE,
1PLOTSZ,XORGN,YORGN,PSCALE,NOTAT,KDISP,DISP,DMAGS,KODE,
2KSYMXY,KSYMXY,KSYMXY,ZMAX,YYMAX,ZZMAX,XXMIN,
3YYMIN,ZZMIN,NDMAX,NDMIN,NELMAX,NELMIN,XLHT

C *** TO ZERO NODE AND ELEMENT SUMMATION COUNTERS
C
ILOOP = 0
NNODE = 0
YMAX=0.0

C *** TO DEFINE THE ORIGIN AND OPEN PLOTING DATA SETS
C
CALL CALCMPP
CALL CALPLT(-10.0,0.0,-3)
CALL CALPLT(1.0,6.0,-3)
CONTINUE
500
REWIND 10
WRITE(6,8)
8 FORMAT(IH1)

C *** TO READ TITLE CARD FOR RUN
C
READ(5,9004,END=999) (ABCD1(I),I=1,10),(ABCD2(I),I=1,10)
9004 FORMAT(20A4)
WRITE(6,9006) (ABCD1(I),I=1,10),(ABCD2(I),I=1,10)
9006 FORMAT(//,20X,20A4//,/)
CALL INITIAL

C *** TO PLOT THE TITLE CARD AT THE BEGINNING OF THE PLOT
C
CALL CALPLT(0.0,1.0,62,3)
CALL CALPLT(0.0,0.0,62,2)
CALL CALPLT(0.0,0.0,0.0,2)
CALL CALPLT(0.0,0.0,0.0,1)
CALL NOTATE(0.0,0.0,0.1,0.21,ABCD1,0.0,40)
CALL NOTATE(0.0,0.0,0.1,0.21,ABCD2,0.0,40)
CALL CALPLT(0.0,1.0,62,4)
CALL CALPLT(0.0,1.0,62,3)

C *** TO SET POINTERS FOR BLANK COMMON STORAGE ZZZ SUBROUTINES
C *** (WITH INTEGER NAMES CF ARRAYS USED IN CALLED SUBROUTINES)

```



```

NUMPT = 1
XPT = NUMPT+NNDEST
YPT = XPT+NNDEST
ZPT = YPT+NNDEST
UPT = ZPT+NNDEST
IF(NUDISP.EQ.0) VPT = UPT+1
IF(NUDISP.NE.0) VPT = UPT+NNDEST
IF(NVDISP.EQ.0) WPT = UPT+1
IF(NVDISP.NE.0) WPT = VPT+NNDEST
IF(NWDISP.EQ.0) NEND = WPT+1-1
IF(NWDISP.NE.0) NEND = WPT+NNDEST-1
WRITE(6,15) NEND
15 FORMAT(' //20X,*BLANK COMMON STORAGE ZZZ REQUIRES AT LEAST ',I6,
     1, 'LOCATIONS FOR THIS CASE',//)
1 IF(KGEOM.EC=1) CALL GEOM1
1(ZZZ(NUMPT),ZZZ(XPT),ZZZ(YPT),ZZZ(UPT),ZZZ(VPT),ZZZ(WPT))
1 IF(KGEOM.EC=2) CALL GEOM2
1(ZZZ(NUMPT),ZZZ(XPT),ZZZ(YPT),ZZZ(UPT),ZZZ(VPT),ZZZ(WPT))
1 IF(KGEOM.EC=9) CALL GEOM9
1(ZZZ(NUMPT),ZZZ(XPT),ZZZ(YPT),ZZZ(UPT),ZZZ(VPT),ZZZ(WPT))
1 CALL PNTOUT(1,ZZZ(XPT),ZZZ(YPT),ZZZ(UPT),ZZZ(VPT),ZZZ(WPT))
1 ZZZ(NUMPT),ZZZ(XPT),ZZZ(YPT),ZZZ(UPT),ZZZ(VPT),ZZZ(WPT))
600 CONTINUE
IF(IIDCASE.EQ.0) GO TO 650
READ(5,9004,END=999) (ABCD3(I),I=1,10), (ABCD4(I),I=1,10)
999 WRITE(6,9006) (ABCD3(I),I=1,10)
650 CONTINUE
CALL ZEROED
1(ZZZ(NUMPT),ZZZ(XPT),ZZZ(YPT),ZZZ(UPT),ZZZ(VPT),ZZZ(WPT))
1 IF(KDATA.EQ.1) CALL DATA1
1(ZZZ(NUMPT),ZZZ(XPT),ZZZ(YPT),ZZZ(UPT),ZZZ(VPT),ZZZ(WPT))
1 IF(KDATA.EQ.5) CALL DATA5
1(ZZZ(NUMPT),ZZZ(XPT),ZZZ(YPT),ZZZ(UPT),ZZZ(VPT),ZZZ(WPT))
1 IF(KDATA.EQ.9) CALL DATA9
1(ZZZ(NUMPT),ZZZ(XPT),ZZZ(YPT),ZZZ(UPT),ZZZ(VPT),ZZZ(WPT)),
2 DISPD,NCN
1 IF(NUDISP.EQ.0.AND.NVDISP.EQ.0) GO TO 700
CALL PNTOUT(2,ZZZ(XPT),ZZZ(YPT),ZZZ(UPT),ZZZ(VPT),ZZZ(WPT))
700 CONTINUE
1 IF(KPLOT.EQ.4.AND.ILOOP.NE.0) GO TO 6000
1000 FORMAT(1000)
READ(5,PICT)
WRITE(6,PICT)
6000 CONTINUE
CALL DSCALE

```



```

1(ZZZ( NUMPT ), ZZZ( XPT ), ZZZ( YPT ), ZZZ( UPT ), ZZZ( VPT ), ZZZ( WPT ) ) 00003750
CALL BOUND 00003760
1(ZZZ( NUMPT ), ZZZ( XPT ), ZZZ( YPT ), ZZZ( UPT ), ZZZ( VPT ), ZZZ( WPT ) ) 00003770
IF( ISCALE .NE. 0 ) CALL RCTAT 00003780
CALL PLOTX 00003790
1(ZZZ( NUMPT ), ZZZ( XPT ), ZZZ( YPT ), ZZZ( UPT ), ZZZ( VPT ), ZZZ( WPT ) ) 00003800
1(LDOP=1 LOCPI 00003810
GO TO (70C, 600), KODE 00003820
00003830
00003840
00003850
00003860
00003870
00003880
00003890
00003900
00003910
00003920
00003930
00003940
00003950
00003960
00003970
00003980
00003990
00004000
00004010
00004020
00004030
00004040
00004050
00004060
00004070
00004080
00004090
00004100
00004110
00004120
00004130
00004140
00004150
00004160
00004170
00004180
00004190
00004200
00004210
00004220
00004230
00004240

C *** TO PLOT TITLE ON TOP OF GRAPH IF KODE = 3
C *** TO PLOT TITLE ON TOP AND CLOSE PLOTING DATA SETS IF KODE = 0
C
CALL CALPLT(0.0, YPMAX+YSPACE/2.0, -3)
CALL CALPLT(0.3, 0.0, 3)
CALL CALPLT(0.0, 1.0, 2)
CALL CALPLT(0.0, 1.0, 2)
CALL CALPLT(0.0, 1.0, 2)
CALL CALPLT(0.0, 1.0, 2)
CALL NOTATE(0.8, 1.31, 21, ABCD1, 0.0, 40)
CALL NOTATE(0.8, 1.0, 21, ABCD2, 0.0, 40)
CALL CALPLT(0.0, 1.0, 2+YSPACE, -3)
1LOOP=0
IF(KODE.EQ.3) GO TO 500
WRITE(6,9008)
FORMAT(1/'5X,'TERMINATION NORMAL DUE TO KODE = 0')
9008 CALL PSTOP
RETURN
999 CALL ERROR(2)
RETURN
END
SUBROUTINE PSTOP
C * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C *** TO TERMINATE JOB
C *** THIS SUBROUTINE IS CALLED BY ERROR AND PSAP1. IN BOTH CASES
C *** PLOTTER PEN HAS BEEN RETURNED TO THE ORIGIN AND PLOTTER ADVANCED.
C * * * * * * * * * * * * * * * * * * * * * * * * * * *
COMMON/CONTROL/ KGEOM,KDATA,KPLOT,KSYMXY,KSYMXYZ,KSYMZ,NOTAT,XLHT,
1KHORZ,KVERT,PHI,THETA,PSI,NEWFR,ISCALE,FLOTSZ,XORGN,YORGN,
2PSCALE,KDISP,DMAG,KODE
CALL FLCTE
STOP
END
SUBROUTINE INITIAL

```



```

C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C *** TO SET UP VALUES FOR CONTROL PARAMETERS
C CALLED BY PSAPI
C
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C COMMON/CDATA/NTIME,NTLC
C COMMON/CONTROL/KGEOM,KDATA,KPLOT,KSYMXY,KSYMXZ,KSYMZ,NOTAT,XLHT,
C 1KHORZ,KVERT,PHITHETA,PSI,NEWFR,ISCALE,PLOTSZ,XORGN,YORGN,
C 2PSCALE,KDISP,DWAG,KODE
C COMMON/LIMITS/XMAX,ZMAX,YYMAX,YYMIN,ZZMIN,NMAX,NDMIN,
C 1NELMAX,NELMIN
C COMMON/CORGN/YPMAX,YSPACE,PSIZE
C COMMON/SAVEY/DMAGS,IDMAG
C COMMON/KOUNT/NNODE,NNDEST,NUDISP,NWDISP
C COMMON/SEQNCE/IRESEQ
C COMMON/VALUES/NVALUS
C COMMON/CASEID/IDCASE
C COMMON/OPTION/NNDEST,NUDISP,NWDISP,NWDISP,NWDISP,PSIZE, IDCASE
C NAMELIST/KDATA,NVALUS,IRESEQ,KPLOT,YSPACE,PSIZE, IDCASE
C 1KGEOM,KDATA,NVALUS,IRESSEQ,NTIME=0
C *** DESCRIPTION OF VALUES IN OPTION GIVEN IN SUBROUTINE DOCMNT
C
C *** TO SET DEFAULT VALUES FOR EOPTION
C
C NNDEST = 200
C NUDISP=0
C NWDISP=0
C KGEOM=9
C KDATA=9
C NTIME=0
C NVALUS = 0
C IRESSEQ = 1
C KPLOT = 1
C YSPACE=2.0
C PSIZE=5.0
C IDCASE = 0
C
C *** TO SET DEFAULT VALUES FOR EPICT
C
C KHORZ = 1
C KVERT = 2

```



```

C000C473C
C000004740
C000004750
C000004760
C000004770
C000004780
C000004790
C000004800
C000004810
C000004820
C000004830
C000004840
C000004850
C000004860
C000004870
C000004880
C000004890
C000004900
C000004910
C000004920
C000004930
C000004940
C000004950
C000004960
C000004970
C000004980
C000004990
C000005000
C000005010
C000005020
C000005030
C000005040
C000005050
C000005060
C000005070
C000005080
C000005090
C000005100
C000005110
C000005120
C000005130
C000005140
C000005150
C000005160
C000005170
C000005180
C000005190
C000005200

COMMON/CUNTRL/ KGECM, KDATA, KPLOT, KSYMXY, KSYMXYZ, NOTAT, XLHT,
NOTAT = 0
XLHT = 0.1400
KDISP = 0
IDMAG = 2
DMAGS = 1.0
KSYMXY = 0
KSYMXZ = 0
KSYMYZ = 0
XXMAX = 1.0E20
YYMAX = 1.0E20
ZZMAX = 1.0E20
XXMIN = -1.0E20
YYMIN = -1.0E20
ZZMIN = -1.0E20
NDMAX = 999999
NDMIN = 0
NELMAX = 999999
NELMIN = 0
KODE = 0
READ(5,OPTION,END=999)
WRITE(6,9010)
FORMAT('///')
9010 WRITE(6,OPTION)
WRITE(6,9010)
RETURN
999 CALL ERROR(3)
RETURN
END
SUBROUTINE BOUND(NUMPT,XPT,YPT,ZPT,UPT,VPT,WPT)
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C *** TO DETERMINE MAXIMUM DIMENSIONAL LIMITS OF BODY FOR USE
C *** IN SCALING PLOTS
C *** CALLED BY PSAPI
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C

```



```

1 KHORZ,KVERT,PHI,THETA,PSI,NEWFR,ISCALE,PLOTSZ,XORGN,YORGN,
2 PSCALE,KDISP,DMAK,KODE
COMMON/LIMITS/ XXMAX,YYMAX,ZZMAX,XXMIN,YYMIN,ZZMIN,NDMAX,NDMIN,
1 NELMAX,NELMIN/NELMAX/NELMIN/ XYZMAX(3) XYZMIN(3)
COMMON/KOUNT/ NNODE,NNCS,NUDISP,NWDISP,NWDISP
COMMON/KOUNT/NUMPT(1),XPT(1),YPT(1),ZPT(1),WPT(1)
DIMENSION NODE(20)
DIMENSION I=1,3
DO 5 XYZMIN(1) = +1.0E20
XYZMAX(1) = -1.0E20
5 CONTINUE
100 CONTINUE
READ(10,END=1000) NEND,NUMEL,{NNODE(I)},I=1,NEND
IF(NUMEL.LT.NELMIN.OR.NUMEL.GT.NELMAX) GO TO 100
DO 10 I=1,NEND
ND = NNODE(I)
IF(NODE(I).EQ.0) GO TO 10
IF(NUMPT(ND).LT.NDMIN.OR.NUMPT(ND).GT.NDMAX) GO TO 100
CONTINUE
DO 20 I=1,NEND
IF(NODE(I).EQ.0) GO TO 20
ND = NNODE(I)
IF(XPT(ND).GT.XXMAX) GO TO 20
IF(XPT(ND).LT.XXMIN) GO TO 20
IF(YPT(ND).GT.YYMAX) GO TO 20
IF(YPT(ND).LT.YYMIN) GO TO 20
IF(ZPT(ND).GT.ZZMAX) GO TO 20
IF(ZPT(ND).LT.ZZMIN) GO TO 20
IF(XPT(ND).GT.XYZMAX(1)) XYZMAX(1) = XPT(ND)
IF(XPT(ND).LT.XYZMIN(1)) XYZMIN(1) = XPT(ND)
IF(YPT(ND).GT.XYZMAX(2)) XYZMAX(2) = YPT(ND)
IF(YPT(ND).LT.XYZMIN(2)) XYZMIN(2) = YPT(ND)
IF(ZPT(ND).GT.XYZMAX(3)) XYZMAX(3) = ZPT(ND)
IF(ZPT(ND).LT.XYZMIN(3)) XYZMIN(3) = ZPT(ND)
20 CONTINUE
GO TO 100
1000 CONTINUE
DO 300 I=1,3
IF(I.EQ.1.AND.KSYMYZ.NE.1) GO TO 300
IF(I.EQ.2.AND.KSYMXZ.NE.1) GO TO 300
IF(I.EQ.3.AND.KSYMXY.NE.1) GO TO 300
XYZBIG = ABS(XYZMAX(I))
IF(ABS(XYZMIN(I)).GT.XYZBIG) XYZBIG = ABS(XYZMIN(I))
XYZMAX(I) = XYZBIG
XYZMIN(I) = -XYZBIG
300 CONTINUE

```



```

      RETURN
      END
      SUBROUTINE ZEROD( NUMPT, XPT, YPT, ZPT, UPT, VPT, WPT)
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C *** INITIALIZES ALL DISPLACEMENTS TO ZERO.
C *** CALLED BY PSAPI
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C
COMMON/KOUNT/ NNODE,NNDEST,NUDISP,NWDISP
DIMENSION NUMPT(1),XPT(1),YPT(1),ZPT(1),UPT(1),VPT(1),WPT(1)
IF(NUDISP.EQ.0) GO TO 200
DO 150 I=1,NUDISP
  UPT(I)=0.0
150 CONTINUE
200 CONTINUE
IF(NVDISP.EQ.0) GO TO 300
DO 250 I=1,NVDisp
  VPT(I)=0.0
250 CONTINUE
300 CONTINUE
IF(NWDISP.EQ.0) GO TO 400
DO 350 I=1,NWDisp
  WPT(I)=0.0
350 CONTINUE
400 CONTINUE
      RETURN
      END
      SUBROUTINE PNTOUT( IOUT,NUMPT,XPT,YPT,ZPT,UPT,VPT,WPT)
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C *** FOR PRINTED OUTPUT OF INFORMATION IN BLANK COMMON - ZZZ
C *** CALLED BY PSAPI
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C
COMMON/KOUNT/ NNODE,NNDEST,NUDISP,NWDISP
DIMENSION NUMPT(1),XPT(1),YPT(1),ZPT(1),UPT(1),VPT(1),WPT(1)
DIMENSION NODE(20)
GO TO (1000,2000), ICUT
1000 CONTINUE
C *** FOR OUTPUT OF GEOMETRY INFORMATION
C
      WRITE(6,16)

```



```

16 FORMAT(//,5X,'GRID FCINT INFORMATION',//)
17 WRITE(6,17) RESEQUENCED,'4X','USER INPUT',//  

18      GRID,PCINT,'5X','GRID PCINT',//  

19      NUMBER,'9X','NUMBER',13X,'X','14X,'Y','14X,'Z'//)
20 DO 30 I=1,NODE
21     WRITE(6,18) 1,NUMPT(I),XPT(I),YPT(I),ZPT(I)
22 CONTINUE
23 FORMAT(2X,110,5X,110,3X,3E15.4)
24
25 WRITE(6,19) 5X,'ELEMENT INFORMATION - WITH RESEQUENCED GRID POINTS
26      //')
27 WRITE(6,9008) RESEQUENCED,'4X','USER INPUT',25X,'GRID POINTS'//
28
29 9008 FORMAT(1X,'ELEMENT',8X,'ELEMENT',1X,
30      'NUMBER',9X,'NUMBER',7X,'1',15,2,14,1,15,12,11,10
31      'REWIND 10
32      I=0
33 35 CONTINUE
34 I=I+1
35 READ(10,ENC=999) NEND,NUMEL,(NODE(J),J=1,NEND)
36 IF(NEND.EQ.12) GO TO 40
37 WRITE(6,9010) I,NUMEL,(NODE(J),J=1,NEND)
38 FORMAT(1X,14,11X,14,9X,2015)
39 GO TO 35
40 WRITE(6,9010) I,NUMEL,(NODE(J),J=1,4),(NODE(J),J=9,12)
41 GO TO 35
42
43 2000 CONTINUE
44
45 C *** FOR OUTPUT OF DISPLACEMENT DATA
46
47 210 WRITE(6,210)
48      FORMAT(//,5X,'DISPLACEMENTS TO BE PLOTTED',//)
49      WRITE(6,17) NNODE
50 DO 230 I=1,NNODE
51     U=0.0
52     IF(NUDISP.NE.0) U = UPT(I)
53     V=0.0
54     IF(NVDISP.NE.0) V = VPT(I)
55     W=0.0
56     IF(NWDISP.NE.0) W = WPT(I)
57     WRITE(6,18) I,NUMPT(I),U,V,W
58
59 230 CONTINUE
60 RETURN
61
62 END
63
64 SUBROUTINE PLOTX(NUMFT,XPT,YPT,ZPT,UPT,VPT,WPT)

```



```

C *** FOR GENERATING PLOTS.
C *** CALLED BY PSAP1
C
C COMMON/CONTROL/ KGEOM,KDATA,KPLOT,KSYMMXY,KSYMMXZ,KSYMZ,NOTAT,XLHT,
C 1KHORZ,KVERT,PHI,THETA,PSI,NEWFR,ISCALE,PLOTSZ,XORGN,YORGN,
C 2PSCALE,KDISP,DMAG,KODE
C COMMON/LIMITS/ XXMAX,YYMAX,ZZMAX,XXMIN,YYMIN,ZZMIN,NDMIN,
C NELMAX,NELMIN
C COMMON/XYZLIN/ XYZMAX(3),XYZMIN(3)
C COMMON/CORGN/ YPMAX,YSPACE,PSIZE
C COMMON/GLOOP/ ILOOP,
C COMMON/ABLK/ A(3,3)
C COMMON/KOUNT/ NNODE,NNDEST,NUDISP,NWDISP
C COMMON/PDELS/ DELX,DELY
C DIMENSION NUMPT(1),XPT(1),YPT(1),ZPT(1),UPT(1),VPT(1),WPT(1)
C DIMENSION NODE(20),X(20),Y(20),Z(20),XDISP(20),YDISP(20),ZDISP(20),
C 1ZDISP(20),XROT(20),YROT(20),XP(21),YP(21)
C
C *** TO MAKE ALL GRID POINT NUMBERS NEGATIVE
C
C DO 50 I=1,NNODE
C IF(NUMPT(I).GT.0) NUMPT(I)=-NUMPT(I)
C 50 CONTINUE
C
C *** TO MAKE FRAME CHANGE IF NEWFR = 1 AFTER NAMELIST OPTION
C
C YMOVE=0.0
C IF(ILOOP.EQ.0) GO TO 70
C IF(NEWFR.EQ.1) YMOVE=YMAX+YSPACE
C 70 CALL CALPLT(0.0,MOVE,-3)
C GO TO (710,710,703,710),KPLOT
C 703 CONTINUE
C IF(NEWFR.EQ.1) CALL NFRAME
C 710 CONTINUE
C IF(ISCALE.NE.0) DELX=0.0
C IF(ISCALE.NE.0) DELY=0.0
C IF(ISCALE.EQ.1) CALL XYSCAL
C CALL CALPLT(XORGN,YORGN,-3)
C XSHIFT=0.0
C YSHIFT=0.0
C ZSHIFT=0.0
C YMAX=-1.0E20
C
C

```



```

C *** LOOPS TO ACCOUNT FOR SYMMETRY
C
C ZSIGN = +1.0
DO 500 II=1,2
IF (II.EQ.-2.AND.KSYMXY.NE.1) GO TO 500
IF (II.EQ.-2.AND.KSYMXY.EQ.1) ZSIGN = -1.0
YSIGN = +1.0
DO 510 JJ=1,2
IF (JJ.EQ.-2.AND.KSYMXX.NE.1) GO TO 510
IF (JJ.EQ.-2.AND.KSYMXX.EQ.1) YSIGN = -1.0
IF (JJ.EQ.-2.AND.KSYMXZ.EQ.1) YSIGN = -1.0
XSIGN = +1.0
DO 520 KK=1,2
IF (KK.EQ.-2.AND.KSYMYZ.NE.1) GO TO 520
IF (KK.EQ.-2.AND.KSYMYZ.EQ.1) XSIGN = -1.0
C *** TO DETERMINE PROJECTED COORDINATES OF ELEMENTS
C
REWIND 10
CONTINUE
READ(10,END=1000) NEND,NUMEL,(NODE(J),J=1,NEND)
IF (NUMEL.LT.NELMIN.OR.NUMEL.GT.NELMAX) GO TO 100
DO 10 I=1,NEND
ND = NODE(I)
IF (NODE(I).EQ.0) GO TO 10
C *** TO MAKE GRID POINT NUMBERS CONNECTED BY ELEMENTS POSITIVE
C
NUMPT(ND) = IABS(NUMPT(ND))
IF (NUMPT(ND).LT.NDMIN.OR.NUMPT(ND).GT.NDMAX) GO TO 100
10 CONTINUE
I = KHCZR
J = KVERT
DO 20 N=1,NEND
IF (NODE(N).EQ.0) GO TO 20
ND = NODE(N)
IF (XPT(ND).GT.XXMAX) GO TO 100
IF (XPT(ND).LT.XXMIN) GO TO 100
IF (YPT(ND).GT.YYMAX) GO TO 100
IF (YPT(ND).LT.YYMIN) GO TO 100
IF (ZPT(ND).GT.ZZMAX) GO TO 100
IF (ZPT(ND).LT.ZZMIN) GO TO 100
XDISP(N) = 0.0
YDISP(N) = 0.0
ZDISP(N) = 0.0
IF (KDISP.EQ.1.AND.NUCISP.NE.0) XDISP(N) = UPT(ND)
IF (KDISP.EQ.1.AND.NUDISP.NE.0) YDISP(N) = VPT(ND)
IF (KDISP.EQ.1.AND.NWDISP.NE.0) ZDISP(N) = WPT(ND)
IF (N) = XSIGN*(XPT(ND)+XDISP(N)*DMAG+YSHIFT)/PSCALE
Y(N) = YSIGN*(YPT(ND)+YDISP(N)*DMAG+YSHIFT)/PSCALE
C

```



```

20 CONTINUE
      Z(N) = ZSIGN*(ZPT(ND)+ZDISP(N)*DMAG+ZSHIFT)/PSCALE
      IF(KDISP.EQ.2) CALL XPLOD(NEND,X,Y,Z,NODE)
      XCENT = 0.0
      YCENT = 0.0
      FND=0.0
      DO 25 N=1,NEND
      IF(INODE(N).EQ.0) GO TO 25
      XROT(N) = A(I,1)*X(N)+A(I,2)*Y(N)+A(I,3)*Z(N)
      YROT(N) = A(J,1)*X(N)+A(J,2)*Y(N)+A(J,3)*Z(N)
      IF(N.GT.8) GO TO 24
      FND=FND+1.0
      XCENT = XCENT+XROT(N)
      YCENT = YCENT+YROT(N)
24    CONTINUE
      XROT(N) = XROT(N)+DELY
      YROT(N) = YROT(N)+DELY
      IF(YROT(N).GT.YPMAX) YPMAX=YROT(N)
25    CONTINUE
      IF(NOTAT.NE.2) GO TO 29
      XCENT = XCENT/FND-(6.0/7.0)*XLHT
      YCENT = YCENT/FND-XLHT/2.0
      XCENT = XCENT+DELY
      YCENT = YCENT+DELY
      AL = NUMEL
      C *** SUBROUTINE NUMBER APPLIES ONLY TO CALCOMP
      CONTINUE
      IF(NOTAT.EQ.2) CALL NUMBER(XCENT,YCENT,XLHT,AL,0.0,-1)
      C *** TO PLOT ELEMENTS
      C
      IF(NEND.EQ.2) GO TO 280
      IF(NEND.EQ.4) GO TO 300
      IF(NEND.EQ.8) GO TO 320
      IF(NEND.EQ.12) GO TO 340
      IF(NEND.EQ.20) GO TO 340
      CALL ERROR(4)
      C *** TO PLOT 2 NODE ELEMENT
      C
      280 CONTINUE
      CALL CALPLT(XROT(1),YRCT(1),2)
      CALL CALPLT(XROT(2),YRCT(2),2)
      GO TO 430
      C *** TO PLOT 3 AND 4 NODE PLANE ELEMENT
      C
      300 CONTINUE

```



```

CALL CALPLT(XROT(1),YRCT(1),3)
DO 305 NP=2,NEND
CALL CALPLT(XROT(NP),YROT(NP),2)
CONTINUE
CALL CALPLT(XROT(1),YROT(1),2)
GO TO 430

C *** TO PLOT 8 NODE 3-D BRICK
C 320 CONTINUE
LP=1
DO 330 NP=2,6,4
NP2=NP+2
CALL CALPLT(XROT(LP),YROT(LP),3)
DO 325 MP=NP,NP2
CALL CALPLT(XROT(MP),YROT(MP),2)
CONTINUE
CALL CALPLT(XROT(LP),YROT(LP),2)
LP=LP+4
CONTINUE
DO 335 NP=1,4
NP4=NP+4
CALL CALPLT(XROT(NP),YROT(NP),3)
CALL CALPLT(XROT(NP4),YROT(NP4),2)
CONTINUE
330 DO 335
CONTINUE
335 GO TO 430

C *** TO PLOT VARIABLE 4-8 NODE PLANE AND 8-20 NOCE BRICK ELEMENTS
C NOTE SUBROUTINE LINE ONLY APPLIES TO THE CALCOMP PLOTTER
C 340 CONTINUE
LP=1
KP=8
DO 365 NP=2,6,4
NP2=NP+2
CALL CALPLT(XROT(LP),YROT(LP),3)
DO 345 MP=NP,NP2
KP=KP+1
N=2
CALL WHERE(XP(1),YP(1))
XP(2)=XROT(MP)
YP(2)=YROT(MP)
XP(3)=XROT(KP)
YF(3)=YROT(KP)
IF(NODE(KP).NE.0) CALL CURVE(XP,YP,N,1,1)
CALL LINE(XP,YP,N,1,1)
CONTINUE
345 KP=KP+1

```



```

N=2      WHERE(XP(1),YP(1))
CALL XRCT(LP)
XP(2)=XRCT(LP)
YP(2)=YRCT(LP)
XP(3)=XROT(KP)
YP(3)=YRCT(KP)
IF(NODE(KP).NE.0) CALL CURVE(XP,YP,N)
CALL LINE(XP,YP,N,1,1)
LP=LP+4
IF(LINEEND.EQ.12) GO TO 430
355    CONTINUE
NP=NP+4
NP4=NP+16
KP=NP+16
N=2      XP(1)=XROT(NP)
YP(1)=YRCT(NP)
XP(2)=XROT(NP4)
YP(2)=YRCT(NP4)
XP(3)=XROT(KP)
YP(3)=YROT(KP)
IF(NODE(KP).NE.0) CALL CURVE(XP,YP,N)
CALL LINE(XP,YP,N,1,1)
CONTINUE
390    CONTINUE
CONTINUE
GO TO 100
1000   IF(KDISP.NE.3) GO TO 650
600    CONTINUE
C     *** TO PLOT VECTORS AT GRID POINTS
C
DO 601 ND=1,NNODE
IF(NUMPT(ND).LE.0) GO TO 601
IF(NUMPT(ND).LT.NDMIN.OR.NUMPT(ND).GT.NDMAX) GO TO 601
IF(XPT(ND).GT.XYZMAX(1)) GO TO 601
IF(XPT(ND).LT.XYZMIN(1)) GO TO 601
IF(YPT(ND).GT.XYZMAX(2)) GO TO 601
IF(YPT(ND).LT.XYZMIN(2)) GO TO 601
IF(ZPT(ND).GT.XYZMAX(3)) GO TO 601
IF(ZPT(ND).LT.XYZMIN(3)) GO TO 601
X(1)=XSIGN*(XPT(ND)+YSHIFT)/PSCALE
Y(1)=YSIGN*(YPT(ND)+YSHIFT)/PSCALE
Z(1)=ZSIGN*(ZPT(ND)+ZSHIFT)/PSCALE
XDISP(1)=0.0
YDISP(1)=0.0
ZDISP(1)=0.0
IF(NUDISP.NE.0) XDISP(1)=UPT(ND)

```



```

IF(NVDISP.NE.0) YDISP(1) = VPT(ND)
IF(NWDISP.NE.0) ZDISP(1) = WPT(ND)
X(2) = XSIGN*(XP(ND)+XDISP(1)*DMAG+XSHIFT)/PSCALE
Y(2) = YSIGN*(YPT(ND)+YDISP(1)*DMAG+YSHIFT)/PSCALE
Z(2) = ZSIGN*(ZPT(ND)+ZDISP(1)*DMAG+ZSHIFT)/PSCALE
I = KHQRZ
J = KVERT
DO 605 N=1,2
XROT(N) = A(I,1)*X(N)+A(J,1)*Y(N)+A(I,3)*Z(N)
YROT(N) = A(J,1)*X(N)+A(I,2)*Y(N)+A(J,3)*Z(N)
XROT(N) = XROT(N)+DELY
YROT(N) = YROT(N)+DELY
CONTINUE
605 XARW = 0.06
YARW = XARW/3.0
CALL GARROW(XROT(1),YROT(1),XROT(2),YROT(2),1,XARW,YARW)
601 CONTINUE
650 CONTINUE
520 CONTINUE
510 CONTINUE
500 CONTINUE
C *** TO PLOT NODE POINT NUMBERS
C IF(NOTAT.EQ.1) CALL NDLET(NUMPT,XPT,YPT,ZPT,UPT,VPT,WPT)
C CALL CALPLT(-XORGN,-YORGN,-3)
C *** TO MAKE ALL GRID POINT NUMBERS POSITIVE AGAIN
DO 1100 I=1,NODE
NUMPT(I)=IABS(NUMPT(I))
1100 CONTINUE
RETURN
END
SUBROUTINE CURVE(XP,YP,N)
C ***
C *** THIS SUBROUTINE INTERPOLATES ALONG THE EDGES OF ISOPARAMETRIC
C *** ELEMENTS USING SHAPE FUNCTIONS CALLED BY PLTX
C *
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C DIMENSION XP(1),YP(1)
C DIMENSION X(3),Y(3)
DO 100 I=1,3
X(I)=XP(I)
100

```



```

100      Y(I)=YPT(I)
          CONTINUE
          R=-1.0
          DO 200 I=1,21
          YP(I)=Y(I)*R*(R-1.0)/2.0-Y(3)*(R+1.0)*(R-1.0)+Y(2)*R*(R+1.0)/2.0
          XP(I)=X(I)*R*(R-1.0)/2.0-X(3)*(R+1.0)*(R-1.0)+X(2)*R*(R+1.0)/2.0
          R=R+0.1
          CONTINUE
200      N=21
          RETURN
          END
          SUBROUTINE DSCALE(NUMP,XPT,YPT,ZPT,UPT,VPT,WPT)
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C *** THIS SUBROUTINE DETERMINES THE SCALE FACTOR FOR DISPLACEMENTS
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C COMMON/CONTRL/ KGEOM,KDATA,KPLOT,KTHETA,PSI,NEWFR,ISCALE,PLOTSZ,XORGN,YORGN,
C KHORZ,KVERT,PHI,NNODE,NDEST,NUDISP,NVDISP,NWCISP
C PSCALE,KDISP,DMAG,KODE
C COMMON/KOUNT/ KOUNT
C DIMENSION NUMLT(1),XPT(1),YPT(1),ZPT(1),VPT(1),WPT(1)
C IF(KDISP.EQ.0.OR.KDISP.EQ.2) GO TO 10
C GO TO (10,20),IDMAG
10      CONTINUE
          DMAG = DMAGS
          GO TO 30
20      CONTINUE
          DMAX = 0.0
          DO 100 I=1,NNODE
          IF(NUDISP.EQ.0) GO TC 500
          IF(ABS(VPT(I)).GT.DMAX) DMAX = ABS(VPT(I))
500      CONTINUE
          IF(NVDISP.EQ.0) GO TC 501
          IF(ABS(VPT(I)).GT.DMAX) DMAX = ABS(VPT(I))
501      CONTINUE
          IF(NWDISP.EQ.0) GO TC 502
          IF(ABS(WPT(I)).GT.DMAX) DMAX = ABS(WPT(I))
502      CONTINUE
          CONTINUE
100      DMAG = DMAGS/DMAX
          CONTINUE
          RETURN
          END

```



```

SUBROUTINE ROTAT
C * * * * * SETS UP COEFFICIENTS OF ROTATION MATRIX
C *** CALLED BY PSAPI
COMMON/KVERT,PHI,THETA,PSI,NEWFR,ISCALE,PLOT,KSYMX,KSYMXZ,KSYMZY,NOTAT,XLHT,
1KHORZ,KDISP,DMAG,KODE
2PSCALE,ABLK/A(3,3)
PI = 3.1415926536
SINPHI = SIN(PHI*PI/180.0)
COSPHI = COS(PHI*PI/180.0)
SINTHE = SIN(THETA*PI/180.0)
COSTHE = COS(THETA*PI/180.0)
SINPSI = SIN(PSI*PI/180.0)
COSPSI = COS(PSI*PI/180.0)
A(1,1) = COSTHE*COSPSI
A(1,2) = SINTHE*SINPSI-SINPHI*COSPSI
A(1,3) = SINTHE*COSPHI*COSPSI+SINPHI*SINPSI
A(2,1) = SINPSI*COSTHE
A(2,2) = SINTHE*SINPHI*SINPSI+COSPHI*COSPSI
A(2,3) = SINTHE*COSPHI*SINPSI-COSPHI*COSPSI
A(3,1) = -SINTHE
A(3,2) = COSTHE*SINPHI
A(3,3) = COSTHE*COSPSI
RETURN
END
SUBROUTINE XYSCAL
C * * * * * TO DETERMINE SCALE FACTOR FOR MODEL GEOMETRY.
C *** CALLED BY PLOTX
C
COMMON/CUNTRL/KGEOM,KDATA,KPLOT,KSYMX,KSYMXZ,KSYMZY,NOTAT,XLHT,
1KHORZ,KVERT,PHI,THETA,PSI,NEWFR,ISCALE,PLOT,XYZMAX(3),XYZMIN(3),
2PSCALE,KDISP,DMAG,KODE
COMMON/XYZLIN/XYZMAX(3),XYZMIN(3)
COMMON/CORGN/YPMAX,YSPACE,PSIZE
COMMON/ABLK/A(3,3)
COMMON/PDELS/DELX,DELY
1 = KHORZ

```



```

J = KVERT
DMA = 0.0
DO 5 N=1,3
VDM = ABS(XYZMAX(N)-XYZMIN(N))
IF(VDUM.GT.DMAX) DMAX = VDUM
CONTINUE
5 PSCALE = DMAX/PLOTSZ
DO 10 L=1,2
DO 10 M=1,2
DO 10 N=1,2
X = XYZMIN(1)
IF(L.EQ.2) X = XYZMAX(1)
Y = XYZMIN(2)
IF(M.EQ.2) Y = XYZMAX(2)
Z = XYZMIN(3)
IF(N.EQ.2) Z = XYZMAX(3)
XROT = A(I,1)*X+A(I,2)*Y+A(I,3)*Z
YROT = A(J,1)*X+A(J,2)*Y+A(J,3)*Z
IF(L*M*N.NE.1) GO TO 30
CONTINUE
XRMIN = XROT
XRMAX = XROT
YRMIN = YROT
YRMAX = YROT
10 CONTINUE
XRMIN = XROT
XRMAX = XROT
YRMIN = YROT
YRMAX = YROT
30 CONTINUE
IF(XROT.GT.XRMAX) XRMAX = XROT
IF(XROT.LT.XRMIN) XRMIN = XROT
IF(YROT.GT.YRMAX) YRMAX = YROT
IF(YROT.LT.YRMIN) YRMIN = YROT
CONTINUE
XR = ABS(XRMAX-XRMIN)
IF(XR/PSCALE.GT.PSIZE) PSCALE=XR/PSIZE
XRMAX = XRMAX/PSCALE
YRMAX = YRMAX/PSCALE
XRMIN = XRMIN/PSCALE
YRMIN = YRMIN/PSCALE
DELX = -XRMIN
DELY = -YRMIN
XORGN = (PSIZE-XR/PSCALE)/2.0
YORGN = 0.0
RETURN
END
SUBROUTINE XPLCD(NEND,X,Y,Z,NODE)
* * * * *
C C *** FOR GENERATING EXPLODED PLOTS.
C C *** CALLED BY PLOTx

```



```

C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C * COMMON/CONTROL/ KGEOM,KDATA,KPLOT,KSYMXY,KSYMXXZ,NOTAT,XLHT,
C * 1KHORZ,KVERT,PHITHETA,PSI,NEWFR,ISCALE,FLOTSZ,XORGN,YORGN,
C * 2PSCALE,LKDISP,DMAG,KODE
C * DIMENSION X(20),Y(20),Z(20),NODE(20)
C
C *** TO CALCULATE THE INCENTER OF TRIANGLES
C
      IF(NODE(4)•EQ.0) NEND=3
      IF(NEND•NE.3) GO TO 20
10  CONTINUE
      A = SQR((X(2)-X(3))**2+(Y(2)-Y(3))**2+(Z(2)-Z(3))**2)
      B = SQR((X(1)-X(3))**2+(Y(1)-Y(3))**2+(Z(1)-Z(3))**2)
      C = SQR((X(1)-X(2))**2+(Y(1)-Y(2))**2+(Z(1)-Z(2))**2)
      AC1 = A/(A+B+C)
      AC2 = B/(A+B+C)
      AC3 = C/(A+B+C)
      XOC = AC1*X(1)+AC2*X(2)+AC3*X(3)
      YOC = AC1*Y(1)+AC2*Y(2)+AC3*Y(3)
      ZOC = AC1*Z(1)+AC2*Z(2)+AC3*Z(3)
      GO TO 190
CONTINUE
20
C *** TO CALCULATE THE CENTROID OF RODS, BARS, AND QUADS
C
      XOC = 0.0
      YOC = 0.0
      ZOC = 0.0
      FND=0.0
      DO 100 I=1,NEND
      IF(NODE(I)•EQ.0) GO TO 101
      IF(1.0GT.8) GO TO 101
      FND=FND+1.0
      XOC = XOC+X(I)
      YOC = YOC+Y(I)
      ZOC = ZOC+Z(I)
      100 CONTINUE
      101 CONTINUE
      XOC=XOC/FND
      YOC=YOC/FND
      ZOC=ZOC/FND
      190 CONTINUE
C *** TO REDUCE THE SIZE OF THE ELEMENT
      DO 200 I=1,NEND
200
C

```



```

IF(NODE(I).EQ.0) GO TO 200
X(I) = X(I)*DMAG
Y(I) = Y(I)*DMAG
Z(I) = Z(I)*DMAG
CONTINUE
200
C *** TO CALCULATE THE CENTROID OF THE REDUCED ELEMENT
      XRC = XOC*DMAG
      YRC = YOC*DMAG
      ZRC = ZOC*DMAG
C *** SHIFT CORNERS OF ORIGINAL AND REDUCED TO MAKE CENTROIDS MATCH
      DO 400 I=1,NEND
      IF(NODE(I).EQ.0) GO TO 400
      X(I) = X(I)+(XOC-XRC)
      Y(I) = Y(I)+(YOC-YRC)
      Z(I) = Z(I)+(ZOC-ZRC)
      CONTINUE
      RETURN
END
SUBROUTINE GARRROW(X1,Y1,X2,Y2,NC,XHEAD,YHEAD)
C   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C *** TO DRAW ARROWS FROM X1,Y1 TO X2,Y2.
C *** CALLED BY PLOTX
C   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C
DEN = SQRT((X2-X1)**2+(Y2-Y1)**2)
IF(DEN.EQ.0.0) GO TO 5000
C = (X1-X2)/DEN
S = (Y1-Y2)/DEN
CALL CALPLT(X1,Y1,3)
CALL CALPLT(X2,Y2,2)
IF(NC.LT.1) GO TO 1000
XA = X2+(C*XHEAD-S*YHEAD)
YA = Y2+(S*XHEAD+C*YHEAD)
CALL CALPLT(XA,YA,2)
IF(NC.LT.2) GO TO 1000
XB = X2+(C*XHEAD-S*(-YHEAD))
YB = Y2+(S*XHEAD+C*(-YHEAD))
CALL CALPLT(XB,YB,2)
IF(NC.LT.3) GO TO 1000
CALL CALPLT(X2,Y2,2)
IF(NC.LT.4) GO TO 1000

```



```

XC = X2+(-S*YHEAD)
YC = Y2+(+C*YHEAD)
CALL CALPLT(XC,YC,2)
IF(NC.LT.5) GO TO 1000
XD = X2+(-S*(-YHEAD))
YD = Y2+(-C*(-YHEAD))
CALL CALPLT(XD,YD,2)
CONTINUE
CALL CALPLT(X2,Y2,3)
1000 CONTINUE
RETURN
END
SUBROUTINE NDLET (NUMPT,XPT,YPT,ZPT,UPT,VPT,WPT)
C * * * * *
C *** FOR ANNOTATING GRID PCINT NUMBERS ON PLOTS.
C *** CALLED BY PSAP1
C * * * * *
COMMON/CTRL/KGEOM,KPLOT,KSYMMX,KSYMZ,KSYMYZ,NOTAT,XLHT,
1KHORZ,KVERT,PHI,THETA,PSI,NEWFR,ISCALE,PLOT SZ,XORGN,YORGN,
2PSCALE,KDISFE,DMAG,KOCE
COMMON/LIMITS/XMAX,YMAX,XXMAX,YYMAX,ZZMAX,XXMIN,YYMIN,ZZMIN,NDMAX,NDMIN,
1NELMAX,NELMIN
COMMON/XYZLIM/XYZMAX(3),XYZMIN(3)
COMMON/ABLK/A(3,3)
COMMON/KOUNT/NNODE,NNDEST,NUDISP,NWDISP
COMMON/PDELS/DELX,DELY
DIMENSION NUMPT(1),XPT(1),YPT(1),ZPT(1),UPT(1),VPT(1),WPT(1)
IJ = KHORZ
J = KVERT
XSHIFT = 0.0
YSHIFT = 0.0
ZSHIFT = 0.0
DO 500 I=1,NNODE
IF(NUMPT(I).LE.0) GO TO 500
IF(NUMPT(I).LT.-NDMIN.OR.-NUMPT(I).GT.-NDMAX) GO TO 500
IF(XPT(I).GT.-XYZMAX(1)) GO TO 500
IF(XPT(I).LT.-XYZMIN(1)) GO TO 500
IF(YPT(I).GT.-XYZMAX(2)) GO TO 500
IF(YPT(I).LT.-XYZMIN(2)) GO TO 500
IF(ZPT(I).GT.-XYZMAX(3)) GO TO 500
IF(ZPT(I).LT.-XYZMIN(3)) GO TO 500
IX = (XPT(I)+XSHIFT)/PSCALE
IY = (YPT(I)+YSHIFT)/PSCALE
IZ = (ZPT(I)+ZSHIFT)/PSCALE

```


$XROT = A(IJ,1)*X+A(IJ,2)*Y+A(IJ,3)*Z$
 $YROT = A(IJ,1)*X+A(IJ,2)*Y+A(IJ,3)*Z$
 $XL = XROT*XLHT/2.0$
 $YL = YROT*XLHT/2.0$
 $XL = XL+DELX$
 $YL = YL+DELY$
 $AL = NUMPT(I)$
CALL NUMBER(XL,YL,XLHT,AL,0.0,-1)
CONTINUE
RETURN

END SUBROUTINE NFRAME
CALLED BY PLOTX

END SUBROUTINE CCRT2
RETURN

END SUBROUTINE CCRT2
RETURN

C ***
*** ADAPT FOR NPS SYSTEM
*** CALLED BY PSAPI

C * * * * *
* * * * *
* * * * *
* * * * *
* * * * *
* * * * *
* * * * *

C ***
*** ADAPT FOR NPS SYSTEM
*** CALLED BY PSAPI/PLOTX/GARROW/ERROR

* * * * *
* * * * *
* * * * *
* * * * *

C ***
*** ADAPT FOR NPS SYSTEM
*** CALLED BY PSAPI/PLOTX/GARROW/ERROR

* * * * *
* * * * *
* * * * *

C ***
*** ADAPT FOR NPS SYSTEM
*** CALLED BY PSAPI/PLOTX/GARROW/ERROR

* * * * *

C ***
*** ADAPT FOR NPS SYSTEM
*** CALLED BY PSAPI

* * * * *


```

C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C   SUBROUTINE NOTATE(X,Y,HT,BCD,THETA,N)
C   DIMENSION BCD(1)
C   CALL SYMBOL(X,Y,HT,BCD,THETA,N)
C   RETURN
C   END
C   SUBROUTINE ELTYPE(MTYPE,KGEOM)
C   CCCCCCCCCCCCCCCCCC
C   ***THIS SUBROUTINE CALLS OTHER ROUTINES TO READ ELEMENT CONNECTIVITY
C   ***MTYPE = ELEMENT TYPE
C   ***KGEOM = 1 - ACINA ELEMENTS
C   ***          2 - NONSAP ELEMENTS
C   ***          3 - SAP IV ELEMENTS
C   ***          9 - GEOM1/GEOM2/GEOM9/
C   ***CALLED BY GEOM1/GEOM2/GEOM9/
C   CCCCCCCCCCCCCCCCCC
C   ****IF(KGEOM.EQ.1) GO TO 20
C   ****IF(KGEOM.EQ.2) GO TO 40
C   ****GO TO (1,2,3,4,5,6,7,8,9,10,11,12),MTYPE
C   1 CALL TRUSS
C   2 GO TO 500
C   2 CALL BEAM
C   3 GO TO 900
C   3 CALL PLANE
C   4 GO TO 900
C   4 CALL PLANE
C   5 GO TO 900
C   5 CALL THREEED
C   6 GO TO 500
C   6 CALL SHELL
C   7 GO TO 900
C   7 CALL BNDRY
C   8 GO TO 900
C   8 CALL SOL21
C   9 GO TO 900
C   9 CALL ERROR(1)
C   10 GO TO 900
C   10 CALL ERROR(1)
C   11 GO TO 900
C   11 CALL ERROR(1)
C   12 GO TO 900
C   12 CALL ERROR(1)

```



```

20 CONTINUE
GO TO 900
21 CALL ADTRUS
22 GO TO 900
23 CALL ADPLAN
24 GO TO 900
25 CALL ADBEAM
26 GO TO 900
27 CONTINUE
28 GO TO (21,22,23,24),MTYPE
29 CALL NSTRUS
30 GO TO 900
31 CALL NSPLAN
32 GO TO 900
33 CALL NS3DEE
34 RETURN
END
SUBROUTINE FERROR(N)
C * * * * *
C *** THIS SUBROUTINE TERMINATES THE PROGRAM DUE TO ERROR IN INPUT.
C *** ERROR ALSO ZEROS AND ADVANCES THE CALCOMP PLOTTER
C *** CALLED BY ELTYPE/PSAP1/INITIAL/PLOTX/THREED/SOL21/ADTRUS/ADPLAN/
C *** AD3DEE/ADBEAM/NSTRUS/NSPLAN/NS3DEE/GEOM2/
C * * * * *
COMMON/CORGN/YPMAX,YSPACE,PSIZE
CALL CALPLT(0.0,YPMAX+6.0,-3)
GO TO (1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20),N
1 CONTINUE
1 WRITE(6,9001)
9001 FORMAT(' // ','IX',' TERMINATION OCCURRED IN SUBROUTINE ELEMENT
1 IN INPUT DATA CANNOT BE PLOTTED CHECK ELEMENT TYPES',//')
GO TO 1000
2 CONTINUE
2 WRITE(6,9002)
9002 FORMAT(' // ','IX','ABNORMAL TERMINATION OCCURRED IN SUBROUTINE PSAPI
1 HECK VALUE OF KODE IN NAMELIST PICT.//')
GO TO 1000
3 CONTINUE
3 WRITE(6,9003)
9003 FORMAT(' // ','IX','ABNORMAL TERMINATION OCCURRED IN SUBROUTINE INITIAL
1- ATTEMPT TO READ NAMELIST OPTION.//')

```



```

        GO TO 1000
4    CONTINUE
      WRITE(6,9004)
      FORMAT(//,1X,'ABNORMAL TERMINATION OCCURRED IN PLOTX'//)
9004   FORMAT(//,1X,'ABNORMAL TERMINATION OCCURRED IN PLOTX'//)
      GO TO 1000
5    CONTINUE
      WRITE(6,9005)
      FORMAT(//,1X,'ABNORMAL TERMINATION IN THREED,ELEMENT CARD ERROR'//)
9005   FORMAT(//,1X,'ABNORMAL TERMINATION IN THREED,ELEMENT CARD ERROR'//)
      GO TO 1000
6    CONTINUE
      WRITE(6,9006)
      FORMAT(//,1X,'ABNORMAL TERMINATION IN SOL21,ELEMENT CARD ERROR'//)
9006   FORMAT(//,1X,'ABNORMAL TERMINATION IN SOL21,ELEMENT CARD ERROR'//)
      GO TO 1000
7    CONTINUE
      WRITE(6,9007)
      FORMAT(//,1X,'ABNORMAL TERMINATION IN ADTRUSS,ELEMENT CARD ERROR'//)
9007   FORMAT(//,1X,'ABNORMAL TERMINATION IN ADTRUSS,ELEMENT CARD ERROR'//)
      GO TO 1000
8    CONTINUE
      WRITE(6,9008)
      FORMAT(//,1X,'ABNORMAL TERMINATION IN ADPLAN,ELEMENT CARD ERROR'//)
9008   FORMAT(//,1X,'ABNORMAL TERMINATION IN ADPLAN,ELEMENT CARD ERROR'//)
      GO TO 1000
9    CONTINUE
      WRITE(6,9009)
      FORMAT(//,1X,'ABNORMAL TERMINATION IN AD3DEE,ELEMENT CARD ERROR'//)
9009   FORMAT(//,1X,'ABNORMAL TERMINATION IN AD3DEE,ELEMENT CARD ERROR'//)
      GO TO 1000
10   CONTINUE
      WRITE(6,9010)
      FORMAT(//,1X,'ABNORMAL TERMINATION IN ADBEAM,ELEMENT CARD ERROR'//)
9010   FORMAT(//,1X,'ABNORMAL TERMINATION IN ADBEAM,ELEMENT CARD ERROR'//)
      GO TO 1000
11   CONTINUE
      WRITE(6,9011)
      FORMAT(//,1X,'ABNORMAL TERMINATION IN NSTRUSS,ELEMENT CARD ERROR'//)
9011   FORMAT(//,1X,'ABNORMAL TERMINATION IN NSTRUSS,ELEMENT CARD ERROR'//)
      GO TO 1000
12   CONTINUE
      WRITE(6,9012)
      FORMAT(//,1X,'ABNORMAL TERMINATION IN NSPLAN,ELEMENT CARD ERROR'//)
9012   FORMAT(//,1X,'ABNORMAL TERMINATION IN NSPLAN,ELEMENT CARD ERROR'//)
      GO TO 1000
13   CONTINUE
      WRITE(6,9013)
      FORMAT(//,1X,'ABNORMAL TERMINATION IN NS3DEE,ELEMENT CARD ERROR'//)
9013   FORMAT(//,1X,'ABNORMAL TERMINATION IN NS3DEE,ELEMENT CARD ERROR'//)
      GO TO 1000
14   CONTINUE
      WRITE(6,9014)
      FORMAT(//,1X,'ABNORMAL TERMINATION NONSAP MESH CANNOT BE PLOTTED'//)
9014   FORMAT(//,1X,'ABNORMAL TERMINATION NONSAP MESH CANNOT BE PLOTTED'//)
      GO TO 1000
15   CONTINUE
      GO TO 1000
16   CONTINUE

```



```

      GO TO 1000
 17  CONTINUE
      GO TO 1000
 18  CONTINUE
      GO TO 1000
 19  CONTINUE
      GO TO 1000
 20  CONTINUE
1000  CONTINUE
      CALL PSTOP
      RETURN
END
      SUBROUTINE GEOM9( NUMFT, XPT, YPT, ZPT, UPT, VPT, WPT )
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C *** GEOM9 READS SAP IV GEOMETRY DATA
C *** CALLED BY PSAPI
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C COMMON/KONTROL/ KGEOM, KDATA, KPLLOT, KSYMXY, KSYMXXZ, KSYMMYZ, NOTAT, XLHT,
1 KHORZ, KVERT, PHI, THETA, PSI, NEWFR, ISCALE, PLOTSZ, XORGN, YORGN,
2 PSCALE, KDISP, DMAG, KODE
COMMON/KOUNT/ NNODE, NNODEST, NUDEISP, NWDEISP
COMMON/GCONT/ NUMNP, NPAR(20), NELTYP, NUMEL
COMMON/DIMENSION/ NUMPT(1), XPT(1), YPT(1), ZPT(1), UPT(1), VPT(1), WPT(1)
      DATA CTEST//C
C *** INSERT ROUTINE HERE
      READ(5,100) HED
      100 FORMAT(12A6)
C *** READ MASTER CONTROL CARD
C *** NUMNP = TOTAL NUMBER OF NODE POINTS
C *** NELTYP = NUMBER OF ELEMENT GROUPS
      READ(5,200) NUMNP, NELTYP
      200 FORMAT(2I5)
      NNODE=NUMNP
C **** READ OR GENERATE NODAL POINT DATA
      NOLD=0
      10 READ(5,9006) CT, N, XPT(N), YPT(N), ZPT(N), VPT(N), KN

```



```

9006 FORMAT(A1,I4,30X,3F10.0,15)
C ***CHECK FOR CYLINDRICAL COORDINATES
C
IF(CT•NE•CTEST) GO TO 20
R=XP•T(N)
XP•T(N)=R**SIN(ZP•T(N)/57.2958)
ZP•T(N)=R*COS(ZP•T(N)/57.2958)
20 CONTINUE
NUMPT(N)=N
IF(NOLD.EQ.0) GO TO 50
C*****CHECK IF GENERATION IS REQUIRED
C
IF((KN.EQ.0))GO TO 50
NUM=(N-NOLD)/KN
NUMN=NUM-1
IF(NUMN.LT.1) GO TO 50
XNUM=NLM
DX=(XP•T(N)-XP•T(NOLD))/XNUM
DY=(YP•T(N)-YP•T(NOLD))/XNUM
DZ=(ZP•T(N)-ZP•T(NOLD))/XNUM
K=NOLD
DO 30 J=1,NUMN
KK=K
K=K+KN
XP•T(K)=XP•T(KK)+DX
YP•T(K)=YP•T(KK)+DY
ZP•T(K)=ZP•T(KK)+DZ
NUMPT(K)=K
CONTINUE
30 NOLD=N
IF(N•NE•NUMNP) GO TO 10
NUMEL=0
C*****READ ELEMENT CONTROL CARDS
DO 900 M=1,NELTYP
READ(5,1001)END=999 (NPAR(I),I=1,14)
1001 FORMAT(14I5)
WRITE(6,9010) (NPAR(I),I=1,14)
9010 FORMAT(//,NPAR(1),
MTYPE=NPAR(1),
CALL ELTYPE(MTYPE,KGEOM)
900 CONTINUE
ENDFILE 10
999 RETURN
END
SUBROUTINE TRUSS
C

```



```

C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C *** READS SAP IV TRUSS ELEMENT CARDS (ELTYPE 1)
C *** CALLED BY ELTYPE *   *   *   *   *   *   *   *   *   *   *
C
C COMMON/GCONT/NUMNP,NPAR(20),NELTYP,NUMEL
C
C N2=2
C     NUME=NPAR(2)
C     NUMMAT=NPAR(3)
C     READ(MATERIAL PROPERTY CARDS (DUMMY))
C
C DO 10 I=1,NUMMAT
C     READ(5,1001) DUMMY
C
C 1001 FORMAT(10A8)
C
C 10 CONTINUE
C *** READ ELEMENT LOAD MUL. (DUMMY1)
C
C DO 20 I=1,4
C     READ(5,1001) DUMMY1
C
C 20 IF(NPAR(14).EQ.0) NPAR(14)=1
C
C N=NPAR(14)
C *** READ ELEMENT CONNECTION INFORMATION OR GENERATE
C
C 100 READ(5,1004) M,IIJJ,Mtyp,TEM,KK
C
C 1004 FFORMAT(4I5,F10.0,I5)
C
C     IF(KK.EQ.0) KK=1
C
C 120 IF((M.NE.N) GO TO 200
C
C     I=II
C     J=JJ
C     KKK=KK
C
C 200 CONTINUE
C     NUMEL=NUMEL+1
C     WRITE(10) N2,NUME,RETURN
C
C     IF(N.EQ.NUME) RETURN
C
C     N=N+1
C     I=I+KK
C     J=J+KK
C     IF(N.GT.M) GO TO 100
C     GO TO 120
C
C END
C
C SUBROUTINE PLANE
C
C
C *** READS SAP IV MEMBRANE ELEMENT CARDS (ELTYPE 3)
C *** CALLED BY ELTYPE
C
C

```



```

C
C DIMENSION EMUL(4,5),IE(5),IX(4)
COMMON/GCONT/NUMNP,NPAR(20),NELTYP,NUMEL
N4=4
      NUME = NPAR(2)
      NUMMAT = NPAR(3)
      *** READ MATERIAL PROPERTIES
      DO 60 M=1,NUMMAT
        READ(5,10) MAT,NT
        FORMAT(215)
        IF(MT.EQ.0) NT=1
        NTC=2*N
        DO 50 K=1,NTC
          READ(5,1005) DUMMY
          FORMAT(5,10A8)
        CONTINUE
      50 CONTINUE
      60 CONTINUE

C**** READ ELEMENT LOAD FACTORS
C
C      READ(5,1002) {(EMUL(I,J),J=1,5),I=1,4}
      1002 FORMAT(5F10.0)

C**** READ ELEMENT PROPERTIES
C
C      IF(NPAR(14).EQ.0) NPAR(14) = 1
      N=NPAR(14)-1
      1130 READ(5,1003) M,(IE(I),I=1,4),KG
      1003 FORMAT(515) 30X,15
      IF(KG.EQ.0) KG=1
      N=N+1
      140 IF(M.EQ.N) GO TO 145
      142 IX(I)=IX(I)+KG
      60 TO 150
      145 DO 148 I=1,4
      148 IX(I)=IE(I)
      150 CONTINUE
      I = IX(1)
      J = IX(2)
      K = IX(3)
      L = IX(4)
      NUMEL=NUMEL+1
      WRITE(10) N4,N,I,J,K,L
      310 IF(N.EQ.NUME) RETURN
      IF(N.EQ.M) GO TO 130
      GO TO 140
      END

```



```

SUBROUTINE BEAM
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C *** READS SAP IV BEAM ELEMENT CARDS (ELTYPE 2)
C *** CALLED BY ELTYPE
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C COMMON/GCONT/NUMNP,NPAR(20),NELTYP,NUMEL
N2=2
NUME=NPAR(2)
NUMEP=NPAR(3)
NUMEFF=NPAR(4) * 2
NUMMAT=NPAR(5)
READ MATERIAL PROPERTY CARDS (DUMMY)
DO 10 I=1,NUMMAT
READ(5,1001) DUMMY
FORMAT(10A8)
1001 CONTINUE
11C READ ELEMENT PROPERTY CARDS (DUMMY1)
DO 20 J=1,NUMEP
READ(5,1001) DUMMY1
20 CONTINUE
C *** READ ELEMENT LOAD MULTIPLIERS (DUMMY2)
DO 30 K=1,3
READ(5,1001) DUMMY2
30 CONTINUE
C *** READ FIXED-END FORCE CARDS(DUMMY3)
DO 40 L=1,NUMEFF
READ(5,1001) DUMMY3
40 CONTINUE
IF(NPAR(14).EQ.0) NPAR(14) = 1
N=NPAR(14)
READ ELEMENT CONNECTION INFO
100 READ(5,1002) M,I,J,KK
1002 FORMAT(3I5,47X,I8)
IF (KK.EQ.0) KK=1
12C IF (M.NE.K) GO TO 200
I = I
J = J
KK = KK
200 CONTINUE
NUMEL = NUMEL+1
WRITE(10) N2,N,I,J
IF (N.EQ.NUMEL) RETURN
N = N + 1
I = I + KK

```



```

J = J + KKK GO TO 100
IF (N.GT.M) GO TO 120
END
SUBROUTINE THREEED
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C *** THIS SUBROUTINE READS SAP IV 3-D 8 NODE BRICK ELEMENTS
C *** CALLED BY ELTYPE
C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C
C DIMENSION INP(8),NP(8)
COMMON/GCONT/NUMNP,NFAR(20),NELTYP,NUMEL
N8=8
NUME=NPAR(2)
NUMMAT=NPAR(3)
NDISLD=NPAR(4)
C *** READ THE MATERIAL PROPERTIES
DO 50 M=1,NUMMAT
READ(5,9002) DUMMY
9002 FORMAT(20A4)
50 CONTINUE
C *** READ DISTRIBUTED SURFACE LOADS
IF(INDISLD.EQ.0) GO TO 61
DO 60 M=1,NDISLD
READ(5,9002) DUMMY
60 CONTINUE
C *** READ ACCELERATION DUE TO GRAVITY
C *** READ ELEMENT LOAD CASE MULTIPLIERS
C *** READ ELEMENT LOAD CASE MULTIPLIERS
DO 80 I=1,5
READ(5,9002) DUMMY
80 CONTINUE
IF(NPAR(14).EQ.0) NPAR(14)=1
NEL=NPAR(14)-1
READ(5,9006) INEL,(INP(I),I=1,8),ININT,IMAT,IINC
9006 FORMAT(12I5)
IF(IINC.EQ.0) IINC=1
140 NEL=NEL+1
ML=INEL-NEL
IF(ML)150,155,160
150 CALL ERROR(5)
C *** NO GENERATION OF NODE POINTS REQUIRED
C 155 DO 156 I=1,8
NP(I)=INP(I)

```



```

156   GO TO 162
C *** GENERATION REQUIRED
160   DO 161 I=1,8
      NP(I)=NP(I)+IINC
161   CONTINUE
      NUMEL=NUMEL+1
      WRITE(10) N8,NEL,(NP(I),I=1,8)
      IF(NEL.EQ.NUMEL) RETURN
      IF(NEL.EQ.INEL) GC TC 130
      GO TO 140
END
SUBROUTINE SHELL
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C *** READS SAP IV SHELL ELEMENT CARDS (ELTYPE 6)
C *** CALLED BY ELTYPE
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C
C DIMENSION IY(7),IX(4)
COMMON/GCONT/NUMNP,NPAR(20),NELTYP,NUMEL
N4=4
ISTOP=0
NAME = NPAR(2)
NUMMAT = NPAR(3)
NMAT= 2*NUMMAT
C *** READ MATERIAL PROPERTIES (DUMMY)
DO 10 N=1,NMAT
  READ(5,1000) DUMMY
C 1000 FORMAT(10A8)
110 CONTINUE
C *** READ ELEMENT LOAD FACTORS (DUMMY1)
DO 20 K=1,5
  READ(5,1000) DUMMY1
20 CONTINUE
IF(NPAR(14).EQ.0) NPAR(14) = 1
NN = NPAR(14)-1
  READ(5,1001) MM,IY
1001 FORMAT(8I5)
110 NN = NN + 1
  IF (MM -NN) 440, 50, 60
50 DO 45 I=1,7
45 IX(I) = IY(I)
INCL = IX(7)

```



```

IF (INCL.EQ.0) INCL=1
GO TO 70
DO 65 I=1,I4 + INCL
CONTINUE
I=IX(1)
J=IX(2)
K=IX(3)
L=IX(4)
NUMEL = NUMEL+1
WRITE(10,N4,NN,1,J,K,L)
GO TO 500
FORMAT(6,2005) MM
FORMAT(19HOCARD FOR ELEMNT,15,14H) IS IN ERROR.,1X)
ISTOP = 1
IF(NN.LT.MM) GO TO 110
IF(NN.EQ.NUME) RETURN
IF(ISTOP.EQ.1) STOP
GO TO 100
END
SUBROUTINE BNDRY
C * * * * * * * * * * * * * * * * * * * * * * * * * *
C *** READS SAP IV BOUNDARY ELEMENT CARDS (ELTYPE 7)
C *** BOUNDARY ELEMENTS ARE NOT PLOTTED
C *** CALLED BY ELTYPE
C * * * * * * * * * * * * * * * * * * * * * * * * * *
COMMON/GCONT/NUMNP,NPAR(20),NELTYP,NUMEL
NUME=NPAR(2)
READ(LOAD CASE CARD (DUMMY)
READ(5,1002) DUMMY
FORMAT(10A8)
READ BOUNDARY ELEMENT CARDS
N=0
100 READ(5,1004) M,II,KK
N=N+1
IF(N.GE.NUME) RETURN
IF(KK.GT.0) GO TO 200
GO TO 100
200 READ(5,1004) M2,II2,KK2
N=N+(M2-M)/KK
IF(N.GE.NUME) RETURN
GO TO 100
FORMAT(215,25X,15)
END

```



```

SUBROUTINE SOL21
C * * * THIS SUBROUTINE READS SAP IV 3-D,8-20 NODE BRICK ELEMENTS
C *** CALLED BY ELTYPE
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C
COMMON/NCONT/NUMNP,NFAR(20),NELTYP,NUMEL
C
      N20=20
      NSOL21=NPAR(2)
      NUMMAT=NPAR(3)
      MAXTP=NPAR(4)
      IF(MAXTP.EQ.0) MAXTP=1
      NORTHO=NPAR(5)
      NDLS=NPAR(6)
      MAXNOD=NPAR(7)
      IF(MAXNOD.EQ.0) MAXNOD=21
      IF(MAXNOD.EQ.8) N20=8
      NOPSET=NPAR(8)
      READ THE MATERIAL PROPERTY CARDS
      DO 50 J=1,NUMMAT
      READ(5,9002) M,NTP
      FORMAT(215)
      IF(NTP.EQ.0) NTP=1
      NTP2=2*NTP
      DO 40 JJ=1,NTP2
      READ(5,9004) DUMMY
      9004 FORMAT(20A4)
      40 CONTINUE
      50 CONTINUE
      C *** READ MATERIAL AXES ORIENTATION SETS
      C   READ(NORTH0.EQ.0) GO TO 61
      IF(NDLS.EQ.0) GO TO 61
      DO 60 J=1,NORTH0
      READ(5,9004) DUMMY
      60 CONTINUE
      61 CONTINUE
      C *** READ DISTRIBUTED SURFACE LOAD DATA
      C   READ(NDLS.EQ.0) GO TO 71
      IF(NDLS2.EQ.2) GO TO 71
      DO 70 J=1,NDLS2
      READ(5,9004) DUMMY
      70 CONTINUE
      71 CONTINUE
      C *** READ STRESS OUTPUT LOCATION SETS
      C   IF(NOPSET.EQ.0) GO TO 81
      C
      C00008140
      C00008150
      C00008160
      C00008170
      C00008180
      C00008190
      C00008200
      C00008210
      C00008220
      C00008230
      C00008240
      C00008250
      C00008260
      C00008270
      C00008280
      C00008290
      C00008300
      C00008310
      C00008320
      C00008330
      C00008340
      C00008350
      C00008360
      C00008370
      C00008380
      C00008390
      C00008400
      C00008410
      C00008420
      C00008430
      C00008440
      C00008450
      C00008460
      C00008470
      C00008480
      C00008490
      C00008500
      C00008510
      C00008520
      C00008530
      C00008540
      C00008550
      C00008560
      C00008570
      C00008580
      C00008590
      C00008600
      C00008610

```



```

DO 80 J=1,NOPSET DUMMY
80 READ(5,9004) DUMMY
81 CONTINUE
C *** READ ELEMENT LOAD CASE MULTIPLIERS
DO 90 J=1,5
  READ(5,9004) DUMMY
CONTINUE
C *** READ ELEMENT DATA CARDS
IF(NPAR(14).EQ.0) NPAR(14)=1
NEL=NPAR(14)-1
130 READ(5,9006) INEL,IINC
9006 FORMAT(15.35X,15)
READ(5,9008) (INP(I),I=1,N20)
9008 FORMAT(16I5)
IF(IINC.EQ.0) IINC=1
140 NEL=NEL+1
ML=INEL-NEL
IF(ML)150,155,160
150 CALL ERROR(6)
C *** NO GENERATION OF NODE POINTS REQUIRED
C 155 DO 156 I=1,N20
NP(I)=INP(I)
156 CONTINUE
GO TO 162
C *** GENERATION OF NODE POINTS REQUIRED
C 160 DO 161 I=1,N20
IF(NP(I).EQ.0) GO TO 161
NP(I)=NP(I)+KN
161 CONTINUE
NUMEL=NUMEL+1
WRITE(10) N20,NEL,(NP(I),I=1,N20)
IF(NEL.EQ.NSOL21) RETURN
IF(NEL.LT.INEL) GO TO 140
KN=1INC
GO TO 130
END
SUBROUTINE GEOM1 (NUMPT,XPT,YPT,ZPT,UPT,VPT,WPT)
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C *** THIS ROUTINE READS ADINA DATA CARDS FROM THE TITLE CARD TO THE
C *** ELEMENT CONTROL CARDS - IT IS CALLED BY PSAPI
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
COMMON/CONTRL/ KGEOM,KDATA,KPLOT,KSYMMX,KSYMMZ,NOTAT,XLHT,

```



```

1KHORZ,KVERT,PHI,THETA,PSI,NEWFR,ISCALE,PLOTSZ,XORGN,YORGN,
2PSCALE,KDISP,KCCE
COMMON/KOUNT/ NNODE,ANDEST,NUDISP,NWDISP,NWEISP
COMMON/GCONT/NUMNP,NPAR(20),NELTYP,NUMEL
DIMENSION NUMPT(1),XPT(1),YPT(1),ZPT(1),UPT(1),VPT(1)
1.NODE(20),IDOF(6),ID(6),IDOLD(6)
1.NODE(20) DATA CTEST//X // /
NCARD=0
READ(5,9000) DUMMY
FORMAT(5,9000)
9000 FORMATT20A4) READ MASTER CONTROL CARDS
C *** NUMNP = TOTAL NUMBER OF NODE POINTS
C *** NELTYP = NUMBER OF ELEMENT GROUPS
      READ(5,9001) NUMNP, IDOF(I),I=1,6),NEGNL,MODEX,MSTE
      9001 FORMAT(15.6I14,3I5)
      NNODE=NUMNP
      READ(5,9002) IMASS,IDAAMP,IMASSN,IDAAMPN
      READ(5,9005) IEIG
      READ(5,9002) ISREF,NLMREF,IEQUIT,ITEMAX
      READ(5,9000) DUMMY
      NOLD=0
      NEQ=0
      READ(5,9006) CT,N,(ID(I),I=1,6),XPT(N),YPT(N),ZPT(N),KN
      9006 FORMAT(1A1,I4,I4,I5,I5,I5)
      C *** CHECK FOR CYLINDRICAL COORDINATES
      IF(CT.NE.CTEST) GO TO 12
      DUM=ZPT(N)/57.2958
      R=YPT(N)
      YPT(N)=R*COS(ZPT(N)/57.2958)
      ZPT(N)=R*SIN(ZPT(N)/57.2958)
12 CONTINUE
      NUMPT(N)=N
      IF(NOLD.EQ.0) GO TO 50
      C *** FOR GENERATION OF FIXED BOUNDARY CONDITIONS
      DO 15 I=1,C
      IF(ICOLD(I).EQ.-1.AND.ID(I).EQ.0) ID(I)=IDOLD(I)
      15 CONTINUE
      IF(KNOLD.EQ.0) GO TO 50
      NUM=(N-NOLD)/KNOLD
      NUMN=NUM-1
      IF(NUM.LT.1) GO TO 50
      C *** TO COUNT DOFS TO DETERMINE NUMBER OF IC CARS

```



```

DO 20 I=1,6 IF(IIDOF(I),EQ.,0 .AND. IDOLD(I),EQ.,0) NEQ=NEQ+NUMN
20 CONTINUE
DX=(XPT(N)-XPT(NOLD))/NUM
IF(CT*NE-CTEST) GO TO 21
ROLD=YPT(NOLD)/COS(DUMOLD)
RNNEW=YPT(N)/COS(DUM)
DR=(RNNEW-ROLD)/NUM
DT=(DUM-DUMOLD)/NUM
GO TO 22
21 CONTINUE
DY=(YPT(N)-YPT(NOLD))/NUM
DZ=(ZPT(N)-ZPT(NOLD))/NUM
22 CONTINUE
K=NOLD
DO 30 J=1,NUMN
  KK=K
  K=K+KNOLD
  XPT(K)=XPT(KK)+DX
  IF(CT*NE-CTEST) GO TO 26
  ROLD=ROLD+DR
  DUMOLD=DUMOLD+DT
  YPT(K)=ROLD*COS(DUMOLD)
  ZPT(K)=ROLD*SIN(DUMOLD)
  GO TO 28
CONTINUE
YPT(K)=YPT(KK)+DY
ZPT(K)=ZPT(KK)+DZ
28  CONTINUE
  NUMPT(K)=K
  CONTINUE
30  NOLD=N
  KNOLD=KN
  DUMOLD=DUM
C *** DO COUNT DOES TO DETERMINE NUMBER OF IC CARDS
DO 55 I=1,C
  IF(IIDOF(I),EQ.,0 .AND. ID(I),EQ.,0) NEQ=NEQ+1
  IDOLD(I)=ID(I)
  CONTINUE
55  IF((N-NU/NP),EQ.,0) GO TO 10
C *** READ LOAD CONTROL CARDS
READ(5,9000) DUMMY
DO 80 I=1,IMASSN
  IF(IMASSN-EQ.,0) GO TO 81
  READ(5,9000) DUMMY
  CONTINUE
80  CONTINUE
  IF(ICAMPN.EQ.,0) GO TO 91

```



```

DO 90 I=1,10AMPN
  READ(5,9000) DUMMY
  CONTINUE
 90  CONTINUE
 91  READ(5,9001) ICON
    READ(5,9002) ICN
    IF(ICON .EQ. 0) GO TO 100
    CARDNR = NEQ/6
    NCARD = INT(CARDNR)
    TEST = CARDNR-NCARD
    IF(TEST.GT.0) NCARD=NCARD+1
    DO 95 I=1,NCARD DUMMY
      READ(5,9000) DUMMY
      CONTINUE
      IF(IMASS.EQ.0) GO TO 100
      DO 96 I=1,NCARD
        READ(5,9000) DUMMY
        CONTINUE
      96  DO 98 I=1,NCARD
        READ(5,9000) DUMMY
        CONTINUE
      98  FORMAT(6E12.6)
      100 CONTINUE
      NUMEL=0
      WRITE(6,9009) NEQ,NCARD
      9009 FORMAT(//,*NEQ AND NCARD FOR IC IN GEOM1 = *,15,10X,15//)
C *** READ ELEMENT CONTROL CARDS
C *** DO 900 M=1,NELTYP
      DO 900 M=1,NELTYP
        READ(5,9008) (NPAR(I),I=1,20)
        WRITE(6,9010) (NPAR(I),I=1,20)
      9008 FORMAT(20I4)
      9010 FORMAT(//,*NPAR = *,20I5//)
        MTYPE=NPAR(1)
        CALL ELTYPE(MTYPE,KGEOM)
      900  ENDFILE 10
      CONTINUE
      RETURN
    END
    SUBROUTINE ADTRUS
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C *** THIS SUBROUTINE TO READ ADINA TRUSS DATA
C *** THIS ROUTINE CALLED BY ELTYP
C * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
C COMMON/GCONT/NUMNP,NPAR(20),NELTYP,NUMEL

```



```

000000560
000000570
000000580
000000590
000000600
000000610
000000620
000000630
000000640
000000650
000000660
000000670
000000680
000000690
000000700
000000710
000000720
000000730
000000740
000000750
000000760
000000770
000000780
000000790
000000800
000000810
000000820
000000830
000000840
000000850
000000860
000000870
000000880
000000890
000000900
000000910
000000920
000000930
000000940
000000950
000000960
000000970
000000980
000000990
000001000
000001010
000001020
000001030

N2=2
IF(NUMMAT.EQ.0) NUMMAT=1
IF(NPAR(15).EQ.1) NCARD=2
IF(NPAR(15).EQ.3) NCARD=3
IF(NPAR(15).EQ.2) 60 TO 20
IF(NPAR(15).NE.2) 60 TO 20
CARDNR=NPAR(17)/8.0
CARD=INT(CARDNR)
TEST=CARDNR-NCARD
IF(TEST.GT.0.1) NCARD=NCARD+1
NCARD=NCARD+2
CONTINUE
READ MATERIAL PROPERTIES
DO 50 J=1,NUMMAT
DO 45 I=1,NCARD
      READ(5,9000) DUMMY
      FORMAT(20A4)
45      CONTINUE
50      READ(OR GENERATE ELEMENT DATA CARDS
      IF(NPAR(14).EQ.0) NPAR(14)=1
      NEL=NPAR(14)-1
      READ(5,9002) INEL,II,JJ,IINC
      130 FORMAT(315.2X,15)
      9002 IF(IINC.EQ.0) IINC=1
      140 NEL=NEL+1
      ML=INEL-NEL
      IF(ML) 150,155,160
      150 CALL ERROR(7)
      155 NO GENERATION OF NODE POINTS REQUIRED
      C 155 I=II
      J=JJ
      GO TO 162
      C *** GENERATION OF NODE POINTS REQUIRED
      C 160 I=I+KN
      J=J+KN
162 CONTINUE
      NUMEL=NUMEL+1
      WRITE(10) N2,NEL,I,J
      IF(INEL.EQ.NPAR(2)) RETURN
      IF(INEL.LT.INEL) GO TO 140
      KN=IINC
      GO TO 130
END
SUBROUTINE ADPLAN
COMMON/GCOUNT/NUMNP,NPAR(20),NELTYP,NUMEL
DIMENSION NP(12),NF(8)

```



```

C *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C *** THIS SUBROUTINE TO READ ADINA 8-NODE PLANE ELEMENT DATA
C IT IS CALLED BY ELTYPE
C
C NUMMAT=NPAR(16)
C NSTRES=NPAR(13)
C *** CALCULATE THE NUMBER OF MATERIAL CASE CARDS
C IF(NPAR(15).EQ.1) NCARD=1
C IF(NPAR(15).EQ.2) NCARD=1
C IF(NPAR(15).EQ.3) NCARD=4
C IF(NPAR(15).EQ.4) NCARD=4
C IF(NPAR(15).EQ.5) NCARD=2
C IF(NPAR(15).EQ.6) NCARD=1
C IF(NPAR(15).EQ.7) NCARD=1
C IF(NPAR(15).EQ.8) NCARD=1
C IF(NPAR(15).EQ.9) NCARD=1
C IF(NPAR(15).EQ.10) NCARD=6
C IF(NPAR(15).EQ.11) NCARD=6
C IF(NPAR(15).EQ.12) NCARD=1
C IF(NPAR(15).NE.14) GO TO 20
C CARDNR=NPAR(17)/8.0
C NCARD=INT(CARDNR)
C TEST=CARDNR-NCARD
C IF(TEST.GT.0.1) NCARD=NCARD+1
20 CONTINUE
N12=12
C *** READ MATERIAL PROPERTIES
DO 50 J=1,NUMMAT
READ(5,9000) DUMMY
9000 FORMAT(20A4)
DO 45 I=1,NCARD
READ(5,9000) DUMMY
45 CONTINUE
CONTINUE
50 READ STRESS OUTPUT TABLE CARDS
IF(NPAR(13).EQ.0) GO TO 61
DO 60 I=1,NSTRES
READ(5,9000) DUMMY
60 CONTINUE
61 CONTINUE
C *** READ AND GENERATE ELEMENT DATA CARDS
IF(NPAR(14).EQ.0) NPAR(14)=1
NEL=NPAR(14)-1
READ(5,9002) INEL11AC
130 IF(IINC.EQ.0) IINC=1

```



```

9002 FORMAT(15X,15X,15)
9004 READ(5,504)(INP(1),I=1,8)
14C NEL=NEL+1
ML=INEL-NEL
IF(ML)150,155,160
150 CALL ERROR(8)
C *** NO GENERATION OF NODE POINTS REQUIRED
155 DO 156 I=1,4
156 I5=I+4
19=I+8
NP(1)=INP(1)
NP(15)=0
NP(19)=INP(15)
CONTINUE
156 GO TO 162
C *** GENERATION OF NODE POINTS REQUIRED
DO 161 I=1,N12
IF(INP(1)EQ.0) GO TO 161
NP(1)=NP(1)+KN
CONTINUE
161 NUEL=NUMEL+1
WRITE(10) N12,NEL,(NP(I),I=1,N12)
IF(NEL.EQ.NPAR(2)) RETURN
IF(NEL.LT.INEL) GO TO 140
KN=IINC
GO TO 130
END
SUBROUTINE AD3DEE
C * * * * *
C *** THIS SUBROUTINE TO READ ADINA 3-D SOLID ELEMENT DATA
C *** THIS ROUTINE CALLED BY ELTYPE
C * * * * *
C COMMON/GCONT/NUMNP,NPAR(20),NLTYP,NUMEL
C DIMENSION NP(20),INP(20)
NUMMAT=NPAR(16)
NSTRES=NPAR(13)
CALCULATE THE NUMBER OF MATERIAL CASE CARDS
C ***
IF(NPAR(15).EQ.1) NCARD=1
IF(NPAR(15).EQ.2) NCARD=2+NPAR(18)
IF(NPAR(15).EQ.3) NCARD=4
IF(NPAR(15).EQ.4) NCARD=5
IF(NPAR(15).EQ.5) NCARD=2

```



```

C00002000
C00002010
C00002020
C00002030
C00002040
C00002050
C00002060
C00002070
C00002080
C00002090
C00002100
C00002110
C00002120
C00002130
C00002140
C00002150
C00002160
C00002170
C00002180
C00002190
C00002200
C00002210
C00002220
C00002230
C00002240
C00002250
C00002260
C00002270
C00002280
C00002290
C00002300
C00002310
C00002320
C00002330
C00002340
C00002350
C00002360
C00002370
C00002380
C00002390
C00002400
C00002410
C00002420
C00002430
C00002440
C00002450
C00002460
C00002470

      IF((NPAR(15)•EQ. 8) NCARD=1
      IF((NPAR(15)•EQ. 9) NCARD=1
      IF((NPAR(15)•EQ.10) NCARD=6
      IF((NPAR(15)•EQ.11) NCARD=6
      IF((NPAR(15)•EQ.12) NCARD=6
      GO TO 20
      CARDNR=NPAR(17)/8.0
      NCARD=INT(CARDNR)
      TEST=CARDNR-NCARD
      IF(TEST.GT.0.1) NCARD=NCARD+1
      CONTINUE
      N20=20
      C *** READ MATERIAL PROPERTIES
      DO 50 J=1,NUMMAT
        READ(5,9000) DUMMY
      9000 FORMAT(20A4)
        DO 45 I=1,NCARD
          READ(5,9000) DUMMY
        45 CONTINUE
        CONTINUE
      50 READ STRESS OUTPUT TABLE CARDS
      IF(NPAR(13)•EQ.0) GO TO 61
      DO 60 I=1,NSTRES
        READ(5,9000) DUMMY
      60 CONTINUE
      61 CONTINUE
      IF(NPAR(14)•EQ.0) NPAR(14)=1
      NEL=NPAR(14)-1
      READ(5,9002) INEL,IINC
      130 FORMAT(15,30X,15)
      IF(IINC.EQ.0) IINC=1
      READ(5,9004) (INP(I),I=1,8)
      READ(5,9004) (INP(I),I=9,N20)
      9004 FORMAT(1215)
      140 NEL=NEL+1
      ML=INEL-NEL
      IF(ML) 150,155,160
      150 CALLERRQ(9)
      C *** NODE GENERATION OF NODE POINTS REQUIRED
      9002 DO 155 I=1,N20
        NP(I)=INP(I)
      155 CONTINUE
      156 GO TO 162
      C *** GENERATION OF NODE PCINTS REQUIRED
      160 DO 161 I=1,N20
        IF(NP(I)•EQ.0) GO TO 161
        NP(I)=NP(I)+KN
      161 CONTINUE
      162 CONTINUE

```



```

NUMEL=NUMEL+1
WRITE(10) N20,NEL '(NP(I),I=1,N20)
IF(NEL.EQ.NPAR(2))RETURN
IF(NEL.LT.INEL) GO TO 140
KN=INC
GO TO 130
END
SUBROUTINE ADBEAM
C *   *   *   *   *   *   *   *   *   *   *   *   *
C *** THIS SUBROUTINE TO READ ADINA 2NODE BEAM ELEMENTS
C *** THIS ROUTINE CALLED BY ELTYPE
C *   *   *   *   *   *   *   *   *   *   *   *   *
C COMMON/GCONT/NUMNP,NPAR(20),NLTYP,NUMEL
N2=2
NUMMAT=NPAR(16)
IF(NUMMAT.EQ.0) NUMMAT=1
C *** READ MATERIAL PROPERTIES
DO 50 J=1,NUMMAT
  DO 45 I=1,2
    READ(5,9000) DUMMY
  9000 FORMAT(20A4)
  45 CONTINUE
  50 CONTINUE
C *** READ STRESS OUTPUT TABLE CARDS
  IF(NPAR(13).EQ.0) GO TO 81
  IF(NPAR(14).EQ.0) NPAR(14)=16
  NST=NPAR(13)
  CARDST=NPAR(14)/16.0
  NCDSST=INT(CARDST)
  TEST=CARST-NCDSST
  IF(TEST.GT.0.01) NCDSST=NCDSST+1
  NST=NST*NCDSST
  DO 80 I=1,NST
    READ(5,9000) DUMMY
  80 CONTINUE
C *** READ OR GENERATE ELEMENT DATA CARDS
  IF(NPAR(17).EQ.0) NPAR(17)=1
  NEL=NPAR(17)-1
  130 READ(5,9002) INEL,II,JJ,INC
  9002 FORMAT(3I5,1X,I5)
  IF(INC.EQ.0) INC=1
  140 NEL=NEL-NEL
ML=INEL-NEL

```



```

        IF(ML) 150,155,160
        CALL ERROR(10)
C *** NO GENERATION OF NODE POINTS REQUIRED
C 155 I=II
C         J=JJ
C         GO TO 162
C *** GENERATION OF NODE PCINTS REQUIRED
C 160 I=I+KN
C         J=J+KN
C 162 CONTINUE
C     NUMEI=NUMEL+1
C     WRITE(10) N2,NEL,I,J
C     IF(NEL.EQ.NPAR(2))RETURN
C     IF(NEL.LT.INEL) GO TO 140
C     KN=INC
C     GO TO 130
C   END
C   SUBROUTINE GEOM2(NUMFT,XPT,YPT,ZPT,UPT,VPT,WPT)
C   CALL ERROR(14)
C   RETURN
C   END
C   SUBROUTINE NSTRUS
C *
C *      *      *      *      *      *      *      *      *      *
C *** THIS SUBROUTINE TO READ NON SAP TRUSS ELEMENTS
C *** CALLED BY ELTYPE
C *
C *      *      *      *      *      *      *      *      *      *
C   RETURN
C   END
C   SUBROUTINE NSPLAN
C *
C *      *      *      *      *      *      *      *      *      *
C *** THIS SUBROUTINE TO READ NON SAP 2 D 8 NODE PLANE ELEMENTS
C *** CALLED BY ELTYPE
C *
C *      *      *      *      *      *      *      *      *      *
C   RETURN
C   END
C   SUBROUTINE NS3DEE
C *
C *      *      *      *      *      *      *      *      *      *
C *** THIS SUBROUTINE TO READ NON SAP 3-D ELEMENT DATA
C
C 000002960
C 000002970
C 000002980
C 000003000
C 000003010
C 000003020
C 000003030
C 000003040
C 000003050
C 000003060
C 000003070
C 000003080
C 000003090
C 000003100
C 000003110
C 000003120
C 000003130
C 000003140
C 000003150
C 000003160
C 000003170
C 000003180
C 000003190
C 000003200
C 000003210
C 000003220
C 000003230
C 000003240
C 000003250
C 000003260
C 000003270
C 000003280
C 000003290
C 000003300
C 000003310
C 000003320
C 000003330
C 000003340
C 000003350
C 000003360
C 000003370
C 000003380
C 000003390
C 000003400
C 000003410
C 000003420
C 000003430

```



```

C *** CALLED BY ELTYPE
C   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C
C   RETURN
C   END
C   SUBROUTINE DATA1( NUMPT,XPT,YPT,ZPT,UPT,VPT,WPT)
C
C   RETURN
C   END
C   SUBROUTINE DATA5( NUMPT,XPT,YPT,ZPT,UPT,VPT,WPT)
C
C   *** CALLED BY PSAPI
C
C   RETURN
C   END
C   SUBROUTINE DATA9( NUMPT,XPT,YPT,ZPT,UPT,VPT,WPT,DISPD,NON)
C
C   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C
C   *** USER SUPPLIED DISPLACEMENT INPUT SUBROUTINE .
C   *** CALLED BY PSAPI
C
C   *   *   *   *   *   *   *   *   *   *   *   *   *   *   *
C
C   COMMON /CDATA/NTLC
C   COMMON /CONTROL/KGEOM,KDATA,KPLOT,KSYMMX,KSYMMZ,KNOTAT,XLHT,
C   1KHORZ,KVERT,PHITHETA,PSI,NEWFR,ISCALE,PLOTSZ,XORGN,YORGN,
C   2PSCALE,KDISP,DMAG,KODE
C   COMMON /COUNT/NNODE,NNODE,NDEST,NUDISP,NWDISP
C   COMMON /NUMPT/1,XPT(1),YPT(1),ZPT(1),UPT(1),VPT(1),WPT(1)
C   DIMENSION DISPD(5,3,ACN)
C
C   IF (NUDISP.EQ.0 .AND. NWDISP.EQ.0 .AND. NWDISP.EQ.0) GO TO 25
C   IF (NTIME.EQ.0) GO TO 100
C   READ(5,1000) NTLC,SCALEF
C   1000 FORMAT(15,F10.0)
C   1000 IF (SCALEF.EQ.0) SCALEF=1.0
C   1000 READ(5,2000) N,NLCAS,U,V,W
C   2000 FORMAT(214,3E12.5)
C   2000 CISPD(NLCAS,1,N)=U*SCALEF
C   2000 DISPD(NLCAS,1,N)=V*SCALEF
C   2000 DISPD(NLCAS,2,N)=W*SCALEF
C   2000 IF ((NLCAS.EQ.NTLC).AND.(N.EQ.1)) GO TO 100
C   2000 GO TO 10
C   100 NTIME = NTIME + 1

```



```
000003920
000003930
C00003940
C00003950
000003960
000003970
000003980
000003990
```

```
200 DO 20 I=1,NODE
      UPT(I) = DISPD(NTIME,1,I)
      VPT(I) = DISPD(NTIME,2,I)
      WPT(I) = DISPD(NTIME,3,I)
20 CONTINUE
CONTINUE
RETURN
END
25
```


LIST OF REFERENCES

1. Earthquake Engineering Research Center report No. 73-11, SAP IV A Structural Analysis Program for Static and Dynamic Response of Linear Systems, By K. Bathe, E. L. Wilson and F. E. Peterson, June 1973 (revised April 1974).
2. Massachusetts Institute of Technology Report No. 82448-1, A Finite Element Program for Automatic Dynamic Incremental Nonlinear Analysis (ADINA), by K. Bathe, September 1975 (revised May 1976).
3. Bathe, K. J. and Wilson, E. L., Numerical Methods in Finite Element Analysis, 1st ed., p. 125, 128-32, Prentice-Hall, 1976.
4. National Aeronautics and Space Administration TN D-7797, Digital Computer Programs for Generating Oblique Orthographic Projections and Contour Plots, by Gary L. Giles, January 1975.
5. Naval Postgraduate School Technical Note No. 0211-03, Plotting Package for NPS IBM-360/67, by Patricia C. Johnson, January 1974.
6. Losh, D. M., The Implementation of a Finite Element Computer Code and Associated Pre- and Postprocessor into AE 4101 and 4102 (Flight Vehicle Structural Analysis I and II), Master of Science Thesis, Naval Postgraduate School, Monterey, CA., December 1976.
7. Naval Postgraduate School Technical Note No. 0211-5, User Libraries and Source Code Editing Under OS, by Sharon D. Raney, January 1976.
8. W. R. Church Computer Center Naval Postgraduate School, Monterey, CA., User's Manual, 1st ed., March 1970.

INITIAL DISTRIBUTION LIST

	No. Copies
1. Defense Documentation Center Cameron Station Alexandria, Virginia 22314	2
2. Library, Code 0212 Naval Postgraduate School Monterey, CA. 93940	2
3. Department Chairman, Code 69 Department of Mechanical Engineering Naval Postgraduate School Monterey, CA. 93940	1
4. Professor Gilles Cantin, Code 69Ci Department of Mechanical Engineering Naval Postgraduate School Monterey, CA. 93940	12
5. Assoc. Professor R. E. Ball, Code 67Bp Department of Aeronautics Naval Postgraduate School Monterey, CA. 93940	2
6. LT Adrian E. Kibler Jr., USN Third Ave. Hastings, PA. 16646	1
7. Georges Verchery Departement de Genie Mécanique Université de Technologie 60200 Compiègne, France	2
8. Jean Louis Armand Institut de Recherche Pour la Construction Navale 3 Avenue de Grand Champ 78230 le Pecq, France	2
9. Prof. K. J. Bathe Mechanical Engineering Department M. I. T. 77 Massachusetts Avenue Cambridge, Mass. 02139	2

	No. Copies
10. William J. Dodge Oak Ridge National Lab. Building 9204-1 Box Y Oak Ridge Tenn. 36830	1
11. Jack Tree Air Research Manufacturing Co. 402 South 36th Street P. O. Box 5217 Phoenix, Arizona 85010	1
12. Prof. Edward L. Wilson Structural Engineering Division Civil Engineering Department University of California (Berkeley) Berkeley, CA. 94720	1
13. Dr. William J. Stronge (Code 603) Naval Weapons Center China Lake, California 93955	2
14. J.E. Serpanos Code 3162 Naval Weapons Center China Lake, California 93955	1

26 AUG 80

27087

Thesis
K39645 Kibler

c.1 A finite element pre-
processor for SAP IV
and ADINA.

26 AUG 80

27087

Thesis
K39645
c.1

Kibler

171834

A finite element pre-
processor for SAP IV
and ADINA.

thesK39645
A finite element preprocessor for SAP IV



3 2768 002 11910 9
DUDLEY KNOX LIBRARY