



# Smooth typing

## FUJITSU Accessories - Keyboards




Fujitsu	Wireless Keyboard Set LX410	Keyboard KBPC PX ECO	Keyboard KB521 USB	Keyboard KB955	Keyboard KB915	Keyboard KB410 USB	Keyboard KB950 Phone	Keyboard KB951 PlamM2
Type	Combo Optical Set	Professional GreenIT	Business	Spill-resistant protection	Backlight	Office	Communication	Biometric
Slim design	yes	-	yes	yes	yes	yes	yes	yes
Multifunction keys	-	yes	yes	yes	yes	-	yes	yes
Backlight keys	-	-	-	-	yes	-	-	-
Laser printed keys	yes	yes	yes	yes	yes	yes	yes	yes
Power ON button	-	yes	yes	-	-	-	yes	yes
Adjustable	yes	yes	yes	yes	yes	yes	yes	yes
Handrest	-	yes	-	yes	-	-	yes	yes
Spill resistant	-	-	yes	yes	-	yes	yes	yes
Status LED	Caps, Scroll, Numlock LEDs	blue	blue	red	red	blue	white	white
Display / Calculator	-	-	-	-	-	-	yes	yes
Bio material	-	yes	-	-	-	-	-	-
PVC free cable	-	yes	-	-	-	-	-	-
Wireless Combo keyboard and mouse								
Wireless Technology 2.4 GHz	yes	-	-	-	-	-	-	-
Encryption AES 128-bit	-	-	-	-	-	-	-	-
Mouse	Optical	-	-	-	-	-	-	-
Mouse resolution	1600 dpi	-	-	-	-	-	-	-
Interfaces								
Required interface	USB	USB or PS/2 (with additional cable)	USB	USB	USB	USB	USB	USB
Cable length	-	2.0 m	1.85 m +/- 0.05 m	1.8 m	1.85 m	1.85 m +/- 0.05 m	1.85	1.85
Packaging information								
Retail box	yes	-	-	yes	yes	-	-	-
Batteries	yes	-	-	-	-	-	-	-
Software	-	-	-	-	-	-	-	-
Order information								
Order code (**country specific variation)	S26381-K410-L4**	S26381-K341-L1**	S26381-K521-L1**	S26381-K955-L4**	S26381-K563-L4**	S26381-K511-L4** S26381-K511-E4**	S26381-F950-L4*	S26381-K951-L4*

# Smart and precise FUJITSU Accessories - Wired Mice



Fujitsu	Blue LED Mouse GL9000	Mouse M530 (Black and Grey)	Mouse M440 ECO BL	Notebook Mouse M420NB	Mouse M520 (Black and Grey)	SpaceMouse™ Pro
Type	PC Mouse	PC Mouse	PC Mouse	Notebook Mouse	PC Mouse	3D Mouse
Optical	-	-	yes	yes	yes	-
Laser	Blue LED Sensor	yes	-	-	-	-
Mouse resolution	1000 dpi 1500 dpi 2000 dpi	1200 dpi	1000 dpi	1000 dpi	1000 dpi	-
Resolution switch	yes	-	-	-	-	-
Tilt wheel	yes	yes	-	-	-	-
Mouse buttons	10 buttons: 2 for 4-way scroll function; 2 for resolution switch	2 buttons for 4-way scroll function	Two buttons and one scroll wheel with button function	Two buttons and one scroll wheel with button function	Two buttons and one scroll wheel with button function	15 programmable keys
Left and right hand use	-	yes	yes	yes	yes	yes
Size	Maxi	Midi	Midi	Mini	Midi	-
<b>Interfaces</b>						
Required interface	USB	USB or PS2	USB	USB	USB	USB
Cable length	1.8 m	1.8 m	1.8 m	1 m	1.8 m	-
<b>Packaging information</b>						
Retail box	yes	-	-	yes	-	yes
Software	yes	-	-	-	-	-
<b>Order information</b>						
Order code	S26381-K438-L100	S26381-K468-L100 (black) S26381-K468-L101 (grey)	S26381-K450-L200	S26381-K453-L100	Black: S26381-K467-L100 Grey: S26381-K467-L101	S26381-K459-L100


# Smart and precise FUJITSU Accessories - Wireless Mice



Fujitsu	Wireless Mouse Touch WI910	Notebook Mouse WI610	Wireless Mouse WI410	Wireless Mouse WI200	Wireless Presenter R400
Type	Wireless Mouse	Wireless Mouse	Wireless Mouse	Wireless Mouse	Wireless Presenter
Optical	yes	yes	yes	yes	-
Laser	-	-	-	-	yes
Mouse resolution	1000 dpi 1500 dpi 2000 dpi	1000 dpi 1500 dpi 2000 dpi	1000 dpi	1000 dpi	-
Resolution switch	yes	yes	-	-	-
Tilt wheel	-	yes	-	-	-
Buttons	5 buttons: 3 programmable, 2 preset, and 1 scroll wheel	8 buttons incl. tilt wheel-button and 1 DPI switch button	2 buttons and 1 scroll wheel/button	2 buttons and 1 scroll wheel/button	ON / OFF switch Presentation button (F5) Black screen button (B) Page up / Page down button
Left and right hand use	-	yes	yes	yes	yes
Size	Maxi	Midi	Mini	Midi	-
<b>Wireless technologies</b>					
Wireless Technology 2.4 GHz	yes	yes	yes	yes	yes
Micro receiver	yes	yes	yes	yes	yes
Receiver slot	yes	yes	yes	yes	yes
<b>Interfaces</b>					
Required interface	USB	USB	USB	USB	USB
<b>Packaging information</b>					
Retail box	yes	yes	yes	yes	-
Batteries	yes	yes	yes	yes	yes
Software	yes	yes	-	-	-
<b>Order information</b>					
Order code	S26381-K465-L100	S26381-K460-L100	S26381-K464-L100	S26381-K462-L100	TAV:LTC-R400

# Comfort and style

## FUJITSU Accessories - Leather Cases




Fujitsu	PLEVIER TACAN 14	PLEVIER MANASSE 14	PLEVIER MANASSE 15	PLEVIER ESPLANADE C 15	PLEVIER MOGGRIDGE 15	PLEVIER Loran 15
Maximum notebook size	up to 35.6 cm / 14-inch	up to 35.6 cm / 14-inch	up to 39.6 cm / 15.6-inch	up to 39.6 cm / 15.6-inch	up to 39.6 cm / 15.6-inch	up to 39.6 cm / 15.6-inch
Material	Leather	Leather	Leather	Leather	Leather	Nylon (840 / 600)
Color	Brown	Black	Black	Brown	Brown	Black, with red details
Compartments	1 notebook compartment	1 notebook compartment	1 notebook compartment	1 notebook compartment 1 front pocket for accessories	1 notebook compartment 1 front pocket for accessories	1 notebook compartment 1 front pocket for accessories
Trolley Belt	no	no	no	no	no	yes
<b>Order information</b>						
Order code	S26391-F1193-L64 S26391-F10-L64 (10 pieces)	S26391-F1193-L62 S26391-F10-L62 (10 pieces)	S26391-F1193-L63 S26391-F10-L63 (10 pieces)	S26391-F1193-L61 S26391-F10-L61 (10 pieces)	S26391-F1193-L66 S26391-F10-L66 (10 pieces)	S26391-F1193-L65 S26391-F10-L65 (10 pieces)



Fujitsu	Supreme Case
Maximum notebook size	up to 39.6 cm / 15.6-inch
Material	Leather
Color	Black
Compartments	2
Trolley Belt	Trolley fastening strap on rear side also usable as compartment
<b>Order information</b>	
Order code	S26391-F1192-L900

# On the way

## FUJITSU Accessories - Cases



Fujitsu	Prestige Case Mini 13	Top Case 14	Pro Green Case 14	Messenger Bag 14	Prestige Case 15	Prestige Top Case 15	Prestige Case 16
<b>Maximum notebook size</b>	up to 34 cm / 13.3-inch	up to 35.5 cm / 14-inch	up to 35.5 cm / 14-inch	up to 35.5 cm / 14-inch	up to 41 cm / 16-inch	up to 39.6 cm / 15.6-inch	up to 41 cm / 16-inch
<b>Material</b>	Nylon D1680 + D210 + PU	600D Polyester	1800D Recycled PET / PU leather	Polyester / PU leather	Nylon (600 / 300) D	Nylon (840 / 600)	Nylon (600 / 300) D
<b>Color</b>	Black, with red details	Black	Black	Grey / black	Black, with red details	Black, with red details	Black, with red details
<b>Compartments</b>	3	2	3	1	3	2	3
<b>Trolley Belt</b>	yes	no	yes	no	yes	yes	yes
<b>Order information</b>							
<b>Order code</b>	S26391-F1192-L151	S26391-F1194-L120 (1 case) S26391-F10-L120 (10 cases)	S26391-F1194-L80	S26391-F1194-L171	S26391-F1194-L60	S26391-F1194-L50	S26391-F1194-L61



Fujitsu	Casual Entry Case 16	Prestige Trolley 17	Pro Green Backpack 14	Casual Backpack 16	Prestige Backpack 17	Sportive Backpack 15
<b>Maximum notebook size</b>	up to 39.6 cm / 15.6-inch	up to 43.9 cm / 17-inch	up to 35.5 cm / 14-inch	up to 41 cm / 16-inch	up to 43.9cm / 17.3-inch	Up to 390 x 265 x 40 mm
<b>Material</b>	Nylon	Nylon	1800D Recycled PET	Nylon / polyester	Nylon 840D	Polyester
<b>Color</b>	Black, with red details	Black, with red details	Black	Black, with grey details	Black, with red details	Black, with red details
<b>Compartments</b>	1	4	3	2	3	2
<b>Trolley Belt</b>	-	-	-	-	-	-
<b>Order information</b>						
<b>Order code</b>	S26391-F1191-L107	S26391-F1194-L130	S26391-F1194-L82	S26391-F1192-L167	S26391-F1192-L135	S26391-F1194-L136

# On the way

## FUJITSU Accessories - Tablet PC



	Sleeve Case M	DICOTA PerfectSkin (Sleeve collection)
<b>Tablet compatibility</b>	up to 35.5 cm / 14-inch	12 - 12.5-inch 13 - 13.3-inch 14 - 14.1-inch 15 - 15.6-inch 16 - 17.3-inch
<b>Material</b>	Twill PU / Micro Suede	Black neoprene
<b>Weight</b>	370 g	300 g
<b>Dimensions (W x D x H)</b>	343 x 38 x 248 mm	404 x 45 x 289 mm
<b>Miscellaneous</b>	Black with red interior For Notebooks up to 14 inch (Ultrabook) Protection case made out of Twill PU and Micro suede Magnetic closure lining in red Debossed Infinity logo on the front and Fujitsu Brand name on the back	Robust, especially elastic neoprene Adapts perfectly like a second skin to the notebook Guarantees optimal protections from scratches and small damages Zipper is equipped with a special surface in the inside to avoid scratches on the notebook
<b>Order Information</b>		
<b>Order code</b>	S26391-F1192-L312	S26391-F1193-... ...-L125 12 - 12.5-inch ...-L133 13 - 13.3-inch ...-L141 14 - 14.1-inch ...-L100 15 - 15.6-inch ...-L173 16 - 17.3-inch

# Powerful NAS solutions

## FUJITSU Storage - CELVIN<sup>®</sup> NAS systems



	CELVIN <sup>®</sup> NAS QE807	CELVIN <sup>®</sup> NAS QE707	CELVIN <sup>®</sup> NAS Q905	CELVIN <sup>®</sup> NAS Q805
Type	Hot-swappable 4-bay system	Hot-swappable 2-bay system	Hot-swappable 6-bay system	Hot-swappable 4-bay system
Hard disk capacity	Up to 4 x 2.5-inch or 3.5-inch SATA I/II/SATA 6 GB/s HDD	Up to 2 x 2.5-inch or 3.5-inch SATA I/II/SATA 6 GB/s HDD	Up to 6 x 2.5-inch or 3.5-inch SATA I/II/SATA 6 GB/s HDD	Up to 4 x 2.5-inch or 3.5-inch SATA I/II/SATA 6 GB/s HDD
Gigabit Ethernet port	2 x	2 x	4 x	2 x
SSD caching	-	-	yes	yes
Max. Device Capacity	24 TB	12 TB	48 TB	32 TB
Memory	1 GB	1 GB	2 GB / Upgrade to max. 8 GB	2 GB / Upgrade to max. 8 GB
Data Interface	Ethernet / USB 3.0	Ethernet / USB 3.0	Ethernet / USB 2.0 / USB 3.0	Ethernet / USB 2.0 / USB 3.0
LCD-Displays Instant Setup	-	-	yes	yes
Virtualization and Clustering Support	-	-	yes	yes
iSCSI Target/Initiator	yes	yes	yes	yes
VMWare/Citrix/HyperV	-	-	yes	yes
Virtualization Station	-	-	yes	yes
Thin Provisioning	yes	yes	yes	yes
VPN (SSL) Server / Client	yes	yes	yes	yes
User Authentication Windows Active Directory Service / LDAP Radius Server	yes	yes	yes	yes
Failover / Load Balancing	yes	yes	yes	yes
Raid Level	0/1/5/6/10/JBOD	0/1/JBOD	0/1/5/5+HS/6/6+HS/10/10+HS/JBOD	0/1/5/5+HS/6/10/JBOD
One-button back up + Client back up software	yes	yes	yes	yes
Remote Replication	yes	yes	yes	yes
LUN Backup and One-time Snapshot	yes	yes	yes	yes
FTP, File Server and WEB Server	yes	yes	yes	yes
Private Cloud	yes	yes	yes	yes
Printer Server	yes	yes	yes	yes
SQL Server	yes	yes	yes	yes
Remote Access and System Management	yes	yes	yes	yes
App-Center for software add-ons	yes	yes	yes	yes
Surveillance station	2	2	2	2
Storage Pooling	yes	yes	yes	yes
Order code S26341-...	Order codes depending on configuration	Order codes depending on configuration	Order codes depending on configuration	Order codes depending on configuration

# Powerful NAS solutions

## FUJITSU Storage - CELVIN<sup>®</sup> NAS systems




	CELVIN <sup>®</sup> NAS QR806	CELVIN <sup>®</sup> NAS QR1006
Type	Hot-swappable 4-bay system; Rackmount 1U	Hot-swappable 8-bay system; Rackmount 2U
Hard disk capacity	Up to 4 x 2.5-inch or 3.5-inch SATA I/II/SATA 6GB/s HDD / SSD	Up to 8 x 2.5-inch or 3.5-inch SATA I/II/SATA 6GB/s HDD / SSD
Gigabit Ethernet port / 10Gb Ethernet	4 / 1	4 / 1
SSD caching	yes	yes
Max. Device Capacity	32 TB	64 TB
Memory	4 GB / Upgrade to max. 8GB	4 GB / Upgrade to max. 8GB
Data Interface	Ethernet / USB 2.0 / USB 3.0	Ethernet / USB 2.0 / USB 3.0
LCD-Displays Instant Setup	-	-
Virtualization and Clustering Support	yes	yes
iSCSI Target/Initiator	yes	yes
VMWare/Citrix/HyperV	yes	yes
Virtualization Station	yes	yes
Thin Provisioning	yes	yes
VPN (SSL) Server / Client	yes	yes
User Authentication Windows Active Directory Service / LDAP Radius Server	yes	yes
Failover / Load Balancing	yes	yes
Raid Level	0/1/5/5+HS/6/10/BOD	0/1/5/5+HS/6/6+HS/10/10+HS/BOD
One-button back up + Client back up software	yes	yes
Remote Replication	yes	yes
LUN Backup and One-time Snapshot	yes	yes
FTP, File Server and WEB Server	yes	yes
Private Cloud	yes	yes
Printer Server	yes	yes
SQL Server	yes	yes
Remote Access and System Management	yes	yes
App-Center for software add-ons	yes	yes
Surveillance station	4	4
Storage Pooling	yes	yes
Order code S26341-...	Order codes depending on configuration (configuration with SSD on request)	Order codes depending on configuration (configuration with SSD on request)



# More capacity for important data


## FUJITSU Accessories - Storage USB: HDD, Flash, ODD



	Ultra Slim Portable DVD Writer GP60NB60	ADATA HV620S USB3.1	ADATA SE730H External Solid State Drive	ADATA UC350 USB Type-C Flash Drive
<b>Type</b>		Portable USB 3.1 HDD Drive	External SSD USB 3.1 Gen 2 Drive	Switchable Type-A and Type-C USB 3.1(Gen 1) Flash drive
<b>Hard disk capacity/ Disk Outa Diameter</b>	DVD / CD	1 TB	256 GB SSD	32 GB - 64 GB
<b>Power</b>				
<b>USB powered</b>	yes	yes	yes	yes
<b>Design</b>				
<b>Size</b>	144 x 137.5 x 14 mm	2.5	44 x 12.2 x 72.7 mm	Micro format
<b>USB 2.0 total</b>	1	-	-	-
<b>USB 3.0 total</b>	-	1	1	1 & Type-C
<b>USB Notes</b>	USB 2.0 (Plug&Play)	Connecting via USB 2.0 requires plugging in to two USB ports for sufficient power delivery. A USB Y-cable will be needed.	Product includes USB-C to USB-C cable. Connection to microUSB (USB-A) requires separate cable (not included)	Switchable Type-A and Type-C USB 3.1(Gen 1) connectors, backward compatible with USB 2.0 / USB 3.0
<b>Required interface</b>		USB 3.0 or USB 2.0	USB 3.1 Gen2 Type-C	
<b>Transfer rate</b>	Write speed: DVD - R 8x / CD - R 24x DVD - R DL 6x DVD - RW 6x / CD - RW 24x DVD - RAM 5x DVD + R 8x DVD + R DL 6x DVD + RW 8x M-DISC 4x Read speed: DVD - R 8x / CD - R 24x DVD - R DL 8x / DVD - RW 8x / CD - RW 24x DVD - ROM 8x / CD - ROM 24 x DVD - RAM 6x DVD + RW 8x DVD + R DL 8x DVD + RW 8x M-DISC 8x	SuperSpeed USB 3.1	up to 10 Gbs	100 MB/s read and 30 MB/s write
<b>Order information</b>				
<b>Order code</b>	S26341-F103-L142	S26391-F6048-L510	S26391-F6048-L525	S26391-F6048-L432 32 GB S26391-F6048-L464 64 GB

# Comfort and communication

## FUJITSU Accessories - Multimedia



Fujitsu	UC&C USB Headset Stereo H650e	UC&C USB Value Headset	Communicator Headset	Plantronics Blackwire 3225
Speaker design	Super-aural 35 mm speaker	Bi-aural 30 mm speaker	Super-aural 30 mm speaker	On-ear / headband
Audio Surround	Stereo	Stereo	Stereo	Stereo
Weight	135 g	100 g	70 g	114 g
Wired Control	yes	yes	-	yes
Required interface	USB 2.0 / 3.0	USB 2.0 / 3.0	3.5mm audio jack	USB 2.0 / 3.0
Mute	yes	yes	-	yes
Noise Reduction	yes	yes	-	yes
Microphone	yes	yes	yes	yes
Power supply	USB powered	USB powered	line in powered	USB powered
<b>Order Information</b>				
Order code	S26391-F7139-L10	S26391-F7139-L20	S26391-F7139-L51	S26391-F7139-L351 (1 unit = 50 pieces)

# Protect your data from unauthorized access


## FUJITSU Accessories - PalmSecure Devices



Fujitsu	PalmSecure ID Match	PalmSecure ID ACCESS PSN900	PalmSecure OEM Sensor	PalmSecure Sensor F PRO OEM Sensor	PalmSecure U Guide	PalmSecure F Pro Standard	PalmSecure F Pro Mouse
<b>Type</b>	Biometric Multi Factor Access Terminal	Biometric Physical Access Control Terminal	Palm vein scanner	Palm vein scanner sensor	Optimal palm positioning	Palm vein scanner sensor inc. USB cable	3 Button wheel USB mouse with integrated PalmSecure Sensor
<b>Technology</b>	Palm Vein Scanner	Palm Vein Scanner	Palm Vein Scanner	Palm Vein Scanner	Palm Vein Scanner	Palm Vein Scanner	Palm Vein Scanner
<b>Interface</b>	LAN and USB	LAN or USB	Recommended connector at the Sensor side: ACON brand: MNC12-5K5210 or equivalent	USB Micro	-	USB Micro	USB cable
<b>Weight</b>	810 g	1000 g	35 g	29 g	251 g	35 g	105 g
<b>Dimensions (W x D x H)</b>	262 x 125 x 96 mm	132 x 38 x 302 mm	35 x 35 x 27 mm	29 x 29 x 13 mm	140 x 170 x 110 mm	46 x 46 x 16 mm	63 x 120 x 39 mm
<b>Description</b>	Security solution for protecting access, data or payment; Matches the unique palm vein scan with the biometric template stored on an individual SmartCard; Avoiding the implementation of a central database and keeping the process strictly personal;	Device for physical access control and time & attendance solution; PSN900 terminal ensures advanced biometric authentication; Easy to integrate into existing hardware infrastructures; For multi-factor authentication the system can be combined with other authentication factors like pin pad or SmartCard technologie;	PalmSecure OEM Sensor captures an individual's palm image with a near-infrared light for highly secure logins; Designed specifically for integration in other products and solutions	PalmSecure F Pro Sensor captures an individual's palm image with a near-infrared light for highly secure logins; Designed specifically for integration in other products and solutions;	PalmSecure U Guide is designed for use in combination with PalmSecure OEM Sensor. The sensor snaps into the base of the PalmSecure U Guide for easy mounting at a secure access point such as the entrance to a laboratory. PalmSecure U Guide allows users to effortlessly position their hand optimally for scanning.;	PalmSecure F Pro Standard Sensor captures an individual's palm image with a near-infrared light for highly secure logins; Designed specifically for use as stand alone device;	Security solution for protecting access, data or payment; Matches the unique palm vein scan with the biometric template stored on an individual SmartCard; Avoiding the implementation of a central database and keeping the process strictly personal;
<b>Special Features</b>	ARM 8 Cortex with crypto co-processor; 4-3-inch touch display; PalmSecure Sensor (M1E) contact and RFID card reader; AC adapter 12V 36W; SDK for integration in solution;	Vein pattern hidden under the skin makes forgery very difficult. Unique even among identical twins. Never changes - stays same throughout life. Detectable only when blood is flowing. Palm vein patterns are very complex >5 million reference points Palm veins insensitive against environment (cold temperature, creamy hands, skin scratches). Very hygienic due to non-contact operation to sensors	Ultra-low false accept and false reject rates; Encrypted template storage; Enterprise level event logging; Compatible with leading SSO providers; Compatible with Microsoft; Active Directory and Microsoft Winlogon	Usability: Simply hold the palm over the small infrared scanner and within a second the identity is verified; Very hygienic due to non-contact operation to sensors; Designed for OEMs: Provides an off the shelf biometric identification solution for original equipment manufacturers (OEMs) to integrate into their access systems;	Heavy duty plastic housing	Biometric solution through palm vein authentication; Powerful combination of strong biometric authentication for log-in security, access management and data protection for enterprise environments; Usability: Simply hold the palm over the small infrared scanner and within a second the identity is verified; Very hygienic due to non-contact operation to sensors; USB cable included;	Optical USB wheel mouse with integrated PalmSecure sensor (M1E) and removable handguide for easy enrollment
<b>Order information</b>	S26361-K1500-V115	S26381-K434-L901 S26381-K434-L902 S26381-K434-L903 S26381-K434-L904 S26381-K434-L905 S26381-K434-L906	S26381-K434-L100	S26381-K434-L150	S26381-K434-L550 (for F Pro and OEM Sensor)	S26381-K436-L150	S26381-K435-L150

# Protect your data from unauthorized access

## FUJITSU Accessories - Security



Fujitsu	Authentrend Key Hello	USB SCR 3500A WHITE	SmartCard Reader Cloud 2700R	Dual SmartCard Reader D323
Type	Fingerprint reader Touch	Foldable USB SmartCard Reader	USB SmartCard Reader/Writer	SmartCard Reader Internal
Technology	Area Fingerprint reader	SmartCard technology	SmartCard technology	SmartCard technology
Interface	USB	USB / ISO 7816	USB cable / Contact card reader ISO7816	USB / ISO 7816 1-4 standard
Weight	5 g	10 g	205 g with standing base	195 g
Dimensions (W x D x H)	14.2 x 8.0 x 20.2 mm	48 x 20 x 12 mm	70 x 63 x 62 mm	102 x 127 x 26 mm
Description	USB dongle fingerprint reader - Windows Hello compliant - FAR / FRR < 0.002 % / < 3 % - Matching response time < 1 sec - Multiple fingers - 360° fingerprint matching		Ergonomic stand alone SmartCard Reader incl Standing Base Kit for single-hand use	SCR for internal use with desktop, thin client and workstation
Standards	CE	CE FCC Class B cULus ICES-003 Class B RoHS WEEE VCCI	CE FCC UL VCCI CCID compliant PC/SC compatible Supports ISO/IEC 7816	CE WEEE RoHS EN 60950
Special Features	Blue status LED Supported by Windows Hello	Proven SmartCard technology	EMV level 1	Contact card reader
Order information	S26381-K469-L100	S26381-F350-L101	S26381-F2700-L100	S26361-F1260-L521

# Protect your data from unauthorized access


## FUJITSU Accessories - Security Keyboards



Fujitsu	Keyboard KB951 PalmM2	KB100 SCR (grey )	KB100 SCR (black)	Keyboard KB100 SCR eSIG
Type	Biometric	SmartCard Keyboard	SmartCard Keyboard	SmartCard Keyboard
<b>Design</b>				
Design	Slim design			
Multifunction keys	yes	yes	yes	
Laser printed keys	yes	yes	yes	
Status LED	White	Green	Green	
Color	Black	Marble grey	Black	Marble grey
<b>SmartCard Technology</b>				
SmartCard Reader	-	yes	yes	yes
Palmvein technology	yes	-	-	-
<b>Interfaces</b>				
Required interface	USB	USB	USB	USB
Cable length	1.85 m	1.8 m	1.8 m	
<b>Other</b>				
Display / Calculator	yes	-	-	-
Spill resistant	yes	-	-	-
<b>Order information</b>				
Order code	S26381-K951-L4** (**country specific variation)	S26381-K100-L1** (**country specific variation)	S26381-K100-L4** (**country specific variation)	S26381-K101-L120 (German keyboard layout only)

# Charge your devices everywhere


## FUJITSU Accessories - Power



Fujitsu	Car/Air DC Mini Adapter 80	Dual USB Quick Charge Adapter
Color	Black	Black
Dimensions (w x d x h)	64 x 49 x 17 mm	60 x 51 x 32 mm (w/o plug)
Weight	70 g (w/o cables and connectors)	103 g (w/ EU plug attached)
Input	12 - 15V	230 VAC
Output	19V + 5V USB (68W)	2 x USB; 2.1 Type-A each
Safety Features	<ul style="list-style-type: none"> <li>- Reverse polarity</li> <li>- Under voltage protection</li> <li>- Over current protection</li> <li>- Over voltage protection</li> <li>- Over temperature protection</li> <li>- Short circuit protection</li> </ul>	<ul style="list-style-type: none"> <li>- Over voltage protection</li> <li>- Over current protection</li> <li>- Short circuit protection</li> </ul>
Connectors	Car Adapter plug with additional EmPower Flight Adapter Notebook: 19V Tablet: 19V	EU / UK / US switchable adapter plug included
Order information		
Order code	S26391-F2613-L616	S26391-F2613-L620

# Get connected in a second


## FUJITSU Accessories - Connectivity



Fujitsu	USB 3.0 Port Replicator PR08	USB Port Replicator PR 8.1	USB Port Replicator PR09	USB Type-C Port Replicator	USB 3.0 Hub 4 Ports
Data Rates	up to 2.7 Gbp/s	up to 1 Gbp/s	up to 10 Gbit/s	up to 5 Gbit/s	5 Gbit/s
Power supply	AC Adapter	AC Adapter	AC Adapter 20 VDC	AC Adapter	AC and bus-powered
Resolution	All standards from 640 x 480 to 2560 x 1152 (16/32 bit) 2560 x 1600 pixel (max. resolution, DisplayPort single-mode) 2048 x 1152 pixel (max. resolution, DVI-I, dual-mode)	All standards from 640 x 480 to 2048 x 1152 and 2048 x 1280 to 3840 x 2160 pixel (DP only)	1x up to 5120 x 2880 @ 60Hz or 2x up to 4096 x 2160 @ 60Hz	For 1 external display: HDMI up to 4096 x 2160 @24Hz DP up 3840 x 2160@30Hz For 2 external + 1 internal displays: 1920 x 1080 p60Hz For 3 external + 1 internal displays: 1600 x 900 p60 or 1280 x 1024 p60Hz	-
Required interface	USB 3.0 (or USB 2.0)	USB 3.0	USB Type-C	USB Type-C	USB 3.0 (or USB 2.0)
DisplayLink	Certified	Certified	Certified	-	-
LAN	10/100/1000	10/100/1000	10/100/1000	10/100/1000	-
Graphic	DisplayPort, DVI-I	Use of either DisplayPort or HDMI	2 x DisplayPort 1.2a DP++	1 x DisplayPort 1.2, 1 x HDMI, 1 x VGA (VGA: support on USB type-C port replicator only if not used on client)	-
Hub	2 x USB 2.0, 2 x USB 3.0	3 x USB 3.0	1 x USB Type-C (UFP) 3 x USB Type-C 3.1 Gen2 (DFP) 4 x USB Type-A 3.1 Gen1 (DFP)	USB Type-C (to Devices): 1 x USB 3.1 Gen1, up to 5V/3A power output USB Type-C (to PC/Tablet): x USB 3.1 Gen1, up to 60 W power output USB Type-A: 3 x USB 3.1 Gen1	4 x USB 3.0
Line in / out USB	Line in / out USB	Line in / out USB	SPDIF	-	-
<b>Packaging information</b>					
Package Content	USB 3.0 Port Replicator PR08	USB Port Replicator PR8.1 Power adapter Exchangeable AC plugs for EU, US, UK, CN, AUS/NZ USB 3.0 Type-A to Type-B Cable (100 cm), USB CTS certified Quick Start Guide Driver CD with manual	USB Port Replicator PR09 AC/DC Adapter 20V, 120W EU-power cord, 1.8 m USB Type-C cable, 1 m Quick Start Guide Service Desk & Warranty Informations Safety Notes Informationcard for driver download	USB Type-C Port Replicator 3-pin AC-adapter 19V/90W USB-C cable	USB 3.0 Hub 4 Ports
VGA Adapter	yes	Supported with adapter S26391-F6055-L260 (not included)	-	-	-
<b>Order information</b>					
Order code	S26391-F6007-L400 S26391-F6007-L406 (6 pieces)	S26391-F6007-L410	S26391-F6007-L500	S26391-F1667-L100	S26391-F6099-L304

# Clean desk for efficient working

## FUJITSU Accessories - Connectivity



Fujitsu	Workplace Connect Kit 1.0	Workplace Connect Kit 2.0	EVOline Dock Square for PR09
Power supply	240 VAC	240 VAC	240 VAC
On / off switch	yes	yes	yes
Power sockets on desk	2 / integrated	2 / integrated	2 / integrated
Power sockets under desk	2 x 3 power socket	2 x 3 power socket	2 x 3 power socket
Features	See USB 3.0 Port Replicator PR08	See USB Port Replicator PR09	-
<b>Packaging information</b>			
Package Content	Workplace Connect Gate 2.0 USB 3.0 Port Replicator PR08 Dual USB Quick Charge Adapter Notebook AC Adapter, 19V 80W Power Cable EU	EVOline Dock Square USB Port Replicator PR09	EVOline Dock Square
<b>Order information</b>			
Order code	S26391-F6055-L710	BDL:F6055L720-DE	S26391-F6055-L630



# Get connected in a second



## FUJITSU Accessories - Connectivity



<b>Fujitsu</b>	USB to UHD DP Adapter
Data Rates	5 Gbit/s
Power supply	Bus-powered
Resolution	3840 x 2160 on DisplayPort
Required interface	USB 3.0
DisplayLink	yes
LAN	-
Graphic	DisplayPort 1.2
Hub	-
Audio	-
<b>Packaging information</b>	
VGA Adapter	Possible
<b>Order information</b>	
Order code	S26391-F6099-L500


# Get connected in a second

## FUJITSU Accessories - Connectivity



Fujitsu	DP1.2 to HDMI2.0 Adapter	DVI to VGA Adapter	VGA Conversion Cable	DisplayPort to DisplayPort 1.4 Cable	HDMI to HDMI Cable	USB 3.0 certified cable 2m	VGA to VGA Cable
Length	0.15 m	0.04 m	0.18 m	2 m	1.8 m	2.0 m	1.8 m
Color	Black	Black	Black	Black	Marble grey	Black	Black
Specification	DisplayPort 1.2/ HDMI 2.0	165 MHz	165 MHz	DisplayPort 1.4	HDMI version: 1.3	USB A / USB B	-
Interface	male / female	male / female	male / female	male / male	male / male	male / male	male / male

Order information							
Order code	S26391-F6055-L212 S26391-F6055-L224 (20 pieces)	S26391-F6055-L260	S26391-F938-L900	S26391-F6055-L219 S26391-F6055-L223 (20 pieces)	S26391-F6055-L230 S26391-F6055-L233 (20 pieces)	S26391-F6055-L320 S26391-F6055-L321 (20 pieces)	S26391-F6055-L261





Fujitsu	DVI-D to DVI-D Cable	HDMI to DVI-D Cable	Mini-DP to DP 1.4 Cable	USB to Serial Adapter Cable	DisplayPort to DVI Cable	DisplayPort to VGA Adapter	Micro HDMI to HDMI Cable
Length	1.8 m	1.8 m	2.2 m	0.85 m	0.4 m	0.18 m	2.0 m
Color	Black	Black	black	Black	Black	Black	Black
Specification	165 MHz	HDMI version 1.3	DisplayPort 1.4	USB 1.1 or higher	DVI-D (Dual Link)	DisplayPort 1.2a	-
Interface	male / male	male / male	male / male	male / male	male / female	male / female	male / male

Order information							
Order code	S26391-F6055-L240	S26391-F6055-L250	S26391-F6055-L222 (1 piece) S26391-F6055-L221 (20 pieces)	S26391-F6055-L570	S26391-F6055-L270 S26391-F6055-L271 (20 pieces)	S26391-F6055-L280 S26391-F6055-L281 (100 pieces)	S26391-F6055-L231

# Get connected in a second


## FUJITSU Accessories - Connectivity



Fujitsu	USB-C to HDMI2.0 Adapter	USB Type-C to USB Type-A Adapter	USB-A to USB-C Adapter	USB Type-C Cable 5A Gen2	USB Type-C to VGA Adapter	USB Type-C to DP Adapter	USB Type-C to Gb-LAN Adapter
<b>Length</b>	186 mm	0.15 m	44 mm	1 m	0.15 m	0.15 m	0.175 m
<b>Color</b>	black	black	black	black	black	black	black
<b>Specification</b>	HDMI 2.06	USB 3.0	USB 3.1 Gen1	USB 3.1 Gen2	ALT-Mode	ALT-Mode	IEEE 802.3 / 802.3u
<b>Interface</b>	male / male	male / female	male / female	male / male	male / female	male / female	male / female
<b>Order information</b>							
<b>Order code</b>	S26391-F6058-L130 (1 piece) S26391-F6058-L131 (20 pieces)	S26391-F6058-L100 (1 piece) S26391-F6058-L120 (20 pieces)	S26391-F6058-L102 (1 piece) S26391-F6058-L122 (20 pieces)	S26391-F6058-L101 (1 piece) S26391-F6058-L121 (20 pieces)	S26391-F6058-L203 (1 piece) S26391-F6058-L224 (20 pieces)	S26391-F6058-L201 (1 piece) S26391-F6058-L223 (20 pieces)	S26391-F6058-L301 (1 piece) S26391-F6058-L321 (20 pieces)

# Prevention from theft

## FUJITSU Accessories - Security



Fujitsu	PocketSaver	Combination Ultra	MicroSaver Twin	MicroSaver DS Ultra thin	MicroSaver Slim 2.0	MiniSaver Mobile Lock
Kensington	yes	yes	yes	yes	yes	yes
Lock solution / key style	Round key	-	Round key	Flat key	Round key	Flat key
Cable length	1.20 m	1.80 m	2.20 m	1.50 m	1.85 m	2.00 m
Cable diameter	2 mm	6 mm	5.3 mm	4 mm	5.3 mm	5 mm
Carbon-tempered steel	-	-	yes	yes	yes	yes
For thin notebooks	-	-	-	yes	-	yes
<b>Order information</b>						
Order code	S26391-F6045-L100	S26361-F1650-L510	S26361-F1650-L600	S26361-F1650-L900	S26361-F1650-L202	S26361-F1650-L910

# For protection from unauthorized views

## FUJITSU Accessories - Privacy filter



Privacy Filters - For Mobiles	35.0 cm (13.3-inch) (adhesively)	31.8 cm (12.5-inch)	33.7 cm (13.3-inch)	35.5 cm (14.1-inch)	39.6 cm (15.6-inch)
Order code: S26391-...	...-F6097-L361	...-F6098-L212 ...-F6098-L312 (14 pieces)	...-F6098-L213 ...-F6098-L313 (14 pieces)	...-F6098-L214 ...-F6098-L314 (12 pieces)	...-F6098-L215 ...-F6098-L315 (12 pieces)
Tablet STYLISTIC Q738 (only touch)	x	x	x		
Tablet LIFEBOOK T938 (only touch)	x	x	x		
Notebook LIFEBOOK U938 (touch & non-touch)	(not compatible)	x	x		
Notebook LIFEBOOK U937 (touch & non-touch)	(not compatible)	x	x		
Notebook LIFEBOOK S938 (touch & non-touch)	(touch only)	x	x		
Notebook LIFEBOOK S937 (touch & non-touch)	(touch only)	x	x		
Notebook LIFEBOOK U758 (touch & non-touch)					x
Notebook LIFEBOOK U757 (touch & non-touch)					x
Notebook LIFEBOOK U748 (touch & non-touch)				x	
Notebook LIFEBOOK U747 (touch & non-touch)				x	
Notebook LIFEBOOK E558 (non-touch)					x
Notebook LIFEBOOK E557 (only non-touch)					x
Notebook LIFEBOOK E548 (only non-touch)				x	
Notebook LIFEBOOK E458 (only non-touch)					x
Notebook LIFEBOOK E547 (only non-touch)				x	
Notebook LIFEBOOK E448 (only non-touch)				x	
Notebook LIFEBOOK A557 (only non-touch)					x
Notebook LIFEBOOK A357 (only non-touch)					x
Mobile Workstation CELSIUS H780 (touch & non-touch)					x
Mobile Workstation CELSIUS H770 (touch & non-touch)					x

Privacy Filters For Displays	60.5 cm (23.8-inch)	61.2 cm (24.0-inch)
Order code: S26391-...	...-F6098-L238	...-F6098-L224
Display P24-8 TE Pro	x	
Display P24-8 TE Pro	x	
Display B24-8 TS Pro	x	
Display E24-8 TS Pro	x	
Display B24W-7 LED		x
Display B24W-7 LED (S)		x
Frameless design:		
Display P24-9 TE	x	
Display B24-9 TE	x	
Display B24-9 TS	x	
Display E24-9 Touch	x	
Display P24-8 WE Neo		x
Display P24-8 WS Neo		x
Display B24-9 WE Neo		x
Display B24-8 WS Neo		x