HP Color LaserJet Enterprise MFP M681 series



This HP Color LaserJet MFP merges performance, energy efficiency, and the deepest security. ¹

This HP Color LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network with the industry's deepest security. 1



HP Color LaserJet Enterprise Flow MFP M681f



HP Color LaserJet Enterprise Flow MFP M681z



HP Color LaserJet Enterprise MFP M681dh



HP Color LaserJet Enterprise MFP M681f

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.⁸
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High speed performance meets energy efficiency

- Scanning is now faster than ever; scan to SharePoint and more.
- This MFP wakes up fast and prints your first page faster—in as quickly as ____ seconds.
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology. 9
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 4 x 6" to legal.

More Pages, Performance, and Protection⁴

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality.
- Original HP Toner cartridges with JetIntelligence supply 39% more pages per color cartridge vs predecessor.4
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁵

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

³ HP 657X High Yield Original LaserJet Toner Cartridges not included; please purchase separately

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurityclaims

More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original LaserJet Toner Cartridges with HP 657X High Yield Color Original LaserJet Toner Cartridges. For more

information, see hp.com/go/learnaboutsupplies

^{**}Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

5 HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

6 Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary

Product walkaround

- 1. Hardware Integration Pocket¹
- 2. Easy-access USB port²
- 3. 1,000-sheet 3-bin stapler/stacker with offset job printing (Flow z models only)
- 4. Built-in automatic two-sided printing
- 5. HP High-Performance Secure Hard Disk
- 6. 550-sheet tray 2
- 7. 3x550-sheet paper feeder and stand³
- 8. 150-sheet ADF with single-pass, two-sided scanning and HP EveryPage⁴
- 9. 8.0-inch (20.3 cm) icon-based color touchscreen
- 10. Pull-out keyboard4
- 11. 100-sheet multipurpose tray 1
- 12. Lower-right door (access to print path)
- 13. Front door access to toner cartridges
- 14. Fax port⁵
- 15. Slot for cable-type security lock
- 16. Built-in Gigabit Ethernet
- 17. Hi-Speed USB 2.0 printing port
- 18. USB port for connecting external USB devices



Series at a glance









Model	HP Color LaserJet Enterprise Flow MFP M681f	HP Color LaserJet Enterprise Flow MFP M681z	HP Color LaserJet Enterprise MFP M681dh	HP Color LaserJet Enterprise MFP M681f
Model	Flow MFP M681f	Flow MFP M681z	MFP M681dh	MFP M681f
Product number	J8A12A	J8A13A	J8A10A	J8A11A
Print speeds (letter/A4) ⁶	Up to 50/47 ppm		Up to 50/47 pages per minute (ppm)	Up to 50/47 ppm
Fax capabilities	√		Optional	√
100-sheet tray 1, 550-sheet tray 2			V	
550-sheet paper feeder	Optional (up to two)	Not available	Optional (up to two) ⁷	Not available
550-sheet paper feeder with stand and cabinet	Optional	Not available	Optional ⁷	√
3x550-sheet paper feeder and stand	Optional	√	Optional ⁷	Not available
1x550-sheet/2,000-sheet HCl feeder and stand	Optional	Not available	Optional ⁷	Not available
3-bin stapler/stacker with offset job printing	Not available	√	Not available	
Advanced workflow features including pull-out keyboard	√		Not available	
Direct mobile printing	Optional wireless direct ⁷ /NFC ⁸		Optional wireless direct ⁸ /NFC ⁹	Optional wireless direct ⁷ /NFC ⁸
Wireless networking	Optional ¹⁰		Optional ¹¹	Optional ¹⁰

- Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. An administrator must enable the easy-access USB port before use.

- Standard and optional paper-handling accessories wary by model. See Series at a glance table for details.

 The pull-out keyboard and HP EveryPage are only available on the HP Color LaserJet Enterprise Flow MFP M681z and Flow MFP M682z models.

 Fax capability is optional on the HP Color LaserJet Enterprise MFP M681dh model; it is included on all other models.
- 6 Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 7 Wi-Fi Direct printing is embedded in the HP Color Laser.Jet Enterprise Flow MFP M682z model. All other models can add wireless direct by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct® supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/
- * Touch-to-print capability is optional for all models (except the Flow MFP M682z) with the purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field
- Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

 Bluetooth Low Energy is only available on the HP Color Laser Jet Enterprise Flow MFP M682z. Bluetooth® is a trademark owned by its proprietor and used by HP Inc. under license.
- 10 Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Windows® 10

For carepack availability visit: hp.com/go/cpc:

Top features

Only HP enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds up to 50 pages per minute³, fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your MFP using Original HP Toner cartridges with JetIntelligence.⁴

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 180 ipm⁶—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories

2EH31A HP MFP Analog Fax Accessory 700

2MU47A HP Accessibility Assistant

2NR09A HP Removable Hard Drive Enclosure

2NR12A HP Accessibility Kit

2TD64A HP Jetdirect 3100w BLE/NFC/Wireless Accessory

HP 110V Heated Pressure Roller 3JN69A HP 220V Heated Pressure Roller 5FI 03A A7W13A HP TAA Version Secure Hard Disk Drive HP PageWide 550-sheet Paper Tray B5I 28A

B5L29A HP Internal USB Ports

HP High-Performance Secure Hard Disk B5L31A

CC543B HP Foreign Interface Harness

E5K48A HP LaserJet MFP Analog Fax Accessory 500 F5K49A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM F5S62A HP Jetdirect 3000w NFC/Wireless Accessory

J8030A HP Jetdirect 2900nw Print Server HP 300 ADF Roller Replacement Kit J8031A

HP PageWide Managed 550-sheet Paper Tray J8J95A P1B09A

HP PageWide Managed 550-sheet Paper Tray and Cabinet P1B10A HP PageWide Managed 3x550 sheet Paper Tray and Stand

P1B11A HP PageWide Managed 4000 sheet High-capacity Paper Tray and Stand

P1B12A HP PageWide 550-sheet Paper Tray Stand

J8J96A HP Staple Cartridge Refill

Supplies

HP 655A Black Original LaserJet Toner Cartridge (~12,500 yield) CF450A

HP 657X High Yield Black Original LaserJet Toner Cartridge (~28,000 yield) CF470X

HP 655A Cyan Original LaserJet Toner Cartridge (~10,500 yield) CF451A

HP 657X High Yield Cyan Original LaserJet Toner Cartridge (~23,000 yield) CF471X

HP 655A Yellow Original LaserJet Toner Cartridge (~10,500 yield) CF452A HP 657X High Yield Yellow Original LaserJet Toner Cartridge (~23,000 yield) CF472X

HP 655A Magenta Original LaserJet Toner Cartridge (~10,500 yield) CF453A

HP 657X High Yield Magenta Original LaserJet Toner Cartridge (~23,000 yield) CF473X

Services

U9NP3E HP 3 year NBD Service w/Defective Media Retention for Color LaserJet Enterprise

MFP M68x

U9NP6E HP 3 year 4 hour 9x5 Service w/Defective Media Retention for Color LaserJet

Enterprise MFP M68x

U9NX1PE HP 1 year Post Wty NBD Service w/Defective Media Retention for Color LaserJet

Enterprise MFP M68x

U9NX3PE HP 1 year Post Warranty 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise

MFP M68x

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/Printersecurityclaims

More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges. For more

information, see hp.com/go/learnaboutsupplies

³ HP 657X High Yield Original Laser Jet Toner Cartridges not included; please purchase separately

⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary

HP Color LaserJet Enterprise MFP M681 series

Model Product number AIO functions	HP Color Laser Jet Enterprise Flow MFP M681f J8A12A Print, copy, scan, fax; AlO multitasking supported: Yes	HP Color LaserJet Enterprise Flow MFP M681z J8A13A	HP Color Laser Jet Enterprise MFP M681dh J8A10A Print, copy, scan; AlO multitasking supported: Yes	HP Color LaserJet Enterprise MFP M681f J8A11A Print, copy, scan, fax; AIO multitasking supported: Yes
Print Print speed ^{1113,1412}		Up to 50 ppm Black; Up to 50 ppm Color; First page out: As	s fast as 6.4 sec Black; As fast as 6.5 sec Color; Print speed (I	
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to Color (best): Up to 1200 x 1200 dpi; Color (normal): Up to	600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi		
Print technology Print cartridges number Standard print languages	4 (1 each black, cyan, magenta, yellow)	00 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone(S Calibrated	
Printer smart software features	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, nat Print preview, duplex printing, print multiple pages per sh	neet (2, 4, 6, 9, 16), collation, watermarks, store print jobs,	easy-access USB	
Printer management Scan	HP JetAdvantage Security Manager; HP SNMP Proxy Ager	nt; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Pri	nter Administrator Resource Kit for HP Universal Print Driver	
Scan type / Technology Scan resolution	Type: Flatbed, ADF; Technology: Charge Coupled Device (C Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi	CCD)		
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCM), MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF HTML (OCR), CSV (OCR); Print from easy access USB: PDF,	CR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, (OCR). Searchable PDF (OCR). Searchable PDF/A (OCR).	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn., .pcl., .cht) Front panel applications: Copy; E-mail; Save to Network Front panel applications: Copy; E-mail; Fax; Save to	
Scan Size	Front panel applications: Copy, E-mail; Fax; Save to Netw SharePoint; Open Extensibility Platform (OXP) application ADF: 8.5 x 34.0 in Maximum; 2.7 x 5.8 in Minimum; Flatbe		Folder, Save to USB; Save to Device Memory, Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN ADF: 8.5 x 34.0 in Maximum; 2.7 x 5.8 in Minimum; Flatbe	Front panel applications: Copy, E-mail: Fax, Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN dt Up to 69 ppm (b&w), up to 69 ppm (color)
Scan speed ¹⁸ Scanner advanced features	Up to 83 ppm (b&w), up to 83 ppm (color) Duplex: Up to 1 Optimize text/picture; Image adjustments; Job build; Outly dp; Auto detect color; Edge Erase; Job notification; Blank orientation; Embedded Optical Character Recognition (OC %%Products.scanformatth: %%POP, JPG, TIF, MTP.		Up to 69 ppm (b&w), up to 69 ppm (color) Duplex: Up to 111 ipm (b&w), up to 111 ipm (color) Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; %%Products.canformatfurfi *%% PDF, JPG, TIF, MTIF	
Bit depth / Grayscale levels	24-bit / 256	ive: Condita Charanaint: Condita ETD: Condita LAN Favr	Scan to E-mail; Save-to-Network Folder; Save-to-USB	Scan to E-mail; Save-to-Network Folder; Save-to-USB
Digital sending standard features	Send to Internet Fax; Local Address Book; SMTP over SSL Send to Internet Fax; Local Address Book; SMTP over SSL Crop To Content; Compact PDF; Auto Tonescale; Auto Orie Page; OCR	ive; Send to Sharepoint; Send to FTP; Send to LAN Fax; ; Blank Page Removal; Edge Frase; Auto Color Sense; Auto entation; Multi-Pick Detect; Auto Straighten; Auto Crop To	drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	drive; Send to SharePoint; Send to FTP; Send to LAN Fax Send to Internet Fax; Local Address Book; SMTP over SS Blank Page Removal; Edge Erase; Auto Color Sense; Aut Crop To Content; Compact PDF
Copy speed ¹⁵ Copy resolution	Black (ISO): Up to 47 cpm; Color (ISO): Up to 47 cpm; First Black (text and graphics): Up to 600 x 600 dpi; Color (text	copy out: As fast as 6.6 sec Black; As fast as 7.1 sec Color;	2-sided: Up to 50 cpm Black; Up to 50 cpm Color	
Maximum Number of Copies	Up to 9999			
Copier settings	Two-sided copying, scalability, image adjustments (darkn (different media sizes)	ness, contrast, background cleanup, sharpness), N-up, N or	Z-ordering, content orientation, collation, booklet, job build,	edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Co
Fax speed	Up to:33.6 kbps / Letter:3 sec per page			Up to:33.6 kbps / Letter:3 sec per page
Fax resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received favor: Fav archiving: Fav forwarding: Scale to fit: F			Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi Stored faxes; Fax archiving; Fax forwarding; Scale to fit;
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Faconfirmation; Holiday fax schedule	ax auuress Dook; LAN/INTErnet TaX; Fax number		Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
Fax Features	Fax memory. Up to 500 pages, Auto fax reduction suppo Distinctive ring detection supported: No; Fax forwarding solling supported: Yes (poll to receive only); Fax telephon Maximum speed dialing numbers: Up to 1000 numbers (Remote retrieval capability supported: No; Telephone har	rted: Yes; Auto-redialing; Yes; Fax delayed sending; No; supported: Yes; Fax phone TAM interface supported: No; Fa: le mode supported: No; Junk barrier supported: Yes; each with 210 destinations); PC interface supported: Yes; diset supported: No	×	Fax memory. Up to 500 pages, Auto fax reduction supported: Ves, Auto-redialing: Ves Fax delayed sending, No. Distinctive ring detection supported: No; Fax promarding supported: No; Fax phone TAM interface supported: No; Fax polling supported: Ves (poll to received); Fax telephone mode supported: No; Junk barrier supported: Ves; Maximum speed dialing numbers: Junk barrier supported: Ves; Maximum speed dialing numbers: Junk barrier supported: Ves; Maximum speed dialing numbers: Junk barrier supported: Ves; Remote retrieval capability supported: No; Telephone handset supported: No; Telephon
Connectivity	1 Hi-Speed Device USB 2.0: 2 Host USB (1 walk-up and 1	external accessible): 1 Gigabit Ethernet 10/100/1000T	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx		external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket T: 802 3az (FFE) support on East Ethernet and Gig Links: IPs	external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax ec (standard): 802.11a/b/g/p wireless networking
Network capabilities Wireless capability	(optional).	Print Server J8031A or HP Jetdirect 3000w NFC/Wireless A		(
Mobile printing capability Memory	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Clo Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 3 Gi		Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2	5 GB
Processor speed Duty cycle (monthly)	1.2 GHz / Hard disk: Standard, minimum 320 GB HP High-	 Performance Secure Hard Disk (AES 256 hardware encryp 	tion or groater)	
	Letter:Up to 100,000 pages; Recommended monthly pages		tion of greater)	
Paper handling	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard: MP Tray: Up to 10 envelopes (or 10mm	pe volume: 2000 to 14,000 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder. Up to 2,300 sheets Standard; MP Tray: Up to 10 envelopes (or	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Trav. Up to 10 envelopes (or 10mm	 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mr
Paper handling Input Output	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 Sheets Standard; Up to 200 sheets	ge volume: 2000 to 14,000 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height)	 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mi stack height)
Paper handling Input Output Duplex Options Auto document feeder	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500	pe volume: 2000 to 14,000 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height)	 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mi stack height)
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder: Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 Sheets Standard; Up to 200 sheets Automatic (standard)	pe volume: 2000 to 14,000 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height)	 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mi stack height)
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 Sheets Standard; Up to 200 sheets Automatic (standard) Standard, 150 sheets No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid-popaque film, user-defined	100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder: Up to 2300 sheet Standard, MP Tray: Up to 10 onevlopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 550 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet sheet output tray, two-sided printing; Up to 500 sheet output tray, Up tray, Up to 500 sheet output tray, Up to 5	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10m stack height) ets Standard; Up to 200 sheets
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media weight	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height). 500-sheet output tray, two-sided printing; Up to 500 sheets Standard; Up to 200 sheets. Automatic (standard). Standard, 150 sheets. No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid opaque film, user-defined. Tray 1: 16 to 58 lto (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16	pe volume: 2000 to 14,000 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder: Up to 2300 sheets Standard; MP Tray: Up to 10 onevlopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder: Up to 650 sheet standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 2 sssy, cardstock, card glossy), color transparency, labels, lette Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mi stack height) ets Standard; Up to 200 sheets 3 head, envelope, preprinted, prepunched, colored, rough,
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 Sheets Standard; Up to 200 sheets Automatic (standard) Standard, 150 sheets No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid opaque film, user-defined Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy) Tray 1: letter, legal, executive, statement, Oficio, 3 x 5 in, 5 x 8 in, evelopes (No 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 lin, cpotional 550-sheet trays; letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 lin, cpotional 550-sheet trays; letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 lin, cpotional 550-sheet	100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder: Up to 2300 sheet Standard, MP Tray: Up to 10 onevlopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet soutput tray, two-sided printing; Up to 500 sheet output tray, two-sided printing; Up to 500 sheet soutput tray, two-sided printing; Up to 500 sheet soutput tray, two-sided printing; Up to 500 sheet to 500 sheet soutput tray, two-sided printing; Up to 500 sheet to 500 sheet tray 1: 16 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (glossy); Tray 2: 16 to 90 lb (glossy); Tr	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mi stack height) ets Standard; Up to 200 sheets 3 head, envelope, preprinted, prepunched, colored, rough, Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 16 to 90 lb (plain) 32 to 58 lb (glossy)
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media weight Media sizes	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard, MP Tray: Up to 10 envelopes (or 10mm stack height). 500-sheet output tray, two-sided printing; Up to 500 sheets Standard; Up to 200 sheets. Automatic (standard) Standard, 150 sheets No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid opaque film, user-defined. Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy). Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy). Tray 1: 16 tre, legal, seecutive, statement, 0ficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 2,000-sheet high-capacity tray: letter, legal, executive, statement. Officio, 4 x 6 in, 5 x 1 in; 0,5 x 8 in; Optional 2,000-sheet high-capacity tray: letter, legal, executive, statement. Officio, 4 x 6 in, 5 x 1 in; 0,5 x 8 in; Optional 2,000-sheet high-capacity tray: letter, legal, executive, statement. Officio, 4 x 6 in, 5 x 1 in; Optional 2,000-sheet high-capacity tray: letter, legal, executive at 8 x 8 s 8 to 8 5 x 1 4 in; Optional 2,000-sheet high-capacity tray: custom sizes not supported in this tray.	pe volume: 2000 to 14,000 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 5 d-weight glossy, heavy glossy, extra heavy, extra heavy glo-develope for 150 for 50 sheet output tray 150 sheets Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 1: Letter, legal, executive, statement, Oficio, 3 v.5 in, 4 v.6 in, 5 v.7 in, 5 v.8 in, envelopes (No. 9, No. 10, Monarch); Trays 2, 3, 4, 5: letter, legal, executive, statement, Oficio, 4 v.6 in, 5 v.7 in, 5 v.8 in envelopes (No. 9, No. 10, Monarch); Trays 2, 3, 4, 5: letter, legal, executive, statement, Oficio, 4 v.6 in, 5 v.7 in, 5 v.8 in envelopes (No. 10).	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet John 132 to 58 lb (glossy); Tray 2: 16 to 50 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 50 lb (plain) 32 to 58 lb (glossy); Tray 1: letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in, optional 550-sheet trays letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet trays letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet trays; 4 x 5.83 to 8.5 x 14 in; Optional 2000-sheet high-capacity tray: custom sizes not supported in this tray	3, 150-sheet automatic document feeder; Up to 120 sheets Standard; MP Tray: Up to 10 envelopes (or 10mi stack height) ets Standard; Up to 200 sheets 3 head, envelope, preprinted, prepunched, colored, rough, Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 16 to 90 lb (plain) 32 to 58 lb (glossy) Tray 1: letter, legal, executive, statement, Oficio, 3 x 5 ir 4 x 6 ir, 5 x 7 ir, 5 x 8 ir in envelopes (No. 9, No. 10, Monarch); Trays 2, 3 telter, legal, executive, statement, Oficio, 4 x 6 ir, 5 x 7 ir, 5 x 8 iri Tray 1: 3 x 5 to 8.5 x 14 iri; Trays 2, 3: 4 x 5.83 to 8.5 x iri
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media weight Media sizes Media Sizes Custom Dimensions (w x d x h)	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard, MP Tray: Up to 10 envelopes for 10mm stack height. 500-sheet outpurd; Up to 200 sheets Automatic (standard) Standard, 150 sheets No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid-paque film, user-defined Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 3: 5 in, 4 kG in, 5 x 7 in, 5 x 8 lin; Optional 550-sheet trays; Letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 lin; Optional 550-sheet trays; Letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 lin; Optional 500-sheet trays; letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 lin; Optional 2000-sheet trays; 4 x 5.83 to 8.5 x 14 in; Optional 2000-sheet high-capacity tray: custom sizes not supported in this tray 20.08 x 21.85 x 25.91 in; Maximum: 37.91 x 30.31 x	pe volume: 2000 to 14,000 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 5 d-weight glossy, heavy glossy, extra heavy, extra heavy glo sheets (150 sheets) Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 1: Letter, legal, executive, statement, Oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in envelopes (No. 9, No. 10, Monarch); Trays 2, 3, 4, 5: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in envelopes (No. 10, No. 10, Monarch); Trays 2, 3, 4, 5: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in 8.5 x 14 in	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 16 to 90 to (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 to (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 to (plain) 32 to 58 lb (glossy); Tray 1: 16 tray 2: 18 lin, 5 x 5 lin, 5 x 8 lin, 0 phional 550-sheet trays letter, legal, executive, statement, Officio, 4 x 6 lin, 5 x 7 lin, 5 x 8 lin, 0 phional 550-sheet trays letter, legal, executive, statement, Officio, 4 x 6 lin, 5 x 7 lin, 5 x 8 lin, 0 phional 550-sheet trays letter, legal, executive, statement, Officio, 4 x 6 lin, 5 x 7 lin, 5 x 8 lin, 0 phional 550-sheet trays; 4 x 5.83 to 8.5 x 14 lin; 0 phional 550-sheet trays; 4 x 5.83 to 8.5 x 14 lin; 0 phional 500-sheet high-capacity tray: custom sizes not supported in this tray.	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mr stack height) ets Standard; Up to 200 sheets 3 head, envelope, preprinted, prepunched, colored, rough, Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 17 av 1: letter, legal, executive, statement, Oficio, 3 x 5 in 4 x 6 in 5 x 7 in, 5 x 8 in, envelopes (No. 9), No. 10 Monarch); Trays 2, 3: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x in 25.87 x 25.87 x 43.62 in; Maximum: 39.06 x 37.32 x 53.54 in
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media sizes Media Sizes Custom Dimensions (w x d x h) Weight ⁴	100-sheet auturi-purpose tray, 550-sheet input tray 2, 150-sheet auturnatic document feeder; Up to 650 sheets Standard, MP Tray; Up to 10 envelopes (or 10mm stack height). 500-sheet output tray, two-sided printing; Up to 500 sheets Standard; Up to 200 sheets. Automatic (standard) Standard, 150 sheets No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid opaque film, user-defined. Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy). Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy). Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy). Tray 1: 16 tre, legal, see curieve, stopes (Mo. 9, No. 10, Mpanarch); Tray 2: letter, legal, see curieve, statement, Oficio, 3 x 5 in, Mpanarch); Tray 2: letter, legal, see curieve, statement, Oficio, 4 x 6 in, 5 x 1 in, 5 x 8 lin; Optional 2,000-sheet high-capacity tray. Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4 x 5.83 to 8.5 x 14 in; Optional 2,000-sheet high-capacity tray. 20.08 x 21.85 x 25.91 in; Maximum: 37.91 x 30.31 x 35.83 in	pe volume: 2000 to 14,000 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 5 d-weight glossy, heavy glossy, extra heavy, extra heavy glo Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 1: Letter, legal, executive, statement, Oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in s.5 x 14 in Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3, 4, 5: 4 x 5.83 to 8.5 x 14 in 168.1 lb Laser Jet Toner Cartridge (~12,500 yield), HP Cyan, Magent	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet John 132 to 58 lb (glossy); Tray 2: 16 to 50 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 50 lb (plain) 32 to 58 lb (glossy); Tray 1: letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in, optional 550-sheet trays letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet trays letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet trays; 4 x 5.83 to 8.5 x 14 in; Optional 2000-sheet high-capacity tray: custom sizes not supported in this tray	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mr stack height) ets Standard; Up to 200 sheets 3 head, envelope, preprinted, prepunched, colored, rough, Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 feto 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 feto, 90 lb (plain) 32 to 58 lb (glossy); Tray 1: letter, legal, executive, statement, Officio, 3 x 5 in 4 x 6 in, 5 x 7 in, 5 x 8 in Tray 1: set y 1; letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x in 25,87 x 25.87 x 43.62 in; Maximum: 39.06 x 37.32 x 53.54 in
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media sizes Media Sizes Custom Dimensions (w x d x h) Weight ⁴ What's in the box ² Warranty features	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard, MP Tray: Up to 10 envelopes (or 10mm stack height). 500-sheet output: Tray, two-sided printing; Up to 500 Sheets Standard; Up to 200 sheets. Automatic (standard). Standard, 150 sheets. No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid opaque film, user-defined. Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 59 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 59 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 150 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 150 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 150 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 150 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 150 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 150 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 150 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 lb (glossy); Tray 2: 16 lb (glossy); Tray 3: 5 lb (glossy); Tray 3: 5 lb (glossy); Tray 4: 16 lb (glossy); Tray 5: 16 lb (glossy); Tray 6: 16 lb (glossy); Tray 6: 16 lb (glossy); Tray 7: 16 lb (glossy); Tray 8: 16 lb (glossy); Tray 9: 16	ge volume: 2000 to 14,000 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 5 d-weight glossy, heavy glossy, extra heavy, extra heavy glo sheets (150 sheets) Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); 1 Tray 1: Letter, legal, executive, statement, 0 ficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in envelopes (No. 9, No. 10, Monarch); Trays 2, 3, 4, 5: letter, legal, executive, statement, 0 ficio, 4 x 6 in, 5 x 7 in, 5 x 8 in Case (14 in); Trays 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3, 4, 5: 4 x 5.83 to 8.5 x 14 in; 25.87 x 25.87 x 50.00 in; Maximum: 39.06 x 38.07 x 60.20 in 168.1 lb Laser Let Toner Cartridge (~12,500 yield); HP Cyan, Magentstall Guide); Power cord	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 100 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet soutput tray, two-sided printing; Up to 500 sheet output tray, two-sided printing; Up to 500 sheet tray 1:16 to 58 lb (glossy); Tray 2:16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2:16 to 90 lb (gloss	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mr stack height) ets Standard; Up to 200 sheets 3 head, envelope, preprinted, prepunched, colored, rough, Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 14 x 6 in, 5 x 7 in, 5 x 8 in envelopes, (bb. 9, No. 10, Monarch; Trays 2, 2; letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x in Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x in 135.4 lb Id each) (toner cartridges installed); CD with software
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media Sizes Media sizes Media Sizes Custom Dimensions (wxdxh) Weight ⁴ What's in the box ² Warranty features Energy efficiency compliance	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard, MP Tray: Up to 10 envelopes for 10mm stack height. 500-sheet outpurd; Up to 200 sheets Automatic (standard) Standard, 150 sheets No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid opaque film, user-defined Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 50 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 158 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 159 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 159 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 159 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 159 lb (plain) 32 to 58 lb (glossy); Tray 1: 16 to 58 lb (glossy); Tray 1: 16 to 58 lb (glossy); Tray 1: 16 to 58 lb (glossy); Tray 2: 16 to 159 lb (glossy); Tray 2: 16 to 15	pe volume: 2000 to 14,000 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 5 d-weight glossy, heavy glossy, extra heavy, extra heavy glo sheets standard; Up to 1,000 sheets Standard; Up to 200 sheets 1 Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); 1 Tray 1: Letter, legal, executive, statement, Oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in envelopes (No. 9, No. 10, Monarch); Trays 2, 3, 4, 5: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in 18, 5 x 14 in 25.87 x 25.87 x 50.00 in; Maximum: 39.06 x 38.07 x 60.20 in 168.1 lb Laser let Toner Cartridge (~12,500 yield), HP Cyan, Magenistall Guide); Power cord and support options vary by product, country and local lege ENERGY STAR® qualified; CECP; EPEAT® Silver; EPEAT® foldol (Options AAZ; 2011)	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet 16 for 58 lb (plassy); Tray 2: 16 to 58 lb (plassy); Tray 2: 16 to 58 lb (plassy); Tray 2: 16 tray 1: 16 to 58 lb (plassy); Tray 1: 16 tray 2: 16 tray 16 plassy 1: 16 to 58 lb (plassy); Tray 1: 16 tray 2: 16 tray 1: 16 tra	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mr stack height) ets Standard; Up to 200 sheets 3 head, envelope, preprinted, prepunched, colored, rough, Tray 1: 16 to 58 (b (plain) 32 to 58 (b (glossy); Trays 2, 3 (6 to 90 (b (plain) 32 to 58 (b (glossy); Trays 1: 16 to 90 (b (plain) 32 to 58 (b (glossy); Trays 2, 3 (b to 90 (b (plain) 32 to 58 (b (glossy); Trays 2, 3: 10, 5
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media sizes Media Sizes Custom Dimensions (w x d x h) Weight ⁴ What's in the box ² Warranty features Energy efficiency compliance Control panel	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard, MP Tray: Up to 10 envelopes for 10mm stack height. 500-sheet outpurd tray, two-sided printing; Up to 500 sheets Standard; Up to 200 sheets Automatic (standard) Standard, 150 sheets No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid opaque film, user-defined Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 100 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 1: 16 tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 1: 16 tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 1: 16	pe volume: 2000 to 14,000 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 5 d-weight glossy, heavy glossy, extra heavy, extra heavy glo sheets standard; Up to 1,000 sheets Standard; Up to 200 sheets 1 Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); 1 Tray 1: Letter, legal, executive, statement, Oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in envelopes (No. 9, No. 10, Monarch); Trays 2, 3, 4, 5: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in 18, 5 x 14 in 25.87 x 25.87 x 50.00 in; Maximum: 39.06 x 38.07 x 60.20 in 168.1 lb Laser let Toner Cartridge (~12,500 yield), HP Cyan, Magenistall Guide); Power cord and support options vary by product, country and local lege ENERGY STAR® qualified; CECP; EPEAT® Silver; EPEAT® foldol (Options AAZ; 2011)	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet output tray, two-sided printing; Up to 500 sheet 500-sheet 500 sheet 100 sheet 500 sheet 100 sheet 500 sheet 100 sheet 500 sheet 100 sheet 500 sheet 5	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mi stack height) ets Standard; Up to 200 sheets 3 head, envelope, preprinted, prepunched, colored, rough, Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 l6 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 1: letter, legal, executive, statement, Officio, 3 x 5 ir 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Trays 2, 3: letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x in 135.4 lb ald each) (toner cartridges installed); CD with software HP award winning service and support options in your
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media sizes Media Sizes Custom Dimensions (w x d x h) Weight ⁴ What's in the box ² Warranty features Energy efficiency comption panel Display Software included	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard, MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet outpurd; Up to 200 sheets Automatic (standard) Standard, 150 sheets No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid opaque film, user-defined Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 59 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 59 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 100 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 100 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 100 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 100 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 100 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 100 lb (plain) 32 to 58 lb (glossy); Tray 3: 50 to 58 lb (glossy); Tray 2: 16 to 100 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 100 lb (plain) 32 to 58 lb (glossy); Tray 3: 50 to 58 lb (glossy); Tray 5: 50 to 58 l	100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheet Standard, MP Tray: Up to 10 melyopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 50-weight glossy, heavy glossy, extra heavy, extra heavy glosheets 15 17 17 18 19 17 19 11 16 10 17 17 19 11 11 11 11 12 13 14 15 16 16 16 17 17 17 18 18 18 18 18 18 18	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 100 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet Standard; MP Tray: Up to 100 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet output tray, two-sided printing; Up to 500 sheet output tray, two-sided printing; Up to 500 sheet for 90 to (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: letter, legal, executive, statement, Officio, 34 so 16, 54 x in, 54 x in, 54 sheet provides (sheet frays letter, legal, executive, statement, Officio, 45 sheet frays; 45 sheet high-capacity tray; letter, legal; executive, statement, Officio, 45 sheet frays; 45 sheet high-capacity tray; letter, legal; executive, statement, Officio, 45 sheet frays; 45 sheet high-capacity tray; letter, Optional 2000-sheet high-capacity letter, Optional 2000-sheet high-capacity tray; letter, Optional 2	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mr stack height) ets Standard; Up to 200 sheets 3 head, envelope, preprinted, prepunched, colored, rough, Tray 1: 16 to 59 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 14 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Trays 2, 3: letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Trays 2, 3: letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x 1 in 135.4 lb 25.87 x 25.87 x 43.62 in; Maximum: 39.06 x 37.32 x 3135.4 lb eld each) (toner cartridges installed); CD with software HP award winning service and support options in your creen; rotating (adjustable angle) display; Illuminated Hor
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media sizes Media Sizes Custom Dimensions (wxdxh) Weight ⁴ What's in the box ² Warranty features Energy efficiency compliance Control panel Display Software included Fonts and typefaces Compatible operating	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard, MP Tray: Up to 10 envelopes for 10mm stack height. 500-sheet output tray, two-sided printing; Up to 500 sheets Standard; Up to 200 sheets Automatic (standard) Standard, 150 sheets No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid opaque film, user-defined Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 50 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 50 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 50 lb (plain) 32 to 58 lb (glossy); Tray 1: 16 tray 2: 16 tray 3: 16	100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheet Standard, MP Tray; Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 50-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 15 6-weight glossy, heavy glossy, extra heavy, extra heavy glody staples, 150 sheets 16 17 17 17 18 19 18 19 19 19 19 19 19 19	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 100 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet standard; MP Tray: Up to 100 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet to 500 sheet standard; MP tray: Up to 500 sheet to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy) Tray 1: letter, legal, executive, statement, Officio, 4 s 6 in, 5 x 7 in, 5 x 8 in; optional 550-sheet trays; letter, legal, executive, statement, Officio, 4 s 6 in, 5 x 7 in, 5 x 8 in; optional 550-sheet trays; letter, legal, executive, statement, Officio, 4 s 6 in, 5 x 7 in, 5 x 8 in; optional 550-sheet trays; letter, legal, executive, statement, Officio, 4 s 6 in, 5 x 7 in, 5 x 8 in; optional 2000-sheet high-capacity tray: letter, legal, executive, statement, Optional 550-sheet trays; 4 x 5.83 to 8.5 x 14 in; Optional 500-sheet high-capacity tray: custom sizes not supported in this tray 20.08 x 21.85 x 25.91 in; Maximum: 37.91 x 30.31 x 35.83 in 39.2 lb ta and Yellow Original LaserJet Toner Cartridges (~10,500 yillow) and requirements. Go to http://hp.com/support to learn about ENERGY STAR® qualified; CECCP, EPEAT® Silver 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchs button (for quick return to the Home menu) welcome Screen (Directs users to 123.HP.com or 05 App So ymbolb buttin, 1; 1 internal Unicode Fonts (Andale Mono Worl) bet at http://www.hp.com/gol/slaserjetfonts.	sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) ets Standard; Up to 200 sheets 3 Tead: The standard; Up to 200 sheets 13 Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 316 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 316 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Trays 2, 3: letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Trays 2, 3: letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x 1 in 25.87 x 25.87 x 43.62 in; Maximum: 39.06 x 37.32 x 135.4 lb 2135.4 lb eld each) (toner cartridges installed); CD with software HP award winning service and support options in your creen; rotating (adjustable angle) display; illuminated Hom urce for printer software), Online user manuals fType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria)
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media Sizes Media Sizes Media Sizes Custom Dimensions (w x d x h) Weight ⁴ What's in the box ² Warranty features Energy efficiency compliance Control panel Display Softwar eincluded Fonts and typefaces Compatible operating systems Compatible perating Compatible perating	100-sheet auttin-purpose tray, \$50-sheet input tray 2, 150-sheet auttomatic document feeder; Up to 650 sheets Standard; MP Tray; Up to 10 envelopes for 10mm touch height) Fray; Up to 10 envelopes for 10mm touch height) Fray; Up to 10 envelopes for 10mm touch height) Fray; Up to 10 envelopes for 10mm touch	pe volume: 2000 to 14,000 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheet Standard; MP Tray; Up to 10 melyapes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 1 Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 18 tlter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 lin and 10 lb (glossy); Trays 2, 3, 4, 5: 18 tlter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 lin 25.8 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5: 4 x 5.83 to 8, 5 x 14 lin; Trays 2, 3, 4, 5 x 5.85 lb (glossy); Illuminated 4 long 4 lb (glossy); Illuminated 4 lb (glossy); Ill	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard; MP Tray: Up to 100 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet Standard; MP Tray: Up to 100 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet output tray, two-sided printing; Up to 500 sheet output tray, two-sided printing; Up to 500 sheet for 90 to (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: letter, legal, executive, statement, Officio, 34 so 16, 54 x in, 54 x in, 54 sheet provides (sheet frays letter, legal, executive, statement, Officio, 45 sheet frays; 45 sheet high-capacity tray; letter, legal; executive, statement, Officio, 45 sheet frays; 45 sheet high-capacity tray; letter, legal; executive, statement, Officio, 45 sheet frays; 45 sheet high-capacity tray; letter, Optional 2000-sheet high-capacity letter, Optional 2000-sheet high-capacity tray; letter, Optional 2	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10m) stack height) ets Standard; Up to 200 sheets 3 head, envelope, preprinted, prepunched, colored, rough, Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3: 4x 6 ln, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Trays 2, 3: letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Trays 2, 3: letter, legal, executive, statement, Officio, 4 x 6 in, 5 x 7 in, 5 x 8 in Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x in 135.4 lb ald each) (toner cartridges installed); CD with software HP award winning service and support options in your creen; rotating (adjustable angle) display; illuminated Hon urce for printer software), Online user manuals Trype); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); 3), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, ding RT 05 for Tablets), Windows 7 all 32 - & 64-bit bit editions (9t Plene, MP Pro, Errminal Services, 32 - and vices, 64-bit, Litrix Xenbesktop 5 for Windows Server Cluster & Terminal Services, Windows Server 2008 RZ 18 (15 VISPS) curver 2008/2008 RS 25 PI, Citrix on Windows Server Cluster & Terminal Services, Windows Server 2008 RZ 16 VISPS
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media Sizes Media sizes Media sizes Media Sizes Custom Dimensions (w x d x h) Weight ⁴ What's in the box ² Warranty features Energy efficiency compliance Control panel Display Software included Fonts and typefaces Compatible operating systems Minimum system	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard, MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet outpurd; Up to 10 envelopes (or 10mm stack height) 500-sheet outpurd; Up to 200 sheets Automatic (standard) Standard, 150 sheets No 2 2 2 2 3 2 3 3 3 4 3 4 3 5 3 3 4 3 5 3 5 3 5 3 5 3	100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheet Standard, MP Tray: Up to 10 melyapes (or 10mm stack height) 500-sheet sutput tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 50-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 5 17ay 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 8, 5; 8, 5; 8, 7 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 8, 5; 8, 5; 8, 7 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 8, 5; 8, 5; 8, 7 to 90 lb	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 550 sheets Standard; MP Tray: Up to 100 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheets Standard; MP Tray: Up to 100 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet output tray, two-sided printing; Up to 500 sheet for 90 to (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: letter, legal, executive, statement, Officio, 4x 6 in, 5x 7 in, 5x 8 lin, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, Officio, 4x 6 in, 5x 7 in, 5x 8 lin, envelopes (No. 9); Tray 1: 18 to 10 lb (plain); Tray 2: 4x 5.83 to 8.5 x 14 in; Optional 550-sheet trays; 4x 5.83 to 8.5 x 14 in; Optional 550-sheet trays	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes for 10mi stack height) ets Standard; Up to 200 sheets 3 head, envelope, preprinted, prepunched, colored, rough, Tray 1: 16 to 581 b (plain) 32 to 581 b (glossy); Trays 2, 3 16 to 90 lb (plain) 32 to 581 b (glossy); Trays 2, 3 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Trays 2, 3: etter, legal, executive, statement, Oficio, 3 x 5 in 17 ay 1: 13 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x in 17 ay 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x in 18 y 1 x 25.87 x 43.62 in; Maximum: 39.06 x 37.32 x 53.54 in 135.4 lb ald each) (toner cartridges installed); CD with software HP award winning service and support options in your creen; rotating (adjustable angle) display; illuminated Hon urce for printer software), Online user manuals Trype); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria, 3), Linux Ref 105 for Talleties, Windows 7 all 32 x 8 64-bit bit editions (Pa blates), Windows 7 all 32 x 8 64-bit of Windows Server 2008 R7 Terminal Services, 52 x 9 windows Server 2008 R7 Terminal Services, 64 x, Novel Servers www.novell.com/print), Windows Server Cluster & Terminal Services, 64 x, Novel Server swww.novell.com/print), Windows Server Cluster & Terminal Services, 64 x, Novel Server 2008 R7 23 x 2-64-bit (SP1/SP2)
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media Sizes Media sizes Media sizes Media Sizes Custom Dimensions (w x d x h) Weight ⁴ What's in the box ² Warranty features Energy efficiency compliance Control panel Display Software included Fonts and typefaces Compatible operating systems Minimum system requirements	100-sheet auttin-purpose tray, \$50-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard, MP Tray; Up to 10 envelopes for 10mm 250d-sheet Standard, MP Tray; Up to 10 envelopes for 10mm 550-sheet output tray, two-sided printing; Up to 500 Sheets Standard, Up to 200 sheets Automatic (standard) Standard, 150 sheets No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid popule film, user-defined Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 50 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 50 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 50 lb (plain) 32 to 58 lb (glossy); Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 1: 16 to 72 letter, legal, executive, statement, Officio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, 10 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, 10 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, 10 x	100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheet Standard, MP Tray; Up to 10 mellopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 17ay 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 17 to 7, 5 x 7 in, 5 x 8 in members, 10 to 10	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 550 sheets Standard; MP Tray: Up to 100 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheets Standard; MP Tray: Up to 100 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet output tray, two-sided printing; Up to 500 sheet to 90 to (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy) 17ay 1: letter, legal, executive, statement, Oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 lin, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 lin, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 lin, envelopes (No. 9 lb); Tray 1: 13 x 5 to 8.5 x 14 in; Tray 2: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 3 x 5 to 8.5 x 14 in; Optional 550-sheet trays: 3 x 5 to 8.5 x 14 in; Optional 550-sheet trays: 3 x 5 to 8.5 x 14 in; Optional 550-sheet trays: 3 x 5 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes for 10mi stack height) ets Standard; Up to 200 sheets 3 head, envelope, preprinted, prepunched, colored, rough, Tray 1: 16 to 581 b (plain) 32 to 581 b (glossy); Trays 2, 3 16 to 90 lb (plain) 32 to 581 b (glossy); Trays 2, 3 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Trays 2, 3: etter, legal, executive, statement, Oficio, 3 x 5 in 17 ay 1: 13 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x in 17 ay 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x in 18 y 1 x 25.87 x 43.62 in; Maximum: 39.06 x 37.32 x 53.54 in 135.4 lb ald each) (toner cartridges installed); CD with software HP award winning service and support options in your creen; rotating (adjustable angle) display; illuminated Hon urce for printer software), Online user manuals Trype); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria, 3), Linux Ref 105 for Talleties, Windows 7 all 32 x 8 64-bit bit editions (Pa blates), Windows 7 all 32 x 8 64-bit of Windows Server 2008 R7 Terminal Services, 52 x 9 windows Server 2008 R7 Terminal Services, 64 x, Novel Servers www.novell.com/print), Windows Server Cluster & Terminal Services, 64 x, Novel Server swww.novell.com/print), Windows Server Cluster & Terminal Services, 64 x, Novel Server 2008 R7 23 x 2-64-bit (SP1/SP2)
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media Sizes Media sizes Media sizes Media Sizes Custom Dimensions (w x d x h) Weight ⁴ What's in the box ² Warranty features Energy efficiency compliance Control panel Display Software included Fonts and typefaces Compatible operating systems Minimum system requirements Power ⁶ Acoustics	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard, MP Tray: Up to 10 envelopes for 10mm stack height. 500-sheet outpurd; Up to 200 sheets Automatic (standard) Standard, 150 sheets No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid opaque film, user-defined Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 lb (glossy); Tray 2: 16 to 58 lb (plain) 32 lb (glossy); Tray 2: 16 to 58 lb (glossy); Tray 2: 16 lb (glossy); Tray 2: 16 to 58 lb (glossy); Tray 2: 16 to 58 lb (glossy); Tray 2: 16 to 58 lb (glossy); Tray 2: 16 lb (glossy); Tray 2: 1	100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheet Standard, MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet stuptut tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 50-weight glossy, heavy glossy, extra heavy, extra heavy glozon sheets 15	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheet Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet Standard; MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet stack height) 17ay 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: letter, legal, executive, statement, Oficio, 3 × 5 in, 5 × 7 in, 5 × 8 in, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, Oficio, 4 × 6 in, 5 × 7 in, 5 × 8 in, envelopes (No. 9, No. 10, No. No. 1	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10m stack height) ets Standard; Up to 200 sheets Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 18 db; lb (plain) 32 to 58 lb (glossy); Trays 2, 18 db; lb (plain) 32 to 58 lb (glossy); Trays 2, 18 db; lb (plain); Tray 1: 3 x 5 to 8.5 x 10, 5 x 7 in, 5 x 8 lin; Trays 2, 3: 4 x 5.83 to 8.5 x lin; 13 x 5 to 8.5 x 14 lin; Trays 2, 3: 4 x 5.83 to 8.5 x lin; 13 x 5 to 8.5 x 14 lin; Trays 2, 3: 4 x 5.83 to 8.5 x lin; 13 x 5 to 8.5 x 14 lin; Trays 2, 3: 4 x 5.83 to 8.5 x lin; 14 lin; 15 lin; 16
Paper handling Input Output Duplex Options Auto document feeder capacity Envelope feeder Standard paper trays Media types Media sizes Media sizes Media Sizes Custom Dimensions (w x d x h) Weight ⁴ What's in the box ² Warranty features Energy efficiency compliance Control panel Display Software included Fonts and typefaces Compatible operating systems Minimum system requirements Power ⁶	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets Standard, MP Tray: Up to 10 envelopes for 10mm stack height. 500-sheet outpurd tray, two-sided printing; Up to 500 sheets Standard, Up to 200 sheets Automatic (standard) Standard, 150 sheets No 2 Paper (plain, light, bond, recycled, mid-weight, heavy, mid opaque film, user-defined Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 50 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 50 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 910 l (plain) 32 to 58 lb (glossy); Tray 2: 16 to 910 l (plain) 32 to 58 lb (glossy); Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 910 l (plain) 32 to 58 lb (glossy);	100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet automatic document feeder; Up to 2300 sheet Standard, MP Tray: Up to 10 envelopes (or 10mm stack height) 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets 50-weight glossy, heavy glossy, extra heavy, extra heavy glozon sheets 17ay 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 2, 3, 4, 5: 16 to 90 lb (plain) 32 to 58 lb (glossy); Trays 1, 4 × 6 in, 5 × 7 in, 5 × 8 in, envelopes (No. 9, No. 10, Monarch); Trays 2, 3, 4, 5: letter, legal, executive, statement, Oficio, 4 × 6 in, 5 × 7 in, 5 × 8 in to 3, 5 × 7 in, 5 × 8 in to 3, 5 × 7 in, 5 × 8 in to 3, 5 × 7 in, 5 × 8 in to 3, 5 × 7 in, 5 × 8 in to 3, 5 × 7 in, 5 × 8 in to 3, 5 × 7 in, 5 × 8 in to 3, 5 × 7 in, 5 × 8 in to 3, 5 × 7 in, 5 × 8 in to 3, 5 × 7 in, 5 × 8 in to 3, 5 × 7 in to 3, 5 × 7 in, 5 × 8 in to 3, 5 × 7 in 5 × 8 in to 3, 5	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 550 sheets Standard; MP Tray: Up to 100 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheets Standard; MP Tray: Up to 100 envelopes (or 10mm stack height) 500-sheet output tray, two-sided printing; Up to 500 sheet output tray, two-sided printing; Up to 500 sheet to 90 to (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy) 17ay 1: letter, legal, executive, statement, Oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 lin, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 lin, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 lin, envelopes (No. 9 lb); Tray 1: 13 x 5 to 8.5 x 14 in; Tray 2: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 3 x 5 to 8.5 x 14 in; Optional 550-sheet trays: 3 x 5 to 8.5 x 14 in; Optional 550-sheet trays: 3 x 5 to 8.5 x 14 in; Optional 550-sheet trays: 3 x 5 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet trays: 4	3, 150-sheet automatic document feeder; Up to 1200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mr stack height) ets Standard; Up to 200 sheets 3 head, envelope, preprinted, prepunched, colored, rough, Tray 1: 16 to 581 b (plain) 32 to 581 b (glossy); Trays 2, 3 16 fo 90 lb (plain) 32 to 588 b (glossy); Trays 2, 3 16 fo 90 lb (plain) 32 to 588 b (glossy); Trays 2, 3 14 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, No. 1

Data sheet | HP Color LaserJet Enterprise MFP M681 series

- ¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- ² Cartridges included; yields 10,500 color (C/Y/M) and 12,500 black pages. Pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage.
- ⁴ With print cartridges
- ⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on measurement of 115V device.
- ⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- ⁷ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.
- A verage color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- 9 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies
- 10 High-Performance Secure Hard Disk (AES 256 hardware encryption or greater); Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)
- 11 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 12 Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
- 13 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 14 Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
- 15 First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/qo/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity.

To learn more, visit hp.com

