



Status Report

PRAETOR 500

S/N 55010058 N500ML

OWNER: ALERT5 ADDRESS: 788 110TH AVE. NE BELLEVUE WA 98004 OFFICE: FAX:	OPERATOR: AERIUS MANAGEMENT, LLC ADDRESS: 8285 PERIMETER ROAD SOUTH SEATTLE WA 98108 OFFICE: 206-612-5729 FAX:	OPERATOR: JETMECH AVIATION, LLC ADDRESS: 8285 PERIMETER ROAD S SEATTLE WA 98108 OFFICE: (206)-409-5930 FAX:	CAMO: JETMECH AVIATION, LLC ADDRESS: 8285 PERIMETER ROAD S SEATTLE WA 98108 OFFICE: (206)-409-5930 FAX:
ANALYST: ADRIAN SABOU EMAIL: ASABOU@CAMPSYSTEMS.COM	514-636-2020 (OFFICE) 514-636-7866 (FAX) WWW.CAMPSYSTEMS.COM	800-787-9749 (EFAX-CARDS) 631-980-4222 (EFAX-CARDS)	PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 55010058/N500ML	MODEL: PRAETOR 500	MANUFACTURER: EMBRAER
	CERTIFICATION DATE: 15-OCT-2019	LAST ACTUALS:	
		840.4 A/C HRS	as of 20-NOV-2023
		452 AFL	as of 20-NOV-2023
		407 APH	as of 16-NOV-2023

APU	SERIAL/PART: P-277/70720189-2	MODEL: GTCP36-150(EMB)	MANUFACTURER: HONEYWELL
	INSTALLED ON: 18-FEB-2019	LAST ACTUALS:	
	0 APU HRS 0 A/C HRS	407 APU HRS	as of 16-NOV-2023
	0 APUS	917 APUS	as of 16-NOV-2023

ENGINE NO. 1	SERIAL/PART: P131383/70040119-1	MODEL: AS907-3-1E-A1	MANUFACTURER: HONEYWELL
	INSTALLED ON: 20-DEC-2018	LAST ACTUALS:	
	0 ENG. HRS 0 A/C HRS	838.5 ENG. HRS	as of 20-NOV-2023
	0 ENC	452 ENC	as of 20-NOV-2023

ENGINE NO. 2	SERIAL/PART: P131384/70040119-1	MODEL: AS907-3-1E-A1	MANUFACTURER: HONEYWELL
	INSTALLED ON: 11-JAN-2019	LAST ACTUALS:	
	0 ENG. HRS 0 A/C HRS	838.5 ENG. HRS	as of 20-NOV-2023
	0 ENC	452 ENC	as of 20-NOV-2023



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
L500-190612	REVIEW LEGACY 450/500 - PRAETOR 500/600- AMM 5613 PART III - SMR REV.03, DATED JUNE 12TH, 2019							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF 00				
L500-190617	REVIEW EMB-545/550 - LEGACY 450/500, AL REV 09							Service	ATA:00
	MOS/MSC	15-Oct-19	-					REQUIREMENT CHANGE FORMS	
	HRS	0							
	AFL	0							
					PROC. REF: RCF L500				
L500-200424 (AR)	REVIEW LEGACY 450/500-PRAETOR 500/600 AMM PART III-SMR AR REV.03, DATED APR. 24TH, 2020							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF 00				
L500-200513 (AR)	REVIEW LEGACY 450/500-PRAETOR 500/600- AMM 5613 PART III - SMR AR REVISION 03, DATED MAY 13TH, 2020							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF 00				
L500-200527 (AR)	REVIEW LEGACY 450/500 - PRAETOR 500/600- AMM 5613 PART III - SMR AR REVISION 03 (PACKAGES 05-30-01 & 05-20-03), DATED MAY 27TH, 2020							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
					PROC. REF: RCF 00				
L500-210507-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR LEGACY 450/ 500, DATED MAY 07, 2021							Service	ATA:00
	MOS/MSC	15-Oct-19	-					REQUIREMENT CHANGE FORMS	
	HRS	0							
	AFL	0							
					PROC. REF: RCF 00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
L500-210512-SMR AR	REVIEW LEGACY 450/500 PRAETOR 500/600 - AMM 5613 PART III - SCHEDULED MAINTENANCE REQUIREMENTS (SMR) ADVANCE REVISION (AR) DATED MAY 12, 2021							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
L500-210514-AL	REVIEW LEGACY 450/500 PRAETOR 500/600 - AMM 5613 AIRWORTHINESS LIMITATIONS (AL) REV 12 DATED MAY 14, 2021							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
L500-210727-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR LEGACY 450/500 PRAETOR 500/600, DATED 27 JULY, 2021							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
L500-210908-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR EMBRAER LEGACY 450/500 - PRAETOR 500/600, DATED SEP 8, 2021							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
L500-220318	REVIEW LEGACY 450/500 PRAETOR 500/600 AMM 5613 PART IV AWL REV. 00, DATED MAR 18/2022							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
L500-220614-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED JUN 14/2022 FOR EMBRAER LEGACY 450/500 - PRAETOR 500/600							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
L500-220907-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED SEP 07/2022 FOR EMB-545/550 - LEGACY 450/500							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
L500-221107-SMR	REVIEW LEGACY 450/500 SCHEDULED MAINTENANCE REQUIREMENTS (SMR), REV 6 DATED NOV 07, 2022							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
L500-221219-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED DEC 19/2022 FOR EMB-545/550 - LEGACY 450/500 - AUDIT OF ITEM CODE: C21-31-01-001							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
L500-230118-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED JAN 18/2023 FOR EMB-545/550 - LEGACY 450/500							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
L500-230202-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED FEB 02/2023 FOR EMB-545/550 - LEGACY 450/500							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
L500-230208-AWL	REVIEW EMB-545/550 - LEGACY 450/500 AMM-PART IV-AIRWORTHINESS LIMITATIONS (AWL) REV 1, DATED FEB 08/2023							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
L500-230214-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED FEB 14/2023 FOR EMB-545/550 - LEGACY 450/500							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
L500-230419-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM, DATED APR 19/2023, FOR EMB-545/550 - LEGACY 450/500							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF 00								
ATA 04 - LIMITATIONS									
04-20-00	STRUCTURES AIRWORTHINESS LIMITATIONS (ALI)							Service	ATA:04
	MOS	15-Oct-19						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:5000		5000		4548		
	PROC. REF: AWL 04-20-00								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-01	750 HOUR INSPECTION							Package	ATA:05
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)		1360	1397	519.6 (+37)		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
	AFL	341							
PROC. REF: SMR 05-30-01								PKG:1	
05H00750	NO. 1 ENGINE - INSPECTIONS FOR EVERY 750 ENGINE OPERATING HOURS							Package	ATA:05
	MOS	14-Oct-22							
	HRS	606.6	750 (+100)		(1356.6) 1358.5	1456.6	518.1 (+100)		
	ENC	341							
PROC. REF: LMM 05-20-00								PKG:1	
05H00750	NO. 2 ENGINE - INSPECTIONS FOR EVERY 750 ENGINE OPERATING HOURS							Package	ATA:05
	MOS	14-Oct-22							
	HRS	606.6	750 (+100)		(1356.6) 1358.5	1456.6	518.1 (+100)		
	ENC	341							
PROC. REF: LMM 05-20-00								PKG:1	
05-30-05	1500 HOUR INSPECTION							Package	ATA:05
	MOS	15-Oct-19							
	HRS	0	1500 (+37/-37)		1500	1537	659.6 (+37)		
	AFL	0							
PROC. REF: SMR 05-30-05								PKG:5	
05H04000	NO. 1 ENGINE - INSPECTIONS FOR EVERY 4,000 OR EVERY 4,500 ENGINE OPERATING HOURS							Package	ATA:05
	MOS	15-Oct-19							
	HRS	0	4500 (+100)		(4500) 4501.9	4600	3661.5 (+100)		
	ENC	0							
PROC. REF: LMM 05-20-00								PKG:5	
05H04000	NO. 2 ENGINE - INSPECTIONS FOR EVERY 4,000 OR EVERY 4,500 ENGINE OPERATING HOURS							Package	ATA:05
	MOS	15-Oct-19							
	HRS	0	4500 (+100)		(4500) 4501.9	4600	3661.5 (+100)		
	ENC	0							
PROC. REF: LMM 05-20-00								PKG:5	
05-30-10	2250 HOUR INSPECTION							Package	ATA:05
	MOS	15-Oct-19							
	HRS	0	2250 (+37/-37)		2250	2287	1409.6 (+37)		
	AFL	0							
PROC. REF: SMR 05-30-10								PKG:10	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-25	12 MONTH INSPECTION							Package	ATA:05
	MOS	29-Sep-23	12 (+15d/-15d)		29-Sep-24	14-Oct-24	313 d (+15)		
	HRS	798.6							
	AFL	429							
	PROC. REF: SMR 05-30-25							PKG:12	
05-30-15	3750 HOUR INSPECTION							Package	ATA:05
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)		3750	3787	2909.6 (+37)		
	AFL	0							
	PROC. REF: SMR 05-30-15							PKG:15	
05-30-16	4500 HOUR INSPECTION							Package	ATA:05
	MOS	15-Oct-19							
	HRS	0	4500 (+37/-37)		4500	4537	3659.6 (+37)		
	AFL	0							
	PROC. REF: SMR 05-30-16							PKG:16	
05-30-20	7500 HOUR INSPECTION							Package	ATA:05
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)		7500	7537	6659.6 (+37)		
	AFL	0							
	PROC. REF: SMR 05-30-20							PKG:20	
05-30-30	24 MONTH INSPECTION							Package	ATA:05
	MOS	29-Sep-23	24 (+15d/-15d)		29-Sep-25	14-Oct-25	678 d (+15)		
	HRS	798.6							
	AFL	429							
	PROC. REF: SMR 05-30-30							PKG:24	
05-30-35	36 MONTH INSPECTION							Package	ATA:05
	MOS	14-Oct-22	36 (+15d/-15d)	Adj 1d	15-Oct-25	30-Oct-25	694 d (+15)		
	HRS	610							
	AFL	341							
	PROC. REF: SMR 05-30-35							PKG:35	
05-30-40	60 MONTH INSPECTION							Package	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)		15-Oct-24	30-Oct-24	329 d (+15)		
	HRS	0							
	AFL	0							
	PROC. REF: SMR 05-30-40							PKG:40	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-60	120 MONTH INSPECTION							Package	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)		15-Oct-29	30-Oct-29	2155 d (+15)		
	HRS	0							
	AFL	0							
	PROC. REF: SMR 05-30-60							PKG:60	
05-30-90	120 MONTH THRESHOLD/60 MONTH INSPECTION							Package	ATA:05
	MOS	15-Oct-19	T:120 (+15d/-15d)		15-Oct-29	30-Oct-29	2155 d (+15)		
	HRS	0							
	AFL	0							
	PROC. REF: SMR 05-30-90							PKG:90	
05-20-01-200-801-A01	NO. 1 ENGINE - OVERHAUL - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-20-01								
05-20-01-200-801-A01	NO. 2 ENGINE - OVERHAUL - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-20-01								
05-50-01-210-801-A	GENERAL VISUAL INSPECTION -LIGHTNING STRIKE							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-01								
05-50-01-210-802-A	GENERAL VISUAL INSPECTION -FORWARD FUSELAGE AFTER LIGHTNING-STRIKE							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-01-210-803-A	GENERAL VISUAL INSPECTION -CENTER FUSELAGE AND WING-TO-FUSELAGE FAIRING AFTER LIGHTNING-STRIKE							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-01								
05-50-01-210-804-A	GENERAL VISUAL INSPECTION -WINGS AFTER LIGHTNING-STRIKE							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-01								
05-50-01-210-805-A	GENERAL VISUAL INSPECTION -AFT FUSELAGE, TAIL CONE AND EMPENNAGE AFTER LIGHTNING-STRIKE							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-01								
05-50-01-210-806-A	GENERAL VISUAL INSPECTION -ENGINE AND NACELLE AFTER LIGHTNING-STRIKE							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-01								
05-50-02-200-801-A	INSPECTION -HARD LANDING/OFF TEMPERATURE							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-02								
05-50-03-200-801-A	INSPECTION -HIGH DRAG/SIDE LOAD LANDING CONDITION							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-06-210-801-A		INSPECTION -LANDING GEAR DOWN OVERSPEED					Service ATA:05		
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-06									
05-50-07-210-801-A		DETAILED INSPECTION -FLAP EXTENDED OVERSPEED					Service ATA:05		
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-07									
05-50-08-210-801-A		GENERAL VISUAL INSPECTION -CABIN DEPRESSURIZATION					Service ATA:05		
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-08									
05-50-09-200-801-A		INSPECTION -BIRD STRIKE					Service ATA:05		
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-09									
05-50-10-200-801-A		INSPECTION -HIGH-ENERGY STOP CONDITION					Service ATA:05		
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-10									
05-50-11-210-801-A		GENERAL VISUAL INSPECTION -LANDING GEAR FREE FALL CONDITION					Service ATA:05		
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-12-210-801-A	GENERAL VISUAL INSPECTION -OVERHEATED WHEELS							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-12								
05-50-13-210-801-A	GENERAL VISUAL INSPECTION -WHEEL OVERSPEED							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-13								
05-50-14-210-801-A	GENERAL VISUAL INSPECTION -TIRE TREAD FAILURE							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-14								
05-50-15-210-801-A	GENERAL VISUAL INSPECTION -TIRE BURST WITH LANDING GEAR FULLY RETRACTED							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-15								
05-50-16-210-801-A	INSPECTION -ON-GROUND GALE EVENTS							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-16								
05-50-17-280-801-A	SPECIAL INSPECTION -VOLCANIC ASH							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-17								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-18-200-801-A		INSPECTION -MAXIMUM OPERATING SPEED ENVELOPE					Service ATA:05		
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-18									
05-50-19-200-801-A		INSPECTION -OVERWEIGHT LANDING					Service ATA:05		
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-19									
05-50-20-200-801-A		INSPECTION -SEVERE TURBULENCE					Service ATA:05		
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-20									
05-50-21-200-801-A		INSPECTION -FLAP ALTITUDE EXCEEDANCE					Service ATA:05		
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-21									
05-50-22-200-801-A		INSPECTION -HAILSTORM					Service ATA:05		
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-22									
05-50-23-210-801-A		INSPECTION -SHEAR PIN FAILURE OR BRAKE USE DURING TOWING OPERATION					Service ATA:05		
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-23									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-24-200-801-A	INSPECTION -LOAD FACTOR EXCEEDANCE							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-24								
05-50-25-200-801-A	INSPECTION - ICE OR SNOW CONDITION							Service	ATA:05
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-25								
EW130-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II UNDER THE FLOOR							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-42-00								
	PKG:60								
EW130-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II UNDER THE FLOOR HARNESSSES (W101, W102, W103, W104, W123, W126 AND W127)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-42-00								
	PKG:60								
EW130-003 ^S	ZONAL RESTORATION(CLEANING) OF CENTER FUSELAGE I AND II UNDER THE FLOOR							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-42-00								
	PKG:60								
EW140-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF KEEL BEAM REGION							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-42-00								
	PKG:60								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW140-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF KEEL BEAM HARNESSSES (W145, W157 AND W158)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
			PROC. REF: AMM 05-42-00					PKG:60	
EW190-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING FUSELAGE FAIRING							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
			PROC. REF: AMM 05-42-00					PKG:60	
EW200-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II SIDE AND TOP AREAS							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
			PROC. REF: AMM 05-42-00					PKG:60	
EW200-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II SIDE AND TOP AREAS HARNESSSES (W101, W102, W103, W104, W201 AND W202)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
			PROC. REF: AMM 05-42-00					PKG:60	
EW200-003 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
			PROC. REF: AMM 05-41-00					PKG:60	
EW200-004 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE HARNESS (W001)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
			PROC. REF: AMM 05-41-00					PKG:60	
EW212-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF RAM AIR TURBINE (RAT) COMPARTMENT							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
			PROC. REF: AMM 05-41-00					PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW212-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF THE RAM AIR TURBINE (RAT) COMPARTMENT HARNESSSES (W010 AND W011)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-41-00			PKG:60	
EW223-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT UPPER FLOOR, CONSOLES AND MAIN PANEL							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-41-00			PKG:60	
EW223-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT UPPER FLOOR HARNESSSES (W101, W102, W121, W103, W104 AND W126)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-41-00			PKG:60	
EW223-003 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT UNDER FLOOR							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-41-00			PKG:60	
EW223-004 ^S	ZONAL RESTORATION (CLEANING) OF COCKPIT UNDER FLOOR							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-41-00			PKG:60	
EW223-005 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF UNDER COCKPIT FLOOR HARNESSSES (W101, W102, W103, W104, W126 AND W200)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-41-00			PKG:60	
EW240-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTRAL ELECTRONIC RACK REGION							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-42-00			PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
EW240-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF CENTRAL ELECTRONIC RACK HARNESSSES (W101, W102, W103, W104, W125, W126, W135, W201, W202, W231, W232, W235, W240, W241 AND W242)						Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
				PROC. REF: AMM 05-42-00				PKG:60
EW240-003 ^S	ZONAL RESTORATION (CLEANING) OF CENTRAL ELECTRONIC RACK UNDER THE FLOOR						Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
				PROC. REF: AMM 05-42-00				PKG:60
EW300-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE FROM PRESSURE BULKHEAD TO FRAME 41						Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)					
	HRS	0						
	AFL	0						
				PROC. REF: AMM 05-43-00				PKG:40
EW310-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE HYDRAULIC BAY						Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)					
	HRS	0						
	AFL	0						
				PROC. REF: AMM 05-43-00				PKG:40
EW310-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE HYDRAULIC BAY HARNESSSES (W330, W332, W335, W336, W346 AND W347)						Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)					
	HRS	0						
	AFL	0						
				PROC. REF: AMM 05-43-00				PKG:40
EW315-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE FROM FRAME 41 TO AUXILIARY POWER UNIT (APU) FIREWALL, NOT INCLUDING THE HYDRAULIC BAY						Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
				PROC. REF: AMM 05-43-00				PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW315-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE FROM FRAME 41 TO AUXILIARY POWER UNIT (APU) FIREWALL HARNESSSES (W318, W323, W324, W330, W331, W332, W335, W336, W340, W341 AND W346), NOT INCLUDING THE HYDRAULIC BAY							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-43-00			PKG:60	
EW320-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF VERTICAL STABILIZER							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-44-00			PKG:60	
EW320-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF VERTICAL STABILIZER HARNESSSES (W300, W311, W312, W313, W314, W315 AND W316)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-44-00			PKG:60	
EW330-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF HORIZONTAL STABILIZER							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-44-00			PKG:60	
EW330-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF HORIZONTAL STABILIZER HARNESSSES (W300, W301, W302, W311, W312 AND W314)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-44-00			PKG:60	
EW340-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF TAIL CONE AND AUXILIARY POWER UNIT (APU)							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-43-00			PKG:40	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW400-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF ENGINE AND THRUST REVERSER							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-46-00			PKG:40	
EW400-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF PYLON LEADING EDGE AND CENTER AREA							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-46-00			PKG:40	
EW400-003 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF PYLON HARNESSSES (W321, W322, W325, W326, W335 AND W336, W401, W402, W403 AND W404)							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-46-00			PKG:40	
EW500-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING STUB AND WING TANK							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-45-00			PKG:60	
EW500-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF FLEXIBLE CONNECTIONS, JUMPERS, CLAMPS, FLANGES AND FUEL QUANTITY GAUGING HARNESS AT WING STUB AND WING MAIN BOX							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-45-00			PKG:60	
EW500-003 ^S	ZONAL INTERNAL DETAILED INSPECTION OF FUEL QUANTITY GAUGING PROBES AND FUEL QUANTITY GAUGING HARNESS CONNECTIONS							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 28-41-04			PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW500-004 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING TRAILING EDGE AND FLIGHT CONTROL SURFACES							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-45-00			PKG:60	
EW500-005 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING TRAILING EDGE HARNESSSES (W502 AND W602)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-45-00			PKG:60	
EW500-006 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING DRY AREA							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-45-00			PKG:60	
EW500-007 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING DRY AREA HARNESSSES (W503 AND W603)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-45-00			PKG:60	
EW510-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING LEADING EDGE							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-45-00			PKG:60	
EW510-002 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF WING LEADING EDGE HARNESSSES (W501,W503, W601 AND W603)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-45-00			PKG:60	
EW710-001 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR AND NOSE LANDING GEAR BAY							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-47-00			PKG:40	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
EW710-002 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR BAY HARNESSSES (W701 AND W702)							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
			PROC. REF: AMM 05-47-00					PKG:40	
EW720-001 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR AND MAIN LANDING GEAR BAY							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
			PROC. REF: AMM 05-47-00					PKG:40	
EW720-002 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR BAY HARNESSSES (W145, W155, W156, W711, W712, W721 AND W722)							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
			PROC. REF: AMM 05-47-00					PKG:40	
F130-002	INTERNAL GENERAL VISUAL INSPECTION OF ANTI-ICING LINES AROUND THE WING STUB							Service	ATA:05
	MOS	15-Oct-19						FUEL SYSTEM LIMITATION	
	HRS	0	7500		7500		6659.6		
	AFL	0							
			PROC. REF: AMM 05-42-00						
F130-003	INTERNAL GENERAL VISUAL INSPECTION OF POWER HARNESSSES AND SUPPORTS BETWEEN FLOOR AND WING STUB							Service	ATA:05
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9159.6		
	AFL	0							
			PROC. REF: AMM 05-42-00						
F130-004	INTERNAL GENERAL VISUAL INSPECTION OF OTHER HARNESSSES AND SUPPORTS BETWEEN FLOOR AND WING STUB							Service	ATA:05
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9159.6		
	AFL	0							
			PROC. REF: AMM 05-42-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
F500-001	INTERNAL GENERAL VISUAL INSPECTION OF FUEL LINES, COUPLINGS AND SUPPORTS, INSIDE THE FUEL TANK							Service	ATA:05
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14159.6		
	AFL	0							
PROC. REF: AMM 05-45-00									
F500-003	INTERNAL GENERAL VISUAL INSPECTION OF FUEL QUANTITY GAUGING SYSTEM IN-TANK HARNESS AND ITS INSTALLATION							Service	ATA:05
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14159.6		
	AFL	0							
PROC. REF: AMM 05-45-00									
F500-005	INTERNAL GENERAL VISUAL INSPECTION OF HYDRAULIC LINES AND SUPPORTS, INSIDE THE FUEL TANK							Service	ATA:05
	MOS	15-Oct-19						FUEL SYSTEM LIMITATION	
	HRS	0	7500		7500		6659.6		
	AFL	0							
PROC. REF: AMM 05-45-00									
F500-006	INTERNAL GENERAL VISUAL INSPECTION OF HARNESS ROUTED ALONG THE TRAILING EDGE							Service	ATA:05
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9159.6		
	AFL	0							
PROC. REF: AMM 05-45-00									
F500-007	INTERNAL GENERAL VISUAL INSPECTION OF HARNESSES ROUTED INSIDE THE WING DRY AREA							Service	ATA:05
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14159.6		
	AFL	0							
PROC. REF: AMM 05-45-00									
F510-001	INTERNAL GENERAL VISUAL INSPECTION OF HARNESSES ROUTED ALONG THE LEADING EDGE							Service	ATA:05
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14159.6		
	AFL	0							
PROC. REF: AMM 05-45-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
F720-001	INTERNAL GENERAL VISUAL INSPECTION OF HARNESSSES AND SUPPORTS IN THE LANDING GEAR BAY							Service	ATA:05
	MOS	15-Oct-19	60		15-Oct-24		329 d	FUEL SYSTEM LIMITATION	
	HRS	0	3750		3750		2909.6		
	AFL	0							
	PROC. REF: AMM 05-47-00								
H130-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF ATTITUDE AND HEADING REFERENCE SYSTEMS (AHRS 1 AND 2) AND RAM AIR TURBINE (RAT) TRANSFORMER RECTIFIER UNIT (TRU) ELECTRICAL BONDING AND INTERFACE CONNECTORS IN THE CENTER FUSELAGE I (GALLEY UNDER THE FLOOR)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-42-00								
	PKG:60								
H140-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE CENTER FUSELAGE II (TOILET AND LAVATORY UNDER THE FLOOR).							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-42-00								
	PKG:60								
H145-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF HARNESS W145 OVERBRAID (KEEL BEAM REGION)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-47-00								
	PKG:60								
H220-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF SMART PROBES CONNECTORS BACKSHELL AND ELECTRICAL BONDING BY INTERFACE (UNDER COCKPIT FLOOR)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-41-00								
	PKG:60								
H223-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF SMART PROBE CONNECTORS BACKSHELL AND ELECTRICAL BONDING BY INTERFACE (ABOVE COCKPIT FLOOR)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-41-00								
	PKG:60								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
H240-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE CENTER FUSELAGE II (TOILET AND LAVATORY SIDE AREA)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-42-00				PKG:60	
H300-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS AND BONDING JUMPERS AT VERTICAL STABILIZER TO REAR FUSELAGE CONNECTION							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-44-00				PKG:40	
H313-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE INTERFACE CONNECTORS (APU FIREWALL AND VERTICAL STABILIZER CONNECTION)							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-43-00				PKG:60	
H340-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF TAIL CONE HARNESSSES (W340 AND W341) OVERBRAID							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-43-00				PKG:40	
H430-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF FADEC OVERBRAID AND CONNECTORS OF FADEC, ELECTRICAL-HYDRAULIC PRIMARY LOCK (EHPL), GENERATOR, HYDRAULIC PUMP, HIGH PRESSURE SHUTOFF VALVE (HPSOV) AND PRESSURE REGULATOR SHUTOFF VALVE (PRSOV)							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-46-00				PKG:40	
H430-002 ^S	L/HIRF INTERNAL DETAILED INSPECTION OF ENGINE/PYLON INTERFACE CONNECTORS AND BONDING JUMPERS							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-46-00				PKG:40	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
H590-001 ^S	L/HIRF INTERNAL GENERAL VISUAL INSPECTION OF MULTIFUNCTION SPOILERS POWER CONTROL UNITS (PCUS) BONDING JUMPERS							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-45-00				PKG:60	
H700-001 ^S	L/HIRF EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR AND MAIN LANDING GEAR BAY BONDING JUMPERS							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-47-00				PKG:40	
H710-001 ^S	L/HIRF EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR AND NOSE LANDING GEAR BAY BONDING JUMPERS							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-47-00				PKG:40	
Z111-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF RADOME							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-41-00				PKG:60	
Z120-001 ^S	ZONAL GENERAL VISUAL INSPECTION OF ELECTRONIC BAY ACCESS HATCH							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-41-00				PKG:60	
Z200-001 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-41-00				PKG:60	
Z200-002 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I AND II							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-42-00				PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
Z200-003 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF WING TO FUSELAGE FAIRING							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-42-00			PKG:60	
Z223-001 ^S	ZONAL INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT CEILING							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-41-00			PKG:60	
Z300-001 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF REAR FUSELAGE AND TAIL CONE							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-43-00			PKG:60	
Z300-002 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF EMPENNAGE							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-44-00			PKG:60	
Z400-001 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF ENGINE, THRUST REVERSER, PYLON AND ENGINE COWLING							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-46-00			PKG:60	
Z500-001 ^S	ZONAL EXTERNAL GENERAL VISUAL INSPECTION OF WING MAIN BOX, WING LEADING EDGE, SPOILER SURFACES AND WINGLET							Service	ATA:05
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-45-00			PKG:60	
Z811-001 ^S	ZONAL GENERAL VISUAL INSPECTION OF PASSENGER DOOR							Service	ATA:05
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-43-00			PKG:40	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
Z812-001^S ZONAL GENERAL VISUAL INSPECTION OF CARGO DOOR Service ATA:05								
	MOS	15-Oct-19	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-43-00								PKG:60
Z820-001^S ZONAL GENERAL VISUAL INSPECTION OF EMERGENCY EXIT HATCH Service ATA:05								
	MOS	15-Oct-19	120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-43-00								PKG:60
ATA 21 - AIR CONDITIONING								
21-00-01-900-801-A PRESSURIZATION AND AIR CONDITIONING KIT (PACK) Component ATA:21								
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-00-01, AMM 21-00-01								
21-00-02-900-801-A AIR CONDITIONING-PNEUMATIC CONTROL PANEL Component ATA:21								
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-00-02, AMM 21-00-02								
21-20-01-960-801-A CONDITIONED AIR DUCTS Component ATA:21								
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-20-01								
21-24-03-001^S DISCARD OF RECIRCULATION FAN HIGH-EFFICIENCY PARTICULATE AIR (HEPA) FILTER Service ATA:21								
	MOS	15-Oct-19						LIFE LIMIT
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-24-03								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-25-00-001	OPERATIONAL CHECK OF EMERGENCY RAM AIR VENT DOOR ACTUATION							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	12750 (+37/-37)		12750	12787	11909.6 (+37)		
	AFL	0							
	PROC. REF: AMM 21-25-01								
21-25-00-002 ^S	OPERATIONAL CHECK OF EMERGENCY RAM AIR VENT CHECK VALVE							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	12750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 21-25-03								
21-25-03-901 ^S	OPERATIONAL CHECK OF THE EMERGENCY RAM-AIR CHECK VALVE							Service	ATA:21
	MOS	15-Oct-19						CMR	
	HRS	0	12750						
	AFL	0							
	PROC. REF: AMM 21-25-03								
21-26-03-001 ^S	OPERATIONAL CHECK OF CENTER E-BAY THERMAL SWITCHES							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 21-26-03							PKG:20	
21-26-04-001 ^S	OPERATIONAL CHECK OF FORWARD E-BAY THERMAL SWITCHES							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 21-26-04							PKG:20	
21-31-00-001 ^S	OPERATIONAL CHECK OF PRESSURIZATION CONTROL (MANUAL MODE)							Service	ATA:21
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 21-31-00								
21-31-00-002 ^S	OPERATIONAL CHECK OF EMERGENCY CABIN DECOMPRESSION (DUMP FUNCTION)							Service	ATA:21
	MOS	14-Oct-22						CATEGORY 8	
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 21-31-00							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-31-00-710-802-A CABIN PRESSURE CONTROL SYSTEM (CPCS) - OPERATIONAL TEST								
	MOS/MSC	15-Oct-19	A/R					Service ATA:21 UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 21-31-00								
21-31-00-901^S OPERATIONAL CHECK OF PRESSURIZATION CONTROL (MANUAL MODE)								
	MOS	14-Oct-22						Service ATA:21 CMR
	HRS	610	750					
	AFL	341						
PROC. REF: AMM 21-31-00								
21-31-01-001^S RESTORATION RH RACK ELECTRONIC CONTROL AND MONITORING UNIT (OVERHAUL)								
PN:2119286-10	MOS	15-Oct-19						Service ATA:21 OVERHAUL
SN:2119286-01516	HRS	0	4500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-31-01								
21-31-01-901^S RESTORATION RH RACK ELECTRONIC CONTROL AND MONITORING UNIT (OVERHAUL)								
PN:2119286-10	MOS	15-Oct-19						Service ATA:21 CMR
SN:2119286-01516	HRS	0	5000					
	AFL	0						
PROC. REF: AMM 21-31-01								
21-31-02-001^S RESTORATION REAR (OFV) OUTFLOW VALVE (OVERHAUL)								
PN:65000022-3	MOS	15-Oct-19						Service ATA:21 OVERHAUL
SN:65000022-00179	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-31-02								
21-31-03-001^S FUNCTIONAL CHECK OF PRESSURE RELIEF VALVE (PRV)								
	MOS	15-Oct-19						Service ATA:21
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 21-32-01								
21-31-03-901^S FUNCTIONAL CHECK OF POSITIVE PRESSURE RELIEF VALVE								
	MOS	15-Oct-19						Service ATA:21 CMR
	HRS	0	5000					
	AFL	0						
PROC. REF: AMM 21-32-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-31-04-001 ^S	OPERATIONAL CHECK OF NEGATIVE PRESSURE RELIEF VALVE (NPRV)							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 21-32-02								
21-31-04-901 ^S	OPERATIONAL CHECK OF NEGATIVE PRESSURE RELIEF VALVE							Service	ATA:21
	MOS	15-Oct-19					CMR		
	HRS	0	5000						
	AFL	0							
	PROC. REF: AMM 21-32-02								
21-33-01-001 ^S	OPERATIONAL CHECK OF CARGO COMPARTMENT PRESSURE EQUALIZATION VALVE							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 21-33-01								
21-33-01-901 ^S	OPERATIONAL CHECK OF EQUALIZATION VALVE							Service	ATA:21
	MOS	15-Oct-19					CMR		
	HRS	0	7500						
	AFL	0							
	PROC. REF: AMM 21-33-01								
21-41-03-001 ^S	FUNCTIONAL CHECK OF AFT CARGO COMPARTMENT HEATING SYSTEM							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 21-41-00							PKG:20	
21-51-04-001 ^S	RESTORATION (CLEANING) PACK REHEATER/CONDENSER							Service	ATA:21
PN:PN	MOS	15-Oct-19							
SN:UNKNOWN	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 21-51-04							PKG:20	
21-51-06-900-801-A	TURBINE INLET CONTROL VALVE							Component	ATA:21
PN:PN	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 21-51-06, AMM 21-51-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-51-08-001 ^S	OPERATIONAL CHECK OF PACK CHECK VALVE							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 21-51-08								
21-51-08-901 ^S	OPERATIONAL CHECK OF PACK CHECK VALVE							Service	ATA:21
	MOS	15-Oct-19					CMR		
	HRS	0	7500						
	AFL	0							
	PROC. REF: AMM 21-51-08								
21-51-10-900-801-A	SERVICE PRESSURE REGULATOR							Component	ATA:21
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 21-51-10, AMM 21-51-10								
21-51-12-001 ^S	DISCARD OF SERVICE PRESSURE REGULATOR FILTER							Service	ATA:21
	MOS	15-Oct-19					LIFE LIMIT		
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 21-51-12								
	PKG:15								
21-51-12-002 ^S	RESTORATION (CLEANING) OF SERVICE PRESSURE REGULATOR FILTER							Service	ATA:21
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 21-51-12								
	PKG:1								
21-53-00-901	FUNCTIONAL CHECK OF PACK BACKUP LINE FOR LEAKAGE							Service	ATA:21
	MOS	15-Oct-19					CMR		
	HRS	0	6000		6000		5159.6		
	AFL	0							
	PROC. REF: AMM 21-53-00								
21-53-01-001 ^S	RESTORATION REAR ALUMINUM BACKUP PACK HEAT EXCHANGER (CLEANING)							Service	ATA:21
PN:381247000	MOS	15-Oct-19							
SN:T0084	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 21-53-01								
	PKG:20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-53-03-001 ^S	OPERATIONAL CHECK OF PACK BACKUP CHECK VALVE							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 21-53-03				PKG:20	
21-61-01-001 ^S	DETAILED INSPECTION OF COCKPIT ZONE TEMPERATURE SENSOR							Service	ATA:21
	MOS	14-Oct-22						CATEGORY 9	
	HRS	610	750 (+37/-37)						
	AFL	341							
				PROC. REF: AMM 21-61-01				PKG:1	
21-61-05-001 ^S	OPERATIONAL CHECK OF COCKPIT TRIM CHECK VALVE							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 21-60-03				PKG:20	
21-62-01-001	DETAILED INSPECTION OF CABIN ZONE TEMPERATURE SENSOR							Service	ATA:21
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 21-62-01					
21-62-05-001 ^S	OPERATIONAL CHECK OF CABIN TRIM AIR CHECK VALVE							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 21-60-03				PKG:20	
21-63-02-900-801-A	MIX MANIFOLD DUCT							Component	ATA:21
PN:PN	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
				PROC. REF: AMM 21-63-02, AMM 21-63-02					
21-71-01-001 ^S	RESTORATION REAR OZONE CONVERTER (CLEANING)							Service	ATA:21
PN:67A42300-101	MOS	15-Oct-19							
SN:0155	HRS	0	7500 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 21-71-01				PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210002-0101		LH RACK AIR CONDITIONING PACK A CONTROLLER					Component	ATA:21	
PN:51090064-6	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:51090064-00385	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-00-03, AMM 21-00-03									
210003-0101		AIR CONDITION ENVIRONMENTAL CONTROL UNIT					Component	ATA:21	
PN:67000074-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:255	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210203-0101		OVERHEAD AIR CONDITION/PNEUMATIC OVERHEAD CONTROL PANEL					Component	ATA:21	
PN:430200-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:430200AA0179	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-00-02, AMM 21-00-02									
212101-0101		REAR PACK INLET VALVE					Component	ATA:21	
PN:63396724-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:267	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-21-01, AMM 21-21-01									
212123-0101		REAR DIFFERENTIAL PRESSURE SENSOR					Component	ATA:21	
PN:1153442-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1153442-00583	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-21-02, AMM 21-21-02									
212401-0101		REAR CARGO 28 VDC, 25 A RECIRCULATION FAN					Component	ATA:21	
PN:AE1115B00	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:L009100375	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-24-01, AMM 21-24-01									
212402-0101		REAR ECS SHUTOFF RECIRCULATION VALVE					Component	ATA:21	
PN:424335	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0168	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-24-02, AMM 21-24-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
212502-0101		FUS WING ELECTROMECH ACTUATOR					Component	ATA:21	
PN:ACL12B-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0169	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212533-0101		REAR CHECK VALVE					Component	ATA:21	
PN:4004-27	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0153	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212613-0101		NO.1 ELECTRO VENTILATION FAN WITH CHECK VALVE					Component	ATA:21	
PN:SF9202J00	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:L008801328	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212613-0102		NO.2 ELECTRO VENTILATION FAN WITH CHECK VALVE					Component	ATA:21	
PN:SF9202J00	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:L008801333	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212623-0101		NO.1 REAR 28 VDC ELECTRONIC VENTILATION FAN					Component	ATA:21	
PN:SF9202H00	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:L008701281	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212623-0102		NO.2 REAR 28 VDC ELECTRONIC VENTILATION FAN					Component	ATA:21	
PN:SF9202H00	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:L008701299	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
213013-0101		OVERHEAD PRESSURIZATION, ASSY CONTROL PANEL					Component	ATA:21	
PN:430100-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:430100AA0163	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-30-01, AMM 21-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
213102-0101		REAR (OFV) OUTFLOW VALVE					Component	ATA:21	
PN:65000022-3	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:65000022-00179	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-02, AMM 21-31-02									
213113-0101		RH RACK ELECTRONIC CONTROL AND MONITORING UNIT					Component	ATA:21	
PN:2119286-10	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2119286-01516	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-01, AMM 21-31-01									
213201-0101		REAR (PRV) PRESSURE RELIEF VALVE					Component	ATA:21	
PN:65000024-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:65000024-00189	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-32-01, AMM 21-32-01									
213202-0101		LH REAR (NPR) NEGATIVE PRESSURE RELIEF VALVE					Component	ATA:21	
PN:65000026-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:34163-0167	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-32-02, AMM 21-32-02									
213301-0101		CARGO COMPARTMENT PRESSURE EQUALIZATION VALVE					Component	ATA:21	
PN:120-48865-003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0001025864	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-33-01, AMM 21-33-01									
215104-0101		PACK REHEATER/CONDENSER					Component	ATA:21	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-51-04, AMM 21-51-04									
215223-0101		REAR ECS SHUTOFF PACK BACKUP VALVE					Component	ATA:21	
PN:424375-3	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0449	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-53-02, AMM 21-53-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215301-0101		REAR ALUMINUM BACKUP PACK HEAT EXCHANGER					Component	ATA:21	
PN:381247000	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:T0084	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-53-01, AMM 21-53-01									
215333-0101		REAR CHECK VALVE					Component	ATA:21	
PN:4011-24	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0156	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-53-03, AMM 21-53-03									
215333-0102		REAR CHECK VALVE					Component	ATA:21	
PN:4024-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0170	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-53-03, AMM 21-53-03									
215333-0103		CEILING CHECK VALVE					Component	ATA:21	
PN:4005-28	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0404	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
216003-0101		NO. 1 AFT CHECK VALVE					Component	ATA:21	
PN:4011-30	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0278	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-60-03, AMM 21-60-03									
216003-0102		NO. 2 AFT CHECK VALVE					Component	ATA:21	
PN:4011-30	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0280	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-60-03, AMM 21-60-03									
216013-0101		REAR TRIM AIR VALVE					Component	ATA:21	
PN:63292012-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:63292012-405	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-60-01, AMM 21-60-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216013-0102		REAR TRIM AIR VALVE					Component	ATA:21	
PN:63292012-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:63292012-406	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-60-01, AMM 21-60-01									
216202-0101		CARGO CP SENSOR					Component	ATA:21	
PN:1153066-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1153066-04468	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
216301-0102		MID SENSOR					Component	ATA:21	
PN:1153066-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1153066-04425	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
216301-0103		MID SENSOR					Component	ATA:21	
PN:1153066-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1153066-04428	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
216301-0104		CREW CAB SENSOR					Component	ATA:21	
PN:1153066-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1153066-04422	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
216301-0105		MID SENSOR					Component	ATA:21	
PN:1153066-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1153066-04430	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
217113-0101		REAR OZONE CONVERTER					Component	ATA:21	
PN:67A42300-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0155	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-71-01, AMM 21-71-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
C21-25-00-001	OPERATIONAL CHECK OF EMERGENCY RAM AIR CHECK VALVE							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	12750		12750		11909.6		
	AFL	0							
	PROC. REF: AMM 21-25-03								
C21-31-00-001	OPERATIONAL CHECK OF PRESSURIZATION CONTROL (MANUAL MODE)							Service	ATA:21
	MOS	14-Oct-22							
	HRS	610	750		1360		519.6		
	AFL	341							
	PROC. REF: AMM 21-31-00								
C21-31-01-001	RESTORATION RH RACK ELECTRONIC CONTROL AND MONITORING UNIT (OVERHAUL)							Service	ATA:21
PN:2119286-10	MOS	15-Oct-19						OVERHAUL	
SN:2119286-01516	HRS	0	4500		4500		3659.6		
	AFL	0							
	PROC. REF: AMM 21-31-01								
C21-31-03-001	FUNCTIONAL CHECK OF POSITIVE PRESSURE RELIEF VALVE							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	5000		5000		4159.6		
	AFL	0							
	PROC. REF: AMM 21-32-01								
C21-31-04-001	OPERATIONAL CHECK OF NEGATIVE PRESSURE RELIEF VALVE							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	5000		5000		4159.6		
	AFL	0							
	PROC. REF: AMM 21-32-02								
C21-33-01-001	OPERATIONAL CHECK OF CARGO COMPARTMENT PRESSURE EQUALIZATION VALVE							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	7500		7500		6659.6		
	AFL	0							
	PROC. REF: AMM 21-33-01								
C21-51-08-001	OPERATIONAL CHECK OF PACK CHECK VALVE							Service	ATA:21
	MOS	15-Oct-19							
	HRS	0	7500		7500		6659.6		
	AFL	0							
	PROC. REF: AMM 21-51-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
221101-0101	AUTOMATIC FLIGHT CONTROL SYSTEM PANEL							Component	ATA:22
PN:822-2826-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4DLC41	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01, AMM 22-11-01									
ATA 23 - COMMUNICATIONS									
23-11-03-001 ^S	FUNCTIONAL CHECK OF HF COUPLER UNIT							Service	ATA:23
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: AMM 23-11-03									
PKG:12									
23-15-05-001	DISCARD OF SATELLITE TELEPHONE SYSTEM BATTERIES							Service	ATA:23
	MOS	29-Sep-23	48 (+15d/-15d)		29-Sep-27	14-Oct-27	1408 d (+15)	LIFE LIMIT	
	HRS	798.6							
	AFL	429							
PROC. REF: AMM 23-15-05									
23-51-01-001 ^S	OPERATIONAL CHECK OF COMMUNICATION AUDIO SYSTEM THROUGH THE OXYGEN MASK MICROPHONE							Service	ATA:23
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 23-51-00									
PKG:15									
23-51-01-002 ^S	OPERATIONAL CHECK OF AUDIO BACKUP EMERGENCY COMMUNICATION							Service	ATA:23
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 23-51-00									
23-51-01-902 ^S	OPERATIONAL CHECK OF AUDIO BACKUP EMERGENCY COMMUNICATION							Service	ATA:23
	MOS	15-Oct-19						CMR	
	HRS	0	3750						
	AFL	0							
PROC. REF: AMM 23-51-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23-61-01-001 ^S		FUNCTIONAL CHECK OF STATIC DISCHARGERS RESISTANCE INSULATION VALUE						Service	ATA:23
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: AMM 23-61-00								PKG:40	
23-71-00-001 ^S		OPERATIONAL CHECK OF AUDIO RECORD FROM AUDIO CONTROL PANELS (ACPS) AND AREA MICROPHONE						Service	ATA:23
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: AMM 23-71-00								PKG:12	
23-71-05-001		DISCARD CVR (ULB) UNDERWATER LOCATOR BEACON BATTERY						Service	ATA:23
PN:266-E5542-00	MOS/MSC		DUE		01-Dec-25 (M)		741 d	LIFE LIMIT	
SN:ULB029506	HRS								
	AFL								
PROC. REF: AMM 23-71-05									
23-CUS-001 ^U		ELT FAR PART 91.207						Service	ATA:23
	MOS	29-Sep-23	12		29-Sep-24		313 d	CUSTOMER CODE	
	HRS	798.6							
	AFL	429							
231101-0101		NO.1 HF TRANSCEIVER						Component	ATA:23
PN:822-0101-002	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:4F78F2	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 23-11-01, AMM 23-11-01									
231101-0102		NO.2 HF TRANSCEIVER						Component	ATA:23
PN:822-0101-002	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:4F7905	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 23-11-01, AMM 23-11-01									
231103-0101		REAR HF ANTENNA COUPLER						Component	ATA:23
PN:685-0350-002	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:16842	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 23-11-03, AMM 23-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231103-0102		REAR HF ANTENNA COUPLER					Component	ATA:23	
PN:685-0350-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:16843	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-03, AMM 23-11-03									
231201-0101		C FLOOR VHF COMM DATA TRANSCEIVER					Component	ATA:23	
PN:822-1468-390	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:77JPB	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-01, AMM 23-12-01									
231202-0101		VHF ANTENNA					Component	ATA:23	
PN:S65-8280-41	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:322-6023	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-02, AMM 23-12-02									
231202-0102		VHF ANTENNA					Component	ATA:23	
PN:S65-8280-41	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:322-5977	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-02, AMM 23-12-02									
231202-0103		VHF ANTENNA					Component	ATA:23	
PN:S65-8280-41	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:322-6021	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-02, AMM 23-12-02									
231213-0101		C FLOOR VHF COMM TRANSCEIVER					Component	ATA:23	
PN:822-1468-110	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:77GY6	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-01, AMM 23-12-01									
231213-0102		RH RACK VHF COMM TRANSCEIVER					Component	ATA:23	
PN:822-1468-110	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:77GXY	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-12-01, AMM 23-12-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231501-0101		RH RACK ICS MANAGEMENT BOARD TELEPHONE UNIT					Component	ATA:23	
PN:710617-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4G53PR	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
231502-0101		IRIDIUM ANTENNA					Component	ATA:23	
PN:AT1621-23	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:7550	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-15-02, AMM 23-15-02									
231504-0101		PAX CAB NO. 1 BASE STATION - CORDLESS HANDSET					Component	ATA:23	
PN:962101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:S00082	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-15-05, AMM 23-15-05									
231504-0102		PAX CAB NO. 2 BASE STATION - CORDLESS HANDSET					Component	ATA:23	
PN:962101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:S00088	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-15-05, AMM 23-15-05									
235101-0101		PILOT AUDIO CONTROL PANEL					Component	ATA:23	
PN:822-2928-100	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4DLC3P	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-01, AMM 23-51-01									
235101-0102		CO-PILOT AUDIO CONTROL PANEL					Component	ATA:23	
PN:822-2928-100	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FL2KK	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-01, AMM 23-51-01									
235104-0101		LH CSL COCKPIT AUDIO JACKS PANEL ASSY					Component	ATA:23	
PN:433100-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:433100AA0334	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
235104-0102		RH CSL COCKPIT AUDIO JACKS PANEL ASSY					Component	ATA:23	
PN:433100-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:433100AA0338	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
235105-0101		COCKPIT ELECTRODYNAMIC MICROPHONE					Component	ATA:23	
PN:85-03-12369-04	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:519640	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
235105-0102		COCKPIT ELECTRODYNAMIC MICROPHONE					Component	ATA:23	
PN:85-03-12369-04	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:519644	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
235107-0101		LH CSL COCKPIT HEADSET PANEL ASSY					Component	ATA:23	
PN:433200-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:433200AA0321	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-07, AMM 23-51-07									
235107-0102		RH CSL COCKPIT HEADSET PANEL ASSY					Component	ATA:23	
PN:433200-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:433200AA0316	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-07, AMM 23-51-07									
235301-0101		C FLOOR RADIO INTERFACE (DATA LINK/SELCAL) UNIT					Component	ATA:23	
PN:822-1863-635	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4F2N47	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-53-01, AMM 23-53-01									
235301-0102		RH RACK RADIO INTERFACE (WITH SELCAL) UNIT					Component	ATA:23	
PN:822-1864-235	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FLLP1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-53-01, AMM 23-53-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
237101-0101		COCKPIT VOICE RECORDER					Component	ATA:23	
PN:5013-5001-50	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:002017035	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-71-01, AMM 23-71-01									
237103-0101		CVR (ULB) UNDERWATER LOCATOR BEACON					Component	ATA:23	
PN:266-E5542-00	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:ULB029506	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-71-03, AMM 23-71-03									
237104-0101		SSC VOICE RECORDER MICROPHONE					Component	ATA:23	
PN:S056-0051-00	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:001287225	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-71-03, AMM 23-71-03									
237143-0101		REAR FUS BATTERY L INDEPENDENT POWER SUPPLY					Component	ATA:23	
PN:500-4030-000	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:002012036	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-71-04, AMM 23-71-04									
C23-51-01-001		OPERATIONAL CHECK OF AUDIO BACKUP EMERGENCY COMMUNICATION					Service	ATA:23	
	MOS	15-Oct-19							
	HRS	0	3750		3750		2909.6		
	AFL	0							
PROC. REF: AMM 23-51-00									
ATA 24 - ELECTRICAL POWER									
24-10-01-001 ^S		OPERATIONAL CHECK OF MAIN GENERATION SWITCH					Service	ATA:24	
	MOS	15-Oct-19							
	HRS	0	2250 (+37/-37)						
	AFL	0							
PROC. REF: AMM 24-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-10-01-002 ^S	OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) GENERATION SWITCH							Service	ATA:24
	MOS	15-Oct-19							
	HRS	0	2250 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 24-10-01				PKG:10	
24-10-01-003 ^S	OPERATIONAL CHECK OF BUS TIE SWITCHING CIRCUIT							Service	ATA:24
	MOS	15-Oct-19							
	HRS	0	2250 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 24-61-00				PKG:10	
24-10-01-004 ^S	OPERATIONAL CHECK OF ELECTRICAL EMERGENCY SWITCHING CIRCUIT							Service	ATA:24
	MOS	15-Oct-19							
	HRS	0	2250 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 24-61-00				PKG:10	
24-23-00-901 ^S	OPERATIONAL CHECK OF RAM-AIR-TURBINE (RAT) - MANUAL DEPLOYMENT							Service	ATA:24
	MOS	29-Sep-23					CMR		
	HRS	798.6	1500						
	AFL	429							
				PROC. REF: AMM 24-23-00					
24-23-00-902 ^S	FUNCTIONAL CHECK OF RAM-AIR-TURBINE (RAT) GENERATOR							Service	ATA:24
	MOS	29-Sep-23					CMR		
	HRS	798.6	1500						
	AFL	429							
				PROC. REF: AMM 24-23-00					
24-23-01-001 ^S	FUNCTIONAL CHECK OF RAM AIR TURBINE (RAT) SYSTEM							Service	ATA:24
	MOS	29-Sep-23	24 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
				PROC. REF: AMM 24-23-00					
24-23-01-002 ^S	LUBRICATION OF RAM AIR TURBINE (RAT) ASSEMBLY							Service	ATA:24
	MOS	29-Sep-23	24 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
				PROC. REF: AMM 24-23-01				PKG:24	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-23-05-001^S OPERATIONAL CHECK OF RAM AIR TURBINE (RAT) MANUAL DEPLOYMENT								
	MOS	29-Sep-23	24 (+15d/-15d)					Service ATA:24
	HRS	798.6						
	AFL	429						
PROC. REF: AMM 24-23-00								
24-31-01-001 RESTORATION (OVERHAUL) OF THE LH ENGINE MAIN GENERATOR								
PN:94982-5	MOS	15-Oct-19						Service ATA:24 OVERHAUL
SN:1251	HRS	0	3750		3750		2909.6	
	AFL	0						
PROC. REF: AMM 24-31-01, AMM 24-32-01								
24-31-01-001 RESTORATION (OVERHAUL) OF THE RH ENGINE MAIN GENERATOR								
PN:94982-5	MOS	29-Sep-23						Service ATA:24 OVERHAUL
SN:1201	HRS	798.6	3750		4548.6		3708.2	
	AFL	429						
PROC. REF: AMM 24-31-01, AMM 24-32-01								
24-31-10-001 FUNCTIONAL CHECK OF MAIN GENERATOR SURGE SUPPRESSOR								
	MOS	15-Oct-19	60 (+15d/-15d)		15-Oct-24 (M)	30-Oct-24	329 d (+15)	Service ATA:24
	HRS	0						
	AFL	0						
PROC. REF: AMM 24-31-10								
24-32-01-002^S GENERAL VISUAL INSPECTION OF TRANSFORMER RECTIFIER UNIT (TRU) AIR INLET								
	MOS	15-Oct-19						Service ATA:24
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 24-32-01								
24-34-01-001 RESTORATION APU DC ELECTRIC GENERATOR (OVERHAUL)								
PN:95034-4	MOS	15-Oct-19						Service ATA:24 OVERHAUL
SN:1115	HRS	0						
	AFL	0						
	APH	0	3750		3750		3343	
PROC. REF: AMM 24-34-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-36-01-002 FUNCTIONAL CHECK OF THE NO. 1 MAIN BATTERY								
PN:416470	MOS	29-Sep-23	12		29-Sep-24		313 d	Service ATA:24
SN:202208439	HRS	798.6	750		1548.6		708.2	
	AFL	429						
PROC. REF: AMM 24-36-01								
24-36-01-002 FUNCTIONAL CHECK OF THE NO. 2 MAIN BATTERY								
PN:416470	MOS	29-Sep-23	12		29-Sep-24		313 d	Service ATA:24
SN:202208434	HRS	798.6	750		1548.6		708.2	
	AFL	429						
PROC. REF: AMM 24-36-01								
24-36-01-002 (ALI)^{U S} RESTORATION (OVERHAUL) OF NO. 1 40AH NICAD BATTERY								
PN:416470	MOS	20-Mar-23		TAC 1				Service ATA:24 OVERHAUL
SN:202208439	HRS	687.2	750	TAC 0				
	AFL	381		TAC 0				
24-36-01-002 (ALI)^{U S} RESTORATION (OVERHAUL) OF NO. 2 40AH NICAD BATTERY								
PN:416470	MOS	20-Mar-23		TAC 1				Service ATA:24 OVERHAUL
SN:202208434	HRS	687.2	750	TAC 0				
	AFL	381		TAC 0				
24-60-00-901 OPERATIONAL CHECK OF ELECTRICAL LOAD SHED (MANUAL AND AUTOMATIC)								
	MOS	15-Oct-19						Service ATA:24 CMR
	HRS	0	3750		3750		2909.6	
	AFL	0						
PROC. REF: AMM 24-60-00								
PKG:15								
24-61-22-001 FUNCTIONAL CHECK OF LPDC SURGE SUPPRESSOR								
	MOS	15-Oct-19	60 (+15d/-15d)		15-Oct-24 (M)	30-Oct-24	329 d (+15)	Service ATA:24
	HRS	0						
	AFL	0						
PROC. REF: AMM 24-61-22								
PKG:40								
24-61-42-001 FUNCTIONAL CHECK OF BOTH RPDC SURGE SUPPRESSORS								
	MOS	15-Oct-19	60 (+15d/-15d)		15-Oct-24 (M)	30-Oct-24	329 d (+15)	Service ATA:24
	HRS	0						
	AFL	0						
PROC. REF: AMM 24-61-42								
PKG:40								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-61-72-001^S OPERATIONAL CHECK OF EMERGENCY TIE CONTACTOR (ETC)								
	MOS	15-Oct-19						Service ATA:24
	HRS	0	2250 (+37/-37)					
	AFL	0						
PROC. REF: AMM 24-61-00								PKG:10
241013-0101 OVERHEAD ELECTRICAL SYSTEM CONTROL PANEL								
PN:430300-003	MOS/MSC	15-Oct-19	O/C	TSN 0				Component ATA:24
SN:430300AA0174	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-10-01, AMM 24-10-01								
242203-0101 LEFT AIR DRIVEN GENERATOR ACTUATOR								
PN:1722007	MOS/MSC	15-Oct-19	O/C	TSN 0				Component ATA:24
SN:0163	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
242301-0101 RH FWD AIR DRIVEN GENERATOR								
PN:1714291	MOS/MSC	15-Oct-19	O/C	TSN 0				Component ATA:24
SN:0157	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
242305-0101 RH FWD AIR DRIVEN GENERATOR UPLOCK								
PN:1714297	MOS/MSC	15-Oct-19	O/C	TSN 0				Component ATA:24
SN:0169	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
242307-0101 CREW CAB MANUAL CABLE RELEASE ASSY								
PN:5915561	MOS/MSC	15-Oct-19	O/C	TSN 0				Component ATA:24
SN:0178	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-23-07, AMM 24-23-07								
242309-0101 CREW CAB AIR DRIVEN GENERATOR CONTROL UNIT								
PN:1714293	MOS/MSC	15-Oct-19	O/C	TSN 0				Component ATA:24
SN:0167	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-23-09, AMM 24-23-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
242309-0102		RH RACK DIGITAL GENERATOR CONTROL UNIT					Component	ATA:24	
PN:95043-9	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2048	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-03, AMM 24-31-03									
242309-0103		LH RACK DIGITAL GENERATOR CONTROL UNIT					Component	ATA:24	
PN:95043-9	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2045	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-03, AMM 24-31-03									
242311-0101		RH FWD AIR DRIVEN GENERATOR RESTOW PUMP					Component	ATA:24	
PN:5915560	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:C0165	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-23-11, AMM 24-23-11									
243103-0101		RH RACK DIGITAL GENERATOR CONTROL UNIT					Component	ATA:24	
PN:95043-9	MOS/MSC	29-Sep-23	O/C	TSR 4					
SN:1258	HRS	798.6		TSO 0, TSR 0					
	AFL	429		TSO 0, TSR 0					
PROC. REF: AMM 24-31-03, AMM 24-31-03									
243113-0101		LH ENG DC ELECTRIC GENERATOR					Component	ATA:24	
PN:94982-5	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1251	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-01, AMM 24-31-01									
243113-0102		RH ENG DC ELECTRIC GENERATOR					Component	ATA:24	
PN:94982-5	MOS/MSC	29-Sep-23	O/C	TSO 0					
SN:1201	HRS	798.6		TSN 1035.4, TSO 0					
	AFL	429		TSO 0					
PROC. REF: AMM 24-31-01, AMM 24-31-01									
243213-0101		CENT FUS TRANSFORMER RECTIFIER UNIT					Component	ATA:24	
PN:5915825	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1544	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-32-01, AMM 24-32-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243401-0101	APU DC ELECTRIC GENERATOR							Component	ATA:24
PN:95034-4	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1115	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-34-01, AMM 24-34-01									
243611-0101	NO. 1 40AH NICAD BATTERY							Component	ATA:24
PN:416470	MOS/MSC	29-Sep-23	O/C	TSN 7					
SN:202208439	HRS	798.6		TSN 111.4					
	AFL	429		TSN 48					
PROC. REF: GENERIC NO REF									
243611-0102	NO. 2 40AH NICAD BATTERY							Component	ATA:24
PN:416470	MOS/MSC	29-Sep-23	O/C	TSN 7					
SN:202208434	HRS	798.6		TSN 111.4					
	AFL	429		TSN 48					
PROC. REF: GENERIC NO REF									
246110-0101	LH RACK LEFT POWER DISTRIBUTION BOX ASSY							Component	ATA:24
PN:129GC04Y06	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00167	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
246120-0101	REAR FUS HALL EFFECT - GENERATOR SENSOR							Component	ATA:24
PN:126GC04Y02	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:126GC04-0993	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-61-20, AMM 24-61-20									
246120-0102	REAR FUS HALL EFFECT - GENERATOR SENSOR							Component	ATA:24
PN:126GC04Y02	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:126GC04-0990	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-61-20, AMM 24-61-20									
246120-0103	REAR FUS HALL EFFECT - GENERATOR SENSOR							Component	ATA:24
PN:126GC04Y02	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:126GC04-0992	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-61-20, AMM 24-61-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
246130-0101		RH RACK RIGHT POWER DISTRIBUTION BOX ASSY					Component	ATA:24	
PN:130GC04Y04	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00179	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
246150-0101		CENT FUS EMERGENCY POWER DISTRIBUTION BOX ASSY					Component	ATA:24	
PN:137GC04Y05	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00176	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-61-50, AMM 24-61-50									
246170-0101		REAR FUS EMERGENCY POWER DISTRIBUTION BOX ASSY					Component	ATA:24	
PN:128GC04Y04	MOS/MSC	14-Oct-23	O/C	TSR 1					
SN:00139	HRS	809		TSR 0					
	AFL	435		TSR 0					
PROC. REF: AMM 24-61-70, AMM 24-61-70									
246202-0101		C FLOOR POWER DISTRIBUTION BOX ASSY					Component	ATA:24	
PN:131GC04Y01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00630	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
246202-0102		C FLOOR POWER DISTRIBUTION BOX ASSY					Component	ATA:24	
PN:131GC04Y01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00632	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
246202-0103		RH RACK POWER DISTRIBUTION BOX ASSY					Component	ATA:24	
PN:131GC04Y01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00628	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
246202-0104		LH RACK POWER DISTRIBUTION BOX ASSY					Component	ATA:24	
PN:131GC04Y01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00631	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
246203-0101		C FLOOR CPS POWER SUPPLY BOARD					Component	ATA:24	
PN:130CE06Y05	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:730923IN00892	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-03, AMM 24-62-03									
246203-0102		C FLOOR CPS POWER SUPPLY BOARD					Component	ATA:24	
PN:130CE06Y05	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:730923IN00893	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-03, AMM 24-62-03									
246203-0103		LH RACK CPS POWER SUPPLY BOARD					Component	ATA:24	
PN:130CE06Y05	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:730923IN00891	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-03, AMM 24-62-03									
246203-0104		RH RACK CPS POWER SUPPLY BOARD					Component	ATA:24	
PN:130CE06Y05	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:730923IN00905	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-03, AMM 24-62-03									
246205-0101		C FLOOR BPS POWER SUPPLY BOARD					Component	ATA:24	
PN:120CE06Y04	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00833	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-05, AMM 24-62-05									
246205-0102		C FLOOR BPS POWER SUPPLY BOARD					Component	ATA:24	
PN:120CE06Y04	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00836	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-05, AMM 24-62-05									
246205-0103		LH RACK BPS POWER SUPPLY BOARD					Component	ATA:24	
PN:120CE06Y04	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00838	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-05, AMM 24-62-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
246205-0104		RH RACK BPS POWER SUPPLY BOARD					Component	ATA:24	
PN:120CE06Y04	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00855	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-05, AMM 24-62-05									
246207-0101		EMB1 POWER CONTROLLER BOARD					Component	ATA:24	
PN:110CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01470	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0102		EMB1 POWER CONTROLLER BOARD					Component	ATA:24	
PN:110CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01565	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0103		EMB1 POWER CONTROLLER BOARD					Component	ATA:24	
PN:110CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01567	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0104		EMB1 POWER CONTROLLER BOARD					Component	ATA:24	
PN:110CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01568	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0105		EMB1 POWER CONTROLLER BOARD					Component	ATA:24	
PN:110CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01581	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0106		EMB1 POWER CONTROLLER BOARD					Component	ATA:24	
PN:110CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01584	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
246207-0107		LH RACK EMB1 POWER CONTROLLER BOARD						Component	ATA:24
PN:110CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01555	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0108		RH RACK EMB1 POWER CONTROLLER BOARD						Component	ATA:24
PN:110CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01441	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0109		RH RACK EMB1 POWER CONTROLLER BOARD						Component	ATA:24
PN:110CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01558	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0201		EMB2 POWER CONTROLLER BOARD						Component	ATA:24
PN:111CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00087	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0202		EMB2 POWER CONTROLLER BOARD						Component	ATA:24
PN:111CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01017	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0203		RH RACK EMB2 POWER CONTROLLER BOARD						Component	ATA:24
PN:111CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01013	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0204		RH RACK EMB2 POWER CONTROLLER BOARD						Component	ATA:24
PN:111CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01018	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
246207-0205		LH RACK EMB2 POWER CONTROLLER BOARD						Component	ATA:24
PN:111CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01015	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0206		LH RACK EMB2 POWER CONTROLLER BOARD						Component	ATA:24
PN:111CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01020	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0301		C FLOOR EMB3 POWER CONTROLLER BOARD						Component	ATA:24
PN:112CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01879	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0302		C FLOOR EMB3 POWER CONTROLLER BOARD						Component	ATA:24
PN:112CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01896	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0303		C FLOOR EMB3 POWER CONTROLLER BOARD						Component	ATA:24
PN:112CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01901	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0304		C FLOOR EMB3 POWER CONTROLLER BOARD						Component	ATA:24
PN:112CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01903	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0305		LH RACK EMB3 POWER CONTROLLER BOARD						Component	ATA:24
PN:112CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01878	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
246207-0306		RH RACK EMB3 POWER CONTROLLER BOARD					Component	ATA:24	
PN:112CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01884	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0307		LH RACK EMB3 POWER CONTROLLER BOARD					Component	ATA:24	
PN:112CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01882	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0308		RH RACK EMB3 POWER CONTROLLER BOARD					Component	ATA:24	
PN:112CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01898	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0309		LH RACK EMB3 POWER CONTROLLER BOARD					Component	ATA:24	
PN:112CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01899	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0310		RH RACK EMB3 POWER CONTROLLER BOARD					Component	ATA:24	
PN:112CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01993	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246207-0311		C FLOOR EMB3 POWER CONTROLLER BOARD					Component	ATA:24	
PN:112CE06Y11	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01904	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-07, AMM 24-62-07									
246293-0101		RH RACK 28VDC DISPLAY UNIT					Component	ATA:24	
PN:154TS11ABY04	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00345	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-09, AMM 24-62-09									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
246293-0102		CREW CAB 28VDC DISPLAY UNIT					Component	ATA:24	
PN:154TS11ABY04	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00358	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
246401-0101		LEFT CIRCUIT BREAKER PANEL ASSY					Component	ATA:24	
PN:EB500800-811	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:199135-16-1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-64-01, AMM 24-64-01									
246402-0101		RIGHT CIRCUIT BREAKER PANEL ASSY					Component	ATA:24	
PN:EB500800-812	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:204094-13-2	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-64-02, AMM 24-64-02									
C24-23-01-001		FUNCTIONAL CHECK OF RAM AIR TURBINE (RAT) GENERATOR					Service	ATA:24	
	MOS	29-Sep-23	24		29-Sep-25		678 d		
	HRS	798.6	1500		2298.6		1458.2		
	AFL	429							
PROC. REF: AMM 24-23-00									
C24-23-05-001		OPERATIONAL CHECK OF RAM AIR TURBINE (RAT) - MANUAL DEPLOYMENT					Service	ATA:24	
	MOS	29-Sep-23	24		29-Sep-25		678 d		
	HRS	798.6	1500		2298.6		1458.2		
	AFL	429							
PROC. REF: AMM 24-23-00									
F190-001		INTERNAL GENERAL VISUAL INSPECTION OF POWER HARNESSSES AND SUPPORTS COVERED BY WING-TO-FUSELAGE FAIRING					Service	ATA:24	
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9159.6		
	AFL	0							
PROC. REF: AMM 24-05-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
F190-002	INTERNAL GENERAL VISUAL INSPECTION OF OTHER HARNESSSES AND SUPPORTS COVERED BY WING-TO-FUSELAGE FAIRING							Service	ATA:24
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9159.6		
	AFL	0							
	PROC. REF: AMM 24-05-01								
F190-004	INTERNAL GENERAL VISUAL INSPECTION OF BRAKE SYSTEM HARNESSSES BELOW THE WING STUB							Service	ATA:24
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9159.6		
	AFL	0							
	PROC. REF: AMM 24-05-01								
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-01-001 ^S	DETAILED INSPECTION OF COCKPIT SEATS ATTACHMENT							Service	ATA:25
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 25-11-01								
25-11-01-002 ^S	DETAILED INSPECTION OF COCKPIT SEAT BELTS							Service	ATA:25
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 25-11-01								
25-11-01-003 ^S	OPERATIONAL CHECK OF COCKPIT SEATS INERTIAL REEL AND BUCKLE							Service	ATA:25
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 25-11-01								
25-11-01-004 ^S	OPERATIONAL CHECK OF COCKPIT SEATS BACKREST AND VERTICAL MOVEMENT							Service	ATA:25
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 25-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-02-001	DETAILED INSPECTION OF OBSERVER SEAT ATTACHMENT							Service	ATA:25
PN:PN	MOS/MSC	15-Oct-19	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 25-11-02									
25-11-02-002	DETAILED INSPECTION OF OBSERVER SEAT SEAT BELT							Service	ATA:25
PN:PN	MOS/MSC	15-Oct-19	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 25-11-02									
25-11-02-003	OPERATIONAL CHECK OF OBSERVER SEAT INERTIAL REEL AND BUCKLE							Service	ATA:25
PN:PN	MOS/MSC	15-Oct-19	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 25-11-02									
25-11-02-004	OPERATIONAL CHECK OF OBSERVER SEAT							Service	ATA:25
PN:PN	MOS/MSC	15-Oct-19	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 25-11-02									
25-21-01-001 ^S	OPERATIONAL CHECK OF PASSENGER SEATS							Service	ATA:25
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 25-21-01									
25-21-01-002 ^S	DETAILED INSPECTION OF PASSENGER SEATS ATTACHMENT							Service	ATA:25
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 25-21-01									
25-21-01-003 ^S	OPERATIONAL CHECK OF PASSENGER SEATS INERTIAL REEL AND BUCKLE							Service	ATA:25
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 25-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-21-01-004 ^S	DETAILED INSPECTION OF PASSENGER SEAT BELTS							Service	ATA:25
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 25-21-01				PKG:15	
25-21-02-001 ^S	DETAILED INSPECTION OF DIVAN ATTACHMENT							Service	ATA:25
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 25-21-02				PKG:15	
25-21-02-002 ^S	OPERATIONAL CHECK OF DIVAN INERTIAL REEL AND BUCKLE							Service	ATA:25
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 25-21-02				PKG:15	
25-21-02-003 ^S	DETAILED INSPECTION OF DIVAN BELTS							Service	ATA:25
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 25-21-02				PKG:15	
25-21-02-004 ^S	DETAILED INSPECTION OF DIVAN SLEEPER BELT							Service	ATA:25
	MOS	15-Oct-19						CATEGORY 8	
	HRS	0	3750 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 25-21-02				PKG:15	
25-21-03-002 ^S	DETAILED INSPECTION OF SIDE FACING SEAT ATTACHMENT							Service	ATA:25
	MOS	15-Oct-19						CATEGORY 8	
	HRS	0	3750 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 25-21-03				PKG:15	
25-21-03-003 ^S	DETAILED INSPECTION OF SIDE FACING SEAT BELT							Service	ATA:25
	MOS	15-Oct-19						CATEGORY 8	
	HRS	0	3750 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 25-21-03				PKG:15	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-21-04-002		DETAILED INSPECTION OF NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM							Service ATA:25
PN:508358-415	MOS	29-Sep-23	48		29-Sep-27		1408 d	CATEGORY 8	
SN:A02AUG18-92	HRS	798.6							
	AFL	429							
PROC. REF: AMM 25-21-04									
25-21-04-003		FUNCTIONAL CHECK OF NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM							Service ATA:25
PN:508358-415	MOS	29-Sep-23	48		29-Sep-27		1408 d	CATEGORY 8	
SN:A02AUG18-92	HRS	798.6							
	AFL	429							
PROC. REF: AMM 25-21-04									
25-21-04-004		DISCARD OF THE AIRBAG INFLATOR GAS CYLINDER - NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM							Service ATA:25
PN:PN	MOS	01-Aug-18	120		01-Aug-28		1715 d	LIFE LIMIT	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 25-21-04									
25-21-04-005		RESTORATION (REPAIR) OF THE NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM ELECTRONIC MODULE ASSEMBLY (EMA)							Service ATA:25
PN:PN	MOS	01-Aug-18	84		01-Aug-25		619 d	RESTORE	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 25-21-04									
25-21-05-002		DETAILED INSPECTION OF NO. 1 PASSENGER-SEAT LAP BELT AIRBAG SYSTEM (LEGACY 450 PRAETOR 500)							Service ATA:25
PN:508358-415	MOS	29-Sep-23	48		29-Sep-27		1408 d	CATEGORY 8	
SN:A08DEC18-10	HRS	798.6							
	AFL	429							
PROC. REF: AMM 25-21-05									
25-21-05-002		DETAILED INSPECTION OF NO. 2 PASSENGER-SEAT LAP BELT AIRBAG SYSTEM (LEGACY 450 PRAETOR 500)							Service ATA:25
PN:508358-415	MOS	29-Sep-23	48		29-Sep-27		1408 d	CATEGORY 8	
SN:A25MAY18-52	HRS	798.6							
	AFL	429							
PROC. REF: AMM 25-21-05									
25-21-05-003		FUNCTIONAL CHECK OF NO. 1 PASSENGER-SEAT LAP BELT AIRBAG SYSTEM (LEGACY 450 PRAETOR 500)							Service ATA:25
PN:508358-415	MOS	29-Sep-23	48		29-Sep-27		1408 d	CATEGORY 8	
SN:A08DEC18-10	HRS	798.6							
	AFL	429							
PROC. REF: AMM 25-21-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-05-003 FUNCTIONAL CHECK OF NO. 2 PASSENGER-SEAT LAP BELT AIRBAG SYSTEM (LEGACY 450 PRAETOR 500) Service ATA:25								
PN:508358-415	MOS	29-Sep-23	48		29-Sep-27		1408 d	CATEGORY 8
SN:A25MAY18-52	HRS	798.6						
	AFL	429						
PROC. REF: AMM 25-21-05								
25-21-05-004 DISCARD OF THE NO. 1 PASSENGER-SEAT LAP BELT INFLATOR GAS CYLINDER Service ATA:25								
PN:PN	MOS	01-Dec-18	120		01-Dec-28		1837 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-21-05								
25-21-05-004 DISCARD OF THE NO. 2 PASSENGER-SEAT LAP BELT INFLATOR GAS CYLINDER Service ATA:25								
PN:PN	MOS	01-May-18	120		01-May-28		1623 d	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-21-05								
25-21-05-005 RESTORATION (REPAIR)OF THE NO. 1 PASSENGER-SEAT LAP BELT (EMA) ELECTRONIC MODULE ASSEMBLY - NOTE: REPLACE THE EMA Service ATA:25 (ELECTRONIC MODULE ASSEMBLY) INTERNAL BATTERY								
PN:PN	MOS	01-Dec-18	84		01-Dec-25		741 d	RESTORE
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-21-05, AMM 25-21-05								
25-21-05-005 RESTORATION (REPAIR)OF THE NO. 2 PASSENGER-SEAT LAP BELT (EMA) ELECTRONIC MODULE ASSEMBLY - NOTE: REPLACE THE EMA Service ATA:25 (ELECTRONIC MODULE ASSEMBLY) INTERNAL BATTERY								
PN:PN	MOS	01-May-18	84		01-May-25		527 d	RESTORE
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-21-05, AMM 25-21-05								
25-21-06-001 DETAILED INSPECTION OF NO. 1 DIVAN LEG RESTRAINT AIRBAG ASSEMBLY Service ATA:25								
PN:PN	MOS/MSC	15-Oct-19	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-06-003 FUNCTIONAL CHECK OF NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM								
PN:PN	MOS/MSC	15-Oct-19	N/A					Service ATA:25
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-21-06								
25-21-06-004 DISCARD OF THE AIRBAG INFLATOR GAS CYLINDER - NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM								
PN:PN	MOS/MSC		N/A					Service ATA:25
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-21-06								
25-21-06-005 RESTORATION (REPAIR) OF THE NO. NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM ELECTRONIC MODULE ASSEMBLY (EMA)								
	MOS/MSC		N/A					Service ATA:25
	HRS							
	AFL							
PROC. REF: AMM 25-21-06, AMM 25-21-06								
25-42-00-001^S DETAILED INSPECTION OF TOILET SEAT BELT								
	MOS	15-Oct-19						Service ATA:25
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 25-42-02								
PKG:15								
25-42-03-001 DETAILED INSPECTION OF TOILET SEAT AIRBAG ASSEMBLY								
PN:PN	MOS/MSC	15-Oct-19	N/A					Service ATA:25
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-42-03								
25-42-03-003 FUNCTIONAL CHECK OF TOILET SEAT AIRBAG SYSTEM								
PN:PN	MOS/MSC	15-Oct-19	N/A					Service ATA:25
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 25-42-03								
25-42-03-004 DISCARD OF THE TOILET SEAT INFLATOR GAS CYLINDER								
PN:PN	MOS/MSC		N/A					Service ATA:25
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-42-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-42-03-005	RESTORATION (REPAIR) OF THE TOILET SEAT (EMA) ELECTRONIC MODULE ASSEMBLY - NOTE: REPLACE THE EMA (ELECTRONIC MODULEASSEMBLY) INTERNAL BATTERY							Service	ATA:25
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 25-42-03, AMM 25-42-03									
25-61-00-001	OPERATIONAL CHECK OF EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM							Service	ATA:25
	MOS	29-Sep-23	12		29-Sep-24		313 d		
	HRS	798.6							
	AFL	429							
PROC. REF: AMM 25-61-00									
25-61-00-002	GENERAL VISUAL INSPECTION OF EMERGENCY LOCATOR TRANSMITTER (ELT)							Service	ATA:25
	MOS	29-Sep-23	12		29-Sep-24		313 d		
	HRS	798.6							
	AFL	429							
PROC. REF: AMM 25-61-00									
25-61-04-001	DISCARD EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY							Service	ATA:25
PN:S1820506-01E	MOS/MSC		DUE		01-Jan-25 (M)		407 d	LIFE LIMIT	
SN:438930	HRS								
	AFL								
PROC. REF: AMM 25-61-04									
25-61-05-001	RESTORATION OF ELT/NAV (INTERNAL MEMORY)							Service	ATA:25
PN:PN	MOS	15-Oct-19	120		15-Oct-29		2155 d	CATEGORY 8	
SN:UNKNOWN	HRS	0	16000		16000		15159.6		
	AFL	0							
PROC. REF: AMM 25-61-08									
25-62-01-001	GENERAL VISUAL INSPECTION OF FIRST AID KIT							Service	ATA:25
PN:501268	MOS	22-Sep-23	12		29-Sep-24 (M)		313 d		
SN:091020004	HRS								
	AFL								
PROC. REF: AMM 25-62-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-02-001 RESTORATION (OVERHAUL) CO-PILOT LIFE VEST								
PN:66601-505	MOS	01-Aug-18	120		01-Aug-28		1715 d	Service ATA:25 OVERHAUL
SN:L4350646	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-001 RESTORATION (OVERHAUL) PILOT LIFE VEST								
PN:66601-505	MOS	01-Aug-18	120		01-Aug-28		1715 d	Service ATA:25 OVERHAUL
SN:L4350643	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-002 RESTORATION (OVERHAUL) CO-PILOT LIFE VEST								
PN:66601-505	MOS/MSC		N/A					Service ATA:25
SN:L4350646	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-002 RESTORATION (OVERHAUL) DIVAN NO. 1 LIFE VEST								
PN:RSS-301P	MOS/MSC		N/A					Service ATA:25
SN:2238589	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-002 RESTORATION (OVERHAUL) DIVAN NO. 2 LIFE VEST								
PN:RSS-301P	MOS/MSC		N/A					Service ATA:25
SN:2238594	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-002 RESTORATION (OVERHAUL) NO. 1 PASSENGER CABIN LIFE VEST								
PN:RSS-301	MOS	12-May-23	60		28-Dec-27 (M)		1498 d	Service ATA:25 OVERHAUL
SN:2377435	HRS							
	AFL							
		OverHaul Date:: 12-May-23						PROC. REF: AMM 25-62-02
25-62-02-002 RESTORATION (OVERHAUL) NO. 2 PASSENGER CABIN LIFE VEST								
PN:RSS-301	MOS	12-May-23	60		28-Dec-27 (M)		1498 d	Service ATA:25 OVERHAUL
SN:2377437	HRS							
	AFL							
		OverHaul Date:: 12-May-23						PROC. REF: AMM 25-62-02

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-02-002 RESTORATION (OVERHAUL) NO. 3 PASSENGER CABIN LIFE VEST Service ATA:25								
PN:RSS-301	MOS	12-May-23	60		28-Dec-27 (M)		1498 d	OVERHAUL
SN:2377445	HRS							
	AFL							
		OverHaul Date:: 12-May-23		PROC. REF: AMM 25-62-02				
25-62-02-002 RESTORATION (OVERHAUL) NO. 4 PASSENGER CABIN LIFE VEST Service ATA:25								
PN:RSS-301	MOS	12-May-23	60		28-Dec-27 (M)		1498 d	OVERHAUL
SN:2377459	HRS							
	AFL							
		OverHaul Date:: 12-May-23		PROC. REF: AMM 25-62-02				
25-62-02-002 RESTORATION (OVERHAUL) NO. 5 PASSENGER CABIN LIFE VEST Service ATA:25								
PN:RSS-301	MOS	12-May-23	60		28-Dec-27 (M)		1498 d	OVERHAUL
SN:2377473	HRS							
	AFL							
		OverHaul Date:: 12-May-23		PROC. REF: AMM 25-62-02				
25-62-02-002 RESTORATION (OVERHAUL) NO. 6 PASSENGER CABIN LIFE VEST Service ATA:25								
PN:RSS-301	MOS	12-May-23	60		28-Dec-27 (M)		1498 d	OVERHAUL
SN:2377476	HRS							
	AFL							
		OverHaul Date:: 12-May-23		PROC. REF: AMM 25-62-02				
25-62-02-002 RESTORATION (OVERHAUL) PILOT LIFE VEST Service ATA:25								
PN:66601-505	MOS/MSC		N/A					
SN:L4350643	HRS							
	AFL							
				PROC. REF: AMM 25-62-02				
25-62-02-002 RESTORATION (OVERHAUL) TOILET LIFE VEST Service ATA:25								
PN:RSS-301	MOS	12-May-23	60		28-Dec-27 (M)		1498 d	OVERHAUL
SN:2377478	HRS							
	AFL							
		OverHaul Date:: 12-May-23		PROC. REF: AMM 25-62-02				
25-62-02-003 RESTORATION (OVERHAUL) DIVAN NO. 1 LIFE VEST Service ATA:25								
PN:RSS-301P	MOS	01-Jul-17	120		01-Jul-27		1318 d	OVERHAUL
SN:2238589	HRS							
	AFL							
				PROC. REF: AMM 25-62-02				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-02-003 RESTORATION (OVERHAUL) DIVAN NO. 2 LIFE VEST Service ATA:25								
PN:RSS-301P	MOS	01-Jul-17	120		01-Jul-27		1318 d	OVERHAUL
SN:2238594	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-004 RESTORATION (OVERHAUL) OF SIDE FACING SEAT LIFE VEST Service ATA:25								
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-005 RESTORATION (OVERHAUL) DIVAN NO. 1 LIFE VEST Service ATA:25								
PN:RSS-301P	MOS/MSC		N/A					
SN:2238589	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-005 RESTORATION (OVERHAUL) DIVAN NO. 2 LIFE VEST Service ATA:25								
PN:RSS-301P	MOS/MSC		N/A					
SN:2238594	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-005 RESTORATION (OVERHAUL) NO. 1 PASSENGER CABIN LIFE VEST Service ATA:25								
PN:RSS-301	MOS/MSC		N/A					
SN:2377435	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-005 RESTORATION (OVERHAUL) NO. 2 PASSENGER CABIN LIFE VEST Service ATA:25								
PN:RSS-301	MOS/MSC		N/A					
SN:2377437	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-005 RESTORATION (OVERHAUL) NO. 3 PASSENGER CABIN LIFE VEST Service ATA:25								
PN:RSS-301	MOS/MSC		N/A					
SN:2377445	HRS							
	AFL							
PROC. REF: AMM 25-62-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-02-005	RESTORATION (OVERHAUL) NO. 4 PASSENGER CABIN LIFE VEST							Service	ATA:25
PN:RSS-301	MOS/MSC		N/A						
SN:2377459	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-005	RESTORATION (OVERHAUL) NO. 5 PASSENGER CABIN LIFE VEST							Service	ATA:25
PN:RSS-301	MOS/MSC		N/A						
SN:2377473	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-005	RESTORATION (OVERHAUL) NO. 6 PASSENGER CABIN LIFE VEST							Service	ATA:25
PN:RSS-301	MOS/MSC		N/A						
SN:2377476	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-005	RESTORATION (OVERHAUL) TOILET LIFE VEST							Service	ATA:25
PN:RSS-301	MOS/MSC		N/A						
SN:2377478	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-03-001	RESTORATION (OVERHAUL) NO. 1 LIFE RAFT							Service	ATA:25
PN:1320FASA-6K4-1-115	MOS	26-Oct-22	36		01-Nov-25 (M)		711 d	OVERHAUL	
SN:13SA-00146	HRS								
	AFL								
PROC. REF: AMM 25-62-03									
251101-0101	PILOT CL328 DUNE SHEEPSKIN SEAT							Component	ATA:25
PN:1431-01DL	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:315-1431	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 25-11-01, AMM 25-11-01									
251101-0102	COPILOT CL328 DUNE SHEEPSKIN SEAT							Component	ATA:25
PN:1431-02DL	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:316-1431	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 25-11-01, AMM 25-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
251101-0103		OBSERVER SEAT						Component	ATA:25
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-11-02, AMM 25-11-02									
252101-0101		PAX CAB LEGACY 450/500 LH FWD FACING SEAT						Component	ATA:25
PN:3AQF1113107EQDP	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:181029-19	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
252101-0103		PAX CAB LEGACY 450/500 LH FWD FACING SEAT						Component	ATA:25
PN:3AQF1113119EQDP	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:181029-21	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
252101-0104		PAX CAB LEGACY 450/500 LH AFT FACING SEAT						Component	ATA:25
PN:3AQF1113108EQDP	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:181029-20	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-03, AMM 25-21-03									
252101-0105		PAX CAB LEGACY 450/500 RH FWD FACING SEAT						Component	ATA:25
PN:3AQF1113106EQDP	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:181029-18	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
252101-0107		PAX CAB LEGACY 450/500 RH FWD FACING SEAT						Component	ATA:25
PN:3AQF1113122EQDP	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:181029-22	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									
252101-0108		PAX CAB LEGACY 450/500 RH AFT FACING SEAT						Component	ATA:25
PN:3AQF1113105EQDP	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:181029-17	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
252102-0101		PAX CAB LEGACY 450/500 RH DIVAN					Component	ATA:25	
PN:3DQF1113020EQDJ	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:181029-24	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-02, AMM 25-21-02									
252102-0102		PAX CAB LEGACY 450/500 RH DIVAN					Component	ATA:25	
PN:3DQF1113024EQDJ	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:181029-25	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-02, AMM 25-21-02									
252103-0101		NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM					Component	ATA:25	
PN:508358-415	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:A02AUG18-92	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-04, AMM 25-21-04									
252103-0102		NO. 1 PASSENGER-SEAT LAP BELT AIRBAG SYSTEM					Component	ATA:25	
PN:508358-415	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:A08DEC18-10	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-05, AMM 25-21-05									
252103-0103		NO. 2 PASSENGER-SEAT SEATBELT AIRBAG SYSTEM					Component	ATA:25	
PN:508358-415	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:A25MAY18-52	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-05, AMM 25-21-05									
252103-0104 ^U		NO. 3 PASSENGER-SEAT LAP BELT AIRBAG SYSTEM					Component	ATA:25	
PN:508358-415	MOS/MSC	15-Oct-19	O/C						
SN:A02AUG18-88	HRS	0							
	AFL	0							
252105-0101		AIRBAG CYLINDER INFLATOR, ACH COLD (PAX SEAT C5)					Component	ATA:25	
PN:PN	MOS/MSC	15-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 3									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
252105-0102		AIRBAG CYLINDER INFLATOR, ACH COLD (PAX SEAT C6)					Component	ATA:25	
PN:PN	MOS/MSC	15-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 3									
252106-0101		NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM					Component	ATA:25	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-06, AMM 25-21-06									
252106-0301		AIRBAG INFLATOR GAS CYLINDER, ACH COLD - NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM					Component	ATA:25	
PN:PN	MOS/MSC	15-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-04, AMM 25-21-04									
252107-0101		ELECTRONIC MODULE ASSEMBLY (EMA) - NO. 1 DIVAN FWD SEAT BELT AIRBAG SYSTEM					Component	ATA:25	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-04, AMM 25-21-04									
252108-0101		ELECTRONIC MODULE ASSEMBLY - NO. 1 PAX SEAT BELT AIRBAG SYSTEM					Component	ATA:25	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-05, AMM 25-21-05									
252108-0102		ELECTRONIC MODULE ASSEMBLY - NO. 2 PAX SEAT BELT AIRBAG SYSTEM					Component	ATA:25	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-05, AMM 25-21-05									
252109-0101		AIRBAG INFLATOR GAS CYLINDER, ACH COLD - NO. 1 DIVAN LEG RESTRAINT AIRBAG SYSTEM					Component	ATA:25	
PN:PN	MOS/MSC	15-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-04, AMM 25-21-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
253101-0101		GALLEY BLURAY PLAYER						Component	ATA:25
PN:990-E4750-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18017001073	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-31-01, AMM 25-31-01									
253204-0101		GALLEY ELECTRICAL NESPRESSO COFFEE MAKER						Component	ATA:25
PN:400-1907-06	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18-06-07975	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-32-04, AMM 25-32-04									
254203-0301		AIRBAG CYLINDER INFLATOR, ACH COLD (TOILET LEG AIRBAG ASSEMBLY)						Component	ATA:25
PN:PN	MOS/MSC	15-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 3									
254203-0401		ELECTRONIC MODULE ASSEMBLY - TOILET SEAT LEG RESTRAINT						Component	ATA:25
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-42-03, AMM 25-42-03									
256100-0101		EMERGENCY LOCATOR TRANSMITTER						Component	ATA:25
PN:S1821502-02	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:LX1100778966	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-61-01, AMM 25-61-01									
256102-0101		GND PROX/ELT ASSY CONTROL PANEL						Component	ATA:25
PN:433700-003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:433700AA0171	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-61-02, AMM 25-61-02									
256103-0101		WHITE ELT ANTENNA						Component	ATA:25
PN:S65-1231	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:160-1474	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-61-03, AMM 25-61-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256104-0101		EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY						Component	ATA:25
PN:S1820506-01E	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:438930	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-61-01, AMM 25-61-01									
256105-0101		LH RACK ELT/NAV INTERFACE MODULE						Component	ATA:25
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-61-05, AMM 25-61-05									
256201-0101		FIRST AID KIT						Component	ATA:25
PN:501268	MOS/MSC	29-Sep-23	O/C	TSO 0	30-Sep-24 (M)		314 d		
SN:091020004	HRS	798.6		TSO 0					
	AFL	429		TSO 0					
PROC. REF: AMM GENERIC 1									
256202-0101		PILOT LIFE VEST						Component	ATA:25
PN:66601-505	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:L4350643	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
256202-0102		CO-PILOT LIFE VEST						Component	ATA:25
PN:66601-505	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:L4350646	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4									
256202-0103		NO. 1 PASSENGER CABIN LIFE VEST						Component	ATA:25
PN:RSS-301	MOS/MSC	29-Sep-23	O/C	TSN 4					
SN:2377435	HRS	798.6		TSN 0					
	AFL	429		TSN 0					
PROC. REF: AMM GENERIC 1									
256202-0104		NO. 2 PASSENGER CABIN LIFE VEST						Component	ATA:25
PN:RSS-301	MOS/MSC	29-Sep-23	O/C	TSN 4					
SN:2377437	HRS	798.6		TSN 0					
	AFL	429		TSN 0					
PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256202-0105		NO. 3 PASSENGER CABIN LIFE VEST					Component	ATA:25	
PN:RSS-301	MOS/MSC	29-Sep-23	O/C	TSN 4					
SN:2377445	HRS	798.6		TSN 0					
	AFL	429		TSN 0					
PROC. REF: AMM GENERIC 1									
256202-0106		NO. 4 PASSENGER CABIN LIFE VEST					Component	ATA:25	
PN:RSS-301	MOS/MSC	29-Sep-23	O/C	TSN 4					
SN:2377459	HRS	798.6		TSN 0					
	AFL	429		TSN 0					
PROC. REF: AMM GENERIC 1									
256202-0107		NO. 5 PASSENGER CABIN LIFE VEST					Component	ATA:25	
PN:RSS-301	MOS/MSC	29-Sep-23	O/C	TSN 4					
SN:2377473	HRS	798.6		TSN 0					
	AFL	429		TSN 0					
PROC. REF: AMM GENERIC 1									
256202-0108		NO. 6 PASSENGER CABIN LIFE VEST					Component	ATA:25	
PN:RSS-301	MOS/MSC	29-Sep-23	O/C	TSN 4					
SN:2377476	HRS	798.6		TSN 0					
	AFL	429		TSN 0					
PROC. REF: AMM GENERIC 1									
256202-0114		TOILET LIFE VEST					Component	ATA:25	
PN:RSS-301	MOS/MSC	29-Sep-23	O/C	TSN 4					
SN:2377478	HRS	798.6		TSN 0					
	AFL	429		TSN 0					
PROC. REF: AMM GENERIC 1									
256202-0115		DIVAN NO. 1 LIFE VEST					Component	ATA:25	
PN:RSS-301P	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2238589	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
256202-0116		DIVAN NO. 2 LIFE VEST					Component	ATA:25	
PN:RSS-301P	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2238594	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256202-0118	SIDE FACING SEAT EMERGENCY LIFE VEST							Component	ATA:25
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
256203-0101	NO. 1 LIFE RAFT							Component	ATA:25
PN:1320FASA-6K4-1-115	MOS/MSC	08-Nov-22	O/C	TSN 37, TSO 1					
SN:13SA-00146	HRS	613.8		TSN 613.8, TSO 0					
	AFL	344		TSN 344, TSO 0					
PROC. REF: AMM GENERIC 1									
ATA 26 - FIRE PROTECTION									
26-20-00-001	RESTORATION (OVERHAUL) ENGINE/APU FIRE EXTINGUISHER CYLINDER (BOTTLE A)							Service	ATA:26
PN:33000101-2	MOS	01-Sep-18	120	01-Sep-28			1746 d	OVERHAUL	
SN:77855B1	HRS								
	AFL								
PROC. REF: AMM 26-20-00									
26-20-00-001	RESTORATION (OVERHAUL) ENGINE/APU FIRE EXTINGUISHER CYLINDER (BOTTLE B)							Service	ATA:26
PN:33000101-2	MOS	01-Sep-18	120	01-Sep-28			1746 d	OVERHAUL	
SN:77974B1	HRS								
	AFL								
PROC. REF: AMM 26-20-00									
26-20-00-002 ^S	OPERATIONAL CHECK OF ENGINE / AUXILIARY POWER UNIT (APU) FIRE EXTINGUISHING TEMPERATURE COMPENSATED PRESSURE SWITCH (TCPS)							Service	ATA:26
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 26-20-00									
26-21-00-001 ^S	FUNCTIONAL CHECK OF ENGINE FIRE EXTINGUISHING DISTRIBUTION SYSTEM							Service	ATA:26
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 26-21-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-01-001^S OPERATIONAL CHECK OF ENGINE FIRE EXTINGUISHING PUSHBUTTONS								
	MOS	15-Oct-19						Service ATA:26
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 26-21-01								PKG:15
26-21-04-001 DISCARD NO. 1 (BOTTLE A) ENGINE FIRE EXTINGUISHER CARTRIDGE								
PN:30903962-1	MOS	01-Sep-18	120		01-Sep-28 (M)		1746 d	Service ATA:26 DISCARD
SN:1673WH	HRS							
	AFL							
PROC. REF: AMM 26-21-04								
26-21-04-001 DISCARD NO. 1 (BOTTLE B) ENGINE FIRE EXTINGUISHER CARTRIDGE								
PN:30903962-1	MOS	01-Sep-18	120		01-Sep-28 (M)		1746 d	Service ATA:26 DISCARD
SN:1691WH	HRS							
	AFL							
PROC. REF: AMM 26-21-04								
26-21-04-001 DISCARD NO. 2 (BOTTLE A) ENGINE FIRE EXTINGUISHER CARTRIDGE								
PN:30903963-1	MOS	01-Sep-18	120		01-Sep-28 (M)		1746 d	Service ATA:26 DISCARD
SN:3981WG	HRS							
	AFL							
PROC. REF: AMM 26-21-04								
26-21-04-001 DISCARD NO. 2 (BOTTLE B) ENGINE FIRE EXTINGUISHER CARTRIDGE								
PN:30903963-1	MOS	01-Sep-18	120		01-Sep-28 (M)		1746 d	Service ATA:26 DISCARD
SN:3990WG	HRS							
	AFL							
PROC. REF: AMM 26-21-04								
26-22-00-001^S FUNCTIONAL CHECK OF AUXILIARY POWER UNIT (APU) FIRE EXTINGUISHING DISTRIBUTION SYSTEM								
	MOS	15-Oct-19						Service ATA:26
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 26-22-05								PKG:15
26-22-01-001^S OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) FIRE EXTINGUISHING PUSHBUTTON								
	MOS	15-Oct-19						Service ATA:26
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 26-22-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-22-01-002 ^S		OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) FUEL SHUTOFF SYSTEM						Service	ATA:26
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
						PROC. REF: AMM 28-22-01		PKG:15	
26-22-01-901 ^S		OPERATIONAL CHECK OF APU FIRE EXTINGUISHING PANEL						Service	ATA:26
	MOS	15-Oct-19						CMR	
	HRS	0	3750						
	AFL	0							
						PROC. REF: AMM 26-22-01			
26-22-04-001		DISCARD APU (BOTTLE A) FIRE EXTINGUISHER CARTRIDGE						Service	ATA:26
PN:30903899	MOS	01-Sep-18	120		01-Sep-28 (M)		1746 d	DISCARD	
SN:1955WH	HRS								
	AFL								
						PROC. REF: AMM 26-22-04			
26-22-04-001		DISCARD APU (BOTTLE B) FIRE EXTINGUISHER CARTRIDGE						Service	ATA:26
PN:30903899	MOS	01-Sep-18	120		01-Sep-28 (M)		1746 d	DISCARD	
SN:2490WG	HRS								
	AFL								
						PROC. REF: AMM 26-22-04			
26-23-00-001 ^S		OPERATIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING PUSHBUTTON						Service	ATA:26
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
						PROC. REF: AMM 26-22-01			
26-23-00-002		RESTORATION (OVERHAUL) AFT CARGO COMPARTMENT FIRE EXTINGUISHING (630 CU IN) BOTTLE						Service	ATA:26
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
						PROC. REF: AMM 26-23-00			
26-23-00-002		RESTORATION (OVERHAUL) OF AFT RIGHT CARGO COMPARTMENT FIRE EXTINGUISHING (86 CU IN) BOTTLE						Service	ATA:26
PN:33100037-1	MOS	01-Jul-18	120		01-Jul-28		1684 d	OVERHAUL	
SN:77806B1	HRS								
	AFL								
						PROC. REF: AMM 26-23-00			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-23-00-002 RESTORATION AFT LEFT CARGO COMPARTMENT FIRE EXTINGUISHING (1050 CU IN) BOTTLE (OVERHAUL)								
PN:34550007-1	MOS	01-Oct-18	120		01-Oct-28		1776 d	Service ATA:26 OVERHAUL
SN:11288H1	HRS							
	AFL							
PROC. REF: AMM 26-23-00								
26-23-00-003 DISCARD AFT LEFT CARGO COMPARTMENT FIRE EXTINGUISHING (1050 CU IN) BOTTLE CARTRIDGE								
PN:30903962-1	MOS	01-Oct-18	120	TSN 0	01-Oct-28		1776 d	Component ATA:26 LIFE LIMIT
SN:1639WH	HRS			TSN 0				
	AFL			TSN 0				
		Manufacture Date:: 01-Oct-18						PROC. REF: AMM 26-23-00
26-23-00-003 DISCARD AFT RIGHT CARGO COMPARTMENT FIRE EXTINGUISHING (86 CU IN) BOTTLE CARTRIDGE								
PN:30903963	MOS	01-Aug-18	120	TSN 0	01-Aug-28		1715 d	Component ATA:26 LIFE LIMIT
SN:0909VC	HRS			TSN 0				
	AFL			TSN 0				
		Manufacture Date:: 01-Aug-18						PROC. REF: AMM 26-23-00
26-23-00-004^S OPERATIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING BOTTLE PRESSURE SWITCHES								
	MOS	15-Oct-19						Service ATA:26
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 26-23-00								
26-23-00-005^S FUNCTIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING DISTRIBUTION SYSTEM								
	MOS	15-Oct-19						Service ATA:26
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 26-23-00								
26-23-00-006 RESTORATION (OVERHAUL) CARGO COMPARTMENT FIRE EXTINGUISHING FLOW METERING VALVE								
PN:36500078-2	MOS	01-Sep-18	120		01-Sep-28		1746 d	Service ATA:26 OVERHAUL
SN:FM-00124	HRS							
	AFL							
PROC. REF: AMM 26-23-08								
26-23-00-901^S OPERATIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING PANEL								
	MOS	15-Oct-19						Service ATA:26 CMR
	HRS	0	3750					
	AFL	0						
PROC. REF: AMM 26-22-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-23-00-902 ^S	FUNCTIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING SYSTEM							Service	ATA:26
	MOS	15-Oct-19						CMR	
	HRS	0	3750						
	AFL	0							
PROC. REF: AMM 26-23-00									
26-24-00-001	FUNCTIONAL CHECK COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)							Service	ATA:26
PN:RT-A1200	MOS	15-Sep-23	12		29-Sep-24 (M)		313 d	WEIGHT CHECK	
SN:D58293067	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-00-001	FUNCTIONAL CHECK PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)							Service	ATA:26
PN:RT-A1200	MOS	15-Sep-23	12		29-Sep-24 (M)		313 d	WEIGHT CHECK	
SN:A25951450	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-00-001	FUNCTIONAL CHECK VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE (WEIGHT CHECK)							Service	ATA:26
PN:892480	MOS	15-Sep-23	12		29-Sep-24 (M)		313 d	WEIGHT CHECK	
SN:47447	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-00-002	FUNCTIONAL CHECK COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)							Service	ATA:26
PN:RT-A1200	MOS/MSC	16-Oct-20	N/A						
SN:D58293067	HRS	253.3							
	AFL	188							
PROC. REF: AMM 26-24-01									
26-24-00-002	FUNCTIONAL CHECK PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)							Service	ATA:26
PN:RT-A1200	MOS/MSC	16-Oct-20	N/A						
SN:A25951450	HRS	253.3							
	AFL	188							
PROC. REF: AMM 26-24-01									
26-24-00-002	FUNCTIONAL CHECK VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE (WEIGHT CHECK)							Service	ATA:26
PN:892480	MOS/MSC		N/A						
SN:47447	HRS								
	AFL								
PROC. REF: AMM 26-24-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-24-01-001 DISCARD COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE								
PN:RT-A1200	MOS	01-Aug-18	144		01-Aug-30		2445 d	LIFE LIMIT
SN:D58293067	HRS							
	AFL							
Manufacture Date:: 01-Aug-18 PROC. REF: AMM 26-24-01								
26-24-01-001 DISCARD PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE								
PN:RT-A1200	MOS	01-Sep-17	144		01-Sep-29		2111 d	LIFE LIMIT
SN:A25951450	HRS							
	AFL							
Manufacture Date:: 01-Sep-17 PROC. REF: AMM 26-24-01								
26-24-02-001 RESTORE (OVERHAUL) OF VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE								
PN:892480	MOS	14-Oct-22	60		01-Mar-27 (M)		1196 d	OVERHAUL
SN:47447	HRS							
	AFL							
PROC. REF: AMM 26-24-01								
26-24-02-002 RESTORATION (OVERHAUL) COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE								
PN:RT-A1200	MOS/MSC		N/A					Service
SN:D58293067	HRS							ATA:26
	AFL							
PROC. REF: AMM 26-24-01								
26-24-02-002 RESTORATION (OVERHAUL) PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE								
PN:RT-A1200	MOS/MSC		N/A					Service
SN:A25951450	HRS							ATA:26
	AFL							
PROC. REF: AMM 26-24-01								
26-25-01-001 VISUAL CHECK LAVATORY AUTO DISCHARGE FIRE EXTINGUISHING BOTTLE GAUGE								
PN:PN	MOS/MSC	15-Oct-19	N/A					Service
SN:UNKNOWN	HRS							ATA:26
	AFL							
PROC. REF: AMM 26-25-01								
26-25-01-002 FUNCTIONAL CHECK LAVATORY AUTO DISCHARGE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)								
PN:PN	MOS/MSC		N/A					Service
SN:UNKNOWN	HRS							ATA:26
	AFL							
PROC. REF: AMM 26-25-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
261213-0101		APU ASSY FIRE DETECTOR					Component	ATA:26	
PN:3601-135-470/200C-3.5M	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:271833	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-12-01, AMM 26-12-01									
261301-0101		REAR FUS MODEL 602 DUAL CHANNEL SMOKE DETECTOR					Component	ATA:26	
PN:8930-222B60H401	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:28150	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-13-01, AMM 26-13-01									
261302-0101		TOILET MODEL 602 SINGLE CHANNEL SMOKE DETECTOR					Component	ATA:26	
PN:8930-214B60H411	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:28186	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-14-01, AMM 26-14-01									
261501-0101		MODE ELECTRONIC BAY SMOKE DETECTOR					Component	ATA:26	
PN:8930-212B63H142	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:27759	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-15-01, AMM 26-15-01									
261501-0102		C FLOOR MODE ELECTRONIC BAY SMOKE DETECTOR					Component	ATA:26	
PN:8930-212B63H142	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:27757	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-15-01, AMM 26-15-01									
261501-0103		RIGHT MODE ELECTRONIC BAY SMOKE DETECTOR					Component	ATA:26	
PN:8930-212B63H142	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:27754	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-15-01, AMM 26-15-01									
262102-0101		ENGINE/APU FIRE EXTINGUISHER CYLINDER (BOTTLE A)					Component	ATA:26	
PN:33000101-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:77855B1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-21-02, AMM 26-21-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262102-0102		ENGINE/APU FIRE EXTINGUISHER CYLINDER (BOTTLE B)					Component	ATA:26	
PN:33000101-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:77974B1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-20-00, AMM 26-20-00									
262104-0101		NO. 1 (BOTTLE A) ENGINE FIRE EXTINGUISHER CARTRIDGE					Component	ATA:26	
PN:30903962-1	MOS/MSC	01-Sep-18	H/T	TSN 0					
SN:1673WH	HRS			TSN 0					
	AFL			TSN 0					
Manufacture Date:: 01-Sep-18 PROC. REF: AMM 26-21-04									
262104-0101		NO. 2 (BOTTLE A) ENGINE FIRE EXTINGUISHER CARTRIDGE					Component	ATA:26	
PN:30903963-1	MOS/MSC	01-Sep-18	H/T	TSN 0					
SN:3981WG	HRS			TSN 0					
	AFL			TSN 0					
Manufacture Date:: 01-Sep-18 PROC. REF: AMM 26-21-04									
262104-0102		NO. 1 (BOTTLE B) ENGINE/APU FIRE EXTINGUISHER CARTRIDGE					Component	ATA:26	
PN:30903962-1	MOS/MSC	01-Sep-18	H/T	TSN 0					
SN:1691WH	HRS			TSN 0					
	AFL			TSN 0					
Manufacture Date:: 01-Sep-18 PROC. REF: AMM 26-21-04									
262104-0102		NO. 2 (BOTTLE B) ENGINE/APU FIRE EXTINGUISHER CARTRIDGE					Component	ATA:26	
PN:30903963-1	MOS/MSC	01-Sep-18	H/T	TSN 0					
SN:3990WG	HRS			TSN 0					
	AFL			TSN 0					
Manufacture Date:: 01-Sep-18 PROC. REF: AMM 26-21-04									
262113-0101		CSL CENT ENGINE FIRE ASSY CONTROL PANEL					Component	ATA:26	
PN:432300-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:432300AA0167	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-21-01, AMM 26-21-01									
262204-0101		APU (BOTTLE A) FIRE EXTINGUISHER CARTRIDGE					Component	ATA:26	
PN:30903899	MOS/MSC	01-Sep-18	H/T	TSN 0					
SN:1955WH	HRS			TSN 0					
	AFL			TSN 0					
Manufacture Date:: 01-Sep-18 PROC. REF: AMM 26-22-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262204-0102		APU (BOTTLE B) FIRE EXTINGUISHER CARTRIDGE						Component ATA:26
PN:30903899	MOS/MSC	01-Sep-18	H/T	TSN 0				
SN:2490WG	HRS			TSN 0				
	AFL			TSN 0				
		Manufacture Date:: 01-Sep-18		PROC. REF: AMM 26-22-04				
262213-0101		OVERHEAD FIRE PROTECTION SYS CONTROL PANEL						Component ATA:26
PN:431100-002	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:431100AA0170	HRS	0		TSN 0				
	AFL	0		TSN 0				
				PROC. REF: AMM 26-22-01, AMM 26-22-01				
262301-0101		AFT RIGHT CARGO COMPARTMENT FIRE EXTINGUISHING (86 CU IN) BOTTLE						Component ATA:26
PN:33100037-1	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:77806B1	HRS	0		TSN 0				
	AFL	0		TSN 0				
				PROC. REF: AMM 26-23-01, AMM 26-23-01				
262301-0102		AFT LEFT CARGO COMPARTMENT FIRE EXTINGUISHING (1050 CU IN) BOTTLE						Component ATA:26
PN:34550007-1	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:11288H1	HRS	0		TSN 0				
	AFL	0		TSN 0				
				PROC. REF: AMM 26-23-01, AMM 26-23-01				
262301-0103		AFT CARGO COMPARTMENT FIRE EXTINGUISHING (630 CU IN) BOTTLE						Component ATA:26
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
				PROC. REF: AMM 26-23-01, AMM 26-23-01				
262301-0301		CARGO COMPARTMENT FIRE EXTINGUISHING FLOW METERING VALVE						Component ATA:26
PN:36500078-2	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:FM-00124	HRS	0		TSN 0				
	AFL	0		TSN 0				
				PROC. REF: AMM 26-23-08, AMM 26-23-08				
262401-0101		COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE						Component ATA:26
PN:RT-A1200	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:D58293067	HRS	0		TSN 0				
	AFL	0		TSN 0				
				PROC. REF: AMM 26-24-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262401-0102	PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE							Component	ATA:26
PN:RT-A1200	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:A25951450	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
262401-0103	VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE							Component	ATA:26
PN:892480	MOS/MSC	14-Oct-22	O/C	TSN 6					
SN:47447	HRS	610		TSN 0					
	AFL	341		TSN 0					
PROC. REF: AMM GENERIC 1									
262500-0101	LAVATORY AUTO DISCHARGE FIRE EXTINGUISHING BOTTLE							Component	ATA:26
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-25-01, AMM 26-25-01									
C26-22-01-001	OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) FIRE EXTINGUISHING PUSHBUTTON							Service	ATA:26
	MOS	15-Oct-19							
	HRS	0	3750		3750		2909.6		
	AFL	0							
PROC. REF: AMM 26-22-01									
C26-23-00-001	OPERATIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING PUSHBUTTON							Service	ATA:26
	MOS	15-Oct-19							
	HRS	0	3750		3750		2909.6		
	AFL	0							
PROC. REF: AMM 26-22-01									
C26-23-00-002	FUNCTIONAL CHECK OF CARGO COMPARTMENT FIRE EXTINGUISHING DISTRIBUTION SYSTEM							Service	ATA:26
	MOS	15-Oct-19							
	HRS	0	3750		3750		2909.6		
	AFL	0							
PROC. REF: AMM 26-23-00									
ATA 27 - FLIGHT CONTROLS									
27-00-00-001 ^S	OPERATIONAL CHECK (INTEGRITY TEST) OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS)							Service	ATA:27
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 27-00-00									
27-00-00-002 ^S	OPERATIONAL CHECK OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS) COMPENSATORS							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	3750	(+37/-37)					
	AFL	0							
PROC. REF: AMM 27-00-00									
27-00-00-901 ^S	OPERATIONAL CHECK OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS) -INTEGRITY TEST							Service	ATA:27
	MOS	14-Oct-22					CMR		
	HRS	610	750						
	AFL	341							
PROC. REF: AMM 27-00-00									
27-00-00-902 ^S	OPERATIONAL CHECK OF FLIGHT CONTROLS POWER UNITS (PCUS) COMPENSATORS							Service	ATA:27
	MOS	15-Oct-19					CMR		
	HRS	0	7500						
	AFL	0							
PROC. REF: AMM 27-00-00									
27-01-00-001 ^S	OPERATIONAL CHECK OF FLY-BY-WIRE BACKUP BATTERY SYSTEM							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	3750	(+37/-37)					
	AFL	0							
PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-01-01-003 ^S	OPERATIONAL CHECK OF THE FLY-BY-WIRE BACKUP BATTERY							Service	ATA:27
PN:100-2410-08	MOS	29-Sep-23	12	(+15d/-15d)					
SN:1193035	HRS	798.6							
	AFL	429							
PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-03-00-001 ^S	OPERATIONAL CHECK OF SIDESTICK PRIORITY FUNCTION							Service	ATA:27
	MOS	14-Oct-22							
	HRS	610	750	(+37/-37)					
	AFL	341							
PROC. REF: AMM 27-05-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-03-00-002 ^S	OPERATIONAL CHECK OF SIDESTICK TACTILE WARNING							Service	ATA:27
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
				PROC. REF: AMM 27-05-01				PKG:1	
27-03-00-901 ^S	OPERATIONAL CHECK OF SIDE STICK PRIORITY FUNCTION							Service	ATA:27
	MOS	14-Oct-22					CMR		
	HRS	610	750						
	AFL	341							
				PROC. REF: AMM 27-05-01					
27-03-01-001 ^S	OPERATIONAL CHECK OF FLIGHT CONTROL PANEL							Service	ATA:27
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
				PROC. REF: AMM 27-03-01					
27-03-01-901 ^S	OPERATIONAL CHECK OF FLIGHT CONTROLS PANEL							Service	ATA:27
	MOS	14-Oct-22					CMR		
	HRS	610	750						
	AFL	341							
				PROC. REF: AMM 27-03-01					
27-12-01-001 ^S	LUBRICATION OF AILERON POWER CONTROL UNITS (PCUS)							Service	ATA:27
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
				PROC. REF: AMM 12-21-10					
27-12-01-003 ^S	FUNCTIONAL CHECK OF AILERON BACKLASH							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 27-10-00					
27-12-01-901 ^S	LUBRICATION OF AILERON POWER CONTROL UNITS (PCUS)							Service	ATA:27
	MOS	29-Sep-23					CMR		
	HRS	798.6	750						
	AFL	429							
				PROC. REF: AMM 12-21-10					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-12-01-902 ^S	FUNCTIONAL CHECK OF AILERON BACKLASH							Service	ATA:27
	MOS	15-Oct-19					CMR		
	HRS	0	3750						
	AFL	0							
	PROC. REF: AMM 27-10-00								
27-21-02-901 ^S	GENERAL VISUAL INSPECTION OF RUDDER PEDAL ASSEMBLY EXTENSION SPRINGS							Service	ATA:27
	MOS	15-Oct-19					CMR		
	HRS	0	7500						
	AFL	0							
	PROC. REF: AMM 27-21-02								
27-22-01-001 ^S	LUBRICATION OF RUDDER POWER CONTROL UNITS (PCUS)							Service	ATA:27
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
	PROC. REF: AMM 12-21-12								
27-22-01-003 ^S	FUNCTIONAL CHECK OF RUDDER BACKLASH							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 27-20-00								
27-22-01-901 ^S	LUBRICATION OF RUDDER POWER CONTROL UNIT (PCUS)							Service	ATA:27
	MOS	29-Sep-23					CMR		
	HRS	798.6	750						
	AFL	429							
	PROC. REF: AMM 12-21-12								
27-22-01-902 ^S	FUNCTIONAL CHECK OF RUDDER BACKLASH							Service	ATA:27
	MOS	15-Oct-19					CMR		
	HRS	0	3750						
	AFL	0							
	PROC. REF: AMM 27-20-00								
27-32-01-001 ^S	LUBRICATION OF ELEVATOR POWER CONTROL UNITS (PCUS)							Service	ATA:27
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
	PROC. REF: AMM 12-21-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-32-01-003 ^S	FUNCTIONAL CHECK OF ELEVATOR BACKLASH							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 27-30-00								
27-32-01-901 ^S	LUBRICATION OF ELEVATOR POWER CONTROL UNITS (PCUS)							Service	ATA:27
	MOS	29-Sep-23					CMR		
	HRS	798.6	750						
	AFL	429							
	PROC. REF: AMM 12-21-11								
27-32-01-902 ^S	FUNCTIONAL CHECK OF ELEVATOR BACKLASH							Service	ATA:27
	MOS	15-Oct-19					CMR		
	HRS	0	3750						
	AFL	0							
	PROC. REF: AMM 27-30-00								
27-43-01-001 ^S	FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR SLIP CLUTCH							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 27-43-01								
27-43-01-002 ^S	FUNCTIONAL CHECK OF HORIZONTAL STABILIZER BACKLASH							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 27-40-00								
27-43-01-003 ^S	OPERATIONAL CHECK OF PITCH TRIM ACTUATOR IRREVERSIBILITY FUNCTION							Service	ATA:27
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 27-43-01								
27-43-01-901 ^S	FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR SLIP CLUTCH							Service	ATA:27
	MOS	15-Oct-19					CMR		
	HRS	0	7500						
	AFL	0							
	PROC. REF: AMM 27-43-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-43-01-902 ^S	FUNCTIONAL CHECK OF HORIZONTAL STABILIZER BACKLASH							Service	ATA:27
	MOS	15-Oct-19						CMR	
	HRS	0	3750						
	AFL	0							
					PROC. REF: AMM 27-40-00				
27-43-01-903 ^S	OPERATIONAL CHECK OF PITCH TRIM ACTUATOR IRREVERSIBILITY							Service	ATA:27
	MOS	14-Oct-22						CMR	
	HRS	610	750						
	AFL	341							
					PROC. REF: AMM 27-43-01				
27-51-01-001 ^S	LUBRICATION OF FLAP ACTUATOR BALLSCREW							Service	ATA:27
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
					PROC. REF: AMM 12-21-13			PKG:12	
27-51-01-002 ^S	SERVICE FLAP ACTUATOR GEARBOX							Service	ATA:27
	MOS	29-Sep-23	24 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
					PROC. REF: AMM 12-21-13, AMM 12-21-13			PKG:24	
27-51-01-003 ^S	FUNCTIONAL CHECK OF FLAP ACTUATOR FORCE LIMITER							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
					PROC. REF: AMM 27-51-01			PKG:20	
27-51-02-001 ^S	DETAILED INSPECTION OF FLAP FLEXIBLE SHAFTS							Service	ATA:27
	MOS	29-Sep-23	24 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
					PROC. REF: AMM 27-51-02			PKG:24	
27-51-03-001 ^S	LUBRICATION OF FLAP ACTUATOR PIN INTERFACE WITH FLAP TRACK 3							Service	ATA:27
	MOS	29-Sep-23	12 (+15d/-15d)					CATEGORY 9	
	HRS	798.6							
	AFL	429							
					PROC. REF: AMM 27-51-04			PKG:12	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-53-02-001 ^S	FUNCTIONAL CHECK OF POWER DRIVE UNIT (PDU) SLIP CLUTCH							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 27-53-02								PKG:20
27-53-02-002 ^S	FUNCTIONAL CHECK OF POWER DRIVE UNIT (PDU) TORQUE BRAKE							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 27-53-02								PKG:20
27-64-01-901 ^S	OPERATIONAL CHECK OF THE SPOILERS PCU SELF RETRACTION FEATURE							Service	ATA:27
	MOS	14-Oct-22					CMR		
	HRS	610	750						
	AFL	341							
	PROC. REF: AMM 27-64-01								
27-65-01-001 ^S	OPERATIONAL CHECK OF MULTIFUNCTION SPOILER DOWNLOCK VALVE							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 27-65-01								PKG:20
27-65-01-002 ^S	OPERATIONAL CHECK OF MULTI FUNCTION SPOILER ELECTRO HYDRAULIC SERVO VALVE (EHSV)							Service	ATA:27
	MOS	14-Oct-22					CATEGORY 8		
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 27-64-01								
270000-0101	FLIGHT CONTROLS - POWER CONTROL UNIT							Component	ATA:27
PN:434600-002	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:434600AA0052	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM GENERIC 1								
270100-0101	FLY-BY-WIRE BACKUP BATTERY							Component	ATA:27
PN:100-2410-08	MOS/MSC	29-Sep-23	O/C						
SN:1193035	HRS	798.6							
	AFL	429							
	PROC. REF: AMM 27-01-01, AMM 27-01-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270302-0101		C FLOOR (IIM) INCEPTOR INTERFACE MODULE					Component	ATA:27	
PN:493000-1009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2045	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-02, AMM 27-03-02									
270302-0102		LH RACK (IIM) INCEPTOR INTERFACE MODULE					Component	ATA:27	
PN:493000-1009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2043	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-02, AMM 27-03-02									
270302-0103		C FLOOR (IIM) INCEPTOR INTERFACE MODULE					Component	ATA:27	
PN:493100-1009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2025	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-02, AMM 27-03-02									
270302-0104		RH RACK (IIM) INCEPTOR INTERFACE MODULE					Component	ATA:27	
PN:493200-1007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2023	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-02, AMM 27-03-02									
270303-0101		C FLOOR (REU) REMOTE ELECTRONIC UNIT					Component	ATA:27	
PN:519700-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18G3529	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03									
270303-0102		LH RACK (REU) REMOTE ELECTRONIC UNIT					Component	ATA:27	
PN:519700-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18E3294	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03									
270303-0103		LH RACK (REU) REMOTE ELECTRONIC UNIT					Component	ATA:27	
PN:519700-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18E3296	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270303-0104		RH RACK (REU) REMOTE ELECTRONIC UNIT					Component	ATA:27	
PN:519700-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18E3291	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03									
270303-0105		CARGO CP (REU) REMOTE ELECTRONIC UNIT					Component	ATA:27	
PN:519800-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18G3478	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03									
270303-0106		CARGO CP (REU) REMOTE ELECTRONIC UNIT					Component	ATA:27	
PN:519800-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18G3481	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03									
270303-0107		RH RACK (REU) REMOTE ELECTRONIC UNIT					Component	ATA:27	
PN:519800-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18G3484	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03									
270303-0108		CARGO CP (REU) REMOTE ELECTRONIC UNIT					Component	ATA:27	
PN:519800-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18G3483	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-03, AMM 27-03-03									
270304-0101		LH RACK ELECTRONICS MOTOR CONTROL					Component	ATA:27	
PN:493300-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2012	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-04, AMM 27-03-04									
270304-0102		CARGO CP ELECTRONICS MOTOR CONTROL					Component	ATA:27	
PN:493300-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2011	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-04, AMM 27-03-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270305-0101		C FLOOR (FCC) FLIGHT CONTROL COMPUTER					Component	ATA:27	
PN:494910-1009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00429	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-05, AMM 27-03-05									
270305-0102		LH RACK (FCC) FLIGHT CONTROL COMPUTER					Component	ATA:27	
PN:494910-1009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00431	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-03-05, AMM 27-03-05									
270313-0101		CSL CENT FLIGHT CONTROLS ASSY CONTROL PANEL					Component	ATA:27	
PN:432000-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:432000AA0179	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
270501-0101		PILOT W/O EVS SIDESTICK					Component	ATA:27	
PN:493800-4009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0061	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-05-01, AMM 27-05-01									
270501-0102		COPILOT W/O EVS SIDESTICK					Component	ATA:27	
PN:493800-3010	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0156	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-05-01, AMM 27-05-01									
271101-0101		LEFT AILERON ASSY					Component	ATA:27	
PN:550-66101-411	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9000011339	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-11-01, AMM 27-11-01									
271101-0102		RIGHT AILERON ASSY					Component	ATA:27	
PN:550-66101-412	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9000011349	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-11-01, AMM 27-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
271201-0101		LH OUTBOARD AILERON HYDROMECHANIC LINEAR ACTUATOR					Component	ATA:27	
PN:484000-1005	MOS/MSC	22-May-20	O/C						
SN:0079	HRS	165.3		TSN 1163					
	AFL	129		TSN 714					
PROC. REF: AMM GENERIC 1									
271201-0102		RH OUTBOARD AILERON HYDROMECHANIC LINEAR ACTUATOR					Component	ATA:27	
PN:484000-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0646	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
271201-0103		LH INBOARD AILERON HYDROMECHANIC LINEAR ACTUATOR					Component	ATA:27	
PN:484000-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0639	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
271201-0104		RH INBOARD AILERON HYDROMECHANIC LINEAR ACTUATOR					Component	ATA:27	
PN:484000-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0524	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
271301-0101		LH AILERON SINGLE LVDT POSITION SENSOR					Component	ATA:27	
PN:489600-1001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:CWL0646	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-13-01, AMM 27-13-01									
271301-0102		RH AILERON SINGLE LVDT POSITION SENSOR					Component	ATA:27	
PN:489600-1001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:CWL0639	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-13-01, AMM 27-13-01									
271301-0103		LH AILERON SINGLE LVDT POSITION SENSOR					Component	ATA:27	
PN:489600-1001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:CWL0634	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-13-01, AMM 27-13-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
271301-0104		RH AILERON SINGLE LVDT POSITION SENSOR					Component	ATA:27	
PN:489600-1001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:CWL0660	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-13-01, AMM 27-13-01									
272101-0101		RUDDER RUDDER ASSY					Component	ATA:27	
PN:550-67805-409	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0001025557	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-21-01, AMM 27-21-01									
272102-0101		LEFT RUDDER PEDAL ASSEMBLY					Component	ATA:27	
PN:3005-1M05	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:CH00433	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-21-02, AMM 27-21-02									
272102-0102		RIGHT RUDDER PEDAL ASSEMBLY					Component	ATA:27	
PN:3005-1M05	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:CH00439	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-21-02, AMM 27-21-02									
272201-0101		RUDDER UPPER HYDROMECHANIC LINEAR ACTUATOR					Component	ATA:27	
PN:484200-1007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0332	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
272201-0102		RUDDER LOWER HYDROMECHANIC LINEAR ACTUATOR					Component	ATA:27	
PN:484200-1007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0333	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
272301-0101		RUDDER SINGLE LVDT POSITION SENSOR					Component	ATA:27	
PN:489800-1003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:CWL0175	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-23-01, AMM 27-23-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273101-0101		LEFT ELEVATOR ASSY					Component	ATA:27	
PN:550-67905-409	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0001025423	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-31-01, AMM 27-31-01									
273101-0102		RIGHT ELEVATOR ASSY					Component	ATA:27	
PN:550-67905-410	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0001025558	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-31-01, AMM 27-31-01									
273201-0101		LH ELEVATOR HYDROMECHANIC LINEAR ACTUATOR					Component	ATA:27	
PN:484100-1007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0654	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
273201-0102		RH ELEVATOR HYDROMECHANIC LINEAR ACTUATOR					Component	ATA:27	
PN:484100-1007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0648	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
273201-0103		LH ELEVATOR HYDROMECHANIC LINEAR ACTUATOR					Component	ATA:27	
PN:484100-1007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0651	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
273201-0104		RH ELEVATOR HYDROMECHANIC LINEAR ACTUATOR					Component	ATA:27	
PN:484100-1007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0645	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
274301-0102		ELETROMECHANICAL ACTUATOR ASSY					Component	ATA:27	
PN:492600-1017	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0159	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
274303-0101		HORIZONTAL STABILIZER					Component	ATA:27	
PN:550-04000-415	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9000013389	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-41-01, AMM 27-41-01									
274333-0101		CSL CENT TRIM SYSTEM ASSY CONTROL PANEL					Component	ATA:27	
PN:432100-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:432100AA0164	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-43-03, AMM 27-43-03									
275101-0101		NO. 1 FLAP MECHANICAL ACTUATOR					Component	ATA:27	
PN:488200-1009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0950	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-01, AMM 27-51-01									
275101-0102		NO. 1 FLAP MECHANICAL ACTUATOR					Component	ATA:27	
PN:488200-1009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0959	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-01, AMM 27-51-01									
275101-0103		NO. 2 FLAP MECHANICAL ACTUATOR					Component	ATA:27	
PN:488200-2009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0973	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-01, AMM 27-51-01									
275101-0104		NO. 2 FLAP MECHANICAL ACTUATOR					Component	ATA:27	
PN:488200-2010	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0971	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-01, AMM 27-51-01									
275101-0105		NO. 3 FLAP MECHANICAL ACTUATOR					Component	ATA:27	
PN:488200-3009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0964	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-01, AMM 27-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275101-0106		NO. 3 FLAP MECHANICAL ACTUATOR					Component		ATA:27
PN:488200-3010	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0977	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-01, AMM 27-51-01									
275102-0101		LH FLAP FLEXIBLE 1 SHAFT					Component		ATA:27
PN:488310-1001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SSW0319	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02									
275102-0102		RH FLAP FLEXIBLE 1 SHAFT					Component		ATA:27
PN:488310-1001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SSW0328	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02									
275102-0103		LH FLAP FLEXIBLE 2 SHAFT					Component		ATA:27
PN:488310-1003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SSW0309	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02									
275102-0104		RH FLAP FLEXIBLE 2 SHAFT					Component		ATA:27
PN:488310-1003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SSW0322	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02									
275102-0105		LH FLAP FLEXIBLE 3 SHAFT					Component		ATA:27
PN:488310-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SSW0344	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02									
275102-0106		RH FLAP FLEXIBLE 3 SHAFT					Component		ATA:27
PN:488310-1005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SSW0345	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275102-0107		LH FLAP FLEXIBLE 4 SHAFT					Component	ATA:27	
PN:488310-1007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SSW0305	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02									
275102-0108		RH FLAP FLEXIBLE 4 SHAFT					Component	ATA:27	
PN:488310-1007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SSW0308	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-02, AMM 27-51-02									
275103-0101		LH WING INBOARD FLAP ASSEMBLY					Component	ATA:27	
PN:550-65001-417	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SA11056	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-03, AMM 27-51-03									
275103-0102		RH WING INBOARD FLAP ASSEMBLY					Component	ATA:27	
PN:550-65001-418	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SA11056	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-03, AMM 27-51-03									
275104-0101		LH WING OUTBOARD FLAP ASSEMBLY					Component	ATA:27	
PN:550-65003-419	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SA11057	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-04, AMM 27-51-04									
275104-0102		RH WING OUTBOARD FLAP ASSEMBLY					Component	ATA:27	
PN:550-65003-420	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SA11057	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-04, AMM 27-51-04									
275301-0101		LH WING FLAP TRANSMISSION BRAKE					Component	ATA:27	
PN:488400-1007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0319	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-01, AMM 27-53-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275301-0102		RH WING FLAP TRANSMISSION BRAKE					Component	ATA:27	
PN:488400-1007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0320	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-01, AMM 27-53-01									
275302-0101		W STUB FLAP CONTROL POWER DRIVE UNIT					Component	ATA:27	
PN:488100-1017	MOS/MSC	29-Sep-23	O/C						
SN:0174	HRS	798.6							
	AFL	429							
PROC. REF: AMM 27-53-02, AMM 27-53-02									
275304-0101		LEFT FLAP ACTUATOR DISCONNECTION SENSOR					Component	ATA:27	
PN:488300-1003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:WMP0346	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-04, AMM 27-53-04									
275304-0102		RIGHT FLAP ACTUATOR DISCONNECTION SENSOR					Component	ATA:27	
PN:488300-1004	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:WMP0349	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-04, AMM 27-53-04									
275304-0103		LEFT FLAP ACTUATOR DISCONNECTION SENSOR					Component	ATA:27	
PN:488300-1003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:WMP0355	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-04, AMM 27-53-04									
275304-0104		RIGHT FLAP ACTUATOR DISCONNECTION SENSOR					Component	ATA:27	
PN:488300-1004	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:WMP0350	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-04, AMM 27-53-04									
275304-0105		LH FLAP ACTUATOR DISCONNECTION SENSOR					Component	ATA:27	
PN:488300-2003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:WMP0186	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-04, AMM 27-53-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275304-0106		RH FLAP ACTUATOR DISCONNECTION SENSOR					Component ATA:27		
PN:488300-2004	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:WMP0156	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 27-53-04, AMM 27-53-04									
275333-0101		CSL CENT FLAP SELECTOR LEVER					Component ATA:27		
PN:494200-1009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0212	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 27-53-03, AMM 27-53-03									
276013-0101		CSL CENT SPEED BRAKE LEVER					Component ATA:27		
PN:494300-1007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0207	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 27-61-01, AMM 27-61-01									
276401-0101		LH SPOILER 1 ASSY					Component ATA:27		
PN:550-66301-411	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9000013482	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 27-64-01, AMM 27-64-01									
276401-0102		RH SPOILER 1 ASSY					Component ATA:27		
PN:550-66301-412	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9000013487	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 27-64-01, AMM 27-64-01									
276401-0103		LH SPOILER 2 ASSY					Component ATA:27		
PN:550-66401-411	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9000013492	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 27-64-01, AMM 27-64-01									
276401-0104		RH SPOILER 2 ASSY					Component ATA:27		
PN:550-66401-412	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9000013523	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 27-64-01, AMM 27-64-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276401-0105		LH SPOILER 3 ASSY							Component ATA:27
PN:550-66501-411	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9000013907	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-64-01, AMM 27-64-01									
276401-0106		RH SPOILER 3 ASSY							Component ATA:27
PN:550-66501-412	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9000013442	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-64-01, AMM 27-64-01									
276501-0101		LH SPOILER HYDROMECHANIC LINEAR ACTUATOR							Component ATA:27
PN:483900-1003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0322	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
276501-0102		RH SPOILER HYDROMECHANIC LINEAR ACTUATOR							Component ATA:27
PN:483900-1003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0327	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
276501-0103		LH SPOILER HYDROMECHANIC LINEAR ACTUATOR							Component ATA:27
PN:484300-1003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0639	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
276501-0104		RH SPOILER HYDROMECHANIC LINEAR ACTUATOR							Component ATA:27
PN:484300-1003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0642	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
276501-0105		LH SPOILER HYDROMECHANIC LINEAR ACTUATOR							Component ATA:27
PN:484300-1003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0641	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276501-0106		RH SPOILER HYDROMECHANIC LINEAR ACTUATOR						Component	ATA:27
PN:484300-1003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0644	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
C27-00-00-001		OPERATIONAL CHECK OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS) - INTEGRITY TEST						Service	ATA:27
	MOS	14-Oct-22							
	HRS	610	750		1360		519.6		
	AFL	341							
PROC. REF: AMM 27-00-00									
C27-00-00-002		OPERATIONAL CHECK OF FLIGHT CONTROLS POWER CONTROL UNITS (PCUS) COMPENSATORS						Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	3750		3750		2909.6		
	AFL	0							
PROC. REF: AMM 27-00-00									
C27-03-00-001		OPERATIONAL CHECK OF SIDESTICK PRIORITY FUNCTION						Service	ATA:27
	MOS	14-Oct-22							
	HRS	610	750		1360		519.6		
	AFL	341							
PROC. REF: AMM 27-05-01									
C27-03-01-001		OPERATIONAL CHECK OF FLIGHT CONTROLS PANEL						Service	ATA:27
	MOS	14-Oct-22							
	HRS	610	750		1360		519.6		
	AFL	341							
PROC. REF: AMM 27-03-01									
C27-12-01-001		FUNCTIONAL CHECK OF AILERON BACKLASH						Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	3750		3750		2909.6		
	AFL	0							
PROC. REF: AMM 27-10-00									
C27-12-01-002		LUBRICATION OF AILERON POWER CONTROL UNITS (PCUS)						Service	ATA:27
	MOS	29-Sep-23	12		29-Sep-24		313 d		
	HRS	798.6	750		1548.6		708.2		
	AFL	429							
PROC. REF: AMM 12-21-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
C27-22-01-001	FUNCTIONAL CHECK OF RUDDER BACKLASH							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	3750		3750		2909.6		
	AFL	0							
	PROC. REF: AMM 27-20-00								PKG:15
C27-22-01-002	LUBRICATION OF RUDDER POWER CONTROL UNIT (PCUS)							Service	ATA:27
	MOS	29-Sep-23	12		29-Sep-24		313 d		
	HRS	798.6	750		1548.6		708.2		
	AFL	429							
	PROC. REF: AMM 12-21-12								
C27-32-01-001	FUNCTIONAL CHECK OF ELEVATOR BACKLASH							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	3750		3750		2909.6		
	AFL	0							
	PROC. REF: AMM 27-30-00								PKG:15
C27-32-01-002	LUBRICATION OF ELEVATOR POWER CONTROL UNIT (PCUS)							Service	ATA:27
	MOS	29-Sep-23	12		29-Sep-24		313 d		
	HRS	798.6	750		1548.6		708.2		
	AFL	429							
	PROC. REF: AMM 12-21-11								
C27-43-01-001	FUNCTIONAL CHECK OF PITCH TRIM ACTUATOR SLIP CLUTCH							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	7500		7500		6659.6		
	AFL	0							
	PROC. REF: AMM 27-43-01								PKG:20
C27-43-01-002	FUNCTIONAL CHECK OF HORIZONTAL STABILIZER BACKLASH							Service	ATA:27
	MOS	15-Oct-19							
	HRS	0	3750		3750		2909.6		
	AFL	0							
	PROC. REF: AMM 27-40-00								PKG:15

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
C27-43-01-003 OPERATIONAL CHECK OF PITCH TRIM ACTUATOR IRREVERSIBILITY FUNCTION Service ATA:27								
	MOS	14-Oct-22						
	HRS	610	750		1360		519.6	
	AFL	341						
PROC. REF: AMM 27-43-01								PKG:1
C27-65-01-001 OPERATIONAL CHECK OF MULTI FUNCTION SPOILER ELECTRO HYDRAULIC SERVO VALVE (EHSV) Service ATA:27								
	MOS	14-Oct-22						
	HRS	610	750		1360		519.6	
	AFL	341						
PROC. REF: AMM 27-64-01								PKG:1
ATA 28 - FUEL								
28-01-00-001^S OPERATIONAL CHECK OF FUEL BACKUP BATTERY SYSTEM Service ATA:28								
	MOS	15-Oct-19						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 28-01-01								PKG:15
28-01-01-003^S OPERATIONAL CHECK OF THE FUEL BACKUP BATTERY Service ATA:28								
PN:100-2410-08	MOS	29-Sep-23	12 (+15d/-15d)					
SN:1174211	HRS	798.6						
	AFL	429						
PROC. REF: AMM 28-01-01								PKG:12
28-11-00-001^S FUNCTIONAL CHECK OF FUEL TANKS FOR MICROORGANISMS AND BIOCIDES APPLICATION Service ATA:28								
	MOS	29-Sep-23	12 (+15d/-15d)					
	HRS	798.6						
	AFL	429						
PROC. REF: AMM 28-11-00								PKG:12
28-11-01-001^S DETAILED INSPECTION OF FUEL TANK FLAPPER AND BAFFLE VALVES Service ATA:28								
	MOS	15-Oct-19						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 28-11-01								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-11-03-001 ^S	DRAINING WATER FROM THE FUEL TANKS							Service	ATA:28
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
			PROC. REF: AMM 12-11-00					PKG:12	
28-12-01-001 ^S	OPERATIONAL CHECK OF FLOAT VENT VALVE							Service	ATA:28
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
			PROC. REF: AMM 28-12-01					PKG:20	
28-12-02-001 ^S	DETAILED INSPECTION OF FLAME ARRESTOR							Service	ATA:28
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
			PROC. REF: AMM 28-12-02					PKG:20	
28-12-03-001 ^S	OPERATIONAL CHECK OF VENTING TUBE FLOAT DRAIN VALVE							Service	ATA:28
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
			PROC. REF: AMM 28-12-03					PKG:20	
28-12-04-001 ^S	GENERAL VISUAL INSPECTION OF NACA AIR INLET							Service	ATA:28
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
			PROC. REF: AMM 28-12-04					PKG:1	
28-15-05-001	DETAILED INSPECTION OF FORWARD TANK FLAME ARRESTOR (VENT LINE) (PRAETOR 600)							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
			PROC. REF: AMM 28-15-05						
28-15-06-001	DETAILED INSPECTION OF VENTRAL TANK FLAME ARRESTOR (VENT LINE) (PRAETOR 600)							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
			PROC. REF: AMM 28-15-06						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-00-901 ^S	OPERATIONAL CHECK OFCROSSFEED SYSTEM							Service	ATA:28
	MOS	15-Oct-19						CMR	
	HRS	0	7500						
	AFL	0							
	PROC. REF: AMM 28-21-06								
28-21-01-001 ^S	OPERATIONAL CHECK OF FUEL SUCTION CHECK VALVE							Service	ATA:28
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 28-21-01								
28-21-04-001 ^S	OPERATIONAL CHECK OF ENGINE FUEL SHUTOFF VALVE (SOV)							Service	ATA:28
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 28-21-04								
28-21-04-901 ^S	OPERATIONAL CHECK OF ENGINE SHUTOFF SYSTEM							Service	ATA:28
	MOS	15-Oct-19						CMR	
	HRS	0	3750						
	AFL	0							
	PROC. REF: AMM 28-21-04								
28-21-06-001 ^S	OPERATIONAL CHECK OF FUEL CROSS-FEED VALVE							Service	ATA:28
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 28-21-06								
28-21-10-001 ^S	FUNCTIONAL CHECK OF ENGINE FUEL FEED LINES SHROUD AND DRAINS							Service	ATA:28
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 28-21-10								
28-22-01-001 ^S	OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) SHUTOFF VALVE (SOV)							Service	ATA:28
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 28-22-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-22-01-902 ^S		OPERATIONAL CHECK OF APU FUEL SOV IN THE FUEL TANK							Service ATA:28
	MOS	15-Oct-19						CMR	
	HRS	0	3750						
	AFL	0							
PROC. REF: AMM 28-22-01									
28-22-04-001 ^S		FUNCTIONAL CHECK OF AUXILIARY POWER UNIT (APU) FUEL FEED LINE SHROUD AND DRAIN							Service ATA:28
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 28-22-04									
PKG:20									
28-24-01-001		OPERATIONAL CHECK OF THE AUXILIARY FUEL TANKS MANUAL TRANSFER (FWD AND VTRL) (PRAETOR 600)							Service ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 28-24-00									
280100-0101		FUEL BACKUP BATTERY							Component ATA:28
PN:100-2410-08	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:1174211	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-01-01, AMM 28-01-01									
281103-0101		LH WING DRAIN VALVE							Component ATA:28
PN:100-0576-01	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:00637	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-11-03, AMM 28-11-03									
281103-0102		RH WING DRAIN VALVE							Component ATA:28
PN:100-0576-01	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:00645	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-11-03, AMM 28-11-03									
281103-0103		LH WSTUB DRAIN VALVE							Component ATA:28
PN:100-0576-01	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:00640	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-11-03, AMM 28-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
281103-0104		RH WSTUB DRAIN VALVE						Component	ATA:28
PN:100-0576-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00644	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-03, AMM 28-11-03									
281105-0101		LH WING REFUEL GRAVITY ADAPTOR CAP						Component	ATA:28
PN:2940030-301	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:6852	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05									
281105-0102		RH WING REFUEL GRAVITY ADAPTOR CAP						Component	ATA:28
PN:2940030-301	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:6861	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05									
281201-0101		LH WING FUEL SYSTEM VENT FLOAT VALVE						Component	ATA:28
PN:2060091-102	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:02500	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-01, AMM 28-12-01									
281201-0102		RH WING FUEL SYSTEM VENT FLOAT VALVE						Component	ATA:28
PN:2060091-102	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:02498	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-01, AMM 28-12-01									
281202-0101		LH WING STEEL FUEL TANK FLAME ARRESTOR						Component	ATA:28
PN:2990050-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:3533	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-02, AMM 28-12-02									
281202-0102		RH WING STEEL FUEL TANK FLAME ARRESTOR						Component	ATA:28
PN:2990050-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:3534	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-02, AMM 28-12-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
281203-0101	LH WING AL TK FUEL SYSTEM DRAIN FLOAT VALVE							Component	ATA:28
PN:2990076-102	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9146	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-03, AMM 28-12-03									
281203-0102	RH WING AL TK FUEL SYSTEM DRAIN FLOAT VALVE							Component	ATA:28
PN:2990076-102	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9153	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-03, AMM 28-12-03									
282013-0101	OVERHEAD FUEL SYSTEM CONTROL PANEL ASSY							Component	ATA:28
PN:431000-003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:431000AA0139	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-20-01, AMM 28-20-01									
282100-0101	LH STUB AL FUEL LINE ASSY CHECK VALVE							Component	ATA:28
PN:2090096-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0307	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
282100-0102	RH STUB AL FUEL LINE ASSY CHECK VALVE							Component	ATA:28
PN:2090096-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0308	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
282101-0101	LH STUB SUCTION-FUEL SYSTEM CHECK VALVE							Component	ATA:28
PN:2100072-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:ACA1855	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-01, AMM 28-21-01									
282101-0102	RH STUB FUEL SYSTEM SUCTION CHECK VALVE							Component	ATA:28
PN:2100072-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:ACA1858	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-01, AMM 28-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282102-0101	LH STUB ALUMINUM FUEL PUMP CANISTER							Component	ATA:28
PN:11C13-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:10BR131	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-02, AMM 28-21-02									
282102-0102	RH STUB ALUMINUM FUEL PUMP CANISTER							Component	ATA:28
PN:11C13-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:10BR132	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-02, AMM 28-21-02									
282102-0103	LH STUB ALUMINUM FUEL PUMP CANISTER							Component	ATA:28
PN:11C13-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2BR32	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-02, AMM 28-21-02									
282102-0104	RH STUB ALUMINUM FUEL PUMP CANISTER							Component	ATA:28
PN:11C13-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:10BR133	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-02, AMM 28-21-02									
282103-0101	LH STUB ALUMINUM FUEL PUMP CARTRIDGE							Component	ATA:28
PN:11C12-4	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:10BR143	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
282103-0102	RH STUB ALUMINUM FUEL PUMP CARTRIDGE							Component	ATA:28
PN:11C12-4	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:7BR84	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
282103-0103	LH STUB ALUMINUM FUEL PUMP CARTRIDGE							Component	ATA:28
PN:11C12-4	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:10BR144	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282103-0104	RH STUB ALUMINUM FUEL PUMP CARTRIDGE							Component	ATA:28
PN:11C12-4	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:7BR86	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
282104-0101	LH TCOLL AL FUEL TANK ASSY 1.000IN VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0949	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
282104-0102	RH TCOLL AL FUEL TANK ASSY 1.000IN VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0952	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
282104-0103	LH WSTUB AL FUEL TANK ASSY 1.000IN VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0940	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
282104-0104	RH WSTUB AL FUEL TANK ASSY 1.000IN VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0947	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
282104-0105	MD WSTUB AL FUEL TANK ASSY 1.000IN VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0945	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
282104-0106	MD WSTUB AL FUEL TANK ASSY 1.000IN VALVE							Component	ATA:28
PN:2070158-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0950	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 3									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282105-0101		LH TCOLL AL FUEL TANK ASSY SOV ACTUATOR					Component	ATA:28	
PN:2090049-107	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1228	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-05, AMM 28-21-05									
282105-0102		RH TCOLL AL FUEL TANK ASSY SOV ACTUATOR					Component	ATA:28	
PN:2090049-107	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1230	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-05, AMM 28-21-05									
282107-0101		LH TCOLL AL FUEL TANK ASSY SOV ACTUATOR					Component	ATA:28	
PN:2090049-108	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1211	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-07, AMM 28-21-07									
282107-0102		RH TCOLL AL FUEL TANK ASSY SOV ACTUATOR					Component	ATA:28	
PN:2090049-108	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1213	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-07, AMM 28-21-07									
282108-0101		LH STUB AL FUEL TANK SCAVENGER PUMP ASSY					Component	ATA:28	
PN:2070157-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0629	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-08, AMM 28-21-08									
282108-0102		RH STUB AL FUEL TANK SCAVENGER PUMP ASSY					Component	ATA:28	
PN:2070157-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0631	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-08, AMM 28-21-08									
282108-0103		LH STUB AL FUEL TANK SCAVENGER PUMP ASSY					Component	ATA:28	
PN:2070157-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0630	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-08, AMM 28-21-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282108-0104	RH STUB AL FUEL TANK SCAVENGER PUMP ASSY							Component	ATA:28
PN:2070157-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0635	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-08, AMM 28-21-08									
282109-0101	RH TCOLL AL FUEL TANK ASSY 0.375IN VALVE							Component	ATA:28
PN:2070159-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0164	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 4									
282301-0101	CENT FUS FUEL ASSY PRESS REFUEL CONTROL PANEL							Component	ATA:28
PN:366-223-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:3013	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-01, AMM 28-23-01									
282302-0101	RH CENT FUEL REPEATER INDICATOR							Component	ATA:28
PN:366-927-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:332	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-02, AMM 28-23-02									
282304-0101	LH WSTUB AL FUEL TANK ASSY SOV ACTUATOR							Component	ATA:28
PN:2090049-109	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1216	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-04, AMM 28-23-04									
282304-0102	MD WSTUB AL FUEL TANK ASSY SOV ACTUATOR							Component	ATA:28
PN:2090049-109	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1217	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-04, AMM 28-23-04									
282304-0103	RH WSTUB AL FUEL TANK ASSY SOV ACTUATOR							Component	ATA:28
PN:2090049-109	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1218	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-04, AMM 28-23-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282307-0101	CENT FUS PRESSURE REFUELING/DEFUELING ADAPTER ASSY							Component	ATA:28
PN:2960006-103	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0779	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-23-07, AMM 28-23-07, AMM 28-23-08, AMM 28-23-08									
284102-0101	LH STUB AL FUEL TANK PROBE 2 ASSY							Component	ATA:28
PN:020-261-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0303	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
284102-0102	RH STUB AL FUEL TANK PROBE 2 ASSY							Component	ATA:28
PN:020-261-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0308	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
284102-0103	LH STUB AL FUEL TANK PROBE 3 ASSY							Component	ATA:28
PN:020-261-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0319	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
284102-0104	RH STUB AL FUEL TANK PROBE 3 ASSY							Component	ATA:28
PN:020-261-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0322	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
284102-0105	LH WING AL FUEL TANK PROBE 4 ASSY							Component	ATA:28
PN:020-261-003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0320	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
284102-0106	RH WING AL FUEL TANK PROBE 4 ASSY							Component	ATA:28
PN:020-261-003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0319	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284102-0107		LH WING AL FUEL TANK PROBE 5 ASSY						Component	ATA:28
PN:020-261-004	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0307	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1									
284102-0108		RH WING AL FUEL TANK PROBE 5 ASSY						Component	ATA:28
PN:020-261-004	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0302	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1									
284102-0109		LH WING AL FUEL TANK PROBE 6 ASSY						Component	ATA:28
PN:020-261-005	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0276	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1									
284102-0110		RH WING AL FUEL TANK PROBE 6 ASSY						Component	ATA:28
PN:020-261-005	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0277	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1									
284102-0111		LH WING AL FUEL TANK PROBE 7 ASSY						Component	ATA:28
PN:020-261-006	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0270	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1									
284102-0112		RH WING AL FUEL TANK PROBE 7 ASSY						Component	ATA:28
PN:020-261-006	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0269	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1									
284102-0113		LH WING AL FUEL TANK PROBE 8 ASSY						Component	ATA:28
PN:020-261-007	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0297	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284102-0114	RH WING AL FUEL TANK PROBE 8 ASSY							Component	ATA:28
PN:020-261-007	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0272	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1									
284102-0115	LH WING AL FUEL TANK PROBE 9 ASSY							Component	ATA:28
PN:020-261-008	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0311	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1									
284102-0116	RH WING AL FUEL TANK PROBE 9 ASSY							Component	ATA:28
PN:020-261-008	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0309	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1									
284102-0117	LH WING AL FUEL TANK PROBE 10 ASSY							Component	ATA:28
PN:020-261-009	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0322	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1									
284102-0118	RH WING AL FUEL TANK PROBE 10 ASSY							Component	ATA:28
PN:020-261-009	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0330	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1									
284103-0101	LH STUB AL FUEL TANK COMP PROBE 1 ASSY							Component	ATA:28
PN:021-071-001	MOS/MSC	21-Dec-22	O/C		TSN 0				
SN:0592	HRS	642.8			TSN 0				
	AFL	357			TSN 0				
PROC. REF: AMM GENERIC 1									
284103-0102	RH STUB AL FUEL TANK COMP PROBE 1 ASSY							Component	ATA:28
PN:021-071-001	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0306	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284113-0101		RH RACK FUEL SIGNAL CONDITIONING UNIT					Component	ATA:28	
PN:367-510-003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2080	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
284143-0101		LH WING FUEL QUANTITY GAUGING SYSTEM HARNESS					Component	ATA:28	
PN:080-343-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0370	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-04, AMM 28-41-04									
284143-0102		RH WING FUEL QUANTITY GAUGING SYSTEM HARNESS					Component	ATA:28	
PN:080-343-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0372	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-04, AMM 28-41-04									
284301-0101		STUB FUEL TEMPERATURE SENSOR					Component	ATA:28	
PN:862-015-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:88-3212	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-01, AMM 28-43-01									
284302-0101		LEFT FUEL PRESSURE SWITCH					Component	ATA:28	
PN:F7-1168-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00083	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-02, AMM 28-43-02									
284302-0102		RIGHT FUEL PRESSURE SWITCH					Component	ATA:28	
PN:F7-1168-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00084	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-02, AMM 28-43-02									
284304-0101		LH WING FUEL TANK HI LO LEVEL SENSOR					Component	ATA:28	
PN:057-031-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0625	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284304-0102		RH WING FUEL TANK HI LO LEVEL SENSOR						Component	ATA:28
PN:057-031-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0613	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03									
284304-0103		LH STUB FUEL TANK HI LO LEVEL SENSOR						Component	ATA:28
PN:057-031-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0616	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03									
284304-0104		RH STUB FUEL TANK HI LO LEVEL SENSOR						Component	ATA:28
PN:057-031-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0624	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-04, AMM 28-43-04, AMM 28-43-03, AMM 28-43-03									
C28-21-04-001		OPERATIONAL CHECK OF ENGINE FUEL SHUTOFF VALVE (SOV)						Service	ATA:28
	MOS	15-Oct-19							
	HRS	0	3750		3750		2909.6		
	AFL	0							
PROC. REF: AMM 28-21-04									
C28-21-06-001		OPERATIONAL CHECK OF FUEL CROSS-FEED VALVE						Service	ATA:28
	MOS	15-Oct-19							
	HRS	0	7500		7500		6659.6		
	AFL	0							
PROC. REF: AMM 28-21-06									
C28-22-01-001		OPERATIONAL CHECK OF AUXILIARY POWER UNIT (APU) SHUTOFF VALVE (SOV)						Service	ATA:28
	MOS	15-Oct-19							
	HRS	0	3750		3750		2909.6		
	AFL	0							
PROC. REF: AMM 28-22-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
F100-001	INTERNAL GENERAL VISUAL INSPECTION OF FUEL QUANTITY GAUGING SYSTEM HARNESS OUTSIDE THE FUEL TANK							Service	ATA:28
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14159.6		
	AFL	0							
	PROC. REF: AMM 28-41-04								
F100-002	INTERNAL GENERAL VISUAL INSPECTION OF FUEL TEMPERATURE SENSOR HARNESS INSTALLATION							Service	ATA:28
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14159.6		
	AFL	0							
	PROC. REF: AMM 28-41-04								
F130-001	INTERNAL GENERAL VISUAL INSPECTION OF THERMAL INSULATION FELT							Service	ATA:28
	MOS	15-Oct-19						FUEL SYSTEM LIMITATION	
	HRS	0	7500		7500		6659.6		
	AFL	0							
	PROC. REF: AMM 28-11-00								
F130-005	INTERNAL GENERAL VISUAL INSPECTION OF GLUED STANDOFFS OVER THE WING STUB							Service	ATA:28
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9159.6		
	AFL	0							
	PROC. REF: AMM 28-11-00								
F130-006	INTERNAL GENERAL VISUAL INSPECTION OF POWER HARNESSES AND SUPPORTS BETWEEN FLOOR AND WING STUB							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-42-00								
F140-001	INTERNAL GENERAL VISUAL INSPECTION OF AIR TEMPERATURE SENSOR HARNESS INSTALLATION							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 36-17-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
F140-002	DETAILED INSPECTION OF VTRL TANK FLAME ARRESTOR ON VENTILATION LINE							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 28-15-06								
F140-003	DETAILED INSPECTION OF VTRL TANK FLAME ARRESTOR ON PRESSURIZATION LINE							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 28-14-05								
F140-004	DETAILED INSPECTION OF VTRL TANK FLAME ARRESTOR ON INTERCONNECTION LINE							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 28-14-05								
F190-003	INTERNAL GENERAL VISUAL INSPECTION INTERNAL GENERAL VISUAL INSPECTION OF PRESSURE REFUEL LINE, COUPLINGS, BONDING JUMPERS AND SUPPORTS, AT WING TO FUSELAGE FAIRING.							Service	ATA:28
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14159.6		
	AFL	0							
	PROC. REF: AMM 28-23-09								
F190-005	INTERNAL GENERAL VISUAL INSPECTION OF FUEL LINES, COUPLINGS AND SUPPORTS, INSIDE THE FWD FUEL TANK							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-42-00								
F190-006	INTERNAL GENERAL VISUAL INSPECTION OF FUEL LINES, COUPLINGS AND SUPPORTS, INSIDE THE VTRL FUEL TANK							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-42-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
F190-007	INTERNAL GENERAL VISUAL INSPECTION OF FUEL QUANTITY GAUGING SYSTEM INTANK HARNESS AND ITS INSTALLATION – FWD TK							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-42-00								
F190-008	INTERNAL GENERAL VISUAL INSPECTION OF FUEL QUANTITY GAUGING SYSTEM INTANK HARNESS AND ITS INSTALLATION – VTRL TK							Service	ATA:28
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14159.6		
	AFL	0							
	PROC. REF: AMM 05-42-00								
F190-009	DETAILED INSPECTION OF FUEL QUANTITY SYSTEM PROBES, LEVEL SENSORS AND THEIR INSTALLATIONS – FWD TK							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 28-41-07								
F190-010	DETAILED INSPECTION OF FUEL QUANTITY SYSTEM PROBES, LEVEL SENSORS AND THEIR INSTALLATIONS – VTRL TK							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 28-41-08								
F190-011	INTERNAL GENERAL VISUAL INSPECTION OF HYDRAULIC LINES AND SUPPORTS, INSIDE THE FUEL TANK.							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-42-00								
F190-012	DETAILED INSPECTION OF FWD TANK FLAME ARRESTOR ON VENTILATION LINE							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 28-15-05								
F190-013	DETAILED INSPECTION OF FWD TANK FLAME ARRESTOR ON PRESSURIZATION LINE							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 28-13-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
F190-014	DETAILED INSPECTION OF FWD TANK FLAME ARRESTOR ON INTERCONNECTION LINE							Service	ATA:28
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 28-13-05								
F500-002	DETAILED INSPECTION OF FUEL PUMP ELECTRICAL BONDING							Service	ATA:28
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	10000		10000		9159.6		
	AFL	0							
	PROC. REF: AMM 28-21-02								
F500-004	DETAILED INSPECTION OF FUEL QUANTITY SYSTEM PROBES, LEVEL SENSORS AND THEIR INSTALLATIONS							Service	ATA:28
	MOS	15-Oct-19	120		15-Oct-29		2155 d	FUEL SYSTEM LIMITATION	
	HRS	0	15000		15000		14159.6		
	AFL	0							
	PROC. REF: AMM 28-41-04								
ATA 29 - HYDRAULIC POWER									
29-11-00-001 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 1 RESERVOIR FLUID LEVEL							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 29-11-08								
29-11-00-002 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATOR (DPI)							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 29-11-40								
29-11-00-003 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 1 ECOLOGY BOTTLE FLUID LEVEL							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 29-11-16								

PKG:1

PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-11-00-004 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 1 PRESSURE GAUGE/ FILL POINT ACCUMULATOR							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 29-11-00								PKG:1
29-11-00-005 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 29-11-40								PKG:20
29-11-00-006 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 RELIEF VALVE							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 29-11-41								PKG:20
29-11-00-007 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 BLEED / RELIEF VALVE							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 29-11-10								PKG:20
29-11-00-901 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATORS(DPI)							Service	ATA:29
	MOS	14-Oct-22						CMR	
	HRS	610	1500						
	AFL	341							
	PROC. REF: AMM 29-11-40								
29-11-00-902	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS							Service	ATA:29
	MOS	15-Oct-19						CMR	
	HRS	0	7500		7500		6659.6		
	AFL	0							
	PROC. REF: AMM 29-11-04								
29-11-11-001 ^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 1 SHUTOFF VALVE (SOV)							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 29-11-11								PKG:15

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-11-19-001 ^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 1 CHECK VALVES							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 29-11-19				PKG:20	
29-11-20-001 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 1 BOOTSTRAP PRIORITY VALVE							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 29-11-20				PKG:15	
29-12-00-001 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 2 RESERVOIR FLUID LEVEL							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
				PROC. REF: AMM 29-12-08				PKG:1	
29-12-00-002 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATOR (DPI)							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
				PROC. REF: AMM 29-12-40				PKG:1	
29-12-00-003 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 2 ECOLOGY BOTTLE FLUID LEVEL							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
				PROC. REF: AMM 29-12-16				PKG:1	
29-12-00-004 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 2 PRESSURE GAUGE/FILL POINT ACCUMULATOR							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
				PROC. REF: AMM 29-12-00				PKG:1	
29-12-00-005 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 BLEED / RELIEF VALVE							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 29-12-10				PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-12-00-006 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 29-12-40				PKG:20	
29-12-00-007 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 RELIEF VALVE							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 29-12-41				PKG:20	
29-12-00-901 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATORS (DPI)							Service	ATA:29
	MOS	14-Oct-22					CMR		
	HRS	610	1500						
	AFL	341							
				PROC. REF: AMM 29-12-40					
29-12-00-902 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS							Service	ATA:29
	MOS	15-Oct-19					CMR		
	HRS	0	7500						
	AFL	0							
				PROC. REF: AMM 29-12-04				PKG:20	
29-12-11-001 ^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 2 SHUTOFF VALVE (SOV)							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 29-12-11				PKG:15	
29-12-19-001 ^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 2 CHECK VALVES							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 29-12-19				PKG:20	
29-12-20-001 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 2 BOOTSTRAP PRIORITY VALVE							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
				PROC. REF: AMM 29-12-20				PKG:15	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-13-00-001 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 3 RESERVOIR FLUID LEVEL							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 29-13-08								PKG:1
29-13-00-002 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 3 PRESSURE GAUGE/FILL POINT ACCUMULATOR							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 29-13-00								PKG:1
29-13-00-003 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 3 DIFFERENTIAL PRESSURE INDICATOR (DPI)							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 29-13-40								PKG:1
29-13-00-004 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM 3 ECOLOGY BOTTLE FLUID LEVEL							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 29-13-16								PKG:1
29-13-00-005 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 3 DIFFERENTIAL PRESSURE INDICATOR (DPI) AND RETURN FILTER BYPASS							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 29-13-40								PKG:20
29-13-00-006 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 3 RELIEF VALVE							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 29-13-41								PKG:20
29-13-00-007 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 3 BLEED / RELIEF VALVE							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 29-13-10								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-13-00-901 ^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 3 AUTOMATIC OVERHEAT PROTECTION							Service	ATA:29
	MOS	15-Oct-19						CMR	
	HRS	0	7500						
	AFL	0							
	PROC. REF: AMM 29-13-00								
29-13-19-001 ^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 3 CHECK VALVES							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 29-13-19								
29-13-20-001 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM 3 BOOTSTRAP PRIORITY VALVE							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 29-13-20								
29-21-00-001 ^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM POWER TRANSFER UNIT (PTU)							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 29-10-00								
29-21-00-002 ^S	FUNCTIONAL CHECK OF HYDRAULIC SYSTEM POWER TRANSFER UNIT (PTU) PRIORITY VALVE							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 29-21-03								
29-21-00-901 ^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM POWER TRANSFER UNIT (PTU)							Service	ATA:29
	MOS	15-Oct-19						CMR	
	HRS	0	15000						
	AFL	0							
	PROC. REF: AMM 29-10-00								
29-31-00-001 ^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM PRESSURE SWITCH							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 29-31-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-31-00-002^S FUNCTIONAL CHECK OF HYDRAULIC SYSTEM PRESSURE TRANSDUCER Service ATA:29								
	MOS	15-Oct-19						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-31-01								PKG:20
29-33-01-001^S FUNCTIONAL CHECK OF HYDRAULIC SYSTEM TEMPERATURE TRANSDUCERS Service ATA:29								
	MOS	15-Oct-19						
	HRS	0	1500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-33-01								PKG:5
29-33-02-001^S FUNCTIONAL CHECK OF HYDRAULIC SYSTEM TEMPERATURE SWITCHES Service ATA:29								
	MOS	15-Oct-19						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 29-33-02								PKG:15
291001-0101 RH ENGINE DRIVEN HYDRAULIC PUMP Component ATA:29								
PN:53102-02	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:K0330	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-12-01, AMM 29-12-01								
291001-0102 LH ENGINE DRIVEN HYDRAULIC PUMP Component ATA:29								
PN:53102-02	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:K0335	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-11-01, AMM 29-11-01								
291013-0101 OVERHEAD HYDRAULIC SYSTEM CONTROL PANEL ASSY Component ATA:29								
PN:430500-001	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:430500AA0168	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-10-01, AMM 29-10-01								
291100-0101 HYDRAULIC SYSTEM PRESSURE SWITCH Component ATA:29								
PN:945196-351	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:985050485	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERIC 1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291102-0101		HYDRAULIC BRUSHLESS MOTOR DRIVEN DC PUMP					Component	ATA:29	
PN:53104-05	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0196	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-02, AMM 29-11-02									
291108-0101		HYDRAULIC BOOTSTRAP RESERVOIR					Component	ATA:29	
PN:960466-3	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:PN0169	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-08, AMM 29-11-08									
291119-0101		CHECK VALVE					Component	ATA:29	
PN:975254-12	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1223	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-19, AMM 29-11-19									
291119-0102		CHECK VALVE					Component	ATA:29	
PN:975254-14	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0157	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-19, AMM 29-11-19									
291119-0103		CHECK VALVE					Component	ATA:29	
PN:975254-9	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0605	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-19, AMM 29-11-19									
291119-0104		CHECK VALVE					Component	ATA:29	
PN:975254-9	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0596	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-19, AMM 29-11-19									
291119-0201		CHECK VALVE					Component	ATA:29	
PN:975254-9	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0617	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-19, AMM 29-11-19									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291119-0202		CHECK VALVE							Component ATA:29
PN:975254-9	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0603	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 29-11-19, AMM 29-11-19									
291204-0101		HYDRAULIC SYSTEMS 1 & 2 FILTER MANIFOLD							Component ATA:29
PN:945196-5	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18350/0322	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 29-11-04, AMM 29-11-04, AMM 29-12-04, AMM 29-12-04									
291204-0102		HYDRAULIC SYSTEMS 1 & 2 FILTER MANIFOLD							Component ATA:29
PN:945196-5	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18350/0330	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 29-11-04, AMM 29-11-04, AMM 29-12-04, AMM 29-12-04									
291208-0101		HYDRAULIC BOOTSTRAP RESERVOIR							Component ATA:29
PN:960467-3	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:PN0164	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 29-12-08, AMM 29-12-08									
291211-0101		HYDRAULIC SYSTEM A SHUTOFF VALVE							Component ATA:29
PN:975358-4	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0326	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 29-12-11, AMM 29-12-11									
291211-0102		HYDRAULIC SYSTEM A SHUTOFF VALVE							Component ATA:29
PN:975358-4	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0329	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 29-12-11, AMM 29-12-11									
291212-0101		75 IN GAS HYDRAULIC ACCUMULATOR							Component ATA:29
PN:623600-0751	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:NPA0030	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 29-12-12, AMM 29-12-12									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291212-0102		75 IN GAS HYDRAULIC ACCUMULATOR					Component	ATA:29	
PN:623600-0751	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:NPA0033	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-12, AMM 29-12-12									
291212-0103		GEN 3 75 IN GAS HYDRAULIC ACCUMULATOR					Component	ATA:29	
PN:623600-0751	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:NPA0026	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-12, AMM 29-12-12									
291219-0101		CHECK VALVE					Component	ATA:29	
PN:975254-10	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:3544	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-19, AMM 29-12-19									
291219-0102		CHECK VALVE					Component	ATA:29	
PN:975254-8	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:6191	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-19, AMM 29-12-19									
291219-0201		CHECK VALVE					Component	ATA:29	
PN:975254-8	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:6174	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-19, AMM 29-12-19									
291220-0101		BOOST HYDRAULIC SYSTEM PRIORITY VALVE					Component	ATA:29	
PN:975361-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:PN0472	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20									
291220-0102		BOOST HYDRAULIC SYSTEM PRIORITY VALVE					Component	ATA:29	
PN:975361-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:PN0470	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291220-0103	GEN 3 BOOST HYDRAULIC SYSTEM PRIORITY VALVE							Component	ATA:29
PN:975361-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:PN0466	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-20, AMM 29-11-20, AMM 29-12-20, AMM 29-12-20									
291226-0101	HYDRAULIC DUMP/THERMAL RELIEF VALVE							Component	ATA:29
PN:975362-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:PN0470	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
291226-0102	HYDRAULIC DUMP/THERMAL RELIEF VALVE							Component	ATA:29
PN:975362-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:PN0484	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
291226-0103	GEN 3 HYDRAULIC DUMP/THERMAL RELIEF VALVE							Component	ATA:29
PN:975362-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:PN0469	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
291231-0101	PRESSURE GAUGE / FILL POINT ACCUMULATOR							Component	ATA:29
PN:975384-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0528	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-31, AMM 29-12-31									
291231-0102	PRESSURE GAUGE / FILL POINT ACCUMULATOR							Component	ATA:29
PN:975384-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0529	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-31, AMM 29-12-31									
291231-0103	GEN 3 PRESSURE GAUGE / FILL POINT ACCUMULATOR							Component	ATA:29
PN:975384-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0531	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-12-31, AMM 29-12-31									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291302-0101		GEN 3 BRUSHLESS DC MOTOR DRIVEN HYDRAULIC PUMP					Component	ATA:29	
PN:53117-02	MOS/MSC	04-Mar-21	O/C						
SN:K0101	HRS	324.8			TSN 3510.22				
	AFL	235			TSN 2288				
PROC. REF: AMM 29-13-02, AMM 29-13-02									
291304-0101		GEN 3 HYDRAULIC SYSTEM 3 FILTER MANIFOLD					Component	ATA:29	
PN:945197-5	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:18350/0173	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 29-13-04, AMM 29-13-04									
291308-0101		GEN 3 HYDRAULIC BOOTSTRAP RESERVOIR					Component	ATA:29	
PN:960469-1	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0154	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 29-13-08, AMM 29-13-08									
291319-0101		CHECK VALVE					Component	ATA:29	
PN:975254-7	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:3697	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 29-13-19, AMM 29-13-19									
291319-0102		CHECK VALVE					Component	ATA:29	
PN:975254-7	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:3699	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 29-13-19, AMM 29-13-19									
291319-0103		CHECK VALVE					Component	ATA:29	
PN:975254-7	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:3720	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 29-13-19, AMM 29-13-19									
291319-0201		CHECK VALVE					Component	ATA:29	
PN:975254-7	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:3740	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 29-13-19, AMM 29-13-19									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
292101-0101	HYDRAULIC POWER TRANSFER UNIT							Component	ATA:29
PN:53103-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:K0154	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-21-01, AMM 29-21-01									
292102-0101	HYDRAULIC SYSTEM PTU SELECT VALVE							Component	ATA:29
PN:975359-5	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:CR0321	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-21-02, AMM 29-21-02									
292102-0102	HYDRAULIC SYSTEM PTU SELECT VALVE							Component	ATA:29
PN:975359-5	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:CR0322	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-21-02, AMM 29-21-02									
292103-0101	HYDRAULIC SYS AL PTU PRIORITY VALVE							Component	ATA:29
PN:975360-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:PN0318	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-21-03, AMM 29-21-03									
292103-0102	HYDRAULIC SYS AL PTU PRIORITY VALVE							Component	ATA:29
PN:975360-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:PN0315	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-21-03, AMM 29-21-03									
C29-11-00-001	VISUAL CHECK OF HYDRAULIC SYSTEM 1 DIFFERENTIAL PRESSURE INDICATORS (DPI)							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)		1360	1397	519.6 (+37)		
	AFL	341							
PROC. REF: AMM 29-11-40									
C29-12-00-001	VISUAL CHECK OF HYDRAULIC SYSTEM 2 DIFFERENTIAL PRESSURE INDICATORS (DPI)							Service	ATA:29
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)		1360	1397	519.6 (+37)		
	AFL	341							
PROC. REF: AMM 29-12-40									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
C29-21-00-001	OPERATIONAL CHECK OF HYDRAULIC SYSTEM POWER TRANSFER UNIT (PTU)							Service	ATA:29
	MOS	15-Oct-19							
	HRS	0	7500		7500		6659.6		
	AFL	0							
PROC. REF: AMM 29-10-00								PKG:20	
ATA 30 - ICE AND RAIN PROTECTION									
30-00-01-001 ^S	OPERATIONAL CHECK OF WING/STAB ANTI-ICING SYSTEM (MANUAL OVERRIDE)							Service	ATA:30
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 30-12-00								PKG:15	
30-12-03-900-801-A	WING PICCOLO TUBE							Component	ATA:30
PN:PN	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 30-12-03, AMM 30-12-03									
30-12-05-900-801-A	VERTICAL-STABILIZER ANTI-ICING DUCTS							Component	ATA:30
PN:PN	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 30-12-05, AMM 30-12-05									
30-12-06-900-801-A	TELESCOPIC DUCT							Component	ATA:30
PN:PN	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 30-12-06, AMM 30-12-06									
30-20-00-710-801-A	ENGINE ANTI-ICE SYSTEM - OPERATIONAL TEST							Service	ATA:30
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 30-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-30-00-710-801-A		AIR-DATA HEATING SYSTEM - OPERATIONAL TEST						Service	ATA:30
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 30-30-00									
30-42-00-001		OPERATIONAL CHECK OF INTERFACE BETWEEN WINDSHIELD HEATING SYSTEM INDICATION						Service	ATA:30
	MOS/MSC	15-Oct-19	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 30-42-00									
30-43-00-001 ^S		FUNCTIONAL CHECK OF WINDSHIELD RAIN REPELLENT COATING						Service	ATA:30
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: AMM 30-43-01									
PKG:12									
300101-0101		LEFT ICE DETECTOR						Component	ATA:30
PN:0871LM3-3	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2101	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-81-01, AMM 30-81-01									
300101-0102		RIGHT ICE DETECTOR						Component	ATA:30
PN:0871LM3-3	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2103	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-81-01, AMM 30-81-01									
300103-0101		OVERHEAD ICE PROTECTION SYSTEM CONTROL PANEL						Component	ATA:30
PN:431200-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:431200AA0166	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-00-01, AMM 30-00-01									
300203-0101		OVERHEAD HEATERS SYSTEM CONTROL PANEL ASSY						Component	ATA:30
PN:430400-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:430400AA0174	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-00-02, AMM 30-00-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301001-0101		LH CENTER LIGHTNING TRAP DEVICE					Component	ATA:30	
PN:LTD-43-72-30-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1111	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
301001-0102		LIGHTNING TRAP DEVICE					Component	ATA:30	
PN:LTD-43-72-30-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1108	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
301001-0103		LIGHTNING TRAP DEVICE					Component	ATA:30	
PN:LTD-43-72-30-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1113	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
301001-0201		LH ENG LIGHTNING TRAP DEVICE					Component	ATA:30	
PN:LTD-43-72-30-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1122	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
301001-0202		RH ENG LIGHTNING TRAP DEVICE					Component	ATA:30	
PN:LTD-43-72-30-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1138	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
301001-0203		LH ENG LIGHTNING TRAP DEVICE					Component	ATA:30	
PN:LTD-43-72-30-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1129	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
301001-0204		RH ENG LIGHTNING TRAP DEVICE					Component	ATA:30	
PN:LTD-43-72-30-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1144	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301207-0101		LH WING PRESSURE TRANSDUCER SENSOR						Component	ATA:30
PN:APTE-668B-1000-50G	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:8404-2-150	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-07, AMM 30-12-07									
301207-0102		RH WING PRESSURE TRANSDUCER SENSOR						Component	ATA:30
PN:APTE-668B-1000-50G	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:8404-2-195	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-07, AMM 30-12-07									
301207-0103		PRESSURE TRANSDUCER SENSOR						Component	ATA:30
PN:APTE-668B-1000-50G	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:8404-2-162	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-07, AMM 30-12-07									
301207-0104		PRESSURE TRANSDUCER SENSOR						Component	ATA:30
PN:APTE-668B-1000-50G	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:8404-2-179	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-07, AMM 30-12-07									
301213-0101		REAR ANTI-ICE SHUTOFF VALVE						Component	ATA:30
PN:424345-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0358	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-12-01, AMM 30-12-01									
302101-0101		LH ENG PRESSURE REGULATING AND SHUT OFF VALVE						Component	ATA:30
PN:WBA3020G103-007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2603	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
302101-0102		RH ENG PRESSURE REGULATING AND SHUT OFF VALVE						Component	ATA:30
PN:WBA3020G103-007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2604	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
302102-0101		LH ENG LOW / HIGH PRESSURE SWITCH					Component	ATA:30	
PN:WBA3020G107-007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1226	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-02, AMM 30-21-02									
302102-0102		RH ENG LOW / HIGH PRESSURE SWITCH					Component	ATA:30	
PN:WBA3020G107-007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1199	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-02, AMM 30-21-02									
302102-0201		LH ENGINE - TUBE ASSY, ANTI-ICING SYSTEM					Component	ATA:30	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-03, AMM 30-21-03									
302102-0202		RH ENGINE - TUBE ASSY, ANTI-ICING SYSTEM					Component	ATA:30	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-03, AMM 30-21-03									
302103-0101		LH ENGINE ANTI-ICING TUBE, INCONEL					Component	ATA:30	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-03, AMM 30-21-03									
302103-0102		RH ENGINE ANTI-ICING TUBE, INCONEL					Component	ATA:30	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-03, AMM 30-21-03									
302104-0101		LH ENGINE ANTI-ICING TUBE					Component	ATA:30	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-03, AMM 30-21-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
302104-0102	RH ENGINE ANTI-ICING TUBE							Component	ATA:30
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-03, AMM 30-21-03									
304201-0101	WINDSHIELD HEATING CONTROL UNIT							Component	ATA:30
PN:EWHCU-550-00-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0047	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-42-01, AMM 30-42-01									
304201-0102	WINDSHIELD HEATING CONTROL UNIT							Component	ATA:30
PN:EWHCU-550-00-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0054	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-42-01, AMM 30-42-01									
723010	NO. 1 ENGINE - INLET GUIDE VANE (IGV) UNISON RING SET							Component	ATA:30
PN:3033142-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-113332-00207	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723010	NO. 2 ENGINE - INLET GUIDE VANE (IGV) UNISON RING SET							Component	ATA:30
PN:3033142-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-113332-00199	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-31-01-001 ^S	FUNCTIONAL CHECK OF FLIGHT DATA RECORDER (FDR)							Service	ATA:31
	MOS	15-Oct-19							
	HRS	0	1500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 31-31-00									
								PKG:5	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-31-04-001 DISCARD FDR (ULB) UNDERWATER LOCATOR BEACON BATTERY Service ATA:31								
PN:266-E5542-00	MOS/MSC		DUE		01-Apr-25 (M)		497 d	LIFE LIMIT
SN:ULB023750	HRS							
	AFL							
PROC. REF: AMM 31-31-04								
31-61-01-001^S OPERATIONAL CHECK OF REVERSION CONTROL PANEL Service ATA:31								
	MOS	15-Oct-19						
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 31-61-03								
31-61-01-901^S OPERATIONAL CHECK OF REVERSIONARY SWITCH PANEL Service ATA:31								
	MOS	15-Oct-19						CMR
	HRS	0	7500					
	AFL	0						
PROC. REF: AMM 31-61-03								
31-64-01-001^S OPERATIONAL CHECK OF HEAD UP BREAKAWAY POSITION Service ATA:31								
	MOS	15-Oct-19						CATEGORY 8
	HRS	0	3750 (+37/-37)					
	AFL	0						
PROC. REF: AMM 31-64-01								
PKG:15								
312206-0101 LH RACK (APM) AIRCRAFT PERSONALITY MODULE Component ATA:31								
PN:822-2195-001	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FM9TR	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-06, AMM 42-22-06								
312207-0101 LH RACK (APM) AIRCRAFT PERSONALITY MODULE Component ATA:31								
PN:822-2195-001	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FMC50	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-06, AMM 42-22-06								
313102-0101 LEFT IMPACT SWITCH Component ATA:31								
PN:2098-5-000	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:435	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-03, AMM 31-31-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
313102-0102		RIGHT IMPACT SWITCH					Component ATA:31		
PN:2098-5-000	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:436	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-31-03, AMM 31-31-03									
313103-0101		CENT FUS TRI AXIAL ACCELEROMETER					Component ATA:31		
PN:3001-01-111	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0918-DT8866K	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
313104-0101		FDR (ULB) UNDERWATER LOCATOR BEACON					Component ATA:31		
PN:266-E5542-00	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:ULB023750	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-31-04, AMM 31-31-04									
313113-0101		(FDR) FLIGHT DATA RECORDER					Component ATA:31		
PN:5013-3100-00	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:001079856	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-31-01, AMM 31-31-01									
315113-0101		CSL CENT TAKEOFF CONF/EVENT CONTROL PANEL					Component ATA:31		
PN:432400-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:432400AA0157	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
316101-0101		LEFT AFD 15.1" ADAPTIVE FLIGHT DISPLAY					Component ATA:31		
PN:822-2332-430	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FMHT1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01									
316101-0102		MID AFD 15.1" ADAPTIVE FLIGHT DISPLAY					Component ATA:31		
PN:822-2332-430	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FMHRL	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
316101-0103		RIGHT AFD 15.1" ADAPTIVE FLIGHT DISPLAY						Component	ATA:31
PN:822-2332-430	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FMHTD	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01									
316101-0104		AFD 15.1" ADAPTIVE FLIGHT DISPLAY						Component	ATA:31
PN:822-2332-430	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FMHYF	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-01, AMM 31-61-01									
316102-0101		LH PANEL DCP-5080 DISPLAY CONTROL PANEL						Component	ATA:31
PN:822-2839-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4DL9DM	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-02, AMM 31-61-02									
316102-0102		RH PANEL DCP-5080 DISPLAY CONTROL PANEL						Component	ATA:31
PN:822-2839-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4DL9M5	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-02, AMM 31-61-02									
316103-0101		LEFT RSP REVERSION SWITCH PANEL						Component	ATA:31
PN:866-0218-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4681DK	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-03, AMM 31-61-03									
316103-0102		RIGHT RSP REVERSION SWITCH PANEL						Component	ATA:31
PN:866-0218-100	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4681DM	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-03, AMM 31-61-03									
316143-0101		PILOT CCP-6120 CURSOR CONTROL PANEL						Component	ATA:31
PN:822-2837-002	MOS/MSC	29-Sep-23	O/C	TSO 4					
SN:4M00RV	HRS	798.6		TSO 0					
	AFL	429		TSO 0					
PROC. REF: AMM 31-61-04, AMM 31-61-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
316143-0102		COPILOT CCP-6120 CURSOR CONTROL PANEL						Component	ATA:31
PN:822-2837-002	MOS/MSC	29-Sep-23	O/C						
SN:4GPV9P	HRS	798.6							
	AFL	429							
PROC. REF: AMM 31-61-04, AMM 31-61-04									
316153-0101		NO. 1 MKP MULTIFUNCTION KEYBOARD PANEL						Component	ATA:31
PN:822-2858-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:46T97K	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-05, AMM 31-61-05									
316153-0102		NO. 2 MKP MULTIFUNCTION KEYBOARD PANEL						Component	ATA:31
PN:822-2858-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FKDX5	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-05, AMM 31-61-05									
316173-0101		IMT-6500 INSTRUMENT MOUNTING TRAY						Component	ATA:31
PN:822-2337-007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4F863N	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-07, AMM 31-61-07									
316173-0102		IMT-6500 INSTRUMENT MOUNTING TRAY						Component	ATA:31
PN:822-2337-007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4F8648	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-07, AMM 31-61-07									
316173-0103		IMT-6500 INSTRUMENT MOUNTING TRAY						Component	ATA:31
PN:822-2337-007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4F863P	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-07, AMM 31-61-07									
316173-0104		IMT-6500 INSTRUMENT MOUNTING TRAY						Component	ATA:31
PN:822-2337-007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4F8642	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-61-07, AMM 31-61-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
316213-0101	RH RACK SVM-6110 SYNTHETIC VISION MODULE							Component	ATA:31
PN:822-2539-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4F6HMV	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-62-01, AMM 31-62-01									
316401-0101	HEAD UP PILOT DISPLAY UNIT (HUD PDU)							Component	ATA:31
PN:1500-3570-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:63362	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-64-01, AMM 31-64-01									
316402-0101	FWD FUSELAGE (PILOT CABIN) HEAD UP POWER SUPPLY UNIT (HUD PSU, HGS)							Component	ATA:31
PN:1500-3590-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:10005U	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-64-02, AMM 31-64-02									
C31-61-01-001	OPERATIONAL CHECK OF REVERSION CONTROL PANEL							Service	ATA:31
	MOS	15-Oct-19							
	HRS	0	3750		3750		2909.6		
	AFL	0							
PROC. REF: AMM 31-61-03									
ATA 32 - LANDING GEAR									
32-01-00-001 ^S	OPERATIONAL CHECK OF HYDRAULIC SYSTEM 3 AUTOMATIC OVERHEAT PROTECTION							Service	ATA:32
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 29-13-00									
32-11-00-001 ^S	LUBRICATION OF LH AND RH MAIN LANDING GEAR							Service	ATA:32
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: AMM 12-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-11-00-002		RESTORATION LEFT MAIN LANDING GEAR ASSEMBLY (OVERHAUL)							Service ATA:32
PN:PN	MOS	15-Oct-19	120		15-Oct-29		2155 d	OVERHAUL	
SN:UNKNOWN	HRS	0							
	AFL	0	8500		8500		8048		
PROC. REF: AMM 32-11-00									
32-11-00-002		RESTORATION RIGHT MAIN LANDING GEAR ASSEMBLY (OVERHAUL)							Service ATA:32
PN:PN	MOS	15-Oct-19	120		15-Oct-29		2155 d	OVERHAUL	
SN:UNKNOWN	HRS	0							
	AFL	0	8500		8500		8048		
PROC. REF: AMM 32-11-00									
32-11-01-001 ^S		EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF MAIN LANDING GEAR SHOCK STRUT ASSEMBLY							Service ATA:32
	MOS	29-Sep-23	24 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: NDT 32-11-00									
PKG:24									
32-11-03-001 ^S		EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF MAIN LANDING GEAR SIDE STAY							Service ATA:32
	MOS	29-Sep-23	24 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: NDT 32-11-00									
PKG:24									
32-11-04-001 ^S		SERVICE LH AND RH MAIN LANDING GEAR SHOCK ABSORBER							Service ATA:32
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: AMM 12-14-01									
PKG:12									
32-11-04-002 ^S		EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF MAIN LANDING GEAR SHOCK ABSORBER							Service ATA:32
	MOS	29-Sep-23	24 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: NDT 32-11-00									
PKG:24									
32-21-01-001 ^S		LUBRICATION OF NOSE LANDING GEAR							Service ATA:32
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: AMM 12-21-02									
PKG:12									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-21-01-002	RESTORATION NOSE LANDING GEAR ASSEMBLY (OVERHAUL)							Service	ATA:32
PN:PN	MOS	15-Oct-19	120		15-Oct-29		2155 d	OVERHAUL	
SN:UNKNOWN	HRS	0							
	AFL	0	8500		8500		8048		
PROC. REF: AMM 32-21-00									
32-21-01-003 ^S	SERVICE NOSE LANDING GEAR SHOCK ABSORBER							Service	ATA:32
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: AMM 12-14-02									
32-21-01-004 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF NOSE LANDING GEAR SHOCK STRUT ASSEMBLY							Service	ATA:32
	MOS	29-Sep-23	24 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: NDT 32-21-00									
32-21-02-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF EXTERNAL SIDE OF NOSE LANDING GEAR DRAG STRUT							Service	ATA:32
	MOS	29-Sep-23	24 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: NDT 32-21-00									
32-30-00-001 ^S	OPERATIONAL CHECK OF LANDING GEAR LEVER OVERRIDE FUNCTION							Service	ATA:32
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 32-33-01									
32-34-00-001 ^S	FUNCTIONAL CHECK OF LANDING GEAR EMERGENCY EXTENSION SYSTEM							Service	ATA:32
	MOS	04-Mar-21	60 (+15d/-15d)						
	HRS	324.8							
	AFL	235							
PROC. REF: AMM 32-34-00									
32-34-00-002 ^S	GENERAL VISUAL INSPECTION OF LANDING GEAR EMERGENCY EXTENSION LINKAGES							Service	ATA:32
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-34-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-00-001^S OPERATIONAL CHECK LEFT HAND AFT WING HYDRAULIC BRAKE FUSE Service ATA:32								
PN:90007143	MOS/MSC	15-Oct-19	C/C					
SN:JUN18-0618	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-00								
32-41-00-001^S OPERATIONAL CHECK LEFT HAND FORWARD WING HYDRAULIC BRAKE FUSE Service ATA:32								
PN:90007143	MOS/MSC	15-Oct-19	C/C					
SN:JUN18-0614	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-00								
32-41-00-001^S OPERATIONAL CHECK RIGHT HAND AFT WING HYDRAULIC BRAKE FUSE Service ATA:32								
PN:90007143	MOS/MSC	15-Oct-19	C/C					
SN:JUN18-0619	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-00								
32-41-00-001^S OPERATIONAL CHECK RIGHT HAND FORWARD WING HYDRAULIC BRAKE FUSE Service ATA:32								
PN:90007143	MOS/MSC	15-Oct-19	C/C					
SN:JUN18-0617	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-00								
32-41-00-901 OPERATIONAL CHECK LEFT HAND AFT WING HYDRAULIC BRAKE FUSE Service ATA:32								
PN:90007143	MOS/MSC	15-Oct-19	N/A					
SN:JUN18-0618	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-00								
32-41-00-901 OPERATIONAL CHECK LEFT HAND FORWARD WING HYDRAULIC BRAKE FUSE Service ATA:32								
PN:90007143	MOS/MSC	15-Oct-19	N/A					
SN:JUN18-0614	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-00								
32-41-00-901 OPERATIONAL CHECK RIGHT HAND AFT WING HYDRAULIC BRAKE FUSE Service ATA:32								
PN:90007143	MOS/MSC	15-Oct-19	N/A					
SN:JUN18-0619	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-41-00-901 OPERATIONAL CHECK RIGHT HAND FORWARD WING HYDRAULIC BRAKE FUSE Service ATA:32								
PN:90007143	MOS/MSC	15-Oct-19	N/A					
SN:JUN18-0617	HRS	0						
	AFL	0						
PROC. REF: AMM 32-41-00								
32-44-00-001^S FUNCTIONAL CHECK OF EMERGENCY/PARKING BRAKE SYSTEM Service ATA:32								
	MOS	15-Oct-19						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 32-44-00								
PKG:20								
32-44-00-002^S FUNCTIONAL CHECK OF EMERGENCY / PARKING BRAKE ACCUMULATOR Service ATA:32								
	MOS	15-Oct-19						
	HRS	0	1500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 32-44-04								
32-44-03-001^S GENERAL VISUAL INSPECTION OF EMERGENCY/PARKING BRAKE CABLE/MECHANISM Service ATA:32								
	MOS	15-Oct-19						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 32-44-00								
PKG:20								
32-44-04-901^S FUNCTIONAL CHECK OF EMERGENCY / PARKING BRAKE ACCUMULATOR Service ATA:32								
	MOS	15-Oct-19					CMR	
	HRS	0	1500					
	AFL	0						
PROC. REF: AMM 32-44-04								
32-44-06-001^S DISCARD OF L/H EMERGENCY PARKING BRAKE THERMAL RELIEF VALVE Service ATA:32								
PN:90009634	MOS	15-Oct-19						CATEGORY 8
SN:JUL18-0397	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 32-44-08								
PKG:20								
32-44-06-001^S DISCARD OF R/H EMERGENCY PARKING BRAKE THERMAL RELIEF VALVE Service ATA:32								
PN:90009634	MOS	04-Oct-21						CATEGORY 8
SN:FEB19-0491	HRS	449.4	7500 (+37/-37)					
	AFL	268						
PROC. REF: AMM 32-44-08								
PKG:20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-49-01-002 RESTORATION (OVERHAUL) OF LH INBOARD MAIN WHEEL ASSEMBLY Service ATA:32								
PN:90006966	MOS	06-Feb-23						
SN:MAR19-0993	HRS	664.3						
	AFL	367	1500	TAC 172	1695		1243	
PROC. REF: AMM 32-49-01, AMM 32-49-01								
32-49-01-002 RESTORATION (OVERHAUL) OF LH OUTBOARD MAIN WHEEL ASSEMBLY Service ATA:32								
PN:90006966	MOS	06-Feb-23						
SN:SEP16-0655	HRS	664.3						
	AFL	367	1500		1867		1415	
PROC. REF: AMM 32-49-01, AMM 32-49-01								
32-49-01-002 RESTORATION (OVERHAUL) OF RH INBOARD MAIN WHEEL ASSEMBLY Service ATA:32								
PN:90006966	MOS	06-Feb-23						
SN:AUG18-0924	HRS	664.3						
	AFL	367	1500		1867		1415	
PROC. REF: AMM 32-49-01, AMM 32-49-01								
32-49-01-002 RESTORATION (OVERHAUL) OF RH OUTBOARD MAIN WHEEL ASSEMBLY Service ATA:32								
PN:90006966	MOS	06-Feb-23						
SN:MAY15-0227	HRS	664.3						
	AFL	367	1500		1867		1415	
PROC. REF: AMM 32-49-01, AMM 32-49-01								
32-49-04-002 RESTORATION (OVERHAUL) OF LEFT NOSE WHEEL ASSEMBLY Service ATA:32								
PN:90006965	MOS	06-Feb-23						
SN:JUL20-0659	HRS	664.3						
	AFL	367	1500		1867		1415	
PROC. REF: AMM 32-49-04, AMM 32-49-04								
32-49-04-002 RESTORATION (OVERHAUL) OF RIGHT NOSE WHEEL ASSEMBLY Service ATA:32								
PN:90006965	MOS	06-Feb-23						
SN:JUN17-0397	HRS	664.3						
	AFL	367	1500		1867		1415	
PROC. REF: AMM 32-49-04, AMM 32-49-04								
320100-0101 LEFT MAIN LANDING GEAR ASSEMBLY Component ATA:32								
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320100-0102		RIGHT MAIN LANDING GEAR ASSEMBLY					Component	ATA:32	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01									
320101-0101		NOSE LANDING GEAR ASSEMBLY					Component	ATA:32	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-21-01, AMM 32-21-01									
320113-0101		RH RACK LANDING GEAR AND HYDRAULIC CONTROL					Component	ATA:32	
PN:80-230-01-03	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:307392-352	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-01-01, AMM 32-01-01									
320113-0102		LH RACK LANDING GEAR AND HYDRAULIC CONTROL					Component	ATA:32	
PN:80-230-01-03	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:307392-356	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-01-01, AMM 32-01-01									
321102-0101		LEFT MLG DRESSED SHOCK STRUT ASSY					Component	ATA:32	
PN:200-3625-025	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:H0310	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
321102-0102		RIGHT MLG DRESSED SHOCK STRUT ASSY					Component	ATA:32	
PN:200-3625-026	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:H0315	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
321103-0101		LEFT MLG MAIN FITTING					Component	ATA:32	
PN:200-3651-003	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:APP10U-0311	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321103-0102		RIGHT MLG MAIN FITTING						Component	ATA:32
PN:200-3651-004	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:WHM0278	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-11-01, AMM 32-11-01, AMM 32-11-01, AMM 32-11-01									
321103-0301		LEFT MLG FWD TRUNNION PIN						Component	ATA:32
PN:200-3690-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0120	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 1									
321103-0302		RIGHT MLG AFT TRUNNION PIN						Component	ATA:32
PN:200-3686-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0156	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 1									
321103-0303		LEFT MLG AFT TRUNNION PIN						Component	ATA:32
PN:200-3686-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0191	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
321103-0304		RIGHT MLG FWD TRUNNION PIN						Component	ATA:32
PN:200-3690-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0124	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
321105-0101		LEFT MLG OLEO ASSY METERING PIN/END CAP						Component	ATA:32
PN:200-3628-105	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:H0356	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
321105-0102		RIGHT MLG OLEO ASSY METERING PIN/END CAP						Component	ATA:32
PN:200-3628-105	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:H0243	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321106-0101		LEFT MLG TRAILING ARM						Component	ATA:32
PN:200-3653-007	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:H0338	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
321106-0102		RIGHT MLG TRAILING ARM						Component	ATA:32
PN:200-3653-007	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:H0337	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
321107-0101		LEFT MLG TRAILING ARM ASSY PIN						Component	ATA:32
PN:200-3685-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0148	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
321107-0102		RIGHT MLG TRAILING ARM ASSY PIN						Component	ATA:32
PN:200-3685-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0030	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-11-03, AMM 32-11-03									
321108-0101		LEFT MLG OLEO ASSY CYLINDER						Component	ATA:32
PN:200-3626-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:H0340	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
321108-0102		RIGHT MLG OLEO ASSY CYLINDER						Component	ATA:32
PN:200-3626-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:H0195	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
321109-0101		LEFT MLG LOWER OLEO ASSY PIN						Component	ATA:32
PN:200-3687-001	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0077	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321109-0102		RIGHT MLG LOWER OLEO ASSY PIN						Component	ATA:32
PN:200-3687-001	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0084	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
321109-0103		LEFT MLG UPPER OLEO ASSY PIN						Component	ATA:32
PN:200-3688-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0087	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
321109-0104		RIGHT MLG UPPER OLEO ASSY PIN						Component	ATA:32
PN:200-3688-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0101	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
321207-0101		LH MLG MAIN LANDING GEAR DOOR ACTUATOR						Component	ATA:32
PN:625800-1001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0323	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-12-07, AMM 32-12-07									
321207-0102		RH MLG MAIN LANDING GEAR DOOR ACTUATOR						Component	ATA:32
PN:625800-1001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0268	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-12-07, AMM 32-12-07									
322102-0101		NLG DRESSED SHOCK STRUT ASSEMBLY						Component	ATA:32
PN:200-4025-027	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:H0172	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
322102-0102		NLG SHOCK STRUT ASSY CYLINDER						Component	ATA:32
PN:200-4053-009	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:APP10U-0097	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322102-0103		NLG SHOCK STRUT ASSY PISTON					Component	ATA:32	
PN:200-4051-005	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:H0C01C-0225	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
322102-0201		NLG SHOCK STRUT ASSY TRUNNION LH PIN					Component	ATA:32	
PN:200-4005-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0100	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
322102-0202		NLG SHOCK STRUT ASSY TRUNNION RH PIN					Component	ATA:32	
PN:200-4005-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0101	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
322102-0601		NLG ELECTRICAL HARNESS ASSY					Component	ATA:32	
PN:200-4326-005	MOS/MSC	02-Sep-21	O/C	TSN 0					
SN:CLE03U-0159	HRS	426.1		TSN 0					
	AFL	257		TSN 0					
PROC. REF: AMM 32-00-01, AMM 32-00-01									
322102-0602		NLG ELECTRICAL HARNESS ASSY					Component	ATA:32	
PN:200-4326-005	MOS/MSC	02-Sep-21	O/C	TSN 0					
SN:CLE03U-0318	HRS	426.1		TSN 0					
	AFL	257		TSN 0					
PROC. REF: AMM 32-00-01, AMM 32-00-01									
322105-0101		NLG SHOCK STRUT ASSY TORQUE ARM					Component	ATA:32	
PN:200-4075-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0059	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-21-05, AMM 32-21-05									
322105-0102		NLG SHOCK STRUT ASSY TORQUE ARM PIN					Component	ATA:32	
PN:200-4040-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0054	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322105-0103		NLG SHOCK STRUT ASSY TORQUE ARM APEX PIN					Component	ATA:32	
PN:200-4091-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0284	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
322205-0101		NLG NOSE LANDING GEAR DOOR ACTUATOR					Component	ATA:32	
PN:625700-1001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0313	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-22-05, AMM 32-22-05									
322205-0102		NLG NOSE LANDING GEAR DOOR ACTUATOR					Component	ATA:32	
PN:625700-1001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0314	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-22-05, AMM 32-22-05									
323101-0101		LEFT MLG RETRACT ACTUATOR					Component	ATA:32	
PN:200-3800-009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:H0317	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-01, AMM 32-31-01									
323101-0102		RIGHT MLG RETRACT ACTUATOR					Component	ATA:32	
PN:200-3800-009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:H0314	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-01, AMM 32-31-01									
323103-0101		LEFT MLG UNLOCK ACTUATOR ASSY					Component	ATA:32	
PN:200-3850-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:TAC01U-0325	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-03, AMM 32-31-03									
323103-0102		RIGHT MLG UNLOCK ACTUATOR ASSY					Component	ATA:32	
PN:200-3850-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:TAC01U-0323	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-03, AMM 32-31-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323104-0101		LEFT MLG UPLOCK ASSY						Component	ATA:32
PN:200-4410-009	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:TAC01U-0180	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-04, AMM 32-31-04									
323104-0102		RIGHT MLG UPLOCK ASSY						Component	ATA:32
PN:200-4410-010	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:TAC01U-0356	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-04, AMM 32-31-04									
323104-0103		NLG UPLOCK ASSY						Component	ATA:32
PN:200-4410-010	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:TAC01U-0358	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-32-04, AMM 32-32-04									
323105-0101		LEFT MLG SIDE STAY ASSY						Component	ATA:32
PN:200-3700-005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:VLA01U-0093	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0102		RIGHT MLG SIDE STAY ASSY						Component	ATA:32
PN:200-3700-005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:VLA01U-0096	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0103		LEFT MLG UPPER SIDE STAY ASSY						Component	ATA:32
PN:200-3701-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0099	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0104		RIGHT MLG UPPER SIDE STAY ASSY						Component	ATA:32
PN:200-3701-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0094	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-31-05, AMM 32-31-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323105-0105		LEFT MLG LOWER SIDE STAY ASSY						Component	ATA:32
PN:200-3702-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0116	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0106		RIGHT MLG LOWER SIDE STAY ASSY						Component	ATA:32
PN:200-3702-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0106	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0107		LEFT MLG SIDE STAY ASSY APEX PIN						Component	ATA:32
PN:200-3705-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0061	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
323105-0108		RIGHT MLG SIDE STAY ASSY APEX PIN						Component	ATA:32
PN:200-3705-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0083	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
323105-0201		LEFT MLG LOWER SIDE STAY ASSY PIN						Component	ATA:32
PN:200-3689-105	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0137	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0202		RIGHT MLG LOWER SIDE STAY ASSY PIN						Component	ATA:32
PN:200-3689-105	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0136	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-31-05, AMM 32-31-05									
323105-0203		LEFT MLG UPPER SIDE STAY ASSY PIN						Component	ATA:32
PN:200-3712-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0095	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-31-05, AMM 32-31-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323105-0204 RIGHT MLG UPPER SIDE STAY ASSY PIN Component ATA:32								
PN:200-3712-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT
SN:VLA01U-0129	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		16548	
PROC. REF: AMM 32-31-05, AMM 32-31-05								
323110-0101 LEFT MLG LOCK LINKS ASSY-LOWER LOCK LINK Component ATA:32								
PN:200-3751-001	MOS	15-Oct-19		TSN 0				LIFE LIMIT
SN:VLA01U-0073	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		16548	
PROC. REF: AMM 32-31-10, AMM 32-31-10								
323110-0102 RIGHT MLG LOCK LINKS ASSY-LOWER LOCK LINK Component ATA:32								
PN:200-3751-001	MOS	15-Oct-19		TSN 0				LIFE LIMIT
SN:VLA01U-0072	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		16548	
PROC. REF: AMM 32-31-10, AMM 32-31-10								
323110-0103 LEFT MLG LOCK LINKS ASSY-UPPER LOCK LINK Component ATA:32								
PN:200-3752-003	MOS	15-Oct-19		TSN 0				LIFE LIMIT
SN:VLA01U-0085	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		16548	
PROC. REF: AMM 32-31-10, AMM 32-31-10								
323110-0104 RIGHT MLG LOCK LINKS ASSY-UPPER LOCK LINK Component ATA:32								
PN:200-3752-003	MOS	15-Oct-19		TSN 0				LIFE LIMIT
SN:VLA01U-0084	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		16548	
PROC. REF: AMM 32-31-10, AMM 32-31-10								
323110-0201 LEFT MLG UPPER LOCK LINK ASSY PIN Component ATA:32								
PN:200-3753-001	MOS	15-Oct-19		TSN 0				LIFE LIMIT
SN:TEC04C-0091	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		16548	
PROC. REF: AMM 32-31-10, AMM 32-31-10								
323110-0202 RIGHT MLG UPPER LOCK LINK ASSY PIN Component ATA:32								
PN:200-3753-001	MOS	15-Oct-19		TSN 0				LIFE LIMIT
SN:TEC04C-0111	HRS	0		TSN 0				
	AFL	0	17000	TSN 0	17000		16548	
PROC. REF: AMM 32-31-10, AMM 32-31-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323110-0203		LEFT MLG LOWER LOCK LINK ASSY PIN						Component	ATA:32
PN:200-3756-003	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0093	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-31-10, AMM 32-31-10									
323110-0204		RIGHT MLG LOWER LOCK LINK ASSY PIN						Component	ATA:32
PN:200-3756-003	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0085	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-31-10, AMM 32-31-10									
323110-0205		LEFT MLG LOCK LINKS ASSY APEX PIN						Component	ATA:32
PN:200-3754-001	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0113	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
323110-0206		RIGHT MLG LOCK LINKS ASSY APEX PIN						Component	ATA:32
PN:200-3754-001	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0091	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
323201-0101		NLG RETRACT ACTUATOR ASSY						Component	ATA:32
PN:200-4200-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:H0160	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-32-01, AMM 32-32-01									
323203-0101		NLG UNLOCK ACTUATOR ASSY						Component	ATA:32
PN:200-4300-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:TAC01U-0170	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-32-03, AMM 32-32-03									
323205-0101		NLG DRAG BRACE ASSY						Component	ATA:32
PN:200-4100-007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:VLA01U-0051	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-32-05, AMM 32-32-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323205-0103		NLG SHOCK STRUT ASSY LOWER DRAG BRACE PIN						Component	ATA:32
PN:200-4037-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0064	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-32-05, AMM 32-32-05									
323205-0201		NLG DRAG BRACE ASSY-UPPER DRAG BRACE						Component	ATA:32
PN:200-4110-001	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0060	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-32-05, AMM 32-32-05									
323205-0202		NLG DRAG BRACE ASSY-LOWER DRAG BRACE						Component	ATA:32
PN:200-4120-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0057	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-32-05, AMM 32-32-05									
323205-0301		NLG DRAG BRACE ASSY-APEX PIN						Component	ATA:32
PN:200-4136-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0074	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-32-05, AMM 32-32-05									
323205-0302		NLG DRAG BRACE ASSY PIN						Component	ATA:32
PN:200-4137-103	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0055	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-32-05, AMM 32-32-05									
323205-0303		NLG DRAG BRACE ASSY TRUNNION PIN						Component	ATA:32
PN:200-4139-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:VLA01U-0113	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
323210-0101		NLG LOCK LINK ASSY						Component	ATA:32
PN:200-4150-003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:CFN02C-0187	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-32-10, AMM 32-32-10, AMM 32-32-10, AMM 32-32-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323210-0102		NLG LOCK LINKS ASSY APEX PIN					Component	ATA:32	
PN:200-4182-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:CFN-0226	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
323210-0103		NLG LOCK LINKS ASSY-LOWER LOCK LINK					Component	ATA:32	
PN:200-4160-001	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:CFN02C-0213	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-32-10, AMM 32-32-10									
323210-0104		NLG LOCK LINKS ASSY-UPPER LOCK LINK					Component	ATA:32	
PN:200-4170-003	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:CFN02C-0196	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM 32-32-10, AMM 32-32-10									
323210-0105		NLG SHOCK STRUT ASSY UPPER LOCK LINKS PIN					Component	ATA:32	
PN:200-4188-101	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:TEC04C-0166	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
323301-0101		LANDING GEAR CONTROL LEVER					Component	ATA:32	
PN:72500	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00170	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-33-01, AMM 32-33-01									
323302-0101		LANDING GEAR CONTROL MANIFOLD					Component	ATA:32	
PN:72512-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0170	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-33-02, AMM 32-33-02									
323401-0101		FREE-FALL SELECTOR VALVE					Component	ATA:32	
PN:72501-2	MOS/MSC	04-Mar-21	O/C	TSN 3					
SN:0067	HRS	324.8		TSN 0					
	AFL	235		TSN 0					
PROC. REF: AMM 32-34-01, AMM 32-34-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324103-0101		LH STUB SHUT OFF VALVE						Component	ATA:32
PN:90007136	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:JUN18-0326	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-03, AMM 32-41-03									
324103-0202		RH STUB SHUT OFF VALVE						Component	ATA:32
PN:90007136	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:JUN18-0328	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-03, AMM 32-41-03									
324104-0101		LH STUB DUAL BRAKE CONTROL VALVE						Component	ATA:32
PN:90007135-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:FEB18-0340	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-04, AMM 32-41-04									
324104-0102		RH STUB DUAL BRAKE CONTROL VALVE						Component	ATA:32
PN:90007135-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:AUG18-0377	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-04, AMM 32-41-04									
324105-0101		LH WING PRESSURE TRANSDUCER						Component	ATA:32
PN:90007137-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:AUG18-0613	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05, AMM 32-41-05									
324105-0102		RH WING PRESSURE TRANSDUCER						Component	ATA:32
PN:90007137-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SEP18-0621	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05, AMM 32-41-05									
324105-0103		LH WING PRESSURE TRANSDUCER						Component	ATA:32
PN:90007137-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SEP18-0625	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05, AMM 32-41-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324105-0104		RH WING PRESSURE TRANSDUCER						Component	ATA:32
PN:90007137-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SEP18-0647	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05, AMM 32-41-05									
324106-0101		LH OUTBOARD WHEEL SPEED TRANSDUCER						Component	ATA:32
PN:90007139-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:AUG18-0709	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-06, AMM 32-41-06									
324106-0102		LH INBOARD WHEEL SPEED TRANSDUCER						Component	ATA:32
PN:90007139-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:AUG18-0705	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-06, AMM 32-41-06									
324106-0103		RH INBOARD WHEEL SPEED TRANSDUCER						Component	ATA:32
PN:90007139-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:AUG18-0703	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-06, AMM 32-41-06									
324106-0104		RH OUTBOARD WHEEL SPEED TRANSDUCER						Component	ATA:32
PN:90007139-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:AUG18-0707	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-06, AMM 32-41-06									
324107-0101		LEFT HAND FORWARD WING HYDRAULIC BRAKE FUSE						Component	ATA:32
PN:90007143	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:JUN18-0614	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-07, AMM 32-41-07									
324107-0102		RIGHT HAND FORWARD WING HYDRAULIC BRAKE FUSE						Component	ATA:32
PN:90007143	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:JUN18-0617	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-07, AMM 32-41-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324107-0103		LEFT HAND AFT WING HYDRAULIC BRAKE FUSE					Component	ATA:32	
PN:90007143	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:JUN18-0618	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-07, AMM 32-41-07									
324107-0104		RIGHT HAND AFT WING HYDRAULIC BRAKE FUSE					Component	ATA:32	
PN:90007143	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:JUN18-0619	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-07, AMM 32-41-07									
324108-0101		LH STUB SHUTTLE VALVE					Component	ATA:32	
PN:90007433	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:079SH	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-08, AMM 32-41-08									
324108-0102		RH STUB SHUTTLE VALVE					Component	ATA:32	
PN:90007433	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:084SH	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-08, AMM 32-41-08									
324108-0103		LH STUB SHUTTLE VALVE					Component	ATA:32	
PN:90007433	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:083SH	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-08, AMM 32-41-08									
324108-0104		RH STUB SHUTTLE VALVE					Component	ATA:32	
PN:90007433	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:085SH	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-08, AMM 32-41-08									
324109-0101		AUTOBRAKE SWITCH					Component	ATA:32	
PN:24448	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1018-0157	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-09, AMM 32-41-09									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324112-0101		BRAKE CONTROL UNIT					Component	ATA:32	
PN:90007262-4	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:SEP18-0238	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-01, AMM 32-41-01									
324113-0101		LH OUTBOARD HUB CAP					Component	ATA:32	
PN:90007140-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:063SG	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
324113-0102		LH INBOARD HUB CAP					Component	ATA:32	
PN:90007140-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:058SG	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
324113-0103		RH INBOARD HUB CAP					Component	ATA:32	
PN:90007140-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:062SG	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
324113-0104		RH OUTBOARD HUB CAP					Component	ATA:32	
PN:90007140-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:065SG	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
324402-0101		CENT FUS EMERGENCY/PARKING BRAKE VALVE					Component	ATA:32	
PN:90007141-3	MOS/MSC	04-Mar-21	O/C	TSR 3					
SN:043RL	HRS	324.8		TSN 2219.4, TSR 0					
	AFL	235		TSN 1421, TSR 0					
PROC. REF: AMM 32-44-02, AMM 32-44-02									
324404-0101		LH FUS EMERGENCY/PARKING BRAKE ACCUMULATOR					Component	ATA:32	
PN:90007145-1	MOS/MSC	08-Jul-21	O/C	TSR 11					
SN:OCT14-0090	HRS	405		TSR 0					
	AFL	251		TSR 0					
PROC. REF: AMM 32-44-04, AMM 32-44-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324404-0102		RH FUS EMERGENCY/PARKING BRAKE ACCUMULATOR					Component	ATA:32	
PN:90007145-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:JUL18-0335	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-04, AMM 32-44-04									
324405-0101		LH STUB PRESSURE SWITCH					Component	ATA:32	
PN:90007147-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:FEB18-0357	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
324405-0102		RH STUB PRESSURE SWITCH					Component	ATA:32	
PN:90007147-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:FEB18-0364	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
324408-0101		L/H EMERGENCY PARKING BRAKE THERMAL RELIEF VALVE					Component	ATA:32	
PN:90009634	MOS/MSC	15-Oct-19	H/T	TSN 0					
SN:JUL18-0397	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-08, AMM 32-44-08									
324408-0102		R/H EMERGENCY PARKING BRAKE THERMAL RELIEF VALVE					Component	ATA:32	
PN:90009634	MOS/MSC	04-Oct-21	H/T	TSN 30					
SN:FEB19-0491	HRS	449.4		TSN 0					
	AFL	268		TSN 0					
PROC. REF: AMM 32-44-08, AMM 32-44-08									
324409-0101		LH FUS CHECK VALVE					Component	ATA:32	
PN:90007142	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:APR18-1124	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-09, AMM 32-44-09									
324409-0102		RH FUS CHECK VALVE					Component	ATA:32	
PN:90007142	MOS/MSC	28-Jul-21	O/C	TSN 27					
SN:SEP18-1304	HRS	419.7		TSN 0					
	AFL	255		TSN 0					
PROC. REF: AMM 32-44-09, AMM 32-44-09									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324409-0103		LH STUB CHECK VALVE						Component	ATA:32
PN:90007142	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:APR18-1136	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-09, AMM 32-44-09									
324409-0104		RH STUB CHECK VALVE						Component	ATA:32
PN:90007142	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:MAY18-1145	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-44-09, AMM 32-44-09									
324902-0101		LH OUTBOARD MAIN WHEEL						Component	ATA:32
PN:90006966	MOS/MSC	06-Feb-23	O/C	TSO 6					
SN:SEP16-0655	HRS	664.3		TSO 0					
	AFL	367		TSO 0					
PROC. REF: AMM 32-49-01, AMM 32-49-01									
324902-0102		LH INBOARD MAIN WHEEL						Component	ATA:32
PN:90006966	MOS/MSC	06-Feb-23	O/C	TSR 1					
SN:MAR19-0993	HRS	664.3		TSR 0					
	AFL	367		TSN 172, TSR 0					
PROC. REF: AMM 32-49-01, AMM 32-49-01									
324902-0103		RH INBOARD MAIN WHEEL						Component	ATA:32
PN:90006966	MOS/MSC	06-Feb-23	O/C	TSR 5					
SN:AUG18-0924	HRS	664.3		TSR 0					
	AFL	367		TSN 0, TSR 0					
PROC. REF: AMM 32-49-01, AMM 32-49-01									
324902-0104		RH OUTBOARD MAIN WHEEL						Component	ATA:32
PN:90006966	MOS/MSC	06-Feb-23	O/C	TSO 5					
SN:MAY15-0227	HRS	664.3		TSO 0					
	AFL	367		TSO 0					
PROC. REF: AMM 32-49-01, AMM 32-49-01									
324903-0101		LH OUTBOARD WHEEL/TIRE ASSY						Component	ATA:32
PN:550-14205-601	MOS/MSC	06-Feb-23	O/C	TSO 6					
SN:SEP16-0655	HRS	664.3		TSO 0					
	AFL	367		TSO 0					
PROC. REF: AMM 32-49-02, AMM 32-49-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324903-0102		LH INBOARD WHEEL/TIRE ASSY						Component	ATA:32
PN:550-14205-601	MOS/MSC	06-Feb-23	O/C	TSR 1					
SN:MAR19-0993	HRS	664.3		TSR 0					
	AFL	367		TSN 172, TSR 0					
PROC. REF: AMM 32-49-02, AMM 32-49-02									
324903-0103		RH INBOARD WHEEL/TIRE ASSY						Component	ATA:32
PN:550-14205-601	MOS/MSC	06-Feb-23	O/C	TSR 5					
SN:AUG18-0924	HRS	664.3		TSR 0					
	AFL	367		TSN 0, TSR 0					
PROC. REF: AMM 32-49-02, AMM 32-49-02									
324903-0104		RH OUTBOARD WHEEL/TIRE ASSY						Component	ATA:32
PN:550-14205-601	MOS/MSC	06-Feb-23	O/C	TSO 5					
SN:MAY15-0227	HRS	664.3		TSO 0					
	AFL	367		TSO 0					
PROC. REF: AMM 32-49-02, AMM 32-49-02									
324903-0105		LH OUTBOARD TIRE						Component	ATA:32
PN:269K43-2	MOS/MSC	06-Feb-23	O/C	TSN 0					
SN:21840264	HRS	664.3		TSN 0					
	AFL	367		TSN 0					
PROC. REF: AMM 32-49-02, AMM 32-49-02									
324903-0106		LH INBOARD TIRE						Component	ATA:32
PN:269K43-2	MOS/MSC	06-Feb-23	O/C	TSN 0					
SN:22640871	HRS	664.3		TSN 0					
	AFL	367		TSN 0					
PROC. REF: AMM 32-49-02, AMM 32-49-02									
324903-0107		RH INBOARD TIRE						Component	ATA:32
PN:269K43-2	MOS/MSC	06-Feb-23	O/C	TSN 0					
SN:22270950	HRS	664.3		TSN 0					
	AFL	367		TSN 0					
PROC. REF: AMM 32-49-02, AMM 32-49-02									
324903-0108		RH OUTBOARD TIRE						Component	ATA:32
PN:269K43-2	MOS/MSC	06-Feb-23	O/C	TSN 0					
SN:22230672	HRS	664.3		TSN 0					
	AFL	367		TSN 0					
PROC. REF: AMM 32-49-02, AMM 32-49-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324904-0101		LEFT NLG WHEEL/TIRE ASSY						Component	ATA:32
PN:550-14602-601	MOS/MSC	06-Feb-23	O/C	TSO 4					
SN:JUL20-0659	HRS	664.3		TSO 0					
	AFL	367		TSO 0					
PROC. REF: AMM 32-49-05, AMM 32-49-05									
324904-0102		RIGHT NLG WHEEL/TIRE ASSY						Component	ATA:32
PN:550-14602-601	MOS/MSC	06-Feb-23	O/C	TSO 2					
SN:JUN17-0397	HRS	664.3		TSO 0					
	AFL	367		TSO 0					
PROC. REF: AMM 32-49-05, AMM 32-49-05									
324905-0101		LEFT NOSE WHEEL						Component	ATA:32
PN:90006965	MOS/MSC	06-Feb-23	O/C	TSO 4					
SN:JUL20-0659	HRS	664.3		TSO 0					
	AFL	367		TSO 0					
PROC. REF: AMM 32-49-04, AMM 32-49-04									
324905-0102		RIGHT NOSE WHEEL						Component	ATA:32
PN:90006965	MOS/MSC	06-Feb-23	O/C	TSO 2					
SN:JUN17-0397	HRS	664.3		TSO 0					
	AFL	367		TSO 0					
PROC. REF: AMM 32-49-04, AMM 32-49-04									
324905-0103		LEFT NOSE TIRE						Component	ATA:32
PN:178K03-1	MOS/MSC	06-Feb-23	O/C	TSN 0					
SN:10890621	HRS	664.3		TSN 0					
	AFL	367		TSN 0					
PROC. REF: AMM 32-49-05, AMM 32-49-05									
324905-0104		RIGHT NOSE TIRE						Component	ATA:32
PN:178K03-1	MOS/MSC	06-Feb-23	O/C	TSN 0					
SN:22790771	HRS	664.3		TSN 0					
	AFL	367		TSN 0					
PROC. REF: AMM 32-49-05, AMM 32-49-05									
324906-0101		LH OUTBOARD CARBON BRAKE AND BTMS ASSY						Component	ATA:32
PN:90006967-3PR	MOS/MSC	04-Oct-21	O/C	TSR 3					
SN:MAY16-0385	HRS	449.4		TSR 0					
	AFL	268		TSR 0					
PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324906-0102		LH INBOARD CARBON BRAKE AND BTMS ASSY					Component	ATA:32	
PN:90006967-3PR	MOS/MSC	04-Oct-21	O/C	TSO 3					
SN:AUG16-0438	HRS	449.4		TSO 0					
	AFL	268		TSO 0					
PROC. REF: AMM GENERIC 2									
324906-0103		RH INBOARD CARBON BRAKE AND BTMS ASSY					Component	ATA:32	
PN:90006967-3PR	MOS/MSC	04-Oct-21	O/C	TSR 5					
SN:JUL16-0416	HRS	449.4		TSR 0					
	AFL	268		TSR 0					
PROC. REF: AMM GENERIC 2									
324906-0104		RH OUTBOARD CARBON BRAKE AND BTMS ASSY					Component	ATA:32	
PN:90006967-3PR	MOS/MSC	04-Oct-21	O/C	TSR 3					
SN:JUL19-0766	HRS	449.4		TSR 0					
	AFL	268		TSR 0					
PROC. REF: AMM GENERIC 2									
324907-0101		L/H INBOARD MAIN TIRE PRESSURE GAUGE					Component	ATA:32	
PN:1000-130-01	MOS/MSC	14-Oct-22	O/C	TSN 8					
SN:03375	HRS	610		TSN 0					
	AFL	341		TSN 0					
PROC. REF: AMM 32-49-07, AMM 32-49-07									
324907-0102		R/H INBOARD MAIN TIRE PRESSURE GAUGE					Component	ATA:32	
PN:1000-130-01	MOS/MSC	22-May-20	O/C	TSN 0					
SN:01932	HRS	165.3		TSN 0					
	AFL	129		TSN 0					
PROC. REF: AMM 32-49-07, AMM 32-49-07									
324907-0103		L/H OUTBOARD MAIN TIRE PRESSURE GAUGE					Component	ATA:32	
PN:1000-130-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01537	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-07, AMM 32-49-07									
324907-0104		R/H OUTBOARD MAIN TIRE PRESSURE GAUGE					Component	ATA:32	
PN:1000-130-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01586	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-07, AMM 32-49-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324908-0101		L/H NLG TIRE PRESSURE GAUGE					Component	ATA:32	
PN:1000-130-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01617	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-08, AMM 32-49-08									
324908-0102		R/H NLG TIRE PRESSURE GAUGE					Component	ATA:32	
PN:1000-130-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:01620	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-49-08, AMM 32-49-08									
325001-0101		NLG SHOCK STRUT ASSY STEERING RACK					Component	ATA:32	
PN:200-4030-105	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:CFN02C-0228	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 4									
325001-0102		NLG SHOCK STRUT ASSY STEERING COLLAR					Component	ATA:32	
PN:200-4080-003	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:CFN02C-0227	HRS	0		TSN 0					
	AFL	0	17000	TSN 0	17000		16548		
PROC. REF: AMM GENERIC 2									
325002-0101		LH FWD W297 STEERING DISCONNECT PANEL					Component	ATA:32	
PN:550-85018-401	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:S9409010	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
325201-0101		NOSE WHEEL STEERING CONTROL MANIFOLD					Component	ATA:32	
PN:72493-4	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0180	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-52-01, AMM 32-52-01									
325307-0101		CREW CAB 2PDT SWITCH					Component	ATA:32	
PN:72546	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0220	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
326101-0101		NLG WOW NO. 1 PROXIMITY SENSOR						Component	ATA:32
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:78366	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-63-01, AMM 32-63-01									
326101-0102		NLG WOW NO. 2 PROXIMITY SENSOR						Component	ATA:32
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:80966	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-63-01, AMM 32-63-01									
326101-0103		NLG OVERTRAVEL STEERING PROXIMITY SENSOR						Component	ATA:32
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:80968	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03									
326101-0104		NLG DOWNLOCK NO. 1 PROXIMITY SENSOR						Component	ATA:32
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:80969	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-01, AMM 32-61-01									
326101-0105		NLG DOWNLOCK NO. 2 PROXIMITY SENSOR						Component	ATA:32
PN:80-019-01	MOS/MSC	16-Oct-20	O/C	TSN 0					
SN:83839	HRS	253.3		TSN 0					
	AFL			TSN 0					
PROC. REF: AMM 32-61-01, AMM 32-61-01									
326101-0106		NLG DOOR NO. 1 PROXIMITY SENSOR						Component	ATA:32
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:81576	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03									
326101-0107		NLG DOOR NO. 2 PROXIMITY SENSOR						Component	ATA:32
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:80998	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
326101-0108		NLG DOOR NO. 3 PROXIMITY SENSOR						Component	ATA:32
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:81008	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03									
326101-0109		NLG DOOR NO. 4 PROXIMITY SENSOR						Component	ATA:32
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:81025	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03									
326101-0110		NLG DOOR NO. 5 PROXIMITY SENSOR						Component	ATA:32
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:78348	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-61-03, AMM 32-61-03									
326104-0101		LH MLG LOCK LINK ASSY						Component	ATA:32
PN:200-3750-005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:VLA01U-0087	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-10, AMM 32-31-10									
326104-0102		RH MLG LOCK LINK ASSY						Component	ATA:32
PN:200-3750-005	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:VLA01U-0086	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-31-10, AMM 32-31-10									
C32-01-00-001		OPERATIONAL CHECK OF HYDRAULIC SYSTEM 3 AUTOMATIC OVERHEAT PROTECTION						Service	ATA:32
	MOS	15-Oct-19							
	HRS	0	7500		7500		6659.6		
	AFL	0							
PROC. REF: AMM 29-13-00									
C32-41-00-001		OPERATIONAL CHECK LEFT HAND AFT WING HYDRAULIC BRAKE FUSE						Service	ATA:32
PN:90007143	MOS/MSC	15-Oct-19	C/C						
SN:JUN18-0618	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
C32-41-00-001		OPERATIONAL CHECK LEFT HAND FORWARD WING HYDRAULIC BRAKE FUSE					Service	ATA:32	
PN:90007143	MOS/MSC	15-Oct-19	C/C						
SN:JUN18-0614	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00									
C32-41-00-001		OPERATIONAL CHECK RIGHT HAND AFT WING HYDRAULIC BRAKE FUSE					Service	ATA:32	
PN:90007143	MOS/MSC	15-Oct-19	C/C						
SN:JUN18-0619	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00									
C32-41-00-001		OPERATIONAL CHECK RIGHT HAND FORWARD WING HYDRAULIC BRAKE FUSE					Service	ATA:32	
PN:90007143	MOS/MSC	15-Oct-19	C/C						
SN:JUN18-0617	HRS	0							
	AFL	0							
PROC. REF: AMM 32-41-00									
C32-44-04-001		FUNCTIONAL CHECK OF EMERGENCY/PARKING BRAKE ACUMULATOR					Service	ATA:32	
	MOS	15-Oct-19							
	HRS	0	1500		1500		659.6		
	AFL	0							
PROC. REF: AMM 32-44-04									
PKG:5									
ATA 33 - LIGHTS									
33-43-00-001		DISCARD LH WING POSITION RED (NAVIGATION) LIGHT ASSY					Service	ATA:33	
PN:03-9000-4003-N	MOS	15-Oct-19					LIFE LIMIT		
SN:203221-1-2	HRS	0	15000 (+37/-37)		15000	15037	14159.6 (+37)		
	AFL	0							
PROC. REF: AMM 33-43-00									
33-43-00-001		DISCARD RH WING POSITION GREEN (NAVIGATION) LIGHT ASSY					Service	ATA:33	
PN:03-9000-4006-N	MOS	15-Oct-19					LIFE LIMIT		
SN:206292-3-1	HRS	0	15000 (+37/-37)		15000	15037	14159.6 (+37)		
	AFL	0							
PROC. REF: AMM 33-43-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-47-00-001		DISCARD LH WING ANTICOLLISION (STROBE) LIGHT ASSY							Service ATA:33
PN:03-9506-0004	MOS	15-Oct-19						LIFE LIMIT	
SN:204094-18-2	HRS	0	15000 (+37/-37)		15000	15037	14159.6 (+37)		
	AFL	0							
PROC. REF: AMM 33-47-00									
33-47-00-001		DISCARD RH WING ANTICOLLISION (STROBE) LIGHT ASSY							Service ATA:33
PN:03-9506-0004	MOS	15-Oct-19						LIFE LIMIT	
SN:204094-18-3	HRS	0	15000 (+37/-37)		15000	15037	14159.6 (+37)		
	AFL	0							
PROC. REF: AMM 33-47-00									
33-47-00-001		DISCARD TAIL ANTICOLLISION (STROBE) LIGHT ASSY							Service ATA:33
PN:03-9507-0001	MOS	15-Oct-19						LIFE LIMIT	
SN:201388-26-4	HRS	0	15000 (+37/-37)		15000	15037	14159.6 (+37)		
	AFL	0							
PROC. REF: AMM 33-47-00									
33-51-01-001		FUNCTIONAL CHECK FORWARD ELECTRONIC COMPARTMENT EMERGENCY LIGHTING BATTERY							Service ATA:33
PN:7450LS-00	MOS	29-Sep-23	12		29-Sep-24		313 d		
SN:005334	HRS	798.6							
	AFL	429							
PROC. REF: AMM 33-51-01									
33-51-01-001		FUNCTIONAL CHECK LEFT RACK EMERGENCY LIGHTING BATTERY							Service ATA:33
PN:7450LS-00	MOS	29-Sep-23	12		29-Sep-24		313 d		
SN:005134	HRS	798.6							
	AFL	429							
PROC. REF: AMM 33-51-01									
33-52-01-001 ^S		OPERATIONAL CHECK OF FLASHLIGHT							Service ATA:33
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: AMM 33-52-01									
33-52-01-002		DISCARD NO. 1 FLASHLIGHT BATTERY							Service ATA:33
PN:P2-07-0025-001	MOS	26-Jul-23	60		01-Jun-27 (M)		1288 d	LIFE LIMIT	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 33-52-01									

PKG:12

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-52-01-002		DISCARD NO. 2 FLASHLIGHT BATTERY						Service	ATA:33
PN:P2-07-0025-001	MOS	26-Jul-23	60		01-Jun-27 (M)		1288 d	LIFE LIMIT	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 33-52-01									
331013-0101		OVERHEAD COCKPIT LIGHTS CONTROL PANEL ASSY						Component	ATA:33
PN:430900-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:430900AA0161	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-10-01, AMM 33-10-01									
331213-0101		C FLOOR LIGHTING DIMMER ASSY						Component	ATA:33
PN:434300-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:434300AA0164	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-12-01, AMM 33-12-01									
332001-0101		OVERHEAD PAX CABIN SYSTEM NO SMOKE CONTROL PANEL						Component	ATA:33
PN:430800-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:430800AA0146	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-20-01, AMM 33-20-01									
332113-0101		RH RACK LED LIGHT DIMMER						Component	ATA:33
PN:AL-2038-910-000	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:3096	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
333201-0101		SERVICE COMPARTMENT LIGHT						Component	ATA:33
PN:03-4000-0000	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:199135-5-4	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
333201-0102		SERVICE COMPARTMENT LIGHT						Component	ATA:33
PN:03-4000-0000	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:199135-5-9	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
333201-0103		REAR FUS SERVICE COMPARTMENT LIGHT					Component	ATA:33	
PN:03-4000-0000	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:199135-4-13	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-32-01, AMM 33-32-01									
333201-0104		NOSE SERVICE COMPARTMENT LIGHT					Component	ATA:33	
PN:03-4000-0000	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:199135-5-1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-32-01, AMM 33-32-01									
333201-0105		APU SERVICE COMPARTMENT LIGHT					Component	ATA:33	
PN:03-4000-0000	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:199135-5-16	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-32-01, AMM 33-32-01									
334001-0101		OVERHEAD EXTERNAL LIGHTS CONTROL PANEL ASSY					Component	ATA:33	
PN:431600-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:431600AA0096	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-40-01, AMM 33-40-01									
334101-0101		LEFT LANDING/TAXI LIGHT ASSY					Component	ATA:33	
PN:03-4301-0007	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:201388-11-3	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-41-01, AMM 33-41-01									
334101-0102		RIGHT LANDING/TAXI LIGHT ASSY					Component	ATA:33	
PN:03-4301-0008	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:201388-12-6	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-41-01, AMM 33-41-01									
334300-0101		LH WING POSITION RED (NAVIGATION) LIGHT ASSY					Component	ATA:33	
PN:03-9000-4003-N	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:203221-1-2	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-43-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
334300-0102		RH WING POSITION GREEN (NAVIGATION) LIGHT ASSY					Component ATA:33		
PN:03-9000-4006-N	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:206292-3-1	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-43-00									
334303-0101		TAIL CONE REAR POSITION LIGHT ASSY					Component ATA:33		
PN:03-9200-2400-N	MOS/MSC	29-Sep-23	O/C	TSN 5					
SN:5801374	HRS	798.6	TSN 0						
	AFL	429	TSN 0						
PROC. REF: AMM GENERIC 2									
334303-0102		REAR POSITION LIGHT ASSY					Component ATA:33		
PN:03-9200-3000-N	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:201388-2-4	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM GENERIC 2									
334401-0101		FORWARD FAIRING INSPECTION LIGHT					Component ATA:33		
PN:03-4200-0001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:204907-1-6	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM GENERIC 2									
334501-0101		RED BEACON TAIL LIGHT ASSY					Component ATA:33		
PN:03-3100-0001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:201388-24-2	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-45-01, AMM 33-45-01									
334701-0101		LH WING ANTICOLLISION (STROBE) LIGHT ASSY					Component ATA:33		
PN:03-9506-0004	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:204094-18-2	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-47-01, AMM 33-47-01									
334701-0102		RH WING ANTICOLLISION (STROBE) LIGHT ASSY					Component ATA:33		
PN:03-9506-0004	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:204094-18-3	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-47-01, AMM 33-47-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
334703-0101		TAIL ANTICOLLISION (STROBE) LIGHT ASSY					Component ATA:33		
PN:03-9507-0001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:201388-26-4	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-47-03, AMM 33-47-03									
335101-0101		FORWARD ELECTRONIC COMPARTMENT EMERGENCY LIGHTING BATTERY					Component ATA:33		
PN:7450LS-00	MOS/MSC	08-Jul-21	O/C	TSN 1					
SN:005334	HRS	405	TSN 0						
	AFL	251	TSN 0						
PROC. REF: AMM 33-51-01, AMM 33-51-01									
335101-0102		LEFT RACK EMERGENCY LIGHTING BATTERY					Component ATA:33		
PN:7450LS-00	MOS/MSC	29-Sep-23	O/C	TSR 5					
SN:005134	HRS	798.6	TSR 0						
	AFL	429	TSR 0						
PROC. REF: AMM 33-51-01, AMM 33-51-01									
335201-0101		NO. 1 FLASHLIGHT					Component ATA:33		
PN:P2-07-0024-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:WO27990	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-52-01, AMM 33-52-01									
335201-0102		NO. 2 FLASHLIGHT					Component ATA:33		
PN:P2-07-0024-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 33-52-01, AMM 33-52-01									
335202-0101		NO. 1 FLASHLIGHT BATTERY					Component ATA:33		
PN:P2-07-0025-001	MOS/MSC	29-Sep-23	O/C	TSN 2					
SN:UNKNOWN	HRS	798.6	TSN 0						
	AFL	429	TSN 0						
PROC. REF: AMM 33-52-01, AMM 33-52-01									
335202-0102		NO. 2 FLASHLIGHT BATTERY					Component ATA:33		
PN:P2-07-0025-001	MOS/MSC	29-Sep-23	O/C	TSN 2					
SN:UNKNOWN	HRS	798.6	TSN 0						
	AFL	429	TSN 0						
PROC. REF: AMM 33-52-01, AMM 33-52-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-15-01-001	FUNCTIONAL CHECK OF AIR DATA SYSTEM (ADS)							Service	ATA:34
	MOS	16-Sep-23	24		16-Sep-25		665 d	SYSTEM	
	HRS								
	AFL								
	PROC. REF: AMM 34-15-00								
34-15-01-002	SPECIAL DETAILED INSPECTION OF SMART PROBE AND RVSM CRITICAL REGION							Service	ATA:34
	MOS	29-Sep-23	48 (+15d/-15d)		29-Sep-27	14-Oct-27	1408 d (+15)		
	HRS	798.6							
	AFL	429							
	PROC. REF: AMM 34-15-00								
34-23-01-001 ^S	FUNCTIONAL CHECK STANDBY MAGNETIC COMPASS							Service	ATA:34
PN:KCA0120W	MOS	29-Sep-23	24 (+15d/-15d)						
SN:BT0550518	HRS	798.6							
	AFL	429							
	PROC. REF: AMM 34-23-00								
34-41-01-001 ^S	OPERATIONAL CHECK OF TERRAIN AWARENESS WARNING SYSTEM (TAWS) - AUTO TEST							Service	ATA:34
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 34-41-00								
34-52-01-001	FUNCTIONAL CHECK OF TRANSPONDER SYSTEM							Service	ATA:34
	MOS	29-Sep-23	24		29-Sep-25		678 d	SYSTEM	
	HRS	798.6							
	AFL	429							
	PROC. REF: AMM 34-52-00								
34-CUS-002 ^U	FAR 91.411 AND 91.413							Service	ATA:34
	MOS	29-Sep-23	24		29-Sep-25		678 d	CUSTOMER CODE	
	HRS	798.6							
	AFL	429							
341101-0101	STANDBY FLIGHT INSTRUMENT SYSTEM							Component	ATA:34
PN:866-0205-200	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:777L4	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 34-11-01, AMM 34-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341102-0101		LH WING MGR-3000 MAGNETIC SENSOR UNIT					Component	ATA:34	
PN:866-0206-020	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4274XL	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
341103-0101		CSL CENT OCM OPTIONS CONFIGURATION MODULE					Component	ATA:34	
PN:866-0210-020	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4T2K4	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-11-03, AMM 34-11-03									
341501-0101		LEFT UP ADSP AIR DATA SMART PROBE					Component	ATA:34	
PN:2015TB-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0865	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
341501-0102		RIGHT LW ADSP AIR DATA SMART PROBE					Component	ATA:34	
PN:2015TB-1	MOS/MSC	04-Oct-21	O/C						
SN:0881	HRS	449.4							
	AFL	268							
PROC. REF: AMM GENERIC 2									
341501-0103		LEFT LW ADSP AIR DATA SMART PROBE					Component	ATA:34	
PN:2015TC-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0883	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
341501-0104		RIGHT UP ADSP AIR DATA SMART PROBE					Component	ATA:34	
PN:2015TC-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0878	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
341502-0101		LH FWD TOTAL TEMPERATURE SENSOR					Component	ATA:34	
PN:102EW1DF	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:B52569	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-15-02, AMM 34-15-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341502-0102		RH FWD TOTAL TEMPERATURE SENSOR					Component	ATA:34	
PN:102EW1DF	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:B53701	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-15-02, AMM 34-15-02									
342101-0101		C FLOOR AHC3 ATTITUDE AND HEADING COMPUTER					Component	ATA:34	
PN:822-1110-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FLL04	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-01, AMM 34-21-01									
342103-0101		LEFT AHC4000 INSTALLATION DATA MODULE					Component	ATA:34	
PN:866-0123-041	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2601	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-03, AMM 34-21-03									
342103-0102		RIGHT AHC4000 INSTALLATION DATA MODULE					Component	ATA:34	
PN:866-0123-041	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:2574	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-03, AMM 34-21-03									
342104-0101		AHC4 ATTITUDE AND HEADING COMPUTER					Component	ATA:34	
PN:866-0123-110	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9105	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-04, AMM 34-21-04									
342104-0102		RIGHT AHC4 ATTITUDE AND HEADING COMPUTER					Component	ATA:34	
PN:866-0123-110	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9247	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-21-04, AMM 34-21-04									
342133-0101		LH RACK DIGITAL SWITCHING MODULE					Component	ATA:34	
PN:822-2133-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4F8YT0	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-03, AMM 42-21-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342133-0101		RH RACK DIGITAL SWITCHING MODULE					Component	ATA:34	
PN:822-2133-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4F8YRY	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-03, AMM 42-21-03									
342273-0101		DCU-3110 DATA CONCENTRATOR UNIT					Component	ATA:34	
PN:822-2575-201	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FKDHV	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-22-07, AMM 42-22-07									
342301-0101		STANDBY MAGNETIC COMPASS					Component	ATA:34	
PN:KCA0120W	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:BT0550518	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-23-01, AMM 34-23-01									
343101-0101		C FLOOR RADIO ALTIMETER					Component	ATA:34	
PN:822-0615-206	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FLL55	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01, AMM 34-31-01									
343101-0102		LH RACK RADIO ALTIMETER (ALT-4000) UNIT					Component	ATA:34	
PN:822-0615-206	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FLKL8	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-01, AMM 34-31-01									
343102-0101		RAR 1 RADIO ALTIMETER ANTENNA					Component	ATA:34	
PN:S67-2002-45	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:553-10504	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-02, AMM 34-31-02									
343102-0102		RAT 1 RADIO ALTIMETER ANTENNA					Component	ATA:34	
PN:S67-2002-45	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:553-10470	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-31-02, AMM 34-31-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
343102-0103		RAR 2 RADIO ALTIMETER ANTENNA					Component ATA:34		
PN:S67-2002-45	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:553-10559	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
343102-0104		RAT 2 RADIO ALTIMETER ANTENNA					Component ATA:34		
PN:S67-2002-45	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:553-10576	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
343201-0101		LH RACK VOR/ILS/MB/ADF RECEIVER					Component ATA:34		
PN:822-1465-101	MOS/MSC	23-Mar-23	O/C	TSO 3					
SN:4NC7MK	HRS	687.2		TSO 0					
	AFL	381		TSO 0					
PROC. REF: AMM GENERIC 2									
343201-0202		RH RACK VOR/ILS/MB RECEIVER					Component ATA:34		
PN:822-1579-101	MOS/MSC	28-Mar-23	O/C	TSO 0					
SN:4L0CD0	HRS	691		TSO 0					
	AFL	384		TSO 0					
PROC. REF: AMM GENERIC 2									
343202-0101		LEFT VOR/LOC ANTENNA ASSY					Component ATA:34		
PN:S65-247170	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:173-6387	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-02, AMM 34-32-02									
343202-0102		RIGHT VOR/LOC ANTENNA ASSY					Component ATA:34		
PN:S65-247170	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:173-6392	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-02, AMM 34-32-02									
343205-0101		NOSE DUAL GS ANTENNA					Component ATA:34		
PN:S41422	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:108-27547	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-05, AMM 34-32-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
343206-0101		MARKER BEACON ANTENNA					Component	ATA:34	
PN:S35-1000-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:102-13056	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-06, AMM 34-32-06									
343233-0101		TAIL PHASING COUPLER					Component	ATA:34	
PN:SSPD-113-10	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9681	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
343301-0101		NOSE ENHANCED VISION SYSTEM (EVS)					Component	ATA:34	
PN:1500-3630-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:62991	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-33-01, AMM 34-33-01									
344113-0101		CSL CENT GROUND PROXIMITY SYSTEM CONTROL PANEL					Component	ATA:34	
PN:432200-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:432200AA0159	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-41-01, AMM 34-41-01									
344123-0101		RH RACK TERRAIN PROCESSING MODULE					Component	ATA:34	
PN:822-2586-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4DV2LG	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-41-02, AMM 34-41-02									
344133-0101		RH RACK TAWS PROCESSOR COMPUTING MODULE					Component	ATA:34	
PN:822-2192-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FM9PP	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-41-03, AMM 34-41-03									
344201-0101		NOSE 18" MULTISCAN WEATHER RADAR					Component	ATA:34	
PN:822-2256-001	MOS/MSC	04-Oct-21	O/C	TSO 1					
SN:4G53MV	HRS	449.4		TSO 0					
	AFL	268		TSO 0					
PROC. REF: AMM 34-42-01, AMM 34-42-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344302-0101		DIRECTIONAL ANTENNA					Component	ATA:34	
PN:866-0016-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4DV2K9	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-02, AMM 34-43-02									
344304-0101		C FLOOR ECU3000 TSS41 EXT COMPENSATION UNIT					Component	ATA:34	
PN:822-1200-803	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4D9KCX	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
345113-0101		C FLOOR DME TRANSCEIVER					Component	ATA:34	
PN:822-1466-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FKDML	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
345201-0101		MODE S ADSB TRANSPONDER					Component	ATA:34	
PN:622-9210-501	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4F2NP8	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-52-01, AMM 34-52-01									
345201-0102		TCAS/TRANSPONDER INTEGRATED COMPUTER UNIT					Component	ATA:34	
PN:822-2132-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:77KCO	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-01, AMM 34-43-01									
345202-0101		DME1 L BAND ANTENNA					Component	ATA:34	
PN:S65-5366-7L	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:261-130289	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
345202-0102		L BAND ANTENNA					Component	ATA:34	
PN:S65-5366-7L	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:261-130265	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345202-0103		L BAND (B XPDR2) ANTENNA					Component	ATA:34	
PN:S65-5366-7L	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:261-130305	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
345202-0104		L BAND (B XPDR1) ANTENNA					Component	ATA:34	
PN:S65-5366-7L	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:261-130307	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
345301-0101		RIGHT FLAP ANT-462A ADF ANTENNA					Component	ATA:34	
PN:622-7383-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4DKNGP	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-53-01, AMM 34-53-01									
345302-0101		C FLOOR ECU EXTERNAL COMPENSATION UNIT					Component	ATA:34	
PN:822-1200-205	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4D9KRF	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
345302-0102		C FLOOR ECU EXTERNAL COMPENSATION UNIT					Component	ATA:34	
PN:822-1200-996	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4D9KVD	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
345601-0101		LH RACK GLOBAL POSITIONING SYSTEM RECEIVER					Component	ATA:34	
PN:822-2189-101	MOS/MSC	04-Oct-21	O/C	TSO 3					
SN:3VLJC	HRS	449.4		TSO 0					
	AFL	268		TSO 0					
PROC. REF: AMM 34-56-01, AMM 34-56-01									
345601-0102		RH RACK GLOBAL POSITIONING SYSTEM RECEIVER					Component	ATA:34	
PN:822-2189-101	MOS/MSC	04-Oct-21	O/C	TSO 3					
SN:3VLJF	HRS	449.4		TSO 0					
	AFL	268		TSO 0					
PROC. REF: AMM 34-56-01, AMM 34-56-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345602-0101		LEFT GPS/WAAS ANTENNA						Component	ATA:34
PN:S67-1575-145	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:824-5881	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-56-02, AMM 34-56-02									
345602-0102		RIGHT GPS/WAAS ANTENNA						Component	ATA:34
PN:S67-1575-145	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:824-5885	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-56-02, AMM 34-56-02									
346101-0101		SURFACE MANAGEMENT SYSTEM (SMS) INHIB CONTROL PANEL						Component	ATA:34
PN:433800-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:433800AA0100	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-61-01, AMM 34-61-01									
ATA 35 - OXYGEN									
35-01-00-001 ^S		FUNCTIONAL CHECK OF OXYGEN PRESSURE INDICATION						Service	ATA:35
	MOS	29-Sep-23	24 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
PROC. REF: AMM 35-01-02									
35-02-01-001		DISCARD GASEOUS OXYGEN CYLINDER						Service	ATA:35
PN:806643-11	MOS	01-Nov-17	180		01-Nov-32		3268 d	LIFE LIMIT	
SN:C18010551	HRS								
	AFL								
PROC. REF: AMM 35-02-01									
35-02-01-002		RESTORATION GASEOUS OXYGEN CYLINDER (OVERHAUL)						Service	ATA:35
PN:806643-11	MOS	28-Aug-23	60		01-Jan-28 (M)		1502 d	OVERHAUL	
SN:C18010551	HRS								
	AFL								
PROC. REF: AMM 35-02-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-02-03-001 ^S	FUNCTIONAL CHECK OF HIGH PRESSURE (HP) OXYGEN DISTRIBUTION LINES							Service	ATA:35
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 35-02-03				PKG:40	
35-10-00-901 ^S	OPERATIONAL CHECK OF CREW OXYGEN MASK AND STOWAGE BOX							Service	ATA:35
	MOS	29-Sep-23	13					CMR	
	HRS	798.6	825						
	AFL	429							
				PROC. REF: AMM 35-10-00					
35-10-02-001 ^S	DETAILED INSPECTION OF CREW OXYGEN MASKS							Service	ATA:35
	MOS	29-Sep-23	24 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
				PROC. REF: AMM 35-10-02					
35-10-02-002 ^S	OPERATIONAL CHECK OF CREW OXYGEN MASKS AND STOWAGE BOX							Service	ATA:35
	MOS	29-Sep-23	24 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
				PROC. REF: AMM 35-10-00					
35-10-02-003 ^S	RESTORATION COPILOT OXYGEN MASK (OVERHAUL)							Service	ATA:35
PN:MC40-011	MOS	01-Oct-18	72					OVERHAUL	
SN:1593	HRS								
	AFL								
				PROC. REF: AMM 35-10-02					
35-10-02-003 ^S	RESTORATION OBSERVER OXYGEN MASK (OVERHAUL)							Service	ATA:35
PN:PN	MOS		72					OVERHAUL	
SN:UNKNOWN	HRS								
	AFL								
				PROC. REF: AMM 35-10-02					
35-10-02-003 ^S	RESTORATION PILOT OXYGEN MASK (OVERHAUL)							Service	ATA:35
PN:MC40-011	MOS	01-Oct-18	72					OVERHAUL	
SN:1592	HRS								
	AFL								
				PROC. REF: AMM 35-10-02					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10-02-901 ^S DETAILED INSPECTION OF CREW OXYGEN MASK Service ATA:35								
	MOS	29-Sep-23	13					CMR
	HRS	798.6	825					
	AFL	429						
PROC. REF: AMM 35-10-02								
35-10-02-902 ^S RESTORE COPILOT OXYGEN MASK Service ATA:35								
PN:MC40-011	MOS	01-Oct-18	72					CMR
SN:1593	HRS	0	4125					
	AFL							
PROC. REF: AMM 35-10-02								
35-10-02-902 ^S RESTORE OBSERVER OXYGEN MASK Service ATA:35								
PN:PN	MOS	17-Jul-19	72					CMR
SN:UNKNOWN	HRS	0	4125					
	AFL							
PROC. REF: AMM 35-10-02								
35-10-02-902 ^S RESTORE PILOT OXYGEN MASK Service ATA:35								
PN:MC40-011	MOS	01-Oct-18	72					CMR
SN:1592	HRS	0	4125					
	AFL							
PROC. REF: AMM 35-10-02								
35-10-03-001 ^S DETAILED INSPECTION OF SMOKE GOGGLES Service ATA:35								
	MOS	29-Sep-23	24 (+15d/-15d)					
	HRS	798.6						
	AFL	429						
PROC. REF: AMM 35-10-03								
35-10-04-001 ^S FUNCTIONAL CHECK OF CREW OXYGEN SYSTEM LINES FOR LEAKAGE Service ATA:35								
	MOS	15-Oct-19	60 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: AMM 35-10-04								
35-20-01-001 ^S DETAILED INSPECTION OF PASSENGER OXYGEN MASKS Service ATA:35								
	MOS	14-Oct-22	36 (+15d/-15d)					
	HRS	610						
	AFL	341						
PROC. REF: AMM 35-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-20-02-001 ^S	FUNCTIONAL CHECK OF PASSENGER OXYGEN SYSTEM LINES FOR LEAKAGE							Service	ATA:35
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 35-20-02				PKG:40	
35-20-03-001 ^S	OPERATIONAL CHECK OF PASSENGER OXYGEN SYSTEM (MANUAL MODE)							Service	ATA:35
	MOS	14-Oct-22	36 (+15d/-15d)						
	HRS	610							
	AFL	341							
				PROC. REF: AMM 35-20-00				PKG:35	
35-20-03-002 ^S	FUNCTIONAL CHECK OF PASSENGER OXYGEN SYSTEM (AUTO MODE)							Service	ATA:35
	MOS	14-Oct-22	36 (+15d/-15d)						
	HRS	610							
	AFL	341							
				PROC. REF: AMM 35-20-00				PKG:35	
35-21-00-001	OPERATIONAL CHECK OF THERAPEUTIC OXYGEN SYSTEM							Service	ATA:35
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 35-21-00					
35-21-01-001	DISCARD THERAPEUTIC OXYGEN CYLINDER							Service	ATA:35
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
				PROC. REF: AMM 35-21-01					
35-21-01-002	RESTORATION (OVERHAUL) THERAPEUTIC OXYGEN CYLINDER							Service	ATA:35
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
				PROC. REF: AMM 35-21-01					
35-30-01-001	COCKPIT EMERGENCY PROTECTIVE BREATHING EQUIPMENT							Component	ATA:35
PN:MR-10022NEMB	MOS/MSC		DUE	TSN 0	01-Dec-28 (M)		1837 d	LIFE LIMIT	
SN:E1801757	HRS			TSN 0					
	AFL			TSN 0					
				PROC. REF: AMM 35-30-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-30-01-001 VANITY EMERGENCY PROTECTIVE BREATHING EQUIPMENT Component ATA:35								
PN:MR-10051N	MOS/MSC		DUE	TSN 0	01-Feb-29 (M)		1899 d	LIFE LIMIT
SN:E1803536	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 35-30-01								
35-30-01-001 WARDROBE EMERGENCY PROTECTIVE BREATHING EQUIPMENT Component ATA:35								
PN:MR-10051N	MOS/MSC		DUE	TSN 0	01-Jan-29 (M)		1868 d	LIFE LIMIT
SN:E1803096	HRS			TSN 0				
	AFL			TSN 0				
PROC. REF: AMM 35-30-01								
35-30-02-001 RESTORATION (OVERHAUL) OF PORTABLE OXYGEN CYLINDER ASSEMBLY Service ATA:35								
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 35-30-02								
350105-0101 CREW CAB OXYGEN SYSTEM LOW PRESSURE SWITCH Component ATA:35								
PN:CMK80-03	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:736	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-01-05, AMM 35-01-05								
350201-0101 GASEOUS OXYGEN CYLINDER Component ATA:35								
PN:806643-11	MOS/MSC	29-Sep-23	H/T	TSN 70, TSO 1				
SN:C18010551	HRS	798.6		TSO 0				
	AFL	429		TSO 0				
PROC. REF: AMM 35-02-01, AMM 35-02-01								
351001-0101 PILOT OXYGEN SYSTEM CREW MASK STOWAGE BOX Component ATA:35								
PN:MXP603	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:SE101530	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-10-01, AMM 35-10-01								
351001-0102 COPILOT OXYGEN SYSTEM CREW MASK STOWAGE BOX Component ATA:35								
PN:MXP603	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:SE101531	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-10-01, AMM 35-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351002-0101	PILOT OXYGEN MASK							Component	ATA:35
PN:MC40-011	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1592	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-10-02, AMM 35-10-02									
351002-0102	COPILOT OXYGEN MASK							Component	ATA:35
PN:MC40-011	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1593	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-10-02, AMM 35-10-02									
351002-0103	OBSERVER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-10-02, AMM 35-10-02									
351201-0101	RH REAR TRANSDUCER							Component	ATA:35
PN:10016796	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:20181229	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
352001-0201	NO. 1 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB1-421048	MOS/MSC	28-May-20	O/C	TSN 38					
SN:D16091121	HRS	166.7		TSN 0					
	AFL	131		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0201	NO. 2 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB1-421048	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:D18091527	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0201	NO. 3 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB1-421048	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:D18091529	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
352001-0201	NO. 4 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB1-421048	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:D18101240	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0201	NO. 5 ONE-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB1-421048	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:D18101244	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0202	NO.1 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB2-421048	MOS/MSC	14-Oct-22	O/C	TSN 35					
SN:D18110492	HRS	610		TSN 0					
	AFL	341		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0202	NO.2 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB2-421048	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:D18080181	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0202	NO.3 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB2-421048	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:D18080180	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352001-0202	NO.4 TWO-PASSENGER MASK DEPLOYMENT SYSTEM							Component	ATA:35
PN:EB2-421048	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:D18080174	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-01, AMM 35-20-01, AMM 35-20-01, AMM 35-20-01									
352003-0101	MID ELECTRONIC FLOW CONTROL UNIT							Component	ATA:35
PN:452150	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:487	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-03, AMM 35-20-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
352101-0101	THERAPEUTIC/PORTABLE OXYGEN CYLINDER							Component	ATA:35
PN:PN	MOS/MSC		H/T						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 35-21-01, AMM 35-21-01									
C35-10-02-001	OPERATIONAL CHECK OF CREW OXYGEN MASK AND STOWAGE BOX							Service	ATA:35
	MOS	29-Sep-23	13		29-Oct-24		343 d		
	HRS	798.6	825		1623.6		783.2		
	AFL	429							
PROC. REF: AMM 35-10-00									
C35-10-02-002	DETAILED INSPECTION OF CREW OXYGEN MASKS							Service	ATA:35
	MOS	29-Sep-23	13		29-Oct-24		343 d		
	HRS	798.6	825		1623.6		783.2		
	AFL	429							
PROC. REF: AMM 35-10-02									
C35-10-02-003	RESTORATION COPILOT OXYGEN MASK (OVERHAUL)							Service	ATA:35
PN:MC40-011	MOS	01-Oct-18	72		01-Oct-24		315 d	OVERHAUL	
SN:1593	HRS	0	4125		4125		3284.6		
	AFL								
PROC. REF: AMM 35-10-02									
C35-10-02-003	RESTORATION OBSERVER OXYGEN MASK (OVERHAUL)							Service	ATA:35
PN:PN	MOS	17-Jul-19	72		17-Jul-25		604 d	OVERHAUL	
SN:UNKNOWN	HRS	0	4125		4125		3284.6		
	AFL								
PROC. REF: AMM 35-10-02									
C35-10-02-003	RESTORATION PILOT OXYGEN MASK (OVERHAUL)							Service	ATA:35
PN:MC40-011	MOS	01-Oct-18	72		01-Oct-24		315 d	OVERHAUL	
SN:1592	HRS	0	4125		4125		3284.6		
	AFL								
PROC. REF: AMM 35-10-02									
ATA 36 - PNEUMATIC									
36-00-00-710-801-A	PNEUMATIC SYSTEM - OPERATIONAL TEST							Service	ATA:36
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
	AFL	0							
PROC. REF: AMM 36-00-00									
36-00-00-901 ^S	OPERATIONAL CHECK OF BLEED AUX RELAYS AND BLEED PUSHBUTTONS							Service	ATA:36
	MOS	15-Oct-19						CMR	
	HRS	0	5250						
	AFL	0							
PROC. REF: AMM 36-00-00									
36-00-00-902	OPERATIONAL CHECK OF PNEUMATIC SYSTEM CONTROLLER (PSC) CIRCUIT BREAKERS							Service	ATA:36
	MOS	15-Oct-19						CMR	
	HRS	0	9000		9000		8159.6		
	AFL	0							
PROC. REF: AMM 36-00-00									
36-10-00-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF LOW PRESSURE (LP) BLEED CHECK VALVE							Service	ATA:36
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 36-11-02									
36-11-00-001 ^S	OPERATIONAL CHECK OF BLEED CHECK VALVES							Service	ATA:36
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 36-11-12									
36-11-00-002 ^S	OPERATIONAL CHECK OF BLEED OVERPRESSURE PROTECTION							Service	ATA:36
	MOS	15-Oct-19							
	HRS	0	4500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 36-00-00									
36-11-01-790-801-A	HIGH-STAGE SHUTOFF VALVE - LEAK TEST							Service	ATA:36
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 36-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36-11-01-900-801-A		HIGH-STAGE SHUTOFF VALVE					Component	ATA:36	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-01, AMM 36-11-01									
36-11-02-710-801-A		LOW-STAGE CHECK VALVES - OPERATIONAL TEST					Service	ATA:36	
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 36-11-02									
36-11-02-900-801-A		LOW-STAGE CHECK VALVES					Component	ATA:36	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-02, AMM 36-11-02									
36-11-03-790-801-A		BLEED PRSOV - LEAK TEST					Service	ATA:36	
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 36-11-03									
36-11-07-210-801-A		SINGLE-BLEED SHUTOFF VALVE - GENERAL VISUAL INSPECTION					Service	ATA:36	
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 36-11-07									
36-11-07-900-801-A		SINGLE-BLEED SHUTOFF VALVE					Component	ATA:36	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-07, AMM 36-11-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36-11-10-900-801-A		AFT FUSELAGE ENGINE BLEED LINES					Component	ATA:36	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-10, AMM 36-11-10									
36-11-10-900-802-A		ENGINE BLEED DUCTS					Component	ATA:36	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-10, AMM 36-11-10									
36-11-10-900-803-A		ENGINE BLEED TUBES					Component	ATA:36	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-10, AMM 36-11-10									
36-14-00-001^S		FUNCTIONAL CHECK OF BLEED OVERPRESSURE SWITCH					Service	ATA:36	
	MOS	15-Oct-19							
	HRS	0	4500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 36-14-07									
36-14-04-900-801-A		PNEUMATIC SYSTEM CONTROLLER					Component	ATA:36	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-04, AMM 36-14-04									
36-14-05-900-801-A		BLEED-MANIFOLD PRESSURE SENSOR					Component	ATA:36	
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-05, AMM 36-14-05									
36-14-07-901^S		FUNCTIONAL CHECK OF BLEED OVERPRESSURE SWITCH					Service	ATA:36	
	MOS	15-Oct-19					CMR		
	HRS	0	5250						
	AFL	0							
PROC. REF: AMM 36-14-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
36-17-05-001	DRAINING OF THE AUXILIARY FUEL TANKS PRESSURIZATION WATER DRAINS (PRAETOR 600)							Service	ATA:36
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 36-17-05								
36-20-01-001 ^S	FUNCTIONAL CHECK OF BLEED LEAK DETECTORS							Service	ATA:36
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 36-20-00								
36-20-01-901 ^S	FUNCTIONAL CHECK OF BLEED LEAK DETECTORS							Service	ATA:36
	MOS	15-Oct-19					CMR		
	HRS	0	10000						
	AFL	0							
	PROC. REF: AMM 36-20-00								
36-21-01-900-801-A	ENGINE BLEED-LEAK DETECTORS							Component	ATA:36
PN:PN	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 36-21-01, AMM 36-21-01								
361104-0101	LH PYLON FAN AIR REGULATOR SHUT OFF VALVE							Component	ATA:36
PN:424315-4	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:1021	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 36-11-04, AMM 36-11-04								
361104-0102	RH PYLON FAN AIR REGULATOR SHUT OFF VALVE							Component	ATA:36
PN:424315-4	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:1022	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 36-11-04, AMM 36-11-04								
361105-0101	LEFT PNEUMATIC SYSTEM PRECOOLER							Component	ATA:36
PN:381259000	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:T0152	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 36-11-05, AMM 36-11-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361105-0102		RIGHT PNEUMATIC SYSTEM PRECOOLER					Component ATA:36		
PN:381258000	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:T0149	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 36-11-05, AMM 36-11-05									
361111-0101		LEFT CHECK VALVE					Component ATA:36		
PN:4005-28	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0406	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 36-11-12, AMM 36-11-12									
361112-0101		RH PYLON CHECK VALVE					Component ATA:36		
PN:4005-28	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0409	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM GENERIC 2									
361133-0101		LH ENG PRESSURE REGULATOR SHUTOFF VALVE					Component ATA:36		
PN:424305-4	MOS/MSC	12-Dec-19	O/C	TSR 2					
SN:0544	HRS	116.6	TSR 0						
	AFL	102	TSR 0						
PROC. REF: AMM GENERIC 2									
361133-0102		RH ENG PRESSURE REGULATOR SHUTOFF VALVE					Component ATA:36		
PN:424305-4	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1001	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM GENERIC 2									
361163-0101		REAR PNEUMATIC CROSS BLEED SHUTOFF VALVE					Component ATA:36		
PN:424365-3	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0459	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 36-11-06, AMM 36-11-06									
361173-0101		REAR PNEUMATIC CROSS BLEED SHUTOFF VALVE					Component ATA:36		
PN:424355-3	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0461	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 36-11-06, AMM 36-11-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361313-0101		REAR GROUND CONNECTION VALVE					Component ATA:36		
PN:20032489	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00228	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-13-01, AMM 36-13-01									
361402-0101		REAR FUS TEMPERATURE SENSOR					Component ATA:36		
PN:8TJ107DAW1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:DT7999K	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-02, AMM 36-14-02									
361402-0102		REAR FUS TEMPERATURE SENSOR					Component ATA:36		
PN:8TJ107DAW1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:DT8191J	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-02, AMM 36-14-02									
361402-0103		REAR FUS TEMPERATURE SENSOR					Component ATA:36		
PN:8TJ107DAW1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:DT8195J	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-02, AMM 36-14-02									
361402-0104		REAR FUS TEMPERATURE SENSOR					Component ATA:36		
PN:8TJ107DAW1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:DT8196J	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-02, AMM 36-14-02									
361402-0105		REAR FUS TEMPERATURE SENSOR					Component ATA:36		
PN:8TJ107DAW1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:DT8197J	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-02, AMM 36-14-02									
361402-0106		REAR FUS TEMPERATURE SENSOR					Component ATA:36		
PN:8TJ107DAW1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:DT8213J	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-14-02, AMM 36-14-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361402-0107		REAR FUS TEMPERATURE SENSOR					Component ATA:36		
PN:8TJ107DAW1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:DT9618J	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 36-14-02, AMM 36-14-02									
361402-0108		RH ENG BLEED UPSTREAM PRECOOLER TEMPERATURE SENSOR					Component ATA:36		
PN:8TJ107DAY1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:DT9285K	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 36-14-06, AMM 36-14-06									
361402-0109		LH ENG BLEED UPSTREAM PRECOOLER TEMPERATURE SENSOR					Component ATA:36		
PN:8TJ107DAY1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:DT9289K	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 36-14-06, AMM 36-14-06									
361407-0101		REAR FUS PNEUMATIC SYSTEM PRESSURE SWITCH					Component ATA:36		
PN:1103P1353	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0272	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 36-14-07, AMM 36-14-07									
361407-0102		REAR FUS PNEUMATIC SYSTEM PRESSURE SWITCH					Component ATA:36		
PN:1103P1353	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0274	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 36-14-07, AMM 36-14-07									
361443-0101		RH RACK 5MCU PNEUMATIC SYSTEM CONTROLLER					Component ATA:36		
PN:MM-00150-12-40	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:00651	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 36-14-04, AMM 36-14-04									
361602-0101		CARG CPT SOLENOID VALVE					Component ATA:36		
PN:5303-27	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0158	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 36-16-02, AMM 36-16-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361603-0101		CARG CPT RELIEF VALVE						Component	ATA:36
PN:5811-2	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0295	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-16-03, AMM 36-16-03									
361604-0101		REAR PRESSURE TRANSDUCER SENSOR						Component	ATA:36
PN:APTE-667B-1000-100GMOS/MSC		15-Oct-19	O/C	TSN 0					
SN:8562-10-390	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
361604-0102		PAX DOOR PRESSURE TRANSDUCER SENSOR						Component	ATA:36
PN:APTE-667B-1000-100GMOS/MSC		15-Oct-19	O/C	TSN 0					
SN:8562-10-362	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
361604-0103		REAR FUS PRESSURE TRANSDUCER SENSOR						Component	ATA:36
PN:APTE-667B-1000-100GMOS/MSC		15-Oct-19	O/C	TSN 0					
SN:8562-10-374	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
361604-0104		REAR FUS PRESSURE TRANSDUCER SENSOR						Component	ATA:36
PN:APTE-667B-1000-100GMOS/MSC		15-Oct-19	O/C	TSN 0					
SN:8562-10-384	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
361604-0105		REAR FUS PRESSURE TRANSDUCER SENSOR						Component	ATA:36
PN:PD9903-005-40056	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:61838	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
361633-0101		REGULATOR VALVE						Component	ATA:36
PN:20033152	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0630	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
363001-0101		LH ENGINE HIGH PRESSURE SHUT OFF VALVE					Component	ATA:36	
PN:70040385-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:395	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-01, AMM 36-11-01									
363001-0102		RH ENGINE HIGH PRESSURE SHUTOFF VALVE					Component	ATA:36	
PN:70040385-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:394	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 36-11-01, AMM 36-11-01									
C36-11-00-001		OPERATIONAL CHECK OF BLEED OVERPRESSURE PROTECTION, AUXILIARY RELAYS AND PUSHBUTTONS					Service	ATA:36	
	MOS	15-Oct-19							
	HRS	0	4500		4500		3659.6		
	AFL	0							
PROC. REF: AMM 36-00-00									
C36-14-00-001		FUNCTIONAL CHECK OF BLEED OVERPRESSURE SWITCH					Service	ATA:36	
	MOS	15-Oct-19							
	HRS	0	4500		4500		3659.6		
	AFL	0							
PROC. REF: AMM 36-14-07									
C36-20-01-001		FUNCTIONAL CHECK OF BLEED LEAK DETECTORS					Service	ATA:36	
	MOS	15-Oct-19							
	HRS	0	7500		7500		6659.6		
	AFL	0							
PROC. REF: AMM 36-20-00									
ATA 38 - WATER/WASTE									
38-11-00-001		DISCARD OF GALLEY WATER FILTER					Service	ATA:38	
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 38-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 38 - WATER/WASTE									
38-11-00-002	RESTORATION (CLEANING) OF GALLEY POTABLE WATER SYSTEM COMPONENTS							Service	ATA:38
	MOS/MSC	16-Oct-20	N/A						
	HRS	253.3							
	AFL	188							
	PROC. REF: AMM 12-15-01								
38-12-00-001 ^S	DISCARD OF LAVATORY WATER FILTER							Service	ATA:38
	MOS	29-Sep-23	24 (+15d/-15d)					LIFE LIMIT	
	HRS	798.6							
	AFL	429							
	PROC. REF: AMM 38-12-03								
38-12-00-002 ^S	RESTORATION (CLEANING) OF LAVATORY POTABLE WATER SYSTEM COMPONENTS							Service	ATA:38
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
	PROC. REF: AMM 12-15-01								
38-32-33-001 ^S	DISCARD OF WASTE TANK WATER SEPARATOR FILTER							Service	ATA:38
	MOS	15-Oct-19	60 (+15d/-15d)					LIFE LIMIT	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 38-32-33								
381001-0101	FORWARD WATER DRAIN SYSTEM CONTROL PANEL ASSY							Component	ATA:38
PN:431500-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:431500AA0141	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 38-10-01, AMM 38-10-01								
381204-0101	VANITY FAUCET							Component	ATA:38
PN:AR9248-1D891	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:1270960	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 38-12-04, AMM 38-12-04								
381204-0901 ^U	AFT LAVATORY WATER SYSTEM PANEL							Component	ATA:38
PN:AR9253-1	MOS/MSC	19-Jul-21	O/C	TSN 10				CUSTOMER CODE	
SN:1327178	HRS	407.6		TSN 0					
	AFL	254		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 38 - WATER/WASTE									
383201-0101	TOILET VACUUM WASTE SYSTEM MODULE							Component	ATA:38
PN:4100174-002	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:22FEB2019-001	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 38-32-01, AMM 38-32-01									
383244-0101	C FLOOR WASTE TUBE HEATER ASSY							Component	ATA:38
PN:4100340-001	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:21MAY2018-009	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 2									
383251-0101	RH STUB WASTE DRAIN VALVE ASSY							Component	ATA:38
PN:4100263-003	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:03OCT2018-005	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 38-32-51, AMM 38-32-51									
383252-0101	C FLOOR RINSE NIPPLE VALVE ASSY							Component	ATA:38
PN:4100003-001	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:27JUN2018-009	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 38-32-52, AMM 38-32-52									
383253-0101	C FLOOR SERVICE PANEL DOOR SWITCH ASSY							Component	ATA:38
PN:4100169-001	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:17082330	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 38-32-53, AMM 38-32-53									
383403-0101	REAR DRAIN VALVE							Component	ATA:38
PN:75239-3	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:1261385	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 38-34-03, AMM 38-34-03									
383407-0101	FORWARD HEATED DRAIN PORT							Component	ATA:38
PN:201046	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:321	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 38-34-07, AMM 38-34-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 38 - WATER/WASTE									
383407-0102	REAR HEATED DRAIN PORT							Component	ATA:38
PN:201046	MOS/MSC	02-Sep-21	O/C	TSN 0					
SN:097	HRS	426.1		TSN 0					
	AFL	257		TSN 0					
PROC. REF: AMM 38-34-07, AMM 38-34-07									
ATA 42 - INTEGRATED MODULAR AVIONICS									
422102-0101	LH RACK CCM-5110 COMPUTING MODULE							Component	ATA:42
PN:822-1991-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FM9V3	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-02, AMM 42-21-02									
422102-0102	LH RACK CCM-5110 COMPUTING MODULE							Component	ATA:42
PN:822-1991-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FMDPD	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-02, AMM 42-21-02									
422102-0103	LH RACK CCM-5110 COMPUTING MODULE							Component	ATA:42
PN:822-1991-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FMDPL	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-02, AMM 42-21-02									
422102-0108	RH RACK CCM-5110 COMPUTING MODULE							Component	ATA:42
PN:822-1991-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FMD7G	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-02, AMM 42-21-02									
422102-0109	RH RACK CCM-5110 COMPUTING MODULE							Component	ATA:42
PN:822-1991-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FMDFO	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-02, AMM 42-21-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 42 - INTEGRATED MODULAR AVIONICS									
422102-0110		RH RACK CCM-5110 COMPUTING MODULE						Component	ATA:42
PN:822-1991-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FMDPF	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-02, AMM 42-21-02									
422113-0101		LH RACK IPC INTEGRATED PROCESSING CABINET						Component	ATA:42
PN:822-2404-201	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FM9MX	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-01, AMM 42-21-01									
422113-0101		RH RACK IPC INTEGRATED PROCESSING CABINET						Component	ATA:42
PN:822-2813-251	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FMCFV	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-01, AMM 42-21-01									
422143-0101		LH RACK DC POWER, POWER ENVIRONMENT MODULE						Component	ATA:42
PN:822-2352-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FM8X1	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-04, AMM 42-21-04									
422143-0101		RH RACK DC POWER ENVIRONMENT MODULE						Component	ATA:42
PN:822-2352-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FM8VY	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-04, AMM 42-21-04									
422153-0101		LH RACK IPC COVER AND ENVIRONMENTAL MODULE						Component	ATA:42
PN:822-2405-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FM95T	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-05, AMM 42-21-05									
422153-0102		RH RACK IPC COVER AND ENVIRONMENTAL MODULE						Component	ATA:42
PN:822-2814-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:4FM86V	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 42-21-05, AMM 42-21-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 42 - INTEGRATED MODULAR AVIONICS								
422201-0101 LH RACK DMC-6000 DCU CABINET MODULE Component ATA:42								
PN:822-2403-261	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FM8HF	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-01, AMM 42-22-01								
422202-0101 LH RACK DCM-6000 DATA CONCENTRATOR MODULE Component ATA:42								
PN:822-2394-002	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FMC0F	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-02, AMM 42-22-02								
422202-0102 LH RACK DCM-6000 DATA CONCENTRATOR MODULE Component ATA:42								
PN:822-2394-002	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FMC0K	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-02, AMM 42-22-02								
422203-0101 LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE Component ATA:42								
PN:822-2396-062	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FMC7V	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-03, AMM 42-22-03								
422203-0102 LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE Component ATA:42								
PN:822-2396-062	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FMC7X	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-03, AMM 42-22-03								
422203-0103 LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE Component ATA:42								
PN:822-2396-062	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FMC82	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-03, AMM 42-22-03								
422203-0104 LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE Component ATA:42								
PN:822-2396-062	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FMC83	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-03, AMM 42-22-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 42 - INTEGRATED MODULAR AVIONICS								
422203-0105 LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE								Component ATA:42
PN:822-2397-061	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FMC8T	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-03, AMM 42-22-03								
422203-0106 LH RACK DATA CONCENTRATOR INPUT / OUTPUT MODULE								Component ATA:42
PN:822-2397-061	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FMCLK	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-03, AMM 42-22-03								
422204-0101 LH RACK DATA CONCENTRATOR POWER PRODUCING MODULE								Component ATA:42
PN:822-2395-002	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FM937	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-04, AMM 42-22-04								
422204-0102 LH RACK DATA CONCENTRATOR POWER PRODUCING MODULE								Component ATA:42
PN:822-2395-002	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FM997	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-04, AMM 42-22-04								
422205-0101 LH RACK DMC COVER AND ENVIRONMENTAL MODULE								Component ATA:42
PN:822-2401-001	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4FM8KD	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-22-05, AMM 42-22-05								
423101-0101 COCKPIT IMS-6000 INFORM MANAGEMENT SYSTEM								Component ATA:42
PN:822-3132-301	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4G3V8V	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-31-01, AMM 42-31-01								
423102-0101 WIRELESS LAN ANTENNA								Component ATA:42
PN:822-3156-001	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:4F7RR4	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 42-31-02, AMM 42-31-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 44 - CABIN SYSTEMS									
441101-0101		RH RACK CIU CABIN INTERFACE UNIT						Component	ATA:44
PN:990-E7200-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18077001957	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-11-01, AMM 44-11-01									
441101-0102		CENT FUS CIU CABIN INTERFACE UNIT						Component	ATA:44
PN:990-E7200-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18037001352	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-11-01, AMM 44-11-01									
441213-0101		CENT FUS UTILITY I/O - CABIN CONTROLLER						Component	ATA:44
PN:990-E2002-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:17127000879	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-12-01, AMM 44-12-01									
441301-0101		PAX CAB SELECT200, PASSENGER CONTROL UNIT						Component	ATA:44
PN:990-E0820-102	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18097002138	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01									
441301-0101		SELECT 100, PASSENGER CONTROL UNIT						Component	ATA:44
PN:990-E0810-103	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18097002213	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01									
441301-0102		PAX CAB SELECT200, PASSENGER CONTROL UNIT						Component	ATA:44
PN:990-E0820-102	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18097002167	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01									
441301-0103		PAX CAB SELECT200, PASSENGER CONTROL UNIT						Component	ATA:44
PN:990-E0820-102	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18097002147	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 44 - CABIN SYSTEMS									
441301-0104		PAX CAB SELECT200, PASSENGER CONTROL UNIT						Component	ATA:44
PN:990-E0820-102	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18097002153	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01									
441301-0105		PAX CAB SELECT200, PASSENGER CONTROL UNIT						Component	ATA:44
PN:990-E0821-102	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18077001948	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01									
441301-0106		PAX CAB SELECT200, PASSENGER CONTROL UNIT						Component	ATA:44
PN:990-E0821-102	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18077001949	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01									
441301-0107		PAX CAB SELECT200, PASSENGER CONTROL UNIT						Component	ATA:44
PN:990-E0821-102	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18087001995	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01									
441301-0108		PAX CAB SELECT200, PASSENGER CONTROL UNIT						Component	ATA:44
PN:990-E0821-102	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18087001990	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-13-01, AMM 44-13-01									
441303-0101		GALLEY 8.9" TOUCHSCREEN PANEL						Component	ATA:44
PN:990-E1010-001	MOS/MSC	29-Sep-23	O/C	TSN 0					
SN:22100322	HRS	798.6		TSN 0					
	AFL	429		TSN 0					
PROC. REF: AMM 44-13-03, AMM 44-13-03									
442302-0101		LH REAR HORIZONTAL RECEPTACLE BASE						Component	ATA:44
PN:990-E0891-212	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18070086	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-23-02, AMM 44-23-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 44 - CABIN SYSTEMS									
442302-0102		FORWARD HORIZONTAL RECEPTACLE BASE					Component		ATA:44
PN:990-E0891-212	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18080280	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-23-02, AMM 44-23-02									
442302-0103		FORWARD HORIZONTAL RECEPTACLE BASE					Component		ATA:44
PN:990-E0891-212	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18080289	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-23-02, AMM 44-23-02									
442302-0104		LH REAR HORIZONTAL RECEPTACLE BASE					Component		ATA:44
PN:990-E0891-212	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18080287	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-23-02, AMM 44-23-02									
442302-0105		FORWARD HORIZONTAL RECEPTACLE BASE					Component		ATA:44
PN:990-E0891-212	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18080293	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-23-02, AMM 44-23-02									
442302-0106		FORWARD HORIZONTAL RECEPTACLE BASE					Component		ATA:44
PN:990-E0891-212	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18070084	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-23-02, AMM 44-23-02									
442302-0107		LH REAR HORIZONTAL RECEPTACLE BASE					Component		ATA:44
PN:990-E0891-212	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18070085	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-23-02, AMM 44-23-02									
442302-0108		HORIZONTAL RECEPTACLE BASE					Component		ATA:44
PN:990-E0891-212	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18080284	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-23-02, AMM 44-23-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 44 - CABIN SYSTEMS									
442401-0101		NO. 1 AUXILIARY PANEL						Component	ATA:44
PN:990-E0251-001	MOS/MSC	29-Sep-23	O/C	TSN 8					
SN:22127006762	HRS	798.6		TSN 0					
	AFL	429		TSN 0					
PROC. REF: AMM 44-24-01, AMM 44-24-01									
442403-0101		NO. 1 HIGH DEFINITION, AUDIO/VIDEO, INPUT						Component	ATA:44
PN:990-E4770-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18077001973	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-24-03, AMM 44-24-03									
442601-0101		LH RACK AUDIO AMPLIFIER						Component	ATA:44
PN:990-E0450-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:140457	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-26-01, AMM 44-26-01									
442701-0101		LH RACK MEDIA INTERFACE UNIT						Component	ATA:44
PN:990-5164-001	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18087002009	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-27-01, AMM 44-27-01									
443101-0102		RH RACK HSD SYS SBU SWIFTBROADBAND UNIT						Component	ATA:44
PN:405040A	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:17437339	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-31-01, AMM 44-31-01									
443102-0101		TAIL HLD - HSD SYS UNIT						Component	ATA:44
PN:405016A	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:81214347	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
443103-0101		TAIL HIGH GAIN, HGA6000 ANTENNA						Component	ATA:44
PN:405009A-004	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:81237824	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-31-03, AMM 44-31-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 45 - CENTRAL MAINT SYSTEM									
45-70-00-002 ^S	NO. 1 ENGINE - SPECIAL DETAIL INSPECTION OF ENGINE FAULT AND DIAGNOSTIC DATA							Service	ATA:45
	MOS	14-Oct-22							
	HRS	606.6	750 (+37/-37)						
	ENC	341							
					PROC. REF: AMM 73-21-00			PKG:1	
45-70-00-002 ^S	NO. 2 ENGINE - SPECIAL DETAIL INSPECTION OF ENGINE FAULT AND DIAGNOSTIC DATA							Service	ATA:45
	MOS	14-Oct-22							
	HRS	606.6	750 (+37/-37)						
	ENC	341							
					PROC. REF: AMM 73-21-00			PKG:1	
45-70-00-003	NO. 1 ENGINE - DETAILED INSPECTION OF THE ECU (ELECTRONIC CONTROL UNIT) - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:45
	MOS/MSC	28-Sep-18	N/A						
	HRS	0							
	ENC	0							
					PROC. REF: GENERIC NO REF				
45-70-00-003	NO. 2 ENGINE - DETAILED INSPECTION OF THE ECU (ELECTRONIC CONTROL UNIT) - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:45
	MOS/MSC	02-Oct-18	N/A						
	HRS	0							
	ENC	0							
					PROC. REF: GENERIC NO REF				
45-70-00-004	NO. 1 ENGINE - DETAILED INSPECTION OF THE ECU (ELECTRONIC CONTROL UNIT) - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:45
	MOS	28-Sep-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
					PROC. REF: GENERIC NO REF				
45-70-00-004	NO. 2 ENGINE - DETAILED INSPECTION OF THE ECU (ELECTRONIC CONTROL UNIT) - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:45
	MOS	02-Oct-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
					PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 45 - CENTRAL MAINT SYSTEM									
450001-0101	COCKPIT MAINTENANCE CONTROL PANEL ASSY							Component	ATA:45
PN:433300-003	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:433300AA0172	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 45-00-01, AMM 45-00-01									
ATA 49 - AIRBORNE AUXILIARY POWER									
49-11-01-001 ^S	DETAILED INSPECTION OF AUXILIARY POWER UNIT (APU) AIR INLET							Service	ATA:49
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	APH	0							
PROC. REF: AMM 49-11-01, NDT 53-21-00									
PKG:15									
49-21-01-001	GENERAL VISUAL INSPECTION OF AUXILIARY POWER UNIT (APU) UPPER INLET DUCT							Service	ATA:49
	MOS	15-Oct-19							
	HRS	0							
	AFL	0							
	APH	0	3750 (+37/-37)		3750	3787	3343 (+37)		
PROC. REF: LMM 49-20-20									
49-22-02-001	APU - APU COMPRESSOR ROTOR							Component	ATA:49
PN:70721597-1	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:18-162246-00248	HRS	0	20000	TSN 0	20000		19593		
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
49-24-02-001	APU - APU TURBINE ROTOR							Component	ATA:49
PN:70721725-5	MOS	15-Oct-19		TSN 0				LIFE LIMIT	
SN:18-156101-08365	HRS	0	10000	TSN 0	10000		9593		
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
49-24-04-001	APU - DETAILED INSPECTION CONTAINMENT RING AND TURBINE HOUSING							Service	ATA:49
PN:3846564-1	MOS	15-Oct-19							
SN:UNKNOWN	HRS	0	10000		10000		9593		
	APUS	0							
PROC. REF: LMM 49-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
49-30-05-001	APU - DISCARD OF APU FUEL FILTER							Service	ATA:49
PN:PN	MOS	15-Oct-19						CATEGORY 9	
SN:UNKNOWN	HRS	0	1000 (+37/-37)		1000	1037	593 (+37)		
	APUS	0							
PROC. REF: AMM 49-31-01, GENERIC NO REF									
49-40-03-001	APU - DETAILED INSPECTION OF APU IGNITER PLUG							Service	ATA:49
	MOS	15-Oct-19						CATEGORY 6	
	HRS	0	1600		1600		1193		
	APUS	0							
PROC. REF: AMM 49-42-01, GENERIC NO REF									
49-40-04-001	APU - FUNCTIONAL CHECK OF APU STARTER BRUSH							Service	ATA:49
PN:2704458-1	MOS	11-Dec-19						CATEGORY 6	
SN:2997	HRS	109.5	2000		2109.5		1702.5		
	APUS	182							
PROC. REF: AMM 49-26-02, GENERIC NO REF									
49-90-04-001	APU - DISCARD OF APU OIL FILTER							Service	ATA:49
	MOS	15-Oct-19						CATEGORY 6	
	HRS	0	1000		1000		593		
	APUS	0							
PROC. REF: AMM 49-91-01, GENERIC NO REF									
49-90-04-002	APU - DISCARD OF APU OIL							Service	ATA:49
	MOS							LIFE LIMIT	
	HRS	EFF	1000		1000 * (M)		593		
	APUS								
PROC. REF: GENERIC NO REF									
490010	APU - PLATE							Component	ATA:49
PN:S8382M28	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
490011	APU - (POS) LABEL							Component	ATA:49
PN:S8454R89	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
490012	APU - (NEG) LABEL							Component	ATA:49
PN:S8454R90	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: GENERIC NO REF									
490013	APU - LABEL							Component	ATA:49
PN:S8496-15	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: GENERIC NO REF									
491023-0101	OVERHEAD AUXILIARY POWER UNIT CONTROL PANEL							Component	ATA:49
PN:430700-001	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:430700AA0151	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 49-10-02, AMM 49-10-02									
492010	APU - POWER SECTION ASSEMBLY							Component	ATA:49
PN:70720192-2	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:6010164913	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: GENERIC NO REF									
492015	APU - FWD ROLLER-CYLINDRICAL BEARING							Component	ATA:49
PN:3842365-1	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:18-162111-09976	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: GENERIC NO REF									
492020	APU - AFT ROLLER-CYLINDRICAL BEARING							Component	ATA:49
PN:3842366-2	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:18-162111-09964	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: GENERIC NO REF									
492021	APU - PLANETARY ASSEMBLY							Component	ATA:49
PN:70720192-902	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:LA080681	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
492030 APU - PLANETARY SPUR GEAR SET								Component ATA:49
PN:3860339-1	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:18-162447-04004	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REF								
492040 APU - BALL BEARING								Component ATA:49
PN:3822637-1	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:18-151725-05853	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REF								
492050 APU - ACCESSORY DRIVE GEARBOX								Component ATA:49
PN:70720921-2	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:LA080680	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: LMM 49-20-00								
492404 APU - CONTAINMENT RING								Component ATA:49
PN:3846564-1	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REF								
493020 APU - FUEL CONTROL ASSEMBLY								Component ATA:49
PN:3883964-3	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:41743	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: LMM 49-30-20, LMM 49-30-20								
493025 APU - MATCHED METERING VALVE AND SLEEVE ASSEMBLY								Component ATA:49
PN:3601509-5	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:18107004077	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: GENERIC NO REF								
493027 APU - FUEL FILTER ELEMENT								Component ATA:49
PN:PN	MOS/MSC	15-Oct-19	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	APUS	0		TSN 0				
PROC. REF: LMM 49-30-50, LMM 49-30-50								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
493030 APU - FUEL CONTROL TORQUE MOTOR								Component ATA:49
PN:3883912-1	MOS/MSC	15-Oct-19	O/C		TSN 0			
SN:18-387	HRS	0			TSN 0			
	APUS	0			TSN 0			
PROC. REF: GENERIC NO REF								
493051 APU - TURBINE NOZZLE								Component ATA:49
PN:3846779-1	MOS/MSC	15-Oct-19	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	APUS	0			TSN 0			
PROC. REF: GENERIC NO REF								
493260 APU - BRANCHED WIRING HARNESS								Component ATA:49
PN:70720761-1	MOS/MSC	15-Oct-19	O/C		TSN 0			
SN:18-129505-00019	HRS	0			TSN 0			
	APUS	0			TSN 0			
PROC. REF: LMM 49-20-10, LMM 49-20-10								
494001 APU - IGNITION UNIT								Component ATA:49
PN:3876280-4	MOS/MSC	15-Oct-19	O/C		TSN 0			
SN:J18460168	HRS	0			TSN 0			
	APUS	0			TSN 0			
PROC. REF: LMM 49-40-01, LMM 49-40-01								
494030 APU - ENGINE STARTER MOTOR								Component ATA:49
PN:2704458-1	MOS/MSC	11-Dec-19	O/C		TSO 3			
SN:2997	HRS	109.5			TSO 0			
	APUS	182			TSO 0			
PROC. REF: GENERIC NO REF								
495010 APU - SHUTOFF BUTTERFLY VALVE								Component ATA:49
PN:109804-7	MOS/MSC	15-Oct-19	O/C		TSN 0			
SN:3158	HRS	0			TSN 0			
	APUS	0			TSN 0			
PROC. REF: GENERIC NO REF								
495020 APU - ELECTRO-MAGNETIC CONTROL VALVE								Component ATA:49
PN:3181934-1	MOS/MSC	15-Oct-19	O/C		TSN 0			
SN:5402	HRS	0			TSN 0			
	APUS	0			TSN 0			
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
496010	APU - IMMERSION THERMOCOUPLE							Component	ATA:49
PN:3876003-3	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:1815027700573	HRS	0			TSN 0				
	APUS	0			TSN 0				
PROC. REF: LMM 49-60-10, LMM 49-60-10									
496101-0101	LH RACK APU ELECTRONIC CONTROL UNIT							Component	ATA:49
PN:70720276-3	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:2119336-00185	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 49-61-01, AMM 49-61-01									
499002	APU - SOAP OIL CHECK							Service	ATA:49
	MOS/MSC	15-Oct-19	A/R						
	HRS	0							
	APUS	0							
PROC. REF: SIL SIL APU-49, GENERIC NO REF									
499020	APU - REMOTE OIL LEVEL SENSOR							Component	ATA:49
PN:70720760-2	MOS/MSC	03-Dec-19	O/C		TSN 2				
SN:1916222100264	HRS				TSN 0				
	APUS				TSN 0				
PROC. REF: LMM 49-90-20, LMM 49-90-20									
49APU1	APU							Component	ATA:49
PN:70720189-2	MOS/MSC		E/C						
SN:P-277	HRS								
WC#: 49.APU1	AFL								
PROC. REF: AMM 49-10-01, AMM 49-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 50 - CARGO COMPARTMENTS									
50-22-01-001 ^S	GENERAL VISUAL INSPECTION OF AFT CARGO COMPARTMENT NET							Service	ATA:50
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 50-22-00								PKG:20
50-30-00-001 ^S	GENERAL VISUAL INSPECTION OF AFT CARGO COMPARTMENT LININGS AND PARTITIONS							Service	ATA:50
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 50-30-00								PKG:20
ATA 52 - DOORS									
52-10-00-001 ^S	DETAILED INSPECTION OF MAIN DOOR SEALS							Service	ATA:52
	MOS	29-Sep-23	24 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
	PROC. REF: AMM 52-10-00								PKG:24
52-10-01-002 ^S	INTERNAL DETAILED INSPECTION OF MAIN DOOR SKIN, HANDLE BOX, FRAMES, HORIZONTAL BEAMS AND FASTENERS							Service	ATA:52
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 52-10-00								PKG:90
52-10-01-901	MAIN DOOR STRUCTURE - GENERAL VISUAL INSPECTION OF FRAMES, BEAMS AND SPLICES							Service	ATA:52
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 52-10-00								
52-10-01-902	MAIN DOOR STRUCTURE DETAILED INSPECTION OF SKIN AND FASTENERS							Service	ATA:52
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 52-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10-02-001 ^S	INTERNAL DETAILED INSPECTION OF MAIN DOOR STOP FITTINGS AND FASTENERS AT DOOR AND FUSELAGE							Service	ATA:52
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 52-10-00							PKG:60	
52-10-02-901	MAIN DOOR STOP FITTING AT DOOR AND FUSELAGE - DETAILED INSPECTION OF STOP FITTINGS AND ATTACHMENTS							Service	ATA:52
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 52-10-00								
52-10-02-902	MAIN DOOR STOP FITTING AT DOOR AND FUSELAGE - DETAILED INSPECTION OF SKIN AND FASTENERS							Service	ATA:52
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 52-10-00								
52-13-00-001 ^S	GENERAL VISUAL INSPECTION OF MAIN DOOR BALANCING TORSION BAR							Service	ATA:52
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 52-13-20							PKG:60	
52-13-02-001	LUBRICATION OF THE MAIN DOOR MECHANISM							Service	ATA:52
	MOS	15-Oct-19	60 (+15d/-15d)		15-Oct-24 (M)	30-Oct-24	329 d (+15)		
	HRS	0							
	AFL	0							
	PROC. REF: AMM 12-26-00							PKG:40	
52-13-02-002	DISCARD OF THE PINION OF THE MAIN DOOR MECHANISM							Service	ATA:52
PN:PN	MOS	EFF							
SN:UNKNOWN	HRS								
	AFL	EFF	6000 (+25/-25)		6000 *	6025	5548 (+25)		
	PROC. REF: AMM 52-13-24								
52-20-01-001 ^S	INTERNAL DETAILED INSPECTION OF EMERGENCY EXIT HATCH STRUCTURE							Service	ATA:52
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 52-20-00							PKG:90	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-20-01-003	INTERNAL DETAILED INSPECTION OF EMERGENCY EXIT HATCH (TYPE IV) STRUCTURE							Service	ATA:52
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 52-20-00								
52-20-01-901	EMERGENCY EXIT HATCH STRUCTURE GENERAL VISUAL INSPECTION OF LOWER FRAMES, BEAMS AND SKINNOTE: THIS TASK IS APPLICABLE ONLY FOR AIRCRAFT WITH EMERGENCY EXIT HATCH TYPE III.							Service	ATA:52
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 52-20-00								
52-20-01-902	EMERGENCY EXIT HATCH STRUCTURE GENERAL VISUAL INSPECTION OF UPPER FRAMES, BEAMS AND SKINNOTE: THIS TASK IS APPLICABLE ONLY FOR AIRCRAFT WITH EMERGENCY EXIT HATCH TYPE III.							Service	ATA:52
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 52-20-00								
52-20-01-903	EMERGENCY EXIT HATCH STRUCTURE DETAILED INSPECTION OF SKINNOTE: THIS TASK IS APPLICABLE ONLY FOR AIRCRAFT WITH EMERGENCY EXIT HATCH TYPE III.							Service	ATA:52
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 52-20-00								
52-20-01-904	EMERGENCY EXIT HATCH STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - SKIN SURROUNDING RADIUS - REGION A NOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA (HATCH TYPE IV).							Service	ATA:52
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 52-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-20-01-905	EMERGENCY EXIT HATCH STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - SKIN SURROUNDING CUTOUT EDGES - REGION B NOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA (HATCH TYPE IV).							Service	ATA:52
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 52-20-00									
52-20-01-906	EMERGENCY EXIT HATCH STRUCTURE DETAILED INSPECTION OF MACHINED FRAME SURFACE NOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA (HATCH TYPE IV).							Service	ATA:52
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 52-20-00									
52-20-20-001 ^S	GENERAL VISUAL INSPECTION OF EMERGENCY EXIT HATCH LOCKING AND ACTUATING MECHANISM							Service	ATA:52
	MOS	15-Oct-19	120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: AMM 52-20-20									
52-20-21-001 ^S	DETAILED INSPECTION OF EMERGENCY EXIT HATCH RUBBER SEAL							Service	ATA:52
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: AMM 52-20-21									
52-40-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF ELECTRONIC BAY ACCESS HATCH SKIN AND FASTENERS							Service	ATA:52
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 52-41-00									
52-40-01-002 ^S	INTERNAL DETAILED INSPECTION OF ELECTRONIC BAY ACCESS HATCH FRAME AND FASTENERS							Service	ATA:52
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 52-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-40-01-901	ELECTRONIC BAY ACCESS HATCH STRUCTURE - GENERAL VISUAL INSPECTION OF FRAMES, BEAMS AND SKIN							Service	ATA:52
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 52-41-00									
52-40-01-902	ELECTRONIC BAY ACCESS HATCH STRUYCTURE - DETAILED INSPECTION OF FRAMES, BEAMS AND SKIN							Service	ATA:52
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 52-41-00									
52-40-02-001 ^S	INTERNAL DETAILED INSPECTION OF ELECTRONIC BAY ACCESS HATCH STOP FITTINGS AT HATCH AND FUSELAGE							Service	ATA:52
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 52-41-00									
52-40-02-901	ELECTRONIC BAY ACCESS HATCH STRUCTURE - GENERAL VISUAL INSPECTION OF STOP FITTINGS AND LATERAL SKIN							Service	ATA:52
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 52-41-00									
52-40-02-902	ELECTRONIC BAY ACCESS HATCH STRUCTURE - DETAILED INSPECTION OF STOP FITTINGS AND LATERAL SKIN							Service	ATA:52
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 52-41-00									
52-41-00-001 ^S	GENERAL VISUAL INSPECTION OF ELECTRONIC BAY ACCESS HATCH LOCKING, ACTUATING MECHANISM AND SEAL							Service	ATA:52
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: AMM 52-41-20									

PKG:60

PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-71-02-001 ^S	OPERATIONAL CHECK OF MAIN DOOR SENSOR TARGETS							Service	ATA:52
	MOS	29-Sep-23	12 (+15d/-15d)						
	HRS	798.6							
	AFL	429							
	APH								
					PROC. REF: AMM 52-71-20			PKG:12	
52-73-01-001 ^S	OPERATIONAL CHECK OF EMERGENCY EXIT HATCH WARNING INDICATION							Service	ATA:52
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 52-73-20			PKG:40	
52-74-01-001 ^S	OPERATIONAL CHECK OF ELECTRONIC BAY ACCESS HATCH WARNING INDICATION							Service	ATA:52
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: AMM 52-74-20			PKG:40	
521321-0101	MAIN-DOOR BALANCING-MECHANISM PINION SHAFT							Component	ATA:52
PN:PN	MOS/MSC	15-Oct-19	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: AMM 52-13-24, AMM 52-13-24				
522000-0101	EMERGENCY EXIT DOOR ASSY							Component	ATA:52
PN:550-13510-401	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0001030630	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: AMM GENERIC 2				
523200-0101	AFT CARGO DOOR COMPLETION ASSY							Component	ATA:52
PN:550-13700-411	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:9000013471	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: AMM 52-32-00, AMM 52-32-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
524220-0101	RH FWD RAT DOOR ASSY							Component	ATA:52
PN:550-04701-409	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:9000014102	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-42-20, AMM 52-42-20									
527220-0101	NLG PROXIMITY SENSOR							Component	ATA:52
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:80960	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
527220-0102	ACTUATOR SENSOR							Component	ATA:52
PN:550-13739-405	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0001019226	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
527220-0105	LH MLG DOOR PROXIMITY SENSOR							Component	ATA:52
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:80899	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
527220-0107	CARGO DOOR FORWARD PROXIMITY SENSOR							Component	ATA:52
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:72636	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
527220-0201	LH MLG PROXIMITY SENSOR							Component	ATA:52
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:79717	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
527220-0202	RH MLG DOOR PROXIMITY SENSOR							Component	ATA:52
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:81756	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
527220-0203	LH MLG DOOR PROXIMITY SENSOR							Component	ATA:52
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:80947	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
527220-0204	RH MLG DOOR PROXIMITY SENSOR							Component	ATA:52
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:81758	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
527220-0205	LH MLG DOOR PROXIMITY SENSOR							Component	ATA:52
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:81027	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
527220-0206	RH MLG DOOR PROXIMITY SENSOR							Component	ATA:52
PN:80-019-01	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:81770	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
53-10-02-902	FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE - DETAILED INSPECTION OF UPPER SKIN AND FASTENERS							Service	ATA:52
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
ATA 53 - FUSELAGE									
53-05-01-001 ^S	DETAILED INSPECTION OF FUSELAGE DRAINS							Service	ATA:53
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: AMM 53-05-00									
PKG:40									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-01-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF FORWARD FUSELAGE NOSE SKIN PANEL AND MACHINED FRAME 01							Service	ATA:53
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-10-00								
53-10-01-002	INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE NOSE SKIN PANEL AND MACHINED FRAME 01							Service	ATA:53
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-10-00, NDT 53-10-00								
53-10-01-003 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF SKIN SPLICE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-10-00								PKG:60
53-10-01-004 ^S	INTERNAL GENERAL VISUAL INSPECTION OF EXTERNAL SIDE OF FORWARD FUSELAGE NOSE SKIN PANEL AND MACHINED FRAME 01							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-10-00								PKG:60
53-10-01-005 ^S	INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE NOSE SKIN PANEL AND MACHINED FRAME 01							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-10-00								PKG:60
53-10-02-002	INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE							Service	ATA:53
	MOS/MSC	15-Oct-19	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-10-00								
53-10-02-003 ^S	INTERNAL DETAILED INSPECTION OF WINDSHIELD AND SIDE WINDOW CUTOUT STRUCTURE							Service	ATA:53
	MOS		T:60						
	HRS								
	AFL								
	PROC. REF: NDT 53-10-00								PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-02-004 ^S	SPECIAL DETAILED INSPECTION (BOREScope) OF WINDSHIELD FRAME CENTER FITTING							Service	ATA:53
	MOS		T:60						
	HRS								
	AFL								
					PROC. REF: NDT 53-10-00			PKG:40	
53-10-02-005 ^S	INTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE UPPER SKIN PANEL							Service	ATA:53
	MOS		T:120						
	HRS								
	AFL								
					PROC. REF: NDT 53-10-00			PKG:60	
53-10-02-901	FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS, BEAMS, WINDSHIELD FRAMES, WINDSHIELD FRAME SPLICES AND WINDSHIELD FRAME CENTER FITTINGS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
					PROC. REF: NDT 53-10-00, NDT 53-10-00				
53-10-02-903	FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE SPECIAL DETAILED INSPECTION (BOROSCOPE) OF WINDSHIELD FRAME CENTER FITTING - TO - FWD PRESSURE BULKHEAD JUNCTIONNOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT EQUIPPED WITH WINDSHIELD POST PN 550-06701-001.							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
					PROC. REF: NDT 53-10-00, NDT 53-10-00				
53-10-02-904	FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE DETAILED INSPECTION OF WINDSHIELD FRAME CENTER FITTING - TO - FWD PRESSURE BULKHEAD JUNCTIONNOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT NOT EQUIPPED WITH WINDSHIELD POST PN 550-06701-001.							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
					PROC. REF: NDT 53-10-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-02-905	FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF WINDSHIELD FRAME CENTER FITTING - TO - FWD PRESSURE BULKHEAD JUNCTIONNOTE: THIS TASK IS APPLICABLE ONLY TO AIRCRAFT NOT EQUIPPED WITH WINDSHIELD POST PN 550-06701-001.							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-02-906	FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SIDE WINDOW TO FRAME JUNCTION (LH/RH)							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-02-907	FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SIDE WINDOW FASTNER HOLES REGION							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-03-002 ^S	INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE LOWER SKIN PANEL							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-10-00									
PKG:90									
53-10-03-901	FORWARD FUSELAGE LOWER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS AND SHEAR-CLIPS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-03-902	FORWARD FUSELAGE LOWER SKIN PANEL - DETAILED INSPECTION OF FRAMES, STRINGERS AND SHEAR-CLIPS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-04-001 ^S	EXTERNAL - DETAILED INSPECTION OF FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-10-00							PKG:60	
53-10-04-002 ^S	INTERNAL DETAILED INSPECTION OF FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-10-00							PKG:60	
53-10-04-901	FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - DETAILED INSPECTION OF SKIN AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-10-00								
53-10-04-902	FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - DETAILED INSPECTION OF SKIN SPLICES (LONGITUDINAL AND CIRCUMFERENTIAL)							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-10-00								
53-10-05-001 ^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF FORWARD FUSELAGE PRESSURE BULKHEAD COMPOSITE STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-10-00							PKG:60	
53-10-05-002 ^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF FORWARD FUSELAGE PRESSURE BULKHEAD COMPOSITE STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-10-00							PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-05-901	FORWARD FUSELAGE PRESSURE BULKHEAD COMPOSITE STRUCTURE - DETAILED INSPECTION OF COMPOSITE PANEL (FORWARD AND AFT SIDE OF FORWARD PRESSURE BULKHEAD) AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-06-001 ^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-10-00									
53-10-06-002 ^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-10-00									
53-10-06-901	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE DETAILED INSPECTION OF METALLIC BULKHEAD AND HORIZONTAL BEAM (FROM NON-PRESSURIZED SIDE)							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-06-902	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE DETAILED INSPECTION OF FITTING ANGLE RING, VERTICAL BEAM, T-SHAPE BEAM, CENTRAL FITTING (FROM NON-PRESSURIZED SIDE)							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-06-903	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE DETAILED INSPECTION OF METALLIC BULKHEAD AND HORIZONTAL BEAM (FROM PRESSURIZED SIDE)							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00, NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-06-904	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE DETAILED INSPECTION OF FITTING ANGLE RING, VERTICAL BEAM, T-SHAPE BEAM AND REAR RIBS (FROM PRESSURIZED SIDE)							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-06-905	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF FITTING ANGLE RING WEB, METALLIC BULKHEAD UPPER FLANGE AND T-SHAPE BEAM WEB (FROM NON-PRESSURIZED SIDE)							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-06-906	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF REAR RIB CORNERS (FROM PRESSURIZED SIDE)							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-06-907	FORWARD FUSELAGE PRESSURE BULKHEAD METALLIC STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF VERTICAL BEAM WEB IN HORIZONTAL BEAM REGION AND CENTRAL FITTING REAR FLANGE (FROM NON-PRESSURIZED SIDE)							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-07-901	NOSE LANDING GEARBAY METALLIC STRUCTURE ON EMB-550 (LEGACY500) ACFT AND EMB-545 (LEGACY 450) ACFT STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF DRAG STAY FITTING AND MAIN FITTING (TRUNNIONS), MAIN FLANGE							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-08-001 ^S	INTERNAL DETAILED INSPECTION OF NOSE LANDING GEAR BAY METALLIC STRUCTURE - LANDING GEAR SIDE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-10-00									

PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-08-002 ^S	INTERNAL DETAILED INSPECTION OF NOSE LANDING GEAR BAY METALLIC STRUCTURE - FORWARD FUSELAGE SIDE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-10-00							PKG:60	
53-10-08-901	NOSE LANDING GEAR BAY METALLIC STRUCTURE DETAILED INSPECTION OF LATERAL PANELS, MACHINED FRAME 8, FASTENERS (FROM THE NON- PRESSURIZED SIDE - SURFACE)							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-10-00								
53-10-08-902	NOSE LANDING GEAR BAY METALLIC STRUCTURE DETAILED INSPECTION OF LATERAL PANELS, MACHINED FRAME 8, FRAME 7, SHEAR CLIPS, VERTICAL BEAMS, FASTENERS (FROM THE PRESSURIZED SIDE - SURFACE)							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-10-00								
53-10-08-903	NOSE LANDING GEAR BAY METALLIC STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF DRAG STAY FITTING AND MAIN FITING (TRUNNIONS), MAIN FLANGE							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-10-00								
53-10-09-002	INTERNAL GENERAL VISUAL INSPECTION OF FORWARD FUSELAGE ELECTRONIC BAY ACCESS HATCH CUTOUT							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)		15-Oct-29	30-Oct-29	2155 d (+15)		
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-10-00								
53-10-09-901	FORWARD FUSELAGEELECTRONIC BAY ACCESSHATCH CUTOUTDETAILED INSPECTIONOF SKIN AROUND THEHATCH CUTOUT							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-09-902	FORWARD FUSELAGE ELECTRONIC BAY ACCESS HATCH CUTOUT DETAILED INSPECTION OF FRAME 9 AND FRAME 10 AND RIBS AROUND THE HATCH CUTOUT							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-09-903	FORWARD FUSELAGE ELECTRONIC BAY ACCESS HATCH CUTOUT SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) DOUBLER SKIN AROUND THE HATCH CUTOUT							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-09-904	FORWARD FUSELAGE ELECTRONIC BAY ACCESS HATCH CUTOUT SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) DOUBLER SKIN AROUND THE HATCH CUTOUT							Service	ATA:53
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-10-10-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF COCKPIT FLOOR STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-10-00									
53-10-10-901	COCKPIT FLOOR STRUCTURE - GENERAL VISUAL INSPECTION OF SEAT TRACK BEAMS AND CROSS BEAMS AND ATTACHMENTS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-10-00									
53-21-01-901	CENTER FUSELAGE I UPPER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-21-01-902	CENTER FUSELAGE I UPPER SKIN PANEL DETAILED INSPECTION OF SKIN AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-21-00								
53-21-02-901	CENTER FUSELAGE I SIDE SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-21-00								
53-21-02-902	CENTER FUSELAGE I SIDE SKIN PANEL DETAILED INSPECTION OF SKIN AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-21-00								
53-21-03-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF CENTER FUSELAGE I LOWER SKIN PANEL							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-21-00								
	PKG:60								
53-21-03-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I LOWER SKIN PANEL							Service	ATA:53
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-21-00								
	PKG:40								
53-21-03-901	CENTER FUSELAGE I LOWER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-21-03-902	CENTER FUSELAGE I LOWER SKIN PANEL DETAILED INSPECTION OF SKIN SURFACE AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-21-00									
53-21-03-903	CENTER FUSELAGE I LOWER SKIN PANEL DETAILED INSPECTION OF SKIN SURFACE AND FASTENERS ADJACENT TO WING FUSELAGE FAIRING STRAP							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-21-00									
53-21-03-904	CENTER FUSELAGE I LOWER SKIN PANEL SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN UNDER WFF STRAPS ATTACHMENTS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-21-00									
53-21-04-001 ^S	INTERNAL DETAILED INSPECTION OF CENTERFUSELAGE I LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES - EXTERNAL SIDE OF FUSELAGE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-21-00								PKG:60	
53-21-04-002 ^S	INTERNAL DETAILED INSPECTION OF CENTERFUSELAGE I LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES - INTERNAL SIDE OF FUSELAGE AND UNDER THE FLOOR							Service	ATA:53
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-21-00, NDT 53-21-00								PKG:40	
53-21-04-003	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE I LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - INTERNAL SIDE OF FUSELAGE AND ABOVE THE FLOOR							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)		15-Oct-29 (M)	30-Oct-29	2155 d (+15)		
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-21-00								PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-21-04-901	CENTER FUSELAGE I LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES DETAILED INSPECTION OF SKIN OUTER SURFACE AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-21-00									
53-21-04-902	CENTER FUSELAGE I LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES DETAILED INSPECTION OF LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-21-00									
53-21-04-903	CENTER FUSELAGE I LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN OUTER SURFACE AND FASTENERS WITH WING FUSELAGE FAIRING							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-21-00									
53-21-05-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE I PASSENGER DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-21-00									
53-21-05-002 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE I PASSENGER DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-21-00									
53-21-05-901	CENTER FUSELAGE PASSENGER DOOR CUTOUT STRUCTURE - DETAILED INSPECTION OF SKIN SURFACES AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-21-05-902	CENTER FUSELAGE PASSENGER DOOR CUTOUT STRUCTURE - DETAILED INSPECTION OF DOUBLERS, UPPER BEAMS, LOWER BEAMS, FRAMES, BACK-UP FITTINGS, INTERCOSTALS AND SPLICES - SEARCHING FOR BROKEN ELEMENTS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-21-00									
53-21-05-904	CENTER FUSELAGE PASSENGER DOOR CUTOUT STRUCTURE DETAILED INSPECTION OF FRAME 14 WEB NEAR TO STRINGER 11L							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-21-00									
53-21-05-905	CENTER FUSELAGE I PASSENGER DOOR CUTOUT STRUCTURE DETAILED INSPECTION OF DOORSTOP FITTINGS - SEARCHING FOR BROKEN ELEMENTS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-21-00									
53-21-05-907	CENTER FUSELAGE PASSENGER DOOR CUTOUT STRUCTURE SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF FRAME 16 WEB NEAR TO STRINGER 13L							Service	ATA:53
	MOS/MS	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-21-00									
53-21-06-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE I PASSENGER WINDOW CUTOUT SURROUND STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-21-00									
53-21-06-002 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE I PASSENGER WINDOW CUTOUT SURROUND STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-21-06-901	CENTER FUSELAGE I PASSENGER WINDOW CUTOUT SURROUND STRUCTURES GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, WINDOW FRAMES (MOLDINGS), SHEAR-CLIPS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-21-00									
53-21-06-902	CENTER FUSELAGE I PASSENGER WINDOW CUTOUT SURROUND STRUCTURES - DETAILED INSPECTION OF SKIN AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-21-00									
53-21-07-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE I PASSENGER CABIN FLOOR STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-21-00									
53-22-01-901	CENTER FUSELAGE II UPPER SKIN PANEL DETAILED INSPECTION OF SKIN AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-22-00									
53-22-01-902	CENTER FUSELAGE II UPPER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-22-00									
53-22-02-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II SIDE SKIN PANEL - EXTERNAL SIDE OF FUSELAGE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00, NDT 53-22-00									

PKG:60

PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-22-02-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II SIDE SKIN PANEL							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00							PKG:60	
53-22-02-902	CENTER FUSELAGE II SIDE SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, SHEAR-CLIPS AND FRAMES SPLICES							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-22-00								
53-22-02-904	CENTER FUSELAGE II SIDE SKIN PANEL DETAILED INSPECTION (FUSELAGE INTERNAL SIDE) OF SKIN SURFACE AND FASTENERS							Service	ATA:53
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00								
53-22-02-905	CENTER FUSELAGE II SIDE SKIN PANEL DETAILED INSPECTION OF SKIN SURFACE AND FASTENERS							Service	ATA:53
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00								
53-22-03-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF CENTER FUSELAGE II LOWER SKIN PANEL							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00							PKG:90	
53-22-03-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II LOWER SKIN PANEL							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00							PKG:90	
53-22-03-901	CENTER FUSELAGE II LOWER SKIN PANEL - DETAILED INSPECTION OF SKIN SURFACES AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-22-03-902	CENTER FUSELAGE II LOWER SKIN PANEL GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS AND SHEAR-CLIPS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-22-00									
53-22-03-903	CENTER FUSELAGE II LOWER SKIN PANEL - DETAILED INSPECTION OF SKIN SURFACES AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-22-00									
53-22-04-001 ^S	EXTERNAL - DETAILED INSPECTION OF CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00									
PKG:60									
53-22-04-002 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00, NDT 53-22-00, NDT 53-22-00									
PKG:60									
53-22-04-003	EXTERNAL - DETAILED INSPECTION OF CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES							Service	ATA:53
	MOS/MSC	15-Oct-19	O/C						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00, NDT 53-22-00									
53-22-04-004	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES							Service	ATA:53
	MOS/MSC	15-Oct-19	O/C						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00, NDT 53-22-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-22-04-901	CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES DETAILED INSPECTION OF SKIN SURFACE AND FASTENERSNOTE: THIS TASK IS APPLICABLE ONLY AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE LAVATORY AREA.							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-22-00, NDT 53-22-00									
53-22-04-902	CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES DETAILED INSPECTION OF LONGITUDINAL SPLICESNOTE: THIS TASK IS APPLICABLE ONLY AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE LAVATORY AREA.							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-22-00, NDT 53-22-00									
53-22-04-903	CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN UNDER WING FUSELAGE FAIRING							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-22-00									
53-22-04-904	CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES DETAILED INSPECTION OF SKIN SURFACE AND FASTENERSNOTE: THIS TASK IS APPLICABLE ONLY AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA.							Service	ATA:53
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-22-00									
53-22-04-905	CENTER FUSELAGE II LONGITUDINAL SKIN SPLICES DETAILED INSPECTION OF LONGITUDINAL SPLICESNOTE: THIS TASK IS APPLICABLE ONLY AIRCRAFT WITH EMERGENCY EXIT HATCH IN THE PASSENGER CABIN AREA.							Service	ATA:53
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-22-00									
53-22-05-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00									

PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-22-05-002 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00							PKG:60	
53-22-05-005	EXTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE (LEGACY 450 PRAETOR 500)							Service	ATA:53
	MOS/MSC	15-Oct-19	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00								
53-22-05-006	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE (LEGACY 450 PRAETOR 500)							Service	ATA:53
	MOS/MSC	15-Oct-19	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00								
53-22-05-901	CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE DETAILED INSPECTION OF SKIN AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-22-00								
53-22-05-902	CENTER FUSELAGE II EMERGENCY DOOR CUTOUT STRUCTURE DETAILED INSPECTION OF DOUBLER, FRAMES, UPPER/ LOWER BEAMS, INTERCOSTALS, SPLICES AND ATTACHMENTS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-22-00								
53-22-06-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00, NDT 53-22-00							PKG:40	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-22-06-002 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00, NDT 53-22-00							PKG:40	
53-22-06-005	EXTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURE (LEGACY 450 PRAETOR 500)							Service	ATA:53
	MOS/MSC	15-Oct-19	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00								
53-22-06-006	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURE (LEGACY 450 PRAETOR 500)							Service	ATA:53
	MOS/MSC	15-Oct-19	O/C						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00								
53-22-06-901	CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURES GENERAL VISUAL INSPECTION OF FRAMES, STRINGERS, WINDOW FRAMES (MOLDINGS), SHEAR-CLIPS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-22-00								
53-22-06-902	CENTER FUSELAGE II PASSENGER WINDOW CUTOUT SURROUND STRUCTURES DETAILED INSPECTION OF SKIN AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-22-00								
53-22-07-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II PASSENGER CABIN FLOOR STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00							PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-22-08-001 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTINGS							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00							PKG:60	
53-22-08-901	CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTING GENERAL VISUAL INSPECTION OF MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTINGS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-22-00								
53-22-08-902	CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTING DETAILED INSPECTION OF SKIN SURFACE							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-22-00								
53-22-08-903	CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTING DETAILED INSPECTION OF SKIN SURFACE							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-22-00								
53-22-08-905	CENTER FUSELAGE II MACHINED FRAMES AND ATTACHMENTS TO STUB SIDE FITTING SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN							Service	ATA:53
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00								
53-22-09-001 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II LOWER SKIN TO WING STUB ATTACHMENTS (UNDER COCKPIT FLOOR)							Service	ATA:53
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00							PKG:40	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-22-09-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF CENTER FUSELAGE II BOTTOM SIDE OF LOWER SKIN TO WING STUB ATTACHMENTS (INTERNAL WING TO FUSELAGE FAIRING)							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00								PKG:90	
53-22-09-901	CENTER FUSELAGE II LOWER SKIN TO WING STUB ATTACHMENTS DETAILED INSPECTION OF MACHINED SPLICES AND FASTENERS AT LOWER SKIN TO WING STUB ATTACHMENTS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-22-00									
53-22-10-001 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II TO WING STUB SPLICES							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-22-00								PKG:60	
53-22-10-901	CENTER FUSELAGE II TO WING STUB SPLICES DETAILED INSPECTION OF SIDE SPLICES AND FASTENERS CLOSE TO SPAR II							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-22-00									
53-22-10-902	CENTER FUSELAGE II TO WING STUB SPLICES DETAILED INSPECTION OF SIDE SPLICES AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-22-00									
53-22-10-903	CENTER FUSELAGE II TO WING STUB SPLICES SPECIAL DETAILED INSPECTION (EDDY CURRENT) - L SPLICE FASTENED WITH SKIN AND C SPLICE							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-22-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-22-11-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF CENTER FUSELAGE II OXYGEN ACCESS CUTOUT							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00							PKG:60	
53-22-11-002 ^S	INTERNAL DETAILED INSPECTION OF CENTER FUSELAGE II OXYGEN ACCESS CUTOUT							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00							PKG:60	
53-22-11-901	CENTER FUSELAGE II OXYGEN ACCESS CUTOUT DETAILED INSPECTION OF SKIN AND FASTENERS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-22-00								
53-22-11-903	CENTER FUSELAGE II OXYGEN ACCESS CUTOUT - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - DOBLER OVER THE OYGEN ACCESS CUTOUT							Service	ATA:53
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00								
53-22-11-905	CENTER FUSELAGE II OXYGEN ACCESS CUTOUT SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - OXYGEN ACCESS DOUBLER CORNER							Service	ATA:53
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00								
53-22-11-906	CENTER FUSELAGE II OXYGEN ACCESS CUTOUT SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) - OXYGEN ACCESS DOUBLER CORNER							Service	ATA:53
	MOS	15-Oct-19					AWL		
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-22-11-907	CENTER FUSELAGE II OXYGEN ACCESS CUTOUT DETAILED INSPECTION OF DOUBLERS, SPLICES, FRAMES, SHEAR-CLIPS, STRINGERS AND MACHINED CUTOUT BOX							Service	ATA:53
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-22-00								
53-23-00-901	FORWARD TANK DETAILED INSPECTION OF THE INTERNAL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-23-00								
53-23-00-902	FORWARD TANK DETAILED INSPECTION OF THE EXTERNAL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-23-00								
53-24-00-901	VENTRAL TANK DETAILED INSPECTION OF THE INTERNAL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-24-00								
53-24-00-902	VENTRAL TANK DETAILED INSPECTION OF TANK EXTERIOR STRUCTURAL ELEMENTS							Service	ATA:53
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-24-00								
53-30-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AFT FUSELAGE UPPER SKIN PANEL							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00								
	PKG:60								
53-30-01-002 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE UPPER SKIN PANEL							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00								
	PKG:90								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-01-901	AFT FUSELAGE UPPER SKIN PANEL (FR37-FR50)/ (STGR7L-STGR7R) DETAILED INSPECTION OF SKIN BETWEEN FRAMES 37 AND 50, STRINGERS 7L AND 7R							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-30-00								
53-30-01-902	AFT FUSELAGE UPPER SKIN PANEL (FR37-FR50)/ (STGR7L-STGR7R) DETAILED INSPECTION OF ALL FUSELAGE COMPONENTS BETWEEN FRAMES 37 AND 50, STRINGERS 7L AND 7R							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-30-00								
53-30-02-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AFT FUSELAGE SIDE SKIN PANEL							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00								
	PKG:60								
53-30-02-002 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE SIDE SKIN PANEL							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00								
	PKG:90								
53-30-02-003 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF AFT FUSELAGE SIDE SKIN PANEL - BEHIND ROTOR BURST SHIELDS							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00								
	PKG:90								
53-30-02-901	AFT FUSELAGE SIDE SKIN PANEL (FR37FR50)/ (STGR7L-STGR15L, STGR7R-STGR15R) DETAILED INSPECTION OF AFT FUSELAGE SIDE SKIN PANEL BETWEEN FRAMES 37 AND 50, AND BETWEEN STRINGERS 7L AND 15L, 7R AND 15R							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-02-902	AFT FUSELAGE SIDE SKIN PANEL (FR37FR50)/ (STGR7L-STGR15L, STGR7R-STGR15R) DETAILED INSPECTION OF AFT FUSELAGE SIDE SKIN PANEL BETWEEN FRAMES 37 AND 50, AND BETWEEN STRINGERS 7L AND 15L, 7R AND 15R							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-30-00								
53-30-03-002 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE LOWER SKIN PANEL							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00								
	PKG:90								
53-30-03-901	AFT FUSELAGE LOWER SKIN PANEL (FR37FR42)/ (STR14R14L) DETAILED INSPECTION OF AFT FUSELAGE LOWER SKIN PANEL BETWEEN FRAMES 37 AND 42, STRINGERS 14L AND 14R							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-30-00								
53-30-03-902	AFT FUSELAGE LOWER SKIN PANEL (FR37-FR42)/ (STGR14L-STGR14R) DETAILED INSPECTION OF AFT FUSELAGE LOWER SKIN PANEL BETWEEN FRAMES 37 AND 42, STRINGERS 14L AND 14R							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-30-00								
53-30-04-001 ^S	EXTERNAL - DETAILED INSPECTION OF AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00								
	PKG:60								
53-30-04-002 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00								
	PKG:90								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-04-901	AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - DETAILED INSPECTION OF SKIN AT AFT FUSELAGE SKIN JUNCTION AREAS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00									
53-30-04-902	AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - DETAILED INSPECTION OF SKIN AND SPLICES AT AFT FUSELAGE SKIN JUNCTION AREAS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00									
53-30-05-002 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE CARGO DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-30-00									
53-30-05-901	AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE (FR40-FR45)/(STGR10L-STGR16L) DETAILED INSPECTION OF SKIN AND FASTENERS AT THE BAGGAGE DOOR SURROUNDING STRUCTURE BETWEEN FRAMES 40 AND 45, STRINGERS 10L AND 16L							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00									
53-30-05-902	AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE (10L16L) (FR40FR45) - DETAILED INSPECTION OF BAGGAGE DOOR SURROUNDING STRUCTURE, FROM STRINGER 10L TO 16L, FROM FRAME 40 TO45							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00									
53-30-06-001 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE TO PYLON CUTOUT STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-30-00									

PKG:60

PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-06-002 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AFT FUSELAGE TO PYLON CUTOUT STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00							PKG:60	
53-30-06-901	AFT FUSELAGE TO PYLON CUTOUT STRUCTURE (FR36-FR38)/(STGR07L-STGR08L, STGR07R- STGR08R) AND (FR38-FR50)/(STGR06L-STGR10L,STGR06R-STGR10R) DETAILED INSPECTION OF SKIN AND DOUBLER AT AFT FUSELAGE TO PYLON CUT OUTS BETWEEN FRAMES 36 AND 38, AND BETWEEN STRINGERS 7L AND 8L, 7R AND 8R, AND ALSO BETWEEN FRAMES 38 AND 50, AND BETWEEN STRINGERS 6L AND 10L,6R AND 10R							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-30-00								
53-30-06-902	AFT FUSELAGE TO PYLON CUTOUT STRUCTURE (FR36-FR38)/(STGR07L-STGR08L, STGR07R- STGR08R) AND (FR38-FR50)/(STGR06L-STGR10L,STGR06R-STGR10R) DETAILED INSPECTION OF SKIN AND DOUBLER AT AFT FUSELAGE TO PYLON CUT OUTS BETWEEN FRAMES 36 AND 38, AND BETWEEN STRINGERS 7L AND 8L, 7R AND 8R, AND ALSO BETWEEN FRAMES 38 AND 50, AND BETWEEN STRINGERS 6L AND 10L, 6R AND 10R							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-30-00								
53-30-07-001 ^S	INTERNAL DETAILED INSPECTION OF UPPER SIDE OF AFT FUSELAGE VERTICAL STABILIZER CONNECTION							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00							PKG:90	
53-30-07-002 ^S	INTERNAL DETAILED INSPECTION OF BOTTOM SIDE OF AFT FUSELAGE VERTICAL STABILIZER CONNECTION							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00							PKG:90	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-07-901	AFT FUSELAGE VERTICAL STABILIZER CONNECTION (FR43-FR50)/(STGR03L-STGR03R) DETAILED INSPECTION OF FUSELAGE REGION SURROUNDING TO VT ATTACHMENT BETWEEN FRAMES 43 AND 50, STRINGERS 3L AND 3R							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00									
53-30-08-001 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE MACHINED FRAME 49							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-30-00									
53-30-08-901	AFT FUSELAGE MACHINED FRAME 49 - DETAILED INSPECTION OF FRAME 49 AND STRUCTURAL COMPONENTS CONNECTED TO IT							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00									
53-30-08-902	AFT FUSELAGE MACHINED FRAME 49 - DETAILED INSPECTION OF SKIN AT REGION SURROUNDING TO FRAME 49							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00									
53-30-09-001 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUMFERENTIAL SPLICE (PRESSURIZED AREA)							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-30-00									
53-30-09-002 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUMFERENTIAL SPLICE (UNPRESSURIZED AREA)							Service	ATA:53
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-30-00									

PKG:90

PKG:60

PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-09-003 ^S	INTERNAL DETAILED INSPECTION OF AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUMFERENTIAL SPLICE FROM FRAME 35 TO 37							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-30-00								PKG:60	
53-30-09-901	AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUMFERENTIAL SPLICE (FR35-FR37) SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF THE RING BETWEEN FRAMES 35 AND 37							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00									
53-30-09-902	AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUMFERENTIAL SPLICE (FR35-FR37) DETAILED INSPECTION OF SKIN SPLICE AND SKIN AT CENTER FUSELAGE JUNCTION (PRESSURIZED AREA) BETWEEN FRAMES 35 AND 37							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00, NDT 53-30-00									
53-30-09-903	AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUMFERENTIAL SPLICE (FR35-FR37) DETAILED INSPECTION OF SKIN SPLICE AND SKIN AT CENTER FUSELAGE JUNCTION (NONPRESSURIZED AREA) BETWEEN FRAMES 35 AND 37							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00, NDT 53-30-00									
53-30-09-904	AFT FUSELAGE PRESSURE BULKHEAD RING AND AFT TO CENTER FUSELAGE CIRCUMFERENTIAL SPLICE (FR35-FR37) DETAILED INSPECTION OF SKIN AT CENTER FUSELAGE JUNCTION BETWEEN FRAMES 35 AND 37							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00									
53-30-10-001 ^S	INTERNAL DETAILED INSPECTION OF UNPRESSURIZED AREA OF AFT FUSELAGE COMPOSITE PRESSURE BULKHEAD							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-30-00								PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-10-002 ^S	INTERNAL DETAILED INSPECTION OF PRESSURIZED AREA OF AFT FUSELAGE COMPOSITE PRESSURE BULKHEAD							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00							PKG:60	
53-30-10-901	AFT FUSELAGE COMPOSITE PRESSURE BULKHEAD DETAILED INSPECTION OF COMPOSITE PANEL (FORWARD SIDE OF PRESSURE BULKHEAD)							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-30-00, NDT 53-30-00								
53-30-10-902	AFT FUSELAGE COMPOSITE PRESSURE BULKHEAD DETAILED INSPECTION OF COMPOSITE PANEL (AFT SIDE OF PRESSURE BULKHEAD)							Service	ATA:53
	MOS	15-Oct-19					AWL		
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-30-00								
53-30-11-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AFT FUSELAGE HYDRAULIC BAY ACCESS PANEL CUTOUT							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00							PKG:60	
53-30-11-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE HYDRAULIC BAY ACCESS PANEL CUTOUT							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 53-30-00							PKG:90	
53-30-11-901	AFT FUSELAGE HYDRAULIC BAY CUTOUT (FR49- FR50)/(STGR10L-STGR10R) DETAILED INSPECTION OF SKIN AT HYDRAULIC BAY CUTOUT, BETWEEN FRAMES 49 AND 50, STRINGERS 10L AND 10R							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 53-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-11-902	AFT FUSELAGE HYDRAULIC BAY CUTOUT (FR49- FR50)/(STGR10L-STGR10R) DETAILED INSPECTION OF SURROUND STRUCTURAL COMPONENTS TO HYDRAULIC BAY CUTOUT BETWEEN FRAMES 49 AND 50, STRINGERS 10L AND 10R							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00									
53-30-12-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE CARGO COMPARTMENT FLOOR STRUCTURE							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-30-00									
53-30-12-901	AFT FUSELAGE BAGGAGE COMPARTMENT FLOOR STRUCTURE - DETAILED INSPECTION OF BAGGAGE COMPARTMENT FLOOR STRUCTURE							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00									
53-30-13-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE APU FITTINGS, AFT SIDE OF FIREWALL PANEL							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-30-00									
53-30-13-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF AFT FUSELAGE APU FITTINGS, FORWARD SIDE OF FIREWALL PANEL							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-30-00									
53-30-13-901	AFT FUSELAGE APU FITTING - DETAILED INSPECTION OF APU ATTACHMENTS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-40-01-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF TAIL CONE ATTACHMENTS							Service	ATA:53
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 53-40-00								PKG:60	
53-40-02-901	APU MOUNTING SYSTEM BRACKETS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF THE LUGS, FLANGES, NECKS AND ROOTS							Service	ATA:53
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: AMM 49-12-03, NDT 53-40-00									
53-40-02-902	APU MOUNTING SYSTEM BRACKETS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF THE BOLTS HOLES							Service	ATA:53
	MOS	15-Oct-19					AWL		
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 53-40-00									
531140-0101	NOSE RADOME							Component	ATA:53
PN:5217-100	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:116	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 53-11-00, AMM 53-11-00									
534000-0101	TAIL CONE TAIL CONE REWORK ASSY							Component	ATA:53
PN:550-07500-413	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:90000013517	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 53-40-00, AMM 53-40-00									
ATA 54 - NACELLES/PYLONS									
54-50-01-001 ^S	INTERNAL DETAILED INSPECTION OF PYLON FORWARD BEAM INCLUDING BEAMS, REINFORCEMENTS, STIFFENERS AND FASTENERS							Service	ATA:54
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 54-52-00								PKG:90	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-50-01-901	PYLON FORWARD BEAM - DETAILED INSPECTION OF FWD AND AFT PYLON BEAMS							Service	ATA:54
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 54-52-00								
54-50-02-001 ^S	INTERNAL DETAILED INSPECTION OF PYLON AFT BEAM INCLUDING BEAMS AND FASTENERS							Service	ATA:54
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 54-52-00							PKG:90	
54-50-02-901	PYLON AFT BEAMS AND AFT MONT BASE STRUCTURES TO BEAM ATTACHMENTS GENERAL VISUAL INSPECTION OF AFT BEAMS, SPAR 3 AND 4, AND ATTACHMENTS TO FRAME 44 AND 45							Service	ATA:54
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 54-52-00								
54-50-02-902	PYLON AFT BEAM - DETAILED INSPECTION OF SKIN (ON AFT MOUNT REGION)							Service	ATA:54
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 54-52-00								
54-50-03-001 ^S	INTERNAL DETAILED INSPECTION OF PYLON MAIN BOX INCLUDING SKIN, STRINGERS, RIB, L PROFILE AND FASTENERS							Service	ATA:54
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 54-52-00							PKG:90	
54-50-03-002 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF PYLON MAIN BOX, INCLUDING SKIN, L PROFILE AND FASTENERS							Service	ATA:54
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 54-52-00							PKG:90	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-50-03-901	PYLON MAIN BOX GENERAL VISUAL INSPECTION OF PYLON BOX AND ALL STRUCTURES							Service	ATA:54
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 54-52-00									
54-50-03-902	PYLON BEAMS TO FUSELAGE FRAMES ATTACHMENTS - DETAILED INSPECTION OF OF REGION SURROUNDING TO PYLON BEAMS TO FRAMES ATTACHMENT. INSPECT FORWARD AND AFT BEAMS, FRAME 40 AND 41 BETWEEN STRINGERS 6L AND 10L, 6R AND 10R AND BOLTS							Service	ATA:54
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 54-52-00									
54-50-04-001 ^S	INTERNAL DETAILED INSPECTION OF FORWARD AND AFT PYLON BEAMS ATTACHMENTS TO MACHINED FRAMES, PINS AND FASTENERS							Service	ATA:54
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 54-52-00, NDT 54-52-00									
PKG:90									
54-50-04-901	PYLON BEAMS TO FUSELAGE FRAMES ATTACHMENTS DETAILED INSPECTION OF REGION SURROUNDING TO PYLON BEAMS TO FRAMES ATTACHMENT. INSPECT FORWARD AND AFT BEAM BETWEEN FRAMES 40 AND 41, STRINGERS 6L AND 10L, 6R AND 10R AND BOLTS							Service	ATA:54
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 54-52-00									
54-50-05-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF YOKES, GUSSETS AND FASTENERS							Service	ATA:54
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 54-55-00									
PKG:40									
54-50-05-002 ^S	DETAILED INSPECTION OF YOKES, BUSHINGS, GUSSETS, YOKE TO BEAM ATTACHMENTS AND FASTENERS							Service	ATA:54
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 54-55-00									
PKG:40									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-50-05-901	PYLON YOKES AND BEAM ATTACHMENTS - DETAILED INSPECTION OF YOKE, BEAM AND ANY OTHER STRUCTURAL PARTS ATTACHED TO THEM							Service	ATA:54
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 54-55-00									
54-50-05-902	PYLON YOKES AND BEAM ATTACHMENTS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF YOKE LUGS							Service	ATA:54
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 54-55-00									
54-50-05-903	PYLON YOKES AND BEAM ATTACHMENTS SPECIAL DETAILED INSPECTION (X-RAY) OF GUSSETS							Service	ATA:54
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 54-55-00									
54-50-05-904	PYLON YOKES AND BEAM ATTACHMENTS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF YOKE FLANGE							Service	ATA:54
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 54-55-00									
54-50-06-001 ^S	INTERNAL DETAILED INSPECTION OF MACHINED PART AT THE JUNCTION BETWEEN THE PYLON AFT BEAMS AND THE FIREWALL CLOSING RIB							Service	ATA:54
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 54-55-00									
54-50-06-901	PYLON AFT BEAMS AND AFT MONT BASE STRUCTURES TO BEAM ATTACHMENTS GENERAL VISUAL INSPECTION OF AFT BEAMS, SPAR 3 AND 4, AND ATTACHMENTS TO FRAME 44 AND 45							Service	ATA:54
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 54-52-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-50-06-902	AFT MOUNT BASE STRUCTURE TO BEAM ATTACHMENTS - DETAILED INSPECTION OF AFT MOUNT							Service	ATA:54
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 54-55-00									
ATA 55 - STABILIZERS									
55-10-01-001 ^S	INTERNAL DETAILED INSPECTION OF FIN-TO-HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER - INBOARD SIDE OF MIDDLE AND REAR RIBS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-10-07									
55-10-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FIN-TO-HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER - OUTBOARD SIDE OF MIDDLE AND REAR RIBS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-10-07									
55-10-01-003 ^S	INTERNAL DETAILED INSPECTION OF FIN-TO-HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER - HINGE FITTINGS AND BACKUP FITTINGS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-10-08									
55-10-01-901	FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER SPECIAL DETAILED INSPECTION (BOROSCOPE) OF HT RIB 1 - MIDDLE AND REAR SEGMENTS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-10-01									
55-10-01-902	FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER DETAILED INSPECTION OF HINGE BACK UP FITTINGS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-01-903	FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON HORIZONTAL STABILIZER DETAILED INSPECTION OF HINGE BODY, HINGE LUG, HINGE BOLTS, FASTENERS AND REMAINING COMPONENTS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-10-00									
55-10-02-002 ^S	INTERNAL DETAILED INSPECTION OF INTERNAL SIDE OF HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKINS IN AREAS WITH ACCESS PANEL							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-10-01									
55-10-02-003 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SIDE OF HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKINS IN AREAS WITHOUT ACCESS PANEL							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-10-01									
55-10-02-004 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER UPPER AND LOWER SKINS BETWEEN MACHINED RIBS IN CENTRAL REGION							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-10-01									
55-10-02-901	HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKINS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF UPPER AND LOWER SKIN PANELS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-10-01									
55-10-02-902	HORIZONTAL STABILIZER MAIN BOX UPPER AND LOWER SKINS DETAILED INSPECTION OF SURFACES OF UPPER AND LOWER SKINS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-03-001 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER FORWARD SIDE OF THE FRONT SPAR							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-10-05							PKG:60	
55-10-03-002 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER AFT SIDE OF THE REAR SPAR							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-10-05							PKG:60	
55-10-03-003 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER SPARS INSIDE MAIN BOX IN AREAS WITH ACCESS PANEL							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-10-05							PKG:60	
55-10-03-004 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF HORIZONTAL STABILIZER SPARS INSIDE MAIN BOX IN AREAS WITHOUT ACCESS PANEL							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-10-05							PKG:60	
55-10-03-005 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER SPARS BETWEEN MACHINED RIBS IN CENTRAL REGION							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-10-05							PKG:60	
55-10-03-901	HORIZONTAL STABILIZER SPARS - DETAILED INSPECTION OF SPARS JOINT (SKIN SURFACE)							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 55-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-03-902	HORIZONTAL STABILIZER SPARS - SPECIAL DETAILED INSPECTION(BOROSCOPE) OF SPARS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-10-05									
55-10-04-001 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER COMPOSITE RIBS IN AREAS WITH ACCESS PANEL							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-10-07									
55-10-04-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope) OF HORIZONTAL STABILIZER COMPOSITE RIBS IN AREAS WITHOUT ACCESS PANEL							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-10-07									
55-10-04-901	HORIZONTAL STABILIZER COMPOSITE RIBS - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF OF RIBS AND FASTENERS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-10-07									
55-10-05-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF HORIZONTAL STABILIZER LEADING EDGE							Service	ATA:55
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-13-01									
55-10-05-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope) OF INTERNAL STRUCTURE OF HORIZONTAL STABILIZER LEADING EDGE							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-13-02									
55-10-06-001 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR HINGE FITTINGS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-10-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-06-901	HORIZONTAL STABILIZER HINGE ELEVATOR FITTINGS - DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR HINGE FITTINGS LUGS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-10-08									
55-10-06-902	HORIZONTAL STABILIZER HINGE ELEVATOR FITTINGS - DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR HINGE FITTINGS ATTACHMENTS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-10-08									
55-10-07-001 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR ACTUATOR FITTINGS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-10-08									
55-10-07-901	HORIZONTAL STABILIZER ELEVATOR ACTUATOR FITTINGS DETAILED INSPECTION OF HORIZONTAL STABILIZER ELEVATOR ACTUATOR FITTINGS LUGS, PINS, AND ATTACHMENTS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-10-08									
55-10-08-001 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS FRONT METALLIC RIBS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-10-08									
55-10-08-002 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-10-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-08-901	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS DETAILED INSPECTION OF ACTUATOR SUPPORT FITTING PINS, BUSHINGS, FASTENERS AND LUGS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-10-08									
55-10-08-902	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF METALLIC RIBS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-10-08									
55-10-08-903	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF ACTUATOR SUPPORT FITTING INBOARD FLANGES							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-10-00, NDT 55-10-00									
55-10-08-905	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF ACTUATOR SUPPORT FITTING OUTBOARD FLANGES							Service	ATA:55
	MOS	15-Oct-19						AWL	
	HRS	0	7500		7500		6659.6		
	AFL	0	5000		5000		4548		
PROC. REF: NDT 55-10-00									
55-20-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SIDE OF ELEVATOR MAIN BOX							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-20-02									
55-20-01-003 ^S	INTERNAL DETAILED INSPECTION OF ELEVATOR CLOSURE RIBS AND FORWARD SIDE OF THE FRONT SPAR							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20-01-901	ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) DETAILED INSPECTION OF COMPOSITE SKINS, SPARS AND RIBS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-20-02									
55-20-01-902	ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF COMPOSITE SKINS, SPARS AND RIBS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-20-02									
55-20-02-001 ^S	INTERNAL DETAILED INSPECTION OF ELEVATOR HINGE FITTINGS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-20-08									
55-20-02-901	ELEVATOR HINGE FITTINGS DETAILED INSPECTION OF HINGE FITTINGS LUGS, PINS, AND FASTENERS REGION							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-20-08									
55-20-03-001 ^S	INTERNAL DETAILED INSPECTION OF ELEVATOR ACTUATOR HINGE FITTINGS							Service	ATA:55
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-20-08									
55-20-03-901	ELEVATOR ACTUATOR HINGE FITTINGS DETAILED INSPECTION OF ACTUATOR FITTINGS LUGS, PINS, AND FASTENERS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-20-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20-04-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF ELEVATOR BACKUP FITTING							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-20-08							PKG:60	
55-20-04-901	ELEVATOR ACTUATOR HINGE FITTINGS - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF BACKUP FITTING							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 55-20-08								
55-30-01-001 ^S	INTERNAL DETAILED INSPECTION OF FIN-TO-FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-30-08							PKG:90	
55-30-01-901	FIN TO FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER (RIBS, PINS, FITTINGS AND ATTACHMENTS) DETAILED INSPECTION OF PINS (BOLTS), FITTINGS AND FASTENERS (REMAINING COMPONENTS) - EXPOSED AREAS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 55-30-08								
55-30-01-902	FIN TO FUSELAGE ATTACHMENTS ON VERTICAL STABILIZER (RIBS, PINS, FITTINGS AND ATTACHMENTS) SPECIAL DETAILED INSPECTION (BOROSCOPE) OF METALLIC RIBS (FRONT, MID, REAR SEGMENTS), INCLUDING FITTINGS AND FASTENERS INSIDE MAIN BOX							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 55-30-08								
55-30-02-001 ^S	INTERNAL DETAILED INSPECTION OF FIN-TO-HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER							Service	ATA:55
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-30-08							PKG:40	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-02-901	FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER (DOUBLER, FITTINGS, METALLIC RIBS, ATTACHMENTS TO SPAR AND PINS) DETAILED INSPECTION OF FITTINGS, LUGS, BUSHINGS AND PINS (BOLTS) - REMAINING COMPONENTS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 55-30-08								
55-30-02-902	FIN TO HORIZONTAL STABILIZER ATTACHMENTS ON VERTICAL STABILIZER (DOUBLER, FITTINGS, METALLIC RIBS, ATTACHMENTS TO SPAR AND PINS) SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF DOUBLERS, RIBS AND FASTENERS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 55-30-00								
55-30-03-002 ^S	INTERNAL DETAILED INSPECTION OF INTERNAL SIDE OF VERTICAL STABILIZER MAIN BOX SKIN IN AREAS WITH ACCESS PANEL							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-30-01							PKG:60	
55-30-03-003 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SIDE OF VERTICAL STABILIZER MAIN BOX SKIN IN AREAS WITHOUT ACCESS PANEL							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-30-01							PKG:60	
55-30-03-901	VERTICAL STABILIZER COMPOSITE MAIN BOX SKINS - DETAILED INSPECTION OF SKIN AND MOLDURES (FRAMES)							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 55-30-01								
55-30-04-001 ^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF THE VERTICAL STABILIZER FRONT SPAR							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-30-05							PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-04-002 ^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF THE VERTICAL STABILIZER REAR SPAR							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-30-05							PKG:60	
55-30-04-003 ^S	INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER SPARS INSIDE MAIN BOX IN AREAS WITH ACCESS PANEL							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-30-05							PKG:60	
55-30-04-004 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF VERTICAL STABILIZER SPARS INSIDE MAIN BOX IN AREAS WITHOUT ACCESS PANEL							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-30-05							PKG:60	
55-30-04-901	VERTICAL STABILIZER COMPOSITE SPARS - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF SPARS AND FASTENERS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 55-30-05								
55-30-04-902	VERTICAL STABILIZER COMPOSITE SPARS DETAILED INSPECTION OF FRONT SPAR (FORWARD SURFACE)							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 55-30-05, NDT 55-30-05, NDT 55-30-05								
55-30-04-903	VERTICAL STABILIZER COMPOSITE SPARS DETAILED INSPECTION OF REAR SPAR (AFT SURFACE)							Service	ATA:55
	MOS	15-Oct-19					AWL		
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 55-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-04-904	VERTICAL STABILIZER COMPOSITE SPARS DETAILED INSPECTION OF MAIN BOX SPARS							Service	ATA:55
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-30-05									
55-30-05-001 ^S	INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER TRAILING EDGE RIBS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-30-07									
55-30-05-002 ^S	INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER MAIN BOX COMPOSITE RIBS IN AREAS WITH ACCESS PANEL							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-30-07									
55-30-05-003 ^S	SPECIAL DETAILED INSPECTION (BOREScope) OF VERTICAL STABILIZER MAIN BOX COMPOSITE RIBS IN AREAS WITHOUT ACCESS PANEL							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-30-07									
55-30-05-901	VERTICAL STABILIZER COMPOSITE RIBS - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF RIBS AND FASTENERS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-30-07, NDT 55-30-07									
55-30-05-902	VERTICAL STABILIZER COMPOSITE RIBS - DETAILED INSPECTION OF RIBS AND FASTENERS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-30-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-06-001 ^S	INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER RUDDER HINGE FITTINGS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-30-08							PKG:60	
55-30-06-901	VERTICAL STABILIZER RUDDER HINGE FITTINGS - DETAILED INSPECTION OF LUGS, FITTINGS, BUSHINGS AND FASTENERS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 55-30-08								
55-30-07-001 ^S	INTERNAL DETAILED INSPECTION OF VERTICAL STABILIZER RUDDER ACTUATOR FITTINGS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-30-08							PKG:60	
55-30-07-901	VERTICAL STABILIZER RUDDER ACTUATOR FITTINGS (FITTINGS AND PINS) - DETAILED INSPECTION OF LUGS, FITTINGS, BUSHINGS AND FASTENERS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 55-30-08								
55-30-08-001 ^S	INTERNAL DETAILED INSPECTION OF HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORT FITTINGS, BACKUP FITTINGS AND UPPER SIDE OF RIB 6 ON VERTICAL STABILIZER							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-30-08							PKG:90	
55-30-08-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF VERTICAL STABILIZER BOTTOM SIDE OF RIB 6							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-30-07							PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-08-901	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORTS AND FITTINGS ON VERTICAL STABILIZER (SUPPORT FITTING, BACKUP, RIBS, PINS) - DETAILED INSPECTION OF SUPPORT FITTING, FITTING PINS AND REMAING COMPONENTS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-30-08									
55-30-08-902	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORTS AND FITTINGS ON VERTICAL STABILIZER (SUPPORT FITTING, BACKUP, RIBS, PINS) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF BACK-UP REINFORCEMENT, FORMED RIB, REMAINING AREAS OF MACHINED RIBS NOT REQUIRING HFEC AND FASTENERS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-30-07									
55-30-08-903	HORIZONTAL STABILIZER TRIM ACTUATOR SUPPORTS AND FITTINGS ON VERTICAL STABILIZER (SUPPORT FITTING, BACKUP, RIBS, PINS) SPECIAL DETAILED INSPECTION (BOROSCOPE) OF MACHINED RIBS #6 AND #7 ON SPECIFIED AREA							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-30-00									
55-40-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SIDE OF RUDDER MAIN BOX							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-40-02									
PKG:60									
55-40-01-003 ^S	INTERNAL DETAILED INSPECTION OF RUDDER CLOSURE RIBS AND FORWARD SIDE OF THE FRONT SPAR							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-40-05									
PKG:60									
55-40-01-004 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF ALUMINUM RIBS INSIDE RUDDER MAIN BOX							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-40-07									
PKG:60									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-40-01-901	RUDDER MAIN BOX (SKIN, SPARS AND RIBS) DETAILED INSPECTION OF COMPOSITE SKINS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-40-02, NDT 55-40-02									
55-40-01-902	RUDDER MAIN BOX (SKIN, SPARS AND RIBS) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF COMPOSITE SPARS AND RIBS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-40-02									
55-40-02-001 ^S	INTERNAL DETAILED INSPECTION OF RUDDER HINGE FITTINGS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-40-08									
55-40-02-901	RUDDER HINGE FITTINGS DETAILED INSPECTION OF RUDDER HINGE LUGS, PINS, AND ATTACHMENTS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-40-02									
55-40-03-001 ^S	INTERNAL DETAILED INSPECTION OF RUDDER ACTUATOR HINGE FITTINGS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 55-40-08									
55-40-03-901	RUDDER ACTUATOR HINGE FITTINGS DETAILED INSPECTION OF ACTUATOR FITTINGS LUGS, PINS, AND ATTACHMENTS							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 55-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-40-04-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF RUDDER BACKUP FITTINGS							Service	ATA:55
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 55-40-08							PKG:60	
55-40-04-901	RUDDER BACKUP FITTING - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF BACKUP FITTING							Service	ATA:55
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 55-40-08								
553211-0101	FWD EPOXY GLASS FIBER RADOME							Component	ATA:55
PN:5227-101	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:097	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM GENERIC 2								
553211-0102	BULKHEAD EPOXY GLASS FIBER RADOME							Component	ATA:55
PN:5227-150	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:085	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM GENERIC 2								
553221-0101	UPPER EPOXY GLASS FIBER RADOME							Component	ATA:55
PN:5227-181	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:096	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM GENERIC 2								
ATA 56 - WINDOWS									
56-11-01-002	FUNCTIONAL CHECK (TORQUE) OF LEFT HAND WINDSHIELD ATTACHING BOLTS							Service	ATA:56
	MOS	14-Oct-22					CATEGORY 6		
	HRS	610	1500 (+37/-37)		2110	2147	1269.6 (+37)		
	AFL	341							
	PROC. REF: AMM 56-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-11-01-002	FUNCTIONAL CHECK (TORQUE) OF RIGHT HAND WINDSHIELD ATTACHING BOLTS							Service	ATA:56
	MOS	14-Oct-22						CATEGORY 6	
	HRS	610	1500 (+37/-37)		2110	2147	1269.6 (+37)		
	AFL	341							
	PROC. REF: AMM 56-11-00								
56-11-02-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF COCKPIT WINDSHIELD RETAINERS AND BOLTS							Service	ATA:56
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 56-11-00							PKG:90	
56-11-02-901	COCKPIT WINDSHIELD FRAME - DETAILED INSPECTION OF WINDSHIELD FRAME (OUTBOARD RETAINER)							Service	ATA:56
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 56-11-00								
56-12-01-002	FUNCTION CHECK (TORQUE) OF LEFT HAND COCKPIT SIDE WINDOW ATTACHING BOLTS							Service	ATA:56
	MOS	14-Oct-22						CATEGORY 6	
	HRS	610	1500 (+37/-37)		2110	2147	1269.6 (+37)		
	AFL	341							
	PROC. REF: AMM 56-12-00								
56-12-01-002	FUNCTIONAL CHECK (TORQUE) OF RIGHT HAND COCKPIT SIDE WINDOW ATTACHING BOLTS							Service	ATA:56
	MOS	14-Oct-22						CATEGORY 6	
	HRS	610	1500 (+37/-37)		2110	2147	1269.6 (+37)		
	AFL	341							
	PROC. REF: AMM 56-12-00								
56-12-01-003 ^S	DETAILED INSPECTION OF LEFT ACRYLIC COCKPIT SIDE WINDOW							Service	ATA:56
PN:NP-200402-5	MOS	14-Oct-22							
SN:10051	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 56-12-00							PKG:1	
56-12-01-003 ^S	DETAILED INSPECTION OF RIGHT ACRYLIC COCKPIT SIDE WINDOW							Service	ATA:56
PN:NP-200402-6	MOS	14-Oct-22							
SN:10044	HRS	610	750 (+37/-37)						
	AFL	341							
	PROC. REF: AMM 56-12-00							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561100-0101	LEFT ACRYLIC SIDE WINDOW							Component	ATA:56
PN:NP-200402-5	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:10051	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-12-00, AMM 56-12-00									
561100-0102	RIGHT ACRYLIC SIDE WINDOW							Component	ATA:56
PN:NP-200402-6	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:10044	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-12-00, AMM 56-12-00									
561103-0101	LEFT GLASS HEATED WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:NP-200401-7	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18180H1505	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
561103-0102	RIGHT GLASS HEATED WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:NP-200401-8	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:18207H3786	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
57-10-03-901	WING STUB REAR BOX UPPER SKIN - DETAILED INSPECTION OF UPPER SKIN SURFACE AND FASTENERS (BY THE CABIN SIDE)							Service	ATA:56
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-10-00									
ATA 57 - WINGS									
57-10-01-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING STUB MAIN BOX UPPER SKIN							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-10-00									
PKG:60									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-01-003 ^S	DETAILED INSPECTION OF WING STUB DRAIN							Service	ATA:57
	MOS	15-Oct-19	60 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 57-10-21							PKG:40	
57-10-01-901	WING STUB MAIN BOX UPPER SKIN - DETAILED INSPECTION OF UPPER SKIN SURFACE AND REINFORCEMENTS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-10-00							PKG:60	
57-10-02-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF WING STUB MAIN BOX LOWER SKIN AND SPLICES							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-10-00							PKG:60	
57-10-02-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING STUB MAIN BOX LOWER SKIN AND SPLICES							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-10-00							PKG:60	
57-10-02-901	WING STUB MAIN BOX LOWER SKIN AND SPLICES - DETAILED INSPECTION OF SKIN SURFACE AND SPLICES							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-10-00							PKG:60	
57-10-02-902	WING STUB MAIN BOX LOWER SKIN AND SPLICES - DETAILED INSPECTION OF SKIN UNDER THE EXISTING SPLICES							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-10-00							PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-02-903	WING STUB MAIN BOX LOWER SKIN AND SPLICES - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SKIN BETWEEN THE SPLICES AND RIB FLANGES							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-10-00								
57-10-03-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING STUB REAR BOX UPPER SKIN							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-10-00								
	PKG:60								
57-10-03-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF WING STUB REAR BOX UPPER SKIN							Service	ATA:57
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-10-00								
	PKG:40								
57-10-04-001 ^S	INTERNAL DETAILED INSPECTION OF WING STUB MAIN BOX							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-10-00								
	PKG:60								
57-10-04-901	WING STUB MAIN BOX RIBS - DETAILED INSPECTION OF RIBS (CENTRAL RIB AND RIB#1) AND JOINTS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-10-00								
57-10-05-001 ^S	INTERNAL DETAILED INSPECTION OF WING STUB REAR BOX RIBS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-10-00								
	PKG:90								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-05-901	WING STUB REAR BOX RIBS - DETAILED INSPECTION OF RIB #2							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-10-00									
57-10-05-903	WING STUB REAR BOX RIBS - DETAILED INSPECTION OF RIB #1 (KEEL BEAM RIB)							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-10-00									
57-10-05-904	WING STUB REAR BOX RIBS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF ROD FITTING LUG							Service	ATA:57
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-10-00									
57-10-06-001 ^S	INTERNAL DETAILED INSPECTION OF SIDE FITTINGS RELATED TO WING STUB SPAR 1							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-10-00									
PKG:60									
57-10-06-002 ^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING STUB SPAR 1							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-10-00									
PKG:90									
57-10-06-003 ^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING STUB SPAR 1							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-10-00									
PKG:60									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-06-901	WING STUB SPAR 1 AND STUB SIDE FITTINGS DETAILED INSPECTION OF WING STUB SPAR I AND STUB SIDE FITTINGS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-10-00									
57-10-07-001 ^S	INTERNAL DETAILED INSPECTION OF SIDE FITTINGS RELATED TO WING STUB SPAR 2 AND THIRD CAP							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-10-00									
57-10-07-002 ^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING STUB SPAR 2							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-10-00									
57-10-07-003 ^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING STUB SPAR 2							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-10-00									
57-10-07-901	WING STUB SPAR II, STUB SIDE FITTINGS AND THIRD CAP - DETAILED INSPECTION OF SPAR 2 (BOTH FACES), STUB SIDE FITTINGS, THIRD CAP AND FASTNERS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-10-00									
57-10-08-001 ^S	INTERNAL DETAILED INSPECTION OF SIDE FITTINGS RELATED TO WING STUB SPAR 3							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-08-002 ^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING STUB SPAR 3							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-10-00							PKG:90	
57-10-08-003 ^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING STUB SPAR 3							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-10-00							PKG:90	
57-10-08-902	WING STUB SPAR III AND STUB SIDE FITTINGS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF WING STUB SPAR III AFT SIDE							Service	ATA:57
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-10-00								
57-10-08-903	WING STUB SPAR III AND STUB SIDE FITTINGS DETAILED INSPECTION OF WING STUB SPAR III FWD SIDE AND STUB SIDE FITTINGS							Service	ATA:57
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-10-00								
57-10-09-001 ^S	INTERNAL DETAILED INSPECTION OF INBOARD SIDE OF WING STUB SPAR AND SKIN TO WING MAIN BOX TENSION JOINT							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-10-00							PKG:60	
57-10-10-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF WING STUB REAR BOX SKID							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-10-00							PKG:60	
57-20-01-002 ^S	INTERNAL DETAILED INSPECTION OF BOTTOM SIDE OF WING MAIN BOX UPPER SKIN PANELS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00							PKG:90	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-20-01-003 ^S	INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING MAIN BOX UPPER SKIN							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00							PKG:60	
57-20-02-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF WING MAIN BOX LOWER SKIN PANELS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00							PKG:60	
57-20-02-002 ^S	INTERNAL DETAILED INSPECTION OF UPPER SIDE OF WING MAIN BOX LOWER SKIN PANELS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00							PKG:60	
57-20-02-901	WING MAIN BOX LOWER SKIN PANELS (SKIN, STRINGER, STRINGER SPLICE AND SKIN SPLICES) - DETAILED INSPECTION OF MAIN BOX LOWER SKIN - CHORDWISE JOINTS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-20-00								
57-20-02-902	WING MAIN BOX LOWER SKIN PANELS (SKIN, STRINGER, STRINGER SPLICE AND SKIN SPLICES) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF MAIN BOX LOWER SKIN PANELS, SPLICES, STRINGERS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-20-00								
57-20-02-903	WING MAIN BOX LOWER SKIN PANELS (SKIN, STRINGER, STRINGER SPLICE AND SKIN SPLICES) - DETAILED INSPECTION OF MAIN BOX LOWER SKIN - SURFACES NOT COVERED BY FAIRINGS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-20-03-001 ^S	INTERNAL DETAILED INSPECTION OF WING MAIN BOX RIBS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00, NDT 57-20-00							PKG:60	
57-20-03-901	WING MAIN BOX RIBS - DETAILED INSPECTION OF RIBS AND JOINTS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-20-00								
57-20-03-902	WING MAIN BOX RIBS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF ALL RIBS MOUSE HOLES							Service	ATA:57
	MOS	15-Oct-19					AWL		
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-20-00								
57-20-04-001 ^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING SPAR 1							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00							PKG:60	
57-20-04-002 ^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING SPAR 1							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00							PKG:90	
57-20-04-901	WING MAIN BOX SPAR 1 - DETAILED INSPECTION OF JOINT BETWEEN SPAR 1 AND MAIN BOX LOWER SKIN - SPANWISE DIRECTION							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-20-00								
57-20-05-001 ^S	INTERNAL DETAILED INSPECTION OF AFT SIDE OF WING SPAR 2							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00							PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-20-05-002 ^S	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING SPAR 2							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00							PKG:90	
57-20-05-901	WING MAIN BOX SPAR II - DETAILED INSPECTION OF JOINT BETWEEN SPAR II AND MAIN BOX ADJACENT SKINS - SPANWISE DIRECTION							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-20-00								
57-20-06-001 ^S	INTERNAL DETAILED INSPECTION OF WING CANISTERS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00							PKG:60	
57-20-06-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF INTERNAL SURFACE OF WING CANISTERS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00							PKG:60	
57-20-07-001 ^S	INTERNAL DETAILED INSPECTION OF WING MAIN BOX TO WING STUB TENSION JOINT AND BOLTS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00							PKG:60	
57-20-07-901	WING TO STUB ATTACHMENT DETAILED INSPECTION OF WING TO STUB BOLTS AND TENSION FITTINGS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-20-07-903	WING TO STUB ATTACHMENT DETAILED INSPECTION OF RIB #1							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-20-00								
57-20-08-001 ^S	INTERNAL DETAILED INSPECTION OF WING SPARS ATTACHMENTS TO WINGLET							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00							PKG:60	
57-20-09-001 ^S	INTERNAL DETAILED INSPECTION OF WING MAIN BOX AILERON ACTUATOR SUPPORT FITTINGS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-20-00, NDT 57-20-00							PKG:60	
57-20-09-901	WING MAIN BOX AILERON ACTUATOR SUPPORT FITTINGS - DETAILED INSPECTION OF LUGS, FITTINGS AND FASTENERS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-20-00								
57-40-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF LEADING EDGE SKIN							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-40-00							PKG:60	
57-40-01-902	WING LEADING EDGE SKIN DETAILED INSPECTION OF SKIN AND SPLICES							Service	ATA:57
	MOS	15-Oct-19					AWL		
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-40-00								
57-50-01-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF UPPER SIDE OF WING TRAILING EDGE UPPER SKIN							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-50-00							PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-01-003	INTERNAL DETAILED INSPECTION OF BOTTOM SIDE OF WINGTRAILING EDGE UPPER SKIN (LEGACY 450 PRAETOR 500)							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)		15-Oct-29	30-Oct-29	2155 d (+15)		
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-50-00							PKG:00	
57-50-01-901	WING LEADING EDGE SKIN - DETAILED INSPECTION OF SKIN AND SPLICES							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-50-00								
57-50-01-902	WING TRAILING EDGE UPPER SKIN - DETAILED INSPECTION OF UPPER SKIN SURFACE INSIDE REGION OF WFF							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-50-00								
57-50-02-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF BOTTOM SIDE OF WING TRAILING EDGE LOWER SKIN							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-50-00							PKG:60	
57-50-02-003	INTERNAL DETAILED INSPECTION OF UPPER SIDE OF WING TRAILING EDGE LOWER SKIN (LEGACY 450 PRAETOR 500)							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)		15-Oct-29	30-Oct-29	2155 d (+15)		
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-50-00, NDT 57-50-00							PKG:90	
57-50-02-902	WING TRAILING EDGE LOWER SKIN - DETAILED INSPECTION OF FIXED TRAILING EDGE LOWER SKIN							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-02-903	WING TRAILING EDGE LOWER SKIN - DETAILED INSPECTION OF FIXED TRAILING EDGE LOWER SKIN SURFACE INSIDE REGION OF WFF							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-02-904	WING TRAILING EDGE LOWER SKIN SPECIAL DETAILED INSPECTION (X-RAY) OF FTE LOWER SKIN PANEL, UNDER REINFORCED DOUBLER							Service	ATA:57
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-03-001 ^S	EXTERNAL - DETAILED INSPECTION OF AFT SIDE OF WING SPAR 3							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-50-00									
57-50-03-003	INTERNAL DETAILED INSPECTION OF FORWARD SIDE OF WING SPAR 3 (LEGACY 450 PRAETOR 500)							Service	ATA:57
	MOS	15-Oct-19	T:60 (+15d/-15d)		15-Oct-24	30-Oct-24	329 d (+15)		
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-50-00, NDT 57-50-00									
57-50-03-901	WING SPAR III - DETAILED INSPECTION OF SPAR III							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-03-902	WING SPAR III - DETAILED INSPECTION OF SPAR III OF SPAR III UPPER FLANGE BETWEEN RIBS #3A AND #4A (NEAR REAR TRUNNION)							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-03-904	WING SPAR III SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SPAR III AT ROD LINK							Service	ATA:57
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-04-002	INTERNAL DETAILED INSPECTION OF WING TRAILING EDGE RIBS (LEGACY 450 PRAETOR 500)							Service	ATA:57
	MOS	15-Oct-19	T:60 (+15d/-15d)		15-Oct-24	30-Oct-24	329 d (+15)		
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-50-00, NDT 57-50-00, NDT 57-50-00									
PKG:40									
57-50-04-901	WING TRAILING EDGE RIBS - DETAILED INSPECTION OF RIB #4A, #5A, #6A AND #7A							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-05-001 ^S	INTERNAL DETAILED INSPECTION OF WING TRAILING EDGE AILERON SUPPORT FITTINGS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-50-00, NDT 57-50-00									
PKG:60									
57-50-05-901	WING TRAILING EDGE AILERON SUPPORT FITTINGS - DETAILED INSPECTION OF WING TRAILING AILERON SUPPORT FITTINGS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-06-001 ^S	EXTERNAL - DETAILED INSPECTION OF WING TRAILING EDGE SPOILER SUPPORT FITTINGS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-50-00									
PKG:60									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-06-901	WING TRAILING EDGE SPOILER SUPPORT FITTINGS - DETAILED INSPECTION OF SPOILER HINGE FITTINGS AND ACTUATORS FITTINGS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-07-001 ^S	EXTERNAL - DETAILED INSPECTION OF WING TRAILING EDGE FLAP ACTUATOR SUPPORT FITTINGS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-50-00, NDT 57-50-00									
57-50-07-901	WING TRAILING EDGE FLAP ACTUATOR SUPPORT FITTINGS - DETAILED INSPECTION OF WING TRAILING EDGE - FLAP ACTUATOR SUPPORT FITTINGS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-08-001 ^S	INTERNAL DETAILED INSPECTION OF WING TRAILING EDGE FLAP TRACK AND TRACK SUPPORT FITTINGS							Service	ATA:57
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-50-00									
57-50-08-901	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS - DETAILED INSPECTION OF SURFACE OF THE TORQUE BOX STRUCTURE							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-08-902	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF SURFACE OF THE TRACK THROUGH THE CORNERS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-08-903	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF EDGE 1 FAILED OF THE FLAP TRACKS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-08-904	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF THE LOWER FLANGE OF FLAP TRACKS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-08-905	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF SURFACE OF THE FLAP TRACKS - CUTOUT							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-08-906	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF SURFACE CUTOUT REGION OF THE FLAP TRACKS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-08-907	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS DETAILED INSPECTION OF THE HOLES OF PINS THAT ATTACH FLAP TRACKS TO WING							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-08-908	WING TRAILING FLAP TRACK AND TRACK SUPPORT FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SURFACE OF THE TRACK THROUGH THE CORNERS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-09-001 ^S	INTERNAL DETAILED INSPECTION OF WING TRAILING EDGE ATTACHMENTS TO FLAP TRACK SUPPORT FITTINGS INSIDE WING FUEL TANK							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-50-00							PKG:60	
57-50-09-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF WING TRAILING EDGE ATTACHMENT TO FLAP TRACK SUPPORT FITTINGS INSIDE WING MAIN BOX DRY AREA							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-50-00							PKG:60	
57-50-09-901	WING TRAILING EDGE ATTACHMENTS TO FLAP TRACK SUPPORT FITTINGS - DETAILED INSPECTION OF TRACK SUPPORT FITTINGS AND PINS, INCLUDING, SPAR II AND SPAR III							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-50-00, NDT 57-50-00								
57-50-09-904	WING TRAILING EDGE ATTACHMENTS TO FLAP TRACK SUPPORT FITTINGS DETAILED INSPECTION OF TRACK SUPPORT FITTINGS AND PINS, INCLUDING RIBS #11 AND #16, SPAR II AND BACKUP FITTINGS							Service	ATA:57
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-50-00								
57-50-10-001 ^S	EXTERNAL - DETAILED INSPECTION OF WING TRAILING EDGE MAIN LANDING GEAR BAY							Service	ATA:57
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-50-00							PKG:40	
57-50-10-901	WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF FRONT AND REAR TRUNNIONS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-10-902	WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF MLG ACT FITTING (AT LUG AND NEAR RIB 1A)							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-10-903	WING TRAILING EDGE MLG BAY SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF SIDE- STAY FITTING (FITTING AT FASTENERS, LUG AND NEAR LUG)							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-10-904	WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF RIB 1A AT CUT OUT							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-10-905	WING TRAILING EDGE MLG BAY - DETAILED INSPECTION OF RIB 1A AT MLG FITTINGS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-10-906	WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF RIB 2A AT CUT OUT							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-50-10-907	WING TRAILING EDGE MLG BAY - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF RIB 3A AT REAR TRUNION							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-10-908	WING TRAILING EDGE MLG BAY DETAILED INSPECTION OF RIB #1A, #2A, AND #3A							Service	ATA:57
	MOS	15-Oct-19						AWL	
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-50-00									
57-51-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF FLAP INBOARD COMPOSITE STRUCTURE							Service	ATA:57
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-51-00									
57-51-01-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope) OF FLAP INBOARD COMPOSITE STRUCTURE							Service	ATA:57
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-51-00									
57-51-01-901	FLAP INBOARD COMPOSITE STRUCTURE - DETAILED INSPECTION OF COMPOSITE UPPER SKIN, NOSE SKIN, BOTTOMSKIN, TRAILING EDGE, ACCESS PANEL AND FASTENERS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-51-00									
57-51-02-001 ^S	SPECIAL DETAILED INSPECTION (BOREScope) OF FLAP INBOARD RIBS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-51-00									
57-51-02-901	FLAP INBOARD RIBS SPECIAL DETAILED INSPECTION (BOROScope) OF TRACK RIBS UPPER FLANGE AND SHEET RIB WEB CUT OUT							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-51-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-51-03-001 ^S	EXTERNAL - DETAILED INSPECTION OF FLAP INBOARD ROLLERS SUPPORT							Service	ATA:57
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-51-00								PKG:40	
57-51-03-901	FLAP INBOARD ROLLERS SUPPORT - DETAILED INSPECTION OF ROLLER EXTERNAL BOLT							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-51-00, NDT 57-51-00									
57-51-03-902	FLAP INBOARD ROLLERS SUPPORT - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF FLAP INBOARD ROLLER SUPPORT FLANGE CRACK							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-51-00									
57-51-03-903	FLAP INBOARD ROLLERS SUPPORT DETAILED INSPECTION OF FLAP INBOARD ROLLER SUPPORT BOLT							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-51-00									
57-51-03-904	FLAP INBOARD ROLLERS SUPPORT - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF TRACK RIB 1 AT TRUNNION LUG							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-51-00									
57-51-03-905	FLAP INBOARD ROLLER SUPPORT DETAILED INSPECTION OF OUTER SHAFT OF THE ROLLER FITTING							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-51-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-51-04-001 ^S	INTERNAL DETAILED INSPECTION OF FLAP INBOARD ACTUATOR SUPPORT FITTING							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-51-00							PKG:60	
57-51-04-901	FLAP INBOARD ACTUATOR SUPPORT FITTING - SPECIAL DETAILED INSPECTION (ULTRASSONIC) OF ACTUATION LUG							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-51-00								
57-51-04-902	FLAP INBOARD ACTUATOR SUPPORT FITTING - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF BACKUP FITTING AT ACTUATION LUG							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-51-00								
57-52-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP OUTBOARD COMPOSITE STRUCTURE							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-52-00							PKG:60	
57-52-01-901	FLAP OUTBOARD COMPOSITE STRUCTURE - DETAILED INSPECTION OF COMPOSITE UPPER SKIN, NOSE SKIN, BOTTOM SKIN, TRAILING EDGE, ACCESS, AND FASTENERS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-52-00								
57-52-02-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF FLAP OUTBOARD RIBS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-52-00, NDT 57-52-00							PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-52-02-901	FLAP OUTBOARD RIBS SPECIAL DETAILED INSPECTION (BOROSCOPE) OF RIBS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-52-00									
57-52-03-001 ^S	INTERNAL DETAILED INSPECTION OF FLAP OUTBOARD CARRIAGES							Service	ATA:57
	MOS	15-Oct-19	T:60 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-52-00									
57-52-03-901	FLAP OUTBOARD CARRIAGES DETAILED INSPECTION OF CARRIAGES, ON SWING LINK ROD- END LUG							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-52-00									
57-52-03-902	FLAP OUTBOARD CARRIAGES DETAILED INSPECTION OF CARRIAGES, ON MAIN CARRIAGE PIN							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-52-00									
57-52-03-903	FLAP OUTBOARD CARRIAGES SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF CARRIAGES, CRACK ON THE "RIBS"							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-52-00									
57-52-03-904	FLAP OUTBOARD CARRIAGES SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF CARRIAGES, CRACK ON THE FASTENERS HOLES							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-52-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-52-03-905	FLAP OUTBOARD CARRIAGES PINS - DISCARD							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: AMM 57-52-00									
57-52-04-001 ^S	EXTERNAL - DETAILED INSPECTION OF FLAP OUTBOARD CARRIAGES FITTINGS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-52-00									
57-52-04-901	FLAP OUTBOARD CARRIAGE FITTING DETAILED INSPECTION OF SWING LINK AT TRACK RIBS, LUGS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-52-00, NDT 57-52-00									
57-60-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE) OF AILERON MAIN BOX							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 57-60-00									
57-60-01-901	AILERON MAIN BOX (SKIN, SPARS AND RIBS) - DETAILED INSPECTION OF COMPOSITE SKINS, SPARS AND RIBS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-60-00									
57-60-01-902	AILERON MAIN BOX (SKIN, SPARS AND RIBS) - SPECIAL DETAILED INSPECTION (BOROSCOPE) OF COMPOSITE SKINS, SPARS AND RIBS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-60-02-001 ^S	INTERNAL DETAILED INSPECTION OF AILERON HINGE FITTINGS							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-60-00							PKG:60	
57-60-02-901	AILERON HINGE FITTINGS DETAILED INSPECTION OF AILERON HINGE FITTINGS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-60-00								
57-60-03-001 ^S	INTERNAL DETAILED INSPECTION OF AILERON ACTUATOR HINGE FITTING							Service	ATA:57
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 57-60-00							PKG:60	
57-60-03-901	AILERON ACTUATOR FITTINGS DETAILED INSPECTION OF AILERON ACTUATOR FITTINGS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-60-00								
57-70-01-901	SPOILER PANELS DETAILED INSPECTION OF COMPOSITE PANELS							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
	PROC. REF: NDT 57-70-00								
57-70-02-001 ^S	EXTERNAL - DETAILED INSPECTION OF SPOILER HINGES AND ACTUATOR FITTING							Service	ATA:57
	MOS	14-Oct-22	120 (+15d/-15d)						
	HRS	610							
	AFL	341							
	PROC. REF: NDT 57-70-00								
57-70-02-901 ^S	EXTERNAL - DETAILED INSPECTION OF SPOILER HINGES AND ACTUATOR FITTINGS							Service	ATA:57
	MOS	14-Oct-22						CMR	
	HRS	610	750						
	AFL	341							
	PROC. REF: NDT 57-70-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-70-02-902	SPOILER HINGE AND ACTUATOR FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF HINGE, ACTUATOR LUGS, AND FILLET							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-70-00									
57-70-02-903	SPOILER HINGE AND ACTUATOR FITTINGS - SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF ACTUATOR FITTING STIFFNER							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-70-00									
57-70-02-904	SPOILER HINGE AND ACTUATOR FITTINGS SPECIAL DETAILED INSPECTION (EDDY CURRENT METHOD) OF ACTUATOR FITTING ATTACHMENT FLANGE							Service	ATA:57
	MOS	15-Oct-19							
	HRS	0	T:12750		12750		11909.6		
	AFL	0	T:8500		8500		8048		
PROC. REF: NDT 57-70-00									
574000-0101	LH WING NO. 1 POLISHED LEADING EDGE							Component	ATA:57
PN:550-07800-407	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0001025470	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00, AMM 57-40-00									
574000-0102	RH WING NO. 1 POLISHED LEADING EDGE							Component	ATA:57
PN:550-07800-408	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0001021337	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00, AMM 57-40-00									
574000-0103	LH WING NO. 2 POLISHED LEADING EDGE							Component	ATA:57
PN:550-07900-407	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0001024991	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 57-40-00, AMM 57-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
574000-0104	RH WING NO. 2 POLISHED LEADING EDGE							Component	ATA:57
PN:550-07900-408	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0001024997	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 57-40-00, AMM 57-40-00									
574000-0105	LH WING NO. 3 POLISHED LEADING EDGE							Component	ATA:57
PN:555-08000-401	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0001025466	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 57-40-00, AMM 57-40-00									
574000-0106	RH WING NO. 3 POLISHED LEADING EDGE							Component	ATA:57
PN:555-08000-402	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0001025462	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 57-40-00, AMM 57-40-00									
575108-0101	LH WING MECHANISM 2, ASSY							Component	ATA:57
PN:550-13146-407	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0157	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 2									
575108-0102	RH WING MECHANISM 2, ASSY							Component	ATA:57
PN:550-13146-408	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0097	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 2									
575208-0101	LH WING MECHANISM 4, ASSY							Component	ATA:57
PN:550-13130-405	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0111	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 2									
575208-0102	RH WING MECHANISM 4, ASSY							Component	ATA:57
PN:550-13130-406	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:0116	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
575208-0103	LH WING MECHANISM 3 ASSY							Component	ATA:57
PN:550-13110-405	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0141	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									
575208-0104	RH WING MECHANISM 3 ASSY							Component	ATA:57
PN:550-13110-406	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:0110	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 1									
C57-70-02-001	EXTERNAL - DETAILED INSPECTION OF SPOILER HINGES AND ACTUATOR FITTINGS							Service	ATA:57
	MOS	14-Oct-22							
	HRS	610	750		1360		519.6		
	AFL	341							
PROC. REF: NDT 57-70-00									
PKG:1									
ATA 71 - POWER PLANT									
71-00-01-710-801-A	POWERPLANT - OPERATIONAL TEST							Service	ATA:71
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-01									
71-00-02-710-801-A	POWERPLANT CONTROL PANEL - OPERATIONAL TEST							Service	ATA:71
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-02									
71-10-00-001 ^S	GENERAL VISUAL INSPECTION OF FAN COWL DOORS, ACCESS PANELS AND ATTACHED HARDWARE							Service	ATA:71
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 71-10-00									
PKG:15									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-10-00-002 ^S		DETAILED INSPECTION OF FAN COWL DOOR SEALS						Service	ATA:71
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
PROC. REF: AMM 71-30-00								PKG:15	
71-10-00-003 ^S		GENERAL VISUAL INSPECTION OF ENGINE FAN COWL DOOR INLET SCOOPS AND VENTILATION GRILLS						Service	ATA:71
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
PROC. REF: AMM 71-10-00								PKG:1	
71-20-01-001 ^S		RESTORATION LH LOWER FWD ENGINE MOUNT ISOLATOR (OVERHAUL)						Service	ATA:71
PN:LM-1007-SA20	MOS	15-Oct-19						OVERHAUL	
SN:LK0736	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 71-20-00								PKG:20	
71-20-01-001 ^S		RESTORATION LH PYLON AFT ENGINE MOUNT STEEL ISOLATOR (OVERHAUL)						Service	ATA:71
PN:LM-1007-5	MOS	15-Oct-19						OVERHAUL	
SN:LK0372	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 71-20-00								PKG:20	
71-20-01-001 ^S		RESTORATION LH UPPER FWD ENGINE MOUNT ISOLATOR (OVERHAUL)						Service	ATA:71
PN:LM-1007-SA20	MOS	15-Oct-19						OVERHAUL	
SN:LK0713	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 71-20-00								PKG:20	
71-20-01-001 ^S		RESTORATION RH LOWER FWD ENGINE MOUNT ISOLATOR (OVERHAUL)						Service	ATA:71
PN:LM-1007-SA20	MOS	15-Oct-19						OVERHAUL	
SN:LK0740	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 71-20-00								PKG:20	
71-20-01-001 ^S		RESTORATION RH PYLON AFT ENGINE MOUNT STEEL ISOLATOR (OVERHAUL)						Service	ATA:71
PN:LM-1007-5	MOS	15-Oct-19						OVERHAUL	
SN:LK0361	HRS	0	7500 (+37/-37)						
	AFL	0							
PROC. REF: AMM 71-20-00								PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-20-01-001^S RESTORATION RH UPPER FWD ENGINE MOUNT ISOLATOR (OVERHAUL) Service ATA:71								
PN:LM-1007-SA20	MOS	15-Oct-19						OVERHAUL
SN:LK0737	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 71-20-00								PKG:20
71-20-05-001^S DETAILED INSPECTION OF ENGINE DISCRETE SOURCE DAMAGE CATCHER Service ATA:71								
	MOS	15-Oct-19						
	HRS	0	7500 (+37/-37)					
	AFL	0						
PROC. REF: AMM 71-20-05								PKG:20
71-21-01-001^S INTERNAL DETAILED INSPECTION OF ENGINE FORWARD MOUNTS AND PINS Service ATA:71								
	MOS	15-Oct-19	T:120 (+15d/-15d)					
	HRS	0						
	AFL	0						
PROC. REF: NDT 71-20-00								PKG:60
71-21-01-901 ENGINE FORWARD MOUNTING ASSEMBLY - SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF HOUSING Service ATA:71								
	MOS	15-Oct-19						
	HRS	0	T:7500		7500		6659.6	
	AFL	0	T:5000		5000		4548	
PROC. REF: AMM 71-20-00								
71-21-01-902 ENGINE FORWARD MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF ENGINE ATTACHMENT BOLTS Service ATA:71								
	MOS	15-Oct-19						
	HRS	0	T:7500		7500		6659.6	
	AFL	0	T:5000		5000		4548	
PROC. REF: AMM 71-20-00								
71-21-01-903 ENGINE FORWARD MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF SLEEVE BOLT Service ATA:71								
	MOS	15-Oct-19						
	HRS	0	T:7500		7500		6659.6	
	AFL	0	T:5000		5000		4548	
PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-21-01-904	ENGINE FORWARD MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF FAILSAFE BOLT							Service	ATA:71
	MOS	15-Oct-19							
	HRS	0	T:7500		7500		6659.6		
	AFL	0	T:5000		5000		4548		
PROC. REF: AMM 71-20-00									
71-21-01-905	ENGINE FORWARD MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF ALL OTHER ATTACHMENT HARDWARE							Service	ATA:71
	MOS	15-Oct-19							
	HRS	0	T:7500		7500		6659.6		
	AFL	0	T:5000		5000		4548		
PROC. REF: AMM 71-20-00									
71-22-01-001 ^S	INTERNAL DETAILED INSPECTION OF ENGINE AFT MOUNTS AND PINS							Service	ATA:71
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
PROC. REF: NDT 71-20-00									
71-22-01-901	ENGINE AFT MOUNTING ASSEMBLY - SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF HOUSING							Service	ATA:71
	MOS	15-Oct-19							
	HRS	0	T:7500		7500		6659.6		
	AFL	0	T:5000		5000		4548		
PROC. REF: AMM 71-20-00									
71-22-01-902	ENGINE AFT MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF ENGINE ATTACHMENT FAILSAFE BOLTS							Service	ATA:71
	MOS	15-Oct-19							
	HRS	0	T:7500		7500		6659.6		
	AFL	0	T:5000		5000		4548		
PROC. REF: AMM 71-20-00									
71-22-01-903	ENGINE AFT MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF SLEEVE BOLTS							Service	ATA:71
	MOS	15-Oct-19							
	HRS	0	T:7500		7500		6659.6		
	AFL	0	T:5000		5000		4548		
PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-22-01-904	ENGINE AFT MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF PYLON ATTACHMENT BOLTS							Service	ATA:71
	MOS	15-Oct-19							
	HRS	0	T:7500		7500		6659.6		
	AFL	0	T:5000		5000		4548		
PROC. REF: AMM 71-20-00									
71-22-01-905	ENGINE AFT MOUNTING ASSEMBLY SPECIAL DETAILED INSPECTION (PENETRANT LIQUID) OF ALL OTHER ATTACHMENT HARDWARE							Service	ATA:71
	MOS	15-Oct-19							
	HRS	0	T:7500		7500		6659.6		
	AFL	0	T:5000		5000		4548		
PROC. REF: AMM 71-20-00									
71-60-00-001 ^S	DETAILED INSPECTION OF ENGINE NACELLE INLET							Service	ATA:71
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)						
	AFL	341							
PROC. REF: AMM 71-60-01									
710203-0101	CSL CENT POWERPLANT CONTROL PANEL ASSY							Component	ATA:71
PN:431900-002	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:431900AA0189	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-00-02, AMM 71-00-02									
711001-0101	LH INTEGRATED POWERPLANT ASSEMBLY							Component	ATA:71
PN:WBE7100E001-043	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:E0275	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-00-01, AMM 71-00-01									
711001-0102	RH INTEGRATED POWERPLANT ASSEMBLY							Component	ATA:71
PN:WBE7100E001-044	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:E0276	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-00-01, AMM 71-00-01									
711002-0101	LEFT LOWER FAN COWL DOOR ASSEMBLY							Component	ATA:71
PN:WBE7113E301-049	MOS/MSC	15-Oct-19	O/C		TSN 0				
SN:HAF711318102	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-10-02, AMM 71-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
711002-0102 RIGHT LOWER FAN COWL DOOR ASSEMBLY								Component ATA:71
PN:WBE7114E301-049	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:HAF711418103	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-02, AMM 71-10-02								
711003-0101 LEFT UPPER FAN COWL ASSY								Component ATA:71
PN:WBE7111E301-045	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:HAF711118101	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-01, AMM 71-10-01								
711003-0102 RIGHT UPPER DOOR ASSY								Component ATA:71
PN:WBE7112E301-045	MOS/MSC	15-Oct-19	O/C	TSN 0				
SN:HAF71121898	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-10-01, AMM 71-10-01								
712001^S NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE MOUNT POINTS								Service ATA:71
	MOS	15-Oct-19						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REF								
712001^S NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE MOUNT POINTS								Service ATA:71
	MOS	15-Oct-19						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REF								
712002^S NO. 1 ENGINE - GENERAL VISUAL INSPECTION FRONT FRAME ASSEMBLY								Service ATA:71
	MOS	15-Oct-19						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REF								
712002^S NO. 2 ENGINE - GENERAL VISUAL INSPECTION FRONT FRAME ASSEMBLY								Service ATA:71
	MOS	15-Oct-19						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
712003-0101		LH PYLON AFT ENGINE MOUNT STEEL ISOLATOR						Component	ATA:71
PN:LM-1007-5	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:LK0372	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-20-03, AMM 71-20-03									
712003-0102		RH PYLON AFT ENGINE MOUNT STEEL ISOLATOR						Component	ATA:71
PN:LM-1007-5	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:LK0361	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-20-03, AMM 71-20-03									
712003-0103		LH UPPER FWD ENGINE MOUNT ISOLATOR						Component	ATA:71
PN:LM-1007-SA20	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:LK0713	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-20-01, AMM 71-20-01									
712003-0104		RH UPPER FWD ENGINE MOUNT ISOLATOR						Component	ATA:71
PN:LM-1007-SA20	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:LK0737	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-20-01, AMM 71-20-01									
712003-0105		LH LOWER FWD ENGINE MOUNT ISOLATOR						Component	ATA:71
PN:LM-1007-SA20	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:LK0736	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-20-01, AMM 71-20-01									
712003-0106		RH LOWER FWD ENGINE MOUNT ISOLATOR						Component	ATA:71
PN:LM-1007-SA20	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:LK0740	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-20-01, AMM 71-20-01									
716001-0101		LH ENG INLET ASSY						Component	ATA:71
PN:WBE7160E101-045	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:PZL286	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-60-01, AMM 71-60-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
716001-0102	RH ENG INLET ASSY							Component	ATA:71
PN:WBE7160E101-045	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:PZL284	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-60-01, AMM 71-60-01									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:70040119-1	MOS/MSC		E/C						
SN:P131383	HRS								
WC#: 71.EN1	AFL								
PROC. REF: AMM 71-00-01, AMM 71-00-01									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:70040119-1	MOS/MSC		E/C						
SN:P131384	HRS								
WC#: 71.EN2	AFL								
PROC. REF: AMM 71-00-01, AMM 71-00-01									
ATA 72 - ENGINE									
72-00-00-200-003-A01	NO. 1 ENGINE - OPTIONAL WATER WASH PROCEDURES FOR ENGINES WHICH OPERATE IN TROPICAL / INDUSTRIAL / MARINE / SALT OR CHEMICAL LADEN ENVIRONMENTS							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00									
72-00-00-200-003-A01	NO. 2 ENGINE - OPTIONAL WATER WASH PROCEDURES FOR ENGINES WHICH OPERATE IN TROPICAL / INDUSTRIAL / MARINE / SALT OR CHEMICAL LADEN ENVIRONMENTS							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00									
72-00-00-200-004-A01	NO. 1 ENGINE - ENGINES THAT HAVE OPERATED ABOVE THE TEMPERATURE LIMITS INSPECTION							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-004-A01	NO. 2 ENGINE - ENGINES THAT HAVE OPERATED ABOVE THE TEMPERATURE LIMITS INSPECTION							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-005-A01	NO. 1 ENGINE - ENGINES THAT HAVE OPERATED ABOVE THE N1 AND N2 SPEED LIMITS INSPECTION							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-005-A01	NO. 2 ENGINE - ENGINES THAT HAVE OPERATED ABOVE THE N1 AND N2 SPEED LIMITS INSPECTION							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-006-A01	NO. 1 ENGINE - EXAMINE ENGINES THAT SHOW HOT SECTION DISTRESS (BURN OUTS)							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-006-A01	NO. 2 ENGINE - EXAMINE ENGINES THAT SHOW HOT SECTION DISTRESS (BURN OUTS)							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-007-A01	NO. 1 ENGINE - EXAMINE ENGINES AFTER THE AIRCRAFT HAS BEEN HIT BY LIGHTING							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-007-A01	NO. 2 ENGINE - EXAMINE ENGINES AFTER THE AIRCRAFT HAS BEEN HIT BY LIGHTING							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-008-A01	NO. 1 ENGINE - EXAMINE ENGINES AFTER A CVG SYSTEM MALFUNCTION OR A COMPRESSOR STALL							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-008-A01	NO. 2 ENGINE - EXAMINE ENGINES AFTER A CVG SYSTEM MALFUNCTION OR A COMPRESSOR STALL							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-009-A01	NO. 1 ENGINE - EXAMINE ENGINES FOR METAL CONTAMINATION OF THE OIL SYSTEM							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-009-A01	NO. 2 ENGINE - EXAMINE ENGINES FOR METAL CONTAMINATION OF THE OIL SYSTEM							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-010-A01	NO. 1 ENGINE - EXAMINE ENGINES OPERATED WITH LOW OR NO OIL PRESSURE INDICATION							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-010-A01	NO. 2 ENGINE - EXAMINE ENGINES OPERATED WITH LOW OR NO OIL PRESSURE INDICATION							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-011-A01	NO. 1 ENGINE - EXAMINE ENGINES THAT HAVE INGESTED VOLCANIC ASH							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-011-A01	NO. 2 ENGINE - EXAMINE ENGINES THAT HAVE INGESTED VOLCANIC ASH							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-012-A01	NO. 1 ENGINE - EXAMINE ENGINES OPERATED AT VIBRATION LEVELS MORE THAN THE PERMITTED LIMITS							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-012-A01	NO. 2 ENGINE - EXAMINE ENGINES OPERATED AT VIBRATION LEVELS MORE THAN THE PERMITTED LIMITS							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-013-A01	NO. 1 ENGINE - EXAMINE ENGINES IMMERSERD IN SALT WATER OR EXPOSED TO FIE EXTINGUISHER MATERIAL							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-013-A01	NO. 2 ENGINE - EXAMINE ENGINES IMMERSERD IN SALT WATER OR EXPOSED TO FIE EXTINGUISHER MATERIAL							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-014-A01	NO. 1 ENGINE - EXAMINE ENGINES FOR FOD THAT HAVE BIRD STRIKES OR INGEST FOREIGN OBJECTS							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-200-014-A01	NO. 2 ENGINE - EXAMINE ENGINES FOR FOD THAT HAVE BIRD STRIKES OR INGEST FOREIGN OBJECTS							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-015-A01	NO. 1 ENGINE - PERFORM PERIODIC INSPECTIONS							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: GENERIC NO REF								
72-00-00-200-015-A01	NO. 2 ENGINE - PERFORM PERIODIC INSPECTIONS							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: GENERIC NO REF								
72-00-00-200-016-A01	NO. 1 ENGINE - PERFORM DIGITAL IMAGING (BORESCOPE) INSPECTION							Service	ATA:72
	MOS/MSC	17-Jul-19	O/C						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-016-A01	NO. 2 ENGINE - PERFORM DIGITAL IMAGING (BORESCOPE) INSPECTION							Service	ATA:72
	MOS/MSC	17-Jul-19	O/C						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-200-017-A01	NO. 1 ENGINE - HOT SECTION INSPECTION							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-200-017-A01	NO. 2 ENGINE - HOT SECTION INSPECTION							Service ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
					PROC. REF: LMM 72-00-00			
72-00-00-200-018-A01	NO. 1 ENGINE - CORE ZONE INSPECTION							Service ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
					PROC. REF: LMM 72-00-00			
72-00-00-200-018-A01	NO. 2 ENGINE - CORE ZONE INSPECTION							Service ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
					PROC. REF: LMM 72-00-00			
72-00-00-610-011-A01	NO. 1 ENGINE - COMPRESSOR WASH PROCEDURE							Service ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
					PROC. REF: LMM 72-00-00			
72-00-00-610-011-A01	NO. 2 ENGINE - COMPRESSOR WASH PROCEDURE							Service ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
					PROC. REF: LMM 72-00-00			
72-00-00-700-012-A01	NO. 1 ENGINE - PERFORM VIBRATION SURVEY							Service ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
					PROC. REF: LMM 72-00-00			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-700-012-A01	NO. 2 ENGINE - PERFORM VIBRATION SURVEY							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-700-014-A01	NO. 1 ENGINE - ACCOMPLISH ENGINE POWER ASSURANCE RUN							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-700-014-A01	NO. 2 ENGINE - ACCOMPLISH ENGINE POWER ASSURANCE RUN							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-700-015-A01	NO. 1 ENGINE - OIL PRESSURE ADJUSTMENT							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-700-015-A01	NO. 2 ENGINE - OIL PRESSURE ADJUSTMENT							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
72-00-00-700-016-A01	NO. 1 ENGINE - PERFORM NO. 1 EGT PROBE TEST							Service	ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-700-016-A01	NO. 1 ENGINE - PERFORM NO. 2 EGT PROBE TEST							Service ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 72-00-00							
72-00-00-700-016-A01	NO. 2 ENGINE - PERFORM NO. 1 EGT PROBE TEST							Service ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 72-00-00							
72-00-00-700-016-A01	NO. 2 ENGINE - PERFORM NO. 2 EGT PROBE TEST							Service ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 72-00-00							
72-00-00-810-167-A01	NO. 1 ENGINE - TROUBLESHOOT MCID 1001, OMS MESSAGE- OIL PRESSURE SENSOR 1A							Service ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 72-00-00							
72-00-00-810-167-A01	NO. 2 ENGINE - TROUBLESHOOT MCID 1001, OMS MESSAGE- OIL PRESSURE SENSOR 1A							Service ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 72-00-00							
72-00-00-810-168-A01	NO. 1 ENGINE - TROUBLESHOOT MCID 1002, OMS MESSAGE- OIL PRESSURE SENSOR 1B							Service ATA:72
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 72-00-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-810-168-A01	NO. 2 ENGINE - TROUBLESHOOT	MCID 1002, OMS MESSAGE-	OIL PRESSURE SENSOR 1B					Service ATA:72 UNSCHEDULED MAINTENANCE CHECK
	MOS/MSC	17-Jul-19	A/R					
	HRS	0						
	ENC	0						
								PROC. REF: LMM 72-00-00
72-00-00-810-434-A01	NO. 1 ENGINE - INSPECT CHIP DETECTOR FOR METAL CONTAMINATION							Service ATA:72 UNSCHEDULED MAINTENANCE CHECK
	MOS/MSC	17-Jul-19	A/R					
	HRS	0						
	ENC	0						
								PROC. REF: LMM 72-00-00
72-00-00-810-434-A01	NO. 2 ENGINE - INSPECT CHIP DETECTOR FOR METAL CONTAMINATION							Service ATA:72 UNSCHEDULED MAINTENANCE CHECK
	MOS/MSC	17-Jul-19	A/R					
	HRS	0						
	ENC	0						
								PROC. REF: LMM 72-00-00
72-00-00-810-801-A01	NO. 1 ENGINE - PROCEDURE FOR ECU DOWNLOAD							Service ATA:72 UNSCHEDULED MAINTENANCE CHECK
	MOS/MSC	16-Nov-23	A/R					
	HRS	823.9						
	ENC	444						
								PROC. REF: LMM 72-00-00
72-00-00-810-801-A01	NO. 2 ENGINE - PROCEDURE FOR ECU DOWNLOAD							Service ATA:72 UNSCHEDULED MAINTENANCE CHECK
	MOS/MSC	16-Nov-23	A/R					
	HRS	823.9						
	ENC	444						
								PROC. REF: LMM 72-00-00
72-30-00-002	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF COMPRESSOR SECTION - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service ATA:72
	MOS/MSC	15-Oct-19	N/A					
	HRS	0						
	ENC	0						
								PROC. REF: GENERIC NO REF

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-30-00-002	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF COMPRESSOR SECTION - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:72
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
72-30-00-003	NO. 1 ENGINE - STAGE 2/3 COMPRESSOR ROTOR ROTATING SEAL							Component	ATA:72
PN:3033069-3	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-156113-23354	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									
72-30-00-003	NO. 1 ENGINE - STAGE 3/4 COMPRESSOR ROTOR ROTATING SEAL							Component	ATA:72
PN:3033070-3	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-156113-23155	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									
72-30-00-003	NO. 2 ENGINE - STAGE 2/3 COMPRESSOR ROTOR ROTATING SEAL							Component	ATA:72
PN:3033069-3	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-156113-23304	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									
72-30-00-003	NO. 2 ENGINE - STAGE 3/4 COMPRESSOR ROTOR ROTATING SEAL							Component	ATA:72
PN:3033070-3	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-156113-23102	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									
72-30-00-004	NO. 1 ENGINE - STAGE 1 COMPRESSOR BLISK							Component	ATA:72
PN:3033053-7	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-03847	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-30-00-004 NO. 1 ENGINE - STAGE 2 COMPRESSOR BLISK								
PN:3033063-4	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT
SN:18-162246-03469	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		14548	
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF								
72-30-00-004 NO. 1 ENGINE - STAGE 3 COMPRESSOR BLISK								
PN:3033067-9	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT
SN:18-162246-03306	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		14548	
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF								
72-30-00-004 NO. 1 ENGINE - STAGE 4 COMPRESSOR BLISK								
PN:3033072-4	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT
SN:18-162246-03988	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		14548	
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF								
72-30-00-004 NO. 2 ENGINE - STAGE 1 COMPRESSOR BLISK								
PN:3033053-7	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT
SN:18-162246-03918	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		14548	
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF								
72-30-00-004 NO. 2 ENGINE - STAGE 2 COMPRESSOR BLISK								
PN:3033063-4	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT
SN:18-162246-03463	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		14548	
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-30-00-004 NO. 2 ENGINE - STAGE 3 COMPRESSOR BLISK								
PN:3033067-9	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT
SN:18-162246-03287	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		14548	
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF								
72-30-00-004 NO. 2 ENGINE - STAGE 4 COMPRESSOR BLISK								
PN:3033072-4	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT
SN:18-162246-03952	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		14548	
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF								
72-30-00-005 NO. 1 ENGINE - HP SHAFT								
PN:3033084-4	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT
SN:17-102045-03267	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		14548	
PROC. REF: LMM 05-10-00, GENERIC NO REF								
72-30-00-005 NO. 2 ENGINE - HP SHAFT								
PN:3033084-4	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT
SN:17-102045-03268	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		14548	
PROC. REF: LMM 05-10-00, GENERIC NO REF								
72-30-00-006 NO. 1 ENGINE - CENTRIFUGAL COMPRESSOR ROTOR- IMPELLER								
PN:3033207-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT
SN:18-162246-03682	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15000		14548	
PROC. REF: LMM 05-10-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-30-00-006	NO. 2 ENGINE - CENTRIFUGAL COMPRESSOR ROTOR- IMPELLER							Component	ATA:72
PN:3033207-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-03685	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-30-00-007	NO. 1 ENGINE - VORTEX SPOILER							Component	ATA:72
PN:70040037-2	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162045-00398	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-30-00-007	NO. 2 ENGINE - VORTEX SPOILER							Component	ATA:72
PN:70040037-2	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162045-00384	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-30-00-011	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF COMPRESSOR SECTION - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	28-Sep-18							
	HRS	0	8000		(8000) 8001.9		7161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
72-30-00-011	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF COMPRESSOR SECTION - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	02-Oct-18							
	HRS	0	8000		(8000) 8001.9		7161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-40-00-001	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF ENGINE COMBUSTOR MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:72
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
72-40-00-001	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF ENGINE COMBUSTOR MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:72
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
72-40-00-003	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF COMBUSTOR MODULE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)								Service ATA:72
	MOS	28-Sep-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
72-40-00-003	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF COMBUSTOR MODULE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)								Service ATA:72
	MOS	02-Oct-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
72-51-00-001	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF HIGH PRESSURE (HP) TURBINE MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:72
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-001	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF HIGH PRESSURE (HP) TURBINE MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:72
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M18945	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M19929	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20155	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20156	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20158	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-101	NO. 1 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20159	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20160	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20161	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20162	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20235	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20236	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-101	NO. 1 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M18946	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20237	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20613	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20614	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20616	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20617	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-101	NO. 1 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20621	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20642	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22021	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22022	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22023	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M18947	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-101	NO. 1 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22085	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22141	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M25942	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M32458	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M32459	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 35 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M32465	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-101	NO. 1 ENGINE - NO. 36 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M32466	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 37 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M32467	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 38 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M32493	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M18949	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M18950	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M18951	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-101	NO. 1 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS		17-Jul-19	TSN 0				LIFE LIMIT	
SN:18M18955	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS		17-Jul-19	TSN 0				LIFE LIMIT	
SN:18M18956	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 1 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS		17-Jul-19	TSN 0				LIFE LIMIT	
SN:18M19020	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS		17-Jul-19	TSN 0				LIFE LIMIT	
SN:18M20239	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS		17-Jul-19	TSN 0				LIFE LIMIT	
SN:18M22025	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS		17-Jul-19	TSN 0				LIFE LIMIT	
SN:18M22026	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-101	NO. 2 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22031	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22032	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22086	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22142	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22144	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22145	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-101	NO. 2 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22147	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22148	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20240	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22222	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22223	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22258	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-101	NO. 2 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M25152	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M25154	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M25155	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M25158	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M25159	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M25160	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-101	NO. 2 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M25940	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20428	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M25943	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M32460	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M32461	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M32462	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-101	NO. 2 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M32464	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 35 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M34011	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 36 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M36724	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 37 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M36727	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 38 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M36728	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20565	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-101	NO. 2 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20567	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20574	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M20643	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22019	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-101	NO. 2 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 1 BLADE							Component	ATA:72
PN:70040871-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M22024	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M31411	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-201	NO. 1 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39168	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39169	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39221	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39223	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39225	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39226	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-201	NO. 1 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40453	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40454	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40455	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40456	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M37898	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40457	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-201	NO. 1 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40458	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40459	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40460	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40461	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40463	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40469	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-201	NO. 1 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40503	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40504	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40530	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M37900	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40532	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40544	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-201	NO. 1 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40545	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40546	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40547	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M37902	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M37903	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M37904	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-201	NO. 1 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39162	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39166	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 1 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39167	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 1 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M30638	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 10 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M36599	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 11 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M36602	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-201	NO. 2 ENGINE - NO. 12 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M36603	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 13 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M37880	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 14 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M37881	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 15 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M37888	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 16 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M37889	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 17 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M37897	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-201	NO. 2 ENGINE - NO. 18 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39160	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 19 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39161	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 2 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M30647	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 20 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39163	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 21 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39164	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 22 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39165	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-201	NO. 2 ENGINE - NO. 23 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M39216	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 24 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40464	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 25 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40465	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 26 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40466	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 27 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40467	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 28 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40468	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-201	NO. 2 ENGINE - NO. 29 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40505	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 3 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M30691	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 30 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40506	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 31 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40507	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 32 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40508	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 33 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40528	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-201	NO. 2 ENGINE - NO. 34 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M40529	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 4 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M31412	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 5 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M31413	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 6 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M31414	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 7 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M31415	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-002-201	NO. 2 ENGINE - NO. 8 HP TURBINE ROTOR STAGE 2 BLADE							Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M31416	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-002-201		NO. 2 ENGINE - NO. 9 HP TURBINE ROTOR STAGE 2 BLADE						Component	ATA:72
PN:3035049-5	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18M31417	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-51-00-003		NO. 1 ENGINE - HP FORWARD COUPLER						Component	ATA:72
PN:3033133-2	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-1034-14604	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-51-00-003		NO. 2 ENGINE - HP FORWARD COUPLER						Component	ATA:72
PN:3033133-2	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-1034-14607	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-51-00-005		NO. 1 ENGINE - STAGE 1 TURBINE (HP) DISK						Component	ATA:72
PN:70040948-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-02529	HRS	0		TSN 0					
	ENC	0	8700	TSN 0	(8700) 8700		8248		
PROC. REF: LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									
72-51-00-005		NO. 1 ENGINE - STAGE 2 TURBINE (HP) DISK						Component	ATA:72
PN:3035123-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-01539	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									
72-51-00-005		NO. 2 ENGINE - STAGE 1 TURBINE (HP) DISK						Component	ATA:72
PN:70040948-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-02523	HRS	0		TSN 0					
	ENC	0	8700	TSN 0	(8700) 8700		8248		
PROC. REF: LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-00-005	NO. 2 ENGINE - STAGE 2 TURBINE (HP) DISK							Component	ATA:72
PN:3035123-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-01537	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									
72-51-00-006	NO. 1 ENGINE - HP TURBINE INTERSTAGE SEAL							Component	ATA:72
PN:3035134-3	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162045-00538	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-51-00-006	NO. 2 ENGINE - HP TURBINE INTERSTAGE SEAL							Component	ATA:72
PN:3035134-3	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162045-00513	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-51-00-009	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF HIGH PRESSURE (HP) TURBINE MODULE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	28-Sep-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
72-51-00-009	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF HIGH PRESSURE (HP) TURBINE MODULE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	02-Oct-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 1 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-09678	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-02-030-001	NO. 1 ENGINE - NO. 10 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-10029	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 11 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-10194	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 12 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-10207	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 13 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-10467	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 14 HPT2 NOZZLE (WITH BORESCOPE PORT) SEGMENT							Component	ATA:72
PN:3035141-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-01071	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 2 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-09792	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 3 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-09813	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-02-030-001	NO. 1 ENGINE - NO. 4 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-09904	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 5 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-09913	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 6 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-09989	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 7 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-10006	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 8 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-10011	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 1 ENGINE - NO. 9 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-10014	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001	NO. 2 ENGINE - NO. 1 HPT2 NOZZLE SEGMENT							Component	ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-09496	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-02-030-001		NO. 2 ENGINE - NO. 10 HPT2 NOZZLE SEGMENT					Component	ATA:72	
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-09951	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001		NO. 2 ENGINE - NO. 11 HPT2 NOZZLE SEGMENT					Component	ATA:72	
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-09953	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001		NO. 2 ENGINE - NO. 12 HPT2 NOZZLE SEGMENT					Component	ATA:72	
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-09987	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001		NO. 2 ENGINE - NO. 13 HPT2 NOZZLE SEGMENT					Component	ATA:72	
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-10070	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001		NO. 2 ENGINE - NO. 14 HPT2 NOZZLE (WITH BORESCOPE PORT) SEGMENT					Component	ATA:72	
PN:3035141-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-01073	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001		NO. 2 ENGINE - NO. 2 HPT2 NOZZLE SEGMENT					Component	ATA:72	
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-09537	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-02-030-001		NO. 2 ENGINE - NO. 3 HPT2 NOZZLE SEGMENT					Component	ATA:72	
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-09700	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-51-02-030-001 NO. 2 ENGINE - NO. 4 HPT2 NOZZLE SEGMENT								Component ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-150250-09703	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
72-51-02-030-001 NO. 2 ENGINE - NO. 5 HPT2 NOZZLE SEGMENT								Component ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-150250-09714	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
72-51-02-030-001 NO. 2 ENGINE - NO. 6 HPT2 NOZZLE SEGMENT								Component ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-150250-09785	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
72-51-02-030-001 NO. 2 ENGINE - NO. 7 HPT2 NOZZLE SEGMENT								Component ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-150250-09793	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
72-51-02-030-001 NO. 2 ENGINE - NO. 8 HPT2 NOZZLE SEGMENT								Component ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-150250-09818	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
72-51-02-030-001 NO. 2 ENGINE - NO. 9 HPT2 NOZZLE SEGMENT								Component ATA:72
PN:3035141-3	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-150250-09898	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
72-51-04-030-002 NO. 1 ENGINE - NO. 1 HPT1 NOZZLE SEGMENT								Component ATA:72
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-150250-04631	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-04-030-002	NO. 1 ENGINE - NO. 10 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-05258	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 11 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-05837	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 2 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-04650	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 3 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-04678	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 4 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-04705	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 5 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-04853	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002	NO. 1 ENGINE - NO. 6 HPT1 NOZZLE SEGMENT							Component	ATA:72
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-05104	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-04-030-002		NO. 1 ENGINE - NO. 7 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-05211	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002		NO. 1 ENGINE - NO. 8 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-05254	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002		NO. 1 ENGINE - NO. 9 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-05256	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002		NO. 2 ENGINE - NO. 1 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-03566	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002		NO. 2 ENGINE - NO. 10 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-06996	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002		NO. 2 ENGINE - NO. 11 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-08491	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002		NO. 2 ENGINE - NO. 2 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-04409	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-51-04-030-002		NO. 2 ENGINE - NO. 3 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-04651	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002		NO. 2 ENGINE - NO. 4 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-04863	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002		NO. 2 ENGINE - NO. 5 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-05818	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002		NO. 2 ENGINE - NO. 6 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-05861	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002		NO. 2 ENGINE - NO. 7 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-05875	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002		NO. 2 ENGINE - NO. 8 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-06894	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-51-04-030-002		NO. 2 ENGINE - NO. 9 HPT1 NOZZLE SEGMENT					Component	ATA:72	
PN:3035145-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150250-06969	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-001	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF ENGINE LP TURBINE MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:72
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
72-55-00-001	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF ENGINE LP TURBINE MODULE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:72
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
72-55-00-004	NO. 1 ENGINE - LP TURBINE STUB SHAFT							Component	ATA:72
PN:3035691-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:16-162045-03650	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-55-00-004	NO. 2 ENGINE - LP TURBINE STUB SHAFT							Component	ATA:72
PN:3035691-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162045-03679	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-55-00-006	NO. 1 ENGINE - LP TURBINE SHAFT							Component	ATA:72
PN:3035689-2	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:17-169163-01259	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-55-00-006	NO. 2 ENGINE - LP TURBINE SHAFT							Component	ATA:72
PN:3035689-2	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:17-169163-01268	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-007	NO. 1 ENGINE - LP TURBINE INTERSTAGE (LPT1/LPT2) ROTATING SEAL							Component	ATA:72
PN:3035595-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-02958	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-55-00-007	NO. 2 ENGINE - LP TURBINE INTERSTAGE (LPT1/LPT2) ROTATING SEAL							Component	ATA:72
PN:3035595-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-02931	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-55-00-008	NO. 1 ENGINE - DETAILED INSPECTION OF ENGINE EXIT GUIDE VANE ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:72
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-55-02									
72-55-00-008	NO. 2 ENGINE - DETAILED INSPECTION OF ENGINE EXIT GUIDE VANE ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:72
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-55-02									
72-55-00-010	NO. 1 ENGINE - STAGE 1 LP TURBINE DISK							Component	ATA:72
PN:3035593-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-03605	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									
72-55-00-010	NO. 1 ENGINE - STAGE 2 LP TURBINE DISK							Component	ATA:72
PN:3035661-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-03228	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-010		NO. 1 ENGINE - STAGE 3 LP TURBINE DISK					Component	ATA:72	
PN:3035663-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-03028	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									
72-55-00-010		NO. 2 ENGINE - STAGE 1 LP TURBINE DISK					Component	ATA:72	
PN:3035593-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-03707	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									
72-55-00-010		NO. 2 ENGINE - STAGE 2 LP TURBINE DISK					Component	ATA:72	
PN:3035661-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-03230	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									
72-55-00-010		NO. 2 ENGINE - STAGE 3 LP TURBINE DISK					Component	ATA:72	
PN:3035663-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-03032	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 05-10-00, LMM 05-10-00, GENERIC NO REF									
72-55-00-012 ^S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE EXHAUST MIXER NOZZLE AREA					Service	ATA:72	
	MOS	14-Oct-22							
	HRS	606.6	750 (+37/-37)						
	ENC	341							
PROC. REF: LMM 78-10-01									
PKG:1									
72-55-00-012 ^S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE EXHAUST MIXER NOZZLE AREA					Service	ATA:72	
	MOS	14-Oct-22							
	HRS	606.6	750 (+37/-37)						
	ENC	341							
PROC. REF: LMM 78-10-01									
PKG:1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-013	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF LOW PRESSURE (LP) TURBINE MODULE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	28-Sep-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
PROC. REF: GENERIC NO REF									
72-55-00-013	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION (BORESCOPE) OF LOW PRESSURE (LP) TURBINE MODULE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	02-Oct-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
PROC. REF: GENERIC NO REF									
72-55-00-014	NO. 1 ENGINE - DETAILED INSPECTION OF EXIT GUIDE VANE (EGV) ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	28-Sep-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
PROC. REF: GENERIC NO REF									
72-55-00-014	NO. 2 ENGINE - DETAILED INSPECTION OF EXIT GUIDE VANE (EGV) ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	02-Oct-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
PROC. REF: GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 1 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27528	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 1 ENGINE - NO. 10 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27537	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 11 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27538	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 12 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27539	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 13 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27540	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 14 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27541	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 15 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27542	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 1 ENGINE - NO. 16 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27543	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 17 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27544	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 18 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27545	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 19 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27546	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 2 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27529	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 20 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27547	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 1 ENGINE - NO. 21 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27548	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 22 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27549	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 23 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27550	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 24 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27551	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 25 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27828	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 26 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27829	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-015 NO. 1 ENGINE - NO. 27 LP TURBINE STAGE 1 BLADE								
PN:3035693-1	MOS	17-Jul-19		TSN 0				Component ATA:72 LIFE LIMIT
SN:18HM27830	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-015 NO. 1 ENGINE - NO. 28 LP TURBINE STAGE 1 BLADE								
PN:3035693-1	MOS	17-Jul-19		TSN 0				Component ATA:72 LIFE LIMIT
SN:18HM27831	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-015 NO. 1 ENGINE - NO. 29 LP TURBINE STAGE 1 BLADE								
PN:3035693-1	MOS	17-Jul-19		TSN 0				Component ATA:72 LIFE LIMIT
SN:18HM27832	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-015 NO. 1 ENGINE - NO. 3 LP TURBINE STAGE 1 BLADE								
PN:3035693-1	MOS	17-Jul-19		TSN 0				Component ATA:72 LIFE LIMIT
SN:18HM27530	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-015 NO. 1 ENGINE - NO. 30 LP TURBINE STAGE 1 BLADE								
PN:3035693-1	MOS	17-Jul-19		TSN 0				Component ATA:72 LIFE LIMIT
SN:18HM27833	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-015 NO. 1 ENGINE - NO. 31 LP TURBINE STAGE 1 BLADE								
PN:3035693-1	MOS	17-Jul-19		TSN 0				Component ATA:72 LIFE LIMIT
SN:18HM27838	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 1 ENGINE - NO. 32 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27839	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 33 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27840	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 34 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27841	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 35 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27842	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 36 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27843	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 37 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27844	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 1 ENGINE - NO. 38 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27845	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 39 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27846	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 4 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27531	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 40 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27847	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 41 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27848	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 42 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30458	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 1 ENGINE - NO. 43 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30459	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 44 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30460	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 45 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30461	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 46 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30463	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 47 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30464	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 48 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30467	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 1 ENGINE - NO. 49 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30468	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 5 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27532	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 50 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30471	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 51 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30472	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 52 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30473	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 53 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30474	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 1 ENGINE - NO. 54 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30475	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 55 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30476	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 56 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30478	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 6 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27533	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 7 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27534	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 1 ENGINE - NO. 8 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27535	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 1 ENGINE - NO. 9 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27536	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 1 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17829	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 10 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17838	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 11 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17839	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 12 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17840	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 13 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17841	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 2 ENGINE - NO. 14 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17842	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 15 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17843	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 16 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17844	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 17 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17845	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 18 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17846	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 19 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17847	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 2 ENGINE - NO. 2 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17830	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 20 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17848	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 21 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17849	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 22 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17850	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 23 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17851	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 24 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17852	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 2 ENGINE - NO. 25 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18221	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 26 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18222	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 27 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18223	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 28 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18224	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 29 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18225	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 3 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17831	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 2 ENGINE - NO. 30 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18226	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 31 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18227	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 32 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18228	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 33 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18229	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 34 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18230	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 35 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18231	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 2 ENGINE - NO. 36 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18232	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 37 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18233	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 38 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18234	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 39 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18237	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 4 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17832	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 40 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18239	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 2 ENGINE - NO. 41 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18240	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 42 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18241	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 43 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18242	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 44 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18243	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 45 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM18244	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 46 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27836	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 2 ENGINE - NO. 47 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM27837	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 48 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30462	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 49 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30466	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 5 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17833	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 50 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30469	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 51 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30470	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 2 ENGINE - NO. 52 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30477	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 53 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30479	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 54 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30480	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 55 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM30481	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 56 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36862	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 6 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17834	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-015	NO. 2 ENGINE - NO. 7 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17835	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 8 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17836	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-015	NO. 2 ENGINE - NO. 9 LP TURBINE STAGE 1 BLADE							Component	ATA:72
PN:3035693-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM17837	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 1 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34964	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 10 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34982	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 11 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34983	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 1 ENGINE - NO. 12 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34984	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 13 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36260	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 14 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36261	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 15 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36262	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 16 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36263	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 17 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36264	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 1 ENGINE - NO. 18 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36265	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 19 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36266	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 2 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34965	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 20 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36267	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 21 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36268	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 22 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36269	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 1 ENGINE - NO. 23 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36270	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 24 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36271	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 25 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36272	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 26 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36273	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 27 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36274	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 28 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36275	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 1 ENGINE - NO. 29 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36276	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 3 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34975	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 30 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36277	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 31 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36278	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 32 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36279	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 33 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36280	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 1 ENGINE - NO. 34 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36281	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 35 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36282	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 36 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36283	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 37 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36284	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 38 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36285	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 39 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36286	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 1 ENGINE - NO. 4 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34976	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 40 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36287	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 41 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36288	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 42 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36289	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 43 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36290	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 44 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36291	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 1 ENGINE - NO. 45 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36292	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 46 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36293	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 47 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36294	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 48 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36295	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 49 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36296	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 5 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34977	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 1 ENGINE - NO. 50 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36297	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 51 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36298	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 52 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36299	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 53 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36300	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 54 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36301	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 55 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36302	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 1 ENGINE - NO. 56 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36303	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 57 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36304	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 58 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36305	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 59 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36306	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 6 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34978	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 60 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36307	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 1 ENGINE - NO. 61 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36308	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 62 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36309	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 7 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34979	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 8 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34980	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 1 ENGINE - NO. 9 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34981	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 1 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33835	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 2 ENGINE - NO. 10 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS		17-Jul-19	TSN 0				LIFE LIMIT	
SN:18HM33844	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 11 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS		17-Jul-19	TSN 0				LIFE LIMIT	
SN:18HM33845	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 12 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS		17-Jul-19	TSN 0				LIFE LIMIT	
SN:18HM33846	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 13 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS		17-Jul-19	TSN 0				LIFE LIMIT	
SN:18HM33847	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 14 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS		17-Jul-19	TSN 0				LIFE LIMIT	
SN:18HM33849	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 15 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS		17-Jul-19	TSN 0				LIFE LIMIT	
SN:18HM33850	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 2 ENGINE - NO. 16 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33851	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 17 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33852	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 18 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33853	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 19 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33854	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 2 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33836	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 20 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33855	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 2 ENGINE - NO. 21 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33856	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 22 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33857	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 23 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33858	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 24 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33859	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 25 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34410	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 26 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34411	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 2 ENGINE - NO. 27 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34412	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 28 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34413	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 29 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34414	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 3 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33837	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 30 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34415	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 31 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34416	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 2 ENGINE - NO. 32 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34417	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 33 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34418	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 34 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34419	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 35 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34420	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 36 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34421	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 37 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34422	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 2 ENGINE - NO. 38 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34423	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 39 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34424	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 4 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33838	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 40 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34425	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 41 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34426	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 42 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34427	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 2 ENGINE - NO. 43 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34428	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 44 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34429	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 45 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34430	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 46 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34431	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 47 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34432	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 48 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34433	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-016 NO. 2 ENGINE - NO. 49 LP TURBINE STAGE 2 BLADE								
PN:3035602-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM34434	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-016 NO. 2 ENGINE - NO. 5 LP TURBINE STAGE 2 BLADE								
PN:3035602-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM33839	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-016 NO. 2 ENGINE - NO. 50 LP TURBINE STAGE 2 BLADE								
PN:3035602-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM34961	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-016 NO. 2 ENGINE - NO. 51 LP TURBINE STAGE 2 BLADE								
PN:3035602-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM34962	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-016 NO. 2 ENGINE - NO. 52 LP TURBINE STAGE 2 BLADE								
PN:3035602-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM34963	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-016 NO. 2 ENGINE - NO. 53 LP TURBINE STAGE 2 BLADE								
PN:3035602-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM34966	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 2 ENGINE - NO. 54 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34967	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 55 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34968	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 56 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34969	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 57 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34970	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 58 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34971	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 59 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34972	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 2 ENGINE - NO. 6 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33840	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 60 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34973	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 61 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34974	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 62 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM34985	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 7 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33841	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-016	NO. 2 ENGINE - NO. 8 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33842	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-016	NO. 2 ENGINE - NO. 9 LP TURBINE STAGE 2 BLADE							Component	ATA:72
PN:3035602-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM33843	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 1 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36334	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 10 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36343	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 11 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36344	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 12 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36345	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 13 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36346	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 1 ENGINE - NO. 14 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36347	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 15 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36348	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 16 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36349	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 17 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36350	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 18 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36351	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 19 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36352	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-017	NO. 1 ENGINE - NO. 2 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36335	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 20 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36353	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 21 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36354	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 22 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36355	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 23 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36356	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 24 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM36357	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 1 ENGINE - NO. 25 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36358	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 26 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36359	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 27 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36435	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 28 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36436	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 29 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36437	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 3 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36336	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 1 ENGINE - NO. 30 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36438	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 31 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36439	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 32 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36440	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 33 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36441	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 34 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36442	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 35 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36443	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 1 ENGINE - NO. 36 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36444	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 37 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36445	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 38 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36446	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 39 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36447	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 4 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36337	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 40 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36448	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 1 ENGINE - NO. 41 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36449	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 42 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36450	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 43 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36451	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 44 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36452	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 45 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36453	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 46 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36454	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 1 ENGINE - NO. 47 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36455	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 48 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36456	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 49 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36457	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 5 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36338	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 50 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36458	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 51 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36459	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 1 ENGINE - NO. 52 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component ATA:72 LIFE LIMIT
SN:18HM37385	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 53 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component ATA:72 LIFE LIMIT
SN:18HM37386	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 54 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component ATA:72 LIFE LIMIT
SN:18HM37387	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 55 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component ATA:72 LIFE LIMIT
SN:18HM37388	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 56 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component ATA:72 LIFE LIMIT
SN:18HM37389	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 57 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component ATA:72 LIFE LIMIT
SN:18HM37390	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 1 ENGINE - NO. 58 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37391	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 59 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37392	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 6 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36339	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 60 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37393	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 61 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37394	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 62 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37395	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-017	NO. 1 ENGINE - NO. 63 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37396	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 64 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37397	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 65 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37398	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 66 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37399	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 67 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37400	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 1 ENGINE - NO. 68 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37401	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 1 ENGINE - NO. 69 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37402	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 7 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36340	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 70 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37403	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 71 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37404	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 72 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37406	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 73 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37408	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 1 ENGINE - NO. 74 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37850	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 8 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36341	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 1 ENGINE - NO. 9 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM36342	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 1 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37660	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 10 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37669	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 11 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37670	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-017	NO. 2 ENGINE - NO. 12 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37671	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 13 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37672	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 14 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37673	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 15 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37674	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 16 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37675	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 17 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37677	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-017	NO. 2 ENGINE - NO. 18 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37678	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 19 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37679	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 2 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37661	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 20 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37680	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 21 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37681	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 22 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37682	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-017	NO. 2 ENGINE - NO. 23 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37683	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 24 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37684	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 25 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37735	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 26 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37736	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 27 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37737	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 28 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37738	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 2 ENGINE - NO. 29 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37739	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 3 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37662	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 30 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37740	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 31 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37741	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 32 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37742	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 33 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37743	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-017	NO. 2 ENGINE - NO. 34 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37744	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 35 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37745	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 36 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37746	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 37 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37747	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 38 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37748	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 39 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37749	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-017	NO. 2 ENGINE - NO. 4 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37663	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 40 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37750	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 41 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37751	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 42 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37752	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 43 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37753	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 44 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37754	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 2 ENGINE - NO. 45 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37755	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 46 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37756	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 47 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37757	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 48 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37758	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 49 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37759	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 5 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37664	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-017	NO. 2 ENGINE - NO. 50 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37885	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 51 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37886	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 52 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37887	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 53 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37888	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 54 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37889	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 55 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37890	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-00-017	NO. 2 ENGINE - NO. 56 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37891	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 57 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37892	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 58 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37893	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 59 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37894	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 6 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37665	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-55-00-017	NO. 2 ENGINE - NO. 60 LP TURBINE STAGE 3 BLADE							Component	ATA:72
PN:3035609-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18HM37895	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 2 ENGINE - NO. 61 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37896	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 62 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37897	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 63 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37898	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 64 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37899	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 65 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37900	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 66 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37901	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 2 ENGINE - NO. 67 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37902	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 68 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37903	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 69 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37904	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 7 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37666	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 70 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37905	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 71 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37906	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-55-00-017 NO. 2 ENGINE - NO. 72 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37907	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 73 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37908	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 74 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37909	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 8 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37667	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-00-017 NO. 2 ENGINE - NO. 9 LP TURBINE STAGE 3 BLADE								
PN:3035609-1	MOS	17-Jul-19		TSN 0				Component LIFE LIMIT ATA:72
SN:18HM37668	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5	
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								
72-55-02-001 NO. 1 ENGINE - LOW PRESSURE TURBINE, STAGE 1 NOZZLE ASSEMBLY								
PN:3035708-1	MOS/MSC	17-Jul-19	O/C	TSN 0				Component LIFE LIMIT ATA:72
SN:18-182382-01044	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 05-20-00, GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-55-02-001	NO. 2 ENGINE - LOW PRESSURE TURBINE, STAGE 1 NOZZLE ASSEMBLY							Component	ATA:72
PN:3035708-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-3300-02750	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 05-20-00, GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 1 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-40755	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 10 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45338	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 11 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45345	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 12 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45389	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 13 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45457	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002	NO. 1 ENGINE - NO. 14 FAN BLADE							Component	ATA:72
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45472	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-70-02-030-002		NO. 1 ENGINE - NO. 15 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45474	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 1 ENGINE - NO. 16 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45517	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 1 ENGINE - NO. 17 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45523	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 1 ENGINE - NO. 18 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45525	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 1 ENGINE - NO. 19 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45526	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 1 ENGINE - NO. 2 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-40954	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 1 ENGINE - NO. 20 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45545	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-70-02-030-002		NO. 1 ENGINE - NO. 21 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45549	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 1 ENGINE - NO. 22 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-182297-00335	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 1 ENGINE - NO. 3 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-41603	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 1 ENGINE - NO. 4 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-41623	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 1 ENGINE - NO. 5 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-44205	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 1 ENGINE - NO. 6 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45206	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 1 ENGINE - NO. 7 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45261	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-70-02-030-002		NO. 1 ENGINE - NO. 8 FAN BLADE					Component ATA:72		
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45269	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 1 ENGINE - NO. 9 FAN BLADE					Component ATA:72		
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45305	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 1 FAN BLADE					Component ATA:72		
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-40732	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 10 FAN BLADE					Component ATA:72		
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-41437	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 10 FAN BLADE					Component ATA:72		
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-41437	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 11 FAN BLADE					Component ATA:72		
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-41480	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 12 FAN BLADE					Component ATA:72		
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-41491	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 13 FAN BLADE					Component ATA:72		
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-41493	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-70-02-030-002		NO. 2 ENGINE - NO. 14 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-41533	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 15 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-41541	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 16 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-41542	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 17 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45279	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 18 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45290	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 19 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181958-45515	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 2 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-40736	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-70-02-030-002		NO. 2 ENGINE - NO. 20 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-182297-00334	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 21 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-182297-00340	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 22 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-182297-00447	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 3 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-40749	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 4 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-40751	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 5 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-40757	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 6 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-40990	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-70-02-030-002		NO. 2 ENGINE - NO. 7 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-41002	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 8 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-41369	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-70-02-030-002		NO. 2 ENGINE - NO. 9 FAN BLADE					Component	ATA:72	
PN:70040466-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181958-41426	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
72-71-00-001	NO. 1 ENGINE - DETAILED INSPECTION OF FAN ROTOR ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:72	
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-70-02									
72-71-00-001	NO. 2 ENGINE - DETAILED INSPECTION OF FAN ROTOR ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:72	
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-70-02									
72-71-00-002	NO. 1 ENGINE - DISCARD OF LOW PRESSURE (LP) TURBINE FAN STUB SHAFT						Service	ATA:72	
	MOS	28-Sep-18						LIFE LIMIT	
	HRS	0							
	ENC	0	15000		(15000) 15000		14548		
PROC. REF: LMM 72-70-10, LMM 72-70-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-71-00-002	NO. 2 ENGINE - DISCARD OF LOW PRESSURE (LP) TURBINE FAN STUB SHAFT								Service ATA:72
	MOS	02-Oct-18						LIFE LIMIT	
	HRS	0							
	ENC	0	15000		(15000) 15000		14548		
PROC. REF: LMM 72-70-10, LMM 72-70-10									
72-71-00-003	NO. 1 ENGINE - LP TURBINE DRIVE ARM								Component ATA:72
PN:3035610-2	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:1818244927691	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-71-00-003	NO. 2 ENGINE - LP TURBINE DRIVE ARM								Component ATA:72
PN:3035610-2	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-02679	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-71-00-006	NO. 1 ENGINE - FAN DISK								Component ATA:72
PN:70040467-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:1818244928111	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-71-00-006	NO. 2 ENGINE - FAN DISK								Component ATA:72
PN:70040467-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:1818244928126	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-71-00-007	NO. 1 ENGINE - FAN STUB SHAFT								Component ATA:72
PN:3037099-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:17-102045-03609	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 72-70-10, LMM 72-70-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-71-00-007		NO. 2 ENGINE - FAN STUB SHAFT						Component	ATA:72
PN:3037099-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:17-102045-03629	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 72-70-10, LMM 72-70-10									
72-71-00-008		NO. 1 ENGINE - FAN SEAL PLATE						Component	ATA:72
PN:70040470-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-104599-00008	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-71-00-008		NO. 2 ENGINE - FAN SEAL PLATE						Component	ATA:72
PN:70040470-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-104599-00017	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-71-00-009^S		NO. 1 ENGINE - DETAILED INSPECTION FAN STATOR ASSEMBLY						Service	ATA:72
	MOS	14-Oct-22							
	HRS	606.6	750 (+37/-37)						
	ENC	341							
PROC. REF: LMM 72-70-05, LMM 74-20-01									
72-71-00-009^S		NO. 2 ENGINE - DETAILED INSPECTION FAN STATOR ASSEMBLY						Service	ATA:72
	MOS	14-Oct-22							
	HRS	606.6	750 (+37/-37)						
	ENC	341							
PROC. REF: LMM 72-70-05, LMM 74-20-01									
72-71-00-010		NO. 1 ENGINE - SPINNER COVER RING						Component	ATA:72
PN:70040460-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-156138-01326	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 72-70-01, LMM 72-70-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-71-00-010		NO. 2 ENGINE - SPINNER COVER RING						Component	ATA:72
PN:70040460-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-156138-01335	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, LMM 72-70-01, LMM 72-70-01									
72-71-00-011		NO. 1 ENGINE - SPINNER INNER RING						Component	ATA:72
PN:70040459-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-5060-00038	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-71-00-011		NO. 2 ENGINE - SPINNER INNER RING						Component	ATA:72
PN:70040459-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-5060-00214	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
72-71-00-012	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FAN CONTAINMENT HOUSING ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:72	
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
72-71-00-012	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FAN CONTAINMENT HOUSING ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:72	
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
72-71-00-014	NO. 1 ENGINE - FUNCTIONAL CHECK OF FAN STUB SHAFT AND FAN RETENTION HARDWARE- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)						Service	ATA:72	
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-71-00-014	NO. 2 ENGINE - FUNCTIONAL CHECK OF FAN STUB SHAFT AND FAN RETENTION HARDWARE- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:72
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
72-71-00-015	NO. 1 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN BLADES							Service	ATA:72
	MOS	17-Jul-19							
	HRS	0							
	ENC	0	15000 (+750)		(15000) 15000	15750	14548 (+750)		
PROC. REF: GENERIC NO REF									
72-71-00-015	NO. 2 ENGINE - SPECIAL DETAILED INSPECTION OF THE FAN BLADES							Service	ATA:72
	MOS	17-Jul-19							
	HRS	0							
	ENC	0	15000 (+750)		(15000) 15000	15750	14548 (+750)		
PROC. REF: GENERIC NO REF									
72-71-00-016	NO. 1 ENGINE - DETAILED INSPECTION OF FAN ROTOR ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	28-Sep-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: LMM 72-70-02									
72-71-00-016	NO. 2 ENGINE - DETAILED INSPECTION OF FAN ROTOR ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	02-Oct-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: LMM 72-70-02									
72-71-00-017	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FAN CONTAINMENT HOUSING ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	28-Sep-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-71-00-017	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FAN CONTAINMENT HOUSING ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	02-Oct-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
72-71-00-018	NO. 1 ENGINE - FUNCTIONAL CHECK OF FAN STUB SHAFT AND FAN RETENTION HARDWARE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	28-Sep-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
72-71-00-018	NO. 2 ENGINE - FUNCTIONAL CHECK OF FAN STUB SHAFT AND FAN RETENTION HARDWARE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	02-Oct-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
72-72-00-001	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FAN BYPASS SURFACE AREA BETWEEN INNER AND OUTER FAN BYPASS DUCTS - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:72
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
72-72-00-001	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FAN BYPASS SURFACE AREA BETWEEN INNER AND OUTER FAN BYPASS DUCTS - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:72
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-72-00-003	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FAN BYPASS SURFACE AREA BETWEEN INNER AND OUTER FAN BYPASS DUCTS - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	28-Sep-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
72-72-00-003	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FAN BYPASS SURFACE AREA BETWEEN INNER AND OUTER FAN BYPASS DUCTS - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:72
	MOS	02-Oct-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
720001	NO. 1 ENGINE - HTF7500 TURBO-FAN ENGINE POWER GROUP							Component	ATA:72
PN:70040112-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079439	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720001	NO. 2 ENGINE - HTF7500 TURBO-FAN ENGINE POWER GROUP							Component	ATA:72
PN:70040112-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079440	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720003	NO. 1 ENGINE - FINAL OUT ASSEMBLY							Component	ATA:72
PN:70040119-902	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079437	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720003	NO. 2 ENGINE - FINAL OUT ASSEMBLY							Component	ATA:72
PN:70040119-902	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079438	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720004	NO. 1 ENGINE - ZONE 2 FIRE DETECTOR							Component	ATA:72
PN:70040430-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:6043	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-04, LMM 72-00-04									
720004	NO. 2 ENGINE - ZONE 2 FIRE DETECTOR							Component	ATA:72
PN:70040430-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:6041	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-04, LMM 72-00-04									
720005	NO. 1 ENGINE - FWD FAN BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:70040300-902	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079455	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720005	NO. 2 ENGINE - FWD FAN BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:70040300-902	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079456	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720006	NO. 1 ENGINE - TWO WAY ONE STAGE ELHYD SERVO VALVE							Component	ATA:72
PN:2718901	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:02581	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720006	NO. 2 ENGINE - TWO WAY ONE STAGE ELHYD SERVO VALVE							Component	ATA:72
PN:2718901	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:02367	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720007	NO. 1 ENGINE - THREE WAY ONE STAGE ELHYD SERVO VALVE							Component	ATA:72
PN:2718972	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:02609	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720007 NO. 2 ENGINE - THREE WAY ONE STAGE ELHYD SERVO VALVE								Component ATA:72
PN:2718972	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:02394	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
720008 NO. 1 ENGINE - 4 WAY 2 STAGE ELHYD SERVO VALVE								Component ATA:72
PN:442197-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:ESVBD12448	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
720008 NO. 2 ENGINE - 4 WAY 2 STAGE ELHYD SERVO VALVE								Component ATA:72
PN:442197-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:ESVBD12246	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
720010 NO. 1 ENGINE - SERVO VALVE BODY ASSEMBLY								Component ATA:72
PN:2687749	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:150529-2473	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
720010 NO. 2 ENGINE - SERVO VALVE BODY ASSEMBLY								Component ATA:72
PN:2687749	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:150529-2248	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
720013 NO. 1 ENGINE - ARMATURE ASSEMBLY								Component ATA:72
PN:2684714-001	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:150529-19513	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
720013 NO. 2 ENGINE - ARMATURE ASSEMBLY								Component ATA:72
PN:2684714-001	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:150529-15507	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720014	NO. 1 ENGINE - TORQUE MOTOR BASE ASSEMBLY							Component	ATA:72
PN:2685627	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150529-126030	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720014	NO. 2 ENGINE - TORQUE MOTOR BASE ASSEMBLY							Component	ATA:72
PN:2685627	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150529-121768	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720015	NO. 1 ENGINE - TORQUE MOTOR ASSEMBLY SERVO VALVE							Component	ATA:72
PN:2685759-005	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:06848-126030	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720015	NO. 2 ENGINE - TORQUE MOTOR ASSEMBLY SERVO VALVE							Component	ATA:72
PN:2685759-005	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:06848-121768	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720020	NO. 1 ENGINE - MAIN BODY ASSEMBLY							Component	ATA:72
PN:82010896-001	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:005101-OA3610	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720020	NO. 2 ENGINE - MAIN BODY ASSEMBLY							Component	ATA:72
PN:82010896-001	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:005101-OA3436W	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720023	NO. 1 ENGINE - MATCHED METERING VALVE AND SLEEVE ASSEMBLY							Component	ATA:72
PN:82010501-001	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150529-0308	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720023	NO. 2 ENGINE - MATCHED METERING VALVE AND SLEEVE ASSEMBLY							Component	ATA:72
PN:82010501-001	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150529-0242	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720026	NO. 1 ENGINE - SILICON PRESSURE TRANSDUCER							Component	ATA:72
PN:4201681-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:68-A5052	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720026	NO. 2 ENGINE - SILICON PRESSURE TRANSDUCER							Component	ATA:72
PN:4201681-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:68-A5010	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720027	NO. 1 ENGINE - 20 PSIA SILICON PRESSURE TRANSDUCER							Component	ATA:72
PN:4201680-1002	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:38-A4940	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720027	NO. 2 ENGINE - 20 PSIA SILICON PRESSURE TRANSDUCER							Component	ATA:72
PN:4201680-1002	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:68-A5070	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720028	NO. 1 ENGINE - 20 PSIA SILICON PRESSURE TRANSDUCER							Component	ATA:72
PN:4201680-1002	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:68-A5104	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720028	NO. 2 ENGINE - 20 PSIA SILICON PRESSURE TRANSDUCER							Component	ATA:72
PN:4201680-1002	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:38-A4944	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720029	NO. 1 ENGINE - SILICON PRESSURE TRANSDUCER							Component	ATA:72
PN:4201681-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:68-A5071	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720029	NO. 2 ENGINE - SILICON PRESSURE TRANSDUCER							Component	ATA:72
PN:4201681-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:68-A5070	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720031	NO. 1 ENGINE - AS900 SENSOR							Component	ATA:72
PN:4244822-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:630202	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720031	NO. 2 ENGINE - AS900 SENSOR							Component	ATA:72
PN:4244822-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:635966	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720032	NO. 1 ENGINE - SENSOR							Component	ATA:72
PN:4244822-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:633832	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720032	NO. 2 ENGINE - SENSOR							Component	ATA:72
PN:4244822-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:632614	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720033	NO. 1 ENGINE - SENSOR							Component	ATA:72
PN:4201682-2004	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:635564	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720033	NO. 2 ENGINE - SENSOR							Component	ATA:72
PN:4201682-2004	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:633382	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720034	NO. 1 ENGINE - SENSOR							Component	ATA:72
PN:4201682-2004	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:635275	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720034	NO. 2 ENGINE - SENSOR							Component	ATA:72
PN:4201682-2004	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:635233	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720041	NO. 1 ENGINE - ECU EMI CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:4245012-2	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:HNW007680023	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720041	NO. 2 ENGINE - ECU EMI CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:4245012-2	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:HNW007641030	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720042	NO. 1 ENGINE - ECU EMI CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:4245012-2	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:HNW007685027	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720042	NO. 2 ENGINE - ECU EMI CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:4245012-2	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:HNW007680008	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720043	NO. 1 ENGINE - ECU I/O CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:4245273-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:HNW007686036	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720043	NO. 2 ENGINE - ECU I/O CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:4245273-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:HNW007654019	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720044	NO. 1 ENGINE - ECU I/O CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:4245273-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:HNW007686014	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720044	NO. 2 ENGINE - ECU I/O CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:4245273-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:HNW007686001	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720045	NO. 1 ENGINE - CPU POWER SUPPLY CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:65052375-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:FNP0008-1830	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720045	NO. 2 ENGINE - CPU POWER SUPPLY CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:65052375-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:FNP0093-1830	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720046	NO. 1 ENGINE - CPU POWER SUPPLY CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:65052375-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:FNP0027-1830	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720046	NO. 2 ENGINE - CPU POWER SUPPLY CIRCUIT CARD ASSEMBLY							Component	ATA:72
PN:65052375-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:FNP0034-1830	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720060	NO. 1 ENGINE - TOWER SHAFT							Component	ATA:72
PN:3033197-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18P01428	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60, LMM 72-00-60									
720060	NO. 2 ENGINE - TOWER SHAFT							Component	ATA:72
PN:3033197-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18P01426	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60, LMM 72-00-60									
720061	NO. 1 ENGINE - ACCESSORY BUILD UNIT HTF7000 GEARBOX							Component	ATA:72
PN:3036000-6	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18P28224	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60, LMM 72-00-60									
720061	NO. 2 ENGINE - ACCESSORY BUILD UNIT HTF7000 GEARBOX							Component	ATA:72
PN:3036000-6	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18P28225	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60, LMM 72-00-60									
720070	NO. 1 ENGINE - NOSE CONE							Component	ATA:72
PN:70040112-908	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-1034-14325	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720070	NO. 2 ENGINE - NOSE CONE							Component	ATA:72
PN:70040112-908	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-1034-14326	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720080	NO. 1 ENGINE - INLET GUIDE VANE (IGV) ASSEMBLY							Component	ATA:72
PN:70040112-914	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079449	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720080	NO. 2 ENGINE - INLET GUIDE VANE (IGV) ASSEMBLY							Component	ATA:72
PN:70040112-914	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079450	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720085	NO. 1 ENGINE - PLENUM ASSEMBLY							Component	ATA:72
PN:70040112-916	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-3300-06011	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720085	NO. 2 ENGINE - PLENUM ASSEMBLY							Component	ATA:72
PN:70040112-916	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-3300-06013	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
722001	NO. 1 ENGINE - FAN INLET COMPOSITE HOUSING							Component	ATA:72
PN:70040190-5	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-114642-00321	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-20-01, LMM 72-20-01									
722001	NO. 2 ENGINE - FAN INLET COMPOSITE HOUSING							Component	ATA:72
PN:70040190-5	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-114642-00322	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-20-01, LMM 72-20-01									
723001	NO. 1 ENGINE - UPPER TOWERSHAFT HOUSING ASSEMBLY							Component	ATA:72
PN:3033022-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162620-00197	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723001	NO. 2 ENGINE - UPPER TOWERSHAFT HOUSING ASSEMBLY							Component	ATA:72
PN:3033022-2	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:18-162620-00173	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723002	NO. 1 ENGINE - BEARING SET							Component	ATA:72
PN:3033023-2	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:18-162255-04131	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723002	NO. 2 ENGINE - BEARING SET							Component	ATA:72
PN:3033023-2	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:18-162255-04143	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723003	NO. 1 ENGINE - NO.2 BEARING RING CARBON SEAL							Component	ATA:72
PN:3033189-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:17-169020-02411	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723003	NO. 2 ENGINE - NO.2 BEARING RING CARBON SEAL							Component	ATA:72
PN:3033189-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:17-169020-02415	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723004	NO. 1 ENGINE - NO.2 BEARING RING CARBON SEAL							Component	ATA:72
PN:3033189-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:17-169020-02424	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
723004	NO. 2 ENGINE - NO.2 BEARING RING CARBON SEAL							Component	ATA:72
PN:3033189-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:17-169020-02475	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723005	NO. 1 ENGINE - #3 CARBON SEAL							Component	ATA:72
PN:3033035-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-169020-01024	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-05, LMM 72-30-05									
723005	NO. 2 ENGINE - #3 CARBON SEAL							Component	ATA:72
PN:3033035-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-169020-01032	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-05, LMM 72-30-05									
723006	NO. 1 ENGINE - BEARING SET							Component	ATA:72
PN:3033180-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-151725-06680	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723006	NO. 2 ENGINE - BEARING SET							Component	ATA:72
PN:3033180-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-151725-06686	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723007	NO. 1 ENGINE - AIRCRAFT-GAS TURBINE ENGINE FRONT FRAME							Component	ATA:72
PN:70040939-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-101376-00098	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723007	NO. 2 ENGINE - AIRCRAFT-GAS TURBINE ENGINE FRONT FRAME							Component	ATA:72
PN:70040939-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-101376-00038	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723011	NO. 1 ENGINE - INLET GUIDE VANE (IGV) SUPPORT ASSEMBLY							Component	ATA:72
PN:3033163-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-124279-00148	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723011	NO. 2 ENGINE - INLET GUIDE VANE (IGV) SUPPORT ASSEMBLY							Component	ATA:72
PN:3033163-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-124279-00150	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723012 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE COMPRESSOR CASE							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: LMM 72-30-10									
723012 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE COMPRESSOR CASE							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: LMM 72-30-10									
723013 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION HP/LP BLEED AIR AND ATS DUCTS							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									
723013 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION HP/LP BLEED AIR AND ATS DUCTS							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									
723014	NO. 1 ENGINE - SPECIAL DETAIL INSPECTION (BORESCOPE) OF ECS LP BLEED CHECK VALVE							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4000 (+100)		(4000) 4001.9	4100	3161.5 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723014	NO. 2 ENGINE - SPECIAL DETAIL INSPECTION (BORESCOPE) OF ECS LP BLEED CHECK VALVE							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4000 (+100)		(4000) 4001.9	4100	3161.5 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REF									
724010	NO. 1 ENGINE - DIFFUSER CASE							Component	ATA:72
PN:70040475-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-181884-00354	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724010	NO. 2 ENGINE - DIFFUSER CASE							Component	ATA:72
PN:70040475-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-181884-00328	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724011	NO. 1 ENGINE - BLADE AIR COOLING SWIRL RING							Component	ATA:72
PN:70040476-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-3300-05579	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724011	NO. 2 ENGINE - BLADE AIR COOLING SWIRL RING							Component	ATA:72
PN:70040476-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-3300-05542	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724012	NO. 1 ENGINE - COMBUSTION CHAMBER ASSEMBLY							Component	ATA:72
PN:3034088-5	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-3300-05209	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10									
724012	NO. 2 ENGINE - COMBUSTION CHAMBER ASSEMBLY							Component	ATA:72
PN:3034088-5	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-3300-05257	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724102 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE COMBUSTOR CASE							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
	PROC. REF: GENERIC NO REF							PKG:5	
724102 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE COMBUSTOR CASE							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
	PROC. REF: GENERIC NO REF							PKG:5	
724110	NO. 1 ENGINE - COMBUSTION CHAMBER CASE							Component	ATA:72
PN:70040010-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-182173-00032	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10								
724110	NO. 2 ENGINE - COMBUSTION CHAMBER CASE							Component	ATA:72
PN:70040010-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-182173-00035	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 72-40-10, LMM 72-40-10, LMM 72-40-10, LMM 72-40-10								
725001	NO. 1 ENGINE - TURBINE-AXIAL FLOW WHEEL							Component	ATA:72
PN:361655-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:G98989	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								
725001	NO. 2 ENGINE - TURBINE-AXIAL FLOW WHEEL							Component	ATA:72
PN:361655-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:G99006	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								
725002 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE CASE							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
	PROC. REF: GENERIC NO REF							PKG:5	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725002 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE CASE							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
	PROC. REF: GENERIC NO REF							PKG:5	
725003	NO. 1 ENGINE - LPT STAGE 2 ROTOR ASSEMBLY							Component	ATA:72
PN:3035660-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162246-03228	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								
725003	NO. 2 ENGINE - LPT STAGE 2 ROTOR ASSEMBLY							Component	ATA:72
PN:3035660-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162246-03230	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								
725004	NO. 1 ENGINE - LPT STAGE 3 ROTOR ASSEMBLY							Component	ATA:72
PN:3035662-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162246-03028	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								
725004	NO. 2 ENGINE - LPT STAGE 3 ROTOR ASSEMBLY							Component	ATA:72
PN:3035662-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162246-03032	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								
725101	NO. 1 ENGINE - HPT STAGE 1 SEAL ASSEMBLY							Component	ATA:72
PN:70040210-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1818244927186	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								
725101	NO. 2 ENGINE - HPT STAGE 1 SEAL ASSEMBLY							Component	ATA:72
PN:70040210-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1818244927786	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725102	NO. 1 ENGINE - HPT STAGE 2 SEAL ASSEMBLY							Component	ATA:72
PN:3035093-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1818244926804	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725102	NO. 2 ENGINE - HPT STAGE 2 SEAL ASSEMBLY							Component	ATA:72
PN:3035093-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1818244926811	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725103	NO. 1 ENGINE - HPT STAGE 2 ROTOR ASSEMBLY							Component	ATA:72
PN:3035135-6	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162246-01539	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725103	NO. 2 ENGINE - HPT STAGE 2 ROTOR ASSEMBLY							Component	ATA:72
PN:3035135-6	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162246-01537	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725104	NO. 1 ENGINE - HPT STAGE 1 ROTOR ASSEMBLY							Component	ATA:72
PN:70040856-5	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162246-02529	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725104	NO. 2 ENGINE - HPT STAGE 1 ROTOR ASSEMBLY							Component	ATA:72
PN:70040856-5	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162246-02523	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725105	NO. 1 ENGINE - HPT 1ST/2ND STAGE SHROUD AND NOZZLE ASSEMBLY							Component	ATA:72
PN:70040112-904	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-3300-05911	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725105	NO. 2 ENGINE - HPT 1ST/2ND STAGE SHROUD AND NOZZLE ASSEMBLY							Component	ATA:72
PN:70040112-904	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-3300-05999	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725106	NO. 1 ENGINE - LPT MODULE							Component	ATA:72
PN:70040112-906	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079443	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725106	NO. 2 ENGINE - LPT MODULE							Component	ATA:72
PN:70040112-906	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079444	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725107	NO. 1 ENGINE - HPT1 NOZZLE ASSEMBLY							Component	ATA:72
PN:70040112-910	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079445	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-04, LMM 72-51-04, LMM 72-51-04, LMM 72-51-04									
725107	NO. 2 ENGINE - HPT1 NOZZLE ASSEMBLY							Component	ATA:72
PN:70040112-910	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079446	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-51-04, LMM 72-51-04, LMM 72-51-04, LMM 72-51-04									
725108	NO. 1 ENGINE - HP TURBINE ROTOR CASE MATCHED SET							Component	ATA:72
PN:70040174-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:MS1815030300035	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725108	NO. 2 ENGINE - HP TURBINE ROTOR CASE MATCHED SET							Component	ATA:72
PN:70040174-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:MS1815030300037	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725109	NO. 1 ENGINE - LPT1 NOZZLE							Component	ATA:72
PN:3035612-6	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-182273-00314	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725109	NO. 2 ENGINE - LPT1 NOZZLE							Component	ATA:72
PN:3035612-6	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-182273-00309	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725110	NO. 1 ENGINE - LPT1 CASE							Component	ATA:72
PN:70040102-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-182273-00463	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725110	NO. 2 ENGINE - LPT1 CASE							Component	ATA:72
PN:70040102-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-182273-00468	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725501	NO. 1 ENGINE - NO. 1 CARBON SEAL							Component	ATA:72
PN:3037037-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-169020-03124	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725501	NO. 2 ENGINE - NO. 1 CARBON SEAL							Component	ATA:72
PN:3037037-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-169020-03098	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725504	NO. 1 ENGINE - NO. 4 CARBON SEAL							Component	ATA:72
PN:3035532-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-169020-00438	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725504	NO. 2 ENGINE - NO. 4 CARBON SEAL							Component	ATA:72
PN:3035532-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-169020-00435	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725505	NO. 1 ENGINE - NO. 5 CARBON SEAL							Component	ATA:72
PN:3035687-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-169020-00802	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725505	NO. 2 ENGINE - NO. 5 CARBON SEAL							Component	ATA:72
PN:3035687-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-169020-00874	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725506	NO. 1 ENGINE - EGV-TUBE ASSEMBLY NOZZLE							Component	ATA:72
PN:70040175-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-156101-03830	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725506	NO. 2 ENGINE - EGV-TUBE ASSEMBLY NOZZLE							Component	ATA:72
PN:70040175-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-156101-07334	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725514	NO. 1 ENGINE - MATCHED ROLLER NO. 4 BEARING SET							Component	ATA:72
PN:3035647-7	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162111-08786	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725514	NO. 2 ENGINE - MATCHED ROLLER NO. 4 BEARING SET							Component	ATA:72
PN:3035647-7	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162111-08785	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725526	NO. 1 ENGINE - NO. 5 CENTERING CAGE ROLLER BEARING SET							Component	ATA:72
PN:3035683-5	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162111-07290	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725526	NO. 2 ENGINE - NO. 5 CENTERING CAGE ROLLER BEARING SET							Component	ATA:72
PN:3035683-5	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162111-07302	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725527	NO. 1 ENGINE - NO. 5 BEARING HOUSING							Component	ATA:72
PN:3035705-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17-150568-00397	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-55-01, LMM 72-55-01									
725527	NO. 2 ENGINE - NO. 5 BEARING HOUSING							Component	ATA:72
PN:3035705-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150568-00621	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-55-01, LMM 72-55-01									
725530	NO. 1 ENGINE - AFT BEARING SUPPORT							Component	ATA:72
PN:70040112-918	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079451	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-55-01, LMM 72-55-01									
725530	NO. 2 ENGINE - AFT BEARING SUPPORT							Component	ATA:72
PN:70040112-918	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:LA079452	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-55-01, LMM 72-55-01									
726001	NO. 1 ENGINE - N2 SPEED SENSOR							Component	ATA:72
PN:3038501-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1812311203118	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-10-05, LMM 77-10-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726001	NO. 2 ENGINE - N2 SPEED SENSOR							Component	ATA:72
PN:3038501-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1812311203149	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-10-05, LMM 77-10-05									
726002	NO. 1 ENGINE - PMA ROTOR							Component	ATA:72
PN:3038506-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:2432	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726002	NO. 2 ENGINE - PMA ROTOR							Component	ATA:72
PN:3038506-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:2403	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726003	NO. 1 ENGINE - PMA STATOR ASSEMBLY							Component	ATA:72
PN:3038504-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:2289	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726003	NO. 2 ENGINE - PMA STATOR ASSEMBLY							Component	ATA:72
PN:3038504-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:2293	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726005	NO. 1 ENGINE - OIL TEMPERATURE TRANSDUCER							Component	ATA:72
PN:3038701-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1816901727357	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-03, LMM 79-30-03									
726005	NO. 2 ENGINE - OIL TEMPERATURE TRANSDUCER							Component	ATA:72
PN:3038701-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1816901727423	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-03, LMM 79-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726006 NO. 1 ENGINE - CHIP DETECTOR								Component ATA:72
PN:3038706-3	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:1816238100169	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-30-02, LMM 79-30-02								
726006 NO. 2 ENGINE - CHIP DETECTOR								Component ATA:72
PN:3038706-3	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:1816238100172	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-30-02, LMM 79-30-02								
726007 NO. 1 ENGINE - OIL FILTER MODULE ASSEMBLY								Component ATA:72
PN:3038727-3	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-162287-02336	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-01, LMM 79-20-01								
726007 NO. 2 ENGINE - OIL FILTER MODULE ASSEMBLY								Component ATA:72
PN:3038727-3	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-162287-02342	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-01, LMM 79-20-01								
726008 NO. 1 ENGINE - OIL TANK PRESSURE VALVE								Component ATA:72
PN:3038797-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-150503-02276	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-08, LMM 79-20-08								
726008 NO. 2 ENGINE - OIL TANK PRESSURE VALVE								Component ATA:72
PN:3038797-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-150503-02275	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 79-20-08, LMM 79-20-08								
727001 NO. 1 ENGINE - FAN ROTOR ASSEMBLY								Component ATA:72
PN:70040487-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:1818244928111	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 72-70-02, LMM 72-70-02, LMM 72-70-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
727001	NO. 2 ENGINE - FAN ROTOR ASSEMBLY							Component	ATA:72
PN:70040487-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:1818244928126	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 72-70-02, LMM 72-70-02, LMM 72-70-02									
727005	NO. 1 ENGINE - FAN STATOR VANE ASSEMBLY							Component	ATA:72
PN:70040202-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:18P02059	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 72-70-05, LMM 72-70-05									
727005	NO. 2 ENGINE - FAN STATOR VANE ASSEMBLY							Component	ATA:72
PN:70040202-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:18P01902	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 72-70-05, LMM 72-70-05									
727006 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE FAN BY-PASS OUTER DUCT AND SYSTEMS (LRU) ATTACHMENTS (EXTERIOR)							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									
PKG:5									
727006 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE FAN BY-PASS OUTER DUCT AND SYSTEMS (LRU) ATTACHMENTS (EXTERIOR)							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									
PKG:5									
727011	NO. 1 ENGINE - BEARING SET							Component	ATA:72
PN:3037038-2	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:18-162255-18718	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
727011	NO. 2 ENGINE - BEARING SET							Component	ATA:72
PN:3037038-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162255-18720	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
727012	NO. 1 ENGINE - NO. 1 BEARING HOUSING ASSEMBLY							Component	ATA:72
PN:70040457-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150568-00844	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-70-10, LMM 72-70-10									
727012	NO. 2 ENGINE - NO. 1 BEARING HOUSING ASSEMBLY							Component	ATA:72
PN:70040457-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150568-01095	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-70-10, LMM 72-70-10									
727016	NO. 1 ENGINE - BEARING SET							Component	ATA:72
PN:3037041-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162255-26918	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
727016	NO. 2 ENGINE - BEARING SET							Component	ATA:72
PN:3037041-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162255-26920	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
727110 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION AGB ASSEMBLY							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									
727110 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION AGB ASSEMBLY							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
727112^S NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE WIRING HARNESSSES Service ATA:72								
	MOS	15-Oct-19						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REF								PKG:5
727112^S NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE WIRING HARNESSSES Service ATA:72								
	MOS	15-Oct-19						
	HRS	0	4500 (+100)					
	ENC	0						
PROC. REF: GENERIC NO REF								PKG:5
727113 NO. 1 ENGINE - W4 BRANCHED WIRING HARNESS Component ATA:72								
PN:70040314-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-162599-04298	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01								
727113 NO. 2 ENGINE - W4 BRANCHED WIRING HARNESS Component ATA:72								
PN:70040314-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-162599-04873	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01								
727114 NO. 1 ENGINE - W3 BRANCHED WIRING HARNESS Component ATA:72								
PN:70040313-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-162599-04697	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01								
727114 NO. 2 ENGINE - W3 BRANCHED WIRING HARNESS Component ATA:72								
PN:70040313-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-162599-04686	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01								
727115 NO. 1 ENGINE - W5 BRANCHED WIRING HARNESS Component ATA:72								
PN:70040315-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-162599-05018	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
727115	NO. 2 ENGINE - W5 BRANCHED WIRING HARNESS							Component	ATA:72
PN:70040315-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162599-05106	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 76-10-01, LMM 76-10-01									
727116 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE DRAIN SYSTEM/ATTACHMENT FITTINGS							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									
727116 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE DRAIN SYSTEM/ATTACHMENT FITTINGS							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									
727120 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION BUFFER AIR TUBES							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									
727120 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION BUFFER AIR TUBES							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									
727124 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE MIXER NOZZLE AND THE CENTER BODY							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									
727124 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE MIXER NOZZLE AND THE CENTER BODY							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
727126	NO. 1 ENGINE - INSPECT (COMPLETE) HYDROMECHANICAL UNIT							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	7000 (+750)		(7000) 7001.9	7750	6161.5 (+750)		
	ENC	0							
PROC. REF: GENERIC NO REF									
727126	NO. 2 ENGINE - INSPECT (COMPLETE) HYDROMECHANICAL UNIT							Service	ATA:72
	MOS	15-Oct-19							
	HRS	0	7000 (+750)		(7000) 7001.9	7750	6161.5 (+750)		
	ENC	0							
PROC. REF: GENERIC NO REF									
727130	NO. 1 ENGINE - ACCESSORY GEARBOX							Component	ATA:72
PN:3036004-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-169019-03529	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-61-01, LMM 72-61-01									
727130	NO. 2 ENGINE - ACCESSORY GEARBOX							Component	ATA:72
PN:3036004-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-169019-03476	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-61-01, LMM 72-61-01									
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD54302	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 10 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD54312	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 11 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD54313	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 12 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD54751	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD54303	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD54304	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD54305	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 5 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD54306	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 6 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD54307	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 7 MAIN FUEL NOZZLE- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD54308	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 8 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD54309	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 9 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD54310	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD60722	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 10 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD60735	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 11 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD60736	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 12 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD60737	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD60724	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD60725	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD60727	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 5 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD60728	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 6 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD60730	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 7 MAIN FUEL NOZZLE- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD60731	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 8 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD60732	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-001	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 9 MAIN FUEL NOZZLE - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
PN:70040941-1	MOS/MSC	15-Oct-19	N/A						
SN:AAD60734	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-002	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 START FUEL NOZZLE							Service	ATA:73
PN:3034073-1	MOS	15-Oct-19	OVERHAUL						
SN:18-169016-01935	HRS	0	2250 (+100)		(2250) 2251.9	2350	1411.5 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-002	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 START FUEL NOZZLE							Service	ATA:73
PN:3034073-1	MOS	15-Oct-19	OVERHAUL						
SN:18-169016-01936	HRS	0	2250 (+100)		(2250) 2251.9	2350	1411.5 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-002 NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 START FUEL NOZZLE								
PN:3034073-1	MOS		15-Oct-19					Service ATA:73 OVERHAUL
SN:18-169016-02013	HRS	0	2250 (+100)		(2250) 2251.9	2350	1411.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REF								
73-10-00-002 NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 START FUEL NOZZLE								
PN:3034073-1	MOS		15-Oct-19					Service ATA:73 OVERHAUL
SN:18-169016-02015	HRS	0	2250 (+100)		(2250) 2251.9	2350	1411.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REF								
73-10-00-002 NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 START FUEL NOZZLE								
PN:3034073-1	MOS		15-Oct-19					Service ATA:73 OVERHAUL
SN:18-169016-02251	HRS	0	2250 (+100)		(2250) 2251.9	2350	1411.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REF								
73-10-00-002 NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 START FUEL NOZZLE								
PN:3034073-1	MOS		15-Oct-19					Service ATA:73 OVERHAUL
SN:18-169016-02252	HRS	0	2250 (+100)		(2250) 2251.9	2350	1411.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REF								
73-10-00-002 NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 START FUEL NOZZLE								
PN:3034073-1	MOS		15-Oct-19					Service ATA:73 OVERHAUL
SN:18-169016-02257	HRS	0	2250 (+100)		(2250) 2251.9	2350	1411.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REF								
73-10-00-002 NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 START FUEL NOZZLE								
PN:3034073-1	MOS		15-Oct-19					Service ATA:73 OVERHAUL
SN:18-169016-02264	HRS	0	2250 (+100)		(2250) 2251.9	2350	1411.5 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-004	NO. 1 ENGINE - DISCARD OF FUEL FILTER ELEMENT- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
	PROC. REF: AMM 73-10-06								
73-10-00-004	NO. 2 ENGINE - DISCARD OF FUEL FILTER ELEMENT- POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:73
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
	PROC. REF: AMM 73-10-06								
73-10-00-005 ^S	NO. 1 ENGINE - VISUAL CHECK FUEL FILTER MECHANICAL DIFFERENTIAL PRESSURE INDICATOR							Service	ATA:73
	MOS	14-Oct-22							
	HRS	606.6	750 (+37/-37)						
	ENC	341							
	PROC. REF: GENERIC NO REF							PKG:1	
73-10-00-005 ^S	NO. 2 ENGINE - VISUAL CHECK FUEL FILTER MECHANICAL DIFFERENTIAL PRESSURE INDICATOR							Service	ATA:73
	MOS	14-Oct-22							
	HRS	606.6	750 (+37/-37)						
	ENC	341							
	PROC. REF: GENERIC NO REF							PKG:1	
73-10-00-006	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:73
	MOS	28-Sep-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
	PROC. REF: GENERIC NO REF								
73-10-00-006	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 10 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:73
	MOS	28-Sep-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-006	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 11 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	28-Sep-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
	PROC. REF: GENERIC NO REF							
73-10-00-006	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 12 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	28-Sep-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
	PROC. REF: GENERIC NO REF							
73-10-00-006	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	28-Sep-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
	PROC. REF: GENERIC NO REF							
73-10-00-006	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	28-Sep-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
	PROC. REF: GENERIC NO REF							
73-10-00-006	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	28-Sep-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-006	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 5 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	28-Sep-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
PROC. REF: GENERIC NO REF								
73-10-00-006	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 6 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	28-Sep-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
PROC. REF: GENERIC NO REF								
73-10-00-006	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 7 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	28-Sep-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
PROC. REF: GENERIC NO REF								
73-10-00-006	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 8 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	28-Sep-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
PROC. REF: GENERIC NO REF								
73-10-00-006	NO. 1 ENGINE - RESTORATION (OVERHAUL) OF NO. 9 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	28-Sep-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-10-00-006	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 1 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	02-Oct-18						
	HRS	0	4000		(4000) 4001.9		3161.5	
	ENC	0						
	PROC. REF: GENERIC NO REF							
73-10-00-006	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 10 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	02-Oct-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
	PROC. REF: GENERIC NO REF							
73-10-00-006	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 11 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	02-Oct-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
	PROC. REF: GENERIC NO REF							
73-10-00-006	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 12 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	02-Oct-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
	PROC. REF: GENERIC NO REF							
73-10-00-006	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 2 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service ATA:73
	MOS	02-Oct-18						
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)	
	ENC	0						
	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-006	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 3 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:73
	MOS	02-Oct-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-006	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 4 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:73
	MOS	02-Oct-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-006	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 5 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:73
	MOS	02-Oct-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-006	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 6 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:73
	MOS	02-Oct-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
PROC. REF: GENERIC NO REF									
73-10-00-006	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 7 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:73
	MOS	02-Oct-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-00-006	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 8 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:73
	MOS	02-Oct-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
	PROC. REF: GENERIC NO REF								
73-10-00-006	NO. 2 ENGINE - RESTORATION (OVERHAUL) OF NO. 9 MAIN FUEL NOZZLE - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:73
	MOS	02-Oct-18							
	HRS	0	4000 (+37/-37)		(4000) 4001.9	4037	3161.5 (+37)		
	ENC	0							
	PROC. REF: GENERIC NO REF								
73-10-00-007	NO. 1 ENGINE - DISCARD OF ENGINE FUEL FILTER ELEMENT - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:73
	MOS	28-Sep-18						DISCARD	
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
	PROC. REF: AMM 73-10-06								
73-10-00-007	NO. 2 ENGINE - DISCARD OF ENGINE FUEL FILTER ELEMENT - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:73
	MOS	02-Oct-18						DISCARD	
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
	PROC. REF: AMM 73-10-06								
731000 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE FUEL SYSTEM COMPONENTS AND TUBING							Service	ATA:73
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
	PROC. REF: GENERIC NO REF								
	PKG:5								
731000 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE FUEL SYSTEM COMPONENTS AND TUBING							Service	ATA:73
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
	PROC. REF: GENERIC NO REF								
	PKG:5								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731002		NO. 1 ENGINE - FLOW DIVIDER BODY ASSEMBLY					Component ATA:73		
PN:2690213	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:005101-A0033	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-04, LMM 73-10-04									
731002		NO. 2 ENGINE - FLOW DIVIDER BODY ASSEMBLY					Component ATA:73		
PN:2690213	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:005101-10879	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-04, LMM 73-10-04									
731003		NO. 1 ENGINE - FLOW DIVIDER MATCHED VALVE AND SLEEVE ASSEMBLY					Component ATA:73		
PN:2688069	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150592-1194	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731003		NO. 2 ENGINE - FLOW DIVIDER MATCHED VALVE AND SLEEVE ASSEMBLY					Component ATA:73		
PN:2688069	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150592-1138	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731004		NO. 1 ENGINE - FLOW DIVIDER					Component ATA:73		
PN:442425	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:FDAZ2248	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-04, LMM 73-10-04									
731004		NO. 2 ENGINE - FLOW DIVIDER					Component ATA:73		
PN:442425	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:FDAZ2189	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-04, LMM 73-10-04									
731005		NO. 1 ENGINE - FUEL OIL HEATER					Component ATA:73		
PN:160658-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:2394	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731005		NO. 2 ENGINE - FUEL OIL HEATER					Component ATA:73		
PN:160658-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:2395	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
731006		NO. 1 ENGINE - NO. 1 FILTER ASSEMBLY MODULE					Component ATA:73		
PN:442322	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:FMJ2278	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: LMM 73-10-06, LMM 73-10-06									
731006		NO. 2 ENGINE - NO. 1 FILTER ASSEMBLY MODULE					Component ATA:73		
PN:442322	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:FMJ2284	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: LMM 73-10-06, LMM 73-10-06									
731007		NO. 1 ENGINE - NO. 1 FILTER MODULE HOUSING ASSEMBLY					Component ATA:73		
PN:2688742	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:005101-X-151960	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
731007		NO. 2 ENGINE - NO. 1 FILTER MODULE HOUSING ASSEMBLY					Component ATA:73		
PN:2688742	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:005101-X-151998	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
731008		NO. 1 ENGINE - NO. 1 MATCHED FILTER BYPASS VALVE AND SLEEVE ASSEMBLY					Component ATA:73		
PN:2687210	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150529-1642	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									
731008		NO. 2 ENGINE - NO. 1 MATCHED FILTER BYPASS VALVE AND SLEEVE ASSEMBLY					Component ATA:73		
PN:2687210	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150529-1760	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731010		NO. 1 ENGINE - MAIN FUEL PUMP						Component	ATA:73
PN:2688676	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18ANL2478	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-10, LMM 73-10-10									
731010		NO. 2 ENGINE - MAIN FUEL PUMP						Component	ATA:73
PN:2688676	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:17ANL2310	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-10, LMM 73-10-10									
731012		NO. 1 ENGINE - MATCHED PRESSURIZING VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2687693	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150529-1831	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731012		NO. 2 ENGINE - MATCHED PRESSURIZING VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2687693	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150529-1578	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731013		NO. 1 ENGINE - MATCHED BYPASS VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2687957	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150529-1114	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731013		NO. 2 ENGINE - MATCHED BYPASS VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2687957	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150529-0814	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
731014		NO. 1 ENGINE - MATCHED VALVE AND SLEEVE ASSEMBLY						Component	ATA:73
PN:2687127	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150529-1936	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731014	NO. 2 ENGINE - MATCHED VALVE AND SLEEVE ASSEMBLY							Component	ATA:73
PN:2687127	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:150529-1787	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
732001	NO. 1 ENGINE - MAIN FUEL CONTROL							Component	ATA:73
PN:442650	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:FHC2383	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-20-01, LMM 73-20-01									
732001	NO. 2 ENGINE - MAIN FUEL CONTROL							Component	ATA:73
PN:442650	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:FHC2207	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-20-01, LMM 73-20-01									
732025	NO. 1 ENGINE - NO. 1 MAIN FUEL INJECTION NOZZLE							Component	ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:AAD54302	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03									
732025	NO. 2 ENGINE - NO. 1 MAIN FUEL INJECTION NOZZLE							Component	ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:AAD60722	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03									
732026	NO. 1 ENGINE - NO. 2 MAIN FUEL INJECTION NOZZLE							Component	ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:AAD54303	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03									
732026	NO. 2 ENGINE - NO. 2 MAIN FUEL INJECTION NOZZLE							Component	ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:AAD60724	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-10-03, LMM 73-10-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732027 NO. 1 ENGINE - NO. 3 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD54304	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732027 NO. 2 ENGINE - NO. 3 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD60725	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732028 NO. 1 ENGINE - NO. 4 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD54305	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732028 NO. 2 ENGINE - NO. 4 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD60727	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732029 NO. 1 ENGINE - NO. 5 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD54306	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732029 NO. 2 ENGINE - NO. 5 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD60728	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732030 NO. 1 ENGINE - NO. 6 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD54307	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732030 NO. 2 ENGINE - NO. 6 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD60730	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732031 NO. 1 ENGINE - NO. 7 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD54308	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732031 NO. 2 ENGINE - NO. 7 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD60731	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732032 NO. 1 ENGINE - NO. 8 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD54309	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732032 NO. 2 ENGINE - NO. 8 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD60732	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732033 NO. 1 ENGINE - NO. 9 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD54310	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732033 NO. 2 ENGINE - NO. 9 MAIN FUEL INJECTION NOZZLE								Component ATA:73
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD60734	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732034 NO. 1 ENGINE - NO. 10 MAIN FUEL INJECTION NOZZLE Component ATA:73								
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD54312	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732034 NO. 2 ENGINE - NO. 10 MAIN FUEL INJECTION NOZZLE Component ATA:73								
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD60735	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732035 NO. 1 ENGINE - NO. 11 MAIN FUEL INJECTION NOZZLE Component ATA:73								
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD54313	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732035 NO. 2 ENGINE - NO. 11 MAIN FUEL INJECTION NOZZLE Component ATA:73								
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD60736	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732036 NO. 1 ENGINE - NO. 12 MAIN FUEL INJECTION NOZZLE Component ATA:73								
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD54751	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732036 NO. 2 ENGINE - NO. 12 MAIN FUEL INJECTION NOZZLE Component ATA:73								
PN:70040941-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:AAD60737	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								
732040 NO. 1 ENGINE - NO. 1 START FUEL NOZZLE Component ATA:73								
PN:3034073-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:18-169016-01935	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732040		NO. 2 ENGINE - NO. 1 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:18-169016-02251	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03									
732041		NO. 1 ENGINE - NO. 2 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:18-169016-01936	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03									
732041		NO. 2 ENGINE - NO. 2 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:18-169016-02252	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03									
732042		NO. 1 ENGINE - NO. 3 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:18-169016-02013	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03									
732042		NO. 2 ENGINE - NO. 3 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:18-169016-02257	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03									
732043		NO. 1 ENGINE - NO. 4 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:18-169016-02015	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03									
732043		NO. 2 ENGINE - NO. 4 START FUEL NOZZLE						Component	ATA:73
PN:3034073-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:18-169016-02264	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-10-03, LMM 73-10-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732061 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE P3 SENSOR LINE							Service	ATA:73
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
	PROC. REF: GENERIC NO REF							PKG:5	
732061 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE P3 SENSOR LINE							Service	ATA:73
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
	PROC. REF: GENERIC NO REF							PKG:5	
733001	NO. 1 ENGINE - FUEL PRESSURE SWITCH							Component	ATA:73
PN:3038066-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1816216701729	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 73-30-01, LMM 73-30-01								
733001	NO. 2 ENGINE - FUEL PRESSURE SWITCH							Component	ATA:73
PN:3038066-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1816216701749	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 73-30-01, LMM 73-30-01								
733002	NO. 1 ENGINE - FUEL FLOWMETER							Component	ATA:73
PN:70040305-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-152330-00324	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 73-30-02, LMM 73-30-02								
733002	NO. 2 ENGINE - FUEL FLOWMETER							Component	ATA:73
PN:70040305-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-152330-00326	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 73-30-02, LMM 73-30-02								
733005	NO. 1 ENGINE - DUAL FUNCTION FUEL SWITCH							Component	ATA:73
PN:2718964	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:2153	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 73-30-05, LMM 73-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
733005	NO. 2 ENGINE - DUAL FUNCTION FUEL SWITCH							Component	ATA:73
PN:2718964	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:2164	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-30-05, LMM 73-30-05									
ATA 74 - IGNITION									
74-10-02-710-801-A	IGNITION CONTROL PANEL - OPERATIONAL TEST							Service	ATA:74
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 74-10-02									
74-20-00-002	NO. 1 ENGINE - DETAILED INSPECTION OF IGNITION LEAD ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:74
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: LMM 74-20-01									
74-20-00-002	NO. 2 ENGINE - DETAILED INSPECTION OF IGNITION LEAD ASSEMBLY - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)							Service	ATA:74
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: LMM 74-20-01									
74-20-00-003	NO. 1 ENGINE - DETAILED INSPECTION OF ENGINE IGNITION LEAD ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:74
	MOS	28-Sep-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: LMM 74-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
74-20-00-003	NO. 2 ENGINE - DETAILED INSPECTION OF ENGINE IGNITION LEAD ASSEMBLY - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:74
	MOS	02-Oct-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: LMM 74-20-01									
741023-0101	CSL CENT IGNITION CONTROL PANEL ASSY							Component	ATA:74
PN:431800-002	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:431800AA0164	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 74-10-02, AMM 74-10-02									
741110	NO. 1 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:3038100-6	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1816250400815	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01, LMM 74-10-01									
741110	NO. 2 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:3038100-6	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1816250400820	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01, LMM 74-10-01									
ATA 75 - AIR									
75-21-00-003	NO. 1 ENGINE - HP TURBINE (HPT1) SEAL PLATE							Component	ATA:75
PN:70040044-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:1818244927186	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
75-21-00-003	NO. 2 ENGINE - HP TURBINE (HPT1) SEAL PLATE							Component	ATA:75
PN:70040044-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:1818244927786	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-21-00-010	NO. 1 ENGINE - OPERATIONAL CHECK OF COOLING TUBE CHECK VALVES - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:75
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
75-21-00-010	NO. 2 ENGINE - OPERATIONAL CHECK OF COOLING TUBE CHECK VALVES - POST-MOD HONEYWELL SB (AS907-76-9021 AND AS907-72-9001)								Service ATA:75
	MOS/MSC	15-Oct-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
75-21-00-011	NO. 1 ENGINE - HP TURBINE (HPT2) SEAL PLATE								Component ATA:75
PN:3035109-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:1818244926804	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
75-21-00-011	NO. 2 ENGINE - HP TURBINE (HPT2) SEAL PLATE								Component ATA:75
PN:3035109-1	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:1818244926811	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
75-21-00-012	NO. 1 ENGINE - HPT1 SEAL PLATE (DRIVE ARM) COUPLER								Component ATA:75
PN:3035030-3	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-04381	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
75-21-00-012	NO. 2 ENGINE - HPT1 SEAL PLATE (DRIVE ARM) COUPLER								Component ATA:75
PN:3035030-3	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162246-04397	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-21-00-013	NO. 1 ENGINE - HP TURBINE (HPT2) COUPLER							Component	ATA:75
PN:3035053-2	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-1034-13930	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
75-21-00-013	NO. 2 ENGINE - HP TURBINE (HPT2) COUPLER							Component	ATA:75
PN:3035053-2	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-1034-13940	HRS	0		TSN 0					
	ENC	0	15000	TSN 0	(15000) 15000		14548		
PROC. REF: LMM 05-10-00, GENERIC NO REF									
75-21-00-014	NO. 1 ENGINE - OPERATIONAL CHECK OF COOLING TUBE CHECK VALVES - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:75
	MOS	28-Sep-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
75-21-00-014	NO. 2 ENGINE - OPERATIONAL CHECK OF COOLING TUBE CHECK VALVES - PRE-MOD HONEYWELL SB (AS907-76-9021 OR AS907-72-9001)							Service	ATA:75
	MOS	02-Oct-18							
	HRS	0	4000		(4000) 4001.9		3161.5		
	ENC	0							
PROC. REF: GENERIC NO REF									
75-40-01-100-801-A01	NO. 1 ENGINE - T2 SENSOR - CLEANING							Service	ATA:75
PN:3038225-2	MOS/MSC	17-Jul-19	A/R						
SN:1816901761511	HRS	0							
	ENC	0							
PROC. REF: LMM 75-40-01									
75-40-01-100-801-A01	NO. 2 ENGINE - T2 SENSOR - CLEANING							Service	ATA:75
PN:3038225-2	MOS/MSC	17-Jul-19	A/R						
SN:1816901761492	HRS	0							
	ENC	0							
PROC. REF: LMM 75-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-40-01-200-801-A01		NO. 1 ENGINE - T2 SENSOR INSPECTION - CHECK							Service ATA:75
PN:3038225-2	MOS/MSC		17-Jul-19	A/R					
SN:1816901761511	HRS	0							
	ENC	0							
PROC. REF: LMM 75-40-01									
75-40-01-200-801-A01		NO. 2 ENGINE - T2 SENSOR INSPECTION - CHECK							Service ATA:75
PN:3038225-2	MOS/MSC		17-Jul-19	A/R					
SN:1816901761492	HRS	0							
	ENC	0							
PROC. REF: LMM 75-40-01									
75-40-01-700-801-A01		NO. 1 ENGINE - T2 SENSOR TESTING							Service ATA:75
PN:3038225-2	MOS/MSC		17-Jul-19	A/R					
SN:1816901761511	HRS	0							
	ENC	0							
PROC. REF: LMM 75-40-01									
75-40-01-700-801-A01		NO. 2 ENGINE - T2 SENSOR TESTING							Service ATA:75
PN:3038225-2	MOS/MSC		17-Jul-19	A/R					
SN:1816901761492	HRS	0							
	ENC	0							
PROC. REF: LMM 75-40-01									
75-40-01-920-001-A01		NO. 1 ENGINE - T2 SENSOR							Component ATA:75
PN:3038225-2	MOS/MSC		17-Jul-19	O/C	TSN 0				
SN:1816901761511	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 75-40-01, LMM 75-40-01									
75-40-01-920-001-A01		NO. 2 ENGINE - T2 SENSOR							Component ATA:75
PN:3038225-2	MOS/MSC		17-Jul-19	O/C	TSN 0				
SN:1816901761492	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 75-40-01, LMM 75-40-01									
752001 ^S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE COOLING TUBES AND ATTACHMENT HARDWARE							Service ATA:75
	MOS		15-Oct-19						
	HRS	0		4500 (+100)					
	ENC	0							
PROC. REF: LMM 75-20-01									

PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
752001 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION ENGINE LP TURBINE COOLING TUBES AND ATTACHMENT HARDWARE							Service	ATA:75
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
	PROC. REF: LMM 75-20-01								PKG:5
752001-0101	LH ENGINE PNEUMATIC CHECK VALVE							Component	ATA:75
PN:70040388-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:408	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM GENERIC 2								
752001-0102	RH ENGINE PNEUMATIC CHECK VALVE							Component	ATA:75
PN:70040388-1	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:403	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM GENERIC 2								
753002	NO. 1 ENGINE - NO. 1 MAIN SURGE SOLENOID BLEED VALVE							Component	ATA:75
PN:540-1796-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:4621	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 75-30-03, LMM 75-30-03								
753002	NO. 2 ENGINE - NO. 1 MAIN SURGE SOLENOID BLEED VALVE							Component	ATA:75
PN:540-1796-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:4622	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 75-30-03, LMM 75-30-03								
753003	NO. 1 ENGINE - NO. 2 MAIN SURGE SOLENOID BLEED VALVE							Component	ATA:75
PN:540-1796-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:4643	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 75-30-03, LMM 75-30-03								
753003	NO. 2 ENGINE - NO. 2 MAIN SURGE SOLENOID BLEED VALVE							Component	ATA:75
PN:540-1796-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:4623	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 75-30-03, LMM 75-30-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
753004	NO. 1 ENGINE - TRIM SURGE SOLENOID BLEED VALVE							Component	ATA:75
PN:540-1798-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:2396	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-04, LMM 75-30-04									
753004	NO. 2 ENGINE - TRIM SURGE SOLENOID BLEED VALVE							Component	ATA:75
PN:540-1798-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:2387	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-04, LMM 75-30-04									
753006	NO. 1 ENGINE - CVG ACUTATOR							Component	ATA:75
PN:442321	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:ACD2280	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-06, LMM 75-30-06									
753006	NO. 2 ENGINE - CVG ACUTATOR							Component	ATA:75
PN:442321	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:ACD2276	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-06, LMM 75-30-06									
753007	NO. 1 ENGINE - CVG ACTUATOR HOUSING ASSEMBLY							Component	ATA:75
PN:2687477	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:005101-A0148	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
753007	NO. 2 ENGINE - CVG ACTUATOR HOUSING ASSEMBLY							Component	ATA:75
PN:2687477	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:005101-A0140	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
753010 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE COMPRESSOR VG ASSEMBLY							Service	ATA:75
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									

PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
753010 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE COMPRESSOR VG ASSEMBLY							Service	ATA:75
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
	PROC. REF: GENERIC NO REF								PKG:5
ATA 76 - ENGINE CONTROLS									
76-10-03-200-801-A01	NO. 1 ENGINE - P3 LEFT SIDE TUBE - INSPECTION/CHECK							Service	ATA:76
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 76-10-03								
76-10-03-200-801-A01	NO. 1 ENGINE - P3 RIGHT SIDE TUBE - INSPECTION/CHECK							Service	ATA:76
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 76-10-03								
76-10-03-200-801-A01	NO. 2 ENGINE - P3 LEFT SIDE TUBE - INSPECTION/CHECK							Service	ATA:76
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 76-10-03								
76-10-03-200-801-A01	NO. 2 ENGINE - P3 RIGHT SIDE TUBE - INSPECTION/CHECK							Service	ATA:76
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 76-10-03								
76-10-05-200 ^S	NO. 1 ENGINE - DETAILED INSPECTION OF THE ECU							Service	ATA:76
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
	PROC. REF: LMM 76-10-05								PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
76-10-05-200 ^S		NO. 2 ENGINE - DETAILED INSPECTION OF THE ECU						Service	ATA:76
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: LMM 76-10-05								PKG:5	
76-10-05-710-801-A		THRUST CONTROL QUADRANT (TCQ) - OPERATIONAL TEST						Service	ATA:76
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 76-10-05									
76-10-05-900-801-A		THRUST CONTROL QUADRANT (TCQ)						Component	ATA:76
PN:PN	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 76-10-05, AMM 76-10-05									
76-20-00-004		NO. 1 ENGINE - N1 OVERSPEED SHUT-OFF DETECTOR						Component	ATA:76
PN:3034256-4	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162151-00421	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-10-00, GENERIC NO REF									
76-20-00-004		NO. 2 ENGINE - N1 OVERSPEED SHUT-OFF DETECTOR						Component	ATA:76
PN:3034256-4	MOS	17-Jul-19		TSN 0				LIFE LIMIT	
SN:18-162151-00419	HRS	0	15000	TSN 0	(15000) 15001.9		14161.5		
	ENC	0		TSN 0					
PROC. REF: LMM 05-10-00, GENERIC NO REF									
761001-0101		CSL CENT AL THROTTLE CONTROL LEVER ASSY						Component	ATA:76
PN:3001-1M04	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:CD00194	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM GENERIC 2									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
761010 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE PERMANENT MAGNET ALTERNATOR (PMA)							Service	ATA:76
	MOS		15-Oct-19						
	HRS	0	4500 (+100)						
	ENC	0							
	PROC. REF: GENERIC NO REF							PKG:5	
761010 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE PERMANENT MAGNET ALTERNATOR (PMA)							Service	ATA:76
	MOS		15-Oct-19						
	HRS	0	4500 (+100)						
	ENC	0							
	PROC. REF: GENERIC NO REF							PKG:5	
761020	NO. 1 ENGINE - A (ECU) ELECTRONIC CONTROL UNIT							Component	ATA:76
PN:2119576-4203	MOS/MSC		17-Jul-19	O/C	TSN 0				
SN:78-AL0169	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: LMM 76-10-05, LMM 76-10-05								
761020	NO. 1 ENGINE - B (ECU) ELECTRONIC CONTROL UNIT							Component	ATA:76
PN:2119576-4203	MOS/MSC		17-Jul-19	O/C	TSN 0				
SN:78-AL0171	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: LMM 76-10-05, LMM 76-10-05								
761020	NO. 2 ENGINE - A (ECU) ELECTRONIC CONTROL UNIT							Component	ATA:76
PN:2119576-4203	MOS/MSC		17-Jul-19	O/C	TSN 0				
SN:78-AL0164	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: LMM 76-10-05, LMM 76-10-05								
761020	NO. 2 ENGINE - B (ECU) ELECTRONIC CONTROL UNIT							Component	ATA:76
PN:2119576-4203	MOS/MSC		17-Jul-19	O/C	TSN 0				
SN:78-AL0170	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: LMM 76-10-05, LMM 76-10-05								
ATA 77 - ENGINE INDICATING									
77-20-01-200-801-A01	NO. 1 ENGINE - NO. 1 EGT PROBE AND ASSEMBLY - INSPECTION/CHECK							Service	ATA:77
	MOS/MSC		17-Jul-19	A/R				UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
PROC. REF: LMM 77-20-01								
77-20-01-200-801-A01	NO. 1 ENGINE - NO. 2 EGT PROBE AND ASSEMBLY - INSPECTION/CHECK							Service ATA:77 UNSCHEDULED MAINTENANCE CHECK
	MOS/MSC	17-Jul-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01								
77-20-01-200-801-A01	NO. 2 ENGINE - NO. 1 EGT PROBE AND ASSEMBLY - INSPECTION/CHECK							Service ATA:77 UNSCHEDULED MAINTENANCE CHECK
	MOS/MSC	17-Jul-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01								
77-20-01-200-801-A01	NO. 2 ENGINE - NO. 2 EGT PROBE AND ASSEMBLY - INSPECTION/CHECK							Service ATA:77 UNSCHEDULED MAINTENANCE CHECK
	MOS/MSC	17-Jul-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01								
77-20-01-700-801-A01	NO. 1 ENGINE - NO. 1 EGT PROBE AND ASSEMBLY - TESTING							Service ATA:77 UNSCHEDULED MAINTENANCE CHECK
	MOS/MSC	17-Jul-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01								
77-20-01-700-801-A01	NO. 1 ENGINE - NO. 2 EGT PROBE AND ASSEMBLY - TESTING							Service ATA:77 UNSCHEDULED MAINTENANCE CHECK
	MOS/MSC	17-Jul-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01								
77-20-01-700-801-A01	NO. 2 ENGINE - NO. 1 EGT PROBE AND ASSEMBLY - TESTING							Service ATA:77 UNSCHEDULED MAINTENANCE CHECK
	MOS/MSC	17-Jul-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 77-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
77-20-01-700-801-A01	NO. 2 ENGINE - NO. 2 EGT PROBE AND ASSEMBLY – TESTING							Service	ATA:77
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 77-20-01									
77-20-01-920-801-A01	NO. 1 ENGINE - NO. 1 EXHAUST GAS TEMPERATURE (EGT) PROBE							Component	ATA:77
PN:70040125-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:1715027700180	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 77-20-01, LMM 77-20-01									
77-20-01-920-801-A01	NO. 1 ENGINE - NO. 2 EXHAUST GAS TEMPERATURE (EGT) PROBE							Component	ATA:77
PN:70040125-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:1815027700126	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 77-20-01, LMM 77-20-01									
77-20-01-920-801-A01	NO. 2 ENGINE - NO. 1 EXHAUST GAS TEMPERATURE (EGT) PROBE							Component	ATA:77
PN:70040125-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:1715027700159	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 77-20-01, LMM 77-20-01									
77-20-01-920-801-A01	NO. 2 ENGINE - NO. 2 EXHAUST GAS TEMPERATURE (EGT) PROBE							Component	ATA:77
PN:70040125-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:1815027700162	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 77-20-01, LMM 77-20-01									
77-42-01-710-801-A	EVENT MARKER TO CONFIG CONTROL PANEL - OPERATIONAL TEST							Service	ATA:77
	MOS/MSC	15-Oct-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
PROC. REF: AMM 77-42-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
771001	NO. 1 ENGINE - N1 SPEED SENSOR MONOPOLE							Component	ATA:77
PN:3038500-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-123112-02583	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-10-01, LMM 77-10-01									
771001	NO. 2 ENGINE - N1 SPEED SENSOR MONOPOLE							Component	ATA:77
PN:3038500-2	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-123112-02575	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-10-01, LMM 77-10-01									
771003	NO. 1 ENGINE - COMPENSATOR							Component	ATA:77
PN:3060735-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1816909400057	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-10-03, LMM 77-10-03									
771003	NO. 2 ENGINE - COMPENSATOR							Component	ATA:77
PN:3060735-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1816909400643	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-10-03, LMM 77-10-03									
771005 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION N2 SPEED SENSOR							Service	ATA:77
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: LMM 77-10-05									
771005 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION N2 SPEED SENSOR							Service	ATA:77
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: LMM 77-10-05									
771006	NO. 1 ENGINE - DUAL IN-LINE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER							Component	ATA:77
PN:2718896	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:3376	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771006 NO. 2 ENGINE - DUAL IN-LINE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER								Component ATA:77
PN:2718896	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:3215	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
771007 NO. 1 ENGINE - DUAL IN-LINE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER								Component ATA:77
PN:2718897	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:3251	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
771007 NO. 2 ENGINE - DUAL IN-LINE LINEAR VARIABLE DIFFERENTIAL TRANSFORMER								Component ATA:77
PN:2718897	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:3260	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
771008 NO. 1 ENGINE - CORE ASSEMBLY								Component ATA:77
PN:2372677-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:1402	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
771008 NO. 2 ENGINE - CORE ASSEMBLY								Component ATA:77
PN:2372677-1	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:11171235	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
773001 NO. 1 ENGINE - VIBRATION SENSOR TRANSDUCER								Component ATA:77
PN:3038503-2	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:1816328722257	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-30-01, LMM 77-30-01								
773001 NO. 2 ENGINE - VIBRATION SENSOR TRANSDUCER								Component ATA:77
PN:3038503-2	MOS/MSC	17-Jul-19	O/C	TSN 0				
SN:1816328722344	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-30-01, LMM 77-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
78-30-00-001 ^S	DETAILED INSPECTION OF THRUST REVERSER SEALS							Service	ATA:78
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 78-31-04							PKG:15	
78-30-00-003 ^S	DETAILED INSPECTION OF THRUST REVERSER PIVOT DOOR MOUNTING BEAMS							Service	ATA:78
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 78-31-00							PKG:15	
78-30-00-004 ^S	DETAILED INSPECTION OF S HOOK ASSEMBLIES							Service	ATA:78
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 78-32-04							PKG:15	
78-30-00-005 ^S	DETAILED INSPECTION OF PIVOT DOOR HOOKS							Service	ATA:78
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 78-32-05							PKG:15	
78-30-00-006 ^S	DETAILED INSPECTION OF PIVOT DOORS							Service	ATA:78
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 78-31-00							PKG:15	
78-30-00-007 ^S	GENERAL VISUAL INSPECTION OF THRUST REVERSER FIREWALL							Service	ATA:78
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 78-31-00							PKG:15	
78-30-00-008 ^S	DETAILED INSPECTION OF PIVOT DOOR ACTUATORS AND ATTACHMENT HARDWARE							Service	ATA:78
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 78-32-01							PKG:15	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
78-30-00-009 ^S	DETAILED INSPECTION OF ELECTRO-HYDRAULIC LOCK ASSEMBLY							Service	ATA:78
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 78-32-03							PKG:15	
78-30-00-010 ^S	DETAILED INSPECTION OF HYDRAULIC LOCK ASSEMBLY							Service	ATA:78
	MOS	15-Oct-19							
	HRS	0	3750 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 78-32-02							PKG:15	
78-30-00-012 ^S	OPERATIONAL CHECK OF ELECTRO-HYDRAULIC LOCK ASSEMBLY							Service	ATA:78
	MOS	15-Oct-19							
	HRS	0	7500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 78-32-03							PKG:20	
78-30-00-013 ^S	OPERATIONAL CHECK OF PIVOT DOOR ACTUATOR INTERNAL LOCK							Service	ATA:78
	MOS	15-Oct-19							
	HRS	0	1500 (+37/-37)						
	AFL	0							
	PROC. REF: AMM 78-32-01							PKG:5	
78-31-01-001 ^S	INTERNAL DETAILED INSPECTION OF THRUST REVERSER HOOK LOCKINGS							Service	ATA:78
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 78-31-00							PKG:60	
78-31-02-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THRUST REVERSER FRONT FLANGE							Service	ATA:78
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 78-31-00							PKG:60	
78-31-03-001 ^S	INTERNAL DETAILED INSPECTION OF THRUST REVERSER PIVOT SURROUNDING STRUCTURE AND PINS							Service	ATA:78
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
	PROC. REF: NDT 78-31-00							PKG:90	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
78-31-04-001 ^S		INTERNAL DETAILED INSPECTION OF THRUST REVERSER ACTUATOR FITTINGS AND SUPPORT FITTINGS					Service	ATA:78	
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: NDT 78-31-00			PKG:90	
78-31-05-001 ^S		INTERNAL DETAILED INSPECTION OF THRUST REVERSER REAR BULKHEAD					Service	ATA:78	
	MOS	15-Oct-19	T:120 (+15d/-15d)						
	HRS	0							
	AFL	0							
					PROC. REF: NDT 78-31-00			PKG:90	
783001		NO. 1 ENGINE - THRUST REVERSER SWITCH					Component	ATA:78	
PN:3038459-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1815154511268	HRS	0		TSN 0					
	ENC	0		TSN 0					
					PROC. REF: LMM 78-30-01, LMM 78-30-01				
783001		NO. 2 ENGINE - THRUST REVERSER SWITCH					Component	ATA:78	
PN:3038459-4	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1815154511426	HRS	0		TSN 0					
	ENC	0		TSN 0					
					PROC. REF: LMM 78-30-01, LMM 78-30-01				
783101-0101		LEFT THRUST REVERSER ASSEMBLY					Component	ATA:78	
PN:32A712-03-0G	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:TR283	HRS	0		TSN 0					
	AFL	0		TSN 0					
					PROC. REF: AMM 78-31-01, AMM 78-31-01				
783101-0102		RIGHT THRUST REVERSER ASSEMBLY					Component	ATA:78	
PN:32A713-03-0G	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:TR284	HRS	0		TSN 0					
	AFL	0		TSN 0					
					PROC. REF: AMM 78-31-01, AMM 78-31-01				
783310-0101		GEN 1 ALUMINIUM ALLOY THRUST REVERSER ISOLATION CONTROL UNIT					Component	ATA:78	
PN:P518A0001-00	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:21363255	HRS	0		TSN 0					
	AFL	0		TSN 0					
					PROC. REF: AMM 78-33-01, AMM 78-33-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783310-0102	GEN 3 ALUMINIUM ALLOY THRUST REVERSER ISOLATION CONTROL UNIT							Component	ATA:78
PN:P518A0001-00	MOS/MSC	15-Oct-19	O/C	TSN 0					
SN:21375490	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-33-01, AMM 78-33-01									
ATA 79 - OIL									
79-20-00-002 ^S	NO. 1 ENGINE - DISCARD OF ENGINE OIL FILTER ELEMENT							Service	ATA:79
	MOS	14-Oct-22							
	HRS	606.6	750 (+37/-37)						
	ENC	341							
PROC. REF: AMM 79-20-01									
79-20-00-002 ^S	NO. 2 ENGINE - DISCARD OF ENGINE OIL FILTER ELEMENT							Service	ATA:79
	MOS	14-Oct-22							
	HRS	606.6	750 (+37/-37)						
	ENC	341							
PROC. REF: AMM 79-20-01									
79-20-00-003	NO. 1 ENGINE - SERVICING OF ENGINE OIL							Service	ATA:79
	MOS	15-Oct-19							
	HRS	0	1500 (+100)		(1500) 1501.9	1600	661.5 (+100)		
	ENC	0							
PROC. REF: AMM 12-12-01									
79-20-00-003	NO. 2 ENGINE - SERVICING OF ENGINE OIL							Service	ATA:79
	MOS	15-Oct-19							
	HRS	0	1500 (+100)		(1500) 1501.9	1600	661.5 (+100)		
	ENC	0							
PROC. REF: AMM 12-12-01									
79-30-00-003	NO. 1 ENGINE - VISUAL CHECK OF COCKPIT OIL LEVEL INDICATION WITH OIL TANK SIGHT GLASS							Service	ATA:79
	MOS	14-Oct-22							
	HRS	606.6	750 (+37/-37)		(1356.6) 1358.5	1393.6	518.1 (+37)		
	ENC	341							
PROC. REF: AMM 79-32-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-30-00-003	NO. 2 ENGINE - VISUAL CHECK OF COCKPIT OIL LEVEL INDICATION WITH OIL TANK SIGHT GLASS							Service	ATA:79
	MOS	14-Oct-22							
	HRS	606.6	750 (+37/-37)		(1356.6) 1358.5	1393.6	518.1 (+37)		
	ENC	341							
PROC. REF: AMM 79-32-00									
79-30-00-003 ^U	VISUAL CHECK OF COCKPIT OIL LEVEL INDICATION WITH OIL TANK SIGHT GLASS							Service	ATA:79
	MOS	14-Oct-22							
	HRS	610	750 (+37/-37)		1360	1397	519.6 (+37)		
	AFL	341							
79-30-04-200-801-A01	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER – INSPECTION/CHECK							Service	ATA:79
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 79-30-04									
79-30-04-200-801-A01	NO. 2 ENGINE - OIL PRESSURE TRANSDUCER – INSPECTION/CHECK							Service	ATA:79
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 79-30-04									
79-30-04-700-801-A01	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER – TESTING							Service	ATA:79
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 79-30-04									
79-30-04-700-801-A01	NO. 2 ENGINE - OIL PRESSURE TRANSDUCER – TESTING							Service	ATA:79
	MOS/MSC	17-Jul-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: LMM 79-30-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-30-04-920-801-A01		NO. 1 ENGINE - OIL PRESSURE TRANSDUCER					Component	ATA:79	
PN:3038700-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1816206700233	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-04, LMM 79-30-04									
79-30-04-920-801-A01		NO. 2 ENGINE - OIL PRESSURE TRANSDUCER					Component	ATA:79	
PN:3038700-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:1816206700238	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-04, LMM 79-30-04									
792006		NO. 1 ENGINE - DE-OIL VALVE					Component	ATA:79	
PN:3038779-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150503-02230	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-06, LMM 79-20-06									
792006		NO. 2 ENGINE - DE-OIL VALVE					Component	ATA:79	
PN:3038779-3	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-150503-02254	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-06, LMM 79-20-06									
792010		NO. 1 ENGINE - OIL PUMP					Component	ATA:79	
PN:3038704-5	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162407-00528	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-04, LMM 79-20-04									
792010		NO. 2 ENGINE - OIL PUMP					Component	ATA:79	
PN:3038704-5	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-162407-00273	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-04, LMM 79-20-04									
793005		NO. 1 ENGINE - REMOTE OIL LEVEL SENSOR					Component	ATA:79	
PN:70040524-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-152330-00269	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-05, LMM 79-30-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793005	NO. 2 ENGINE - REMOTE OIL LEVEL SENSOR							Component	ATA:79
PN:70040524-1	MOS/MSC	17-Jul-19	O/C	TSN 0					
SN:18-152330-00139	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: LMM 79-30-05, LMM 79-30-05									
797118 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OIL SYSTEM EXTERNAL PLUMBING							Service	ATA:79
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									
PKG:5									
797118 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OIL SYSTEM EXTERNAL PLUMBING							Service	ATA:79
	MOS	15-Oct-19							
	HRS	0	4500 (+100)						
	ENC	0							
PROC. REF: GENERIC NO REF									
PKG:5									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PRAETOR 500 Serial: 55010058 RegNo: N500ML HRS: 840.4 AFL: 452 As Of: 20-Nov-2023

21-Nov-2023 11:08 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 80 - STARTING									
80-10-00-001 ^S	NO. 1 ENGINE - DRAIN AIR TURBINE STARTER OIL SYSTEM							Service	ATA:80
	MOS	14-Oct-22							
	HRS	606.6	750 (+100)						
	ENC	341							
					PROC. REF: AMM 12-12-03			PKG:1	
80-10-00-001 ^S	NO. 2 ENGINE - DRAIN AIR TURBINE STARTER OIL SYSTEM							Service	ATA:80
	MOS	14-Oct-22							
	HRS	606.6	750 (+100)						
	ENC	341							
					PROC. REF: AMM 12-12-03			PKG:1	
801001	NO. 1 ENGINE - AIR TURBINE STARTER							Component	ATA:80
PN:63506068-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:434	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 80-10-01, LMM 80-10-01				
801001	NO. 2 ENGINE - AIR TURBINE STARTER							Component	ATA:80
PN:63506068-1	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:436	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 80-10-01, LMM 80-10-01				
801002	NO. 1 ENGINE - ATS START CONTROL-PRESSURE REGULATING AND SHUTOFF VALVE							Component	ATA:80
PN:3215772-4	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:2308	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 80-10-02, LMM 80-10-02				
801002	NO. 2 ENGINE - ATS START CONTROL-PRESSURE REGULATING AND SHUTOFF VALVE							Component	ATA:80
PN:3215772-4	MOS/MSC	17-Jul-19	O/C		TSN 0				
SN:2304	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 80-10-02, LMM 80-10-02				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task