

## 2024 PRODUCT CATALOG



© Pilatus Aircraft Ltd – All rights reserved, used by permission.



Instruments and Avionics

Electrical Power Systems

Lithium-ion Batteries

General Aviation

Business Aviation

Commercial Aviation

Defense and Special Missions

Advanced Air Mobility



# 2-INCH DIGITAL INSTRUMENTS

Smooth, high-resolution graphics



ON THE  
COVER



## Pilatus PC-12

**Standard Equipment:** TA202 Series High Power USB Chargers  
**STC Approved:** True Blue Power® Gen5 TB40 Lithium-ion Aircraft Battery, TB44 Lithium-ion Aircraft Battery, TS835 Series Emergency Battery Power Supply, MD302 SAM® Standby Attitude Module, MD23 Digital ACU

## Welcome!

We're proud that **Mid-Continent Instruments and Avionics** and **True Blue Power** are your source for quality instruments and avionics, electrical power systems and lithium-ion batteries. Backed by 60 years of experience, our team of expert technicians, engineers and customer service representatives are ready and available to support you.

As our partner, you benefit from safe and certified products, manufactured through innovative technologies and sophisticated clean-sheet designs. You have access to 24/7 AOG support and an extensive inventory of new, cutting-edge products that are stocked and ready to ship, when you need them most. Even better, our Quality Management System at our Wichita manufacturing facility is AS9100D an ISO9001:2015 certified. That means the products you rely on meet the strictest quality standards.

**Our products are sold to qualified aviation businesses** that serve general, business and commercial aviation, defense and special mission, UAV, all-electric, hybrid-electric and eVTOL aircraft.

**Are you a pilot or aircraft owner?** You can purchase our products from Authorized Dealers, worldwide. Visit our Dealer Locator at [mcico.com/dealer-locator](https://mcico.com/dealer-locator) or use the QR code below to find products near you.



Dealer Locator



Quality Management System  
AS9100D and ISO9001:2015 Certified  
*Wichita, Kansas manufacturing facility*



# Table of Contents

Airspeed Indicators _____	4
Altimeters _____	6
Annunciation Control Units (ACU) _____	7
Attitude Indicators _____	10
Autopilots _____	16
<b>NEW</b> Batteries _____	19
Battery Chargers _____	20
<b>NEW</b> Battery STC Kits _____	22
Carburetor Temperature Indicators and Probes _____	23
Clocks _____	25
Converters _____	26
Course Deviation Indicators (CDI) _____	27
Directional Gyros (DG) _____	28
<b>NEW</b> Emergency Battery Power Supplies _____	30
Emergency Locator Transmitters (ELT) _____	32
Flex® Custom Function Displays _____	35
<b>NEW</b> Frequency Converters _____	37
Ground Power Units (GPU) _____	37
Inverters _____	39
Light Trays _____	40
Magnetometers _____	41
Manifold Pressure Gauges _____	41
<b>NEW</b> NAV / COM Radios _____	42
Outlets _____	43
Radars _____	43
Remote Relay Units _____	43
SAM® Standby Attitude Modules _____	45
Transponders _____	46
Turn and Slip Indicators _____	46
Turn Coordinators _____	47
USB Chargers _____	48
<b>NEW</b> USB Charger Accessories _____	51
Vertical Speed Indicators (VSI) _____	52



# The 3-PACK is BACK!



Digital Attitude Indicator



Digital Counter Drum Encoding Altimeter



Digital Airspeed Indicator

## 2-inch Digital Standby Package

AML STC APPROVED ON 180+ AIRCRAFT MODELS



Learn more

 **MidContinent**<sup>®</sup>  
INSTRUMENTS+AVIONICS

# Airspeed Indicators



**MD23-225**

## Airspeed Indicators, 2-inch, Digital Mid-Continent Instruments and Avionics

This 2-inch digital Airspeed Indicator features smooth, high-resolution graphics with numeric readout, user-configurable range markings, and Mach/MMO indication. Ground Speed and True Air Speed can be displayed with external ARINC input. Night Vision Imaging System (NVIS) compatible versions are available.

Rechargeable and field-replaceable  
Emergency Battery Power Supply (Page 30)



TS6

PART NO.	CONFIGURATION	LIST PRICE
MD23-225	160, 200, 300, 400 or 500 knots/MPH (configurable), LCD	\$5,500



**8000 Airspeed**

*Shown with range markings*

## Airspeed Indicators, 3-inch, Analog United Instruments

These popular 3-inch airspeed indicators are ideal for new installations or as a retrofit for older, outdated indicators. Specific range markings and dial configurations can be added to correspond with each individual aircraft.

The 8100 Series provides true airspeed indication by turning the knob and setting the outside air temperature in the TAS window.

MODEL NO.	CONFIGURATION	LIST PRICE
8000 Series	150, 200, 250, 300 or 400 MPH	\$1,365
8000 Series*	150, 200, 250, 300 or 400 MPH, Lighted	\$1,838
8100 Series	180, 200, 250, 300 or 400 MPH	\$1,474
8100 Series*	180, 200, 250, 300 or 400 MPH, Lighted	\$1,947

*Range markings \$300 additional. Allow lead time for dials.  
Aircraft pilot operating handbook and registration required.*

*\* Specify lighting voltage and type (LED or incandescent) when ordering*



**8100 True Airspeed**





# Beechcraft King Air 350

STC Approved

- Chronos CH93MAX Clock / USB Charger
- MD23-215 Digital Counter Drum Encoding Altimeter
- MD23-225 Digital Airspeed Indicator
- MD23-342 Digital Attitude Indicator
- True Blue Power® TB44 Aircraft Battery

Accessory

- True Blue Power® Pro Battery Charger





# Altimeters



**MD23-215**

## Altimeters, 2-inch, Counter Drum, Encoding, Digital

### Mid-Continent Instruments and Avionics

This 2-inch Counter Drum Encoding Altimeter is an ideal replacement for aging indicators. With smooth, high-resolution graphics and operating range of up to 55,000 feet, it offers user-selectable vertical speed indication and—for the first time — user-selectable 6-second vertical trend. SSEC customization and Night Vision Imaging System (NVIS) compatible versions are available.

Rechargeable and field-replaceable  
Emergency Battery Power Supply (Page 30)



**TS6**

PART NO.	CONFIGURATION	LIST PRICE
MD23-215	55K, Inches or millibars, LCD	\$5,500



**5934P-3A.83**

## Altimeters, 3-inch, 3-pointer, Analog

### United Instruments

Designed to help the pilot determine altitude by measuring existing atmospheric pressure, these altimeters translate the measurement into “height above sea level”. This is indicated on the dial of the instrument in feet, which requires setting the barometric pressure in the Kollsman window.

PART NO.	CONFIGURATION	LIST PRICE
5934P-3A.83	20K, Inches	\$2,115
5934P-3A.194*	20K, Inches, Lighted	\$2,600
5934PD-3A.130	20K, Dual scale	\$2,162
5934PD-3A.250*	20K, Dual scale, Lighted	\$2,642
5934PM-3A.84	20K, Millibars	\$2,115
5934PM-3A.199*	20K, Millibars, Lighted	\$2,600
5934PA-3A.86	35K, Inches	\$2,380
5934PA-3A.122*	35K, Inches, Lighted	\$2,860
5934PAD-3A.132	35K, Dual scale	\$2,423
5934PAD-3A.259*	35K, Dual scale, Lighted	\$2,903
5934PAM-3A.87	35K, Millibars	\$2,380
5934PAM-3A.185*	35K, Millibars, Lighted	\$2,860
5934-3A.154*	20K, Inches, Lighted, Helicopter application	\$2,600

\* Specify lighting voltage and type (LED or incandescent) when ordering



**5934PAM-3A.87**

# Altimeters, Annunciation Control Units

## Altimeters, 3-inch, Baro Output, Analog

United Instruments

Compatible with most air data systems, this lighted indicating altimeter provides standard DC barometric output to 35,000 feet.

PART NO.	CONFIGURATION	LIST PRICE
5934PAD-3BA.649P*	35K, Dual scale, Baro output, Lighted	\$4,930

\* Specify lighting voltage and type (LED or incandescent) when ordering




5934PAD-3BA.649P

## ACUs for Avidyne

Mid-Continent Instruments and Avionics

IFD 440/540

PART NO.	CONFIGURATION	LIST PRICE
MD41-1484W	Horizontal, 14V, No buttons, LED lighting	\$870
MD41-1488W	Horizontal, 28V, No buttons, LED lighting	\$870



MD41-1484W



**SOUTHERN CROSS**  
AVIATION

**WORLDWIDE AIRCRAFT  
PARTS DISTRIBUTOR**



BRAKE IGNITOR PISTON TURBINE

FUEL NOZZLE BATTERY ISOLATOR FUEL

Helping Airlines, FBOs, Repair Stations, Fleet Operators & Aircraft owners worldwide find exactly the correct part for the right price.



AN AUTHORIZED  
**DISTRIBUTOR**

for Mid-Continent Instruments and Avionics  
& True Blue Power



ANCHORAGE, AK • 907-416-7500

FT. LAUDERDALE, FL • 954-377-0320

SCROSS.COM/STORE





# Bell 505 Jet Ranger X

Standard Equipment

SAM® MD302 Standby Attitude Module  
True Blue Power® TB17 Aircraft Battery

STC Approved

True Blue Power® TA202 Series USB Chargers

Accessory

True Blue Power® Pro Battery Charger





# Annunciation Control Units

## ACUs for Garmin GPS / NAV / COMM / MFD

Mid-Continent Instruments and Avionics

GPS 400/500, GNC 420/520, GTN 625/725

PART NO.	CONFIGURATION	LIST PRICE
MD41-1408A	Horizontal, 28V (head only)	\$1,439
MD41-1408A	Horizontal, 28V (with remote relay)	\$2,904



MD41-1408A

GNC 420W, GNS 430W/530W

PART NO.	CONFIGURATION	LIST PRICE
MD41-1484W	Horizontal, 14V, LED lighting, No buttons	\$870
MD41-1468A	Horizontal, 28V	\$1,410
MD41-1488W	Horizontal, 28V, LED lighting, No buttons	\$870



MD41-1468A

GTN 650/750 SERIES

PART NO.	CONFIGURATION	LIST PRICE
MD41-1512	Horizontal, 14V, LED lighting	\$1,077
MD41-1510	Horizontal, 28V, LED lighting	\$1,077
MD41-1514	Horizontal, 28V, 5V lighting, LED lighting	\$1,077



MD41-1510

## ACUs for Garmin TAWS

Mid-Continent Instruments and Avionics

PART NO.	CONFIGURATION	LIST PRICE
MD41-1028	1-button, Horizontal, 28V, LED lighting	\$1,362
MD41-1048	3-button, Horizontal, 28V, HTAWS	\$1,362

HTAWS: Helicopter Terrain Awareness Warning System



MD41-1028



MD41-1048

## RELATED PRODUCTS

### Remote Relay Units (Page 43)

PART NO.	CONFIGURATION	LIST PRICE
MD41-244	24-pole, 14V, TSO	\$1,465
MD41-248	24-pole, 28V, TSO	\$1,465



MD41-248

# Annunciation Control Units, Attitude Indicators



MD23-104

## Lithium-ion Battery ACUs, 2-inch, Digital Mid-Continent Instruments and Avionics

This digital Annunciation Control Unit (ACU) monitors and displays True Blue Power® Gen5 lithium-ion battery parameters. It features smooth, high-resolution graphics and provides status, state of charge, state of health, volts, amps, temperature, remaining life and fault data. Night Vision Imaging System (NVIS) compatible versions are available.

Rechargeable and field-replaceable  
Emergency Battery Power Supply (Page 30)



TS6

PART NO.	CONFIGURATION	LIST PRICE
MD23-104	True Blue Power Gen5 batteries (configurable), LCD	\$2,500



MD41-1817

## Lithium-ion Battery ACUs Mid-Continent Instruments and Avionics

These ACUs interface with True Blue Power's lithium-ion aircraft batteries, delivering accurate status information to the cockpit. They are designed to be clearly visible in daylight and feature external dimming adjustments for balancing low-level light conditions.

PART NO.	CONFIGURATION	LIST PRICE
MD41-1817	1-button, Horizontal, 28V (TB17)	\$1,318
MD41-1844	1-button, Horizontal, 28V (TB44)	\$1,318



MD23-342

## Attitude Indicators, 2-inch, Digital Mid-Continent Instruments and Avionics

This digital Attitude Indicator is a solid-state instrument that displays attitude, slip, turn rate and heading information during normal or standby operation. The certified, MD23-342 provides independent attitude without the need for GPS, magnetometer or airspeed. Night Vision Imaging System (NVIS) compatible versions are available.



MD32

Remote Magnetometer (Page 41)

Rechargeable and field-replaceable  
Emergency Battery Power Supply (Page 30)



TS6

PART NO.	CONFIGURATION	LIST PRICE
MD23-342	2-inch, Attitude, Slip, Turn rate, Heading, LCD	\$6,500



# STOCKING DISTRIBUTOR

## Mid-Continent Instruments and Avionics

### True Blue Power<sup>®</sup>



**USB Chargers**



**CHRONOS<sup>®</sup>**  
**Digital Clocks / USB Chargers**



**Turn Coordinators**





## You only get one chance to install a Lifesaver.<sup>®</sup>

If your aircraft loses power, the Lifesaver may be the difference between life and death. The Lifesaver is the only electric attitude indicator with a built-in battery backup. It gives you one full hour of emergency attitude reference, the precious time you need to land safely. Install the Lifesaver now.

You may not get a second chance.



## Lifesaver® Attitude Indicators, 3-inch, Electric

### Mid-Continent Instruments and Avionics

The Lifesaver® is the only electric attitude indicator with a self-contained, nickel-metal hydride battery backup that provides one hour of emergency attitude reference in the event of power failure. With 7,500 hours MTBF—more than double that of the competition—it is an exceptional value. Added safety, ease of installation and cost benefit make this an ideal primary or standby artificial horizon.

Versions available to match existing instrument/EFIS displays. Anti-reflective glass and long-life lighting are standard on all Mid-Continent Instruments and Avionics attitude indicators.

#### LIFESAVER® — with BATTERY BACKUP

PART NO.	CONFIGURATION	LIST PRICE
Lifesaver 4300-215	10–32V, Lighted, 7.5°, Beechcraft, Inclinator	\$6,721
Lifesaver 4300-411*	10–32V, Lighted, 0–8°	\$6,565
Lifesaver 4300-611*	10–32V, Lighted, 0–8°, Auto switch to STBY power	\$6,565
6430043-1	Battery charger/tester	\$1,798
36027-1	Front mount adapter, 1/2-inch thick	\$638
36028-1	Front mount adapter, 3/32-inch thick	\$137
36022	Knob cover	\$87
MS3116F8-4S**	Mating connector	\$53
PW-XX	Panel wedges	\$204
9015671	Remote mount kit for battery pack	\$121
9015607	Replacement battery pack, NiMH	\$355
36023	Slip indicator, Inclinator	\$430

\* Specify panel tilt, lighting voltage and type (LED or incandescent) when ordering

\*\* Included with purchase of Lifesaver® attitude indicators



Lifesaver® 4300-215



Lifesaver® 4300-411

## RELATED PRODUCTS

### Light Trays (Page 40)

PART NO.	CONFIGURATION	LIST PRICE
9015640-1	3-inch, 5V, Incandescent, (4300 Series)	\$123
9016909-5	3-inch, 5V, LED, (4300 Series)	\$123
9015640-10	3-inch, 5V, NVIS, (4300 Series)	\$674
9015640-2	3-inch, 14V, Incandescent, (4300 Series)	\$123
9016909-14	3-inch, 14V, LED, (4300 Series)	\$123
9015640-3	3-inch, 28V, Incandescent, (4300 Series)	\$123
9016909	3-inch, 28V, LED, (4300 Series)	\$123
9015640-12	3-inch, 28V, NVIS, (4300 Series)	\$674



9015640-2



9015640-10



9015640-12





# De Havilland Canada Dash 8

STC Approved

- 100/200/300/400 True Blue Power® TA202 Series USB Chargers
- 100/200/300/400 SAM® MD302 Standby Attitude Module
- 100/200/300/400 True Blue Power® TS60 Emergency Battery Power Supply
- 100/200/300 True Blue Power® TB44 Aircraft Battery

Accessory

True Blue Power® Pro Battery Charger





# Attitude Indicators

## Attitude Indicators, 3-inch, Electric Mid-Continent Instruments and Avionics

Engineered as a primary or standby artificial horizon in fixed-wing aircraft and helicopters, the single connection on these units makes installation a snap. These indicators are standard equipment on many OEM aircraft, including the Beechcraft Baron and Bonanza.

Featuring 10–32 volt DC operation, anti-reflective glass, long-life lighting and 7,500 hours MTBF, these attitude indicators are a cost-effective and safe alternative to unreliable vacuum systems.

PART NO.	CONFIGURATION	LIST PRICE
4300-206	10–32V, 6.5°, Diamond, Inclinator	\$6,078
4300-203	10–32V, 11°, Robinson, Inclinator	\$6,206
4300-208	10–32V, 14°, Cirrus, Inclinator	\$5,729
4300-311*	10–32V, 0–8°, Lighted	\$5,442

\* Specify panel tilt, lighting voltage and type (LED or incandescent) when ordering



4300-206



4300-311

## Attitude Indicators, 3-inch, Air Sigma-Tek

Sigma-Tek attitude gyros are among the most popular air-driven gyros in general aviation. These trusted instruments have been used for many years on Cessna, Piper and Beech aircraft.

MODEL NO.	CONFIGURATION	LIST PRICE
5000B-36	0°	\$2,099
5000B-37*	0°, Lighted	\$2,577
5000B-38	0°, Warning flag option	\$2,506
5000B-40*	0°, Lighted, Warning flag option	\$2,949
5000B-42	8°	\$2,404
5000B-54*	8°, Lighted	\$2,929

\* Specify lighting voltage and type (LED or incandescent) when ordering



5000B-36



5000B-40

# Autopilots



AC100XX

## Autopilots, Certified BendixKing (Honeywell)

The **AeroCruze 100** is an affordable and flexible digital autopilot system for Cessna 172, 175, 177, 180, 182, 185; Piper PA-28, PA-32; and select Mooney M20 series aircraft.

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
AeroCruze 100*	AC100XX	Autopilot system, 2-inch round controller, includes servos and installation kit	Please call
AeroCruze 100*	AC100XX	Autopilot system, 3-inch round controller, includes servos and installation kit	Please call
AeroCruze 100*	AC100XX	Autopilot system, Flat pack controller, includes servos and installation kit	Please call

\* Specify aircraft type, aircraft model and voltage when ordering



XC100-XXX

## Autopilots, Experimental BendixKing (Honeywell)

The **xCruze 100** digital autopilot system is designed for the experimental aircraft cockpit and interfaces with popular experimental EFIS solutions.

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
xCruze 100*	XC100-XXX	Autopilot control head, 2-inch, Round, with installation kit	Please call
xCruze 100*	XC100-XXX	Autopilot control head, 3-inch, Round, with installation kit	Please call
xCruze 100*	XC100-XXX	Autopilot control head, Flat pack, with installation kit	Please call
BS-B	8100-070	Servo	Please call
BS-C	8100-071	Servo	Please call
PS-B	8100-072	Servo	Please call
PS-C	8100-073	Servo	Please call
Servo Hardware	8700-110	Standard arm assembly kit	Please call
Servo Hardware	8700-111	Standard capstan assembly kit	Please call

\* Specify aircraft type when ordering





# Van's Aircraft RV-8

Optional Equipment

True Blue Power® TA360 Series USB Chargers  
BendixKing xCruze 100 Autopilot  
True Blue Power® TB28-12V Aircraft Battery

Accessory

True Blue Power® Pro Battery Charger








# Cirrus SR22

Standard  
Equipment

True Blue Power® TA360 Series USB Charger  
Lifesaver® Attitude Indicator 4300-208  
SAM® MD302 Standby Attitude Module  
True Blue Power® TB14 Aircraft Battery

Accessory

True Blue Power® Pro Battery Charger



# Batteries, Lithium-ion

## True Blue Power®

**Start LIGHTER, start FASTER and start SMARTER every time.** True Blue Power® batteries save up to 85 pounds per battery cutting aircraft battery weight by more than 60% and increasing your useful load. Less weight means you'll have more passengers, more cargo, more fuel and more design flexibility. Even better, you'll protect your engine and extend component life with faster and cooler engine starts and have access to real-time state-of-charge data, on demand.

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
TB14	6430014-2	13 amp hour, Aluminum case	Please call
TB14	6430014-21	13 amp hour, Steel case	Please call
TB17	6430017-1	17 amp hour, Aluminum case	Please call
TB17	6430017-2	17 amp hour, Heater on/off feature, Aluminum case	Please call
TB17	6430017-3	17 amp hour, Quick disconnect, Aluminum case	Please call
TB17	6430017-4	17 amp hour, Heater on/off feature, Quick disconnect, Aluminum case	Please call
TB28-12V	6430014-1	26 amp hour, 12 volt, Aluminum case	Please call
TB28-12V	6430014-11	26 amp hour, 12 volt, Steel case	Please call
Gen5 TB20	6430020-1	20 amp hour, Aluminum case	Please call
Gen5 TB30	6430030-1	30 amp hour, Aluminum case	Please call
Gen5 TB30	6430030-2	30 amp hour, Serial discharge, Aluminum case	Please call
Gen5 TB40	6430040-1	40 amp hour, Aluminum case	Please call
Gen5 TB40	6430040-2	40 amp hour, Serial discharge, Aluminum case	Please call
TB44	6430044-2	46 amp hour, Aluminum case	Please call
TB44	6430044-4	46 amp hour, No handles, Aluminum case	Please call
Gen5 TB60	6431060-1	60 amp hour, Aluminum case	Please call
	9019697-1	Connector kit (TB14, TB28-12V)	\$227
	9018048	Connector kit (TB17)	\$227
	9018259	Connector kit, 90° (TB17)	\$227
	9018042	Connector kit (TB44)	\$496
	9018042-1	Connector kit (Gen5 TB20, Gen5 TB30, Gen5 TB40, Gen5 TB60)	\$496
	9018044	Service cable (TB44)	\$227
	9019698-1	Vent kit (TB14, TB28-12V)	\$265
	9018049	Vent kit (TB17)	\$265
	9019322-1	Vent kit (Gen5 TB20, Gen5 TB30)	\$369
	9018043	Vent kit (Gen5 TB40, TB44, Gen5 TB60)	\$492

# Batteries

**LITHIUM-ION BATTERY**  
**STC Kits**

(Page 22)



TB14



TB17



Gen5 TB30



Gen5 TB40

## RELATED PRODUCTS

### Lithium-ion Battery ACUs (Page 9)

PART NO.	CONFIGURATION	LIST PRICE
MD23-104	True Blue Power Gen5 batteries (configurable), Digital, LCD	\$2,500
MD41-1817	1-button, Horizontal, 28V (TB17)	\$1,318
MD41-1844	1-button, Horizontal, 28V (TB44)	\$1,318



MD23-104



# Lithium-ion Aircraft Battery TRAINING

Learn from the experts with **FREE, ON-DEMAND** courses.



**SCAN TO GET STARTED**

– Each course is less than 10 minutes –



Qualifies for one credit hour toward FAA AMT and IA Refresher training

Mx TT28-2  
282-101



Mx TT28-2  
282-102



## Battery Chargers True Blue Power®

The **True Blue Charger Mx Series** provides simple, safe and automatic charging for lithium-ion and sealed lead-acid aircraft batteries. The 2.5-amp chargers maintain batteries of any capacity, from zero to full state-of-charge, while continuously displaying battery voltage.

The **True Blue Charger PRO TT28-12** is specifically engineered to charge, discharge and test True Blue Power® lithium-ion aircraft batteries. It is capable of a 12.5 amp charge and up to 60 amp discharge. Pre-loaded with the necessary parameters, it allows maintenance personnel to safely and efficiently top charge batteries and perform scheduled capacity checks.



PRO TT28-12

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
Mx TT28-2	282-101	2.5 amp, MS-3509 direct connect	\$1,432
Mx TT28-2	282-102	2.5 amp, Cable connect	\$1,432
PRO TT28-12	ACM-1260-101	12.5 amp	\$4,573
	9012-1081	Battery charging adapter (TS835 Series)	\$925
TT43	6430043-1	Battery charger/tester (TS420 Series)	\$1,798





START LIGHTER  
START FASTER  
START SMARTER



## Certified **Lithium-ion** Aircraft Batteries

**Cut aircraft battery weight and increase your useful load.** Like you, True Blue Power® batteries are always mission ready. They fully recharge within 30 minutes and deliver superior performance in the most rugged environments. Even better, you'll eliminate expensive battery maintenance and the need for ground power units. **Start LIGHTER, start FASTER and start SMARTER every time.**



Learn more

**TRUE BLUE POWER®**  
A Division of Mid-Continent Instrument Co., Inc.

**NEW**

# LITHIUM-ION BATTERY

# STC KIT



Gen5 TB40  
Battery



MD23-104  
Digital Battery ACU

## Hawker/Beechjet 400



### Battery STC Kits True Blue Power®

PART NO.	AIRCRAFT	CONFIGURATION	LIST PRICE
VFS130-003	Airbus Helicopters EC130 B4, EC130 T2	STC kit includes (1) TB17 battery	Please call
7430001-1	Bonanza A36	STC kit includes (1) TB17 battery	\$9,298
7430002-1	Robinson R44	STC kit includes (1) TB17 battery	\$10,265
7430003-1	Caravan 208/208B	STC kit includes (1) TB44 battery	\$19,776
7430005-1	Hawker / Beechjet 400	STC kit includes (1) TB40 battery	\$24,900
CE295-401-01	DHC-6 100/200/300 Series	STC kit includes (1) TB44 battery	Please call
CE273-401-01	DHC-8 100/200/300 Series	STC kit includes (2) TB44 batteries	Please call
SA01044DE	Pilatus PC-12, /45, /47E, /NG, /NGX, Single Battery	STC kit includes (1) TB40 battery	\$40,990
SA01044DE	Pilatus PC-12, /45, /47E, /NG, /NGX, Dual Battery	STC kit includes (2) TB40 batteries	\$68,875
VFS350-001	Airbus Helicopters AS350/H125 Series	STC kit includes (1) TB17 battery	Please call
SA04303CH	King Air 300 / 350 Series	STC kit includes (1) TB44 battery	Please call

# Carburetor Temperature Indicators and Probes

## Carburetor Temperature Indicators

Mid-Continent Instruments and Avionics

PART NO.	CONFIGURATION	LIST PRICE
MD11-3	14V PMA indicator	\$884
MD11-4	28V PMA indicator	\$884



MD11-4

## Carburetor Temperature Probes

Mid-Continent Instruments and Avionics

The B-5 Carb Temp Probe works with MD11 Series Carb Temp Indicators and is approved for many engines. Contact [techsupport@mcico.com](mailto:techsupport@mcico.com) for STC and PMA information.

PART NO.	CONFIGURATION	LIST PRICE
B-5	PMA/STC Probe only	\$533



B-5

© Lockheed Martin - All rights reserved, used by permission.



## Lockheed Martin X-59

Standard Equipment

True Blue Power® TI2004 Inverter  
True Blue Power® TB44 Aircraft Battery

Accessory

True Blue Power® Pro Battery Charger





DIGITAL CLOCKS USB CHARGERS

# CHRONOS

The only digital clocks with  
**MAX USB POWER**

UP TO 60 WATTS PER PORT

## 8 MODES

Local Time, UTC/Zulu Time,  
Flight Timer, Countdown Timer,  
Stopwatch, Volts, OAT,  
Secondary Air Temp



6420093-0



6420093-3



6420093-2



6420093-4



6420093-5



Learn more

 **MidContinent**<sup>®</sup>  
INSTRUMENTS+AVIONICS

## CHRONOS® Clocks / USB Chargers, 2-inch, Digital

Mid-Continent Instruments and Avionics

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
<b>CHRONOS</b> CH93	6420093-0	10–32 VDC in <b>8 MODES</b> Local time, UTC/Zulu time, Flight timer, Countdown timer, Stopwatch, Volts, OAT, Secondary air temp	\$599
<b>CHRONOS</b> CH93HP	6420093-3	10–32 VDC in, 15W / 3A out per port, Single USB-A <b>8 MODES</b> Local time, UTC/Zulu time, Flight timer, Countdown timer, Stopwatch, Volts, OAT, Secondary air temp	\$699
<b>CHRONOS</b> CH93HP	6420093-2	10–32 VDC in, 15W / 3A out per port, Dual USB-A <b>5 MODES</b> Local time, UTC/Zulu time, Flight timer, Countdown timer, Stopwatch	\$679
<b>CHRONOS</b> CH93HP	6420093-4	10–32 VDC in, 15W / 3A out per port, Dual USB-A <b>8 MODES</b> Local time, UTC/Zulu time, Flight timer, Countdown timer, Stopwatch, Volts, OAT, Secondary air temp	\$799
<b>CHRONOS</b> CH93MAX	6420093-5	22–32 VDC in, 15W / 3A and 60W / 3A out per port, Dual USB-A / USB-C (PD) <b>8 MODES</b> Local time, UTC/Zulu time, Flight timer, Countdown timer, Stopwatch, Volts, OAT, Secondary air temp	\$899
	9018178*	Installation kit (6420093-2)	\$39
	9018178-1*	Installation kit (6420093-0, 6420093-3, 6420093-4, 6420093-5)	\$89
	B-10-1	Outside air temperature probe, 500 Ω (6420093-0, 6420093-3, 6420093-4, 6420093-5)	\$418
	B-11-1	Secondary air temperature probe, 500 Ω (6420093-0, 6420093-3, 6420093-4, 6420093-5)	\$356
	B-11-2	Current sense secondary air temperature probe (6420093-0, 6420093-3, 6420093-4, 6420093-5)	\$356

\* Included with purchase of associated CHRONOS® product

## GPS Clocks, 2-inch, Digital

Mid-Continent Instruments and Avionics

The digital multi-function clock features UTC Time, Local Time and multiple timers. It receives an ARINC 429 input to sync with a GPS source and can also deliver the estimated time to your next waypoint. This digital clock features smooth, high-resolution graphics and can output time to other external equipment. Night Vision Imaging System (NVIS) compatible versions are available.

Rechargeable and field-replaceable  
Emergency Battery Power Supply (Page 30)



MD23-190

PART NO.	CONFIGURATION	LIST PRICE
MD23-190	ARINC 429 input sync with GPS source, LCD, <b>9 FUNCTIONS</b> Local time, UTC/Zulu time, Flight timer, Countdown timer, Stopwatch, Date, Time to waypoint, Hobbs, Run timer	\$3,990



# Converters



TC230

## Converters, DC-to-DC True Blue Power®

The **TC120** and **TC240 Series** are multi-purpose, step-down voltage converters with variable output. Supplying 5 to 24 volts of power, the TC120 and TC240 are ideal for low-voltage DC electronics, including in-seat, cabin and cockpit power applications.

The **TC230 Series** converters are the smallest and lightest step-up voltage converters available today. Utilizing the aircraft's 14-volt system, the TC230 powers 28-volt avionics, instruments and accessories, including radios, GPS and electronic equipment.

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
TC120	6430120-1	120 watts, 24–32 VDC input, 5–24 VDC output	\$715
TC120	6430120-2	120 watts, 24–32 VDC input, 5–24 VDC output, Remote on/off	\$715
TC120	6430120-3	120 watts, 22–32 VDC input, 5–24 VDC output, Military environmental and EMI qualifications	\$1,302
TC230	6430234-1	230 watts, 10–18 VDC input, 28 VDC output	\$1,201
TC230	6430234-2	230 watts, 10–18 VDC input, 28 VDC output, Remote on/off	\$1,201
TC240	6430240-1	240 watts, 24–32 VDC input, 5–24 VDC output	\$1,192
TC240	6430240-2	240 watts, 24–32 VDC input, 5–24 VDC output, Remote on/off	\$1,192
TC351*	6430351-1	350 watts, 24–32 VDC input, 115 VDC output, Remote on/off	Please call

\* Not FAA TSO certified



TC2000

## Converters, AC-to-DC True Blue Power®

The **TC280** converter produces enough energy to power electronic equipment throughout the aircraft. The 280-watt voltage converter features a highly-efficient fanless design, saves energy and reduces weight. It can be conveniently mounted in the floor, cabin wall or outside the pressure vessel.

The **TC2000** is the largest True Blue Power® converter. It is ideal for aircraft with AC electrical systems that require 28-volt DC power. The TC2000 delivers 2,000 watts of power to in-flight entertainment systems, interior and exterior lighting and USB chargers. Just one TC2000 can power more than 100 single True Blue Power TA202 Series USB charging ports.

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
TC280	6430280-1	280 watts, 115 VAC / 350–800 Hz input, 28 VDC output (10A)	\$3,527
TC2000	6432001-1	2,000 watts, 100–250 VAC / 47–800 Hz input, 28 VDC output (21A)	\$15,105

## RELATED PRODUCTS

### In-seat, cabin and cockpit USB Power

Single and dual port    Lighted and non-lighted    USB-A, USB-C and USB-C PD (Page 48)



6430360-31

# Course Deviation Indicators

## CDIs for Avidyne, BendixKing (Honeywell), Collins, Garmin and Trig Avionics

### Mid-Continent Instruments and Avionics

The MD200 Series sets the standard for navigation instruments that are significantly more reliable, longer lasting and easier to read. The MD200 Series is the preferred replacement for the Collins Micro Line IND 350 Series and replaces the BendixKing KI 206.

These CDIs feature new-generation rectilinear meter movements for more accurate readings, plus a course selector and resolver output. The MD200 Series can be configured for 14V or 28V installations.



**MD200-706**  
(3-inch)

### GTN 600/700 SERIES, CNX80, GX50/60, GNS 400/500 SERIES, IFD 440/540

PART NO.	CONFIGURATION	LIST PRICE
MD200-606	3-inch, L/R, Glideslope with annunciators	\$2,958
MD200-706	3-inch, L/R, Glideslope with annunciators	\$3,196
MD200-707*	3-inch, L/R, Glideslope with annunciators, Course datum	\$3,502
MD222-406*	2-inch, L/R, Glideslope with annunciators, LED lighting, VLOC	\$4,100

\* Models available with course selector resolver output



**MD222-406**  
(2-inch)

### GNS 400/500 SERIES, GTN 600/700 SERIES

PART NO.	CONFIGURATION	LIST PRICE
MD222-406*	2-inch, L/R, Glideslope with annunciators, LED lighting, VLOC	\$4,100


\* Models available with course selector resolver output



# Northrop Grumman MQ-4C Triton

Standard Equipment

True Blue Power® TC120 DC-to-DC Voltage Converter  
True Blue Power® TI254 DC-to-AC Inverter





# Directional Gyros



3300-10

## Directional Gyros, Electric

### Mid-Continent Instruments and Avionics

Mechanical gyros still serve an important role in many aircraft. Electric gyros offer far greater reliability and service life compared to vacuum gyros.

Advanced circuitry and improved design allow these directional gyros to withstand high vibration and require less than half the power of standard directional gyros. Lightweight (1.8 lbs.) and reliable, these units utilize long-life LEDs for a crisp, legible backlit display, and with 10–32 volt DC input, they will work in any aircraft. Exceptional RTCA DO-160E HIRF immunity makes this an ideal replacement for heavy, older AIM and RC Allen units.

PART NO.	CONFIGURATION	LIST PRICE
3300-10	10–32 VDC	\$4,457
3300-11	10–32 VDC, LED lighting	\$4,894



4000B-31

## Directional Gyros, Air

### Sigma-Tek

Sigma-Tek air-driven directional gyros are widely used in general aviation aircraft. Available options include autopilot interface, heading reference and lighting variations.

MODEL NO.	CONFIGURATION	LIST PRICE
4000B-30	Standard	\$2,099
4000B-31*	Lighted	\$2,505
4000C/52D54	Autopilot, 52D54	\$3,894
4000C-1/52D54M*	Autopilot, 52D54M, Lighted	\$4,239
4000HR-2	Heading reference	\$2,615

\* Specify lighting voltage and type (LED or incandescent) when ordering



4000HR-2



4000C-1/52D54M



4000C/52D54





# Robinson R44 Raven II

Custom Design	MD210 Engine Cluster MD209 Engine Cluster MD206 Dual Tachometer
Standard Equipment	True Blue Power® TB17 Aircraft Battery
STC Approved	True Blue Power® TB17 Aircraft Battery
Accessory	True Blue Power® TA202 Series USB Chargers True Blue Power® Pro Battery Charger





# Emergency Battery Power Supplies



## Emergency Battery Power Supplies True Blue Power®

Provide reliable emergency power to critical flight equipment in the event of primary power loss.



**The TS6** is compatible with Mid-Continent Instruments and Avionics 2-inch digital instruments, the Flex® Custom Function Display, and avionics or components that require 28 VDC input.



**The TS28** is designed to provide power to emergency lighting on Citation 550, 560, 650, 680, 680A and 700 aircraft. It is a direct replacement for Radiant Battery Power Supplies CBS28-1.

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
TS6	6430006-1	24 VDC, 0.25 A, 6 watt, DB9 connector	\$582
TS28	6430028-1	24 VDC, 1 A, 6 watt, 4-pin circular connector	\$4,500
TS60	6430060-1	6.6 VDC, 28 watt, Bayonet connector	<b>NEW Lower Price!</b> \$3,900
TS60	6430060-2	6.6 VDC, 28 watt, Threaded connector	<b>NEW Lower Price!</b> \$3,900
TS60	6430060-3	6.6 VDC, 43 watt, Bayonet connector	<b>NEW Lower Price!</b> \$4,500
TS60	6430060-4	6.6 VDC, 43 watt, Threaded connector	<b>NEW Lower Price!</b> \$4,500
TS835	MD835-1	24.5 VDC, 4.5 Ah, 20 amp fuse	\$5,712
TS835	MD835-3	24.5 VDC, 4.5 Ah, 15 amp fuse (Airbus Helicopters)	\$5,712
TS835	MD835-5	24.5 VDC primary output, 5 VDC auxiliary output, 4.5 Ah, 20 amp fuse	\$6,981
	5120-107-C01	Mounting rack (TS835 Series)	\$800
	9016600-2	Connector (TS835 Series)	\$351
	9017176	Cockpit self-test switch (TS835 Series)	\$1,067
	9017983	Vent tube kit (optional) (TS835 Series)	\$379
	9019931	Replacement battery pack (TS28)	\$1,200




## TS60

**Direct replacement**  
for Honeywell Grimes  
60-3844 and 60-5025  
power supplies

**The TS60 Series** lithium-ion emergency battery power supply provides constant 6.6 VDC power to emergency lighting systems in the event of electrical system failure.

An in-house capacity check is only required every 2 years and no special equipment is needed for installation, testing or charging. This significantly reduces maintenance cost.

The TS60 is highly-dependable and is the first lithium-ion emergency battery power supply to meet the rigorous TSO C179b requirements. The 43-watt TS60 offers extended life compared to the 28-watt variation.



**TS835**  
**Direct replacement**  
 for J.E.T. PS-835 and PS-855

The **TS835 Series** emergency battery power supply delivers 24.5 VDC (5 VDC optional) power for critical and standby equipment. Offering significant advantages over older, lead-acid designs, the TS835 provides a 63% weight savings, reduced maintenance costs and improved life expectancy. It is STC approved on more than 100 aircraft models.

© Textron Aviation Inc. - All rights reserved, used by permission.



# Cessna Citation Longitude

- Standard Equipment
  - True Blue Power® TC351 Converter
  - True Blue Power® TI1502 Inverter
  - True Blue Power® TB44 Aircraft Battery
- Accessory
  - True Blue Power® Pro Battery Charger





# Emergency Locator Transmitters



S1851501-02

## Emergency Locator Transmitters

Kannad Aviation

Mid-Continent is an authorized dealer and service center for Kannad Aviation, offering repair, warranty repair and warranty replacement services for Kannad Aviation emergency locator transmitters (ELT).

Whether outfitting an aircraft with an ELT is mandated or preferred, installing an emergency beacon that will activate automatically in the event of an emergency is critical to ensuring the long-term safety of the crew.

PART NO.	CONFIGURATION	LIST PRICE
S1851501-02	ELT, Integra AF	\$1,352
S1852501-02	ELT, Integra AF-H	\$1,545



© Diamond Aircraft Industries - All rights reserved, used by permission.

# Diamond DA50 RG

Standard Equipment

True Blue Power® TA202 Series USB Chargers  
SAM® MD302 Standby Attitude Module





# AVIATION IN YOUR LANGUAGE

Adams Aviation Supply Company Limited is the European Distributor for **Mid-Continent Instruments and Avionics** & **True Blue Power** products.



**Adams  
Aviation**

Telephone +44 (0)1293 459 645  
AOG Line +44 (0)1689 808 979  
[www.adamsaviation.com](http://www.adamsaviation.com)



# FILEX<sup>®</sup>

Streamline the product development process, save hundreds of thousands of dollars in NRE and certification costs, and compress your project timeline. Go from concept to cockpit in 30 days, without breaking the bank.



Your custom display in half the time, at half the cost.

EXPECT **FAST** EXPECT **EASY** EXPECT **AFFORDABLE**



Learn more

 **MidContinent**<sup>®</sup>  
INSTRUMENTS+AVIONICS

# Flex® Custom Function Displays

## Flex® Custom Function Displays, 2-inch, Digital Mid-Continent Instruments and Avionics

A controller, data converter and custom display, all-in-one.

Bring new data to the cockpit or replace your aging instruments in **half the time, at half the cost**. The FAA TSO certified Flex® simplifies avionics systems integration through customizable data parameters, user interface and high-resolution graphics. Night Vision Imaging System (NVIS) compatible versions are available.

The Flex® 6430023-3 features an Attitude and Heading Reference System (AHRS) and delivers pitch and roll output via ARINC 429, without any additional equipment. Heading is available when paired with the MD32 Magnetometer.



Flex® MD23



Remote Magnetometer (Page 41)

MD32

Rechargeable and field-replaceable  
Emergency Battery Power Supply (Page 30)



TS6

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
Flex MD23	6420023-1	2-inch, Custom programmable, Multi I/O, Frequency inputs, LCD	Please call
Flex MD23	6420023-2	2-inch, Custom programmable, Multi I/O, Pitot and static ports, LCD	Please call
Flex MD23	6420023-3	2-inch, Custom programmable, Multi I/O, Solid-state MEMS gyro and accelerometer, LCD	Please call

Base MD23 units are available without a preloaded Custom Instrument Definition (CID)



AVAILABLE FOR PURCHASE FROM AVIONICS RETAILERS.  
Pricing and availability are subject to change without notice.



STC APPROVED

4000 WATT

AC-to-AC

FREQUENCY  
CONVERTER



**Gulfstream**

**G450 / G550 / G650 / G650ER**



TFC4000

**DROP-IN REPLACEMENT**

# Frequency Converters, Ground Power Units



## Frequency Converter True Blue Power®

Quiet your cabin and cut replacement costs with the TFC4000. **Weighing only 19 pounds, it's the lightest and quietest frequency converter in its power class.** You'll gain more useful load and access to up to 4,000 watts of wall outlet power. This AC-to-AC frequency converter is easy to install in tight, hard-to-reach spaces. It is a drop-in replacement for the **GE 717220-1, 717220-2, 717220-2R, and Avionics Instruments LLC converter 1-002-0102-2444, 1-002-0102-2052.**



TFC4000

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
TFC4000	6434000-1	4 kVA, 115 VAC, 3-phase, 360-800 Hz input, 115 VAC, 1-phase, 60 Hz output	\$35,000

## STARTSTICK

### Ground Power Units (GPU) Aviation Battery Systems

Compatible, lightweight, safe and convenient. StartStick® is the most advanced, portable ground power unit on the market. The stowable, cable-less design is engineered to be durable and long lasting. Its NanoPhosphate® lithium-ion cell chemistry delivers high power in a safe, rugged and convenient package.



100155



100156

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
StartStick 10	100154	Lithium-ion powered, 10 amp-hour capacity, portable	\$3,499
StartStick 15	100155	Lithium-ion powered, 15 amp-hour capacity, portable	\$4,499
StartStick 20	100156	Lithium-ion powered, 20 amp-hour capacity, portable	\$5,499
	100230	StartStick 10 Bag	\$199
	100231	StartStick 15 Bag	\$199
	100232	StartStick 20 Hard case	\$399
	100299	StartStick, Multi-purpose adapter	\$675
	100390	StartStick, Power adapter, 3.5 amp, 100 watt	\$189
	100300	StartStick, 24-inch Extension cable	\$675
	100298	StartStick, Load relief strap	\$99

Please call for wall chargers with international plugs



# ELECTRICAL POWER SYSTEMS



USB Chargers   Inverters   AC Outlets

Voltage Converters   Frequency Converters

# Inverters, DC-to-AC

## True Blue Power®

The **TI10** inverter provides a reliable source of 26-volt, 400 Hz AC power. The voltage and frequency of its pure sine wave output remains stable regardless of input fluctuations.

The **TI250 Series** is a highly-efficient inverter that produces **250 watts** of power from the aircraft's 28 VDC input. Engineered to run cooler and featuring a fanless design, the TI250 saves energy and reduces weight.

The **TI500** inverter produces **500 watts of wall-outlet power** from the aircraft's 28 VDC input. Lighter and 30% smaller than competing inverters, the TI500 has the same connector and footprint as legacy designs and features overload and short-circuit protection up to 150% of the rated load.



**TI500**  
Direct replacement  
for KGS SS50


MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
TI10*	MD26-28	10 VA, 11–40 VDC input, 26 VAC output, 400 Hz, Sine wave	\$769
TI250	6430250-1	250 VA, 20–36 VDC input, 115 VAC output, 60 Hz, Sine wave	\$3,425
TI254	6430250-2	250 VA, 20–36 VDC input, 115 VAC output, 400 Hz, Sine wave	\$3,425
TI256	6430250-3	250 VA, 20–36 VDC input, 115/26 VAC output, 400 Hz, Sine wave	\$4,615
TI500	MD50	500 VA, 20–36 VDC input, 115 VAC output, 60 Hz, Sine wave	\$4,990
TI1200	6431200-1	1,200 VA, 20–36 VDC input, 115 VAC output, 60 Hz, Sine wave	\$7,485
TI1202	6431200-3	1,200 VA, 20–36 VDC input, 230 VAC output, 50 Hz, Sine wave	\$7,815
TI1202	6431200-5	600 VA, 20–36 VDC input, 230 VAC output, 50 Hz, Sine wave	\$8,896
TI1202	6431200-8	1,200 VA, 20–36 VDC input, 240 VAC output, 50 Hz, Sine wave	\$7,815
TI1204	6431200-7	1,200 VA, 20–36 VDC input, 115 VAC output, 400 Hz, Sine wave	\$15,876
TI1502*	6431502-1	1,500 VA, 18–32 VDC input, 30–120 VAC output, 60 Hz, Square wave	Please call
TI2000	6432000-1	2,000 VA, 20–36 VDC input, 115 VAC output, 60 Hz, Sine wave	\$15,514
TI2002	6432000-2	2,000 VA, 20–36 VDC input, 230 VAC output, 50 Hz, Sine wave	\$16,459
TI2004	6432000-4	2,000 VA, 20–36 VDC input, 115 VAC output, 400 Hz, Sine wave	\$15,675
	9017040	Mounting adapter (TI500)	\$126

\* Not FAA TSO certified

The **TI1200 Series** inverter supplies **1,200 watts** of power to a variety of cabin accessories, galley equipment, avionics, entertainment and aircraft systems. The compact TI1200 Series has the same connector and footprint as legacy designs, plus overload and short-circuit protection up to 150% of the rated load.

The **TI2000 Series** inverter delivers **2,000 watts** of power from the aircraft's 28 VDC system to cabin and galley accessories. Ideal for entertainment systems, personal electronic devices, microwave ovens and high-powered coffee makers, the TI2000 is smaller, lighter and more efficient than the nearest competition.

The **TI2004** inverter can be interconnected in a three-phase configuration to produce **6,000 watts** of power.



**TI1200**  
Direct replacement  
for KGS SS120

## RELATED PRODUCTS

### Outlets, AC (Page 43)

PART NO.	CONFIGURATION	LIST PRICE
9018708-1	115V, AC, Three Prong	\$484
9018708-2	115–230V, AC, Universal	\$484
9018708-3	115V, AC, Three Prong, no Pigtail	\$484
9018708-4	115–230V, AC, Universal, no Pigtail	\$484
7430004-1	STC Kit, Boeing 737, TI250, 2 North American AC outlets	\$11,731
7430004-2	STC Kit, Boeing 737, TI250, 2 Universal AC outlets	\$11,731



9018708-1



9018708-2



# Light Trays



9015640-2



9016909-14



9016909



6015358-()

## Light Trays

### Mid-Continent Instruments and Avionics


PART NO.	CONFIGURATION	LIST PRICE
MD31-6	2-inch, 5V, LED	\$123
MD31-5	2-inch, 5V, LED, Connector	\$131
MD31-4	2-inch, 14V, LED	\$123
MD31-3	2-inch, 14V, LED, Connector	\$134
MD31	2-inch, 28V, LED	\$123
MD31-2	2-inch, 28V, LED	\$123
MD31-1	2-inch, 28V, LED, Connector	\$134
9015640-1	3-inch, 5V, Incandescent (4300 Series)	\$123
9016909-5	3-inch, 5V, LED (4300 Series)	\$123
9015640-10	3-inch, 5V, NVIS (4300 Series)	\$674
9015640-2	3-inch, 14V, Incandescent (4300 Series)	\$123
9016909-14	3-inch, 14V, LED (4300 Series)	\$123
9015640-3	3-inch, 28V, Incandescent (4300 Series)	\$123
7016637	3-inch, 28V, Incandescent, Connector (Cessna)	\$177
9016909	3-inch, 28V, LED (4300 Series)	\$123
9015640-12	3-inch, 28V, NVIS (4300 Series)	\$674
6018634-()	2-inch or 3-inch, 5V, Incandescent	\$135
6015010-()	2-inch or 3-inch, 14V, Incandescent	\$135
6015358-()	2-inch or 3-inch, 28V, Incandescent	\$135



# Boeing 737

STC Approved

- True Blue Power® AC Outlet
- True Blue Power® TA202 Series USB Chargers
- True Blue Power® TI250 Series Inverter
- True Blue Power® TC2000 Converter




# Magnetometers, Manifold Pressure Gauges

## Magnetometers

### Mid-Continent Instruments and Avionics

The MD32 Magnetometer is designed specifically for the Standby Attitude Module (SAM®) MD302, Flex® MD23-3 and Digital Attitude Indicator MD23-342. It delivers independent heading reference without the need for special installation hardware or orientation limitations. This magnetometer's unique mounting flexibility, compact size and convenient cockpit calibration ensure easy, low-cost installation.



MD32

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
MD32	6420032-1	Remote magnetometer, 7-32 VDC, ARINC 429 output (For SAM MD302, Flex MD23-3 and Digital Attitude Indicator MD23-342)	\$1,569

## Manifold Pressure Gauges

### United Instruments

Engineered for durability, these pressure gauges utilize an internal bellows system to measure the absolute pressure of the aircraft engine intake in inches.

PART NO.	CONFIGURATION	LIST PRICE
6111-D.17	10-35 Hg, Single scale (without markings)	\$1,659
6121-E.58	10-35 Hg, Dual scale (without markings)	\$2,580
6111-D.16	10-50 Hg, Single scale (without markings)	\$1,659
6121-E.57	10-50 Hg, Dual scale (without markings)	\$2,580
6112-D.15	10-75 Hg, Single scale (without markings)	\$1,659
6122-E.56	10-75 Hg, Dual scale (without markings)	\$2,580



6121-E.57





# NAV / COM Radios



**KX 200**



## NAV / COM Radios BendixKing (Honeywell)

The new BendixKing KX 200 NAV/COM Radio is an easy-to-install, direct replacement for your current KX 155/165 radio and can substitute other radios using the same tray and connector. The KX 200 is pilot friendly, featuring a high-resolution color LCD, 50-channel memory presets, and is compatible with 14- and 28-volt systems.

PART NO.	CONFIGURATION	LIST PRICE
89000002-120*	KX 200 NAV/COM with GS complete kit, including radio and voltage adapter (14V or 28V) NEW EXCHANGE for KX 155 Core	\$5,200
89000002-120*	KX 200 NAV/COM with GS complete kit, including radio and voltage adapter (14V or 28V)	\$5,455
89000002-121	KX 200 Retrofit adapter NAV/COM with GS, 28V (adapter only)	\$530
89000002-122	KX 200 Retrofit adapter NAV/COM with GS, 14V (adapter only)	\$530
050-01778-0000	KX0155 Install kit with GS crimp*	\$763
050-01778-0001	KX0155 Install kit crimp*	\$710

\* When ordering, please indicate whether a 14V or 28V adapter is required.

© Cirrus Aircraft - All rights reserved, used by permission.




# Cirrus G2 Vision Jet

### Standard Equipment

- True Blue Power® TA202 Series USB Chargers
- SAM® MD302 Standby Attitude Module
- True Blue Power® TI250 Inverter
- True Blue Power® TB17 Aircraft Battery

### Accessory

- True Blue Power® Pro Battery Charger



# Outlets, Radars, Remote Relay Units

## Outlets, AC True Blue Power®

True Blue Power® AC outlets provide pilots, passengers and crew members with convenient access to power. The three-prong, North American outlet and the Universal outlet can be easily mounted in the cockpit, cabin and galley. Both versions are rated up to 15 amps of power. They are compatible with all True Blue Power inverters.

PART NO.	CONFIGURATION	LIST PRICE
9018708-1	115V, AC, Three Prong	\$484
9018708-2	115–230V, AC, Universal	\$484
9018708-3*	115V, AC, Three Prong, no Pigtail	\$484
9018708-4*	115–230V, AC, Universal, no Pigtail	\$484
7430004-1	STC Kit, Boeing 737, T1250, 2 North American AC outlets	\$11,731
7430004-2	STC Kit, Boeing 737, T1250, 2 Universal AC outlets	\$11,731

\* Not FAA PMA approved



9018708-1



9018708-2

## Radars

### Ontic

Utilizing the latest technology, Ontic's digital weather radar systems deliver an accurate, vertical image of a storm and provide the best view available to the pilot to accurately determine its scope.

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
ART 2000	071-01519-0101	Digital weather radar system, Radar transceiver, 4.0 kW	Please call
ART 2100	071-01550-0101	Digital weather radar system, Radar transceiver, 6.0 kW	Please call
RDR 2060	071-01550-0201	Digital weather radar system, Radar transceiver, 6.0 kW	Please call



ART 2000

## Remote Relay Units

### Mid-Continent Instruments and Avionics

These remote-mounted, 24-pole units feature eight nitrogen-filled relays (3 poles per relay) with gold-plated contacts. Ideal for GPS/VOR transfer and audio switching applications, these remote relay units provide unequalled integrity with fail-safe fault monitoring through interlocking of all internal relays.

PART NO.	CONFIGURATION	LIST PRICE
MD41-244	24-pole, 14V, TSO	\$1,465
MD41-248	24-pole, 28V, TSO	\$1,465



MD41-248



**500+ STC**  
Aircraft Models



# SAVE SPACE SAVE TIME SAVE THE DAY

## 2-inch Standby Attitude Module

Maximize your panel space and fly with the only 2-inch, digital standby that can be installed horizontally and vertically to fit in the tightest spaces. With SAM, you won't waste time on unreliable equipment and complicated installations, and a rechargeable, internal battery saves the day in the event of electrical failure. You'll have one hour of emergency power and the critical time you need to land safely.

**SAM**<sup>®</sup> YOU GOTTA HAVE IT!



# Standby Attitude Modules

## SAM® Standby Attitude Modules, 2-inch, Digital Mid-Continent Instruments and Avionics

Fly with the only digital standby that can be installed horizontally or vertically to fit in the tightest spaces. SAM® is the first certified standby to display attitude, altitude, airspeed, vertical trend, heading and slip information in a flexible 2-inch format. Fly SAM. Land safe.

Available with FAA-certified lithium-ion or nickel-metal hydride emergency battery and customizable to add SSEC for RVSM. Night Vision Imaging System (NVIS) compatible versions are available. Please call for a quote.



selectable orientation



field upgradeable software



emergency battery

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
SAM MD302	6420302-1	Digital, 10–32 VDC, Attitude, Altitude, Airspeed, Slip, Black bezel, Lithium-ion battery	\$11,240
SAM MD302	6420302-7	Digital, 10–32 VDC, Attitude, Altitude, Airspeed, Slip, Black bezel, NiMH battery	\$11,240
SAM MD302	6420302-2	Digital, 10–32 VDC, Attitude, Altitude, Airspeed, Slip, Black bezel, (Without battery)	\$11,240
SAM MD302	6420302-4	Digital, 10–32 VDC, Attitude, Altitude, Airspeed, Slip, Gray bezel, Lithium-ion battery	\$11,240
SAM MD302	6420302-6	Digital, 10–32 VDC, Attitude, Altitude, Airspeed, Slip, Black bezel, (For Cirrus SR)	\$11,240
SAM MD302	6420302-8	Digital, 10–32 VDC, Attitude, Altitude, Airspeed, Slip, Gray bezel, NiMH battery	\$11,240
SAM MD302	6420302-5	Digital, 10–32 VDC, Attitude, Altitude, Airspeed, Slip, Gray bezel, (Without battery)	\$11,240
SAM MD302	6420302-3	No display, 10–32 VDC, Remote mounted, ARINC output, (Without battery)	\$11,240
	9017177	Battery pack, Lithium-ion	\$482
	9019120-1	Battery pack, NiMH	\$606
	9017146*	Pitot-static O-ring	\$4

\* Included with purchase of SAM® standby attitude modules

## RELATED PRODUCTS

### SAM® is even smarter!

The MD32 Magnetometer, designed specifically for SAM®, delivers independent heading reference. Its unique mounting flexibility, compact size and convenient cockpit calibration ensures an easy, low-cost installation.



MD32 Remote Magnetometer  
(Page 41)



# Transponders, Turn and Slip Indicators



**KGX-150R**

## Transponders

### BendixKing (Honeywell)

BendixKing transponders ensure the visibility of your aircraft now, and into the future. Designed to perform under the most extreme conditions, units are available to meet global mandates for ADS-B compliance.

MODEL NO.	PART NO.	CONFIGURATION	LIST PRICE
KGX-130R	89000016-131	Receiver, ADS-B in/out, Remote, w/o GPS (KT 76)	Please call
KGX-150R	89000016-150	Receiver, WAAS GPS/UAT, ADS-B in/out, Remote (KT 76)	Please call



**5550-8340N5L**

## Turn and Slip Indicators, 2-inch

### Mid-Continent Instruments and Avionics / General Design

Widely used as standard equipment in the turboprop market, these dependable 2-inch units fit into the tightest panel space. AC brushless rotors offer great reliability.

PART NO.	CONFIGURATION	LIST PRICE
5550-8340N5L	28V, Lighted	\$4,113
MS3106A10SL-3S	Connector, 3-pin	\$99



**1234T100-7TZ**

## Turn and Slip Indicators, 3-inch

### Mid-Continent Instruments and Avionics

Proven reliability through HALT testing and OEM use since 1999, it's hard to beat these indicators. With more than one million units produced, they are the choice of more than 15 aircraft companies.

PART NO.	CONFIGURATION	LIST PRICE
1234T100-7TZ	12-32V	\$2,994
1234T100-3TZ*	12-32V, Lighted	\$2,994
MS3106A10SL-3S	Connector, 3-pin	\$99

\* Specify lighting voltage and type (LED or incandescent) when ordering

# Turn Coordinators

## Turn Coordinators, 3-inch

### Mid-Continent Instruments and Avionics

Engineered for a long service life, the “B” model turn coordinators feature a proven AC rotor powered by a solid-state inverter, creating less heat behind the panel. Utilizing a brushless rotor design, these instruments have top industry ratings of 4,800 hours MTBF. As a direct replacement for most 3-pin turn coordinators, these units are ideal for use in high-performance aircraft and cold-climate applications. All 3-inch turn coordinators operate from 11–32 volts DC for convenience and reliability.

PART NO.	CONFIGURATION	LIST PRICE
1394T100-7B	11–32V, Brushless	\$1,673
1394T100-3B*	11–32V, Brushless, Lighted	\$2,015
1394T100-7RB	11–32V, Autopilot, Brushless, ARC	\$2,938
1394T100-10RB*	11–32V, Autopilot, Brushless, KAP 140, Lighted, High wing	\$3,137
1394T100-12RB*	11–32V, Autopilot, Brushless, KAP 140, Lighted	\$3,137
1394T100-14RB*	11–32V, Autopilot, Brushless, S-TEC, Lighted	\$3,137
MS3106A10SL-3S	Connector, 3-pin	\$99
MS3106A14S-5S	Connector, 5-pin, Autopilot	\$96



1394T100-7B

\* Specify lighting voltage and type (LED or incandescent) when ordering



## Bell 206L

STC Approved

MD41-1817 Lithium-Ion Battery ACU  
True Blue Power® TB17 Aircraft Battery

Accessory

True Blue Power® Pro Battery Charger





# USB Chargers



## USB Chargers True Blue Power®

High Power — Up to 15 watts per port

Pilots and passengers stay charged and connected with high power **TA202 Series** chargers. Single and dual USB-A and USB-C configurations leave a small footprint in the panel or cabin wall. The easy-to-install design requires no external power converters for 10–32 VDC applications. *USB connector kit included with purchase of all USB chargers. Complete list of accessories, page 51.*



USB-A



USB-C



USB-A / USB-A



USB-C / USB-C



USB-C / USB-A

### Single Port, High Power

15 watts

3 amps per port

**\$211/ea**

MODEL NO.	PART NO.	CONFIGURATION
TA202	6430202-9	USB-A, 10–32 VDC in, Rear connector
TA202	6430202-19	USB-A, 10–32 VDC in, Rear connector, Lighted
TA202	6430202-10	USB-A, 10–32 VDC in, Bottom connector
TA202	6430202-20	USB-A, 10–32 VDC in, Bottom connector, Lighted
TA202	6430202-7	USB-C, 10–32 VDC in, Rear connector
TA202	6430202-17	USB-C, 10–32 VDC in, Rear connector, Lighted
TA202	6430202-8	USB-C, 10–32 VDC in, Bottom connector
TA202	6430202-18	USB-C, 10–32 VDC in, Bottom connector, Lighted

### Dual Port, High Power

15 watts / 15 watts

3 amps per port

**\$423/ea**

MODEL NO.	PART NO.	CONFIGURATION
TA202	6430202-5	USB-A, 10–32 VDC in, Rear connector
TA202	6430202-15	USB-A, 10–32 VDC in, Rear connector, Lighted
TA202	6430202-6	USB-A, 10–32 VDC in, Bottom connector
TA202	6430202-16	USB-A, 10–32 VDC in, Bottom connector, Lighted
TA202	6430202-3	USB-C, 10–32 VDC in, Rear connector
TA202	6430202-13	USB-C, 10–32 VDC in, Rear connector, Lighted
TA202	6430202-4	USB-C, 10–32 VDC in, Bottom connector
TA202	6430202-14	USB-C, 10–32 VDC in, Bottom connector, Lighted
TA202	6430202-1	USB-C / USB-A, 10–32 VDC in, Rear connector
TA202	6430202-11	USB-C / USB-A, 10–32 VDC in, Rear connector, Lighted
TA202	6430202-2	USB-C / USB-A, 10–32 VDC in, Bottom connector
TA202	6430202-12	USB-C / USB-A, 10–32 VDC in, Bottom connector, Lighted

## USB Chargers True Blue Power®

**MAX Power — Up to 100 watts per port**



**MAX Power TA360 Series** chargers feature the latest USB Power Delivery (PD) Technology and intelligent, device-driven voltage output. They provide the maximum power needed for each device and up to 100 watts per PD port — that's **7 times more power** than traditional chargers. MAX chargers are compatible with all USB-C PD, traditional USB-C and USB-A devices. *USB connector kit included with purchase of all USB chargers. Complete list of accessories, page 51.*

### Single Port, MAX Power

60 watts                      3 amps per port                      **\$349/ea**

MODEL NO.	PART NO.	CONFIGURATION
-----------	----------	---------------

TA360	6430360-7	USB-C PD, 22–32 VDC in, Rear connector
TA360	6430360-17	USB-C PD, 22–32 VDC in, Rear connector, Lighted

100 watts                      5 amps per port                      **\$499/ea**

MODEL NO.	PART NO.	CONFIGURATION
-----------	----------	---------------

TA360	6430360-27	USB-C PD, 22–32 VDC in, Rear connector
TA360	6430360-37	USB-C PD, 22–32 VDC in, Rear connector, Lighted



USB-C PD

### Dual Port, MAX Power

60 watts / 60 watts                      3 amps per port                      **\$698/ea**

MODEL NO.	PART NO.	CONFIGURATION
-----------	----------	---------------

TA360	6430360-3	USB-C PD, 22–32 VDC in, Rear connector
TA360	6430360-13	USB-C PD, 22–32 VDC in, Rear connector, Lighted



USB-C PD

60 watts / 15 watts                      3 amps per port                      **\$548/ea**

MODEL NO.	PART NO.	CONFIGURATION
-----------	----------	---------------

TA360	6430360-1	USB-C PD / USB-A, 22–32 VDC in, Rear connector
TA360	6430360-11	USB-C PD / USB-A, 22–32 VDC in, Rear connector, Lighted



USB-C PD / USB-A

100 watts / 15 watts                      5 amps per port                      **\$698/ea**

MODEL NO.	PART NO.	CONFIGURATION
-----------	----------	---------------

TA360	6430360-21	USB-C PD / USB-A, 22–32 VDC in, Rear connector
TA360	6430360-31	USB-C PD / USB-A, 22–32 VDC in, Rear connector, Lighted





# USB POWER to the **MAX**

The most powerful USB Chargers in aviation



UPGRADE TO  
**7X** MORE  
POWER

**100**  
WATTS  
PER PORT

Upgrade your aircraft to the fastest charging, most powerful USB charging ports in aviation. **MAX Power Chargers** deliver up to 100 watts per port — that's 7 times more power than traditional chargers. The latest Power Delivery (PD) Technology and device-driven voltage output guarantee your electronics get the maximum power they need. You'll lock in the fastest, most efficient charging possible.

True Blue Power offers a complete line of certified in-seat, cabin, cockpit and galley USB chargers. Backed by a Limited Lifetime Warranty, USB power is available in single and dual port, lighted and non-lighted, traditional USB and PD configurations.



Learn more

**TRUE BLUE POWER**   
A division of Mid-Continent Instrument Co., Inc.

# USB Charger Accessories



9010360-1



9010361-1



9010361-4

## USB Charger Adapters

PART NO.	CONFIGURATION	LIST PRICE
9010360-1	Single port, Right angle adapter (TA360 only)	\$165
9010361-1	Single Port, Multi-unit DZUS mount adapter, Black	\$165
9010361-2	Dual Port, Multi-unit DZUS mount adapter, Black	\$165
9010361-3	Single Port, Multi-unit DZUS mount adapter, Gray	\$165
9010361-4	Dual Port, Multi-unit DZUS mount adapter, Gray	\$165
9017947	Dual port, Instrument adapter plate, Rear mount	\$59
9019702	Single port, Beechcraft yoke USB adapter, Rear mount (TA202 only)	\$211
9019703	Single port, Cygnet yoke USB adapter, Rear mount (TA202 only)	\$211



9017947



9019702

## USB Charger Connector Kits

PART NO.	CONFIGURATION	LIST PRICE
9017960*	USB Connector kit	\$27

\* Included with purchase of all USB chargers



9017958

## USB Charger Dust Covers

PART NO.	CONFIGURATION	LIST PRICE
9019313-1	USB Dust cover, Black	\$5
9019313-2	USB Dust cover, Gray	\$5



9019384-3

## USB Charger Faceplates

PART NO.	CONFIGURATION	LIST PRICE
9019384-3	Single port, Circular, Rear mount	\$31
9019351-1	Single port, Rectangular, Rear mount	\$89
9019384-4	Dual port, Circular, Rear mount	\$31
9017958	Dual port, Small square, Rear mount	\$89
9017897	Dual port, Standard square, Front mount (TA202 only)	\$89



9019384-4

# Vertical Speed Indicators



7030C.27



7130C.47

## Vertical Speed Indicators, 3-inch, Analog

United Instruments

Providing an accurate indication of rate of change in altitude, these versatile vertical speed indicators (VSI) offer several configurations and have been selected as standard equipment by aircraft manufacturers worldwide. IVSI units provide Instantaneous Vertical Speed Indication.

PART NO.	CONFIGURATION	LIST PRICE
7000C.31	0–2,000 FPM	\$1,251
7000C.91*	0–2,000 FPM, Lighted	\$1,726
7030C.27	0–3,000 FPM	\$1,251
7030C.99*	0–3,000 FPM, Lighted	\$1,726
7040C.28	0–4,000 FPM	\$1,251
7040C.109*	0–4,000 FPM, Lighted	\$1,726
7060C.46	0–6,000 FPM	\$2,122
7060C.114*	0–6,000 FPM, Lighted	\$2,596
7120C.40	0–2,000 FPM, IVSI	\$4,430
7130C.41	0–3,000 FPM, IVSI	\$4,430
7130C.47*	0–3,000 FPM, IVSI, Lighted	\$4,903
7140C.42	0–4,000 FPM, IVSI	\$4,430
7140C.125*	0–4,000 FPM, IVSI, Lighted	\$4,903
7160C.43	0–6,000 FPM, IVSI	\$5,342
7160C.130*	0–6,000 FPM, IVSI, Lighted	\$5,342

\* Specify lighting voltage and type (LED or incandescent) when ordering



## Cessna Caravan

STC Approved | 208/208B Series True Blue Power® TB44 Aircraft Battery

Accessory | True Blue Power® Pro Battery Charger





# WHERE TO BUY

Mid-Continent Instruments and Avionics and True Blue Power products are available at more than 8,000 avionics dealers, worldwide.



Scan to locate a Dealer near you

 **MidContinent**<sup>®</sup>  
INSTRUMENTS+AVIONICS

**TRUE BLUE POWER**<sup>®</sup>   
A division of Mid-Continent Instrument Co., Inc.



[mcico.com](http://mcico.com)

[truebluepowerusa.com](http://truebluepowerusa.com)

**Kansas**

9400 East 34th Street North  
Wichita, Kansas 67226 USA  
Tel 316.630.0101  
Tel 800.821.1212  
Fax 316.630.0723  
[mcia@mcico.com](mailto:mcia@mcico.com)

**California**

9722 Topanga Canyon Boulevard  
Chatsworth, California 91311 USA  
Tel 818.786.0300  
Tel 800.345.7599  
Fax 818.786.2734  
[mcia@mcico.com](mailto:mcia@mcico.com)



Follow us for our latest news, announcements and videos.