








CELEBRATING

YEARS



2016 Winter Catalog

October 1, 2016 - March 31, 2017

Phone Toll Free: 800.362.6951

Hours 7:30 am - 5:30 pm (CST)

Fax Toll Free: 800.255.7985



www.phpdistribution.com



FREIGHTMeans You Pay On Time, Your Freight is FREE!

Winter Terms

	Minimum Order			
	Up to \$749	\$750 - \$1,999	\$2,000 - \$4,999	\$5,000+
Terms	Net 30	2 Equal Payments	3 Equal Payments	4 Equal Payments
Freight	Prepaid & Add	Prepaid & Add	Freight-Allowed*	Freight-Allowed*

**Note: Freight-allowed shall apply on orders of \$2,000 or more, provided that payments are made in a timely manner (i.e., 30, 60, 90, 120-day intervals, as per the above matrix.) Same-day shipping applies to all small-package (i.e. non-LTL) FedEx and UPS orders received by 4:00 p.m. CST., subject to stock availability.*

Payment Examples on a \$2,000 Order

Credit Card Purchase

Purchase \$2,000 of merchandise and pay with a credit card.

When using a credit card, the customer pays one lump sum and the freight is free.....

Total Invoice	\$2,000.00
Freight	\$0.00
Total Paid by CC	\$2,000.00

Terms Purchase

Single invoice shows \$2,000 of merchandise and \$145 in freight. The customer can pay in 3 equal payments and deduct the freight*.

<i>Total Invoice: \$2,145.00</i>	
Payment 1	\$715.00
Payment 2	\$715.00
Payment 3 (*Deduct \$145 freight)	\$570.00
Total Paid	\$2,000.00

**If payments are received on time (30, 60, 90-day intervals), they may deduct the freight on the last payment.*

See Terms & Conditions page for complete explanation.

Follow Us!



facebook.com/PPHHPP46383




twitter.com/PHPDistribution



youtube.com (search PHP Distribution)



Ground Shipping Time From PHP



New Product Additions*



Air Scrubber
Page 173

OdorSoo



Headlight Restoration
Page 104

rain-x



Drill Pump
Page 78

Flotec
Water is Our Business



Floor Dryer
Page 176

OdorSoo



Wire Stripper
Value Pack
Page 87

KLEIN TOOLS




ORCA Coolers
New Coolers
Pages 188

ORCA



Mechanics Tool Set
Page 90

DEWALT



Chain Anchor
Tiedown
Page 49

DURABILIT.



Water Pumps
Pages 76-78

Flotec
Water is Our Business



Deck Demon
Page 113

Deck Demon



Roof Sealant
Page 101

DAP



Tablecovers
New Colors
Page 201

Kwik-Covers



Capret Blowers
Page 176

OdorSoo



Deck Sprayer
Page 112



ORCA Chasers
New Colors
Page 188

ORCA




Diamond Blades
Page 150

MKO
M&K Diamond Products, Inc.



Liquid Peanut Butter
Page 191

SEPHRA



Extension Cord
Locks
Page 109

CENTURY
WIRE AND CABLE

* See www.phpdistribution.com for prevailing prices



50,000 BTU

- 4 gallon tank
- Durable barrel design
- Recessed controls

Part# List Price Wholesale
 DXH50K Please Login



75,000 BTU

- 4 gallon tank
- Durable barrel design
- Recessed controls
- Built-in thermostat

Part# List Price Wholesale
 DXH75KT Please Login



135,000 BTU

- 14 gallon tank
- Heavy-duty roll cage
- Durable barrel design
- Front storage compartment
- Flat-free tires
- Recessed controls
- Built-in thermostat

Part# List Price Wholesale
 DXH135HD Please Login

190,000 BTU

- 14 gallon tank
- Heavy-duty roll cage
- Durable barrel design
- Front storage compartment
- Flat-free tires
- Recessed controls
- Built-in thermostat

Part# List Price Wholesale
 DXH190HD Please Login

215,000 BTU

- 14 gallon tank
- Heavy-duty roll cage
- Durable barrel design
- Front storage compartment
- Flat-free tires
- Recessed controls
- Built-in thermostat

Part# List Price Wholesale
 DXH215HD Please Login



Model #	DXH50K	DXH75KT	DXH135HD	DXH190HD	DXH215HD
Stock#	F340670	F340675	F340690	F340695	F340700
BTU Output	50,000	75,000	135,000	190,000	215,000
*Heats Up To: (Approx. Sq. Ft.)	1,200	1,750	3,500	4,200	6,500
Run Time: (Approx.)	11 Hrs	11 Hrs.	9.5 Hrs	10 Hrs.	9.5 Hrs.
CFM Output	165	240	275	400	400
Tank Size (Gallon)	4	6	14	14	14
Thermostat	Sold Separately	Included	Included	Included	Included
Tires	N/A	N/A	Foam filled flat-free	Foam filled flat-free	Foam filled flat-free
Weight	33.75 lbs.	39 lbs.	60 lbs.	74 lbs.	106.5 lbs.
Shipping Ctn Size (In Inches)	32.5 x 14.25 x 14.75	32.25 x 14.25 x 17	39.75 x 18.25 x 20.75	39.75 x 18 x 21	42 x 18 x 22

* Heating area based on average insulation, ceiling height and desired temperature rise.





75,000 BTU

- Heats up to 1,750 sq. feet
- Built-in thermostat
- Fuel gauge
- Cord wrap
- Easy-off fuel cap
- Lighted on/off switch

Part# List Price Wholesale
HS75KT Please Login



125,000 BTU

- Heats up to 3,000 sq. feet
- Built-in thermostat
- Fuel cap with gauge
- Cord wrap
- Easy-off fuel cap
- Lighted on/off switch
- Oversized traction wheels

Part# List Price Wholesale
HS125KT Please Login



175,000 BTU

- Heats up to 4,250 sq. feet
- Built-in thermostat
- Fuel cap with gauge
- Cord wrap
- Easy-off fuel cap
- Lighted on/off switch
- Oversized traction wheels

Part# List Price Wholesale
HS175KT Please Login



210,000 BTU

- Heats up to 6,000 sq. feet
- Built-in thermostat
- Fuel cap with gauge
- Cord wrap
- Easy-off fuel cap
- Lighted on/off switch
- Oversized traction wheels

Part# List Price Wholesale
HS210KT Please Login

	HS75KT	HS125KT	HS175KT	HS210KT
Stock Number	F170275	F170325	F170375	F170380
Output (BTU/HR)	75,000	125,000	175,000	210,000
Output CFM	240	275	400	400
Fuel	Kerosene / #1 Fuel Oil	Kerosene / #1 Fuel Oil	Kerosene / #1 Fuel Oil	Kerosene / #1 Fuel Oil
Fuel Consumption (gal/hr)	.56	.77	1.15	1.60
Flame Safety	Overheat Safety Shutoff	Overheat Safety Shutoff	Overheat Safety Shutoff	Overheat Safety Shutoff
Ignition	Continuous	Continuous	Continuous	Continuous
Power Required	110 - 115 V, 60 Hz	110 - 115 V, 60 Hz	110 - 115 V, 60 Hz	110 - 115 V, 60 Hz
Tank Size	6 gallons	14 gallons	14 gallons	14 gallons
Shipping Size (L x W x H)	32" x 14.25" x 17"	42" x 18" x 22.25"	42" x 18" x 22.25"	42" x 18" x 22.25"
Net Weight	36 lbs.	69 lbs.	76 lbs.	82 lbs.
Shipping Weight	43 lbs.	74 lbs.	81 lbs.	87 lbs.
Shipping Cube	4.30	9.73	9.73	9.73
Thermostat	Standard	Standard	Standard	Standard



75,000 BTU Direct Spark

- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- High limit safety sensor
- Built-in air pressure gauge

Part#	List Price	Wholesale
Tradesman K75		Please Login



125,000 BTU Direct Spark

- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- High limit safety sensor
- Built-in air pressure gauge
- Pneumatic wheels
- Room temperature display

Part#	List Price	Wholesale
Tradesman K125		Please Login



175,000 BTU Direct Spark

- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- High limit safety sensor
- Built-in air pressure gauge
- Pneumatic wheels
- Room temperature display

Part#	List Price	Wholesale
Tradesman K175		Please Login



210,000 BTU Direct Spark

- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- High limit safety sensor
- Built-in air pressure gauge
- Pneumatic wheels
- Room temperature display

Part#	List Price	Wholesale
Tradesman K210		Please Login

TRADESMAN

	K75	K125	K175	K210
Btu/h Rating	75,000	125,000	175,000	210,000
Heated Air Output (CFM)	265	520	600	650
Pump Pressure (psi)	3.8	5.5	6.5	8.5
Fuel Consumption (max.) (gal./hr.)	0.6	0.95	1.3	1.6
Tank Capacity (gal.)	5	10	13	13
Operating Time/Tankful min. (hrs.)	8.3	10.5	10.0	8.0
Amps (continuous operation)	1.6	2.5	3.2	3.7
Motor Horsepower	1/8	1/5	1/4	1/3
Dimensions (in.)				
Length	32.0	37.5	43.5	43.5
Width	11.8	22.4	23.9	23.9
Height	16.8	24.9	26.6	26.6
Shipping Weight (lbs.)	30.0	55.0	60.0	65.0

No-Spill® CARB Fuel Can w/Auto Stop Nozzle Meets CARB Environmental Standard



- Wide, stable base can reduce up:
- Semi-translucent body lets you see your fuel level
- Quart & Liter markings molded in for easy reference
- 7/8" Funnel spout easily fills even the smallest equipment

Part#	Description	List Price	Wholesale
NS1456	5 Gal. kerosene (blue)-CARB		Please Login

HOT 4 in 1 Heating Oil Treatment



- TOTALLY disperses water, so in effect there is no longer any "free water"
- Treats 274 gallons.

Part#	List Price	Wholesale
00161		Please Login

Note: Do Not Use With Wick Heaters

Job Sizing - Heat Requirements

Cubic Feet	Rise in Temperature							
	10°F	20°F	30°F	40°F	50°F	60°F	70°F	80°F
4,000	5,320	10,640	15,960	21,280	26,600	31,920	37,240	42,560
8,000	10,640	21,280	31,920	42,560	53,200	63,840	74,480	85,120
12,000	15,960	31,920	47,880	63,840	79,800	95,760	111,720	127,680
16,000	21,280	42,560	63,840	85,120	106,400	127,680	148,960	170,240
20,000	26,600	53,200	79,800	106,400	133,000	159,600	186,200	212,800
24,000	31,920	63,840	95,760	127,680	159,600	191,520	223,440	255,360
28,000	37,240	74,480	111,720	148,960	186,200	223,440	260,680	297,920
32,000	42,560	85,120	127,680	170,240	212,800	255,360	297,920	340,480
36,000	47,880	95,760	143,640	191,520	239,400	287,280	335,160	383,040
40,000	53,200	106,400	159,600	212,800	266,000	319,200	372,400	425,600
44,000	58,520	117,040	175,560	234,080	292,600	351,120	409,640	468,160
48,000	63,840	127,680	191,520	255,360	319,200	383,040	446,880	510,720
52,000	69,160	138,320	207,480	276,640	345,800	414,960	484,120	553,280
56,000	74,480	148,960	223,440	297,920	372,400	446,880	521,360	595,840
60,000	79,800	159,600	239,400	319,200	399,000	478,800	558,600	638,400
64,000	85,120	170,240	255,360	340,480	425,600	510,720	595,840	680,960
68,000	90,440	180,880	271,320	361,760	452,200	542,640	633,080	723,520
72,000	95,760	191,520	287,280	383,040	478,800	574,560	670,320	766,080
76,000	101,080	202,160	303,240	404,320	505,400	606,480	707,560	808,640
80,000	106,400	212,800	319,200	425,600	532,000	638,400	744,800	851,200
84,000	111,720	223,440	335,160	446,880	558,600	670,320	782,040	893,760
88,000	117,040	234,080	351,120	468,160	585,200	702,240	819,280	936,320
92,000	122,360	244,720	367,080	489,440	611,800	734,160	856,520	978,880
96,000	127,680	255,360	383,040	510,720	638,400	766,080	893,760	1,021,440
100,000	133,000	266,000	399,000	532,000	665,000	798,000	931,000	1,064,000
104,000	138,320	276,640	414,960	553,280	691,600	829,920	968,240	1,106,560
108,000	143,640	287,280	430,920	574,560	718,200	861,840	1,005,480	1,149,120
112,000	148,960	297,920	446,880	595,840	744,800	893,760	1,042,720	1,191,680
116,000	154,280	308,560	462,840	617,120	771,400	925,680	1,079,960	1,234,240
120,000	159,600	319,200	478,800	638,400	798,000	957,600	1,117,200	1,276,800
124,000	164,920	329,840	494,760	659,680	824,600	989,520	1,154,440	1,319,360
128,000	170,240	340,480	510,720	680,960	851,200	1,021,440	1,191,680	1,361,920
132,000	175,560	351,120	526,680	702,240	877,800	1,053,360	1,228,920	1,404,480
136,000	180,880	361,760	542,640	723,520	904,400	1,085,280	1,266,160	1,447,040
140,000	186,200	372,400	558,600	744,800	931,000	1,117,200	1,303,400	1,489,600
144,000	191,520	383,040	574,560	766,080	957,600	1,149,120	1,340,640	1,532,160
148,000	196,840	393,680	590,520	787,360	984,200	1,181,040	1,377,880	1,574,720
152,000	202,160	404,320	606,480	808,640	1,010,800	1,212,960	1,415,120	1,617,280

Formula: Cubic Feet x .133 x Desired Temperature Rise = BTU/h Required

Note: .133 = Heat Loss Variable, a number standard to the industry based on insulation. A tightly insulated building indicates this number is slightly high. Yet a loosely insulated building indicates this number is slightly low. However, .133 is a factor that meets a respectful medium.



**155,000 BTU
Infrared
High Pressure
Unit**



- Low noise level
- Radiant heat with no air movement
- Single point bail lift
- Odor FREE
- Kerosene, diesel, fuel oil
- 17 Gal. shock proof fuel tank
- Adjustable floor-heat shield
- Electric - 120V, 41 Amps
- Weight - 161 lbs.
- Dimensions - 40"Lx28"Wx41"H

Part#	List Price	Wholesale
HS155-IR		Please Login

**115,000 BTU
Infrared
High Pressure Unit**



- Heavy-duty construction
- Radiant heat with no air movement
- Low noise level
- Single point bail lift
- Odor FREE
- Kerosene, diesel, fuel oil
- Shock proof fuel tank
- Adjustable floor-heat shield

Part#	List Price	Wholesale
HS115-IR		Please Login



**115,000 BTU
Infrared
Heater**



- Built "Construction Tough"
- High efficiency
- 11.35 gallon capacity fuel tank
- No odor
- Electric - 120V
- Weight - 104 lbs.
- Dimensions - 31.81"L x 20.94"W x 35.24"H

Part#	Description	List Price	Wholesale
HRF115	Heater		Please Login
THIDF	Thermostat w/50' cord (opt)		Please Login



Standard Features

- Pre-heated fuel filter
- Fuel gauge
- Lifting brackets
- Power cord bracket
- Large fuel tank, over 35 gallon capacity!
- Runtime: (DF400-12.6 hrs.), (DF600-8.3 hrs.)
- External fuel tank available for even more run time!

Direct Fired Heaters

- Runs on #1, #2 diesel, kerosene, JP-8, or Jet A fuel
- Simple, easy to use control panel built with tough flameproof plastic
- Safety features include: overheat limit, pressure switch and flame out sensor
- Double layered combustion chamber provides quiet operation and low surface shell temperature
- Preheated fuel filter with fuel gauge is standard
- Optional thermostat available (ACC-THIDF w/50' cord)

Part#	Description	CFM	List Price	Wholesale
DF400	400,000 BTU	2500		Please Login
DF600	600,000 BTU	2800		Please Login
THIDF	Thermostat			Please Login

Portable Oil Indirect-Fired Heaters

- 100% clean, dry heat
- High pressure operation
- Four-loop exhaust gas system™ for higher efficiency
- Temperature rise 160°F
- Extra large fuel tanks for extended run times
- Runs on #1 & #2 diesel, kerosene, JP-8 or Jet A
- Low-power consumption

- Runs on 15 amp circuit
- “One-Man” maneuverability
- Lifting handles
- Fuel gauge
- Extra large capacity tanks
- Thermostat sold separately

No Open Flame!



HVF110 - 110,000 BTU

- 17 gallon tank
- 22 hour run time
- 120v, 6amp
- 1,020 cfm
- Temperature rise = 160° F
- Ductable up to 25'
- 100 lbs.



Part#	Description	List Price	Wholesale
HVF110	Heater		Please Login
WD1220	20' Duct		Please Login
AR110	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
EF1	Raincap		Please Login



HVF210 - 205,000 BTU

- 27.7 gallon tank
- 19 hour run time
- Preheated fuel filter
- 120v, 9amp
- 1,530 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 180 lbs.



Part#	Description	List Price	Wholesale
HVF210	Heater		Please Login
WD1425	25' Duct		Please Login
AR210	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR212	Two-way adapter		Please Login
WD1225	Duct for two-way		Please Login
EF1	Raincap		Please Login



HVF310 - 300,000 BTU

- 35.7 gallon tank
- 16 hour run time
- Preheated fuel filter
- 120v, 12amp
- 2,500 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 270 lbs.



Part#	Description	List Price	Wholesale
HVF310	Heater		Please Login
WD1825	25' Duct		Please Login
AR310	Duct ring		Please Login
23189	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR312	Two-way adapter		Please Login
WD1220	Duct for two-way		Please Login
EF1	Raincap		Please Login



HVF410 - 412,000 BTU

- 57 gallon tank
- 30 hour run time
- Preheated fuel filter
- 120v, 20amp
- 3250 cfm
- Temperature rise = 140° F
- Ductable up to 60'
- 507 lbs.
- 2 control settings
Low-272K BTU
High-412K BTU



Part#	Description	List Price	Wholesale
HVF410	Heater		Please Login
WD2025	25' Duct		Please Login
AR401	Duct ring		Please Login
23189	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR402	Two-way adapter		Please Login
WD1825	Duct for two-way		Please Login
EF1	Raincap		Please Login



Ductable Dual-Fuel, Direct Fired Heater

- Heavy-duty frame with wheels and lifting hook
- Changes from vapor propane to natural gas with a turn of a valve
- Low amp draw
- Ductable up to 50'
- Remote thermostat with 50' cord (sold separately)
- 120V

Part#	Description	List Price	Wholesale
DG250	250,000 BTU heater		Please Login
WD1625HT5	25 ft. duct (DG250)		Please Login
AR250	Duct adapter (DG250)		Please Login
DG400	400,000 BTU heater		Please Login
WD2025HT5	25 ft. duct (DG400)		Please Login
AR400	Duct adapter (DG400)		Please Login
DIGTHIDF-5	Thermostat		Please Login
INSTKIT	Hose & Reg. Inst. Kit		Please Login

LP Hose & Regulator Installation Kit #INSTKIT

- 3/4" x 25' hose
- Regulator (1st Stage)
- Tank connector
- Regulator (2nd Stage)
- Thread sealing tape
- All fittings to connect to tanks



Propane Forced-Air

HeatStar heaters include a 20 ft. hose and regulator.



85,000 BTU

- Heats up to 2,000 sq. feet
- Will not work with thermostat
- Continuous ignition

Part# List Price Wholesale
 HS85FAV Please Login



170,000 BTU

- Heats up to 4,000 sq. feet
- Built-in thermostat
- Automatic solid state ignition

Part# List Price Wholesale
 HS170FAVT Please Login



125,000 BTU

- Heats up to 3,000 sq. feet
- Will not work with thermostat
- Continuous ignition

Part# List Price Wholesale
 HS125FAV Please Login



400,000 BTU

- Heats up to 9,000 sq. feet
- Built-in thermostat
- Automatic solid state ignition

Part# List Price Wholesale
 HS400FAVT Please Login

	HS85FAV	HS125FAV	HS170FAVT	HS400FAVT
Stock Number	F170085	F170125	F170170	F172425
Output (BTU/HR)	50,000 - 85,000	75,000 - 125,000	125,000 - 170,000	250,000 - 400,000
Output CFM	300	350	450	1400
Fuel	Propane Gas	Propane Gas	Propane Gas	Propane Gas
Min. Required Tank Size	20 lb.	40 lb.	100 lb.	100 lb.
Propane Consumption (lbs/hr)	2.3 to 3.9	3.5 to 5.8	5.8 to 7.8	11.5 to 18.5
Pressure Regulator Settings	28" W.C.	28" W.C.	28" W.C.	20 PSI
Adjustable Height Control	Yes	Yes	Yes	-
Flame Safety	Yes	Yes	Yes	Yes
High Temperature Limit Switch	240° F	240° F	240° F	240° F
Ignition	Continuous	Continuous	Automatic Solid State	Automatic Solid State
Thermostat	-	-	Built-in	Built-in
Power Required	115 V. 60 Hz 3a	115 V. 60 Hz 3a	115 V. 60 4a	115 V. 60 4a
Hose-10ft.	3/8" I.D. w/ Regulator and POL	3/8" I.D. w/ Regulator and POL	3/8" I.D. w/ Regulator and POL	1/4" I.D. w/ Regulator and POL
POL/Excess Flow Check Valve	Yes	Yes	Yes	Yes
Shipping Size (L x W x H)	21" x 11.5" x 16"	20.25" x 12" x 15.5"	26.5" x 11.5" x 16.75"	38.58" x 15" x 22.25"
Net Weight (Includes Hose / Regulator / POL Assembly)	18 lbs.	23 lbs.	32 lbs.	47 lbs.
Shipping Weight	20 lbs.	25 lbs.	34 lbs.	51 lbs.
Shipping Cube	2.2'	2.7'	3.0'	7.5'



40,000 BTU

- 20 lb. minimum tank size
- 11 hour run time
- Rugged two-piece barrel
- Recessed controls
- 15' hose & regulator

Part# List Price Wholesale
 DXH40FALP Please Login



65,000 BTU

- 20 lb. minimum tank size
- 7 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- 15' hose & regulator

Part# List Price Wholesale
 DXH65FALP Please Login



125,000 BTU

- 40 lb. minimum tank size
- 7 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- Quiet Burner Technology™
- 20' hose & regulator

Part# List Price Wholesale
 DXH125FALP Please Login



150,000 BTU

- 100 lb. minimum tank size
- 14 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- Quiet Burner Technology™
- 20' hose & regulator

Part# List Price Wholesale
 DXH150FALP Please Login



170,000 BTU

- 100 lb. minimum tank size
- 13 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- Quiet Burner Technology™
- Built-in thermostat
- 20' hose & regulator

Part# List Price Wholesale
 DXH170FAVT Please Login



Model#	DXH40FALP	DXH65FALP	DXH125FALP	DXH150FALP	DXH170FAVT
Stock#	F340705	F340710	F340720	F340725	F340730
BTU Output	40,000	35,000-65,000	75,000-125,000	100,000-150,000	125,000-170,000
Heats Up To: (Approx. Sq. Ft.)	800	1,250	3,200	3,500	4,000
CFM Output	100	300	350	400	450
Minimum Recommended Tank Size	20 lbs.	20 lbs.	40 lbs.	100 lbs.	100 lbs.
Operating Pressure	10 PSI	20 PSI	20 PSI	20 PSI	28 PSI
Approx. Run Time On Minimum Tank Size	12 Hrs.	7 Hrs. High 14 Hrs. Low	6.5 Hrs. High 11 Hrs. Low	12 Hrs. High 17 Hrs. Low	10.5 Hrs. High 17 Hrs. Low
Thermostat	NO	NO	NO	NO	YES
Quiet Burner Technology®	YES	YES	YES	YES	YES
Weight	20 lbs.	20 lbs.	22 lbs.	22 lbs.	30.35 lbs.
Shipping Ctn Size (In Inches)	20.5 x 9.75 x 12.75	19.75 x 11.5 x 14.25	21.25 x 11.75 x 16	21.25 x 11.75 x 16	26.75 x 11.75 x 16.5

* Heating area based on average insulation, ceiling height and desired temperature rise.





Cordless Propane Unit

- Built-in battery and charger
- Runs 8 hours per charge
- Can operate while plugged-in and charging
- Ultra-quiet fan
- Quiet burner
- Hose and regulator included
- Connects to 20,40 or 100 lb. propane tanks

Part#	Description	List Price	Wholesale
HS35CLP	35,000 BTU		Please Login
HS60CLP	60,000 BTU		Please Login



MH15T



MH30T



MH45T

Tanktop Heaters

- Reaches full output in seconds
- No electricity required
- Fully assembled and ready to use
- Made of rugged quality materials
- Tank not included

Part#	Description	List Price	Wholesale
MH15T	10,000 - 15,000 BTU		Please Login
MH30T	10,000 - 30,000 BTU		Please Login
MH45T	10,000 - 45,000 BTU		Please Login

Big Buddy Heater (MH18B)

- Heats up to 400 sq. feet
- Blower fan power on/off switch



MH18B

Hunting Buddy (MH12B)

- Heats up to 300 sq. feet
- Camo faceplate
- Silent electronic ignition



MH12B

Buddy Heater (MH9BX)

- Heats up to 200 sq. feet



MH9BX

Little Buddy Heater (MH4B)

- Heats up to 100 sq. ft.



MH4B

Features

- Built-in low oxygen shut off sensor and tip-over switch
- Easy-carry handle
- CSA-certified for indoor use

Part#	Description	List Price	Wholesale
MH4B	3,800 BTU		Please Login
MH9BX	4,000 - 9,000 BTU		Please Login
MH12B	6,000 - 12,000 BTU		Please Login
MH18B	4,000 - 18,000 BTU		Please Login
F273699	Fuel filter (change annually)		Please Login
F273702	12' Hose recommended to use w/fuel filter		Please Login
F276127	Power adapter for Big Buddy		Please Login



Tradesman Series Propane Heater

- 170,000 BTU
- 625 CFM
- Direct Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 24"L x 10"W x 16"H
- 28.5 lbs. net weight
- Gas pressure regulator and 10' hose included
- CSA Certified
- Mounted thermostat - standard



Part#	Description	List Price	Wholesale
Tradesman170P	170,000 BTU		Please Login



Tradesman Series Propane Heater

- 400,000 BTU
- 1,582 CFM
- Direct Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 33.3"L x 13.5"W x 18.5"H
- 52.0 lbs. net weight
- Gas pressure regulator and 10' hose included
- CSA Certified
- Mounted thermostat - standard




Part#	Description	List Price	Wholesale
Tradesman400P	400,000 BTU		Please Login

L.B. White Tradesman heaters feature a unique 3-trial ignition system, the industry's heaviest gauge combustion chamber and burner plate.



Unique 3-trial ignition ensures heater will light



Industry's heaviest gauge combustion chamber and burner plate for longest life



Garage Heaters

- Easily Heats 2 And 3 Car Garages
- Includes Gas Conversion Kit
- Ships configured for natural gas
- Cabinet Size: - 12" x 18" x 25"
- Power Exhaust Allows For Vertical Or Horizontal Venting
- Spark Ignition – Features Self-Diagnostic Control Module
- 3-Year Warranty On Parts And Burner
- 10-Year Warranty On Heat Exchanger
- Needs thermostat to operate (sold separately)
- Venting kits sold separately



Part#	Description	List Price	Wholesale
HSU50NG	45,000 BTU - Propane/NG		Please Login
HSU80NG	80,000 BTU - Propane/NG		Please Login
F10371	Thermostat		Please Login
F102848	*Vertical venting kit-80K BTU only		Please Login

*Includes angle brackets for ceiling mounting - flue is 4"



Propane Tanks-Steel

Part#	Description	BTU Content	Gallons	Weight	List Price	Wholesale
281247	20# Tank/OPD	430,000	4.7	16.6 lbs		Please Login
296975	30# Tank/OPD	645,000	7.1	25.4 lbs		Please Login
294235	40# Tank/OPD	860,000	9.4	29.1 lbs		Please Login
282157	100# Tank	2,160,000	23.6	68 lbs		Please Login



Forced-Air Natural Gas Heater


- Heater shuts off with loss of flame or power supply
- Heavy-duty, high output fan
- Made of rugged, durable steel,
- Heats up to 1,250 sq. feet
- Built-in thermostat
- Automatic solid state ignition
- 1/2" hose not included



Part#	Description	List Price	Wholesale
HS170NG	150,000 BTU		Please Login

Forced-Air Natural Gas Heater

- Heated air output 625 cfm
- Direct spark ignition
- Steel case with tri-shield coating
- Unit mount thermostat
- CSA-certified
- 1/2" hose not included



Part#	Description	List Price	Wholesale
Tradesman170N	125-155,000 BTU w/thermostat		Please Login



Natural Gas Radiant Heater


- Heats up to 3,000 sq. feet
- 16.14"L x 16.14"W x 35.04"H
- Piezo push button ignition
- Regulator included
- No electricity required



Part#	Description	List Price	Wholesale
HS125N	125,000 BTU - natural gas		Please Login

Workman 100N Plus Convection Heater

- 100,000 BTU/h Maximum input
- 400 CFM heated air output
- Piezo pilot ignition
- Stainless burner
- 15"L x 12"W x 20"H
- 12 lbs. net weight



Part#	List Price	Wholesale
Workman100NPlus		Please Login



Natural Gas Convection Heater

- Piezo push button ignition
- No electricity required
- Heats up to 1,400 sq. ft.
- "Insta-Lock" system for easy assembly - no tools



Part#	Description	List Price	Wholesale
HS80CVN	30-60,000 BTU - natural gas		Please Login



RCH100N

Radiant Heater



- Cast iron multi-port burner for even heat distribution and long life
- No electrical supply required
- Stainless steel radiant emitter and combustion chamber for durability
- 14" diameter heavy gauge steel base for stability



Built in thermostat!



4114901



Radiant Heater

- Cast iron multi-port burner for even heat distribution and long life
- No electrical supply required
- Stainless steel radiant emitter and combustion chamber for durability
- 18" diameter heavy gauge steel base for stability



Part#	Description	List Price	Wholesale
RCH100N	100,000 BTU - NG		Please Login
4114901	212,000 BTU - NG		Please Login

RCH units have built in thermostats!



Garage Heaters

- Easily Heats 2 And 3 Car Garages
- Includes Gas Conversion Kit
- Ships configured for natural gas
- Cabinet Size: - 12" x 18" x 25"
- Power Exhaust Allows For Vertical Or Horizontal Venting
- Spark Ignition - Features Self-Diagnostic Control Module
- 3-Year Warranty On Parts And Burner
- 10-Year Warranty On Heat Exchanger
- Needs thermostat to operate (sold separately)
- Venting kits sold separately



Part#	Description	List Price	Wholesale
HSU50NG	45,000 BTU - Propane/NG		Please Login
HSU80NG	80,000 BTU - Propane/NG		Please Login
F10371	Thermostat		Please Login

See page 11 for venting kit information



Radiant Heaters

- Heats up to 3,000 sq. feet
- Runs up to 17 hours on a #100 tank
- 16.14"D x 16.14"W x 35.04"H
- Piezo push button ignition
- 12 ft. hose and regulator included (LP model only)
- Regulator included with NG model
- No electricity required



Part#	Description	List Price	Wholesale
HS125LP	125,000 BTU - propane		Please Login
HS125N	125,000 BTU - natural gas		Please Login



Radiant Heater

- Cast iron multi-port burner for even heat distribution and long life.
- No electrical supply required and no moving parts.
- Stainless steel radiant emitter and combustion chamber for durability.
- Heavy gauge steel body construction, welded for strength and bolted for easy maintenance.
- 14" diameter heavy gauge steel base for stability.



Built in thermostat!

Part#	Description	List Price	Wholesale
RCH100LP	95,000 BTU - Propane		Please Login



Convection Heaters

- Piezo push button ignition
- 10 ft. hose and regulator included (LP model only)
- No electricity required

HS80CVX & HS80CVN

- Heats up to 1,900 sq. ft.(HS80CV)
 - Heats up to 1,400 sq. ft.(HS80CVN)
 - Runs up to 14 hours on a #20 tank (LP)
- #### HS200CVX
- Heats up to 4,700 sq. ft.
 - Runs up to 29 hours on a #100 tank



Part#	Description	List Price	Wholesale
HS80CVX	40-80,000 BTU - propane		Please Login
HS80CVN	30-60,000 BTU - natural gas		Please Login
HS200CVX	100-200,000 BTU - propane		Please Login

Radiant Heater

- 45,000 BTU/h Maximum input
- Heavy-duty frame
- Flat-free tires
- Collapsible handle

Part#	List Price	Wholesale
DXH45LP		Please Login



Workman225P Propane Convection Heater

- 16.5"L x 15"W x 23.5"H
- 10 ft. hose standard
- 75,000 - 250,000 BTU
- Piezo ignitor
- 3.5 to 10 lbs./hour propane consumption
- 10 PSI regulator
- Lightweight and portable
- Needs three, 100 lb. tanks



Part#	List Price	Wholesale
Workman225P		Please Login

Norseman 250 Cast Iron Propane Heater

- 24"D x 14"W x 23"H
- 10 ft. hose
- 75,000 - 250,000 BTU
- 25 PSIG regulator
- Adjustable heat output
- Cast iron burner for longer life
- Heavy duty construction - 34 lbs
- Needs three, 100 lb. tanks



Part#	List Price	Wholesale
Norseman250		Please Login



Cord Now Included!



Electric Heater

- (These units are not ductable)
- Built-in thermostat (32° - 100° F)
 - Overheat protection
 - High quality sealed motor
 - 10' cord and grounded plug

	P900P	P600P
BTU/Hr	30700	20500
Volts	240V 1Ø	240V 1Ø
Amps	38	25
CFM	350	250
Temp. Rise	100°F	100°F
(LxWxH)	22" x 18" x 12"	19.5" x 11.8" x 17.3"

Part#	List Price	Wholesale
P600P		Please Login
P900P		Please Login



Cord not included



Electric Heaters

- Built-in thermostat (32° - 100° F)
- Overheat protection
- High quality sealed motor

Model #	Watts	BTU/Hr	Volts	Amps	CFM	Temp. Rise	Weight	Ductable
P1800-1P	18000/12000	65000/41000	240V 1Ø	75/50	590	100°F	62 lbs.	No
P1800-3P	18000/12000	65000/41000	240V 3Ø	50/34	590	100°F	62 lbs.	No
P1800D	18000/12000	65000/41000	240V 3Ø	50/34	940	100°F	62 lbs.	Yes

Part#	Description	List Price	Wholesale
P1800-1P	Single Phase		Please Login
P1800-3P	Three Phase		Please Login
P1800D	Three Phase - Ductable		Please Login
WD1220	20' Duct		Please Login

Designed for extreme winter conditions!



Cord not included



Electric Heater P4000P

- (This unit is ductable up to 50')
- Watts 40000/32000/16000
 - BTU/Hr 136500/109200/54600
 - Volts 480V 3Ø
 - Amps 40/32/16
 - CFM 1800
 - Temp. Rise 100°F
 - Weight 130 lbs.
 - Dim. 45"L x 19"W x 25"H

Part#	Description	List Price	Wholesale
P4000P	Heater		Please Login
WD1425	25' Duct		Please Login



Cord not included



Electric Heater P6000P

- (This unit is ductable up to 50')
- Watts 60000/48000/24000
 - BTU/Hr 204700/163800/81900
 - Volts 480V 3Ø
 - Amps 60/48/24
 - CFM 1800
 - Temp. Rise 100°F
 - Weight 158 lbs.
 - Dim. 45"L x 19"W x 25"H

Part#	Description	List Price	Wholesale
P6000P	Heater		Please Login
WD1425	25' Duct		Please Login



Electric Heaters

- No fumes or open flames
- Includes adjustable thermostat
- Durable heavy-duty construction
- Extra coil support
- Pigtail not included



Part#	BTU	Watt	Volt	List Price	Wholesale
DXH165	5,630	1.65kW	115/Single		Please Login
DXH330	11,260	3.3kW	240/Single		Please Login
DXH1000TS	34,121	10kW-Hi 7kW-Low	240/Single		Please Login
DXH2000	68,242	20kW-Hi 13kW-Low	240/Single		Please Login
DXH2003	68,242	20kW	240/Three		Please Login




Electric Heater

- (This unit is not ductable)
- Adjustable thermostat
 - Overheat protection
 - 20 ft. cord
 - Powder coat finish

Watts	1500
BTU/Hr	5100
Volts	120
Amps	15
CFM	120
Temp. Rise	100°F
Dim.	13"L x 7.5"W x 11"H

Part#	List Price	Wholesale
P1500P		Please Login

POWER-UP those HEATERS



Rental Equipment Cord

- Thermal vinyl plastic rated to -40°F
- 10/3 AWG super heavy-duty cord
- "For Rental Equipment Use" imprinted on cord every 18"
- Highly resistant to abrasion wear
- Maintains superior flexibility
- Jacket type - SJTW-A
- Sold individually



Part#	Description	List Price	Wholesale
D14110050L	10/3 50' Orange, lighted		Please Login
D14110100L	10/3 100' Orange, lighted		Please Login



TPI Milkhouse Heater

- 5120 BTU, 1300 & 1500 watt settings
- Temperature control thermostat
- 6' long - 3 conductor cord
- Tip over switch
- Thermal cut-off device



Part#	Description	List Price	Wholesale
188TASA	Heater		Please Login
58384002	On/Off switch		Please Login
58384009	Thermostat		Please Login
58384010	Limit switch		Please Login

Ground Fault Circuit Interrupters (GFCI)

- 9" Pigtail - Just plug it in
- Grounded neutral protection
- Open neutral protection
- 4-6 mA fault current protection
- Mechanical trip indicator
- 120v/15 amp
- Individually boxed for hanging



Part#	List Price	Wholesale
14380		Please Login





**CLEAN,
DRY
HEAT!**

**400,000 BTU
Dual-Fuel
Indirect-Fired**



- 100% clean, dry heat
- Dual fuel - switch from propane to natural gas in minutes
- Approved for indoor/outdoor applications
- Ductable to 50'
- Remote thermostat with 50' cord
- Whisper quiet blower
- Flue stack included



Input	400,000 BTU/Hr
Gas Connection	3/4" FNPT, 14" W.C. max inlet
Electrical	120 Volts 20 amp circuit
Fan	2,100 CFM 1/2" SP
Thermostat	Standard On/Off
Temp Rise	200°F @ 0°F Ambient
Approx. Weight	400 lbs.



Part#	Description	List Price	Wholesale
VG400	Heater		Please Login
WD1225	Ducting 12" x 25' wire reinforced		Please Login
40SV06	Regulator-60 psi. max		Please Login
7525	3/4" x 25' gas hose		Please Login



**700,000 BTU
Dual-Fuel
Indirect-Fired**



- Ductable to 300 ft.
- Reliable Riello burner
- Remote thermostat with 50' cord
- Flue stack and rain cap included
- Versatility of dual fuel - natural gas & propane
- Long lasting stainless steel combustion chamber

**CLEAN,
DRY
HEAT!**

Input	700,000 BTU/Hr
Gas Connection	1" FNPT, 14" W.C. max inlet
Electrical	240 Volts 20 amp circuit
Fan	7,420 CFM
Thermostat	Standard On/Off
Temp Rise	120°F @ 0°F Ambient
Approx. Weight	562 lbs.



Part#	Description	List Price	Wholesale
VG700C	Heater		Please Login
WD2025	Ducting 20" x 25' wire reinforced		Please Login
40SV06	Regulator-60 psi. max		Please Login
7525	3/4" x 25' gas hose		Please Login
AR712	Two-way duct adapter		Please Login



**750,000 BTU
Dual-Fuel
Direct Fired**



- Ductable up to 50 ft.
- Efficient motor reduces amp draw and is rated to run on standard 15 amp circuit
- New remote (50' long) thermostat with Hi/Lo/Off control included
- 12" wheels make for easy handling
- Relays pull in and hold tight down to 95V
- Diagnostic troubleshooting lights

**Component
upgrades virtually
eliminate
electrical
service calls**



Input	750,000 - 490,000 BTU/Hr
Fuel	Vapor Propane/Natural Gas
Gas Connection	3/4" FNPT, 60 psi. max inlet
Electrical	120 Volts 15 amp circuit
Fan	4200 CFM 1 HP
Thermostat	2 Stage Hi/Lo/Off w/50'Remote
Temp Rise	385°F
Weight	200 lbs.

Part#	Description	List Price	Wholesale
1800B	Heater		Please Login
WD2010UHT	Ducting 20" x 10' wire reinforced		Please Login
7525	3/4" x 25' gas hose		Please Login



**950,000 BTU
Dual-Fuel
Direct Fired**



- Ductable up to 100 ft.
- Efficient motor reduces amp draw and is rated to run on standard 15 amp circuit
- New remote (50' long) thermostat with Hi/Lo/Off control included
- 12" wheels make for easy handling
- Relays pull in and hold tight down to 95V
- Diagnostic troubleshooting lights
- No duct adapter needed

**Component
upgrades virtually
eliminate
electrical
service calls**



Input	950,000 - 400,000 BTU/Hr
Fuel	Vapor Propane/Natural Gas
Gas Connection	1-1/4" FNPT, 20 psi. max inlet
Electrical	120 Volts 15 amp circuit
Fan	7200 CFM 1-1/2 HP
Thermostat	2 Stage Hi/Lo/Off w/50'Remote
Temp Rise	250°F
Weight	325 lbs.

Part#	Description	List Price	Wholesale
950H	Heater		Please Login
WD2425HT	Ducting 24" x 25' wire reinforced		Please Login
7525	3/4" x 25' gas hose		Please Login

SURE FLAME



**400,000 BTU
Dual-Fuel
Direct Fired**

- CSA-approved for unattended operation
- MEA approved for use in New York City
- Quick changeover from propane to natural gas
- Comes with 3/4" x 25' hose and 40SV06P regulator(60 psi max inlet)
- Thermostat to conserve fuel

**MEA
71-91-E**



Power Requirements	120 Volts, 12 amp
Fan Performance	2000 CFM - 1/4 HP
Inlet Connection	1" FNPT
Inlet Pressure	7" - 14" W.C.
Weight	95 lbs.
Dimensions	44"L, 16.5"W, 22"H
BTU/Hr	400,000
Thermostat	On/Off
Wheel Kit	Optional



Wheel Kit

Part#	Description	List Price	Wholesale
S405P	Heater w/reg. & 25' hose		Please Login
WK1P	Wheel Kit for S405P		Please Login

SURE FLAME



**1,500,000 BTU
Dual-Fuel
Direct Fired**

- Efficient motor reduces amp draw and is rated to run on standard 15 amp circuit
- New remote (15' long) thermostat
- Relays pull in and hold tight down to 50V
- Upgraded heater control board



Component upgrades virtually eliminate electrical service calls

Power Requirements	120 Volts, 15 amp
Fan Performance	7000 CFM - 1 HP
Inlet Connection	1-1/4" FNPT
Inlet Pressure	9" - 14" W.C.
Weight	300 lbs.
Dimensions	69"L, 32"W, 41.5"H
BTU/Hr	1,500,000
Thermostat	Hi/Lo/Off



Part#	Description	List Price	Wholesale
S1505B	Heater		Please Login
11SV08P	1-1/4"x1-1/4" Reg. 20 psi max		Please Login

See page 27 for hose selection.

SURE FLAME



**400,000 BTU
Dual-Fuel
Indirect Fired**

- Stackable design
- 16" puncture proof wheels
- Designed with return air recirculation for increased fuel savings - Size: 16"
- 3 year warranty on combustion chamber
- Flue stack and rain cap included
- Single stage external thermostat included
- Two - 12" outlets



Power Requirements	120 Volts, 12 amp
Fan Performance	5000 CFM - 1 HP
Inlet Connection	1" FNPT
Inlet Pressure	11" - 14" W.C.
Temp Rise	250°F @0°F Ambient
Weight	560 lbs.
Dimensions	82"L, 29"W, 59"H
BTU/Hr	400,000
Thermostat	On/Off, Remote w/20' cord included

Part#	Description	List Price	Wholesale
IX405	Heater		Please Login
40SV06P	3/4" x 1" Reg. 60 psi max		Please Login
WD1225	12" x 25' Duct		Please Login





Propane Direct-Fired Premier Heaters (Up to 350,000 BTU)

Compact and quiet, Premier heaters in their neutral white color are perfect for construction applications. The Advanced Service Saver self-diagnostic feature makes them easy to maintain. Both the TS350 and TS170 are CSA-approved.



- Heat outputs from 80,000 to 350,000 Btu/h
- Dual fuel models available
- Versatile indoor and outdoor placement of heater
- Direct-fired = 99.97% fuel efficiency
- High volume of air output for maximum heat distribution
- Dependable, electronic spark ignition
- Switch fuels easily with simple valve turn on dual fuel units
- Tri-shield finish provides superior protection against abrasion and corrosion
- Easy to transport
- Vent mode for circulation of air
- Two stage heat output (Premier 350LP or NG)
- 20' remote start thermostat standard

Includes Gas Hose, Regulator, and Thermostat



See page 196 for diffusers and duct

Part#	Description	List Price	Wholesale
TS080	80,000 BTU		Please Login
TS080DF	80,000 BTU - Dual Fuel		Please Login
TS170	170,000 BTU		Please Login
TS170DF	170,000 BTU - Dual Fuel		Please Login
TS350	350,000 BTU		Please Login
TS350DF	350,000 BTU - Dual Fuel		Please Login

Accessories			
09454	Thermostat remote mount		Please Login
07891	Replacement thermostat 20' cord		Please Login

TS350 & TS350DF

Output	Hi/Low 350,000/170,000 BTU/H	
Fan	2,400 CFM	
Consumption	16.2 lbs. per hour	
Ignition	Direct spark	
Power	115 volts, 30 starting amps, 14 amps continuous operation	
Dimensions	48"L x 22"W x 41"H	

TS170 & TS170DF

Output	170,000 BTU/H	
Fan	1,200 CFM	
Consumption	7.9 lbs. per hour	
Ignition	Direct spark	
Power	115 volts, 8 starting amps, 3 amps continuous operation	
Dimensions	31"L x 18"W x 28"H	

TS80

Output	80,000 BTU/H	
Fan	450 CFM	
Consumption	3.7 lbs. per hour	
Ignition	Direct spark	
Power	115 volts, 5 starting amps, 2 amps continuous operation	
Dimensions	30"L x 14"W x 20"H	

(2 or more)

HS115TC



Dual Fuel Direct-Fired Heaters



Big heat with big features. The new Nomad tent and construction heaters from HeatStar, have all the quality and durability you have come to trust from the HeatStar brand. Whether you are looking for a heater to put a lot of heat on to a job site or for a unit to quietly sit out of sight at an outdoor event, the HeatStar Nomad heaters are an ideal solution for either. Generously equipped with features to make it easy to use and cheap to operate.

- 6 OUTPUT RATES ON 3 SEPARATE UNITS
- DUAL FUEL STANDARD (LP/NG)
- MULTI-RATE (HIGH & LOW SETTINGS)
- HIGH CFM FOR GREATER CIRCULATION
- EASY RESET HIGH LIMIT SWITCH
- 4 TIE DOWN CONNECTIONS (HS190TC, HS260TC)
- FAN-ONLY OPTION FOR AIR CIRCULATION
- REMOTE THERMOSTAT WITH 20' CORD
- SPARK IGNITION
- ETL CERTIFIED

HS190TC



NOMAD



HS260TC



Part#	Description	List Price	Wholesale
HS115TC	115,000 BTU		Please Login
HS190TC	190,000 BTU		Please Login
HS260TC	250,000 BTU		Please Login

Part#	HS115TC	HS190TC	HS260TC
BTU (Low Setting)	80,000 NG / 85,000 LP	125,000 NG / 130,000 LP	175,000 NG / 185,000 LP
BTU (High Setting)	110,000 NG / 115,000 LP	185,000 NG / 190,000 LP	240,000 NG / 260,000 LP
CFM's	650	1600	2100
Electric	115V 3.5 Amp	115V 5.5 Amp	115V 8.0 Amp
Ignition	Spark	Spark	Spark
Gas Hose	15' hose & regulator(standard)	15' hose & regulator(standard)	15' hose & regulator(standard)
LxWxD Dim.	30" x 20-1/8" x 20-1/8"	32-1/3" x 15" x 31-1/8"	32-1/3" x 20-1/8" x 31-1/8"
Thermostat	Thermostat w/20' cord (standard)	Thermostat w/20' cord (standard)	Thermostat w/20' cord (standard)

Accessories

Part#	Description	List Price	Wholesale
F109105	Diffuser for HS115TC		Please Login
F109115	Diffuser for HS190TC or HS260TC		Please Login
F109106	Duct adapter for HS115TC		Please Login
F109116	Duct adapter for HS190TC or HS260TC		Please Login
F109107	Short duct for HS115TC		Please Login
F109117	Short duct for HS190TC or HS260TC		Please Login
F109108	12' duct for HS115TC		Please Login
F109118	12' duct for HS190TC or HS260TC		Please Login

Other current heater accessories will work on the HeatStar Nomad heaters.





Radiant Patio Heaters

- 40,000 BTUs
- Covers 10' - 15' diameter
- Completely Self-Contained and Portable
- Provides Clean and Draft Free Circle of Warmth
- Convenient "Piezo" Match Free Ignition
- 100% Safety Control
- Portable Whell Kit included
- Unit meets or exceed CSA and UL
- Up to 10 hours of use with standard 20 gallon OPD Cylinder

Part #	Color	List Price	Wholesale
PC02AB	Antique Bronze		Please Login
PC02JS	Jet Silver		Please Login
PC02SS	Stainless Steel		Please Login




7'3"



Zubri Portable Patio Heater

- 40,000 BTU; adjustable heat control
- 7'3" tall (Case-56.5" tall x 15" wide)
- Heats approximately a 300 sq. ft.
- No tools are necessary
- Portable; legs detach for storage and transport
- Complete with hard-shell carrying case and carrying bag for reflector
- Tip switch
- One year warranty



4'8"

Carrying Case Included

Part #	List Price	Wholesale
Z1-12CK		Please Login

ROCK BOTTOM PRICES

Purchase these DESA-branded portable heater parts at net pricing. Realize an average savings of 65% on all parts shown. While supplies last. PHP reserves the right to limit quantities. (All part numbers reference DESA-branded heater parts.)

Portable Heater Parts



7094NR



M51105-01



111037-01



M29608



M51345-06



099415-18



NTC-3BZ



FHPF3-3.5C



117766-01



098508-01



102601-01



M50104-01



079980-01



104054-01



120254-01



104056-01



103684-01



097293-01

Part#	Description	Sale Price
103684-01	Fan blade	Please Login
097293-01	Fan blade - 8-1/4"	Please Login
102366-01	100K BTU LP heater motor	Please Login
097159-04	Piezo ignitor	Please Login
M15241	Output Filter	Please Login
M51170-01	Burner Head Plug	Please Login
M50820-02	Fitting Barb	Please Login
107643-01	Fuel Valve	Please Login
M27417	Drain Plug	Please Login
102487-01	Ignitor Electrode	Please Login
117000-01	Ignitor TA Series	Please Login
103814-01	Tie Wire	Please Login
107994-01	Power Cord	Please Login
118418-01	Power Cord	Please Login
098219-17	Power Cord	Please Login
104460-01	Thermostat Knob - Round Shaft	Please Login
097156-01	Rocker Lighted Switch	Please Login
M16660	Photo Cell Bracket	Please Login
M51104-01	Handle	Please Login
7094NR	Handle Clip	Please Login
M51105-01	Fan Guard	Please Login
111037-01	Fan Guard	Please Login
M29608	Aluminum Pump Cover	Please Login
M51345-06	6-1/2" Rubber Tubing	Please Login
M51151-01	5-1/2" Fuel Line Tube	Please Login
099415-18	Propane Regulator	Please Login
NTC-3BZ	Hex Nut	Please Login
FHPF3-3.5C	Fillister Head Screw	Please Login
117766-01	Microprocessor Board 100/150	Please Login
117766-02	Microprocessor Board 200	Please Login
098508-01	Retainer Valve Nut	Please Login
102601-01	Ignition Control	Please Login
M50104-01	Bushing Shorty	Please Login
M50104-06	Bushing Shorty	Please Login
079980-01	Nozzle Adapter	Please Login
120254-01	Nozzle Adapter	Please Login
104056-01	Nozzle Adapter	Please Login
104054-01	Nozzle Adapter	Please Login



102366-01



097159-04



M15241



M51170-01



M50820-02



107643-01



M27417



102487-01



117000-01



103814-01



107994-01



118418-01



098219-17




104460-01



097156-01



120336-01



M16660



M51104-01



117766-02

Pre-packaged Portable Heater Parts

Compatibility: Master, Dayton, Reddy, Knipco, Remington, Desa


The below part information includes: part numbers for individual blister packs, the part description and certain HeatStar heater compatibility.

Note: Not all parts come in blister packs. Some are packaged in clear bags.



**Complete
Tune-Up Kits
Available On
Page 26**

PP200SC
Ignitor (block type)
Compatibility: Few HSI models
Heavy-duty version of the PP200



PP200 (HA1000)
Ignitor (L-shaped block type)



PP204 (HA3004)



M22456-1 Rotor (1/2"), (4) M8643 Blades, M22009

PP205 (HA3005)



M22456-2 Rotor (5/8"), (4) M8643-2 Blades, M22009 Insert

PP206 (HA3006)



079744-01 Nozzle
Compatibility: 35,000 BTU

PP207 (HA3007)



M50597 Nozzle
Compatibility: 50,000 BTU

PP208 (HA3008)



M50880-01 Nozzle, M8882 Seal
Compatibility: 70,000 BTU

PP209 (HA3009)



M51120-01 Nozzle, M8882 Seal
Compatibility: 100-110,000 BTU

PP210 (HA3011)



M18022 Nozzle, M8882 Seal
Compatibility: 150,000 BTU before 1992

PP211 (HA3012)



M10962-2 Spark plug
Compatibility: 70, 100, 150 - non HSI

PP212 (HA3013)



M29835 Spark plug
Compatibility: 35, 50 - non HSI

PP213 (HA3014)



M29632 Filter, M29633 Filter, M29612-01 Filter
Compatibility: 35, 50, 70


**PP214
(HA3017)**



M12179 Filter, M12244-1 Filter, M11637 Filter, M51150-01 Fuel Filter after 1992

Compatibility: 100 & 150,000 BTU

**PP215
(HA3018)**



M12179 Filter, M12244-1 Filter, M11637 Filter, M19630 Fuel Filter

Compatibility: 150,000 BTU

**PP216
(HA3019)**



M16656-4 Photo Cell

Compatibility: Various

**PP217
(HA3020)**



M8940 Ball, M10993-1 Spring, M27694 Adj. Screw, M22997 Plug

Compatibility: All models

**PP218
(HA3021)**



100070-01 Nozzle Kit

Compatibility: 55,000 BTU

**PP220
(HA3026)**



Nozzle

Compatibility: 70,000 BTU

**PP221
(HA3027)**



Nozzle

Compatibility: 110-115,000 BTU

**PP222
(HA3028)**



Nozzle

Compatibility: 150-155,000 BTU

**PP223
(HA3029)**



Nozzle

Compatibility: 165,000 BTU

PP224



ODS Pilot Assembly

Compatible with many popular brands of vent-free heaters

**PP234
(HA1210)**



Thermostat with numbers on dial

PP236



Photocell

Compatibility: M16656-24

HA1170



(Safety Control / Photo Cell) Tester

Compatibility: All Models


F221887



Filter kit (HeatStar)

Compatibility: Models since 2009

F226831



Rotor kit (HeatStar)

Compatibility: All models

Flame Control Tester



- Use to test DSI boards**
- Easy to connect to almost any board
 - Tests & proves operation of: gas valve, spark & flame sensing
 - Save hundreds of dollars on replacement flame control boards!

Part#	List Price	Wholesale
0402NR		Please Login

Gas Pressure Test Set

- Employs a 2-1/2" dial., 83K gauge with a dual scale of 0 - 20 ounces and 0 - 35" water column
- Gauge is mounted securely in a polyethylene box with a hinged cover and gray finish
- Three feet of rubber tubing is assembled to the connection of the gauge



Part#	List Price	Wholesale
G24507		Please Login

Oil Burner Electrode Setting Gauge

- Just slide over nozzle and set electrode
- Works great on Wayne Burners, Champion, Century, Porta Heat, and Guardian Heaters
- Does not work well on Master, Reddy, Koehring



Part#	List Price	Wholesale
40445		Please Login

Master Safety Control/Photocell Tester

- Portable battery operated (9V battery not included, part #HD-9V)
- Check all low pressure safety controls and low pressure photocells for proper operation
- **Must for all portable heater servicemen and H.S.I. repair.**



Part#	List Price	Wholesale
HA1170		Please Login

A MUST FOR HSI TROUBLESHOOTING!

Propane Test Gauge Low Pressure

- Use on Sure Flame models: SL11B, S1500, S1505 & S2000
- Can also be used on any low pressure gas portable heater
- 0-15 IN W.C.
- 2 1/2" dial
- 1/8" NPT lower mount connection



Part#	List Price	Wholesale
G24503		Please Login



559L-153438



G14494



HA1180

Pressure Gauges For Oil Fired Heaters

- Proper pressure is essential for efficient heater performance.
 - **High Pressure Gauge: 0-160 PSI**, used to set pump pressure on oil heaters equipped with high pressure pump (100+PSI)
 - **Low Pressure Gauge: 0-15 PSI**, test gauge is used when adjusting the pump pressure on low pressure oil fired heaters.
 - **Liquid Filled Low Pressure Gauge: 0-15 PSI**, for oil fired heaters. Most accurate & longest lasting gauge available today! Mounting is on back of gauge instead of bottom of gauge.

Part#	Description	List Price	Wholesale
G14494	High Pressure, 0-200 PSI		Please Login
HA1180	Low Pressure, 0-15 PSI		Please Login
559L-153438	Liquid Filled Low Pres., 0-15 PSI		Please Login

Essential Tool Kit For Repair Shop

- Kit Includes**
- HA1170 - Flame out control tester
 - HA1180 - Low pressure gauge
 - G14494 - High pressure gauge
 - 23T - Technical service manual
 - CD70112 - Low pressure service CD

Part#	List Price	Wholesale
RS100		Please Login



A Must For HSI Troubleshooting



High Pressure Nozzles



Desa High Pressure

Part#	GPH x Degree	Model#	List Price	Wholesale
M3292	.75 x 80°A	Old B100's		Please Login
M4792	.90 x 80°B	B125		Please Login
M9108	1.00 x 90°A	B150, B155, F155		Please Login
1001347-5	1.50 x 80°	B240		Please Login
M51070-01	2.00 x 70°A	BV400/C		Please Login
M50112	2.50 x 70°A	B350's		Please Login
M30765	4.00 x 80°A	B600's		Please Login



Stone High Pressure

Part#	GPH x Degree	Model#	List Price	Wholesale
46291	.65 x 80°B	SG100, SG120		Please Login
46238	.85 x 80°B	SG150, SG160		Please Login
46216	1.50 x 80°B	SG500 (1974-1977)		Please Login
46215	2.00 x 80°B	SG300 (pre 1979)		Please Login
46294	3.25 x 80°B	SG500 (1977-on)		Please Login



Kelly High Pressure

Part#	GPH x Degree	Model#	List Price	Wholesale
32206	.65 x 80°B	90KSHS		Please Login
32233	.85 x 80°B	120KSHS		Please Login
32101	3.00 x 80°B	450KSHS		Please Login



Toro High Pressure

Part#	GPH x Degree	Model#	List Price	Wholesale
154613	.50 x 90°A	Toro		Please Login
154610	.85 x 60°B	CH120 (pre-1977) Champ Ven-Tec		Please Login
154389	.85 x 80°B	CH120 Air Scoop VAL 6		Please Login
154612	1.00 x 90°A	CH150 Inline		Please Login
154611	1.10 x 60°B	CH155 (pre-1978)		Please Login
154609	1.10 x 70°B	CPH160 Inline		Please Login
154387	1.10 x 80°B	CH155s		Please Login
154388	1.65 x 60°B	CH230 (pre-1977)		Please Login
154840	1.65 x 70°B	CH230		Please Login
154744	1.65 x 80°B	CH230		Please Login
147377	2.00 x 60°B	CH320's		Please Login
147531	4.50 x 80°B	CH650's		Please Login



Universal High Pressure

Part#	GPH x Degree	Model#	List Price	Wholesale
M50112	2.50 x 70°A	K350		Please Login
M30765	4.00 x 80°A	K650		Please Login

We Offer:
Equal Payments

We Offer:
Freight Allowed

Other High Pressure Nozzles In Stock, Call For Details!

Tune-up Kits for Hot Surface Ignitor (HSI) Heaters

TU55H For all DESA glow bar heaters (up to 70,000 BTU's) that require the HA1000 glow bar.

Kit Includes

- PP200 - Hot surface ignitor
- M29633 - Input filter
- M29612-01 - Output filter
- M29632 - Lint filter
- 147082 - O-ring
- G14490 - Low pressure gauge
- CD70112 - Low pressure service manual

Part#	List Price	Wholesale
TU55H		Please Login

TU60H For all DESA glow bar heaters that require the PP201 glow bar.

Kit Includes

- PP201 - Hot surface ignitor
- M29633 - Input filter
- M29612-01 - Output filter
- M29632 - Lint filter
- 147082 - O-ring
- G14490 - Low pressure gauge
- CD70112 - Low pressure service manual

Part#	List Price	Wholesale
TU60H		Please Login

TU165H For all DESA glow bar heaters from 110K to 200K BTU's that require the 147082 nozzle "O" ring.

Kit Includes

- PP200 - Hot surface ignitor
- M12179 - Input Filter
- M12244-1 - Output filter
- M11637 - Lint filter
- 147082 - O-ring
- G14490 - Low pressure gauge
- M51150-01 - Fuel filter
- CD70112 - Low pressure service manual

Part#	List Price	Wholesale
TU165H		Please Login

TU200H For all DESA 200,000 BTU glow bar heaters that require the M8882 nozzle seal.

Kit Includes

- PP200 - Hot surface ignitor
- M12179 - Input Filter
- M12244-1 - Output filter
- M11637 - Lint filter
- M8882 - Nozzle Sleeve
- G14490 - Low pressure gauge
- M51150-01 - Fuel filter
- CD70112 - Low pressure service manual

Part#	List Price	Wholesale
TU200H		Please Login

Tune-up Kits for Spark Plug Heaters

TU150 These kits are for Desa brand heaters. Old Style Model 150 (Long fuel filter) Possible Brands: Master, Dayton, Knipco, Reddy, Koehring, Amoco, Co-op, others.

Kit Includes

- M12179-Input filter
- M12244-1 Output filter
- M11637 Lint filter
- M10962-2 Spark Plug
- M10659-1-Nozzle washer (2)
- M10809-1 Nozzle Spring
- M8882 Nozzle seal
- M19630 Long fuel filter

Part#	List Price	Wholesale
TU150		Please Login



APOS These kits are for Universal octagon shell heaters. Possible Brands: National Riverside, All Pro, Universal.

Kit Includes

- 6843NR - Output filter
- 6844NR - Input filter
- 6839NR - Filter gasket
- 1803NR - Electrode
- 147082 - Nozzle o-ring
- 6861NR - Fuel filter

Part#	List Price	Wholesale
APOS		Please Login



TU110 New Style Model 100, 110, 150, 165 (Short white plastic fuel filter) Possible Brands: Master, Dayton, Knipco, Remington, Reddy, Koehring, Amoco, Co-op, others.

Kit Includes

- M12179-Input filter
- M12244-1-Output filter
- M11637-Lint filter
- M10659-1-Nozzle washer (2),
- M51150-01-Short fuel filter
- M10962-2 Spark Plug
- M8882-Nozzle seal
- M10809-1 Nozzle spring

Part#	List Price	Wholesale
TU110		Please Login



TU50 BTU sizes 35 & 50,000. Possible Brands: Master, Dayton, Knipco, Reddy, Koehring, Remington, Co-op, others.

Kit Includes

- M29612-01-Output filter
- M29633-Input filter
- M29632-Lint filter
- 079980-01 Nozzle adapter
- M29835-Spark Plug
- 147082-Nozzle O-ring
- M29824 Spark plug nut

Part#	List Price	Wholesale
TU50		Please Login





Brushable Thread Sealant

- Suitable for steel, copper, brass, aluminum, ABS, PVC and fiberglass piping
- Not suitable for oxygen
- 8 oz. can

Part#	List Price	Wholesale
TTS8		Please Login



Pipethreads x Pipethreads

Part#	Description	List Price	Wholesale
6133NR	1/4"FPT x 1/4"FPT Coupler		Please Login
3825CPL	1/4"FPT x 3/8"FPT Coupler		Please Login
2538BELL	1/4"FPT x 3/8"FPT Bell Reducer		Please Login
01544	1/4"FPT x 3/8"FPT Reducing Bushing		Please Login
6435NR	1/4"FPT x 3/8"MPT Bushing		Please Login
01519	1/4"FPT x 1/2"FPT Union		Please Login
28199 (7676NR)	1/4"FPT x 1/2"FPT Bushing		Please Login
3850CPL	3/8"FPT x 1/2"FPT Coupler		Please Login
3850FTG	3/8"FPT x 1/2"FPT Bushing		Please Login
5038FTG	3/8"FPT x 1/2"MPT Reducing Bushing		Please Login
54	1/2"FPT x 1/2"FPT Swivel Union		Please Login
7500P	3/4"FPT x 3/4"FPT Swivel Union		Please Login



Flare x Flare Fittings

Part#	Description	List Price	Wholesale
2538FLR	1/4"FFIR x 3/8"MFLR		Please Login
381050FTG	3/8"MFIR x 1/2"FFLR		Please Login



Pipethreads x Flare Fittings

Part#	Description	List Price	Wholesale
097157-01	1/4"FPT x 1/4"MFLR		Please Login
097157-03	1/4"FPT x 1/2"MFLR		Please Login
097809-01	(6124NR) 1/4"MPT x 1/4"MFLR		Please Login
6127NR	1/4"MPT x 3/8"MFLR		Please Login
3810FTG	3/8"FPT x 3/8"MFLR		Please Login
M51572-01	(6122NR) 3/8"MPT x 3/8"MFLR		Please Login
M51572-02	3/8"MPT x 1/2"MFLR		Please Login
10444	1/2"MPT x 1/2"FFLR		Please Login
103401-01(6125NR)	1/2"MPT x 1/2"MFLR		Please Login



Special Fittings

Part#	Description	List Price	Wholesale
07970*	1/4"FPT x 1/4"LHMPT		Please Login
01098*	1/4"MPT x 1/4"LHMPT		Please Login
03395*	1/4"LHMPT x 1/2"MPT		Please Login
06771**	1/4"MPT x 1/2"MPT (INV. FLR)		Please Login
03536 (04800)**	3/8"MPT x 1/2"MPT (INV. FLR)		Please Login
02894**	1/2"MPT x 1/2"MPT (INV. FLR)		Please Login

*Left Hand Pipe Threads **Inverted Flares

MPT=male pipe thread
 FPT=female pipe thread
 MFLR=male flare
 FFLR=female flare

These fittings will be used to connect heating appliances to hoses or regulators.

Spark Plugs



**PP212
(HA3013)**
M29835 Spark plug

Compatibility: 35, 50 - non HSI



147080

Compatibility: Champion, Porta Heat, Lawn Boy, Toro, Red Line, Wheatbelt, Century



**PP211
F121501, M10962-2**
Compatibility: Master, Reddy, Knipco, Remington, Sears, Dayton, others

Transformers



5LAY30

Compatibility: Old style Champion air scoop heaters, steam cleaners



102482-01

Compatibility: Knipco, Reddy, Master, Remington, Koehring

5SAY is on the transformer



LA4V

Universal 3 way transformers will replace nearly all types of 10,000 volt transformers. You have a choice of three different locations for the Electrode Terminals.

We Offer:
Equal Payments
We Offer:
Freight Allowed

ORDERING

Phone Orders:
1.800.362.6951 (Press 1)
7:30 a.m. - 5:30 p.m. (CST)

Fax Orders:
1.800.255.7985
24 hours a day, 7 days a week

Internet Orders:
www.phpdistribution.com
24 hours a day, 7 days a week

Mail Orders:
PHP
342 North 400 East
Valparaiso, IN 46383



Ignitor/Electrode Wire Terminals

Part#	Description	Pkg Qty	List Price	Wholesale
55211	90° Electrode Terminal, solderless, reusable	5		Please Login
55231	Straight Insulated Terminal, solderless, reusable	5		Please Login
55221	Straight Non-Insulated Terminal, solderless, reusable	5		Please Login
55321	90° Non-Insulated Terminal, solderless, reusable	5		Please Login



Transformer Wire

- Will work with any portable oil fired space heater
- Belden Type GTO-15 Ignition Wire
- 15,000 Volt Rated
- UL listed

Part#	Length	List Price	Wholesale
41648	10'		Please Login
41650	25'		Please Login



-10° to 100°F Thermostat

- Maintains a set temperature
- Helps save on fuel cost
- Plugs into standard 120 volt outlet
- Bi-metal activated sensor
- No installation required

Part #	List Price	Wholesale
PP234		Please Login



8' Test Cord

- 110 volts
- Stays flexible, even in coldest weather
- Conductor firmly crimped and soldered for maximum current flow
- Clip strongly clinched to cable insulation-won't break off
- Heavy-duty design

Part #	List Price	Wholesale
7328TC		Please Login

See page 27 for description of flares and fittings.

Propane/Natural Gas Hoses

All hoses meet or exceed O.E.M. specifications. All hoses are UL-approved.

Part#	Description	Where Used	List Price	Wholesale
2510LH	1/4" x 10' w/left hand threads 9/16" x 18 fittings	Sure Flame torch LB White Heaters & Torches		Please Login
2510LHFTG	Fitting to connect 2510LH or 2525LH hoses together			Please Login
2510	1/4" x 10' w/1/4"MPT x 1/4" female flair swivel	3500FA, 250, 250A TC200V, TC275, BLP375/T		Please Login
2525	1/4" x 25' w/1/4"MPT x 1/4" female flair swivel	Same as above		Please Login
2525LH	1/4" x 25' w/left hand	Torches		Please Login
2525FTG	Fitting to connect 1/4" hoses together			Please Login
3810	3/8" x 10' w/3/8" MPT x 3/8" female flair swivel	BLP80, 150FA, 80FA, 150FAS		Please Login
381050	3/8" x 10' w/3/8" MPT x 1/2" female flair swivel	BLP150, BLP155, BLP155T		Please Login
3825	3/8" x 25' w/3/8" MPT x 3/8" FPT female flair swivel	Optional hose for 80K & 150K		Please Login
382550	3/8" x 25' w/1/2" MPT	Multiple applications		Please Login
3810FTG	Fitting to connect 3/8" #3810/25 hoses together	Multiple applications		Please Login
5010	1/2" x 10' w/1/2" MPT x 1/2" MPT	Multiple applications		Please Login
5025	1/2" x 25' w/1/2" MPT x 1/2" MPT	Multiple applications		Please Login
5050	1/2" x 50' w/1/2" MPT x 1/2" MPT	Multiple applications		Please Login
7510P	3/4" x 10' w/3/4" MPT each end with (1) female swivel adapter	Optional hose for heaters over 375,000 BTU's (S405)		Please Login
7525P	3/4" x 25' w/3/4" MPT each end with (1) female swivel adapter	Optional hose for heaters over 375,000 BTU's (S405)		Please Login
7550P	3/4" x 50' w/3/4" MPT end with female swivel adaptor			Please Login
1050	1" x 50' w/1"MPT x 1"MPT	Includes swivel adapter		Please Login
12510P	1 1/4" x 10' with 1 1/4"MPT x 1 1/4"MPT	Includes swivel adapter		Please Login
12525P	1 1/4" x 25' with 1 1/4"MPT x 1 1/4"MPT	Includes swivel adapter		Please Login
12500P	Fitting to connect 1-1/4" hoses together			Please Login



Natural Gas Hose

- 1/2" x 25'
- Recommended for natural gas heaters

Part#	List Price	Wholesale
5025		Please Login

Don't See What You Need?

If you don't see something you need in our catalog, please, visit our website. You will find thousands of items online and we continuously update inventory to reflect new product.



www.phpdistribution.com



Scented Kerosene Additive

- Will help eliminate water and reduce odor!
- One bottle treats 80 gals
- For wick heaters only



Part#	Description	List Price	Wholesale
A09P	Pine, 8 oz. bottle		Please Login
A09H	Honeysuckle, 8 oz. bottle		Please Login
A09HB	Holly Berry, 8 oz. bottle		Please Login
A09R	Rose, 8 oz. bottle		Please Login
A08	Case of mixed additive		Please Login

A60
Battery Siphon
(use with
Kerosene only)



S160
Manual Siphon
(can be used with
any fuel type)



A40

Ignitors

- Most popular plug fits Aladdin, Corona, Kero Sun, etc.
- Ignitor #1: For heaters you must pull a knob to light. See wick chart for proper ignitor.

Part#	Description	List Price	Wholesale
P10A	Ignitor #1	Please Login	
P20A	Ignitor #2	Please Login	
P30A	Ignitor #3	Please Login	
P15A	Ignitor #4	Please Login	



P10A



P20A



P30A

Mica Windows



- Can be cut to fit all wick heaters - 4" x 3-3/4"

Part#	Description	List Price	Wholesale
58	Mica Window		Please Login



Siphon Pumps Battery Operated & Manual

Part#	Description	List Price	Wholesale
A60	Battery Siphon		Please Login
A40	Hanger of 12 Manual Pump (if you order one A40, you receive 12 pumps)		Please Login
S160	Individual Manual Pump		Please Login



Suntec/Sunstrand Oil Pumps

**J STYLE PUMPS
ALSO AVAILABLE**

Part#	Model	RPM	Rotation	Nozzle Port Location	Strainer & Nozzle Rating at 100 PSI	Features	List Price	Wholesale
7114	A1YC-7114	1725	L.H.	L.H.	3 gph	-		Please Login
154180	A1YA-7912	1725	R.H.	R.H.	7 gph	-		Please Login
M51170-01	A2VA-7142	2850	R.H.	R.H.	2.25 gph	-		Please Login
7116	A2VA-7116	3450	R.H.	R.H.	3 gph	-		Please Login

Let Us Give You A Hand Fixing That Heater!



Technical Service Manuals


- BREAKDOWNS
 - TECHNICAL TIPS
 - TROUBLESHOOTING GUIDE
- Requires Adobe Acrobat Reader
Download copy at
www.php.com/products/acrobat/readstep.html
#19T, 20T, 21T

Tech Service Manual On CD

Part #CDTECH

Interactive Heater Troubleshooting CD

Part #CDTS



Troubleshooting GUIDE

Includes a FREE copy of "Gold Viewer"™
Interactive Help Desk



Oil Fired Heaters Service Manual

Requires Adobe Acrobat Reader
Download copy at
www.php.com

Low Pressure Manual On CD

Part #CD70112


Gas Fired Manual On CD

Part #CDGF



Gas Fired Heaters

Requires Adobe Acrobat Reader
Download copy at
www.php.com/products/acrobat/readstep.html



Technical Service Manual

- Heater & equipment breakdowns
- Technical tips & troubleshooting
- Part references

Part #	List Price	Wholesale
23T		Please Login

Low Pressure Service Manual On CD

- New & improved service manual
- Includes info on Desa HSI heaters
- It also covers all three manufacturers of low pressure oil fired heaters; Desa, Toro, and National Riverside

Part #	List Price	Wholesale
CD70112		Please Login



Oil Fired Heaters Service Manual

Gas Fired Service Manual

- New service manual!
- Gives an understanding of gas fired heaters, parts description & photos and troubleshooting
- It also covers three manufacturers of gas fired heaters: Desa, National Riverside and L.B. White



Part #	List Price	Wholesale
GM70103		Please Login



Propane Tanks-Steel

Part#	Description	BTU Content	Gallons	Weight	List Price	Wholesale
281247	20# Tank/OPD	430,000	4.7	16.6 lbs		Please Login
296975	30# Tank/OPD	645,000	7.1	25.4 lbs		Please Login
294235	40# Tank/OPD	860,000	9.4	29.1 lbs		Please Login
282157	100# Tank	2,160,000	23.6	68 lbs		Please Login

First Stage High Pressure Regulator

- Reduces LP tank pressure to 10 P.S.I.
- Connections: 1/2" Female NPT Inlet & Outlet
- Factory set outlet pressure: 10 PSIG
- Outlet Pressure: 2,500,000 BTU/hr Propane



High Pressure Regulator

- 10 PSI outlet pressure
- 1/4" x 1/4" FNPT

This regulator is used on:
National Riverside: 250, 250A
Master: R/TC250, R/TC250A, R/TC275



Part#	Model	Description	List Price	Wholesale
6256NR	130-00	10 PSI 130 Regulator		Please Login

Second Stage Low Pressure Regulator

Reduces the outlet pressure from first stage levels down to burner pressure

- Capacity: 935,000 BTU/hr Propane
- Adjustment Range: 9-13" W.C.
- Factory set at 11" W.C.
- Connections: 1/2" Female NPT Inlet and Outlet



Low Pressure Regulator

- 11" W.C. outlet pressure
- 1/4" x 3/8" FPT

Used on: National Riverside: 150FA, 150FAS, 150FAST, 80VC, 80FA, 100RA
Master: B/RLP45, B/RLP80, BLP150, BLP155, BLP155T



Part#	Description	List Price	Wholesale
LV4403TR4	1st Stage Regulator/Red		Please Login
LV4403B4	2nd Stage Regulator/Brown		Please Login

Part#	Model	Description	List Price	Wholesale
6255NR	230-00	11" W.C. 230 Regulator		Please Login



G1629



G1653

Tank Connectors

Part#	Description	List Price	Wholesale
G1629	1/4" POL fitting with excess flow and O-Ring		Please Login
201-CAP	Plastic cover to protect POL fitting. (Bag of 10)		Please Login
G1643	POL nut only		Please Login
G1653-3	O-Ring only (Bag of 10)		Please Login
30S07P	1/4" POL LH x LH - LB White heaters, torches		Please Login
G1653	POL fitting with handwheel		Please Login
G1630-2	Plastic handwheel		Please Login



Tank not included

Propane Tank Stabilizer

- Safest way to rent or sell tank top heaters
- No more tanks falling over!
- Works for up to 60# LP tank

Part#	List Price	Wholesale
F273169		Please Login

Acme Thread Tank Connector

- #G1851 - Up to 140,000 BTU (black)
- #G1852 - 70,000 to 200,000 BTU (green)
- #G1853 - 200K to 400K (red)



Part#	List Price	Wholesale
G1851	\$13.00	\$4.00
G1852	\$13.00	\$4.00
G1853	\$20.00	\$5.50




10 Pack Propane Tank Leak Stopper

Part#	Description	List Price	Wholesale
88S	Flat tag (10 pk.)		Please Login



LP Tank Quick Connect

Part#	List Price	Wholesale
F276334		Please Login



Acme Thread Cover

- Keeps foreign material from entering the valve




Part#	List Price	Wholesale
95QC		Please Login

T-Block Manifold

- Inlet - Male POL
- Outlet - Female POL

Part #	Description	List Price	Wholesale
P400	T-Block Manifold		Please Login



POL Pigtail

Part#	Description	List Price	Wholesale
1662	30" Long x 1/4" Copper Tubing		Please Login
1630RU	30" Hose connection POL x POL		Please Login
1648RU	48" Hose connection POL x POL		Please Login

NEW!



**ToolHandz®
Hi-Vis
Spandex
Extreme
Winter Gloves**

- Synthetic leather palm
- Hi-vis spandex back
- Palm reinforcements
- Protective guards and padding
- MultiBlend™ insulation
- Waterproof lining
- Sold by individual pair



Part#	Size	List Price	Wholesale
GW101-size	L-XL		Please Login



**Artic Guard Extreme Duty
Winter Brick Gloves**

- Synthetic liner for extra warmth
- Superior grip wet or dry
- Great for extra cold conditions for all outdoor activities
- Blue & orange available
- Sold by individual pair

Tagged for Hanging

Part#	Size	List Price	Wholesale
4789BL-L	Large		Please Login
4789BL-XL	XL		Please Login
4789HO-L-BG	L		Please Login
4789HO-XL-BG	XL		Please Login

**Waterproof
Polar Fleece
Insulated Gloves**



- Performance winter Fuzzy Hand gear
- Ultra-comfortable construction supple cowhide palm
- Warm acrylic polar fleece back
- Waterproof barrier lining
- Resilient grain pigskin with reinforcement grips
- 6 pair per package
- Sold by individual pair

Tagged for Hanging

Part#	Color	Size	List Price	Wholesale
15MAX2-size	Black	M - XL		Please Login

**Polar
Fleece
Insulated
Gloves**

#1 BEST SELLER



Tagged for Hanging

- Plush Polar Fleece Back
- Genuine Side Split Cowhide Palm
- Warm Multiblend™ Lining
- Snug Shirred Elasti Cuff
- 6 pair per package
- Sold by individual pair

Part#	Color	Size	List Price	Wholesale
R15G-size	Grey	M - XL		Please Login

**Waterproof Lined
Insulated Winter
Work Gloves**



- Select shoulder split cowhide
- MultiBlend™ insulated
- Natural wing thumb design
- Waterproof lining keeps moisture out
- 6 pair per package
- 72 pair per case
- Sold by individual pair

Tagged for Hanging

Part#	Size	List Price	Wholesale
R5LA	L		Please Login



facebook.com/PPHPP46383

**Follow
Us!**



twitter.com/PHPDistribution



youtube.com
(search PHP Distribution)





Tagged for Hanging

Grain Pigskin Winter Gloves

- Tough grain pigskin
- Fleece lined
- 12 pair per package
- Sold by individual pair

Part#	List Price	Wholesale
1511P-L		Please Login
1511P-XL		Please Login

Spandex/Synth. Leather Storm Cuff Hi-Vis Insulated Mechanic's Gloves



Tagged for Hanging

- Padded synthetic leather palm
- Comfortable and warm winter lining
- Quality hi-vis materials and reflectives
- Convenient slip-on style
- Sold by individual pair

Part#	Size	List Price	Wholesale
15HV-size	L-XL		Please Login



Quality Grain Pigskin Driving Gloves

- Pigskin toughness in a classic construction
- Multi-purpose use and versatility
- Ergonomic keystone thumb design
- Shirred elastic back for a snug fit

Part#	Size	List Price	Wholesale
R9P	L		Please Login

Tagged for Hanging

Premium Winter Work Gloves

- Premium select shoulder bourbon brown split leather palm
- Thick pile lined
- 2-1/2" rubberized cuff
- Gun pattern, yellow heavy canvas back & cuff
- Sold by individual pair

Part#	List Price	Wholesale
3655-L		Please Login
3655-XL		Please Login



Tagged for Hanging

Brown Jersey Gloves

- Comfortable jersey construction
- Multi-purpose hand protection
- Size L
- 9 oz.
- 3401T tagged for hanging
- 12 per package

Part#	Size	List Price	Wholesale
3401	L		Please Login
3401T	L		Please Login



Tagged for Hanging

Fleece Lined Brown Jersey Gloves

- Comfortable jersey construction
- Multi-purpose hand protection
- Easy slip-on construction
- Size L - 12 pair per package
- Sold by individual pair

Part#	Size	List Price	Wholesale
3421G	L		Please Login



Tagged for Hanging



Deerskin



- Supple deerskin leather palm
- ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- Comfortable low profile neoprene cuff
- Convenient sweat wipe
- Sold by individual pair

Tagged for Hanging

Part#	Size	List Price	Wholesale
R99D	S-XL		Please Login



Performance Driver Hybrid Glove

- Provides the protection and durability of a driver, with the fit and dexterity of a performance glove
- Rugged reverse cowhide finger & palm overlays provide extra grip and durability
- Premium grade cowhide leather
- Short slip-on cuff for easy on and off
- Lightweight, breathable spandex back
- Neoprene straps

Part#	Size	List Price	Wholesale
DPG212	L-XL		Please Login



Goatskin

- Goatskin leather palm
- Exclusive ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- Comfortable low profile neoprene cuff
- Convenient sweat wipe
- Sold by individual pair

Tagged for Hanging

Part#	Size	List Price	Wholesale
R99G	S-XL		Please Login



AngelFire® Women's Synthetic Leather Mechanic's Gloves

- Synthetic leather palm
- Spandex back
- Silicone grips on palm

Part#	Size	List Price	Wholesale
GX103	S-L		Please Login



Pigskin

- Durable pigskin leather palm
- Exclusive ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- Comfortable low profile neoprene cuff
- Convenient sweat wipe
- Sold by individual pair

Tagged for Hanging

Part#	Size	List Price	Wholesale
R99A	M-XL		Please Login



Super Grip Gloves

- Synthetic leather with superior silicone grips and sure grip fingers
- Finger guards and sweat wipe
- Great dexterity for material handling
- Pro-curve natural fit
- Sold by individual pair

Part#	Size	List Price	Wholesale
R99TR	L-XL		Please Login

Multi-Task Gloves



Tagged for Hanging

Tool Handz - R99

- Adjustable cuff
- Action spandex for snug fit
- Exclusive Titan™ synthetic with reinforced contact points
- Sold by individual pair

Tool Handz Plus - R99P

- Convenient elastic cuff
- Comfortable action spandex for snug fit
- Sold by individual pair

Part#	Size	List Price	Wholesale
R99	S-XL		Please Login
R99P	S-2XL		Please Login

12 pair per package

Shok Blok 2 Vibration Dampening Gloves

- ToolHandz® synthetic leather palm with spandex back
- Full coverage protective guards
- Padded vibration-dampening palm
- Wrap around protection on index & thumb
- Sold by individual pair

Part#	Size	List Price	Wholesale
GX100	M-2XL		Please Login



Tagged for Hanging

Framer's Gloves

- Exclusive Titan X™ synthetic leather palm
- Action spandex and neoprene back
- Three exposed fingertips for construction jobs
- Performance grip reinforcements
- Sold by individual pair

Part#	Size	List Price	Wholesale
98F	M-XL		Please Login

12 pair per package



Tagged for Hanging



Nitrile Coated Work Gloves

- 13 gauge, 100% Nylon Shell, Nitrile Palm Coated
- Pound for pound tougher than leather
- Form-fitting enough to pick up a dime
- Sold by individual pair

Tagged for Hanging

Part#	Size	Color	List Price	Wholesale
4631Q	M-XL	Black on black		Please Login
3407N	M-XL	White on gray		Please Login



DuraSkin Vinyl Industrial Disposable Gloves

- 5 ml
- Lightly powdered gloves
- Gloves are ambidextrous
- Sold by box of 100 gloves

Part#	Size	List Price	Wholesale
2900W	L		Please Login



DuraSkin Nitrile Disposable Gloves

- 4 ml, Blue nitrile
- Textured Fingertips
- USDA accepted
- Sold by box of 100 gloves

Part#	Size	List Price	Wholesale
T2010WC	L-XL		Please Login



R5B



3403G



3361G

Tagged for Hanging



4729CA

Tagged for Hanging



3460G/4203QXL-BG

Tagged for Hanging



4729G

Tagged for Hanging



90096



3405G



2300EE



3365G

Brown Jersey Gloves

- Comfortable jersey construction
- 3401T tagged for hanging
- 12 per package

Part#	Size	List Price	Wholesale
3401	L		Please Login
3401T	L		Please Login

Tagged for Hanging

Fleece Lined Brown Jersey Gloves

- Comfortable jersey construction
- Easy slip-on construction
- Sold by individual pair

Part#	Size	List Price	Wholesale
3421G	L		Please Login

Tagged for Hanging

Part#	Description	Size	List Price	Wholesale
R5B	Economy grade split leather, heavy-duty cuff, untagged	L		Please Login
3460G	Fuzzy yellow core, 20 oz.	L		Please Login
4203QXL-BG	Fuzzy yellow gloves, heavy-duty cloth, 20 oz.	XL		Please Login
3403G	Cotton glove liner	L		Please Login
3405G	Reversible string knit w/dots on both sides	L		Please Login
2300EE	Concrete/brick, cotton/poly string knit	L-XL		Please Login
2300EET	Concrete/brick, cotton/poly string knit , tagged	L		Please Login
4729G	Concrete/brick, heavy duty latex, cotton/poly string knit	L-XL		Please Login
4729CA	Camo latex coated, cotton knit	L-XL		Please Login
3365G	14" PVC, flocked lining	L		Please Login
3361G	PVC, knit wrist, great for sewer auger rentals	L		Please Login
90096	Arctic blue nitrile, thin mil, textured fingertips, 200/box	S		Please Login
90097	Arctic blue nitrile, thin mil, textured fingertips, 200/box	M		Please Login
90098	Arctic blue nitrile, thin mil, textured fingertips, 200/box	L		Please Login
90099	Arctic blue nitrile, thin mil, textured fingertips, 180/box	XL		Please Login





3-in-1 Thermal Balaclava / Face Shield / Neck Gator

- 3-in-1 Design: Easily converts from a Balaclava to a Neck Gator or Face Shield
- Nordic Thermal Fleece for added warmth and comfort
- Breathable Mesh for heat exhaust distribution
- Ergonomic Design to combat wearer fatigue
- Limited FR - against D6413 Test
- Works great with hard hats



Part#	List Price	Wholesale
FR-RWL22		Please Login



Arctic 2 in 1 Sport Liners Rated at 0° to -20°

- 17-1/2 oz. sport fleece top
- 100% polyester bottom

Part#	Side	Central	Bottom	List Price	Wholesale
22316	Silver	Navy Blue	Blue		Please Login
22311	Blue	Red	Blue		Please Login



Winter Hard Hat Liners

Part#	Description	List Price	Wholesale
165	32° to -45°, 100% cotton, napped flannel interior		Please Login
200	32° to 45°, 100% cotton, red heavyweight fleece lining		Please Login
375L	0° to -20°, extra-long nape covers back of neck, sherpa lining		Please Login
400	0° to -20°, full head coverage, wrap around collar, sherpa lining		Please Login
440	0° to -20°, heavy-duty, extra-long nape, sheepskin-like lining		Please Login
WJ2	0° to 32°, water repellent, flame resistant, polar fleece lining		Please Login



Original HotHands

Provides up to 12 hours of up to 140°F warmth. 40 per case.

Part#	Description	List Price	Wholesale
HH1	8 hrs. 4" x 5"		Please Login

HotHands—2 pack

40 per case.

Part#	Description	List Price	Wholesale
HH2	12 hrs. 2.25" x 4"		Please Login

The Foot Warm-Up

40 per case.

Part#	Description	List Price	Wholesale
HF1	10 hrs. 2.25" x 4"		Please Login



10 Unit Display with 36 Glasses

Description	Qty.
9906 10-Unit Locking Counter Display	1
TXB236 Brazeau Torque - Black / Polarized Smoke	3
XB146 Brazeau White - White / Smoke	3
XB116-P1 Brazeau Patriot 1 - Black / Smoke	3
XB116CF Brazeau - Forest Camo / Smoke	3
HZ116-D1 Caraz - Diamond Plate / Smoke	3
SW116 Dakura - Black / Smoke	3
TSKAP218 Kazbek - Black / Polarized AP Blue Mirror	3
TSM215 Dakura - Black / Polarized Copper	3
DZ111-G2 Zorge G2 - Black / Clear	6
DZ116-G2 Zorge G2 - Black / Smoke	6

Part#	Description	List Price	Wholesale
9906-KIT	37 Pc. Display		Please Login



INDEPENDENTLY TESTED AND COMPLIANT COLTS LABORATORIES

Z87.1+2010 is the American National Standards Institute's (ANSI) most current standard for high impact eye protection. Edge Eyewear has added a "+" to its Z87.1 markings to indicate that the eyewear is compliant with the high impact level of the standard.

The current Military Combat Eye Protection Systems (MCEPS) standard contains a series of tests that are much more intense than ANSI's, such as ballistic fragmentation tests, to simulate projectiles and other dangers faced in combat.

FREE
Locking Display
with each Package

FREE
Locking Display
with each Package

Display
Hangs On
Pegboard

VIDEO DEMO



16 Unit Display with 48 Glasses

Description	Qty.
9914 14-Unit Locking Counter & Pegboard Display	1
TXB236 Brazeau Torque - Black / Polarized Smoke	3
XB146 Brazeau White - White / Smoke	3
XB116-P1 Brazeau Patriot 1 - Black / Smoke	3
XB116CF Brazeau - Forest Camo / Smoke	3
HZ116-D1 Caraz - Diamond Plate / Smoke	3
SW116 Dakura - Black / Smoke	3
TSKAP218 Kazbek - Black / Polarized AP Blue Mirror	3
TSM215 Dakura - Black / Polarized Copper	3
DZ111-G2 Zorge G2 - Black / Clear	6
DZ116-G2 Zorge G2 - Black / Smoke	6
TSM21-G15-7 Dakura - Black / Polarized G-15	3
SR116CF Reclus - Forest Camo / Smoke Lens	3
SR117 Reclus - Black / Silver Mirror	3
SW115CF Dakura - Forest Camo / Copper	3

Part#	Description	List Price	Wholesale
9916-KIT	49 Pc. Display		Please Login

FREE
Locking Display
with each Package

32 Unit Display with 57 Glasses

Description	Qty.
9908 32-Unit Rotating & Locking Counter Display	1
TXB236 Brazeau Torque - Black / Polarized Smoke	3
XB146 Brazeau White - White / Smoke	3
XB116-P1 Brazeau Patriot 1 - Black / Smoke	3
XB116CF Brazeau - Forest Camo / Smoke	3
HZ116-D1 Caraz - Diamond Plate / Smoke	3
SW116 Dakura - Black / Smoke	3
TSKAP218 Kazbek - Black / Polarized AP Blue Mirror	3
TSM215 Dakura - Black / Polarized Copper	3
DZ111-G2 Zorge G2 - Black / Clear	6
DZ116-G2 Zorge G2 - Black / Smoke	6
TSM21-G15-7 Dakura - Black / Polarized G-15	3
SR116CF Reclus - Forest Camo / Smoke Lens	3
SR117 Reclus - Black / Silver Mirror	3
SW115CF Dakura - Forest Camo / Copper	3
TSK216 Kazbek - Black / Polarized Smoke	3
SDKAP119 Kazbek - Silver & Black / AP Red Mirror	3
SW118 Dakura - Black / Blue Mirror	3

Part#	Description	List Price	Wholesale
9908-KIT	58 Pc. Display		Please Login



Spinning
Display



Brazeau

- Flexible and durable frame
- Modern wrap-around design
- Smoke lenses reduce glare
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2010 and MCEPS GL-PD 10-12 standards



Key Part#	Frame	Lens	List Price	Wholesale
A	TXB236	Black	Polarized Smoke	Please Login
B	XB146-C2	White	Smoke	Please Login
C	XB116-P1	Black	Smoke	Please Login
D	XB116CF	Forest Camo	Smoke	Please Login
E	XB146	White	Smoke	Please Login
F	XB136	Black	Smoke	Please Login



Reclus

- Flexible and durable frame
- Soft TPR nose pads and temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2010 and MCEPS GL-PD 10-12 standards

Part#	Frame	Lens	List Price	Wholesale
SR117	Black	Silver Mirror		Please Login
SR116CF	Forest Camo	Smoke		Please Login



Dakura

- Flexible and durable frame
- Soft TPR nose pads and temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2010 and MCEPS GL-PD 10-12 standards



Key Part#	Frame	Lens	List Price	Wholesale
A	SW116CF	Forest Camo	Smoke	Please Login
B	SWAP119	Black	Red Mirror	Please Login
C	TSM21-G15-7	Black	Polarized Silver	Please Login
D	TSM215	Black	Polarized Copper	Please Login
E	SW115CF	Forest Camo	Copper	Please Login
F	SW116	Black	Smoke	Please Login
G	SW118	Black	Blue Mirror	Please Login



Caraz

- Flexible and durable diamond plate frame
- Smoke lenses reduce glare
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2010 and MCEPS GL-PD 10-12 standards

Part#	Frame	Lens	List Price	Wholesale
HZ116-D1	Diamond Plate	Smoke		Please Login
THZ216	Black	Polarized		Please Login



Zorge G2

- Flexible and durable black frame
- Soft TPR nose pads and temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2010 and MCEPS GL-PD 10-12 standards

Part#	Frame	Lens	List Price	Wholesale
DZ111-G2	Black	Clear		Please Login
DZ116-G2	Black	Smoke		Please Login



Kazbek Polarized

- Flexible and durable black frame
- Soft TPR nose pads and Edge-Flex temple arms for comfort
- Polarized lenses increase clarity by reducing glare
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2010 and MCEPS GL-PD 10-12 standards

Part#	Frame	Lens	List Price	Wholesale
TSKAP218	Black	Polarized Blue Mirror		Please Login
TSK216	Black	Polarized Smoke		Please Login




Khor

- Flexible and durable black frame
- Open lower frame prevents sight obstruction
- Soft TPR nose pads and Edge-Flex temple arms for comfort
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2010 and MCEPS GL-PD 10-12 standards

Part#	Frame	Lens	List Price	Wholesale
SDK115	Black	Copper		Please Login
SDKAP119	Black	Aqua Precision Red Mirror		Please Login



DuraFoam™



PlugsSafety® Safety Glasses

- Provide retractable, on demand hearing protection integrated into high quality safety glasses
- Easily pull plugs out when needed, retract back into glasses when finished
- Available with molded or foam earplugs
- ANSI Z87.1-2010

PermaPlug™



Part#	Description	List Price	Wholesale
Gray Lens			
PSGLS5A-PP	Anti-Fog w/PermaPlug™		Please Login
PSGLS5A-DF	Anti-Fog w/DuraFoam™		Please Login

Indoor/Outdoor Lens

PSGLS03-PP	Hard Coated w/PermaPlug™		Please Login
PSGLS03-DF	Hard Coated w/DuraFoam™		Please Login

Amber Lens

PSGLS01-DF	Hard Coated w/DuraFoam™		Please Login
------------	-------------------------	--	--------------



Optima Series

- Lightweight comfortable frame
- Dual mold rubber temples
- Adjustable rubber nosepiece
- Polycarbonate lens provides impact resistance
- Dielectric frame
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection



Key	Part#	Frame	Lens Color	List Price	Wholesale
A	OP1010ID	Black	Clear		Please Login
B	OP1011ID	Black	Clear A/F		Please Login
C	OP1020ID	Black	Smoke		Please Login
D	OP1060ID	Black	Silver Mirror		Please Login
E	OP1090ID	Black	Indoor/Outdoor		Please Login
F	OP6710ID	Pink	Clear		Please Login
G	OP6790ID	Pink	Indoor/Outdoor		Please Login
H	OP6767ID	Pink	Pink		Please Login



Infinity Series

- 2mm panlite polycarbonate lens material
- Meets or exceeds ANSI Z87 2010 standards
- 99.9% protection From UVA / UVB rays



Key	Part#	Frame	Lens Color	List Price	Wholesale
A	2812	Black/Orange	Gold Mirror		Please Login
B	2117	Crystal Brown	Brown Mirror (HD)		Please Login
C	241	Crystal Black	Smoke		Please Login
D	2244	Pearl White	Clear		Please Login
E	21126	Crystal Brown	Brown (HD)(P)		Please Login
F	2243	Pearl White	Silver Mirror		Please Login
G	224	Pearl Gray	Clear		Please Login
H	263	Shiny Black	Silver Mirror		Please Login
I	2254	Pearl Pink	Clear		Please Login
J	22528	Pearl Pink	Smoke		Please Login



ES5 Series

- Rubber Nosepiece For All Day Comfort
- Dual Mold Rubber Temple Grips
- 8-Base Curve Lens
- Hard Coated Lens - Protects From Scratches
- Meets ANSI Z87.1+ standards
- 99.9% protection From UVA / UVB Rays



Key	Part#	Frame	Lens Color	List Price	Wholesale
A	29117	Crystal Brown	Brown Mirror(HD)		Please Login
B	2968	Black	Blue Mirror		Please Login
C	2964	Pearl Gray	Clear		Please Login
D	291113	Crystal Brown	Brown Polarized(HD)(P)		Please Login
E	29215	Black	Indoor/Outdoor		Please Login
F	2961	Pearl Gray	Smoke		Please Login



Sniper Series

- Rubber nosepiece for comfort
- Dual mold rubber temple grips for better stability
- Meets ANSI Z87.1-2003
- 99.9% Protection From UVA / UVB Rays



Key	Part#	Frame	Lens Color	List Price	Wholesale
A	9233	Burgundy	Silver Mirror		Please Login
B	9141	Camo	Smoke		Please Login
C	9614	Black	Smoke(P)		Please Login
D	9610	Black	Emerald		Please Login



RPG Series

- Polycarbonate lens provides impact resistance
- Rubberized temples and nosepiece
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection



Key	Part#	Frame	Lens Color	List Price	Wholesale
A	23117	Brown	Brown Mirror(HD)		Please Login
B	23226	Black	Blue Mirror(HD)(P)		Please Login
C	23233	Black/Red	Silver		Please Login
D	23125	Burnt Orange	Copper Mirror(HD)		Please Login
E	23615	Pearl Gray	Indoor/Outdoor		Please Login
F	23421	Black	Smoke		Please Login



The Dominator Series

- Integrated rubber nosepiece
- Full frame with larger lens
- Rubber accents on temple
- Meets ANSI Z87.1+ standard

Part#	Frame	Lens	List Price	Wholesale
DPG94-6D	Black	Silver		Please Login



The Ventilator Series

- Rubber nosepiece for all day comfort
- Distortion free lens
- Full wrap-around frame
- Rubber tipped temples
- Meets ANSI Z87.1+ standard

Part#	Frame	Lens	List Price	Wholesale
DPG56B-YD	Black	Yellow		Please Login



Mini Blade Series

- Polycarbonate Lens Material
- Ultralight Frame
- Scratch Resistant Coating
- Meets ANSI Z87 2010
- 99.9% Protection From UVA / UVB Rays



Part#	Frame	Lens Color	List Price	Wholesale
32231AF	Aqua	Smoke Anti-Fog		Please Login
32224AF	Pink	Clear Anti-Fog		Please Login



The Rad-Sequel Series

- Rubber nosepiece for all day comfort
- Polycarbonate lens for impact resistance
- Meets ANSI Z87.1+ standard

Part#	Lens	List Price	Wholesale
RS1-10	Clear		Please Login
RS1-20	Smoke		Please Login
RS1-90	I/O		Please Login



Hot Seller!

Safety Goggles

- Dual injected rubber provides a soft comfortable seal
- Elastic head strap provides a comfortable fit
- Built-in ventilation channel provides extra fog control
- Meets or exceeds ANSI spec. Z87.1



Part#	List Price	Wholesale
DPG82-11		Please Login



Rad-Apocalypse Camo Series

- New, improved soft rubber temples with flared ends
- Neck cord included
- Coated protective lens
- Protective lens provide 99.9% UVA/UVB protection
- Safety Glasses meet ANSI Z87.1+ standards

Part#	Frame	Lens Color	List Price	Wholesale
AP4-B1	Camo	Bronze Anti-Fog		Please Login



The Chaos Series

- Rubber nosepiece for all day comfort
- Polycarbonate lens for impact resistance
- Bayonet style temples with rubber tips
- Meets ANSI Z87.1+ standard

Part#	Frame	Lens	List Price	Wholesale
CS3-45	Mocha	Coffee		Please Login



Nemesis Series

- Sleek, sporty style
- Soft-touch temples
- Single lens wrap-around protection
- 99.9% UV protection
- Free neck cord included
- Meets ANSI Z87.1+
- Meets all impact resistance standards

Part#	Frame	Lens	List Price	Wholesale
25679	Black	Clear AF		Please Login
25688	Black	Smoke Mirror		Please Login
22475	Black	Smoke AF		Please Login
25685	Black	I/O		Please Login
14481	Black	Blue Mirror		Please Login
22476	Black	Amber AF		Please Login
19639	Blue	Light Blue		Please Login
19642	Black	Blue Shield		Please Login
19644	Camo	Copper		Please Login
22608	Camo	Clear AF		Please Login
22610	Camo	Amber		Please Login
22609	Camo	Smoke AF		Please Login



Nemesis RX Bifocal Series

- Larger lens for a more complete wrap-around impact protection
- Enhanced nose piece design with integrated ridges channels away sweat
- Extended temples hug your head to prevent slipping
- Free neck cord included
- Meets ANSI Z87.1+ Standards

Part#	Lens	Diopter	List Price	Wholesale
28618	Clear	+1.0		Please Login
28624	Clear	+2.0		Please Login
28630	Clear	+3.0		Please Login
22516	Smoke	+1.5		Please Login
22519	Smoke	+2.5		Please Login



The Checkmate® Series

- Trend-setting design at a better price point
- Exclusive Duramass® scratch resistant lens coating
- Meet ANSIZ87.1 standards
- Near total seal of eye orbit

Part#	Lens	List Price	Wholesale
CK100	Clear Uncoated		Please Login
CK110	Clear Coated		Please Login



Purity Series

- Wraparound lens for better eye protection
- Comfortable, padded temples
- 99.9% UVA/UVB protection
- CSA Z94.3 compliant

Part#	Frame	Lens	List Price	Wholesale
25652	Smoke	Smoke		Please Login
25654	Clear	Clear AF		Please Login
25656	Clear	I/O		Please Login



The Tomahawk Series

- Wrap-around design with side shields
- Adjustable temples
- Polycarbonate lens filters out 99.9% of U.V. rays

Part#	Frame	Lens	List Price	Wholesale
TK110	Black	Clear		Please Login
TK130	Blue	Clear		Please Login

FREE
Clip-on, Breakaway
Cord w/each pair



The Tremor® Series

- Sleek, wrap-around design
- Revolutionary Hingeless Frame System™
- Gel nosepiece and temple sleeves
- Meet ANSIZ87.1 standards
- Exclusive Duramass® scratch resistant lens coating

Part#	Frame	Lens Color	List Price	Wholesale
TM110	Onyx	Clear		Please Login
TM112	Onyx	Grey		Please Login
TM117	Onyx	Silver Mirror		Please Login
TM128B	Blue	Blue Diamond		Please Login
TM13R	Taupe	Fire		Please Login
TM14G	Steel	Emerald		Please Login






Civetta Aurora Series

- Flexible and durable frame
- Smoke lenses reduce glare
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2010 and MCEPS GL-PD 10-12 standards



Key	Part#	Frame	Lens Color	List Price	Wholesale
A	YC156-A1	Pink Lace	Smoke		Please Login
B	YC156-A2	Matte Pink	Smoke		Please Login
C	YC156-A3	Matte PurpleSmoke			Please Login



Optima Series

- Lightweight comfortable frame
- Dual mold rubber temples
- Adjustable rubber nosepiece
- Polycarbonate lens provides impact resistance
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection



Key Part#	Frame	Lens Color	List Price	Wholesale
A OP6710ID	Pink	Clear		Please Login
B OP6790ID	Pink	Indoor/Outdoor		Please Login
C OP6767ID	Pink	Pink		Please Login



AngelFire® Women's Synthetic Leather Mechanic's Gloves

- Synthetic leather palm
- Spandex back
- Silicone grips on palm

Part#	Size	List Price	Wholesale
GX103	S-L		Please Login

Brazeau Huntress Series



- Formatted like the Civetta Aurora Series
- Flexible and durable frame
- Lenses block 99.9% of UV radiation
- Meets ANSI Z87.1+2010 and MCEPS GL-PD 10-12 standards



Part#	Frame	Lens	List Price	Wholesale
XB116-H1	Pink Camo	Smoke		Please Login

V-Gard® Bump Cap

- 4 Point Pinlock Suspension
- Polyethylene shell provides superior impact protection
- Self-adjusting crown straps ensure a comfortable fit
- Slotted for use with Accessories
- Meets ANSI/ISEA Z89.1-2009 (Class E)
- Meets CSA Z94.1-2005 (Class E)



Part#	List Price	Wholesale
10155231		Please Login



Electronic Earmuff

- Electronic earmuff amplifies low level sounds but compresses noises that exceed safe levels
- Dual microphones
- Independent volume controls
- Adjustable moisture wicking headband
- NRR 20 dB

Part#	List Price	Wholesale
TV0700CS		Please Login



Mini Mag Flashlight, Pink

- National Breast Cancer Foundation Mini Maglite flashlight is engraved with the NBCF ribbon.
- Spare lamp safely secured inside the tail cap
- 1/2 turn, twist focus, spot-to-flood
- Candle mode feature
- O-ring sealed for water resistance

Part#	List Price	Wholesale
M2AMW6		Please Login



Solitaire Flashlight, Pink

- High-intensity adjustable light beam
- Rugged, machined aluminum construction
- Water and shock resistant
- High-strength aluminum alloy case

Part#	List Price	Wholesale
K3AMW6		Please Login

ORCA Premium Cooler



- Roto-molded construction, integrated insulation for maximum ice/cold retention and freshness of your stowed items for up to 10 days
- Padded carrying handles
- Cargo net attachment included
- Lid gasket ensures a perfect seal
- 100% Made in USA
- Lifetime warranty



Part#	Capacity	List Price	Wholesale
ORCP020	20 quart (Pink)		Please Login





6,500 Watt Generator

- Full panel GFCI protection is OSHA and NEC 2011 compliant
- Idle control conserves fuel and reduces noise
- Integrated lifting eye
- 120/240V selector allows full 120V power or 120/240V power output
- Electric start with manual pull start backup
- Durable, fully welded 1-1/4 in. steel frame
- On/off switch, fuel shut-off and choke controls conveniently located on control panel
- Low oil pressure shutdown
- Locking, folding handles & never-flat wheels
- Covered outlets for more protection
- Maintenance kit included

Stand-By Units Are Available!

8,000 Watt Generator

- Full panel GFCI protection is OSHA and NEC 2011 compliant
- Idle control conserves fuel and reduces noise
- Integrated lifting eye
- Electric start with manual pull start backup
- Durable construction with hardened 1-1/4" steel tube cradle and cast metal corners minimizes damage from rough handling
- On/off switch, fuel shut-off and choke controls conveniently located on control panel
- Low oil pressure shutdown
- Locking, folding handles & never-flat wheels
- Covered outlets for more protection
- Maintenance kit included

Part#	Model	List Price	Wholesale
5930	XP6500E		Please Login

Part#	Model	List Price	Wholesale
5931	XP8000E		Please Login



5,000 Watt Diesel Generator

- Diesel power requires less maintenance, is more efficient and provides a long life
- Yanmar LW series 435cc air-cooled direct injection, industrial-grade diesel engine
- Large 12 Gal. fuel tank with fuel gauge
- Idle control conserves fuel and reduces noise
- Low oil shutdown automatically safeguards engine from damage
- Durable, fully welded 1-1/4 in. steel frame
- Single touch electric start provides hassle-free start-up, battery not included
- Hour meter with maintenance resets

All GENERAC Products Are Available!

10,000 Watt Generator

- Full panel GFCI protection is OSHA and NEC 2011 compliant.
- Idle control conserves fuel and reduces noise
- Electric start with battery included
- Generac's OHVI engine is the only engine designed specifically for generator use
- Durable, fully welded 1-1/4 in. steel frame
- Low oil pressure shutdown protects engine
- Covered outlets for more protection
- Locking, folding handles and never-flat wheels
- External battery charge jack
- Maintenance kit included

Part#	Model	List Price	Wholesale
6864	XD5000E		Please Login



Part#	Model	List Price	Wholesale
5932	XP10000E		Please Login



SECOND CHOICE



MOST POPULAR



7,000 Watt Generator Elite Series

- Key electric start & remote choke for fast, effortless starting
- 12" Neverflat wheels
- Briggs & Stratton 2100 Series engine
- 7 gallon fuel tank
- Multi-featured control panel features household and locking outlets, rubber outlet covers, and hour meter with circuit-breaker protection
- 8,750 starting watts

Part#	List Price	Wholesale
030663		Please Login

8,000 Watt Generator Elite Series

- Key electric start & remote choke for fast, effortless starting
- 12" Neverflat wheels
- Briggs & Stratton 2100 Series engine
- 7 gallon fuel tank
- Multi-featured control panel features household and locking outlets, rubber outlet covers, and hour meter with circuit-breaker protection
- 10,000 starting watts

Part#	List Price	Wholesale
B030471		Please Login



Full Line of Briggs & Stratton Generators Are Available!



10,000 Watt Generator Elite Series

- 10,000 Watts/ 12,500 Starting Watts
- 18.0 Gross HP Briggs & Stratton Vanguard™ OHV V-Twin Engine, 570cc
- Power Surge™ alternator produces up to 25% more surge wattage
- 7 gallon metal fuel tank provides up to 7 hours run time @ 50% load
- Electric start for fast, effortless starting
- Outlets: 2-120V / 1-120V,20A / 1-120V,30A / 1-120/240V,30A / 1-240V,50A / 1-12V DC, 10A

Part#	List Price	Wholesale
B030207		Please Login



Inverter Generators PowerSmart Series

#1 ROI In Rental



- 2,000 Watts**
- Volts: 120
 - 1 gallon fuel tank
 - Recoil start
 - Weight: 56 lbs.
- Outlets
- (2) 120V-20A
 - (1) 12V-5A, DC



- 3,000 Watts**
- Volts: 120
 - 1.5 gallon fuel tank
 - Recoil start
 - Weight: 84 lbs.
- Outlets
- (4) 120V-20A
 - (1) 12V-5A, DC
 - (1) 120V-30A locking
 - (1) USB



Parallel Kit
Connect two PowerSmart Series™ Inverter Generators together. Whether you have two of same model or one of each, the Parallel Kit gives you more continuous power.

Part#	Description	List Price	Wholesale
030651	2,000 Watt		Please Login
030545	3,000 Watt		Please Login
6278	Parallel kit		Please Login



QUICKLOADER Ratchet Straps

- Spring loaded **retractable**
- Faster and easier to use
- Longer handle for superior strength



Theirs

**Springloaded
Easy Release
No Pinched Fingers
No Mess**



Ours

QL1500TWIN (2-Pack)

- 12' x 1" webbing
- 1500 lb. break strength
- 500 lb. work load
- S-hooks
- Handlebar loops



Part#	List Price	Wholesale
QL1500TWIN		Please Login

QL4500M

- 15' x 1.25" webbing
- 4500 lb. break strength
- 1500 lb. work load
- Double J-hooks
- D-Rings



Part#	List Price	Wholesale
QL4500M-TM		Please Login

Rope Ratchet

- Releases with thumb lever
- Made of tough weather resistant nylon
- 10' braided cord included
- 3/8" has 200 lb. load limit



Carded Pkg.

Part#	Size	List Price	Wholesale
20020	3/8"		Please Login

Elastic Tie Down

- Elastic design provides constant tension and a firm hold
- Use for quick load binding
- Includes: 2 each of 12", 18", 24"
- Blister package for hanging



Part#	List Price	Wholesale
28380		Please Login

2" Ratcheting Tiedowns

- 2" x 27'
- 10,000 lb. rated capacity
- 3,300 lb. working capacity
- Claw hook or flat hook
- Yellow



Part#	Description	List Price	Wholesale
82392	Claw Hook		Please Login
82392F	Flat Hook		Please Login

Ratcheting Tie Downs Claw Hook



Standard

- 1" x 15'
- 1,500 lb. rated capacity
- Red
- Blister package for hanging



52323

Part#	List Price	Wholesale
84023		Please Login

Heavy-Duty

- 1-1/2" x 15'
- 3,000 lb. rated capacity
- Yellow
- Blister package for hanging



Part#	List Price	Wholesale
28582		Please Login

Locking Tie Down Set-4 pack

- 1" x 6', "S" Hook
- 300 lb. load limit
- 900 lb. break strength



Part#	List Price	Wholesale
52306		Please Login

Rubber Tarp Straps

- Guaranteed elasticity for up to one year
- 25 per bundle



Part#	Strap Lgth	List Price	Wholesale
STR10	10"		Please Login
STR15	15"		Please Login
STR21	21"		Please Login
STR31	31"		Please Login
STR41	41"		Please Login

Sold Individually

6 Piece Flat Bungee Pack

- Molded steel hooks with protective coating
- 3/4" wide cords for added surface contact
- Includes: 2 each of 15", 25"
1 each of 35", 45"



Part#	List Price	Wholesale
32407		Please Login



2" Ratcheting Tiedowns



- 2" x 27'
- 3,333 lb. working capacity
- Claw hook or flat hook

Part#	Description	List Price	Wholesale
557	Flat Hook		Please Login
557-WHK	Claw Hook		Please Login



Chain Anchor Tiedown



- 2" x 27'
- 10,000 lb. rated capacity
- 3,335 lb. working capacity
- 18" chain length

Part#	List Price	Wholesale
RS-2-27-W-CH		Please Login



Light-duty Poly Twine

- Will not rot, mildew or rust
- Ships in plastic pail for ease of use
- Tensile strength of 210 lbs.
- Length: 6,500'



Part#	List Price	Wholesale
J7603		Please Login

Transport Tow & Binder Chains


- Type 70 transport
- Working load limit: 6,600 lbs.
- Clevis type hook
- 5/16" chain load limit 4,700 lbs.



Part#	Description	List Price	Wholesale
3583520	3/8" x 20'		Please Login
3524623	3/8" x 16'		Please Login
H3226-5220	5/16" x 20'		Please Login

Heavy-duty CargoBar™

- Retracts to 48"
- Adjusts continuously to a maximum extension of 108"
- Greater holding power than conventional loadlocks
- Harder to bend and damage



Part#	List Price	Wholesale
CC5010		Please Login

Chain Binder

- Corrosion-resistant baked enamel finish
- 1 piece fork, lugs, handle
- Drop forged, heat treated steel handle/hooks
- Working load limit: 9,200 lbs.
- Easy secure tightening and quick release
- Max. break strength: 19,000 lbs.



Works with 1/2" or 3/8" Chain

Part#	Description	List Price	Wholesale
19055	1/2" x 3/8" Load Binder		Please Login

Tow Strap


- Extra long - 2" x 20'
- 17,000 lb. rated capacity
- Reinforced loop
- Yellow



Part#	List Price	Wholesale
82497		Please Login

Ratchet Style QuikBinder

- Fast installation
- Handle folds down for compact storage
- Working load limit: 12,000 lbs.
- Max. break strength: 19,000 lbs.
- DOT/CNSA/CCMTA



Works with 1/2" or 3/8" Chain

Part#	Description	List Price	Wholesale
H5125	1/2" x 3/8" Load Binder		Please Login

Trailer Hitch Ball Mounts

- 21512**
- Box opening of 2" x 2"
 - Tri-Ball



- 21542**
- Class III - 6,000 lb. towing capacity
 - Shank length of 9"



Part#	List Price	Wholesale
21512		Please Login
21542		Please Login

Master Lock® Laminated Steel Pin Tumbler Padlock, 4 Pin


- Hardened steel shackle for extra cut resistance
- 4-pin cylinder helps prevent picking
- Dual locking levers provide extra pry resistance
- 1-9/16" wide laminated steel body, 2" shackle



Part#	List Price	Wholesale
3DLH		Please Login



- Makes loads feel like 1/3 of actual weight
- No straining your back or gouging your hands
- Adjustable up to 48"
- Weight Cap.:600 lbs./Pair -(Tested at 2,720 lbs.)
- Felt for comfort in any adjusted length



Moving Harness

- Rated for items weighing up to 800 lbs.
- Encourages proper lifting techniques
- Strap system that employs leverage which makes the items being carried seem MUCH lighter
- Saves floors from scratches, dents, scuffs and scrapes that dollies and hand trucks leave behind
- Includes: 2 harnesses & 2 adjustable center straps

Part#	List Price	Wholesale
FFMHVP		Please Login



#L74995D
Countertop display contains 6 units.



#FLOOR-POP
Floor display contains 15 units.

Part#	Description	List Price	Wholesale
42895	Forearm Forklift		Please Login
EXT	Extension strap		Please Login
L74995D	Countertop display kit		Please Login
Floor-POP	Floor display kit		Please Login




Truck Door Pull Down Strap

- Super-strength webbing
- Super-strong strap provides safety when pulling down truck doors
- Length and pre set handles allow for reach w/out climbing up your truck's back end
- Handles provide leverage to easily pull down even stubborn doors



Part#	List Price	Wholesale
FFTDPS		Please Login



Box Strap

- Allows different size boxes and other items to be carried together efficiently
- Use for carrying up to 40 lbs.
- Use for bundling and securing boxes
- 3" wide strap, the widest box strap around

Part#	List Price	Wholesale
FFBS		Please Login

Moving Blanket

- 72" x 80" - 4 lbs.
- Premium, two color moving blanket
- Woven construction on the orange side for HEAVY-DUTY use
- Gentle, non-woven on the black side, better for shielding delicate items
- Use to protect floors from falling or stepped on tools, materials, and fixtures



Part#	List Price	Wholesale
FFMB		Please Login



Tear-Off Red Danger Flags

- 12" x 12" plastic flags
- Easily attaches to items protruding from vehicles



Part#	List Price	1 Bag of 100	15 Bags of 100
		Wholesale	Wholesale
14667		Please Login	



Caution & Danger Tape

HARRIS
INDUSTRIES, INC.



Part#	Description	Mil.	Ctn. Qty.	List Price	Wholesale
CT300	3" x 300' roll - Caution	2.0	24		Please Login
CT1000	3" x 1000' roll - Caution	1.5	8		Please Login
DT1000	3" x 1000' roll - Danger	2.0	8		Please Login



490A



208



French Creek Full Body Harness

- Lightweight and comfortable
- High-strength, high-visibility nylon webbing
- Dee ring centered in the back for attaching lanyards

Part#	Description	List Price	Wholesale
631	Harness		Please Login
490A	Shock absorbing lanyard		Please Login
208	Nylon carrying bag		Please Login
631-KIT	Harness, bag & lanyard		Please Login

Caution Tape Dispenser

- Serrated plastic edge for clean tearing
- Holds Caution & Danger tape shown above




Part#	List Price	Wholesale
CTD		Please Login

Back Support

- Lightweight, cool, washable nylon
- Contoured support
- Allows for full range of body motion
- 6 per carton



Part#	Size	List Price	Wholesale
7162	M-32"-38"		Please Login
7163	L-38"-47"		Please Login
7164	XL-46"-56"		Please Login



Contractor Grade Non-Skid Tape



- Rugged adhesive-backed tapes easily install indoors or outdoors
- Adheres to almost every clean, dry, and oil-free surface
- Ideal for heavy-duty industrial traffic

Part#	Description	Ctn. Qty.	List Price	Wholesale
AS2	2" x 60' roll	6		Please Login
AS4	4" x 60' roll	3		Please Login
AS6	6" x 60' roll	2		Please Login

Rounded Cap Knee Pads

- Rounded cap allows for swiveling & pivoting
- Durable cordura fabric
- 1/2" neoprene padding
- Woven elastic adjustable straps
- Adjustable buckle easily fastens



Part#	List Price	Wholesale
EKP		Please Login



Automatic Optical Level Kit

- Water-resistant for outdoor use
- 1:100 stadia for distance estimation
- Magnetically dampened, wire-hung compensator
- Compensator lock protects level during transport
- Right angle prism for easy bubble viewing
- Top-mounted optical peep-sight for quick reference
- Large effective aperture and minimum focus of 1 foot (0.3m)



Part#	List Price	Wholesale
55-SLVP24ND		Please Login

Includes Tripod & Measuring Rod



Construction Laser Level

- Automatic self-leveling increases productivity with fast setups and minimal training
- Durable construction can withstand tough jobsites
- Split beam enables plumb point transfer and 90° layout
- Remote control offers scanning, speed control, slope setting, and alignment control for fast one person setups



Part#	List Price	Wholesale
HV101-4		Please Login

Horizontal/Vertical, Interior/Exterior Rotary Laser Complete Kit

- Both horizontal and vertical beams are self leveling
- Glass enclosed top housing
- Full selection of beam visibility
- More runtime-up to 85 hours of runtime
- Battery level gauge



Part#	List Price	Wholesale
RL25HVCK		Please Login

Includes Everything Shown



Laser Level LL100

- Complete leveling crew in a case - laser, tripod, receiver and clamp, choice of grade rod, alkaline batteries in a carrying case
- Automatic electronic self-leveling
- Simple one-button operation for quick start up
- Unit stops rotating when jarred
- Job site durable and tough - withstands a 3' drop on concrete or a 5' tip over without breakage



Part#	List Price	Wholesale
LL100N-2		Please Login

Includes Tripod & Measuring Rod

Horizontal and Vertical Rotary Laser Level Kit

- Anti-Drift feature alerts user when instrument has moved out of position
- 2800' working diameter
- Accuracy of 1/16" at 100'
- Horizontal and vertical use with dual manual slope with cross axis leveling



Part#	List Price	Wholesale
57-ALHVPKG		Please Login

Includes Everything Shown

#1 In The World



Laser Level LL300

- Rugged design
- Built to withstand drops up to 3' directly onto concrete
- Fully automatic self-leveling capability
- Single cross-axis manual slope mode with cross-axis self-leveling allows grade matching for basic slope work, while maintaining accuracy in the cross-slope



Part#	Description	List Price	Wholesale
LL300N-2	Laser w/kit		Please Login
LL300	Laser w/reciever only		Please Login

Includes Tripod & Measuring Rod

Compact Laser Measurer 50 ft. Range

- Simple one-button operation - press button once to begin measuring in continuous mode, press button again to hold measurement
- Continuous measurement mode - walk off measurements from the wall and other surfaces
- Precise laser measure technology - accuracy to 1/8"
- Compact size and shape - easily portable and will rest on any flat surface



Part#	List Price	Wholesale
GLM15		Please Login



120 ft. Laser Distance Measurer with Backlit Display

- Full feature offering includes area, distance, length, volume, continuous measurement, addition and subtraction
- Backlight for increased visibility in low-light conditions
- Pocket size for easy access anywhere
- Extreme accuracy, measures to within +/-1/16 In.
- 2 AAA batteries (included)



Part#	List Price	Wholesale
GLM35		Please Login



165 ft. Laser Measure with Bluetooth

- Backlit color display
- Bluetooth functionality
- Extremely precise with accuracy of 1/16"
- Overall range is 165'
- 3 indirect measurement modes are offered along with a built-in inclinometer
- Default real-time measurement shows distances move in relation to the target



Part#	List Price	Wholesale
GLM50C		Please Login



330 ft. Lithium-Ion Bluetooth Enabled Laser Distance and Angle Measure

- Bluetooth Functionality: Conveniently transfer and store measurements from the laser measurer to an iPhone, iPad or Android device
- Precision Measuring Technology: Measures up to 330' with up to 1/16" accuracy
- Built-In Tilt Sensor: Displays 360-degree angle measurements in two axis allowing for more accurate measurements
- Backlit Display with Tilt-Screen Technology: Offers easy viewing in all directions



Part#	List Price	Wholesale
GLM100C		Please Login



Aluminum Tripod

- Sturdy telescopic legs that extend to 66"
- Features a flat head and easy-to-use quick clamps

Part#	List Price	Wholesale
Q104025		Please Login



Construction Tripod

- Lightweight and durable aluminum hinge, clamp and shoe castings
- Hinges are attached with screws, not rivets
- Adjusts from 3'6" to 6'1"
- 5/8" - 11" threaded device

Part#	List Price	Wholesale
2161		Please Login



Ceiling Target

- Optically enhanced
- Half translucent, half reflective
- Magnetic mounting

Part#	List Price	Wholesale
1176CT		Please Login



Rechargeable Battery Pack

- Ni-Cad rechargeable battery pack compatible with HV301, HV401, LL300, and LL400

Part#	List Price	Wholesale
Q102670		Please Login

Little Giant 100' Chalk Line Reel

- Long 100' heavy duty cord and pull ring
- Hooks easily to a utility belt and holds almost 1 lb. of chalk
- One-piece steel crank for extra long life

Part#	List Price	Wholesale
G100		Please Login



Giant 130' Chalk Line Reel

- Extra long 130' heavy duty cord and pull ring
- Holds 27 oz. of chalk for less refills
- Easy fill opening with no-leak stopper
- 1-piece steel crank for extra-long life

Part#	List Price	Wholesale
G130		Please Login



Lumber Crayons

- Smear, water, and fade resistant
- Outlast wax or chalk crayons
- Sold by box of 12



Lumber Crayon Holder

- Advance crayon to any designed length then retract to prevent breakage
- Aluminum barrel includes a leather strap
- Sold individually



Part#	Color	List Price	Wholesale
16100R	Red		Please Login
16100Y	Yellow		Please Login
52837	Holder		Please Login

Quick Fill Chalk Line Reels

- FB2**
- Sturdy Cylolac® (plastic) yellow case
 - 100' spun polyester line
 - When spout is removed the grommet self-seals

Part#	List Price	Wholesale
FB2		Please Login



- K1**
- Metal case for rugged use
 - 100' line
 - Locking action with hook ring doubles as a plumb bob

Part#	List Price	Wholesale
K1		Please Login

Carpenter Pencils

- 5/8" x 7" long
- #3 lead assures more durability
- Sold by box of 72



Part#	Box Qty	List Price	Wholesale
LP72	72		Please Login

Surveyors/Flagging Tape

- Priced individually
- Sleeves contain 12



Part#	Color	Size	List Price	Wholesale
SP771-R	Day Glo Red	1-3/16" x 150'		Please Login
SP771-P	Day Glo Pink	1-3/16" x 150'		Please Login
SP771-O	Day Glo Orange	1-3/16" x 150'		Please Login
SP771-LG	Day Glo Green	1-3/16" x 150'		Please Login
SP771-B	Blue	1-3/16" x 300'		Please Login
SP771-W	White	1-3/16" x 300'		Please Login
SP771-Y	Yellow	1" x 300'		Please Login
SP771-G	Green	1" x 300'		Please Login

Marking Chalk Refill

- 5 lb. container
- Ultrafine



Part#	Color	List Price	Wholesale
105B	Blue		Please Login
105R	Red		Please Login

Plastic Marking Flags

These bright plastic marking flags are hard to miss. The stake is a 21" wire with a 4" x 5" flag. **Sold in bundles of 100.**

Part#	Color	List Price	Wholesale
900-OG	Orange		Please Login
900-PG	Pink		Please Login
900-LG	Lime Green		Please Login
900-BL	Blue		Please Login
900-WT	White		Please Login
900-RD	Red		Please Login
900-YL	Yellow		Please Login
900-G	Green		Please Login



Handi Flagger™ Tape Dispenser

A convenient metal flagging tape dispenser. Adjusts to the size of the roll as it depletes.



Part#	List Price	Wholesale
FTD12		Please Login

Short Tape Measures

- Nylon Coated Steel Blade
- Easy-to-Read Graduations
- True Zero Hook
- Positive Locking Button
- Bumper Cushion
- Heavy-Duty End Hook
- Belt Clip
- 3 Rivet Hook



Part#	Description	List Price	Wholesale
PGPRO1825V	25' - High Vis		Please Login
PGPRO1830	30'		Please Login
PGPRO1835V	35' - High Vis		Please Login



Contractor Grade Measuring Wheels

- 5-digit magnified counter subtracts in reverse
- RR318N features a 3-pc. collapsible handle with cam-locks and pistol grip handle
- RR112 telescopes from 17" up to 38" without bending
- RR182 offers dual wheel for greater stability

Part#	Wheel	Unit of	List Price	Wholesale
RR112	1 ft.	Ft. & In.		Please Login
RR182	1 Ft. Dual	Ft. & In.		Please Login
RR318N	3 Ft.	Ft. & In.		Please Login

*Engineer's & Metric also available. Please call for details.

CST/berger

Long Tape

- 300' fiberglass tape
- Reel features a 3:1 gear ratio
- Waterproof, dirt-resistant and washable for increased useful life
- Tape blade is a highly visible yellow



Part#	Length	List Price	Wholesale
74-Y3008	300'		Please Login



Open Reel Long Tape

- Metal, planetary gearing for super-fast rewind & no more stripped gears!
- High-visibility, double riveted housing
- Tough, double nylon-coated steel
- Double coated PVC fiberglass blades with blade shield
- Metal reinforced crank handle for increased strength



OTRS = Fiberglass NRS = Nylon Steel

Part#	Length	Measure	List Price	Wholesale
NRS18100	100'	Ft., In., 1/8		Please Login
OTRS18100	100'	Ft., In., 1/8		Please Login
NRS18200	200'	Ft., In., 1/8		Please Login
OTRS18200	200'	Ft., In., 1/8		Please Login
NRS18300	300'	Ft., In., 1/8		Please Login
OTRS18300	300'	Ft., In., 1/8		Please Login

*Engineer's & Metric also available. Please call for details.



Closed Reel Long Tape

- Nylon coated blade for superior durability and rust resistance
- High-impact resistant case with rubber grip



Part#	Length	Measure	List Price	Wholesale
ST18503X	50'	Ft., In., 1/8		Please Login
ST181003X	100'	Ft., In., 1/8		Please Login

*Engineer's & Metric also available. Please call for details.

Professional Measuring Wheel

- Center aligned design for better wheel balance
- Handle brake and reset for ease of use
- Enhanced pistol grip handle increases control



Part#	Wheel	Unit of	List Price	Wholesale
RRT12	3 ft.	Ft. & In.		Please Login

*Engineer's & Metric also available. Please call for details.

Metal Professional Measuring Wheel

- Rugged 3/4" tubing—Tough enough to handle any terrain
- Innovative, center aligned design for better wheel balance
- Huge numbers make for easy reading
- 5-digit counter reads up to 99,999



Part#	Wheel	Unit of	List Price	Wholesale
MP401	4 ft.	Ft.		Please Login

*Engineer's & Metric also available. Please call for details.

Paint Striper

800P Vers-A-Striper (pavement)

- Stripe widths from 2" to 4"
- Heavy-duty metal construction
- Holds 1 case of paint
- Paint radius curves with ease
- Curb and edge attachment included

Part#	List Price	Wholesale
800P		Please Login



Stencil Kit

- Easy to apply
- Professional results
- Reusable - made of heavy glossy cardboard
- Includes seventeen 22.5" x 36" stencils
- Full alphabet, numbers and 13 of the most often used set-ups (Handicap, Exit, No Parking)

Part#	List Price	Wholesale
797P		Please Login

Athletic Paint Striper

801P Vers-A-Striper (turf and dirt)

- Stripe widths from 2" to 4"
- Larger 10" diameter wheels
- Metal construction - heavy-duty
- Holds 1 case of paint (12 per case)

Part#	List Price	Wholesale
801P		Please Login



Marking Stick

- 32" overall length
- Wheel has a rubber over mold to reduce vibration
- Flag holder
- Flag insert spike



Spot Marker

- 14" overall length
- Convenient trigger actuator
- Single-hand operation

Part#	Description	List Price	Wholesale
244P	Spot Marker		Please Login
245P	Marking Stick		Please Login

Solvent-Based Striping Paint

- Perfect for concrete and asphalt
- Fast drying, one coat coverage
- 18 oz. cans - net weight
- Sold individually

Part#	Description	List Price	Wholesale
710P	White		Please Login
720P	Yellow		Please Login
740P	Orange		Please Login
750P	Blue		Please Login
770P	Asphalt Black		Please Login



Water-Based Athletic Striping Paint

- Will not burn grass
- Fast drying, long lasting, one coat coverage
- 18 oz. cans - net weight
- Sold individually

Part#	Description	List Price	Wholesale
790P	White		Please Login



Will cover 800 linear ft. with a 4-inch stripe!


Survey Marking Paint

- Upside-down marking paint
- Lasting mark of up to six months
- Non-freezing formula, operational to 14°F
- 17 oz. cans - net weight
- Sold individually

Part#	Description	List Price	Wholesale
203P	Blue		Please Login
205P	Orange		Please Login
207P	White		Please Login
222P	Fl. Orange		Please Login
226P	Fl. Yellow		Please Login
229P	Fl. Pink		Please Login
281P	H.D. Red		Please Login

*12 cans per case

H.D.= (High Delivery) 30% greater than other colors



All Purpose Marking Paint

- Upside-down marking paint
- Lasting mark of up to two months
- 15 oz. cans - net weight
- Sold individually

Part#	Description	List Price	Wholesale
1381P	Red		Please Login
1382P	Yellow		Please Login
1383P	Blue		Please Login
1384P	Green		Please Login
1385P	Orange		Please Login
1387P	White		Please Login
1392P	Fl. Orange		Please Login
1393P	Fl. Yellow		Please Login
1399P	Fl. Pink		Please Login

*12 cans per case





Hunting Buddy Heater



- 6,000 and 12,000 BTU/hour
- Camo faceplate
- Quiet electronic ignition
- Fold-down handle
- Accidental tip-over safety shut-off
- Storage space
- Propane cylinders sold separately
- CSA certified

Part#	List Price	Wholesale
MH12B		Please Login

LED Camo Lights

- LED bulbs provide energy efficient bright white light
- Built-in hook enables use at various angles
- Magnetic back allows attachment to any ferrous surface



Part#	LED	List Price	Wholesale
37231	24		Please Login
37194	32		Please Login
37200	72		Please Login



Camo Duct Tape

- Heavy duty camo duct tape has over a thousand uses around home, garage, or workshop
- Strong polyethylene backed, rubber base adhesive, 17 mil.



Part#	List Price	Wholesale
37066		Please Login



AccuSharp Camouflage Knife Sharpener

- Diamond honed tungsten carbide blades
- Large, ergonomic handle
- Full length finger guard
- Will not rust
- Great for the toolbox or tackle box
- Made in the USA
- Free POP display w/purchase of 12



Part#	List Price	Wholesale
C005C		Please Login



AccuSharp Camouflage Sport Knife

- Constructed of anodized aluminum and stainless steel
- Will not rust
- Lifetime warranty
- Glass breaker feature
- Belt clip



Part#	List Price	Wholesale
SK704		Please Login



Khor Camo Kit W/Lens

- Includes smoke, yellow and anti-reflective interchangeable lenses, hard carrying case, a soft micro-fiber lens cleaning bag
- Camo frames wraparound design
- Provide 99.9% protection from UVA, UVB and UVC Rays
- ANSI Z87.1+ 2010 Compliant



Part#	Frame	List Price	Wholesale
TSDK21CK	Forest Camo		Please Login
TSDK21DC	Digital Camo		Please Login



Latex Coated Camouflage Knit Glove

- Textured black latex palm coated
- Camouflage string knit shell
- 13 gauge
- Elastic knit wrist
- Seamless knitted



Part#	Size	List Price	Wholesale
4729CA-size	L - XL		Please Login



Rad-Apocalypse Camo Series

- Soft rubber temples with flared ends
- Neck cord included
- Coated protective lens
- Protective lens provide 99.9% UVA/UVB protection
- Meet ANSI Z87.1+ standards

Part#	Lens Color	List Price	Wholesale
AP4-B1	Bronze Anti-Fog		Please Login





Maglite LED XL50 3Cell AAA Flashlights

- Powerful projecting LED beam
- Push-button tail cap switch with 3 simple selectable modes
- Battery life on low is 36 hours
- Compact, pocket size design
- Spot-to-flood adjustable LED beam
- Durable, machined aluminum case
- Anodized for corrosion resistance and durability

Part#	Color	List Price	Wholesale
XL50-S3096	Gray		Please Login
XL50-S3016	Black		Please Login



Maglite Mini Mag 2AA LED Flashlights

- Battery life on low is 31 hours
- High performance LED
- Extended battery life - compared to the prior-generation Mini Maglite 2AA LED flashlight, this next generation flashlight yields much improved battery longevity even in the maximum-power mode

Part#	Color	List Price	Wholesale
SP2209H	Gray		Please Login
SP2201H	Black		Please Login



Maglite Mag 2D LED Flashlights

- Powerful projecting beam that focuses simply by rotating the head
- Balanced Optics, combining a highly refined reflector with a quality LED, for a brilliant adjustable beam
- Intelligent Energy Source Management balancing high brightness with extended battery life

Part#	Color	List Price	Wholesale
ST2D096	Gray		Please Login
ST2D016	Black		Please Login
ASXD026	Mount Bracket		Please Login



Virtually Indestructible LED 3AAA Flashlight

- 2 modes: 120 Lumens, 19 Lumens
- Battery run time: 5 hours, 40 hours
- 30' drop test performance!
- Rubber head & tail cap – shock absorbers; aluminum titanium alloy - toughness
- IPX4 water resistant
- Lifetime guarantee
- (3) AAA Rayovac alkaline batteries included



Virtually Indestructible LED 2D Flashlight

- 2 modes: 140 Lumens, 25 Lumens
- Battery run time: 5 hours, 40 hours
- 20' drop test performance!
- Rubber head & tail cap – shock absorbers; aluminum titanium alloy - toughness
- IPX4 water resistant
- Lifetime guarantee
- (2) D Rayovac alkaline batteries included

Part#	List Price	Wholesale
DIY2D-B		Please Login



Virtually Indestructible LED Beam Flashlight

- 2 modes: 150 Lumens, 50 Lumens
- Battery run time: 20 hours, 78 hours
- 15' drop test performance!
- Rubber head & tail cap – shock absorbers; aluminum titanium alloy - toughness
- IPX4 water resistant
- Lifetime guarantee
- (4) C Rayovac alkaline batteries included

Part#	List Price	Wholesale
DIYBEAM-B		Please Login



Extendable Magnetic Flashlight


- Each end has a magnet with 5 lbs. of pickup power
- 3 super bright LEDs
- Extends from 8" to 25"
- Flexible shaft to access hard-to-reach places
- Both a pick-up tool and flashlight
- Uses 4 AG10 batteries (included)



Part#	Description	List Price	Wholesale
EMF-1	Light		Please Login
FB-1	Ext. long life battery-4 pack		Please Login

Extendable Magnetic Flashlight

- Inspection mirror that rotates 360°!
- Powerful magnet on grip
- Handy pocket clip
- Telescopes from 6.5" to 21"
- Flexible shaft for hard-to-reach places
- Magnet at light is for powerful retrieval
- 3 Super-Bright LED's



Part#	Description	List Price	Wholesale
EMF-2	Light		Please Login
FB-1	Extra long life battery-4 pack		Please Login

Brilliant Solutions LED Flashlights

- (1) 2D Flashlight: 5 LEDs - 27 Lumens, run Time - 50 hours on Heavy Duty
- (2) 2AA Flashlights: 3 LEDs - 18 Lumens, run Time - 10 hours on Heavy Duty
- 3 ft. Drop Test
- LEDs Last 50,000 hours
- Durable rubberized construction
- Lifetime warranty
- Batteries (included)



Part#	List Price	Wholesale
BRSLED3PK-BTP		Please Login

Focusing LED Flashlight

- 166 lumen output
- 7 hour runtime
- Rear power switch
- Includes 3 AAA-cell batteries
- 143 m (469 ft.) beam distance
- Impact and water resistant



Part#	List Price	Wholesale
TT8607CP		Please Login

Sportsman Xtreme 3C 4W LED Metal Light

- LED last for 100,000 hours
- Water resistant
- Yields an amazing 150 lumens
- Powered by three C batteries (not included)
- Run time = 100 hours
- Rubber no-slip grip and lanyard



Part#	List Price	Wholesale
SE4W3C		Please Login

Industrial 2D Flashlight

- Krypton bulb and prismatic reflector
- Bulb protected by a shock-absorbing bulb holder
- Full lifetime warranty



Part#	List Price	Wholesale
IN2		Please Login

LED Spotlight

- High performance 3W 90 LED spotlight
- 200 lumens
- Compact and lightweight
- Impact resistant and weather proof construction
- (4) C Rayovac batteries included



Part#	List Price	Wholesale
SPSP-B		Please Login

Wind 'N Go Britelight

Never requires batteries!

- FM scan radio
- High-decibel siren
- Cell phone charger (Nokia adapter included)
- Belt holster & wrist strap
- May also be charged using an AC adapter (not included)



Part#	List Price	Wholesale
07200		Please Login

Wind 'N Go Portable Lantern

- 15 red and white LED emergency flashing beacon
- AM/FM radio
- 120 decibel siren
- Night light
- Cell phone charger for a Nokia cell phone (Adapters are available for other model phones)
- High frequency, ultrasonic mosquito repeller
- DC charger included
- MP3 connector cord included



Part#	List Price	Wholesale
07810		Please Login

NEW LOW PRICE

WOBBLIGHT



Brightness of 31 100w bulbs!

WL400MH



Brightness of 4.25 100w bulbs!

WL85F

Wobblelight® Worklights

BRIGHT, DURABLE AND VIRTUALLY INDUSTRUCTABLE WOBBLIGHT® is a self righting, highly durable work light that takes a severe beating with no bulb breakage. Operates on 120 volts.

Wobblelight®

- 36" tall
- Lexan PC dome
- Carrying handle
- Floating shock system
- Internal ventilation system
- Power outlet and inlet
- Counter-weighted
- 12 amp circuit breaker

Wobblelight® Jr.

- 27" tall
- Lexan PC dome
- Carrying handle
- Floating shock system
- Integrated 5' power cord
- Low heat output
- Counter-weighted

Part#	Description	List Price	Wholesale
WL85F	Wobblelight Jr. - 85 Watts		Please Login
WL175MH	Wobblelight - 175 Watts		Please Login
WL400MH	Wobblelight - 400 Watts		Please Login
111908	Bulb for WL85F		Please Login
111901	Bulb for WL175MH		Please Login
111903	Bulb for WL400MH		Please Login



Portable LED Worklight



- 3300 Lumens of light, 60 watts
- Low power consumption
- More than 50,000 hours of bulb life
- Housing remains "cool to the touch"
- Shock and vibration resistant
- 100 sq.ft. lighting area
- 5' 18/3 SJTW power cord

Part#	List Price	Wholesale
PT523030		Please Login

Portable LED Dual Head Worklight



- Dual lamp
- 6600 Lumens of light, 60 watts
- Low power consumption
- more than 50,000 hours of bulb life
- Housing remains "cool to the touch"
- Can be used as a portable two lamp carrier
- Shock and vibration resistant
- 200 sq.ft. lighting area
- 8' 18/3 SJTW power cord


Part#	List Price	Wholesale
PT523230		Please Login



FREE Spare Bulb!

Halogen 1000W Convertible Light Tower

- Two 500 Watt Halogen Fixtures mounted to a removable light rack for portable lighting
- 8' Telescoping Tripod
- Spare bulb (included)
- 6' All Weather 18/3 SJTW cord with polarized plug
- Tempered Glass Lens with safety grill
- Extra bulbs sold in packages of 2



Part#	Description	List Price	Wholesale
SL1006	1000 Watt Light		Please Login
34500	500 watt bulb		Please Login



FREE Spare Bulb!

Halogen 1500W Heavy-Duty Light Tower

- Approx. 8' telescoping tripod
- Two 250w & two 500w Halogen Bulbs with spare bulb in protective bulb holder
- Removable light rack
- Dual Switches Provide 6 Light Levels - 250w-500w-750w-1000w-1250w-1500w
- Tempered Glass Lens w/Metal Safety Grill
- Durable Powder Coat Finish
- Extra bulbs sold in packages of 2



Part#	Description	List Price	Wholesale
SL1082	1500 Watt Light		Please Login
34500	500 watt bulb		Please Login
SL225PDQ	250 watt bulb		Please Login



Flourescent Lights

- Polarized plug with 12amp grounded receptacle & rocker On/Off switch
- Instant no flicker start
- Tough almost unbreakable housing
- 25' 16/3 cord
- SL976 takes two bulbs

26 watts



Part#	Description	List Price	Wholesale
SL976	Light		Please Login
FL-908-BULB	13 watt bulb		Please Login



FREE Spare Bulb!

500W Halogen Light

- Non-slip Grip foam padded "V" Handle
- 5' All Weather 18/3 SJTW cord with polarized plug
- Spare bulb (included)
- Tempered Glass Lens with safety grill
- Weatherproof on/off switch
- 30% larger housing for durability and wider base with foam pads for stability
- Extra bulbs sold in packages of 2



Part#	Description	List Price	Wholesale
SL1003	500 Watt Light		Please Login
34500	500 watt bulb		Please Login

Work Light w/Spot Work Light & Tool Tap on 40' Metal Reel

- Heavy-duty metal retractable reel
- Polarized plug w/10amp grounded receptacle
- Durable push On/Off switch
- Mounting brackets included



13 watts

Part#	List Price	Wholesale
SL825		Please Login



Platinum Battery Charger

- Charges (2) or (4) AA or AAA NiMH or NiCad rechargeable batteries
- Includes two AA and two AAA Platinum NiMH batteries in pack
- Auto Shut Off - detects when batteries are fully charged and will turn off
- Charges Rayovac Platinum AA rechargeable batteries in 5 hours

Part#	Description	List Price	Wholesale
PS33-4B	Charger		Please Login



Easy Charger

- Charges any AA/AAA NiMH Battery
- Automatic shutoff
- LED lights indicate when batteries are ready
- Small, Compact, Easy to Use
- Charges Overnight

Part#	Description	List Price	Wholesale
PS131	Charger		Please Login
PL715-4	AA 4-pack batteries		Please Login



Pre-Charged Rechargeable Batteries

- Batteries are charged and ready to use out of pack
- Hold their charge 3X longer than standard NiMH rechargeables when not in use
- Can be charged and reused 500 times
- Work in all NiMH chargers

Part#	Description	List Price	Wholesale
LD715-4OP	Size AA 4pack		Please Login
LD724-4OP	Size AAA 4pack		Please Login

AL-AA



6V-HDM



944



Ray-O-Vac Alkaline Batteries-sold by pkg. only

Part#	Description	Case Qty.	List Price	Wholesale
AL-C	Size C, 6 pack	12		Please Login
AL-D	Size D, 6 pack	12		Please Login
AL-AA	Size AA, 8 pack	12		Please Login
AL-AAA	Size AAA, 8 pack	12		Please Login
AL-9V	Size 9 volt, 6 pack	12		Please Login

Lantern and Barricade Batteries

Part#	Description	List Price	Wholesale
6V-HDM	6-volt spring terminals, industrial		Please Login
944	6-volt spring terminals		Please Login

Yellow Slush Boots

- 100% heavy-duty rubber
- Sizes 9 - 17
- 44 mil
- Utilize a boot two sizes larger than your work boot
- To cover "gym" shoes, one size larger should be enough
- 10 per carton
- Sold individually



Part#	Size	List Price	Wholesale
S2117	9-18		Please Login

#1 BEST SELLER

Black 5 Buckle Boots

- Easy-on/easy-off
- 100% heavy-duty rubber
- Sizes 9-16
- 6 per carton
- Sold individually



Part#	Size	List Price	Wholesale
B2511	9-16		Please Login

Engineer's Raincoat

- Extra long jacket with detachable hood to keep you dry
- Heavy weight .35 mil PVC, polyester backing and corduroy collar
- Non-conductive
- Medium through 5XL
- 24 per carton
- Sold individually



Part#	Size	List Price	Wholesale
E4800	M-5XL		Please Login

Sizes up to 7XL

Premium Rugged Series Rainsuit

- 3 piece suit
- 30" jacket with detachable hood
- Heavyweight .35 mil PVC with polyester backing
- Non-conductive
- Medium through 7XL
- 12 per carton
- Sold individually



Part#	Size	List Price	Wholesale
PHP570	M-7XL		Please Login

#1 BEST SELLER

Stay Clean While Working On Equipment

Polypropylene Disposable Coverall

- Lightweight polypropylene
- Full zipper front
- Elastic wrist and ankle closures
- Sold individually



Part#	Size	List Price	Wholesale
S6843	L		Please Login
S6844	XL		Please Login
S6845	3XL		Please Login

ANSI Lime Safety Rainwear

- HydroGARD™ coated polyester outer shell provides a waterproof and breathable system
- Two outside front pockets with flip over snap closure and one inside pocket
- Underarm vents for added circulation and cooling
- Stow away hood inside collar
- Rain jacket - ANSI Class 3
- Rain pants - ANSI Class E



JACKSON

Part#	Description	List Price	Wholesale
3012932	Rain jacket - 2XL		Please Login
3012939	Rain pants - L		Please Login
3012941	Rain pants - 2XL		Please Login

12-1/2-Ton Low Profile Hydraulic Bottle Jack

- Low Profile model
- Precision machined and polished cylinders provide non-abrasive, leak-free, durable performance
- Heavy-duty bases are electrically welded providing a stable platform
- Hydraulic system is protected from damage by internal by-pass mechanism
- Chrome-plated piston and ram are corrosion resistant
- Load Capacity (Tons) 12-1/2
- Piston Lift (In.) 3-3/4
- Minimum Height (In.) 6-3/4
- Maximum Height (In.) 13-3/8



22-1/2-Ton Hydraulic Bottle Jack

- Precision machined and polished cylinders provide non-abrasive, leak-free, durable performance
- Heavy-duty bases are electrically welded providing a stable platform
- Hydraulic system is protected from damage by internal by-pass mechanism
- Chrome-plated piston and ram are corrosion resistant
- Industrial-duty construction permits use in extreme climates
- Load Capacity (Tons) 22-1/2
- Piston Lift (In.) 6-1/4
- Minimum Height (In.) 10-5/8
- Maximum Height (In.) 16-7/8



Part#	Description	List Price	Wholesale
JHJ-12-12	Bottle jack		Please Login

Part#	Description	List Price	Wholesale
JHJ-22-12	Bottle jack		Please Login

10-Ton Screw Jack

- Industrial design eliminates creeping when holding heavy loads
- Heavy-duty cast bell shaped base provides a stable foundation
- Corrugated pivoting head, contours to the load providing maximum surface contact
- Turning bar not included (available seperately)
- Capacity (Tons) 10
- Screw Size (OD x L) 1-1/2 x 8-3/8
- Bar Hole Size (In.) 11/16
- Head Diameter (In.) 3-1/16
- Height Closed (In.) 11



20-Ton Screw Jack

- Industrial design eliminates creeping when holding heavy loads
- Heavy-duty cast bell shaped base provides a stable foundation
- Corrugated pivoting head, contours to the load providing maximum surface contact
- Turning bar not included (available seperately)
- Capacity (Tons) 20
- Screw Size (OD x L) 2 x 12
- Bar Hole Size (In.) 13/16
- Head Diameter (In.) 4-1/8
- Height Closed (In.) 16



Part#	Description	List Price	Wholesale
SJ-10	Jack		Please Login
SJTB-58	Turner bar		Please Login

Part#	Description	List Price	Wholesale
SJ-20	Jack		Please Login
SJTB-34	Turner bar		Please Login



Pallet Truck With 5,000 LB Capacity

- Capacity: 5,000 pounds
- Turning Radius: 180 degrees
- 2-1/2" low profile allows for easy engagement of pallets
- Easy-to-use fingertip controls permit single handed operation
- Welded all-steel frame and powder coat finish provide maximum durability and protection
- Chrome-plated pump piston and ram provide corrosion resistance in any industrial environment
- Poly over steel 6-1/4 x 2-3/4 inch steer wheels ensure contact with uneven floors
- Steer wheels feature double sealed lubricated bearings

Part#	Description	List Price	Wholesale
PT-2748J	Jack		Please Login



PullzAll Handheld Pulling Tool

PullzAll is a pulling tool that replaces come-a-longs and chain falls. Now you can get the job done faster, with more control and without the manual labor. With its 1000-lb. working load capacity, the PullzAll has endless applications for the professional tradesman and do-it-yourselfer, including construction, equipment and plant maintenance, farm, auto shops, garages, home improvement, and more.

- Lightweight portable tool to help tradesman lift or move heavy objects
- Combines power of winch or hoist with compact style of handheld power tool
- Wire rope tension plate
- Electronic load limiter protects against overload
- Cordless is ideal when an electric power source is not available

ELECTRIC - 885000

Volts	120
Line Pull (lbs.)	1,000
Braking	Dynamic
Switching Method	Variable speed trigger with forward/reverse
Rope Type	Galvanized Aircraft Grade
Rope Size L x Dia.	15' x 7/32"
Dimensions L x W x H	12" x 8" x 8"
Ship Weight	20.0 lbs.

CORDLESS - 885005

Volts	24
Line Pull (lbs.)	1,000
Braking	Dynamic
Switching Method	Variable speed trigger with forward/reverse
Rope Type	Galvanized Aircraft Grade
Rope Size L x Dia.	15' x 7/32"
Dimensions L x W x H	20" x 13" x 13"
Ship Weight	27.0 lbs.

Part#	Description	List Price	Wholesale
885000	Electric		Please Login
885005	Cordless		Please Login



Heavy-Duty Manual Trolley

- Welded heavy gauge steel frame and powder coat finish
- Hardened large steel wheels and thicker double sealed lubricated ball bearings
- Built-in bumper guards on the side plates
- Easily adjustable to wide-flange H-beams, standard I-beams or curved track with the included spacer washers
- Complies with OSHA Regulations, ANSI / ASME B30.11 and B30.17 standards

Speedway 1-Ton Hoist

- Load capacity - 1-Ton
- Chain fall lines - 2
- 9'10" lift height 12.5" required head room
- 1/4" grade 80 steel chain fully portable for use indoors or out
- Forged 360° swivel hooks
- Mechanical load brake
- Hardened steel construction
- Great for shop or engine hoist



Part#	List Price	Wholesale
7518		Please Login

Minimum Beam				
Part#	Load Cap.	Flange Width	List Price	Wholesale
1-PT	1 Ton	3" - 8"		Please Login
2-PT	2 Ton	3-1/4" - 8"		Please Login
3-PT	3 Ton	4" - 8"		Please Login



Lever Hoists

- Low headroom, light weight and durable formed steel enclosure
- Weston style dual pawl brake system
- Alloy steel hooks
- Meets ASME B30, OSHA and NASA-STD-8719.9



Part#	Load Cap.	Lift	List Price	Wholesale
LC008-10	3/4 Ton	10'		Please Login
LC015-10	1-1/2 Ton	10'		Please Login
LC015-20	1-1/2 Ton	20'		Please Login
LC030-10	3 Ton	10'		Please Login



Mini Lever Hoists

- Small size allows operation and storage in tight places
- Planetary gearing is used to minimize operator's effort
- Lightweight and durable all steel construction
- Meets ASME/ANSI B30, OSHA, NASA_STD_8719.9 and EU directives: 98/37/EC



Part#	Load Cap.	Lift	List Price	Wholesale
ML003-05	1/4 Ton	5'		Please Login
ML003-10	1/4 Ton	10'		Please Login
ML005-05	1/2 Ton	5'		Please Login
ML005-10	1/2 Ton	10'		Please Login



Hand Chain Hoists

- Low headroom, light weight and durable formed steel enclosure
- Weston style dual pawl brake system
- Alloy steel hooks
- Meets ASME B30, OSHA and NASA-STD-8719.9
- Hand chain opening is formed with radius, allowing operation in lifting or pulling direction



Part#	Load Cap.	Lift	List Price	Wholesale
CB010-10-08	1 Ton	10'		Please Login
CB010-20-18	1 Ton	20'		Please Login
CB020-10-08	2 Ton	10'		Please Login
CB020-20-18	2 Ton	20'		Please Login
CB030-20-18	3 Ton	20'		Please Login



Beam Clamps

- Simple installation by hand, no tools required
- The easy way to install a fixed hoist mount or rigging point
- Compact and portable low headroom design
- Meets OSHA, ASME B30, NASA-STD-8719.9 and EU Directives: 98-37/EC



Part#	Load Cap.	Flange Range	List Price	Wholesale
BC-01	1 Ton	3.1 - 9.4"		Please Login
BC-02	2 Ton	3.1 - 9.4"		Please Login
BC-03	3 Ton	3.5 - 12.2"		Please Login
BC-05	5 Ton	3.5 - 12.2"		Please Login
BC-10	10 Ton	3.5 - 12.6"		Please Login

Web Slings

- Heavy duty polyester Web Slings
- Reinforced polyesters wear pads on the eyes
- WLL rated at 5:1
- Each sling is serialized and meets ASME B30.9 and WSTDA standards



Part#	Load Capacities (lbs.)			Width	Length	List Price	Wholesale
	Vertical	Choker	Basket				
EE290104	3200	2500	6400	1"	4'		Please Login
EE290106	3200	2500	6400	1"	6'		Please Login
EE290206	6400	5000	12800	2"	6'		Please Login
EE290208	6400	5000	12800	2"	8'		Please Login
EE290210	6400	5000	12800	2"	10'		Please Login
EE290212	6400	5000	12800	2"	12'		Please Login
EE290216	6400	5000	12800	2"	16'		Please Login
EE290220	6400	5000	12800	2"	20'		Please Login
EE290310	8800	7040	17600	3"	10'		Please Login
EE290320	8800	7040	17600	3"	20'		Please Login
EE290412	12000	9600	24000	4"	12'		Please Login
EE290420	12000	9600	24000	4"	20'		Please Login





Gas Caddy includes Industrial Pump

- 28 gallon capacity
- Molded-in baffle
- Chemically resistant polyethylene
- Optional siphon kit can be used to fill or evacuate tanks (2400-12)
- Molded-in fuel gauge
- 38"H x 18" W x 13"D
- 50 lbs.
- Includes ground wire
- Pump works when caddy is standing or lying down
- 3/4" ID UL-approved 10' Hose & Nozzle
- Pneumatic tires for easy rolling

DOT-APPROVED




Part#	Description	List Price	Wholesale
Includes Industrial Pump			
403IP	Red 28 gal Gasoline Caddy w/ Pump		Please Login
404IP	Yellow 28 gal Diesel Caddy w/ Pump		Please Login



Gravity Fed

A93-2400	Red 28 gal Gasoline Caddy w/o pump		Please Login
A93-2401	Yellow 28 gal Diesel Caddy w/o pump		Please Login
2400-03	Replacement Pump		Please Login
2400-12	Quick disconnect kit		Please Login

A60 Battery Siphon
 (2)AA batteries not included
 (use with Kerosene only)



Siphon Pumps Battery Operated & Manual

Part#	Description	List Price	Wholesale
A60	Battery Siphon		Please Login
A40	Hanger of 12 Manual Pump (if you order one A40, you receive 12 pumps)		Please Login
SI60	Individual Manual Pump		Please Login



HOT 4 in 1 Heating Oil Treatment

- TOTALLY disperses water, so in effect there is no longer any "free water"
- Treats 274 gallons.

Hot Seller!

Part#	List Price	Wholesale
00161		Please Login

Note: Do Not Use With Wick Heaters

Hand Pump

- Fits 15-55 gal. drums with 2" bung
- For light oils, ATF, kerosene
- Dispenses approx. one pint per stroke

Part#	List Price	Wholesale
381HP		Please Login





**Includes Spout
2-Hole System**



Red Type II Safety Cans*

Part#	Gal.	Hose Dim.		Can Dim.		List Price	Wholesale
		Outer Dia. x L	Outer Dia. x H	Outer Dia. x H	Outer Dia. x H		
7210120	1	5/8" x 9"	9-1/2" x 10-1/4"			Please Login	
7225120	2.5	5/8" x 9"	9-1/2" x 16"			Please Login	
7250120	5	5/8" x 9"	11-1/2" x 16-7/8"			Please Login	
11078	5/8" replacement spout						Please Login

Blue Type II Safety Cans*

Part#	Gal.	Hose Dim.		Can Dim.		List Price	Wholesale
		Outer Dia. x L	Outer Dia. x H	Outer Dia. x H	Outer Dia. x H		
7250320	5	5/8" x 9"	11-1/2" x 16-7/8"			Please Login	

Yellow Type II Safety Cans*

Part#	Gal.	Hose Dim.		Can Dim.		List Price	Wholesale
		Outer Dia. x L	Outer Dia. x H	Outer Dia. x H	Outer Dia. x H		
7250220	5	5/8" x 9"	11-1/2" x 16-7/8"			Please Login	

*Complies with OSHA & NFPA . Accepted container under CARB FM approved; UL & ULC listed.FM approved; UL & ULC listed.

Type II Safety Cans for Flammables

- Internal dual-density flame arrester to dissipate heat
- Leaktight, self-closing lid
- Automatic venting between 3 and 5 psig to guard against pressure buildup
- Every can is 100% tested to guarantee leakproof construction
- Flexible metal hose provides a grounding path to prevent static sparks when a grounding wire is used



**No-Spill® CARB Fuel Cans
w/Auto Stop Nozzle**

Meets CARB Environmental

Only 5 gal. cans (shown) have the dual handle.

- 7/8" Funnel spout easily fills even the smallest equipment
- Wide, stable base can reduce upsets
- Semi-translucent body lets you see your fuel level
- Quart & Liter markings molded in for easy reference

Part#	Description	List Price	Wholesale
NS1450	5 Gal. gas (red)-CARB		Please Login
NS1456	5 Gal. kerosene (blue)-CARB		Please Login
NS1457	5 Gal. diesel (yellow)-CARB		Please Login
NS1058	5 Gal. translucent		Please Login
NS1405	2.5 Gal. gas (red)-CARB		Please Login
NS1008	2.5 Gal. translucent		Please Login
NS1415	1.25 Gal. gas (red)- CARB		Please Login
NS1018	1.25 Gal. translucent		Please Login

**No-Spill®
Accessories**



Part#	Description	List Price	Wholesale
NS0206	6" Extension Fits all No-Spill cans		Please Login
NS6131	Nozzle assembly (<i>Cans prior 2010</i>)		Please Login
NS6132	Nozzle assembly (<i>Cans after 2010</i>)		Please Login
NS6005	Rear fill cap		Please Login
NS6234	Nozzle gasket		Please Login



**Pour & Fill Out
Of Single Hole**

**Type I Red
Safety Cans
for Flammables**

- Powder coated all steel construction
- Guaranteed leakproof construction
- Self-closing lid controls vapors and spills
- Exclusive Ten-Year Warranty
- Meets OSHA and NFPA Code 30 - FM approved
- Flame arrester dissipates heat to prevent flashback ignition

Part#	Gal.	Can Dim.		List Price	Wholesale
		Outer Dia. x H	Outer Dia. x H		
7120110	2	Red 9-1/2" x 13-1/4"		Please Login	
7150110	5	Red 11-1/2" x 16-7/8"		Please Login	
11202Y	Funnel			Please Login	

What's a "CARB" can?

CARB stands for California Air Resources Board. Some other states subsequently adopted these requirements. No-Spill meets these requirements with the following features:

1. An autostop, self venting nozzle that stops the flow of fuel when the target tank reaches full.
2. A single opening for filling & pouring.
No separate vents.
3. A treated can body for very low permeation.
4. Automatic closure. Nozzle automatically springs to the closed position when not pouring.





**250 lbs.
Working
Pressure**

Red Jackhammer Hose

- General purpose hose for various rental, construction and industrial applications
- Limited oil resistance
- EPDM cover
- Includes universal couplings with safety clips attached
- Two Band-It smooth I.D. clamps on each end
- 3/4" I.D. x 50' cpld.
- Chicago fittings standard



Part#	List Price	Wholesale
1025-0750R-50-CRS		Please Login

**Industrial Water/
Garden Hose**

- 100% rubber
- 200# P.S.I. working pressure
- Heavy duty MGHT x FGHT solid brass coupling
- Resists sunlight, abrasion, kinking and cracking
- Flexible in freezing temperatures



Part#	I.D. x Length	List Price	Wholesale
1112-0625A	5/8" x 50'		Please Login
1112-0750A	3/4" x 50'		Please Login

Whip Check Safety Cable

- Steel cable prevents the hose from whipping in case of accidental separation of the coupling
- Highly resistant to rust and corrosion
- Easy to install and remove
- No tools needed



Part#	Weight	List Price	Wholesale
UWB1	.21 lbs.		Please Login

Universal Couplings

- For pneumatic lines & spray service
- Rust-proof malleable iron



Hose End

Part#	I.D.	List Price	Wholesale
UH-050-M	1/2"		Please Login
UH-075-M	3/4"		Please Login



FNPT End

Part#	I.D.	List Price	Wholesale
UF-050-M	1/2"		Please Login
UF-075-M	3/4"		Please Login



MNPT End

Part#	I.D.	List Price	Wholesale
UM-050-M	1/2"		Please Login
UM-075-M	3/4"		Please Login



2-Lug Gaskets

- Size: 3/4"
- Bag of 50
- Use with red jackhammer hose

Part#	List Price	Wholesale
UG		Please Login

In-line Lubricator

- Protects portable or stationary air tools
- Efficiently lubricates the tool mechanism each time the air tool is operated



Part#	Size	Oil Cap.	List Price	Wholesale
UPL-400	3/4"	3.7 oz.		Please Login
UPL-400L	3/4"	11 oz.		Please Login

In-line Lubricator Kit

- In-line lubricator
- 1/2" x 10' oil resistant hose assembly
- Male universal coupling
- NPT male x bent stem swivel



Part#	Size	Oil Cap.	List Price	Wholesale
UPL-400-KIT	3/4"	3.7 oz.		Please Login
UPL-400L-KIT	3/4"	11 oz.		Please Login

Boss Interlocking Bolt Clamp

- Attach to "Boss" interlocking clamp type couplings
- Plated malleable iron
- Serrations ensure couplings won't work loose



Part#	Hose (I.D. x O.D.)	List Price	Wholesale
HPC-075	3/4" x 1-3/16" - 1-5/16"		Please Login

Air Hose Quick Couplers



Coupler-3/8" FNPT

- 1/4" brass body



Part#	List Price	Wholesale
M-718		Please Login

Coupler-1/4" FNPT

- 1/4" brass body



Part#	List Price	Wholesale
M-715		Please Login

Coupler-3/8" MNPT

- 1/4" brass body



Part#	List Price	Wholesale
M-719		Please Login

Coupler-1/4" MNPT

- 1/4" brass body



Part#	List Price	Wholesale
M-716		Please Login

Plug-3/8" FNPT

- 1/4" steel body



Part#	List Price	Wholesale
M-732		Please Login

Plug-1/4" FNPT

- 1/4" steel body



Part#	List Price	Wholesale
M-728		Please Login

Plug-3/8" MNPT

- 1/4" steel body



Part#	List Price	Wholesale
M-733		Please Login

Plug-1/4" MNPT

- 1/4" steel body



Part#	List Price	Wholesale
M-727		Please Login



Premium PVC Air Hose



- Use with air compressors, staplers, nailers and pneumatic tools
- Oil and abrasion resistant tube and cover
- Flexible/kink resistant construction
- Coupled with 1/4" brass MNPT
- 3/8" I.D. x 50' cpld.
- Includes two bend restrictors: 1 wire and 1 PVC for prolonged service life

300 lbs.
Working Pressure

Part#	Size	Weight	List Price	Wholesale
1048-0375R-50-4MMGSG	3/8"x50'	6.1 lbs.		Please Login



Goodyear Rubber Air Hose



- Made of rubber for a long life
- 50' in length x 3/8" diameter
- Maximum capacity of 250 PSI for safety

250 lbs.
Working Pressure

Part#	Size	Weight	List Price	Wholesale
12674	3/8"x50'	5.75 lbs.		Please Login



Roofing/Framing Air Hose



- Excellent oil resistance
- Use with air compressors, staplers, nailers and pneumatic tools
- UV stabilized for longer outdoor service
- Flexible in sub-zero temperatures
- Coupled with 1/4" reusable male swivel fittings

200 lbs.
Working Pressure

Part#	Size	Weight	List Price	Wholesale
1042-0250-100-4MMX	1/4"x100'	4.3 lbs.		Please Login



Goodyear Pliovic Air Hose



- Weather, oil, and solvent resistant outer coating
- 50' in length x 3/8" diameter
- Solid brass, 1/4" NPT end fittings
- Spiral synthetic yarn reinforcement
- Max operating pressure - 300 PSI
- Max burst pressure - 1200 PSI

300 lbs.
Working Pressure

Part#	Size	Weight	List Price	Wholesale
12865	3/8"x50'	5.38 lbs.		Please Login



M & F Shank Shown

50' PVC Flat Discharge Hose

- Ideally suited for all open end water discharge
- High tensile polyester yarn reinforcement
- Light weight hose coils flat for easy storage
- *1150-2000-50 is a heavy-duty reddish brown discharge hose

Cpld. M & F Alum Short Shank w/Band-it Clamps

Part#	I.D.	List Price	Wholesale
1147-2000-50	2"	Please Login	
1147-3000-50	3"	Please Login	
1147-4000-50	4"	Please Login	
1145-6000-50	6"	Please Login	
1150-2000-50*	2"	Please Login	

Cpld. Alum C & E Cam & Groove w/Band-it Clamps


Part#	I.D.	List Price	Wholesale
1147-2000-50-CE 2"	2"	Please Login	
1147-3000-50-CE 3"	3"	Please Login	
1145-4000-50-CE 4"	4"	Please Login	



PVC Water Suction Hose

- Flexible, abrasion-resistant, extruded PVC
- Temp. Range: -10°F to 130°F

M & F Shank Shown



Cpld. M & F Alum Short Shank w/Band-it Clamps

Part#	I.D. x Length	List Price	Wholesale
1240-2000-20	2" x 20'	Please Login	
1240-3000-20	3" x 20'	Please Login	

Cpld. Alum C & E Cam & Groove w/Band-it Clamps

Part#	I.D. x Length	List Price	Wholesale
1240-2000-20-CE 2" x 20'	2" x 20'	Please Login	
1240-3000-20-CE 3" x 20'	3" x 20'	Please Login	
1240-4000-20-CE 4" x 20'	4" x 20'	Please Login	

50' PVC Flat Discharge Hose Kit

- All-In-One Kit provides everything needed to retrofit your pump
- Includes 20' PVC suction, 50' PVC discharge hose, steel round hole strainer and spanner wrench(M&F kits only)
- Kits are supplied in a retail box



Part#	Suction Hose	Discharge Hose	Hose Ends	List Price	Wholesale
1240-KIT-1500-1145	1-1/2"	1-1/2"	M&F	Please Login	
1240-KIT-2000-1145	2"	2"	M&F	Please Login	
1240-KIT-3000-1145	3"	3"	M&F	Please Login	
1240-KIT-1500-1145-QC	1-1/2"	1-1/2"	Quick Coupling	Please Login	
1240-KIT-2000-1145-QC	2"	2"	Quick Coupling	Please Login	
1240-KIT-3000-1145-QC	3"	3"	Quick Coupling	Please Login	

Two aluminum part "A" adapters are included

Aluminum Male-Female Pin-Lugs

- SIPT threads
- Requires clamps to attach to hose



Male Aluminum

Part#	I.D.	List Price	Wholesale
SM-200-A	2"	Please Login	
SM-300-A	3"	Please Login	
SM-400-A	4"	Please Login	



Female Aluminum with Brass Nut

Part#	I.D.	List Price	Wholesale
SF-200-AB	2"	Please Login	
SF-300-AB	3"	Please Login	
SF-400-AB	4"	Please Login	

EPDM Gaskets

- Standard rubber gaskets
- Use for female SIPT pin-lug couplings



Part#	I.D.	List Price	Wholesale
SRW-200	2"	Please Login	
SRW-300	3"	Please Login	
SRW-400	4"	Please Login	
SRW-600	6"	Please Login	

Spanner Wrenches

- Plated malleable iron
- Use on male/female pin-lug couplings




Part#	I.D.	List Price	Wholesale
SW-200	2"	Please Login	
SW-300	3"	Please Login	
SW-400	4"	Please Login	

Aluminum Cam & Groove Couplings

ABBOTT RUBBER
COMPANY, INC.

Hose & Accessories



Part "A" Male Adaptors

Part#	I.D.	List Price	Wholesale
QA-200-DC 2"			Please Login
QA-300-DC 3"			Please Login
QA-400-DC 4"			Please Login
QA-600-DC 6"			Please Login




Part "E" Male Adaptors

Part#	I.D.	List Price	Wholesale
QE-200-DC 2"			Please Login
QE-300-DC 3"			Please Login
QE-400-DC 4"			Please Login
QE-600-DC 6"			Please Login




Part "B" Female Couplers

Part#	I.D.	List Price	Wholesale
QB-200-DC 2"			Please Login
QB-300-DC 3"			Please Login
QB-400-DC 4"			Please Login
QB-600-DC 6"			Please Login



Part "F" Male Adaptors

Part#	I.D.	List Price	Wholesale
QF-200-DC 2"			Please Login
QF-300-DC 3"			Please Login
QF-400-DC 4"			Please Login
QF-600-DC 6"			Please Login



Part "C" Female Couplers

Part#	I.D.	List Price	Wholesale
QC-200-DC 2"			Please Login
QC-300-DC 3"			Please Login
QC-400-DC 4"			Please Login
QC-600-DC 6"			Please Login



Part "DC" Dust Caps

Part#	I.D.	List Price	Wholesale
QDC-200-DC 2"			Please Login
QDC-300-DC 3"			Please Login
QDC-400-DC 4"			Please Login
QDC-600-DC 6"			Please Login



Part "D" Female Couplers

Part#	I.D.	List Price	Wholesale
QD-200-DC 2"			Please Login
QD-300-DC 3"			Please Login
QD-400-DC 4"			Please Login
QD-600-DC 6"			Please Login



Part "DP" Dust Plugs

Part#	I.D.	List Price	Wholesale
QDP-200-DC 2"			Please Login
QDP-300-DC 3"			Please Login
QDP-400-DC 4"			Please Login
QDP-600-DC 6"			Please Login

Plated Steel Strainers

Round Hole

- Helps to keep potentially damaging solids from entering the pump



Part#	Description	List Price	Wholesale
SRHS-200	2" FNPT		Please Login
SRHS-300	3" FNPT		Please Login
SRHS-400	4" FNPT		Please Login

Square Hole

- Used for trash pumps
- Large openings allow smaller solids to pass but keeps the larger potentially damaging solids out



Part#	Description	List Price	Wholesale
SSHS-200	2" FNPT		Please Login
SSHS-300	3" FNPT		Please Login
SSHS-400	4" FNPT		Please Login

Gaskets for Cam & Groove Couplings

Part#	I.D.	List Price	Wholesale
QRG-200	2"		Please Login
QRG-300	3"		Please Login
QRG-400	4"		Please Login



Hose Safety Clips

- Includes lanyard
- Bag of 50

Part#	List Price	Wholesale
ESC		Please Login

Hose Menders Steel

- For low pressure suction/discharge hoses
- Used to repair/splice damaged hose or extend hose length
- Rust resistant



Part#	I.D.	List Price	Wholesale
CM-200-S	2"		Please Login
CM-300-S	3"		Please Login
CM-400-S	4"		Please Login
CM-600-S	6"		Please Login

FLASH BACK

*Jump in the PHP
Time Machine and
take a trip down
memory lane.*



1986

Through the years PHP central has gone through some updates and additions.



1996



2016



1986

Our trade show floor setups have also grown.



1996



2016

2" KOSHIN Submersible Pump



- The built-in thermal protector turns off the power supply in case of overload operation
- Motor output - 1/2 HP
- Delivery volume - 68.5 GPM
- Voltage - 110 V
- Rated current - 7.2 Amps
- Cable length - 20'
- Net weight - 36 Lbs.
- Max head - 33'

Part#	List Price	Wholesale
PB65011		Please Login

3" KOSHIN Submersible Pump



- Full water channel design to cool the motor
- Uni-body constructed 40' power cord
- Motor Output - 2 HP
- Delivery Volume - 7286 GPH
- Voltage - 110V / 220V
- Rated Current - 15 Amps
- Max Head - 61'

Part#	List Price	Wholesale
PB68011		Please Login



2" Submersible Pump



- The built-in thermal protector turns off the power supply in case of overload operation thus protecting the motor
- Motor output - 1/2 HP
- Delivery volume - 68.5 GPM
- Voltage - 110 V
- Rated current - 6.5 Amps
- Cable length - 19.7'
- Net weight - 24 Lbs.
- Max head - 33'

Part#	List Price	Wholesale
PX65011		Please Login



Garden Hose Submersible Pumps



- ABS plastic housing is shock resistant and will not rust
- Completely rebuildable--All parts are replaceable
- Delivery volume: 1,584 GPH
- Voltage - 110 V
- Cable length: 15'
- Max head: 24.6'

Part#	Hose Dia.	List Price	Wholesale
NSM-62511	3/4" & 1"		Please Login



2" Trash Pump Vox Series



- Honda GX 5.5HP engine with oil alert
- 198 GPM discharge capacity
- Solid diameter - .8"
- Steel frame with powder coat finish
- Cast iron construction pump
- Fuel capacity - .95 gallons



Part#	List Price	Wholesale
B073022		Please Login

2" Submersible Trash Pump



- Easily handles solids up to 5/8" diameter
- Double mechanical seals run in an "oil" filled chamber of liquid paraffin to prevent damage from periods of dry running
- The built-in thermal protector turns off the power supply in case of overload operation thus protecting the motor
- Motor output - 1/2 HP, 110V, 7.0 Amps
- Delivery volume - 4760 GPH
- Cable length - 20'
- Net weight - 33 Lbs.
- Max head - 33'

Part#	Description	List Price	Wholesale
PKS65011	Trash pump		Please Login
FS10	Float switch		Please Login



2" Submersible Pumps

- Good for low to medium levels of water at home or at work
- Maximum output capacity: 62 GPM
- Maximum head: 39'
- Intake/discharge diameters: 2"
- 2/3 hp, 115V, single-phase electric
- 32' submersible power cord included
- Urethane semi-vortex impeller with ethylene propylene rubber casing resists abrasion
- Double mechanical seals with silicon carbide faces and an additional lip seal
- Built-in thermal and amperage sensor prevents motor overload or failure due to an accidental dry run

Automatic relay unit turns the pump on when the water level hits the electrodes. Pump shuts off automatically after 1 minute when the water level falls below the electrodes.



2" Submersible Pump

- Designed to fit in an 8" pipe up to 60' shut ofhead
- Maximum output capacity: 73 GPM
- Maximum Head: 60'
- Intake/discharge diameters: 2"
- 1 hp, 115V, single-phase electric
- 50' submersible power cord included
- Double mechanical seals with silicon carbide faces and an additional lip seal
- Built-in thermal and amperage sensor prevents motor overload or failure due to an accidental dry run



Part#	Description	List Price	Wholesale
LB-480	Manual		Please Login
LB-480A	Automatic		Please Login

Part#	List Price	Wholesale
LB-800		Please Login

View Our Complete Line of

Hoses & Pump Accessories
 on Pages 68 - 71



Submersible Trash Pumps

- Built-in shaft mounted agitator suspends solids
- Urethane, semi vortex Impeller for maximum durability and pump performance
- Dual inside mechanical seal with SiC faces provides longest operational life
- Oil Lifter provides lubrication of the seal faces
- V-Ring seal design protects mechanical seal from abrasive particles
- HSZ models have attached float switch for automatic operation

HS24S



HSZ24S



HS375S



HSZ375S



Part#	Discharge	GPH	Max Head	Motor	Cable Length	List Price	Wholesale
Manual Operation							
HS24S	2"	3,000	39'	1.2HP - 110V	20'		Please Login
HS375S	3"	4,200	60'	1 HP - 115V	32'		Please Login

Automatic Operation							
HSZ24S	2"	3,000	39'	1.2HP - 110V	20'		Please Login
HSZ375S	3"	4,200	60'	1 HP - 115V	32'		Please Login





3/4" Submersible Ground Drainage Pump

- Able to pump down to the floor
- Prime pump through discharge outlet for start up at any water level
- Internal check valve holds prime and prohibits back flow through pump when stopped
- Urethane, semi vortex impeller and wear plates for maximum durability
- Double inside mechanical seal with SiC faces provides the longest operational life
- Maximum output capacity: 45 GPM
- Maximum head: 40'
- Intake/discharge diameters: 3/4"
- 2/3 hp, 110V, single-phase electric
- 32' submersible power cord included

Part#	List Price	Wholesale
LSC14S		Please Login




2" Submersible Ground Drainage Pump

- Pump holds suction for drainage to 0.2" water level
- Oil lifter provides lubrication of the seal faces
- V-Ring seal design protects mechanical seal from abrasive particles
- Urethane, semi vortex impeller and wear plates for maximum durability
- Double inside mechanical seal with SiC faces provides the longest operational life
- Maximum output capacity: 62.4 GPM
- Maximum head: 40'
- Intake/discharge diameters: 2"
- 2/3 hp, 110V, single-phase electric
- 32' submersible power cord included

Part#	List Price	Wholesale
LSR24S		Please Login



Full Line of Tsurumi Products & Power Solutions Available!



2" Centrifugal Pump w/ Low Oil Sensor

- Heavy-duty Honda gas engine with oil sensor and silicon carbide mechanical seal provides longer life in this class
- Cast iron impeller and volute casing
- Durable rolled-steel frame provides pump/engine with maximum protection, perfect ease of handling or transport, and safe operation
- Rubber mounts on the pump and the frame
- Max. capacity (GPH): 8,220
- 4 HP Honda GX-120 engine

Part#	List Price	Wholesale
TE3-50HA		Please Login



3" Trash Pump w/ Low Oil Sensor

- Heavy-duty Honda gas engine with oil sensor and silicon carbide mechanical seal provides longer life in this class
- Cast Iron impeller and volute casing
- Durable rolled-steel frame provides pump/engine with maximum protection, perfect ease of handling or transport, and safe operation
- Rubber mounts on the pump and the frame
- Galvanized steel hose couplings promise longer thread life
- Max. capacity (GPH): 21,600
- Discharge & suction connection: 3" NPT coupling
- Output: 8 HP GX-240 engine

Part#	List Price	Wholesale
EPT3-80HA		Please Login





Flotec
Water is Our Business™

1-1/4" Submersible Pump

- Heavy-duty, epoxy coated, cast aluminum construction
- Portable pump for emergency water removal or emptying shallow flooded areas
- Draws water down to 1/8"
- 1/4 HP, 115v AC, 60 Hz
- Maximum capacity: 1320 GPH
- Flow at 10' lift: 1020 GPH
- Discharge size: 1 1/4" (male) NPT
- 8' cord with 3-prong grounded plug

Part#	List Price	Wholesale
FPSC1725X		Please Login



**Stow & Flo All-In-One
Emergency / General Utility Pump Kit**

The Flotec Stow & Flo is an all-in-one pump kit for both emergency dewatering and every-day water transfer. The kit contains a high-output pump, large discharge hose and hose adapter, and durable crate for both storage and filtering large debris from entering the pump.

- Easy to use, easy to store
- Perfect for emergency situations, like flooded basements and window wells.
- Great for many uses around home and garden (emptying hot tubs, transferring water, removing standing lawn water)
- 1/4 HP, 2200 GPH
- 1" discharge...3 times faster than using a 1/2" garden hose

Part#	List Price	Wholesale
FPOS2600RP		Please Login

Flotec
Water is Our Business™



**Submersible Cast Iron Sump Pump,
Vertical Switch**

- Rugged cast iron construction for longer pump life
- Energy-efficient PSC motor for smoother, quieter operation
- Rust-proof impeller
- Reliable, professional design
- Superior performance
- Proven technology
- 1/2 HP, 115v AC, 60 Hz
- Maximum capacity: 80 GPM
- Flow at 10' lift: 61 GPM
- Discharge size: 1-1/2" (female) NPT
- 10' cord

Part#	List Price	Wholesale
E50VLT		Please Login



NEW!

Flotec®
Water is Our Business®

Water Removal Utility Pump

- Multipurpose pump designed for emergency dewatering, draining aquariums, waterbeds and clogged sinks
- Self-priming at 8-10 ft. vertically
- Corrosion-resistant, compact and portable
- 1/12 HP, 115v AC, 60 Hz
- Maximum capacity: 350 GPH
- Flow at 10' lift: 300 GPH
- Discharge size: Garden hose
- 6' cord with 3-prong grounded plug

Part#	List Price	Wholesale
FPOF360AC		Please Login



NEW!

12V DC Water Removal Utility Pump

- Operates on 12v DC so it can be used away from household power
- Compact and portable
- Easy setup, easy to use
- Includes PUD-L-SCOOP® Attachment -- Pumps water down to 1/8"
- Corrosion-Resistant -- Thermoplastic impeller housing
- 1/12 HP, 115v AC, 60 Hz
- Maximum capacity: 450 GPH
- Flow at 10' lift: 390 GPH
- Discharge size: 3/4" garden hose
- 6' cord with 3-prong grounded plug

Part#	List Price	Wholesale
FPOFDC		Please Login



NEW!

Flotec®
Water is Our Business®

High Performance Gas Engine Pump

- Excellent for floodwater removal when power source is out
- Convenient for remote irrigation where water lines are not available
- Lightweight portable unit with built-in carrying handle
- Automatic low oil safety cut-off
- Base mounting holes allow for permanent mount
- 5-1/2 HP
- Maximum capacity: 141 GPM
- Flow at 10' lift: 100 GPM
- Discharge size: 2" (female) NPT
- Suction size: 2" (female) NPT

Part#	List Price	Wholesale
FP5455		Please Login



NEW!

Portable Utility Transfer/Pressure Boost Pump

- Can be used as a portable sprinkler pump
- Ideal for boosting pressure to wash cars, boats and farm equipment
- 115V air cooled motor
- 1/2 HP, 115v AC, 60 Hz
- Maximum capacity: 10.3 GPM
- Flow at 10' lift: 5.1 GPM
- Discharge size: 1"
- 6' cord with 3-prong grounded plug

Part#	List Price	Wholesale
FP5112		Please Login

NEW!



Flotec
Water is Our Business®

Submersible Water Removal Utility Pump

- Multipurpose pump for emergency basement and sump draining, emptying ponds, appliances, wash down and roof dewatering
- Draws water down to 3/16"
- Corrosion-resistant
- 1/4 HP, 115v AC, 60 Hz
- Maximum capacity: 1790 GPH
- Flow at 10' lift: 1260 GPH
- Discharge size: 1" (female) NPT
- 8' cord /18-3 wire

Part#	List Price	Wholesale
FPOS1600X		Please Login

NEW!



IntelliPump™ Water Removal Utility Pump

- Innovative electronic controlled pump - Pump starts every 2-1/2 minutes to check for water. Shuts off if water is not detected
- Perfect for surfaces that collect water such as basements, rooftops, or any shallow flooded area
- Corrosion-resistant engineered resin construction
- 1/4 HP, 115v AC, 60 Hz
- Maximum capacity: 1790 GPH
- Flow at 10' lift: 1260 GPH
- Discharge size: 1" (female) NPT
- 15' cord with 3-prong grounded plug

Part#	List Price	Wholesale
FPOS1775A		Please Login

NEW!



Flotec
Water is Our Business®

Stainless Steel Submersible Pump

- Complete stainless steel construction - superior corrosion resistance
- Seal design - allows for continuous operation
- High performance - ideal for waterfalls and streams
- 1/2 HP, 115v AC, 60 Hz
- Maximum capacity: 4100 GPH
- Flow at 10' lift: 3000 GPH
- Discharge size: 1 1/4" (male) NPT

Part#	List Price	Wholesale
FPOS4100X		Please Login

NEW!



Drill Pump with Hose Kit for Water Removal

- With the Hose kit included you can tackle many of those chores where water is not where it belongs.
- Multi-purpose pump
 - Maximum pumping capacities up to 225 GPH
 - Easy, do-it-yourself
 - Drill pump with hose kit

Part#	List Price	Wholesale
FPDMP21HC		Please Login



3000 PSI with Quiet Sense Pressure Washer

- Just pull for power, no priming required
- Maintenance free axial cam pump
- 4 Quick-connect spray tips
- Quiet Sense™ Automatic Throttle Control - Up to 40% QUIETER than standard pressure washer engines when the spray gun trigger is released
- Fold-down handle design
- Removable hose wrap provides a hassle-free storage solution for the 30 ft. hose
- PSI: 3000, 190CC
- GPM: 2.7
- Engine: Briggs & Stratton 875 Professional Series™ OHV

Part#	List Price	Wholesale
020592		Please Login



3000 PSI Pro Series Pressure Washer

- Clean up to 120 sq ft in 10 minutes
- Ideal for oil stains, paint preparation, second stories, siding, driveways
- CAT Pumps™ Triplex Plunger Pump allows for high pressure output and long-lasting durability
- Pro-Style Spray Tips offer predefined spray patterns for precise control. (0°, 15°, 25°, & 40°)
- Turbo nozzle wand cleans up to 40% faster than standard spray tip
- 50' Heavy-duty steel braided hose
- PSI: 3000, 297CC
- GPM: 3.5
- Engine: Briggs & Stratton Vanguard™

Part#	List Price	Wholesale
020329		Please Login



4000 PSI Pressure Washer

- Contractor grade for everyday use around the home or the job site
- The Honda GX390 series engine is designed to deliver smooth, dependable power while minimizing vibration for extended engine life
- Trusted by contractors, CAT pumps deliver proven performance and reliability day after day
- Stainless steel frame is welded for strength and resists rust and corrosion
- Adjustable pressure regulation allows the PSI to be matched to the task for professional cleaning performance
- Recoil starter
- PSI: 4000, 420CC
- GPM: 4
- Engine: Honda GX390

Part#	List Price	Wholesale
020552		Please Login



Spray Gun

- Stainless steel and brass components resist corrosion
- Includes trigger safety lock
- For pressure washers up to 3000 psi



Part#	List Price	Wholesale
6200		Please Login

Pro-Style Spray Gun

- Heavy-Duty components for ultimate durability
- Premium soft grip touch points
- Includes trigger safety lock
- For pressure washers up to 3800 psi



Part#	List Price	Wholesale
6201		Please Login



High-Pressure Hose Quick-Connect Kit

- Provides Quick-Connect fittings for easy pump-to- hose and hose-to-gun connections
- For pressure washers up to 4000 psi

Part#	List Price	Wholesale
6191		Please Login



30' x 1/4" Replacement Hose

- For use with cold water pressure washers up to 3000 psi
- Dual O-Ring Sealing System

Part#	List Price	Wholesale
6188		Please Login



25' x 5/16" Replacement / Extension Hose

- Includes brass coupler for hose to hose connections
- For use with cold water pressure washers up to 4000 psi

Part#	List Price	Wholesale
6189		Please Login



Hose to Pump Extension Kit

- Provides Quick-Connect fittings
- (2) Two foot hoses to make connections more easily accessible
- For pressure washers up to 4000 psi

Part#	List Price	Wholesale
6216		Please Login

Pressure Washing Cleaner

Heavy duty butyl cleaner and degreaser for use in all type of pressures washers. Safe on all hard surfaces. USDA-A1 rating



Part#	Size	List Price	Wholesale
C123	1 gallon		Please Login

Pump Saver

- Unique anti-freeze and lubricant formula
- Protects pistons and seals from damage during storage
- 10 oz.



Part#	List Price	Wholesale
6151		Please Login

Dual-Action Brush

- Brush rotates and alternates to allow for deep cleaning of many surfaces
- Great for irregular shaped surfaces
- For pressure washers up to 3000 psi



Part#	List Price	Wholesale
6208		Please Login

O-Ring Replacement Kit

- Replaces worn or damaged o-rings for pressure washer guns, hoses and wands
- Includes garden hose filter



Part#	List Price	Wholesale
6198		Please Login

Pump Oil

- Premium full synthetic oil for maximum pump life and performance
- 15 fl. oz.



Part#	List Price	Wholesale
6033		Please Login

Sandblaster Heavy-duty Wet



- Max Flow 10 GPM
- Max Pressure 5,500 PSI
- P/N 85200040 -0° Meg Nozzle up to 4,000 PSI, 4.0 GPM
- **MEG NOZZLE REQUIRED FOR USE!**

Part#	List Price	Wholesale
90019		Please Login
85200040		Please Login

Rotating Surface Cleaner



- Dual high-pressure, rotating jets for fast cleaning with no streaking
- Dome controls overspray to protect walls and flower beds
- Great for cleaning garage floors, driveway, decks, and other large flat surfaces
- Connects to Quick-Connect Wand
- For pressure washers up to 3000 psi



Part#	List Price	Wholesale
6328		Please Login

Quick-Connect Turbo Nozzle

- Whirls a powerful pin-point jet of water
- Cleans up to 40% faster than standard spray nozzles
- Recommended for cleaning brick, concrete and vinyl surfaces
- Connects to Quick-Connect Wand



Part#	Description	List Price	Wholesale
6195	3000 psi.		Please Login
6196	4000 psi.		Please Login

Quick-Connect Spray Tips


- Four high-pressure pre-defined spray patterns from pin-point to wide fan (0, 15, 25 & 40 degrees & soap) for precise cleaning
- For pressure washers up to 4000 psi
- Connects to Quick-Connect Wand



Part#	List Price	Wholesale
6193		Please Login

9' Extension Wand

- Quick-Connect fitting for easy connection to spray tips
- Three pieces thread together securely for better control
- Allows for extended reach cleaning without needing a ladder



Part#	List Price	Wholesale
6206		Please Login

24' Telescoping Wand Hot Seller!

- 4000 PSI Max Pressure
- 8.0 GPM Max Flow
- 1/4" hose
- (3) 7' sections



Part#	List Price	Wholesale
85206424		Please Login

Telescoping Wand Belt Kit

Part#	List Price	Wholesale
85400019		Please Login



Project Pro Spray Tips

- 3 project based tips (Max, General, Delicate)
- One cleaning solution spray tip
- For pressure washers up to 4000 psi
- Connects to Quick-Connect Wand



Part#	List Price	Wholesale
6194		Please Login

5-n-1 Selector Nozzle

- 5 different spray patterns in one convenient quick connect head
- For pressure washers up to 3200 psi
- Connects to Quick-Connect Wand



Part#	List Price	Wholesale
6197		Please Login



Floor Scrub Brushes

- (A) 3621966300 - 8" Swivel Scrub w/48" Handle
- Swivels onto its side to clean baseboards, walls and hard-to-reach areas



(A) 3621966300

(B) 4100300



Hand Scrub Brushes

- (B) 4100300 - 8" Tampico Utility Scrub
- Lightweight plastic handle is break-resistant

Waste Handling

- (C) 34294103 - 41 Qt. Black Wastebasket
- (D) 34123303 - 32 Gal. Lid - Black
- Great value alternative for abusive environments
 - Helper handle on the bottom
- (E) 3691103 - Standard Dolly
- Fits 32 & 44 gal. Bronco™ cans
 - Simple twist-to-lock feature securely attaches dolly
 - 3" swivel casters

(C) 34292803



(D) 34123303



(E) 3691103



Part#	Description	List Price	Wholesale
(A) 3621966300	8" Swivel scrub w/handle		Please Login
(B) 4100300	8" Tampico utility scrub		Please Login
(C) 34294103	41 Qt. wastebasket		Please Login
(D) 34123303	FVP lid		Please Login
(E) 3691103	Standard dolly		Please Login

Dust Mops

- (I) 364752400 - 24" Dust Mop
- (J) 364753600 - 36" Dust Mop
- Dust mops are 5" wide




- (K) 4167200 - 24" Dust Mop Frame
- Heavy-gauge full weld construction; zinc plated

- (L) 36410500 - 60" Vinyl Coated Metal Handle
- Clip-on handle attaches quickly and easily



(I) 364752400

(J) 364753600



(K) 4167200

Boot & Shoe Brush

- (M) 4042414 - Sparta® Boot 'N Shoe Brush
- Chrome steel tube frame can be securely bolted to the floor for security and convenience
 - Brushes flip up to expose a steel scraper
 - Long lasting polypropylene bristles



(L) 36410500

(M) 4042414



Part#	Description	List Price	Wholesale
(I) 364752400	24" Dust mop		Please Login
(J) 364753600	36" Dust mop		Please Login
(K) 4167200	24" Mop frame		Please Login
(L) 36410500	60" Metal handle		Please Login
(M) 4042414	Boot/shoe brush		Please Login

Go To Page 207 For More Industrial Sanitation Items!!



JUSTRITE[®]
Cigarette Butt Receptacles

- Self-extinguishing design
- Flame-retardant, sturdy polyethylene
- Unique rain bonnet opening keeps rain out and discourages other trash
- FM fire tested and approved!
- 16.5" x 38.5"



Tabletop Accessory

Part#	Description	List Price	Wholesale
26800B	Beige		Please Login
26800P	Pewter		Please Login
26800D	Black		Please Login
26807B	Tabletop(beige)		Please Login
26827	Bucket liners-pkg. 10		Please Login

JUSTRITE[®]
Personal Size Cigarette Butt Receptacle

- 11" diameter x 30" tall
- Fits into snug areas and is ideal for sitting areas such as patios, decks, and verandas
- ADA compliant.



Part#	Color	List Price	Wholesale
26806B	Beige		Please Login
26806T	Terra Cotta		Please Login



(A) 3621952423

(B) 3621912400



(C) 4526700



(D) 4135200

(E) 3686314

(F) 367016TC00



Professional Cleaning Sweeps

- (A) 3621952423 - 24" Grey Fine Floor Sweep
- Hardwood blocks
 - For dust and fine particles on smooth surface
- (B) 3621912400 - 24" Palmyra Garage Floor Sweep
- Hardwood blocks
 - For heavier debris applications
- (C) 4526700 - 60" Metal Tip Handle
- Lacquered hardwood with 2-1/2" crimped metal tip

Upright Broom

- (D) 4135200 - 55" Parlor Broom
- 100% natural corn blend brooms
 - High bristle fill count for extended use
- (E) 3686314 - 53" Duo-Sweep[®] Light Industrial Broom
- Two handle holes: one angled, one upright
 - Flagged blue filament sweeps fine debris
- (F) 367016TC00 - 9.5" Angle Broom w/Handle

Part#	Description	List Price	Wholesale
(A) 3621952423	24" Fine sweep		Please Login
(B) 3621912400	24" Garage sweep		Please Login
(C) 4526700	60" Metal tip handle		Please Login
(D) 4135200	55" Parlor broom		Please Login
(E) 3686314	54" Light ind. broom		Please Login
(F) 367016TC00	9.5" Angle broom		Please Login

Go To Page 207 For More Industrial Sanitation Items!!



(A) 4030000

(B) 3699000

(C) 369552B00



(D) 36932000



(E) 36947500



(F) 36959500



(G) 3690404



(H) 3690000



Go To Page 207 For More Industrial Sanitation Items!!

Sponge Mops

- (A) **4030000** - 9" Professional Sponge Mop
 - Synthetic sponge heads absorb liquid fast
 - Handle-mounted wringer lever moves rollers over head
- (B) **3699000** - 8-1/4" Sponge Mop
 - Cellulose sponge, built-in wringer

Cotton Mops

- (C) **369552B00** - Large Red Wideband/Tailband Mop Head
 - 5" color-coded headband
 - 4-Ply lopped-end cotton mops are good for aggressive cleaning and absorbency
- (D) **36932000** - Rough 'n Ready™ Surface Mop
 - Excellent for abrasive surfaces: stone, concrete
 - 17 oz. knitted "t-shirt" material has superior absorbency
- (E) **36947500** - 60" Fiberglass Mop Handle
 - Designed to be used with wide-band mesh headbands
 - Use with mop head #369550B00 & #369552B00
- (F) **36959500** - 60" Quik-Release™ Metal Mop Handle
 - Grips any size mop band
 - Use with mop head #36932000

Accessories

- (G) **3690404** - 26/35 Qt. Bucket/w/Down Press Wringer
 - Durable and corrosion resistant molded Polyethylene
 - Non-marking casters
- (H) **3690000** - Wet Floor Sign
 - Professional quality, two-sided signs
 - Durable Polypropylene, 25" tall x 11" wide
 - Sign locks into place and won't collapse when bumped

Part#	Description	List Price	Wholesale
(A) 4030000	9" Prof. sponge mop		Please Login
(B) 3699000	8-1/4" Sponge mop		Please Login
(C) 369552B00	Large-red band mop		Please Login
(D) 36932000	Rough surface mop head		Please Login
(E) 36947500	60" Fiberglass handle		Please Login
(F) 36959500	60" Metal handle		Please Login
(G) 3690404	Bucket/Wringer		Please Login
(H) 3690000	Wet floor sign		Please Login



Nitrile Coated Work Gloves

- 13 gauge, 100% Nylon Shell, Nitrile Palm Coated
- Pound for pound tougher than leather
- Form-fitting enough to pick up a dime
- Sold by individual pair



Part#	Size	Color	List Price	Wholesale
4631Q	M-XL	Black on black		Please Login
3407N	M-XL	White on gray		Please Login

DuraSkin Vinyl Industrial Disposable Gloves

- 5 ml
- Lightly powdered gloves
- Gloves are ambidextrous
- Sold by box of 100 gloves



Part#	Size	List Price	Wholesale
2900W	L		Please Login



Polypropylene Disposable Coverall

- Lightweight polypropylene
- Full zipper front
- Elastic wrist and ankle closures
- Sold individually



Part#	Size	List Price	Wholesale
S6843	L		Please Login
S6844	XL		Please Login
S6845	3XL		Please Login



Sure Flame Torches



- 200,000 - 375,000 BTU
- Ergonomic design
- Steel head for lower temp. & quick cool down
- Adjustable flame control
- Comes with 10' hose and pol fitting
- 30" torch is individually boxed



Part#	Description	List Price	Wholesale
ST2P	50,000 - 200,000 BTU		Please Login
ST3P	90,000 - 375,000 BTU		Please Login
72603	Striker		Please Login
30S07P	POL fitting for ST2P/ST3P		Please Login



Torch Hoses

Part#	Description	List Price	Wholesale
1412-0141	10' hose for 500FP		Please Login
2510LH	10' hose for ST2 & ST3		Please Login
2525LH	25' hose for ST2 & ST3		Please Login

Mr. Heater
Helps Melt Ice!



Mr. Heater Propane Torch Kit

- 500,000 BTU/Hr
- 31" heavy-duty handle
- Burn weeds, melt ice and peel paint
- Includes 10' hose and spark igniter
- CSA Certified
- Limited 1-year warranty

Part#	Description	List Price	Wholesale
MH500FP	Torch kit		Please Login
72602M	Hose assembly w/POL		Please Login

Adjustable High Pressure Torch Regulator

- Capacity: 820,000 BTU/HR
- Propane outlet pressure range: 10-30 PSIG
- 1/4" Female NPT inlet & outlet
- Color: Red
- Used on propane torches and high pressure gas heaters under 1,000,000 BTU's



Part#	List Price	Wholesale
597FB		Please Login

We Offer:
Equal Payments
We Offer:
Freight Allowed

Fire Power Torch Kit

- 500,000 BTU
- Blister packed
- Includes 10' hose, tank connector & striker
- 36" wand
- Burns weeds, repairs asphalt, sealing tar, melts ice and thaws pipes



Part#	Description	List Price	Wholesale
500FP	Torch kit		Please Login
1412-0141	Hose		Please Login
0662-0014	Knob		Please Login
0661-0165	Valve		Please Login
72603	Striker		Please Login



Propane Tanks-Steel

Part#	Description	BTU Content	Gallons	Weight	List Price	Wholesale
281247	20# Tank/OPD	430,000	4.7	16.6 lbs		Please Login
296975	30# Tank/OPD	645,000	7.1	25.4 lbs		Please Login
294235	40# Tank/OPD	860,000	9.4	29.1 lbs		Please Login
282157	100# Tank	2,160,000	23.6	68 lbs		Please Login





ATV Vise (All Terrain Vise)









Some jobs go beyond the workshop, making you come to them. For the jobs that demand function, strength and mobility, Wilton's All Terrain Vise answers the call. Secure it to your hitch or mount it on your workbench, the All Terrain Vise is locked, loaded and ready for action.



- Fits standard 2" hitches and includes a locking hitch pin
- Mount it on a bench or hook it to a trailer for maximum versatility
- Lightweight design with integrated carrying handle makes it easy to carry and transport
- Patented locking handle secures vice jaws during transport for extra security
- Set screws designed to provide a tight fit in the hitch and reduce overall vibration while driving
- Water resistant for all weather protection during transport or while hitched
- Large striking anvil for forming and shaping materials
- Replaceable jaws with v-grooves for vertical clamping

Part#	Shp. Weight	List Price	Wholesale
10010	39.5 lbs.		Please Login

ATV FEATURES

 360° LOCKING HANDLE	 CARRYING HANDLE	 FITS STANDARD 2 INCH HITCH	 DRIVE TIGHT SET SCREWS
 HITCH PIN INCLUDED	 STRIKING ANVIL	 WATER RESISTANT	 MOUNTING BRACKET INCLUDED



Tradesman Bench Vises

- Wider jaws provide greater clamping surface
- Fully enclosed spindle and nut increases the life of the vise
- Large anvil work surface
- Precision turned sidebar
- 360° swivel base with double lockdowns

Part#	Jaw Width	Jaw Opening	Throat Depth	Shp. Weight	List Price	Wholesale
1755	5-1/2"	5"	3-3/4"	53 lbs.		Please Login
1765	6-1/2"	6-1/2"	4"	73 lbs.		Please Login



4 Pc. Professional Hacksaw Kit

- Includes the hacksaw itself, four 6" blades and the miter box
- Comfortable handle design features quick change knob

Part#	List Price	Wholesale
42025		Please Login



18MM Plastic Snap Off Knife

- Steel knife blade with plastic body
- Ergonomic grip
- 13 pt. blade that can be snapped off for a new sharp edge

Part#	List Price	Wholesale
JL-54306-D		Please Login



Rebar Cutter and Bender

- High strength steel jaws permit the cutting of material up to a 48 Rockwell Hardness for industrial applications
- Mountable on a board or floor
- Cuts and bends up to 5/8 inch, grade 60 rebar for a variety of applications
- Handle Length (In.) 52
- Max Material Hardness HRC-48
- Capacity (In.) 5/8 (Grade 60 Rebar)

Part#	Description	List Price	Wholesale
RCB-25	Bender		Please Login
RH-17	Repl. head		Please Login



Slammer Hammer Tacker

- Die cast frame and through hardened steel components for extreme durability
- Quick-load magazine
- Tool-free jam clearing
- Includes: Quick Draw Holster and 1,000 3/8" staples



Part#	Description	List Price	Wholesale
H30-8D6	Tacker		Please Login
STCR50193/8-1M	3/8" staples, 1000		Please Login
STCR50191/4-1M	1/4" staples, 1000		Please Login



Stud Sensor

- Wood and metal stud detection through up to 3/4" deep surface material
- AC detection identifies live wires up to 2" deep
- Sequential LEDs and audible beeps indicate reading
- Marking channel with LED identifies target and makes marking surfaces easy and accurate
- New ergonomic design, and soft grip buttons provide comfort and control of the tool



Part#	List Price	Wholesale
STHT77403		Please Login



Staple Gun (Light-duty)

- Perfect for everyday stapling needs around the home or office
- Convenient handle lock
- Chrome plated steel construction
- Uses 1/4" and 5/16" staples



Part#	Description	List Price	Wholesale
TR45	Staple gun		Please Login
TRA204T	1/4" staples, 1,000		Please Login
TRA205T	5/16" staples, 1,000		Please Login

Compact Laser Measurer 50-Foot Range

- Simple one-button operation - press button once to begin measuring in continuous mode, press button again to hold measurement
- Continuous measurement mode - walk off measurements from the wall and other surfaces
- Precise laser measure technology - accuracy to 1/8"
- Compact size and shape - easily portable and will rest on any flat surface



Part#	List Price	Wholesale
GLM15		Please Login



120 ft. Laser Distance Measurer with Backlit Display

- Full feature offering includes area, distance, length, volume, continuous measurement, addition and subtraction
- Backlight for increased visibility in low-light conditions
- Pocket size for easy access anywhere
- Extreme accuracy, measures to within +/-1/16 In.
- 2 AAA batteries (included)



Part#	List Price	Wholesale
GLM35		Please Login




165 ft. Laser Measure with Bluetooth

- Backlit color display
- Bluetooth functionality
- Extremely precise with accuracy of 1/16"
- Overall range is 165'
- 3 indirect measurement modes are offered along with a built-in inclinometer
- Default real-time measurement shows distances move in relation to the target



Part#	List Price	Wholesale
GLM50C		Please Login




330 ft. Lithium-Ion Bluetooth Enabled Laser Distance and Angle Measure

- Bluetooth Functionality: Conveniently transfer and store measurements from the laser measurer to an iPhone, iPad or Android device
- Precision Measuring Technology: Measures up to 330' with up to 1/16" accuracy
- Built-In Tilt Sensor: Displays 360-degree angle measurements in two axis allowing for more accurate measurements
- Backlit Display with Tilt-Screen Technology: Offers easy viewing in all directions



Part#	List Price	Wholesale
GLM100C		Please Login




Closed Reel Long Tape

- Nylon coated blade for superior durability and rust resistance
- High-impact resistant case with rubber grip

Part#	Length	Measure	List Price	Wholesale
ST18503X	50'	Ft., In., 1/8		Please Login
ST181003X	100'	Ft., In., 1/8		Please Login

*Engineer's & Metric also available. Please call for details.



Double-Sided Tape Measure

- EZ read fractional SAE measure
- Triple rivet, nylon coated locking blade
- Impact resistant ABS Body

Part#	Description	List Price	Wholesale
GF21834	25' x 1" double-sided		Please Login

GRIP LINE 360

The measuring tool that delivers fast, accurate results on any type of surface and edge



SWANSON



Part#	List Price	Wholesale
SVGL25M1		Please Login

NEW LOW PRICE



25'x1" Tape Measure

- Polymer-coated blade for long-lasting wear; high-contrast colors for easy readability
- Durable case is textured for non-slip grip
- Tape rule designed for easy use
- Numerical readouts every 1/8"; 7' stand out
- Corrosion-resistant Tru-zero end hook for accurate measurements

Part#	List Price	Wholesale
30-455		Please Login

STANLEY

PRO SCRIBE 360

The measuring tool that quickly transfers radius or straight edge lines



SWANSON



Part#	List Price	Wholesale
SVPS25M1		Please Login

NEW LOW PRICE



30'x1-1/4" FatMax Measuring Tape

- 11' tape stand out
- High-impact ABS case with durable rubber
- Mylar polyester film extends the life of the entire blade
- 1-1/4" wide blade for easy readability
- BladeArmor™ coating on the first 3" maximizes durability of the blade
- Tru-Zero™ end hook for accurate inside and outside measurements

Part#	List Price	Wholesale
33-730		Please Login

STANLEY

Short Tape Measures

- Nylon Coated Steel Blade
- Easy-to-Read Graduations
- True Zero Hook
- Positive Locking Button
- Bumper Cushion
- Heavy-Duty End Hook
- Belt Clip
- 3 Rivet Hook



PGPRO1825V



PGPRO1830



PGPRO1835V

Part#	Description	List Price	Wholesale
PGPRO1825V	25' - High Vis		Please Login
PGPRO1830	30'		Please Login
PGPRO1835V	35' - High Vis		Please Login

Fax Toll-Free: 1.800.255.7985



www.phpdistribution.com

NEW!

DEWALT



Drive Socket Set (34-Piece)

- 1/4" and 3/8"
- Lockable Stacking Case
- Durable Transparent Lid
- Removable Internal Tray
- 72 Tooth Ratchet
- Full Life Time Warranty
- Exceeds ANSI Specifications

Part#	List Price	Wholesale
DWMT73804		Please Login

NEW!

DEWALT



Mechanics Tool Set (108-Piece)

- Includes both 3/8 in. and 1/4 in. ratchets and sockets, nut driver and bits, and hex keys
- Removable power tools accessory case
- Quick release, 72-tooth ratchet for high torque ratcheting
- Durable anti-slip vinyl grip bit driver with max comfort
- Knurled beauty rings help reduce slippage for hand tightening applications
- Chrome finished tools

Part#	List Price	Wholesale
DWMT73801		Please Login

NEW!

DEWALT



Mechanics Tool Set (142-Piece)

- Includes both 3/8 in. and 1/4 in. ratchets and sockets, nut driver and bits, and hex keys
- Removable power tools accessory case
- Quick release, 72-tooth ratchet for high torque ratcheting
- Durable anti-slip vinyl grip bit driver with max comfort
- Knurled beauty rings help reduce slippage for hand tightening applications
- Chrome finished tools

Part#	List Price	Wholesale
DWMT73802		Please Login

NEW!

DEWALT



Mechanics Tool Set (168-Piece)

- Includes 1/4 in., 3/8 in. and 1/2 in. ratchets and sockets as well as combination wrenches, hex keys, nut driver and driver bits
- Quick release, 72-tooth ratchet for high torque ratcheting
- Removable power tools accessory case
- Durable anti-slip vinyl bit driver with maximum comfort
- Knurled beauty rings help reduce slippage for hand tightening applications
- Exceeds ANSI standards

Part#	List Price	Wholesale
DWMT73803		Please Login



Adjustable Wrenches

- Increased knurl diameter for easier adjustment and increased load on fastener to reduce slip-off
- All dimensions proportioned for greatest strength and minimum weight
- Chrome plating for superior resistance to rust and corrosion
- 15/16" wide opening

Part#	Size	List Price	Wholesale
AC26VS	6"		Please Login
AC28VS	8"		Please Login
AC210VS	10"		Please Login
AC212VS	12"		Please Login



Adjustable Wrench

- Drop forged, heat treated steel
- Black oxide finish resists rust and corrosion
- Double dipped cushion grip handles

Part#	Size	List Price	Wholesale
87106	6"		Please Login



24 Pc. Combination Wrench Set MM/SAE

- Drop Forged, heat treated, chrome plated, alloy steel
- Precision machined open & boxed ends
- Sizes 1/4", 5/16", 3/8", 7/16", 1-2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" and 1"
- Metric size 7, 8, 9, 10, 11, 12, 13, 14, 15, 18, 19, and 22 mm

Part#	List Price	Wholesale
89358		Please Login



7-Piece Metric Ratcheting Wrench Set

- 7 pc. Metric Combination set includes - 8, 10, 12, 13, 14, 15 & 18mm
- Surface Drive provides a stronger grip on fasteners, reducing fastener rounding
- Sleek head design enables access to tight spots where a ratchet will not fit
- Ratcheting box-end needs as little as 5° to move fastener VS 30° for standard box end wrenches
- Gear teeth are made of all metal construction for strength and durability

Part#	List Price	Wholesale
9417		Please Login



7-Piece SAE Ratcheting Wrench Set

- 7 piece SAE Combination set includes - 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4"
- Surface Drive provides a stronger grip on fasteners, reducing fastener rounding
- Sleek head design enables access to tight spots where a ratchet will not fit
- Ratcheting box-end needs as little as 5° to move fastener VS 30° for standard box end wrenches
- Gear teeth are made of all metal construction for strength and durability

Part#	List Price	Wholesale
9317		Please Login



Steel Pipe Wrench

- Sturdy cast iron housing and I-beam handles for a comfortable grip and strength without excess weight
- 3-1/8" jaw opening
- 18" length

Part#	List Price	Wholesale
93100		Please Login





Long Nose Pliers

- Drop forged, heat treated steel
- Precision machined jaws and cutting edge
- Double dipped cushion grip handles
- 6" length

Part#	List Price	Wholesale
57196		Please Login



9" Linesman Pliers

- High carbon C1080 steel and electronic coating for rust prevention
- Laser heat treated for longer lasting cutting edges
- Plastic coated handles
- Round nose

Part#	List Price	Wholesale
369		Please Login



Vise-Grip ProPliers

- Professional-grade tools
- ProTouch™ grips provide extra comfort and reduces hand fatigue
- Machined jaws for maximum gripping strength
- Induction hardened cutting edge stays sharper, longer
- Includes - (1) 6" Slip Joint Pliers and (1) 6" Long Nose Pliers

Part#	List Price	Wholesale
2078702		Please Login



Groove Joint Pliers

- Heat treated from high grade steel
- Rib and groove design locks jaws securely in place for a non-slip grip
- Laquer coated to resist rust
- 12" length

Part#	List Price	Wholesale
57075		Please Login



Tongue and Groove Pliers

- Laser heat treated teeth made of high carbon C1080 steel and electronic coating for rust prevention
- Plastic coated handles

Part#	Size	List Price	Wholesale
426	6.5"		Please Login
420	9.5"		Please Login
440	12"		Please Login
460	16"		Please Login



Groove Joint Pliers

- Durable nickel chromium steel construction
- ProTouch grips provide extra comfort and reduces hand fatigue
- Meets or exceeds ANSI specifications

Part#	Size	List Price	Wholesale
2078508	8"		Please Login
2078500	10"		Please Login
2078512	12"		Please Login



7" End Cutting Pliers

- High carbon C1080 steel and electronic coating for rust prevention
- Laser heat treated for longer lasting cutting edges
- Plastic coated handles

Part#	List Price	Wholesale
357		Please Login



3 Pc. Slip Joint Plier Set

- Drop forged
- Cushion grip for comfortable use
- High visibility handles
- 6", 8", 10" lengths

Part#	List Price	Wholesale
58125		Please Login



4 Pc. Locking Plier Set

- Drop forged, heat treated, serrated steel jaws with sharp wire cutters
- Quick release lever and thumb screw knob that adjusts lock jaw capacity
- Includes: 5" and 7" curved jaw wire cutting pliers, 10" straight jaw pliers, 6" wire cutting long nose pliers

Part#	List Price	Wholesale
56027		Please Login



Straight & Curved Jaw Locking Pliers

- Straight jaws provide maximum contact on flat, square, or hex work
- Curved jaw puts tremendous pressure on four points of any style nut or bolt
- High-grade heat-treated alloy steel
- Guarded release trigger quickly unlocks
- Turn screw to adjust pressure
- Hardened teeth grip from any angle

Part#	Description	List Price	Wholesale
10R	Straight		Please Login
10WR-3	Curved		Please Login



Wire Stripper/Cutter Value Pack

- Includes:
 - Qty. 1 - 11045 Standard Wire Stripper/Cutter (10-18 AWG Solid)
 - Qty. 1 - 11055 Klein-Kurve® Wire Stripper/Cutter for Solid and Stranded Wire
- Black-oxide finish resists corrosion
- Textured handles provide a firm, comfortable grip
- Coil spring provides fast self-opening action
- Strong-gripping serrated nose for easy bending, shaping, and pulling of wire



Part#	List Price	Wholesale
96097		Please Login



9-3/4" Straight Cut Aviation Snip

- Compound lever action
- Cuts 18 gauge low carbon steel
- Non-slip serrated jaws made of molybdenum steel
- Self-opening action for fast, effortless feed, safety latch

Part#	List Price	Wholesale
M3R		Please Login



Diagonal Pliers

- Drop forged, heat treated steel
- Precision machined jaws and cutting edge
- Double dipped cushion grip handles
- 6" length
- Cutting area: 3/4"

Part#	List Price	Wholesale
57200-6		Please Login



Linesman Pliers

- Drop forged, heat treated steel
- Precision machined jaws
- Polished heads
- 10" length

Part#	List Price	Wholesale
57392		Please Login



Bi-Metal Reciprocating Saw Blade

- Cuts composition materials, plastic, pipe, carbon steel and stainless steel
- Use with materials 1/8" and thicker
- Electronic beam weld
- Bi-metal construction

Part#	List Price	Wholesale
372810BB		Please Login



12 Pc. Reciprocating Saw Blade Set

- Heavy-Duty
- 12-Piece - Bi-Metal

Part#	List Price	Wholesale
RBKITHD01		Please Login



Holesaw Assortment

- High speed steel teeth for fast and clean cuts through wood
- Tooth design allows for a more aggressive cut and holds more chips
- Includes (1) one each: 1-1/4", 1-1/2", 2", and 2-1/8" saws and a mandrel

Part#	List Price	Wholesale
71-120		Please Login



Locking C-Clamp with Regular Tips



- Wide-opening jaws provide greater versatility in clamping a variety of shapes
- Turn screw to adjust pressure and fit work. Stays adjusted for repetitive use
- Constructed of high-grade heat-treated alloy steel
- Guarded release trigger quickly unlocks and protects from accidental release

Part#	List Price	Wholesale
11R		Please Login



Locking C-Clamp with Swivel Pads



- Wide-opening jaws provide greater versatility in clamping a variety of shapes
- Swivel pads hold tapered work, awkward fabricating jobs, and delicate projects without damaging the work surface
- Turn screw to adjust pressure and fit work. Stays adjusted for repetitive use
- Constructed of high-grade heat-treated alloy steel for maximum toughness and durability
- Guarded release trigger quickly unlocks and protects from accidental release

Part#	List Price	Wholesale
11SP		Please Login



Locking Chain Clamp



- Chain holds and locks around any shape or size
- Ideal for awkwardly shaped pieces
- Turn screw to adjust pressure and fit work. Stays adjusted for repetitive use
- Constructed of high-grade heat-treated alloy steel for maximum toughness and durability
- Guarded release trigger quickly unlocks and protects from accidental release

Part#	List Price	Wholesale
20R		Please Login



Locking Sheet Metal Clamp

- Makes bending, forming, and crimping sheet metal jobs easier
- Turn screw to adjust pressure and fit work. Stays adjusted for repetitive use
- Constructed of high-grade heat-treated alloy steel for maximum toughness and durability
- Classic trigger release designed to provide maximum locking force

Part#	List Price	Wholesale
8R		Please Login



Bar Clamps 2 Pack

- 25% smaller than Quick-Change clamps for smaller projects or for working in confined spaces
- Constructed of high-tech reinforced resin for strength and durability
- Exerts up to 150 lbs. of clamping pressure
- Patented pistol grip design enhances comfort and ease of use
- Non-marring pads grip firmly and protect work
- Ideal for clamping/gluing, holding work for sawing/drilling, and positioning work for fastening

Part#	Size	List Price	Wholesale
5462	6"		Please Login
54122	12"		Please Login



Bar Clamp/Spreader Quick-Grip

- Quick-Change jaw quickly converts from clamp to spreader and requires no tools
- Constructed of high-tech reinforced resin for strength and durability
- Exerts up to 250 lbs. of clamping pressure
- Patented pistol grip design enhances comfort and ease of use
- Non-marring pads grip firmly and protect work

Part#	Size	List Price	Wholesale
512QCN	12"		Please Login
524QCN	24"		Please Login



8 Pc. Speedbor Set

- Durable rubber-sided case for added impact resistance
- Blue-Groove point and cutting edge for faster chip removal - 4x faster than standard spade bits
- Double cutting spurs scribe the outside of the hole reducing breakout
- 10% larger shank for added durability
- Grooved hex shank prevents slipping in drill chuck or bit extension

Part#	List Price	Wholesale
341008		Please Login



Unibit® Fractional Step Drill

- New SpeedPoint™ tip provides 6X faster initial penetration time than before, and eliminates the need for center punching
- Single-fluted cutting edge assures true round holes, and allows greater control with less vibration
- Ideal for drilling holes in thin materials such as mild steel, copper, brass, aluminum, plexiglass, wood, and laminates

Part#	Size	List Price	Wholesale
10233	1/4" - 3/4"		Please Login
10235	1/4" - 1-3/8"		Please Login



Unibit® Cobalt Step Drill

- 6X longer life
- 3-Flatted shank
- Speedpoint™ tip
- Laser marked sizes
- 10234CB - 12 Steps
- 10239CB - 2 Steps

Part#	Size	List Price	Wholesale
10234CB	3/16" - 7/8"		Please Login
10239CB	7/8" & 1-1/8"		Please Login



7-1/4" Marathon Portable Corded Circular Saw Blade

- New and improved design
- Every other tooth is thinner for faster cuts
- New heat vent/expansion slot design reduces vibration
- Construction grade carbide teeth
- Reinforced shoulder for added durability
- Fully hardened plate runs truer, longer

Part#	List Price	Wholesale
24030		Please Login



7-1/4" 24-Tooth Carbide Blade

- Combo framing - tungsten carbide
- Construction grade
- 5/8" Arbor-diamond knockout
- Ribbed heat vents allow blade to run cooler, reducing blade flexing and binding

Part#	List Price	Wholesale
DW3578B10		Please Login



12" 80-Tooth Circular Saw Blade

- Fine crosscutting - tungsten carbide
- Construction Grade
- 1" Round Arbor

Part#	List Price	Wholesale
DW3128		Please Login



AccuSharp® Knife Sharpener

- No more messy oils or stones
- Sharpens in as little as 10 seconds
- Large ergonomic handle fits either hand
- Full length finger guard protects your fingers
- Won't rust and can be cleaned with soap and water
- Diamond Honed Tungsten Carbide sharpening blades
- Out performs ALL import knife sharpening
- Heavy-duty industrial design
- Free POP display w/purchase of 12



Part#	Description	List Price	Wholesale
KS001	Knife sharpener		Please Login



AccuSharp Camouflage Knife Sharpener

- Diamond honed tungsten carbide blades
- Large, ergonomic handle
- Full length finger guard
- Will not rust
- Great for the toolbox, tackle box, gear bag or backpack
- Made in the USA
- Free POP display w/purchase of 12



Part#	List Price	Wholesale
C005C		Please Login



AugerSharp Sharpener

- Diamond honed tungsten carbide blade
- Bright orange finger guard makes it easy to find on the ice too
- Can be cleaned with soap and water or washed in a dishwasher
- Made in the USA
- Free POP display w/purchase of 12



Part#	List Price	Wholesale
AS007		Please Login



AccuSharp Sport Blue Knife

- Constructed of anodized aluminum and stainless steel
- Patent pending wheel lock with allows for one hand operation
- Will not rust
- Lifetime warranty
- Glass breaker feature
- Belt clip

Part#	List Price	Wholesale
SK701		Please Login



AccuSharp Sport Camouflage Knife

- Constructed of anodized aluminum and stainless steel
- Patent pending wheel lock with allows for one hand operation
- Will not rust
- Lifetime warranty
- Glass breaker feature
- Belt clip

Part#	List Price	Wholesale
SK704		Please Login





42-Piece S2 Impact Duty Driver Bit Set

- Premium grade S2 tool steel durable composition equals longer bit life
- Driving bits designed for quick change
- Magnetic drive guide helps reduce slipping and wobble

Part#	List Price	Wholesale
48-32-1551		Please Login



7 Pc. Nut Driver Set MM

- Hollow shaft allows access to longer nuts and bolts
- Drop forged, heat treated, carbon steel shafts with heavy-duty handles
- Metric Sizes: 5mm, 6mm, 7mm, 8mm, 10mm, 11mm, 12mm
- SAE Sizes: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"



Part#	Description	List Price	Wholesale
69058	Metric		Please Login
69060	SAE		Please Login



38-Piece Universal Quik-Lok Drill and Drive Set

- Versatile and durable quik-lok system
- Quik-lok all-hex chuck provides fast and easy accessory changes and fits all 3/8" and 1/2" drill chucks
- Made from premium quality S2 steel
- Titanium drill bits for long life and superior performance

Part#	List Price	Wholesale
48-32-1500		Please Login



Deck Demon

Designed to quickly remove any type of decking materials as well as any fasteners left behind.

- Reduces time and labor
- Maximum leverage saves your back
- Single & double joist compatible
- No damage to existing structure with patented rocker design
- Commercial grade, all-steel construction



Part#	List Price	Wholesale
6004		Please Login

6-In-1 Screwdriver

- Bit sizes - flat (3/16", 1/4"), phillips (#1, #2), nut driver (1/4", 5/16")
- Chrome vanadium steel bits resist rust and corrosion
- 65126 features comfortable, extra large, non-slip rubber grip




Part#	List Price	Wholesale
65126		Please Login



Steel Flat Pry Bar

- Black oxide finish which resists rust and corrosion
- Heat treated steel for maximum strength
- 15" length



Part#	List Price	Wholesale
60054		Please Login



Mini Dolly

- Padded surface protects objects
- Ideal for moving over-sized or heavy objects
- Hard rubber swivel casters
- Rounded end corners protect walls
- 18" L x 12-1/4" W



Part#	List Price	Wholesale
52024		Please Login



4-Wheel Furniture Dolly

- Carpeting on both ends
- Solid wood frame finished with clear varnish
- Four swivel casters
- Max. load 800 lbs.
- 30"L x 18"W x 5.6"H



Part#	List Price	Wholesale
52030		Please Login

X80 Wipers Pop-Up Box

- Safer, cleaner, and less costly than rags
- 80 WypAll wipers per box
- 9.10" x 16.8" white wipers
- Heavyweight, HYDROKNIT material
- Solvent-resistant
- Use X80 for heavy machine and part wiping, metal shavings, and rough surfaces



Heavy-Duty

Part#	List Price	Wholesale
41048		Please Login



X60 Wipers Pop-Up Box

- 9.1"x16.8" white wipers
- 126 WypAll TERI X60 wipers per box
- The Absorbing Power of our HYDROKNIT technology which is contained in a lighter weight wiper
- No adhesives or binders; leaves nothing behind
- Tough enough for big jobs -- soft enough for face and hands



Heavy-Duty

Part#	List Price	Wholesale
34790		Please Login



Scott Blue Shop Towels

- Super strong even when wet
- Easily absorbs grease, liquids, and oils
- Easy dispensing
- Each towel is 10-2/5 in. x 11 in.



Part#	List Price	Wholesale
75130		Please Login



X60 - Small Roll

- 9.8"x13.4" White Wipers
- 130 WypAll TERI X60 wipers per box
- The Absorbing Power of our HYDROKNIT technology contained in a lighter weight wiper
- No adhesives or binders; leaves nothing behind
- Tough enough for big jobs -- soft enough for face and hands



Heavy-Duty

Part#	List Price	Wholesale
35401		Please Login



WypAll Waterless Cleaning Wipes

- 10.5"x12.25" green wipers
- 75 wipers per bucket
- Cleaning agent is tough on grease, grime, ink and paint
- Smooth on one side for wiping; tough on the other for scrubbing



Part#	List Price	Wholesale
91371		Please Login



L40 Wipers Pop-Up Box

- 16.4" x 9.8" blue wipers
- 100 WypAll wipers per box
- Ideal for routine industrial cleaning and maintenance
- Removes soils and liquids from face and hands
- One at a time dispensing for users on the go



Light-Duty

Part#	List Price	Wholesale
05740		Please Login



X80 Jumbo Roll

- 12.5" x 13.4" red wipers
- 475 WypAll X80 wipers per roll
- Guaranteed more cost-effective than rental shop towels or rags
- Ideal for HEAVY Wiping and Cleaning rough Surfaces
- Softer and More Absorbent than ever!



Heavy-Duty



Part#	Description	List Price	Wholesale
41055	Roll		Please Login
80596	Stand		Please Login

L30 Wipers - 1/4 Fold

- 12.5"x13" white wipers
- 90 WypAll wipers per package
- Perfect for general purpose, light duty applications
- Removes soils & liquids from face & hands



Light-Duty

Part#	List Price	Wholesale
05812		Please Login



Keep your work area tidy with the help of this magnetic sweeper.



Magnetic Floor Sweeper

- 30" wide
- Collects up to 50 lbs. of ferrous materials
- Oversized rubber wheels
- Extra-long telescopic handle extends from 35-1/2" to 50"
- Easy to clean out



Part#	List Price	Wholesale
53420		Please Login



Magnetic Parts Tray

- Heavy-duty stainless steel
- Holds tight to any ferrous surface
- 9-1/2" x 10" x 1-1/4" D

Part#	List Price	Wholesale
67442		Please Login



Wide Mouth Magnetic Parts Bowl

- Holds tight to any ferrous surface
- Holds small parts, nuts & bolts
- 6" diameter and 1" deep


Part#	List Price	Wholesale
67440		Please Login



Professional Grease Gun

- Heavy-duty with a cast steel head
- HD 4 jaw chuck coupler
- 12" wire braided whip hose & #80 loader nipple
- Can be filled by standard 14.5 oz. cartridge, bulk suction & filler pump

Part#	List Price	Wholesale
HD4A		Please Login



Grease Gun

- Pistol style
- Can be filled with 14.5 oz. grease cartridge, filler pump or suction

Part#	List Price	Wholesale
615GG		Please Login



WD-40 Lubricant

Part#	Description	List Price	Wholesale
110078	11 oz. - aerosol		Please Login
40101	1 Gallon		Please Login
10100	Spray Applicator		Please Login



NEW Smart Straw!



Hand Pumps

- Fits 15-55 gal. drums with 2" bung
- For light oils, ATF, kerosene
- Dispenses approx. one pint per stroke

Part#	List Price	Wholesale
381HP		Please Login



Mold & Mildew Stain Remover

- Commercial Strength
- No-Scrub
- Trigger Spray
- 32 oz.

Part#	List Price	Wholesale
ZUMILDEW32		Please Login



Foaming Glass Cleaner

- Convenient, aerosol delivery provides premium glass and mirror cleaning.
- 19 oz.

Part#	List Price	Wholesale
ZUFGC19		Please Login



Cleaner/Degreaser

- Quickly cleans virtually any hard or soft surface
- Powers out stains and grease
- Safe on granite, upholstery and more
- No harsh fumes
- 32 oz.

Part#	List Price	Wholesale
ZUAOCD32		Please Login



Simple Green All-Purpose Cleaner

- Strong enough to degrease an engine, gentle enough to remove stains from fabrics
- Non-toxic, biodegradable, non-abrasive
- Concentrated

Part#	Size	List Price	Wholesale
2710001213033	32 oz.		Please Login
2710200613005	1 gal.		Please Login



Quick Clean Disinfectant

- Kills 99.9% of bacteria in 5 sec.
- Cleans, disinfects, deodorizes in one easy step
- 32 oz.

Part#	List Price	Wholesale
ZUQCD32		Please Login



Fast Orange Pumice Lotion Hand Cleaner

- Biodegradable, waterless, petroleum solvent-free hand cleaner
- Contains no harsh chemicals that can sting cuts and abrasions
- Pure, fresh smelling natural citrus power does the cleaning

Part#	Size	List Price	Wholesale
25217	64 oz.		Please Login
25219	1 gal.		Please Login



Drive Belt Dressing

- Prevents belt slippage and glazing
- USDA P-1
- Increases pulling power up to 50%
- Reduces squeaks and slippage
- Works great on generators, fans and pressure washers
- Container size: 16 oz. (12-oz. fill)

Part#	List Price	Wholesale
DB8079		Please Login



Battery Terminal Coating

- Provides a tough, durable coating for battery terminals, cables, and clamps
- Will not crack, chip, or peel
- Provides an airtight and waterproof, insulated coating that minimizes leakage
- Effective on all types of batteries
- Container size: 16 oz. (12-oz. fill)

Part#	List Price	Wholesale
BT6005		Please Login



Carb & Choke Cleaner

- Eliminates rough idling, stalling, engine run-on, and starting hesitation
- Quick and easy to use, fast drying, and leaves no film or residue
- Container size: 16-oz. (12-oz. fill)

Part#	List Price	Wholesale
CC590		Please Login



White Silicone Rubber Sealant

- Adheres to: most wood, metal, vinyl siding, drywall/plaster, glass, and plastic
- Interior/Exterior
- 9.8 oz.

Part#	List Price	Wholesale
GE112A		Please Login



White Adhesive Caulk

- For use on wood, drywall, metal, glass and masonry
- Good flexibility and elasticity
- Interior/Exterior - Paintable
- 10 oz.

Part#	List Price	Wholesale
20510		Please Login



Clear Latex Sealant

- Permanently flexible, weatherproof and mildew resistant
- Excellent adhesion, paintable
- Premium - Indoor/Outdoor
- 10.1 oz.

Part#	List Price	Wholesale
18304		Please Login



White Silicone Rubber Sealant

- Long-lasting watertight seal, mold and mildew resistant, will not crack or shrink
- Low in odor
- 10.1 oz.

Part#	Color	List Price	Wholesale
8780	White		Please Login
8771	Clear		Please Login



White Latex Sealant

- Permanently flexible, weatherproof and mildew resistant
- Excellent adhesion, paintable
- Premium - Indoor/Outdoor
- 10.1 oz.

Part#	List Price	Wholesale
18275		Please Login



Sub-floor Construction Adhesive

- For bonding wood, metal, concrete/masonry and FRP panels
- Structural & Sub-Floor
- Interior/Exterior
- VOC Compliant
- 28 oz.

Part#	List Price	Wholesale
1602142		Please Login



Flexible Clear Sealant

- Stays crystal clear and permanently flexible
- Excellent adhesion, paintable
- Indoor/Outdoor
- 10.1 oz.

Part#	List Price	Wholesale
18384		Please Login



Watertight Roof Sealant

- High performance, asphalt-based sealant
- Roof gaps and joints, spotting shingles and repairing minor roof leaks
- 10.1 oz.

Part#	List Price	Wholesale
18268		Please Login

Black ABS Cement

- Medium bodies, medium set, ABS solvent cement designed for use on non-pressure ABS pipe and fittings
- NSF certified and UPC listed
- 4 oz.



Part#	List Price	Wholesale
018500-24		Please Login



Latex Foam Sealant

- Seals, insulates and weatherproofs
- Superior water resistance and durability
- Easy water clean-up
- Paintable and toolable
- Won't over expand
- AAMA and ASTM standards
- 12 oz.

Part#	List Price	Wholesale
18836		Please Login

Flex Seal

- Stop leaks fast! The easy way to coat, seal and protect
- Sprays out a liquid, seeps into cracks and holes, and dries to a watertight, flexible rubberized coating
- Excellent roof patch
- Can be used on wet surfaces
- 14 oz.



Part#	Color	List Price	Wholesale
FSR20	Black		Please Login
FSB20	White		Please Login
FSCL20	Clear		Please Login

Underwater Epoxy Putty

- Use on automotive, ceramic, fiberglass, metal
- Great for any type plumbing
- Sets in 30 minutes
- Plugs holes and makes permanent repairs



Part#	List Price	Wholesale
8277F		Please Login

Outdoor Power Equipment Air Filters

Part#	Description	List Price	Wholesale
605361	Pre-filter - Dolmar/394 173 030		Please Login
605840	Air filter - Dolmar/394173 010		Please Login
100012	Air filter - Honda/17210-ZE3-505		Please Login
100784	Air filter - Honda/17210-ZE1-505		Please Login
100818	Air filter - Honda/17210-ZE2-505		Please Login
100958	Air filter - Honda/17210-ZEO-822		Please Login
100808	Air filter - Partner/506 22 42-01		Please Login
605224	Pre-filter - Stihl/4223 141 0600		Please Login
605228	Air filter - Stihl/4223 141 0300		Please Login



Dolmar 605361



Dolmar 605840



Honda 100012



Honda 100784



Honda 100818



Honda 100958



Partner 100808



Stihl 605224



Stihl 605228

Stens Small Engine Parts for Honda



Starter Spring

- For HONDA GX120, GX160 and GX200
- Honda code 3683919

Part#	List Price	Wholesale
155300		Please Login



Carburetor

- For HONDA GX160; for 5.5 HP engines
- Honda code 5266705


Part#	List Price	Wholesale
520722		Please Login



Fuel Filter

- For HONDA GX110, GX120, GX140, GX160, GX200, GX240, GX270, GX340 and GX390
- Honda code 0474759

Part#	List Price	Wholesale
120414		Please Login



Carburetor

- For HONDA GX240; for 5 HP engines
- Honda code 5222211

Part#	List Price	Wholesale
520726		Please Login

Stens Small Engine Parts for Honda

Gas Caps

- For 4 thru 13 HP engines
- OD: 2-13/16"
- 1/4 twist style, vented, plastic
- Honda code 4572392/5344817



Part#	List Price	Wholesale
125364		Please Login

- For 4 thru 13 HP engines
- OD: 2-3/4"
- Twist lock style, vented, metal
- Honda code 3682028



Part#	List Price	Wholesale
125368		Please Login

Dipsticks

- HONDA GX120, GX140, GX160 and GX200
- Honda code 4500146



Part#	List Price	Wholesale
125692		Please Login

- HONDA GX240, GX270, GX340 and GX390
- Honda code 4523106

Part#	List Price	Wholesale
125696		Please Login

Stop Switch

- For HONDA GX120, GX160, GX200, GX240, GX270, GX340, and GX390
- Honda code 2787869



Part#	List Price	Wholesale
430602		Please Login

Starter Switch

- HONDA 35100-772-003
- Honda code 4166369
- Magneto ground
- 3 positions - 5 terminals



Part#	List Price	Wholesale
430538		Please Login

Ignition Coil

- For HONDA GX110, GX120, GX140, GX160 and GX200
- Honda code 4589693/7988801



Part#	List Price	Wholesale
440105		Please Login

100' Starter Rope

- Solid braid #4 - Diameter: 1/8"



Part#	List Price	Wholesale
146027		Please Login

- Solid braid #4-1/2 - Diameter: 9/64"

Part#	List Price	Wholesale
146035		Please Login

- Solid braid #5 - Diameter: 5/32"

Part#	List Price	Wholesale
146043		Please Login

Oil Sensors

- For HONDA GX120, GX160, GX200, GX240, GX270, GX340 & GX390
- Honda code 5858444



Part#	List Price	Wholesale
120434		Please Login

- For HONDA GX120, GX160 and GX200
- Honda code 5962063/1501733/5262605



Part#	List Price	Wholesale
120101		Please Login

- For HONDA GX240, GX270, GX340 and GX390
- Honda code 5792361/5361605



Part#	List Price	Wholesale
120430		Please Login

Recoil Starter Assm.

- For HONDA GX110, GX120, GX140, GX160 and GX200; for 3.5, 4, 5, 5.5 and 6.5 HP engines
- Honda code 4193033/7546781



Part#	List Price	Wholesale
150703		Please Login

- For HONDA GX340 and GX390; for 11 and 13 HP engines
- Honda code 3713302


Part#	List Price	Wholesale
150707		Please Login

- For HONDA GX240 and GX270; for 8 and 9 HP engines
- Honda code 3678844

Part#	List Price	Wholesale
150711		Please Login


Gas Tanks

- For HONDA GX240, GX270, GX340 and GX390; for 8,9,11 and 13 HP engines
- Honda code 3713278/7669757 3690070/7627540/8157174




Part#	List Price	Wholesale
125568		Please Login

- For HONDA GX140, GX160 and GX200; for 5, 5.5 & 6.5 HP engines
- Honda code 3683661



Part#	List Price	Wholesale
125560		Please Login



Heavy-duty CargoBar™

- Retracts to 48"
- Adjusts continuously to a maximum extension of 108"
- Greater holding power than conventional loadlocks
- Harder to bend and damage

Part#	List Price	Wholesale
CC5010		Please Login



Wheel Chock

- Think safety*
- Durable fiber-reinforced rubber compound
 - Black
 - 9"L x 8"W x 5-3/4"H - 9 lbs.

Part#	List Price	Wholesale
68-9		Please Login



Professional Strength Rearview Mirror Adhesive

- Approved and used by GM, Ford and Chrysler
- Fast-acting
- Permanently remounts mirrors to windshields
- ODC-free

Part#	List Price	Wholesale
81844		Please Login



Rain-X

- Dramatically improves wet weather driving visibility, with and without wipers
- Repels rain, sleet, and snow, frost, salt, mud, bugs and grime
- 7 oz.

Part#	List Price	Wholesale
RX11212		Please Login



Headlight Restoration

- Helps restore clear plastic by removing haze and discoloration
- Improves safety with clearer headlight lenses
- Multi-step kit provides a deeper cleaning process than single step products
- Don't replace headlights when you can restore them

Part#	List Price	Wholesale
800001809		Please Login



Regane Complete Fuel System Cleaner

- Cleans gasoline direct injection (GDI) systems too
- Maximizes fuel economy
- Helps eliminates knocks, pings and hesitation
- Safe for use in turbo and super charged vehicle
- 6 oz.

Part#	List Price	Wholesale
800001364		Please Login



Ethanol Treatment with Performance Improver

- Prevents corrosion caused by ethanol blended fuels
- Cleans carburetors, fuel injectors, and intake valves
- Keeps engine running smoothly
- Helps remove water from fuel
- Treats 25 gallons
- 10 oz.

Part#	List Price	Wholesale
22264		Please Login



Pennzoil - Fix-A-Flat

- Emergency tire repair system seals and inflates most tires in less than one minute
- No jack or tools required
- Can be used on tube or tubeless tires

Part#	Description	List Price	Wholesale
S420-6	Standard tire-16oz.		Please Login
S430	Large tire - 20oz.		Please Login



Tubeless Tire Kit

- Allows repair of truck tires without deflating or removing
- Kit contains 5 repair plugs, 6.25" long, T-handle insert tool, T-handle rasp tool and 1 oz rubber cement

Part#	List Price	Wholesale
22-5-08819-M		Please Login

Speedway 7-in-1 Power Station

- Built-in Inflator with 260 max psi
- Pull cranking generator for recharging
- USB charger for electronic devices
- LED light is ideal for emergencies plus work and recreational use
- Jump starter with 24" 8 gauge jumper cables
- 12 Volt power outlet delivers 8 Amps max to meet any charging need
- Emergency flasher function for roadside safety
- AC/DC charges, overload protection, short circuit and thermal overload protection



Part#	List Price	Wholesale
52036		Please Login



Booster Cables

- 20' length, 4 Gauge, 400 Amps
- Tangle free, twin line construction
- Fits all top and side post
- 600 AMP direct contact jaws
- Heavy duty jacket stays flexible to -30°F



Part#	List Price	Wholesale
D1110420YL		Please Login

Flourescent Lights

- Polarized plug with 12amp grounded receptacle & rocker On/Off switch
- Instant no flicker start
- Tough almost unbreakable housing
- 25' 16/3 cord
- SL976 takes two bulbs

26 watts



Part#	Description	List Price	Wholesale
SL976	Light		Please Login
FL-908-BULB	13 watt bulb		Please Login

Professional 50' Quad-Tap Retractable Reel

- 40% Larger cord reel w/smooth glide rewind polarized plug w/four 15amp grounded receptacles
- Resettable 15amp circuit breaker
- LED power status light
- Mounting brackets included
- Heavy-duty 12/3 cord



Part#	List Price	Wholesale
SL8904		Please Login

Transport Tow & Binder Chains

- Type 70 transport
- Chain size: 3/8"
- Working load limit: 6,600 lbs.
- Clevis type hook
- 5/16" chain load limit 4,700 lbs.



Part#	Description	List Price	Wholesale
3583520	3/8" x 20'		Please Login
3524623	3/8" x 16'		Please Login
H3226-5220	5/16" x 20'		Please Login

Work Light w/Spot Work Light & Tool Tap on 40' Metal Reel

- Heavy-duty metal retractable reel
- Polarized plug w/10amp grounded receptacle
- Durable push On/Off switch
- Mounting brackets included



13 watts

Part#	List Price	Wholesale
SL825		Please Login

Trailer Hitch Ball Mounts

21512

- Box opening of 2" x 2"
- 200/2,000 TW/GTW capacity for 1-7/8" ball hitches, 600/6,000 for 2", and 1,000/10,000 for 2-5/16"
- Tri-Ball



21512

21542

- Class III has a 6,000 lb. towing capacity
- Drop of 2 inch to help adjust trailer level
- Shank length of 9"



21542

Part#	List Price	Wholesale
21512		Please Login
21542		Please Login

Tow Strap

- Extra long - 2" x 20'
- 17,000 lb. rated capacity
- Reinforced loop
- Yellow



Part#	List Price	Wholesale
82497		Please Login



Gear Tie Reusable Rubber Twist Ties

Gear Tie Reusable Rubber Twist Ties have a tough rubber shell that provides excellent grip, a strong wire inside that holds its shape, and a range of bright colors to catch your eye! Gear Ties are available in six sizes (3", 6", 12", 18", 24" or 32") to organize nearly anything from a small cord or cable to large sporting goods equipment.

- Waterproof and safe for use in fresh or salt water without damage
- UV resistant - will not be damaged or destroyed by extended sun exposure
- Tough rubber shell provides excellent grip
- Use indoors and outdoors in any weather.
- Strong wire inside holds its shape
- Won't scratch or mark
- Twist it, tie it, reuse it
- Thousands of Uses!

Part#	Length	Color	Qty.	List Price	Wholesale
GT3-4PK-A1	3"	Assort.	4 pk.		Please Login
GT3-4PK-01	3"	Black	4 pk.		Please Login
GT6-2PK-31	6"	Orange	2 pk.		Please Login
GT6-2PK-01	6"	Black	2 pk.		Please Login
GT12-2PK-33	12"	Neon Yellow	2 pk.		Please Login
GT12-2PK-03	12"	Blue	2 pk.		Please Login
GT12-2PK-31	12"	Orange	2 pk.		Please Login
GT12-2PK-01	12"	Black	2 pk.		Please Login
GT18-2PK-31	18"	Orange	2 pk.		Please Login
GT18-2PK-01	18"	Black	2 pk.		Please Login
GT18-2PK-03	18"	Blue	2 pk.		Please Login
GT32-2PK-33	32"	Neon Yellow	2 pk.		Please Login
GT32-2PK-31	32"	Orange	2 pk.		Please Login
GT32-2PK-01	32"	Black	2 pk.		Please Login
GLS12-33-2R7	12"	Neon Yellow Loopable	2 pk.		Please Login
GLL24-33-2R6	24"	Neon Yellow Loopable	2 pk.		Please Login
GTTP32-A1-R8	32"	Assorted ProPack	6 pk.		Please Login




LOOP IT TWIST IT CINCH IT

The Gear Tie Loopable Twist Tie features a strong wire inside that holds its shape and a tough rubber shell that provides excellent grip. With an integrated loop on one end, it allows you to cinch, twist, store, and hang nearly anything for convenient storage and access.

FLASH BACK

The PHP website has come a long way, from starting as an information site to a site that has online ordering, account status and where customers can look up individual parts.

2000



2004



2011



2016





01980

Mini Portable Power Distribution Center

Part#	List Price	Wholesale
01980		Please Login

Mini Portable Distribution Center - 01980	
Power Inlet	• NEMA L14-30P 30A 125/250V - twist lock flanged inlet
Power Outlet	• (4) NEMA 5-20R 20A 125V Straight blade receptacles



01970



01972
Roll Cage

Portable Distribution Center - 01970 & 01972	
Power Inlet	• 50A 125/250V • California style flanged covered w/ cover inlet
Power Outlet	• (1) 50A 125/250V California style receptacle w/ cover • (1) NEMA L6-30R 30A 250V Locking receptacle w/ cover • (6) NEMA 5-20R 20A 125V Straight blade receptacles w/ cover

Portable Power Distribution Center

Part#	Description	List Price	Wholesale
01970	Power Box - straight blades		Please Login
01972	Power Box - roll cage		Please Login
01918	50' Cord SEOW W/California Ends		Please Login
01919	100' Cord SEOW W/California Ends		Please Login

Extension Cords

Part#	Description	List Price	Wholesale
01938	50' SEOW w Hubbell Ends		Please Login
01939	100' SEOW w Hubbell Ends		Please Login
1493GC	25' 10/4 STW L14-30P to L14-30R		Please Login

Hubbell = 3 prong, curved

Ground Fault Circuit Interrupters (GFCI)

- 9" Pigtail - Just plug it in
- Grounded neutral protection
- Open neutral protection
- 4-6 mA fault current protection
- Mechanical trip indicator
- 120v/15 amp
- Individually boxed for hanging



Part#	List Price	Wholesale
14380		Please Login

GFCI Protected Quad (4) Outlet Box

- 125V/15A rated. UL/CUL listed
- Right angle GFCI plug, NEMA-15 P
- 6 feet of 12/3 gauge SJTW cord
- Lighted On/Off switch



Part#	List Price	Wholesale
30334-052		Please Login

3-Wire Single Outlet GFCI Adapter Plug

- 120V/15 amp
- Individually boxed for hanging
- For indoor use



Part#	List Price	Wholesale
30339-005		Please Login

User Attachable GFCI (20 amp)

- Operates automatically at 120V or 240V in both 15 amp and 20 amp
- Provides protection for 2 or 3 circuits
- Grounded neutral protection
- Open neutral protection



Heavy-Duty Rain-Proof Design

Part#	List Price	Wholesale
25000		Please Login

Triple Tap with In-line GFCI (15 amp)

- 2' cord
- 12/3 AWG
- Yellow
- Tagged for hanging



Part#	List Price	Wholesale
30338-024		Please Login

User Attachable GFCI (15 amp)

- 2.5 mA Fault detection
- Grounded neutral protection
- Mechanical trip indicator
- Individually boxed for hanging



Part#	List Price	Wholesale
30334-010		Please Login



Works Great With 10 Ga. Cords!



Plugs and Receptacles

Part#	Description	List Price	Wholesale
5965P	15 Amp 10 gauge plug, male		Please Login
05984	3-Wire, 15 amp, 12 gauge, male		Please Login
05985	3-Wire, 15 amp, 12 gauge, female		Please Login
LV5259VY	15 Amp 10 gauge, female		Please Login

“W” Adapter Part

- One male plug and three female connectors, 12/3, STW-A, Vinyl, 18”
- Indoor use only
- Polarized cord




Part#	List Price	Wholesale
1479		Please Login

15A/125V



Power Cord Adapter

- Converts a Twist-to-Lock 20 amp receptacle to a standard 15 amp grounded receptacle.



Part#	Description	List Price	Wholesale
09021	Power Cord Adaptor		Please Login
09020	Converts Standard U Ground to Twist-to-Lock (Not Shown)		Please Login

Standard Nylon Cable Ties (clear)



Sold by the bag.

Part#	Qty Per Bag	Tensile Strength	Overall Length	List Price	Wholesale
33NCT4	100	18 lbs.	4"		Please Login
CV200S	100	40 lbs.	7"		Please Login
CV292	100	50 lbs.	11"		Please Login
CV432	100	50 lbs.	14"		Please Login
CT17-50C9	100	50 lbs.	17"		Please Login
36-175	50	50 lbs.	36"		Please Login



Generator Adapters & Cord Sets

- Increase the number of useable 20 amp connectors
- Clear lighted female ends provide power indication
- Job-site tough, flexible STOW and SJTOW cord jackets provide excellent durability.
- Oil and chemical resistant vinyl jacket
- New Hand Pack boxes
 - allow customers to freely view all cord ends in the box
 - offer immediate counter/store displays

Part #	NEMA Plug	Connector
01915	L5-30P	(2) 5-20R
01924	L14-20P	(2) 5-20R
01934	L14-30P	(2) 5-20R
09084	L5-20P	(3) 5-15R

Part#	Description	List Price	Wholesale
01915	3' - 10/3 STOW L5-30P to (2) Lighted 5-20R		Please Login
01924	3' - 12/4 STOW L14-20P to (2) Lighted 5-20R		Please Login
01934	3' - 10/4 STOW L14-30P to (2) Lighted 5-20R		Please Login
09084	2' - 12/3 STOW L5-20P to Lighted Tri-Source 5-15R		Please Login

Yellow Jacket 5 Outlet In-Line Tap

- Outdoor rated with cord lock feature to prevent cords from being accidentally disconnected
- Cord lock accommodates 16/3 - 10/3 SJT (300V) cords up to 12/3ST (600V) cords
- Connect extension cords together for long power runs and add additional outlets for power tools and equipment at the connection point
- Durable, yellow overmolded vinyl jacket



Part#	List Price	Wholesale
997362		Please Login

Don't starve your power tool motor to death! Determine the ampere rating which is shown on the tool nameplate. Apply this value to the following chart to determine the proper AWG and length of cord.

12/3 AWG Cable	10/3 AWG Cable
50' 15 AMPS	50' 15 AMPS
100' 15 AMPS	100' 15 AMPS
150' 13 AMPS	150' 15 AMPS
200' 10 AMPS	200' 15 AMPS
250' 7 AMPS	250' 13 AMPS





Extension Cords

- Jacket type SJTW-A

White 12 Gauge 3-wire

Part#	Description	Ctn. Qty.	List Price	Wholesale
D14512025	25', non-lighted	12		Please Login
D14512050	50', non-lighted	6		Please Login
123100WN	100', lighted	4		Please Login

Yellow 12 Gauge 3-wire

Part#	Description	Ctn. Qty.	List Price	Wholesale
123100YN	100' lighted	6		Please Login
12350YN	50' lighted	4		Please Login

Orange 12 Gauge 3-wire

Part#	Description	Ctn. Qty.	List Price	Wholesale
D19912050	50', lighted	6		Please Login
D19912100	100', non-lighted	4		Please Login
D15992050	50', non-lighted, triple tap	6		Please Login
D15992100	100', non-lighted, triple tap	4		Please Login

Orange 10 Gauge 3-wire

Part#	Description	Ctn. Qty.	List Price	Wholesale
D14610025	25', non-lighted, triple tap	12		Please Login
D14610050	50', lighted, triple tap	6		Please Login
D14610100	100', lighted, triple tap	4		Please Login

Rental Equipment Cord

- Thermal vinyl plastic rated to -40°F
- 10/3 AWG super heavy-duty cord
- "For Rental Equipment Use" imprinted on cord every 18"
- Highly resistant to abrasion wear
- Maintains superior flexibility
- Jacket type - SJTW-A
- Sold individually



Part#	Description	Ctn. Qty.	List Price	Wholesale
D14110050L	10/3 50' Orange, lighted	6		Please Login
D14110100L	10/3 100' Orange, lighted	4		Please Login

Quad Plug Cord Reel w/Circuit Breaker

- 4 Outlet Reel Works with Almost Any Single-Tap Extension Cord
- Holds up to 100' of 16 & 14 Gauge Cords & up to 75' of 12 Gauge
- Polarized Plug w/4 Grounded Receptacles
- Resettable 11 amp Circuit Breaker
- Durable Steel Stand w/Grip Handle



Part#	List Price	Wholesale
K2000	Please Login	



NEW!

ProLock™
For Secure & Safe Connections



Push plug into the ProLock™ Connector



They instantly lock together!!



Pull down on the collar to release

ProLock Extension Cord Lock



Your extension cords will lock together and not pull apart! Simply push your plug into the ProLock Connector, and the plug and connector instantly lock together.

- Delivers 80 lbs. of pull strength
- Lighted amber power check indicator
- Impact resistant polycarbonate body
- Fitted strain relief for both 10 AWG and 12 AWG cord



Part#	Description	List Price	Wholesale
Extension cord with cord lock connector			
D16612050PL	50' 12/3 Yellow jacket Pro Lock extension cord		Please Login
D16612100PL	100' 12/3 Yellow jacket Pro Lock extension cord		Please Login
Connector Only - replaces existing female end on cord			
D12500515BK	ProLock connector - Black		Please Login
D12500515BL	ProLock connector - Blue		Please Login



Heavy-duty White Multi-Outlet Cord-6 outlets

- 12/3 50' cord with 600 volt jacket
- The outlets are every 10'
- Lighted ends
- Individually boxed

**12 Gauge
3 Wire
50'**

Part#	List Price	Wholesale
D1242	Please Login	





Long Handle Round Point Shovel

- #2 front turn step head style
- Black head color
- 47" yellow fiberglass handle
- Square socket
- PermaGrip™ collar, vinyl grip

Part#	List Price	Wholesale
SVLR40		Please Login



Long Handle Square Point Shovel

- #2 front turn step head style
- Black head color
- 47" yellow fiberglass handle
- Square socket
- PermaGrip™ collar, vinyl grip

Part#	List Price	Wholesale
SVLS41		Please Login



Rice Shovel

- Used for irrigation
- 46" yellow fiberglass handle
- Perforated round point head style
- Square socket
- Vinyl grip

Part#	List Price	Wholesale
SVRS40		Please Login



Grain Scoop

- Aluminum head material, #14
- 15.5" x 20" head size
- 29" hardwood handle, steel grip

Part#	List Price	Wholesale
SVSDA14		Please Login



Trench Cleanout Shovel

- Used for cleaning loose materials from trenches prior to laying cable or pipe
- Blade size: (SVTR403-3"x11.5") (SVTR45-5"x12")
- Yellow fiberglass handle (51" SVTR403) (45" SVTR45)
- PermaGrip™ collar, vinyl grip

Part#	List Price	Wholesale
SVTR403		Please Login
SVTR45		Please Login



Heavy Duty Grain Scoop

- 27% thicker than our other scoops for longer wear
- Aluminum head material, #14
- 15.5" x 20" head size
- 36" hardwood handle, steel grip

Part#	List Price	Wholesale
SVSDA14HM		Please Login



Soil Probe

- Cast metal tip head
- 0.5" x 48" yellow fiberglass shaft handle
- T-cushion grip

Part#	List Price	Wholesale
SP48		Please Login



Tamper


- 8" x 8" solid cast iron
- 45" yellow fiberglass, cushion handle

Part#	List Price	Wholesale
TP8FG		Please Login



Snow Squeegee

- 66" blue aluminum handle with vinyl grip, works well on sidewalks and entryways
- Great for slushy areas and features wrap bracing that does not interfere with snow removal
- 3" deep rubber blade which is replaceable
- 36" W x 66" L x 3"D



Part#	List Price	Wholesale
96636		Please Login



Snow Rake

- 16' aluminum 3-piece handle with vinyl grip
- 24" x 4-5/8" aluminum blade with solid aluminum braces riveted to blade
- Spring steel self-locking snap pins
- Flexible "Shingle Saver" protective sleeve
- ULTRA-light weight



Part#	Description	List Price	Wholesale
96716	Snow rake		Please Login
96060	5' ext. handle		Please Login

Asphalt Lute

- Aluminum blades are 36" wide
- Serrated edge
- Handle is 84" long & 1" diameter non-oxidizing aluminum



Part#	List Price	Wholesale
SA8436		Please Login

Price per pair

Landscape Rake

- Aluminum blades are 36" wide with 2-1/2" long finger-like tines
- Handle is 66" long & 1" diameter non-oxidizing aluminum



Part#	List Price	Wholesale
LA6636		Please Login

Price per pair

Thatching Rake

- 60" hardwood handle
- 20 teeth, 14-3/4"
- Removes thatch and debris from lawns



Part#	List Price	Wholesale
TR30		Please Login



Snow Pusher

- Black ABS head type
- 12" x 24" head size
- 44" yellow fiberglass handle, poly D grip



Part#	List Price	Wholesale
SN100		Please Login



Atlas Digger

- 48" yellow fiberglass handles
- 6" point spread
- Vinyl grip



Part#	List Price	Wholesale
DG100FG		Please Login



Barley Fork

- Forged steel, 5 tines head
- 54" hardwood handle
- Ideal for spreading straw or cleaning up debris



Part#	List Price	Wholesale
AF20		Please Login



Shingle Remover

- Notched with fulcrum head
- 48" hardwood handle

Part#	List Price	Wholesale
SG2LH		Please Login



Promo Deck Sprayer 1-Gallon

- Ideal for staining, sealing and washing
- Translucent bottle for ease in checking fluid level
- Spray decks, siding, fences and concrete with ease

Part#	List Price	Wholesale
25041		Please Login



Shingle Remover

- 36" yellow fiberglass handle
- 9" wide head
- Extra-strong steel brace

Part#	List Price	Wholesale
SG1		Please Login



SureSpray 2-Gallon Sprayer

- Patented surespray anti-clog filter
- Dry hands measuring cup
- Clean 'n easy design
- Translucent bottle for ease in checking fluid level
- Curved wand and reinforced hose


Part#	List Price	Wholesale
27020		Please Login



San Angelo Bar

- Forged steel - 1" dia. x 6' long,
- Hexagonal, black head diamond point

Part#	List Price	Wholesale
DG23	\$50.00	\$26.75



6 Cu. Ft. Wheelbarrow

- Poly tray
- 16" 2-ply tires
- Hardwood handle
- Heavy-duty channel steel front braces

Part#	List Price	Wholesale
WB6P		Please Login



Digger Tamper Bar

- Forged steel
- 6' long, chisel point
- 1" diameter, round, handle

Part#	List Price	Wholesale
DG19		Please Login



Woodsman™ Forestry System

- Perfect solution for chain saw, sandblasting or woodworking
- Gladiator® six point ratchet hard hat
- Earmuffs with cushions
- Molded steel mesh face screen



Metal Detector

- Sensitivity, Depth Adjustment (8 Settings)
- Battery Indicator
- Coin Depth Indicator
- Headphone Jack
- Touch-n-Go Operation
- Length: 42" to 51"
- Weight: 2.7 lbs. (1.2 kgs.)
- 4 AA battery operation (batteries included)
- 2 year warranty



Part#	List Price	Wholesale
ACE250		Please Login

Part#	Description	List Price	Wholesale
6000W	Entire System		Please Login
1000-5	Replacement suspension		Please Login
2293-1	Foam ear cups		Please Login
4000P	Face shield - clear		Please Login
4000W	Face screen - mesh		Please Login



Tree Pruner

- Compound action
- Cuts up to 1-1/4" limb
- 14" blade saw
- 7' to 14' extension fiberglass handle

Part#	List Price	Wholesale
WP6555		Please Login



Bash Sledge Hammers

- Unbreakable technology
- Hi-visibility green head
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- Safety plate locks head firmly to handle, eliminating dislodging
- Anti-vibe neck prevents injury from repeated use
- No-slip textured handle for secure grip
- Lanyard hole
- Tested for 25,000 overstrikes
- Meets ANSI standards



Part#	Head Size	Handle	List Price	Wholesale
20212	2-1/2 lb.	12"		Please Login
20412	4 lb.	12"		Please Login
20416	4 lb.	16"		Please Login
20424	4 lb.	24"		Please Login
20616	6 lb.	16"		Please Login
20624	6 lb.	24"		Please Login
20630	6 lb.	30"		Please Login
20636	6 lb.	36"		Please Login
20816	8 lb.	16"		Please Login
20824	8 lb.	24"		Please Login
20830	8 lb.	30"		Please Login
20836	8 lb.	36"		Please Login
21016	10 lb.	16"		Please Login
21024	10 lb.	24"		Please Login
21030	10 lb.	30"		Please Login
21036	10 lb.	36"		Please Login
21224	12 lb.	24"		Please Login
21230	12 lb.	30"		Please Login
21236	12 lb.	36"		Please Login
21424	14 lb.	24"		Please Login
21430	14 lb.	30"		Please Login
21436	14 lb.	36"		Please Login
22024	20 lb.	24"		Please Login
22030	20 lb.	30"		Please Login
22036	20 lb.	36"		Please Login



Bash Splitting Mauls

- Unbreakable Technology: Steel core design prevents breaking during overstrikes
- Safety Plate: Locks head firmly to handle eliminating dislodging
- No-Slip Grip: Textured handle for secure grip while striking
- Anti-Vibe Neck: Ergonomically designed to prevent injury from repeated job site use

Part#	Head Size	Handle	List Price	Wholesale
50630	6 lb.	30"		Please Login
50636	6 lb.	36"		Please Login
50830	8 lb.	30"		Please Login
50836	8 lb.	36"		Please Login

Deck Demon



Designed to quickly remove any type of decking materials as well as any fasteners left behind. The most efficient and effective tool to remove decking materials!

- Reduces time and labor
- Maximum leverage saves your back
- Single & double joist compatible
- No damage to existing structure with patented rocker design
- Commercial grade, all-steel construction



Part#	List Price	Wholesale
6004		Please Login





Troy-Bilt 17" Trimmers

- Powerful NO MIX OIL AND GAS 29cc 4-cycle engine
- JumpStart-capable engine eliminates the need to pull cord (Engine starter sold separately)
- Curved shaft is angled for comfort and direct view of the cutting line
- SpeedSpool 2 bump head makes loading line fast and easy
- Attachment-capable design allows the trimmer engine to power 10 different TrimmerPlus attachments, turning your trimmer into a garage full of tools

Part#	Description	List Price	Wholesale
TB525EC	Curved shaft		Please Login
TB575ECSS	Straight shaft		Please Login



Handheld Leaf Blower (CARB Compliant)

- 23.9 cc commercial grade 2 stroke engine provides excellent performance and reliability
- Class-leading air volume at 441CFM allows you to get the job done faster
- Lightweight (only 8.6 lbs) & well-balanced for comfortable use and less fatigue
- Produces an impressive air velocity of 170 MPH (with taper nozzle)
- Ideal for use and light landscaping

Part#	List Price	Wholesale
TRB24EAP		Please Login



JawSaw 5.0 Amp Electric Chainsaw

- Fully-enclosed bar and chain provides unrivaled user safety
- Patented auto-tension system sets the proper tension for you
- Steel teeth hold work in place while cutting for greater stability
- Blade housing allows for safe & easy cutting directly on the ground
- Automatic chain oiler with oil level indicator

Part#	List Price	Wholesale
WG307		Please Login



Remington Electric Chain Saw Pole Saw

- 2-in-1 tool-less conversion between pole saw and chain saw
- Powerful 8 Amp motor delivers solid cutting power
- Adjustable 6 ft. 7 in. to 9 ft. 11 in. telescoping pole with 15 ft. maximum reach capabilities
- Reliable 10 in. bar and chain
- Durable aluminum inner pole adds strength and control during extended reach operation
- Trigger lock-off mechanism prevents accidental starts
- Easy to use push button oiler system

Includes:

- Electric Pole Saw
- 10 in. Bar and Chain
- Owner's Manual

Part#	List Price	Wholesale
RM1015SP		Please Login





MAXIM

Aerator 36" Plug with Wheels

- Loosen soil
- Increase water filtration
- Increase oxygen
- Release carbon dioxide
- Encourage root growth
- 200 lb. capacity/24 gallons
- Overall width 52"
- Rolls on 1" grease-able pillow block bearings
- Wheels are 2 ply, 4.10x 3.50x 4 (for off-road use only)
- Bolt in sod pluggers



Part#	List Price	Wholesale
MSP36		Please Login



MAXIM

**HONDA
ENGINES**

Walk Behind Mower

- Honda GXV340
- Self propelled
- 30" Single blade
- True grip lug tires
- 3-Speed transmission with reverse
- All steel construction



Part#	List Price	Wholesale
MW1330H		Please Login



MAXIM

**HONDA
ENGINES**

Edger/Trencher

- 4hp Honda engine
- 1" 14 gauge tubular steel handles
- 8" heavy-duty wheels with steel rims
- 1/4" x 1" steel frame
- 5/8" hardened blade shaft
- 4" width x 1/2" depth
- Dual belts and pulleys for no slipping and less wear on belts
- Dual 9" Star Blades with spacer for maximum trenching width (use single blade for edging)



Part#	Description	List Price	Wholesale
RME4HWT	Edger		Please Login
359648	Star blade		Please Login



MAXIM

**HONDA
ENGINES**



Easy to transport folding handles



Compact Jr. Tiller

- Honda GXH50 engine
- Designed especially for the rental industry
- Serviceable roller chain & sprocket transmission
- Bolt on tines and tine shields
- Lift and transport handles/guards
- Folding handles - 14 ga. steel
- Fold away drag stake
- 15" tilling width
- Weight - 67 lbs.
- Easy to transport

Qualifies For
FREIGHT ALLOWED

Part#	Description	List Price	Wholesale
RMGXH2	Tiller		Please Login



MAXIM

**HONDA
ENGINES**



Maxim Commercial Tiller

- 160CC Honda engine
- Durable, simple to operate and maintain
- Heavy-duty frames have additional reinforcement at points of stress
- Transmissions enclosed in special design double-welded case
- Extra metal shield keeps wire and vines from getting into seal
- Tillers feature heavy-duty transport wheels & hitch
- Heavy-duty replaceable slasher tines are standard
- Transmission - Roller chain and sprocket sealed and running in oil
- Handles - 11-gauge seamless tubular steel w/ braces
- Tilling Width - 14" to 26" standard
- Wheels - Heavy-duty transport wheels with spring loaded latch pin

Part#	Description	List Price	Wholesale
RMT55H	Tiller		Please Login
130761	Set of 4 tines		Please Login

Qualifies For
FREIGHT ALLOWED



MAXIM

**HONDA
ENGINES**



Maxim Commercial Compact Tiller

- 120CC Honda OHV
- Transmission - Roller chain and sprocket, sealed and running in oil
- Tines - 11" Bolo, self-sharpening, heavy-duty non-winding, forged steel
- Tine Shaft - Case hardened carbon steel
- Tilling Width - 13" or 19" standard
- Tilling Depth - Up to 8"
- Handles - 14 gauge seamless tubular steel w/braces
- Clutch - Hand controlled belt tightener
- Frame - All steel, welded and braced
- Wheels - Adjustable or removable for tilling

Part#	Description	List Price	Wholesale
RM4H	Tiller		Please Login
130832	Set of 4 tines		Please Login

Qualifies For
FREIGHT ALLOWED



PAYMENT TERMS

Our terms are net 30 from date of invoice, unless otherwise stated. Past due invoices are subject to finance charges.

PAYMENT METHODS

We accept Visa, Mastercard, Discover, and American Express.

CREDIT APPROVAL

Orders will be processed subject to credit approval. Unless we have a signed and approved credit application on file, all orders will be held until approved or be processed by credit card. To establish an account, please, fill out the PHP credit application at www.phpdistribution.com or request an application via phone and fax a completed copy to us at 800-255-7985. If you include an order with your application, we will make every effort to process your application within 24 hours of receipt. If you require same day shipping, we suggest you pay using Visa, Mastercard, Discover or American Express.

BACKORDERS

On occasion, an unexpected surge in demand may render us temporarily short of inventory. When that happens we will automatically ship the backordered product when it arrives unless you advise us otherwise. If you prefer, we will hold your order and ship complete.

MINIMUM ORDERS

A \$3.00 charge will be added to orders of less than \$25.00.

RETURNS

Please call for a Returned Goods Authorization Number (RGA#) before returning any item. This number must be clearly marked on the outside of the returned package. You may return parts and whole goods within 14 days of the purchase date without a restocking fee if in new, sellable condition (original factory package, unused, unmarked). After 14 days, returned goods are subject to a 15% restocking fee, after 30 days contact our sales dept. If determined that the goods were shipped to you in error, we will absorb the return freight, otherwise all returns must be shipped prepaid.

Non-stock, special-order items may not be returned.

WARRANTY

If you have new equipment that needs warranty repair (damaged in transit, or not working properly), you can repair it under warranty, or return it to us, and we will repair it under warranty. We will not exchange new equipment for defective models. We expect our customers to process all defects as warranties. Replacement parts from new equipment must reference the model number and serial number. Upon receipt of defective parts we will issue you credit in accordance with factory guidelines.

SHIPPING

We ship all orders to continental U.S.A. destinations via either Federal Express or UPS; any order not conducive to either Federal Express or UPS will ship via one of our preferred carriers. If your order is being shipped collect, you may specify the carrier of your choosing at the time you place your order. Shipments to areas outside of the continental U.S.A., including international shipments, are subject to applicable shipping guidelines and rates. Your non-continental U.S.A. and international shipping rates will be determined on a case-by-case basis and you will be responsible to pay for all applicable shipping costs, as determined by us. All non-drop-shipped orders are shipped FOB Valparaiso, Indiana and freight claims for damaged or missing goods must be settled between the consignee and carrier. Freight shipped pre-paid and add is subject to a handling fee. PHP does not ship Cash on Delivery (C.O.D.).

GENERAL INFORMATION

We sell only to retail or other wholesale outlets. If you have a resale license, you are authorized to purchase from us at wholesale cost.

PRICES

Prices are subject to change without notice. See www.phpdistribution.com for prevailing prices.

TERMS & CONDITIONS

All prices, terms & conditions, promotions & product availability expressed in this catalog supercedes any previous offers. Terms and conditions are subject to change without notice.

FINANCE CHARGES

We charge a late fee of 1-1/2% per month on overdue invoices.


WILL CALL ORDERS

Will call orders must be placed in advance. Please, allow one hour from the time the order is placed to pick-up. Upon your arrival, our customer service personnel in our main lobby will coordinate your pick-up.



Large Stretch Wrap

- 18" x 1500'
- Extra wide



**Each Roll Is
1/4 Mile Long!**

Dispenser and roll are sold separately

Part#	Description	List Price	Wholesale
80183	Large stretch wrap		Please Login
12018	Metal dispenser(as in photo)		Please Login

4 per carton

Small Stretch Wrap

- Fits in the glovebox or toolbox



Part#	Size	List Price	Wholesale
51000	5" x 1000'		Please Login

Black Poly Film

- Super tough, fully waterproof plastic sheeting used by DIYers and contractors for large and small construction, landscaping, or covering projects
- Black
- 10' x 25'
- 4 mil
- Waterproof

**Hot
Seller!**



Part#	List Price	Wholesale
4CH10-B		Please Login

Hardware Cloth

- Galvanized for long life and durability
- Uniform mesh throughout
- Dozens of uses for home, yard, garden and shop.
- Galvanized after welding
- Roll
- 1/4"x24"x5'




Part#	List Price	Wholesale
11051213		Please Login



Blue Poly Tarps

- 8 x 8 Scrim
- 3' grommet spacing
- Roped Hem
- 30 micron coating
- 5-6 mil
- Sold individually



NEW !
Biolet grommet.
Stronger and
Rust Proof!!!

Part#	Ctn Qty	Size	List Price	Wholesale
B1010-068	40	6' x 8'		Please Login
B1010-810	25	8' x 10'		Please Login
B1010-1012	18	10' x 12'		Please Login
B1010-1216	10	12' x 16'		Please Login
B1010-1620	5	16' x 20'		Please Login
B1010-2020	5	20' x 20'		Please Login
B1010-2030	3	20' x 30'		Please Login
B1010-2040	3	20' x 40'		Please Login
B1010-3040	2	30' x 40'		Please Login
B1010-4040	1	40' x 40'		Please Login
B1010-4060	1	40' x 60'		Please Login

Camo Duct Tape

- Heavy duty camo duct tape has over a thousand uses around home, garage, or workshop
- Strong polyethylene backed, rubber base adhesive, 17 mil.



Part#	List Price	Wholesale
37066		Please Login



Rubber Tarp Straps

- Molded of 100% EPDM Rubber
- Guaranteed elasticity for up to one year

Part#	Strap Lgth	List Price	Wholesale
STR10	10"		Please Login
STR15	15"		Please Login
STR21	21"		Please Login
STR31	31"		Please Login
STR41	41"		Please Login



**Sold
Individually**



Painters Tape

- Removes cleanly and easily for up to 14 days without leaving adhesive residue
- Use with water-based and solvent-based coatings
- Medium Adhesion

Part#	Size	List Price	Wholesale
2090-48A	1.88" x 60 yards		Please Login

Carton Seal Cleartape


- 2" x 55 Yd. - 2.0 Mil
- Exceptional strength and flexibility with excellent adhesion
- Best for carton sealing, bundling and securing loose objects during shipment
- Temperature, tear and impact resistant
- Polypropylene Film



Part#	List Price	Wholesale
9852		Please Login

Tarp/Visqueen/Sidewall Tape

- Heavy-duty poly tape
- Repair tarps, visqueen or sidewalls
- Resists cracking or peeling
- 24 per carton



Part#	Size	List Price	Wholesale
82736	2" x 36 yards		Please Login

7 Mil Vinyl Electrical Tape

- UL approved
- Indoor & outdoor
- Sold in sleeves of 10
- 20 sleeves per case



Part#	Description	Size	List Price	Wholesale
VE75	Black	3/4" x 66'		Please Login

Thread Sealing Tape

- Pipe thread connections
- Air, propane or natural gas
- 200 per carton



Part#	Size	List Price	Wholesale
UT11	1/2" x 260"		Please Login

White Duct Tape

- Polyethylene coated cloth
- Use for indoor/outdoor carpet or vinyl tent sidewall repair
- 24 per carton
- 9 mil



Part#	Size	List Price	Wholesale
20CW2	2" x 60 yards		Please Login

Nifty® Hand Tear ClearTape

- 2" x 55 Yd. - 3.2 Mil
- Does not require a tape dispenser or knife
- Uses serrated edges for simple hand tearing
- Works in cold weather and outdoors
- 36 rolls per carton



Part#	List Price	Wholesale
T3761		Please Login

Utility Grade Duct Tape

- Conforms well to irregular surfaces
- Easy unwind
- Industrial strength
- 24 per carton



Part#	Size	List Price	Wholesale
493	1 7/8" x 60 yards		Please Login

1-YEAR WARRANTY



**Presto 3
Mini Carpet Extractor/Spotter**

- Convenient 2 gallon capacity
- 1.16 HP (870 watt) vacuum motor and 55 psi pump
- Clear view hand tool shows cleaning results
- Translucent recovery tank enables user to monitor recovery water level
- 8' x 1" hose, 25' 18/3 cord
- 19" L x 10" W x 17" H
- Weight: 16.3 lbs

Part#	Description	List Price	Wholesale
PRS3	Carpet Extractor		Please Login



**Mini-Pro
Carpet Extractor**

- Cleaning Path: 10"
- 4 gallon (15 L) solution and recovery tank for home or commercial cleaning
- Solution tank designed with no-mess splash back
- Comfort grip, adjustable handle with one-button activation
- Fold-down handle for easy transportation in any vehicle
- Vac shoe with wrap around soft-sided bumper for surface protection
- Large 10" non-marking wheels
- 25' cord
- 36.25" L x 14" W x 30" H
- Weight: 79 lbs



Part#	Description	List Price	Wholesale
MP1008	Carpet extractor		Please Login
ST8629	Stair/Upholstery hose		Please Login



**Shipp Carpet
Cleaning
Chemicals**



**2 oz. of
product to
1 gallon of
water!**

Marvel Steam Cleaner
The ideal product for top quality, one step, convenient carpet cleaning.

Part#	Description	Ctn.	List Price	Wholesale
S00562	Marvel, 32 oz.	12		Please Login
S00563	Marvel, 64 oz.	6		Please Login
S00564	Marvel, 128 oz.	4		Please Login



Traffic Lane Pre-Cleaner - 12 per carton
Loosens tough spots from high traffic lanes.

Part#	Description	List Price	Wholesale
S00531	Pre-Cleaner, 32 oz.		Please Login



UrineRx - 12 per carton
Specially engineered to remove urine odor.

Part#	Description	List Price	Wholesale
URINERX	UrineRX, 32 oz.		Please Login

All Chemicals Are Sold By The Bottle

1000 CFM Carpet Blower

- 1/5 hp, 1400 rpm
- 3 speed rotary dial switch
- 15 foot safety yellow power cord
- Tough roto-molded poly housing
- Built-in cord wrap
- Multiple position versatility



Part#	CFM	Volts	Amps	List Price	Wholesale
OS1000	1000	115	2.5		Please Login



2500 CFM Carpet Blower

- Rotomolded polyethylene housing
- 3-speed switch
- 23' cord with large built-in cord wrap
- Non-skid rubber feet (4)
- Off-set roto-molded carrying handle
- 29 lbs.



Part#	CFM	Volts	Amps	List Price	Wholesale
F600	2500	115	2.4 - 4		Please Login

2800 CFM Carpet Blower

- 3/4 hp, 1500 rpm
- 3 speed rotary dial switch
- 30 foot safety yellow power cord
- Tough roto-molded poly housing
- Built-in cord wrap
- ETL/CE/SAA certified



Part#	CFM	Volts	Amps	List Price	Wholesale
OS2800	2800	115	6.8		Please Login





Folding handle makes it easy to transport.

RIP-R-STRIPPER™ Floor Stripper

- Great for removing such materials as carpet, ceramic tile and linoleum
- Folding handle allows easier transport in smaller vehicles
- 3/4-HP, 115/230 VAC, 60-Hz electric motor
- Low noise levels (less than 70 dBA)
- Solid plastic wheels positioned for transporting up and down stairways

Part#	Description	List Price	Wholesale
FCS16	Floor Stripper		Please Login
Blades			
FCS1611	Straight 4"x6"		Please Login
FCS1612	Angled 6" wide		Please Login
FCS1613	Straight 3"x10"		Please Login
FCS1614	Angled 10" wide		Please Login
FCS1615	Scoring facing up		Please Login
FCS1616	Scoring facing down		Please Login

FCS1611 - Straight, 4"x6" wide, dual beveled edge. For use with general purpose removal projects both concrete and wood surfaces.

FCS1612 - Angled 6" wide, single beveled edge. For use with mastic and thin film covering removal projects on concrete surfaces ONLY.

FCS1613 - Straight, 3"x10" wide, single beveled edge. For use with general purpose removal projects both concrete and wood surfaces.

FCS1614 - Angled, 10" wide, single beveled edge. For use with mastic and thin film covering removal projects on concrete surfaces ONLY.

FCS1615 - Scoring, 8" wide, beveled edge FACING UP. For use removing glued carpet and sheet type linoleum, rubber, PVC, etc. products from concrete surfaces ONLY.

FCS1616 - Scoring, 8" wide, beveled edge FACING DOWN. For use removing glued carpet and sheet type linoleum, rubber, PVC, etc. products from wood surfaces ONLY.

Linoleum Rollers

- All steel trouble free construction
- Detachable handle
- Use on: linoleum, vinyl sheet goods, rubber tile, vinyl tile, cork tile, wood block tile, and roofing systems

Part#	Weight	List Price	Wholesale
GU100LR	100 lb.		Please Login



Rip-R-Stripper Cart



Includes One Mounting Kit!!

Shown with the Bosch Breaker Hammer #11335K

*Breaker Not Included



- Removes ceramic tile, hardwood floor and other tough coverings
- Acts as a tool carrier for electric-powered breakers with ratings between 30 and 45 ft.-lbs.
- 12" maximum scraper blade width

**Please Note: The carts listed below come with one mounting kit.*



Part#	Breaker Model	List Price	Wholesale	Availability
CTS12-1000A	Makita HM1500B		Please Login	Drop Ship
	Makita HM1307C			
CTS12-1100A	Makita HM1317CB		Please Login	Drop Ship
	Makita HM1307C			
CTS12-1200A	Bosch 11335K		Please Login	In-Stock
	Bosch GSH 16-28			
CTS12-1300A	Hilti TE905-AVR		Please Login	Drop Ship
CTS12-1600A	Hitachi H65DS2		Please Login	Drop Ship
CTS12-2100A	DeWalt D25941		Please Login	Drop Ship

Mounting Kits



- Use these different mounting kits to attach the Rip-R-Stripper to different 35 lb. electric powered, hand-held breaker hammers.

The Rip-R-Stripper Cart comes with one mounting kit at no additional charge.

*If you need an **additional** mounting kit, please specify which one when ordering.*

Part#	Breaker Model	List Price	Wholesale
1000A	Makita HM1500B		Please Login
	Makita HM1307C		
1100A	Makita HM1317CB		Please Login
	Makita HM1307C		
1200A	Bosch 11335K		Please Login
	Bosch GSH 16-28		
1300A	Hilti TE905-AVR		Please Login
1600A	Hitachi H65DS2		Please Login
2100A	DeWalt D25941		Please Login



Clarke

STOP AND LOOK

EZ-8 Sander 8" Drum Sander

Contractor-type results with easy-to-use features for the do-it-yourselfer. Available with two drum types - standard and expandable. Comes complete with standard clamp drum with 3-screw clamp bar or with an expandable drum for no-tool paper changes. Enclosed motor eliminates overheating, and the drum lowering lever lets you "feather" the drum like the pros.

- Heavy duty 1-1/2 HP dual capacitor motor is totally enclosed and dust free
- Non-slip cogged belt
- Easy change sandpaper
- Dismantles easily
- 40' power cable
- Designed for years of service
- Weight - 105 lbs.

Qualifies For **FREIGHT ALLOWED**

SHIPS BY TRUCK

Part#	Description	List Price	Wholesale
07058A	Sander-Expandable		Please Login

Silicon Carbide Sandpaper Model 7057A only (clamp type)
• 8" x 19-1/2"

Virg. Abr. Part#	Abmast Part#	Description	List Price	Wholesale
002-08100	B5210	100 Grit		Please Login
002-08080	B5280	80 Grit		Please Login
002-08060	B5260	60 Grit		Please Login
002-08036	B5236	36 Grit		Please Login
002-08024	B5224C	24 Grit		Please Login
002-08020	B5220C	20 Grit		Please Login
002-08016	B5216C	16 Grit		Please Login

Sandpaper Model 7058A (expandable type)

Virg. Abr. Part#	Abmast Part#	Description	List Price	Wholesale
Sandpaper is for Expandable Sander				
018-81996	C8912	120 Grit		Please Login
018-81994	C8910	100 Grit		Please Login
018-81980	C8980	80 Grit		Please Login
018-81960	C8960	60 Grit		Please Login
018-81940	C8940	40 Grit		Please Login
018-81936	C8936	36 Grit		Please Login
018-81924	C8924	24 Grit		Please Login



Clarke

Super 7R Wood Floor Edger

STOP AND LOOK

- Powerful 1 HP motor
- 2800 RPM
- Hardened steel pinion reduces vibration
- Precision fitted integral universal motor components
- Sealed ball bearings
- Large 600 cubic inch collector bag

Part#	List Price	Wholesale
07125A		Please Login

Qualifies For **FREIGHT ALLOWED**

Super 7R Edger Sandpaper Model 7075A

Virg. Abr. Part#	Abmast Part#	Description	List Price	Wholesale
006-70894	B0710	100 Grit		Please Login
006-70880	B0780	80 Grit		Please Login
006-70860	B0760	60 Grit		Please Login
006-70840	B0740	40 Grit		Please Login
006-70836	B0736	36 Grit		Please Login
006-70820	B0720C	20 Grit		Please Login

50 per carton

Rotating dust pipe allows the dust bag or hose connection to move freely out of the way during operation. The Super 7R pipe rotates 210°.

Don't Forget About SAFETY!

Dustmasks Page 161



Hearing Page 161



Safety Glasses Pages 39-45





Electrical Orbital Sanders

- Powerful totally enclosed motor requires less maintenance
- Rigid cast aluminum pad driver provides increased durability
- Designed specifically for fine finishing of hardwood floors
- Large non-marking transport wheels
- Precision balanced for smooth operation
- Excellent "between coats" system
- Available in standard or dust control version
- Sanding path: 18"
- Sanding pad size: 12" x 18"
- Motor: 1HP
- Power cable: 14-3 50'
- Size (L x W x H): 19" x 20" x 45"
- Shipping weight: 145 lbs.
- *OBS18 is 07076B*
- *OBS18DC is 07081B*



Part#	Description	List Price	Wholesale
OBS18	Floor sander		Please Login
OBS18DC	Floor sander w/dust control		Please Login




HEATER PARTS, INC.
Floor Sanders



Orbital Floor Sanding Sheets

- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- Pressure Sensitive Adhesive "Sticky-Back" Backing
- Sold individually



Virg. Abr. Part#	Abmast Part#	Size	Pkg. Qty.	List Price	Wholesale
PSA Abrasive Sheets - "Sticky-Back" Backing					
206-34100	B1810	12" x 18"	100	20	Please Login
206-34080	B1880	12" x 18"	80	20	Please Login
206-34060	B1860	12" x 18"	60	20	Please Login
206-34036	B1836	12" x 18"	36	20	Please Login
206-34020	B1820C	12" x 18"	20	20	Please Login

20 per carton



Orbital Floor Maintenance Thick Pads

- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- Sold individually



Virg. Abr. Part#	Abmast Part#	Size	Pkg. Qty.	List Price	Wholesale
416-54187	J182W	12" x 18"x1" White	5		Please Login
416-54186	J182T	12" x 18"x1" Tan	5		Please Login
416-54185	J182G	12" x 18"x1" Green	5		Please Login
416-54184	J182B	12" x 18"x1" Black	5		Please Login
416-54180	J182R	12" x 18"x1" Red	5		Please Login

5 per carton





NEW LOW PRICE



Power Palm Pneumatic Nailer

- Pressure activated...simply press down, and let the tool do the work
- Will allow blind nailing closer to the wall and reduce the amount of face nailing
- Featuring 360 degree swivel tip
- Magnetic cleat holder keeps nail in position
- Uses 16 or 18 gage Powercleats
- Great for starter rows
- Use for final rows
- Use on doorway and flooring transition

Pneumatic Nailer for solid wood

- 1-1/2", and 2" Powercleat range
- 16 gauge cleat
- Safety trigger prevents discharge unless depressed
- Rugged cast aluminum body, handle and adapter foot
- Replaceable seals, cylinder sleeve and driving blade
- Weighs approximately 12 pounds
- Operates on 80-100 psi air pressure
- Complete with 3MI mallet
- Optional carry case (PN0699205)

Part#	List Price	Wholesale
PN445		Please Login
PN0699205		Please Login

Manual Nailer for solid wood

- 1-1/2", 1-3/4" and 2" Powercleat range
- 16 gauge cleat
- Use with 1/2", 5/8", 3/4" and 33/32" flooring
- Designed to nail flooring without splitting the tongue or damaging the floor surface
- One mallet blow drives nails at a perfect 45° angle
- Complete with 5MI mallet (white)
- Optional carry case (PN0699205)

Part#	List Price	Wholesale
PN45R		Please Login
PN0699205		Please Login

Part#	List Price	Wholesale
02-PALM001		Please Login



Pneumatic Stapler for solid wood

- 15 gauge staples
- Uses same proven design as nailers.
- Uses the new Powernail Powerstaples in 1-1/2", 1-3/4", and 2" sizes for 1/2", 3/4", and 33/32" tongue and groove flooring
- Optional carry case (PN0699205)
- White mallet

Part#	List Price	Wholesale
PN445FS		Please Login
PN0699205		Please Login




Nails & Staples



16 Gauge Nails 20 Gauge Nails 15 Gauge Staples

Part#	Gage/Length	Cleats per case	Weight	Approx. sq.ft. coverage/case	List Price	Wholesale
PN31200	16G, 2"	1,000	60#	200		Please Login
PN31500	16G, 1-1/2"	1,000	50#	180		Please Login
PN31250	20G, 1-1/4"	2,000	41#	200		Please Login
PN31000	20G, 1"	2,000	35#	200		Please Login
PN31220	15G, 2"-staple	7,700	35#	1,300		Please Login
PN31215	15G, 1-1/2"-staple	10,300	33#	1,500		Please Login



Power Trowel Blades

- Used in conjunction with power trowels for finishing large areas of concrete or for concrete that is too stiff to handle otherwise
- Some available in two mounting styles: bar or channel mount

Pins

- For the channel type mounting blade
- Comes in pairs
- Size: 3-1/2" length



Part#	Type	Model#	Mach. Size	Size	Stock	List Price	Wholesale
17436	Float	A4172	36	10" x 14"	Y		Please Login
17236	Combo	M6092	36	8" x 14"	Y		Please Login
17336	Finish	M6093	36	6" x 14"	Y		Please Login
17244	Combo	M6094	42-48	8" x 18"	Y		Please Login

Part#	List Price	Wholesale
17710		Please Login

Power Trowel Blade Conversion Chart (all size references reflect inches)

Machine Model#	Blade Type	Blade Size	Mfr. Part#	Model Part#	Machine Model#	Blade Type	Blade Size	Mfr. Part#	Model Part#	Machine Model#	Blade Type	Blade Size	Mfr. Part#	Model Part#
BARTELL					ESSICK					STONE				
B336/B-436	Finish	6 x 14	TA414	M6093	LB34-3-4	Finish	6 x 14	LB34-120	M6093	T-36	Finish	6 x 14	34578	M6093
	Comb.	8 x 14	TA414	M6092		Comb.	8 x 14	LB34-107	M6092		Comb.	8 x 14	34583	M6092
	Float	10 x 14	TA414F	A4172		Float	10 x 14	LB34-121	A4172		Float	10 x 14	34586	A4172
CEMENTCO-WESTERN					KELLEY					STOW				
3CT-34G3-G4	Finish	6 x 14	3CT-146F	M6093	360TNew	Finish	6 x 14	23674	M6093	36"	Finish	6 x 14	22027-501	M6093
3CT-34E3-E4	Comb.	8 x 14	3CT-148C	M6092		Comb.	8 x 14	23673	M6092		Comb.	8 x 14	22029-501	M6092
	Float	10 x 14	3CT-148C	A4172		Float	10 x 14	23675	A4172		Float	10 x 14	22028-501	A4172
CHALLENGE-CLIPPER					KRAFT					WAGMAN				
EVEREADY-BRIKSAW					36"					Finish				
F-34-3-4	Finish	6 x 14	5530065	M6093		Comb.	8 x 14	SK101	M6092		Comb.	8 x 14	WX614F	M6093
	Comb.	8 x 14	5530064	M6092		Float	10 x 14	SK102	A4172		Float	10 x 14	WX8140	M6092
	Float	10 x 14	5530066	A4172	MBW					WX914F0				
CHAMPION-DESA					36"					Finish				
CORBIT NORTHRUP					Comb.					8 x 14				
360-370-G-G4	Finish	6 x 14	441140	M6093		Comb.	8 x 14	5402	M6092	WHITEMAN				
	Comb.	8 x 14	441128	M6092		Float	10 x 14	5403	A4172	J3 & E 34"				
	Float	10 x 14	441143	A4172	MORRISON					Comb.				
DART					36"					Finish				
DTF-36	Finish	6 x 14	DT7082	M6093		Comb.	8 x 14		M6092	Float				
	Comb.	8 x 14	DT7080	M6092	MULLER					10 x 14				
DTF-36					36-3G & E					Comb.				
DTF-36					36-4G & E					Comb.				



Pul-krete

- Blade of 12-gauge cold rolled steel
- Comes with 54" hardwood handle
- Size: 19" x 54" with hook

Part#	List Price	Wholesale
13877		Please Login



Bull Float

- Magnesium blade
- Double rib construction for added strength
- Long wearing and properly balanced
- Size: 48" x 7-1/4"

Part#	List Price	Wholesale
14704		Please Login



Aluminum Handle Section

- Lightweight, yet rigid tubular design
- Large threads can be combined with similar handles
- Size: 6' x 1-3/4" diameter

Part#	List Price	Wholesale
14804		Please Login



Collects up to 99% of airborne dust!



16 Gal. Wet/Dry Vac


- Reinforced barrel and lid (3x stronger)
- Durable rubber wheels for mobility
- Primary and secondary filters may be cleaned without removing the lid
- There is no need to change the filters when switching from a dry job to a wet job (the filters never get wet)
- Large capacity barrel easily holds 40 pounds of dust
- Filters are washable (just throw them in your washing machine)
- Patented double filter system
- We use a powerful 23,000 RPM 11.5 amp electric motor
- Quiet operation at only 81 dB
- External agitator rod allows you to clean filters without opening barrel
- INCLUDES:(1) 16-gallon DustlessVac, (2) extension wands, (1) outer filter, (1) inner filter, (2) WunderBag micro pre-filter, (1) crevice tool, (1) floor tool, (1) 1.5" x 12' crush-resistant hose, 4 Durable rubber casters



16 Gal. HEPA Wet Dry Dustless Vac



- Certified to meet EPA Lead Safe standards
- Can be used for hazardous materials like lead, silica, asbestos
- Large capacity barrel easily holds 40 pounds of dust
- Low long-term upkeep costs make the vacuum very economical
- Powerful 11.5 amp motor provides strong suction
- Switch between dry and wet pickup instantly
- Certified to meet the airtight standards required to support a HEPA rating
- Worry-free wet or dry vacuuming-HEPA filter stays dry
- Wunderbag works in wet and/or dry applications
- INCLUDES:(1) 16-gallon HEPA DustlessVac, (2) extension wands, (1) certified HEPA filter, (1) HEPA filter cover, (2) WunderBag micro pre-filter, (1) crevice tool, (1) floor tool, (1) 1.5" x 12' crush-resistant hose, 4 durable rubber casters



Part#	Description	List Price	Wholesale
D1603	Dustless Wet/Dry Vac		Please Login
D1606	HEPA Dustless Vac		Please Login
DT13141	Micro Pre Filter Package .5 Microns, 2-pack		Please Login
DT13201	HEPA Dustless Filter, .3 Microns		Please Login
D14251	12' Flexible Hose		Please Login
D14291	25' Flexible Hose		Please Login




Turbo Drywall Sander

- Orbital sanding head does the work for you
- Turbine motor is powered by air flow from the vacuum
- Drywall dust is sucked through narrow channels on all four sides of the sanding face
- 6' extendable pole eliminates need for ladders and scaffolding
- Velcro-style sandpaper



It's Hip To Be Square!
Reach Into Corners And Tight Places!



Air powered turbine provides aggressive orbital sanding motion.

Dust is vacuumed in on all four sides.

Sandpaper comes in 25 sheets per package.

Part#	Description	List Price	Wholesale
50001	Turbo Sander		Please Login
54502	100 grit sandpaper		Please Login
54102	120 grit sandpaper		Please Login
54702	150 grit sandpaper		Please Login
54202	180 grit sandpaper		Please Login
54302	220 grit sandpaper		Please Login





DustBuddie® with Universal Adapter & 18" hose

- Fits most hand grinders; adjust height with screws
- Easy to install with band clamp
- Polycarbonate for improved visibility and durability
- Removable front edge of shroud for grinding close to edge
- Brush skirt for improved performance on textured surfaces

Part#	Size	List Price	Wholesale
D1835	5"		Please Login
D1850	7"		Please Login



Hose sold separately



Dustie™

- Fits 4" - 9" grinders
- Dust control shroud fits most hand grinders including Makita, Bosch, Dewalt
- Captures up to 99% of airborne particles
- Meet OSHA guidelines for worker safety
- Installs fast and easy - the Flex-Flange™ connecting collar is built onto the shroud
- No separate universal adapter to hassle with


Part#	Description	List Price	Wholesale
D1836	5" Dustie		Please Login
D1854	7" Dustie		Please Login
D5155	18" Hose		Please Login



BitBuddie™ Dustless Bit Shroud

- Use with drills, hammer drills & core drills
- Vacuums up dust and slurry as it is made
- Vacuum pressure holds it in place – no clamps necessary
- Compact design for tight places
- Excellent for drilling faucet holes in stone countertop

Part#	List Price	Wholesale
D1900		Please Login



DustBubble® for Dustless Drilling

- Disposable dust collectors
- Catches virtually all the dust when you drill
- When finished, simply remove the DustBubble from the wall and discard it
- Includes 3 cases with 35 of each type in each case
- Each individually wrapped

Part#	List Price	Wholesale
D2200		Please Login



10 Gallon HEPA Dry Vac

- Equipped with a powerful 2-hp motor
- High efficiency 'Drop-in' style HEPA filter has a minimum efficiency of 99.97% at .3 microns
- Includes exclusive 'never-clog' dacron bag
- Positive locking, full swivel hose connection system
- Low noise allows for use in sound sensitive areas
- 25' power cord



Vacs Includes:



- 5' two-piece metal wand (B521007)
- 10' X 1.5" crushproof hose (B702361)
- 14" floor brush tool (B527095)
- 17" crevice tool (B701615)
- 3" round dusting tool (B000394)
- Disposable paper filter bags - 1 each (B700408)
- Disposable Poly Bags - 3 each (B704004)



10 Gallon HEPA Wet/Dry Vac

- Equipped with a powerful 1.5-hp motor
- Includes all the same features as the standard dry version, but is outfitted with a spacer and wet shut off that allows recovery of wet materials and prevents overfilling
- High efficiency 'Drop-in' style HEPA filter has a minimum efficiency of 99.97% at .3 microns
- Includes exclusive 'never-clog' dacron bag
- Positive locking, full swivel hose connection
- Low noise allows for use in sound sensitive areas
- 25' power cord



B260619



B00517

Part#	Description	List Price	Wholesale
45HEPA-D	10 gal. HEPA Dry Vac		Please Login
45HEPAW-D	10 gal. HEPA Wet/Dry Vac		Please Login
B260619	HEPA filter assembly		Please Login
B000517	Never clog filter bag		Please Login



12-Gallon Wet/Dry Vac with Detachable Blower

- Comes with a detachable blower
- 2-1/2" accessory assortment for wet or dry applications, easy to reach large on/off switch
- Includes 8' by 2-1/2" LockOn hose, 22-1/2" extension wands, 14" floor nozzle, 120° elbow, crevice tool, 8" utility nozzle, ergonomic elbow grip, blower nozzle, concentrator nozzle
- 18' power cord with on-board cord storage

Part#	Description	List Price	Wholesale
9633400	Vacuum		Please Login



10-Gallon Wet/Dry Vac

- 6' power cord
- Lock-on Hose
- On-board Accessory Storage
- Air Flow: 185 (CFM)
- Electrical Ratings: 120V 60Hz 10.5Amps
- Peak Air Watts: 335

Included Accessories:

- 1-1/4" Dia. X 8' Lock-On hose, (2) 1-1/4" extension wands, 10" wet/dry nozzle, gulper nozzle, crevice tool, cartridge filter, disposable filter bag

Part#	Description	List Price	Wholesale
9651000	Vacuum		Please Login





50 Person First Aid Kit

- Great for shops, jobsites, sporting events

Part#	List Price	Wholesale
6088		Please Login

CONTENTS	QTY.
1" x 3" Adhesive Strips	100
4"x4" Sterile Gauze Pads	10
8"x10" Sterile Combine Pad	2
1/2"x5yd Adhesive Tape	1
4"x5yd Non-Sterile Gauze	2
40" Triangular Bandage	2
Antiseptic Wipes/Burn Cream	1
Antiseptic Wipes	30
First Aid Burn Cream Packets	6
Instant Cold Pack	2
Latex Exam Gloves	2
Scissors	1



Industrial First Aid Station Cases

- Rugged steel with wall mounting slots and a carrying handle

2-Shelf Case

- Dimensions 10.25" x 15" x 5"



3-Shelf Case

- Dimensions 13.5" x 16.5" x 6"



4-Shelf Case

- Dimensions 14.5" x 21.5" x 6"



5-Shelf Case

- Dimensions 22" x 28" x 8"

Supplies Shown Are Not Included

Part#	Shelves	List Price	Wholesale
6135MT	2		Please Login
6155MT	3		Please Login
6175MT	4		Please Login
6195MT	5		Please Login



25 Person First Aid Kit

- Great for shops, jobsites, vehicles, hunters, camping

Part#	List Price	Wholesale
6080		Please Login

CONTENTS	QTY.
1" x 3" Adhesive Strips	100
8"x10" Large Wound Dressing	1
4"x4" Gauze Pads	5
4"x5yd Gauze Bandage, 4"	1
1/2"x5yd Adhesive Tape	1
40" Triangular Bandage	1
Antiseptic Wipes	30
First Aid Cream Packets	6
Cold Pack	1
Latex Exam Gloves	2
Scissors	1



Supply Refills for all First Aid Kits



Part#	Description	List Price	Wholesale
1-200	1"x3" adhesive strips(100)		Please Login
1-100	3/4"x3" adhesive strips(100)		Please Login
1-550	1"x3" heavy woven fabric strips(50)		Please Login
1-825	Heavy woven knuckle bandage(25)		Please Login

Portable Eyewash Station



- Compliance - ANSI Z358.1
- 1-hand operation
- Gravity fed
- No plumbing required
- Size: 25-1/2" x 20" x 9-1/2"
- Eyewash preservative #5136
- 15 minute flow time



Part#	Description	List Price	Wholesale
5135	Eyewash station		Please Login
5136	Eyewash preservative		Please Login



Double Bottle 16oz. Eye Wash Station



Includes 2 eye cups

- 2 each
- Bottles of sterile isotonic buffered solution for flushing or irrigating the eyes on a dual wall mount ready station
- Includes eye cups for easily focusing the fluid stream

Part#	Description	List Price	Wholesale
24102	Complete station		Please Login
24101	Replacement bottle		Please Login



24 replacement bottles in a case

NEW!

BRING THE HEAT

HEATED JACKET



12V Max Heated Jacket **BOSCH**

Keep cozy in cold conditions with the Bosch 20V/12V MAX Black Heated Jacket. It's equipped with 3 quick warming heat zones (2 chest and 1 back zone) so you stay warm in even the coldest temperatures. Equipped with a high quality water and wind resistant design, it's powered by the Bosch 12V max battery for up to 6 hours of run-time. Plus, it has 5 convenient internal and external pockets for storage.

- 2 chest zones and 1 back zone start warming in seconds
- 3-level heat controller: high (red), medium (green) and low (blue) for maximum control and comfort
- Up to 6 hours of run-time (maximum run-time with Bosch 12V Max batteries on low setting)
- USB charging option for most personal electronics (5V/1A Max Output) while in Jacket Pocket
- High quality water and wind resistant design with adjustable sleeves and waist for maximum comfort while working
- All metal holster/backup belt clip for convenient storage outside jacket
- 5 convenient internal and external pockets for more storage

Product	Sizes	Chest	Height	Sleeve Length
PSJ120S	S	49"	29"	32.4"
PSJ120M	M	51"	29.1"	33"
PSJ120L	L	53"	30"	33.7"
PSJ120XL	XL	56"	30.1"	34.3"
PSJ120XXL	XXL	58"	31.4"	34.9"
PSJ1203XL	3XL	61"	31.6"	35.7"

Part#	Description	List Price	Wholesale
PSJ120-size	Jacket S-2XL		Please Login
PSJ120-3XL*	Jacket 3XL		Please Login
BHB120	Battery holster		Please Login
BAT414	Battery		Please Login
BC330	Charger		Please Login
SKC120-102	Battery/Charger		Please Login

*Note: 3XL will be a special order item



3-quick warming core heat zones




Includes Holster, Battery and Charger



Up to 6 hour heated runtime



3-level heat controller



Chest pocket



USB option for most personal electronics



BOSCH

7-1/4" Sidewinder™ Circular Saw

- All magnesium motor housing stabilizes drive train
- Best-in-class torque
- Dual-field motor is especially designed for saws by providing increased cooling to extend tool life
- 7-1/4 in. 24 tooth Diablo carbide blades
- Stay true guarantee 180 days money-back guarantee + 1 year limited warranty
- Dust blower clears the line of cut
- 15 Amp Dual-Field™ motor stays cool
- Handle with true grip

Part#	List Price	Wholesale
SPT67WM-22		Please Login



BOSCH

7-1/4" Worm Drive Saw

- Lightweight magnesium construction
- Dual-field motor is especially designed for saws by providing increased cooling to extend tool life
- Durable die-cast magnesium foot has large easy-to-read bevel and depth-of-cut scales
- 53° bevel allows for a wide variety of cuts
- 24-tooth Diablo carbide blade included
- Stay true guarantee 180 days money-back guarantee + 1 year limited warranty

Part#	List Price	Wholesale
SPT77WML-22		Please Login



BOSCH

10-1/4" Sawsquatch™ Worm Drive Circular Saw

- Larger than life saw for cutting 4x cleanly and efficiently in 1-pass
- 15-Amp dual-field motor designed specifically for saws for relentless power and durability
- Magnesium construction means legendary durability
- Includes Diablo blade so you're ready to make perfect cuts right out of the box

Part#	List Price	Wholesale
SPT70WM-22		Please Login



Makita

7-1/4" Circular Saw

- Powerful 15.0 AMP motor delivers 5,800 RPM
- Lower guard design improves performance when making bevel and narrow cuts
- Large cutting capacity (2-3/8" at 90°, 1-3/4" at 45°)
- Two built-in L.E.D. lights illuminate the line of cut
- Well balanced design for superior handling and performance
- Built-in dust blower clears the line of cut for greater accuracy
- Technologically-advanced centrifugal fan and baffle system for efficient cooling of the motor
- All-ball bearing construction engineered for longer tool life

Includes

- 24T Carbide-Tipped Blade (D-24826)
- Hex Wrench

Part#	List Price	Wholesale
5007F		Please Login



Wheel Not Included

Bosch 7" High Performance Angle Grinder

- Maximum power at minimum weight - up to 20% lighter than comparable tools
- Patented vibration control with soft grip
- AC/DC capability
- Quick adjust guard system
- Service minder brushes - eliminates guesswork, stops tool when preventive maintenance is required
- Tri-Control Switch Design - helps prevent accidental start-ups

Includes		Specifications	
Vibration control side handle		Length	17.5"
Quick adjust wheel guard		Max. Motor HP	4
Grinding wheel flange kit		No Load RPM	8,500
Spanner wrench		Rating	120 V AC/DC
		Spindle Thread	5/8" - 11
		Weight (lbs.)	11.4

Part#	List Price	Wholesale
1974-8		Please Login



Wheel Not Included

Bosch 9" High Performance Angle Grinder

- Maximum power at minimum weight - up to 20% lighter than comparable tools
- Patented vibration control with soft grip
- AC/DC capability
- Quick adjust guard system
- Service minder brushes - eliminates guesswork, stops tool when preventive maintenance is required
- Tri-Control Switch Design - helps prevent accidental start-ups

Includes		Specifications	
Vibration control side handle		Length	17.5"
Quick adjust wheel guard		Max. Motor HP	4
Grinding wheel flange kit		No Load RPM	6,500
Spanner wrench		Rating	120 V AC/DC
		Spindle Thread	5/8" - 11
		Weight (lbs.)	11.8

Part#	List Price	Wholesale
1994-6		Please Login



Wheel Not Included

Makita 4-1/2" Paddle Switch Angle Grinder

- Powerful 6.0 AMP motor delivers 11,000 RPM for the most demanding applications
- Small diameter barrel grip (only 2-3/16") with paddle switch for added comfort
- Labyrinth construction seals and protects the motor and bearings from dust and debris for longer tool life
- 4.2 lbs. for reduced operator fatigue

Includes		Specifications	
• 4-1/2" Grinding wheel		No Load Speed	11,000 RPM
• Wheel guard		Spindle Thread	5/8" x 11 UNC
• Lock nut		AMPS (120V)	6.0
• Lock nut wrench		Lock-On: No	Lock-Off: Yes
• Side handle		Length	10-3/8"
• Inner flange		Net Weight (lbs.)	4.2

Part#	List Price	Wholesale
GA4534		Please Login



Wheel Not Included

Makita 7" Angle Grinder

- Powerful 15.0 AMP motor delivers 8,500 RPM for fast material removal
- Labyrinth construction seals and protects the motor and bearings from dust and debris for longer tool life
- Rotatable gear housing can be positioned every 90°
- Ergonomic soft grip provides increased comfort

Includes		Specifications	
• 7" Grinding wheel		No Load Speed	8,500 RPM
• Side Handle		Spindle Thread	5/8" x 11 UNC
• Wheel guard		AMPS (120V)	15.0
• Lock nut		Lock-On: No	Lock-Off: Yes
• Lock nut wrench		Length	18-5/8"
• Inner flange		Net Weight (lbs.)	12.2

Part#	List Price	Wholesale
GA7020		Please Login



Power Box™ 360 Job Site Radio with Bluetooth



- Bluetooth® connectivity for internet radio and stored music with range of up to 150 feet
- Four-way speakers and a subwoofer project 360° sound
- Protective aluminum/rubber roll cage
- Four-way power outlets
- Runs on Bosch 18 V or 14.4 V Lithium-Ion batteries or plugged into a 120 V AC outlet
- AM/FM radio with 20 FM and 10 AM presets
- Built-in battery charger
- USB charging port with 5-volt /1.0-amp rating
- Play your device through auxiliary input port
- Digital media bay – secure storage for most devices
- Weather- and dust-resistant design
- Illuminated LCD display

Part#	Description	List Price	Wholesale
PB360C	Power Box radio		Please Login
BAT607	14.4 Volt Slim Pack Battery		Please Login
BAT609	18 Volt Slim Pack Battery		Please Login
BAT614	14.4 Volt Fat Pack Battery		Please Login
BAT618	18 Volt Fat Pack Battery		Please Login



Bosch 18V Cordless Lithium-Ion 4-Tool Combo Kit

- 18V Cordless Lithium-Ion 1/2" Drill Driver - DDH181
- 18V Cordless Lithium-Ion 1-1/8" Reciprocating Saw - CRS180
- 18V Cordless Lithium-Ion 6-1/2" Circular Saw - CCS180
- 18V Cordless Lithium-Ion Flashlight - CFL180
- FatPack HC Li-Ion Batteries & Charger
- Carrying Bag

Part#	List Price	Wholesale
CLPK402-181		Please Login



20V MAX Li-Ion 4 Tool Combo Kit

- DCD985 1/2" Hammerdrill
- DCS381 Reciprocating Saw
- DCS393 6 1/2" Circular Saw
- DCL040 LED Work Light
- (2) 20V MAX* Lithium Ion 3.0 Ah Battery Packs
- Fast Charger
- 360° Side Handle
- Carbide Tipped Blade
- Contractor Bag

Part#	List Price	Wholesale
DCK491L2		Please Login



20V MAX Li-Ion Compact Hammerdrill / Impact Driver Combo Kit

- DCD785 1/2" Hammerdrill
- DCF885 1/4" Impact Driver
- (2) 20V MAX* Lithium Ion 1.5 Ah Battery Packs
- Fast Charger
- (2) Belt Hooks
- Bit Holder
- Contractor Bag

Part#	List Price	Wholesale
DCK285C2		Please Login



1/4" Sheet Finishing Sander

- 2.0 AMP motor that delivers 14,000 OPM for fast and smooth finishing sanding
- Precision engineered all-ball bearing construction for reduced vibration and noise
- Contoured, rubberized palm grip design
- Large clamping lever for quick and easy paper installation
- Efficient through-the-pad dust collection system for a cleaner work environment
- Conveniently located on/off switch
- Rubber-sealed switch prevents dust contamination for longer tool life

Includes

Abrasive Paper-60 Grit, 100 Grit, 150 Grit, Dust Bag, Punch Plate, Tool Case

Part#	List Price	Wholesale
BO4556K		Please Login



Stanley-Bostitch Industrial Framing Nailer System

- Patented push button adjustable depth guide sets nail to desired depths quickly and conveniently
- Notched 16" layout indicator on magazine helps achieve correct distance between studs in a matter of seconds
- Lightweight magnesium design for added durability
- Adjustable rafter hook allows users to hang tool on rafters and joists

Specifications

Driving Power	1050 Inch Lbs.
Fastener Gauge	.113 - .131
Fastener Range	2" to 3 1/2" 28° Wire Collated Stick Framing Nails
Magazine Capacity	100 Nails
Operating Pressure	80-120 PSI
Thread Fitting Type	1/4" NPT

Part#	List Price	Wholesale
F28WW		Please Login



DeWalt Recipro Saw



- 10 Amp motor
- Variable-speed trigger provides optimal control
- 4-position blade clamp helps you make flush cuts
- Blade clamp features a lever action for easy operation
- Keyless blade change for fast changes
- 8 ft. cord provides a long reach
- Includes a metal cutting blade and a heavy-duty case

Specifications

Strokes/minute	0 - 2,800
AMPS	10.0
Length	17.5"

Part#	List Price	Wholesale
DW304PK		Please Login



10" Compound Miter Saw



- Lightweight and easy to transport
- Large comfort switch and horizontal D handle for enhanced control and operator comfort
- Reinforced cast aluminum base and table for greater stability and precision
- Quick Lock Miter adjustment with positive stops at 0°, 15°, 22.5°, 31.62° and 45°, left and right
- High-visibility touch points for smoother operation

Includes

- Blade wrench
- (2) Extension rails
- Work clamp
- Dust bag
- 10" carbide tipped blade

Part#	List Price	Wholesale
RK7135		Please Login



20V MAX Lithium Ion Compact Drill / Driver (Tool Only)

- Compact, lightweight design
- High speed transmission delivers 2 speeds (0-600 & 0-2,000 rpm)
- Ergonomic handle delivers comfort and control
- Heavy-duty 1/2" ratcheting chuck provides superior bit gripping strength
- Battery sold separately

Includes

- DCD780 1/2" Drill Driver
- Belt hook
- On-board bit holder



Part#	Description	List Price	Wholesale
DCD780B	Drill only		Please Login
DCB204-2	Battery (2pk)		Please Login



18V 1/2" Cordless Compact Drill/Driver Kit

- Compact, lightweight design
- High performance motor delivers maximum power of 380 unit watts
- Dual speed range: 0-450/0-1,500 rpm
- 1/2" single sleeve keyless ratcheting chuck for tighter bit grip
- Maximum durability and reliability withstands jobsite conditions

Includes

- 1 hour charger
- (2) 18V batteries
- Kit Box



Part#	Description	List Price	Wholesale
DC759KA	Drill/Driver Kit		Please Login
DC9096-2	Battery (2pk)		Please Login



Drill Pump with Hose Kit for Water Removal

With the Hose kit included you can tackle many of those chores where water is not where it belongs.

- Multi-purpose pump
- Maximum pumping capacities up to 225 GPH
- Easy, do-it-yourself
- Drill pump with hose kit

Part#	List Price	Wholesale
FPDMP21HC		Please Login

Milwaukee M18 18-Volt Lithium-Ion 1/4" Cordless Hex Impact Driver Kit

- 18-Volt compact red lithium battery
- 1/4" hex quick change chuck
- Milwaukee 4-pole frameless motor
- Belt clip allows for easy portability
- Variable speed trigger
- Battery fuel gauge displays remaining run-time
- Built-in LED light illuminates work surface

Includes

- (2) 18V LITHIUM-ION Batteries
- 1-Hour Charger
- Belt Clip
- Carrying Case



Part#	Description	List Price	Wholesale
2650-21	Driver Kit		Please Login
48-11-1815	Battery		Please Login



18-Volt EC Brushless Socket Ready Impact with 1/4" Hex and 1/2" Square Drive

- All-in-one impact driver & impact wrench with a 1/4" quick-change hex and 1/2" square drive chuck for sockets
- Highest torque output in its class at 1650 in.-lbs.
- Brushless motor up to 2X motor life and superior efficiency
- Tested to withstand multiple 10' drop
- Cool pack technology advanced heat conductive housing keeps battery cooler

Includes

- (2) -- 18V Lithium-Ion 4Ah Batteries
- (1) - Lithium-Ion Battery Charger
- (1) - Lboxx 2
- (2) Exact-Fit Insert Tray
- (1)--Double-ended Impact Bit
- (1) - Belt Clip




Part#	List Price	Wholesale
IDH182-01L		Please Login





Bolt Remover & Left Hand Spiral Jobber Length Drill Set-10 Pieces



- Drills
- Sizes: 3/32, 1/8, 3/16, 1/4 & 5/16
 - Special Hi-Molybdenum tool steel
 - 135° split point for fast penetration

Most times, all you'll need is the bolt remover - YES, IT'S THAT GOOD!

- Taps
- Sizes: EX 1, 2, 3, 4, & 5
 - Hi-carbon steel bolt remover used to remove broken screws, bolts, threaded parts



Part#	List Price	Wholesale
58510		Please Login



Even "Grade 8 Bolts" Aren't Tough Enough For These Drill Bits!



Heavy Duty Jobber Length Drill Set-29 Pieces

- Sizes: 1/16 thru 1/2 by 64ths
- 135° split point drills are self centering and perform well in harder metals
- Heavy duty construction makes this series of drill bits ideal for metal drilling applications
- Waterproof and unbreakable case included

Part#	List Price	Wholesale
44170		Please Login



8 Pc. Speedbor Set

- Durable rubber-sided case for added impact resistance
- Blue-Groove point and cutting edge for faster chip removal - 4x faster than standard spade bits
- Double cutting spurs scribe the outside of the hole reducing breakout
- 10% larger shank for added durability
- Grooved hex shank prevents slipping in drill chuck or bit extension

Part#	List Price	Wholesale
341008		Please Login



Unibit® Fractional Step Drill

- New SpeedPoint™ tip provides 6X faster initial penetration time
- Single-fluted cutting edge
- Ideal for drilling holes in thin materials



Part#	Size	List Price	Wholesale
10233	1/4" - 3/4"		Please Login
10235	1/4" - 1-3/8"		Please Login



Unibit® Cobalt Step Drill

- 6X longer life
- 3-Flatted shank
- Speedpoint™ tip
- Laser marked sizes
- 10234CB - 12 Steps
- 10239CB - 2 Steps



Part#	Size	List Price	Wholesale
10234CB	3/16" - 7/8"		Please Login
10239CB	7/8" & 1-1/8"		Please Login

38-Piece Universal Quik-Lok Drill and Drive Set

- Versatile and durable 38-piece bit system
- Quik-lok all-hex chuck fits all 3/8" and 1/2" drill chucks
- Screwdriver bits made from premium quality S2 steel
- Titanium drill bits for long life



Part#	List Price	Wholesale
48-32-1500		Please Login



17 Pc. Pvb Set 1/16"-3/8"

- Set includes HSS drills and plastic case with rubberized grip panels
- Metal Master
- 17-Pieces

Part#	List Price	Wholesale
8711400R		Please Login



Bosch 1" SDS-plus® Rotary Hammer



Specifications

Amperage	7.5
Rating	120V
No Load RPM	0-1,300
No Load BPM	0-5,800
Length	17-1/4"
Weight (lbs.)	6.7

- 3 modes of operation, rotation, rotary hammer & hammer
- Variable-speed reversing trigger for accurate bit starting, as well as removing fasteners or bound bits
- Integral clutch helps minimize torque reaction
- Double insulated, UL listed, complies with OSHA standards

Part#	List Price	Wholesale
11255VSR		Please Login



Bosch 1-9/16" SDS-max® Combination Hammer



Specifications

Amperage	12
Rating	120V
No Load RPM	170-340
No Load BPM	2,900
Length	19"
Weight (lbs.)	15.2

- Tool-free bit changes with automatic bit locking
- Best in class Impact Energy
- Combination Dual Mode Selector Knob
- Varo-Lock Positioning: Rotates and locks chisel into 12 different positions to optimize working angle

Part#	List Price	Wholesale
RH540M		Please Login



Bosch 2" SDS-max® Rotary Hammer



Includes
Auxiliary handle
Carrying case

Specifications

Amperage	15
Rating	120V
No Load RPM	100-220
No Load BPM	1,000-2,150
Length	23-1/2"
Weight (lbs.)	26.2

- Turbo™ Power for torque & speed boost in hammer mode
- Best power-to-weight ratio of 14.1 ft.-lbs. of impact energy
- Vibration Control™ for comfort in all-day applications
- Constant Response™ for soft start, constant speed under load
- Vario-Lock™ positioning for precise chiseling location
- Two drilling speeds to match speed to application

Part#	List Price	Wholesale
RH1255VC		Please Login



Bosch 1-9/16" Spline Combination Hammer



Includes
Auxiliary handle
Carrying case

Specifications

Amperage	12
Rating	120V
No Load RPM	340
No Load BPM	2,900
Length	19"
Weight (lbs.)	15

- Accommodates accessories with spline or 3/4" round hex shanks
- Combination dual mode selector
- Vario-Lock™ positioning — rotates and locks chisel into 12 different positions to optimize working angle
- Grounded design, CSA listed, complies to OSHA

Part#	List Price	Wholesale
RH540S		Please Login



Bosch SDS-Max® Demolition Hammer

- SDS-max® bit system - tool-free bit changes with automatic bit locking, dust protection and maximum impact energy transfer rate
- Constant Response™ Circuitry - Provides soft-start, maintains constant speed under load, provides overload protection
- Variable-speed dial - for controlled chipping applications
- Vario-Lock™ positioning - rotates and locks chisel into 12 different positions to optimize working angle
- Double insulated, UL listed, complies with OSHA standards


Specifications

Amperage	14.0
Rating	120V
No Load BPM	900-1,890
Length	22-1/2"
Weight (lbs.)	22.5
Cord length	12'

Includes
Auxiliary handle
Carrying case



Part#	List Price	Wholesale
11316EVS		Please Login



SDS-max® R-Tec

The R-Tec Advantage

Bosch R-Tec technology for SDS-max® chisels use an energy diverting reflection element that increases material removal by 15%. Because the energy is dispersed back into the work material, the tool and bit do more of the work with less vibration for the user. And the R-Tec chisel features a unique cutting head with extra wedges for increased breakout. Bosch SDS-max R-Tec chisels and points produce faster results in less time and help increase overall jobsite productivity and profitability.



The reflection element diverts the energy of the return shock and converts it into new impact energy.



SDS-max® Hammer Steel

Bosch offers a full assortment of SDS-max® hammer steel points and chisels.

Part#	Description	List Price	Wholesale
HS1934	16" R-Tec star point chisel-self-sharpening	Please Login	
HS1935	1" x 16" R-Tec flat chisel-self-sharpening	Please Login	
HS1903	1" x 16" R-Tec flat chisel	Please Login	
HS1906	5" x 15" Asphalt cutter	Please Login	
HS1909	1-3/4" x 9-1/4" Bushing tool	Please Login	
HS1910	3" x 12" Scaling chisel	Please Login	
HS1916	1-1/2" x 12" Scaling chisel	Please Login	
HS1917	2" x 14" Scaling chisel	Please Login	
HS1911	1" x 12" Flat chisel	Please Login	
HS1912	1" x 18" Flat chisel	Please Login	

Part#	Description	List Price	Wholesale
HS1913	12" Bull point	Please Login	
HS1914	18" Bull point	Please Login	
HS1915	2"x12" Tile chisel	Please Login	
HS1918	6"x25" Floor scraper	Please Login	
HS1922	4-1/2" x 16" Clay spade	Please Login	
HS1924	Ground rod driver	Please Login	
HS1927	12" Tamper plate shank	Please Login	
HS1828	5" x 5" Tamper plate	Please Login	
HS1929	1" x 12" gouge	Please Login	




SDS-max® Rotary Hammer Core Bits (One Piece Bits)

Bosch SDS-max® carbide-tipped rotary hammer core bits offer an integral shank for better power transmission. Maximum core size is 2-5/8" deep.

Part#	Dimensions	List Price	Wholesale
HC8501	1-2/4" x 7" x 12"	Please Login	
HC8506	1-3/4" x 17" x 22"	Please Login	
HC8510	2" x 7" x 12"	Please Login	
HC8515	2" x 17" x 22"	Please Login	
HC8521	2-3/4" x 7" x 12"	Please Login	
HC8526	2-3/4" x 17" x 22"	Please Login	
HC8531	3-1/4" x 7" x 12"	Please Login	
HC8536	3-1/4" x 17" x 22"	Please Login	
HC8540	3-1/2" x 7" x 12"	Please Login	
HC8545	3-1/2" x 17" x 22"	Please Login	
HC8550	4" x 7" x 12"	Please Login	
HC8555	4" x 17" x 22"	Please Login	
HC8575	5" x 17" x 22"	Please Login	
HC8595	6" x 17" x 22"	Please Login	
HC88	Centering bit	Please Login	

Core Bits with Wave Design

Larger, cleaner holes up to 6" in diameter



SDS-max® Demolition Steel Chisel Merchandiser



- Includes: header, rack hooks and product

Includes SDS-max® Demolition Steel (1 each)

HS1903	1" x 16" Rtec flat chisel
HS1909	One piece bushing tool
HS1910	3" x 12" scaling chisel
HS1915	2" x 11-1/2" tile chisel self-sharpening
HS1917	2" x 14" wide chisel self-sharpening
HS1918	6" x 25" floor scraper
HS1922	4-1/2" x 17" clay spade
HS1924	Ground rod driver
HS1929	1" x 12" gouge
HS1934	16" Rtec star point chisel self-sharpening

Part#	List Price	Wholesale
T5117R		Please Login



SDS-max® Hammer Bits and Chisels



SpeedX™


Wear Mark Indicator
▶ Assures accuracy of hole diameter

Highest Drilling Speed
▶ Inclined side cutters provide fast concrete drilling

Compact Head
▶ For fast dust removal and longer life

Active Centering Tip
▶ Provides quick, accurate starts



Unrivaled Destructive Power
▶ Solid carbide with robust S-cutter design for added speed and life

SDS-max® SpeedX™ Rotary Hammer Bits

Bosch carbide rotary hammer bits feature tips that stay sharper longer and deliver more holes within specification than competitors' bits.

- Manufactured to ANSI specification B212.15
- SDS-max® rotary hammer bits fit Bosch SDS-max® hammers, but also competitive SDS-max® drive hammers and Hilti® hammers using TE-Y and TE-FY shanks



Part#	Bit Dia.	Usable Length	Overall Length	List Price	Wholesale
HC5005*	3/8"	8"	13"	Please Login	
HC5010*	1/2"	8"	13"	Please Login	
HC5011*	1/2"	16"	21"	Please Login	
HC5015*	9/16"	8"	13"	Please Login	
HC5020	5/8"	8"	13"	Please Login	
HC5021	5/8"	16"	21"	Please Login	
HC5024	5/8"	24"	29"	Please Login	
HC5030	3/4"	8"	13"	Please Login	
HC5031	3/4"	16"	21"	Please Login	
HC5033	3/4"	31"	36"	Please Login	
HC5034	3/4"	24"	29"	Please Login	
HC5041	7/8"	16"	21"	Please Login	
HC5050	1"	8"	13"	Please Login	
HC5051	1"	16"	21"	Please Login	
HC5061	1-1/8"	16"	21"	Please Login	
HC5062	1-1/8"	24"	29"	Please Login	
HC5071	1-1/4"	16"	21"	Please Login	
HC5081	1-3/8"	16"	21"	Please Login	
HC5091	1-1/2"	16"	21"	Please Login	
HC5099	2"	16"	21"	Please Login	

*Two cutter

SDS-max® SpeedX™ Merchandiser

- Includes: header, rack hooks and product

Includes SDS-max® SpeedX™ Bits (1 each)

HC5091	1-1/2" × 16"/21"
HC5071	1-1/2" × 16"/21"
HC5061	1-1/8" × 16"/21"
HC5051	1" × 16"/21"
HC5041	7/8" × 16"/21"
HC5031	3/4" × 16"/21"
HC5021	5/8" × 16"/21"
HC5030	3/4" × 8"/13"
HC5020	5/8" × 8"/13"
HC5010	1/2" × 8"/13"



Part#	Description	List Price	Wholesale
T5017R	Merchandiser		Please Login



BULLDOG™

Rotary Hammer Bits

Up to
15% Faster

SDS-plus® Bulldog™ Rotary Hammer Bits



- 15% faster in concrete (compared to S4L)
- Optimized brazing and hardening process for long life
- Manufactured to ANSI specification B212.15
- Optimized flute design to reduce bit stress and make the bit SDS-plus® Bulldog™ Rotary Hammer Bit Sets run cooler
- Centric tip for optimal hole geometry
- **Some items are special order only; non-stock item**

SDS-plus® Bulldog™ Hammer Carbide Merchandiser

- Includes: header, rack hooks and product



Part#	Bit Dia.	Usable Length	Overall Length	List Price	Wholesale
HC2000	5/32"	2"	4"	Please Login	
HC2001	5/32"	4"	6"	Please Login	
HC2009	5/32"	6"	8"	Please Login	
HC2010	3/16"	2"	4"	Please Login	
HC2011	3/16"	4"	6"	Please Login	
HC2012	3/16"	6"	8"	Please Login	
HC2014	3/16"	10"	12"	Please Login	
HC2031	7/32"	4"	6"	Please Login	
HC2040	1/4"	2"	4"	Please Login	
HC2041	1/4"	4"	6"	Please Login	
HC2042	1/4"	6"	8"	Please Login	
HC2044	1/4"	10"	12"	Please Login	
HC2051	5/16"	4"	6"	Please Login	
HC2054	5/16"	10"	12"	Please Login	
HC2061	3/8"	4"	6"	Please Login	
HC2064	3/8"	10"	12"	Please Login	
HC2067	3/8"	16"	18"	Please Login	
HC2081	1/2"	4"	6"	Please Login	
HC2084	1/2"	10"	12"	Please Login	
HC2087	1/2"	16"	18"	Please Login	
HC2088	1/2"	22"	24"	Please Login	
HC2094	9/16"	10"	12"	Please Login	
HC2102	5/8"	6"	8"	Please Login	
HC2104	5/8"	10"	12"	Please Login	
HC2107	5/8"	16"	18"	Please Login	
HC2124	3/4"	10"	12"	Please Login	
HC2127	3/4"	16"	18"	Please Login	



Includes all SDS-plus® bits shown here!

Part#	Description	List Price	Wholesale
BDG25R	Merchandiser		Please Login



SDS-plus® Bulldog™ Rotary Hammer Bit Sets



Part#	Includes	List Price	Wholesale
HCK005	(1) 3/16" x 4" x 6", (1) 1/4" Type x 2"x4", (1) 1/4"x4"x6", Tube (1) 3/8"x4"x6", (1) 1/2" x 4"x6"		Please Login
HCST006	(1) 5/32" x 4" x 6", (1) 3/16" x 4" x 6", (1) 1/4" x 2"Brute x4", (1)3/8"x4"x6", (1) Tough™ flat chisel, (1) point chisel		Please Login

SDS-plus® Rebar Cutters



Part#	Dia.	Length	List Price	Wholesale
RC2064	3/8"	12"		Please Login
RC2084	1/2"	12"		Please Login
RC2094	9/16"	12"		Please Login
RC2104	5/8"	12"		Please Login
RC2124	3/4"	12"		Please Login
RC2144	7/8"	12"		Please Login
RC2164	1"	12"		Please Login
RC2168	1-1/8"	12"		Please Login
RC2172	1-1/4"	12"		Please Login
RC2176	1-1/2"	12"		Please Login

Rebar Cutter Cut rebar, cost and time



- Step 1:**
Drill with SDS-plus® carbide bit and remove after contact with rebar
- Step 2:**
Replace bit with rebar cutter and switch to rotary mode
- Step 3:**
Cut through rebar and remove after contact with concrete
- Step 4:**
Switch back to hammer carbide bit to continue drilling

Concrete Screw Anchoring System

Holds tight tolerances that are critical to precision anchoring



SDS-plus® shank

High-quality carbide tip for long life

Common Applications:

- ▶ Conduit
- ▶ Electrical boxes
- ▶ Pipe straps
- ▶ HVAC strapping
- ▶ Sign fastening
- ▶ Window frames
- ▶ Backer boards

SDS-plus® Bulldog™ Hex Drive Rotary Hammer Bits



For use with masonry fastening systems/hex sleeve drive tools. Hex drive on bit fits into driver sleeve.

- Manufactured to ANSI specification B212.15

Part#	Bit Dia.	Usable Length	Overall Length	List Price	Wholesale
HC2302	5/32"	4"	7"		Please Login
HC2312	3/16"	4"	7"		Please Login

SDS-plus® Bulldog™ Hex Drive Accessory and Kit

For use with masonry fastening systems/hex sleeve drive tools. Hex drive on bit fits into driver sleeve.

- 1/4" hex shoulder for drive sleeve used to set masonry screws

Part#	Includes	List Price	Wholesale
AD2300	Anchor drive sleeve used to set masonry screws and concrete anchors. Accepts 5/32", 3/16" and 1/4" bits		Please Login
HC2309	7 pc anchor drive installation kit: 5/32" x 6-1/2" and 3/16" x 6-1/2" hex bits, #2 and #3 Phillips® power bits, 5-3/4" sleeve, 1/4" and 5/16" sockets		Please Login

NOTE: Drill bits (or extension + drill bit) in excess of 8" should never exceed 600 RPM



SPEEDCORE™ Thin-Wall Core Bits

Core Bit Assembly:
Screw core bit onto shank




One-piece SDS-plus® Extension



Thin-Wall Core Bit


SDS-plus® SPEEDCORE™ Thin-Wall Core Bits

Bosch SDS-plus® thin-wall core bits are designed for drilling with smaller hammers; core body range is 1" up to 4-3/8" with a usable cutting depth of 3".



Part#	Dia.	List Price	Wholesale	Part#	Dia.	List Price	Wholesale	Part#	Description	List Price	Wholesale
T3910SC	1"		Please Login	T3916SC	2-11/16"		Please Login	T3922	3" extension straight (2 pc)		Please Login
T3911SC	1-3/16"		Please Login	T3917SC	3-1/8"		Please Login	T3923SC	4" extension SDS-plus® (2 pc)		Please Login
T3912SC	1-3/8"		Please Login	T3918SC	3-3/16"		Please Login	T3924	SpeedCore™ pilot bit		Please Login
T3913SC	1-9/16"		Please Login	T3919SC	3-1/2"		Please Login	T3925SC	7" extension SDS-plus® (1 pc)		Please Login
T3914SC	1-7/8"		Please Login	T3920SC	3-7/8"		Please Login	T3926SC	13" extension SDS-plus® (1 pc)		Please Login
T3915SC	2-9/16"		Please Login	T3921SC	4-3/8"		Please Login	T3927SC	17" extension SDS-plus® (1 pc)		Please Login





SDS-plus® Bulldog™ Xtreme Hammer Steel

Bosch offers a full assortment of SDS-plus® hammer steel points and chisels.

- HS1465 removes material up to 40% quicker than conventional tile chisels. Ideal for smaller grout joints and specially shaped for prying and removing tiles in one piece
- HS1470 viper flat chisel and HS1472 pointed chisel provide 30% longer life and 15% more material removal


SDS-plus® Bulldog™ Hammer Steel

Part#	Description	List Price	Wholesale
HS1415	10" point		Please Login
HS1420	3/4" x 10" chisel		Please Login
HS1475	10" gouging chisel		Please Login
HS1485	1-1/2" x 5-3/4" stubby scaling chisel		Please Login
HS1490	5-3/4" stubby point		Please Login
HS1495	3/4" x 5-3/4" stubby flat chisel		Please Login

Part#	Description	List Price	Wholesale
HS1425	1-1/2" x 10" wide chisel (self-sharpening)		Please Login
HS1427	2-1/2" x 10" wide chisel (self-sharpening)		Please Login
HS1465	1-1/2" x 10" tile chisel		Please Login
HS1470	3/4" x 10" viper flat chisel (long life)		Please Login
HS1472	10" point (long life)		Please Login



SDS-plus® Bulldog™ Hammer Steel Merchandiser



- Includes: header, rack hooks and product

Includes SDS-plus® Bulldog™ Steel (1 each)

- HS1425 Wide chisel 1-1/2" x 10"
- HS1465 Tile chisel 1-1/2" x 10"
- HS1470 Viper flat chisel LONG LIFE
- HS1472 Pointed chisel LONG LIFE
- HS1475 Gouging chisel
- HS1485 Stubby scaling chisel
- HS1490 Stubby pointed chisel
- HS1495 Stubby flat chisel
- HS1427 Wide chisel 2-1/2" x 10"

Part#	List Price	Wholesale
BDC10R		Please Login



Construction Solutions
Power Tools • Anchoring • Restoration



Stronger Together
Your choice for the best product, support and service solutions





Spline SpeedX™ Rotary Hammer Bits

Bosch spline rotary hammer bits are carbide tipped, fit Bosch and other spline hammers. Manufactured to ANSI specification B212.15.

Part#	Bit Dia.	Usable Length	Overall Length	List Price	Wholesale
HC4501*	3/8"	8"	13"		Please Login
HC4511*	1/2"	8"	13"		Please Login
HC4512*	1/2"	16"	21"		Please Login
HC4513*	1/2"	24"	29"		Please Login
HC4021	5/8"	8"	13"		Please Login
HC4022	5/8"	16"	21"		Please Login
HC4031	3/4"	8"	13"		Please Login
HC4032	3/4"	16"	21"		Please Login
HC4040	7/8"	8"	13"		Please Login

*Two cutter

Part#	Bit Dia.	Usable Length	Overall Length	List Price	Wholesale
HC4041	7/8"	16"	21"		Please Login
HC4050	1"	8"	13"		Please Login
HC4051	1"	16"	21"		Please Login
HC4053	1"	31"	36"		Please Login
HC4060	1-1/8"	8"	13"		Please Login
HC4061	1-1/8"	16"	21"		Please Login
HC4071	1-1/4"	16"	21"		Please Login
HC4081	1-3/8"	16"	21"		Please Login
HC4091	1-1/2"	16"	21"		Please Login
CAS008	8" Extension				Please Login
CAS018	18" Extension				Please Login



Spline Rotary Hammer Core Bits with Wave Design (1 Pc.)

Spline Shank SpeedX™ Merchandiser

- Includes: header, rack hooks and product




Includes Spline Shank SpeedX™ (1 each)

HC4091	1-1/2" x 16"/21"
HC4071	1-1/4" x 16"/21"
HC4022	5/8" x 16"/21"
HC4060	1-1/8" x 8"/13"
HC4050	1" x 8"/13"
HC4040	7/8" x 8"/13"
HC4031	3/4" x 8"/13"
HC4021	5/8" x 8"/13"
HC4511	1/2" x 8"/13"
HC4501	3/8" x 8"/13"

Part#	List Price	Wholesale
T5018R		Please Login

Part#	Bit Dia.	Usable Length	Overall Length	List Price	Wholesale
HC8031	3-1/4"	7"	12"		Please Login
HC8070	5"	7"	12"		Please Login
HC8026	2-5/8"	17"	22"		Please Login
HC8017	2-1/4"	12"	22"		Please Login
HC8021	2-5/8"	7"	12"		Please Login
HC88	Pilot Bit		5-5/16"		Please Login
HC8006	1-3/4"	17"	22"		Please Login
HC8080	6"	7"	22"		Please Login
HC8001	1-3/4"	7"	12"		Please Login
HC8015	2"	17"	22"		Please Login
HC8040	3-9/16"	7"	12"		Please Login
HC8010	2"	7"	12"		Please Login
HC8055	4"	17"	22"		Please Login
HC8075	5"	17"	22"		Please Login
HC8036	3-1/4"	12"	22"		Please Login
HC8016	2-1/4"	7"	12"		Please Login
HC8085	6"	17"	22"		Please Login
HC8045	3-9/16"	17"	22"		Please Login
HC8050	4"	7"	12"		Please Login
HCRR001	Rubber ring & pin				



Round Hex / Spline Hammer Steel



Bosch offers a full assortment of round hex/spline hammer steel points and chisels.

Part#	Description	List Price	Wholesale
HS1810	3" x 12" Scaling chisel		Please Login
HS1811	1" x 12" Flat chisel		Please Login
HS1812	1" x 18" Flat chisel		Please Login
HS1813	12" Bull point		Please Login
HS1814	18" Bull point		Please Login
HS1817	2" x 12" Scaling chisel		Please Login
HS1824	Ground rod driver (5/8", 3/4")		Please Login

Bosch Brute Breaker Hammer - Basic Kit



- Active Vibration Control™: Vibration reduction in the hammer mechanism and the grip area provides maximum user comfort
- Ergonomic Handles - New ergonomic shock absorbing handles provide additional user comfort in all day applications
- Total portability — Operates on 115/120V AC/DC, 15 amp. outlet or 2500 watt portable generator
- ServiceMinder™ brush system —Shuts the Brute off when brush replacement or preventative maintenance is needed
- The plug-in-anywhere hammer — Does not need a compressor



Specifications

Amperage	15.0
Tool Shank	1-1/8"
Impact Energy (ft. lbs.):	35
Rating	120V
No Load BPM	1000
Length	30.75"
Weight (lbs.)	65



- INCLUDES FREE**
- Basic Cart
 - 1 Points
 - 1 Chisels

Part#	Description	List Price	Wholesale
BH2760VCB	Hammer		Please Login
T1657	Hammer hauler		Please Login
HS2126	Tent stake driver		Please Login
HS2173	Tamper shank		Please Login



Tent Stake Driver
#HS2126

The tent stake driver and tamper shank must be used together to work.



Tamper Shank
#HS2173

Bosch Brute Turbo Breaker Hammer



- Best in class impact energy - 47.0 ft. lbs.
- Best in class anti-vibration system in the hammer mechanism for improved comfort in all day demolition applications
- Anti-slip rubber cover-Helps prevent tool from accidental fall over
- Ergonomic Handles - New ergonomic shock absorbing handles provide additional user comfort in all day applications
- Shock absorbing handles further reduces vibration levels
- Hammer Tube Design-Hammer Tube Flutes help dissipate heat, extending tool life
- Reinforced Hammer Tube Collar / Springs-Maximizes tool holder lifetime by reducing the hammer's impact from blank beats
- Total portability — Operates on 115/120V AC/DC, 15 amp. outlet or 2500 watt portable generator
- ServiceMinder™ brush system —Shuts the Brute off when brush replacement or preventative maintenance is needed
- The plug-in-anywhere hammer — Does not need a compressor



Specifications

Amperage	15.0
Tool Shank	1-1/8"
Impact Energy (ft. lbs.):	43
Rating	120V
No Load BPM	1000
Length	30.5"
Weight (lbs.)	65



- INCLUDES FREE**
- Deluxe Cart
 - 2 Points
 - 2 Chisels

Part#	Description	List Price	Wholesale
BH2770VCD	Hammer		Please Login
T1757	Hammer hauler		Please Login
HS2126	Tent stake driver		Please Login
HS2173	Tamper shank		Please Login



Tent Stake Driver
#HS2126

The tent stake driver and tamper shank must be used together to work.



Tamper Shank
#HS2173

Bosch Breaker Hammer

- Unmatched power to weight ratio; 34-feet-per-pound of impact force; fastest removal rate in its class by far
- Active vibration control handle--a unique flexible 2-handed design that reduces vibration
- Versatile bit retention--accepts Bosch 1-1/8-inch hex steel as well as standard 1-1/8-inch air steel
- Total comfort and control--articulating auxiliary handle to maintain the best working posture possible
- Rugged durability--metal tube and case design handles tough jobsite use and abuse



Specifications

Amperage	15.0
Certifications	cULus
Impact Energy (ft. lbs.)	34
Length	30"
No Load BPM	1,300
Rating	120V
Weight (lbs.)	38



Electric

- KIT INCLUDES**
- **Pointed Chisel**
 - **Articulating Auxiliary Handle**
 - **Carrying Case with Wheels**
 - Grease tube
 - Cleaning rag

Part#	List Price	Wholesale
11335K		Please Login

Rip-R-Stripper Cart



Includes One Mounting Kit!!



Shown with the Bosch Breaker Hammer #11335K



***Breaker Not Included**

- Removes ceramic tile, hardwood floor and other tough floor coverings
- Acts as a tool carrier for electric-powered breakers with ratings between 30 and 45 ft.-lbs.
- 12" maximum scraper blade width
- 37' extension cord with GFCI
- 2 year warranty

***Please Note: The carts listed below come with one mounting kit.**

Part#	Breaker Model	List Price	Wholesale	Availability
CTS12-1000A	Makita HM1500B		Please Login	Drop Ship
	Makita HM1307C			
CTS12-1100A	Makita HM1317CB		Please Login	Drop Ship
	Makita HM1307C			
CTS12-1200A	Bosch 11335K		Please Login	In-Stock
	Bosch GSH 16-28			
CTS12-1300A	Hilti TE905-AVR		Please Login	Drop Ship
CTS12-1600A	Hitachi H65DS2		Please Login	Drop Ship
CTS12-2100A	DeWalt D25941		Please Login	Drop Ship

Mounting Kits




- Use these different mounting kits to attach the Rip-R-Stripper to different 35 lb. electric powered, hand-held breaker hammers.

The Rip-R-Stripper Cart comes with one mounting kit at no additional charge.

If you need an additional mounting kit, please specify which one when ordering.

Part#	Breaker Model	List Price	Wholesale
1000A	Makita HM1500B		Please Login
	Makita HM1307C		
1100A	Makita HM1317CB		Please Login
	Makita HM1307C		
1200A	Bosch 11335K		Please Login
	Bosch GSH 16-28		
1300A	Hilti TE905-AVR		Please Login
1600A	Hitachi H65DS2		Please Login
2100A	DeWalt D25941		Please Login



1-1/8" Jackhammer Steel

• Some items are special order only; non-stock item

Current Part#	Old Part#	Description	List Price	Wholesale
P10318	P10318	18" Moil point		Please Login
C10318	C10318	18" Narrow chisel		Please Login
CC11318	CC11318	3" x 20" Wide chisel		Please Login
AC118	AC118	4-1/2" x 20" Asphalt cutter		Please Login
30833297	30833297	15" Digging chisel		Please Login
AG-745-745	CS118	5-1/2" x 20" Clay spade		Please Login
30833294	30833294	2" x 12" Frost wedge		Please Login





Pneumatic Breaker Hammers

Pneumatic breaker hammers are the demolition tool of choice when power and durability are necessary for a variety of construction and plant maintenance applications such as breaking heavy concrete, reinforced concrete, frozen ground, asphalt, boulders and pavement.

- Alloy steel forgings - excellent durability
- Four-bolt backhead - for rugged use
- Integral oiler - continuous lubrication
- Heavy-duty front head springs - reduces reaction back to operator
- Reversible piston - reduces maintenance cost
- Air inlet swivel - for easy maneuverability



CP 1260 (60 lb. Class)

Weight (lbs.)	65
Length (in.)	26-1/2
Air consumption l/s	29
Air inlet inch	3/4 Swivel
Blows per minute	1300
Retainer type	Latch




CP1260S and CP1290S are equipped with silencers

CP 1290 (90 lb. Class)

Weight (lbs.)	83
Length (in.)	28-3/4
Air consumption l/s	38
Air inlet inch	3/4 Swivel
Blows per minute	1200
Retainer type	Latch

Part#	Model	Description	List Price	Wholesale
8900003029	CP1260	60 lb., 1-1/8" chuck		Please Login
8900003028	CP1260	60 lb., 1-1/4" chuck		Please Login
8900003031	CP1260S	60 lb., 1-1/8" chuck, w/silencer		Please Login
8900003030	CP1260S	60 lb., 1-1/4" chuck, w/silencer		Please Login
8900003038	CP1290	90 lb., 1-1/8" chuck		Please Login
8900003037	CP1290	90 lb., 1-1/4" chuck		Please Login
8900003040	CP1290S	90 lb., 1-1/8" chuck, w/silencer		Please Login
8900003039	CP1290S	90 lb., 1-1/4" chuck, w/silencer		Please Login



1-1/8" Jackhammer Steel


• Some items are special order only; non-stock item

Current Part#	Old Part#	Description	List Price	Wholesale
P10318	P10318	18" Moil point		Please Login
C10318	C10318	18" Narrow chisel		Please Login
CC11318	CC11318	3" x 18" Wide chisel		Please Login
AC118	AC118	5" x 11" Asphalt cutter		Please Login
30833297	30833297	15" Digging chisel		Please Login
AG-745-745	CS118	5-1/2" x 20" Clay spade		Please Login
30833294	30833294	2" x 12" Frost wedge		Please Login

Jackhammer Steel (Shank 7/8"x4-1/4")

• Some items are special order only; non-stock item

Part#	Description	Length	List Price	Wholesale
30833241	Ground rod driver	7-3/4"		Please Login
30833235	Clay spade	14"		Please Login
30833236	Wedge chisel	15"		Please Login
30833238	Shank for pad	7-1/4"		Please Login
30833252	Tamping pad, round	7"		Please Login
30833239	Tamping pad, square	6"		Please Login
30833240	Tamper sq., compl.	7-1/2"		Please Login
92452817	Driver pad, round	4"		Please Login
92460201	Shank for stake driver			Please Login
92460211	Stake driver 2-1/2" head			Please Login
92382814	Carrying harness			Please Login
7140833	Drill steel	31"		Please Login
7140434	Drill steel	16"		Please Login
5753108	Pilot drill rod	31"		Please Login
30833237	Tie tamper	15-1/2"		Please Login
30833228	Moil point	14"		Please Login
30833229	Moil point	19"		Please Login
30833231	Wide chisel	9-1/2"		Please Login
30833230	Wide chisel	13-1/2"		Please Login
30833232	Wide chisel	15"		Please Login
30834071	Wide chisel	18"		Please Login
92452812	Asphalt cutter	14"		Please Login
30833233	Digging chisel	15"		Please Login
30833234	Digging spade	12"		Please Login



MM4
No Oil Mixing Needed



FREE Diamond Blade While Supplies Last

Makita 14" Power Cutter

- No oil mixing simplifies operation and prevents engine failure due to improper mix
- Lower fuel consumption at .45 gallons per hour
- Reduced exhaust and intake carbon build-up for longer cylinder life
- Three ring piston for improved commercial engine durability
- Five-stage, foam-paper-nylon system with advanced directional air flow provides very clean air for better saw performance
- Integrated wheels reduce fatigue during long straight cuts and retract when not in use to prevent unexpected movement
- Improved ignition system with larger flywheel and rare earth magnets for more power
- Cutting arm position simply changes from center position to flush (outboard) position allowing cuts directly adjacent to curb edges, walls or directly above the ground
- 4.1 HP - 75.6 cc engine

Part#	Description	List Price	Wholesale
EK7651H	14" Saw		Please Login



6.1 HP 81 cc Engine

Makita 16" Power Cutter

- Five-stage, foam-paper-nylon system with Advanced Directional Air Flow provides very clean air for better saw performance
- Reinforced aluminum blade guard with 70° range of limitless positioning using a marked knob handle
- Improved ignition system with larger flywheel and rare earth magnets for more power
- Cutting arm position simply changes from center position to flush (outboard) position allowing cuts directly adjacent to curb edges, walls or directly above the ground
- Starter grip and decompression valve located on the same side for faster starting
- Improved exhaust emissions are EPA Phase II compliant
- Includes: Cut-off wheel, Universal wrench, Torx wrench, Screwdriver
- Weight - 23.9 lbs.

Part#	Description	List Price	Wholesale
DPC8132	16" Saw		Please Login

14" Angle Cutter



Arbor 1"
No Load Speed 3,500 RPM
AMPS (120V) 15.0
Overall Length 26-1/2"
Net Weight (lbs.) 26.5

Includes
Socket Wrench



- Powerful 15.0 AMP motor
- Tool base can be removed for cutting closer to walls
- Built-in vacuum attachment port
- Rubber shield helps keep debris away from operator
- All-ball bearing construction for longer tool life
- Rubberized wraparound handle

Part#	List Price	Wholesale
4114		Please Login



Front-143



Front-141

Service Tags for Electrical Equipment

- Enhances your image and gives your customer confidence
- Provides liability protection
- Meets insurance company requirements
- **Ties sold separately**

Durable, water resistant tags demonstrate that equipment has been serviced and is ready for rental. The tags are filled out and attached to the equipment as it is returned from rental. At the next rental transaction the lower portion of tag is removed and retained by the rental dealer. Size: 2-1/8" wide, 4-1/4" tall and 1000 per box.

Part#	Description	List Price	Wholesale
143	Electrical Equipment		Please Login
141	General Purpose		Please Login
159	Ties for tags (1,000)		Please Login

Ties sold separately

Cobra+ - .27 Caliber Strip Tool Semi-Automatic



NEW - Power Adjustment Feature

- Padded recoil-absorbing handle
- Full one-year warranty
- Weight: 4.5 pounds, length: 13-1/4"
- Muzzle Bushing O.D.: 9/16"
- Maximum Pin Length: 2-1/2" (3" w/washer)

Includes
Tool
Case
Goggles
Wire Cleaners

Part#	List Price	Wholesale
R16941		Please Login

Mastershot .22 Caliber Tool



- Silencing feature
- Fastens up to 3" standard drive pins with washer
- For light and medium duty applications
- Cushioned speed-eject grip
- Weight: 4.4 pounds, length: 13-1/4"

Kit Includes
Tool
Case
Goggles
Wire Cleaners

Part#	Description	List Price	Wholesale
R40088	Tool		Please Login
R08897	Kit		Please Login



HD22 - .22 Caliber Single Shot Tool



- Barrel design allows for easy horizontal and overhead fastening
- Fastens up to 2-1/2" standard Ramset drive pins
- Weight: 2.1 pounds, length: 14"

Part#	List Price	Wholesale
R00022		Please Login



TS22 - .22 Caliber Trigger Shot Tool




- Easy grip handle
- Fastens up to 3" standard Ramset drive pins
- Weight: 3.8 pounds
- Length: 17.8"

Part#	List Price	Wholesale
R40066		Please Login

Ramset .27 cal Strip Loads

Part#	Description	List Price	Wholesale
R00652	.27 Cal Grn,3RS27, 100 pk		Please Login
R00667	.27 Cal Yel,4RS27, 100 pk		Please Login
R00682	.27 Cal Red,5RS27, 100 pk		Please Login
R00691	.27 Cal Purple,6RS27, 100 pk		Please Login



Ramset .22 cal Powder Loads

Part#	Description	List Price	Wholesale
R00594	.22 Cal Brn Powder Load,22cw,100 pk		Please Login
R50076	.22 Cal Grn Load,32cw, 25 pk		Please Login
R00601	.22 Cal Grn Load,32cw, 100 pk		Please Login
R50077	.22 Cal Yel Powder Load,42cw, 25 pk		Please Login
R00607	.22 Cal Yel Powder Load,42cw, 100 pk		Please Login



Ramset Drive Pins w/Washers

Part#	Description	List Price	Wholesale
R00797	.300x1 Pin w/washer, 100 pk		Please Login
R00804	.300x1-1/2 Pin w/washer, 25 pk		Please Login
R00803	.300x1-1/2 Pin w/washer, 100 pk		Please Login
R00806	.300x2 Pin w/washer,1514SD, 100 pk		Please Login
R00810	.300x2-1/2 Pin w/washer,1516SD, 15 pk		Please Login
R00809	.300x2-1/2 Pin w/washer,1516SD, 100 pk		Please Login
R09173	Ramguard .300x2-1/2 Pin w/washer, 100 pk		Please Login
R07887	.300x3 Pin w/washer, 1524SDP, 15 pk		Please Login
R07886	.300x3 Pin w/washer, 1524SDP, 100 pk		Please Login
R09176	Ramguard .300x3 Pin w/washer, 100 pk		Please Login




Ramset Drive Pins

Part#	Description	List Price	Wholesale
R00771	.300x1-1/4 Dr Pin,1510, 100 PK		Please Login
R00774	.300x1-1/2 Dr Pin,1512, 100 PK		Please Login
R00780	.300x2 Dr Pin, 1514, 100pk		Please Login
R00787	.300x2-1/2 Dr Pin,1516, 25 pk		Please Login
R00786	.300x2-1/2 Dr Pin,1516, 100 pk		Please Login
R09167	Ramguard .300x2-1/2 Dr Pin,100 pk		Please Login
R00794	.300x3 Dr Pin, 1524, 100 pk		Please Login
R09170	Ramguard .300x3 Dr Pin, 100 pk		Please Login



Ramset Track Pins

Part#	Description	List Price	Wholesale
R00747	.300x3/4 dr pin 1506, 100 pk		Please Login
R00764	.300X1 DR Pin, 1508, 25 pk		Please Login
R00759	.300X1 DR Pin, 1508, 100 pk		Please Login



Ramset Power Point Pins

Part#	Description	List Price	Wholesale
R06171	1/2 " P-Point Pin, SP12, 100pk		Please Login



VIRGINIA ABRASIVES



High Speed Diamond Blade

Part#	Size	Application	Max RPM	List Price	Wholesale
Ultra Value					
425-04177	14"x.125"x1"/20mm DP	Concrete	5500		Please Login
Premium					
425-04173	18"x.125"x1"/20mm DP	Concrete	3400		Please Login
425-04174	18"x.125"x1"/20mm DP	Asphalt	3400		Please Login
Supreme					
425-06321	14"x.125"x1"/20mm DP	Con./Asph.	5500		Please Login

VIRGINIA ABRASIVES



Premium Rescue/Restoration Diamond Blade

- Fast cutting of construction materials, siding, wood, roofing tiles, iron, and steel
- Silicon carbide impregnated sides reduce binding

Part#	Size	Max RPM	List Price	Wholesale
425-05243	14"x.1/8"x1"/20mm DP	5500		Please Login

VIRGINIA ABRASIVES




Tile Saw Diamond Blade - Wet Cutting

- Sintered for wet cutting granite and marble

Part#	Size	Max RPM	List Price	Wholesale
425-02992	10" x 0.065" x 5/8"	6100		Please Login

VIRGINIA ABRASIVES



Masonry Diamond Blade - Dry Cutting

- Designed for general purpose rental fleets

Part#	Size	Max RPM	List Price	Wholesale
425-03031	14" x .110" x 1" DP	5500		Please Login

MK
MK Diamond Products, Inc.



7" Contractor Diamond Blade

- Circular saw blade
- Turbo rim for fast, smooth cuts
- Ideal for cutting concrete, bricks, pavers, sandstone, stucco and roof tiles
- 8,700 maximum RPM
- DM 7/8" to 5/8" arbor

Part#	List Price	Wholesale
167022		Please Login

MK
MK Diamond Products, Inc.



14" Diamond Blade

- 14" x .125 x 1"
- Cuts pavers, brick, concrete, block and asphalt
- Segmented rim for fast, aggressive cuts
- Contains 10 percent more diamond for longer life

Part#	List Price	Wholesale
167019		Please Login



7-1/4" Marathon Portable Corded Circular Saw Blade

- New and improved design
- Every other tooth is thinner for faster cuts
- New heat vent/expansion slot design reduces vibration
- Construction grade carbide teeth
- Reinforced shoulder for added durability
- Fully hardened plate runs truer, longer

Part#	List Price	Wholesale
24030		Please Login



7-1/4" 24-Tooth Carbide Blade

- Combo framing - tungsten carbide
- Construction grade
- 5/8" Arbor-diamond knockout
- Ribbed heat vents allow blade to run cooler, reducing blade flexing and binding

Part#	List Price	Wholesale
DW3578B10		Please Login



12" 80-Tooth Circular Saw Blade

- Fine crosscutting - tungsten carbide
- Construction Grade
- 1" Round Arbor

Part#	List Price	Wholesale
DW3128		Please Login

Grinding Wheels (1/4" Thick)



- For metal polishing & general flat grinding
- Aluminum oxide abrasive grains are evenly distributed to give a smooth surface

Part#	Diameter	Arbor	Grit	Pack Qty.	Model	List Price	Wholesale
741423-B-25	4-1/2"	7/8"	24	25	GA4534, 9527NB, 9527PB 9554NB, 9557NB/PB, 9564CV		Please Login
741414-B-10	7"	5/8"-11	24	10	GA7001L, GA7011C, GA7020, GA7021, GA7040S		Please Login



Super Thin Cut-Off Wheel (3/64" Thick)

- Cuts up to 50% faster
- Lasts up to 20% longer
- Use with paper flange (included)



Part#	Diameter	Arbor	Grit	Pack Qty.	Model	List Price	Wholesale
724112-A-25	4-1/2"	7/8"	A46	25	GA4534, 9527NB, 9527PB		Please Login



Cut-off Wheels



- Reinforced Type 1
- Sold individually



Part#	Size	Application	Max RPM	Pkg. Qty.	List Price	Wholesale
Portable Saws						
424-10814	14" x 1/8" x 20mm High-Speed	Concrete	5400	10		Please Login
424-15714	14" x 1/8" x 20mm High-Speed	Metal	5400	10		Please Login
424-11214	14" x 1/8" x 1" High-Speed	Concrete	5400	10		Please Login
424-16114	14" x 1/8" x 1" High-Speed	Metal	5400	10		Please Login
Road Construction Saws						
424-20414	14" x 3/16" x 1"	Concrete	4365	10		Please Login
424-21214	14" x 3/16" x 1"	Green Concrete/Asphalt	4365	10		Please Login



EZ Edger Discs

- Fits all 7" Edge Sanders & 3 Head Orbital 6-3/4" Sanders, Clark® EZ-Sand
- Sold individually



Part#	Size	Pkg. Qty.	List Price	Wholesale
003-67894	6-7/8" x NH 100	50		Please Login
003-67880	6-7/8" x NH 80	50		Please Login
003-67860	6-7/8" x NH 60	50		Please Login
003-67836	6-7/8" x NH 36	50		Please Login
003-67820	6-7/8" x NH 20	50		Please Login
003-27820	6" Conversion Disc	10		Please Login

Floor Sanding Edger Discs


- Fits Clark® Super 7
- Sold individually



Virg. Abr. Part#	Abmast Part#	Size	Pkg. Qty.	List Price	Wholesale
006-70894	B0710	7" x 7/8"	100	50	Please Login
006-70880	B0780	7" x 7/8"	80	50	Please Login
006-70860	B0760	7" x 7/8"	60	50	Please Login
006-70850		7" x 7/8"	50	50	Please Login
006-70840	B0740	7" x 7/8"	40	50	Please Login
006-70836	B0736	7" x 7/8"	36	50	Please Login
006-70824		7" x 7/8"	24	50	Please Login
006-70820	B0720C	7" x 7/8"	20	50	Please Login
006-70816		7" x 7/8"	16	25	Please Login
006-70812		7" x 7/8"	12	25	Please Login

Orbital Floor Sanding Sheets

- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- Sold individually




Virg. Abr. Part#	Abmast Part#	Size	Pkg. Qty.	List Price	Wholesale
PSA Abrasive Sheets - "Sticky-Back" Backing					
206-34100	B1810	12" x 18"	100	20	Please Login
206-34080	B1880	12" x 18"	80	20	Please Login
206-34060	B1860	12" x 18"	60	20	Please Login
206-34036	B1836	12" x 18"	36	20	Please Login
206-34020	B1820C	12" x 18"	20	20	Please Login

20 per carton

Part#	Size	Pkg. Qty.	List Price	Wholesale
Quicksand Abrasive Sheets - "Non-Stick" Backing				
202-34100	12" x 18"	100	20	Please Login
202-34080	12" x 18"	80	20	Please Login
202-34060	12" x 18"	60	20	Please Login
202-34036	12" x 18"	36	20	Please Login
202-34020	12" x 18"	20	20	Please Login

Orbital Floor Maintenance Thick Pads

- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- Sold individually



Virg. Abr. Part#	Abmast Part#	Size	Pkg. Qty.	List Price	Wholesale
416-54187	J182W	12" x 18"x1" White	5		Please Login
416-54186	J182T	12" x 18"x1" Tan	5		Please Login
416-54185	J182G	12" x 18"x1" Green	5		Please Login
416-54184	J182B	12" x 18"x1" Black	5		Please Login
416-54180	J182R	12" x 18"x1" Red	5		Please Login

5 per carton

Floor Sanding Sheets

- Fits Clarke® DU-8 or EZ-8 with Notches and Rentlink® and HT8
- 8" X 19-1/2" VA8
- Sold individually



Virg. Abr. Part#	Abmast Part#	Description	Pkg. Qty.	List Price	Wholesale
002-08100	B5210	100 Grit	50		Please Login
002-08080	B5280	80 Grit	50		Please Login
002-08060	B5260	60 Grit	50		Please Login
002-08050		50 Grit	50		Please Login
002-08040		40 Grit	50		Please Login
002-08036	B5236	36 Grit	50		Please Login
002-08024	B5224C	24 Grit	50		Please Login
002-08020	B5220C	20 Grit	50		Please Login
002-08016	B5216C	16 Grit	50		Please Login
002-08012		12 Grit	50		Please Login

Expanding Drum Belts - Cloth

- Fits Clarke® EZ-8 Expandable Drum
- 8" x 19" VAEZ8
- Sold individually



Virg. Abr. Part#	Abmast Part#	Description	Pkg. Qty.	List Price	Wholesale
018-81996	C8912	120 Grit	10		Please Login
018-81994	C8910	100 Grit	10		Please Login
018-81980	C8980	80 Grit	10		Please Login
018-81960	C8960	60 Grit	10		Please Login
018-81940	C8940	40 Grit	10		Please Login
018-81936	C8936	36 Grit	10		Please Login
018-81924	C8924	24 Grit	10		Please Login

**VIRGINIA
ABRASIVES**



Premium Segmented Grinding Diamond Head for Concrete

• Professional grade



Part#	Size	Application	Max RPM	List Price	Wholesale
425-04252	10" x 5/8", 10 Segments	Hard Concrete	6100		Please Login
425-04253	10" x 5/8", 20 Segments	Hard Concrete	6100		Please Login
425-04254	10" x 5/8", 10 Segments	Soft Concrete	6100		Please Login
425-04255	10" x 5/8", 20 Segments	Soft Concrete	6100		Please Login

**VIRGINIA
ABRASIVES**



Diamond Turbo Cup Wheel - Premium

• Professional grade



Part#	Size	Application	Max RPM	List Price	Wholesale
425-04087	7" x 5/8"-11 - 12 Segments	GP Concrete Finishing	8600		Please Login

**VIRGINIA
ABRASIVES**


Tungsten Carbide Abrasive Disc



Part#	Size	Pkg. Qty.	List Price	Wholesale
421-80015	15" x 2"	1		Please Login
421-80016	16" x 2"	1		Please Login
421-80017	17" x 2"	1		Please Login

**VIRGINIA
ABRASIVES**

Floor Maintenance Thick Pads




Part#	Size	Pkg. Qty.	List Price	Wholesale
416-50170	17" x 1" Red Buffer	5		Please Login
416-50174	17" x 1" Black Stripper	5		Please Login
416-50175	17" x 1" Green Scrubber	5		Please Login
416-50176	17" x 1" Tan Scrubber	5		Please Login
416-50177	17" x 1" White Polish	5		Please Login
416-50178	17" x 1" White Gold	5		Please Login

**VIRGINIA
ABRASIVES**

Floor Grinding Blocks

• Wooden wedges included
• Sold individually



Part#	Size	Application	Grit	Pkg. Qty.	List Price	Wholesale
426-38002	2" x 2" x 4" Concrete	Concrete	80	6		Please Login
426-32402	2" x 2" x 4" Concrete	Concrete	24	6		Please Login
426-31202	2" x 2" x 4" Concrete	Concrete	10	6		Please Login
426-30802	2" x 2" x 4" Concrete	Concrete	8	6		Please Login

**VIRGINIA
ABRASIVES**

Standard Diamond Grinding Blocks

• Holder included
• Segments are premounted



Part#	Size	Application	List Price	Wholesale
425-05234	2"x2"x4" grinding heads	General Purpose		Please Login
425-05235	2"x2"x4" grinding heads	Soft Concrete		Please Login
425-05236	2"x2"x4" grinding heads	Mortar/Epoxy		Please Login
999-00007		Wooden Wedges		Please Login

Choosing The Right Machine For The Job

Choosing the Right Electric Eel[®] Machine for the Job

Model C
3" - 10" dia.
lines up to 200'

Model R
3" - 6" dia.
lines up to 100'

Model RF
3" - 6" dia.
lines up to 100'

Model E
1-1/4" - 3" dia.
lines up to 75'

Model E-AF
1-1/4" - 3" dia.
lines up to 75'

Model Z5-AF
1-1/4" - 3" dia.
lines up to 100'

Model Z5
1-1/4" - 3" dia.
lines up to 100'

Model Z5-AF
1-1/4" - 3" dia.
lines up to 100'

Model CT
3/4" - 2-1/2" dia.
lines up to 50'

E-CAM
inspects
3" - 8" dia. lines

Model K
1-1/4" - 3" dia.
lines up to 100'

Model S
1-1/4" - 2-1/2" dia.
lines up to 35'

Hande
1" - 2-1/2" dia.
lines up to 35'

Closest Auger
3" cable

Electric Eel Mfg. Co., Inc. • 501 W. Leffel Lane • Springfield, OH 45501-9985 • 800-833-1212 • Fax: 937-323-3767 • www.electriceel.com
For Illustration Purposes Only. Always Refer to the Operator's Manual and Safety Instructions Before Operating Any Drain and Sewer Cleaning Equipment. Avoid Traps Whenever Possible. Subject to Change Without Notice.



HE1425



Hande Drain Cleaner

- Opens clogged sinks, lavatories, bathtubs, and shower stall drains
- 1/4" or 5/16" music wire cable for maximum flexibility and durability
- Convenient thumb screw locks cable securely

Part#	Description	List Price	Wholesale
HE1425	Hande Drain Cleaner w/1/4" x 25' cable		Please Login
14E25	1/4" x 25' replacement cable - Hande		Please Login
516E25	5/16" x 25' replacement cable - Hande		Please Login



Kinetic Water Ram

Uses a slug of compressed air which suddenly, swiftly, and safely strikes the column of water in a blocked pipe. Complete kit with case.



Part#	List Price	Wholesale
KWR2T		Please Login

Electric Eel Accessories

MODEL

Part#	Description	HE1425	S	CT	K	E	Z5	R	RF	C	List Price	Wholesale
14E25	1/4" x 25' replacement cable - Hande	X	X	X								Please Login
516E25	5/16" x 25' replacement cable - Hande	X	X	X								Please Login
38C25	3/8" x 25' expanded end replacement cable		X	X								Please Login
516C25	5/16" x 25' expanded end replacement cable		X	X								Please Login
CS10	Carry case		X									Please Login
EG1A	2 wheel cart w/folding handle					X						Please Login
12C50	1/2" x 50' IC replacement cable					X						Please Login
12C75	1/2" x 75' IC replacement cable					X	X					Please Login
DNTS	3 piece tool set				X	X						Please Login
DNTS5	5 piece tool set						X					Please Login
58C100	5/8" x 100' Tri-Max replacement cable							X	X			Please Login
34C100	3/4" x 100' Tri-Max replacement cable							X	X			Please Login
RTS	4 piece tool set							X	X			Please Login
A1DC	Spear head							X	X	X		Please Login
HDD3S	Root saw							X	X			Please Login
U3H	Grease tool							X	X			Please Login
HDD7	Retriever tool							X	X	X		Please Login
SW18	Spanner wrench for disconnecting tool							X	X	X		Please Login
FL12	12" Flex leader							X	X			Please Login
8TRS	8' TRS reg. dual cables									X		Please Login
10TRS	10' TRS reg. dual cables									X		Please Login
SC13	Feeding tool									X		Please Login
CTSR	5 piece tool set									X		Please Login
A14DC	Root saw									X		Please Login
HDD2A	Retriever tool									X		Please Login
U4H	Grease tool									X		Please Login
SP30	Tool adapter		X	X	X	X	X	X	X	X		Please Login

Included in Tool Set #RTS



View Our Complete Line of Electric Eel Accessories on Page 155



Counter-Top Drain Cleaner - Model CT

- 1/5 HP, 90 Volt DC motor
- Heavy-duty housing protects motor and internal wiring
- Cable guide hose eliminates cable whipping
- Stainless steel cable drum will not rust
- Built-in GFCI on 20' line cord
- Air operated foot switch and cord assembly for ease of operation
- 5/16" x 35' cable



Part#	Description	List Price	Wholesale
CT51635	Electric cleaner		Please Login



Tool Set Included

Manual Powered Drain Cleaner - Model K

- Cleans 1-1/4" - 3" diameter lines up to 100'
- Lightweight, less expensive alternative to electric powered models
- Ideal for rooftop work in downspouts
- Runs up to 100' of 1/2" galvanized aircraft wire inner core cable
- Self-aligning bearings
- Thumbscrew locks cable at front of cage
- Heavy-duty steel frame is reinforced on both sides with steel braces

Part#	Description	List Price	Wholesale
KK1250	Manual cleaner w/1/2" x 50' IC cable & tool set		Please Login



Tool Set Included

MOST POPULAR

Electric Drain Cleaner - Model E

- Cleans 1-1/4" - 3" dia. lines up to 50'
- A common and widely rented machine popular with homeowners
- Rugged 1/3 H.P. Baldor motor
- Inner drum to eliminate cable buckling in cage
- Built-in drum shaft slip clutch
- GFCI with 20' power cord

Part#	Description	List Price	Wholesale
EKR1250	Electric cleaner w/1/2" x 50' IC cable & tool set		Please Login



Tool Set Included

Electric Drain Cleaner - Model Z5

- Cleans 1 1/4" - 3" dia. lines up to 100'
- Unit built on heavy duty steel frame with folding handle for easy storage and transport
- Totally open cable cage for easy inspection and cleaning of cable
- Wheel break stabilizes unit while in operation
- Easy-to-use air operated foot switch allows the use of both hands when working with cable
- Unique inner drum design eliminates cable tangling in cage
- Rugged 1/3 H.P. Baldor motor



Part#	Description	List Price	Wholesale
Z5K1275	Electric cleaner w/1/2" x 75' IC cable & tool set		Please Login



SECOND CHOICE



Model R



Electric Drain Cleaner - Model R

- Cleans 3" – 6" dia. lines up to 100'
- Runs the industries toughest TRI-MAX cable in 5/8" x 3/4" diameter
- Ideal in situations with limited working space
- Heavy duty 1/3 H.P. Baldor capacitor start motor
- Rugged 1-1/4" steel frame
- Snap lock tool connectors hold tools firmly in place
- Large 10" wheels for easy maneuvering
- Built-in GFCI w/20' power cord
- **RK58 - Special order only; non-stock item**

Part#	Description	List Price	Wholesale
RK58	Cleaner w/5/8" x 100' IC cable & tool set		Please Login
RK34	Cleaner w/3/4" x 100' IC cable & tool set		Please Login



Model RF

Electric Drain Cleaner w/Auto Feed Cable - Model RF

- Same features as Model R
- Added Safety - cable guide spring keeps hands off rotating cable
- Auto Feed - customer does not have to manually pull cable out and push back in cage - 2 way auto feeder does all the work
- Totally Open Cage - for quick inspection of cable and easy cleaning
- **Special order only; non-stock item**

Part#	Description	List Price	Wholesale
RFK100	Cleaner w/auto cable feed		Please Login



View Our Complete Line of Electric Eel Accessories on Page 155



Now with patent pending redesigned snap-lock cable coupling allows cables to connect easier and quicker than ever.
Part# 8TRS & 10TRS



Electric Drain Cleaner - Model C

- Cleans 3" – 10" dia. lines up to 200'
- Ideal for tougher blockages such as tree roots and for longer runs in main sewer lines
- Spins the 8' or 10' cables at twice the RPM of that of a continuous cable machine for maximum cleaning power
- Safety – No handling of rotating cables
- Lower Maintenance – Sectional cables can be quickly inspected
- Ease of Transport – The Model C drive unit weighs only 72 lbs.
- The handle folds down for easy transport and storage

Part#	Description	List Price	Wholesale
CK128	Cleaner w/(13) 8' TRS reg. dual cables (5) cleaning tools, feeding tool, spanner wrench		Please Login
CDU12	Model C drive unit only		Please Login



Case Sold Separately

Drill Powered Drain Cleaner - Model S

- Cleans 1-1/4" – 2-1/2" dia. lines up to 35'
- Ideal for smaller, inside lines such as sinks, tubs, and showers
- Stainless steel cable drum won't rust, break or crack
- Cast aluminum hand guard
- Double insulated drill for shock protection
- Cables are constructed of certified music wire

Part#	Description	List Price	Wholesale
SKR3825	Drill cleaner w/3/8" x 25' EIC cable		Please Login
SDU	Drill cleaner unit only		Please Login
CS-10	Carrying case for Model S		Please Login
S-11A	Toilet guide tube		Please Login





One-Man Hole Digger

- First one-man, hand-held hole digger to feature an all-position, 4-stroke gasoline engine
- Operates on hills or store it on its side without fear of damage or oil leaking from the crankcase
- Ideal machine for both homeowner and contractors alike
- Honda 4-cycle, GX35 Engine
- Digs up to an 8" (203 mm) diameter hole
- Built with oversized ball bearings, heat treated shafts and precision gears
- Unique Comfort-Zone™ handle was newly created to specifically help the operator maintain proper position while digging
- Weight - 26 lbs.
- Auger sold separately



Part#	Description	List Price	Wholesale
M240H	Hole Digger		Please Login
2135-4E	4" auger		Please Login
2135-6E	6" auger		Please Login
2135-8E	8" auger		Please Login
2135-15X	15" extension w/o flighting		Please Login



Two-Man Hole Digger

- 5.0 HP Honda GXV140, 4-cycle engine
- Totally-enclosed, oil-lubricated spur gear reduction
- All-metal, oil-cooled, automatic centrifugal, clutch slips (does not fully disengage) on overload
- Approximately 190' lbs. drilling torque
- 1-3/8" hexagon drive shaft connection
- Weight - 71 lbs.
- Auger sold separately



Part#	Description	List Price	Wholesale
M330H	Hole Digger		Please Login
4450-6E3	6" hex drive auger		Please Login
4450-8E3	8" hex drive auger		Please Login
4450-10E3	10" hex drive auger*		Please Login
4450-12E3	12" hex drive auger*		Please Login
5500-15X	15" extension w/o flighting		Please Login

*Special Order Only





Tows to jobsite at highway speeds

No need for a separate trailer. A towbar is included as a standard accessory and quickly attaches with quick-release type pins. The cast steel coupler accepts both 1-7/8" (48 mm) and 2" (51 mm) balls.

One-Man Towable Hole Digger

- 8 GPM fixed displacement gear type hydraulic pump, low speed, high torque hydraulic motor direct coupled to the auger
- Four way, spring loaded directional control valve
- Includes 10 micron return line filter, suction screen & return line diffuser
- 13 HP Honda GX390
- 276 lbs. at 2000 PSI Max. drilling torque
- 144 RPM auger rotation speed
- 1-3/8" hexagon standard
- 4.80-12 highway use rated tires
- Tires - 4.80-12 highway use rated
- Dimensions - 113"L x 41"W
- Weight - 440 lbs.
- Auger sold separately



Part#	Description	List Price	Wholesale
M660H	Hole Digger*		Please Login
4450-6E3	6" hex drive auger		Please Login
4450-8E3	8" hex drive auger		Please Login
4450-10E3	10" hex drive auger*		Please Login
4450-12E3	12" hex drive auger*		Please Login

*Special Order Only

Replacement Wear Parts For Augers



AT35
Standard Dirt Tooth
For ordinary digging conditions.



AT1336
Tungsten Carbide Tooth
For use in extremely abrasive and frozen soil.



AT35HFC
Hardfaced Dirt Tooth
Hardfacing substantially increases the wear life of the 35 Standard Dirt Tooth.



ATSB25
Screw Bit
Use in most soils. Install on all brands of augers except 3" & 4" dia.



AT5T30
Chisel Type Dirt Tooth
Rip through caliche, hardpan and other formations.


ATP801
Screw Bit
Use on one man augers of all sizes.

Part#	Description	List Price	Wholesale
AT35	Standard tooth		Please Login
AT35HFC	Hardfaced tooth		Please Login
AT5T30	Chisel tooth		Please Login
AT1336	Tungsten tooth		Please Login
ATSB25	Screw bit		Please Login
ATP801	Screw bit		Please Login

ORDERING




Phone Orders:
1.800.362.6951 (Press 1)
8:00 a.m. - 4:30 p.m. (CST)




Fax Orders:
1.800.255.7985
24 hours a day, 7 days a week



Internet Orders:
www.phpdistribution.com
24 hours a day, 7 days a week



Mail Orders:
PHP
342 North 400 East
Valparaiso, IN 46383





HV6900



HV7P1

Commercial Grade Paint Sprayer

The professional, commercial grade HV6900 is a powerful HVLP (high volume-low pressure) unit suitable for thick and thin viscosity paints.

- 3 spray patterns, horizontal fan, vertical fan and detailed with fast "Push N' Click" system to change patterns
- 1 quart disposable spray gun included
- Adjustable 1"-12" fan width
- 2.0mm stainless steel needle
- 3-stage 1100W Ametek turbine
- 13' air hose
- 5 PSI
- 71 CFM
- Weight 25 lbs.
- 2-year warranty
- **Special order only; non-stock item**



Part#	Description	List Price	Wholesale
HV6900	Paint Sprayer		Please Login
HV7P1	Disposable paint gun (individual)		Please Login
HV7PGUN	Disposable paint gun (case of 12)		Please Login
N0166	Professional paint gun		Please Login



Polypropylene Disposable Coverall

- Lightweight polypropylene
- Full zipper front
- Elastic wrist and ankle closures
- Sold individually



Part#	Size	List Price	Wholesale
S6843	L		Please Login
S6844	XL		Please Login
S6845	3XL		Please Login

Stilts

- Lightweight aluminum
- Adjusts fast & easy without tools
- Dual-spring action to make walking more natural
- Weight limit 225 lbs.



Part#	Description	List Price	Wholesale
132	18"-30", Pair		Please Login



Warner Wallpaper Steamer

- Operates on 110V, 15 amps
- Draws 1,500 watts
- Includes narrow & medium steam pans, 15' steam hose, hose clamps, 15' electric cord, GFI housing and extra water glass



Part#	List Price	Wholesale
5687		Please Login

Earlex "SteamMaster" Wallpaper Steamer

- Patented step-on design feature
- Anti-kink Coolrun hose
- 1.9 gallon aluminum water tank
- 120V, 1500 watts, 60Hz AC, 12.5 amps
- Porcupine-Perforator for even faster removal
- Perforates the paper and allows steam to penetrate faster
- Includes all parts & accessories below



Part#	Description	List Price	Wholesale
LMB150	Steamer		Please Login
PPF1	Perforating tool		Please Login
SSP	Small steam pan		Please Login
PS0253	Large steam pan		Please Login
PS0019	Fuse		Please Login
PS0037	Pressure cap		Please Login
PS0038	Hose		Please Login
PS0109	Cord		Please Login
PS0112	Switch		Please Login
PS0123	Thermostat		Please Login



Large pan-10"x13" Small pan-6"x3"



Dust Masks

- Box of 50 masks
- Compact design easily worn with glasses and goggles
- Suitable for workshop, sweeping, and cleaning

Part#	List Price	Wholesale
2985		Please Login



Nuisance Dust Masks

- Soft, flexible nosepiece
- Compact design easily worn with glasses and goggles
- One size fits all
- Pack of 5

#1 BEST SELLER

Part#	List Price	Wholesale
2986		Please Login



N95 Particulate Respirators

- Inner foam provides a custom seal
- Dual head strap for optimum fit
- NIOSH Approved
- Box of 20

Part#	List Price	Wholesale
8610P		Please Login



N95 Valved Particulate Respirators

- Exhalation valve for extra comfort
- Inner foam provides a custom seal
- Dual head strap for optimum fit
- NIOSH Approved
- Box of 10

Part#	List Price	Wholesale
8611P		Please Login



Hearing Protectors

Tagged for Hanging

***NRR=24**

- Ultra-light & comfortable
- Contoured headband with "No-Snag" design
- Extra-wide, soft cushions

Part#	List Price	Wholesale
2408		Please Login



Tagged for Hanging

- Dielectric, three-position earmuff
- Soft-Seal™ ear cushions provide exceptional comfort
- Special foam head pad

***NRR=27**

Part#	List Price	Wholesale
S2700		Please Login



- Rated #1 by the USAF
- Soft-Seal™ ear cushions provide exceptional comfort
- Ultra-soft head pad

***NRR=29**

Part#	List Price	Wholesale
2950		Please Login

*NRR-Noise Reduction Rating

NEW!

Paint and Pesticide Respirator

- Patented, flexible facepiece for better seal
- Low profile cartridges for unobstructed view
- Replaceable, long-life cartridges and pre-filters
- Standard size
- Certified by NIOSH



Part#	List Price	Wholesale
817662		Please Login



SP31C

Ear Plugs

- Reusable molded plug
 - One size fits most
- Sold by carton

9004



9300

Part#	Description	Ctn Qty	List Price	Wholesale
9004	Reusable w/cord, NRR 24	100		Please Login
9300	Foam w/o cord, NRR 32	200		Please Login
SP31C	Foam w/cord, NRR 32	100		Please Login





NFL Hard Hats

- Licensed NFL hard hats
- Meets ANSI Z89.1-2003
- Meets OSHA Type I, Classes E, G



V-Gard®
Protective
Hats

These authentic hardhats
are the same hardhats
sold at various stadium
souvenir stands!



818415-Arizona Cardinals



818416-Atlanta Falcons



818417-Baltimore Ravens



818418-Buffalo Bills



818419-Carolina Panthers



818420-Chicago Bears



818421-Cincinnati Bengals



818422-Cleveland Browns



818423-Dallas Cowboys



818424-Denver Broncos



818425-Detroit Lions



818426-Green Bay Packers



10031349-Houston Texans



818427-Indianapolis Colts



818428-Jacksonville Jaguars



818429-Kansas City Chiefs



818430-Miami Dolphins



818431-Minnesota Vikings



818432-New England Patriots



818433-New Orleans Saints



818434-New York Giants



818435-New York Jets



818436-Oakland Raiders



818437-Philadelphia Eagles



818438-Pittsburgh Steelers



818439-San Diego Chargers



818440-San Francisco 49ers



818441-Seattle Seahawks



818442-St. Louis Rams



818443-Tampa Bay Buccaneers



818444-Tennessee Titans



818445-Washington Redskins

For Men
or
Women



V-Gard®
Protective
Hats

Adjustable Suspension

- 1-Touch adjustable suspension
- Meets ANSI Z89.1-2003
- Meets OSHA Type I, Class G & E
- Fas-Trac suspension available



Part#	Color	List Price	Wholesale
818066	White		Please Login
818068	Yellow		Please Login
10087220	Fas-Trac Suspension		Please Login



V-Gard® Bump Cap

- 4 Point Pinlock Suspension
- Polyethylene shell provides superior impact protection
- Self-adjusting crown straps ensure a comfortable fit
- Slotted for use with Accessories
- Meets ANSI/ISEA Z89.1-2009 (Class E)
- Meets CSA Z94.1-2005 (Class E)

Part#	List Price	Wholesale
10155231		Please Login

Order Online
Visit Our
PHP Website NOW!

- ✓ Order online from a secure site
- ✓ Check account status
- ✓ Look up individual parts

**Woodsman™
Forestry System**

- Perfect solution for chain saw, sandblasting or woodworking
- Gladiator® six point ratchet hard hat
- Earmuffs with cushions
- Molded steel mesh face screen



Part#	Description	List Price	Wholesale
6000W	Entire System		Please Login
1000-5	Replacement suspension		Please Login
2293-1	Foam ear cups		Please Login
4000P	Face shield - clear		Please Login
4000W	Face screen - mesh		Please Login

Full Brim

- Full brim provides protection from UV rays on ears and back of neck
- Shorter in the front, allowing the wearer to look upward
- Ratchet suspension
- Meets ANSI Z89.1-2003
- Meets OSHA Type I, Class G & E



V-Gard®
Protective
Hats

Part#	Color	List Price	Wholesale
10006318	White		Please Login
10012177	Yellow		Please Login
10087220	Suspension		Please Login



**Sentry III
Ratchet Hard Hats**

- Squared-off nape strap
- 6 point nylon web suspension system
- Hearing, welding and face shield accessories can be snapped into universal slots
- Meets ANSI Z89.1 and CSA Z94.1
- Meets OSHA Type I, Class C,G, & E
- SEI certified



Part#	Description	List Price	Wholesale
14024	White		Please Login
14011	Yellow		Please Login



Traffic Cones with Reflective Collar

- Extra-wide body
- Rugged base keeps cone upright
- 4" & 6" collars



Part#	Description	List Price	Wholesale
19930	28" - Lime green		Please Login
16519	28" - Orange		Please Login

Traffic Cones

- Rugged base keeps cone upright
- Dayglow orange or lime PVC



Part#	Description	List Price	Wholesale
TC18	18" - 2.5 lbs. - orange		Please Login
TC28	28" - 7 lbs. - orange		Please Login
3004283	18" - 2.5 lbs. - lime		Please Login
3004286	28" - 7 lbs. - lime		Please Login


Other styles can be special ordered

Contractors Grade Silt Fence

- Economical 36" tall silt fabric
- 1-1/2" x 1-1/2" (Nominal) hardwood stakes
- Stakes spaced every 10' (10' centers)
- 11 stakes per 100' fabric



Part#	List Price	Wholesale
14987		Please Login



Orange Safety Fence

- Heavy-duty
- Strong, but lightweight
- Flat safety edge on top and bottom
- Rectangular hole size is 2" x 3-3/4"



Part#	Description	List Price	Wholesale
FE50N	4' x 50', 8 lbs.		Please Login
FE100N	4' x 100', 16 lbs.		Please Login

Sand Bags (Woven Polypropylene)

- Comes complete with heavy poly-twine ties
- Bright orange (100 hr. UV protection) for increased visibility
- 14" x 26" weigh 50 lbs. when filled
- Sold by carton of 1,000
- Quick Fill Stand folds flat for easy storage



Part#	Description	List Price	Wholesale
14981	Sand bags-orange		Please Login
14981-W	Sand bags-white		Please Login

DisposaCone®

- Equip vehicles for roadside emergencies, maintenance, or leave on the job-site
- Stands 18" high
- Folds flat for easy storage
- Sticks to almost anything - concrete, asphalt, glass, metal
- Stands up to 4 days of heavy wind & rain
- 3 cones per package



Part#	List Price	Wholesale
1836R		Please Login

Product Comparison	10 Regular Cones	10 DisposaCones
Leave on site	\$120.00	\$14.80
6 lost cones	\$72.00	\$14.80
Labor/Pickup	\$75.00	-0-
Total Cost	\$147.00	\$14.80
Advantage	X	✓



Type I
(One reflective panel)

Type II
(Two reflective panels)



In Stock

Plastic Type I and Type II Barricades

- NCHRP-350 Certified with and without lights
- Meets MUTCD standards
- Weighs only 15 lbs
- Low profile -- Folded dimensions are 2.5"H x 24"W x 45.5"L
- 24" x 12" top panels and 24" x 8" bottom panels
- Built-in bracket accommodates barricade light
- Optional plastic Sand Ballast Bar for additional weight
- 2 per carton

Part#	Description	List Price	Wholesale
Type I			
3001783	24" x 8" x 8"		Please Login
3007829	24" x 12" x 8"		Please Login
Type II			
3007832	24" x 8" x 8"		Please Login
3007834	24" x 12" x 8"		Please Login

Stop/Slow Paddles

- Meets all MUTCD requirements
- Letter Size: 8" for 24", 6" for 18" paddle
- Engineer grade sheeting
- 24" meets DOT Standards



Part#	Description	List Price	Wholesale
03-822P	24" w/ 81" plastic handle		Please Login
03-852	18" w/ 9" polygrip handle		Please Login



OSHA Rebar Caps (Impalement Protection)

- Made of space age high density polymer
- These high quality caps are bright orange and fit rebar #4 - #8
- Meets new OSHA Requirement 344.90

Part#	List Price	Wholesale
14640-4		Please Login



Overall Height
49.8"

Top Diameter: 4"
Base Diameter: 7.56"

High-intensity sheeting units have (2) reflective collars

Shown with recycled rubber base (3007532) not included

Grip & Go Channelizer Cone

- Meets MUTCD and NCHRP-350 requirements
- Large grip on the handle allows workers to easily pick up
- Large channelizer cone handle accommodates one or two Type A or C lights
- Recycled rubber bases provide stability and support
- 42" tiered cone design allows for easy stackability
- Low density polyethylene with UV inhibitors
- Available with or without sheeting (stripes)



In Stock

Part#	Description	List Price	Wholesale
3014081	Channelizer-no sheeting		Please Login
3014082	Channelizer w/hi-intensity sheeting		Please Login
3007532	16 lb. base		Please Login
3009066	10 lb. base		Please Login

Fits barricades on this page!



LED Flashing Barricade Light

- MUTCD & ITE compliant
- 7" polycarbonate lens with advanced optics
- Available in standard yellow case only
- Uses four D-Cell Ray-O-Vac batteries



Includes Wrench and Wire Key

Part#	Description	List Price	Wholesale
03-10-3WAYDC	Light		Please Login
3019498	Wire key		Please Login



ANSI Class 2 Vest

Whenever greater visibility is desired!



- ANSI/ISEA 107-2004 Class 2 compliant
- 100% polyester with zipper closure
- 2" wide reflectives on front and back
- 4 outside front pockets
- Size: L-4XL

Part#	Size	Description	List Price	Wholesale
SV110	L-4XL	Lime w/gray stripes		Please Login



Surveyor Breakaway Class 2 Safety Vest

- Closure: zipper
- 5-point breakaway
- Tape: 2" silver reflective
- 7 pockets
- Mic tab on both shoulders
- 100% polyester solid knit front and mesh back
- Ideal for extreme work environments around moving machinery



Part#	Description	List Price	Wholesale
SV46G-L	Lime		Please Login
SV46G-XL	Lime		Please Login
SV46G-XXL	Lime		Please Login
SV46O-L	Orange		Please Login
SV46O-XL	Orange		Please Login
SV46O-XXL	Orange		Please Login



PlugsSafety® PlugsPockets™

- Provide On Demand, retractable hearing protection for your safety vest
- Use 3M Peel-And-Stick adhesive to permanently attach to safety vest
- Available with molded or foam earplugs
- Earplugs are with you at all times



PermaPlug™



DuraFoam™

Part#	Description	List Price	Wholesale
PSPOC-PP	PermaPlug™		Please Login
PSPOC-DF	DuraFoam™		Please Login

Closeout Pricing!!



Lime Safety Vest

- Lightweight, comfortable polyester mesh
- 1-1/2" orange/silver vertical stripes
- Elastic side straps
- Velcro® front closure
- One size fits most

Part#	List Price	Wholesale
LSV		Please Login



ANSI Lime Safety Rainwear

- HydroGARD™ coated polyester outer shell provides a waterproof and breathable system
- Two outside front pockets with flip over snap closure and one inside pocket
- Underarm vents for added circulation and cooling
- Stow away hood inside collar
- Rain jacket - ANSI Class 3
- Rain pants - ANSI Class E



Part#	Description	List Price	Wholesale
3012932	Rain jacket - 2XL		Please Login
3012939	Rain pants - L		Please Login
3012941	Rain pants - 2XL		Please Login



Hot Seller!

STOP AND LOOK

Telpro Inc.



Drywall Lifter

- Load rating - 150 lbs.
- Loading height - 34"
- Requires no tools
- Adjustable cradle accomodates boards up to 4' x 16'
- Reaches height of 11'
- Weighs 115 lbs.
- 6' extension - Part# 186-00

NEW! Everyday Wholesale

Part#	Description	List Price	Wholesale
138-2	Lifter		Please Login
186-00	6' extension		Please Login



Drywall Lifter

SUMNER

- Solid, safe construction (CE)
- Lightweight - 99 lbs.
- Two speed winch handle
- Quick, tool-free assembly
- Tilts 65°
- Lifts loads of 150 lbs.
- Loads at a convenient 34"
- Single cable
- **Special order only; non-stock item**

Part#	Height	List Price	Wholesale
2311DL	11'		Please Login
2315DL	15'		Please Login



11' unit stores in car trunk!

RevolutionXE Aluminum Multi-Position Ladders

- Rated to hold up to 300 lbs. (Type 1A duty rating)
- Convenient Rock Lock push button adjustment
- Limited Lifetime Warranty
- OSHA & ANSI A14.2 standards
- Use as different configurations, including A-frame, extension



Ratcheting Levelers
 • Work safely on uneven terrain
 • Hands-free adjustments

Part#	Ratchet Leveler	Height	Weight	List Price	Wholesale
12017	No	15'	32 lbs.		Please Login
12017-801	Yes	15'	38 lbs.		Please Login
12022	No	19'	38 lbs.		Please Login
12022-801	Yes	19'	44 lbs.		Please Login
12026	No	26'	49.5 lbs.		Please Login
12026-801	Yes	26'	53 lbs.		Please Login

FREE FREIGHT
on all Little Giant Ladders!

Aerial Safety Cage Fiberglass Ladders

- Rated to hold up to 375 lbs. (Type 1AA duty rating)
- Adjustable enclosed platform to be a versatile, safe alternative to tying off
- Protects operators in a fully enclosed working platform
- Works on uneven surfaces, stairs, and upper floors
- Includes a one year warranty
- Allows operator to work safely and quickly with two hands while complying with OSHA standards
- Tip & glide wheels



Part#	Height	Weight	List Price	Wholesale
18503	5'	75 lbs.		Please Login
18509	9'	91 lbs.		Please Login
18515	14'	119 lbs.		Please Login

Conquest Fiberglass Multi-Use Articulating Ladders-300 lb. Capacity


- Wide-flared base provides much more lateral stability
- Adjustable straight side allows you to easily and safely access attics and roofs
- Non-conductive fiberglass siderails
- Easy-access carrying handle
- Capable of dozens of configurations, including A-frame, extension, and 90°
- Exceeds all OSHA and ANSI standard



Part#	Model	Height	Weight	List Price	Wholesale
15144	Standard M17	15'	40 lbs.		Please Login
15144-186	V-Rung M17	15'	41 lbs.		Please Login
15146	Standard M22	19'	47 lbs.		Please Login
15146-186	V-Rung M22	19'	48 lbs.		Please Login

Skyscraper Telescoping A-Frame Ladders

- Heavy-wall aircraft-grade aluminum construction
- Rated to hold up to 300 lbs. Type 1A
- Adjustable for use on stairs, curbs, docks and more
- Complies with OSHA ANSI A14.2 standards
- Includes a full 5-year Warranty



Part#	Model	Height	Weight	List Price	Wholesale
10109	M15	8'-15'	60 lbs.		Please Login
10110	M17	9'-17'	79 lbs.		Please Login
10121	M21	11'-21'	103 lbs.		Please Login

Telescoping Work Planks

The Little Giant Telescoping Plank converts any of our ladders into a simple scaffolding.

- 250-lbs. rated capacity
- Slip-resistant surface
- 1-year warranty



Part#	Extension	Weight	List Price	Wholesale
10069	6' - 9'	32 lbs.		Please Login
10813	8' - 13'	42 lbs.		Please Login
11016	10' - 16'	53 lbs.		Please Login

Tip and Glide Wheel Kit

You only need one wheel kit per ladder. Available for the following aluminum ladders

- Type I Models 17 and 22
- Type IA Models 17, 22 and 26
- Pre-2006 models do not have wheels



Part#	List Price	Wholesale
10940		Please Login



All Little Giant Ladders Ship Factory Direct

NEW!

MicroBurst Fiberglass Stepladder - Type 1A

- Easy to store and easy to carry
- Less wind resistance when on a ladder rack
- High-strength steel alloy StableLock spreader system locks securely in place to create a solid A-frame structure with no room for shifting or walking
- Fiberglass construction is ideal for work on electrical circuits
- Rated to hold 300 lbs.



Little Giant
Ladder Systems

Safety Step Stepladder - Type 1A

- Rugged, corrosion-resistant aluminum alloy construction
- Ultra-slim 5" folded depth
- Wide, slip-resistant step treads for maximum stability
- Steps pivot vertically while the framework tucks together for convenient storage
- Lightweight and portable
- Built to last and easy to handle
- Fold-up safety bar for extra security
- Integrated work tray
- 300 lbs. capacity



Part#	Steps	Height	Weight	Load Cap.	List Price	Wholesale
15703-001	2	3'	15 lbs.	375 lbs.	Please Login	
15700-001	3	4'	20 lbs.	375 lbs.	Please Login	
15705-001	5	6'	22 lbs.	300 lbs.	Please Login	
15710-001	7	8'	31 lbs.	300 lbs.	Please Login	

Part#	Steps	Height	Weight	Load Cap.	List Price	Wholesale
10210BA	2	31.5"	15 lbs.	300 lbs.	Please Login	
10310BA	3	44"	20 lbs.	300 lbs.	Please Login	
10410BA	4	56"	25 lbs.	300 lbs.	Please Login	



1400E
1600EP
1800EP



Telessteps
TELESCOPIC LADDERS

VIDEO DEMO



12ES

Part#	Description	List Price	Wholesale
1400E	14' Telescopic ladder		Please Login
1600EP	16' Telescopic ladder		Please Login
1800EP	18' Telescopic ladder		Please Login
12ES	12' Combi ladder		Please Login
BAG-TS	TeleCarry bag for ladders		Please Login

Telescopic Ladders

1-Year WARRANTY

Extended Height	Closed Height	Climbing Height	Net Weight
Model #1400E 250-lb. Capacity, Type 1, Extension			
10.5'	27"	14'	18 lbs.
Model #1600EP 300-lb. Capacity, Type 1A, Extension			
12.5'	30"	16'	25 lbs.
Model #1800EP 300-lb. Capacity, Type 1A, Extension			
14.5'	32"	18'	30.5 lbs.
Model #12ES 300-lb. Capacity, Type 1A, Multi-Positional			
8'	31"	12'	24 lbs.

Folding Step Stool

- Sturdy step stool stands 12" high
- Locks open to prevent accidental fold-up
- Nonskid feet and step surface



Part#	List Price	Wholesale
100SS		Please Login



SERIES 2000
MATERIAL LIFTS

Model 2015

Shown with optional outrigger kit and 10" wheel kit



Ships Assembled



Built for heavy material such as steel beams and/or continuous work

Material Lift

This compact lift offers stronger mast design and a superior cabling system. The shorter mast sections allow the lift to travel through doorways without tipping and to fit nicely into vehicles with small storage space.

- 15'2" heights
- 800 lb. capacity
- Rolls through standard doorways & tail gates
- Loading Bar - great for overhead cranes
- Plunger pins for quick readjustment and compact storage
- No tools needed - no loose parts
- Large 7/32" load cable
- 315 lbs.

Part#	Max Height/Desc.	List Price	Wholesale
783701	15' 2"		Please Login
783679	Outrigger Kit		Please Login
783736	10" Wheel Kit		Please Login

SUMNER


SERIES 2100
CONTRACTOR LIFTS

Model 2118 2124

Comes standard with outrigger kit and 10" wheel kit



Ships Assembled



18' is MOST POPULAR

Contractor Lift

This compact lift offers stronger mast design and a superior cabling system. The shorter mast sections allow the lift to travel through doorways without tipping and to fit nicely into vehicles with small storage space.

- 18'6" or 23'11" heights
- 650 lb. capacity
- Rolls through standard doorways & tail gates
- Loading Bar - great for overhead cranes
- Plunger pins for quick readjustment and compact storage
- No tools needed - no loose parts
- Large 7/32" load cable
- 783651 - 360 lbs.
- 783652 - 399 lbs.



Part#	Max Height	List Price	Wholesale
783651	18' 6"		Please Login
783652	23' 11"		Please Login

SUMNER

Model 2412

Pipe Cradle Optional



Ships Assembled



Contractor Lift

This super compact lift has handy roller wheels which enable ease of rolling into vehicles for transportation. Features 8" non-marking wheels.

- 12' height
- 400 lb. capacity
- Easily portable for one person
- fits most SUVs and vans
- Forks remove and legs reposition for compact storage
- No tools needed or loose parts
- 195 lbs.
- **Special order only; non-stock item**

Part#	Description	List Price	Wholesale
784750	Lift		Please Login
783705	Pipe Cradle		Please Login



SUMNER

Model EL-405

Stacker Lift

- 400 lb. lifting capacity
- 53" lifting height
- Two speed winch handle position
- Quick action wheel brake
- Large lifting surfaces

Part#	List Price	Wholesale
EL-405		Please Login



Ideal, adjustable work platform for repair shops!



Great for loading customer vehicles!

SERIES 2200
LIL' HOISTER LIFTS

Model 2210

SUMNER



Ships Assembled



Contractor Lift

With the highest reach in the 2200 Series, this double masted lift offers the capability of lifting light fixtures or AC units in low ceiling buildings. Its forks fit between most acoustical ceiling tiles.

- 11' height
- 300 lb. capacity
- High speed reversing winch with automatic braking action
- 1" nylon strap - no more cable kinks
- 106 lbs.

Part#	List Price	Wholesale
784310		Please Login



Compact Storage
remove forks and reposition legs for space saving storage.



Reversing handle for convenient, out-of-the-way storage



Model R-150 R-180 R-250



Ships Assembled



Roust-A-Bout

Enables one man to lift and place loads in tight locations that would be impossible with other lifts. The Roust-A-Bout eliminates the need for many other tools such as come alongs, scaffolds, monorails, and swing booms.

- Lifts 1,500 lbs.
- 15' height
- Moves vertically and horizontally
- Separate load and mast winches
- Infinite load adjustment
- Mast and base separate quickly for EASY transport
- 780301 - 311 lbs.
- 780302 - 337 lbs. • **Special order only; non-stock item**
- 780303 - 381 lbs. • **Special order only; non-stock item**

Part#	Max Height	List Price	Wholesale
780301	15'		Please Login
780302	18'		Please Login
780303	25'		Please Login




Total Zone Ozone Generators

Total Zone ozone generators are the most modern, technically advanced systems on the market today. Total Zone uses a patent pending corona discharge technology know as "SP-ARC", Silicate Polarized Arc. This new process allows the Total Zone ozone generator to produce much higher levels of ozone then any competitive model with little or no maintenance. All Total Zone ozone generators are designed and built for the utmost reliability in the harshest of environments.



Advanced Air Purification Equipment



Eliminates

- Smoke from a Home Fire
- Mold and Mildew
- Pet Odors
- Cooking Odors
- Offensive Body Odors
- Germs, Bacteria & Virus
- Painting Odors
- New Carpet Odors
- Smelly Shoe Odors
- Musty, Stale Odors
- Beauty Shop Odors
- Gym Odors
- Garbage / Dumpster Odors
- Bathroom Odors
- Etc... Etc... Etc...

	SPECIFICATIONS	
	TZ-1	TZ-2
Model Size	12½" * 9" * 6"	12½" * 9" * 6"
Weight	7 lbs. 9 oz.	9 lbs. 3 oz.
Timer	12 Hour with Hold	12 Hour with Hold
Fan	100 CFM	100 CFM
Ozone Output	1500 Milligrams Per Hour	3000 Milligrams Per Hour
Primary Volts / Amps	110 / 1	110 / 2
Cycles	50 / 60	50 / 60
Case Material	Anodized Aluminum	Anodized Aluminum
Finish	Finger Print Free Textured Coating	Finger Print Free Textured Coating

Part#	Ozone Output	List Price	Wholesale
TZ-1	1500 milligrams/hr		Please Login
TZ-2	3000 milligrams/hr		Please Login





Ozone Generator with 3 Ozone Plates

The OS3500 is perfect for deodorizing and sanitizing large spaces such as hotel suites, large offices, homes, condos, apartments, pool halls, restrooms, basements, locker and fitness rooms, yachts, and large RV's. It will eliminate severe odor caused by mold, mildew, tobacco, fire and smoke, water and flood damage, animals, decaying matter, body odor, cooking smells, and more. This model is lightweight (9Lbs), has variable ozone output, and a 12 hour timer with a constant on (hold) option. The unique design also allows the ozone plates to be cleaned without taking the unit apart. The OS3500 will eliminate even the most stubborn odors.

- High quality aluminum body
- Functions: 3 Ozone plates + pre-filter + 12-hour timer
- Ozone Output: 150 mg/H up to 1400mg/H
- Fan Output: 110CFM
- Voltage: 110V
- Power: 35W
- Dimensions: 7.5"h x 9.0"w x 12.5"d
- Weight: 9.75 lbs
- Area: 3,500 square feet


Part#	List Price	Wholesale
OS3500		Please Login



HEPA Air Scrubber

The OdorStop OS500 HEPA Air Scrubber is a portable filtration system that removes airborne particles including mold, pet dander, dust, pollen, drywall, and other miscellaneous debris as small as 0.3 microns. The OS500 utilizes up to 3 stages of filtration including a pre-filter, optional 2nd stage, and a HEPA filter. The pre-filter and second stage capture larger particles and the HEPA filter captures smaller particles as small as 0.3 microns to create cleaner air in any environment.

- 1/3 hp, thermally protected motor
- 250-500 CFM
- Rotary dial switch
- Extra long 30 foot safety yellow power cord
- Stackable, roto-molded housing
- Weighs only 40 pounds
- GFCI outlet allows daisy-chaining
- 115 volt, low 3 amps
- Pre-filter and HEPA 0.3 micron filter included
- Filter change Indicator light
- No tools required for filter change
- ETL/CE/SAA certified



HEPA Scrubber Pre-Filter 10 Pack OS500PF



HEPA Filter OS500HF

Part#	Description	List Price	Wholesale
OS500	Air scrubber		Please Login
OS500PF	Pre-Filter (10 pk.)		Please Login
OS500HF	Filter		Please Login





24" Pivot Premium Drum Fan

- 2-speed rotary control
- Completely sealed motor
- 6' 6" grounded 3-prong plug
- 1-year warranty
- Tilttable to direct air where needed
- Toolless ergonomic tilt adjustment knobs
- Aluminum blade increases air flow and motor life
- Large wheels and handles for easy transportation



Part#	Volts	HP	Amps	CFM	List Price	Wholesale
PDF24	120	1/3	2.8	7,200/5,500		Please Login



36" Direct Drive Drum Fans

- Galvanized steel base
- Narrow fan profile, and ergonomic handles
- Large rubber wheels
- OSHA compliant guards
- High density polyethylene housing
- Incredibly quiet for its size
- Two year warranty
- Made in the USA



Part#	Color	Volts	HP	CFM	List Price	Wholesale
VKM36-O	White	115	1/2	11,000		Please Login
VKM36-B-O	Black	115	1/2	11,000		Please Login



36" Direct Drive Drum Fan

- 3-paddle steel blade
- Powder coated 20 gauge steel housing
- 1/3 HP, 120V, ball bearing, open ventilated motor
- Rocker switch with 2-speed operation
- 10' long, 3-conductor SJT cord
- 5" rubber wheels
- 1-year warranty



Part#	Volts	HP	Amps	CFM	List Price	Wholesale
CPB36-D	120	1/3	3.6	8,200/7,000		Please Login



36" Heavy-Duty Belt Drive Drum Fan

- Heavy-duty steel shell
- Porcelain coated safety grill
- 4-blade design
- Cord wrap
- 2-speed
- Heavy-duty grounded 8' power cord (42" fan - 10')
- Heavy-duty solid wheels
- Vibration-free, anti-skid rubber feet
- 1-year warranty



Part#	Size	Volts	HP	Amps	CFM	List Price	Wholesale
PT36BDF	36"	115	1/3	5	7,300/10,200		Please Login

30" Pedestal Fans



VF30



- 3-speed pull chain control
- All metal construction
- Adjustable 4' - 6'6"
- Aluminum blade increases air flow and motor life
- Toolless ergonomic tilt adjustment knobs
- 6'6" grounded 3-prong cord
- 1-year warranty



HD30P



- Adjustable 52" - 82"
- Enclosed permanently lubricated, PSC-type ball bearing 120V single-phase motor
- 4-quiet aluminum blades
- Pivot-action fan head
- 2-speed pull chain operation
- 12'L SJT type, 3-conductor power cord
- Meets OSHA standards, UL listed



HD30BSC



- 2-speeds
- Powder coated heavy-duty guard
- Automatic overload protection
- Totally enclosed, UL listed 120V motor
- Two-year limited warranty
- 3" wheels
- Cord wrap

Part#	Oscillating	Size	Volts	HP	Amps	CFM	List Price	Wholesale
VF30	No	30"	120	1/3	2.8	8,200/7,200/6,200	Please Login	
HD30P	No	30"	120	1/2		9,850/7,500	Please Login	
HD30BSC	Yes	30"	120	1/2	5.8	9,800/7,900	Please Login	



14" & 18" Outdoor Epoxy Coated Tent Fans

- Completely sealed motor and speed control
- 3M™ Fusion bonded epoxy coating for extreme conditions
- Outdoor UL 507 rating
- 3-speed
- Fully adjustable wall mount
- 8' cord on both



Part#	Size	Volts	HP	Amps	CFM	List Price	Wholesale
POW14	14" Wall	120	1/8	1.1	4,000/3,300/2,600	Please Login	
POW18	18" Wall	120	1/3	1.8	6,600/4,800/3,800	Please Login	
POWTPB	Tent Pole Bracket				Fits 2" to 2.5" tent poles	Please Login	

12" Air Circulation Tent Fan

- Includes bracket to mount to standard pole
- Great for tent rentals, special events, weddings, sporting events, etc.
- Totally enclosed heavy-duty white motor, thermally protected, pre-lubricated ball bearings
- Maintenance free motor with cord and on/off switch
- Aluminum fan blade



Standard Pole Mount Included!



Part#	Size	Volts	HP	Amps	CFM	List Price	Wholesale
VK12TF-SPM-W	12"	115/230	1/10	1.3/.65	1510	Please Login	





1000 CFM Carpet Blower

- 1/5 hp, 1400 rpm thermally protected motor
- Powerful 1000 CFM
- 3 speed rotary dial switch
- 15 foot safety yellow power cord
- Tough roto-molded poly housing
- Super light weight and compact
- GFCI outlet allows daisy-chaining up to 5 units
- Built-in cord wrap
- Multiple position versatility
- Stackable up to 5 high for easy storage

Part#	CFM	Volts	Amps	List Price	Wholesale
OS1000	1000	115	2.5		Please Login

2800 CFM Carpet Blower

- 3/4 hp, 1500 rpm thermally protected motor
 - Powerful 2800 CFM
 - 3 speed rotary dial switch
 - Extra long 30 foot safety yellow power cord
 - Tough roto-molded poly housing
 - Weighs only 32 pounds
 - GFCI outlet allows daisy-chaining up to 5 units
 - Carpet clamp allows for faster drying
 - Built-in cord wrap
 - Multiple position versatility
 - Stackable up to 5 high for easy storage
- ETL/CE/SAA certified

Part#	CFM	Volts	Amps	List Price	Wholesale
OS2800	2800	115	6.8		Please Login



16" Downdraft Floor Dryer

Revolutionary air mover designed to blow air straight down, allowing it to dry floors in half the time of conventional blowers. It is also useful for drying wet materials, air ventilation, extraction and circulation. It can be used as a downdraft or as a regular air mover simply by standing it upright.

- Delivers both positive and negative airflow to confined spaces
- 1/4 hp, 1400 rpm thermally protected motor
- Powerful 4300 CFM
- Waterproof 2 speed toggle switch
- Extra long 30 foot safety yellow power cord
- GFCI outlet allows daisy-chaining up to 5 units
- Tough roto-molded poly housing
- Weighs only 44 pounds
- Built-in cord wrap
- Industrial long-life caster wheels
- Stackable up to 3 high for easy storage
- Multiple position versatility
- ETL/CE/SAA certified

Part#	CFM	Volts	Amps	List Price	Wholesale
OS4300	4300	115	3.6		Please Login

PULLMAN-HOLT



2500 CFM Carpet Blower

- Rotomolded polyethylene housing - resists impacts, strong and durable
- 3-speed switch for selecting operating speeds
- 1/2 hp, 2.4 - 4 amps, 115 volts
- 23' cord with large built-in cord wrap
- Non-skid rubber feet (4) - no stand required, stable operation, absorbs vibration
- Off-set roto-molded carrying handle
- 29 lbs.



Part#	List Price	Wholesale
F600		Please Login

NEW!



8" Confined Space Ventilator

- Comes complete with 25' of ducting in an integrated duct carrier
- 8 motor mount vanes in separate poly sleeve to absorb external forces
- 1/3 HP, 2.1 amps, 115 volts, 930 CFM
- Rubber draw latch
- 25' single ply PVC vinyl coated polyester ducting with a standard fastening cuff at the end
- Stackable for efficient storage and work space
- Lightweight (15 lb.)
- ETL listed
- One year warranty

Part#	List Price	Wholesale
MB-P0813-DCR25		Please Login



J&D Manufacturing



20" Confined Space Ventilator

- Ventilate hazardous gases
- Heavy gauge aluminum housing
- 1 HP, 10 amps, 115 volts, 6500 CFM
- Complete with powder coat safety guards, cord wrap & 10' cord
- Duct sold separately
- 75 lbs.
- 74 dB
- CS20D - 24"x25' flexible ducting

Part#	List Price	Wholesale
CS20		Please Login
CS20D		Please Login



SURE FLAME

20" Air Mover

- Built-in carrying handles
- On/Off switch
- 1/2 HP, 7 amps, 115 volts, 5500 CFM
- Rugged steel housing and screen construction
- Stand alone unit or easily stackable
- 14 gauge cord with molded plug
- 74 lbs.

Part#	List Price	Wholesale
FN20		Please Login



NEW!



Americ Confined Space Ventilator

- Delivers both positive and negative airflow to confined spaces
- Motor rated at 100,000+ continuous-duty hours
- One-speed 115V 8/5.7 Amp 1 HP motor operates at 3,300/2,800 RPM
- Dual wall design protects internal mechanisms
- Capable of connecting up to 125-ft. of straight duct
- Stackable for space-saving storage
- UL and CUL listed
- Weighs only 32.5 lbs.
- For use in non-explosive environments
- Three year warranty
- Made in the USA



Quick-Connect Duct Hose

- 25ft. length reaches areas usually inaccessible
- Made of light-duty vinyl and woven polyester
- Attached carrying bag provides easy carrying and storage
- -20° to 180°F temperature range

Part#	Size	Volts	HP	Speed	CFM	List Price	Wholesale
VAF3000A	12"	115	1	Single	2796		Please Login
AM-DS1225CB	12"x25' Duct						Please Login



Axial Blowers

- Built-in safety screens
- Damage protected On/Off switch
- Multi-vane fan minimizes sound levels
- Easy-grip molded handle
- Double-walled UV-resistant polyethylene housing is dent-resistant and corrosion proof
- Stackable for operation and storage



Part#	Size	Volts	HP	Speed	CFM	List Price	Wholesale
EP8ACP	8"	110	1/3	Single	501		Please Login
EP12ACP	12"	115	1	Single	1825		Please Login
EP16ACP	16"	115	1	Single	4450		Please Login



Blow-R-Pac® Axial Blower

- Complete with 8" x 25' flexible duct and integral storage canister
- Built-in safety screens
- Damage protected On/Off switch
- Multi-vane fan minimizes sound levels
- Easy-grip molded handle
- Double-walled UV-resistant polyethylene housing is dent-resistant and corrosion proof

Part#	Size	Volts	HP	Speed	CFM	List Price	Wholesale
EP8AC25P	8"	115	1/3	Single	902		Please Login



Ventilation Duct

- Vinyl-coated, synthetic fabric construction
- Nylon ring and securing strap on opposite ends

Part#	Size	List Price	Wholesale
FD825	8" x 25'		Please Login
FD1225	12" x 25'		Please Login
FD1250	12" x 50'		Please Login
FD1625	16" x 25'		Please Login



Duct Storage

- SC8-Container**
 - Heavy-duty 16 gauge steel
 - Lockable cover and carry handle
- SR8-Rack**
 - Heavy-duty 11 gauge steel

Part#	List Price	Wholesale
SC8		Please Login
SR8		Please Login



Portable High Pressure Oscillating Mist System

- Heavy-duty .75 GPM industrial CAT mist pump powered by 3/4 HP motor yields 1000 PSI output
- Standard garden hose fitting for water supply between 15-75 PSI
- Automatic low-pressure shutoff
- Includes 25' outdoor-rated power cord with integrated GFCI. 20 Amp NEMA 5-20P plug requires NEMA 5-20R receptacle
- Mist pump assembly is housed in a galvanized steel enclosure with a blue, textured powder-coat finish; two stainless steel latches enable easy access to the interior components via the hinged lid
- Fan with totally enclosed, ball bearing, permanently lubricated, permanent split capacitor motor is UL 507 rated and includes white powder-coated steel guard and blue mist ring with eight .008 nozzles
- Reduces air temp up to 30°F



Special Price!
While Supplies Last



Part#	Size	Volts	HP	Amps	CFM	Shipping	List Price	Wholesale
EB24	24"	120	3/4	11/5.5	8000	Truck		Please Login

Misting Cooler

- 18" portable three-speed self-contained misting fan mounted on a tank
- Mist pump rated for 1 gallon per minute output; housed in a heavy-duty enclosure with tip switch
- 14 gallon water reservoir tank with 6" rubber wheels and handle
- Includes 25' outdoor-rated power cord with integrated GFCI
- Fan assembly is UL 507 rated and includes white or black powder-coated steel guard mounted on a yoke attached to the tank lid/pump assembly, and mist hub with four .012 nozzles
- Includes one extra nozzle and two plugs
- 7 hours of operation on one full (14 gallon) tank
- 24" wide x 19" deep x 46" high



Part#	Size	Volts	HP	Amps	CFM	Shipping	List Price	Wholesale
PVM18C	18"	120	3/4	11/5.5	6277/4899/4031	UPS		Please Login

30" Oscillating Misting Fan

- Rugged 8" tires
- Attached GFCI plug-in with 120 Volts
- Separate fan and pump controls
- 3-speed
- Enclosed 60 psi pump
- Independent swivel shut-off valve on each nozzle
- Folds down for easy transportation and storage
- Fans are UL507 Indoor/Outdoor Certified



Fan folds down for easy storage and moving

No Assembly Required!



Part#	Volts	Amps	Tank Res.	Tank Size	List Price	Wholesale
VPC30-POWOSC	120V	2.8/2.4/1.9	5-8 hrs.	22 gal.		Please Login

All motors and fan guards meet or exceed OSHA & UL Standards.



Front View



Back View

Hot Dog Steamer

- 20 gauge stainless steel construction
- Holds up to 200 hot dogs and 42 buns
- 13.5" W x 16" D x 20" H - 120 Volts
- Removable product trays and sliding doors
- Oversized eight quart water reservoir is the largest available for extended holding times
- Quick turn water release valve eliminates burned fingers and spilled water
- Low water Indicator light and illuminated ON/ OFF switch
- Top loading design for easy access
- Front drain for easy cleaning

Part#	Description	List Price	Wholesale
8020	200 Hot Dog Steamer		Please Login
12119	Foil bags (100)		Please Login
2900W	Large latex gloves (100)		Please Login



Foil Bags
 • 3.5"x1.5"x8.5"
 • 1000/case



Latex Serving Gloves
 • 100/case

Nacho, Popcorn & Peanut Warmer

- Warming deck to keep nachos hot and fresh
- Easy cleanup
- Comes with popcorn, nachos and peanuts decals (2 of each)
- Huge 100 quart capacity
- 120V
- 29"H x 15"W x 15"D
- 47 lbs.
- **Special order only; non-stock item**



Part#	List Price	Wholesale
2190110		Please Login

Cheese Dispenser

- Uses a peristaltic pump to dispense the cheese without ever being in contact with the cheese
- Holds two bags of cheese, one for dispensing and one as a backup
- 26" H x 10" W x 16" D
- Weight 18 lbs.
- 110V, 200 watts, standard household plug
- Special order only
- Cheese - 140 oz. sealed plastic bags
- Chili - 106 oz. sealed plastic bags
- 4 bags per case



• **Special order only; non-stock item**

Part#	Description	List Price	Wholesale
5300	Cheese dispenser		Please Login
5278GM	Bag of cheese		Please Login
5282	Bag of chili		Please Login



Cotton Candy Machines

- New high performance head will not clog like ordinary ribbon style heating elements
- Heavy-duty motor (1/12 horsepower) operates at 3400 RPM for fast cotton candy delivery. The motor is completely shielded from sugar to extend its life and give you easy clean-up
- Professional controls allow the operator the flexibility to make perfect cotton candy under any conditions
- Stainless steel cabinet delivers commercial quality and durability
- Voltage meter indicates the optimum settings for producing the best cotton candy and maximizing sugar to floss yield
- Includes netting
- 3060010 and 3060030 are special order only; non-stock items



Part#	Description	List Price	Wholesale
7105200	Spin Magic machine w/metal bowl		Please Login
7150300	Spin Magic machine w/plastic bowl		Please Login
7105100	Classic Floss 5 machine w/metal bowl		Please Login
7901	Roll-top bubble		Please Login
3060010	Cotton candy cart		Please Login
3060030	Cotton candy stand		Please Login
CC7903	Replacement aluminum bowl		Please Login



Roll-Top Bubble - 7901

Provides one-hand access to compartment, shields customers from floss and protects the machine



Spoke-Wheel Cart - 3060010

Antique-style cart includes a display area-perfect for cone holder and a storage area for supplies 33"W x 20"D x 56"H



Cotton Candy Stand - 3060030

Compact metal cart has casters so it's easy to move around and storage area for supplies 20"W x 20"D x 20"H

Cotton Candy Supplies

Great Western Sugar Floss

- 1/2 gallon carton (3.25 lbs.)
- 6 cartons in a case

One carton makes up to 60-70 cones!



Part#	Description	List Price	Wholesale
16005	Blue raspberry sugar floss		Please Login
16015	Pink bubblegum sugar floss		Please Login
16024	Red cherry sugar floss		Please Login
16035	Purple grape sugar floss		Please Login
16085	Pink vanilla sugar floss		Please Login
16094	Strawberry sugar floss		Please Login

Great Western Sugar Floss

- 16 oz. (1 lb.) resealable container
- *Concentrate mix - must add sugar*
- Longer shelf life

One tub makes 800 - 1,600 cones depending on the amount added to sugar!



Part#	Description	List Price	Wholesale
16124	Blue raspberry sugar floss		Please Login
16120	Pink bubblegum sugar floss		Please Login
16128	Red cherry sugar floss		Please Login
16132	Purple grape sugar floss		Please Login
16143	Pink vanilla sugar floss		Please Login

Plastic Bags/Cones

- 12"x18"
- Choose from plain or printed
- 1000/case



Part#	Description	List Price	Wholesale
3021M	Cotton candy cones 1,000/case		Please Login
3321	Cotton candy cones 300/case		Please Login
CC7851	Plain plastic bags 1,000/case		Please Login
CC7850	Printed plastic bags 1,000/case		Please Login





1911 Originals

Nostalgic styling with state-of-the-art technology! By combining attractive styling and the latest technology the 1911 Original has become the #1 commercial seller.

- 8 oz. - 68 lbs.
- 6 oz. - 60 lbs.
- 4 oz. - 50 lbs.



Most Popular Version

Theater Pop

Styled just like the poppers you see at the local movie house, these machines have a bright cabinet and classic graphics. The 4 oz. popper has become the #1 consumer seller.

- 8 oz. - 64 lbs.
- 6 oz. - 60 lbs.
- 4 oz. - 40 lbs.



Thrifty Pop

Introducing an economy line of popcorn machines.

- 8 oz. - 68 lbs.
- 4 oz. - 40 lbs.

16 oz. Popper Available (#1116810) Call for details

Perfect Size For Kids Party & Family Events

4 oz. Specs & Comparison

	Ounces popped per hour	Warranty (Years)	Volts	Anodized Alum. Kettle	Stainless Steel Foodzone	Old Maid Drawer	Warming Deck
Thrifty Pop 1104510	92	1	120	•	Aluminum		
1911 Originals 1104110	92	3	120	•	•		
Theater Pop 1104210	92	3	120	•	•	•	•

Standard 8oz. features:

- Pops 147 one-ounce servings per hour
- 3 year warranty (Thrifty Pop 1 year)

1911 Antique Style Cart

- Rugged steel cart, powder coated to the same color scheme as the 1911 Original popper
- Easy to break down
- 3 year warranty

Part#	Description	List Price	Wholesale
8 oz. Machines			
1108910	1911 Original popper		Please Login
1108110	Theater popper		Please Login
1108510	Thrifty popper		Please Login

6 oz. Machines

1106910	1911 Original popper		Please Login
1106110	Theater popper		Please Login

4 oz. Machines

1104110	1911 Original popper		Please Login
1104210	Theater popper		Please Login
1104510	Thrifty popper		Please Login

Carts & Stands

3070010	8 oz. & 6 oz. poppers only 1911 cart		Please Login
3080010	4 oz. poppers only 1911 cart		Please Login
3070510	8 oz. Thrifty popper only		Please Login
3080510	4 oz. Thrifty popper only		Please Login
3070910	Premium popcorn stand		Please Login

6 oz. Specs & Comparison

	Ounces popped per hour	Warranty (Years)	Volts	Anodized Alum. Kettle	Stainless Steel Foodzone	Old Maid Drawer	Warming Deck
1911 Originals 1106910	113	3	120	•	•	•	•
Theater Pop 1106110	113	3	120	•	•	•	•

8 oz. Specs & Comparison

	Ounces popped per hour	Warranty (Years)	Volts	Anodized Alum. Kettle	Stainless Steel Foodzone	Old Maid Drawer	Warming Deck
Thrifty Pop 1108510	147	1	120	•	Aluminum		
1911 Originals 1108910	147	3	120	•	•	•	•
Theater Pop 1108110	147	3	120	•	•	•	•

Perfect Size For Concession & Fundraisers



1911 Antique Cart

#3070010 - 8oz. or 6 oz. machines
#3080010 - 4 oz. machines

Sturdy Cabinet Construction

Feature aluminum extruded side post construction. Tempered glass side panels slide right into channels. Powder-coated paint that resists chipping.



Built-in Warming Deck

All 8 oz. machines incorporate 50-watt heating elements underneath the bottom tray, keeping the popcorn warm.



Old Maid Drawer

A stainless steel drawer collects the unpopped kernels. The small holes in the tray allow the old maids to fall through.



Hard-coat Anodized Aluminum Kettle

All poppers feature a high output aluminum kettle for optimum performance and easy cleaning. The side hinges allows you to reach all parts for cleaning. Just wipe it with a damp cloth regularly. The hard-coat anodized kettle creates a non-stick surface.



Premium Popcorn Stand - 3070910



- Commercial grade steel construction
- Two inner shelves for supplies storage
- Wrap-around door design provides easy access with a clean, noncluttered look
- Welded door hinges for strength and long life
- Magnet door latch
- Leveling feet for uneven floors
- Less floor-space requirement than wheeled carts

Popcorn Supplies



- ProStyle Warmer w/pump-PC2018**
- Butter, cheese, chocolate or caramel
 - Attractive stainless steel body
 - Includes unheated spout domed pump easily dismantled for cleaning
 - 120 Volts, 200 Watts



- Butter 1 gallon-2016**
- No Refrigeration required, even after opening



- Popcorn Portion pack**
PC10064
PC10063
PC10041
- Pre-measured corn, oil & seasoning
 - 2-year shelf life



- Scoop Boxes**
PC11086 & PC11091
- 100 per case
 - Can be used to scoop popcorn out for fast serving
 - Holds 2 oz. of popped corn



- Paper bags**
- 100 per bag
 - PC11011 - 8"
 - PC11024 - 10"



- Butter bags-PC11320**
- 100 per case
 - Special-coated bags will not leak when butter is applied



- Kettle Cleaning Kit-PC1075**
- Includes everything necessary to bring your kettle back to its original condition

Part#	Description	Cty.	Qty.	List Price	Wholesale
PC10064	Portion pack for 8 oz.	24			Please Login
PC10063	Portion pack for 6 oz.	36			Please Login
PC10041	Portion pack for 4 oz.	48			Please Login
PC1042	Speed scoop	1			Please Login
PC1040	Plastic scoop	1			Please Login
PC11086	Scoop boxes .75 oz.	100			Please Login
PC11091	Scoop boxes 1.25 oz.	100			Please Login
PC11011	Paper bags 1 oz.	100			Please Login
PC11011C	Paper bags 1 oz.	1,000			Please Login
PC11024	Paper bags 1.5 oz.	100			Please Login
PC11024C	Paper bags 1.5 oz.	1,000			Please Login
PC11320	Butter bags 2 oz.	100			Please Login
PC1075	Cleaning kit	1			Please Login
PC2018	Butter warmer w/pump	1			Please Login
2016	Butter 1 gallon	1			Please Login



Paragon "Sno-Storm" Sno-Cone Machine



3
Year
Warranty



- Chip over 500 lbs. ice per hour/1,000 cones per hour
- Attractive antique-styled serving compartment of stainless steel and aluminum construction with tempered glass
- Features illuminated serving compartment with backlit graphic sign
- 1/3 HP, 1725 RPM motor with safety rest
- 120 volt
- Chip resistant finish
- 3 year warranty
- 75 lbs.
- **3050010 Special order only; non-stock item**

*One sno-cone holds
2 oz. of syrup.
It takes 1/2 lb. of
ice to make one
6 oz. sno-cone*



Part#	Description	List Price	Wholesale
6133110	Machine		Please Login
3050010	Matching cart		Please Login
513012	Cup dispenser		Please Login

Paragon "Arctic Blast" Sno-Cone Machine



3
Year
Warranty

Best Buy!



- A hard-working, economical option, The Arctic Blast has Tinted High-Impact Polycarbonate side panels.
- Sturdy Stainless Steel and Aluminum Construction -- durable and easy to clean
 - Powder-coat Paint Finish -- resists chipping
 - Slanted Drain Deck -- removable, food grade plastic tray drains moisture away from the ice and extends shelf life
 - 1/3 HP, 1725 RPM motor with safety rest
 - 120 volt
 - 50 lbs.
 - **3050010 Special order only; non-stock item**



Part#	Description	List Price	Wholesale
6133310	Machine		Please Login
3050010	Matching cart		Please Login
513012	Cup dispenser		Please Login

Paragon "The Cooler" Sno-Cone Machine



Same Heavy-duty Motor & Blade As Bigger Units

3
Year
Warranty

NEW LOW PRICE

- Unique, playful design is compact but comes equipped with the same heavy-duty motor as the larger model. Made from rugged roto-cast polyethylene, The Cooler is both lighter weight and less expensive. Rear wheels give The Cooler added portability.
- 1/3 HP, 1725 RPM motor with safety rest
 - 120 volt
 - Chip resistant finish
 - 3 year warranty
 - 24"W x 16"D x 24"H
 - 50 lbs.
 - **3050010 Special order only; non-stock item**



Part#	Description	List Price	Wholesale
6133410	Cooler machine		Please Login
3050010	Matching cart		Please Login
513012	Cup dispenser		Please Login



1 Quart Syrup w/flip top cap

Part#	Description	List Price	Wholesale
15041	Blue Raspberry Syrup		Please Login
15051	Cherry Syrup		Please Login
15052	Strawberry Syrup		Please Login
15088	Grape Syrup		Please Login
15102	Lemon Lime Syrup		Please Login
15225	Orange Syrup		Please Login
15230	Blue Bubble Gum Syrup		Please Login


Syrup=12 per carton



1 Gallon Syrup


Part#	Description	List Price	Wholesale
15030	Banana 1 gal.		Please Login
15037	Bubble Gum Blue 1 gal.		Please Login
15044	Blue Raspberry Syrup 1 gal.		Please Login
15058	Cherry Syrup 1 gal.		Please Login
15065	Coconut 1 gal.		Please Login
15089	Grape Syrup 1 gal.		Please Login
15098	Lime 1 gal.		Please Login
15109	Orange Syrup 1 gal.		Please Login
15114	Pina Colada 1 gal.		Please Login
15120	Pineapple 1 gal.		Please Login
15151	Strawberry Syrup 1 gal.		Please Login
15155	Tigers Blood Syrup 1 gal.		Please Login
15173	Watermelon 1 gal.		Please Login

Syrup=4 per carton



Holder

- Stainless steel
- Holds 8 cones



Spoon Straws

- Only red available- 200/pkg



Nylon Ladle

- 6 oz.



Syrup Pump

- One ounce per pump
- For easy dispensing
- Use with 1 gal.



Ice Scoop

- 5 oz.
- Aluminum



Dust Covers



Pour Spouts



Sno-cone Cups

- 6 oz.
- 200/sleeve



Quart Bottles

- Pour gallon of syrup into easy to handle bottles

Accessories

Part#	Description	List Price	Wholesale
61225	Sno-cone holder		Please Login
SC6510	Spoon straws (Case 200)		Please Login
61220	Pump for syrup		Please Login
15003	6 oz. cups (Sleeve 200)-design		Please Login
61203	Aluminum ice scoop		Please Login
60251	Quart bottle		Please Login
60253	Pour spout		Please Login
61214	Nylon Ladle		Please Login

#FNC7765-Shown with accessories not included



Add skirting for the complete look!

#FNC8765-Shown with accessories not included



Fill 'n Chill™ Party Table

How can you keep cold food cold and fresh without having to store it in a refrigerator?
The answer is simple: FILL 'N CHILL™ party table.

Place it in any convenient location, load it with about 75 pounds of ice, and fill it with food and drink. That's all there is to it!


- Rugged, lightweight construction
- FDA-approved, polyethylene table top
- Sturdy, powder coated, collapsible steel legs
- Stackable design for convenient storage
- Easily transportable in a mini-van or SUV
- Exterior dimensions: 31" x 73", 6-12" deep

Keeps Food and Beverages COLDER, LONGER!

#1LCT0516



#1LCT8516-Shown with accessories not included



Shown with full depth extension
#FNC7338



Includes pockets for legs to retain shape.

Shown with black spandex skirting
#10SP8620



Shown with insert which provides a flat area that is level with the top of the table
#FNC0929



Shown with complete 2/3 depth extension kit
#FNC8223

**Mix or match tables,
purchase 2 or more,
at \$249 each!**

Part#	Description	List Price	1 Table	2+Tables
FNC7765	White Table (2.5'x6')		Please Login	
FNC8765	Black Table (2.5'x6')		Please Login	

Part#	Description	List Price	Wholesale
1LCT0516	Little Chiller Table-White (2'x4')		Please Login
1LCT8516	Little Chiller Table-Black (2'x4')		Please Login

Fill 'n Chill Table (2.5'x6') Accessories		List Price	Wholesale
FNC0428	Kwik cover, white		Please Login
FNC7315	Shut-off valve		Please Login
FNC7323	Canvas cover bag		Please Login
FNC7338	White 8" depth extension		Please Login
FNC8039	Black 8" depth extension		Please Login
FNC1223	White 2/3 depth extension		Please Login
FNC8223	Black 2/3 depth extension		Please Login
FNC0929	White insert		Please Login
FNC8929	Black insert		Please Login
FNC7353	Cart		Please Login
FNC7358	Replacement drain		Please Login
FNC7617	Sneeze guard		Please Login
FNC7777	Felt craps insert with dice		Please Login
FNC9700	Drain end caps		Please Login
FNC1016	Replacement leg caps (4-pack)		Please Login
FNC7371	White Mini Accordion		Please Login
FNC7372	Black Mini Accordion		Please Login
FNC7379	White Mini Accordion Premier		Please Login
FNC7380	Black Mini Accordion Premier		Please Login
FNC7373	White Shirred		Please Login
FNC7374	Black Shirred		Please Login
FNC7310	Bag of 100 clips-white		Please Login
FNC7350	Bag of 50 clips-white		Please Login
FNC7325	Bag of 25 clips-white		Please Login
FNC8764	Bag of 100 clips-black		Please Login
FNC7625	Bag of 50 clips-black		Please Login
FNC8762	Bag of 25 clips-black		Please Login

Little Chiller (2'x4') Accessories		List Price	Wholesale
10DE0928	Little Chiller white full depth extension		Please Login
10DE8928	Little Chiller black full depth extension		Please Login
10DE1060	Little Chiller white 2/3 depth extension		Please Login
10DE8060	Little Chiller black 2/3 depth extension		Please Login
10IN0309	Little Chiller white insert		Please Login
10IN8309	Little Chiller black insert		Please Login
FNC7315	Shut-off valve		Please Login
FNC7358	Replacement drain		Please Login
FNC9700	Drain end caps		Please Login
FNC7310	Bag of 100 clips-white		Please Login
FNC7350	Bag of 50 clips-white		Please Login
FNC7325	Bag of 25 clips-white		Please Login
FNC8764	Bag of 100 clips-black		Please Login
FNC7625	Bag of 50 clips-black		Please Login
FNC8762	Bag of 25 clips-black		Please Login

Some accessories are special order only; non-stock item

Spandex Skirting No Clips Necessary!

Part#	Description	List Price	Wholesale
10SP0630	Large Table - White Spandex		Please Login
10SP8630	Large Table - Black Spandex		Please Login
10SP0404	Little Chiller - White Spandex		Please Login
10SP8404	Little Chiller - Black Spandex		Please Login



Kwik Cover

This disposable, one time use plastic cover is designed to protect food and beverages.
#FNC0428



Umbrella Drain

Insert an umbrella through center of table allowing shade for table contents.
#FNC7368



Felt Craps

Insert with dice
#FNC7777



Shut-off Valve

Allows controlled drainage of water.
#FNC7315



Replacement

Drain #FNC7358



White

Skirting
Clips
#FNC7325



20 quart

NEW!

40 quart

ORCA COOLERS

75 quart

ORCA Premium Coolers

- Roto-molded construction, integrated insulation for maximum ice/cold retention and freshness of your stowed items for up to 10 days
- Padded carrying handles also make this container easier to transport
- Cargo net attachment included for added storage
- Lid gasket ensures a perfect seal
- 100% Made in USA
- Lifetime warranty
- Bear resistant



Part#	Capacity	Color	Dimension (LxWxD)	List Price	Wholesale
ORCT020	20 quart	Tan	19"x13.75"x15"		Please Login
ORCP020	20 quart	Pink	19"x13.75"x15"		Please Login
ORCW020	20 quart	White	19"x13.75"x15"		Please Login
ORCSF-SF020	20 quart	Sea Foam	19"x13.75"x15"		Please Login
ORCT026	26 quart	Tan	23.75"x17.5"x14.75"		Please Login
ORCW026	26 quart	White	23.75"x17.5"x14.75"		Please Login
ORCT040	40 quart	Tan	26"x17.5"x17.5"		Please Login
ORCW040	40 quart	White	26"x17.5"x17.5"		Please Login
ORCT058	58 quart	Tan	27.2"x19.57"x18.75"		Please Login
ORCW058	58 quart	White	27.2"x19.57"x18.75"		Please Login
ORCT075	75 quart	Tan	35"x18"x18"		Please Login
ORCW075	75 quart	White	35"x18"x18"		Please Login



ORCA Chaser 27 oz. Tumblers

NEW!

- Maintains the temperature of hot or cold liquids
- Leak-proof seal
- BPA-free
- 18/8 stainless steel
- Hand wash
- Measures 7" H
- Double-walled vacuum sealed body and dual insulation system with a copper-clad inner chamber



ORCA Whale Tail Flip Top Chaser Lid

Part#	Description	List Price	Wholesale
ORCCH27	Silver		Please Login
ORCCHA27PE-CL	Pearl		Please Login
ORCCHA27PI-CL	Pink		Please Login
ORCCHA27SF-CL	Sea Foam		Please Login
ORCCHALFLIP	Whale Tail Flip Top		Please Login

Igloo Coolers



igloo.



8242 cup dispenser



25041 25043 Wire rack



25042 Truck rack

Part#	Description	List Price	Wholesale
431	3 gallon cooler		Please Login
451	5 gallon cooler		Please Login
4101	10 gallon cooler		Please Login
42051	5 gallon cooler-Green		Please Login
42052	10 gallon cooler-Green		Please Login

Accessories

24009	Spigot - 1-10 gallon		Please Login
8242	Cup dispenser 4 & 4.5 oz		Please Login
9757	Cup dispenser 7 oz		Please Login
25041	Wire rack for 431, 451		Please Login
25042	Truck rack for 431, 451		Please Login
25043	Wire rack for 4101		Please Login
18208201	4.25 oz Rolled cups (200/sleeve) (25 sleeves/case)-priced per sleeve		Please Login

TOP Choice for Rental

64 Cups Every Hour



NEW!

Frozen Drink Machine

- Compact Size
- 1 gallon cylinder - 2 gallon hopper
- Up to 64 cups per hour
- Stand-by Switch - refrigerates mix overnight
- Air Cooled
- 21-1/2"H x 11"W x 19"D
- Weight: 90 lbs.
- 115V, 10 amp

Part#	List Price	Wholesale
113A		Please Login

Qualifies For **FREIGHT ALLOWED**

SHIPS BY TRUCK
Ships Direct From Factory

TOP Choice for Rental

2 Hopper High Performance Ultra Gourmet Ice® System



- White/Stainless steel finish
- Patented reversing auger design quickens freeze time
- Touchpad display
- Two 3 gallon hoppers for optimum cooling
- 31.9"H x 16"W x 24.5"D, 120V, 12 amps
- Sanitation listed by NSF
- **Special order only; non-stock item**

BUNN

Part#	List Price	Wholesale
ULTRA2-HP		Please Login

Qualifies For **FREIGHT ALLOWED**



Fat Tuesday Drink Mixes

- 32 oz. aseptic, reclosable cartons (12 per case)
- Each carton makes 16-eight oz. drinks
- Store unrefrigerated until they are opened
- Packaging has minimum 12 month shelf life
- Sold by the package

Part#	Flavor	List Price	Wholesale
FT4563	Banana Banshee		Please Login
FT4789	Strawberry Daiquiri		Please Login
FT4125	Pina Colada		Please Login
FT4523	Margarita		Please Login

115 Cups Every Hour



Frosty Factory

Frozen Drink Machine

- Compact Size
- 1 gallon cylinder - 3 gallon hopper
- High Production - Up to 115 cups per hour
- Lighted Flavor Sign - draws attention
- Stand-by Switch - refrigerates mix overnight
- Air Cooled
- 24"H x 10-1/2"W x 20-1/2"D
- Weight: 110 lbs. (uncrated) 120 lbs. (crated)
- 115V, 11 amp

Part#	List Price	Wholesale
117A		Please Login

Recommended

SHIPS BY TRUCK
Ships Direct From Factory

Qualifies For **FREIGHT ALLOWED**

160 Cups Every Hour



Frosty Factory

Frozen Drink Machine

- Compact Size
- 2 gallon cylinder - 4 gallon hopper
- High Production - Up to 160 cups per hour
- Lighted Flavor Sign - draws attention
- Stand-by Switch - refrigerates mix overnight
- Air Cooled
- 28"H x 12"W x 24"D
- Weight: 140 lbs. (uncrated), 150 lbs. (crated)
- 115V, 11 amp

Part#	List Price	Wholesale
127A		Please Login

SHIPS BY TRUCK
Ships Direct From Factory

Qualifies For **FREIGHT ALLOWED**



Ensemble™

8 quart rectangular stainless steel Chafer features a mirror finish, cool touch handle, and an extra heavy stacking frame. Includes 2" full size food pan, standard water pan, and two fuel holders.

Part#	Description	List Price	Wholesale
ECON22	8 quart chafer		Please Login
CDFP55	Food pan for ECON22/MACD3		Please Login



Applause™

Rectangular 8 quart 18/8 stainless steel Chafer features a 90° roll-top and a satin finish frame and body. Polished brass handles create an elegant look. Complete with standard water pan, food pan, and two fuel holders.

Part#	Description	List Price	Wholesale
MACD3	8 quart chafer		Please Login
CDFP55	Food pan for ECON22/MACD3		Please Login



Allegro™

Half size, 5 quart rectangular 18/10 stainless steel chafer with gold plated legs and handles features a 1/2 size food pan, water pan, one fuel holder, and wire lid holder.

Part#	Description	List Price	Wholesale
ALLEGRT05	5 quart chafer		Please Login
RFP05RT	Food pan for ALLEGRT05		Please Login



Allegro™

Rectangular 9 quart, full size stackable 18/10 stainless steel chafer offers easy storage. Two-tone design with gold plated legs and handles. Includes a food pan, water pan, two fuel holders, and wire lid holder.

Part#	Description	List Price	Wholesale
ALLEGRT10	9 quart chafer		Please Login
CDFP88	Food pan for ALLEGRT10		Please Login



Full Size Food Pan

- Outside length 20.75", inside length 19.5", outside width 12.875", inside width 11.625", depth 2.5"

Part#	Description	List Price	Wholesale
CFKIT	Pans/Lids for frame		Please Login
CDFP88	Full food pan		Please Login

CFKIT Special order
Frame does not come with kit

LIMITED LIFETIME WARRANTY

FREE SHIPPING!
on fountains only
anywhere in the
continental United States!



ETL Sanitation Certified

The Montezuma 34" Chocolate Fountain

Three tiered fountain is the most versatile model. Ideal for events of all sizes, the Montezuma holds a maximum of 20 lbs. of chocolate and can operate on as little as 12 lbs!

- Max capacity: 20 pounds
- 110V/120V or 220V/240V
- Brushed stainless steel
- 34" H x 18.5" W
- Weight: ONLY 51 pounds!
- Limited lifetime warranty
- Includes custom double-wall polymer travel case
- Serves 150+ guests



Qualifies For **FREIGHT ALLOWED**

Part#	List Price	Wholesale
CF34R2		Please Login



ETL Sanitation Certified


The Aztec 27" Chocolate Fountain

Perfect for smaller events, the Aztec is the perfect accent fountain. Crafted with the same superior quality, the Aztec is the ideal chocolate fountain to get you started in the Chocolate Fountain Business.

- Max capacity: 10 pounds
- 110V/120V or 220V/240V
- Brushed stainless steel
- 27" H x 14.75" W
- Weight: ONLY 27 pounds!
- Limited lifetime warranty
- Includes custom double-wall polymer travel case
- Serves 75+ guests



Part#	List Price	Wholesale
CF27R2		Please Login



ETL Sanitation Certified

The Cortez 23" Chocolate Fountain

The smallest, most affordable fountain in the Sephra family is the Cortez. At 23" high, it is the perfect size for portability and is ideal for the caterer on the go.

- Max. capacity: 7 pounds
- 110/120 or 220/240
- Brushed stainless steel
- 23" H x 13.25" W
- Weight: ONLY 23 pounds!
- Limited lifetime warranty
- Includes custom double-wall polymer travel case
- Serves 50-75 guests



Part#	List Price	Wholesale
CF23R2		Please Login

Premium Chocolate

In order for the Chocolate Fountains to flow correctly, the chocolate must be at a certain viscosity or consistency. Sephra's Premium Chocolate is made by Callebaut using a special recipe designed for use in chocolate fountains; eliminating the need for adding extra ingredients or oil.

We will drop-ship from factory

- Great for baking and confectionary needs
- Pure chocolate - No extra ingredients needed
- Sold by 20 lb case of (chips) (ten-2 lb. bags)



Part#	Description	List Price	Wholesale
28004	Dark chocolate		Please Login
28005	Milk chocolate		Please Login

Liquid Peanut Butter Awesomeness - 4lb

- Sold by the jar
- Delicious liquid peanut butter makes fabulous peanut butter fondue, homemade ice cream, cheesecake, pour on waffles!
- Gluten Free, Kosher Orthodox Union, Made in the USA
- Ingredients: Peanuts, Sugar, Peanut Oil, Salt
- Works in a fondue fountain right out of the container, no need to thin. Shake before use.



Part#	List Price	Wholesale
33138		Please Login

NEW!



Rechargeable!



fatboy



fatboy



Edison The Petit Table Lamp

- The battery and charger are included
- Petit lamp provides a gentle, yet powerful light source
- Indoors or out
- It comes with 3 different shades of LED light
- Will glow for 6 hours at a time on the highest power
- Outer part is made of a robust, polyethylene material
- Splash resistant and UV stabilized
- Easy to clean with lukewarm water and neutral soap
- Shatterproof
- LED Bulb Included
- Overall: 9.8" H x 6.3" W x 6.3" D

Part #	Color	List Price	Wholesale
ETPSNG-WHT	White		Please Login

Edison The Medium Table Lamp

- Edison for everyone and this medium size is the perfect fit for any space, indoors or outdoors
- It comes with a dimmable remote control that reaches up to 33 feet
- Outer part is made of a robust polyethylene material making it splash resistant and UV stabilized
- Place lamp on a dry horizontal surface in a covered space to prevent the lamp from standing in or under water
- Easy to clean with lukewarm water and neutral soap
- LED Bulb Included
- Overall: 20" H x 13" W x 13" D

Part #	Color	List Price	Wholesale
ETM-WHT	White		Please Login

Make Your Events POP!



fatboy

Fatboy® Snacklight

- The (FATBOY)RED Snacklight is a beautiful tray and lamp all in one
- Comes with one rechargeable lamp with three different settings that will glow for up to 6.5 hours and connects to the tray with magnets. The battery and charger are included.
- Three bowls with anti-slip bottom are also included
- Made for indoor and outdoor use. The tray is made out of high-quality metal with a high-gloss coating. The lamp and three bowls are made of Polypropylene material. The bowls are not microwaveable or dishwasher proof.
- Easy to wipe clean with a mild soap and lukewarm water.
- The lamp measures 7" x 5.5" and the tray measures 1" x 23"

Part #	Color	List Price	Wholesale
SNKLIT-RED	Red		Please Login



fatboy

Tablitski End Table

- The Tablitski is made of a high quality, powder-coated steel frame.
- Can be used as a side table, a stool or a place to rest your laptop.
- Measures – 16" x 16" x 13"

Part #	Color	List Price	Wholesale
TBLITSKI-BLK	Black		Please Login

Original Bean Bag Lounger

- Fun and multifunctional lounge bean bag from Fatboy®; for reading, watching TV, cuddling, and relaxing
- Suits bedrooms, media rooms, dormitories, family rooms, offices and much more!
- Filled with virgin polystyrene beads; cover crafted from a durable nylon with protective coating for stain- and water-resistance
- Easy to clean with damp cloth and mild soap
- Measures 70"L x 55"W x 8"H
- Meets the flammability requirements of California Technical Bulletin 117 Section A, Part III
- Meets the flammability requirements of California Technical Bulletin 117 Section E, Part I

Part #	Color	List Price	Wholesale
ORI-DKG	Dark Grey		Please Login

The Fatboy® original beanbag fits in perfectly with any decor and is both comfortable and stylish. This versatile beanbag allows you to sit in it like a chair, recline in it; you can even sleep on it. The Fatboy original beanbag is the perfect end to a long, hard day.



SAVE ON SHIPPING!!
Order 2 items or more!



Buggle Up Bean Bag Lounger

- A great way to enjoy the outdoors or indoors
- You can sit on it just like a chair, or you can also recline in it, and roll it up and lie against it. Take it wherever you desire; suits any space indoors and out!
- Filled with virgin polystyrene beads; cover crafted from durable polyester with protective coating for stain- and water-resistance
- Easy to clean with damp cloth and mild soap
- Measures 55"L x 75"W

Part #	Color	List Price	Wholesale
BGU-BLK	Black		Please Login



Original Outdoor Bean Bag Lounger

- A new style of the multifunctional lounge bean bag, the Fatboy® original. Take it wherever you desire; suits any space indoors and out!
- Filled with virgin polystyrene beads; cover crafted from long wearing, moisture repellent Sunbrella fabric with excellent color fastness (100% salutation dyed acrylic)
- Easy to clean with damp cloth and mild soap
- Cover is machine washable
- Meets the same requirements as the Fatboy® Original Lounger

Part #	Color	List Price	Wholesale
JKTFLD-CHL	Charcoal		Please Login

Point Bean Bag Chair

- Fun and multifunctional bean bag ottoman from Fatboy® has endless uses from functional seating for kids to making the perfect foot rest
- Suits bedrooms, media rooms, dormitories, family rooms, offices and much more!
- Filled with virgin polystyrene beads; cover crafted from a durable nylon with protective coating for stain- and water-resistance
- Easy to clean with damp cloth and mild soap
- Measures 20"D x 14"H
- Meets the same requirements as the Fatboy® Original Lounger

Part #	Color	List Price	Wholesale
PNT-DKG	Dark Grey		Please Login



Fax Toll-Free: 1.800.255.7985



www.phpdistribution.com



White Extension Cords

- Jacket type SJTW-A



White 12 Gauge 3-wire

Part#	Description	List Price	Wholesale
D14512025	25', non-lighted		Please Login
D14512050	50', non-lighted		Please Login

Heavy-duty White Multi-Outlet Cord-6 outlets

- This 12/3 50' cord has an extreme duty 600 volt jacket
- The outlets are every 10'
- -40° Coldweather Jacket
- Water & flame resistant
- Lighted ends
- Individually boxed



Part#	List Price	Wholesale
D1242		Please Login

Asphalt Tent Stake Hole Plugs

- A permanent solution
- Goes in quickly, looks natural
- Cold weather won't crack it
- Hot weather won't melt it
- No extra fill needed
- Saves money and time



Part#	Stake Size	Top Diam.	No. Per Case	List Price	Wholesale
106100	1"	1-1/4"	320		Please Login
106150	1-1/4"	1-1/2"	176		Please Login

1" White Tent Strap Ratchet

- 1" x 14' strap assembly
- 1" x 12' loose strap with snap hook
- Ratchet with 24" sewn strap and forged ring
- 3,000 lb. break strength
- 1,000 lb. working load limit



Part#	List Price	Wholesale
ST400		Please Login

Protective White Chair Bags

- Durable poly bags
- Designed to individually cover your wooden chairs before you place them in their canvas bag
- Bag size is 22" x 40"



Part#	List Price	Wholesale
14971		Please Login

Super Keg Cooler I

- Can be used as a can/bottle or keg cooler
- Double wall construction
- 25.25" Diameter x 30"H
- Efficiently cools an 8 or 16 gallon keg with only three bags of ice
- Can cool 168-12 oz. cans or bottles
- Pump not included



Part#	Description	List Price	Wholesale
IRP010	Cooler		Please Login
IRP2070	Wheel kit		Please Login
IRP752	Keg Tap		Please Login



Tent Caps (Rebar - White)

- Designed for the party and rental industries
- Prevents potential injury from protruding rebar
- Made of a tough ABS plastic and are white to provide visible yet unobtrusive protection

Part#	List Price	Wholesale
14610L		Please Login

Ice Hawk Cooler Merchandiser



- Comes complete with casters and dome lid
- Dimensions: 21.25"D x 36"H
- Packs
 - 12oz Cans: 96
 - 12oz Bottles: 60



Part#	List Price	Wholesale
IRP-5005		Please Login





Bash Sledge Hammers

- Unbreakable technology
- Hi-visibility green head
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- Safety plate locks head firmly to handle, eliminating dislodging
- Anti-vibe neck prevents injury from repeated use
- No-slip textured handle for secure grip
- Lanyard hole
- Tested for 25,000 overstrikes
- Meets ANSI standards



Part#	Head Size	Handle	List Price	Wholesale
20212	2-1/2 lb.	12"		Please Login
20412	4 lb.	12"		Please Login
20416	4 lb.	16"		Please Login
20424	4 lb.	24"		Please Login
20616	6 lb.	16"		Please Login
20624	6 lb.	24"		Please Login
20630	6 lb.	30"		Please Login
20636	6 lb.	36"		Please Login
20816	8 lb.	16"		Please Login
20824	8 lb.	24"		Please Login
20830	8 lb.	30"		Please Login
20836	8 lb.	36"		Please Login
21016	10 lb.	16"		Please Login
21024	10 lb.	24"		Please Login
21030	10 lb.	30"		Please Login
21036	10 lb.	36"		Please Login
21224	12 lb.	24"		Please Login
21230	12 lb.	30"		Please Login
21236	12 lb.	36"		Please Login
21424	14 lb.	24"		Please Login
21430	14 lb.	30"		Please Login
21436	14 lb.	36"		Please Login
22024	20 lb.	24"		Please Login
22030	20 lb.	30"		Please Login
22036	20 lb.	36"		Please Login



MicroBurst Fiberglass Stepladder - Type 1A

- Easy to store and easy to carry
- Less wind resistance when on a ladder rack
- High-strength steel alloy StableLock spreader system locks securely in place to create a solid A-frame structure with no room for shifting or walking
- Fiberglass construction is ideal for work on electrical circuits
- Rated to hold 300 lb.



Part#	Steps	Height	Weight	Load Cap.	List Price	Wholesale
15703-001	2	3'	15 lbs.	375 lbs.		Please Login
15700-001	3	4'	20 lbs.	375 lbs.		Please Login
15705-001	5	6'	22 lbs.	300 lbs.		Please Login
15710-001	7	8'	31 lbs.	300 lbs.		Please Login



Great for sidewall installs!

Safety Step Stepladder - Type 1A

- Rugged, corrosion-resistant aluminum alloy construction
- Ultra-slim 5" folded depth
- Wide, slip-resistant step treads for maximum stability
- Steps pivot vertically while the framework tucks together for convenient storage
- Lightweight and portable
- Built to last and easy to handle
- Fold-up safety bar for extra security
- Integrated work tray
- 300 lb. capacity



Part#	Steps	Height	Weight	Load Cap.	List Price	Wholesale
10210BA	2	31.5"	15 lbs.	300 lbs.		Please Login
10310BA	3	44"	20 lbs.	300 lbs.		Please Login
10410BA	4	56"	25 lbs.	300 lbs.		Please Login





Propane Direct Fired Tent Heaters-Up to 350,000 BTU

Compact and quiet, Premier heaters in their neutral white color are perfect for tent applications. The Advanced Service Saver self-diagnostic feature makes them easy to maintain. Both the TS350 and TS170 are CSA approved.

TS350



TS080

**TS170
TS170DF**



TS350 & TS350DF

Output	Hi/Low 350,000/170,000 BTU/H	
Fan	2,400 CFM	
Consumption	16.2 lbs. per hour	
Ignition	Direct spark	
Power	115 volts, 30 starting amps, 14 amps continuous operation	
Dimensions	48"L x 22"W x 41"H	

TS170 & TS170DF

Output	170,000 BTU/H	
Fan	1,200 CFM	
Consumption	7.9 lbs. per hour	
Ignition	Direct spark	
Power	115 volts, 8 starting amps, 3 amps continuous operation	
Dimensions	31"L x 18"W x 28"H	

TS80

Output	80,000 BTU/H	2+ ships
Fan	450 CFM	
Consumption	3.7 lbs. per hour	
Ignition	Direct spark	
Power	115 volts, 5 starting amps, 2 amps continuous operation	
Dimensions	30"L x 14"W x 20"H	

Includes Gas Hose, Regulator, and Thermostat

Part#	Description	List Price	Wholesale
TS080	80,000 BTU		Please Login
TS080DF	80,000 BTU - Dual Fuel		Please Login
TS170	170,000 BTU		Please Login
TS170DF	170,000 BTU - Dual Fuel		Please Login
TS170N	170,000 BTU - Natural Gas		Please Login
TS350	350,000 BTU		Please Login
TS350DF	350,000 BTU - Dual Fuel		Please Login

Accessories			
09454	Thermostat remote mount		Please Login
07891	Replacement thermostat 20' cord		Please Login

PHP is now selling the updated "G" Series tent heaters from LBW. Only the following diffusers will work with these new heaters.

Part#	Description	List Price	Wholesale
26349	TS80 Diffuser w/quick connect		Please Login
26351	TS170 Diffuser w/quick connect		Please Login

To be used only with tent heaters built before September 2007!

Part#	Description	List Price	Wholesale
09389	TS80 Diffuser w/tabs		Please Login
09396LB	TS170 Diffuser w/tabs		Please Login
09223	Tap replacement kit (2 tabs)		Please Login

The following accessories work with the previous and current tent heaters.

Part#	Description	List Price	Wholesale
26350	Diffuser for end of duct TS080, 170 includes ring		Please Login
23189	Diffuser for end of duct TS350 includes ring		Please Login
26347	12' white duct for TS80, TS170		Please Login
26346	12' gray duct for TS80, TS170		Please Login
22835	12' gray duct for TS350		Please Login
24442	Plastic duct for TS350		Please Login



HS115TC



HS190TC



NOMAD

Dual Fuel Direct-Fired Heaters



Big heat with big features. The new Nomad tent and construction heaters from HeatStar, have all the quality and durability you have come to trust from the HeatStar brand. Whether you are looking for a heater to put a lot of heat on to a job site or for a unit to quietly sit out of sight at an outdoor event, the HeatStar Nomad heaters are an ideal solution for either. Generously equipped with features to make it easy to use and cheap to operate.

- 6 Output rates on 3 separate units
- Dual fuel standard (LP/NG)
- Multi-rate (High & Low Settings)
- High CFM for greater circulation
- Easy reset high limit switch
- 4 tie down connections (HS190TC, HS260TC)
- Fan-Only option for air circulation
- Remote thermostat with 20' cord
- Spark ignition
- ETL Certified



HS260TC



Part#	Description	List Price	Wholesale
HS115TC	115,000 BTU		Please Login
HS190TC	190,000 BTU		Please Login
HS260TC	250,000 BTU		Please Login

Part#	HS115TC	HS190TC	HS260TC
BTU (Low Setting)	80,000 NG / 85,000 LP	125,000 NG / 130,000 LP	175,000 NG / 185,000 LP
BTU (High Setting)	110,000 NG / 115,000 LP	185,000 NG / 190,000 LP	240,000 NG / 260,000 LP
CFM's	650	1600	2100
Electric	115V 3.5 Amp	115V 5.5 Amp	115V 8.0 Amp
Ignition	Spark	Spark	Spark
Gas Hose	15' hose & regulator(standard)	15' hose & regulator(standard)	15' hose & regulator(standard)
LxWxD Dim.	30" x 20-1/8" x 20-1/8"	32-1/3" x 15" x 31-1/8"	32-1/3" x 20-1/8" x 31-1/8"
Thermostat	Thermostat w/20' cord (standard)	Thermostat w/20' cord (standard)	Thermostat w/20' cord (standard)

Accessories

Part#	Description	List Price	Wholesale
F109105	Diffuser for HS115TC		Please Login
F109115	Diffuser for HS190TC or HS260TC		Please Login
F109106	Duct adapter for HS115TC		Please Login
F109116	Duct adapter for HS190TC or HS260TC		Please Login
F109107	Short duct for HS115TC		Please Login
F109117	Short duct for HS190TC or HS260TC		Please Login
F109108	12' duct for HS115TC		Please Login
F109118	12' duct for HS190TC or HS260TC		Please Login

Other current heater accessories will work on the HeatStar Nomad heaters.



Portable Oil Indirect-Fired Heaters

- 100% clean, dry heat
- High pressure operation
- Four-loop exhaust gas system™ for higher efficiency
- Temperature rise 160°F
- Runs on #1 & #2 diesel, kerosene, JP-8 or Jet A
- Low power consumption-runs on 15 amp circuit
- Thermostat sold separately
- Fuel gauge
- Extra large capacity tanks



HVHF110 - 110,000 BTU

- 22 hour run time
- 120v, 6amp
- 1,020 cfm
- Temperature rise = 160° F
- Ductable up to 25'
- 100 lbs.



HVHF210 - 205,000 BTU

- 19 hour run time
- Preheated fuel filter
- 120v, 9amp
- 1,530 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 180 lbs.



HVHF310 - 300,000 BTU


- 16 hour run time
- Preheated fuel filter
- 120v, 12amp
- 2,500 cfm
- Temperature rise = 160° F
- Ductable up to 50'
- 270 lbs.



Part#	Description	List Price	Wholesale
HVHF110	Heater		Please Login
WD1220	20' Duct		Please Login
AR110	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat		Please Login
EF1	Rain cap		Please Login

Part#	Description	List Price	Wholesale
HVHF210	Heater		Please Login
WD1425	25' Duct		Please Login
AR210	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat		Please Login
AR212	Two-way adapter		Please Login
WD1220	Duct for two-way		Please Login
EF1	Rain cap		Please Login

Part#	Description	List Price	Wholesale
HVHF310	Heater		Please Login
WD1825	25' Duct		Please Login
AR310	Duct ring		Please Login
23189	Duct diffuser		Please Login
THIDF	Thermostat		Please Login
AR312	Two-way adapter		Please Login
WD1220	Duct for two-way		Please Login
EF1	Rain cap		Please Login



Rain Cap - EF1



Two-way Duct Adaptor
 • Only compatible with HVF210 and HVF310. (12" outlets)
 PN-AR212, AR312
 • Duct-WD1225

Note: A duct adapter ring is required to connect duct

Stainless Steel

Antique Bronze

Jet Silver



Radiant Patio Heaters

- 40,000 BTU
- Covers 10' - 15' diameter
- No electricity required - piezo ignitors are standard
- 9 - 10 hour burn time on HI setting - 20 lb. OPD cylinder
- 100% safety control
- Portable wheel kits are standard
- Unit meets or exceed CSA and UL




7'

Part #	Color	List Price	Wholesale
PC02AB	Antique Bronze		Please Login
PC02JS	Jet Silver		Please Login
PC02SS	Stainless Steel		Please Login



Zubri Portable Patio Heater

- 40,000 BTU; adjustable heat control
- 7'3" tall (Case-56.5" tall x 15" wide)
- Heats approximately a 300 sq. ft.
- No tools are necessary
- Portable; legs detach for storage and transport
- Complete with hard-shell carrying case and carrying bag for reflector
- Tip switch



7'3"



4'8"

Part #	List Price	Wholesale
Z1-12CK		Please Login



Vista™ Recreational Instant Shelter

- 10' x 10' shelter (at base) with angled legs and an open cathedral type ceiling
- Sets Up in Seconds!™
- White powder-coated steel frame
- Polyester top with silver UV undercoating
- CPAI-84 fire resistant fabric top blocks 99% of UV rays
- Weighs only 33 lbs.
- Comes with roller bag and spikes



Part#	Color	List Price	Wholesale
VS2910BL	Blue		Please Login



Vantage™ Recreational Instant Shelter

- NEW Pull pin leg for E-Z quick lock and release
- IMPROVED! E-Z glide truss washers allow for increased stability and E-Z Set Up
- NEW High strength end cap for greater durability
- Sets up in seconds!™
- 10' x 10'
- Includes convenient roller bag
- Includes spikes
- Meets CPAI-84 and NFPA-701 fire resistant requirements



Part#	Color	List Price	Wholesale
VANTAGE	White		Please Login



Propane Tanks-Steel

Part#	Description	BTU Content	Gallons	Weight	List Price	Wholesale
281247	20# Tank/OPD	430,000	4.7	16.6 lbs		Please Login
296975	30# Tank/OPD	645,000	7.1	25.4 lbs		Please Login
294235	40# Tank/OPD	860,000	9.4	29.1 lbs		Please Login
282157	100# Tank	2,160,000	23.6	68 lbs		Please Login

Tent Cleaners



Tent Cleaner

Developed just for tent cleaning. Removes mildew stains and penetrates dirt film. Can be used with the pressure washer while tent is erect or manual cleaning with the tent spread on the ground.

Part#	Size	List Price	Wholesale
TC789	1 gallon		Please Login



Miracle Tent Mildew Proof Treatment

The only product for the tent rental industry of its type. One gallon covers 2,650 sq. ft. using a pump-up garden sprayer. Once treated, it lasts for over one year. So you should treat once a year and you can fold up tents wet and they won't generate mildew. You can wash as you would normally.

Part#	Size	List Price	Wholesale
TMP123	1 gallon		Please Login



Blitz Mildew Remover

Incredible mildew remover penetrates and kills the spores. BLITZ keeps the ugly green stuff away for one year.

Part#	Size	List Price	Wholesale
B456	1 gallon		Please Login



facebook.com/PPHHP46383



twitter.com/PHPDistribution



youtube.com (search PHP Distribution)





Lightweight Folding Tables

These lightweight blow-molded plastic folding tables are the perfect solution for your banquet & cafeteria use – indoor or outdoor, or any other application that calls for affordable, lightweight, weather-proof, and highly durable folding tables. **Ships factory direct.**

- Can withstand heat up to 212° Fahrenheit.
- Tabletop in lightly speckled gray with matching gray textured powder coated legs — now in 17-gauge strength



Part#	Description	Size (WxLxD)	Capacity	Weight lbs.	List Price	Wholesale
BT3060	5' Rectangular	30"x60"x1-3/4"	1,500 lbs.	41		Please Login
BT3072	6' Rectangular	30"x72"x1-3/4"	1,500 lbs.	48		Please Login
BT3096	8' Rectangular	30"x96"x2"	1,000 lbs.	64		Please Login
BT60R	5' Round	60" dia. x 2"	1,000 lbs.	55		Please Login
BT71R	5'11" Round	71" dia. x 2"	800 lbs.	82		Please Login



Lightweight Folding Chair

These high-quality blow-molded resin plastic folding chairs feature a contoured seat and back for comfort. Lightweight for easy handling, they are stain resistant and perfect for easy setup and tear down, indoors or outdoors. Textured powder coated frame in gray has two crossbraces for stability and underseat cross braces for strength.

Ships factory direct.

Part#	Overall HxWxD	List Price	Wholesale
NPS602	32"x18-3/4"x21-1/2"		Please Login

Sold In Multiples of 4

Holds 300 lbs.


Sold In Multiples of 4

Premium Lightweight Folding Chair - Stackable!

Incorporates the strengths of a metal folding chair with the benefits of a plastic folding chair. Made of color-impregnated Polypropylene plastic, molded and contoured to enable stacking up to 80" high. Plastic will not fade or rust and isn't cold to the touch like steel chairs are! Powdercoated steel frame for added strength. 7/8" round tubing and two U-shaped cross braces. 29-3/4"H x 18-3/4"W x 20-3/4"D.

Ships factory direct.

Part#	Plastic/Frame Color	List Price	Wholesale
NPS802	Gray/Gray		Please Login
NPS805	Blue/Gray		Please Login
NPS810	Black/Black		Please Login
NPS818	Burgundy/Black		Please Login
NPS821	White/White		Please Login



Chair Dolly

- Use with 800 Series chairs
- 36 chair stack capacity
- 11-gauge steel
- 4" casters - 2 swivel & 2 fixed

Part#	List Price	Wholesale
DY800		Please Login



Custom Fit Tablecovers

- Saves time
- Won't blow off in the wind
- No need for tape, tacks or staples



8' x 30"
Banquet
Tables



60"
Round
Tables



Boxes of 100 or
Individually Packaged



Part #	Description	List Price	Wholesale
830W	8' table (100/box)		Please Login
600D	60" table (100/box)		Please Login
830PKG	Individual 8'		Please Login
600PKG	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
RW8BX	8' table (100/box)		Please Login
RW60BX	60" table (100/box)		Please Login
RW8PKG	Individual 8'		Please Login
RW60PKG	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
BL8BX	8' table (100/box)		Please Login
BL60BX	60" table (100/box)		Please Login
BL8PKG	Individual 8'		Please Login
BL60PKG	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
RD8BX	8' table (100/box)		Please Login
RD60BX	60" table (100/box)		Please Login
RD8PKG	Individual 8'		Please Login
RD60PKG	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3096PK-GR	Individual 8'		Please Login
60PK-GR	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3096PK-P	Individual 8'		Please Login
60PK-P	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3096PK-GOLD	Individual 8'		Please Login
60PK-GOLD	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3096PK-O	Individual 8'		Please Login
60PK-O	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3096PK-BLK	Individual 8'		Please Login
60PK-BLK	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3096PK-LB	Individual 8'		Please Login
60PK-LB	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3096PK-M	Individual 8'		Please Login
60PK-M	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3096PK-PINK	Individual 8'		Please Login
60PK-PINK	Individual 60"		Please Login



Part #	Description	List Price	Wholesale
3096PK-BLKW	Ind. Pack. 8' cover		Please Login
60PK-BLKW	Ind. Pack. 60" cover		Please Login



-A-

Abrasives150-153
 ABS Cement101
 Adapters108
 Adhesive Caulk101
 Adhesive, Construction101
 Adhesive Strips Refill129
 Adjustable Wrenches91
 Aerator115
 Air Filters102
 Air Hose69
 Air Hose Couplers68-69
 Air Mover177-178
 Air Scrubber173
 All Purpose Cleaner100
 All Terrain Vise86
 Angle Grinder132
 Anti-freeze, pump80
 Asphalt Lute111
 Asphalt Plugs194
 Atlas Digger111
 ATV Vise86
 Augers158-159
 Automotive104-105
 Aviation Snips93
 Axes113
 Axial Blower178

-B-

Back Supports51
 Balaclava38
 Barley Fork111
 Barricades165
 Barricade Light165
 BASH Hammers113, 195
 Batteries61
 Battery Charger61
 Beam Clamp65
 Bean Bag Loungers/Chairs193
 Bench Vise86
 Beverage Dispensers188-189
 Binders49
 Blades93, 95, 125, 150-151
 Blowers & Fans174-179
 Body Harness50-51
 Bolt Clamps68
 Bolt Remover Drill Bits136
 Booster Cables105
 Boots62
 Boot/Shoe Brush82
 Bosch53, 88, 130-133, 135, 137-145
 Bottle Jack63
 Box Strap50
 Breakaway Safety Vest166
 Breaker Hammers144-146
 Brooms83
 Brute, Breaker Hammer144
 Buckle Boots62
 Bucket/Mop Wringer84
 Buddy Heaters10, 57
 Bull Floats125
 Bungee Cords48

-C-

Cable Ties108
 Caddy Pump66
 Cam & Groove Couplings71
 Camo Items57, 118
 Canopies199
 Car Charger105
 CARB Cans67
 Cargo Bar49
 Carpenter Pencil/Sharpener54
 Carpet Blowers120, 176-177
 Carpet Cleaning Chem.120
 Carpet Extractors120
 Caution Tape51
 CD's31
 Cement, ABS101
 Centrifugal Pump75
 Chafers/Food Pans190
 Chains49
 Chain Binder49
 Chain Hoist64-65
 Chainsaw114
 Chair Bags194
 Chair Dolly200
 Chairs200
 Chalk/Chalk Lines54
 Channelizer Cones165
 Chargers, Battery61
 Cheese Dispensers180
 Chisels138-143, 145-147
 Chocolate191
 Chocolate Fountains191
 Cigarette Butt Receptacle83
 Circular Saw131, 133
 Clamps65, 94
 Clarke122-123
 Clay Spades138, 145-147
 Cleaners & Degreasers80, 100, 120, 199
 Clear Tape119
 Combination Hammer137
 Combo Tool Kits133
 Compound Miter Saw134
 Concession Items180-185
 Concrete Floats125
 Concrete Finishing125
 Confined Space Ventilator177-178
 Contractor Lifts170-171
 Coolers188
 Cord Adapters108
 Cord End Replacements108
 Cord Reels105, 109
 Core Bits138, 141, 143
 Cotton Candy Machine/Supplies181
 Couplings68-71
 Coveralls62
 Crayons54
 Credit Application208
 Cut-off Saw148
 Cut-off Wheels151

-D-

Danger Flags51
 Danger Tape51
 Degreasers & Cleaners80, 100, 120, 199

Demolition Hammer137
 Diamond Blades150, 153
 Diesel Caddy66
 Digger Tamper Bar112
 Discharge Hose70
 Disposable Coveralls62
 Disposacone164
 Dollies97
 Drain Cleaners154-157
 Drill Bits95, 136
 Drills133, 135
 Drink Machine189
 Drink Mixes189
 Drive Sets97
 Drum Fan174
 Drum Sander122
 Drywall/Wallpaper Tools160, 167
 Drywall Lifter167
 Drywall Sander126
 Duct7, 16-19, 178, 196-197
 Duct Diffusers18-19, 196-197
 Duct Ring7, 19, 197
 Duct Tape57, 118-119
 Dust Masks161
 Dust Mops82
 Dustbuddie127
 Dusters207
 Dustless Vacuum Systems126-127

-E-

Ear Plugs45, 161, 166
 Edger, Floor122
 Edger/Trencher115
 Elastic Tie Downs48
 Electric Chainsaw114
 Electric Drain Cleaners154-157
 Electric Eel154-157
 Electrical Plugs108
 Electrical Safety107
 Electrical Tape119
 Electrode Gauge22
 End Table192
 Engine Parts102-103
 Extension Cords15, 109
 Extension Ladders168-169
 Extractors, Carpet120
 Event Supplies192-195
 Eye Flush Bottles129
 Eyewash Replacement Bottle129
 Eyewash Station129

-F-

Face Shield38
 Fans174-179
 Fast Orange Cleaner100
 Fence164
 Fill 'n Chill Party Table186-187
 Fill 'n Chill Party Table Accessories186-187
 Filter, HEPA Vac126, 128
 Finishing Sander134
 First Aid Kits/Refills129
 First Aid Station129
 Fittings27

Fix-A-Flat104
 Flaggging54
 Flaggging Tape Dispenser54
 Flame Control22
 Flashlights45, 58-59
 Flex Seal101
 Floats125
 Floor Care120-124
 Floor Dryer176
 Floor Edger122
 Floor Nails124
 Floor Nailers124
 Floor Sander122-123
 Floor Scrub Brushes82
 Floor Stapler124
 Floor Stripper121
 Fluorescent Lights60-61, 105
 Folding Chairs200
 Folding Tables200
 Food Handling Gloves37
 Food Service Gloves37
 Forearm Forklift50
 Forestry Hard Hat112
 Fork, Barley111
 Fountains, Chocolate191
 Frame Nailer134
 Frozen Drink Machine189
 Frozen Drink Mixes189
 Fuel Containers66-67
 Fuel Sytem Cleaner104
 Funnel67
 Furniture Dolly97

-G-

Garden Hose68
 Gas Caddies66
 Gas Pressure Test Set22
 Gaskets68, 70-71
 Gauges22
 General121, 145, 158-159, 178
 Generators46-47
 Generator Cords & Adapters108
 GFCI/Adapters15, 107
 Glass Cleaner100
 Gloves34-37, 45, 57
 Goggles43
 Grain Shovel110
 Grease Guns99
 Grinders, Angle132
 Grinding Wheels151, 153

-H-

Hacksaw87
 Halogen Lights60-61
 Hammer (Combo & Rotary)137
 Hammer Bits/Steel138-147
 Hammer Tacker87
 Hand Cleaner100
 Hand Pumps66
 Hand Scrub Brushes82
 Hand Tools86-97
 Hand Wipes98
 Handles82-84, 125
 Hardhats162-163

Hardhat Liners38
 Hardware Cloth118
 Harness50-51
 Head Protection162-163
 Hearing Protection45, 161
 Heated Jacket130
 Heaters
 Buddy10, 57
 Construction16-19
 Convection12-13
 Cordless10
 Direct Spark4
 Electric14-15
 Garage11-12
 Heatstar3, 6, 8, 10, 12-13, 15, 19, 197
 Heat Wagon6-7, 14-16, 198
 Indirect Fired7, 16-17
 Infrared6, 12-13
 L.B. White4, 11-13, 18, 196
 Natural Gas12, 16-17
 Oil Fired2-7
 Patio20, 198
 Propane8-11, 13, 16-20
 Radiant12-13
 Reconditioned5, 11
 Sureflame17
 Tank Top10
 Tent196-198
 Heater Parts21-31
 Heater Job Sizing Chart5
 HEPA Vacs126, 128
 Hex Key Set97
 Hitches49
 Hoist, Chain64-65
 Hoist, Lever65
 Hole Diggers111, 158-159
 Hole Saw Kit93
 Honda Parts102-103
 Hoses & Accessories68-71, 80
 Hoses, Air29, 69
 Hoses, Discharge70
 Hoses, Suction70
 Hoses, Torches85
 Hoses, Water68
 Hose Fittings68-71
 Hose Menders71
 Hot Dog Steamer180
 Hot Hands38

-I-

Ice Table186-187
 Ignitors30
 Impact Driver133, 135
 Industrial Sanitation Supplies82-84
 Inline Lubricators68

-J-

Jacket, Heated130
 Jackhammer Hose68
 Jackhammer Steel145-147
 Jacks, Bottle/Screw/Pallet63
 Job Sizing Heater Chart5
 Jump Starter100

-K-

Keg Cooler194
 Kerosene Additive30
 Knee Pads51
 Knife Sharpeners57, 96
 Knife, Sports57, 96
 Knife, Utility87

-L-

Ladders168-169
 Lamps, Event192
 Landscape Rake111
 Lantern59
 Lanyard57
 Laser Distance Measurer53
 Laser Levels52
 Laser Level Accessories53
 Latex Sealant101
 Leaf Blower114
 Level/Picture87
 Lever Hoist65
 Lifting/Pulling Tool64
 Lifting Straps50
 Light Tower60
 Lighting57-61, 192
 Linoleum Roller121
 Loads & Pins149
 Long Tapes55
 Lubricator68
 Lumber Crayons/Pencils54
 Lumber Crayon Holder54

-M-

Magnetic Floor Sweeper99
 Magnetic Parts Holders99
 Magnifier Safety Glasses44
 Maintenance100-103
 Makita131-132, 134, 148, 151
 Manuals31
 Marking Flags54
 Marking Paint56
 Marking Stick56
 Marking Tools54, 56
 Mauls113
 Measuring Tapes55, 88-89
 Measuring Tools53, 55, 88-89
 Measuring Wheel55
 Mechanics Tool Sets90
 Metal Detector112
 Mica Windows30
 Mirror Adhesive104
 Misting Fans179
 Miter Saw134
 Mold/Mildew Remover100, 199
 Mops84
 Mop Wringer84
 Moving Blankets50
 Moving Harness50
 Mower115
 Multi-Outlet Extension Cord109



-N-

- Nacho Warmer180
- Nails & Staples124
- Nailers, Floor124
- Nailer, Frame134
- Neck Gator38
- NFL Hardhats162
- No-Spill67
- Non-Slip Tape51
- Nozzles25
- Nut Driver Set97

-O-

- Oil Pumps30
- Oil, Pump80
- Oil Treatment5
- Orbital Sander123
- Outdoor Equipment114-116
- Ozone Generator172-173

-P-

- Padlock49
- Paint56
- Paint Sprayer160
- Paint Striper56
- Painters Tape119
- Pallet Truck63
- Panel Lifter167
- Pans190
- Paragon180-185
- Parts Tray99
- Party Supplies180-201
- Party Table186-187
- Patio Heater20, 198
- Pedestal Fan175
- Pencils54
- Pencil Sharpener54
- Photocell Tester22
- Picture Level87
- Pigtails, LP33
- Pins & Loads149
- Pipe Wrenches91
- Pivot Fan174
- Plastic Gloves37
- Pliers92-93
- Plugs107-108
- Pneumatic Nailers/Stapler124
- Points & Chisels138, 142-143, 145-147
- Pole Saw114
- Poly Film118
- Popcorn Popper/Supplies182-183
- Post Hole Digger111
- Powder Actuated Tools149
- Powder Fasteners149
- Power Cutter148
- Power Distribution Center/Cords107
- Power Station105
- Power Tools131-148
- Power Trowel Blades125
- PowerBox133
- Powercord Adapter108
- Preferred Cust. ProgramIFC
- Pressure Washers/Accessories79-81
- Pressure Washer Cleaners79
- Pressure Washer Wand Belt81
- Propane Accessories32-33
- Propane Tanks32, 85

- Pry Bar97, 113
- Pul-Krete125
- Pulling/Lifting Tool64
- Pumps, Water73-78

-R-

- Radio133
- Rainsuits62
- RainX104
- Rake, Landscaping, Thatching111
- Ratchet Hardhats163
- Ratchet Straps48-49
- Rebar Bender/Cutter87, 141
- Rebar Caps165
- Receptacles108
- Recipro Saw133-134
- Recovery Strap/Tow Strap49
- Reels105, 109
- Reflective Vests166
- Regulators32, 85
- Rental Extension Cord15, 109
- Rep CoverageIBC
- Repair Kits22
- Respirators161
- Rice Shovel110
- Roof Sealant101
- Rope Ratchet48
- Rotary Hammers137
- Roust-A-Bout171
- Rubber Sealant101
- Rubber Tarp Straps48, 118

-S-

- Safety Cans67
- Safety Fence164
- Safety Glasses39-45, 57
- Safety Glass Displays39
- Safety Goggles43
- Safety Harness51
- Safety Vests166
- Sales RepsIBC
- San Angelo Bar112
- Sandbags164
- Sanders122-123, 126, 134
- Sandpaper/Pads122-123, 126, 152
- Sanitation Supplies82-84
- Saws87, 131, 133-134
- Scoop Shovel110
- Screw Jack63
- Screwdrivers97
- Scrub Brushes82
- Scrub Towels98
- Sealant, Rubber/Latex101
- Sealing Tape119
- Service Tags148
- Serving Tray192
- Shelters199
- Shingle Removers112
- Shop Tools99
- Shop Towels98
- Shovels110
- Silicone Rubber Sealant101
- Silt Fence164
- Simple Green Cleaner100
- Siphon Pump30, 66
- Sledge Hammers113, 195
- Slush Boots62

- Small Engine Parts (HONDA)102-103
- Smokers Cease Fire83
- Snack Tray192
- Sno Cone Cart184
- Sno Cone Machine/ Supplies184-185
- Snow Pusher111
- Snow Rake111
- Snow Squeegee111
- Soil Probe110
- Spanner Wrench70
- Spark Plugs26
- Spline Chisels143
- Spline Shank Drills143
- Splitting Mauls113
- Sponge Mops84
- Sport Knives57, 96
- Spot Marker56
- Spray Nozzles, Pressure Washer81
- Sprayers112
- Staple Gun87
- Stapler, Floor124
- Step Ladders168-169
- Stencil Kit56
- Step Stool169
- Stilts160
- Stop/Slow Paddles165
- Stain Remover100
- Strainers71
- Straps & Chains48-49
- Stretch Wrap/Dispenser118
- Striping Paint56
- Striping Tools56
- Stud Sensor87
- Submersible Pumps73-76, 78
- Suction Hose70
- Sugar Floss181
- Sumner167, 170-171
- Surveyors Tape/Dispenser54
- Surveyors Tri-pod53
- Surveyors Vest166

-T-

- T-Block, LP33
- Table, End192
- Table, Party186-187
- Table Covers201
- Tables200
- Tags148
- Tamper110
- Tamper Bar112
- Tape118-119
- Tape Measures55, 88-89
- Tarps118
- Tarp Straps48, 118
- Tarp/Visqueen Tape119
- Telescoping Ladders169
- Telescoping Work Planks168
- Tent & Party Supplies180-201
- Tent Accessories199
- Tent Cleaners199
- Tent Fans175
- Tent Heaters196-198
- Tent Stake Caps194
- Tent Stake Hole Plugs194
- Tent Strap Ratchets194
- Terms & Conditions117
- Test Cord29
- Thatching Rake111



Thermostat 29
 Thread Sealant 27
 Thread Sealing Tape 119
 Tie Downs 48-49
 Tillers 116
 Tire Repair Kit 104
 Toilet Auger 155
 Tool Sharpener 96
 Tools 86-97, 131-149
 Tool Sets 90
 Torches 85
 Torch Hose 85
 Torch Regulator 85
 Tow Straps 49
 Towels, Wipes 98
 Traffic Cones 164
 Traffic Safety 164-166
 Trailer Hitch 49
 Transformers 26
 Trash Cans 82
 Trash Can Dolly 82
 Trash Pumps 73-75
 Tree Pruner 113
 Trench Shovel 110
 Trencher/Edger 115
 Trimmer 114
 Tripod 53
 Trolley 64
 Trowel Blades 125
 Trowel Blade Conversion Ch 125
 Trowel Blade Pins 125
 Tune-Up Kits 24
 Twine 49
 Twist Ties 100

-U-

Universal Couplings 68
 Upside Down Paint 56
 Utility Knife 87

-V-

Vacuums 126-128
 Ventilator 177-178
 Vests, Safety 166
 Vises 86

-W-

Wallpaper Steamers 160
 Warmer, Nacho, Popcorn, Peanut 180
 Wastebaskets 82
 Waste Container 82
 Waste Container Dolly 82
 Water Hose 68
 Water Pumps 73-78
 WD-40 Lubricant 99
 Web Slings 65
 Weed Eater 114
 Wet Floor Sign 84
 Wet/Dry Vac 126, 128
 Wheel Chock 104
 Wheelbarrow 112
 Whip Check Cable 68
 Winter Protection 38
 Wipes 98
 Wire Strippers 93
 Wire Terminals 26

Wobblelights 60
 Women's Gear 45
 Woodsman Hat 112
 Work Jacket 130
 Work Planks 168
 Worklights 60-61
 Wrenches 90-91


-Manufacturer Index-

3M 119
 Abbott 68-71
 Accusharp 57, 96
 Aervoe 56, 100
 American Metalcraft 190
 Atlas Copco 206
 Bayco 60-61, 105, 109
 BE Pressure 81
 Black & Decker 93
 Black Stallion 34-36
 Bosch 53, 88, 130-133, 135, 137-145
 Briggs & Stratton 47, 73, 79-81
 Bunn 189
 Cargoloc 48-49, 105
 Carlisle 82-84
 CCI 107-109
 Century 15, 105, 109, 194
 ChannellLock 92
 Chicago Pneumatic 146
 Clarke 122-123
 Cortina 164-165
 Crews 44
 Crossfire 42-43
 CST/Berger 52, 55
 DAP 101
 Dewalt . 2, 9, 13, 15, 43, 90, 95, 133-135, 151
 Dustless Technologies 126-127
 Earlex 160
 Edge 39-41, 45, 57
 Electric Eel 154-157
 E-Z Up 199
 Fast Orange 100
 Fatboy 192-193
 Fill 'n Chill 186-187
 Fix-A-Flat 104
 FloTec 76-78
 Formarm Forklift 50
 Frosty Factory 189
 G-Force 88
 GE 101
 Gear Tie 106
 GearWrench 91
 Generac 46
 General 121, 145, 158-159, 178
 Gold Medal 180-181
 Grip 48, 57, 69, 87, 91-93, 97, 118
 GripRite 118
 Gumout 104
 Gundlach 121
 Heat Wagon 6-7, 14-15, 198
 HeatStar 3, 6, 8, 10, 12-13, 15, 19, 197
 Igloo 188
 Irwin 174-175, 177, 179
 J&D Manufacturing 2-7
 Jackson Safety 44, 62
 Jet 63-64, 87
 Justrite 67, 83
 Keson 54-55, 88-89

Kimberly-Clark 37, 98
 Koshin 73
 Kwik-Covers 201
 L.B. White 4, 11-13, 18, 196
 Little Giant 168-169
 Loctite 101
 Maglite 45, 58
 Makita 131-132, 134, 148, 157
 Marshalltown 125
 Maxim 115-116
 Milwaukee 97, 135-136
 Mr. Heater 10, 57, 85
 MSA 45, 161-163
 No-Spill 67
 Norseman 136
 Orca Coolers 45, 188
 Pac-Kit 129
 Paragon 180-185
 Patio Comfort 10, 198
 Pennzoil 104
 Plug-R 194
 Plugs Safety 41, 166
 Pownail 124
 Protemp 174
 Pullman Holt 128, 177
 Purdy 101
 Quickloader 48
 Radians 38, 41, 43, 45, 57, 166
 RainX 104
 Ramset 149
 Ray-O-Vac 58-59, 61
 Regal Ideas 169
 Remington 114
 SAS Safety Corp. 62, 129, 161
 Schaefer 20, 174-175, 179
 Scotch 119
 Sensible Products 59
 Sephra 191
 Seymour/Midwest 110-113
 Shipp 80, 120, 172, 199
 Shop Vac 128
 Simple Green 100
 Space Ray 12
 Spectra 52-53
 Stanley Bostich 87, 89, 134
 Stens 102-103
 Sumner 167, 170-171
 Sureflame 17, 85, 177
 Swanson 89
 Telesteps 169
 Todd 66
 Tsurumi 74-75
 Troy-Bilt 114
 Virginia Abrasives 122-123, 150-153
 Warn 64
 Warner 160
 WD-40 99
 Wilton 86, 113, 195
 Windsor 120
 Wobblelight 60
 Worx 114
 Zep 100

MOVE IT or LOSE IT

New Items Added!



Part#	Description	Wholesale
Floor Care		
DD19161	EDCO 10" Diamond Disc 30-40 Grit, Medium-Hard Bond	Please Login
19110	EDCO 1x General purpose DymaSerts	Please Login
12160	EDCO Wood Wedges	Please Login
12114	EDCO Holding case	Please Login
28060	EDCO 12" Foam Rubber Backing Scraper Blade (pkg. 5)	Please Login
17330	Marshalltown 6 X 11 Finish Trowel Blade	Please Login
17344	Marshalltown 6 X 18 Finish Trowel Blade	Please Login
17430	Marshalltown 10 X 11 Float Trowel Blade	Please Login
17710	Marshalltown Trowel Pins	Please Login
21980	Float Head Model 1 Adapter	Please Login
21981	Float Head Model 2 Adapter	Please Login
J132B	13" Thick Black Stripping Pad	Please Login
J132G	13" Thick Green Scrubbing Pad	Please Login
J132R	13" Thick Red Pad(5/ctn)	Please Login
J132T	13" Tan Buffing/Polishing Pad	Please Login
J132W	13" Thick White Pad (5/ctn)	Please Login
J161G	16" Thin Green Pad	Please Login
J161T	16" Thin Tan Pad	Please Login
J162B	16" Thick Black Pad	Please Login
J162G	16" Thick Green Pad (5/ctn)	Please Login
J162T	16" Thick Tan Pad (5/ctn)	Please Login
J162W	16" Thick White Pad(5/ctn)	Please Login
J172T	Polishing Pad	Please Login
J202G	Floor Maintenance Pad	Please Login



Part#	Description	Wholesale
Fuel Cans/Caddy		
10868B	Type II Safety Can, 5 Gal. Blue	Please Login
10868Y	Type II Safety Can, 5 Gal. Yellow	Please Login
2400-40	11 Gallon Kerosene Fuel Pal	Please Login

New Items Added!

LAST CHANCE!!

Get them while you can . . . the following items listed on our Move It or Lose It pages have either been discontinued or been deemed special order items. Hurry, quantities are limited and prices are good for in-stock merchandise only.



Part#	Description	Wholesale
HEPA Vacuums & Accessories		
45HEPAW-D	10 Gallon Hepa Wet/Dry Vac	Please Login



Part#	Description	Wholesale
Tools/Pins & Loads		
GLM50	Bosch Laser Distance Measurer	Please Login
SNR18100	Keson Steel Long Tape 100'	Please Login
GU230	Push Button Utility Knife	Please Login
100760	1/4"-20 x 1/2" Threaded Studs (25 pcs.)	Please Login
R00804	.300x1-1/2 Pin w/washer 25 pk	Please Login
R07887	.300x3 Pin w/washer 1524SDP 15 pk	Please Login
R00764	.300X1 DR Pin 1508BC 25 pk	Please Login
R09176	Ramset .300x3 Pin w/washer 100 pk	Please Login
R09170	Ramset .300x3 Dr Pin 100 pk	Please Login
25CS3	.25 Caliber Green Strip Load-100 pack	Please Login
DH-200	2" Hilti Pin 8MM RDN52	Please Login
DH-300	2-7/8" Hilti Pin 8MM RDN72	Please Login
R06171	1/2" P-Point Pin SP12 100PK	Please Login
831800	Cobra Combi Gas Breaker Hammer	Please Login
P10418	1-1/4" x 18" Moil Point	Please Login

MOVE IT or LOSE IT



Part#	Description	Wholesale
Generators		
5940	6,500 Watt Generator	Please Login
5735	17,500 Watt Generator	Please Login



Part#	Description	Wholesale
Industrial Sanitation		
34104523	44 Gallon Bronco lid	Please Login
369811B00	#16 - 4-Ply Cotton Cut End	Please Login
4024104	Fiberglass Handle 60-IN Yellow	Please Login
4030500	9" Prof. Sponge Mop Refill	Please Login
3621922403	24" Black Floor Brush	Please Login
34104423	44 Gallon Bronco - gray	Please Login
34103323	32 Gallon Bronco lid	Please Login
364754800	Dust Mop 48 in	Please Login
36545000	Handle, Extendable 34" - 59"	Please Login
4564304	48" Metal Cap Broom	Please Login
3686500	12" Flared Duo-Sweep Broom	Please Login
369817B00	#24 5" HB 4-Ply Cotton C-E Mopheadband (brick pack)	Please Login
369550B00	Small 4-Ply Cotton Looped-end Wideband/Tailband	Please Login
3690904	Economy Wet Floor Sign	Please Login
3619014	Dual Floor Scrub & Rubber Squeegee	Please Login
36505L14	Utility Scrub 20", Blue	Please Login
4573200	100% Wool Duster 26" Handle	Please Login
4030600	Replacement Sponge 12in Refill	Please Login
34123203	32 Gallon FVP can - black	Please Login
36340414	Duster for Ceilings, Walls, Vents, and Blinds 9"	Please Login

New Items Added!



Part#	Description	Wholesale
Party & Event		
3070510	Paragon 8 oz. Thrifty Popcorn Popper Stand	Please Login
FNC7380	Black Mini Accordian Skirt	Please Login
FNC3600	Wheel Kit For Fill & Chill	Please Login



Part#	Description	Wholesale
Misc.		
EB24	24" Oscillating Misting Fan	Please Login
100808	Air filter - Partner/506 22 42-01	Please Login
605228	Air filter - Stihl/4223 141 0300	Please Login
30833240	Tamper square, 7-1/2"	Please Login
VS42VKM-2	42" Belt Drive Drum Fan	Please Login
1493GC	10/4 25' STW Yellow Jacket	Please Login
6404R	L14-20 20Amp Twist Lock Receptacle	Please Login
6202P	L5-20P 20 Amp Male Twist Lock	Please Login
SP771-G	Green (Grass) Flagging Tape	Please Login
730P	Traffic Red Striping Paint	Please Login
9757	Heavy Duty 7-8oz Cup Dispenser	Please Login
EL405	EL405 784650 Summer Stacker Lift	Please Login
HV7P1	Plastic Disposable Paint Sprayer Gun	Please Login
CTD	Caution Tape Dispenser	Please Login
9904	Fathead Safety Glass Display	Please Login
TM119	Onyx w/Indoor-Outdoor lenses safety glasses	Please Login
GG100	Green Glo Pocket Flagging Tape	Please Login
3012932	Rain jacket - 2XL	Please Login
3012939	Rain pants - L	Please Login
3012941	Rain pants - 2XL	Please Login
PB360S	Bosch Power Box Radio	Please Login

New Items Added!



PHP Credit Application

Fax Toll Free: 1-800-255-7985

PHP must have a copy of your Sales Tax Exemption Certificate on file – (the certificate should be returned with the credit application).

Company Name: _____ Phone: _____

Billing Address: _____ Fax _____

Shipping Address: _____ Purchasing Agent _____

Accounts Payable _____

Email Address: _____ Can we contact you with PHP Specials? _____

Ownership Type: Corporation Partnership Sole Proprietor Other How long at location? _____ yrs

- TYPE OF COMPANY: (What business are you in?) Please circle all that apply.
- | | | |
|----------------------|------------------------|-------------------------|
| 1. Contractor Supply | 7. Hardware | 14. LP Dealer |
| 2. Rental Store | 8. Small Engine Repair | 15. Electric Wholesaler |
| 3. Ag/Farm Supply | 9. Electric Motor | 16. Tent & Party |
| 4. Lumber Yard | 10. HVAC | 21. Golf Courses |
| 5. Concrete-Redi Mix | 11. STAFDA | 23. New ARA Member |
| 6. Lawn & Garden | 12. Other _____ | 99. Contractor |

If corporation: Legal Name _____
State of Incorporation _____ Date of Incorporation: _____

BANK REFERENCES:

Name _____ Phone No. _____
 Street Address _____ City, State, Zip _____
 Savings Account No. _____ Checking Account No. _____
 State Sales Tax Exempt # _____

SUPPLIER REFERENCES: (To help expedite, please include supplier FAX number and your account number with them.)

- (1) Name _____ Phone: A/C _____ - _____
 Address _____ Fax # _____
 City, State, Zip _____ Acct.#/Contact _____
- (2) Name _____ Phone: A/C _____ - _____
 Address _____ Fax # _____
 City, State, Zip _____ Acct.#/Contact _____

Please sign below, so that we have permission to gather credit information about your company.

In support of this application, PHP is hereby authorized to obtain credit and/or financial information from my/our bank(s), other financial institutions or commercial firms with whom I/we have done business. It is understood that any such credit and/or financial information will be held in strict confidence and used only in consideration of this application.

Upon approval of this application, it is agreed that all purchases will be paid in full and in accordance with the terms of sale as stated on PHP invoice(s). Should I/we not pay PHP according to terms, it is understood that credit privileges may be withdrawn. Should PHP find it necessary to obtain assistance in collecting any past due balance, I/we agree to pay interest at the rate of 1.5% per month (or such other rate allowable by State law), reasonable attorney fees, collection fees, and/or court costs allowable by law. A copy of this statement and application has been received.

Company Name _____ Authorized Signature _____

Telephone _____ Title _____

Personal Guaranty of Indebtedness: If you have been in business less than 2 years, please sign this. The undersigned Guarantor(s), in order to induce PHP to extend credit to applicant herein, and in consideration thereof, does hereby unconditionally, personally, and individually guarantee all sums which may be owed by applicant to PHP arising out of sale of products by PHP to said applicant, whether said indebtedness is due now or hereinafter occurred. This Guaranty is continuing, and shall continue to apply to all indebtedness which applicant may hereinafter incur, renew, or extend whole or in part, with PHP, all without notice to the undersigned Guarantor (s). The Guarantor(s) agrees to pay all costs and expenses, including reasonable attorney fees, which PHP incurs in the collection of any indebtedness from the Guarantor(s) covered by this agreement, or in the collection of any liability of the guarantor(s) hereunder. Notice of acceptance of this Guaranty is hereby waived; notice of any and all indebtedness guaranteed hereunder is expressly waived. The Guaranty is delivered and shall be deemed to have been made in and shall be governed and construed pursuant to the laws of the State of Indiana.

State of _____ County of _____ Signed this _____ day of _____, 20_____.

Subscribed and sworn to before me this _____ day of _____, 20_____.

Guarantor _____

Notary Public _____

Contact Our Reps



**CT, MA, ME, NH
NJ, NY, RI, VT**
J & J Sales
Joe & Peggy Frew
800.255.7991
info@jandjsalescompany.com



IN, KY, MI, OH
McClees Equipment Sales
Jerry McClees
317.840.8355
jlmcclees@tds.net



MN, ND, SD
Sails Call, Inc.
Tom Eynon
414.406.1762
tomeynon@hotmail.com



**AL, AR, AZ, CA, CO, FL,
GA, HI, LA, MS, MT, NM,
NV, OK, TN, TX, UT, WY**
PHP
800.362.6951
info@phpdistribution.com



DE, PA
Top-Line Sales Co.
Colleen Pro
610.675.4338
colleenpro@comcast.net



IA, KS, MO, NE
McClelland Sales Co.
Bob McClelland
314.308.1542
toolman.mcclelland@yahoo.com



DC, MD, VA, WV
Trimble + Associates
443.845.1621
mikem.mktg@gmail.com

*If any manufacturer reps
would like to represent
PHP's product line in the
states marked with our logo,
please send your line card to
the email listed above.*



NC, SC
Landmark Sales
Lanny Hoskins
800.868.5020
nocaro@aol.com



IL, UP of MI, WI
DSC Sales
Bob DiStefano
847.678.9543
distefanosales@sbcglobal.net



AK, ID, OR, WA
Johnson Co., Inc.
Keith Johnson
206.622.9043
info@johnsonrep.com



342 North 400 East
Valparaiso, IN 46383

Phone Toll Free: 800.362.6951

Fax Toll Free: 800.255.7985

phpdistribution.com

