

# **Mondopad**

The all-in-one touchscreen collaboration system for video conferencing, whiteboarding, data sharing, and more







# Work Better Together

In-room and remote visual collaboration made easy



InFocus Mondopad elegantly blends video calling, whiteboarding and more into one giant touchscreen PC for efficient face-to-face collaboration with people in any location.

Bridge communication gaps, strengthen teams, capture & share information, train more effectively, and save time and money. You'll never want to meet without it.

### **Key Features**

- Big, bright touch display everyone in the room can see
- Choose sharp 4K or 1080p HD resolution
- Native HD video calling and data sharing that's crystal clear
- Interactive whiteboard and on-screen annotation
- BYOD-friendly to connect & share with any device
- Built on a fast & flexible i7-based Windows PC
- Wireless keyboard and mouse included



# Mondopad Ultra for Performance & Precision

Our premium Mondopad Ultra series offers high performance collaboration tools to meet the exacting needs of business and enterprise. Mondopad Ultra features vivid 4K resolution for an incredibly sharp picture, and our most powerful processor for high demand applications and information security. Connect global enterprise infrastructures and employees, and make every meeting or presentation more effective and engaging with Mondopad Ultra.

- 4K resolution offers more detail & more depth for amazing life-like images
- Built on a powerful Intel Core i7-6700T processor and Q170 chipset with Intel vPro™ technology
- 256 GB solid state hard drive
- Choose a 70" (INF7023), 80" (INF8022), or 85" (INF8521) model



See faces and content side by side with dual-stream video conferencing capabilities.
You can even split them onto a second touch display — one display shows participants' faces while the other shows content.

"The way InFocus enables our agency to clearly connect with one another face to face, from our six different locations throughout the world, helps us to be more cohesive and builds more trusting teammate relationships, resulting in better work."

-Gabe Winslow, Partner, Sq1

#### Video Connect to the World

Instantly bring people together from anywhere in the world to visually collaborate on the same content and do better work in less time.

InFocus video calling service is included for the first year, so you can make and receive video calls right away – or add your own video conferencing client onto Mondopad as you would on any other PC.

Have instant 4-way conversations on a Mondopad when you upgrade to InFocus 121 Premium video calling service.

Bring up to 25 people together with InFocus' cloud-based ConX Video Meeting service. Users can connect from other Mondopads, ConX Walls, PCs, Macs, tablets or smartphones.

#### Interactive Whiteboard

Stop taking pictures of your stained, old-fashioned whiteboard and step up to the digital Mondopad. Brainstorm, capture, and share your ideas on an interactive whiteboard without borders or barriers.

- Capture, save, and email whiteboard notes directly from the Mondopad
- Create a whiteboard on a canvas up to 100 display screens in size
- Paste backgrounds and images onto a whiteboard and annotate on top
- Write or draw with a complete collection of digital pens, shapes, lines, and colors



#### View, Annotate, and Share

Never lose an idea. Quickly and easily take notes on anything you're presenting and then save the changes.

- Use the same whiteboard tools to mark-up whatever you're presenting:
  - Documents, presentations, spreadsheets, images, etc.
  - Web pages
  - Videos
- Save your notes as an image and email it directly from the Mondopad
- Manage common or secure files accessed by email, office network, USB drives, and cloud-based services like Dropbox



"With the unique ability of the Mondopad to draw and annotate, our personnel in their respective classrooms can see anything the instructor is talking about."

-Mike Heimbecker, Fire Inspector, Addison Fire Protection District

#### **Bring Your Own Device**

Participants can securely connect and share content with Mondopad from PCs, Macs, tablets or smartphones – making meetings more collaborative, productive and sustainable.

- Cast your device's screen to the Mondopad
- View up to four AirPlay or Chrome casts simultaneously
- Control the Mondopad with your device from anywhere in the room—advance slides, browse the web, annotate
- See what's being presented on the Mondopad from your device
- People can also make video calls to your Mondopad from a PC, Mac, tablet or smartphone







Wide-angle HD camera and noise-cancelling microphone array accurately capture the sights and sounds of the room.

Speaker bars deliver clear voices and powerful multimedia to the whole room.

# **Accessories / Solutions**

InFocus products work together so you can collaborate effectively in and out of the conference room.

#### Video and Audio Solutions

Provide and capture the best views and sounds in the room for efficient and clear communication.

RealCam PTZ Camera (INA-PTZ-3): True HD 1080p resolution and pan/tilt/zoom with included remote control Thunder Speakerphone (INA-TH150): VoiceAware anti-echo & noise-reducing technology for any size meeting room



RealCam PTZ Camera

#### **Video Conferencing Solutions**

Collaborate with multiple participants and share faces and data on-demand.

**ConX Video Meeting:** Secure cloud-based video meeting rooms for up to 25 participants on nearly any device (get a FREE trial at infocusconx.com)

**121 Premium (IN121PRM-1Y, IN121PRM-2Y, IN121PRM-3Y):** Add 4-way videoconferencing and custom SIP address capabilities to your Mondopad. Upgrade from 121 Basic to 121 Premium with IN121PRM-UPG. Have SIP addresses with your domain name with IN121PRM-DOM.

**121 Basic (IN121-1Y, IN121-2Y, IN121-3Y):** Standard 2-way video call dial tone and SIP address (free for first year of Mondopad ownership)

ConX Phone (MVP100): Easy-to-use desk video phone for on-demand video communication from remote locations



Thunder Speakerphone

## **Display Solutions**

Enhance the usability of Mondopad with these touchscreen solutions.

JTouch (INF5701p, INF6502WBp, INF7001ap, INF7002WB, INF8002, INF8501): Extend your Mondopad's desktop to a second touch display and show two apps at once

**Q Tablet (INP-120Q32X, INP-120Q32X-PR):** Follow or control your Mondopad from around the room with this full-featured 10.1-inch Windows 10 Pro tablet



ConX Phone

### **Mounting Solutions**

Mount your Mondopad on the wall or on a cart and roll it wherever it's needed to maximize its versatility.

MODEL	INF5720	INF6521/ INF6521AG	INF7021	INF7023 Ultra Series	INF8022 Ultra Series	INF8521 Ultra Series	
Wall Mounts	INF-WALLMNT2, INF-WALLMNT3				INF-WALLMNT3		
Mobile Carts	INF-MOBCART, INF-MOBCARTPRO-B					INF-MCART-PL	
Deluxe Mobile Cart w/ PTZ Mount & Accessory Shelf	INA-MCARTDX						
Floor Stand	INF-FLRSTND N/A					/A	
Accessory Trays	INF-ACCYSHELF, INF-ACCYSHELFPRO-B						
Lift Assist Mounts	INA-MNTBB70		INA-MNTBB95		N/A		
	INA-CARTBB, INA-SUPPORTBB, INA-VESABB				N/A		
Camera Shelves	INF-PTZMNTU, INFPTZMNTL (attach to display), INF-VIDSHELF2 (attach to INF-WALLMNT2, INF-WALLMNT3, INF-MOBCARTPRO-B or INF-MCAF						
	INF-VIDSHELF (attach to INF-MOBCART or INF-FLRSTND)				N/A		
ATA Lift Cases	CA-ATALIFT55	CA-ATALIFT70 N/A			/A		

## Warranty, Maintenance and Training Services

Get the most out of your Mondopad and protect your investment with these valuable services.

MODEL	INF5720	INF6521/ INF6521AG	INF7021	INF7023 Ultra Series	INF8022 Ultra Series	INF8521 Ultra Series
Extended Hardware Warranty Plans	EPWHW57MP1 EPWHW57MP2	EPWHW65MP1 EPWHW65MP2		V70MP1 V70MP2	EPWHW80MP1 EPWHW80MP2	EPWHW85MP1 EPWHW85MP2
Extended Premium (Warranty & Software) Plans	EPWPRE57MP1 EPWPRE57MP2	EPWPRE65MP1 EPWPRE65MP2		E70MP1 E70MP2	EPWPRE80MP1 EPWPRE80MP2	EPWPRE85MP1 EPWPRE85MP2
Software Maintenance Plans	EPWS0FTPLAN1, EPWS0FTPLAN2					
Training Services			INF-VT2, I	NF-VT4		

# Specifications\*

DISPLAY	INF5720	INF6521 / INF6521AG	INF7021	INF7023	INF8022	INF8521	
Size	57"	65"	70	Ultra Series	Ultra Series 80"	Ultra Series 85"	
Resolution	07	Full HD (1920 x 1080)			4K (3840 x 2160)	00	
Anti-Glare	No	Yes**	N	0		rilla Class	
Refresh Rate	1.0	100	120		100 0 00	Tina olado	
Viewing Angle	176°	178°	120	176	 ວິ		
Pixel Pitch	0.67 mm	0.248 (H) x 0.744 (V)	0.63 mm		0.49 mm		
Response Time	9.5 ms	6.5 ms	6 ms		6.5 ms		
Contrast Ratio		000:1	4,000:1	5,000:1		00:1	
Brightness	370 cd/m <sup>2</sup>	500.1	350 cd/m <sup>2</sup>	3,000.1	· · · · · · · · · · · · · · · · · · ·	cd/m2	
Video Input	·	l I NTSC, 480i, 480p, 720p, 1080i, 10	·	Full NT	SC, 480i, 480p, 720p, 1080i, 108		
Compatibility							
Inputs	HDMI x 2, VGA (HD15 VESA), component, RS232, 3.5mm line-in audio (mono), RCA stereo audio in, 3.5mm micro- phone in, USB Type-B to touch screen controller board	HDMI x 4, VGA (HD15 VESA), component, RS232, 3.5mm line-in audio (mono), RCA stereo audio in, 3.5mm microphone in, USB Type-A x5 (4 on front, 1 on top used by camera) USB Type-B (for touch control)	HDMI x 2, VGA (HD15 VESA), component, RS232, 3.5mm line-in audio (mono), RCA stereo audio in, 3.5mm micro- phone in, USB Type-B to touch screen controller board	nent, 3.5mm line-in audio (mono), Type-A x5 (4 on front, 1 on top us	2.0 x2 (rear), HDMI 1.4 (rear), VGA, compodio (mono), RCA stereo in, RS232 serial, USB 1.0 n top used by camera), USB-Type B (for touch control)  RCA stereo in, RS 232 serial, USB 2.0 Type-B (for trol) Front: USB 3.0 touch control), USE x4, HDMI 1.4 Tor Type-A (used by		
Outputs			RCA stereo audio o	ut (for sound bars)			
Touch Screen	Edge-to-edge multi-touch system with support for 5 point gestures	Edge-to-edge 16-point projected capacitive touch	Edge-to-edge multi-touch system with support for 5 point gestures	Edge-to-edge 16-point projected capacitive touch		e multi-touch t for 5 point gestures	
Speakers	Stereo 7W × 2	Stereo 10W x 2	Stereo 7W × 2	Stereo 10W x 2	Stereo	7W × 2	
Power			AC 100 to 240				
PC	INF5720	INF6521 / INF6521AG	INF7021	INF7023	INF8022	INF8521	
Processor		hipset with Intel vPro™ technolog			hipset with Intel vPro™ technol		
	111ter Core 17-47701, Q07 C	Tilpset with filter vero technolog	gy, interrib draphics 4000	III.lei Core 17-07001, Q170 C	Tilpset with filter vero technoli	ogy, inter tib draphics 550	
			Q CR I	DAM			
Memory Hard Drive	SSD 120GB	SSD 128 GB	8 GB	RAM	SSD 256GB		
Hard Drive	SSD 120GB	SSD 128 GB	SSD 120GB		SSD 256GB		
Hard Drive LAN (2x)	SSD 120GB		SSD 120GB 802.3 10/100/1000 Bas	e-T with Wake on LAN			
Hard Drive LAN (2x) Wi-Fi	SSD 120GB	Dual band 8	SSD 120GB 802.3 10/100/1000 Bas 02.11 a/b/g/n MIMO PCIe half n	e-T with Wake on LAN nini card, 2.4 GHz with Intel, AN	ИТ support		
Hard Drive LAN (2x) Wi-Fi Inputs	SSD 120GB	Dual band 80 USB 3.0	SSD 120GB 802.3 10/100/1000 Bas 02.11 a/b/g/n MIMO PCIe half n	e-T with Wake on LAN	ИТ support tereo)		
Hard Drive LAN (2x) Wi-Fi Inputs Outputs	SSD 120GB	Dual band 8	SSD 120GB 802.3 10/100/1000 Bas 02.11 a/b/g/n MIMO PCIe half n 0 Type-A x2 (on PC), Ethernet (f	e-T with Wake on LAN nini card, 2.4 GHz with Intel, AN RJ45 x 2), 3.5mm audio input (s	ИТ support		
Hard Drive LAN (2x) Wi-Fi Inputs Outputs Bluetooth	SSD 120GB	Dual band 81 USB 3.0 HDMI out	SSD 120GB 802.3 10/100/1000 Bas 02.11 a/b/g/n MIMO PCIe half n	e-T with Wake on LAN nini card, 2.4 GHz with Intel, AN RJ45 x 2), 3.5mm audio input (s	AT support tereo) DisplayPort 1.2 out	al .	
Hard Drive LAN (2x) Wi-Fi Inputs Outputs Bluetooth Operating System	SSD 120GB	Dual band 81 USB 3.0 HDMI out Windows 7 Pro 64bit	SSD 120GB 802.3 10/100/1000 Bas 02.11 a/b/g/n MIMO PCIe half n ) Type-A x2 (on PC), Ethernet (I	e-T with Wake on LAN nini card, 2.4 GHz with Intel, AN RJ45 x 2), 3.5mm audio input (s D	AT support tereo) DisplayPort 1.2 out Vindows 10 64-Bit Professiona	1	
Hard Drive LAN (2x) Wi-Fi Inputs Outputs Bluetooth	SSD 120GB	Dual band 81 USB 3.0 HDMI out Windows 7 Pro 64bit	SSD 120GB 802.3 10/100/1000 Bas 02.11 a/b/g/n MIMO PCIe half n ) Type-A x2 (on PC), Ethernet (I	e-T with Wake on LAN nini card, 2.4 GHz with Intel, AN RJ45 x 2), 3.5mm audio input (s	AT support tereo) DisplayPort 1.2 out Vindows 10 64-Bit Professiona	al INF8521	
Hard Drive LAN (2x) Wi-Fi Inputs Outputs Bluetooth Operating System Included SW		Dual band 80 USB 3.0 HDMI out Windows 7 Pro 64bit Micro	SSD 120GB 802.3 10/100/1000 Bas 02.11 a/b/g/n MIMO PCIe half n 0 Type-A x2 (on PC), Ethernet (I 4.0 psoft Office Home & Business 3	e-T with Wake on LAN nini card, 2.4 GHz with Intel, AN RJ45 x 2), 3.5mm audio input (s  V 2bit, Mondopad interface softw	AT support tereo) DisplayPort 1.2 out Vindows 10 64-Bit Professiona rare		
Hard Drive LAN (2x) Wi-Fi Inputs Outputs Bluetooth Operating System Included SW SYSTEM Product	INF5720 56.7 x 3.7 x 40.7 in /	Dual band 80 USB 3.0 HDMI out Windows 7 Pro 64bit Micro INF6521 / INF6521AG 59.8 x 3.2 x 41.1 in /	SSD 120GB 802.3 10/100/1000 Bas 02.11 a/b/g/n MIMO PCIe half n 0 Type-A x2 (on PC), Ethernet (for the state of the state o	e-T with Wake on LAN nini card, 2.4 GHz with Intel, AN RJ45 x 2), 3.5mm audio input (s  V 2bit, Mondopad interface softw INF7023 64.2 x 4.2 x 37.9 in /	AT support tereo)  DisplayPort 1.2 out  Vindows 10 64-Bit Professiona vare  INF8022  75 x 4.7 x 50.25 in /	INF8521 78.3 x 4.4 x 52.7 in /	
Hard Drive LAN (2x) Wi-Fi Inputs Outputs Bluetooth Operating System Included SW SYSTEM Product Dimensions	INF5720 56.7 x 3.7 x 40.7 in / 1388 x 91 x 998 mm	Dual band 80 USB 3.0 HDMI out  Windows 7 Pro 64bit Micro INF6521 / INF6521AG  59.8 x 3.2 x 41.1 in / 1520 x 81 x 1044 mm	SSD 120GB 802.3 10/100/1000 Bas 02.11 a/b/g/n MIMO PCIe half n 0 Type-A x2 (on PC), Ethernet (i 4.0 psoft Office Home & Business 3 INF7021 65.7 x 4 x 45 in / 1669 x 102 x 1143 mm	e-T with Wake on LAN nini card, 2.4 GHz with Intel, AN RJ45 x 2), 3.5mm audio input (s  V 2bit, Mondopad interface softw INF7023  64.2 x 4.2 x 37.9 in / 1629.8 x 106.6 x 963.3 mm	AT support tereo) DisplayPort 1.2 out  Vindows 10 64-Bit Professions rare INF8022 75 x 4.7 x 50.25 in / 1905 x 119 x 1276 mm	INF8521 78.3 x 4.4 x 52.7 in / 1988 x 112.1 x 1338 mm	
Hard Drive LAN (2x) Wi-Fi Inputs Outputs Bluetooth Operating System Included SW SYSTEM Product Dimensions Product Weight Shipping	INF5720 56.7 x 3.7 x 40.7 in / 1388 x 91 x 998 mm 139.5 lbs / 63.3 kg 63.5 x 10 x 42.5 in /	Dual band 80 USB 3.0 HDMI out  Windows 7 Pro 64bit  Micro INF6521 / INF6521AG  59.8 x 3.2 x 41.1 in / 1520 x 81 x 1044 mm  123.5 lbs / 56 kg 69 x 10.6 x 44.4 in /	SSD 120GB 802.3 10/100/1000 Bass 02.11 a/b/g/n MIMO PCIe half in 0 Type-A x2 (on PC), Ethernet (in 4.0 0 Sooft Office Home & Business 3 1NF7021 65.7 x 4 x 45 in / 1669 x 102 x 1143 mm 170 lbs / 77.1 kg 73 x 10.5 x 49 in /	e-T with Wake on LAN nini card, 2.4 GHz with Intel, AN RJ45 x 2), 3.5mm audio input (s  V 2bit, Mondopad interface softw INF7023 64.2 x 4.2 x 37.9 in / 1629.8 x 106.6 x 963.3 mm 108 lbs / 49 kg 73.2 x 10.2 x 46.5 in /	AT support tereo)  DisplayPort 1.2 out  Vindows 10 64-Bit Professions rare  INF8022  75 x 4.7 x 50.25 in / 1905 x 119 x 1276 mm  172 lbs / 78 kg  83.5 x 10.5 x 53.5 in /	1NF8521 78.3 x 4.4 x 52.7 in / 1988 x 112.1 x 1338 mm 232.6 lbs / 101.5 kg 88.1 x 12.2 x 56.2 in / 2239 x	
Hard Drive LAN (2x) Wi-Fi Inputs Outputs Bluetooth Operating System Included SW SYSTEM Product Dimensions  Product Weight Shipping Dimensions Shipping Weight (monitor, PC & camera) &	INF5720 56.7 x 3.7 x 40.7 in / 1388 x 91 x 998 mm 139.5 lbs / 63.3 kg 63.5 x 10 x 42.5 in / 1613 x 254 x 1080 mm	Dual band 80 USB 3.0 HDMI out  Windows 7 Pro 64bit  Micro  INF6521 / INF6521AG  59.8 x 3.2 x 41.1 in / 1520 x 81 x 1044 mm  123.5 lbs / 56 kg 69 x 10.6 x 44.4 in / 1752 x 270 x 1128 mm	SSD 120GB 802.3 10/100/1000 Bas 02.11 a/b/g/n MIMO PCIe half n 0 Type-A x2 (on PC), Ethernet (I 4.0 0 Soft Office Home & Business 3 1NF7021 65.7 x 4 x 45 in / 1669 x 102 x 1143 mm 170 lbs / 77.1 kg 73 x 10.5 x 49 in / 1854 x 267 x 1245 mm	e-T with Wake on LAN nini card, 2.4 GHz with Intel, AN RJ45 x 2), 3.5mm audio input (s  V 2bit, Mondopad interface softw INF7023  64.2 x 4.2 x 37.9 in / 1629.8 x 106.6 x 963.3 mm  108 lbs / 49 kg 73.2 x 10.2 x 46.5 in / 1860 x 260 x 1180 mm  147.7 lbs / 67 kg 17.4 lbs / 7.9 kg	AT support tereo)  DisplayPort 1.2 out  Vindows 10 64-Bit Professions rare  INF8022  75 x 4.7 x 50.25 in / 1905 x 119 x 1276 mm  172 lbs / 78 kg  83.5 x 10.5 x 53.5 in / 2121 x 267 x 1359 mm  202 lbs / 91.6 kg	1NF8521 78.3 x 4.4 x 52.7 in / 1988 x 112.1 x 1338 mm 232.6 lbs / 101.5 kg 88.1 x 12.2 x 56.2 in / 2239 x 311 x 1427 mm	
Hard Drive LAN (2x) Wi-Fi Inputs Outputs Bluetooth Operating System Included SW SYSTEM Product Dimensions  Product Weight Shipping Dimensions Shipping Weight (monitor, PC & camera) & (soundbars) Soundbars Shipping	INF5720  56.7 x 3.7 x 40.7 in / 1388 x 91 x 998 mm  139.5 lbs / 63.3 kg 63.5 x 10 x 42.5 in / 1613 x 254 x 1080 mm  154 lbs / 70 kg 17.4 lbs / 7.9 kg	Dual band 80 USB 3.0 HDMI out  Windows 7 Pro 64bit  Micro  INF6521 / INF6521AG  59.8 x 3.2 x 41.1 in / 1520 x 81 x 1044 mm  123.5 lbs / 56 kg 69 x 10.6 x 44.4 in / 1752 x 270 x 1128 mm  154.5 lbs / 70.1 kg  pard (where allowed), wireless mous	SSD 120GB 802.3 10/100/1000 Bas 02.11 a/b/g/n MIMO PCIe half n 0 Type-A x2 (on PC), Ethernet (i  4.0  psoft Office Home & Business 3  INF7021  65.7 x 4 x 45 in / 1669 x 102 x 1143 mm  170 lbs / 77.1 kg 73 x 10.5 x 49 in / 1854 x 267 x 1245 mm  173 lbs / 78.5 kg 17.4 lbs / 7.9 kg  30.4 x 12.3 x 6.7 in /  see (where allowed), stylus, VGA case	e-T with Wake on LAN nini card, 2.4 GHz with Intel, AN RJ45 x 2), 3.5mm audio input (s  V 2bit, Mondopad interface softw INF7023  64.2 x 4.2 x 37.9 in / 1629.8 x 106.6 x 963.3 mm  108 lbs / 49 kg 73.2 x 10.2 x 46.5 in / 1860 x 260 x 1180 mm  147.7 lbs / 67 kg 17.4 lbs / 7.9 kg	AT support tereo)  DisplayPort 1.2 out  Vindows 10 64-Bit Professional rare  INF8022  75 x 4.7 x 50.25 in / 1905 x 119 x 1276 mm  172 lbs / 78 kg 83.5 x 10.5 x 53.5 in / 2121 x 267 x 1359 mm  202 lbs / 91.6 kg 17.4 lbs / 7.9 kg	1NF8521 78.3 x 4.4 x 52.7 in / 1988 x 112.1 x 1338 mm 232.6 lbs / 101.5 kg 88.1 x 12.2 x 56.2 in / 2239 x 311 x 1427 mm 264.6 lbs / 120 kg 17.4 lbs / 7.9 kg	
Hard Drive LAN (2x) Wi-Fi Inputs Outputs Bluetooth Operating System Included SW SYSTEM Product Dimensions  Product Weight Shipping Dimensions Shipping Weight (monitor, PC & camera) & (soundbars) Soundbars Shipping Dimensions Accessories	INF5720  56.7 x 3.7 x 40.7 in / 1388 x 91 x 998 mm  139.5 lbs / 63.3 kg 63.5 x 10 x 42.5 in / 1613 x 254 x 1080 mm  154 lbs / 70 kg 17.4 lbs / 7.9 kg	Dual band 80 USB 3.0 HDMI out  Windows 7 Pro 64bit  Micro  INF6521 / INF6521AG  59.8 x 3.2 x 41.1 in / 1520 x 81 x 1044 mm  123.5 lbs / 56 kg 69 x 10.6 x 44.4 in / 1752 x 270 x 1128 mm  154.5 lbs / 70.1 kg  pard (where allowed), wireless mous	SSD 120GB 802.3 10/100/1000 Bas 02.11 a/b/g/n MIMO PCIe half n 0 Type-A x2 (on PC), Ethernet (i  4.0  psoft Office Home & Business 3  INF7021  65.7 x 4 x 45 in / 1669 x 102 x 1143 mm  170 lbs / 77.1 kg 73 x 10.5 x 49 in / 1854 x 267 x 1245 mm  173 lbs / 78.5 kg 17.4 lbs / 7.9 kg  30.4 x 12.3 x 6.7 in /  see (where allowed), stylus, VGA case	e-T with Wake on LAN nini card, 2.4 GHz with Intel, AN RJ45 x 2), 3.5mm audio input (s  V 2bit, Mondopad interface softw INF7023  64.2 x 4.2 x 37.9 in / 1629.8 x 106.6 x 963.3 mm  108 lbs / 49 kg  73.2 x 10.2 x 46.5 in / 1860 x 260 x 1180 mm  147.7 lbs / 67 kg 17.4 lbs / 7.9 kg	AT support tereo)  DisplayPort 1.2 out  Vindows 10 64-Bit Professional rare  INF8022  75 x 4.7 x 50.25 in / 1905 x 119 x 1276 mm  172 lbs / 78 kg 83.5 x 10.5 x 53.5 in / 2121 x 267 x 1359 mm  202 lbs / 91.6 kg 17.4 lbs / 7.9 kg	1NF8521 78.3 x 4.4 x 52.7 in / 1988 x 112.1 x 1338 mm 232.6 lbs / 101.5 kg 88.1 x 12.2 x 56.2 in / 2239 x 311 x 1427 mm 264.6 lbs / 120 kg 17.4 lbs / 7.9 kg	
Hard Drive LAN (2x) Wi-Fi Inputs Outputs Bluetooth Operating System Included SW SYSTEM Product Dimensions  Product Weight Shipping Dimensions Shipping Weight (monitor, PC & camera) & (soundbars) Soundbars Shipping Dimensions Accessories Included****	INF5720  56.7 x 3.7 x 40.7 in / 1388 x 91 x 998 mm  139.5 lbs / 63.3 kg 63.5 x 10 x 42.5 in / 1613 x 254 x 1080 mm  154 lbs / 70 kg 17.4 lbs / 7.9 kg	Dual band 80 USB 3.0 HDMI out  Windows 7 Pro 64bit  Micro  INF6521 / INF6521AG  59.8 x 3.2 x 41.1 in / 1520 x 81 x 1044 mm  123.5 lbs / 56 kg 69 x 10.6 x 44.4 in / 1752 x 270 x 1128 mm  154.5 lbs / 70.1 kg  pard (where allowed), wireless mous	SSD 120GB 802.3 10/100/1000 Bas 02.11 a/b/g/n MIMO PCIe half n 0 Type-A x2 (on PC), Ethernet (i  4.0  psoft Office Home & Business 3  INF7021  65.7 x 4 x 45 in / 1669 x 102 x 1143 mm  170 lbs / 77.1 kg 73 x 10.5 x 49 in / 1854 x 267 x 1245 mm  173 lbs / 78.5 kg 17.4 lbs / 7.9 kg  30.4 x 12.3 x 6.7 in / see (where allowed), stylus, VGA caund bar assembly, camera assem	e-T with Wake on LAN nini card, 2.4 GHz with Intel, AN RJ45 x 2), 3.5mm audio input (s  V 2bit, Mondopad interface softw INF7023  64.2 x 4.2 x 37.9 in / 1629.8 x 106.6 x 963.3 mm  108 lbs / 49 kg  73.2 x 10.2 x 46.5 in / 1860 x 260 x 1180 mm  147.7 lbs / 67 kg 17.4 lbs / 7.9 kg	AT support tereo)  DisplayPort 1.2 out  Vindows 10 64-Bit Professional rare  INF8022  75 x 4.7 x 50.25 in / 1905 x 119 x 1276 mm  172 lbs / 78 kg 83.5 x 10.5 x 53.5 in / 2121 x 267 x 1359 mm  202 lbs / 91.6 kg 17.4 lbs / 7.9 kg	1NF8521 78.3 x 4.4 x 52.7 in / 1988 x 112.1 x 1338 mm 232.6 lbs / 101.5 kg 88.1 x 12.2 x 56.2 in / 2239 x 311 x 1427 mm 264.6 lbs / 120 kg 17.4 lbs / 7.9 kg	

<sup>\*</sup> Product specifications, terms, and offerings are subject to change at any time without notice. \*\* Anti-glare available in select regions; subject to change. \*\*\* Keyboard, mouse and/or speaker bar may not be shipped to all countries.

#### Video Conferencing

Video call types: SIP, H.323, Skype, Lync Codecs

Audio: CN 16k, CN 8k, G.722, G.722.1 baseline (24 kbps), G.722.1 baseline (32 kbps), G.722.1C (24 kbps), G.722.1C (32 kbps), G.722.1C (48 kbps), PCMA (ALow), PCMU (ULow), H.224 (telephone-event), x-msrta 16k, x-msrta 8k, G.729AB Video: H.263, H.263+, H.263++, H.264 AVC packetization 0 and 1, XVD, x-msrtv

#### Camera and Microphones

Resolution: 1280 × 720 Frame rate: 30 fps at HD with H.264+YUV (2-way) Lens and Field of View: 70° horizontal, 56° vertical, F/2.0, 3P Lens; FOV(D) 56.8° in HD mode, FOV(D) 50° in VGA mode 1.0× zoom, FOV(D) 30° in VGA mode 1.6× zoom


Audio support: 3 built-in Unidirectional microphones Interface: USB 3.0 High Speed

Focus: Auto focus

Tilt: Manual up/down and left/right ±40°

#### Soundbars

Power: 100 – 240 volts AC, 50 – 60Hz Speaker Drivers (L&R Channel): Two 3" and one 3/4" Aluminum Neodymium Tweeter (per side) Power Output (RMS): 25 watts/channel @ 1% THD, 1KHz, 2-channels drive, 70 watts total system PEAK Frequency Response: 90 Hz to 20 KHz



# **InFocus**

InFocus Corporate HQ

13190 SW 68th Parkway, Suite 200 Portland, OR 97223-8368

Fortiariu, OK 97223-0300

**Phone:** 503.207.4700 **Toll Free:** 877.388.8385

infocus.com

©2016 InFocus Corporation



205 Westwood Ave, Long Branch, NJ 07740 Phone: 866-94 BOARDS (26273) / (732)-222-1511 Fax: (732)-222-7088 | E-mail: sales@touchboards.com