

androidtv

# BRAVIA Professional Displays

2022 Model Catalog











## Outstanding picture quality & detailed reproduction for business



Harness the power of rich media content for your organization with BRAVIA Professional Displays.

androidtv





#### **Cognitive Processor XR™**

## World's first processor with Cognitive Intelligence

Our BRAVIA XR Display takes vision and sound to the next level with the ingenious Cognitive Processor XR. It understands how humans see and hear, providing a whole new experience that immerses you completely in the scene.

#### 4K HDR Processor X1™







With Object-based HDR remaster and Super Bit Mapping 4K HDR technology, our new 4K HDR Processor X1 reproduces more depth, textures and natural colors than Sony's entry level 4K Processor X1. You'll see pure colors at higher brightness levels for exceptionally realistic pictures.

#### **Cognitive Processor XR™**

#### **X**R Color

#### A wide palette of naturally beautiful colors

See colors that are natural and beautiful to the human eye. The Cognitive Processor XR enables our unique display to access a wider palette and reproduce each color with the subtle differences seen in the real world. With extended hue and saturation, vivid shades and realistic texture can be seen.













**X**R Clarity

Recreating lost texture, the intelligent way

Whatever the content or source, you'll clearly see them close to 4K resolution with XR

4K Upscaling. Our Cognitive Processor XR accesses a vast amount of data,

intelligently recreating lost textures and detail for real world pictures.

XR ⊿K Upscaling







#### **X**R Motion

Intelligent motion processing for fast-moving, blur-free scenes

Watching fast-moving videos just got a whole lot better. Our Cognitive Processor XR with XR Motion Clarity™ cross analyses data to ensure motion stays smooth, bright, and clear with no blur.

#### **X**IR Contrast

Real life depth with deep blacks and intense brightness

Feel breathtaking contrast, just as in real life. Our Cognitive Processor XR cross analyzes data, enhancing pictures in the same way that the human eye focuses for real life color and depth. With XR Contrast Booster, bright areas are brighter and dark areas darker -eliminating details overwhelmed by shadow or lost in blown-out highlights.

#### 4K HDR Processor X1™

#### **Picture**

Unique 4K X-Reality PRO picture processing technology upscales every pixel for remarkable clarity. Advanced noise reduction techniques and a special pattern database ensure every scene is full of lifelike detail.









#### Contrast

**X**1

Imagine seeing a white object in a dark environment on your display: on an edge-lit or direct-lit display, you would sacrifice the brightness of the object for a darker background (or vice versa), and the background would likely appear blue or grey. On a Sony Full Array LED display with local dimming, you get a beautiful, natural picture with crisp brightness and an authentically dark background.















Conventional T

#### Color

By widening the color spectrum, TRILUMINOS powered by our X1 processors reproduces more colors than a conventional display. It analyzes and processes data in every image to make colors even more natural and precise so pictures are closer than ever to real life.

#### Clarity

On some screens, sports and fast-action scenes can seem to go by in a blur. Our latest X-Motion Clarity™ technology keeps everything smooth, bright, and clear. Each "blink" is individually controlled and its duration optimized, while brightness is boosted when needed, so you won't miss a thing.

## Expanding the possibility of your business with the full lineup of BRAVIA Professional Displays

In sizes ranging from 32" to 100", our lineup provides flexible options to match virtually any business application, in any environment.



Sony's largest professional display model with supreme picture quality features

100"

The 100" BZ40J delivers supreme picture quality, high contrast, and more detail for large-sized digital signage and meeting rooms.





## Features for professional use



## Professional mode

Professional features let you disable input or remote control, remove labels and block buttons; customize and store display settings and features, add security then copy them easily from display to display via USB flash memory.



## Flexible content layout with HTML5

The BZ Series offers built-in support for the HTML5 application platform, so it's possible to use HTML5 interactive signage content without requiring a set-top box or PC. The content screen can be freely laid out using the 4K video, pictures, or even with the HDMI input.





### Small, high picture quality 32" 4K display model

32"

Small in size, but big in picture quality for meeting content details even in huddle space environments

with 32" BZ30J





#### Professional design

#### Logo position for public installation

The Sony logo is on the top-right side of the bezel, creating clean-framed landscape and portrait digital signage installations.



#### Ideal for digital signage applications



#### Cable management

Neatly bundles the power cable, HDMI and other cables with a cable clamper









## 32" AC adapter holder

Smart installation by adapter holder even in limited space

\* for BZ30J only



## IP network and serial communication controls

The BZ Series is controllable both via IP network (wired/wireless LAN) and RS-232C. This makes it possible to incorporate the displays into a variety of existing systems, such as in offices and as eye-catching signage.

#### Wi-Fi 5GHz / Apple AirPlay & Chromecast built-in™

Discover a new world of possibilities with enhanced BRAVIA functionality. Easily mirror content onto your BRAVIA Pro Display using Apple AirPlay or Chromecast built-in, and take advantage of Wi-Fi 5GHz WAP connectivity.







The BZ40J incorporates the Cognitive Processor XR that uses human perspective analysis to cross analyze thousands of elements at one to create an intensely immersive picture.













#### **XR Trilluminos Pro**

Powered by our Cognitive Processor XR, this display reproduces color it in a way that humans find beautiful. See a wider palette of colors with an enhanced range of hue and saturation, allowing natural shades and precise details to be seen, even in dark scenes.



#### **XR Motion Clarity™**

On some screens, fast-moving scenes can seem to go by in a blur. Our latest LED XR X-Motion Clarity technology keeps everything smooth, bright and clear. Each frame is individually controlled and its duration optimized, while brightness is boosted when needed, so you won't miss a thing.



#### XR 4K Upscaling

Powered by our Cognitive Processor XR, this display takes 2K signals close to true 4K quality for incredibly real and immersive viewing. XR 4K Upscaling accesses and utilizes a vast amount of data, analyzing patterns in scenes and recreating subtle details



#### **XR Contrast Booster**

By precisely balancing light output across the screen, dimming some areas and boosting others, the XR Contrast Booster adjusts brightness for higher peaks in glare and deeper blacks in shadows. As bright areas are brighter and dark areas darker, scenes look more real with extra depth and detail.



24/7.Portrait.Tilt







55"














#### **Full Array LED**

Brighter highlights and deeper blacks

Multiple LED zoning allows Full Array display models to adjust and create contrast depending on the scene, resulting in more light where brightness is needed, and less light where darkness is needed.





#### Cosmetic design





Flat bottom bezel

#### 24/7.Portrait.Tilt







Logo position

All side terminal position











#### **Motionflow XR**

#### Less blur, even in fast scenes

On some screens, sports and fast action scenes go by in a blur. Our Motionflow technology keeps movement smooth and clear by creating extra images between images and black images between scenes. The result? Less blur and afterimage, more flowing motion.





#### Cosmetic design





24/7.Portrait.Tilt







Logo position

All side terminal position

Flat bottom bezel











#### **Color reproduction**

Our displays with a wide color gamut and unique TRILUMINOS  $\mathsf{PRO}^{\,\,\!\mathsf{IM}}$ algorithm can detect color from saturation, hue and brightness to reproduce natural shades in every detail. You'll enjoy colors that are closer to those seen in the real world.



#### Cosmetic design







Flat bottom bezel

24/7.Portrait.Tilt







Logo position

All side terminal position

## **BZ-series Specifications**

High-end line

		FW-100BZ40J	FW-85BZ40H	FW-75BZ40H	FW-65BZ40H	FW-55BZ40H	FW-50BZ35J	FW-43BZ35J		
	Screen Size	100"	85"	75"	65"	55"	50"	43"		
	Brightness (cd/m²)	Typ. 600 / Peak 940 Typ. 620 / Peak 850					570	560		
	Native contrast ratio	9,000:1					5,000:1	4,000:1		
General features				200.4		00.4				
	Dynamic contrast ratio	600,000:1		000:1	5500	00.1	500,000:1	400,000:1		
	Response Time (ms)	7	6		8		(	5		
	Display resolution (H x V, pixels)				3,840 x 2,160					
	HDR (High Dynamic Range) compatiblity			Ye	s (HDR10,HLG,Dolby Vis	on)				
	Aspect Ratio				16:9					
	Portrait/Tilt Compatibility*2				Yes					
	Dimming type			Local Dimming			Frame D	imming		
	Display device				LCD					
Display	Backlight type				Direct (Full Array LED)					
features	4K Processor	Cognitive Processor XR			4K HDR Pr	ocessor X1				
	Operation time				24/7					
	Wide Mode	Wide Zoom/Normal/Full/Zoom		Auto/Wide Zoom/			Wide Zoom / Nor	mal / Full / Zoom		
	4:3 Default				Yes					
	Video Processing	XR 4K Upscaling			4K X-Rea	lity PRO				
				X-Motion Clari		inty i ito	Motionflow XR 960Hz (N	ativo 120Hal Auto modo		
	Motion enhancer	XR Motion Clarity, Auto mode								
Video Specs	TRILUMINOS Display	XR Triluminos Pro		TRILUMINO			TRILUMII	NOS PRO		
	Viewing Angle (Right/Left)				178 (89/89) degree					
	Viewing Angle (Up/Down)				178 (89/89) degree		ı			
	HDMI Signal	4096x2160p(24, 60Hz), 3840x2160p(24,30,60,120Hz), 1080p(30,60,120Hz), 1080/24p,1080i(60Hz), 720p(30,60Hz),720/24p,480p		24,60Hz), 3840x2160p (2 0/24p, 1080i (60Hz), 720				10x2160p (24, 30, 60, 120Hz), 20Hz), 1080/24p, 1, 60Hz), 720/24p, 480p		
	Speaker Position	Down Firing		Side Back +	Down Firing		Dowr	r Firing		
Audio Specs	Audio Power Output				10W + 10W					
	Professional Hidden mode				Pro Mode					
	HDMI auto wake-up				Yes					
Professional	HTML5 platform				Yes					
features	Multicast/IPTV				Yes					
	Operating System*2				Android 10					
	On-board Storage (GB)	16GB*3								
		Yes								
	Wi-Fi Direct									
Network Specs					Yes Yes					
Network Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN			PEG2PS:MPEG2 / MPEG2	Yes Integrated TS(HDV, AVCHD):MPEG2					
Network Specs  Convenience features	Wi-Fi Direct Wi-Fi Certified		AVI:Xvid, MotionJpe	PEG2PS:MPEG2 / MPEG2 eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG2 V:AVC, MPEG4, Motion	Jpeg / MKV:Xvid, AVC, N	/IPEG4, VP8.HEVC /			
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated  TS(HDV, AVCHD):MPEG2 V:AVC, MPEG4, Motion	Jpeg / MKV:Xvid, AVC, N	/IPEG4, VP8.HEVC /			
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated TS(HDV, AVCHD):MPEG VY:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC	Jpeg / MKV:Xvid, AVC, N	/IPEG4, VP8.HEVC /			
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated  TS(HDV, AVCHD):MPEG;  DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes	Jpeg / MKV:Xvid, AVC, N	/IPEG4, VP8.HEVC /			
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer On/Off Timer		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes	Jpeg / MKV:Xvid, AVC, N	/IPEG4, VP8.HEVC /			
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes	Jpeg / MKV:Xvid, AVC, N	/IPEG4, VP8.HEVC /			
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required)		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated  TS(HDV, AVCHD):MPEG3  DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes Yes	Jpeg / MKV:Xvid, AVC, N	/IPEG4, VP8.HEVC /			
Convenience features	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required)  IP Control		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated  TS(HDV, AVCHD):MPEG2  V:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes Yes Yes	Jpeg / MKV:Xvid, AVC, N	/IPEG4, VP8.HEVC /			
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Jpeg / MKV:Xvid, AVC, N	/IPEG4, VP8.HEVC /			
Convenience features	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 18 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG2  V:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	/IPEG4, VP8.HEVC /			
Convenience features	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 18 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG3  DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	/IPEG4, VP8.HEVC /			
Convenience features	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s)		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 18 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes Yes Yes Yes OF STATE OF	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	/IPEG4, VP8.HEVC /			
Convenience features	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes Yes Yes OCP2.3 (for HDMI1/2/3/1 (Side, Mini jack) 4 (4Side)	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	/IPEG4, VP8.HEVC /			
Convenience features Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total)		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes Yes Yes Yes OF STATE OF	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	/IPEG4, VP8.HEVC /			
Convenience features  Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes Yes Yes OCP2.3 (for HDMI1/2/3/1 (Side, Mini jack) 4 (4Side)	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	/IPEG4, VP8.HEVC /			
Convenience features  Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total)		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG: DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/- 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversion	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	/IPEG4, VP8.HEVC /			
Convenience features  Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s)		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG: DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1(Side) Yes DCP2.3 (for HDMI1/2/3/ 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversion 1 (Side)	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	/IPEG4, VP8.HEVC /			
Convenience features  Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports		AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1(Side) Yes DCP2.3 (for HDMI1/2/3/ 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversion 1 (Side) 2 (Side)	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	/IPEG4, VP8.HEVC /			
Convenience features  Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs	Slim Blade Stand	AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1(Side) Yes  DCP2.3 (for HDM1/2/3/ 1 (Side, Mini jack) 4 (4Side) 2 (Side Analog Conversion 1 (Side) 2 (Side) Black	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC / AC / JPEG	de Stand		
Convenience features  Control Specs  Inputs and outputs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color	Slim Blade Stand	AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1(Side) Yes  DCP2.3 (for HDM1/2/3/ 1 (Side, Mini jack) 4 (4Side) 2 (Side Analog Conversion 1 (Side) 2 (Side) Black	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	MPEG4, VP8.HEVC / AC / JPEG	de Stand		
Convenience features  Control Specs  Inputs and outputs  Design	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design	Slim Blade Stand 600 x 400 mm	AVI:Xvid, MotionJpe	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/- 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversion 1 (Side) 2 (Side) 1 (Side) Black de Stand	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	APEG4, VP8.HEVC / AC / JPEG  Slim Blan	de Stand		
Convenience features  Control Specs  Inputs and outputs  Design	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H)	600 x 400 mm	AVI:Xvid, MotionJps WEBM:VP	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / HI	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/- 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversion 1 (Side) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	APEG4, VP8.HEVC / AC / JPEG  Slim Blai	00 mm		
Convenience features  Control Specs  Inputs and outputs  Design	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible		AVI:Xvid, MotionJpe WEBM:VP	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC /	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/ 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversion 1 (Side) 2 (Side) 1 (Side) Black de Stand Yes	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	APEG4, VP8.HEVC / AC / JPEG  Slim Blan			
Convenience features  Control Specs  Inputs and outputs  Design	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer	600 x 400 mm	AVI:Xvid, MotionJps WEBM:VP	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / HI	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/- 1 (Side, Mini jack) 4 (4Side) (Side Analog Conversion 1 (Side) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL	APEG4, VP8.HEVC / AC / JPEG  Slim Blai	00 mm		
Convenience features  Control Specs  Inputs and outputs  Design features	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal)	600 x 400 mm 253 cm	AVI:Xvid, MotionJps WEBM:VP	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / HI HI 11	Yes Integrated  TS(HDV, AVCHD):MPEG; DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDM1/2/3/ 1 (Side, Mini jack) 4 (4Side) 2 (Side) 1 (Side) Black Je Stand Yes 300 x 300 mm 164.0 cm	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL 4)	Slim Blat 200 x 2 126 cm	00 mm 108 cm		
Convenience features  Control Specs  Inputs and outputs  Design features  Environment	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption	600 x 400 mm 253 cm	AVI:Xvid, MotionJps WEBM:VP	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / HI HI 11	Yes Integrated  TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDM1/2/3/. 1 (Side, Mini jack) 4 (4Side) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm 164.0 cm 214W	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL 4)	Slim Blat 200 x 2 126 cm	00 mm 108 cm		
Convenience features  Control Specs  Inputs and outputs  Design features  Environment	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) Usgital Audio Output (s) Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible	600 x 400 mm 253 cm	AVI:Xvid, MotionJps WEBM:VP	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / HI HI 11	Yes Integrated  TS(HDV, AVCHD):MPEG: DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/- 1 (Side, Mini jack) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm 164.0 cm 214W 0.5 W	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL 4)	Slim Blat 200 x 2 126 cm	00 mm 108 cm		
Convenience features  Control Specs  Inputs and outputs  Design features  Environment	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control	600 x 400 mm 253 cm	AVI:Xvid, MotionJps WEBM:VP	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / HI HI 11	Yes Integrated  TS(HDV, AVCHD):MPEG: DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/ 1 (Side, Mini jack) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm 164.0 cm 214W 0.5 W Yes	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL 4)	Slim Blat 200 x 2 126 cm	00 mm 108 cm		
Convenience features  Control Specs  Inputs and outputs  Design features  Environment	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) Usglal Audio Output (s) Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible VESA® Hole Spacing Compatible Tysa® Hole Spacing Compatible VESA® Hole Spacing Compatible	600 x 400 mm 253 cm 426 W	AVI:Xvid, MotionJpe WEBM:VP WEBM:VP 400 x 400 mm 215.0 cm 318W	eg / ASF(WMV):VC1 / MC 8 / 3GPP:MPEG4, AVC / HI HI Metal Blac 189.0 cm	Yes Integrated  TS(HDV, AVCHD):MPEG2 DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDM1/2/3/- 1 (Side, Mini jack) 4 (4Side) 2 (Side) 1 (Side) Black de Stand Yes 300 x 300 mm 164.0 cm 214W 0.5 W Yes Yes	Jpeg / MKV:Xvid, AVC, N M / WAV / MP4AAC / FL 4) 1) 139.0 cm	MPEG4, VP8.HEVC / AC / JPEG  Slim Blar  200 x 2  126 cm	00 mm 108 cm 114 W		
Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spac	253 cm 426 W 2,260 x1,297 x 98 mm 2,260 x1,346 x 475 mm 2,440 x1,558 x 378 mm	AVI:Xvid, MotionJpg WEBM:VP 400 x 400 mm 215.0 cm 318W 1,899 x 1,089 x 72 mm 1,899 x 1,162 x 441 mm 2,036 x 1,232 x 258 mm	HI  11  Metal Blace  189.0 cm  277W  1,674 x 961 x 71 mm  1,674 x 1,034 x410 mm  1,810 x 1,107 x 186 mm	Yes Integrated  TS(HDV, AVCHD):MPEG: DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/1 (Side, Mini jack) 4 (4Side) 2 (Side) 1 (Side) Black Je Stand Yes 300 x 300 mm 164.0 cm 214W 0.5 W Yes Yes Yes	4)  139.0 cm  173W  1,231 x 710 x 70 mm  1,231 x 780 x 338 mm  1,348 x 833 x 160 mm	Slim Blat 200 x 2 126 cm 148 W  1,119 x 649 x 70 mm 1,119 x 715 x 286 mm 1,225 x 782 x 141 mm	964 x 563 x 69 mm 964 x 628 x 286 mm		
Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IIP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spa	2,260 x 1,297 x 98 mm 2,260 x 1,346 x 475 mm 2,440 x 1,558 x 378 mm 88.9 kg	AVI:Xvid, MotionJpg WEBM:VP 400 x 400 mm 215.0 cm 318W 1,899 x 1,089 x 72 mm 1,899 x 1,162 x 441 mm 2,036 x 1,232 x 258 mm 45.8 kg	HI  Metal Blad  189.0 cm  277W  1,674 x 961 x 71 mm  1,674 x 1,034 x410 mm  1,810 x 1,107 x 186 mm  32.9 kg	Yes Integrated  TS(HDV, AVCHD):MPEG: DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3//1 (Side, Mini jack) 1 (Side, Mini jack) 2 (Side) 1 (Side) Black Jes Stand Yes 300 x 300 mm 164.0 cm 214W 0.5 W Yes Yes 1,450 x 833 x 70 mm 1,450 x 903 x 338 mm 1,574 x 958 x 184 mm 22.2 kg	1,231 x 710 x 70 mm  1,231 x 780 x 338 mm  1,348 x 833 x 160 mm  16.5 kg	Slim Blad 200 x 2 126 cm 148 W  1,119 x 649 x 70 mm 1,119 x 715 x 286 mm 1,225 x 782 x 141 mm 12.7 kg	964 x 563 x 69 mm 964 x 628 x 286 mm 1,070 x 695 x 141 mm 10.2 kg		
Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Spac	253 cm 426 W 2,260 x1,297 x 98 mm 2,260 x1,346 x 475 mm 2,440 x1,558 x 378 mm	AVI:Xvid, MotionJpg WEBM:VP 400 x 400 mm 215.0 cm 318W 1,899 x 1,089 x 72 mm 1,899 x 1,162 x 441 mm 2,036 x 1,232 x 258 mm	HI  11  Metal Blace  189.0 cm  277W  1,674 x 961 x 71 mm  1,674 x 1,034 x410 mm  1,810 x 1,107 x 186 mm	Yes Integrated  TS(HDV, AVCHD):MPEG: DV:AVC, MPEG4, Motion MP3 / ASF(WMA) / LPC  Yes Yes Yes Yes Yes Yes 1 (Side) Yes DCP2.3 (for HDMI1/2/3/1 (Side, Mini jack) 4 (4Side) 2 (Side) 1 (Side) Black Je Stand Yes 300 x 300 mm 164.0 cm 214W 0.5 W Yes Yes Yes	4)  139.0 cm  173W  1,231 x 710 x 70 mm  1,231 x 780 x 338 mm  1,348 x 833 x 160 mm	Slim Blat 200 x 2 126 cm 148 W  1,119 x 649 x 70 mm 1,119 x 715 x 286 mm 1,225 x 782 x 141 mm	964 x 563 x 69 mm 964 x 628 x 286 mm		

## **BZ-series Specifications**

#### Standard line

		FW-75BZ30J	FW-65BZ30J	FW-55BZ30J	FW-50BZ30J	FW-43BZ30J	FW-32BZ30J		
	Screen Size	75"	65"	55"	50"	43"	32"		
General features	Brightness (cd/m²)			440			300		
	Native contrast ratio		1,200:1		5,000:1	1,200:1	3,000:1		
	Dynamic contrast ratio			300,000:1			260,000:1		
	Response Time (ms)	11	1	0					
	Display resolution (H x V, pixels)	11 10 9 10 3,840 x 2,160							
	HDR (High Dynamic Range) compatiblity	Yes (HDR10, HLG, Dolby Vision)							
	Aspect Ratio			16	:9				
	Portrait/Tilt Compatibility*1			Ye	25				
	Dimming type			Frame D	imming				
	Display device			LC	D.				
Display	Backlight type			Direct LED			Edge LED		
features	4K Processor			4K HDR Pr	ocessor X1				
	Operation time			24	/7				
	Wide Mode			Wide Zoom / Nor	mal / Full / Zoom				
	4:3 Default			Ye	es				
	Video Processing			4K X-Rea	ality PRO				
	Motion enhancer			Motionflow XR 240Hz (N	lative 60Hz), Auto mode				
\/:d== C====	TRILUMINOS Display			TRILUMII	NOS PRO				
Video Specs	Viewing Angle (Right/Left)			178 (89/8	9) degree				
	Viewing Angle (Up/Down)			178 (89/8	9) degree				
	HDMI Signal			2160p (24, 60Hz), 3840x2160 1080/24p, 1080i (60Hz), 720					
Audio Specs	Speaker Position			Down	Firing				
adio apera	Audio Power Output			10W + 10W			5W + 5W		
	Professional Hidden mode			Pro N	Mode				
	HDMI auto wake-up			Ye	es				
Professional	HTML5 platform			Ye	es				
features	Multicast/IPTV			Ye	es				
	Operating System*2			Andro	oid 10				
	0 1 10 (60)			16G	B*3				
	On-board Storage (GB)	Yes							
	On-board Storage (GB) Wi-Fi Direct			Ye	es				
Network Specs					es es				
Network Specs	Wi-Fi Direct	,	upeg1:mpeg1 / mpeg2ps:		es rated	.vc s):avc, mpeg4, hevc /			
Network Specs  Convenience features	Wi-Fi Direct Wi-Fi Certified		AVI:Xvid, MotionJpeg / ASF	Yı Integ	es rated CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:Xvio	d, AVC, MPEG4, VP8.HEVC /			
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs		AVI:Xvid, MotionJpeg / ASF	Y( Integ MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPB P:MPEG4, AVC / MP3 / ASF(\	es rated LHD):MPEG2, AVC / MP4(XA GG4, MotionIpeg / MKV:Xvic NMA) / LPCM / WAV / MP4.	d, AVC, MPEG4, VP8.HEVC /			
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock		AVI:Xvid, MotionJpeg / ASF	Yi Integ MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPB P:MPEG4, AVC / MP3 / ASF(\	es rated LHD):MPEG2, AVC / MP4(XA EG4, MotionIpeg / MKV:XVio NMA) / LPCM / WAV / MP4. es	d, AVC, MPEG4, VP8.HEVC /			
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN USB playback codecs On Screen Clock Sleep Timer		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPE P:MPEG4, AVC / MP3 / ASF(1 Ye	es rated CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:XVio WMA) / LPCM / WAV / MP4. es	d, AVC, MPEG4, VP8.HEVC /			
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer		AVI:Xvid, MotionJpeg / ASF	Y. Integ MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPE P:MPEG4, AVC / MP3 / ASF(V Y. Y.	es rated CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:Xvic WMA) / LPCM / WAV / MP4. es es	d, AVC, MPEG4, VP8.HEVC /			
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in		AVI:Xvid, MotionJpeg / ASF	Y. Integ  MPEG2 / MPEG2TS(HDV, AV( (WMV):VC1 / MOV:AVC, MPE P:MPEG4, AVC / MP3 / ASF(  Y.  Y.  Y.  Y.	es rated  CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:Xvic WMA) / LPCM / WAV / MP4.  es es es es	d, AVC, MPEG4, VP8.HEVC /			
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required)		AVI:Xvid, MotionJpeg / ASF	Y. Integ  MPEG2 / MPEG2TS(HDV, AV( (WMV):VC1 / MOV:AVC, MPE P:MPEG4, AVC / MP3 / ASF(  Y. Y. Y. Y. Y. Y.	es rated  CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:Xvic WMA) / LPCM / WAV / MP4.  es es es es	d, AVC, MPEG4, VP8.HEVC /			
Convenience features	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (internet required) IP Control		AVI:Xvid, MotionJpeg / ASF	Y( Integ MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPB P:MPEG4, AVC / MP3 / ASF() Y( Y( Y( Y( Y( Y( Y( Y( Y( Y( Y( Y( Y(	es rated  CHD):MPEG2, AVC / MP4(XA  CHD):MPE	d, AVC, MPEG4, VP8.HEVC /			
Convenience features	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required)		AVI:Xvid, MotionJpeg / ASF	Y( Integ MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPB P:MPEG4, AVC / MP3 / ASF() Y( Y( Y( Y( Y( Y( Y( Y( Y( Y( Y( Y( Y(	es rated  CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic NVMA) / LPCM / WAV / MP4.  25 25 25 25 25 25 26 26 26 27 26 27 28 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	d, AVC, MPEG4, VP8.HEVC /			
Convenience features	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control		AVI:Xvid, MotionJpeg / ASF	Y( Integ MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPH P:MPEG4, AVC / MP3 / ASF() Y, Y, Y, Y, Y, Y, Y, Y, Y, Y, Y, Y, Y,	es rated  CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4.  es	d, AVC, MPEG4, VP8.HEVC /			
Convenience features	Wi-FI Direct Wi-FI Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC		AVI:Xvid, MotionJpeg / ASF	Y( Integ MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPB P:MPEG4, AVC / MP3 / ASF(\) Y( Y( Y( Y( Y( 1) 1 (S Y( HDCP2.3 (for)	es rated  CHD):MPEG2, AVC / MP4(XA  EG4, MotionIpeg / MKV:XVic  WMA) / LPCM / WAV / MP4.  es  es  es  es  es  es  es  es  es  e	d, AVC, MPEG4, VP8.HEVC /			
Convenience features Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP		AVI:Xvid, MotionJpeg / ASF	Y( Integ MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPE P:MPEG4, AVC / MP3 / ASF() Y( Y( Y( Y( Y( Y( 1(Side, M	es rated  CHD):MPEG2, AVC / MP4(XA EG4, MotionJpeg / MKV:XVic WMA) / LPCM / WAV / MP4.  es	d, AVC, MPEG4, VP8.HEVC /			
Convenience features Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control BS-232C Control HDMI-CEC HDCP Composite Video Input (s)		AVI:Xvid, MotionJpeg / ASF	Y( Integ MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPB P:MPEG4, AVC / MP3 / ASF(\) Y( Y( Y( Y( Y( 1) 1 (S Y( HDCP2.3 (for)	es rated  CHD):MPEG2, AVC / MP4(XA Fig. 1) A F	d, AVC, MPEG4, VP8.HEVC /			
Convenience features Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-222C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total		AVI:Xvid, MotionJpeg / ASF	Y. Integ  MPEG2 / MPEG2TS(HDV, AVC  (WMV):VC1 / MOV:AVC, MPE  P:MPEG4, AVC / MP3 / ASF(1)  Y.  Y.  Y.  Y.  Y.  HDCP2.3 (for 1)  1 (Side, Males and Side Analog	es rated  CHD):MPEG2, AVC / MP4(XA Fig. 1) Avg. (A Fig. 1) Avg	d, AVC, MPEG4, VP8.HEVC /			
Convenience features Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IIP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total)		AVI:Xvid, MotionJpeg / ASF	Y. Integ  MPEG2 / MPEG2TS(HDV, AVC  (WMV):VC1 / MOV:AVC, MPE  P:MPEG4, AVC / MP3 / ASF(1)  Y.  Y.  Y.  Y.  Y.  HDCP2.3 (for 1)  1 (Side, M.  4 (45)	es rated  CHD):MPEG2, AVC / MP4(XA GG4, Motionipeg / MKV:Xvic NMA) / LPCM / WAV / MP4.  PES SES SES SES SES SES SES SES SES SES	d, AVC, MPEG4, VP8.HEVC /			
Convenience features Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDMI-CEC HDMI inputs total Analog Audio Input (s) IP Control IP Composite Video Input (s)		AVI:Xvid, MotionJpeg / ASF	Y( Integ  MPEG2 / MPEG2TS(HDV, AVC  (WMV):VC1 / MOV:AVC, MPB  P:MPEG4, AVC / MP3 / ASF()  Y(  Y(  Y(  Y(  Y(  Y(  Y(  Y(  Y(	es rated  CHD):MPEG2, AVC / MP4(XA G4, Motionipeg / MKV:Xvic WMA) / LPCM / WAV / MP4.  Pes ses ses ses ses ses ses ses ses ses	d, AVC, MPEG4, VP8.HEVC /			
Convenience features Control Specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports		AVI:Xvid, MotionJpeg / ASF	Y( Integ  MPEG2 / MPEG2TS(HDV, AVC  (WMV):VC1 / MOV:AVC, MPB  P:MPEG4, AVC / MP3 / ASF()  Y(	es rated  CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4.  ES Ses Ses Ses Ses Ses Ses Ses Ses Ses Se	d, AVC, MPEG4, VP8.HEVC /			
Convenience features  Control Specs  Inputs and outputs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs		AVI:Xvid, MotionJpeg / ASF	Y( Integ  MPEG2 / MPEG2TS(HDV, AVC  (WMV):VC1 / MOV:AVC, MPB  P:MPEG4, AVC / MP3 / ASF()  Y(  Y(  Y(  Y(  Y(  Y(  Y(  Y(  Y(	es rated  CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4.  ES Ses Ses Ses Ses Ses Ses Ses Ses Ses Se	d, AVC, MPEG4, VP8.HEVC /	Stand		
Convenience features  Control Specs  Inputs and outputs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color	Slim Blade Stand	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI	Y( Integ  MPEG2 / MPEG2TS(HDV, AVC  (WMV):VC1 / MOV:AVC, MPH  P:MPEG4, AVC / MP3 / ASF()  Y(	es rated  CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4.  Es Ses Ses Ses Ses Ses Ses Ses Ses Ses Se	d, AVC, MPEG4, VP8.HEVC / AAC / FLAC / JPEG  Slim Blade Stand			
Convenience features  Control Specs  Inputs and outputs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-222C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design		AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI	Y(  Integ  MPEG2 / MPEG2TS(HDV, AVC  (WMV):VC1 / MOV:AVC, MPI  P:MPEG4, AVC / MP3 / ASF()  Y(  Y(  Y(  Y(  Y(  Y(  Y(  Y(  Y(	es rated  CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:XVic WMA) / LPCM / WAV / MP4.  25 25 25 25 25 26 26 27 28 29 30 30 30 30 30 30 30 30 30 30 30 30 30	d, AVC, MPEG4, VP8.HEVC / AAC / FLAC / JPEG  Slim Blade Stand Yes	Stand		
Convenience features  Control Specs  Inputs and outputs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AhrPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible	Slim Blade Stand Yes	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI WEBM:VP8 / 3GPI Slim Blade Stand Yes 300 x 300 mm	Y(  Integ  MPEG2 / MPEG2TS(HDV, AVC  (WMV):VC1 / MOV:AVC, MPH  P:MPEG4, AVC / MP3 / ASF()  Y(  Y(  Y(  Y(  Y(  Y(  Y(  Y(  Y(	es rated  CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:XVic MMA) / LPCM / WAV / MP4.  Es Ses Ses Ses Ses Ses Ses Ses Ses Ses Se	d, AVC, MPEG4, VP8.HEVC / AAC / FLAC / JPEG  Slim Blade Stand Yes	Stand Yes 100 x 200 mm		
Convenience features  Control Specs  Inputs and outputs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame Color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal)	Slim Blade Stand Yes  189 cm	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI WEBM:VP8 / 3GPI Slim Blade Stand Yes 300 x 300 mm	Y( Integ  MPEG2 / MPEG2TS(HDV, AVC  (WMV):VC1 / MOV:AVC, MPH  P:MPEG4, AVC / MP3 / ASF()  Y(	es rated  CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4.  Es Ses Ses Ses Ses Ses Ses Ses Ses Ses Se	d, AVC, MPEG4, VP8.HEVC / AAC / FLAC / JPEG  Slim Blade Stand Yes  108 cm	Stand Yes 100 x 200 mm 80 cm		
Convenience features  Control Specs Inputs and outputs  Design features  Environment	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or ist decimal) Rated Power Consumption	Slim Blade Stand Yes	Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W	Y(  Integ  MPEG2 / MPEG2TS(HDV, AVC  (WMV):VC1 / MOV:AVC, MPH  P:MPEG4, AVC / MP3 / ASF()  Y(  Y(  Y(  Y(  Y(  Y(  Y(  Y(  Y(	es rated  CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:XVic MMA) / LPCM / WAV / MP4.  Es	d, AVC, MPEG4, VP8.HEVC / AAC / FLAC / JPEG  Slim Blade Stand Yes	Stand Yes 100 x 200 mm 80 cm 66 W		
Convenience features  Control Specs Inputs and outputs  Design features  Environment	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame Color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal)	Slim Blade Stand Yes  189 cm	AVI:Xvid, MotionJpeg / ASF WEBM:VP8 / 3GPI WEBM:VP8 / 3GPI Slim Blade Stand Yes 300 x 300 mm	Y( Integ  MPEG2 / MPEG2TS(HDV, AVC  (WMV):VC1 / MOV:AVC, MPF  P:MPEG4, AVC / MP3 / ASF()  Y( Side, N 4 (43) 1 (Side Analog 1 (Side Side Analog 1 (Side Side Side Side Side Side Side Side	es rated  CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic WMA) / LPCM / WAV / MP4.  Es Ses Ses Ses Ses Ses Ses Ses Ses Ses Se	d, AVC, MPEG4, VP8.HEVC / AAC / FLAC / JPEG  Slim Blade Stand Yes  108 cm	Stand Yes 100 x 200 mm 80 cm		
Convenience features  Control Specs Inputs and outputs  Design features  Environment	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethennet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption	Slim Blade Stand Yes  189 cm 297 W	Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W	Y( Integ  MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPE  P:MPEG4, AVC / MP3 / ASF()  Y( Y)  Y( Y)  Y( Y)  1 (Side, M  1 (Side Analog  1 (Side Analog  1 (Side Stand  Yes  139 cm  196 W  0.5 W	es rated  CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:XVic MMA) / LPCM / WAV / MP4.  Es	Slim Blade Stand Yes  108 cm  107 W	Stand Yes 100 x 200 mm 80 cm 66 W		
Convenience features  Control Specs  Inputs and outputs  Design features  Environment	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or Ist decimal) Rated Power Consumption Power Consumption Power Consumption (in Standby)	Slim Blade Stand Yes  189 cm 297 W	Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W	Y( Integ  MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPE  P:MPEG4, AVC / MP3 / ASF()  Y( Y)  Y( Y)  Y( Y)  1 (Side, M  1 (Side Analog  1 (Side Analog  1 (Side Stand  Yes  139 cm  196 W  0.5 W	es rated  CHD): MPEG2, AVC / MP4(XA GG4, MotionIpeg / MKV:Xvic NMA) / LPCM / WAV / MP4.  es e	Slim Blade Stand Yes  108 cm  107 W	Stand Yes 100 x 200 mm 80 cm 66 W		
Convenience features  Control Specs Inputs and outputs  Design features  Environment	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethennet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption	Slim Blade Stand Yes  189 cm 297 W	Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W	Y( Integ  MPEG2 / MPEG2TS(HDV, AVC  (WMV):VC1 / MOV:AVC, MPB  P:MPEG4, AVC / MP3 / ASF()  Y(	es rated  CHD): MPEG2, AVC / MP4(XA GG4, MotionIpeg / MKV:Xvic NMA) / LPCM / WAV / MP4.  es e	Slim Blade Stand Yes  108 cm  107 W	Stand Yes 100 x 200 mm 80 cm 66 W 0.5 W		
Convenience	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Pitch (W x H) Screen Size for WBC (M x H) Screen Size for WBC (M x H) Screen Size for WBC (M x H) Rated Power Consumption Power Consumption Power Consumption Power Consumption Power Consumption Power Saving Mode / Back Light Off Mode	Slim Blade Stand Yes  189 cm 297 W 0.5 W	Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W	VI Integ  MPEG2 / MPEG2TS(HDV, AVC  (WMV):VC1 / MOV:AVC, MPH P:MPEG4, AVC / MP3 / ASF()  Yi Yi Yi Yi 1(Si HDCP2.3 (for I 1 (Side, M 4 (45 1 (Side Analog) 1 (Si 2 (Side) 1 (Side Stand) Yes  139 cm 196 W 0.5 W Yi	es rated  CHD):MPEG2, AVC / MP4(XA CEG4, MotionIpeg / MKV:Xvic MMA) / LPCM / WAV / MP4.  Es E	Slim Blade Stand Yes 00 mm 108 cm 107 W 0.5 W	Stand Yes 100 x 200 mm 80 cm 66 W 0.5 W		
Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-232C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethernet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption Power Consumption Power Consumption Power Consumption Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D)	Slim Blade Stand Yes  189 cm 297 W 0.5 W	Slim Blade Stand Yes 300 x 300 mm 164 cm 23.0 W	Y( Integ  MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPE  P:MPEG4, AVC / MP3 / ASF()  Y( Y	es rated  CHD):MPEG2, AVC / MP4(XA G4, MotionIpeg / MKV:Xvic NMA) / LPCM / WAV / MP4.  es ses ses ses ses ses ses ses ses ses	Slim Blade Stand Yes  100 mm  108 cm  107 W  107 W  107 W  107 W	Stand Yes 100 x 200 mm 80 cm 66 W 0.5 W		
Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-222C Control HDMI-CEC HDMP-CEC HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethemet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV with Stand (W x H x D)	Slim Blade Stand Yes  189 cm 297 W 0.5 W  1,686 x 969 x 72 mm 1,686 x 1,045 x 410 mm	Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W 0.5 W	Y( Integ  MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPEP:MPEG4, AVC / MP3 / ASF()  Y( Y	es rated  CHD): MPEG2, AVC / MP4(XA G64, Motionipeg / MKV:Xvic NMA) / LPCM / WAV / MP4.  es e	Slim Blade Stand Yes 00 mm 108 cm 107 W 0.5 W	Stand Yes 100 x 200 mm 80 cm 66 W		
Convenience features  Control Specs  Inputs and outputs  Design features  Environment specs	Wi-Fi Direct Wi-Fi Certified Wireless LAN  USB playback codecs  On Screen Clock Sleep Timer On/Off Timer Chromecast built-in Apple AirPlay (Internet required) IP Control RS-222C Control HDMI-CEC HDCP Composite Video Input (s) HDMI inputs total Analog Audio Input (s) (Total) Digital Audio Output (s) USB ports Ethennet inputs Frame color Stand Design VESA® Hole Spacing Compatible VESA® Hole Pitch (W x H) Screen Size for WEB (diagonal, cm, integer or 1st decimal) Rated Power Consumption Power Consumption (in Standby) Dynamic Backlight Control Power Saving Mode / Back Light Off Mode Dimension of TV without Stand (W x H x D)  Dimension of Package Carton (W x H x D)	Slim Blade Stand Yes  189 cm 297 W 0.5 W  1,686 x 969 x 72 mm 1,686 x 1,045 x 410 mm 1,824 x 1,114 x 187 mm	Slim Blade Stand Yes 300 x 300 mm 164 cm 230 W 0.5 W	Y( Integ  MPEG2 / MPEG2TS(HDV, AVC (WMV):VC1 / MOV:AVC, MPEP:MPEG4, AVC / MP3 / ASF()  Y( Yi)  Y( Yi)	es rated  EHD): MPEG2, AVC / MP4(XA 264, MotionIpeg / MKV:Xvic NMA) / LPCM / WAV / MP4.  es ses ses ses ses ses ses ses ses ses	Slim Blade Stand Yes 00 mm 108 cm 107 W 0.5 W 972 x 567 x 70 mm 972 x 632 x 286 mm 1,070 x 695 x 141 mm	Stand Yes 100 x 200 mm 80 cm 66 W 0.5 W  726 x 430 x 76 mm 726 x 454 x 172 mr 814 x 551 x 152 mr		

#### BRAVIA Professional Alliance Partners

Discover how we work closely with top companies to add even more value to our industry-leading AV products and solutions. Our BRAVIA Professional Displays support a growing ecosystem of compatible technologies from established and emerging solution providers.

Whether it's configuring a digital signage network, connecting participants using video collaboration, or outfitting a room for device management and automation, we are committed to helping you.

Visit pro.sony/Alliances.



### Options & accessories



#### **BRAVIA Meeting (WQ-BM1)**

BRAVIA Meeting enables centralized management of displays and interactive meetings via a network. The optional software, BRAVIA Meeting, enables remote monitoring of multiple displays, power control, and configuration changes. In addition, displaying PC screen shots wirelessly and annotation which enhances in-meeting collaboration.



### Simple Media Player 2 (WQF-USMP2)/Free of charge

Simple Media Player 2 is an easy-to-use standalone signage player application, allowing you to display video, photos and HTML5 content directly from a connected USB flash memory. It's quick and intuitive to set up screens, edit and preview playlists and schedules using the BRAVIA display's remote controller.

## For full features visit pro.sony/BRAVIA