

SD5500T Thunderbolt™ 3 and USB-C Dual 4K Hybrid Docking Station

Part Number: K38130US | UPC Code: 085896381303

The perfect
hybrid dock
for maximum
productivity and
compatibility

At last, the perfect dock for maximum productivity and compatibility has arrived. Innovatively engineered to support mixed computing environments with high transfer speed requirements, the Kensington SD5500T Thunderbolt™ 3 and USB-C Dual 4K Hybrid Docking Station plugs into the power of one – one dock for more power, more bandwidth, and more compatibility.

- **True Universal Compatibility** – Perfect for hot-desking and mixed deployment environments, the SD5500T works with Thunderbolt 3 & USB-C laptops running Windows or macOS.
- **Thunderbolt 3 Technology** – Allows users to transfer up to 40Gbps of data, video and audio (10Gbps for USB-C 3.1 Gen2 laptops and 5Gbps for USB-C 3.1 Gen1 laptops) using the included Thunderbolt 3 cable for a quick and powerful plug and play experience.
- **Single or Dual 4K Video Output for Thunderbolt 3 Enabled Devices*** – Extend visual productivity with the crisp resolution, contrast and color depth of Ultra HD (Single or Dual 4K 60Hz) via two DisplayPort ports. USB-C laptops must support Alt Mode.
- **60W Power Delivery** – Quickly and simply charge any Thunderbolt 3 or USB-C enabled laptop, and peripheral USB accessories, using the Thunderbolt 3 connection. USB-C laptops must support Power Delivery.
- **Productive Desktop Ports** – Two USB-C 3.1 Gen2 ports (up to 10Gbps), three USB-A ports (1 Gen2@10Gbps; 2 Gen1@5Gbps), one Gigabit Ethernet port, and one audio combo jack.

*For USB-C Alt Mode devices, a maximum resolution of Single 4K 30Hz or Dual 1080p @ 30Hz is supported (dual monitors are for devices that support MST).



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2019 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. K19_3347

FOR MORE INFORMATION CONTACT: 1-855-692-0054 | sales@kensington.com

Kensington
The Professionals' Choice™


SD5500T Thunderbolt™ 3 and USB-C Dual 4K Hybrid Docking Station

Part Number: K38130US | UPC Code: 085896381303

Front



Back



SD5500T Thunderbolt™ 3 and USB-C Dual 4K Hybrid Docking Station

Part Number: K38130US | UPC Code: 085896381303

System Requirement

Operating Systems Supported	Windows 10 or above, macOS 10.14 or above
Plug & Play	Yes, for Thunderbolt™ 3 and USB-C™ Alt Mode laptops
System Resource Requirement	N/A

Host Connectivity

Host Docking Connector	Thunderbolt™ 3 or USB-C Alt Mode laptops with Power Delivery up to 60W
------------------------	--

Video Connections

Video Connectors	(2) DisplayPort 1.2
HDCP Support	No
Maximum Resolution Supported	Thunderbolt™ 3 - Single Monitor: 4K@60Hz Thunderbolt™ 3 - Dual Monitors: 4K@60Hz USB-C™ - Single Monitor: 4K@30Hz USB-C™ - Dual Monitors: 1080p@30Hz

Audio Connections

Audio Connectors	3.5mm audio for headphone/speaker
Audio Channels Supported	Stereo LR

USB Connections

Front Panel	(1) USB 3.1 Gen2 Port, charging up to 5V/1.5A (1) Thunderbolt™ 3 and USB-C Alt mode upstream port
Back Panel	(2) USB 3.1 Gen2 Type C Ports, charging up to 5V/1.5A per port (2) USB 3.1 Gen1 Port, charging up to 5V/0.9A

Network Connections

Ethernet Port	RJ45
Compatible Ethernet Speed	10/100/1000 Mbps

Security and Mounting

Kensington Security Slot	(1) Standard slot (1) Nano slot
VESA Mount Compatible	Yes, sold separately VESA Mounting Plate (K33959WW) Docking Station Mounting Bracket (K34050WW)

Product Dimensions

Unit Dimensions	Length: 170mm (6.69in) Width: 80mm (3.15in) Height: 27mm (1.07in)
Desktop Footprint	136 cm ² (21.07 in ²); zero if mounted behind VESA compatible monitor
Unit Weight	320g (0.71lbs)
Enclosure Color and Material	Black ABS chassis, Aluminum frame, and top glass

Packaging Dimensions

Packaging Style	White Box (K38130US); Brown Box (K38131NA/EU)
Packaging Specifications	Width: 307mm (12.09in) Length: 215mm (8.46in) Height: 255mm (10.04in) Weight: 1200g (2.7lbs)
Master Carton	6 pcs
Package Contents	One Kensington SD5500T/SD5550T Dock One TB3 cable, 0.7m (2.3ft) One AC Power Adapter with US power cable included (K38130US/K38131NA); One AC Power Adapter with EU + UK power cords included (K38131EU); One AC Power Adapter with AU + JP power cords included (K38131AP) Quick Start Guide Warranty Information

Power and Environmental

Power Adapter Rating	Input: 100-240V; 2.5A max Output: 20V DC; 6.5A, positive center polarity
Operating Temperature	0 to 40° C (32 to 140° F)
Storage Temperature	-40 to 70° C (-40 to 158° F)
Relative Humidity	5% to 95% non-condensing

Country of Origin, Regulatory and Warranty

Country of Origin	Thailand
Certifications and Compliance	CE, FCC, RCM, ERP, VCCI, CB, REACH, RoHS, Thunderbolt certification
Warranty	3-Years limited worldwide



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2019 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. K19_3347

FOR MORE INFORMATION CONTACT: 1-855-692-0054 | sales@kensington.com

Kensington

The Professionals' Choice™