

The pinnacle of performance and security

HP LaserJet Managed E60100 series HP LaserJet Managed MFP E62600 series







The world's most secure printing¹



Maximum productivity. High-speed performance.



Powerful printing. Energy smart.²

The world's most secure printing¹



Only HP Enterprise devices repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.



Always on guard

Only HP Enterprise devices offer built-in security features that are always on guard.¹

- With HP Sure Start, each device regularly checks its operating code and repairs itself from attempted hacks.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.
- Run-time intrusion detection continually monitors activity to detect and stop attacks, then automatically reboots.
- HP Connection Inspector inspects outgoing network connections to stop suspicious requests like malware.

Thwart potential attacks by receiving instant notification of security issues. These devices work with leading Security Information and Event Management (SIEM) tools like Splunk, ArcSight, McAfee, and SIEMonster.



Take security to the next level

Help protect your device with more than 150/250 (printer/MFP) embedded security features.³ Protect information on the device and in transit over the network. Store data on the 256-bit encrypted HP High-Performance Secure Hard Disk.⁴

Add features such as card readers⁵ and more through the Hardware Integration Pocket.⁶ Equip your printer to store and protect larger files with the optional 1 GB memory upgrade. Further safeguard data stored on the printer—keys, passwords, certificates, and more—using the optional HP Trusted Platform Module.⁷

Easily develop, deploy, and integrate over 180 HP and third-party solutions with the HP Open Extensibility Platform. Optional HP Access Control solutions can help you reinforce security, while helping to reduce costs.



Centralise control to help build business efficiency

Centralise control of your printing environment with HP Web Jetadmin—and help build business efficiency.⁸ Optional HP JetAdvantage Security Manager offers an effective, policy-based approach to help secure HP printing and imaging devices.⁹ Easily set security configuration policies and automatically validate settings for every HP printer and MFP in your fleet.

HP JetAdvantage Secure Print¹⁰ and HP Access Control (HPAC) help secure documents by requiring authentication to release print jobs. In addition, extend capabilities and easily customise with HPAC—integrate job accounting, manage rights, and establish quotas for things such as colour use.¹¹ Save IT time and make printing easy for the entire enterprise by using a single driver for all HP devices.¹²



For more information

Fleet management

HP Web Jetadmin visit: hp.com/go/wja

Solution brief: http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA5-2719EEW.pdf Video: http://hp.brightcovegallery.com/solutions/detail/video/4271055504001/

HP Universal Print Driver visit: hp.com/go/upd

Solution brief: http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA2-4781EEW.pdf

Security

HP JetAdvantage Security Solutions visit: hp.com/go/printsecurity
Solution brief: http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA3-1295EEW.pdf
Video: http://hp.brightcovegallery.com/products/detail/video/4270905124001/

HP JetAdvantage Security Manager visit: hp.com/go/securitymanager

Brochure: http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA3-9275EEW.pdf

Video: http://hp.brightcovegallery.com/products/detail/video/4270837770001/

Maximum productivity. High-speed performance.

Get the job done with a device equipped for high-speed performance. Be confident that your employees can speed through tasks without interruption.

Keep business moving


Breeze through tasks—this device prints your first page from ready and sleep mode as fast as 5.1 and 7.9 seconds, respectively. ^{13,14} Print up to 61 pages per minute (ppm), simplex ¹⁵ (E60165dn, MFP E62665hs, and Flow MFP E62665h/zmodels)—with up to 85% duplex efficiency.



Accelerate workflow with single-pass, two-sided scanning up to 111 images per minute (ipm) (MFP E62655dn and MFP E62665hs models) and up to 167 ipm (Flow MFP models).¹⁶

Maximise uptime

HP Smart Device Services (SDS) help keep business moving by avoiding lapses in productivity. Reduce time spent calling and waiting, with technology that allows your service provider to quickly pinpoint issues before they become a problem. Remote diagnostic tools help provide faster, more efficient fixes. Simple issues can be resolved remotely, and service calls go faster when techs know exactly what they need for the right fix.



HP devices communicate their health and call your service provider for help when they need it. Empower advanced analytics with smart sensors, event logs, device telemetry, and access for remote configurations and adjustments that let your service provider know how devices are working.

Loaded for productivity

Spend less time loading paper with a 4,400-sheet (E60100 series) or a 3,750-sheet (MFP E62600 series) maximum input capacity.¹⁷ Empower employees with additional paper-handling accessories (see pages 7 and 10).¹⁸ Optional 550-sheet input trays fit a whole ream of paper and support media sizes up to 216 x 356 mm.



Equip employees to breeze through tasks with an adjustable touchscreen control panel—available on select models. (For more information, see Appendix A on page 21.) The 5-bin stapler/stacker with job offset allows you to set up each bin for a different department or option, such as face down, fax, 19 and copy (select models). An easy-access USB port on all models allows users to easily walk up and print. 20

Powerful printing. Energy smart.²



Get exceptional print quality and help protect your device, using Original HP Toner cartridges with JetIntelligence.



Exceptional print quality

Count on the advantages of Original HP Toner cartridges—performance, high quality, and dependability. Precision black toner is engineered to deliver consistent placement of toner particles and produce sharp text, bold blacks, and crisp graphics.

Print uninterrupted with HP Black Managed LaserJet Toner cartridges (YC/MC: 41,000/50,000 pages²¹).



Help protect your investment

Don't put your printer or MFP—or print quality—at risk. Help retain the consistent Original HP quality you paid for with innovative, anti-fraud technology. Enable office-wide adherence to printing policies with cartridge authentication technology.



Ready to work, right away

Speed through print jobs right out of the box. These devices ship with preinstalled, specially designed Original HP LaserJet Toner cartridges with JetIntelligence. Auto seal removal enables simple and seamless cartridge replacement, so you can get back to business fast—without costly delays or frustrating messes.

Give workgroups the speed they need



With the MFP E62600 series, accelerate workflow, improve accuracy, and easily connect people throughout your organisation. Complete high-volume scan jobs fast—up to 167 ipm for Flow MFP models¹⁶—and avoid extra steps with a device designed for maximum productivity.



Fast, unattended scanning

Turn stacks of paper documents into digital files—scan up to 45,000 pages per month with the Flow models.²² Load up to 150 pages into the automatic document feeder (ADF) for fast two-sided, single-pass scanning (MFP E62600 series only).²³ Choose Flow models for advanced workflow features such as HP EveryPage and a pull-out keyboard.²⁴



Easily scan, copy, and fax


Easily make copies or send faxes using the scanner glass or the ADF (MFP E62600 series only). Scan a variety of media sizes from the ADF—from checks (69 x 147 mm) to banners (216 x 863 mm). Send scanned documents directly to email, network folders, LAN fax addresses, ¹⁹ or Microsoft® SharePoint®.



Optional workflow solutions

HP Digital Sending Software leverages existing IT infrastructure and uses a common administrative utility and user interface.

HP Capture and Route is scalable and makes it easy to control, track, and distribute scanned content.



Get to know the HP LaserJet Managed E60100 series

HP LaserJet Managed E60165dn shown



Series at a glance

Model (product number)	E60155dn (3GY09A)	E60165dn (3GY10A)
	EUU 1954II (54103A)	Edd Tobuli (but Toh)
Print speed (A4) ¹⁵	Up to 52 ppm	Up to 61 ppm
100-sheet multipurpose tray 1, 550-sheet tray 2	✓	✓
Input capacity (standard/maximum ¹⁷)	Up to 650/4,400 pages (both models)	
Wireless direct ²⁵ /NFC touch-to-print ²⁶ /Bluetooth [®] Low Energy (BLE) ²⁷	Optional	Optional
Wireless networking ²⁸	Optional	Optional
HP High-Performance Secure Hard Disk⁴	Optional	Optional
Recommended Monthly Page Volume ²⁹	5,000 to 30,000 pages	5,000 to 40,000 pages

Paper-handling accessories – E60100 series



550-sheet Paper Feeder (LOH17A)

2,100-sheet Paper Feeder (LOH18A)

Envelope Feeder (L0H21A)³⁰

Printer Stand (LOH19A)

Stapler/Stacker/ Mailbox (LOH20A)

Optional³¹

Add up to four (all models)


Add up to one (all models)

Add up to two (all models)

Add up to one (all models)


Add up to one (all models)

HP LaserJet Managed E60100 series — Configuration



Get to know the HP LaserJet Managed MFP E62600 series


HP LaserJet Managed Flow MFP E62665z shown




Series at a glance




Paper-handling accessories – MFP E62600 series




HP LaserJet Managed MFP E62600 series - Configuration



What's new





HP LaserJet Managed E60100 series technical specifications

	HP LaserJet Managed E60155dn	HP LaserJet Managed E60165dn	
Product number	3GY09A	3GY10A	
Control panel	10.9 cm (4.3-inch) colour graphics display with touchscreen	10.9 cm (4.3-inch) colour graphics display with touchscreen	
Print speed (A4/letter)15			
Single-sided	Up to 52/55 ppm	Up to 61/65 ppm	
Two-sided	Up to 50/53 ipm	Up to 50/53 ipm	
Print speed (A5)36			
Landscape	Up to 80 ppm	Up to 100 ppm	
Portrait	Up to 6 ppm (all models)		
First page out (A4/letter)			
From ready ¹³	As fast as 5.1/5.0 seconds (all models)		
From sleep ¹⁴	As fast as 8.3/8.2 seconds (all models)		
Print resolution	FastRes1200; Up to 1200 x 1200 dpi (all models)		
Printing features	Print preview, print multiple pages per sheet (2, 4, 6, 9, 16), coll	ation, watermarks, store print jobs, easy-access USB ²⁰	
Processor	1.2 GHz (all models)		
Memory	512 MB, standard; 1.5 GB, maximum with purchase of 1 GB acc	essory DIMM	
Storage	4 GB eMMC non-volatile storage; Firmware encryption (AES 128 – Job Data, Secure Erase – Disk	3 or AES 256) of customer/job data; Secure Cryptographic Erase	
Durability ratings			
Recommended monthly page volume ²⁹	5,000 to 30,000 pages	5,000 to 40,000 pages	
Duty cycle ³⁷	Up to 375,000 pages	Up to 420,000 pages	
Media specifications			
Input capacity	Up to 650 sheets (up to 4,400 maximum ¹⁷) (all models)		
	Tray 1: Up to 100 sheets		
	Tray 2: Up to 550 sheets		
Output capacity	Up to 500 sheets (standard); up to 1,300 sheets with optional 5	-bin stapler/stacker/mailbox accessory	
Two-sided printing	Automatic (all models)		
Media sizes	Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340 mm) (B5, C5, C6, DL), postcard (JIS single and double); Letter, legal, si envelopes (No. 9, No. 10, Monarch); Custom media sizes: 76 x 1	tatement, executive, 3×5 in, 4×6 in, 5×7 in, 5×8 in, 8.5×13 in,	
	Tray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 16K, 10 x 15 cm, posto 4 x 6 in, 5 x 7 in, 5 x 8 in; Custom media sizes: 3.9 x 5.8 to 8.5 x		
	Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 \times double); Letter, legal, executive, statement, 4 \times 6 in, 5 \times 7 in, 5 \times (3.9 \times 5.8 to 8.5 \times 14 in)	15 cm, Oficio (216 x 340 mm), 16K, postcard (JIS single and 8 in, 8.5×13 in; Custom media sizes: 99×148 to 216×356 mm	
	Optional 2,100-sheet feeder: A4; Letter, legal; Custom media si.	zes not supported	
Media weights	Tray 1: plain: 60 to 199 g/m² (16 to 53 lb); envelopes: 60 to 90	g/m² (16 to 24 lb)	
-	Tray 2, optional 550-sheet tray, optional 2,100-sheet feeder: 6	_	
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, coloured, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope		
Print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web onl Apple AirPrint ³⁸	y), HP postscript level 3 emulation, native PDF printing (v 1.7),	
Fonts	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode font (Andale Mono WorldType); 2 Internal Windows Vista® 8 fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet fonts and IPDS Emulation available at hp.com/go/laserietfonts		
Connectivity	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit	Ethernet; 1 Hardware Integration Pocket ⁶	
Mobile printing	HP ePrint, ³⁹ Apple AirPrint, ³⁸ Mopria-certified, Google Cloud Pri		
Mobile printing	The error, Apple Am Time, Trophia certifica, adogic cloud Ti	ne 2.0, Noam capable for easy printing	

	HP LaserJet Managed E60155dn	HP LaserJet Managed E60165dn		
Network capabilities	Standard: via HP Jetdirect Ethernet embedded print server support on Fast Ethernet and Gigabit Ethernet; IPsec	orts: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE)		
	Optional: 802.11b/g/n wireless networking ²⁸ (all models)			
Network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6			
	Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint, ³⁸ HP ePrint, ³⁹ FTP Print, Google Cloud Print			
	Discovery: SLP, Bonjour, Web Services Discovery			
	IP config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Pi DHCPv6)	ng), IPv6 (Stateless Link-Local and via Router, Statefull via		
	Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog			
	Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x			
Security	Identity Management: Kerberos authentication, LDAP authentica advanced authentication solutions (e.g., badge readers)	ation, 1000 user PIN codes, optional HP and third-party		
	Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerl Plug in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, H			
	Data: Storage Encryption, Encrypted PDF and email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials			
	Device: Security lock slot, USB port disablement, Hardware Integ Red Balloon Security Technology – Constant in-device monitorin Checking with self-healing capability, Whitelisting – loads only kr	g for attacks, HP SureStart Secure Boot – BIOS Integrity		
	Security Management: Compatible with HP JetAdvantage Securit accessible in ArcSight, McAfee, Splunk, and SIEMonster SIEMs	ty Manager, ⁶ Device Security Syslog Messages processed and		
Compatible operating systems ⁴¹	Windows® Client OS (32- and 64-bit): Win10, Win8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate			
	Apple Mac OS: Sierra 10.12, High Sierra 10.13, Mojave 10.14			
	Mobile OS: Android™			
	Discrete PCL6 Printer Driver – Supported operating systems: For	more information, go to support.hp.com		
	UPD PCL6/PS Printer Drivers ¹² – Supported operating systems: F	For more information, go to <u>hp.com/go/upd</u>		
Compatible network operating systems	Windows Server® 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal Server 2008 R2, Remote Desktop Server 2012 R2			
	Citrix® Server 6.5, Citrix XenApp and XenDesktop® 7.6, Citrix Reation, see <u>citrixready.citrix.com</u>	dy Kit Certification – up to Citrix Server 7.18; For more informa-		
	Novell iPrint Server			
	Linux®: For more information, see developers. <u>hp.com/hp-linux-imaging-and-printing</u>			
	UPD PCL6/PS Printer Drivers;12 Supported for Compatible netwo	rk operating systems, please see <u>hp.com/go/upd</u>		
System requirements, Windows	A compatible operating system (see above), 2 GB available hard requirements see <u>microsoft.com</u>)	disk space, OS compatible hardware (for OS hardware		
System requirements, Macintosh	A compatible operating system (see above), 2 GB available hard requirements see <u>apple.com</u>)	disk space (for operating system compatible hardware		
Dimensions, operating	Operating: $431 \times 466 \times 380$ mm (17 \times 18.3 \times 15 in) (all models)			
(width x depth x height)	Maximum: ⁴² 431 x 1040 x 453 mm (17 x 40.9 x 17.8 in) (all mod	dels)		
Weight (with print cartridges)	21.55 kg (47.51 lb) <i>(all models)</i>			
What's in the box	HP LaserJet Managed Printer; Original HP LaserJet Toner Cartrid Guide); Power cord; Fixed-Size Cassette Guide (input tray 2 only)			
Downloadable software	From <u>123.hp.com</u> : HP Easy Start (Guided Software Install for Wir	ndows and Mac)		
	From <u>hp.com</u> : Windows OS: Full solution software and drivers, B. Driver, Product documentation and support	asic solution software and drivers, HP PCL6 XPS Discrete Print		
	From <u>hp.com</u> : Mac OS: HP Easy Start (Guided Software Install), H			
	For Mobile OS, iOS: For more information, see hp.com/go/businessmobileprinting Android: For more information, see hp.com/go/businessmobileprinting			
	From <u>hp.com</u> for printer administrators: Printer Administrator Re Utility – Managed Printing Administrator), HP Universal Print Driv (Mobile Driver for Windows), SAP Print Drivers: For more informa HP Web Jetadmin, ⁸ HP JetAdvantage Security Manager, ⁹ HP Roar <u>developers.hp.com/hp-linux-imaging-and-printing</u> , Unix [®] Model <u>support.hp.com/us-en/document/c04222920</u> , ReadIris	vers ¹² PCL6 GDI and PS GDI for Windows, HP ePrint Software ³⁹ stion, see support.hp.com/us-en/document/c05051702 , m, 40 HPLIP Linux Printer Driver: For more information, see		

One-year, next-business day, onsite warranty; Warranty and support options vary by product, country and local legal requirements. Go to https://doi.org/10.2016/https://doi.org/10.2016/<a hre

Environmental and power specifications

	HP LaserJet Managed E60155dn	HP LaserJet Managed E60165dn	
Environmental ranges			
Temperatures	Operating: 15 to 32.5° C (59 to 90.5° F); Recommended operatin 104° F)	g: 15 to 27° C (59 to 80.6° F); Storage: -20 to 40° C (-4 to	
Relative Humidity	Operating range: 10 to 80% RH; Recommended operating range:	30 to 70% RH; Storage range: 10 to 90% RH	
Acoustic power emissions	Ready mode: 3.5 B(A) Printing: 7.0 B(A) ⁴³	Ready mode: 3.5 B(A) Printing: 7.2 B(A) ⁴⁴	
Acoustic pressure emissions (bystander)	············g· · · · · · · · · · · · ·	_ · · · · · · · · · · · · · · · · · · ·	
Ready mode	Inaudible (all models)		
Active mode	55 dB(A)	57 dB(A)	
Power specifications ⁴⁵			
Power supply	100 V-127 V nominal @ +/-10%; 50-60 Hz nominal +/- 3 Hz; 12 A 220 V-240 V nominal @ +/-10%; 50-60 Hz nominal +/- 3 Hz; 6 A		
Power consumption	Active: 710 watts; Ready: 12.3 watts; Sleep: 0.52 watts; Auto-off/Manual on: <0.1 watts; Manual Off: <0.1 watts	Active: 720 watts; Ready: 15.4 watts; Sleep: 0.6 watts; Auto-off/Manual on: <0.1 watts; Manual Off: <0.1 watts	
Typical electricity	Blue Angel (BA): 1.971 kWh/week	BA: 2.425 kWh/week	
consumption (TEC)	ENERGY STAR® (ES): 2.131 kWh/week	ES: 2.622 kWh/week	
Energy-saving features	HP Auto-On/Auto-Off Technology; ⁴⁶ Instant-on Technology ⁴⁷ (all t	models)	
Environmental specifications	Blue Angel compliant; ENERGY STAR certified; EPEAT® Silver; ⁴⁸ mercury-free	Blue Angel compliant; ENERGY STAR certified; CECP; EPEAT Silver; ⁴⁸ mercury-free	
Safety and regulatory compliance	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62 with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL l 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFI notice No. 50, Dated June 24, 2007; Other safety approvals as re	479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU .isted and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 R 1040.10 and 1040.11 except for deviations pursuant to Laser	
Electromagnetic emission standard	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, CISPR		

HP LaserJet Managed MFP E62600 series technical specifications

	HP LaserJet Managed MFP E62655dn	HP LaserJet Managed MFP E62665hs	HP LaserJet Managed Flow MFP E62665h	HP LaserJet Managed Flow MFP E62665z
Product number	3GY14A	3GY15A	3GY16A	3GY17A
Control panel/data entry	20.3 cm (8-inch) colour graph	ics display with touchscreen; rotat	ing (adjustable angle) display	
			Plus: Pull-out keyboard (Flow	models only)
Print speed (A4/letter) ¹⁵				
Single-sided	Up to 52/55 ppm	Up to 61/65 ppm		
Two-sided	Up to 43/45 ipm	Up to 50/53 ipm		
Print speed (A5) ³⁶				
Landscape	Up to 80 ppm	Up to 100 ppm		
Portrait	Up to 6 ppm (all models)			
First page out (A4/letter)				
From ready ¹³	As fast as 5.3/5.1 seconds (al	l models)		
From sleep ¹⁴	As fast as 7.9/7.8 seconds	As fast as 12.2/12.1 seconds	As fast as 7.9/7.8 seconds	As fast as 12.2/12.1 seconds
Print resolution	FastRes 1200; Up to 1200 x 1	200 dpi <i>(all models)</i>		
Scanning resolution	Up to 600 dpi (all models)			
ADF scan speed (A4/letter) ¹⁶				
Single-sided	Up to 69/75 ppm (black and c	olour)	Up to 83/90 ppm (black and c	olour)
Two-sided	Up to 111/120 ipm (black and	l colour)	Up to 167/180 ipm (black and colour)	
Features				
Printing	Print preview, duplex printing, p	rint multiple pages per sheet (2, 4, 6	5. 9. 16), collation, watermarks, sto	re print jobs, easy-access USB
Scanning	Optimise text/picture, image a	865 mm (8.5 x 14 in); 150-sheet A adjustments, job build, output qual ation, blank page suppression, Qui	ity setting, selectable scan resolock Sets	ution 75 to 600 dpi, auto detect
				sonic multi-feed detection, Em- ognition (OCR), auto-orientation
Digital sending		-to-network folder, save-to-USB d , send to LAN fax, ¹⁹ blank page ren		
		ng Software (HP DSS): send to fold ocal address book; Optional via HF gement		
				sonic multi-feed detection, Emognition (OCR), auto-orientation,
File formats ⁴⁹	PDF, JPEG, TIFF, MTIFF, XPS, PEPS, Print Ready files (.prn, .pcl	OF/A; Scan to easy-access USB: PD , .cht)	F, JPEG, TIFF, MTIFF, XPS, PDF/A; P	rint from easy-access USB: PDF,
			PDF (OCR), Searchable PDF/A	T (OCR), Unicode TEXT (OCR), RT
Copying		m scanner glass (25 to 400 percei round cleanup, sharpness); Job bu		, two-sided copying, image
Faxing (optional on all models)	speed dial up to 1000 numbe	onds per page (A4/letter), fax forw rs, each with 210 destinations, aut LAN/Internet fax, fax number con	o-fax reduction, auto-redialing, s	
	Fax resolution: Standard 203 received faxes only); 256 leve	x 98 dpi, fine 203 x 196 dpi, super Is of grey	fine 300 x 300 dpi, best up to 30	0 x 300 dpi (400 x 400 dpi for

	HP LaserJet Managed MFP E62655dn	HP LaserJet Managed MFP E62665hs	HP LaserJet Managed Flow MFP E62665h	HP LaserJet Managed Flow MFP E62665z	
Processor	1.2 GHz (all models)				
Memory	Standard: 1.5 GB (printer) and	512 MB (scanner)	Standard: 1.5 GB (printer) and	1 GB (scanner)	
	Maximum: 3 GB, when Accesso	ory DIMM is installed (all models)			
Durability ratings					
RMPV ²⁹	5,000 pages to as high as 40,0	000 pages <i>(all models)</i>			
RMSV ²²	14,000 pages to as high as 24	,000 pages	27,000 pages to as high as 45	,,000 pages	
Duty cycle ³⁷	Up to 450,000 pages (all mode	els)			
Media specifications					
Input capacity	Up to 650 sheets standard (up	to 3,750 maximum ¹⁷) (all models)		
	Tray 1: Up to 100 sheets				
	Tray 2: Up to 550 sheets				
Output capacity	Up to 500 sheets	Up to 1,000 sheets with 3-bin stapler/stacker	Up to 500 sheets	Up to 1,000 sheets with 3-bin stapler/stacker	
Two-sided printing	Automatic (all models)				
Media sizes	Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), postcards (JIS single and double); Letter, legal, statement, executive, 3 x 5 in, 4 x 6 in, 5 x 7 in, 8.5 x 13 in, envelopes (No. 9, No. 10, Monarch); Custom media sizes: 76 x 127 to 216 x 356 mm (3 x 5 to 8.5 x 14 in)				
	Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10×15 cm, 16 K, postcard (JIS single and double); Letter, executive, statement, 4×6 in, 5×7 in, 5×8 in; Custom media sizes: 99×148 to 216×297 mm (3.9×5.8 to 8.5×11.7 in)				
	Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10×15 cm, Oficio (216 \times 340 mm), 16K, postcard (JIS single and double); Letter, legal, executive, statement, 4×6 in, 5×7 in, 5×8 in, 8.5×13 in; Custom media sizes: 99×148 to 216×356 mm (3.9 \times 5.8 to 8.5×14 in)				
	Optional 2,000-sheet feeder: A4; Letter, legal; Custom media sizes not supported				
	ADF: A4, A5, RA4, B5 (JIS), Oficio (216 x 340 mm), 16K; Letter, legal, executive				
Media weights	Tray 1: Plain: 60 to 199 g/m² (16 to 53 lb); Envelopes: 60 to 90 g/m² (16 to 24 lb)				
	Tray 2 and optional 550-sheet tray, optional 2,000-sheet feeder, duplex: 60 to 120 g/m² (16 to 32 lb)				
	ADF: 45 to 199 g/m ² (12 to 53	lb)			
Media types	Paper (plain, light, bond, recycl transparency, labels, letterhea	led, heavy, extra heavy, cardstock, d, envelope, heavy envelope	pre-printed, pre-punched, color	ured, rough, heavy rough), mono	
Print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint ³⁸				
Fonts	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode font (Andale Mono WorldType); 2 Internal Windows Vista 8 fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet fonts and IPDS Emulation available at hp.com/go/laserietfonts				
Connectivity	1 Hi-Speed USB 2.0 Device; 2 H	Hi-Speed USB 2.0 Host; 1 Gigabit E	thernet; 1 Hardware Integration	Pocket ⁶	
Mobile printing	HP ePrint, ³⁹ Apple AirPrint, ³⁸ Mopria-certified, Google Cloud Print 2.0, HP Roam-capable for easy printing ⁴⁰				
	Optional: Wireless direct printir	ng, ²⁵ NFC touch-to-print, ²⁶ and BLE	²⁷ (all models)		
Network capabilities	Standard: via HP Jetdirect Ethernet embedded print server supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec				
	Optional: 802.11a/b/g/n wireless networking ²⁸ (all models)				
Network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6				
	Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint, ³⁸ HP ePrint, ³⁹ FTP Print, Google Cloud Print				
	Discovery: SLP, Bonjour, Web Services Discovery				
	IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6)				
	Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog				
	Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x				

			I			
	HP LaserJet Managed MFP E62655dn	HP LaserJet Managed MFP E62665hs	HP LaserJet Managed Flow MFP E62665h	HP LaserJet Managed Flow MFP E62665z		
Security	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers)					
		Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List				
	Data: Storage Encryption, Encry Erase, SSL/TLS (HTTPS), Encry	ypted PDF and Email (uses FIPS 14 pted Credentials	40 validated cryptographic librari	es from Microsoft), Secure		
	Balloon Security Technology –	port disablement, Hardware Integr Constant in-device monitoring for iitelisting – loads only known good	attacks, HP Sure Start Secure Bo			
	Security management: Comparaccessible in ArcSight, McAfee,	tible with HP JetAdvantage Securit Splunk, and SIEMonster SIEMs	ty Manager, ⁹ Device Security Sysl	og Messages processed and		
Compatible operating systems ⁴¹	Windows Client OS (32- and 64 UPD Win7 Ultimate	l-bit): Win10, Win8 Basic, Win8 Pro	o, Win8 Enterprise, Win8 Enterpri	se N, Win7 Starter Edition SP1,		
	Apple Mac OS: Sierra 10.12, Hig	gh Sierra 10.13, Mojave 10.14				
	Mobile OS: Android					
	Discrete PCL6 Printer Driver – S	Supported operating systems: For	more information, go to support	:.hp.com		
	UPD PCL6/PS Printer Drivers ¹²	– Supported operating systems: F	for more information, go to <u>hp.co</u>	om/go/upd		
Compatible network operating systems		it, Windows Server 2008 R2 64-b 16 64-bit, Failover Cluster 2008 R2				
	Citrix Server 6.5, Citrix XenApp and XenDesktop 7.6, Citrix Ready Kit Certification – up to Citrix Server 7.18; For more information, see citrix:com					
	Novell iPrint Server					
	Linux: For more information, see <u>developers.hp.com/hp-linux-imaging-and-printing</u>					
	UPD PCL6/PS Printer Drivers;12	Supported for Compatible networ	rk operating systems, please see	hp.com/go/upd		
System requirements, Windows	A compatible operating system	(see above), 2 GB available hard	disk space (OS hardware requirer	ments, see <u>microsoft.com</u>)		
System requirements, Macintosh	A compatible operating system apple.com)	(see above), 2 GB available hard (drive space, Internet (OS hardwa	re requirements, see		
Dimensions, operating (width x depth x height)	512 x 558 x 640 mm (20.15 x	22 x 25.2 in)	512 x 558 x 775 mm (20.15 x	22 x 30.5 in)		
Dimensions, maximum ⁴² (width x depth x height)	1030 x 808 x 865 mm (40.5 x	31.7 x 34.1 in)	1030 x 808 x 1025 mm (40.5 x	x 31.7 x 40.4 in)		
Weight (with print cartridges)	33.18 kg (73.75 lb)	33.73 kg (74.35 lb)	41.26 kg (90.95 lb)	41.62 kg (91.75 lb)		
What's in the box		ction Printer, HP Original LaserJet r cord, Fixed-Size Cassette Guide (installed), Documentation		
Downloadable	From 123.hp.com: HP Easy Sta	rt (Guided Software Install for Wir	ndows and Mac)			
software	From hp.com: Windows OS: Full solution software and drivers, Basic solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product documentation and support					
	From <u>hp.com</u> : Mac OS: HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin					
	For Mobile OS: iOS: For more information, see					

Environmental and power specifications

	HP LaserJet Managed MFP E62655dn	HP LaserJet Managed MFP E62665hs	HP LaserJet Managed Flow MFP E62665h	HP LaserJet Managed Flow MFP E62665z
Environmental ranges				
Temperatures	Operating range: 15 to 32.5° C (59 to 90.5° F); Recommended operating range: 15 to 27° C (59 to 80.6° F); Storage: -20 to 40° C (-4 to 104° F)			
Relative Humidity	Operating range: 10 to 80% RH; Re	ecommended operating range: 30) to 70% RH; Storage range: 10 t	o 90% RH
Acoustic power emissions				
	Ready: 3.5 B(A)	Ready: 3.5 B(A)	Ready: 3.5 B(A)	Ready: 3.5 B(A)
	Print: 7.0 B(A)51	Print: 7.2 B(A) ⁴⁴	Print: 7.2 B(A) ⁴⁴	Print: 7.2 B(A)44
	Scan: 7.3 B(A)	Scan: 7.3 B(A)	Scan: 7.3 B(A)	Scan: 7.3 B(A)
Acoustic pressure emissions (bystander)				
	Ready: Inaudible	Ready: 15 dB(A)	Ready: 15 dB(A)	Ready: 15 dB(A)
	Print: 56 dB(A)	Print: 57 dB(A)	Print: 57 dB(A)	Print: 57 dB(A)
	Scan: 57 dB(A)	Scan: 57 dB(A)	Scan: 57 dB(A)	Scan: 57 dB(A)
Power specifications ⁴⁵				
Power supply	100 V-127 V nominal @ +/-10%; 5	50-60 Hz nominal +/- 3 Hz; 12 A		
	220 V-240 V nominal @ +/-10%; 5	50-60 Hz nominal +/- 3 Hz; 6 A		
Power consumption	Printing/copying: 740 watts; Ready	y: 29 watts; Sleep: 3.3 watts; Auto	o-off/Manual on: 0.1 watts; Manu	al off: 0.1 watts
Typical Electricity	BA: 2.219 kWh/week	BA: 2.626 kWh/week	BA: 2.626 kWh/week	BA: 2.626 kWh/week
Consumption (TEC)	ES: 2.348 kWh/week	ES: 2.849 kWh/week	ES: 2.849 kWh/week	ES: 2.849 kWh/week
Energy-saving features	HP Auto-On/Auto-Off Technology,	¹⁶ Instant-on Technology ⁴⁷ (all mo	dels)	
Environmental specifications	Blue Angel compliant; ENERGY STAR certified; CECP; EPEAT Silver registered models available; ⁴⁸ mercury-free			cury-free
Safety and regulatory compliance	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/CUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries			
Electromagnetic emission standard	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A/ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries			

Ordering information

Product	HP LaserJet Managed E60155dn HP LaserJet Managed E60165dn HP LaserJet Managed MFP E62655dn	3GY09A 3GY10A 3GY14A
	HP LaserJet Managed MFP E02053dil HP LaserJet Managed MFP E62665hs	3GY15A
	HP LaserJet Managed Flow MFP E62665h	3GY16A
	HP LaserJet Managed Flow MFP E62665z	3GY17A
Supplies	HP Black Managed LaserJet Toner Cartridge (~50,000 pages) ²¹	W9004MC
	HP 37Y Extra-High-Yield Black Contract Original Laser Jet Toner Cartridge (~41,000 pages) ²¹	CF237YC
	HP Staple Cartridge Refill (5,000 staples)	J8J96A
	E60100 series models only:	1 0112 44
	HP Laser Jet 110V Fuser Maintenance Kit (225,000 pages)	LOH24A
	HP LaserJet 220V Fuser Maintenance Kit (225,000 pages)	L0H25A
	MFP E62600 series models only:	J8J87A
	HP LaserJet 110v Fuser Maintenance Kit (225,000 pages)	J8J88A
	HP Laser Jet 220v Fuser Maintenance Kit (225,000 pages)	J8J95A
	HP ADF Maintenance Kit (150,000 pages)	UCCIOL
Accessories	HP Internal USB Ports (AA Module - CSR-A)	B5L28A
	HP High-Performance Secure Hard Disk (FIPS - CSR-A)	B5L29A
	HP Jetdirect 2900nw Print Server	J8031A
	HP Jetdirect 3100w BLE/NFC/Wireless Accessory	3JN69A
	HP Trusted Platform Module Accessory	F5S62A
	HP Accessibility Assistant	2MU47A
	HP Removable Hard Drive Enclosure	2NR12A
	HP USB Universal Card Reader	X3D03A
	HP HIP2 Keystroke Reader	Y7C05A
	HP Legic Reader	4QL32A
	E60100 series models only:	
	HP LaserJet 550-sheet Paper Feeder	LOH17A
	HP LaserJet 2,100-sheet Paper Feeder	L0H18A
	HP LaserJet Printer Stand	LOH19A
	HP LaserJet Stapler/Stacker/Mailbox	L0H20A
	HP Envelope Feeder	L0H21A
	HP Extension Tray Cover	L0H22A
	HP 1 GB 90-Pin DDR3 DIMM	G6W84A
	E62600 series models only:	J8J89A
	HP LaserJet 550-sheet Paper Feeder	J8J91A
	HP LaserJet 1x550-sheet Paper Feeder with Stand and Cabinet	J8J92A
	HP Laser Jet 2x550 and 2,000-sheet HCl Feeder and Stand	J8J93A
	HP LaserJet 3x550-sheet paper Feeder and Stand	J8J90A
	HP Laser let MED Applea 700 Fay Accessory	2EH31A
	HP LaserJet MFP Analog 700 Fax Accessory HP LaserJet Keyboard Overlay Kit Sweden (Flow models only)	A7W14A
	HP LaserJet Reyboard Overlay Rit Sweden (Flow models Only) HP LaserJet Keyboard Overlay Rit - Danish/French-Switzerland/German-Switzerland (in the box	A7W13A
	when ordering BAZ option) (Flow models only)	, , , vv 1 J/1
	HP Foreign Interface Harness	B5L31A
	HP 1 GB 144-Pin DDR3 x32 800MHz SODIMM	E5K48A
	HP 2 GB 144-Pin DDR3 x32 800MHz SODIMM	E5K49A
Solutions	HP Web Jetadmin: hp.com/go/wia	
	HP Universal Print Driver: hp.com/go/upd	
	HP JetAdvantage Security Manager: hp.com/go/securitymanager	
	HP letAdvantage On Demand Cloud Solutions: hp.com/go/jetadvantageondemand	

HP JetAdvantage On Demand Cloud Solutions: hp.com/go/jetadvantageondemand
HP LaserJet fonts, barcodes, and IPDS Emulation available at hp.com/go/laserjetfonts
To learn more about available infrastructure, management, and workflow solutions, visit hp.com/go/printing.solutions.

Appendix A: features

Control panel


To access additional apps

to left

on the new printer user interface, simply swipe right

Upgrade to a modern interface


The HP LaserJet Managed E60100 and MFP E62600 series are powered by HP FutureSmart 4 firmware. Its modern, user-friendly interface keeps things simple and intuitive across your fleet of Enterprise devices. A scalable control panel interface improves future extensibility and allows for customisation, along with a robust set of new apps and usability features. You can even customise with your own wallpaper image and company logo. The new Message Center, with more detailed information and helpful animations, makes it easy to address device events. The simplified home screen displays just a few core apps by default. Additional apps are easily accessed by swiping right to left, like with a smartphone or tablet.



Edit jobs right at the MFP

The control panel on the MFP E62600 series features an enhanced image preview—now for both copies and scans. Right from the MFP's 20.3 cm colour touchscreen control panel, you can easily preview and edit scans before sending them. You can apply changes (like rotating) to a single page, or to multiple pages at once. Batch separation allows users to create separate PDF or PDF/A files from scanned pages. Flow models can also create PDF OCR and PDF/A OCR files.






You can start a **preview** prior to committing to the copy job

Use Quick Sets to launch automated workflows

The digital sending capability on the MFP E62600 series models allows users to route documents to a variety of destinations like email recipients, network folders, fax, ¹⁹ FTP, a USB device. or Microsoft SharePoint.


Quick Sets automate all of the steps of a complicated workflow and provide easy access to the configurations you use most, such as page size, resolution, and file format. You can also specify security settings, such as encrypted PDFs to be delivered through encrypted and signed emails.

Help users find what they need by moving individual Quick Sets to any screen or folder using the home screen customisation feature. With Quick Sets, IT can promote or block access to certain device features. Calls to the helpdesk can be reduced when users have everything they need and are restricted from accessing settings they shouldn't tamper with.



Troubleshoot with ease

The HP LaserJet Managed E60100 and MFP E62600 series can help save your IT department valuable time when it comes to troubleshooting problems. The Remote Control Panel allows users to operate the user interface remotely, so IT can troubleshoot problems without running to the printer or MFP.⁵² Users can also quickly troubleshoot technical issues with HP's innovative, cloud-based Online Help services that are relevant and up to date. Easily solve problems from your PC or mobile device. A Quick Response (QR) code on the touchscreen links to Online Help using smart phones and tablets.⁵³ You can also find these links in the HP Embedded Web Server event log.



- ¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of compatible products, visit: https://documentors.org/nc/hp.com/go/PrintersThatProtect. For more information, visit: https://documentors.org/nc/hp.com/go/printersecurityclaims.
- ² Based on the reduced energy use of HP LaserJet printers and cartridges with JetIntelligence introduced since 2015 compared to previous toner versions without JetIntelligence, using ENERGY STAR® methodology.
- ³ Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at hp.com/go/printsecurity.
- ⁴ The HP High-Performance Secure Hard Disk is standard on the HP LaserJet Managed MFP E62665hs and Flow MFP models; it can be added as an optional accessory to all E60100 models and the MFP E62655dn model.
- ⁵ HP Proximity Card Reader (CZ208A) is available for separate purchase for select HP devices with Hardware Integration Pocket (HIP) and touchscreen display.
- ⁶ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
- ⁷ Use of the optional HP Trusted Platform Module accessory may require a firmware upgrade.
- ⁸ HP Web Jetadmin is available for download at no additional charge at hp.com/go/wja.
- ⁹ HP JetAdvantage Security Manager must be purchased separately. For details, see hp.com/go/securitymanager.
- ¹⁰ HP JetAdvantage Secure Print works with any network-connected printer or MFP. On-device authentication is available for many HP LaserJet, PageWide, and OfficeJet Pro devices and selected non-HP devices. Some devices may require a firmware upgrade. Internet connection required for cloud storage and retrieval of print jobs. Print-job release from a mobile device requires a network connection and QR code. For more information and a list of supported printers and MFPs, see hp.com/go/JetAdvantageSecurePrint.
- ¹¹ Color access control capabilities vary from device to device.
- ¹² The HP Universal Print Driver is available for download at no additional charge at hp.com/go/upd.
- ¹³ Measured using ISO/IEC 17629. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Learn more at https://hpc.com/go/printerclaims.
- 14 Measured after 15 minutes in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity, and time in sleep.
- ¹⁵ Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ¹⁶ Scan speed measured from ADF at default 300 dpi (black-and-white, greyscale, and colour). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ¹⁷ Purchase of optional paper trays required to reach maximum input capacity.
- 18 Standard and optional paper-handling accessories vary by model. See paper-handling accessories tables, pages 7 and 10, for details.
- 19 Fax capability is optional on the HP LaserJet Managed MFP E62600 series and is not available on the HP LaserJet Managed E60100 series.
- ²⁰ An administrator must enable the easy-access USB port before use.
- ²¹ Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see https://px.com/go/learnaboutsupplies. HP Black Managed LaserJet Toner cartridges are not included in printer purchase; purchase separately.
- ²² The Recommended Monthly Scan Volume (RMSV) is up to 45,000 for the Flow MFP E62665h and Flow MFP E62665z models and up to 24,000 pages for the MFP E62655dn and MFP E62665hs models. HP recommends that the number of scanned pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ²³ All models of the HP LaserJet Managed MFP E62600 series include a 150-sheet ADF. The ADF can scan media sizes from checks (66 x 147 mm) to banners (216 x 863 mm).
- ²⁴ The pull-out keyboard and HP EveryPage are only available on the HP LaserJet Managed Flow MFP E62665h and Flow MFP E62665z models.
- ²⁶ Touch-to-print can be added by purchasing the optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see <a href="https://px.ncbi.nlm
- ²⁷ Bluetooth® Low Energy is optional with the addition of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). Bluetooth is a trademark owned by its proprietor and used by HP Inc. under licence.
- ²⁸ Wireless networking can be added with purchase of the optional HP Jetdirect 2900nw Print Server (J8031A). Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.
- ²⁹ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ³⁰ The E60100 series may add a maximum of two Envelope Feeders (L0H21A). A combination of 550-sheet Paper Feeders and Envelope Feeders cannot exceed a total number of four.
- ³¹ For U.S. models, configuration does not meet ADA height requirements if more than 3 stackable accessories are added to the base model or a stackable accessory is added to a 2.100-sheet Paner Feeder.
- ³² If you select the HP LaserJet 1x550-sheet Paper Feeder and Stand (J8J91A), you cannot select another feeder/stand accessory (J8J92A or J8J93A). You may add one additional 550-sheet Paper Feeder (J8J89A) or one Envelope Feeder (J8J90A).
- ³³ If you select the HP LaserJet 3x550-sheet Feeder and Stand (J8J93A), you cannot select another feeder/stand accessory (J8J91A or J8J92A). You may add one additional 550-sheet Paper Feeder (J8J89A) or one Envelope Feeder (J8J90A).
- ³⁴ If you select the HP LaserJet 1x550/2,000-sheet HCI Feeder and Stand (J8J92A), you cannot select another feeder/stand accessory (J8J91A or J8J93A). You may add one additional 550-sheet Paper Feeder (J8J89A) or one Envelope Feeder (J8J90A).
- ³⁵ The MFP E62600 series may add a maximum of two Envelope Feeders (J8J90A). A combination of 550-sheet Paper Feeders (J8J89A) and Envelope Feeders (J8J90A) cannot exceed a total number of four.
- 36 Measured using ISO 24734 feature test, A5 landscape feed. Speed may vary based on content, PC, media orientation, and media type.
- ³⁷ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

- ³⁸ Supports the following devices running iOS 4.2 or later: iPad, iPad 2, iPhone (3GS or later), iPod touch (3rd generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent on physical environment and distance from the access point.
- ³⁹ Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Learn more at hp.com/go/mobileprinting.
- ⁴⁰ Subscription or accessory may be required. For more information, visit hp.com/go/roam. To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB.
- ⁴¹ Full solution software available only for Windows® 7 and newer, UPD software available only for Windows 7 and newer, HP Software for Mac and Windows is no longer included on the CD, but can be downloaded from 123.hp.com, Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only with a reduced feature set, Windows RT OS for Tablets (32- and 64-bit) uses a simplified HP print driver built into the RT OS.
- ⁴² Maximum dimensions of the device are measured with all paper trays folded out and standard accessories installed.
- ⁴³ Acoustic values are subject to change. For current information see <u>hp.com/support</u>. Configuration tested: base model, simplex printing, A4 paper at an average of 51 ppm.
- ⁴⁴ Acoustic values are subject to change. For current information see <u>hp.com/support</u>. Configuration tested: base model, simplex printing, A4 paper at an average of 65 ppm.
- ⁴⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the device and void the product warranty.
- ⁴⁶ HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
- ⁴⁷ HP LaserJet products with Instant-on Technology use an innovative, quick-heating fuser system that warms rapidly and cools quickly, helping you conserve energy compared with products that use traditional fusing.
- ⁴⁸ EPEAT® registered where applicable. EPEAT registration varies by country. See <u>epeat.net</u> for registration status by country.
- ⁴⁹ Scan software not included in box. HP Scan and TWAIN driver available for download at <u>hp.com/support</u>.
- 50 Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17.
- ⁵¹ Acoustic values are subject to change. For current information see <u>hp.com/support</u>. Configuration tested: base model, simplex printing, A4 paper at an average of 53 ppm.
- ⁵² Availability dependent on firmware or software updates or upgrades.
- 53 Online Help must be enabled on the printer or MFP. Mobile device must have an Internet connection to access online services.

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Android and Google Cloud Print are trademarks of Google Inc. Apple and AirPrint are trademarks of Apple Inc. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under licence. Citrix and XenDesktop are registered trademarks of Citrix Systems, Inc. and/or one more of its subsidiaries, and may be registered in the United States Patent and Trademark Office and in other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency. Linux is the registered trademark of Linus Torvalds in the U.S. and other countries. Microsoft, SharePoint, Windows, Windows Vista, and Windows Server are U.S. registered trademarks of the Microsoft group of companies. UNIX is a registered trademark of The Open Group.

