HP LaserJet Managed MFP E62665 series



The pinnacle of performance and security

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them – all while protecting your network from attacks with the industry's deepest security.¹



HP LaserJet Managed MFP E62665hs



HP LaserJet Managed Flow MFP E62665h

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: http://www.hp.com/go/learnaboutsupplies



Quality laser printing





Color touchscreen



The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralise control of your printing environment with HP Web Jetadmin and help build business efficiency.
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

Pages, performance, and protection

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages –
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimised.
- Load up to 150 pages into the automatic document feeder for fast, unattended

Product walkaround

HP LaserJet Managed Flow MFP E62665z shown

- 1. Hardware Integration Pocket
- 2. Easy-access USB port
- 3. 1,000 sheet 3-bin stapler/stacker with job offset
- 4. Cartridge door release button (access to toner cartridge)
- 5. HP High-Performance Secure Hard Disk
- 6. Automatic two-sided printing
- $7.\,550$ sheet input tray 2 supports media sizes up to A4
- 8. 150 sheet ADF with single-pass, two-sided scanning and HP EveryPage
- 9. 20.3 cm intuitive icon-based colour touchscreen
- 10. Pull-out keyboard
- 11. Right door (access to paper path)
- 12. 100 sheet multipurpose tray 1 supports media sizes up to 216 x 356 mm
- 13. Rear door (access to paper path)
- 14. Host USB port
- 15. Hi-speed USB 2.0 printing port
- 16. Slot for cable-type security lock
- 17. Gigabit Ethernet port
- 18. Fax port



Series at a glance







Model	HP LaserJet Managed MFP E62665hs	HP LaserJet Managed Flow MFP E62665h	HP LaserJet Managed Flow MFP E62665z
Product number	3GY15A	3GY16A	3GY17A
Functions	Print, copy, scan, fax (optional)		
Print speeds (A4)	Up to 61 pages per minute (ppm)		
Scan speeds (A4, black and colour)	Up to 69 ppm, simplex; Up to 111 ipm, duplex	Up to 83 ppm, simplex; Up to 167 ipm, duplex	
First page out (from ready)	As fast as 5.3 seconds (A4)		
100 sheet multipurpose tray 1, 550 sheet tray 2	Yes		
Input capacity (standard/maximum)	Up to 650/3,750 sheets		
Advanced workflow features, including pull-out keyboard	Not available Yes		es
Managed Cartridge yield	Black: 50,000 pages		
Recommended Monthly Page Volume	5,000 to 40,000 pages		
Recommended Monthly Scan Volume	14,000 to 24,000 pages 27,000 to 45,000 pages		
Wireless direct/NFC touch-to-print/BLE	Optional		
Wireless networking	Optional		

Accessories, Supplies and Support

Supplies	J8J88A HP LaserJet 220V Maintenance Kit (225,000 pages)		
	W9004MC HP Black Managed LaserJet Toner (50,000 pages) This printer uses newer generation HP cartridges identifiable by a "P" at the end of the cartridge lot number. More at http://www.hp.com/go/learnaboutsupplies		
Accessories	2EH31A HP MFP Analog Fax Accessory 700		
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory		
	E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 50DIMM		
	E5K49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM		
	J8031A HP Jetdirect 2900nw Print Server		
	J8J89A HP LaserJet 550-sheet Feeder Tray		
	J8J90A HP LaserJet Envelope Feeder		
	J8J91A HP LaserJet 1x550 Paper Feeder and Cabinet		
	J8J92A HP LaserJet 1x550-sheet and 2000-sheet HCI Feeder and Stand		
	J8J93A HP LaserJet 3x550-sheet Paper Feeder with Cabinet		
	J8J95A HP 300 ADF Roller Replacement Kit		
Service and Support	U9NM8E HP 3 years Next Business Day with Defective Media Retention for LaserJet E62665 Managed Service U9NM9E HP 4 years Next Business Day with Defective Media Retention for LaserJet E62665 Managed Service U9NN0E HP 5 years Next Business Day with Defective Media Retention for LaserJet E62665 Managed Service U9NN7PE HP 1 year Post Warranty Next Business Day with Defective Media Retention for LaserJet E62665 Managed Service U9NN8PE HP 2 years Post Warranty Next Business Day with Defective Media Retention for LaserJet E62665 Managed Service		

Technical specifications

Model Model		LUD Locariet Managed Flow MED F63CCF	LUD Laser let Managed Flour MED F63655-		
	HP LaserJet Managed MFP E62665hs	HP LaserJet Managed Flow MFP E62665h	HP LaserJet Managed Flow MFP E62665z		
Product number	3GY15A	3GY16A	3GY17A		
Functions	Print, copy, scan and optional fax				
Control panel	20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu)	20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); Extended keyboard			
Print					
Print technology	Laser				
Print speed ¹	Black (A4, normal) Up to 61 ppm; Black (A4, duplex): Up to 50 ipm;				
First page out ²	Black (A4, ready): As fast as 5.3 sec; Black (A4, sleep): As fast as 12.2 sec;	Black (A4, ready): As fast as 5.3 sec; Black (A4, sleep): As fast as 7.9 sec;	Black (A4, ready): As fast as 5.3 sec; Black (A4, sleep): As fast as 12.2 sec;		
Print resolution	Black (best) : Up to 1200 x 1200 dpi; Technology : FastRes 1200; 1200 x 1200 dpi;				
Monthly duty cycle ³	Up to 450,000 pages A4; Recommended monthly page volume: 5,000 to 40,000				
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB				
Standard print languages	HP PCL 6, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™				
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/qp/laserjetfonts				
Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3	3 mm, Right: 4.3 mm; Maximum print area: 212 x 3	352 mm		
Duplex printing	Automatic (standard)				
Сору					
Copy speed ⁴	Black (A4): Up to 61 cpm				
Copier specifications	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID copy, book copy, A-to-B copy (different media sizes); Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%;				
Scan					
Scan speed ⁵	Normal (A4): Up to 69 ppm/111 ipm (black and white), up to 69 ppm/111 ipm (colour); Duplex (A4): Up to 111 ipm (black and white), up to 111 ipm (colour)		white), up to 83 ppm/167 ipm (colour); Duplex (A4) : Up to)		
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	Digital Send: PDF, Hi-Compression PDF, JPEG, TIF (OCR), Searchable PDF (OCR), Searchable PDF/A (PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), U Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); .pcl, .cht)	F, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: inicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Print from easy access USB: PDF, PS, Print Ready files (.pri		
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Charge Coupled Device (CCD); Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN; Twain version: Version 2.1; Duplex ADF scanning: Yes; Scan size maximum (flatbed): 216 x 356 mm; Optical scan resolution: Up to 600 dpi				
Scanner advanced features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets	Optimise text/picture; Image adjustments; Job bi 600 dpi; Auto detect colour; Edge Erase; Job noti EveryPage; Auto orientation; Embedded Optical i	uild; Output quality setting; Selectable scan resolution 75 t fication; Blank page suppression; HP Quick Sets; HP Character Recognition (OCR), Auto crop to page; Auto-tone		

Model	HP LaserJet Managed MFP E62665hs	HP LaserJet Managed Flow MFP E62665h	HP LaserJet Managed Flow MFP E62665z
Product number	3GY15A	3GY16A	3GY17A
Recommended monthly scan volume	27,000 to 45,000		
Scannable area	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 148 mm Maximum media size (ADF): 216 x 864 mm		
Bit depth/ Grey scale levels	24-bit / 256		
Digital sending	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Optional: Authentication; Data transfer; Digital fax (send to LAN, Internet); Local Address Book; Metadata capture and validation; OCR; Scan workflow management; Send-to-folder; Send-to-printer; Send-to-workflow; via HP Embedded Capture; Optional via HP Digital Sending Software (HP DSS)	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR; Optional: Authentication; Data transfer; Digital fax (send to LAN, Internet); Local Address Book; Metadata capture and validation; OCR; Scan workflow management; Send-to-folder; Send-to-printer; Send-to-workflow; via HP Embedded Capture; Optional via HP Digital Sending Software (HP DSS)	
Fax			
Fax	No,		
Processor speed	1.2 GHz		
Connectivity			
Standard	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host;	, , , , , , , , , , , , , , , , , , , ,	
Optional	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A; HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A		
Wireless	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3 JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A		
Mobile printing capability ⁶	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mop		
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print: Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutolP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x		
Hard disk	Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)		
Memory	Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 3 GB MAX memory, when Accessory DIMM is installed Standard: 1.5 GB (printer); 7 GB (scanner); Maximum: 3 GB MAX memory, when Accessory DIMM is installed		
Media handling			
Number of paper trays	Standard: 2 ; Maximum: 6		
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy envelope, heavy envelope		
Media size	Statement, 10K, A4, KA4, A3, A0, B3, B0 (313), P05ttal	u (313), DPUStcatu (313), 00 x 147 111111 tu 2 1 3.3 x 003.1	
Media handling	Standard input: 100 sheet multipurpose feeder, 550 sheet input feeder, 150 sheet automatic document feeder Standard output: 500 sheet output feeder, 500 sheet output stapler stacker, two-sided printing Optional input: Optional 550 sheet paper feeder, 550 sheet feeder with stand and cabinet, 2,000 sheet feeder high capacity input with 550 sheet paper feeder and stand, optional 3 x 550 sheet feeder and stand, optional envelope feeder ADF: Standard, 150 sheets	sheet input feeder, 150 sheet automatic document feeder Standard output: 500 sheet output feeder, two-side printing Optional input: Optional 550 sheet paper feeder, 55 sheet feeder with stand and cabinet, 2,000 sheet feeder high capacity input with 550 sheet paper feeder and stand, optional 3 x 550 sheet feeder and stand, optional 3 x 550 sheet feeder and stand, optional Poper feeder ADF: Standard, 150 sheets	sheet input feeder, 150 sheet automatic document feeder Standard output: 500 sheet output feeder, 500 sheet output stapler stacker, two-sided printing of Optional input: Optional 550 sheet paper feeder, 550 sheet feeder with stand and cabinet, 2,000 sheet feeder high capacity input with 550 sheet paper
Media weight	Feeder 1: 60 to 199 g/m ² ; Feeder 2: 60 to 120 g/m ² ;		
Input capacity	Tray 1: Sheets: 100; Transparencies: 50; Envelopes: 1 Tray 2: Sheets: 550; labels: 50 Tray 3: Sheets: 550; labels: 50 Maximum: Up to 3,750 sheets ADF: Standard, 150 sheets		

Model	HP LaserJet Managed MFP E62665hs	HP LaserJet Managed Flow MFP E62665h	HP LaserJet Managed Flow MFP E62665z	
Product number	3GY15A	3GY16A	3GY17A	
Output capacity	Standard: Up to 1,000 sheets Envelopes: Up to 75 envelopes Transparencies: Up to 200 sheets Maximum: Up to 1,000 sheets	Standard: Up to 500 sheets Envelopes: Up to 75 envelopes Transparencies: Up to 200 sheets Maximum: Up to 1,000 sheets	Standard: Up to 1,000 sheets Envelopes: Up to 75 envelopes Transparencies: Up to 200 sheets Maximum: Up to 1,000 sheets	
Compatible operating systems	Windows Client OS (32/64-bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, for more information on the supported operating systems go to http://www.support.hp.com, enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) User Guide, search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, for more information on the supported operating systems see http://www.hp.com/go/upd			
Compatible network operating systems	Windows Server 2008 R2 64-bit. Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://www.developers.hp.com/hp-linux-imaging-and-printing, Unix- for more information see http://www.hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/unixmodelscripts.			
Minimum system requirements	Windows: 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see http://www.microsoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, OS hardware requirements see http://www.apple.com			
Software included	No software solutions are included in the Box, only or	n http://www.hp.com_http://www.123.hp.com	• •	
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication solutions (e.g.: badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in ArcSight and Splunk SIEMs			
Printer management	HP Printer Assistant; HP Device Toolbox; HP Web Jet Administrator Resource Kit for HP Universal Print Driv	Admin Software; HP JetAdvantage Security Manager; HI ver (Driver Configuration Utility - Driver Deployment Uti	P SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer llity - Managed Printing Administrator)	
Dimensions and weight				
Printer dimensions (W x D x H)	Minimum 512 x 558 x 775 mm; Maximum: 1030 x 808 x 1025 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open);	Minimum 512 x 558 x 640 mm; Maximum: 1030 x 808 x 865 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open);	Minimum 512 x 558 x 775 mm; Maximum: 1030 x 808 x 1025 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open);	
Package dimensions (W x D x H)	856 x 760 x 1024 mm	700 x 639 x 785 mm	856 x 760 x 1024 mm	
Printer weight [/]	41.26 kg	33.73 kg	41.62 kg	
Package weight	61 kg	38 kg	61 kg	
Operating environment	Temperature: 10 to 32.5°C; Humidity: 30 to 70% RH	-	-	
Storage conditions	Temperature: -20 to 40°C;			
Acoustics	Acoustic power emissions: 7.2 B(A); Acoustic pressure	e emissions: 57 dB(A)		
Power ⁸	Requirements: Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/-), 6 A; Consumption: 740 watts (Printing/Copying), 29.0 watts (Ready), 3.3 watts (Sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off); Typical Electricity Consumption (TEC) 3: Energy Star: 2.849 kWh/week; Blue Angel: 2.626 kWh/week; Power supply type: Built-in 115V or 220V Power Supply;			
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy			
Certifications ⁹	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. ENERGY STAR® qualified; EPEAT® Silver; CECP Blue Angel compliant Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies			
What's in the box ¹⁰	HP LaserJet Managed E62665hs MFP; HP Original LaserJet Toner Cartridge (11,000 pages); Documentation (Hardware Install Guide); Power cord; Fixed-size cassette guides	Power cord; Fixed-size cassette guides	HP Laser Jet Managed Flow E62665z MFP; HP Original Laser Jet Toner Cartridge (11,000 pages); Documentation (Hardware Install Guide); Power cord Fixed-size cassette guides	
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.			

Footnotes

- 1 Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims.
- ² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin.
- ³ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/qo/Ljclaims.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- ⁴ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/qo/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity.
- 5 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁶ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB.
- ⁷ With print cartridges.
- ⁸ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.
- ⁹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- 10 Standard cartridges included; yields 11,000 black pages. Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.















http://www.hp.com/uk

The product could differ from the images shown. © Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



