

## imageCLASS 0 1 5 5 0 / 0 1 5 2 0

Laser Multifunction Copiers
PRINT | SCAN | COPY | FAX

### REVOLUTIONIZE TODAY'S WORKSPACE

- Easily connect your mobile devices without a router using Wi-Fi® Direct Connection\* (D1550 only).
- Print at speeds of up to 35 pages per minute,\*\* with your first print in your hands in 6.3 seconds or less.\*\*\*
- Print on-the-go with Canon PRINT Business,<sup>†</sup>
   Apple<sup>®</sup> AirPrint<sup>®</sup>,<sup>††</sup> Mopria<sup>™</sup> Print Service,<sup>†††</sup> and Google Cloud Print<sup>™</sup>.
- Touch and print with Near Field Communication (NFC)<sup>\*\*</sup> using your compatible mobile Android device (D1550 only).
- **Legal-sized** platen glass accommodates your diverse scanning and copying needs.
- **Secure Print** helps protect the privacy of your printed documents.
- Password-protected **Department ID** feature monitors and controls device usage for up to 300 IDs.
- Easily print from, and scan to, your USB flash drive in JPEG, TIFF, and PDF formats.
- Eco-friendly, all mode, two-sided printing out of the box saves paper and related costs.
- Seamlessly navigate through all the features with the user-friendly 3.5-inch, Color, Touch-Panel LCD.
- Generous, expandable paper capacity allows for up to 1,050 sheets.
- Low energy consumption; uses less than 2 W in Energy Saver mode.















# ADVANCED TECHNOLOGIES FOR YOUR OFFICE

#### Print On-the-Go

Print a variety of file types, Web pages, and images onthe-go with Canon PRINT Business,<sup>†</sup> Apple AirPrint,<sup>††</sup> Mopria Print Service,<sup>†††</sup> and Google Cloud Print<sup>A</sup> using your compatible mobile device. You can also scan hardcopy originals using Canon PRINT Business. For more information on Canon supported apps and compatibility, please visit https://www.usa.canon.com/mobile-app.











#### Secure Print

The imageCLASS D1500 Series features Secure Print to help protect the privacy of your printed documents and keep them in the right hands.



\*\*\* May vary depending on the output environment.

#### Touch and Print

Near Field Communication (NFC) \*\* allows you to easily "touch-and-print" to the D1550 using your compatible mobile Android device.

#### Department ID Management

The imageCLASS D1500 Series features password-protected Department ID Management. To help reduce costs, device

usage can be monitored and controlled for up to 300 IDs.



#### **Environmentally Conscious**

Help decrease power consumption and energy costs with Canon's efficient Energy Saving mode. In this mode, the D1500 Series uses less than two watts of energy and meets ENERGY STAR® guidelines.



SCAN

0

SCAN

#### Generation Green

The D1500 Series is part of Canon's Generation Green Program, which highlights the company's commitment to sustainability. Learn more at www.usa.canon.com/green.



#### Color, Touch-Panel LCD

The intuitive, 3.5-inch, color, touch-panel LCD allows you to navigate through the menu seamlessly.



D1550 shown

- \* Wi-Fi® is a registered trademark of the Wi-Fi Alliance®. The Wi-Fi CERTIFIED™ Logo is a certification mark of the Wi-Fi Alliance®.
- \*\* Print speed is based on internal testing. Print speed may vary depending on the number of copies selected as well as the settings for size, type, and orientation of paper.
- <sup>†</sup>Canon PRINT Business is a free app available on the App Store® and Google Play™ Store. For more information, including compatibility, please visit https://www.usa.canon.com/mobile-app. Users of Canon Mobile Printing can simply update the app to use Canon PRINT Business, users who have installed Canon Mobile Scanning for Business should install Canon PRINT Business on their compatible device. After Canon PRINT Business is installed, users can re-register their Canon Mobile Scanning for Business device list and local documents.
- \*\*Apple AirPrint functionality requires an iPad, iPad Mini, iPad 2, the new iPad, iPhone 3GS or later, or iPod touch 3rd generation or later device running iOS 7.0 8.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base Station, or Time Capsule is not supported.
- \*\*\* Mopria Print Service, available free at the Google Play Store, requires a compatible Android 4.0 or later smartphone or tablet. The printer must be either wirelessly connected to the network router or with an Ethernet cable. The mobile device and printer must be connected to the same network.
  \* Google Cloud Print requires an Internet connection and Google Account. Printer firmware update
- A Google Cloud Print requires an Internet connection and Google Account. Printer firmware update may be necessary for Google Cloud Print™ function. Certain exceptions may apply. A PC running Windows XP or later or a Mac running OS 10.4.11 or later and USB cable are required to perform firmware update.
- \*\* Requires an Android mobile device with NFC hardware running Android 4.0 or later and the Canon PRINT Business app, available for free at Google Play. Canon PRINT Business app must be open to use tap and print functionality.
- ♣♣♣Based on 20 lb. Bond paper.

Title	<b>FEATURES</b>	imageCLASS D1550	imageCLASS D1520	
Thirds Speeds (effectly print modes 2-sided)		BASIC SPECIFICATIONS		
Prints Speeds (default print mode: 2-aided)  Connectivity  USB Device 2 O H Speed, 10/000/1000/2004  Wish Boot 11 MySh (Infrastructure Mode, WPS seek yes etup)  Wirds Speeds (10/000/1000/2004)  Wish Boot 11 MySh (Infrastructure Mode, WPS seek yes etup)  Wirds Speeds (10/000/1000/2004)  Speeds (10/0000/2004)  Speeds (10/0000/2004)  Speeds (10/0000/2004)  Speeds (10/0000/2004)  Speeds (10/0000/2000/2004)  Speeds (10/00000/2004)  Speeds (10/00000000000000000000000000000	Functions	, , , , , , , , , , , , , , , , , , , ,		
USS Devez 20 H-Speed   IV (DID (1000) (2000) (2000)   USS Devez 20 H-Speed   IV (DID) (1000) (2000)   USS Devez 20 H-Speed   IV (DID) (1000) (2000)   USS Devez 20 H-Speed   IV (DID) (1000)   USS Deve	•			
Winfeld Time State   Winfeld T	Print Speeds (default print mode: 2-sided)			
Substitute	Connectivity		USB Device 2.0 Hi-Speed, 10/100/1000Base-T Ethernet (Network	
Substitute	Operating Systems	Windows® 10/8.1/8/7, Windows Vista®, Windows Server® 2012 R2/2012/2008 R2/2008/2003 R2/2003; Mac OS 10.6 and Up; Drivers Available For Download From www.usa.canon.com/support		
Multipurpose Tray				
Special Contents   Special Con	Standard Cassette	500 Sheets;*** 16 to 34 lb. Bond (plain paper); L	etter, Legal, A4, A5, •• B5, Statement, Executive	
Patent December   Patent   P	Multipurpose Tray	50 Sheets;*** 16 to 43 lb. Bond (plain paper); Le	etter, Legal, A4, A5,•• B5, Statement, Executive	
Supplex Automatic Document Feeder   Supplex   Supplex   Supplex   Pent/Scan/Copy/Fax   Supplex   Pent/Scan/Copy   Pent/Scan/Cop	Optional Cassette	500 Sheets; <sup>▲▲▲</sup> 16 to 34 lb. Bond (plain paper); L	etter, Legal, A4, A5, •• B5, Statement, Executive	
So Sheets (face-down)   Print/Scan/Copy/Pax   Up to 50.000 Pages per Month	Platen Glass Size	Up to 8.5" x 14	" (Legal-sized)	
Print/Scan/Capy/Fax	Ouplex Automatic Document Feeder	50 SI	neets	
Purple   P	Output Tray	150 Sheets	(face-down)	
IP/MAC Address Filtering, HTTPS, SNMPA, IEE 802. to Department ID Management (up to 300 lbs)   Print Fine	Duplex	Print/Scan/Copy/Fax	Print/Scan/Copy	
PRINTER SPECIFICATIONS	Outy Cycle	Up to 50,000 Pa	ages per Month	
TissPhint Time	Security	IP/MAC Address Filtering, HTTPS, SNMPv3, IEEE 8	302.1x, Department ID Management (up to 300 IDs)	
### Printer Language   Up to 600 x 600 dg U200 x 1200 dg Quality   Print Features				
Tritin Resolution Tritin Resolution Tritin Evaluates Print from USB Flash Drive (LPEG, TIFF, POFF, Print Modes (Poster, Booklet, Watermark, Toner Saver, Page Composer) Tritin Evaluates Print Memory Canon PRINT Business* Apple AirPrint** Mappina Print Service,*** Google Cloud Print* COPTER** SPECE(FLATIONS  TISS**Copy Time Tiss**Copy	irst-Print Time	6.3 Seconds or	Less (Letter)***	
Print from USB Flash Drive (IPEG, TIFF, PDF) Print Modes (Poster, Robidet, Watermark, Toner Saver, Page Composer)  Inter Memory	rinter Language			
Tries Memory  Cancan PRINT Business, *Apple Auphrent* Mologris Pherts Service,*** Google Cloud Print*  Copiers SPECIFICATIONS  Inst-Capy Time  By 10 years of the Service, *** Google Cloud Print*  Copy Speeds  Up to 17 ppm** (2-sided, plain paper, Letter). Up to 35 ppm** (1-sided, plain paper, Letter). Up to 50 ppm** (1-sided, plain paper, Letter). Up t	rint Resolution		, ,	
Canon PRINT Business, *Lapple AutPinit,** *Union Print Service,*** Google Cloud Print*   COPIER SPECIFICATIONS	Print Features			
COPIER SPECIFICATIONS  10 Seconds or Less [Letter]*  lopy Speeds Up to 17 ppm** (2-sided, plain paper, Letter)* Up to 35 ppm** (1-sided, plain paper, Letter)*  Lopy Speeds Up to 17 ppm** (2-sided, plain paper, Letter)* Up to 35 ppm** (1-sided, plain paper, Letter)*  Lopy Resolution Up to 6000 x 6000 dpi Initiationes 256 Levels Lass, Number of Copies Up to 999 Copies Up to 999 Copies Up to 999 Copies SCANNER SPECIFICATIONS SCANNER SPECIFICATIONS SCANNER SPECIFICATIONS Con Post Total Linguis Sensors (15.6); 24-bit Color Opeth TWAIN and WIA Compatible Color/Splack Approx 7/3 Seconds Per Sheet** Compact/Text Searchable PDF, PDF, IPFG, TIFF Compact/Text Searchable PDF	Print Memory			
	Mobile Print			
Copy   Speeds   Up to 17 ppm** (2-sided, plain paper, Letter) Up to 35 ppm** (1-sided, plain paper, Letter)				
Lip to 600 x 600 dp    Interface   Lip to 990 Copies	First-Copy Time			
Validations   256 Levels   1.256 L	Copy Speeds	Up to 17 ppm** (2-sided, plain paper, Letter);	Up to 35 ppm** (1-sided, plain paper, Letter)	
July to 999 Copies Zoom 25%-400%, Collate, 2-on-1, 4-on-1, 10-or 1, 10-or 4 Copy, Frame Erase, Copy Modes: Text, Photo, Text/Photo SCANNER SPECIFICATIONS Can Type Color Contact Image Sensor, (CIS), 24-bit Color Depth TWAIN and WIA Compatible Cacan Speed Color/Black Approx. 7/3 Seconds Per Sheet** Color/Black Approx. 7/3 Seconds Per Sheet** Compact/Text Searchable PDF, PDF, JPEG, TIFF Compact/Text Searchable PDF, PDF, JPEG,	Copy Resolution	Up to 600	x 600 dpi	
Zoom 25%-400%, Collate, 2-on-1, 4-on-1, 1D. Card Copy, Frame Erase, Copy Modes: Text, Photo, Text, Photo   SCANNER SPECIFICATIONS	lalftones	256 L	evels	
SCANNER SPECIFICATIONS  Color Contact Image Sensor (CIS), 24-bit Color Depth; TWAIN and WIA Compatible Scan Speed  Color/Black Approx. 7/3 Seconds Per Sheet**  Consequence of the Color of Color (Color) (Col	Max. Number of Copies	Up to 99	9 Copies	
Color Contact Image Sensor (CIS): 24-bit Color Depth; TWAIN and WIA Compatible	Copy Features	Zoom 25%-400%, Collate, 2-on-1, 4-on-1, ID Card Cop	y, Frame Erase, Copy Modes: Text, Photo, Text/Photo	
Color/Black: Approx. 7/3 Seconds Per Sheet   Color-Black: Approx. 7/3 Seconds Per Sheet   Color-Black: Approx. 7/3 Seconds Per Sheet   Color-Black: Approx. 8/90 (Seftware interpolated resolution)				
Up to 600 x 600 dpi (optical); Up to 9600 x 9600 (software interpolated resolution)   Dutput File Formats   Compact/Text Searchable PDF, PDF, IPEG, TIFF		<u> </u>		
Compact/Text Searchable PDF, PDF, IPEG, TIFF		, 11 /		
Push (Scan-to-PC) and Pull-Scan, Scan-to-USB Flash Drive (PDF, JPEG, TIFF)		1 1 1 7 1	,	
Scan-to-Folder  Yes (SMB, FTP)  FAX SPECIFICATIONS  Widem Speed  Up to 33.6 Kbps (Super G3)**** Fax Resolution  Up to 406 x 391 dpi (ultra fine) Fax Memory  Up to 512 Sheets* Speed Dialing  19 One-Touch Speed Dials; 262 Coded Dials Group Dialing  19 One-Touch Speed Dials; 262 Coded Dials Group Dialing  199 Destinations  N/A  Yes (sending only)  Fax-Forwarding, Dual Access, Remote Reception, Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Result Management Reports  GENERAL SPECIFICATIONS  Dimensions  17.8" (W) x 18.6" (D) x 18.4" (H)  Weight (without/with cartridge)  45.4/47.2 lb. 45.4/47.2 lb. 45.4/47.2 lb. 60 lb.  Warranty  Warranty: One-Year Limited Exchange/Carry-in** (Extended warranty available)  ENVIRONMENTAL SPECIFICATIONS  12 kWh  Operation: Approx.600 W, Standby: Approx.9 W, Energy Saver: 1.2 W (USB), 1.4 W (wired), 1.9 W (wireless)  Operation: Sald (sound pressure); 52 dB or Less (sound power)  Standby: Inaudible (sound pressure); 52 dB or Less (sound power)  FENERGY STAR*  WHAT COMES IN THE BOX  WHAT COMES IN THE BOX		1 ,		
Yes (SMB, FTP)		· · · · · · · · · · · · · · · · · · ·	<u> </u>	
## FAX SPECIFICATIONS    Wodem Speed				
Up to 33.6 Kbps (Super G3)  ***    Fax Resolution	Scan-to-Folder			
Up to 406 x 391 dpi (ultra fine)			FICATIONS	
Speed Dialing   19 One-Touch Speed Dials; 262 Coded Dials   19 One-Touch Speed Dials; 262 Coded Dials; 262		1 1 1 7		
Speed Dialing   19 One-Touch Speed Dials; 262 Coded Dials   199 Destinations   199 Destination   199 Des				
Sequential Broadcasting   199 Destinations   199 Destinations   199 Destinations   310 Destinations   310 Destinations   70°C Fax   Yes (sending only)	,	ı .		
Sequential Broadcasting   310 Destinations   Yes (sending only)				
Yes (sending only) Fax-Forwarding, Dual Access, Remote Reception, Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Result Management Reports    GENERAL SPECIFICATIONS			N/A	
Fax Features    Fax-Forwarding, Dual Access, Remote Reception, Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Result Management Reports   GENERAL SPECIFICATIONS				
Commensions   17.8" (W) x 18.6" (D) x 18.4" (H)	PC Fax			
Dimensions   17.8" (W) x 18.6" (D) x 18.4" (H)	Fax Features	Fax-Forwarding, Dual Access, Remote Reception, Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Result Management Reports		
Neight (without/with cartridge)   45.4/47.2 lb.   45/46.7 lb.     Package Weight   61.1 lb.   60 lb.     Narranty   Warranty: One-Year Limited Exchange/Carry-in** (Extended warranty available)				
Package Weight    Silver   First   Fir				
Warranty: One-Year Limited Exchange/Carry-in** (Extended warranty available)  ENVIRONMENTAL SPECIFICATIONS  Typical Energy Consumption (TEC)  1.2 kWh  Ower Consumption  Operation: Approx.600 W; Standby: Approx. 9 W; Energy Saver: 1.2 W (USB), 1.4 W (wired), 1.9 W (wireless)  Noise Level***  Operation: 53 dB (sound pressure); 70.6 dB or Less (sound power)  Standby: Inaudible (sound pressure); 52 dB or Less (sound power)  Pes  EPEAT  Silver  WHAT COMES IN THE BOX		· · · · · · · · · · · · · · · · · · ·	·	
ENVIRONMENTAL SPECIFICATIONS  1.2 kWh  Power Consumption Operation: Approx.600 W; Standby: Approx. 9 W; Energy Saver: 1.2 W (USB), 1.4 W (wired), 1.9 W (wireless)  Noise Level*** Operation: 53 dB (sound pressure); 70.6 dB or Less (sound power) Standby: Inaudible (sound pressure); 52 dB or Less (sound power)  ENERGY STAR®  Yes  EPEAT Silver  WHAT COMES IN THE BOX	Package Weight		1	
Typical Energy Consumption (TEC)  1.2 kWh  Cower Consumption  Operation: Approx.600 W; Standby: Approx. 9 W; Energy Saver: 1.2 W (USB), 1.4 W (wired), 1.9 W (wireless)  Operation: 53 dB (sound pressure); 70.6 dB or Less (sound power)  Standby: Inaudible (sound pressure), 52 dB or Less (sound power)  Yes  EPEAT  Silver  WHAT COMES IN THE BOX	Varranty			
Operation: Approx. 600 W; Standby: Approx. 9 W; Energy Saver: 1.2 W (USB), 1.4 W (wired), 1.9 W (wireless)  Operation: 53 dB (sound pressure); 70.6 dB or Less (sound power) Standby: Inaudible (sound pressure); 52 dB or Less (sound power)  ENERGY STAR®  Yes  EPEAT Silver  WHAT COMES IN THE BOX				
Noise Level***  Operation: 53 dB (sound pressure); 70.6 dB or Less (sound power) Standby: Inaudible (sound pressure); 52 dB or Less (sound power)  PERGY STAR®  Yes  Silver  WHAT COMES IN THE BOX	Typical Energy Consumption (TEC)			
Standby: Inaudible (sound pressure); 52 dB or Less (sound power)  ENERGY STAR®  EPEAT  Silver  WHAT COMES IN THE BOX	Power Consumption	Operation: Approx.600 W; Standby: Approx. 9 W; Ene	ergy Saver: 1.2 W (USB), 1.4 W (wired), 1.9 W (wireless)	
Standard : Inductible (South pressure): 32 da of Less (South power)  PERGY STAR®  Yes  Silver  WHAT COMES IN THE BOX	Noise Level+++	Operation: 53 dB (sound pressure	e); 70.6 dB or Less (sound power)	
EPEAT Silver WHAT COMES IN THE BOX				
WHAT COMES IN THE BOX	ENERGY STAR®			
	EPEAT	Silv	ver	
		WHAT COMES	S IN THE BOX	
D1500 Series Product, Starter Cartridge 120 (starter yield: 2,300 sheets, ISO/IEC), Power Cord (USB not included), Phone Cable (D1550 only) Starter Guide, User Software DVD-ROM, Warranty Card, Canon Drivers	*D:			

- \*\* Print speed is based on internal testing. Print speed may vary depending on the number of copies selected as well as the settings for size, type, and orientation of paper.
- \*\*\* May vary depending on the output environment.

  \* Wireless performance may vary based on terrain/distance between printer and wireless network clients.
- •• A5 paper is supported in Simplex mode only.
- \*\*C Canon PRINT Business is a free app available on the App Store® and Google Play\*\* Store. For more information, including compatibility, please visit https://www.usa.canon.com/mobile-app. Users of Canon Mobile Printing can simply update the app to use Canon PRINT Business; users who have installed Canon Mobile Scanning for Business should install Canon PRINT Business on their compatible device. After Canon PRINT Business is
- Business should install Canon PRINT Business on Their Compatible device. After Canon PRINT Business is installed, users can re-register their Canon Mobile Scanning for Business device list and local documents.

  \*\*Apple AirPrint functionality requires an iPad, iPad Mini, iPad 2, the new iPad, iPhone 3GS or later, or iPod touch 3rd generation or later device running iOS 7.0 8.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base Station, or Time Capsule is not supported.
- \*\*\* Mopria Print Service, available free at the Google Play Store, requires a compatible Android 4.0 or later smartphone or tablet. The printer must be either wirelessly connected to the network router or with an Ethernet cable. The mobile device and printer must be connected to the same network.
- ▲ Google Cloud Print requires an Internet connection and Google Account. Printer firmware update may be necessary for Google Cloud Print™ function. Certain exceptions may apply. A PC running Windows XP or later or a Mac running OS 10.4.11 or later and USB cable are required to perform firmware update.
- ▲▲▲ Based on 20 lb. Bond paper.

- Letter-sized, after being restored from Energy Saver mode.

  Based on Letter-sized searning at 300 x 300 dpi.

  The Public Switched Telephone Network currently supports fax modem speeds of 28.8 Kbps or lower, depending on telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v.34 guidelines.
- Based on ITU-T #1 Chart (standard mode).
- •• Warranty program is subject to certain conditions and restrictions. See warranty card for details.
- ••• Declared noise emission in accordance with ISO 9296.

#### 50-Sheet Automatic Document Feeder



imageCLASS D1500 Series and Accessories

imageCLASS D1550	0291C009
imageCLASS D1520	0291C011
Cartridge 120 (full-yield cartridge; 5,000 sheets; ISO/IEC Standard)	2617B001
Optional Cassette Feeding Unit-U1 (500-sheet cassette)	0732A023
D1550	
Tier 4E One-Year eCarePAK, One-Year Exchange/Carry-in	5707B050
Tier 4E Two-Year eCarePAK, Two-Year Exchange/Carry-in	5707B051
Tier 4E Three-Year eCarePAK, Three-Year Exchange/Carry-in	5707B052
Tier 4E Four-Year eCarePAK, Four-Year Exchange/Carry-in	5707B053
D1520	
Tier 3E One-Year eCarePAK, One-Year Exchange/Carry-in	5707B046
Tier 3E Two-Year eCarePAK, Two-Year Exchange/Carry-in	5707B047
Tier 3E Three-Year eCarePAK, Three-Year Exchange/Carry-in	5707B048
Tier 3E Four-Year eCarePAK, Four-Year Exchange/Carry-in	5707B049

















As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Android is a trademark of Google Inc. App Store is a service mark of Apple Inc., iPhone, iPad Air, iPad, iPad mini are trademarks of Apple Inc., registered in the U.S. and other countries. iOS is a trademark or registered trademark of Cisco in the United States and other countries and is used under license. Canon, imageCLASS, and the Super G3 logo are registered trademarks and the GENUINE logo is a trademark of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for typographical errors. @2016 Canon U.S.A., Inc. All rights reserved.

















