



U8436-O-CECHA



4 Terminal Ringless Plain Top Horn Bypass Single Pedestal Direct Bury Commonwealth Edison Chicago Housing Authority

SPECIFICATIONS

Brand Name	Milbank
Type	Ringless Meter Socket
Special Features	Commonwealth Edison Chicago Housing Authority
Application	Meter Socket
Standard	UL Listed;Type 3R
Voltage Rating	600 Volts Alternating Current
Amperage Rating	200 Continuous Ampere
Phase	1 Phase
Frequency Rating	60 Hertz

Size	4.12L x 9W x62H
------	-----------------

Number of Main Breakers	0
-------------------------	---

Main Breaker Size	No Main Breaker
-------------------	-----------------

Cable Entry	Underground
-------------	-------------

Terminal	Lay in
----------	--------

Insulation	Glass Polyester
------------	-----------------

Mounting	Pedestal
----------	----------

Material	G90 Galvanized Steel with Powder Coat Finish
----------	--

Number of Jaws	4 Terminal
----------------	------------

Bypass Provision	Horn Bypass
------------------	-------------

Number of Meter Positions	1 Position
---------------------------	------------

Equipment Ground	2 Barrel Ground Lug
------------------	---------------------

Hub/Closing Plate	Plain Top
-------------------	-----------

Line Side Wire Range	6 AWG - 350 kcmil
----------------------	-------------------

Number of Receptacles	0
-----------------------	---

Height	62 IN
--------	-------

Length	4.12 IN
--------	---------

Width	9 IN
-------	------

IMPORTANT NOTICE: Utility requirements for this equipment may vary. Always consult the serving utility for their requirements prior to ordering or installing this equipment. This product must be installed by a licensed electrician. Installation of this equipment may require local electrical inspector approval.