

Refurbished CISCO CAB-C2316-C15-IT Datasheet

CISCO > SWITCHES

Cisco Catalyst 4900 Series Switches

Physical and Environmental Characteristics

Environmental

Operating temperature	32 to 104°F (0 to 40°C)
Storage temperature	-40 to 167°F (-40 to 75°C)
Relative humidity	10 to 90%, noncondensing
Operating altitude	-196 to 6561 ft (-60 to 2000m)
Mean time between failure (MTBF)	Cisco Catalyst 4948E-F : 149,261 hours Cisco Catalyst 4948E: 145,422 hours

Regulatory Standards Compliance

Standard

Standard	Compliance
Regulatory compliance	Products bear CE Marking, indicating compliance with the 89/336/EEC and 73/23/EEC directives, which include the safety and EMC standards listed here.
Safety	UL 60950-1 CAN/CSA-C22.2 No. 60950-1 EN 60950-1 IEC 60950-1 AS/NZS 60950 IEC 60825-1 IEC 60825-2 EN 60825-1 EN 60825-2 21 CFR 1040
EMC	FCC Part 15 (CFR 47) Class A ICES-003 Class A EN55022 Class A CISPR22 Class A AS/NZS 3548 Class A VCCI Class A EN55024 ETS300 386 EN50082-1 EN61000-3-2 EN61000-3-3
Network Equipment Building Standards (NEBS)	GR-63-Core NEBS Level 3 GR-1089-Core NEBS Level 3
ETSI	ETS 300 019 Storage Class 1.1 ETS 300 019 Transportation Class 2.3 ETS 300 019 Stationary Use Class 3.1

Cisco Technical Support Services Components

Feature

Feature	Benefits
---------	----------

Software support	Software support offers maintenance and minor and major updates for licensed feature sets. Downloading new maintenance releases, patches, or updates of Cisco IOS Software helps enhance and extend the useful life of Cisco devices. Through major software updates, organizations can extend the life of equipment and get the most from application technology investments by: Adding new functions that, in many cases, require no additional hardware investment Increasing the performance of current functions Enhancing network or application availability, reliability, and stability
Cisco TAC support	With more than 1000 highly trained customer support engineers, 390 Cisco Certified Internetwork Expert (CCIE) experts, and access to 13,000 research and development engineers, Cisco TAC complements your in-house staff with a high level of knowledge about data, voice, and video communications networking technology. Its sophisticated call-routing system quickly routes calls to the correct technology personnel. Cisco TAC is available 24 hours a day, 365 days a year.
Cisco.com	This award-winning website provides 24-hour access to an extensive collection of online product and technology information, interactive network management and troubleshooting tools, and knowledge-transfer resources that can help customers reduce costs by increasing staff self-sufficiency and productivity.
Advance hardware replacement	Advance replacement and onsite field engineer options supply fast access to replacement hardware and field resources for installing hardware, reducing the risk of potential network downtime.
Smart Call Home	Cisco Smart Call Home is a proactive, connected service capability of Cisco SMARTnet Service that is available at no additional cost on Cisco Catalyst 4500 Series Switches. Smart Call Home devices can continuously monitor their own health using Cisco Generic Online Diagnostics (GOLD) technology and automatically notify you of potential problems using secure transmissions. If a serious problem arises, Smart Call Home automatically detects it and generates a Cisco TAC service request that is routed to the team appropriate for a particular problem.

The next steps...

ORDER NOW

VIEW ONLINE

Tel: +44 (0)1279 408 777

Email: sales@gocomsys.com

Website: www.gocomsys.com