

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

Numbers

10Base2, **155–156**
10BaseT, **46–47**, 47
568-A/UTP standard, **220**

A

abbreviations, listed alphabetically, 350–364
abstract syntax, defined, 22
AC (alternating current), **118–121**, 118–121
access points (APs)
 basics of, **191**, 191, 200
 defined, 4, 112, 182, 217
access rights (permissions), 57
ack, defined, 24
acronyms, listed alphabetically, 350–364
ad-hoc mode, defined, 112, 112, 191
address gateways, defined, 199
Address Resolution Protocol (ARP), 185, **239–240**
addresses
 AppleTalk protocol suite and, **249**
 configuring Internet addresses, **89–93**, 90, 92–93
 Ethernet addresses, 262, 262
 IP addressing, **241–242**, 241
 IPX/SPX protocol suite and, 247
 MAC addresses (physical addresses), 31, 31, 239
 network addresses, defined, 28
 private address space, defined, 91
 static addressing, defined, 72
agent software, defined, 301
ALOHAnet, 10
alternating current (AC), **118–121**, 118–121
AM (amplitude modulation) radio signals, **137–138**, 137–138
amp (ampere), defined, 136, 136
analog, defined, 32
analog signals
 basics of, **137–138**, 137
 vs. digital, **141–142**, 142
ANSI (American National Standards Institute)
 ANSI WAN standards, **226–229**, 227
 basics of, **211–212**
AppleShare, peer-to-peer networks and, 55
AppleTalk Address Resolution Protocol (AARP), 250
AppleTalk Data Stream Protocol (ADSP), **251**
AppleTalk Filing Protocol (AFP), 252
AppleTalk protocol suite, **249–252**
AppleTalk Transaction Protocol (ATP), **251**
application gateways, defined, 199
Application layer
 IPX/SPX protocol suite and, **248**
 as OSI model layer 7, **20–22**, 20
 TCP/IP model and, **34–35**, **243–245**
 troubleshooting network application errors, **307–308**, 307
application services, 21
architecture. *See also* network architectures
 selection of for LANs design, **267–268**
archive bits, defined, 288

ARCNET, defined, 10
ARP tables, 185
ARPAnet, **10**, 11
Asynchronous Transfer Mode (ATM)
 ATM switches, defined, 6
 basics of, **227–228**
asynchronous transmissions, **144**
AT&T, 8, 80, 80
attenuation, defined, 276
authentication, defined, 87
autoloader, 287

B

backbones, defined, 11, 101
backing up, **286–289**, 289
bandwidth
 basics of, **139–141**, 141
 of various media, listed, 172, 175–176
baseband, defined, 155
baselining, **293**
batteries, 122
binary, defined, 32
BIOS (Basic Input/Output System),
 defined, 262
BISDN (Broadband ISDN), defined, 227
bit synchronization, defined, 144
bits
 archive bits, defined, 288
 vs. bytes, 140
 defined, 139
bit streams, defined, 139, 139
blackouts, **127**
Bluetooth, defined, 219
BNC connectors, 100
bridges
 basics of, **192–193**, 192–193, 200
 defined, 4, 5
broadband LANs standard, **216–217**
broadcast domains, defined, 183
routers, **196**, 196, 200
BSD UNIX, 79, 80
bus topology, **100–101**, 100
bytes, vs. bits, 140

C

cable
 cable Internet technology, **323–324**
 coaxial cable, **153–156**, 153, 155
 crossover cable, defined, 190
 LANs design and, **271–272**,
 276–277, 277
 single-mode cable, defined, 165
campus area networks (CANs), defined, 3
CCITT/ITU-T WAN standards, **223–226**
cell switching, defined, 320
central processing unit (CPU) usage,
 monitoring, 296
channels, B and D, 226
checksum, defined, 243
chips, defined, 171
cladding, defined, 164, 165
client-server networks. *See also* network
 services and software
 architecture
 advantages and disadvantages of, 62
 basics of, 42, **59**, 59
 common server types, **60**
 implementing, **63–66**, 64–66
 LANs design and, 267
 security and, **62–63**, 63
 selecting, 62
 terminals and hosts and, **61**, 61
 configuration, **87–93**
 Internet addresses, **89–93**, 90,
 92–93
 Windows XP, **87–89**, 88
 described, 59, 59
 coaxial cable, **153–156**, 153, 155
 collision detection, **214–215**, 215
 collision domains, defined, 183
 commercial buildings cabling standards,
 221–222, 221–222
Common Management Information
 Protocol (CMIP), **303**
Compatible Time-Sharing System (CTSS), 9
computers
 destination computers, defined, 2

mainframes, defined, 9, 61, 61
 source computers, defined, 2
 connection-oriented transmissions, **26**, 27
 connectionless transmissions, **26–27**, 27
 connectors, **152**, **166–167**, 166
 continuity tests, defined, 276
 copper media. *See under* network media
 CPU usage, monitoring, 296
 Crocker, Steve, 207
 crossover cable, defined, 190
 CSMA/CD (Carrier Sense Multiple Access/Collision Detection) access method, **214–215**, 214

D

daisy chains, defined, 269
 data
 backing up, **286–289**, 289
 binary data, defined, 32
 data compression, 22–23
 data over cable technology, **323–324**
 defined, 18
 OSI model and, **18**, 18, 22
 data centers, **128**
 Data Link layer (layer 2)
 basics of, **30–31**, 30–31
 protocols, **238–239**, **250**, 308, 308
 database services, 21
 Datagram Delivery Protocol (DDP), **251**
 datagrams, defined, 28
 DC (direct current), **121–122**, 121
 deencapsulation, defined, 18
 default gateways, defined, 89
 demarcation point, defined, 264
 demultiplexing, defined, 317
 devices, **181–203**
 access points, **191**, 191
 bridges, **192–193**, 192–193
 routers, **196**, 196
 comparing, **200–201**
 defined, 2, 16
 extending networks and, **182**, 182
 gateways, **199**
 hubs, **189–190**, 189
 LANs
 connecting, **277–278**
 selecting, **273–275**
 network interface cards (NICs), **185–187**, 186
 network segments, **183–184**, 184
 repeaters, **188**, 188
 review questions, 202–203
 routers, **197–198**, 198
 switches, **194–195**, 194–195
 DHCP (Dynamic Host Configuration Protocol), 72, **245**
 dialog control, **25**, 25
 dialog separation, 25
 dielectric, 153, 153, 157, 157
 digital, defined, 32
 Digital Linear Tape (DLT), 286
 digital signals
 analog vs. digital, **141–142**, 142
 basics of, **138–141**, 139, 141
 Digital Subscriber Line (DSL), **321–323**, 322–323, 324
 direct current (DC), **121–122**, 121
 direct-sequence (DS) modulation, defined, 171
 disk mirroring, 292
 disk striping with parity, 292
 Distributed Queue Dual Bus (DQDB)
 access method standard, **216**
 distribution layer, 269
 documentation
 LAN design and, **263–265**
 network management and, **296–298**, 297, **305–306**
 DoD model. *See* TCP/IP
 domain name registry, defined, 327
 Domain Name System (DNS), 72, **91**, **244–245**
 domains, defined, 91
 downtime, defined, 283
 DQDB (Distributed Queue Dual Bus)
 access method standard, **216**
 drivers, defined, 185
 DSO, 319

dummy terminals, defined, 61
Dynamic Host Configuration Protocol (DHCP), 72, **245**

E

e-mail, Application layer and, 21
earth grounds, **119–120**, 120
electricity, **117–131**
 data centers and, **128**
 power problems and solutions, **123–127**
 review questions, 129–131
 types of current, **118–122**
 alternating (AC), **118–121**, 118–121
 direct (DC), **121–122**, 121
electromagnetic interference (EMI), 134–135, 156
Electronics Industry Alliance (EIA)
 about, **210**
 EIA/TIA cabling standards, **220–222**, 221–222
encapsulation, 18, 18, 29
encryption, 23–24
enterprise networks, **65–66**, 66
equipment, assessing for LANs design, **260–263**, 262
Ethernet, defined, 10, 101

F

Fast Ethernet, **215**
fault tolerance, 76, 106, 285
faults, defined, 296
FDDI (Fiber Distributed Data Interface), 227
Federal Communications Commission (FCC), 8
feedback loops, defined, 259
Fiber Distributed Data Interface (FDDI), **226–227**
fiber-optic media, 165–167
fiber optics
 connections, 3

 fiber-optic media, **164–168**, 165–167
 standards for, **217**
file services, Application layer and, 21
file sharing. *See* folders
File Transfer Protocol (FTP), 20, 72, **244**
firewalls, defined, 278
flow control, **27–28**, 27
FM (frequency modulation) radio signals, **137–138**, 138
folders
 sharing in Macintosh, **55–58**, 55–58
 sharing in Windows, **51–55**, 51–55
Frame Relay, **224–225**, **324–325**
frequency
 defined, 136, 136
 frequency hopping, defined, 171
 wireless ranges, 172
frequency modulation (FM) radio signals, **137–138**, 138
full-duplex transmissions (FDX), **146–147**, 147

G

gateways, **199**, 200
Get Nearest Server (GNS), 247
Gigabit Ethernet, **215**
gigabit Points of Presence (gigaPOPs), defined, 11
glossary of terms, 366–383

H

half-duplex transmissions (HDx), **146**, 146
hardware
 identifying for LANs design, **262–263**, 262
 server hardware, **76**
hertz (Hz), defined, 136
hexadecimal addresses, 31, 31
high-powered radio transmissions, **170–171**
horizontal cross-connects, defined, 162
Host-to-Host layer (TCP/IP model), 35
hosts and terminals, **61**, 61

hot wires, defined, 120, 120

hubs
 basics of, 4, 4, 33, 33, **189–190**, 189, 200
 star topology and, 104, 104, 105, 105,
 108, 108

hybrid networks, **67–68**, 68

hybrid topologies, **108**, 108, 267

HyperText Transfer Protocol (HTTP),
 20, **244**

I

IBM data connectors, 159, 159

IEEE (Institute of Electrical and Electronics
 Engineers)
 about, **210**
 IEEE 802: LANs and MANs standards,
213–219, 214–215
 Web site for, 218

impedance, and coaxial cables, 154

infrared transmissions, **174**

infrastructure mode, 112

infrastructure mode, defined, 112, 191

Integrated Service Digital Network
 (ISDN), **325–326**

integrated services (IS) standards, **217**

interference, 134–135

intermediate distribution facilities (IDFs),
270–271, 270

intermediate systems, 29

International Organization for
 Standardization (ISO), 16, 209

International Telecommunications Union
 (ITU), **212**

the Internet
 basics of, **11**
 Internet 2
 defined, 11, 228
 Web site for, 11, 229

Internet access. *See* wide area
 networks (WANs) and Internet access

Internet Control Message Protocol
 (ICMP), **240**

Internet layer (TCP/IP) model, **35**,
239–242, 241–242

Internet Packet eXchange, **247–248**

Internet Protocol (IP)
 basics of, **239**
 Version 6, **242**

Internet Service Providers (ISPs),
 connecting to, **317**

internetworks, defined, 2

interoperability, TCP/IP suite and, **238**

IP addressing, **241–242**, 241

IP subnets, **242**, 242

IPX/SPX protocol suite, **246–248**, 246

IS (integrated services) standards, **217**

ISA (Industry Standard Architecture),
 network connections and, 47

J

joules, defined, 125

K

keep-alive messages, 24

L

LANs. *See* local area networks (LANs)

latency, defined, 283

layers, OSI model. *See also under* OSI
 model
 network troubleshooting and,
306–310, 307–309

leased lines, defined, 319

LEDs (light-emitting diodes), defined, 164

line conditioners, defined, 127

Linux, 80, **81–83**

local area networks (LANs)
 basics of, **3–5**, 4
 IEEE 802: LANs and MANs standards,
213–219, 214–215
 network segments, 183, **184**, 184
 virtual LANs, **194–195**, 195
 wireless LAN topologies, **112**, 112

local area networks (LANs) design, **257–279**
 creating, **267–278**
 architecture selection, **267–268**
 cable, testing and certifying, **276–277**
 device selection, **273–275**
 LANs devices, connecting, **277–278**,
 277–278
 media selection and installation,
 275–276
 topology selection, **269–272**,
 269–270
 needs assessment, **260–266**
 equipment inventory, **260–263**, 262
 facility assessment and docu-
 mentation, **264–265**, 264
 user needs, **266**
 preparation for, **258–259**, 258–259
 review questions, 279
local exchange carrier (LEC), defined, 316
local loops, defined, 316
LocalTalk protocol, 250
Logical Link Control (LLC)
 802.2 standards, **213**
 LLC sublayer, 30, 30
logical topologies. *See under* topologies

M

MAC broadcasts, defined, 240
Macintosh
 configuring peer-to-peer networks for,
 55–58, 55–58
 OS X
 identifying system information in,
 262–263, 262
 server, **85–86**
main distribution facility (MDF), 269–270
mainframes, defined, 9, 61, 61
management information base (MIB),
 defined, 300
management of networks. *See* network
 management
MANs. *See* metropolitan area networks
 (MANs)
MAUs (Multistation Access Units), 108,
 108, 110, 110, 190

media. *See* network media
Media Access Control (MAC) sublayer,
 30–31, 30
memory in cassette (MIC), defined, 286
mesh topology, **106–107**, 106–107
metal oxide varistor (MOV),
 defined, 125
metropolitan area networks (MANs)
 basics of, **5–6**
 IEEE 802: LANs and MANs standards,
 213–219, 214–215
 security standards, **217**
 metropolitan exchange, defined, 316
 MIC (memory in cassette), defined, 286
 microwave transmissions, **172–174**, 173
 modems, 7, 142, 142
 motherboards, defined, 185
 multi-server networks, **64–65**, 65
 multichannel trunk, defined, 317
 multimode cable, defined, 165
 multiplex, defined, 317
 multiplexing, defined, 217
 multiprocessing, and network services,
 75, 75, 76
 multitasking, and NOSs, **74**, 74

N

Name Binding Protocol (NBP), **251**
narrow-band radio transmissions, **170**
NDS (Novell Directory Services), 83–84
near-end cross talk, defined, 276
needs assessment, defined, 260
NetBEUI (NetBIOS Extended User
 Interface), defined, 89
NetWare, **83–84**
NetWare Core Protocol (NCP), **248**
network architectures
 basics of, 42
 client-server networks. *See* client-
 server networks, architecture
 hybrid networks, 42, **67–68**, 68
 peer-to-peer networks. *See* peer-to-
 peer networks, architecture
 review questions, 69

- network interface cards (NICs)
 - defined, 4, 5
 - devices and, **185–187**, 186
 - MAC addresses and, 31
- Network Interface layer, **35**
- Network layer
 - IPX/SPX protocol suite and, **247–248**
 - OSI model (layer 3), **28–29**, 28
 - TCP/IP model, **35**, **239–242**, 241–242
 - troubleshooting, 308, 308
- network management, **281–311**
 - first steps in, **285–292**
 - backing up, **286–289**, 289
 - basics of, **285**
 - redundancy, **291–292**
 - uninterrupted power, **290**
 - importance of, **282–284**, 282–283
 - network management systems (NMS), **299–304**
 - implementing, **303–304**
 - SNMP and, **300–303**, 301
 - TCP/IP networks, **299–300**, 300
 - performance monitoring, **293–298**
 - baselining, **293**
 - documenting performance, **296–298**, 297
 - network performance and, **294–295**, 295
 - server performance and, **296**
 - review questions, 311
 - troubleshooting, **305–310**
 - documentation for, **305–306**
 - layered approach, **306–310**, 307–309
- network media, **151–179**
 - comparing, **175–176**
 - connectors and, **152**
 - copper media, **153–163**
 - coaxial cable, **153–156**, 153, 155
 - shielded twisted-pair cable, **157–159**, 157, 159
 - unshielded twisted pair, **160–163**, 160, 162
 - defined, 30, 30, 98, 152
 - fiber-optic media, **164–168**, 165–167
 - review questions, 177–179
 - selection of for LANs design, **275–276**
 - troubleshooting, **309–310**, 309
 - wireless networking options, **169–174**, 169
 - infrared transmissions, **174**
 - microwave transmissions, **172–174**, 173
 - radio transmissions, **170–172**
- network operating systems (NOSs). *See under* network services and software
- network operations center (NOC), defined, 304
- network-printing services, 21
- network protocols, **233–255**
 - AppleTalk protocol suite, **249–252**
 - defined, 2
 - importance of, **234–235**
 - IPX/SPX protocol suite, **246–248**, 246
 - protocol suites basics, **236**
 - review questions, **253–255**
 - TCP/IP suite, **237–245**, 237
 - Application layer, **243–245**
 - Data Link layer, **238–239**
 - features of, **238**
 - Internet (Network) layer, **239–242**, 241–242
 - Transport layer, **243**
 - troubleshooting, **308–309**, 308
- network services and software, **71–95**
 - client network configuration, **87–93**
 - Internet addresses, **89–93**, 90, 92–93
 - Windows XP, **87–89**, 88
 - network operating systems (NOSs)
 - basics of, **74–75**, 74–75
 - Linux, **81–83**
 - Mac OS X Server, **85–86**
 - Novell NetWare, **83–84**
 - UNIX, **79–80**, 80
 - Windows 2000 Server, **77–79**, 78
 - review questions, 94–95
 - servers, selecting, **74–77**, 74–75

networks

- basics of, **1–13**
 - fundamentals, **2**
 - the Internet, **11**
 - origins of, **9–10**
 - public telephone system and, **8**
 - review questions, 12–13
 - types of, **3–7**, 4, 6
- client-server networks. *See* client-server networks
- defined, 1
- network segments, **183–184**, 184
- NOC (network operations center), defined, 304
- nodes, defined, 2
- Novell Directory Services (NDS), 83–84
- Novell NetWare, **83–84**
- NSFNET, 11

O

- ohms, defined, 154
- operating systems. *See under* network services and software
- orthogonal frequency division multiplexing (OFDM), defined, 171
- OS X
 - identifying system information in, **262–263**, 262
 - server, **85–86**
- OSI (Open Systems Interconnection) model, **16–39**
 - basics of, **16–17**, 16–17
 - data flow and, **18**, 18
 - OSI layer basics, **19–33**, 19
 - Application layer (layer 7), **20–22**, 20
 - Data Link layer (layer 2), **30–31**, 30–31
 - Network layer (layer 3), **28–29**, 28
 - Physical layer (layer 1), **32–33**, 32–33
 - Presentation layer (layer 6), **22–24**, 23
 - Session layer (layer 5), **24–25**, 25
 - Transport layer (layer 4), **26–28**, 27

- review questions, 37–39
- vs. TCP/IP model, **34–36**

P

- packets
 - defined, 18, 22
 - packet switching, **320**
- passwords, and share-level security, 45
- patch cable, defined, 277
- PCI (Peripheral Component Interconnect), 47
- PDA (Personal Digital Assistants), defined, 219
- PDN (public data network), defined, 223
- peer-to-peer networks
 - architecture
 - basics of, 42
 - implementing, **46–47**, 47
 - LANs design and, 267
 - Macintosh and, **55–58**, 55–58
 - security on, **45**, 45
 - selecting, **44**
 - Windows and, **48–55**, 49–54
 - peer-to-peer mode, 112, 112
 - Performance Monitor, configuring, **297**, 297
 - performance monitoring. *See under* network management
 - Peripheral Component Interconnect (PCI), 47
 - permissions, in Macintosh networks, 57
- Physical layer
 - OSI model, **32–33**, 32–33
 - TCP/IP model, **36**
 - troubleshooting, 309–310, 309
- physical topologies. *See under* topologies ping, 92–93, 309
- plenum, defined, 153, 165, 275
- point of entry (POE), defined, 264
- Point-to-Point Protocol (PPP), **321**
- polling, defined, 302
- ports, defined, 189, 190

power conditioners, defined, 127
 premise, defined, 316
 Presentation layer (layer 6), **22–24**, 23
 printing. *See* network-printing services
 Process layer (TCP/IP model), **34–35**
 promiscuous mode, defined, 302
 protocol gateways, defined, 199
 protocols. *See* network protocols
 public data network (PDN), defined, 223
 public switched telephone network (PSTN), 8, 223
 public telephone system
 networking basics and, **8**
 WANs and, 6
 punch block, defined, 275

R

radio
 radio frequency interference (RFI), 134–135, 156
 radio signals, **137–138**, 138
 radio transmissions, **170–172**
 redundancy, 103, 285, **291–292**
 Redundant Array of Inexpensive Disks (RAID), 76, 292
 remote network monitoring, **302–303**
 repeaters, 33, 33, **188**, 188, 200
 Request for Comments (RFC), defined, 206
 Reverse Address Resolution Protocol (RARP), **240**
 review questions and answers
 devices, 202–203, 342–343
 electricity, 129–131, 339
 local area networks (LANs) design, 279, 345–346
 network architectures, 69, 334–335
 network management, 311, 346–347
 network media, 177–179, 340–341
 network protocols, 253–255, 344–345
 network services and software, 94–95, 336–337

 networking basics, 12–13, 332
 OSI model, 37–39, 333–334
 signaling, 148–149, 340
 standards, 230–231, 343–344
 topologies, 113–115, 337–338
 wide area networks (WANs) and Internet access, 329–330, 347–348
 RFI (radio frequency interference), 134–135, 156
 ring topology, **101–104**, 102–103
 routers
 basics of, **197–198**, 198, 200
 configuring DSL routers, **322–323**, 322–323
 defined, 4, 5
 selection of for LANs design, **274**
 routing, 29, 197. *See also* routers

S

sags, **126–127**
 satellites
 satellite microwave, **174**
 WANs and, 6
 SC connectors, **167**, 167
 SCSI (Small Computer System Interface), defined, 286
 security
 client-server networks and, **62–63**, 63
 LAN/MAN standards, 217
 LANs design and, 266, 271
 peer-to-peer networks and, **45**, 45
 share-level, 44, 45
 Sequence Packet eXchange, **248**
 serial ports, defined, 46
 servers
 common server types, **60**
 selecting, **74–76**, 74–75
 server-based networks. *See* client-server networks, architecture
 Service Advertisement Protocol (SAP), **248**
 services
 Application layer services, 21

- integrated services (IS) standards, **217**
 - on servers, defined, 59, 71. *See also* network services and software types of, **72–73**
 - Session layer (layer 5), **24–25**, 25
 - sessions, defined, 24
 - shielded twisted-pair (STP) cable, **157–159**, 157, 159
 - signaling, **133–149**
 - basics of, **134–135**
 - computers and, **137–143**
 - analog, **137–138**, 137
 - analog vs. digital, **141–142**, 142
 - digital, **138–141**, 139, 141
 - measuring signals, **136**, 136
 - review questions, 148–149
 - transmission, **144–147**, 145–147
 - Simple Mail Transfer Protocol (SMTP), 20, **244**
 - Simple Network Management Protocol (SNMP), **245**
 - simplex transmissions, **145**, 145
 - sine waves, 118, 118, 136, 136, 137
 - single-mode cable, defined, 165
 - single-server networks, **64**, 64
 - SMA connectors, **166**, 166
 - Small Computer System Interface (SCSI), defined, 286
 - SNMP, **300–303**, 301
 - software
 - network operating systems (NOSS). *See under* network services and software
 - network services available with, **72–73**
 - SONET (Synchronous Optical Network), **228–229**
 - Spanning Tree Protocol (STP), 213
 - spikes, 125, 125
 - spread-spectrum radio transmissions, **171–172**, 171
 - square waves, 136, 136, 138, 138
 - ST connectors, **166**, 166
 - stacks, defined, 234
 - standards, **205–231**
 - basics of, **206–207**
 - EIA/TIA cabling standards, **220–222**, 221–222
 - IEEE 802: LANs and MANs standards, **213–219**, 214–215
 - review questions, 230–231
 - standards organizations, **208–212**
 - WAN connection standards, **223–229**
 - ANSI WAN standards, **226–229**, 227
 - CCITT/ITU-T WAN standards, **223–226**
 - star topology, **104–106**, 104–105
 - static electricity, **123**
 - STP. *See also* shielded twisted-pair (STP) cable
 - Spanning Tree Protocol (STP), 213
 - subnets, **242**, 242
 - Subnetwork Access Protocol (SNAP), 213
 - SuperDLT, 287
 - surge suppressors, **125–126**, 126
 - surges, **124–126**, 124, 126
 - swap file errors, 296
 - switches
 - basics of, 4, 4, **194–195**, 194–195, 200
 - selection of for LANs design, **273**
 - syn, defined, 24
 - Synchronous Optical Network (SONET), **228–229**
 - synchronous transmissions, **144–145**
 - syntax, abstract and transfer, 22
- ## T
- T-carriers, defined, 319
 - tape drives
 - tape backup drives, 76
 - types, listed, 286–287
 - TCP/IP model
 - configuring with Windows XP, **89–91**, 90, **92–93**, 92–93
 - management model for, **299–300**, 300

- vs. OSI model, **34–36**
 - TCP/IP suite. *See under* network protocols
 - Telecommunications Industry Association. *See* TIA (Telecommunications Industry Association)
 - telecommunications services, **319–320**
 - telephones. *See* public telephone system
 - Telnet, **245**
 - terminals and hosts, **61, 61**
 - terminators, 100
 - terrestrial microwave, **173, 173**
 - Thicknet, **155, 155**
 - Thinnet, **155–156**
 - TIA (Telecommunications Industry Association)
 - about, **211**
 - EIA/TIA cabling standards, **220–222, 221–222**
 - Time Domain Reflectometry (TDR), defined, 272
 - Token Ring, 10, 102, **216**
 - tokens, defined, 216
 - topologies, **97–115**
 - logical, **109–111, 109**
 - logical bus, **109–110, 109**
 - logical ring, **110–111, 110**
 - physical, **99–108, 99**
 - bus, **100–101, 100**
 - hybrid, **108, 108**
 - mesh, **106–107, 106–107**
 - ring, **101–104, 102–103**
 - star, **104–106, 104–105**
 - physical vs. logical, **98**
 - selection of for LANs design, **269–272, 269–270**
 - wireless LAN topologies, **112, 112**
 - Torvalds, Linus, 81
 - Trace Routes, **93, 93**
 - traceroute, and troubleshooting, 309
 - transfer syntax, defined, 22
 - transmission
 - basics of, **144–147, 145–147**
 - infrared, **174**
 - microwave, **172–174, 173**
 - radio, **170–172**
 - rates for SONET level, listed, 229
 - Transmission Control Protocol (TCP), **243**
 - transponders, defined, 174
 - Transport layer
 - IPX/SPX protocol suite and, **248**
 - OSI model (layer 4), **26–28, 27**
 - TCP/IP model, **35, 243**
 - troubleshooting, 308, 308
 - Trivial File Transfer Protocol (TFTP), **244**
 - troubleshooting, **305–310**
 - documentation for, **305–306**
 - layered approach, **306–310, 307–309**
 - TV, access method standard, **218**
- ## U
- Ultrium (LTO), 286
 - uninterruptible power supply (UPS), 76, 126, **290**
 - UNIX. *See also* Linux
 - as network operating system, **79–80, 80**
 - unshielded twisted pair (UTP), **160–163, 160, 162**
 - uplink ports, defined, 190
 - User Datagram Protocol (UDP), **243**
 - users
 - assessing needs for LANs design, **266**
 - Macintosh and definition of, 55
- ## V
- Vail, Theodore, 8
 - vampire tap, defined, 155
 - vBNSs (very high performance Backbone Network Services), defined, 11
 - virtual circuits, defined, 224
 - virtual private network (VPN) services, 73
- ## W
- waveforms, 136, 136. *See also* sine waves

- Web servers, 60
 - Web sites for information
 - downloading Linux, 82
 - IEEE, 218
 - Internet 2, 11, 229
 - RFC Archive, 206
 - wide area networks (WANs)
 - basics of, **6–7, 6, 314–315**
 - connecting to, **278, 278**
 - WAN connection standards, **223–229**
 - ANSI WAN standards, **226–229, 227**
 - CCITT/ITU-T WAN standards, **223–226**
 - wide area networks (WANs) and Internet access, 313–330
 - connecting to the Internet, **316–317, 316–317**
 - planning Internet access, **318–328**
 - avoiding potholes, **326**
 - basics of, **318**
 - data over cable, **323–324**
 - DSL, **321–323, 322–323**
 - DSL vs. cable Internet, 324
 - Frame Relay, **324–325**
 - Integrated Service Digital Network (ISDN), **325–326**
 - point-to-point protocol (PPP), **321**
 - the rollout, **326–328**
 - telecommunications services, **319–320**
 - review questions, 329–330
 - WANs basics, **314–315**
 - Windows 2000
 - connecting to Windows 2000 networks, **87–88**
 - Windows 2000 Server, as network operating system, **77–79, 78**
 - Windows, configuring peer-to-peer networks for, **48–55, 49–54**
 - Windows XP
 - client network configuration and, **87–89, 88**
 - identifying system information in, **262**
 - Wireless Access Points (WAPs), LANs design and, 265, **274**
 - wireless bridges, 182, **193, 193, 200**
 - Wireless Equivalent Privacy (WEP), defined, 191
 - wireless networking options. *See* network media
 - Wireless Personal Area Network (WPAN) standards, **218–219**
 - workgroups, defined, 43, 43
 - workstations
 - defined, 42
 - single-server networks and, 64, 64
 - wrist straps, 47
- ## X
- X.25, **224**
 - Xerox Network System (XNS), **246**
- ## Z
- Zone Information Protocol (ZIP), 252
 - zones, defined, 250